

# Quantum inverse scattering for the 20-vertex model up to Dynkin automorphism: crossing probabilities, 3D Poisson structure, triangular height functions, weak integrability

P. Rigas

## Abstract

We initiate a novel application of the quantum-inverse scattering method for the 20-vertex model, building upon seminal work from Faddeev and Takhtajan on the study of Hamiltonian systems, with applications to crossing probabilities, 3D Poisson structure, triangular height functions, and integrability. In comparison to a previous work of the author in late 2023 which characterized integrability of a Hamiltonian flow for the 6-vertex model from integrability of inhomogeneous limit shapes, formalized in a work of Keating, Reshetikhin and Sridhar, notions similar to those of integrability can be realized for the 20-vertex model by studying new classes of higher-dimensional L-operators. In comparison to two-dimensional L-operators expressed in terms of Pauli basis elements, three-dimensional L-operators provided by Boos and colleagues have algebraic, combinatorial, and geometric, qualities, all of which impact leading order approximations of correlations, products of L-operators, the transfer matrix, and the quantum monodromy matrix in finite volume. In comparison to the inhomogeneous 6-vertex model, the 20-vertex model does not enjoy as strong of an integrability property through the existence of suitable action-angle variables, which is of interest to further explore, possibly from information on limit shapes given solutions to the three-dimensional Euler-Lagrange equations.<sup>1 2</sup>

## 1 Introduction

### 1.1 Overview

The six-vertex (6V) model, originally introduced to study thermodynamic properties of ice [34], has received significant attention besides seminal computations for the residual free energy on the torus [30], ranging from quantification of crossing probabilities through a Russo-Seymour-Welsh formalism [10], computation of the free energy from the conjectured phase diagram into ferroelectric, and antiferroelectric, phases [11], integrability and spin-boson models [1,16,31,41], exact solvability [4,5,6,9], staggering [17,23], limit shapes [35], spin-spin, and ordinary, correlations [8,26,27], and various extensions of Russo-Seymour-Welsh results to the six-vertex model under sloped boundary conditions, in addition to obtaining crossing probability estimates for the the Ashkin-Teller and generalized random-cluster models over the strip [36]. To continue exploring several aspects of interest, which can share connections with behaviors observed in other models of statistical mechanics, from the influence of boundary conditions [13,42,46], discrete holomorphicity from the Cauchy-Riemann equations [40], symmetry [18,29,32], to the Bethe ansatz [5,12], we pursue new applications of the quantum-inverse scattering approach, [16], which has lead to many applications for studying lattice models that are directly solvable and integrable. In a previous application of the quantum inverse scattering approach for the inhomogeneous six-vertex model, [41], computations for establishing that the inhomogeneous Hamiltonian flow, from results stating that the inhomogeneous limit shapes are integrable, is also integrable, include: identifying a suitable L-operator, obtaining a system of relations between the Poisson bracket and entries of the transfer matrices (see the system of relations provided in 2.4 of [41], as an adaptation of the system provided in seminal work on Hamiltonian methods in [16]), applying properties of the Poisson bracket to simplify expressions obtained from the system of relations parametrized in entries of the transfer matrix, along with discussing more general features of the Poisson bracket of entries of transfer and monodromy matrices together - the Poisson structure.

Colorizing a vertex model, such as is the case with the six-vertex model, entails that one include a gradient of countably many colors for which crossings across the first color in the gradient are given the highest probability of occurring. In comparison to the typical six-vertex models without a color gradient,

<sup>1</sup>Keywords: Statistical physics, square ice, ice rule, triangular ice, six-vertex model, twenty-vertex model, quantum inverse scattering, Poisson structure, crossing probabilities, integrability, action-angle variables

<sup>2</sup>MSC Class: 81U02; 34L25; 60K35; 82B20; 82B27

it remains of interest to determine whether ideas suggested by [24] for applying the quantum inverse scattering approach for showing that the inhomogeneous six-vertex model Hamiltonian is integrable can also be used to demonstrate that the colored inhomogeneous six-vertex model Hamiltonian is integrable. Knowledge of integrability for all colored six-vertex models is still not complete, and determining whether related versions of integrability that have previously been developed for uncolored vertex models can also be applied to colored vertex models is of interest. More generally, determining whether a lattice model is completely solvable, and integrable, is of value for determining whether the correlations of the model can be precisely quantified, in addition to the fact that suitable action-angle variables exist for the system, which can be expressed by making use of standard properties of the Poisson bracket. Despite the fact that the Poisson bracket appears in any argument for establishing that a desired integrability property holds (from adaptations of the method presented in [16]), additional complications from such arguments arise from: identifying suitable action-angle coordinates; determining whether the candidate action-angle coordinates in question can be approximated from properties of the Poisson bracket; establishing relations between entries of the quantum monodromy and transfer matrices; quantifying the influence of boundary conditions of the vertex model for correlations in the finite volume bulk.

Throughout the literature, the vast majority of results for the six-vertex model deal with sufficiently flat boundary conditions, which results in simplifications for various characteristics of the model. In the presence of sloped boundary conditions which belong to the interior of the set of rational points of  $[-1, 1] \times [-1, 1]$ , the height function of the six-vertex model is expected, in many cases, to logarithmically delocalize [36], as an adaptation of RSW arguments introduced in seminal work from Duminil-Copin, Karilla, Manolescu, and Oulamara [10]. For frozen boundary conditions in the six-vertex model with rational slope lying in  $(-1, 1)$ , several modifications to crossing probability estimates arise between frozen, and unfrozen, faces of the height function in the strip, in addition to consequences for several other models of Statistical Mechanics whose free energy landscapes could be further studied. By leveraging connections between a wide variety of models, it is always of interest to determine how the presence, or lack, of the Spatial Markov Property, Comparison Between Boundary Conditions, and Fortuin-Kestelyn-Ginibre lattice conditions impact the generality of a result, as well as the dependence of a result on the boundary conditions. For the purposes of the quantum inverse scattering method, the presence of boundary conditions is significant in that the boundary conditions determine the structure of the L-operators; the L-operator is used from the very beginning of arguments using the quantum inverse scattering approach for relations that are obtained from entries of the quantum monodromy and transfer matrices. For colored vertex models, to further develop notions of integrability and exact solvability, a variant of the quantum inverse scattering approach is possible, consisting of: modifications to the R matrix for constructing colored vertex models; studying the dependence between the structure of the L-operators and sloped boundary conditions that can be imposed on the six-vertex model; further examinations of connections between Representation Theory, Algebraic Combinatorics, and Algebraic Geometry, through formulations of pipe dreams, bumpless pipe dreams, and related objects.

To contribute across several areas of research interest within the field of Integrable Probability, we define several objects relating to those manipulated for the quantum inverse scattering approach for the uncolored six-vertex model with homogeneities [41]. Besides other structures which have previously been studied for vertex models and other settings of Statistical Mechanics [37, 38, 39, 40, 43], we raise the attention of the reader to similarities in the definitions of the transfer and quantum monodromy matrices to the  $D_2^{(2)}$  spin chain, which can be analyzed from a conformal field theory perspective by applying the root density approach to classify the density of roots to the Bethe equations. Despite the fact that the  $D_2^{(2)}$  spin chain and uncolored, inhomogeneous six-vertex model alike were not studied with the root density approach as the spin chain was, defining a Hamiltonian flow for the colored, inhomogeneous six-vertex model, as has been done from a conjecture raised in [24] regarding the very interesting question as to whether integrability of the Hamiltonian flow can be inferred from the result on integrability of inhomogeneous limit shapes (see the last sentence of the paper), can be applied towards understanding additional conditions on integrability of a Hamiltonian flow for the inhomogeneous six-vertex model in the presence of coloring, and also for vertex models defined over the triangular lattice. In other models, while notions of integrability can be utilized to describe the model's behavior in the presence of disorder, several other models in Statistical Mechanics can be analyzed with parafermionic observables for bosons and fermions alike [40], scaling limits [43], a quadrichotomy of four possible behaviors for crossing probabilities [35], tiling models [48], finite temperature properties [43], Painleve equations [45], sharpness of the phase transition for the two-dimensional Gaussian free field [38], Schur functions [33], rationality of vertex models [1], along with several other connections [41, 42], pertaining to the encoding of boundary conditions, and also to eigenvalue




Figure 1: Each possible vertex for the six-vertex model, adapted from [8].




Figure 2: Another depiction of each possible vertex for the six-vertex model, adapted from [24].

attraction. In comparison to the uncolored six-vertex model, the colored six-vertex model is defined to include a gradient of colors, with the probability of a crossing of the height function occurring under the highest color in the gradient stochastically dominates the probability of the same event occurring under all of the remaining colors below it. Albeit being able to straightforwardly define the impact of the color gradient on the probability that some event occurs, for establishing that an integrability conditions of the colored, inhomogeneous six-vertex model, additional structure for the R-matrices, and L-operators must be introduced. Furthermore, on top of these additional assumptions, appropriating the quantum inverse scattering approach for the colored inhomogeneous six-vertex model has challenges arising from determining connections with the structure of the L-operator, which completely determines the relations with the transfer and quantum monodromy matrices, also ultimately determining which computations with the Poisson bracket of action angle coordinates. Depending upon any two entries of the monodromy matrix, computing the Poisson bracket for the inhomogeneous six-vertex model is highly non-trivial, as terms entering computations with the Poisson bracket are parametrized simultaneously in the transfer and quantum monodromy matrices [41].

## 1.2 Objects of the six-vertex and inhomogeneous six-vertex models

In spite of such challenges arising from colorings of the inhomogeneous six-vertex model, we adapt the quantum inverse scattering approach, consisting of arguments for the following steps, beginning with an overview of quantities for defining the Hamiltonian flow of the inhomogeneous model in the next section, including: introducing modifications to the R and L-operators in the presence of coloring. First, recall that some six-vertex configuration  $\omega$  on  $\mathbf{T}_N = (V(\mathbf{T}_N), E(\mathbf{T}_N))$ , for  $N$  even, is weighed according to the following product over each possible vertex type,

$$w_{6V}(\omega) \equiv w(\omega) = a_1^{n_1} a_2^{n_2} b_1^{n_3} b_2^{n_4} c_1^{n_5} c_2^{n_6} \stackrel{\text{Isotropic}}{\underset{\substack{a_1 \equiv a_2 \equiv a \\ b_1 \equiv b_2 \equiv b \\ c_1 \equiv c_2 \equiv c}}{\equiv}} a^{n_1+n_2} b^{n_3+n_4} c^{n_5+n_6},$$

for  $a_1, a_2, b_1, b_2, c_1, c_2 \geq 0$ , and each  $n_i$  indicates the number of vertices of type  $i$ , from which the corresponding probability measure takes the form,

$$\mathbf{P}_{\mathbf{T}_N}[\omega] \equiv \mathbf{P}[\omega] = \frac{w_{6V}(\omega)}{Z_{\mathbf{T}_N}} \equiv \frac{w(\omega)}{Z_{\mathbf{T}_N}},$$

where the  $Z_{\mathbf{T}_N} \equiv Z = \sum_{\omega \in \Omega} w(\omega)$  is the partition function (see *Figure 1* for the arrow representation of the six-vertex model, and *Figure 2* for the line representation of the six-vertex model). The disorder parameter for the six-vertex model takes the form,

$$\Delta \equiv \frac{a_1 a_2 + a_3 a_4 - a_5 a_6}{2\sqrt{a_1 a_2 a_3 a_4}}.$$

Under other assumptions on the choice of weights rather than the isotropic choice above,

$$w_{6V}(\omega) \equiv w(\omega) \equiv a_1^{n_1} a_2^{n_2} b_1^{n_3} b_2^{n_4} c_1^{n_5} c_2^{n_6},$$

under the presence of inhomogeneities the six-vertex model, and stochastic six-vertex model, have limit shapes satisfying several properties, from satisfying the Euler Lagrange equations to having a Hamiltonian structure, with the interactions that can be expressed as the maximum over  $\pm$ , with, [24],

$$\mathcal{H}_u(q, H) \equiv \max_{\pm} \mathcal{H}_u^{\pm}(q, H) \equiv \max_{\pm} \left\{ \pm H + l_{\pm} + \int_C \psi_u^{\pm}(\alpha) \rho(\alpha) d\alpha \right\},$$

where  $l_- \equiv \log \sinh(\eta - u)$ ,  $l_+ \equiv \log \sinh u$ , and the density,

$$\rho(\alpha) \equiv \#\{\text{Bethe roots along contours } C\} \equiv \bigcup_{\alpha>0} \{\alpha : \alpha \cap C \neq \emptyset\} \equiv \#\{\alpha : \alpha \cap C \neq \emptyset\},$$

for the Bethe equations,

$$\prod_{k=1}^N \left[ \frac{\sinh\left(\frac{\eta}{2} + i\alpha_j - v_k\right)}{\sinh\left(\frac{\eta}{2} - i\alpha_j + v_k\right)} \right] = \exp(2HN) \prod_{m=1, m \neq j}^n \left[ \frac{\sinh(i(\alpha_j - \alpha_m) + \eta)}{\sinh(i(\alpha_j - \alpha_m) - \eta)} \right],$$

which has solutions  $\{\alpha_i\}$ , for,

$$\begin{aligned} \psi_+(\alpha + iu) &= \log \left[ \frac{\sinh\left(\frac{\eta}{2} + u - i\alpha\right)}{\sinh\left(\frac{\eta}{2} - u + i\alpha\right)} \right], \\ \psi_-(\alpha + iu) &= \log \left[ \frac{\sinh\left(\frac{3\eta}{2} - u + i\alpha\right)}{\sinh\left(u - \frac{\eta}{2} - i\alpha\right)} \right]. \end{aligned}$$

Explicitly, under  $\pm$  the Hamiltonian flow takes the form, [24],

$$\mathcal{H}_u^{\pm}(q, H) \equiv \begin{cases} + \Rightarrow \max_{+} \left\{ H + \log \sinh u + \int_C \log \left[ \frac{\sinh(\frac{\eta}{2} + u - i\alpha - iu)}{\sinh(\frac{\eta}{2} - u + i\alpha - iu)} \right] \rho(\alpha) d\alpha \right\}, \\ - \Rightarrow \max_{-} \left\{ -H + \log \sinh(\eta - u) + \int_C \log \left[ \frac{\sinh(\frac{3\eta}{2} - u + i\alpha - iu)}{\sinh(u - \frac{\eta}{2} - i\alpha - iu)} \right] \rho(\alpha) d\alpha \right\}, \end{cases}$$

Integrability of the Hamiltonian flow for the inhomogeneous six-vertex model relates to analyses of the transfer matrix,

$$t(u, \{v_k\}, H, V) : (\mathbf{C}^2)^{\otimes N} \longrightarrow (\mathbf{C}^2)^{\otimes N},$$

quantum monodromy matrix,

$$T_a(u, \{v_k\}, H, 0) : \mathbf{C}^2 \otimes (\mathbf{C}^2)^{\otimes N} \longrightarrow \mathbf{C}^2 \otimes (\mathbf{C}^2)^{\otimes N} \mapsto \prod_{i=1}^N \left[ \text{diag}(\exp(2H), \exp(2H)) R_{ia}(u - v_i) \right],$$

for the R-matrix parametrized in two external fields,

$$R \equiv R(u, H, V) \equiv \begin{bmatrix} a \exp(H + V) & 0 & 0 & 0 \\ 0 & b \exp(H - V) & c & 0 \\ 0 & c & b \exp(-H + V) & 0 \\ 0 & 0 & 0 & a \exp(-H - V) \end{bmatrix}.$$

Observe that the product of diagonal matrices with each  $R_{ia}$  is equivalent to,

$$\text{diag}(\exp(2H), \exp(2H)) R_{1a}(u - v_1) \cdots \times R_{(N-1)a}(u - v_{N-1}) \text{diag}(\exp(2H), \exp(2H)) R_{Na}(u - v_N).$$

Under the presence of staggering in the six-vertex model, other analyses of the roots to the Bethe equations, through the root density approach, introduce, for encoding open boundary conditions of the  $D_2^{(2)}$  spin chain, a transfer matrix of the form, from an adaptation in [42],

$$\mathbf{t}_{D_2^{(2)}}^{\text{Open}}(u) \equiv \text{tr}_a \left[ \mathbf{K}_{+,a}^{\text{open}}(u) \prod_{1 \leq j \leq L} \mathbf{R}_{+,aj}(u) \mathbf{K}_{-,a}^{\text{open}}(u) \prod_{1 \leq j' \leq L} \mathbf{R}_{-,j'a}(u) \right],$$

for the K-matrix encoding boundary conditions that is given by,

$$\mathbf{K}_{-}^{\text{open}}(u) \equiv \mathbf{K}_{-}(u) \equiv \begin{bmatrix} k_0(u) & 0 & 0 & 0 & 0 & 0 \\ 0 & k_0(u) & 0 & 0 & 0 & 0 \\ 0 & 0 & k_1(u) & k_2(u) & 0 & 0 \\ 0 & 0 & k_3(u) & k_4(u) & 0 & 0 \\ 0 & 0 & 0 & 0 & k_5(u) & 0 \\ 0 & 0 & 0 & 0 & 0 & k_5(u) \end{bmatrix},$$

corresponding to the K matrix,

$$R(u) \propto \tilde{R}^{\text{(XXZ)}}(u) \equiv \begin{bmatrix} \sinh\left(-\frac{u}{2} + \eta\right) & 0 & 0 & 0 & 0 & 0 \\ 0 & \sinh\left(\frac{u}{2}\right) & \exp\left(-\frac{u}{2}\right)\sinh(\eta) & 0 & 0 & 0 \\ 0 & \exp\left(\frac{u}{2}\right)\sinh(\eta) & \sinh\left(\frac{u}{2}\right) & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \sinh\left(-\frac{u}{2} + \eta\right) & \end{bmatrix},$$

corresponding to the R matrix, which, in contrast to the higher rank case for the  $D_3^{(2)}$  spin chain, the R matrix previously displayed for the lower rank spin chain satisfies the Yang Baxter equation,

$$\mathbf{R}'_{12,34}(u) = R_{43}(-\theta) R_{13}(u) R_{14}(u + \theta) R_{23}(u - \theta) R_{24}(u) R_{34}(\theta).$$

Notions from Representation Theory emerge within the field of Integrable Probability through assumptions that the R matrix satisfies before solutions, amongst several other properties, of the Bethe and Yang Baxter equations can be discussed. The R matrix above for the inhomogeneous six-vertex model satisfies the Yang-Baxter equation,

$$R_{12}(u) R_{13}(u + v) R_{23}(v) = R_{23}(v) R_{13}(u + v) R_{12}(u).$$

for  $0 < u < \eta$ , and  $0 < v < \eta$ , give suitable  $\eta > 0$ . Furthermore, under a parameterization of the weights for the six-vertex model in the presence of two external fields,  $H$  and  $V$ ,

$$\begin{aligned} a_1 &\equiv a \exp(H + V), \\ a_2 &\equiv a \exp(-H - V), \\ b_1 &\equiv \exp(H - V), \\ b_2 &\equiv \exp(-H + V), \\ c_1 &\equiv c\lambda, \\ c_2 &\equiv c\lambda^{-1}, \end{aligned}$$

for  $a_1 \equiv a_2 \equiv a$ ,  $b_1 \equiv b_2 \equiv b$ ,  $c_1 \equiv c_2 \equiv c$ , and  $\lambda \geq 1$ , one can introduce shorthand for  $R(u) \equiv R(u, 0, 0)$ , the matrix above admits the identity,

$$R(u, H, V) = \left[ \text{diag} \left[ \exp \left( \frac{H}{2} \right), \exp \left( -\frac{H}{2} \right) \right] \otimes \text{diag} \left[ \exp \left( \frac{V}{2} \right), \exp \left( -\frac{V}{2} \right) \right] \right] R(u) \left[ \text{diag} \left[ \exp \left( \frac{H}{2} \right), \exp \left( -\frac{H}{2} \right) \right] \otimes \text{diag} \left[ \exp \left( \frac{V}{2} \right), \exp \left( -\frac{V}{2} \right) \right] \right] \equiv (D^H \otimes D^V) R(u) (D^H \otimes D^V).$$

Over the torus  $\mathbf{T}_{N,M}$ , crossing estimates originally developed in [10] for sufficiently flat boundary conditions of the height function demonstrate that,

$$\begin{aligned} \mathbf{E}_{\mathbf{T}}^{Bal, flat} [(h(x) - h(y))^2] &\leq C', \\ \mathbf{E}_{\mathbf{T}}^{Bal, sloped} [(h(x) - h(y))^2] &\leq C', \end{aligned}$$

in which  $\mathbf{T}_{N,M} \rightarrow \mathbf{T}$  as  $N, M \rightarrow +\infty$ , given  $N$  even. Denote  $\mathbf{E}_{\mathbf{T}_N} \equiv \mathbf{E}$  as the accompanying expectation of the probability measure  $\mathbf{P}$ . For balanced 6V configurations that cross each level of the torus the same number of times in the upwards and downwards directions, the measure of such configurations takes the form,

$$\mathbf{P}_{\mathbf{T}_N}^{Bal} [\cdot] = \mathbf{P}^B [\cdot \mid \omega \in \Omega^{Bal}],$$

where the sample space  $\Omega^{Bal} \subset \Omega$ , and  $\mathbf{E}_{\mathbf{T}_N}^{Bal} \equiv \mathbf{E}^B$  is the accompanying expectation. Moving forwards, in the weight  $w$  for each six-vertex configuration we set  $a \equiv a_1 \equiv a_2$ ,  $b \equiv b_1 \equiv b_2$ , and  $c \equiv c_1 \equiv c_2$ . Finally, we denote  $h : F(\mathbf{T}_N) \rightarrow \mathbf{Z}$  as the six-vertex height function, which as a graph homomorphism is oriented along incoming edges of vertices on the square lattice so that  $h$  is greater to the left of the incoming edge rather than to the right (see *Figure 1* above). For flat and sloped boundary conditions of the six-vertex model, there also exists two probability measures,

$$\begin{aligned} \mathbf{P}_{\Lambda}^{6V, flat, \xi} [\omega] &\equiv \mathbf{P}_{\Lambda}^{Flat, \xi} [\omega] \equiv \frac{w(\omega)}{Z_{\Lambda}^{flat}(\omega)}, \\ \mathbf{P}_{\Lambda}^{6V, sloped, \xi} [\omega'] &\equiv \mathbf{P}_{\Lambda}^{Sloped, \xi} [\omega'] \equiv \frac{w(\omega')}{Z_{\Lambda}^{sloped}(\omega')}, \end{aligned}$$

for,

$$\frac{Z_{\Lambda}^{Flat}(\omega)}{Z_{\Lambda}^{Sloped}(\omega)} \equiv \frac{\sum_{\omega \in \Omega^{Flat}} w(\omega)}{\sum_{\omega \in \Omega^{Sloped}} w(\omega)},$$

$\omega \in \Omega^{Flat}$ , and  $\omega' \in \Omega^{Sloped}$  - two configurations of the six-vertex model which respectively belong to the flat and sloped boundary sample spaces. The boundary conditions on  $\mathbf{P}_{\Lambda}^{Flat, \xi} [\cdot]$ , and on  $\mathbf{P}_{\Lambda}^{Sloped, \xi} [\cdot]$ , can belong to the space of flat, or of sloped boundary conditions, namely  $\xi \sim \mathbf{BC}^{Flat}$ , or  $\xi \sim \mathbf{BC}^{Sloped}$ .

To further motivate the importance of flat, versus sloped, boundary conditions in the six-vertex model, recall that the height function  $h$  of the six-vertex model it said to *logarithmically delocalize* if,

$$\mathbf{E}_{\Lambda}^{Bal, \xi} [(h(x) - h(y))^2] \equiv \mathbf{E}_{\Lambda}^{Flat, \xi} [(h(x) - h(y))^2] \leq C,$$

for some strictly positive  $C$ , where  $\mathbf{E}[\cdot]$  denotes the balanced expectation of the six-vertex model, obtained from the ordinary expectation  $\mathbf{E}_{\Lambda}^{\xi} [\cdot]$ . As suggested in [10], incorporating sloped boundary conditions into several crossing probability estimates of the height function over the strip, cylinder, and torus implies,

$$\mathbf{E}_{\Lambda}^{Bal, \xi} [(h(x) - h(y))^2] \equiv \mathbf{E}_{\Lambda}^{Sloped, \xi} [(h(x) - h(y))^2] \leq C_{Sloped},$$

for  $C_{Sloped} > 0$ , and  $C_{Sloped} \neq C$ . Necessarily,

$$\begin{aligned}\mathbf{E}_\Lambda^{Flat,\xi}[(h(x) - h(y))^2] &\leq C', \\ \mathbf{E}_\Lambda^{Sloped,\xi}[(h(x) - h(y))^2] &\leq C'.\end{aligned}$$

given the supremum of the *sloped* logarithmic delocalization constant, [36], and the *flat* logarithmic delocalization constant,

$$C' \equiv \sup\{C, C_{Sloped}\}.$$

To study other characteristics of the six-vertex model, ranging from connections between uncolored and colored vertex models to the influence of boundary conditions, we specify objects for a quantum-inverse scattering method (often times denoted QISM)-type argument, under the presence of inhomogeneities in the uncolored six-vertex model, one obtains expressions for Poisson brackets between entries of the transfer matrix. In the uncolored setting, the L-operator for which such computations are carried out takes the form,

$$L_{\alpha,k}(\lambda_\alpha, v_k) \equiv \begin{bmatrix} \sin(\lambda_\alpha - v_k + \eta\sigma_k^z) & \sin(2\eta)\sigma_k^- \\ \sin(2\eta)\sigma_k^+ & \sin(\lambda_\alpha - v_k - \eta\sigma_k^z) \end{bmatrix},$$

as defined in [7], which was suggested to be a direction of interest in [24], where, corresponding to the  $k$  th horizontal line,  $\alpha$  th vertical line, with  $L_{\alpha,k} \curvearrowright (\text{vertical space } \otimes \text{horizontal space})$ . In order to obtain an asymptotic expansion for the entries of the transfer and quantum monodromy matrices from L-operators expressed in three Pauli bases, we introduce quantities  $D_j^i$  and  $D_{j+1}^i$  into entries of the L-operator in three dimensions. From the structure of the L-operator which is expressed in terms of the Pauli basis, one can obtain a product expansion over  $N - 1$  L operators for  $T_a$ , from,

$$\begin{aligned}\prod_{i=0}^{N-1} \begin{bmatrix} \sin(\lambda_\alpha - v_{N-i} + \eta\sigma_{N-i}^z) & \sin(2\eta)\sigma_{N-i}^- \\ \sin(2\eta)\sigma_{N-i}^+ & \sin(\lambda_\alpha - v_{N-i} - \eta\sigma_{N-i}^z) \end{bmatrix} &= \begin{bmatrix} \sin(\lambda_\alpha - v_N + \eta\sigma_N^z) & \sin(2\eta)\sigma_N^- \\ \sin(2\eta)\sigma_N^+ & \sin(\lambda_\alpha - v_N - \eta\sigma_N^z) \end{bmatrix} \dots \\ &\times \begin{bmatrix} \sin(\lambda_\alpha - v_1 + \eta\sigma_1^z) & \sin(2\eta)\sigma_1^- \\ \sin(2\eta)\sigma_1^+ & \sin(\lambda_\alpha - v_1 - \eta\sigma_1^z) \end{bmatrix},\end{aligned}$$

which is expressed in terms of a recursive formula of L-operators, denoted with,

$$\prod_{0 \leq i \leq N} \begin{bmatrix} \mathbf{1}^i & \mathbf{2}^i \\ \mathbf{3}^i & \mathbf{4}^i \end{bmatrix},$$

which has the expansion,

$$\begin{bmatrix} \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3) \\ \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3) \end{bmatrix},$$

for the following set of recursively defined operators parameterized in the L-operator,

$$\begin{aligned}\mathcal{A}_1 \equiv \mathcal{C}_1 &\equiv \prod_{1 \leq i \leq n-3} (\mathcal{C}_1)_i \equiv \prod_{1 \leq i \leq n-3} \sigma_{n-i}^{-,+}, \\ \mathcal{A}_2 \equiv \mathcal{C}_2 &\equiv \prod_{1 \leq i \leq n-3} (\mathcal{A}_2)_i \equiv \prod_{1 \leq i \leq n-3} (\mathcal{C}_2)_i \equiv \prod_{1 \leq i \leq n-3} \sin(\lambda_\alpha - v_{n-i} + \eta\sigma_{n-i}^z), \\ \mathcal{A}_3 \equiv \mathcal{C}_3 &\equiv \sum_{\substack{1 \leq i \leq m \\ 1 \leq j \leq n' \\ m+n'=n-3}} (\mathcal{C}_3)_{i,j} \equiv \sum_{\substack{1 \leq i \leq m \\ 1 \leq j \leq n' \\ m+n'=n-3}} \left[ \prod_{1 \leq i \leq m} \sin(\lambda_\alpha - v_{n-i} \pm \eta\sigma_{n-i}^z) \right] (\sin(2\eta))^{n'-1} \left[ \prod_{1 \leq j \leq n'} \sigma_{n-j}^{-,+} \right],\end{aligned}$$

corresponding to the first and third entries,

$$\begin{aligned}\mathcal{B}_1 \equiv \mathcal{D}_1 &\equiv \prod_{1 \leq i \leq n-3} (\mathcal{D}_1)_i \equiv \prod_{2 \leq i \leq n-3} \sigma_{n-i}^{-,+}, \\ \mathcal{B}_2 \equiv \mathcal{D}_2 &\equiv \prod_{2 \leq i \leq n-3} (\mathcal{B}_2)_i \equiv \prod_{2 \leq i \leq n-3} (\mathcal{D}_2)_i \equiv \prod_{2 \leq i \leq n-3} \sin(\lambda_\alpha - v_{n-i} + \eta \sigma_{n-i}^z), \\ \mathcal{B}_3 \equiv \mathcal{D}_3 &\equiv \sum_{\substack{2 \leq i \leq m \\ 2 \leq j \leq n' \\ m+n'=n-3}} (\mathcal{D}_3)_{i,j} \equiv \sum_{\substack{2 \leq i \leq m \\ 2 \leq j \leq n' \\ m+n'=n-3}} \left[ \left[ \prod_{2 \leq i \leq m} \sin(\lambda_\alpha - v_{n-i} \pm \eta \sigma_{n-i}^z) \right] (\sin(2\eta))^{n'-1} \left[ \prod_{2 \leq j \leq n'} \sigma_{n-j}^{-,+} \right] \right],\end{aligned}$$

corresponding to the second and fourth entries. To demonstrate that such a matrix with the entries above exists, as  $N \rightarrow +\infty$ , we make use of the following relations,

$$\begin{aligned}A_3(\lambda_\alpha) &= A_2(\lambda_\alpha)\mathbf{1}^2 + B_2(\lambda_\alpha)\mathbf{3}^2 \equiv A_2(\lambda_\alpha)\sin(\lambda_\alpha - v_2 + \eta \sigma_2^z) + B_2(\lambda_\alpha)\sin(2\eta)\sigma_2^+, \\ B_3(\lambda_\alpha) &= A_2(\lambda_\alpha)\mathbf{2}^2 + B_2(\lambda_\alpha)\mathbf{4}^2 \equiv A_2(\lambda_\alpha)\sin(2\eta)\sigma_2^- + B_2(\lambda_\alpha)\sin(\lambda_\alpha - v_2 - \eta \sigma_2^z), \\ C_3(\lambda_\alpha) &= C_2(\lambda_\alpha)\mathbf{1}^2 + D_2(\lambda_\alpha)\mathbf{4}^2 \equiv C_2(\lambda_\alpha)\sin(\lambda_\alpha - v_2 + \eta \sigma_2^z) + D_2(\lambda_\alpha)\sin(2\eta)\sigma_2^+, \\ D_3(\lambda_\alpha) &= C_2(\lambda_\alpha)\mathbf{2}^2 + D_2(\lambda_\alpha)\mathbf{4}^2 \equiv C_2(\lambda_\alpha)\sin(2\eta)\sigma_2^- + D_2(\lambda_\alpha)\sin(\lambda_\alpha - v_2 - \eta \sigma_2^z),\end{aligned}$$

corresponding to the product of entries appearing in the transfer matrices, with prefactor,

$$\mathcal{P}_{i-3}(\lambda_\alpha) \equiv A_{i-3}(\lambda_\alpha) + B_{i-3}(\lambda_\alpha).$$

Up to arbitrary order  $N$ , after having computed  $N-1$  terms appearing in the matrix product,

$$\begin{bmatrix} \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3) \\ \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3) \end{bmatrix} \prod_{i \leq i' \leq n} \begin{bmatrix} \mathbf{1}^{i'} & \mathbf{2}^{i'} \\ \mathbf{3}^{i'} & \mathbf{4}^{i'} \end{bmatrix},$$

where,

$$\begin{bmatrix} \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3) \\ \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-3)}\mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3) & \mathcal{P}_{i-3}(\lambda_\alpha)((\sin(2\eta))^{n-(i-4)}\mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3) \end{bmatrix} = \prod_{1 \leq i' \leq i-1} \begin{bmatrix} \mathbf{1}^{i'} & \mathbf{2}^{i'} \\ \mathbf{3}^{i'} & \mathbf{4}^{i'} \end{bmatrix},$$

for entries  $\mathcal{A}'$ ,  $\mathcal{B}'$  and  $\mathcal{C}'$  that are parameterized from the entries of the L-operator expressed in the Pauli bases. As  $N \rightarrow +\infty$ ,

$$\lim_{N \rightarrow +\infty} T_N(\lambda) \equiv T(\lambda) = \lim_{\substack{x \rightarrow +\infty \\ y \rightarrow -\infty}} E(-x, \lambda)T(x, y, \lambda)E(y, \lambda),$$

for,

$$E^{6V}(x - v_k, x) = \exp[\coth(\frac{\eta}{2} + i\alpha_j - v_k)].$$

### 1.3 Triangular ice of the 20-vertex model

If the ambient state space of configurations is taken to be over  $\mathbf{T}$  instead of over  $\mathbf{Z}^2$ , the six-vertex model can be defined in a very similar way to its lower dimensional counterpart. Instead of six possible configurations, over  $\mathbf{T}$  there are twenty possible configurations (see *Figure 3*), in addition to the fact that, before enforcing an isotropic parameter choice on the six-vertex weights  $a_1, a_2, b_1, b_2, c_1, c_2$  with  $a \equiv a_1 \equiv a_2$ ,  $b \equiv b_1 \equiv b_2$  and  $c \equiv c_1 \equiv c_2$ , the 20-vertex weights take the form, [15],

$$w_0 \equiv a_1 a_2 a_3,$$




Figure 3: A depiction of each possible vertex for the triangular, or three dimensional, six-vertex model, adapted from [15].




Figure 4: A depiction of each Boltzmann weight for the triangular, or three dimensional, six-vertex model, also adapted from [15].

$$\begin{aligned}
w_1 &\equiv b_1 a_2 b_3, \\
w_2 &\equiv b_1 a_2 c_3, \\
w_3 &\equiv a_1 b_2 b_3 + c_1 c_2 c_3, \\
w_4 &\equiv c_1 a_2 a_3, \\
w_5 &\equiv b_1 c_2 a_3, \\
w_6 &\equiv b_1 b_2 a_3.
\end{aligned}$$

Besides the representation of the state space of the three-dimensional six-vertex model reproduced from [15] with *Figure 3*, in *Figure 4* another figure is reproduced from [15] which demonstrates how pairs of configurations, two at a time, are assigned each one of the possible weights  $w_i$  defined above. As alluded to in [15], there exists many special cases of the six parameters for the twenty-vertex model, which differ other special parameterisations of weights that are dependent upon whether the disorder parameter  $\Delta$  satisfies  $\Delta = -1$ ,  $\Delta < -1$ , or  $\Delta - 1 <$  and  $\Delta < 1$ , as is the case for the 6-vertex model [11]. Furthermore, from the definition of the three-dimensional quantum monodromy matrix in 1.6, from comparisons with the form of the two-dimensional quantum monodromy matrix, it is straightforward to define the three-dimensional mapping in terms of the two external fields  $H, V$  that were used for the two-dimensional inhomogeneous six-vertex model. Altogether, define the 20-vertex probability measure, from the 6 possible weights above, with  $\mathbf{P}_T^{20V}[\omega] \equiv \mathbf{P}^{20V}[\omega] = \frac{w^{20V}(\omega)}{Z_T^{20V}} \equiv \frac{w(\omega)}{Z_T}$ , for some  $\omega \in \Omega^{20V}$ .

## 1.4 Other objects

In addition to the square and triangular ice models, one must also introduce the Poisson bracket. As an operation that takes two arguments, the Poisson bracket  $\{\cdot, \cdot\}$  satisfies the following set of properties, given test functions  $f, g$  and  $h$ ,

- *Anticommutativity.*  $\{f, g\} = -\{g, f\}$

- *Bilinearity.* For real  $a, b$ ,  $\{af + bg, h\} = a\{f, h\} + b\{g, h\}$ , and  $\{h, af + bg\} = a\{h, f\} + b\{h, g\}$
- *Leibniz' rule.*  $\{fg, h\} = \{f, h\}g + f\{g, h\}$
- *Jacobi identity.*  $\{f, \{g, h\}\} + \{g, \{h, f\}\} + \{h, \{f, g\}\} = 0$

For previous computations with the Poisson bracket in the two-dimensional case [41], approximations for each Poisson bracket within a set of 16 relations was heavily dependent upon using Leibniz' rule, as well as the Bilinearity property, to rearrange terms from products of L-operators used to asymptotically define the transfer matrix, which could then be further used to define entries of the quantum monodromy matrix. To make use of the same properties of the bracket for relations in the three-dimensional Poisson structure, to streamline such computations we denote the properties above as (AC), (BL), (LR), and (JI), respectively. As exhibited in the next section, for the three-dimensional case, one obtains a larger set of 81 relations, with 19 additional relations with the Poisson bracket not only arising from the fact that the L-operator is a higher dimensional object, but also from the fact that there are additional Poisson brackets in the set of 36 relations that are self interacting, ie Poisson brackets of the form  $\{A(u), A(u')\}$  etc.

## 1.5 Representation theoretic assumptions of the universal R-matrix

### 1.5.1 Three-dimensional characteristics from two dimensional characteristics of Poisson structure

After having introduced several other objects for executing computations with the Poisson bracket from properties of the transfer matrix, the Hamiltonian flow introduced in [24] is integrable, from the fact that the Poisson bracket of action angle coordinates vanishes. In a three dimensional, versus two dimensional, state space for the six-vertex model, L-operators have been shown to take a myriad of other forms from, [6],

$$\hat{L}(\xi) \equiv L_1^{3D} = \exp(\lambda_3(q^{-2}\xi^s)) \begin{bmatrix} q^{D_1} & q^{-2}a_1q^{-D_1-D_2}\xi^{s-s_1} & a_1a_2q^{-D_1-3D_2}\xi^{s-s_1-s_2} \\ a_1^\dagger q^{D_1}\xi^{s_1} & q^{-D_1+D_2-q^{-2}q^{D_1-D_2}}\xi^s & -a_2q^{D_1-3D_2}\xi^{s-s_2} \\ 0 & a_2^\dagger q^{D_2}\xi^{s_2} & q^{-D_2} \end{bmatrix},$$

in addition to, [6],

$$L_2^{3D} = \frac{\exp(-\lambda_3(q^{-2}\xi^{-s}))}{1-\xi^s} \begin{bmatrix} q^2q^{D_1}-q^{-D_1}\xi^s & a_1q^{D_1}\xi^{s_1} & q^{-1}a_1a_2\xi^{s_1+s_2} \\ a_1^\dagger q^{-D_1-D_2}\xi^{s-s_1} & -q^{D_1-D_2}\xi^s & -a_2q^{-D_2}\xi^{s_2} \\ -a_1^\dagger a_2^\dagger q^{-D_1-D_2}\xi^{s-s_1-s_2} & a_2^\dagger q^{D_1-D_2}\xi^{s-s_2} & q^{-D_2-q^{D_2}}\xi^s \end{bmatrix}.$$

Considering L-operators of the form above is significant for: identifying ways in which generalizations of vertex models depend upon the dimension of the ambient lattice in which interactions occur; computing functional sets of relations that are parameterized in entries of the L-operator; formulating connections from underlying representations of the R matrix, with combinatorial and geometric consequences. As the ambient space of the six-vertex model becomes three-dimensional, additional interactions appear in the L-operator and universal R-matrix, [5],

$$R = R_{\leq\delta} R_{\sim\delta} R_{\geq\delta} K,$$

where,

$$\begin{aligned} R_{\leq\delta} &\equiv \prod_{\substack{\gamma \in \Delta_+(A) \\ m \in \mathbf{N}}} \exp_q[(q - q^{-1})s_{m,\gamma}^{-1} e_{\gamma+m\delta} \otimes f_{\gamma+m\delta}], \\ R_{\sim\delta} &\equiv \exp[(q - q^{-1}) \sum_{m \in \mathbf{Z}^+} \sum_{i,j=1}^r u_{m,ij} e_{m\delta, \alpha_i} \otimes f_{m\delta, \alpha_j}], \\ R_{\geq\delta} &\equiv \prod_{\substack{\gamma \in \Delta_+(A) \\ m \in \mathbf{N}}} \exp_q[(q - q^{-1})s_{m,\delta-\gamma}^{-1} e_{\delta-\gamma+m\delta} \otimes f_{\delta-\gamma+m\delta}], \\ K &\equiv \exp[\hbar \sum_{i,j=1}^r (b_{ij} h_{\alpha_i} \otimes h_{\alpha_j})], \end{aligned}$$

which satisfies a set of equations different from those provided in the statement of the Bethe equations whose solutions are analyzed from the Bethe ansatz, for the q-exponential,

$$\exp_q[z] \equiv \sum_{n=0}^{+\infty} \frac{z^n}{[n]_q!} \equiv \sum_{n=0}^{+\infty} z^n \left[ \frac{(1-q)^n}{\prod_{1 \leq i \leq n} (1-q^i)} \right].$$

and for objects satisfying the conditions,

$$\begin{aligned} \frac{q - q^{-1}}{q^{h_{\gamma+m\delta}} - q^{-h_{\gamma+m\delta}}} [e_{\gamma+m\delta}, f_{\gamma+m\delta}] &= s_{m,\gamma}, \\ t_{m,ij} = (-1)^{m(1-\delta_{ij})} m^{-1} [ma_{ij}]_q &\iff \frac{1}{e_{\alpha_i+(m+n)\delta}} [e_{\alpha_i+m\delta}, e_{n\delta, \alpha_j}]_q = t_{n,ij}, \\ \frac{q - q^{-1}}{q^{h_{\delta-\gamma+m\delta}} - q^{-h_{\delta-\gamma+m\delta}}} [e_{\delta-\gamma+m\delta}, f_{\delta-\gamma+m\delta}] &= s_{m,\delta-\gamma}, \\ B \equiv \{b_{ij}\}_{i,j \in \mathbf{N}} &\iff \exists B : BA \equiv \mathbf{I}. \end{aligned}$$

The quantities  $\gamma$  are taken over a well-defined root system

In comparison to the two-dimensional L-operator, [7],

$$L_{\alpha,k}(\lambda_\alpha, v_k) \equiv \begin{bmatrix} \sin(\lambda_\alpha - v_k + \eta\sigma_k^z) & \sin(2\eta)\sigma_k^- \\ \sin(2\eta)\sigma_k^+ & \sin(\lambda_\alpha - v_k - \eta\sigma_k^z) \end{bmatrix},$$

the three-dimesional L-operator has additional interaction terms appearing from the span of the third row and column. To understand part of the behavior of the operators of three dimensional L-operators before a more general recursive formula is obtained, we consider a significantly lower dimensional object below. Besides the construction of families of L-operators up to Dynkin automorphism, it is of interest to determine how the higher dimensional entries of the two L-operators,  $L_1^{3D}$  and  $L_2^{3D}$ ,

$$\begin{bmatrix} 0 & a_2^\dagger q^{D_2} \xi^{s_2} & q^{-D_2} \end{bmatrix} [a_1 a_2 q^{-D_1-3D_2} \xi^{s-s_1-s_2} \quad -a_2 q^{D_1-3D_2} \xi^{s-s_2} \quad q^{-D_2}]^{\mathbf{T}},$$

characterize higher dimensional aspects of vertex models beyond interactions over  $\mathbf{Z}^2$ . The determinant of the first three-dimensional L-operator equals,

$$\begin{aligned} \exp(\lambda_3(q^{-2}\xi^s)) q^{D_1} &\left[ q^{-D_1+D_2} q^{-2} q^{D_1-D_2} \xi^s q^{-D_2} + a_2^\dagger q^{D_2} \xi^{s_2} a_2 q^{-D_2} \xi^{s-s_2} \right] - \exp(\lambda_3(q^{-2}\xi^s)) a_1^\dagger q^{D_1} \xi^{s_1} \\ &\times \left[ q^{-2} a_1 q^{-D_1-D_2} \xi^{s-s_1} q^{-D_2} - a_1 a_2 q^{-D_1-3D_2} \xi^{s-s_1-s_2} a_2^\dagger q^{D_2} \xi^{s_2} \right], \end{aligned}$$

from the observation that,

$$|\hat{L}(\xi)| = \exp(\lambda_3(q^{-2}\xi^s)) \left[ q^{D_1} \left| \begin{bmatrix} q^{-D_1+D_2} q^{-2} q^{D_1-D_2} \xi^s & -a_2 q^{-D_2} \xi^{s-s_2} \\ a_2^\dagger q^{D_2} \xi^{s_2} & q^{-D_2} \end{bmatrix} \right| - a_1^\dagger q^{D_1} \xi^{s_1} \left| \begin{bmatrix} q^{-2} a_1 q^{-D_1-D_2} \xi^{s-s_1} & a_2^\dagger q^{D_2} \xi^{s_2} \\ a_1 a_2 q^{-D_1-3D_2} \xi^{s-s_1-s_2} & q^{-D_2} \end{bmatrix} \right| \right].$$

To obtain an expansion parameterized in L-operators as previously executed for the six-vertex model in the presence of inhomogeneities under domain wall boundary conditions, [41], one must compute a recursive formula from the L-operator raised to arbitrary powers, beginning with a product of the two terms,

$$\hat{L}(\xi_i) \hat{L}(\xi_{i+1}),$$

which can be expressed in terms of the matrix product,

$$\begin{aligned} \prod_{j=0}^M &\left[ \exp(\lambda_3(q^{-2}\xi^{s_i})) \exp(\lambda_3(q^{-2}\xi^{s_{i+1}})) \begin{bmatrix} q^{D_i} & q^{-2} a_i q^{-D_i-D_j} \xi^{s-s_i} & a_i a_j q^{-D_i-3D_j} \xi^{s-s_i-s_j} \\ a_i^\dagger q^{D_i} \xi^{s_i} & q^{-D_i+D_j} - q^{-2} q^{D_i-D_j} \xi^s & -a_j q^{D_i-3D_j} \xi^{s-s_j} \\ 0 & a_j^\dagger q^{D_j} \xi^{s_j} & q^{-D_j} \end{bmatrix} \right. \\ &\times \left. \begin{bmatrix} q^{D_j} & q^{-2} a_j q^{-D_j-D_{j+1}} \xi^{s-s_j} & a_j a_{j+1} q^{-D_j-3D_{j+1}} \xi^{s-s_j-s_{j+1}} \\ a_j^\dagger q^{D_j} \xi^{s_j} & q^{-D_j+D_{j+1}} - q^{-2} q^{D_j-D_{j+1}} \xi^s & -a_{j+1} q^{D_j-3D_{j+1}} \xi^{s-s_{j+1}} \\ 0 & a_{j+1}^\dagger q^{D_{j+1}} \xi^{s_{j+1}} & q^{-D_{j+1}} \end{bmatrix} \right], \end{aligned}$$

under a choice of suitable parameters of the L-operator in order for the equality, given  $M, N$  to be integers taken sufficiently large,

$$T(\underline{M}, \underline{N}, \underline{\lambda_\alpha}, u, v, w) \equiv \prod_{j=0}^{\underline{M}} \prod_{i=0}^{-N} \left[ \exp(\lambda_3(q^{-2}\xi^{s_i})) \begin{bmatrix} q^{D_i} & q^{-2}a_i q^{-D_i-D_j} \xi^{s-s_i} & a_i a_j q^{-D_i-3D_j} \xi^{s-s_i-s_j} \\ a_i^\dagger q^{D_i} \xi^{s_i} & q^{-D_i+D_j} - q^{-2} q^{D_i-D_j} \xi^s & -a_j q^{D_i-3D_j} \xi^{s-s_j} \\ 0 & a_j^\dagger q^{D_j} \xi^{s_j} & q^{-D_j} \end{bmatrix} \right],$$

to hold which would correspond to an asymptotic expansion as  $N \rightarrow +\infty$  of the three dimensional transfer matrix,

$$T(\underline{\lambda}) \equiv T(+\infty, -\infty, \underline{\lambda_\alpha}, \{u_i\}, \{v_j\}, \{w_k\}) = \lim_{\underline{M} \rightarrow +\infty} \lim_{N \rightarrow -\infty} T(\underline{M}, \underline{N}, \underline{\lambda_\alpha}, v, u).$$

in precisely the same way that the two dimensional L-operators satisfy a product expansion,

$$\begin{aligned} \prod_{i=0}^{-N} \begin{bmatrix} \sin(\lambda_\alpha - v_{N-i} + \eta \sigma_{N-i}^z) & \sin(2\eta) \sigma_{N-i}^- \\ \sin(2\eta) \sigma_{N-i}^+ & \sin(\lambda_\alpha - v_{N-i} - \eta \sigma_{N-i}^z) \end{bmatrix} &= \prod_{i=0}^{-(N-1)} \begin{bmatrix} \sin(\lambda_\alpha - v_N + \eta \sigma_N^z) & \sin(2\eta) \sigma_N^- \\ \sin(2\eta) \sigma_N^+ & \sin(\lambda_\alpha - v_N - \eta \sigma_N^z) \end{bmatrix} \\ &\times \begin{bmatrix} \sin(\lambda_\alpha - v_N + \eta \sigma_N^z) & \sin(2\eta) \sigma_N^- \\ \sin(2\eta) \sigma_N^+ & \sin(\lambda_\alpha - v_N - \eta \sigma_N^z) \end{bmatrix} \equiv \text{tr}(T_a(\underline{\lambda_\alpha}, \{u_i\}, \{v_j\}, \{w_k\}, H, V)), \end{aligned}$$

corresponding to the two dimensional transfer matrix under the presence of external fields  $H, V$ . As a matter of notation, if one denotes the four entries of the two-dimensional transfer matrix from the product of L-operators with,

$$\begin{bmatrix} A(u) & C(u) \\ B(u) & D(u) \end{bmatrix},$$

from a parametrization of weights for the six-vertex model in the presence of two external fields, computations with the Poisson bracket result from a set of sixteen relations,

$$\left\{ \begin{array}{l} \underline{(1)} : \{A(u), A(u')\}, \\ \underline{(2)} : \{A(u), B(u')\}, \\ \underline{(3)} : \{A(u), C(u')\}, \\ \underline{(4)} : \{A(u), D(u')\}, \\ \underline{(5)} : \{B(u), A(u')\}, \\ \underline{(6)} : \{B(u), B(u')\}, \\ \underline{(7)} : \{B(u), C(u')\}, \\ \underline{(8)} : \{B(u), D(u')\}, \\ \underline{(9)} : \{C(u), A(u')\}, \\ \underline{(10)} : \{C(u), B(u')\}, \\ \underline{(11)} : \{C(u), C(u')\}, \\ \underline{(12)} : \{C(u), D(u')\}, \\ \underline{(13)} : \{D(u), A(u')\}, \\ \underline{(14)} : \{D(u), B(u')\}, \\ \underline{(15)} : \{D(u), C(u')\}, \\ \underline{(16)} : \{D(u), D(u')\}, \end{array} \right.$$

from the tensor product, which in the coordinates  $u, u'$  is equivalent to,

$$\{T_a(u, \{v_k\}) \otimes T_a(u', \{v'_k\})\} = \left\{ \begin{bmatrix} A(u) & B(u) \\ C(u) & D(u) \end{bmatrix} \otimes \begin{bmatrix} A(u') & B(u') \\ C(u') & D(u') \end{bmatrix} \right\},$$

which by the definition of Poisson bracket of the tensor product of the two reduced monodromy matrices, equals,

$$\left[ \left[ r_{a,+}(v_k - v'_k) \begin{bmatrix} A(u) & B(u) \\ C(u) & D(u) \end{bmatrix} \right] \otimes \begin{bmatrix} A(u') & B(u') \\ C(u') & D(u') \end{bmatrix} \right] - \left[ \begin{bmatrix} A(u) & B(u) \\ C(u) & D(u) \end{bmatrix} \otimes \left[ \begin{bmatrix} A(u') & B(u') \\ C(u') & D(u') \end{bmatrix} r_{a,-}(v_k - v'_k) \right] \right].$$

where the quantities in the tensor products above, besides the approximation for entries of the two-dimensional transfer matrix take the form,

$$r_{a,+}(v_k - v'_k) = \lim_{y \rightarrow +\infty} \left[ E^{6V}(u', v'_k - v_k) \otimes \left[ E^{6V}(u', v'_k - v_k) r_a(v_k - v'_k) \right] \right],$$

$$r_{a,-}(v_k - v'_k) = \lim_{y \rightarrow -\infty} \left[ E^{6V}(u', v'_k - v_k) \otimes \left[ E^{6V}(u', v'_k - v_k) r_a(v_k - v'_k) \right] \right],$$

for,

$$E^{6V}(x - v_k, x) = \exp \left[ \coth \left( \frac{\eta}{2} + i\alpha_j - v_k \right) \right].$$

For the following objects, we denote  $\underline{u} \neq \underline{u}'$  as two position vectors over  $\mathbf{T}$ , in addition to two other vectors over  $\mathbf{R}^3$  for the corresponding staggering parameters,  $\underline{\lambda}$ , and  $\underline{\mu}$ . For L-operators which hold up to Dynkin automorphism in three-dimensions, if the product of L-operators used to construct the transfer matrix takes the form,

$$\begin{bmatrix} A(\underline{u}) & D(\underline{u}) & G(\underline{u}) \\ B(\underline{u}) & E(\underline{u}) & H(\underline{u}) \\ C(\underline{u}) & F(\underline{u}) & I(\underline{u}) \end{bmatrix},$$

one obtains a larger set of relations, 81 for the three-dimensional case in comparison to 16 from the two-dimensional case, from the Poisson bracket of entries of the transfer matrix, which takes the form,

$$\left\{ \begin{array}{l} (1) : \{A(\underline{u}), A(\underline{u}')\} , \\ (2) : \{A(\underline{u}), B(\underline{u}')\} , \\ (3) : \{A(\underline{u}), C(\underline{u}')\} , \\ (4) : \{A(\underline{u}), D(\underline{u}')\} , \\ (5) : \{A(\underline{u}), E(\underline{u}')\} , \\ (6) : \{A(\underline{u}), F(\underline{u}')\} , \\ (7) : \{A(\underline{u}), G(\underline{u}')\} , \\ (8) : \{A(\underline{u}), H(\underline{u}')\} , \\ (9) : \{A(\underline{u}), I(\underline{u}')\} , \\ (10) : \{B(\underline{u}), A(\underline{u}')\} , \\ (11) : \{B(\underline{u}), B(\underline{u}')\} , \\ (12) : \{B(\underline{u}), C(\underline{u}')\} , \\ (13) : \{B(\underline{u}), D(\underline{u}')\} , \\ (14) : \{B(\underline{u}), E(\underline{u}')\} , \\ (15) : \{B(\underline{u}), F(\underline{u}')\} , \\ (16) : \{B(\underline{u}), G(\underline{u}')\} , \\ (17) : \{B(\underline{u}), H(\underline{u}')\} , \\ (18) : \{B(\underline{u}), I(\underline{u}')\} , \\ (19) : \{C(\underline{u}), A(\underline{u}')\} , \\ (20) : \{C(\underline{u}), B(\underline{u}')\} , \\ (21) : \{C(\underline{u}), C(\underline{u}')\} , \\ (22) : \{C(\underline{u}), D(\underline{u}')\} , \\ (23) : \{C(\underline{u}), E(\underline{u}')\} , \\ (24) : \{C(\underline{u}), F(\underline{u}')\} , \end{array} \right.$$

(25)	: $\{C(\underline{u}), G(\underline{u}')\}$ ,
(26)	: $\{C(\underline{u}), H(\underline{u}')\}$ ,
(27)	: $\{C(\underline{u}), I(\underline{u}')\}$ ,
(28)	: $\{D(\underline{u}), A(\underline{u}')\}$ ,
(29)	: $\{D(\underline{u}), B(\underline{u}')\}$ ,
(30)	: $\{D(\underline{u}), C(\underline{u}')\}$ ,
(31)	: $\{D(\underline{u}), D(\underline{u}')\}$ ,
(32)	: $\{D(\underline{u}), E(\underline{u}')\}$ ,
(33)	: $\{D(\underline{u}), F(\underline{u}')\}$ ,
(34)	: $\{D(\underline{u}), G(\underline{u}')\}$ ,
(35)	: $\{D(\underline{u}), H(\underline{u}')\}$ ,
(36)	: $\{D(\underline{u}), I(\underline{u}')\}$ ,
(37)	: $\{E(\underline{u}), A(\underline{u}')\}$ ,
(38)	: $\{E(\underline{u}), B(\underline{u}')\}$ ,
(39)	: $\{E(\underline{u}), C(\underline{u}')\}$ ,
(40)	: $\{E(\underline{u}), D(\underline{u}')\}$ ,
(41)	: $\{E(\underline{u}), E(\underline{u}')\}$ ,
(42)	: $\{E(\underline{u}), F(\underline{u}')\}$ ,
(43)	: $\{E(\underline{u}), G(\underline{u}')\}$ ,
(44)	: $\{E(\underline{u}), H(\underline{u}')\}$ ,
(45)	: $\{E(\underline{u}), I(\underline{u}')\}$ ,
(46)	: $\{F(\underline{u}), A(\underline{u}')\}$ ,
(47)	: $\{F(\underline{u}), B(\underline{u}')\}$ ,
(48)	: $\{F(\underline{u}), C(\underline{u}')\}$ ,
(49)	: $\{F(\underline{u}), D(\underline{u}')\}$ ,
(50)	: $\{F(\underline{u}), E(\underline{u}')\}$ ,
(51)	: $\{F(\underline{u}), F(\underline{u}')\}$ ,
(52)	: $\{F(\underline{u}), G(\underline{u}')\}$ ,
(53)	: $\{F(\underline{u}), H(\underline{u}')\}$ ,
(54)	: $\{F(\underline{u}), I(\underline{u}')\}$ ,
(55)	: $\{G(\underline{u}), A(\underline{u}')\}$ ,
(56)	: $\{G(\underline{u}), B(\underline{u}')\}$ ,
(57)	: $\{G(\underline{u}), C(\underline{u}')\}$ ,
(58)	: $\{G(\underline{u}), D(\underline{u}')\}$ ,
(59)	: $\{G(\underline{u}), E(\underline{u}')\}$ ,
(60)	: $\{G(\underline{u}), F(\underline{u}')\}$ ,
(61)	: $\{G(\underline{u}), G(\underline{u}')\}$ ,
(62)	: $\{G(\underline{u}), H(\underline{u}')\}$ ,
(63)	: $\{G(\underline{u}), I(\underline{u}')\}$ ,
(64)	: $\{H(\underline{u}), A(\underline{u}')\}$ ,
(65)	: $\{H(\underline{u}), B(\underline{u}')\}$ ,
(66)	: $\{H(\underline{u}), C(\underline{u}')\}$ ,
(67)	: $\{H(\underline{u}), D(\underline{u}')\}$ ,
(68)	: $\{H(\underline{u}), E(\underline{u}')\}$ ,
(69)	: $\{H(\underline{u}), F(\underline{u}')\}$ ,

$$\left\{ \begin{array}{l} (70) : \{ H(\underline{u}), G(\underline{u}') \} , \\ (71) : \{ H(\underline{u}), H(\underline{u}') \} , \\ (72) : \{ H(\underline{u}), I(\underline{u}') \} , \\ (73) : \{ I(\underline{u}), A(\underline{u}') \} , \\ (74) : \{ I(\underline{u}), B(\underline{u}') \} , \\ (75) : \{ I(\underline{u}), C(\underline{u}') \} , \\ (76) : \{ I(\underline{u}), D(\underline{u}') \} , \\ (77) : \{ I(\underline{u}), E(\underline{u}') \} , \\ (78) : \{ I(\underline{u}), F(\underline{u}') \} , \\ (79) : \{ I(\underline{u}), G(\underline{u}') \} , \\ (80) : \{ I(\underline{u}), H(\underline{u}') \} , \\ (81) : \{ I(\underline{u}), I(\underline{u}') \} , \end{array} \right.$$

from the tensor product, which in the coordinates  $u, u'$  is equivalent to,

$$\{\mathbf{T}(\underline{u}, \{u_i\}, \{v_j\}, \{w_k\}) \otimes \mathbf{T}(\underline{u}', \{u'_i\}, \{v'_j\}, \{w'_k\})\} = \left\{ \begin{bmatrix} A(\underline{u}) & D(\underline{u}) & G(\underline{u}) \\ B(\underline{u}) & E(\underline{u}) & H(\underline{u}) \\ C(\underline{u}) & F(\underline{u}) & I(\underline{u}) \end{bmatrix} \otimes \begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix} \right\},$$

for another representation of the product of three-dimensional L-operators,

$$\begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix},$$

in  $\underline{u}'$ , which by the definition of Poisson bracket of the tensor product of the two reduced monodromy matrices, equals,

$$\begin{aligned} & \left[ r_+^{3D}(u_k - u'_k, v_k - v'_k, w_k - w'_k) \begin{bmatrix} A(\underline{u}) & D(\underline{u}) & G(\underline{u}) \\ B(\underline{u}) & E(\underline{u}) & H(\underline{u}) \\ C(\underline{u}) & F(\underline{u}) & I(\underline{u}) \end{bmatrix} \right] \otimes \begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix] } \\ & - \left[ \begin{bmatrix} A(\underline{u}) & D(\underline{u}) & G(\underline{u}) \\ B(\underline{u}) & E(\underline{u}) & H(\underline{u}) \\ C(\underline{u}) & F(\underline{u}) & I(\underline{u}) \end{bmatrix} \otimes \left[ \begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix} r_-^{3D}(u_k - u'_k, v_k - v'_k, w_k - w'_k) \right] \right], \end{aligned}$$

where the three-dimensional transfer matrix defined in the next section takes the form, for some vector  $\underline{M} \equiv (M_1, M_2)$  over  $\mathbf{R}^2$ , a negative real  $N$ , and natural  $j, k$ ,

$$\mathbf{T}^{3D}(\lambda) \equiv \lim_{\substack{M \rightarrow +\infty \\ N \rightarrow -\infty}} \text{tr} \left[ \prod_{j=0}^M \prod_{k=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_k})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} & a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j + D_{k+1}^j} - q^{-2}q^{D_k^j - D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & a_j^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right],$$

From the relations above, there exists three-dimensional counterparts for  $r_{a,+}$  and  $r_{a,-}$ , which are respectively given by,

$$\begin{aligned} r_+^{3D}(u_k - u'_k, v_k - v'_k, w_k - w'_k) \equiv r_+^{3D} & \equiv \lim_{y \rightarrow +\infty} \left[ E^{3D,6V}(\underline{u}', v'_k - v_k) \otimes \left[ E^{3D,6V}(\underline{u}', v'_k - v_k) r(u_k - u'_k, v_k - v'_k, w_k - w'_k) \right] \right], \\ r_-^{3D}(u_k - u'_k, v_k - v'_k, w_k - w'_k) \equiv r_-^{3D} & \equiv \lim_{y \rightarrow -\infty} \left[ E^{3D,6V}(\underline{u}', v'_k - v_k) \otimes \left[ E^{3D,6V}(\underline{u}', v'_k - v_k) r(u_k - u'_k, v_k - v'_k, w_k - w'_k) \right] \right], \end{aligned}$$

which are functions of three spectral parameters from differences, respectively, of  $u_k$ ,  $v_k$ , and  $w_k$ . For,

$$E^{3D,6V}(\underline{u}', v'_k - v_k, u'_k - u_k, w'_k - w_k) \equiv \exp\left(\frac{1}{2i}\begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 0 \end{bmatrix} + \begin{bmatrix} 0 & 0 & \psi \\ 0 & \bar{\psi} & 0 \\ 0 & 0 & 0 \end{bmatrix}\right),$$

given a solution  $\psi$  to the Schrodinger's equation, and also for,

$$r_{\pm}^{3D}(u_k - u'_k, v_k - v'_k, w_k - w'_k) \equiv \lim_{u' \rightarrow \pm\infty} \left[ E^{3D,6V}(\underline{u}', v'_k - v_k, u'_k - u_k, w_k - w'_k) \bigotimes \left[ E^{3D,6V}(\underline{u}', v'_k - v_k, w_k - w'_k) r^{3D}(u_k - u'_k, v_k - v'_k, w'_k - w_k) \right] \right].$$

When manipulating Poisson brackets, one can make use of any of the following expressions, [16],

$$\{F, G\} \equiv i \int_{[-L, L]} \left[ \frac{\delta F}{\delta \psi} \frac{\delta G}{\delta \bar{\psi}} - \frac{\delta F}{\delta \bar{\psi}} \frac{\delta G}{\delta \psi} \right] dx,$$

for functionals  $F$  and  $G$ , while for the second case, the bracket takes the form,

$$\{A \bigotimes B\} \equiv i \int_{[-L, L]} \left[ \frac{\delta A}{\delta \psi} \bigotimes \frac{\delta B}{\delta \bar{\psi}} - \frac{\delta A}{\delta \bar{\psi}} \bigotimes \frac{\delta B}{\delta \psi} \right] dx,$$

for matrix functionals  $A$  and  $B$ , and with  $\psi \equiv \psi(x)$  and  $\bar{\psi} \equiv \bar{\psi}(x)$  having support over  $[-L, L]$ . For triangular ice, the Poisson bracket of the tensor product of two three-dimensional transfer matrices degenerates to the set of 81 relations provided earlier in the section. Furthermore, as in the two-dimensional case, the following identities, originally introduced in seminal work on Hamiltonian methods, [16], for the tensor product of the Poisson bracket of two transfer matrices, in three dimensions satisfies,

$$\begin{aligned} \{T_-(x, \underline{\lambda}) \bigotimes T_-(x, \underline{\mu})\} &= r(\underline{\lambda} - \underline{\mu}) T_-(x, \underline{\lambda}) \bigotimes T_-(x, \underline{\mu}) - T_-(x, \underline{\lambda}) \bigotimes T_-(x, \underline{\mu}) r_-(\underline{\lambda} - \underline{\mu}), \\ \{T_+(x, \underline{\lambda}) \bigotimes T_+(x, \underline{\mu})\} &= T_+(x, \underline{\lambda}) \bigotimes T_+(x, \underline{\mu}) r_+(\underline{\lambda} - \underline{\mu}) - r(\underline{\lambda} - \underline{\mu}) T_+(x, \underline{\lambda}) \bigotimes T_+(x, \underline{\mu}), \end{aligned}$$

also extend over to the three-dimensional case, in which,

$$\begin{aligned} \{\mathbf{T}_-(x, \underline{\lambda}) \bigotimes \mathbf{T}_-(x, \underline{\mu})\} &= r^{3D}(\underline{\lambda} - \underline{\mu}) \mathbf{T}_-(x, \underline{\lambda}) \bigotimes \mathbf{T}_-(x, \underline{\mu}) - \mathbf{T}_-(x, \underline{\lambda}) \bigotimes \mathbf{T}_-(x, \underline{\mu}) r^{3D}(\underline{\lambda} - \underline{\mu}), \\ \{\mathbf{T}_+(x, \underline{\lambda}) \bigotimes \mathbf{T}_+(x, \underline{\mu})\} &= \mathbf{T}_+(x, \underline{\lambda}) \bigotimes \mathbf{T}_+(x, \underline{\mu}) r_+^{3D}(\underline{\lambda} - \underline{\mu}) - r^{3D}(\underline{\lambda} - \underline{\mu}) \mathbf{T}_+(x, \underline{\lambda}) \bigotimes \mathbf{T}_+(x, \underline{\mu}), \end{aligned}$$

where,

$$T_{\pm}(x, \underline{\lambda}) = \lim_{y \rightarrow \pm\infty} T(x, y, \underline{\lambda}) E(y, \underline{\lambda}),$$

corresponds to the two-dimensional limit as  $y \rightarrow \pm\infty$ , and where,

$$\mathbf{T}_{\pm}^{3D}(x, \underline{\lambda}) \equiv \mathbf{T}_{\pm}(x, \underline{\lambda}) = \lim_{y \rightarrow \pm\infty} \mathbf{T}(x, y, \underline{\lambda}) E^{3D}(y, \underline{\lambda}).$$

corresponds to the three-dimensional limit as  $y \rightarrow \pm\infty$ , for,

$$r_{\pm}^{3D}(\underline{\lambda} - \underline{\mu}) = \lim_{\substack{y \rightarrow \pm\infty \\ x \rightarrow +\infty}} \left[ E^{3D}(x, y, \underline{\mu} - \underline{\lambda}) \bigotimes \left[ E^{3D}(x, y, \underline{\lambda} - \underline{\mu}) r^{3D}(\underline{\lambda} - \underline{\mu}) \right] \right].$$

Besides taking the limit of spatial variables of the three-dimensional transfer matrix to  $+\infty$ , or to  $-\infty$ , several computations with L-operators, described in 2.1, imply,

$$\lim_{\substack{N \rightarrow -\infty \\ M \rightarrow +\infty}} \mathbf{T}^{3D}(\underline{M}, N, \underline{\lambda}) = \mathbf{T}^{3D}(\underline{\lambda}).$$

Relatedly, from the expression introduced for the three-dimensional quantum monodromy matrix,  $T_{a,b}^{3D} \equiv T^{3D}$ , in 1.6, one also has,

$$\lim_{\substack{N \rightarrow -\infty \\ M \rightarrow +\infty}} \mathbf{T}_{\underline{M}, N}^{3D}(\underline{\lambda}) \equiv \lim_{\substack{N \rightarrow -\infty \\ M \rightarrow +\infty}} \left[ E^{3D, 6V}(\underline{M}, v'_k - v_k, u'_k - u_k, w'_k - w_k) \mathbf{T}^{3D}(\underline{M}, N) E^{3D, 6V}(N, v'_k - v_k, u'_k - u_k, w'_k - w_k) \right] \propto \lim_{\substack{N \rightarrow -\infty \\ M \rightarrow +\infty}} T_a^{3D}(\underline{M}, N) = T_a^{3D}.$$

Finally, for action-angle variables in two dimensions which satisfy,

$$\{\Phi(\underline{\lambda}), \Phi(\bar{\underline{\lambda}})\} = 0,$$

in three dimensions, from computations to be performed with the Poisson bracket on the set of 81 relations, one would hope to show the existence of three dimensional action-angle coordinates for which one would similarly have,

$$\{\Phi^{3D}(\underline{\lambda}), \Phi^{3D}(\bar{\underline{\lambda}})\} = 0.$$

However, the lack of integrable structure is not present in triangular ice as it is for square ice, largely in part due to the fact that there are no notions available, as developed in [24, 35], for which three-dimensional limit shapes are integrable. Regardless, one can still make use of three-dimensional Poisson structure to discuss how notions of integrability break down over the triangular lattice, in comparison to stronger properties which hold over the square lattice. More detail on how the two-dimensional action-angle variables are constructed is reproduced in 1.4.2 of [41], from seminal arguments of Hamiltonian methods in [16] (beginning in 2.3 after simpler products of L-operators are studied).

## 1.6 Statement of the Main result

For the main result, an approximation for each of the 81 Poisson brackets is obtained. To simplify the number of times that the bilinearity property of the Poisson bracket, the computations of each respective Poisson bracket are carried out for a simpler representation of the product of infinitely many terms of the transfer matrix (such a system of relations which define each of the 9 terms of the three-dimensional product representation are obtained in 2.3, and are manipulated further in 2.4).

**Main result (three-dimensional Poisson structure).** Fix naturals  $i \neq i''$ , and  $i' \neq i'''$ . For a collection of strictly positive constants,  $\{(C_j)_1\}_{1 \leq j \leq 81}$ ,  $\{(C_k)_2\}_{1 \leq k \leq 81}$ , and  $\{(C_l)_3\}_{1 \leq l \leq 81}$ , there exists constants  $C_1, \dots, C_{81}$  satisfying,

$$\left\{ \begin{array}{l} (1) : \{A(\underline{u}), A(\underline{u}')\} \approx C_1 \equiv \frac{(C_1)_1[A(\underline{u})]}{i''-i} + \frac{(C_1)_2[\mathcal{T}_{(1,1)}]}{i'''-i'} + (C_1)_3 , \\ (2) : \{A(\underline{u}), B(\underline{u}')\} \approx C_2 \equiv \frac{(C_2)_1[B(\underline{u})]}{i'-i} + (C_2)_2[\mathcal{T}_{(1,1)}] + (C_2)_3 , \\ (3) : \{A(\underline{u}), C(\underline{u}')\} \approx C_3 \equiv \frac{(C_3)_1[C(\underline{u})]}{i''-i} + (C_3)_2[\mathcal{T}_{(1,3)}] + (C_3)_3 , \\ (4) : \{A(\underline{u}), D(\underline{u}')\} \approx C_4 \equiv \frac{(C_4)_1[D(\underline{u})]}{i''-i} + (C_4)_2[\mathcal{T}_{(2,1)}] + (C_4)_3 , \\ (5) : \{A(\underline{u}), E(\underline{u}')\} \approx C_5 \equiv \frac{(C_5)_1[E(\underline{u})]}{i'-i} + (C_5)_2[\mathcal{T}_{(2,2)}] + (C_5)_3 , \\ (6) : \{A(\underline{u}), F(\underline{u}')\} \approx C_6 \equiv \frac{(C_6)_1[F(\underline{u})]}{i''-i} + (C_6)_2[\mathcal{T}_{(2,3)}] + (C_6)_3 , \\ (7) : \{A(\underline{u}), G(\underline{u}')\} \approx C_7 \equiv \frac{(C_7)_1[G(\underline{u})]}{i''-i} + (C_7)_2[\mathcal{T}_{(3,1)}] + (C_7)_3 , \\ (8) : \{A(\underline{u}), H(\underline{u}')\} \approx C_8 \equiv \frac{(C_8)_1[H(\underline{u})]}{i''-i} + (C_8)_2[\mathcal{T}_{(3,2)}] + (C_8)_3 , \\ (9) : \{A(\underline{u}), I(\underline{u}')\} \approx C_9 \equiv \frac{(C_9)_1[I(\underline{u})]}{i''-i} + (C_9)_2[\mathcal{T}_{(3,3)}] + (C_9)_3 , \\ (10) : \{B(\underline{u}), A(\underline{u}')\} \approx C_{10} \equiv \frac{(C_{10})_1[A(\underline{u})]}{i''-i} + (C_{10})_2[\mathcal{T}_{(1,2)}] + (C_{10})_3 , \end{array} \right.$$

(11)	$\{B(\underline{u}), B(\underline{u}')\} \approx C_{11} \equiv \frac{(C_{11})_1[B(\underline{u})]}{i''-i} + \frac{(C_{11})_2[\mathcal{T}_{(1,2)}]}{i'''-i'} + (C_{11})_3 ,$
(12)	$\{B(\underline{u}), C(\underline{u}')\} \approx C_{12} \equiv \frac{(C_{12})_1[C(\underline{u})]}{i''-i} + (C_{12})_2[\mathcal{T}_{(1,3)}] + (C_{12})_3 ,$
(13)	$\{B(\underline{u}), D(\underline{u}')\} \approx C_{13} \equiv \frac{(C_{13})_1[D(\underline{u})]}{i''-i} + (C_{13})_2[\mathcal{T}_{(2,1)}] + (C_{13})_3 ,$
(14)	$\{B(\underline{u}), E(\underline{u}')\} \approx C_{14} \equiv \frac{(C_{14})_1[E(\underline{u})]}{i''-i} + (C_{14})_2[\mathcal{T}_{(2,2)}] + (C_{14})_3 ,$
(15)	$\{B(\underline{u}), F(\underline{u}')\} \approx C_{15} \equiv \frac{(C_{15})_1[F(\underline{u})]}{i''-i} + (C_{15})_2[\mathcal{T}_{(2,3)}] + (C_{15})_3 ,$
(16)	$\{B(\underline{u}), G(\underline{u}')\} \approx C_{16} \equiv \frac{(C_{16})_1[G(\underline{u})]}{i''-i} + (C_{16})_2[\mathcal{T}_{(3,1)}] + (C_{16})_3 ,$
(17)	$\{B(\underline{u}), H(\underline{u}')\} \approx C_{17} \equiv \frac{(C_{17})_1[H(\underline{u})]}{i''-i} + (C_{17})_2[\mathcal{T}_{(3,2)}] + (C_{17})_3 ,$
(18)	$\{B(\underline{u}), I(\underline{u}')\} \approx C_{18} \equiv \frac{(C_{18})_1[I(\underline{u})]}{i''-i} + (C_{18})_2[\mathcal{T}_{(3,3)}] + (C_{18})_3 ,$
(19)	$\{C(\underline{u}), A(\underline{u}')\} \approx C_{19} \equiv \frac{(C_{19})_1[A(\underline{u})]}{i''-i} + (C_{19})_2[\mathcal{T}_{(1,1)}] + (C_{19})_3 ,$
(20)	$\{C(\underline{u}), B(\underline{u}')\} \approx C_{20} \equiv \frac{(C_{20})_1[B(\underline{u})]}{i''-i} + (C_{20})_2[\mathcal{T}_{(1,2)}] + (C_{20})_3 ,$
(21)	$\{C(\underline{u}), C(\underline{u}')\} \approx C_{21} \equiv \frac{(C_{21})_1[C(\underline{u})]}{i''-i} + \frac{(C_{21})_2[\mathcal{T}_{(1,3)}]}{i'''-i'} + (C_{21})_3 ,$
(22)	$\{C(\underline{u}), D(\underline{u}')\} \approx C_{22} \equiv \frac{(C_{22})_1[D(\underline{u})]}{i''-i} + (C_{22})_2[\mathcal{T}_{(2,2)}] + (C_{22})_3 ,$
(23)	$\{C(\underline{u}), E(\underline{u}')\} \approx C_{23} \equiv \frac{(C_{23})_1[E(\underline{u})]}{i''-i} + (C_{23})_2[\mathcal{T}_{(2,2)}] + (C_{23})_3 ,$
(24)	$\{C(\underline{u}), F(\underline{u}')\} \approx C_{24} \equiv \frac{(C_{24})_1[F(\underline{u})]}{i''-i} + (C_{24})_2[\mathcal{T}_{(2,3)}] + (C_{24})_3 ,$
(25)	$\{C(\underline{u}), G(\underline{u}')\} \approx C_{25} \equiv \frac{(C_{25})_1[G(\underline{u})]}{i''-i} + (C_{25})_2[\mathcal{T}_{(3,1)}] + (C_{25})_3 ,$
(26)	$\{C(\underline{u}), H(\underline{u}')\} \approx C_{26} \equiv \frac{(C_{26})_1[H(\underline{u})]}{i''-i} + (C_{26})_2[\mathcal{T}_{(3,2)}] + (C_{26})_3 ,$
(27)	$\{C(\underline{u}), I(\underline{u}')\} \approx C_{27} \equiv \frac{(C_{27})_1[I(\underline{u})]}{i''-i} + (C_{27})_2[\mathcal{T}_{(3,3)}] + (C_{27})_3 ,$
(28)	$\{D(\underline{u}), A(\underline{u}')\} \approx C_{28} \equiv \frac{(C_{28})_1[A(\underline{u})]}{i''-i} + (C_{28})_2[\mathcal{T}_{(1,1)}] + (C_{28})_3 ,$
(29)	$\{D(\underline{u}), B(\underline{u}')\} \approx C_{29} \equiv \frac{(C_{29})_1[B(\underline{u})]}{i''-i} + (C_{29})_2[\mathcal{T}_{(1,2)}] + (C_{29})_3 ,$
(30)	$\{D(\underline{u}), C(\underline{u}')\} \approx C_{30} \equiv \frac{(C_{30})_1[C(\underline{u})]}{i''-i} + (C_{30})_2[\mathcal{T}_{(1,3)}] + (C_{30})_3 ,$
(31)	$\{D(\underline{u}), D(\underline{u}')\} \approx C_{31} \equiv \frac{(C_{31})_1[D(\underline{u})]}{i''-i} + \frac{(C_{31})_2[\mathcal{T}_{(2,1)}]}{i'''-i'} + (C_{31})_3 ,$
(32)	$\{D(\underline{u}), E(\underline{u}')\} \approx C_{32} \equiv \frac{(C_{32})_1[E(\underline{u})]}{i''-i} + (C_{32})_2[\mathcal{T}_{(2,2)}] + (C_{32})_3 ,$
(33)	$\{D(\underline{u}), F(\underline{u}')\} \approx C_{33} \equiv \frac{(C_{33})_1[F(\underline{u})]}{i''-i} + (C_{33})_2[\mathcal{T}_{(2,3)}] + (C_{33})_3 ,$
(34)	$\{D(\underline{u}), G(\underline{u}')\} \approx C_{34} \equiv \frac{(C_{34})_1[G(\underline{u})]}{i''-i} + (C_{34})_2[\mathcal{T}_{(1,1)}] + (C_{34})_3 ,$
(35)	$\{D(\underline{u}), H(\underline{u}')\} \approx C_{35} \equiv \frac{(C_{35})_1[H(\underline{u})]}{i''-i} + (C_{35})_2[\mathcal{T}_{(2,2)}] + (C_{35})_3 ,$
(36)	$\{D(\underline{u}), I(\underline{u}')\} \approx C_{36} \equiv \frac{(C_{36})_1[I(\underline{u})]}{i''-i} + (C_{36})_2[\mathcal{T}_{(1,1)}] + (C_{36})_3 ,$
(37)	$\{E(\underline{u}), A(\underline{u}')\} \approx C_{37} \equiv \frac{(C_{37})_1[A(\underline{u})]}{i''-i} + (C_{37})_2[\mathcal{T}_{(1,1)}] + (C_{37})_3 ,$
(38)	$\{E(\underline{u}), B(\underline{u}')\} \approx C_{38} \equiv \frac{(C_{38})_1[B(\underline{u})]}{i''-i} + (C_{38})_2[\mathcal{T}_{(1,3)}] + (C_{38})_3 ,$
(39)	$\{E(\underline{u}), C(\underline{u}')\} \approx C_{39} \equiv \frac{(C_{39})_1[C(\underline{u})]}{i''-i} + (C_{39})_2[\mathcal{T}_{(1,3)}] + (C_{39})_3 ,$
(40)	$\{E(\underline{u}), D(\underline{u}')\} \approx C_{40} \equiv \frac{(C_{40})_1[D(\underline{u})]}{i''-i} + (C_{40})_2[\mathcal{T}_{(2,1)}] + (C_{40})_3 ,$
(41)	$\{E(\underline{u}), E(\underline{u}')\} \approx C_{41} \equiv \frac{(C_{41})_1[E(\underline{u})]}{i''-i} + \frac{(C_{41})_2[\mathcal{T}_{(2,2)}]}{i'''-i'} + (C_{41})_3 ,$
(42)	$\{E(\underline{u}), F(\underline{u}')\} \approx C_{42} \equiv \frac{(C_{42})_1[F(\underline{u})]}{i''-i} + (C_{42})_2[\mathcal{T}_{(2,2)}] + (C_{42})_3 ,$
(43)	$\{E(\underline{u}), G(\underline{u}')\} \approx C_{43} \equiv \frac{(C_{43})_1[G(\underline{u})]}{i''-i} + (C_{43})_2[\mathcal{T}_{(3,1)}] + (C_{43})_3 ,$
(44)	$\{E(\underline{u}), H(\underline{u}')\} \approx C_{44} \equiv \frac{(C_{44})_1[H(\underline{u})]}{i''-i} + (C_{44})_2[\mathcal{T}_{(3,2)}] + (C_{44})_3 ,$
(45)	$\{E(\underline{u}), I(\underline{u}')\} \approx C_{45} \equiv \frac{(C_{45})_1[I(\underline{u})]}{i''-i} + (C_{45})_2[\mathcal{T}_{(3,3)}] + (C_{45})_3 ,$
(46)	$\{F(\underline{u}), A(\underline{u}')\} \approx C_{46} \equiv \frac{(C_{46})_1[A(\underline{u})]}{i''-i} + (C_{46})_2[\mathcal{T}_{(1,1)}] + (C_{46})_3 ,$
(47)	$\{F(\underline{u}), B(\underline{u}')\} \approx C_{47} \equiv \frac{(C_{47})_1[B(\underline{u})]}{i''-i} + (C_{47})_2[\mathcal{T}_{(1,1)}] + (C_{47})_3 ,$
(48)	$\{F(\underline{u}), C(\underline{u}')\} \approx C_{48} \equiv \frac{(C_{48})_1[C(\underline{u})]}{i''-i} + (C_{48})_2[\mathcal{T}_{(1,3)}] + (C_{48})_3 ,$
(49)	$\{F(\underline{u}), D(\underline{u}')\} \approx C_{49} \equiv \frac{(C_{49})_1[D(\underline{u})]}{i''-i} + (C_{49})_2[\mathcal{T}_{(2,2)}] + (C_{49})_3 ,$
(50)	$\{F(\underline{u}), E(\underline{u}')\} \approx C_{50} \equiv \frac{(C_{50})_1[E(\underline{u})]}{i''-i} + (C_{50})_2[\mathcal{T}_{(2,2)}] + (C_{50})_3 ,$

(51)	$\{F(\underline{u}), F(\underline{u}')\} \approx C_{51} \equiv \frac{(C_{51})_1[F(\underline{u})]}{i''-i} + \frac{(C_{51})_2[\mathcal{T}_{(3,1)}]}{i'''-i'} + (C_{51})_3 ,$
(52)	$\{F(\underline{u}), G(\underline{u}')\} \approx C_{52} \equiv \frac{(C_{52})_1[G(\underline{u})]}{i''-i} + (C_{52})_2[\mathcal{T}_{(3,1)}] + (C_{52})_3 ,$
(53)	$\{F(\underline{u}), H(\underline{u}')\} \approx C_{53} \equiv \frac{(C_{53})_1[H(\underline{u})]}{i''-i} + (C_{53})_2[\mathcal{T}_{(3,2)}] + (C_{53})_3 ,$
(54)	$\{F(\underline{u}), I(\underline{u}')\} \approx C_{54} \equiv \frac{(C_{54})_1[I(\underline{u})]}{i''-i} + (C_{54})_2[\mathcal{T}_{(3,3)}] + (C_{54})_3 ,$
(55)	$\{G(\underline{u}), A(\underline{u}')\} \approx C_{55} \equiv \frac{(C_{55})_1[A(\underline{u})]}{i''-i} + (C_{55})_2[\mathcal{T}_{(1,1)}] + (C_{55})_3 ,$
(56)	$\{G(\underline{u}), B(\underline{u}')\} \approx C_{56} \equiv \frac{(C_{56})_1[B(\underline{u})]}{i''-i} + (C_{56})_2[\mathcal{T}_{(1,2)}] + (C_{56})_3 ,$
(57)	$\{G(\underline{u}), C(\underline{u}')\} \approx C_{57} \equiv \frac{(C_{57})_1[C(\underline{u})]}{i''-i} + (C_{57})_2[\mathcal{T}_{(1,3)}] + (C_{57})_3 ,$
(58)	$\{G(\underline{u}), D(\underline{u}')\} \approx C_{58} \equiv \frac{(C_{58})_1[D(\underline{u})]}{i''-i} + (C_{58})_2[\mathcal{T}_{(2,1)}] + (C_{58})_3 ,$
(59)	$\{G(\underline{u}), E(\underline{u}')\} \approx C_{59} \equiv \frac{(C_{59})_1[E(\underline{u})]}{i''-i} + (C_{59})_2[\mathcal{T}_{(3,1)}] + (C_{59})_3 ,$
(60)	$\{G(\underline{u}), F(\underline{u}')\} \approx C_{60} \equiv \frac{(C_{60})_1[F(\underline{u})]}{i''-i} + (C_{60})_2[\mathcal{T}_{(3,1)}] + (C_{60})_3 ,$
(61)	$\{G(\underline{u}), G(\underline{u}')\} \approx C_{61} \equiv \frac{(C_{61})_1[G(\underline{u})]}{i''-i} + \frac{(C_{61})_2[\mathcal{T}_{(3,1)}]}{i'''-i'} + (C_{61})_3 ,$
(62)	$\{G(\underline{u}), H(\underline{u}')\} \approx C_{62} \equiv \frac{(C_{62})_1[H(\underline{u})]}{i''-i} + (C_{62})_2[\mathcal{T}_{(3,3)}] + (C_{62})_3 ,$
(63)	$\{G(\underline{u}), I(\underline{u}')\} \approx C_{63} \equiv \frac{(C_{63})_1[I(\underline{u})]}{i''-i} + (C_{63})_2[\mathcal{T}_{(1,3)}] + (C_{63})_3 ,$
(64)	$\{H(\underline{u}), A(\underline{u}')\} \approx C_{64} \equiv \frac{(C_{64})_1[A(\underline{u})]}{i''-i} + (C_{64})_2[\mathcal{T}_{(1,1)}] + (C_{64})_3 ,$
(65)	$\{H(\underline{u}), B(\underline{u}')\} \approx C_{65} \equiv \frac{(C_{65})_1[B(\underline{u})]}{i''-i} + (C_{65})_2[\mathcal{T}_{(1,2)}] + (C_{65})_3 ,$
(66)	$\{H(\underline{u}), C(\underline{u}')\} \approx C_{66} \equiv \frac{(C_{66})_1[C(\underline{u})]}{i''-i} + (C_{66})_2[\mathcal{T}_{(1,3)}] + (C_{66})_3 ,$
(67)	$\{H(\underline{u}), D(\underline{u}')\} \approx C_{67} \equiv \frac{(C_{67})_1[D(\underline{u})]}{i''-i} + (C_{67})_2[\mathcal{T}_{(2,2)}] + (C_{67})_3 ,$
(68)	$\{H(\underline{u}), E(\underline{u}')\} \approx C_{68} \equiv \frac{(C_{68})_1[E(\underline{u})]}{i''-i} + (C_{68})_2[\mathcal{T}_{(3,2)}] + (C_{68})_3 ,$
(69)	$\{H(\underline{u}), F(\underline{u}')\} \approx C_{69} \equiv \frac{(C_{69})_1[F(\underline{u})]}{i''-i} + (C_{69})_2[\mathcal{T}_{(2,3)}] + (C_{69})_3 ,$
(70)	$\{H(\underline{u}), G(\underline{u}')\} \approx C_{70} \equiv \frac{(C_{70})_1[G(\underline{u})]}{i''-i} + (C_{70})_2[\mathcal{T}_{(3,1)}] + (C_{70})_3 ,$
(71)	$\{H(\underline{u}), H(\underline{u}')\} \approx C_{71} \equiv \frac{(C_{71})_1[H(\underline{u})]}{i''-i} + \frac{(C_{71})_2[\mathcal{T}_{(3,2)}]}{i'''-i'} + (C_{71})_3 ,$
(72)	$\{H(\underline{u}), I(\underline{u}')\} \approx C_{72} \equiv \frac{(C_{72})_1[I(\underline{u})]}{i''-i} + (C_{72})_2[\mathcal{T}_{(3,3)}] + (C_{72})_3 ,$
(73)	$\{I(\underline{u}), A(\underline{u}')\} \approx C_{73} \equiv \frac{(C_{73})_1[A(\underline{u})]}{i''-i} + (C_{73})_2[\mathcal{T}_{(1,1)}] + (C_{73})_3 ,$
(74)	$\{I(\underline{u}), B(\underline{u}')\} \approx C_{74} \equiv \frac{(C_{74})_1[B(\underline{u})]}{i''-i} + (C_{74})_2[\mathcal{T}_{(1,2)}] + (C_{74})_3 ,$
(75)	$\{I(\underline{u}), C(\underline{u}')\} \approx C_{75} \equiv \frac{(C_{75})_1[C(\underline{u})]}{i''-i} + (C_{75})_2[\mathcal{T}_{(2,1)}] + (C_{75})_3 ,$
(76)	$\{I(\underline{u}), D(\underline{u}')\} \approx C_{76} \equiv \frac{(C_{76})_1[D(\underline{u})]}{i''-i} + (C_{76})_2[\mathcal{T}_{(2,1)}] + (C_{76})_3 ,$
(77)	$\{I(\underline{u}), E(\underline{u}')\} \approx C_{77} \equiv \frac{(C_{77})_1[E(\underline{u})]}{i''-i} + (C_{77})_2[\mathcal{T}_{(2,2)}] + (C_{77})_3 ,$
(78)	$\{I(\underline{u}), F(\underline{u}')\} \approx C_{78} \equiv \frac{(C_{78})_1[F(\underline{u})]}{i''-i} + (C_{78})_2[\mathcal{T}_{(3,3)}] + (C_{78})_3 ,$
(79)	$\{I(\underline{u}), G(\underline{u}')\} \approx C_{79} \equiv \frac{(C_{79})_1[G(\underline{u})]}{i''-i} + (C_{79})_2[\mathcal{T}_{(3,3)}] + (C_{79})_3 ,$
(80)	$\{I(\underline{u}), H(\underline{u}')\} \approx C_{80} \equiv \frac{(C_{80})_1[H(\underline{u})]}{i''-i} + (C_{80})_2[\mathcal{T}_{(3,3)}] + (C_{80})_3 ,$
(81)	$\{I(\underline{u}), I(\underline{u}')\} \approx C_{81} \equiv \frac{(C_{81})_1[I(\underline{u})]}{i''-i} + \frac{(C_{81})_2[\mathcal{T}_{(3,3)}]}{i'''-i'} + (C_{81})_3 .$

### 1.6.1 Description of the three dimensional quantum inverse scattering type approach

To apply methods that have previously been applied in seminal work on Hamiltonian methods [16], as well as extensions of computations with the Poisson bracket of entries of the transfer matrix from an inhomogeneous Hamiltonian flow for the six-vertex model [41], we consider products of matrices from the span of three subspaces. To study additional properties of the L-operator in three dimensions such as the one reproduced above from [5] which hold up to Dynkin automorphism, we introduce a reformulation of the L-operator. The reformulation of terms in the L-operator not only allows for several comparisons with the two-dimensional transfer matrix, but also for determining how arguments with the Poisson bracket from entries of the quantum monodromy matrix can be extended to a higher dimensional state spaces. Moreover, the fact that there exists a family of L-operators, up to Dynkin automorphism, which can be obtained from the L-operator provided in 1.5.1 from [5], continues to remain of interest in the context of

this work. In particular, through introducing differential operators,

$$\begin{aligned} D_k^j &\equiv (D \otimes \mathbf{1}) \mathbf{1}_{\{\mathbf{r} \equiv e_k\}}, \\ D_{k+1}^j &\equiv (\mathbf{1} \otimes D) \mathbf{1}_{\{\mathbf{r} \equiv e_{k+1}\}}, \end{aligned}$$

which are related to the operators  $D_i$  and  $D_j$  in the statement of the three-dimensional L-operator. Introducing an additional index in the differential operator allows for us to study how staggering, along with spectral parameters which govern the presence of inhomogeneities of vertex models, can further be studied.

To demonstrate how the reformulated differential operators  $D_k^i$  and  $D_{k+1}^i$  enter into the asymptotic expression for entries of the transfer matrix that can be utilized to obtain asymptotic expressions for entries of the quantum monodromy matrix, introduce the first subspace is spanned by,

$$\mathcal{B}_1 \equiv \left[ \begin{array}{c} q^{D_k^j + D_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \\ \left( a_k^j \right)^\dagger q^{D_k^j} \xi^{s_k^j} q^{D_{k+1}^{j+1}} + q^{-D_k^j + D_{k+1}^j} \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^{j+1}} - q^{-2} q^{D_k^j} \left( a_k^j \right)^\dagger \\ \left( a_{k+1}^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \end{array} \right],$$

the second of which is spanned by,

$$\mathcal{B}_2 \equiv \left[ \begin{array}{c} \mathcal{E}_1 \\ \left( a_k^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-D_k^{j+1} + D_{k+1}^{j+1}} - \left( a_{k+1}^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-2} q^{D_k^{j+1}} + q^{-D_{k+1}^j} \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \\ q^{D_k^j} a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j - s_{k+1}^j} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_{k+1}^j} \end{array} \right],$$

where the first entry of the second spanning basis is given by,

$$\begin{aligned} \mathcal{E}_1 \equiv & q^{D_k^j} q^{-2} a_k^{j+1} - q^{D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^j} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} q^{-2} q^{D_k^{j+1}} \xi^s + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \\ & \times \xi^{s-s_k^j - s_{k+1}^j} \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left( a_k^j \right)^\dagger q^{D_k^j} \xi^{s_k^j} q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}}, \end{aligned}$$

and the third of which is spanned by,

$$\mathcal{B}_3 \equiv \left[ \begin{array}{c} \mathcal{E}'_1 \\ \mathcal{E}_2 \\ \left( a_{k+1}^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j} + \left( q^{-D_{k+1}^j} \right) \left( q^{-D_{k+1}^{j+1}} \right) \end{array} \right],$$

where the second entry in the third spanning basis is given by,

$$\begin{aligned} \mathcal{E}'_1 \equiv & q^{D_k^j} a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j - s_{k+1}^j} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \left( -a_{k+1}^{j+1} \right)^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \\ & \times \xi^{s-s_k^j} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \left( a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j} + a_k^j a_{k+1}^j \\ & \times q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} q^{-D_{k+1}^{j+1}}, \\ \mathcal{E}_2 \equiv & \left( a_k^j \right)^\dagger q^{D_k^j} \xi^{s_k^j} a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j - s_{k+1}^j} + q^{-D_k^j + D_{k+1}^j} \left( -a_{k+1}^{j+1} \right)^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_{k+1}^j} - q^{-2} q^{D_k^j} \xi^s \\ & \times \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j} - q^{-2} q^{D_k^j} \xi^s \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j}. \end{aligned}$$

under several combinations of  $i$  and  $j$ , for asymptotically approximating  $T(M, N, \lambda_\alpha, \{v_i\}, \{u_j\})$  entry-wise. Asymptotically, the approximation for the entries of the transfer matrix would then be related to the set of linear combinations from the three bases above,

$$\underset{j \in \mathbf{R}^2, k \in \mathbf{N}}{\text{span}} \{\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3\}.$$

In the large  $N$  limit in weak infinite volume, one would expect,

$$\underset{\mathbf{T}}{\text{span}} \{\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3\} \approx \underset{j \in \mathbf{R}^2, k \in \mathbf{N}}{\text{span}} \{\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3\},$$

for the three columns  $\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3$  of the large  $N$  limit three-dimensional transfer matrix, which satisfy,

$$\mathbf{T}^{3D} \equiv \underset{\mathbf{T}}{\text{span}}\{\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3\}.$$

The fact that one can expect for the span of  $\mathcal{TC}_1, \mathcal{TC}_2$ , and  $\mathcal{TC}_3$  to roughly approximate the span of  $\mathcal{B}_1, \mathcal{B}_2$ , and  $\mathcal{B}_3$ , implies that there would exist countably many vectors over  $\mathbf{R}^3$  satisfying the conditions in the set below,

$$\mathcal{V} \equiv \{v \in \mathbf{T} : v \in \underset{\mathbf{T}}{\text{span}}\{\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3\}, v \notin \underset{j \in \mathbf{R}^2, k \in \mathbf{N}}{\text{span}}\{\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3\}\},$$

in which,

$$|\mathcal{V}| << +\infty.$$

On the next page, the three-dimensional transfer matrix will be defined more concretely in terms of exponential prefactors and products of three dimensional L-operators, as was the strategy in the two-dimensional case for L-operators in the Pauli bases.

Before obtaining expressions for the bases  $\mathcal{B}_1, \mathcal{B}_2$  and  $\mathcal{B}_3$ , for smaller  $N$  there exists expressions for bases that can be used to approximate  $\underset{\mathbf{T}}{\text{span}}\{\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3\}$ . For  $k \equiv 1$  and  $j \equiv 3$ , the approximation to the spanning set of the transfer matrix for the 20-vertex model, from a product representation of L-operators,

$$\begin{bmatrix} q^{D_1^3} & q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3} & a_1^3a_2^3q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3} \\ (a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3} & q^{-D_1^3+D_2^3}-q^{-2}q^{D_1^3}\xi^s & (-a_2^3)^\dagger q^{D_1^3-3D_2^3}\xi^{s-s_1^3} \\ 0 & (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3} & q^{-D_2^3} \end{bmatrix},$$

would be described by,

$$\begin{bmatrix} q^{D_1^3+D_1^4}+q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4} \\ (a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}q^{D_1^4}+q^{-D_1^3+D_2^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4}-q^{-2}q^{D_1^3}(a_1^4)^\dagger \\ (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4} \end{bmatrix},$$

corresponding to the first basis,

$$\begin{bmatrix} (\mathcal{E}_1)' \\ (a_1^3)^\dagger q^{D_2^3}\xi^{s_2^3}q^{-D_1^4+D_2^4}-(a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}q^{-2}q^{D_1^4}\xi^s+q^{-D_2^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4} \\ q^{D_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4}+q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4}(a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}q^{-2}a_1^4q^{-D_1^4-D_2^4}\xi^{s-s_1^4} \\ (-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}-q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}-q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} \end{bmatrix},$$

where the first entry in the basis above is given by,

$$\begin{aligned} (\mathcal{E}_1)' \equiv & q^{D_1^3}q^{-2}a_1^4q^{-D_1^4-D_2^4}\xi^{s-s_1^4}+q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-D_1^4+D_2^4}-q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-2}q^{D_1^4}\xi^s \\ & +a_1^3a_2^3q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4}(a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}q^{-2}a_1^4q^{-D_1^4-D_2^4}\xi^{s-s_1^4} \\ & +q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-D_1^4+D_2^4}-q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-2}q^{D_1^4}\xi^s \\ & +a_1^3a_2^3q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4}, \end{aligned}$$

corresponding to the second basis, and,

$$\begin{bmatrix} q^{D_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4}+q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}+a_1^3a_2^3q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3}q^{-D_2^4} \\ (a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4}+q^{-D_1^3+D_2^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}-q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}-q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} \\ (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}+(q^{-D_2^3})(q^{-D_2^4}) \end{bmatrix},$$

corresponding to the third basis. As described in the cases of  $\mathcal{B}_1, \mathcal{B}_2$  and  $\mathcal{B}_3$ , one would then construct a higher dimensional matrix with each of the three bases to study asymptotic representations of entries from the quantum monodromy matrix, as previously investigated in the two-dimensional case, in the

presence of inhomogeneities that can be imposed over finite volumes through staggering, or through other arrangements of spectral parameters [41].

From the special case of  $i$  and  $j$  discussed above before obtaining an asymptotic representation of the entries of the three dimensional transfer matrix, the entries from the resultant matrix will be shown to take the form from the following three bases, the first of which takes the form,

$$\begin{bmatrix} q^{D_1^3+D_1^4+q^{-2}} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} \\ (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} q^{D_1^4+q^{-D_1^3+D_2^3}} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} \\ (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} \end{bmatrix},$$

corresponding to the first row,

$$\begin{bmatrix} q^{D_1^3} q^{-2} a_1^4 q^{-D_1^4-D_2^4} \xi^{s-s_1^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} q^{-D_1^4+D_2^4} - q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} q^{-2} q^{D_1^4} \xi^s + a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_1^3-s_2^3} (a_1^4)^\dagger q^{D_2^4} \xi^{s_2^4} \\ (\mathcal{E}_2)' \\ (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} q^{-D_1^4+D_2^4} - (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} q^{-2} q^{D_1^4} \xi^s + q^{-D_2^3} (a_1^4)^\dagger q^{D_2^4} \xi^{s_2^4} \end{bmatrix},$$

where the second entry in the basis above is given by,

$$(\mathcal{E}_2)' \equiv (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} q^{-2} a_1^4 q^{-D_1^4-D_2^4} \xi^{s-s_1^4} + (-a_2^3)^\dagger q^{D_1^3-3D_2^3} \xi^{s-s_1^3} (a_1^4)^\dagger q^{D_2^4} \xi^{s_2^4} + (q^{-D_1^3+D_2^3}) (q^{-D_1^4+D_2^4}) \\ - q^{-D_1^3+D_2^3} q^{-2} q^{D_1^4} \xi^s - q^{-2} q^{D_1^3} \xi^s q^{-D_1^4+D_2^4} + q^{-2} q^{D_1^3} \xi^s q^{-D_1^4} \xi^s,$$

corresponding to the second row, and,

$$\begin{bmatrix} q^{D_1^3} a_1^4 a_2^4 q^{-D_1^4-3D_2^4} \xi^{s-s_1^4-s_2^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_1^3-s_2^3} q^{-D_2^4} \\ (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} a_1^4 a_2^4 q^{-D_1^4-3D_2^4} \xi^{s-s_1^4-s_2^4} + q^{-D_1^3+D_2^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} - q^{-2} q^{D_1^3} \xi^s (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} \\ (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + (q^{-D_2^3}) (q^{-D_2^4}) \end{bmatrix},$$

corresponding to the third row. A product representation of the form defined above would imply, under a method of taking a finite volume to an infinite volume through a weak limit, the existence of three bases  $\{\mathcal{B}_1^{+\infty}, \mathcal{B}_2^{+\infty}, \mathcal{B}_3^{+\infty}\}$ , which can be further manipulated to obtain asymptotic expansions of the entries of the three dimensional quantum monodromy matrix. Unlike expansions provided in [41] for such asymptotic expansions for an inhomogeneous Hamiltonian flow for the six-vertex model in two dimensions, for triangular ice exhibit dependencies on the staggering, through the complex-valued mapping  $\xi$  into the unital associative algebra, as well as  $q$  factors raised to various differential operators, ie to  $D_k^j$ ,  $D_{k+1}^j$ ,  $D_k^{j+1}$ ,  $D_{k+1}^{j+1}$ ,  $D_{k+1}^{j+1}-3D_{k+1}^j$ ,  $D_{k+1}^{j+1}-3D_k^j$ , amongst several other possible interactions.

With similar expressions for the product of three dimensional L-operators, a general formula for all  $j$  is obtained by taking the union of the three bases, in order to obtain large  $N$  approximations for  $\mathcal{TC}_1$ ,  $\mathcal{TC}_2$  and  $\mathcal{TC}_3$ , by varying the spectral parameters corresponding to the  $j$  indices of entries of the L-operator while holding the  $i$  indices constant. In the weak finite volume limit for approximation all nine entries of the three-dimensional transfer matrix amounts to performing computations for products of matrices from the L-operator, which take the form,

$$\text{tr} \left[ \prod_{j=1}^2 \prod_{k=0}^3 \left[ \begin{array}{ccc} q^{D_k^j} & q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} & a_k^j a_{k+1}^j q^{-D_k^j-3D_{k+1}^j} \xi^{s-s_k^j-s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} q^{-D_k^j+D_{k+1}^j} - q^{-2} q^{D_k^j-D_{k+1}^j} \xi^s & (-a_k^j)^\dagger a_k^j q^{D_k^j-3D_{k+1}^j} \xi^{s-s_k^j-s_{k+1}^j} \\ 0 & (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{array} \right] \right].$$

With the aim to take the infinite volume limit along  $k + \mathbf{N}$  in directions  $j$  and  $j+1$ , the expansion for the three-dimensional transfer matrix, before obtaining asymptotic expansions near infinite volume, is given by,

$$\begin{bmatrix} q^{D_1^1} & q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} & a_1^1 a_2^1 q^{-D_1^1-3D_2^1} \xi^{s-s_1^1-s_2^1} \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-D_1^1+D_2^1} - q^{-2} q^{D_1^1-D_2^1} \xi^s & (-a_1^1)^\dagger a_1^1 q^{D_1^1-3D_2^1} \xi^{s-s_1^1-s_2^1} \\ 0 & (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} & q^{-D_1^1} \end{bmatrix}$$

$$\begin{aligned}
& \times \cdots \left[ \begin{array}{ccc} q^{D_1^n} & q^{-2}a_1^n q^{-D_1^n - D_2^n} \xi^{s-s_1^n} & a_1^n a_2^n q^{-D_1^n - 3D_2^n} \xi^{s-s_1^n - s_2^n} \\ \left(a_1^n\right)^\dagger q^{D_1^n} \xi^{s_1^n} & q^{-D_1^n + D_2^n} - q^{-2}q^{D_1^n - D_2^n} \xi^s & \left(-a_1^n\right)^\dagger a_1^n q^{D_1^n - 3D_2^n} \xi^{s-s_1^n - s_2^n} \\ 0 & \left(a_1^n\right)^\dagger q^{D_1^n} \xi^{s_1^n} & q^{-D_1^n} \end{array} \right] \\
& \times \left[ \begin{array}{ccc} q^{D_2^n} & q^{-2}a_2^n q^{-D_2^n - D_3^n} \xi^{s-s_1^n} & a_2^n a_3^n q^{-D_2^n - 3D_3^n} \xi^{s-s_2^n - s_3^n} \\ \left(a_2^n\right)^\dagger q^{D_2^n} \xi^{s_2^n} & q^{-D_2^n + D_3^n} - q^{-2}q^{D_2^n - D_3^n} \xi^s & \left(-a_2^n\right)^\dagger a_2^n q^{D_2^n - 3D_3^n} \xi^{s-s_2^n - s_3^n} \\ 0 & \left(a_2^n\right)^\dagger q^{D_2^n} \xi^{s_2^n} & q^{-D_2^n} \end{array} \right] \\
& \times \cdots \left[ \begin{array}{ccc} q^{D_3^n} & q^{-2}a_3^n q^{-D_3^n - D_4^n} \xi^{s-s_2^n} & a_3^n a_4^n q^{-D_3^n - 3D_4^n} \xi^{s-s_2^n - s_4^n} \\ \left(a_3^n\right)^\dagger q^{D_3^n} \xi^{s_3^n} & q^{-D_3^n + D_4^n} - q^{-2}q^{D_3^n - D_4^n} \xi^s & \left(-a_3^n\right)^\dagger a_3^n q^{D_3^n - 3D_4^n} \xi^{s-s_2^n - s_4^n} \\ 0 & \left(a_3^n\right)^\dagger q^{D_3^n} \xi^{s_3^n} & q^{-D_3^n} \end{array} \right] \cdots
\end{aligned}$$

where the remaining terms of the matrix product are obtained by writing the L-operator for each  $k$ , and then taking the product over all  $j$  in the outermost product while holding  $i$  fixed. In the expression for the product of matrices above that is used to define the transfer matrix by taking the trace, the innermost index of the product,  $k$ , is related to the position along two edges of  $\mathbf{T}$ , while another edge of  $\mathbf{T}$  is held constant. The remaining index in the product,  $j$ , is used to define a differential operator along each interaction site. As described further in 2.1, each differential operator that the  $q$  parameter is raised to,

$$\begin{aligned}
D_k^j &\equiv (D \otimes \mathbf{1}) \mathbf{1}_{\{\mathbf{r} \equiv e_k\}}, \\
D_{k+1}^j &\equiv (\mathbf{1} \otimes D) \mathbf{1}_{\{\mathbf{r} \equiv e_{k+1}\}},
\end{aligned}$$

are used to study properties of the three-dimensional transfer matrix in the weak infinite volume limit through the sequence of identities,

$$\begin{aligned}
\langle D_k^1, D_k^3 \rangle &\equiv \cdots \equiv \langle D_k^{n-3}, D_k^{n-1} \rangle \equiv 1, \\
\langle D_k^2, D_k^4 \rangle &\equiv \cdots \equiv \langle D_k^{n-2}, D_k^n \rangle \equiv 1,
\end{aligned}$$

for differential operators  $D_k^1, \dots, D_k^{n-1}$ ,  $k$ , and  $D_k^2, \dots, D_k^n$ , with respect to the standard inner product  $\langle \cdot, \cdot \rangle$  of  $\mathbf{T}$ . As we perform computations to obtain expressions for the entries of the transfer matrix with a recursive system, such an identification as the one introduced above not only allows for enforcing different spectral parameters at each site of  $\mathbf{T}$  about which an interaction occurs, hence inducing a staggering of the six-vertex model, but also for taking the infinite volume limit of the three-dimensional transfer, and quantum monodromy, matrices as  $N \rightarrow +\infty$ .

Beyond the induction step that is performed to obtain an expansion for the product of the  $j$ , and  $j+1$ , L-operators, the  $j+2$  th L-operator,

$$\left[ \begin{array}{ccc} q^{D_{k+2}^j} & q^{-2}a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} & a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+1} - s_k^{j+2}} \\ \left(a_k^{j+2}\right)^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} & q^{-D_k^{j+2} + D_{k+1}^{j+2}} - q^{-2}q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^s & -a_{k+1}^{j+2} q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \\ 0 & \left(a_{k+1}^{j+2}\right)^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} & q^{-D_{k+1}^{j+2}} \end{array} \right],$$

to obtain a higher dimensional recursive system for the entries of the transfer matrix. When beginning such arguments to determine each entry of the recursive system explicitly, the term when  $i \equiv 1$  and  $j$  is not fixed,

$$\left[ \begin{array}{ccc} q^{D_1^1} & q^{-2}a_1^1 q^{-D_1^1 - D_j^k} \xi^{s-s_1^1} & a_1^1 a_j^k q^{-D_1^1 - 3D_j^k} \xi^{s-s_1^1 - s_j^k} \\ \left(a_1^1\right)^\dagger q^{D_1^1} \xi^{s_1^1} & q^{-D_1^1 + D_j^k} - q^{-2}q^{D_1^1 - D_j^k} \xi^s & \left(-a_2^1\right)^\dagger q^{D_1^1 - 3D_j^k} \xi^{s-s_1^1} \\ 0 & \left(a_2^1\right)^\dagger q^{D_2^1} \xi^{s_2^1} & q^{-D_j^k} \end{array} \right],$$

can be further manipulated after writing terms from the product with other L-operators for  $i > 1$ .

Under the existence of a homogenization parameter  $\lambda$ , where the inhomogeneity about each degree of freedom in  $\mathbf{T}$  is set to be  $\lambda$ , the asymptotic expansion of L-operators before the trace is taken to obtain the desired transfer matrix can be further studied through properties of  $T(\lambda_\alpha)$ , ie the infinite limit of the three-dimensional transfer matrix. The formal trace can be taken of  $T(\lambda)$ , with,

$$\mathbf{T}(\lambda) \equiv \mathbf{T}^{3D}(\lambda) \equiv \text{tr} \left[ \prod_{j=0}^{+\infty} \prod_{k=0}^{+\infty} \exp(\lambda_3(q^{-2}\xi^{s_k^j})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} & a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j + D_{k+1}^j - q^{-2}} q^{D_k^j - D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & a_j^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right] \\ \equiv \lim_{\substack{M \rightarrow +\infty \\ N \rightarrow -\infty}} \text{tr} \left[ \prod_{j=0}^M \prod_{k=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_k^j})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} & a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j + D_{k+1}^j - q^{-2}} q^{D_k^j - D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & a_j^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right].$$

To obtain a higher dimensional recursive system for entries of the transfer matrix from matrix products of the type as shown above, relations can be obtained by asymptotically studying the entries of,

$$\text{tr} \left[ \left\{ \prod_{j=0}^M \prod_{k=0}^{-N_i} \exp(\lambda_3(q^{-2}\xi^{s_k^j})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_i q^{-D_k^j - D_{k+1}^j} \xi^{s-s_i^j} & a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j + D_{k+1}^j - q^{-2}} q^{D_k^j - D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right\}_{-N_i \leq -N} \right],$$

or of,

$$\text{tr} \left[ \left\{ \prod_{j=0}^{M_i} \prod_{i=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_k^j})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} & a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j + D_{k+1}^j - q^{-2}} q^{D_k^j - D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right\}_{M_i \leq M} \right],$$

in which, from the first subsequence, the innermost index of the matrix product is taken to be some constant  $N_i$ , after which the product is taken up to arbitrary order in the remaining outermost index, and, from the second subsequence, the outermost index of the matrix product is taken to be some constant  $M_i$ , after which the product is taken up to arbitrary order in the remaining innermost index. One can define the three dimensional transfer matrix of the six-vertex model in an analogous way using  $D_k^j$ , and related quantities, entrywise from products of the three dimensional L-operator. Such a procedure to obtain an asymptotic expansion of  $\mathbf{T}(\lambda)$  implies the existence of a sequence of precursor transfer matrices,  $\{\mathbf{T}_{M_i, N_j}(\lambda_\alpha)\}_{1 \leq M_i \leq M, 1 \leq N_j \leq N}$ , for which  $\mathbf{T}(\lambda)$  is equivalent to,

$$\lim_{\lambda_\alpha \rightarrow \lambda} \lim_{\substack{M \rightarrow +\infty \\ N \rightarrow -\infty}} \mathbf{T}(M, N, \lambda_\alpha, \{u_i\}, \{v_j\}, \{w_k\}) = \lim_{\lambda_\alpha \rightarrow \lambda} \lim_{\substack{M \rightarrow +\infty \\ N \rightarrow -\infty}} \text{tr}[T(M, N, \lambda_\alpha, \{u_i\}, \{v_j\}, \{w_k\})].$$

Entry by entry, the three dimensional transfer matrix when the first L-operator is raised to an arbitrary power, when equal to 1, would contain terms from the matrices,

$$\begin{bmatrix} q^{D_1^j} & q^{-2}a_1^j q^{-D_1^j - D_2^j} \xi^{s-s_1^j} & a_1^j a_2^j q^{D_1^j - 3D_2^j} \\ (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} & q^{-D_1^j - D_2^j - q^{-2}} q^{D_1^j - D_2^j} & -a_1^j q^{D_1^j - 3D_2^j} \xi^{s-s_1^j} \\ 0 & (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} & q^{-D_1^j} \end{bmatrix} \begin{bmatrix} q^{D_2^j} & q^{-2}a_2^j q^{-D_2^j - D_3^j} \xi^{s-s_2^j} & a_2^j a_3^j q^{D_2^j - 3D_3^j} \\ (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} & q^{-D_2^j - D_3^j - q^{-2}} q^{D_2^j - D_3^j} & -a_2^j q^{D_2^j - 3D_3^j} \xi^{s-s_2^j} \\ 0 & (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} & q^{-D_2^j} \end{bmatrix},$$

and also from the matrix product,

$$\begin{bmatrix} q^{D_1} & q^{-2}a_0 q^{-D_0 - D_2} \xi^{s-s_0} & a_0 a_2 q^{D_0 - 3D_2} \\ a_1^\dagger q^{D_0} \xi^{s_1} & q^{-D_1 + D_2 - q^{-2}} q^{D_1 - D_2} \xi^s & -a_2 q^{D_0 - 3D_2} \\ 0 & a_1^\dagger q^{D_1} \xi^{s_1} & q^{-D_3} \end{bmatrix} \begin{bmatrix} q^{D_1} & q^{-2}a_1 q^{-D_1 - D_3} \xi^{s-s_0} & a_1 a_3 q^{D_1 - 3D_3} \\ a_1^\dagger q^{D_1} \xi^{s_1} & q^{-D_1 + D_3 - q^{-2}} q^{D_1 - D_3} \xi^s & -a_3 q^{D_0 - 3D_3} \\ 0 & a_3 q^{D_3} \xi^{s_3} & q^{-D_3} \end{bmatrix}.$$

Obtaining a general recursive formula for the entries of the matrix product in three dimensions for an arbitrary number of spectral parameters in each dimension is the first main difficulty beyond those raised from the structure of two-dimensional L-operators. With the objects defined in this section, we proceed to characterize other properties for  $L_1^{3D}$ , in the same way that several sets of relations in [41] were obtained for the two-dimensional L-operator for demonstrating that the Hamiltonian flow for the inhomogeneous six-vertex model is integrable.

## 1.7 Paper Organization

To investigate which notions of integrability from the two-dimensional six-vertex model transfer, if at all, to the three-dimensional six-vertex model, we obtain approximations of the weak infinite volume limit of the three-dimensional transfer matrix. In comparison to the presence of inhomogeneities that appear in the spectral parameters of the two-dimensional transfer matrix which imply that an integrability property of the Hamiltonian flow holds from integrability conditions imposed on the limit shape, the following approach consists of: identifying recursive relations when one spectral parameter is varied while another spectral parameter is held constant; extrapolating such a set of relations for varying another spectral parameter while two spectral parameters are held constant; identifying a broader set of relations from which computations from the Poisson bracket can be executed from different pairs of entries of the three-dimensional transfer matrix. In two-dimensions, the quantum inverse scattering type approach, as an adaptation of seminal work appearing in [16] for the nonlinear Schrodinger's equation with Hamiltonian methods. Within this framework, before inhomogeneities are imposed in the six-vertex model, the absence of the nonlinear Schrodinger's equation implies that some portions of the argument must be developed for the solutions to the Bethe equations obtained from the algebraic Bethe ansatz. In three-dimensions, the construction of the universal R-matrix, along with the universal R-matrix itself, no longer satisfy the Bethe equations which raises differences in the same portion of the arguments as for those of the inhomogeneous six-vertex model [41].

The forthcoming approach obtains a broader set of relations than those previously described in computations with the Poisson bracket of entries of the transfer matrix from that obtained in [41]. The larger number of terms which appear in one set of relations expressed in terms of the Poisson bracket implies that properties that it satisfies, anticommutativity, bilinearity, Leibniz' rule, and the Jacobi identity, continue to play a large role in approximations of each term within the set of relations. Moreover, as a higher dimensional analog, the set of relations with the Poisson bracket can be expressed in terms of the set of relations obtained from one Poisson bracket up to permutation of entries of the transfer matrix. As exhibited from the three-dimensional transfer matrix on Pages 13-14, there are 81 relations from the Poisson bracket, in comparison to 16 relations originally described in the quantum inverse scattering type approach for studying an application of Hamiltonian methods developed in [16]. As a result, to study characteristics of a three-dimensional analog of the two-dimensional Poisson structure described in [41] from a conjecture raised in [24], several more computations with the Poisson bracket must be approximated in the large  $N$  limit for approximating entries of the quantum monodromy matrix. To exhibit some similarities between computations with the Poisson bracket in two and three dimensions, the approximation for entries of the transfer matrix in 1.5.1 was phrased in terms of entries  $A(u), \dots, I(u)$ , as the entries of the two-dimensional transfer matrix were phrased in terms of  $A(u), \dots, D(u)$ . With computations beginning in the next section, leading to the 9 entries of the product representation provided in 2.3, we aim to obtain a set of explicit relations for the three-dimensional transfer matrix, which very much parallels computations in 2.4 of [41], in which computations for obtaining a set of relations for the two-dimensional transfer matrix were substituted into the set of 16 relations to then perform several computations with the Poisson bracket. For triangular ice, there exists a set of relations that one can map into from the set of 81 relations stated in 1.5.1. In the next section, when performing the lowest order approximations of the three-dimensional transfer matrix for a few terms at a time, we denote the product of  $\mathcal{I}^i$ , where  $\mathcal{I}^i$  denotes the product of  $i$ , and even an arbitrary number, of L-operators that are used to first approximate the entries of the transfer matrix, for every  $0 \leq -i \leq -N$ . After having obtained a set of relations for the entries of the three-dimensional transfer matrix, the three-dimensional quantum monodromy matrix,

$$T_{a,b}^{3D}(\{u_i\}, \{v'_j\}, \{w''_k\}) : \mathbf{C}^3 \otimes (\mathbf{C}^3)^{\otimes(|N|+||M||_1)} \longrightarrow \mathbf{C}^3 \otimes (\mathbf{C}^3)^{\otimes(|N|+||M||_1)} \mapsto \prod_{j=0}^{-N} \prod_{k=0}^M \left[ \text{diag}(\exp(\alpha(i, j, k)), \right. \\ \left. \exp(\alpha(i, j, k)), \exp(\alpha(i, j, k))) R_{ia,jb,kc}(u - u_i, u' - v'_j, w - w''_k) \right],$$

is further analyzed from the set of 81 relations with the Poisson bracket, which parallels the definition of the two-dimensional quantum monodromy matrix,

$$T_a(u, \{v_k\}, H, 0) : \mathbf{C}^2 \otimes (\mathbf{C}^2)^{\otimes|N|} \longrightarrow \mathbf{C}^2 \otimes (\mathbf{C}^2)^{\otimes|N|} \mapsto \prod_{i=1}^{-N} \left[ \text{diag}(\exp(2H), \exp(2H)) R_{ia}(u - v_i) \right],$$

defined with factors of the two-dimensional R-matrix,

$$R \equiv R(u, H, V) \equiv \begin{bmatrix} a \exp(H + V) & 0 & 0 & 0 \\ 0 & b \exp(H - V) & c & 0 \\ 0 & c & b \exp(-H + V) & 0 \\ 0 & 0 & 0 & a \exp(-H - V) \end{bmatrix}.$$

An alternative definition for the three-dimensional quantum monodromy matrix that is dependent upon external fields would take a very similar form, in which,

$$T_{a,b}^{3D}(\{u_i\}, \{v'_j\}, \{w''_k\}, H, 0) : \mathbf{C}^3 \otimes (\mathbf{C}^3)^{\otimes(|N|+||M||_1)} \longrightarrow \mathbf{C}^3 \otimes (\mathbf{C}^3)^{\otimes(|N|+||M||_1)} \mapsto \prod_{j=0}^{-N} \prod_{k=0}^M \left[ \text{diag}(\exp(H), \exp(H), \exp(H)) R_{ia,jb,kc}(u - u_i, u' - v'_j, w - w''_k) \right].$$

Each one of the 81 relations can be approximated in the large  $N$  asymptotic limit by making use of the same properties of the Poisson bracket. In the two-dimensional case, several combinations of bilinearity, anticommutativity, and Leibniz' rule for the Poisson bracket allow for approximations of each Poisson bracket within the set of 16 relations, which yields approximations for all of the remaining terms in the set of relations by permutting entries of the transfer matrix in arguments of the Poisson bracket.

For other Statistical Mechanics models in three dimensions, following an approximation of each Poisson bracket for triangular ice, it remains of great interest to study other models that have previously been examined in two dimensions, as in [36]. The first model introduced in this work besides the six-vertex model was the Ashkin-Teller model, which is defined by the interactions,

$$\mathcal{H}(i, j, \tau(i), \tau(j), \tau'(i), \tau'(j), J, U) \equiv \mathcal{H} \equiv \sum_{i \sim j} \left[ J(\tau(i)\tau(j) + \tau'(i)\tau'(j)) + U(\tau(i)\tau(j)\tau'(i)\tau'(j)) \right],$$

encoded by the Ashkin-Teller Hamiltonian  $\mathcal{H}$ , consisting of one four-point interaction term multiplied by one Ising model coupling constant  $U$ , and two two-point interaction terms multiplied by the other Ising model coupling constant  $J$ . Additionally, given real coupling constants  $J < U$  of two coupled Ising models, and,

$$(\tau, \tau') \in \{-1, 1\}^{V(\Lambda)} \times \{-1, 1\}^{V(\Lambda)},$$

which can be together used to define the probability measure,

$$\mathcal{P}_\Lambda^\xi[\omega] \equiv \frac{\exp[-\mathcal{H}]}{Z^{\text{AT},\xi}(i, j, \tau(i), \tau(j), \tau'(i), \tau'(j), \Lambda)} \equiv \frac{\exp[-\mathcal{H}]}{Z^{\text{AT}}(\Lambda)},$$

the Ashkin-Teller probability measure, under boundary conditions  $\xi \in \{++, --, +/-, \text{Mixed}\} \equiv \{++, --, \text{Mixed}\}$ , with  $Z^{\text{AT}}$  the Ashkin-Teller partition function and configuration  $\cdot \in \Omega^{\text{AT}}$ , the Ashkin-Teller sample space.

The existence of an Ashkin-Teller probability measure from,

$$(P^N)_\Lambda^\xi[\omega] \equiv \frac{\exp[-\mathcal{H}^N]}{Z^{\text{AT},N}(\sigma_1, \dots, \sigma_N, J_1, \dots, J_N, \Lambda)} \equiv \frac{\exp[-\mathcal{H}^N]}{Z^{\text{AT},N}(\Lambda)},$$

under boundary conditions  $\xi$  belonging to the same categories provided for the first Ashkin-Teller probability measure above, can be inferred for up to  $N > 0$  colors.  $\omega \in \Omega^{\text{AT},N}$  corresponds to an  $N$ -color Ashkin-Teller mixed spin configuration sampled over  $\mathbf{Z}^2$ . A second model of interest, from a cluster representation of the Ashkin-Teller model, [36], coined 'the generalized random-cluster' model, has a probability measure of the form,

$$\begin{aligned}
\mathcal{P}_\Lambda^{++}[\underline{n}_{\sigma\tau}|p,q] &\equiv \mathcal{P}^{++}[\underline{n}_{\sigma\tau}|p,q] \equiv \frac{\lambda_{\mathcal{B}^+}(\underline{n}_{\sigma\tau})}{\mathcal{Z}^{++}(\Lambda, a_0, a_\sigma, a_\tau, a_{\sigma\tau})} \equiv \frac{\prod_{b \in \mathcal{B}^+} a_0(b) \prod_{b \in \mathcal{B}^+} a_\sigma(b) \prod_{b \in \mathcal{B}^+} a_{\sigma\tau}(b) \prod_{b \in \mathcal{B}^+} a_\tau(b)}{\prod_{n_b \equiv (0,0)} a_0(b) \prod_{n_b \equiv (1,0)} a_\sigma(b) \prod_{n_b \equiv (0,1)} a_{\sigma\tau}(b) \prod_{n_b \equiv (1,1)} a_\tau(b)} \\
&\equiv \frac{\lambda_{\mathcal{B}^+(\underline{n}_{\sigma\tau})} 2^{N_\sigma(\underline{n}_{\sigma\tau}|\Lambda)} 2^{N_\tau(\underline{n}_{\sigma\tau}|\Lambda)}}{\mathcal{C}_2 \sum_{\substack{\underline{n}=(\underline{n}_\sigma, \underline{n}_\tau) \\ \underline{n}_{\sigma\tau} : \underline{n}_{\sigma\tau}|_{\partial\Lambda} ++}} \lambda_{\mathcal{B}^+(\underline{n}_{\sigma\tau})} 2^{N_\sigma(\underline{n}_{\sigma\tau}|\Lambda)} 2^{N_\tau(\underline{n}_{\sigma\tau}|\Lambda)}} \\
&\equiv \nu_\Lambda^{++}[\underline{n}_{\sigma\tau}|2,2] \\
&\equiv \nu^{++}[\kappa_A^\sigma \kappa_B^\tau|2,2],
\end{aligned}$$

under  $++$  boundary conditions, which is obtained from the percolation bond measure,

$$\lambda_{\mathcal{B}}(\underline{n}) \equiv \lambda_{\mathcal{B}}((\underline{n}_\sigma, \underline{n}_\tau)) \equiv \lambda_{\mathcal{B}}((n_\sigma(b), n_\tau(b))) \equiv \lambda_{\mathcal{B}}((n_{\sigma,b}, n_{\tau,b})),$$

that admits the decomposition,

$$\begin{aligned}
\lambda_{\mathcal{B}}(\underline{n}) &\equiv \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (0,0)}} \lambda_b((0,0)) \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (1,0)}} \lambda_b((1,0)) \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (0,1)}} \lambda_b((1,1)) \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (1,1)}} \lambda_b((0,1)) \equiv \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (0,0)}} a_0(b) \\
&\quad \times \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (1,0)}} a_\sigma(b) \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (0,1)}} a_{\sigma\tau}(b) \prod_{\substack{b \in \mathcal{B} \\ n_b \equiv (1,1)}} a_\tau(b),
\end{aligned}$$

for the following four probability measures,

$$\begin{aligned}
\lambda_b((0,0)) &\equiv a_0(b), \\
\lambda_b((1,0)) &\equiv a_\sigma(b), \\
\lambda_b((1,1)) &\equiv a_{\sigma\tau}(b), \\
\lambda_b((0,1)) &\equiv a_\tau(b),
\end{aligned}$$

In comparison to the Ashkin-Teller model sample space, the set of all bonds over  $\mathbf{Z}^2$  is introduced to define the product of four percolation bond measures above. Under other boundary conditions rather than  $++$  boundary conditions, by analyzing a probability measure of the form,

From the *generalized percolation bond measure* provided in **Definition 20**, denote,

$$\nu_\Lambda^f(\underline{n}|q_\sigma, q_\tau) \equiv \nu^f(\underline{n}|q_\sigma, q_\tau) \equiv \frac{\lambda_{\mathcal{B}(\Lambda)}(\underline{n}) q_\sigma^{N_\sigma(\underline{n}|\Lambda)} q_\tau^{N_\tau(\underline{n}|\Lambda)}}{\sum_{\substack{\underline{n} \equiv (\underline{n}_\sigma, \underline{n}_\tau) \\ \underline{n} : \underline{n}|_{\partial\Lambda} f}} \lambda_{\mathcal{B}(\Lambda)}(\underline{n}) q_\sigma^{N_\sigma(\underline{n}|\Lambda)} q_\tau^{N_\tau(\underline{n}|\Lambda)}},$$

one is able to extend the cluster representation of the Ashkin-Teller model by analyzing connectivity events, such as one given a bond configuration  $\underline{n} \in \{0,1\} \times \{0,1\}$ ,

$$\{i \xleftarrow{\sigma} j\},$$

as the  $\sigma$ -connectivity event between sites  $i$  and  $j$ . From several crossing events defined for crossing probabilities of the Ashkin-Teller model given marginalizations of the Fortuin-Kastelyn-Ginibre lattice condition (FKG), and comparison between boundary conditions (CBC), properties, closely related sets of conditions can be inferred for the generalized random-cluster model. This model represents another setting in which new aspects of interest could be discovered by consideration a three-dimensional state of bonds. Analogs of crossing probabilities for the 20-vertex model, in light of the **Main Result** on Poisson structure, will be studied, beginning in 3.1.

## 2 Three-dimensional transfer matrix

The transfer matrix defined in the previous section will be analyzed from sets of relations obtained from entries of the three-dimensional L-operator.

### 2.1 Recursive set of relations for the the transfer matrix when holding one spectral parameter constant

In the first system of relations that is obtained from entries of the three-dimensional L-operator, when one spectral parameter is held constant an approximation for the three-dimensional transfer matrix the resultant product can take the form,

$$\text{tr} \left[ \prod_{j=0}^M \prod_{i=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_i})) \begin{bmatrix} q^{D_i} & q^{-2}a_i q^{-D_i-D_j} \xi^{s-s_i} & a_i a_j q^{-D_i-3D_j} \xi^{s-s_i-s_j} \\ a_i^\dagger q^{D_i} \xi^{s_i} & q^{-D_i+D_j} - q^{-2}q^{D_i-D_j} \xi^s & -a_j q^{D_i-3D_j} \xi^{s-s_j} \\ 0 & a_j^\dagger q^{D_j} \xi^{s_j} & q^{-D_j} \end{bmatrix} \right],$$

for  $M, N$  sufficiently large, which can be decomposed by looking at the first terms appearing in the innermost index of the trace product above,

$$\begin{bmatrix} q^{D_0} & q^{-2}a_0 q^{-D_0-D_j} & a_0 a_j q^{D_0-3D_j} \xi^{s-s_0-s_j} \\ a_0^\dagger q^{D_0} \xi^{s_0} & q^{-D_0-D_j} - q^{-2}q^{-3D_0-D_j} \xi^s & -a_j q^{D_0-3D_j} \xi^{s-j} \\ 0 & a_j^\dagger q^{D_j} \xi^{s_0} & q^{-D_j} \end{bmatrix},$$

which consists of contributions from the complex-valued mapping  $\xi$  into the unital associative algebra, in addition to contributions from raising the  $q$  parameter to powers of differential operators. Manipulating such objects by raising them to different powers of  $j$ , which as previously mentioned in the construction of the universal R-matrix from the tensor product of two spaces. Besides features of the construction for the universal R-matrix, various characteristics of the set of recursive relations can be obtained by multiplying matrices for the L-operator together.

To obtain such a recursive system, we write out terms for several finite volume approximations for the infinite volume three-dimensional transfer matrix,

$$\lim_{M \rightarrow +\infty} \lim_{N \rightarrow -\infty} \text{tr} \left[ \prod_{j=0}^M \prod_{k=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_j^k})) \begin{bmatrix} q^{D_k^j} & q^{-2}a_k q^{-D_k^j-D_{k+1}^j} \xi^{s-s_i^j} & a_k^j a_{k+1}^j q^{-D_k^j-3D_{k+1}^j} \xi^{s-s_k^j-s_{k+1}^j} \\ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j+D_{k+1}^j} - q^{-2}q^{D_k^j-D_{k+1}^j} \xi^s & -a_k^j q^{D_k^j-3D_{k+1}^j} \xi^{s-s_k^j} \\ 0 & (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} & q^{-D_k^j} \end{bmatrix} \right],$$

with taking the product of L-operators for  $0 \leq k \leq N'$ , with  $N' \ll N$ . To take the infinite volume limit as  $N' \rightarrow N \rightarrow -\infty$  in one degree of freedom, observe that the following terms would be included in the product of L-operators for defining the transfer matrix,

$$\begin{bmatrix} q^{D_1^1} & q^{-2}a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} & a_1^1 a_2^1 q^{-D_1^1-3D_2^1} \xi^{s-s_1^1-s_2^1} \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} & q^{-D_1^1+D_2^1} - q^{-2}q^{D_1^1-D_2^1} \xi^s & (-a_1^1)^\dagger a_1^1 q^{D_1^1-3D_2^1} \xi^{s-s_1^1-s_2^1} \\ 0 & (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} & q^{-D_1^1} \end{bmatrix} \times \dots \begin{bmatrix} q^{D_1^n} & q^{-2}a_1^n q^{-D_1^n-D_2^n} \xi^{s-s_1^n} & a_1^n a_2^n q^{-D_1^n-3D_2^n} \xi^{s-s_1^n-s_2^n} \\ (a_1^n)^\dagger q^{D_1^n} \xi^{s_1^n} & q^{-D_1^n+D_2^n} - q^{-2}q^{D_1^n-D_2^n} \xi^s & (-a_1^n)^\dagger a_1^n q^{D_1^n-3D_2^n} \xi^{s-s_1^n-s_2^n} \\ 0 & (a_1^n)^\dagger q^{D_1^n} \xi^{s_1^n} & q^{-D_1^n} \end{bmatrix},$$

modulo the product of exponentials which is a prefactor to the product of L-operators,

$$\prod_{k=0}^{-N} \exp(\lambda_3(q^{-2}\xi^{s_j^k})).$$

As previously mentioned, the tensor products of differential operators to which the parameter  $q$  is raised is dependent upon the fact that we denote each differential operator of interest, from the ordinary differential operator  $D$ , from the quantity  $D_k^j \equiv (D \otimes \mathbf{1}) \mathbf{1}_{\{\mathbf{r}=e_k\}}$ , or with  $D_{k+1}^j \equiv (\mathbf{1} \otimes D) \mathbf{1}_{\{\mathbf{r}=e_{k+1}\}}$ , namely the product of the tensor product of the differential operator from the left or right with the identity operator  $\mathbf{1}$ , in addition to multiplication with the indicator  $\mathbf{1}$  indicating the position about one degree of freedom

in which the weak infinite volume limit is being taken. With regards to the indicator,  $\mathbf{r}$  is some position vector defined with respect to distance from the origin. When a spectral parameter is fixed one degree of freedom for the twenty-vertex model over  $\mathbf{T}$ , the large  $N$  limit expansion of the three-dimensional transfer matrix can be obtained by first varying one of the remaining spectral parameters about another degree of freedom from an incident edge in  $\mathbf{T}$ . Before varying the second spectral parameter after holding two spectral parameters constant over  $\mathbf{T}$ , one must approximately characterize all terms of the following trace of the product,

$$\text{tr} \left[ \prod_{j=0}^1 \left[ \begin{array}{ccc} q^{D_0^j} & q^{-2} a_0^j q^{-D_0^j - D_1^j} & a_0^j a_1^j q^{D_0^j - 3D_1^j} \xi^{s-s_0^j - s_1^j} \\ \left( a_0^j \right)^\dagger q^{D_0^j} \xi^{s_0^j} & q^{-D_0^j - D_1^j - q^{-2} q^{-3D_0^j - D_1^j} \xi^s} & -a_0^j q^{D_0^j - 3D_1^j} \xi^{s-s_1^j} \\ 0 & \left( a_0^j \right)^\dagger q^{D_0^j} \xi^{s_0^j} & q^{-D_0^j} \end{array} \right] \left[ \begin{array}{ccc} q^{D_1^j} & q^{-2} a_1^j q^{-D_1^j - D_2^j} \xi^{s-s_1^j} & a_1^j a_2^j q^{D_1^j - 3D_2^j} \xi^{s-s_1^j - s_2^j} \\ \left( a_1^j \right)^\dagger q^{D_1^j} \xi^{s_1^j} & q^{-D_1^j + D_2^j - q^{-2} q^{D_1^j - D_2^j} \xi^s} & -a_1^j q^{D_1^j - 3D_2^j} \xi^{s-s_1^j} \\ 0 & \left( a_1^j \right)^\dagger q^{D_1^j} \xi^{s_1^j} & q^{-D_1^j} \end{array} \right] \right]$$

which is the aim of the first result in this section, stated below.

Contributions from several terms appear in the asymptotic approximation of entries of the transfer matrix, as well as corresponding arguments that are used in the Poisson bracket, including,

$$\begin{aligned} & q^{D_k^{j+2}}, \\ & q^{-2} q^{-D_k^j}, \\ & q^{-2} q^{-D_k^j} \xi^s, \\ & q^{-2} q^{-D_k^j} \xi^{s-s_k^j}, \\ & q^{-2} q^{-D_k^{j+1}-D_k^{j+2}}, \\ & q^{-D_k^j}, \\ & q^{-D_k^{j+2}}, \\ & q^{-D_{k+1}^{j+2}}, \\ & q^{-D_k^{j+2}-D_k^{j+1}}, \\ & q^{-D_{k+1}^{j+2}-D_{k+1}^{j+1}} \\ & \quad \xi^s, \\ & \xi^{s-s_k^j}, \\ & q^{-2} \xi^{s-s_k^{j+1}}, \\ & q^{-2} \xi^{s-s_{k+1}^{j+1}}, \\ & \xi^s, \\ & \xi^{s-s_k^j}, \\ & q^{-2} \xi^{s-s_k^{j+1}}, \\ & q^{-2} \xi^{s-s_{k+1}^{j+1}}. \end{aligned}$$

The main component of the strategy for computing products of three-dimensional L-operators relies upon the fact that one can approximate lower orders of the asymptotic limit of the transfer matrix with several base cases, beginning first with computations of multiplying a few L-operators together. In the result below, to approximate the large asymptotic limit of the transfer matrix which will relate to a set of properties satisfied by the quantum monodromy matrix, which degenerates to the set of 81 relations with the Poisson bracket introduced in 1.5.1. In particular, we obtain approximations for entries of the lower order, three-dimensional, transfer matrix for triangular ice when taking products of L-operators for a few terms of  $k$ , and then further generalize the product representation for a few terms of  $j$ . Making use of this strategy yields more information about higher order terms of the three-dimensional transfer matrix, which then relate to computations with the Poisson bracket for classifications about Poisson structure, and the corresponding asymptotic limit of the quantum monodromy matrix.

In particular, the lowest order terms of the infinite volume expansion of the three-dimensional transfer matrix would include contributions from the product of,

$$\begin{bmatrix} q^{D_1^1} & q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1} & a_1^1a_2^1q^{-D_1^1-3D_2^1}\xi^{s-s_1^1-s_2^1} \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1} q^{-D_1^1+D_2^1}-q^{-2}q^{D_1^1-3D_2^1}\xi^s & -a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1} \\ 0 & \left(a_2^1\right)^\dagger q^{D_2^1}\xi^{s_2^1} & q^{-D_1^2} \end{bmatrix},$$

with,

$$\begin{bmatrix} q^{D_1^2} & q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2} & a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2-s_2^2} \\ \left(a_1^2\right)^\dagger q^{D_1^2}\xi^{s_1^2} q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s & -a_2^2q^{D_2^2-3D_3^2}\xi^{s-s_2^2} \\ 0 & \left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2} & q^{-D_2^2} \end{bmatrix},$$

corresponding to  $j, k \equiv 1$ . As discussed in 1.5.2, quantifying behaviors of the asymptotic expansion of the three-dimensional transfer matrix is tantamount to determining each of the nine entries in the three-dimensional matrix representation, from which one can then re-parametrize the system of 81 relations with the Poisson bracket. As such, lower order terms from the product of the two aforementioned matrices can be expressed in terms of the set of linear combinations of the three columns of the three-dimensional representation, each of which takes the form,

$$\begin{bmatrix} q^{D_1^1+D_2^1}+\left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1} q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2} \\ q^{D_1^1}\left(a_1^2\right)^\dagger q^{D_1^2}\xi^{s_2^2}+\left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1} q^{-D_1^2+D_2^2}-\left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1} q^{-2}q^{D_1^1-3D_2^2}\xi^s \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2} \end{bmatrix},$$

corresponding to the first column,

$$\begin{bmatrix} q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1}q^{D_1^2}+q^{-D_1^1+D_2^1}-q^{-2}q^{D_1^1-3D_2^1}\xi^s \\ q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1}\left(a_1^2\right)^\dagger q^{D_1^2}\xi^{s_2^2}+\left(q^{-D_1^1+D_2^1}-q^{-2}q^{D_1^1-3D_2^1}\xi^s\right)\left(q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s\right)+\left(a_2^1\right)^\dagger q^{D_1^2}\xi^{s_2^2}-a_2^2q^{D_2^2-3D_3^2}\xi^{s-s_2^2} \\ q^{-D_1^1+D_2^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2}-q^{-2}q^{D_1^1-3D_2^1}\xi^s\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2}+\left(a_2^1\right)^\dagger q^{D_2^1}\xi^{s_1^1}q^{-D_2^2} \end{bmatrix},$$

corresponding to the second column, and,

$$\begin{bmatrix} q^{D_1^1}a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2-s_2^2}+q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}+a_1^1a_2^1q^{-D_1^1-3D_2^1}\xi^{s-s_1^1-s_2^1}q^{-D_2^2} \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2-s_2^2}+\left(q^{-D_1^1+D_2^1}-q^{-2}q^{D_1^1-3D_2^1}\xi^s\right)\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}q^{-D_2^2} \\ \left(a_2^1\right)^\dagger q^{D_2^1}\xi^{s_2^2}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}+q^{-D_2^1-D_2^2} \end{bmatrix},$$

corresponding to the third column. After expressions such as the ones provided above are obtained, higher order terms of the infinite volume expansion will be inferred. In the infinite volume limit, the expressions for all nine entries from the product of three-dimensional L-operators have higher order terms which are linear combinations of the expressions above. As a matter of notation, introduce the three-dimensional limit of products of L-operators in the asymptotic limit as,

$$\lim_{N \rightarrow +\infty} \prod_{0 \leq i \leq N} \begin{bmatrix} \mathbf{1}^i & \mathbf{4}^i & \mathbf{7}^i \\ \mathbf{2}^i & \mathbf{5}^i & \mathbf{8}^i \\ \mathbf{3}^i & \mathbf{6}^i & \mathbf{9}^i \end{bmatrix} \propto \begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix} \propto \left\{ \begin{bmatrix} A(\underline{u}) & D(\underline{u}) & G(\underline{u}) \\ B(\underline{u}) & E(\underline{u}) & H(\underline{u}) \\ C(\underline{u}) & F(\underline{u}) & I(\underline{u}) \end{bmatrix} \otimes \begin{bmatrix} A(\underline{u}') & D(\underline{u}') & G(\underline{u}') \\ B(\underline{u}') & E(\underline{u}') & H(\underline{u}') \\ C(\underline{u}') & F(\underline{u}') & I(\underline{u}') \end{bmatrix} \right\}.$$

Once an expression is obtained for the product of the  $j$ th and  $j+1$ th terms of the three-dimensional L-operator,

$$\begin{bmatrix} q^{D_k^{j+2}} & q^{-2}a_k^{j+2}q^{-D_k^{j+2}-D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}} & a_k^{j+2}a_{k+1}^{j+2}q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+1}-s_k^{j+2}} \\ \left(a_k^{j+2}\right)^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}}-q^{-2}q^{D_k^{j+2}-D_{k+1}^{j+2}}\xi^s & -a_{k+1}^{j+2}q^{D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_{k+1}^{j+2}} \\ 0 & \left(a_{k+1}^{j+2}\right)^\dagger q^{D_{k+1}^{j+2}}\xi^{s_{k+1}^{j+2}} & q^{-D_{k+1}^{j+2}} \end{bmatrix},$$

with,

$$\begin{bmatrix} q^{D_k^{j+3}} & q^{-2}a_k^{j+3}q^{-D_k^{j+3}-D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}} & a_k^{j+3}a_{k+1}^{j+3}q^{-D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+2}-s_k^{j+3}} \\ \left(a_k^{j+3}\right)^\dagger q^{D_k^{j+3}}\xi^{s_k^{j+3}} q^{-D_k^{j+3}+D_{k+1}^{j+3}}-q^{-2}q^{D_k^{j+3}-D_{k+1}^{j+3}}\xi^s & -a_{k+1}^{j+3}q^{D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_{k+1}^{j+3}} \\ 0 & \left(a_{k+1}^{j+3}\right)^\dagger q^{D_{k+1}^{j+3}}\xi^{s_{k+1}^{j+3}} & q^{-D_{k+1}^{j+3}} \end{bmatrix},$$

yields expressions for product of L-operators in groups of four which then makes all of the nine entries for the set of recursive relations clear. The fact that there exists a block representation for each entry, beginning with  $\mathbf{1}^i$ , for each  $i$  with  $0 \leq i \leq N$  can be extended further when another weak infinite volume limit is taken along another basis vector of  $\mathbf{T}$ , in which,

$$\lim_{\underline{M} \rightarrow +\infty} \prod_{0 \leq j \leq \underline{M}} \begin{bmatrix} \mathbf{1}^j & \mathbf{4}^j & \mathbf{7}^j \\ \mathbf{2}^j & \mathbf{5}^j & \mathbf{8}^j \\ \mathbf{3}^j & \mathbf{6}^j & \mathbf{9}^j \end{bmatrix}.$$

Simultaneously,

$$\lim_{N \rightarrow -\infty} \lim_{\underline{M} \rightarrow +\infty} \prod_{0 \leq j \leq \underline{M}} \prod_{0 \leq i \leq -N} \begin{bmatrix} \mathbf{1}^{i,j} & \mathbf{4}^{i,j} & \mathbf{7}^{i,j} \\ \mathbf{2}^{i,j} & \mathbf{5}^{i,j} & \mathbf{8}^{i,j} \\ \mathbf{3}^{i,j} & \mathbf{6}^{i,j} & \mathbf{9}^{i,j} \end{bmatrix},$$

corresponds to the weak infinite volume expansion of  $\mathbf{T}$  for nonconstant  $i, j$ .

In the first result below, we perform computations with the L-operator for characterizing lower order terms of the approximation in the  $i$  limit as  $N \rightarrow +\infty$ , from expressions of the form,

$$\begin{bmatrix} \mathbf{1}^i & \mathbf{4}^i & \mathbf{7}^i \\ \mathbf{2}^i & \mathbf{5}^i & \mathbf{8}^i \\ \mathbf{3}^i & \mathbf{6}^i & \mathbf{9}^i \end{bmatrix} \begin{bmatrix} \mathbf{1}^{i+1} & \mathbf{4}^{i+1} & \mathbf{7}^{i+1} \\ \mathbf{2}^{i+1} & \mathbf{5}^{i+1} & \mathbf{8}^{i+1} \\ \mathbf{3}^{i+1} & \mathbf{6}^{i+1} & \mathbf{9}^{i+1} \end{bmatrix}.$$

After having obtained expressions for the nine entries of the three-dimensional representation from products of the form shown above, we proceed to add on additional terms to the first collection of nine entries for the three-dimensional representation. By iterating upon this process for different terms in the  $i$  and  $j$  limits, information from each collection of terms can be used to quantify large  $N$  properties of the transfer matrix, which can be observed from products of the form,

$$\begin{bmatrix} \mathbf{1}^i & \mathbf{4}^i & \mathbf{7}^i \\ \mathbf{2}^i & \mathbf{5}^i & \mathbf{8}^i \\ \mathbf{3}^i & \mathbf{6}^i & \mathbf{9}^i \end{bmatrix} \begin{bmatrix} \mathbf{1}^{i+1} & \mathbf{4}^{i+1} & \mathbf{7}^{i+1} \\ \mathbf{2}^{i+1} & \mathbf{5}^{i+1} & \mathbf{8}^{i+1} \\ \mathbf{3}^{i+1} & \mathbf{6}^{i+1} & \mathbf{9}^{i+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^j & \mathbf{4}^j & \mathbf{7}^j \\ \mathbf{2}^j & \mathbf{5}^j & \mathbf{8}^j \\ \mathbf{3}^j & \mathbf{6}^j & \mathbf{9}^j \end{bmatrix},$$

which can be used to study asymptotic properties, and hence, the three-dimensional Poisson structure, from the fact that,

$$\begin{bmatrix} \mathbf{1}^i & \mathbf{4}^i & \mathbf{7}^i \\ \mathbf{2}^i & \mathbf{5}^i & \mathbf{8}^i \\ \mathbf{3}^i & \mathbf{6}^i & \mathbf{9}^i \end{bmatrix} \begin{bmatrix} \mathbf{1}^{i+1} & \mathbf{4}^{i+1} & \mathbf{7}^{i+1} \\ \mathbf{2}^{i+1} & \mathbf{5}^{i+1} & \mathbf{8}^{i+1} \\ \mathbf{3}^{i+1} & \mathbf{6}^{i+1} & \mathbf{9}^{i+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^j & \mathbf{4}^j & \mathbf{7}^j \\ \mathbf{2}^j & \mathbf{5}^j & \mathbf{8}^j \\ \mathbf{3}^j & \mathbf{6}^j & \mathbf{9}^j \end{bmatrix} \propto \prod_{0 \leq j \leq \underline{M}} \prod_{0 \leq i \leq -N} \begin{bmatrix} \mathbf{1}^{i,j} & \mathbf{4}^{i,j} & \mathbf{7}^{i,j} \\ \mathbf{2}^{i,j} & \mathbf{5}^{i,j} & \mathbf{8}^{i,j} \\ \mathbf{3}^{i,j} & \mathbf{6}^{i,j} & \mathbf{9}^{i,j} \end{bmatrix}.$$

From the definition provided in 1.6 for the three-dimensional quantum monodromy matrix, asymptotic properties of entries of  $\mathbf{T}$  raise implications for Poisson brackets within the set of 81 relations that are approximated in the large  $N$  limit. In particular, before discussing how computations with the Poisson bracket carry over to the three-dimensional case from two-dimensional computations [41], one can expect to make significant use of the bilinearity property of the Poisson bracket, not only from computations from product of three-dimensional L-operators that provide, explicitly, a set of relations for entries of the transfer matrix, but also from entries of the quantum monodromy matrix as  $N, M \rightarrow +\infty$ .

In the following arrangements of the L-operator, denote,

$$\prod_{0 \leq i \leq -N} \begin{bmatrix} \mathbf{1}^i & \mathbf{4}^i & \mathbf{7}^i \\ \mathbf{2}^i & \mathbf{5}^i & \mathbf{8}^i \\ \mathbf{3}^i & \mathbf{6}^i & \mathbf{9}^i \end{bmatrix} \equiv \begin{bmatrix} \mathbf{1}^1 & \mathbf{4}^1 & \mathbf{7}^1 \\ \mathbf{2}^1 & \mathbf{5}^1 & \mathbf{8}^1 \\ \mathbf{3}^1 & \mathbf{6}^1 & \mathbf{9}^1 \end{bmatrix} \cdots \times \begin{bmatrix} \mathbf{1}^N & \mathbf{4}^N & \mathbf{7}^N \\ \mathbf{2}^N & \mathbf{5}^N & \mathbf{8}^N \\ \mathbf{3}^N & \mathbf{6}^N & \mathbf{9}^N \end{bmatrix} \xrightarrow{N \rightarrow -\infty} \begin{bmatrix} \mathbf{1}^{+\infty} & \mathbf{4}^{+\infty} & \mathbf{7}^{+\infty} \\ \mathbf{2}^{+\infty} & \mathbf{5}^{+\infty} & \mathbf{8}^{+\infty} \\ \mathbf{3}^{+\infty} & \mathbf{6}^{+\infty} & \mathbf{9}^{+\infty} \end{bmatrix},$$

where at each iteration, multiplying additional copies of L-operators with each other is denoted with,

$$\begin{bmatrix} \mathbf{1}^1 & \mathbf{4}^1 & \mathbf{7}^1 \\ \mathbf{2}^1 & \mathbf{5}^1 & \mathbf{8}^1 \\ \mathbf{3}^1 & \mathbf{6}^1 & \mathbf{9}^1 \end{bmatrix} \cdots \times \begin{bmatrix} \mathbf{1}^N & \mathbf{4}^N & \mathbf{7}^N \\ \mathbf{2}^N & \mathbf{5}^N & \mathbf{8}^N \\ \mathbf{3}^N & \mathbf{6}^N & \mathbf{9}^N \end{bmatrix} \equiv \begin{bmatrix} \mathbf{1}_N & \mathbf{4}_N & \mathbf{7}_N \\ \mathbf{2}_N & \mathbf{5}_N & \mathbf{8}_N \\ \mathbf{3}_N & \mathbf{6}_N & \mathbf{9}_N \end{bmatrix}.$$

Similarly,

$$\prod_{0 \leq j \leq M} \begin{bmatrix} 1^j & 4^j & 7^j \\ 2^j & 5^j & 8^j \\ 3^j & 6^j & 9^j \end{bmatrix} \equiv \begin{bmatrix} 1^1 & 4^1 & 7^1 \\ 2^1 & 5^1 & 8^1 \\ 3^1 & 6^1 & 9^1 \end{bmatrix} \cdots \times \begin{bmatrix} 1^N & 4^N & 7^N \\ 2^N & 5^N & 8^N \\ 3^N & 6^N & 9^N \end{bmatrix} \xrightarrow{M \rightarrow +\infty} \begin{bmatrix} 1^{+\infty} & 4^{+\infty} & 7^{+\infty} \\ 2^{+\infty} & 5^{+\infty} & 8^{+\infty} \\ 3^{+\infty} & 6^{+\infty} & 9^{+\infty} \end{bmatrix},$$

and also,

$$\prod_{0 \leq j \leq M} \prod_{0 \leq i \leq -N} \begin{bmatrix} 1^{i,j} & 4^{i,j} & 7^{i,j} \\ 2^{i,j} & 5^{i,j} & 8^{i,j} \\ 3^{i,j} & 6^{i,j} & 9^{i,j} \end{bmatrix} \xrightarrow{M \rightarrow +\infty} \begin{bmatrix} 1^{-\infty,+\infty} & 4^{-\infty,+\infty} & 7^{-\infty,+\infty} \\ 2^{-\infty,+\infty} & 5^{-\infty,+\infty} & 8^{-\infty,+\infty} \\ 3^{-\infty,+\infty} & 6^{-\infty,+\infty} & 9^{-\infty,+\infty} \end{bmatrix} \propto \mathbf{T}(\underline{\lambda}).$$

From the span of the three column representations provided in 1.5.2,

$$\text{span}_{j \in \mathbf{R}^2, k \in \mathbf{N}} \{ \mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3 \},$$

denote the span of column representations,

$$\text{span}_{j \in \mathbf{R}^2, k \in \mathbf{N}} \{ (\mathcal{B}_k^j)_1, (\mathcal{B}_k^j)_2, (\mathcal{B}_k^j)_3 \},$$

corresponding to the columns of the product representation for arbitrary  $j, k$ . Beginning in the next section, we obtain a system of expressions to parametrize each entry of the three-dimensional product representation of L-operators. Asymptotically in weak infinite volume, in 2.3 we group together expressions for each entry of the product representation, permitting for many computations with the Poisson bracket, in which we heavily rely upon a sequence of steps, specifically (BL), (LR), (AC), and (LR) two times. This also allows for us to obtain a re-parametrization of the 81 Poisson brackets, which parallels the two-dimensional quantum-inverse scattering approach for inhomogeneities of square ice [41].

## 2.2 Three-dimensional product representations of L-operators

**Lemma 1** (*the product representation when varying one spectral parameter of the twenty-vertex model, the base case induction step for lower order terms of the three-dimensional expansion*). One has that the product,

$$\begin{bmatrix} q^{D_2^j} & q^{-2}a_3^j q^{-D_3^j-D_1^j} \xi^{s-s_3^j} & a_3^j a_1^j q^{-D_3^j-3D_1^j} \xi^{s-s_3^j-s_1^j} \\ (a_3^j)^\dagger q^{D_3^j} \xi^{s_3^j} & q^{-D_3^j+D_1^j} - q^{-2}q^{D_3-D_1} \xi^s & -a_1 q^{D_3-3D_1} \xi^{s-s_3-s_1} \\ 0 & a_1^\dagger q^{D_3} \xi^{s_3} & -q^{D_1} \end{bmatrix} \begin{bmatrix} q^{D_3} & q^{-2}a_3 q^{-D_3-D_3} \xi^{s-s_3} & a_3^2 q^{-D_3-3D_3} \\ a_3^\dagger q^{D_3} \xi^{s_3} & q^{-D_3+D_2} - q^{-2}q^{D_3-D_2} & -a_3 q^{D_3-D_3} \xi^{s-s_3} \\ 0 & a_3^\dagger q^{D_3} \xi^{s_3} & q^{-D_3} \end{bmatrix},$$

can be expressed in terms of the union of the span of the three subspaces,

$$\begin{bmatrix} q^{D_1^j+D_2^j} + (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} q^{-2}a_2^j q^{-D_2^j-D_3^j} \xi^{s-s_2^j} \\ q^{D_1^j} (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} + (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} q^{-D_2^j+D_3^j} - (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} q^{-2}q^{D_2^j-3d_3^j} \xi^s \\ (a_1^j)^\dagger q^{D_1^j} \xi^{s_1^j} (a_3^j)^\dagger q^{D_3^j} \xi^{s_3^j} \\ q^{-2}a_1^j q^{-D_1^j-D_2^j} \xi^{s-s_1^j} q^{D_2^j} + q^{-D_1^j+D_2^j} q^{-2}a_2^j q^{-D_2^j-D_3^j} \xi^{s-s_2^j} - q^{-2}q^{D_1^j-3D_2^j} \xi^s q^{-2}a_2^j q^{-D_2^j-D_3^j} \xi^{s-s_2^j} \\ + (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} a_2^j a_3^j q^{-D_2^j-3D_3^j} \xi^{s-s_2^j-s_3^j} \\ q^{-2}a_1^j q^{-D_1^j-D_2^j} \xi^{s-s_1^j} (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} + q^{-D_1^j+D_2^j} q^{-D_2^j+D_3^j} - q^{-2}q^{D_1^j-3D_2^j} \xi^s q^{-D_2^j+D_3^j} - q^{-D_1^j+D_2^j} q^{-2}q^{D_2^j-3D_3^j} \xi^s \\ + q^{-2}q^{D_1^j-3D_2^j} \xi^s q^{-2}q^{D_2^j-3D_3^j} \xi^s + (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} (-a_3^j) q^{D_3^j-3D_4^j} \xi^{s-s_3^j} \\ q^{-2}a_1^j q^{-D_1^j-D_2^j} \xi^{s-s_1^j} (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} + q^{-D_1^j+D_2^j} q^{-D_2^j+D_3^j} - q^{-2}q^{D_1^j-3D_2^j} \xi^s q^{-D_2^j+D_3^j} - q^{-D_1^j+D_2^j} q^{-2}q^{D_2^j-3D_3^j} \xi^s \\ \vdots \end{bmatrix}$$

$$\left[ \begin{array}{c} \vdots \\ +q^{-2}q^{D_1^j-3D_2^j}\xi^s q^{-2}q^{D_2^j-3D_3^j}\xi^s + (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} (-a_3^j) q^{D_3^j-3D_4^j}\xi^{s-s_3^j} \\ a_1^j a_2^j q^{-D_1^j-3D_2^j}\xi^{s-s_1^j-s_2^j} q^{D_2^j} - a_2^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j} q^{-2}a_2^j q^{-D_2^j-D_3^j}\xi^{s-s_2^j} \\ +q^{-D_2^j} a_2^j a_3^j q^{-D_2^j-3D_2^j}\xi^{s-s_2^j-s_3^j} \\ a_1^j a_2^j q^{-D_1^j-3D_2^j}\xi^{s-s_1^j-s_2^j} (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} - a_2^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j} (q^{-D_2^j+D_3^j} - q^{-2}q^{D_2^j-3D_3^j}\xi^s) - q^{-D_2^j} a_3^j q^{D_3^j-3D_4^j}\xi^{s-s_3^j} \\ -a_2^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j} (a_3^j)^\dagger q^{D_3^j}\xi^{s_3^j} + q^{-D_2^j-D_3^j} \end{array} \right].$$

*Proof of Lemma 1.* To characterize lower order terms of the infinite weak volume limit of the three-dimensional matrix, consider products of the type described before, namely,

$$\left[ \begin{array}{ccc} q^{D_1^j} & q^{-2}a_1^j q^{-D_1^j-D_2^j} & a_1^j a_2^j q^{D_1^j-3D_2^j}\xi^{s-s_1^j-s_2^j} \\ (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} & q^{-D_1^j-D_2^j-q^{-2}q^{-3D_1^j-D_2^j}}\xi^s & -a_1^j q^{D_1^j-3D_2^j}\xi^{s-s_1^j} \\ 0 & (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} & q^{-D_1^j} \end{array} \right],$$

with,

$$\left[ \begin{array}{ccc} q^{D_2^j} & q^{-2}a_2^j q^{-D_2^j-D_3^j} & a_2^j a_3^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j-s_3^j} \\ (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} & q^{-D_2^j-D_3^j-q^{-2}q^{-3D_2^j-D_3^j}}\xi^s & -a_2^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j} \\ 0 & (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} & q^{-D_2^j} \end{array} \right],$$

while holding the  $j$  superscript of all terms in the L-operator constant (with the expressions obtained from the system below, an additional set of relations for the  $j$  superscript will be obtained with terms from varying lower order terms of the  $k$  subscript). To determine which terms appear in higher order terms in matrix products of L-operators, from expressions of the form,

$$\prod_{0 \leq j \leq M} \left[ \begin{array}{ccc} q^{D_1^j} & q^{-2}a_1^j q^{-D_1^j-D_2^j}\xi^{s-s_1^j} & a_1^j a_2^j q^{-D_1^j-3D_2^j}\xi^{s-s_1^j-s_2^j} \\ (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} & q^{-D_1^j+D_2^j-q^{-2}q^{D_1^j-3D_2^j}}\xi^s & -a_2^j q^{D_2^j-3D_3^j}\xi^{s-s_2^j} \\ 0 & (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} & q^{-D_2^j} \end{array} \right],$$

the entries for the product of two L-operators introduced above take the form,

$$\underline{\mathcal{I}}_1 \equiv q^{D_1^j+D_2^j} + (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} q^{-2}a_2^j q^{-D_2^j-D_3^j}\xi^{s-s_2^j},$$

$$\begin{aligned} \underline{\mathcal{I}}_2 \equiv & q^{D_1^j} (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} + (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} q^{-D_2^j+D_3^j} \\ & - (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} q^{-2}q^{D_2^j-3D_3^j}\xi^s, \end{aligned}$$

$$\underline{\mathcal{I}}_3 \equiv (a_1^j)^\dagger q^{D_1^j}\xi^{s_1^j} (a_3^j)^\dagger q^{D_3^j}\xi^{s_3^j},$$

$$\begin{aligned} \underline{\mathcal{I}}_4 \equiv & q^{-2}a_1^j q^{-D_1^j-D_2^j}\xi^{s-s_1^j} q^{D_2^j} + q^{-D_1^j+D_2^j} q^{-2}a_2^j q^{-D_2^j-D_3^j}\xi^{s-s_2^j} \\ & - q^{-2}q^{D_1^j-3D_2^j}\xi^s q^{-2}a_2^j q^{-D_2^j-D_3^j}\xi^{s-s_2^j} + (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} \\ & \times a_2^j a_3^j q^{-D_2^j-3D_3^j}\xi^{s-s_2^j-s_3^j}, \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{I}}_5 \equiv & q^{-2}a_1^j q^{-D_1^j-D_2^j}\xi^{s-s_1^j} (a_2^j)^\dagger q^{D_2^j}\xi^{s_2^j} + q^{-D_1^j+D_2^j} q^{-D_2^j+D_3^j} - q^{-2}q^{D_1^j-3D_2^j}\xi^s \\ & \times q^{-D_2^j+D_3^j} - q^{-D_1^j+D_2^j} q^{-2}q^{D_2^j-3D_3^j}\xi^s + q^{-2}q^{D_1^j-3D_2^j}\xi^s q^{-2}q^{D_2^j-3D_3^j}\xi^s \end{aligned}$$




Figure 5: A depiction of a two-dimensional vertex configuration, reproduced from [36], of the sloped boundary condition six-vertex model over a strip of  $\mathbf{Z}^2$ .  $\lambda$  spectral parameters are assigned to ingoing, and outgoing, edges of the configuration along the cluster of frozen faces of the height function.

$$+ (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} (-a_3^j) q^{D_3^j - 3D_4^j} \xi^{s-s_3^j},$$

$$\underline{\mathcal{I}_6} \equiv q^{-D_1^j + D_2^j} (a_3^j)^\dagger q^{D_3^j} \xi^{s_3^j} - q^{-2} q^{D_1^j - 3D_2^j} \xi^s (a_3^j)^\dagger q^{D_3^j} \xi^{s_3^j} + (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} q^{-D_3^j},$$

$$\underline{\mathcal{I}_7} \equiv a_1^j a_2^j q^{-D_1^j - 3D_2^j} \xi^{s-s_1^j - s_2^j} q^{D_2^j} - a_2^j q^{D_2^j - 3D_3^j} \xi^{s-s_2^j} q^{-2} a_2^j q^{-D_2^j - D_3^j} \xi^{s-s_2^j} \\ + q^{-D_2^j} a_2^j a_3^j q^{-D_2^j - 3D_2^j} \xi^{s-s_2^j - s_3^j},$$

$$\underline{\mathcal{I}_8} \equiv a_1^j a_2^j q^{-D_1^j - 3D_2^j} \xi^{s-s_1^j - s_2^j} (a_2^j)^\dagger q^{D_2^j} \xi^{s_2^j} - a_2^j q^{D_2^j - 3D_3^j} \xi^{s-s_2^j} \left[ q^{-D_2^j + D_3^j} - q^{-2} q^{D_2^j - 3D_3^j} \xi^s \right] \\ - q^{-D_2^j} a_3^j q^{D_3^j - 3D_4^j} \xi^{s-s_3^j},$$

$$\underline{\mathcal{I}_9} \equiv -a_2^j q^{D_2^j - 3D_3^j} \xi^{s-s_2^j} (a_3^j)^\dagger q^{D_3^j} \xi^{s_3^j} + q^{-D_2^j - D_3^j},$$

which are entries of,

$$\begin{bmatrix} \mathbf{1}_2 & \mathbf{4}_2 & \mathbf{7}_2 \\ \mathbf{2}_2 & \mathbf{5}_2 & \mathbf{8}_2 \\ \mathbf{3}_2 & \mathbf{6}_2 & \mathbf{9}_2 \end{bmatrix},$$

associated with the infinite volume weak limit as  $\underline{M} \rightarrow +\infty$ ,  $N \rightarrow -\infty$ ,

$$\prod_{1 \leq i \leq N} \begin{bmatrix} \mathbf{1}_i^i & \mathbf{4}_i^i & \mathbf{7}_i^i \\ \mathbf{2}_i^i & \mathbf{5}_i^i & \mathbf{8}_i^i \\ \mathbf{3}_i^i & \mathbf{6}_i^i & \mathbf{9}_i^i \end{bmatrix},$$

from which we conclude the argument.  $\square$

To incorporate terms from the two previous representations, we study contributions about one degree of freedom fixed, while taking higher order terms of the three-dimensional transfer matrix, with,

$$\begin{bmatrix} \mathbf{1}_{\frac{j}{2}}^j & \mathbf{4}_{\frac{j}{2}}^j & \mathbf{7}_{\frac{j}{2}}^j \\ \mathbf{2}_{\frac{j}{2}}^j & \mathbf{5}_{\frac{j}{2}}^j & \mathbf{8}_{\frac{j}{2}}^j \\ \mathbf{3}_{\frac{j}{2}}^j & \mathbf{6}_{\frac{j}{2}}^j & \mathbf{9}_{\frac{j}{2}}^j \end{bmatrix},$$

corresponding to the product representation corresponding to three L-operators, with  $i \equiv 2$ . To obtain the desired system of relations for asymptotically approximating entries of the  $\mathbf{T}$  as  $M \rightarrow +\infty$ ,  $N \rightarrow -\infty$ , other computations will be related to computing the entries of,

$$\begin{bmatrix} \mathbf{1}_j & \mathbf{4}_j & \mathbf{7}_j \\ \mathbf{2}_j & \mathbf{5}_j & \mathbf{8}_j \\ \mathbf{3}_j & \mathbf{6}_j & \mathbf{9}_j \end{bmatrix},$$

for fixed  $i$ , from which taking the product with the  $(\underline{j}+1)$ th, and  $(\underline{j}+2)$ th, L-operators will yield a system of explicit relations for,

$$\begin{bmatrix} \mathbf{1}_{\underline{j}+2} & \mathbf{4}_{\underline{j}+2} & \mathbf{7}_{\underline{j}+2} \\ \mathbf{2}_{\underline{j}+2} & \mathbf{5}_{\underline{j}+2} & \mathbf{8}_{\underline{j}+2} \\ \mathbf{3}_{\underline{j}+2} & \mathbf{6}_{\underline{j}+2} & \mathbf{9}_{\underline{j}+2} \end{bmatrix},$$

from the observation that the higher order terms of the product of the  $(\underline{j}+1)$ th, and  $(\underline{j}+2)$ th L-operators, in terms of the product of the  $j$ th and  $(j+1)$ th L-operators equal,

$$\begin{bmatrix} \mathbf{1}_{\underline{j}+2} & \mathbf{4}_{\underline{j}+2} & \mathbf{7}_{\underline{j}+2} \\ \mathbf{2}_{\underline{j}+2} & \mathbf{5}_{\underline{j}+2} & \mathbf{8}_{\underline{j}+2} \\ \mathbf{3}_{\underline{j}+2} & \mathbf{6}_{\underline{j}+2} & \mathbf{9}_{\underline{j}+2} \end{bmatrix} - \begin{bmatrix} \mathbf{1}_j & \mathbf{4}_j & \mathbf{7}_j \\ \mathbf{2}_j & \mathbf{5}_j & \mathbf{8}_j \\ \mathbf{3}_j & \mathbf{6}_j & \mathbf{9}_j \end{bmatrix}.$$

Despite the fact that the expansion of lower order terms of the three-dimensional transfer matrix in finite volume includes contributions from products of the form above, namely products of L for  $i \geq 1$ , for a suitable asymptotic approximation of  $\mathbf{T}$  in three-dimensions one must also incorporate terms of the form,

$$\prod_{1 \leq i \leq -N} \begin{bmatrix} q^{D_i^j} & q^{-2} a_i^j q^{-D_i^j - D_{i+1}^j} \xi^{s_i^j} & a_i^j a_{i+1}^j q^{-D_i^j - 3D_{i+1}^j} \xi^{s_i^j - s_{i+1}^j} \\ (a_i^j)^\dagger q^{D_i^j} \xi^{s_i^j} & q^{-D_i^j + D_{i+1}^j - q^{-2} q^{D_i^j - 3D_{i+1}^j} \xi^{s_i^j}} & -a_{i+1}^j q^{D_{i+1}^j - 3D_{i+2}^j} \xi^{s_i^j - s_{i+1}^j} \\ 0 & (a_{i+1}^j)^\dagger q^{D_{i+1}^j} \xi^{s_{i+1}^j} & q^{-D_{i+1}^j} \end{bmatrix},$$

which are related to entries of the three-dimensional representation,

$$\mathcal{I}^{1,1} \equiv \mathcal{I}^{1,1} \equiv \begin{bmatrix} \mathcal{I}_1^1 & \mathcal{I}_4^1 & \mathcal{I}_7^1 \\ \mathcal{I}_2^1 & \mathcal{I}_5^1 & \mathcal{I}_8^1 \\ \mathcal{I}_3^1 & \mathcal{I}_6^1 & \mathcal{I}_9^1 \end{bmatrix} \equiv \begin{bmatrix} \mathcal{I}_1^1 & \mathcal{I}_4^1 & \mathcal{I}_7^1 \\ \mathcal{I}_2^1 & \mathcal{I}_5^1 & \mathcal{I}_8^1 \\ \mathcal{I}_3^1 & \mathcal{I}_6^1 & \mathcal{I}_9^1 \end{bmatrix},$$

for expanding terms in the  $j$  index after performing multiplications of L-operators in the  $k$  index, which we study with the next Lemma below.

**Lemma 2** (*the product representation when varying two spectral parameters of the twenty-vertex model, a second base case induction step for lower order terms of the three-dimensional expansion*). One has that the product of,

$$\begin{bmatrix} q^{D_1^1} & q^{-2} a_1^1 q^{-D_1^1 - D_2^1} \xi^{s_1^1} & a_1^1 a_2^1 q^{-D_1^1 - 3D_2^1} \xi^{s_1^1 - s_2^1 - s_2^2} \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} & q^{-D_1^1 + D_2^1 - q^{-2} q^{D_1^1 - 3D_2^1} \xi^{s_1^1}} & -a_2^1 q^{D_2^1 - 3D_3^1} \xi^{s_1^1 - s_2^1} \\ 0 & (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} & q^{-D_2^1} \end{bmatrix},$$

with,

$$\begin{bmatrix} q^{D_1^2} & q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2} & a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_2^2-s_3^2} \\ \left(a_1^2\right)^\dagger q^{D_1^2}\xi^{s_1^2} & q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s & -a_2^2q^{D_2^2-3D_3^2}\xi^{s-s_2^2} \\ 0 & \left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2} & q^{-D_2^2} \end{bmatrix},$$

can be expressed with the union of the span of the three subspaces,

$$\begin{bmatrix} q^{D_1^1+D_1^2}\left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2} \\ q^{D_1^1}\left(a_1^2\right)^\dagger q^{D_1^1}\xi^s + \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-2}a_1^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2} + q^{-D_1^1+D_2^1}q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^1-3D_2^1}\xi^s-q^{-2}q^{D_1^2-3D_2^2}\xi^s \\ +a_1^1a_2^1q^{-D_1^1-3D_2^1}\xi^{s-s_2^1-s_2^2}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^3} \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-2}a_1^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2} + q^{-D_1^1+D_2^1}q^{-2}q^{D_1^2-3D_2^2}\xi^s \\ +q^{-2}q^{D_1^1-3D_2^1}\xi^s-q^{-2}q^{D_1^2-3D_2^2}\xi^s-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2} \\ \left(a_1^2\right)^\dagger q^{D_2^1}\xi^{s_2^1}q^{-D_1^2+D_2^2}-\left(a_2^1\right)^\dagger q^{D_2^1}q^{-2}q^{D_1^2-3D_2^2}\xi^s-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2} \\ q^{D_1^1}a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_2^2-s_3^2}+q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2} \\ +a_1^1a_2^1q^{-D_1^1-3D_2^1} \\ \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_2^2-s_3^2}+q^{-D_1^1+D_2^1}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}-q^{-2}\left(-a_2^2\right) \\ \times q^{D_2^2-3D_3^2}\xi^{s-s_2^2}-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}q^{-D_2^2} \\ \left(a_2^1\right)^\dagger q^{D_2^1}\xi^{s_2^1}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}q^{-D_2^2} \end{bmatrix},$$

*Proof of Lemma 2.* The entries from the product of L-operators listed above takes the form,

$$\underline{\mathcal{I}}_1 \equiv q^{D_1^1+D_1^2}\left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2},$$

$$\underline{\mathcal{I}}_2 \equiv q^{D_1^1}\left(a_1^2\right)^\dagger q^{D_1^2}\xi^s + \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s,$$

$$\underline{\mathcal{I}}_3 \equiv \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2},$$

$$\begin{aligned} \underline{\mathcal{I}}_4 \equiv q^{D_1^1}q^{-2}a_1^2q^{-D_1^2-D_2^2}\xi^{s-s_1^2}+q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1} & \left[q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s\right] \\ & +a_1^1a_2^1q^{-D_1^1-3D_2^1}\xi^{s-s_2^1-s_2^2}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^3}, \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{I}}_5 \equiv \left(a_1^1\right)^\dagger q^{D_1^1}\xi^{s_1^1}q^{-2}a_1^2q^{-D_1^2-3D_2^2}\xi^{s-s_1^2} & \left[q^{-D_1^1+D_2^1}-q^{-2}q^{D_1^1-3D_2^1}\xi^s\right] \\ & \times \left[q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s\right]-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2}, \end{aligned}$$

$$\underline{\mathcal{I}}_6 \equiv \left(a_2^1\right)^\dagger q^{D_2^1}\xi^{s_2^1}\left[q^{-D_1^2+D_2^2}-q^{-2}q^{D_1^2-3D_2^2}\xi^s\right]-a_2^1q^{D_2^1-3D_3^1}\xi^{s-s_2^1}\left(a_2^2\right)^\dagger q^{D_2^2}\xi^{s_2^2},$$

$$\underline{\mathcal{I}}_7 \equiv q^{D_1^1}a_1^2a_2^2q^{-D_1^2-3D_2^2}\xi^{s-s_2^2-s_3^2}+q^{-2}a_1^1q^{-D_1^1-D_2^1}\xi^{s-s_1^1}\left(-a_2^2\right)q^{D_2^2-3D_3^2}\xi^{s-s_2^2}$$

$$+a_1^1 a_2^1 q^{-D_1^1-3D_2^1},$$

$$\underline{\mathcal{I}}_8 \equiv (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^2 a_2^2 q^{-D_1^2-3D_2^2} \xi^{s-s_2^2-s_2^3} + q^{-D_1^1+D_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} - q^{-2} (-a_2^2) \\ \times q^{D_2^2-3D_3^2} \xi^{s-s_2^2} - a_2^1 q^{D_2^1-3D_3^1} \xi^{s-s_2^1} q^{-D_2^2},$$

$$\underline{\mathcal{I}}_9 \equiv (a_2^1)^\dagger q^{D_1^2} \xi^{s_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} - a_2^1 q^{D_2^1-3D_3^1} \xi^{s-s_2^1} q^{-D_2^2},$$

from which we conclude the argument.  $\square$

Besides the two sets of relations obtained for several lower order terms of the weak infinite volume expansion of  $\mathbf{T}$ , in the following set of expressions below, the entries of the product representation,

$$\mathcal{I}^{1,2} \equiv \mathcal{I}^{1,2} \equiv \begin{bmatrix} \mathcal{I}_1^2 & \mathcal{I}_4^2 & \mathcal{I}_7^2 \\ \underline{\mathcal{I}_2^2} & \underline{\mathcal{I}_5^2} & \underline{\mathcal{I}_8^2} \\ \underline{\mathcal{I}_3^2} & \underline{\mathcal{I}_6^2} & \underline{\mathcal{I}_9^2} \end{bmatrix} \equiv \begin{bmatrix} \mathcal{I}_1^2 & \mathcal{I}_4^2 & \mathcal{I}_7^2 \\ \mathcal{I}_2^2 & \mathcal{I}_5^2 & \mathcal{I}_8^2 \\ \mathcal{I}_3^2 & \mathcal{I}_6^2 & \mathcal{I}_9^2 \end{bmatrix},$$

are obtained below.

**Lemma 3** (*the product representation when varying three spectral parameters of the twenty-vertex model, a third base case induction step for lower order terms of the three-dimensional expansion*). The representation of the product of the  $(j)$ th and  $(j+1)$ th L-operators, for  $j \equiv 1$ , can be expressed with the union of the span of the three subspaces,

$$\left[ \begin{array}{l} q^{D_1^1+D_1^2} q^{D_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{D_1^3} + q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_2^2} q^{D_1^3} \\ q^{D_1^1} (a_1^2)^\dagger q^{D_1^2} \xi^s q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} \end{array} \right],$$

$$\left[ \begin{array}{l} q^{D_1^1+D_1^2} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + q^{D_1^1} \\ \times q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{-D_1^3+D_2^3} - q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{-2} q^{D_1^3-3D_2^3} \xi^s + q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-D_1^3+D_2^3} \\ - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-2} q^{D_1^3-3D_2^3} \xi^s + q^{-D_1^2+D_2^2} q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-D_1^3+D_2^3} \\ - q^{-D_1^2+D_2^2} q^{-2} q^{D_1^3-3D_2^3} \xi^s - q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-2} q^{D_1^3-3D_2^3} \xi^s + q^{D_1^1} a_1^2 a_2^2 q^{-D_1^2-3D_2^2} \xi^{s-s_2^2-s_2^3} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} \\ - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} a_2^2 q^{D_2^2-3D_3^2} \xi^{s-s_2^2} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} + a_1^1 a_2^1 q^{-D_1^1-3D_2^1} q^{-D_2^2} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} \\ q^{D_1^1} (a_2^2)^\dagger q^{D_1^2} \xi^s q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^2 q^{-D_1^2-3D_2^2} \xi^{s-s_1^2} q^{-D_1^3+D_2^3} - \xi^{s-s_1^2} q^{-2} q^{D_1^3-3D_2^3} \xi^s \\ + q^{-D_1^1+D_2^1} q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s q^{-D_1^1+D_2^1} - q^{-D_1^3+D_2^3} q^{-2} q^{D_1^3-3D_2^3} \xi^s - q^{-2} q^{D_1^3-3D_2^3} \xi^s q^{-2} q^{D_1^3-3D_2^3} \xi^s \\ + q^{-D_1^2+D_2^2} q^{-D_1^3+D_2^3} - q^{-D_1^2+D_2^2} q^{-2} q^{D_1^3-3D_2^3} \xi^s - q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-2} q^{D_1^3-3D_2^3} \xi^s \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} (a_2^2)^\dagger q^{D_2^2} \xi^{[s_2^2]} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} q^{-D_1^2+D_2^2} \\ - (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-D_1^3+D_2^3} - (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} q^{-2} q^{D_1^2-3D_2^2} \xi^s q^{-2} q^{D_1^3-3D_2^3} \xi^s \\ + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} \end{array} \right],$$

$$\left[ \begin{array}{l} q^{D_1^1+D_1^2} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} + q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_3^3} \\ + q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-D_1^2+D_2^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_3^3} - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-2} \\ \times q^{D_2^2-3D_3^2} \xi^s (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_3^3} + a_1^1 a_2^1 q^{-D_1^1-3D_2^1} \xi^{s-s_2^1-s_2^2} (a_2^2)^\dagger \\ \times q^{D_2^2} \xi^{s_2^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_3^3} \\ \vdots \end{array} \right]$$

$$\left[ \begin{array}{c} \vdots \\ q^{D_1^1} (a_1^2)^\dagger q^{D_1^2} \xi^s a_1^3 a_2^3 q^{-D_1^3 - 3D_2^3} \xi^{s-s_2^3-s_2^4} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^3 a_2^3 q^{-D_1^3 - 3D_2^3} \xi^{s-s_2^3-s_2^4} \\ + q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2 - D_2^2} \xi^{s-s_1^2} (-a_2^3) q^{-D_2^3 - 3D_3^3} \xi^{s-s_2^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^2 a_2^2 q^{-D_1^2 - 3D_2^2} \\ \times \xi^{s-s_2^2-s_2^3} q^{-D_2^3} + q^{-D_1^1+D_2^1} q^{-D_2^3} - q^{-2} q^{D_1^1-3D_2^1} \xi^s q^{-D_2^3} \\ \\ (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} (a_2^2)^\dagger q^{D_2^2} \xi^{s_2^2} a_1^3 a_2^3 q^{-D_1^3 - 3D_2^3} \xi^{s-s_2^3-s_2^4} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2 - 3D_3^2} \xi^{s-s_2^2} (-a_2^3) \\ \times q^{D_2^3 - 3D_3^3} \xi^{s-s_2^3} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2 - 3D_3^2} \xi^{s-s_2^2} q^{-D_2^3} - a_2^1 q^{D_2^1 - 3D_3^1} \xi^{s-s_2^1} q^{-D_2^2} q^{-D_2^3} \end{array} \right].$$

*Proof of Lemma 3.* Observe that the entries of the three columns are given by,

$$\begin{aligned} \underline{\mathcal{I}}_1 &\equiv q^{D_1^1+D_1^2} q^{D_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{D_1^3} + q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{D_1^3}, \\ \underline{\mathcal{I}}_2 &\equiv q^{D_1^1} (a_1^2)^\dagger q^{D_1^2} \xi^s q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3}, \\ \underline{\mathcal{I}}_3 &\equiv (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4}, \\ \underline{\mathcal{I}}_4 &\equiv q^{D_1^1+D_1^2} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{-2} \\ &\quad \times a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{-D_1^3+D_2^3} \\ &\quad - q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} q^{-2} q^{D_1^3-3D_2^3} \xi^s + q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-D_1^3+D_2^3} \\ &\quad - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-2} q^{D_1^3-3D_2^3} \xi^s + \left[ q^{-D_1^2+D_2^2} - q^{-2} q^{D_1^2-3D_2^2} \xi^s \right] \\ &\quad \times q^{-D_1^3+D_2^3} - \left[ q^{-D_1^2+D_2^2} - q^{-2} q^{D_1^2-3D_2^2} \xi^s \right] q^{-2} q^{D_1^3-3D_2^3} \xi^s \\ &\quad + q^{D_1^1} a_1^2 a_2^2 q^{-D_1^2-3D_2^2} \xi^{s-s_2^2-s_2^3} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} \\ &\quad - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} a_2^2 q^{D_2^2-3D_3^2} \xi^{s-s_2^2} \\ &\quad \times (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} + a_1^1 a_2^1 q^{-D_1^1-3D_2^1} q^{-D_2^2} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3}, \\ \underline{\mathcal{I}}_5 &\equiv q^{D_1^1} (a_1^2)^\dagger q^{D_1^2} \xi^s q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} q^{-2} a_1^2 q^{-D_1^2-3D_2^2} \\ &\quad \times \xi^{s-s_1^2} \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right] \\ &\quad + q^{-D_1^1+D_2^1} \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right] \\ &\quad - q^{-2} q^{D_1^3-3D_2^3} \xi^s \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right] \\ &\quad + q^{-D_1^2+D_2^2} \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right] \\ &\quad - q^{-2} q^{D_1^2-3D_2^2} \xi^s \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right], \\ \underline{\mathcal{I}}_6 &\equiv (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} (a_2^2)^\dagger q^{D_2^2} \xi^{s_2^2} [s_2^2] q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} q^{-D_1^2+D_2^2} \\ &\quad - (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} q^{-2} q^{D_1^2-3D_2^2} \xi^s \left[ q^{-D_1^3+D_2^3} - q^{-2} q^{D_1^3-3D_2^3} \xi^s \right] \\ &\quad + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3}, \end{aligned}$$

$$\begin{aligned}\underline{\mathcal{I}_7} \equiv & q^{D_1^1+D_1^2} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} + q^{D_1^1} q^{-2} a_1^2 q^{-D_2^1-D_2^2} \xi^{s-s_1^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_2^3} \\ & + q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-D_1^2+D_2^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_2^3} - q^{-2} a_1^1 q^{-D_1^1-D_2^1} \xi^{s-s_1^1} q^{-2} \\ & \times q^{D_1^2-3D_2^2} \xi^s (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_2^3} + a_1^1 a_2^1 q^{-D_1^1-3D_2^1} \xi^{s-s_2^1-s_2^2} (a_2^2)^\dagger \\ & \times q^{D_2^2} \xi^{s_2^2} (-a_2^3) q^{D_2^3-3D_3^3} \xi^{s-s_2^3},\end{aligned}$$

$$\begin{aligned}\underline{\mathcal{I}_8} \equiv & q^{D_1^1} (a_1^2)^\dagger q^{D_1^2} \xi^s a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} \\ & + q^{D_1^1} q^{-2} a_1^2 q^{-D_1^2-D_2^2} \xi^{s-s_1^2} (-a_2^3) q^{-D_2^3-3D_3^3} \xi^{s-s_2^3} + (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} a_1^2 a_2^2 q^{-D_1^2-3D_2^2} \\ & \times \xi^{s-s_2^2-s_2^3} q^{-D_2^3} + q^{-D_1^1+D_2^1} q^{-D_2^3} - q^{-2} q^{D_1^1-3D_2^1} \xi^s q^{-D_2^3},\end{aligned}$$

$$\begin{aligned}\underline{\mathcal{I}_9} \equiv & (a_1^1)^\dagger q^{D_1^1} \xi^{s_1^1} (a_2^2)^\dagger q^{D_2^2} \xi^{s_2^2} a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_2^3-s_2^4} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} (-a_2^3) \\ & \times q^{D_2^3-3D_3^3} \xi^{s-s_2^3} + (a_2^1)^\dagger q^{D_2^1} \xi^{s_2^1} (-a_2^2) q^{D_2^2-3D_3^2} \xi^{s-s_2^2} q^{-D_2^3} - a_2^1 q^{D_2^1-3D_3^1} \xi^{s-s_2^1} q^{-D_2^2} q^{-D_2^3},\end{aligned}$$

from which we conclude the argument.  $\square$

Given entries of the representation,

$$\mathcal{I}^{1,2} \equiv \mathcal{I}^{1,2} \equiv \begin{bmatrix} \underline{\mathcal{I}_1^1} & \underline{\mathcal{I}_4^1} & \underline{\mathcal{I}_7^1} \\ \underline{\mathcal{I}_2^1} & \underline{\mathcal{I}_5^1} & \underline{\mathcal{I}_8^1} \\ \underline{\mathcal{I}_3^1} & \underline{\mathcal{I}_6^1} & \underline{\mathcal{I}_9^1} \end{bmatrix} \equiv \begin{bmatrix} \mathcal{I}_1^1 & \mathcal{I}_4^1 & \mathcal{I}_7^1 \\ \mathcal{I}_2^1 & \mathcal{I}_5^1 & \mathcal{I}_8^1 \\ \mathcal{I}_3^1 & \mathcal{I}_6^1 & \mathcal{I}_9^1 \end{bmatrix},$$

from the previous result, shifting the values of the  $j$  increment by one yields a product representation,

$$\mathcal{I}^{1,3} \equiv \mathcal{I}^{1,3} \equiv \begin{bmatrix} \underline{\mathcal{I}_1^3} & \underline{\mathcal{I}_4^3} & \underline{\mathcal{I}_7^3} \\ \underline{\mathcal{I}_2^3} & \underline{\mathcal{I}_5^3} & \underline{\mathcal{I}_8^3} \\ \underline{\mathcal{I}_3^3} & \underline{\mathcal{I}_6^3} & \underline{\mathcal{I}_9^3} \end{bmatrix} \equiv \begin{bmatrix} \mathcal{I}_1^3 & \mathcal{I}_4^3 & \mathcal{I}_7^3 \\ \mathcal{I}_2^3 & \mathcal{I}_5^3 & \mathcal{I}_8^3 \\ \mathcal{I}_3^3 & \mathcal{I}_6^3 & \mathcal{I}_9^3 \end{bmatrix},$$

whose entire are explicitly given below.

**Lemma 4** (*the product representation when varying three other spectral parameters, separate from those of the previous result, for the twenty-vertex model, a fourth base case induction step for lower order terms of the three-dimensional expansion*). The product representation associated with  $\mathcal{I}^{1,3}$ , can be expressed in terms of the union of the span of the three subspaces,

$$\begin{aligned}& \left[ \begin{array}{c} q^{D_1^3+D_1^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} \\ (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} q^{D_1^4} + q^{-D_1^3+D_2^3} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} - q^{-2} q^{D_1^3} (a_1^4)^\dagger \\ (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} (a_1^4)^\dagger q^{D_1^4} \xi^{s_1^4} \end{array} \right], \\ & \left[ \begin{array}{c} q^{D_1^3} q^{-2} a_1^4 - q^{-D_1^4-D_2^4} \xi^{s-s_1^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} q^{-D_1^4+D_2^4} - q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} q^{-2} q^{D_1^4} \xi^s + a_1^3 a_2^3 \\ \times q^{-D_1^3-3D_2^3} \xi^{s-s_1^3-s_2^3} (a_1^4)^\dagger q^{D_2^4} \xi^{s_2^4} (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} q^{-2} a_1^4 q^{-D_1^4-D_2^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} q^{-D_1^4+D_2^4} - q^{-2} a_1^3 q^{-D_1^3-D_2^3} \\ (a_1^3)^\dagger q^{D_2^3} \xi^{s_2^3} q^{-D_1^4+D_2^4} - (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} q^{-2} q^{D_1^4} \xi^s + q^{-D_2^3} (a_1^4)^\dagger q^{D_2^4} \xi^{s_2^4} \end{array} \right], \\ & \left[ \begin{array}{c} q^{D_1^3} a_1^4 a_2^4 q^{-D_1^4-3D_2^4} \xi^{s-s_1^4-s_2^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} \\ q^{D_1^3} a_1^4 a_2^4 q^{-D_1^4-3D_2^4} \xi^{s-s_1^4-s_2^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + q^{-2} a_1^3 q^{-D_1^3-D_2^3} \xi^{s-s_1^3} \\ \times (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + a_1^3 a_2^3 q^{-D_1^3-3D_2^3} \xi^{s-s_1^3-s_2^3} q^{-D_2^4} \\ (a_1^3)^\dagger q^{D_1^3} \xi^{s_1^3} a_1^4 a_2^4 q^{-D_1^4-3D_2^4} \xi^{s-s_1^4-s_2^4} + q^{-D_1^3+D_2^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} - q^{-2} q^{D_1^3} \xi^s (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} \\ - q^{-2} q^{D_1^3} \xi^s (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} \\ (a_2^3)^\dagger q^{D_2^3} \xi^{s_2^3} (-a_2^4)^\dagger q^{D_1^4-3D_2^4} \xi^{s-s_1^4} + (q^{-D_2^3}) (q^{-D_2^4}) \end{array} \right].\end{aligned}$$

*Proof of Lemma 4.* Observe,

$$\underline{\mathcal{I}}_1^1 \equiv q^{D_1^3+D_1^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4},$$

$$\underline{\mathcal{I}}_2^1 \equiv (a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}q^{D_1^4} + q^{-D_1^3+D_2^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4} - q^{-2}q^{D_1^3}(a_1^4)^\dagger,$$

$$\underline{\mathcal{I}}_3^1 \equiv (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}(a_1^4)^\dagger q^{D_1^4}\xi^{s_1^4},$$

$$\begin{aligned} \underline{\mathcal{I}}_4^1 &\equiv q^{D_1^3}q^{-2}a_1^4 - q^{-D_1^4-D_2^4}\xi^{s-s_1^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-D_1^4+D_2^4} - q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-2}q^{D_1^4}\xi^s + a_1^3a_2^3 \\ &\times q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4}(a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}q^{-2}a_1^4q^{-D_1^4-D_2^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}q^{-D_1^4+D_2^4} - q^{-2}a_1^3q^{-D_1^3-D_2^3}, \end{aligned}$$

$$\underline{\mathcal{I}}_5^1 \equiv (a_1^3)^\dagger q^{D_2^3}\xi^{s_2^3}q^{-D_1^4+D_2^4} - (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}q^{-2}q^{D_1^4}\xi^s + q^{-D_2^3}(a_1^4)^\dagger q^{D_2^4}\xi^{s_2^4},$$

$$\underline{\mathcal{I}}_6^1 \equiv q^{D_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4},$$

$$\begin{aligned} \underline{\mathcal{I}}_7^1 &\equiv q^{D_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3}(-a_2^4)^\dagger q^{-D_1^4-3D_2^4}\xi^{s-s_1^4} + q^{-2}a_1^3q^{-D_1^3-D_2^3}\xi^{s-s_1^3} \\ &\quad \times (-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} + a_1^3a_2^3q^{-D_1^3-3D_2^3}\xi^{s-s_1^3-s_2^3}q^{-D_2^4}, \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{I}}_8^1 &\equiv (a_1^3)^\dagger q^{D_1^3}\xi^{s_1^3}a_1^4a_2^4q^{-D_1^4-3D_2^4}\xi^{s-s_1^4-s_2^4} + q^{-D_1^3+D_2^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} - q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} \\ &\quad - q^{-2}q^{D_1^3}\xi^s(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4}, \end{aligned}$$

$$\underline{\mathcal{I}}_9^1 \equiv (a_2^3)^\dagger q^{D_2^3}\xi^{s_2^3}(-a_2^4)^\dagger q^{D_1^4-3D_2^4}\xi^{s-s_1^4} + (q^{-D_2^3})(q^{-D_4^2}),$$

from which we conclude the argument.  $\square$

To obtain representations for the products,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix},$$

corresponding to higher order terms of the three-dimensional expansion of  $\mathbf{T}$  obtained in **Lemma 1-4**, as well as,

$$\begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix},$$

corresponding to higher order terms of the three-dimensional expansion of  $\mathbf{T}$  for higher  $j$ , we further generalize relations obtained in the previous series of results, from those provided in **Lemma 1-4**, in which  $i$  is held fixed at 1. That is, the result below provides entries of the product representation for the first group of L-operators above for  $j$  and  $j+1$ , from which the product representation for,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix},$$

is obtained by shifting all of the  $j$  components of the product representation for,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix},$$

in order to obtain the representation for,

$$\begin{bmatrix} \mathbf{1}^{1,\underline{j}+2} & \mathbf{4}^{1,\underline{j}+2} & \mathbf{7}^{1,\underline{j}+2} \\ \mathbf{2}^{1,\underline{j}+2} & \mathbf{5}^{1,\underline{j}+2} & \mathbf{8}^{1,\underline{j}+2} \\ \mathbf{3}^{1,\underline{j}+2} & \mathbf{6}^{1,\underline{j}+2} & \mathbf{9}^{1,\underline{j}+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+3} & \mathbf{4}^{1,\underline{j}+3} & \mathbf{7}^{1,\underline{j}+3} \\ \mathbf{2}^{1,\underline{j}+3} & \mathbf{5}^{1,\underline{j}+3} & \mathbf{8}^{1,\underline{j}+3} \\ \mathbf{3}^{1,\underline{j}+3} & \mathbf{6}^{1,\underline{j}+3} & \mathbf{9}^{1,\underline{j}+3} \end{bmatrix}.$$

From the system of relations obtained in the following computations that are dependent upon  $j, j+1, j+2, j+3$  and  $i \equiv 1$ , a generalized system is then obtained which is used to re-parameterize the set of 81 Poisson brackets in three-dimensions. As expected, we make use of observations already described for two-dimensional Poisson structure obtained in [41], in which after having obtained a system of relations from the product of two-dimensional L-operators expressed in terms of Pauli bases, the set of 16 relations for two-dimensional Poisson structure are re-parametrized, obtaining the system,

$$\left\{ \begin{array}{l} \underline{(1)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}_1 + \mathcal{A}_2 + \mathcal{A}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3 \right] \end{array} \right\}, \\ \underline{(2)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}_1 + \mathcal{A}_2 + \mathcal{A}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3 \right] \end{array} \right\}, \\ \underline{(3)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}_1 + \mathcal{A}_2 + \mathcal{A}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3 \right] \end{array} \right\}, \\ \underline{(4)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}_1 + \mathcal{A}_2 + \mathcal{A}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3 \right] \end{array} \right\}, \\ \underline{(5)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}_1 + \mathcal{B}_2 + \mathcal{B}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3 \right] \end{array} \right\}, \\ \underline{(6)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}_1 + \mathcal{B}_2 + \mathcal{B}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3 \right] \end{array} \right\}, \\ \underline{(7)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}_1 + \mathcal{B}_2 + \mathcal{B}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3 \right] \end{array} \right\}, \\ \underline{(8)} : \left\{ \begin{array}{l} \left( A_3(u) + B_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}_1 + \mathcal{B}_2 + \mathcal{B}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3 \right] \end{array} \right\}, \\ \underline{(9)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}_1 + \mathcal{C}_2 + \mathcal{C}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3 \right] \end{array} \right\}, \\ \underline{(10)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}_1 + \mathcal{C}_2 + \mathcal{C}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3 \right] \end{array} \right\}, \\ \underline{(11)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}_1 + \mathcal{C}_2 + \mathcal{C}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3 \right] \end{array} \right\}, \\ \underline{(12)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}_1 + \mathcal{C}_2 + \mathcal{C}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3 \right] \end{array} \right\}, \\ \underline{(13)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}_1 + \mathcal{D}_2 + \mathcal{D}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{A}'_1 + \mathcal{A}'_2 + \mathcal{A}'_3 \right] \end{array} \right\}, \\ \underline{(14)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}_1 + \mathcal{D}_2 + \mathcal{D}_3 \right], \left( A_3(u') + B_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{B}'_1 + \mathcal{B}'_2 + \mathcal{B}'_3 \right] \end{array} \right\}, \\ \underline{(15)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}_1 + \mathcal{D}_2 + \mathcal{D}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-3} \mathcal{C}'_1 + \mathcal{C}'_2 + \mathcal{C}'_3 \right] \end{array} \right\}, \\ \underline{(16)} : \left\{ \begin{array}{l} \left( C_3(u) + D_3(u) \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}_1 + \mathcal{D}_2 + \mathcal{D}_3 \right], \left( C_3(u') + D_3(u') \right) \left[ (\sin(2\eta))^{n-4} \mathcal{D}'_1 + \mathcal{D}'_2 + \mathcal{D}'_3 \right] \end{array} \right\}, \end{array} \right.$$

for,

$$\begin{aligned} \mathcal{A}'_1 \equiv \mathcal{C}'_1 &\equiv \prod_{1 \leq i \leq n-(i-3)} \sigma_{n-i}^{-,+}, \\ \mathcal{A}'_2 \equiv \mathcal{C}'_2 &\equiv \prod_{1 \leq i \leq n-(i-3)} \sin(\lambda_\alpha - v_{n-i} + \eta \sigma_{n-i}^z), \\ \mathcal{A}'_3 \equiv \mathcal{C}'_3 &\equiv \sum_{\substack{1 \leq i \leq m \\ 1 \leq j \leq n' \\ m+n'=n-(i-3)}} \left[ \left[ \prod_{1 \leq i \leq m} \sin(\lambda_\alpha - v_{n-i} \pm \eta \sigma_{n-i}^z) \right] (\sin(2\eta))^{n'-1} \left[ \prod_{1 \leq j \leq n'} \sigma_{n-j}^{-,+} \right] \right], \end{aligned}$$

and,

$$\begin{aligned}\mathcal{B}'_1 &\equiv \mathcal{D}'_1 \equiv \prod_{2 \leq i \leq n-(i-3)} \sigma_{n-i}^{-,+}, \\ \mathcal{B}'_2 &\equiv \mathcal{D}'_2 \equiv \prod_{2 \leq i \leq n-(i-3)} \sin(\lambda_\alpha - v_{n-i} + \eta \sigma_{n-i}^z),\end{aligned}$$

$$\mathcal{B}'_3 \equiv \mathcal{D}'_3 \equiv \sum_{\substack{2 \leq i \leq m \\ 2 \leq j \leq n' \\ m+n'=n-(i-3)}} \left[ \left[ \prod_{2 \leq i \leq m} \sin(\lambda_\alpha - v_{n-i} \pm \eta \sigma_{n-i}^z) \right] (\sin(2\eta))^{n'-1} \left[ \prod_{2 \leq j \leq n'} \sigma_{n-j}^{-,+} \right] \right],$$

from the two-dimensional L-operator representation, [7],

$$L_{\alpha,k}(\lambda_\alpha, v_k) \equiv \begin{bmatrix} \sin(\lambda_\alpha - v_k + \eta \sigma_k^z) & \sin(2\eta) \sigma_k^- \\ \sin(2\eta) \sigma_k^+ & \sin(\lambda_\alpha - v_k - \eta \sigma_k^z) \end{bmatrix},$$

corresponding to entries of the two-dimensional representation of the L-operator under domain-wall boundary conditions. After re-parametrizing the three-dimensional system of 81 Poisson brackets introduced in 1.5.1, we further examine qualities of three-dimensional Poisson structure.

**Lemma 5** (*product representation for  $\underline{j}$ th and  $(\underline{j}+1)$ th terms for lower order terms of the three-dimensional expansion*). The product representation corresponding to the  $(\underline{j})$ th, and  $(\underline{j}+1)$ th, terms, which is spanned by the three subspaces,

$$\begin{aligned}& \left[ \begin{array}{c} q^{D_k^{j+1}+D_k^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger \\ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \end{array} \right], \\ & \left[ \begin{array}{c} q^{D_k^{j+1}} q^{-2} a_k^{j+2} - q^{D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \\ \times \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \\ (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \\ q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \end{array} \right], \\ & \left[ \begin{array}{c} q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \\ \times \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} q^{-D_{k+1}^{j+2}} \\ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \\ - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + (q^{-D_{k+1}^{j+1}})(q^{-D_{k+1}^{j+2}}) \end{array} \right], \\ & \left[ \begin{array}{c} q^{D_k^j+D_k^{j+1}} q^{D_k^{j+1}+D_k^{j+2}} + q^{D_k^j+D_k^{j+1}} q^{-2} a_{k+1}^j q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} \\ \vdots \end{array} \right]\end{aligned}$$

with the corresponding product representation spanned by the three subspaces,

$$\left[ \begin{array}{c} q^{D_k^j+D_k^{j+1}} q^{D_k^{j+1}+D_k^{j+2}} + q^{D_k^j+D_k^{j+1}} q^{-2} a_{k+1}^j q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} \\ \vdots \end{array} \right]$$









$$\left[ \begin{array}{c} \vdots \\ +q^{D_k^{j+1}+D_k^{j+2}} q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ +q^{D_k^{j+1}+D_k^{j+2}} a_k^j a_{k+1}^j q^{-D_k^j-3D_{k+1}^j} \xi^{s-s_k^j-s_{k+1}^j} q^{-D_{k+1}^{j+1}} \\ +q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{D_k^j a_k^{j+1} a_{k+1}^{j+1}} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\ +q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^j} \\ +q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} a_k^j a_{k+1}^j q^{-D_k^j-3D_{k+1}^j} \xi^{s-s_k^j-s_{k+1}^j} q^{-D_{k+1}^{j+1}} \\ + (a_k^j)^\dagger q^{D_k^j \xi^{s_k^j} a_k^{j+1} a_{k+1}^{j+1}} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\ \times q^{D_k^j a_k^{j+1} a_{k+1}^{j+1}} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\ + (a_k^j)^\dagger q^{D_k^j \xi^{s_k^j} a_k^{j+1} a_{k+1}^{j+1}} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\ \times q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^{j+1}} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ -q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ \times q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^{j+1}} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ -q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ \times q^{D_k^j a_k^{j+1} a_{k+1}^{j+1}} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\ + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1} \xi^{s_{k+1}^j} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} (a_{k+1}^j)^\dagger} \\ \times q^{D_{k+1}^{j+1} \xi^{s_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}}} \\ + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1} \xi^{s_{k+1}^j} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}}} \\ \times (-q^{D_{k+1}^j}) (q^{-D_{k+1}^{j+2}}) \end{array} \right].$$

*Proof of Lemma 5.* By inspection, the entries of the three subspaces above follow by direct computation, with the first entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j+D_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} \right] \left[ q^{D_k^{j+1}+D_k^{j+2}} + q^{-2} a_{k+1}^j q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right] \\
& + \left[ (a_k^j)^\dagger q^{D_k^j \xi^{s_k^j} q^{-D_k^{j+1}+D_{k+1}^j} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}}} \right] \left[ q^{D_k^{j+1}} q^{-2} a_k^{j+2} - q^{D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\
& \quad \left. + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s + a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \right. \\
& \quad \left. \times (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}}} \right] + \left[ q^{D_k^j a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1}-3D_{k+1}^{j+1}}} \right. \\
& \quad \left. \times \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2} a_k^j \right. \\
& \quad \left. \times q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + a_k^j a_{k+1}^j q^{-D_k^j-3D_{k+1}^j} \right. \\
& \quad \left. \times \xi^{s-s_k^j-s_{k+1}^j} q^{-D_{k+1}^{j+1}} \right] \left[ q^{D_k^{j+1} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+1}}} \right. \\
& \quad \left. \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\
& \quad \left. + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\
& \quad \left. + a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \right],
\end{aligned}$$

the second entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j+D_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j-D_{k+1}^j} \xi^{s-s_k^j} \right] \left[ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \right. \\
& \quad \left. \times \xi^{s_k^{j+2}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger \right] + \left[ (a_k^j)^\dagger q^{D_k^j \xi^{s_k^j} q^{D_k^{j+1}}} + q^{-D_k^j+D_{k+1}^j} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \right]
\end{aligned}$$

$$\begin{aligned}
& -q^{-2}q^{D_k^j}(a_k^j)^\dagger \left[ \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} - \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \right. \\
& \quad \times q^{-2}q^{D_{k+1}^{j+2}} \xi^s + q^{-D_k^{j+1}} \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+2}} \Big] \\
& \quad + \left[ \left( a_k^{j+1} \right)^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \right. \\
& \quad \left. + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} - q^{-2}q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger \right. \\
& \quad \times q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} - q^{-2}q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \Big] \left[ \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \right. \\
& \quad \left. - \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2}q^{D_{k+1}^{j+2}} \xi^s + q^{-D_k^{j+1}} \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \right],
\end{aligned}$$

the third entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j + D_{k+1}^{j+1}} + q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \right] \left[ \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left( a_k^{j+2} \right)^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right] + \left[ \left( a_k^j \right)^\dagger q^{D_k^j} \xi^{s_k^j} q^{D_k^{j+1}} \right. \\
& \quad + q^{-D_k^j + D_{k+1}^j} \left( a_k^{j+1} \right)^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \Big] \left[ q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \right. \\
& \quad \left. + q^{-2}a_k^{j+1} \right] \left[ q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \right] \\
& \quad + \left[ \left( a_{k+1}^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} \left( a_k^{j+1} \right)^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \right] \left[ \left( a_{k+1}^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \right. \\
& \quad \times \left. (-a_k^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + \left( q^{-D_{k+1}^{j+1}} \right) \left( q^{-D_{k+1}^{j+2}} \right) \right],
\end{aligned}$$

the fourth entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j} q^{-2}a_k^{j+1} - q^{D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} q^{-2}q^{D_k^{j+1}} \xi^s + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \right. \\
& \quad \times \xi^{s-s_k^j - s_{k+1}^j} \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left( a_k^j \right)^\dagger q^{D_k^j} \xi^{s_k^j} q^{-2}a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \Big] \left[ q^{D_k^{j+1} + D_{k+1}^{j+2}} \right. \\
& \quad + q^{-2}a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \Big] + \left[ \left( a_k^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-D_k^{j+1} + D_{k+1}^{j+1}} - \left( a_{k+1}^j \right)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} \right. \\
& \quad \times q^{-2}q^{D_{k+1}^{j+1}} \xi^s + q^{-D_k^j} \left( a_k^{j+1} \right)^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \Big] \left[ q^{D_k^{j+1}} q^{-2}a_k^{j+2} - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\
& \quad + q^{-2}a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2}q^{D_k^{j+2}} \xi^s + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} \\
& \quad \times \left( a_k^{j+2} \right)^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \left( a_k^{j+1} \right)^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2}a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \Big] \\
& \quad + \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \right. \\
& \quad \times \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} \Big] + \left[ q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+1}} \right. \\
& \quad \left. + q^{-2}a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \right] \\
& \quad \times \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2}a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} \right. \\
& \quad \times \left( -a_{k+1}^{j+1} \right)^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} \Big],
\end{aligned}$$

the fifth entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j} q^{-2} a_k^{j+1} - q^{D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} q^{-2} q^{D_k^{j+1}} \xi^s + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} (a_k^{j+1})^\dagger \right. \\
& \quad \times q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \left. \right] \left[ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \right. \\
& \quad \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger \left. \right] + \left[ (a_k^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-D_k^{j+1} + D_{k+1}^{j+1}} - (a_{k+1}^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-2} \right. \\
& \quad \times q^{D_{k+1}^{j+1}} \xi^s + q^{-D_k^j} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left. \right] \left[ (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \right. \\
& \quad - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \left. \right] \\
& + \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \\
& \quad \times \left[ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} \right. \\
& \quad \times (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\
& \quad \left. \left. - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right], \right.
\end{aligned}$$

the sixth entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j} q^{-2} a_k^{j+1} - q^{D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} q^{-2} q^{D_k^{j+1}} \xi^s + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \right. \\
& \quad \times (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \left. \right] \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right] \\
& + \left[ (a_k^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-D_k^{j+1} + D_{k+1}^{j+1}} - (a_{k+1}^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-2} q^{D_{k+1}^{j+1}} \xi^s + q^{-D_k^j} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \right. \\
& \quad \times \left[ q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} \right. \\
& \quad \times (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \left. \right] + \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} \right. \\
& \quad + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \left. \right] \\
& \quad \times \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\
& \quad \left. \left. + (q^{-D_{k+1}^{j+1}})(q^{-D_{k+1}^{j+2}}) \right], \right.
\end{aligned}$$

the seventh entry taking the form,

$$\begin{aligned}
& \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^j q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \\
& \quad \left. + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} q^{-D_{k+1}^{j+1}} \right] \\
& \times \left[ q^{D_k^{j+1} + D_k^{j+2}} + q^{-2} a_{k+1}^j q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right] + \left[ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} \right. \\
& \quad + q^{-D_k^j + D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} - q^{-2} q^{D_k^j} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\
& \quad - q^{-2} q^{D_k^j} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} - q^{-2} q^{D_k^j} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \left. \right]
\end{aligned}$$

$$\begin{aligned} & \times \left[ (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger \right] + \left[ (a_{k+1}^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} \right. \\ & \left. \times (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + (-q^{D_{k+1}^j}) (q^{-D_{k+1}^{j+1}}) \right] \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right], \end{aligned}$$

the eighth entry taking the form,

$$\begin{aligned} & \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^j} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \\ & \left. + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \right] \\ & \times \left[ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} q^{D_k^{j+1}} + q^{-D_k^j + D_{k+1}^j} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} - q^{-2} q^{D_k^j} (a_k^j)^\dagger \right] \\ & + \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^j} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} (-a_k^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \\ & \left. + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + a_k^j a_{k+1}^j q^{-D_{k+1}^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} \right] \\ & \times \left[ (a_k^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-D_k^{j+1} + D_{k+1}^{j+1}} - (a_{k+1}^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} q^{-2} q^{D_{k+1}^{j+1}} \xi^s + q^{-D_k^j} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \right. \\ & \left. + \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right] \right. \\ & \left. \times \left[ (a_{k+1}^j)^\dagger q^{D_{k+1}^j} \xi^{s_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + (q^{-D_{k+1}^j}) (q^{-D_{k+1}^{j+1}}) \right], \right. \end{aligned}$$

and the ninth, final, entry taking the form,

$$\begin{aligned} & \left[ q^{D_k^{j+1} + D_k^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right] \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j \right. \\ & \times q^{-D_k^j - D_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^j} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_k^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ & \left. + a_k^j a_{k+1}^j q^{-D_k^j - 3D_{k+1}^j} \xi^{s-s_k^j - s_{k+1}^j} q^{-D_{k+1}^{j+1}} \right] \\ & + \left[ (a_k^j)^\dagger q^{D_k^j} \xi^{s_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-D_k^j + D_{k+1}^j} (-a_k^{j+1})^\dagger q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \right. \\ & \times \xi^{s-s_{k+1}^{j+1}} - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} - q^{-2} q^{D_k^j} \xi^s (-a_{k+1}^{j+1})^\dagger \\ & \times q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} - q^{-2} q^{D_k^j} \xi^s (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \Big] \\ & \times \left[ q^{D_k^j} a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1} - s_{k+1}^{j+1}} + q^{-2} a_k^j q^{-D_k^j - D_{k+1}^j} \xi^{s-s_{k+1}^j} (-a_{k+1}^{j+1})^\dagger \right. \\ & \times q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} \Big] + \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right] \left[ (a_{k+1}^j)^\dagger \right. \\ & \left. \times q^{D_{k+1}^j} \xi^{s_{k+1}^j} (-a_{k+1}^{j+1})^\dagger q^{D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} + (-q^{D_{k+1}^j}) (q^{-D_{k+1}^{j+1}}) \right], \end{aligned}$$

from which we conclude the argument.  $\square$

One can obtain another set of relations, immediately by inspection, from the product representation above, for another representation by shifting all of the appearances of the  $j$  indices where appropriate. One can then arrive to the desired generalized product representation of L-operators from higher-order terms in the expansion of  $\mathbf{T}$  that is given by a product of infinitely many operators. Such formulae will be further used in the set of 81 Poisson brackets for the three-dimensional vertex model, for a re-parametrization of the relations so that each bracket within the family can be approximated in infinite volume. To illustrate contributions from the product of the next two L-operators, recall that the next product representation would be spanned by,

$$\begin{aligned}
& \left[ \begin{array}{c} q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}} + q^{-D_k^{j+2} - D_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} - q^{-2} q^{D_k^{j+2}} (a_k^{j+2})^\dagger \\ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \end{array} \right], \\
& \left[ q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \right. \\
& \quad \times \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \\
& \quad \left. (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} - (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right], \\
& \left[ q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left[ q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \right. \\
& \quad \times \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\
& \quad \left. (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \right. \\
& \quad \left. - q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left. (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (q^{-D_{k+1}^{j+2}}) (q^{-D_{k+1}^{j+3}}) \right]
\end{aligned}$$

## 2.3 Weak infinite volume limit of the L-operator product representation

We now present the form of each of the nine entries of the product representation. To obtain such a system of expressions from the original three-dimensional L-operator, we carry out additional computations for each entry, not only further building upon the expressions obtained for products of L-operators in previous sections, but also for reformulating the system of Poisson brackets that can be approximated in finite weak volume limits.

**Lemma 6** (*precursor to the generalized L-operator product representation*). The product of four L-operators is spanned by the union of three subspaces,

$$\begin{aligned}
\begin{bmatrix} A(\underline{u}) \\ B(\underline{u}) \\ \vdots \end{bmatrix} & \equiv \begin{bmatrix} \left[ \begin{array}{c} \underline{\mathcal{T}_{(1,1)}^1} + \underline{\mathcal{T}_{(1,1)}^2} + \underline{\mathcal{T}_{(1,1)}^3} + \underline{\mathcal{T}_{(1,1)}^4} + \underline{\mathcal{T}_{(1,1)}^5} + \underline{\mathcal{T}_{(1,1)}^6} \end{array} \right] \left[ \begin{array}{c} \underline{A_1(\underline{u})} + \underline{A_2(\underline{u})} + \underline{A_3(\underline{u})} + \underline{A_4(\underline{u})} + \underline{A_5(\underline{u})} \end{array} \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{1,i}(\underline{u})} + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{2,i}(\underline{u})} \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{3,i}(\underline{u})} + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{4,i}(\underline{u})} + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{5,i}(\underline{u})} \right] \\ \left[ \begin{array}{c} \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \end{array} \right] \left[ \begin{array}{c} \underline{B_1(\underline{u})} + \underline{B_2(\underline{u})} + \underline{B_3(\underline{u})} + \underline{B_4(\underline{u})} \end{array} \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{B_{1,i}(\underline{u})} + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{B_{2,i}(\underline{u})} \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{B_{3,i}(\underline{u})} + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{B_{4,i}(\underline{u})} \right] \\ \vdots \end{bmatrix}
\end{aligned}$$

$$\begin{bmatrix} \vdots \\ C(\underline{u}) \end{bmatrix} \equiv \begin{bmatrix} \vdots \\ \left[ \frac{\mathcal{T}_{(1,3)}^1 + \mathcal{T}_{(1,3)}^2 + \mathcal{T}_{(1,3)}^3 + \mathcal{T}_{(1,3)}^4}{\prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} C_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} C_{2,i}(\underline{u})} \right] \\ + \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} C_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} C_{4,i}(\underline{u}) \right] \end{bmatrix}.$$

corresponding to the product,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \times \dots$$

After the computations in the arguments below, we re-parametrize the system of 81 Poisson brackets. This will not only demonstrate how a notion of higher-dimensional Poisson structure can be inferred from lower-dimensional Poisson structure in the presence of inhomogeneities, but also how the notion of integrability over the triangular lattice fails to hold, due to the lack of three-dimensional action-angle coordinates for which  $\{\Phi^{3D}(\underline{\lambda}), \Phi^{3D}(\underline{\lambda})\} = 0$ , as is satisfied through the equality,  $\{\Phi(\lambda), \Phi(\bar{\lambda})\} = 0$ , for the two-dimensional action-angle coordinates for square ice. In groups of two, higher-order terms of the L-operator product for the weak infinite volume limit expansions of the transfer matrix, and also of the quantum monodromy matrix, would take the form,

$$\begin{aligned} & \prod_{1 \leq k' \leq M} \prod_{1 \leq i' \leq N} \begin{bmatrix} q^{D_{k'}^{i'} + D_{k'}^{i'+1}} + q^{-2} a_{k'}^{i'} q^{-D_{k'}^{i'} - D_{k'}^{i'+1}} \xi^{s-s_{k'}^{i'}} & \dots \\ (a_{k'}^{i'})^\dagger q^{D_{k'}^{i'} \xi^{s_{k'}^{i'}}} q^{D_{k'}^{i'+1}} + q^{-D_{k'}^{i'} + D_{k'}^{i'+1}} (a_{k'}^{i'+1})^\dagger q^{D_{k'}^{i'+1}} \xi^{s_{k'}^{i'+1}} - q^{-2} q^{D_{k'}^{i'}} (a_{k'}^{i'})^\dagger & \dots \\ (a_{k'+1}^{i'})^\dagger q^{D_{k'}^{i'} \xi^{s_{k'}^{i'}}} (a_{k'}^{i'+1})^\dagger q^{D_{k'}^{i'+1}} \xi^{s_{k'+1}^{i'+1}} & \dots \end{bmatrix} \\ & \begin{bmatrix} \dots & \dots \\ q^{D_{k'}^{i'} q^{-2} a_{k'}^{i'+1} - q^{D_{k'}^{i'+1} - D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1}}} + q^{-2} a_{k'}^{i'} q^{-D_{k'}^{i'} - D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'}} & \dots \\ \times q^{-2} q^{D_{k'}^{i'+1} \xi^s} + a_{k'}^{i'} a_{k'+1}^{i'} q^{-D_{k'}^{i'} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'} - s_{k'+1}^{i'+1}} (a_{k'}^{i'+1})^\dagger & \dots \\ \times q^{D_{k'+1}^{i'+1} \xi^{s_{k'+1}^{i'+1}}} (a_{k'}^{i'})^\dagger q^{D_{k'}^{i'} \xi^{s_{k'}^{i'}}} q^{-2} a_{k'}^{i'+1} q^{-D_{k'}^{i'+1} - D_{k'+1}^{i'+1}} & \dots \\ \dots & \dots \\ (a_{k'}^{i'})^\dagger q^{D_{k'+1}^{i'} \xi^{s_{k'+1}^{i'}}} q^{-D_{k'}^{i'+1} + D_{k'+1}^{i'+1} + 1} - (a_{k'+1}^{i'+1})^\dagger q^{D_{k'+1}^{i'} \xi^{s_{k'+1}^{i'}}} q^{-2} q^{D_{k'+1}^{i'+1} \xi^s} & \dots \\ + q^{-D_{k'}^{i'}} (a_{k'}^{i'+1})^\dagger q^{D_{k'}^{i'+1} \xi^{s_{j'}^{i'+1}}} & \dots \\ \dots & \dots \\ q^{D_{k'}^{i'} a_{k'}^{i'+1} a_{k'+1}^{i'+1} q^{-D_{k'}^{i'+1} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1} - s_{k'+1}^{i'+1}}} + q^{-2} a_{k'}^{i'} q^{-D_{k'}^{i'} - D_{k'+1}^{i'+1}} \xi^{s-s_{k'+1}^{i'+1}} & \dots \\ \times (-a_{k'+1}^{i'+1})^\dagger q^{D_{k'}^{i'+1} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1} + 1} & \dots \\ \dots & \dots \\ q^{D_{k'}^{i'} a_{k'}^{i'+1} a_{k'+1}^{i'+1} q^{-D_{k'}^{i'+1} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1} - s_{k'+1}^{i'+1}}} + q^{-2} a_{k'}^{i'} q^{-D_{k'}^{i'} - D_{k'+1}^{i'+1}} & \dots \\ \times (-a_{k'+1}^{i'+1})^\dagger q^{-D_{k'}^{i'+1} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1}} + q^{-2} a_{k'}^{i'} q^{-D_{k'}^{i'} - D_{k'+1}^{i'+1}} & \dots \\ \times \xi^{s-s_{k'}^{i'}} (-a_{k'+1}^{i'+1})^\dagger q^{D_{k'}^{i'+1} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'+1}} & \dots \\ + a_{k'}^{i'} a_{k'+1}^{i'} q^{-D_{k'}^{i'} - 3D_{k'+1}^{i'+1}} \xi^{s-s_{k'}^{i'} - s_{k'+1}^{i'+1}} q^{-D_{k'}^{i'+1} + 1} & \dots \\ \dots & \dots \\ (a_{k'}^{i'+2})^\dagger q^{D_{k'}^{i'+2} \xi^{s_{k'}^{i'+2}}} a_{k'}^{i'+3} a_{k'+1}^{i'+3} q^{-D_{k'}^{i'+3} - 3D_{k'+1}^{i'+3}} \xi^{s-s_{k'}^{i'+3} - s_{k'+1}^{i'+3}} & \dots \\ + q^{-D_{k'}^{i'+2} + D_{k'+1}^{i'+2}} (-a_{k'+1}^{i'+3})^\dagger q^{-D_{k'}^{i'+3} - 3D_{k'+1}^{i'+3} + 1} \xi^{s-s_{k'}^{i'+3} + 1} - q^{-2} & \dots \\ \times q^{D_{k'}^{i'+2} \xi^s} (-a_{k'+1}^{i'+3})^\dagger q^{D_{k'}^{i'+3} - 3D_{k'+1}^{i'+3}} \xi^{s-s_{k'}^{i'+3}} & \dots \\ \dots & \dots \\ (a_{k'+1}^{i'+1})^\dagger q^{D_{k'+1}^{i'+1} \xi^{s_{k'+1}^{i'+2}}} (-a_{k'}^{i'+3})^\dagger q^{D_{k'}^{i'+3} - 3D_{k'+1}^{i'+3}} \xi^{s-s_{k'}^{i'+3}} + (q^{-D_{k'}^{i'+2} + 1}) (q^{-D_{k'}^{i'+3} + 1}) & \dots \end{bmatrix}. \end{aligned}$$

*Proof of Lemma 6.* To compute,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix},$$

as a lower-dimensional object for the infinite dimensional product of the three-dimensional transfer matrix for the 20-vertex model,

$$\begin{bmatrix} \mathbf{1}^{1,\underline{j}} & \mathbf{4}^{1,\underline{j}} & \mathbf{7}^{1,\underline{j}} \\ \mathbf{2}^{1,\underline{j}} & \mathbf{5}^{1,\underline{j}} & \mathbf{8}^{1,\underline{j}} \\ \mathbf{3}^{1,\underline{j}} & \mathbf{6}^{1,\underline{j}} & \mathbf{9}^{1,\underline{j}} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+1} & \mathbf{4}^{1,\underline{j}+1} & \mathbf{7}^{1,\underline{j}+1} \\ \mathbf{2}^{1,\underline{j}+1} & \mathbf{5}^{1,\underline{j}+1} & \mathbf{8}^{1,\underline{j}+1} \\ \mathbf{3}^{1,\underline{j}+1} & \mathbf{6}^{1,\underline{j}+1} & \mathbf{9}^{1,\underline{j}+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+2} & \mathbf{4}^{1,\underline{j}+2} & \mathbf{7}^{1,\underline{j}+2} \\ \mathbf{2}^{1,\underline{j}+2} & \mathbf{5}^{1,\underline{j}+2} & \mathbf{8}^{1,\underline{j}+2} \\ \mathbf{3}^{1,\underline{j}+2} & \mathbf{6}^{1,\underline{j}+2} & \mathbf{9}^{1,\underline{j}+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+3} & \mathbf{4}^{1,\underline{j}+3} & \mathbf{7}^{1,\underline{j}+3} \\ \mathbf{2}^{1,\underline{j}+3} & \mathbf{5}^{1,\underline{j}+3} & \mathbf{8}^{1,\underline{j}+3} \\ \mathbf{3}^{1,\underline{j}+3} & \mathbf{6}^{1,\underline{j}+3} & \mathbf{9}^{1,\underline{j}+3} \end{bmatrix} \times \dots,$$

which would exhibit the existence of a basis for which,

$$\text{span}_{\underline{j} \in \mathbf{R}^2, k \in \mathbb{N}} \{(\mathcal{B}_k^{\underline{j}})_1, (\mathcal{B}_k^{\underline{j}})_2, (\mathcal{B}_k^{\underline{j}})_3\} \xrightarrow[N \rightarrow -\infty]{M \rightarrow +\infty} \text{span}_{\underline{j} \in \mathbf{R}^2, k \in \mathbb{N}} \{\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3\} \xrightarrow[\mathbf{T}]{} \text{span}\{\mathcal{TC}_1, \mathcal{TC}_2, \mathcal{TC}_3\},$$

as a finite volume exhausts  $\mathbf{T}$ , observe the contributions from each of the terms listed in the statement above come from,

$$\begin{aligned} & q^{D_k^{j+1} + D_{k+1}^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} + q^{D_k^{j+1} + D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + q^{-2} a_k^{j+1} \\ & \times q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ & \quad + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\ & \times q^{D_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi \\ & \quad + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger \\ & \times q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\ & \quad \times \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \\ & \quad \times \xi^{s-s_k^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ & \quad \times q^{-2} q^{D_k^{j+3}} \xi^s + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \\ & \quad \times q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\ & \quad \times q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} \\ & \quad \times q^{-2} a_k^{j+3} + q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger \\ & \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\ & \quad \times \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \\ & \quad + q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger \\ & \quad \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \\ & \quad \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\ & \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \\ & \quad \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}}, \end{aligned}$$

corresponding to the first term of the product representation. By making use of these same steps, in the remaining arguments, we readily obtain eight other expressions for the entire product representation which together characterize all brackets appearing in the three-dimensional Poisson structure. Indeed, from the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned} & (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} \right. \\ & \quad \times \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} \\ & \quad \left. \times a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right], \end{aligned}$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} q^{-2} a_k^{j+3} \right. \\ \left. - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \right. \\ \left. \times \xi^{s-s_k^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right],$$

$$q^{D_k^{j+1}+D_{k+1}^{j+2}} \left[ q^{D_k^{j+2}+D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \left[ q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \right. \\ \left. \times \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger \right. \\ \left. \times q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right],$$

$$q^{D_k^{j+2}} \left[ a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right],$$

$$(a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \right. \\ \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right].$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},$$

would take the form,

$$(a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} \left[ q^{-2} a_k^{j+3} - q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \right. \\ \left. \left. + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right] \right. \\ \left. \times (a_k^{j+4})^\dagger \left[ q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} \left[ q^{-2} a_k^{j+5} - q^{D_k^{j+5}-D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right. \right. \right. \\ \left. \left. \left. \times q^{-2} q^{D_k^{j+5}} \xi^s + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} \right. \right. \right. \\ \left. \left. \left. \times q^{-2} a_k^{j+5} q^{-D_k^{j+5}-D_{k+1}^{j+5}} \right] \right],$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger \left[ q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{-2} a_k^{j+2} \right. \right. \\ \times q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\ \left. \left. \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right] \right]$$

$$\times q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger \left[ q^{D_k^{j+4}} q^{-2} a_k^{j+5} \right. \right. \\ - q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s - a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \\ \left. \left. \times (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5}-D_{k+1}^{j+5}} \right] \right],$$

$$q^{D_k^{j+1}+D_{k+1}^{j+2}} \left[ q^{D_k^{j+2}+D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right] q^{D_k^{j+3}+D_{k+1}^{j+4}} \left[ q^{D_k^{j+4}+D_k^{j+5}} + q^{-2} a_k^{j+4} \right. \\ \left. \times q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right],$$

$$q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \left[ q^{D_k^{j+2}} \xi^{s_k^{j+2}} \left[ q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \right. \\ + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\ \left. \left. \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right] \right] \\ \times q^{-D_k^{j+3}+D_{k+1}^{j+3}} (a_k^{j+4})^\dagger \left[ q^{D_k^{j+4}} (a_k^{j+4})^\dagger \left[ q^{D_k^{j+5}-D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \right. \\ + q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s + a_k^{j+4} a_{k+1}^{j+4} \\ \times q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \\ \left. \left. \times \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5}-D_{k+1}^{j+5}} \right] \right],$$

$$q^{D_k^{j+2}} \left[ a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right] \\ \times q^{D_k^{j+4}} \left[ a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} (a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} \right],$$

$$(a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \right. \right. \\ + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ \left. \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \right]$$

$$\times (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \left[ (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} + (a_k^{j+4})^\dagger \right. \right. \\ \times q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\ \left. \left. + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right] \right].$$

Denoting,

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^1 &\equiv (a_k^{j+4})^\dagger \left[ q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} \left[ q^{-2} a_k^{j+5} - q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right. \right. \\ &\quad \times q^{-2} q^{D_k^{j+5}} \xi^s + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} \\ &\quad \left. \left. \times q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right] \right], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^2 &\equiv q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger \left[ q^{D_k^{j+4}} q^{-2} a_k^{j+5} \right. \right. \\ &\quad - q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s - a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \\ &\quad \left. \left. \times (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right] \right], \end{aligned}$$

$$\underline{\mathcal{T}}_{(1,1)}^3 \equiv q^{D_k^{j+3} + D_{k+1}^{j+4}} \left[ q^{D_k^{j+4} + D_k^{j+5}} + q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right],$$

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^4 &\equiv q^{-D_k^{j+3} + D_{k+1}^{j+3}} (a_k^{j+4})^\dagger \left[ q^{D_k^{j+4}} (a_k^{j+4})^\dagger \left[ q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \right. \right. \\ &\quad + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \\ &\quad \left. \left. \times \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right] \right], \end{aligned}$$

$$\underline{\mathcal{T}}_{(1,1)}^5 \equiv q^{D_k^{j+4}} \left[ a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} (a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} \right],$$

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^6 &\equiv (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \left[ (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} + (a_k^{j+4})^\dagger \right. \right. \\ &\quad \times q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\ &\quad \left. \left. + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right] \right], \end{aligned}$$

additional contributions to the higher-order terms emerge from,

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^1 q^{-2} &\left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger \left[ q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{-2} a_k^{j+2} \right. \right. \\ &\quad \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\ &\quad \left. \left. \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right] \right], \end{aligned}$$

$$\underline{\mathcal{T}}_{(1,1)}^1 q^{D_k^{j+1} + D_{k+1}^{j+2}} \left[ q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$\underline{\mathcal{T}}_{(1,1)}^1 q^{D_k^{j+2}} \left[ a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right],$$

$$\begin{aligned} \underline{\mathcal{T}}_{(1,1)}^1 q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger &\left[ q^{D_k^{j+2}} \xi^{s_k^{j+2}} \left[ q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \right. \\ &\quad + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\ &\quad \left. \left. \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right] \right], \end{aligned}$$

$$\begin{aligned} & \underline{\mathcal{T}}_{(1,1)}^1 (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \right. \right. \\ & + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ & \left. \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \right], \end{aligned}$$

corresponding to  $\underline{\mathcal{T}}_{(1,1)}^1$ . For the remaining factors that are defined besides  $\underline{\mathcal{T}}_{(1,1)}^1$ , other contributions can be obtained from permutting the appearance in which the  $\underline{\mathcal{T}}_{(1,1)}^1$  factor appears, which take the form,

$$\begin{aligned} & \left[ \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \right. \\ & \quad \left. - q^{D_k^{j+1}} (a_k^{j+1})^\dagger \left[ q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{-2} a_k^{j+2} \right. \right. \\ & \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\ & \quad \left. \left. \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right] \right], \end{aligned}$$

$$\left[ \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] q^{D_k^{j+1} + D_{k+1}^{j+2}} \left[ q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$\begin{aligned} & \left[ \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] q^{D_k^{j+2}} \left[ a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} \right. \\ & \quad \left. \times (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right], \end{aligned}$$

$$\begin{aligned} & \left[ \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \left[ q^{D_k^{j+2}} \xi^{s_k^{j+2}} \left[ q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \right. \\ & \quad \left. + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \\ & \quad \left. + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \right. \\ & \quad \left. \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right] \right], \end{aligned}$$

$$\begin{aligned} & \left[ \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \right. \right. \\ & \quad \left. \times q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \right. \\ & \quad \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ & \quad \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \right], \end{aligned}$$

corresponding to contributions of the infinite weak volume limit of  $\mathbf{T}$ , with prefactors  $\underline{\mathcal{T}}_{(1,1)}^2, \dots, \underline{\mathcal{T}}_{(1,1)}^6$ . Furthermore, denoting,

$$\begin{aligned} A_1(\underline{u}) \equiv & q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \right. \\ & \left. - q^{D_k^{j+1}} (a_k^{j+1})^\dagger \left[ q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{-2} a_k^{j+2} \right. \right. \end{aligned}$$

$$\begin{aligned} & \times q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\ & \quad \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \Big] \Big], \end{aligned}$$

$$\underline{A}_2(\underline{u}) \equiv q^{D_k^{j+1}+D_{k+1}^{j+2}} \left[ q^{D_k^{j+2}+D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$\begin{aligned} \underline{A}_3(\underline{u}) \equiv q^{D_k^{j+2}} \Big[ & a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\ & \times (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \Big], \end{aligned}$$

$$\begin{aligned} \underline{A}_4(\underline{u}) \equiv q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \Bigg[ & q^{D_k^{j+2}} \xi^{s_k^{j+2}} \left[ q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ & + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \\ & + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\ & \quad \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \Big] \Bigg], \end{aligned}$$

$$\begin{aligned} \underline{A}_5(\underline{u}) \equiv (a_{k+1}^{j+1})^\dagger \Bigg[ & q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \right. \\ & \times q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\ & + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ & \quad \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \Bigg], \end{aligned}$$

higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \underline{A}_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \underline{A}_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \underline{A}_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \underline{A}_4(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \underline{A}_5(\underline{u}).$$

Taking a product over each of the  $\underline{B}(\underline{u})$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A_{1,i}(u)} = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A_{1,j}(u)} \underline{A_{1,j}(u')} + \underline{B_{1,j}(u)} \underline{D_{1,j}(u')} + \underline{C_{1,j}(u)} \underline{G_{1,j}(u')}],$$

$$\prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A_{2,i}(u)} = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A_{2,j}(u)} \underline{A_{2,j}(u')} + \underline{B_{2,j}(u)} \underline{D_{2,j}(u')} + \underline{C_{2,j}(u)} \underline{G_{2,j}(u')}],$$

$$\prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A_{3,i}(u)} = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A_{3,j}(u)} \underline{A_{3,j}(u')} + \underline{B_{3,j}(u)} \underline{D_{3,j}(u')} + \underline{C_{3,j}(u)} \underline{G_{3,j}(u')}],$$

$$\prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A_{4,i}(u)} = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A_{3,j}(u)} \underline{A_{3,j}(u')} + \underline{B_{3,j}(u)} \underline{D_{3,j}(u')} + \underline{C_{3,j}(u)} \underline{G_{3,j}(u')}],$$

$$\prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A_{4,i}(u)} = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A_{4,j}(u)} \underline{A_{4,j}(u')} + \underline{B_{4,j}(u)} \underline{D_{4,j}(u')} + \underline{C_{4,j}(u)} \underline{G_{4,j}(u')}].$$

The desired expression is obtained after replacing  $\underline{A_1(u)}, \dots, \underline{A_5(u)}$  with each of the four factors provided above.

After the first term of the representation,

$$\begin{aligned} & (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} - (a_k^{j+1})^\dagger q^{D_k^{j+1}} \\ & \quad \times \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\ & \quad \times q^{D_k^{j+2}} q^{-D_k^{j+3}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} + q^{D_k^{j+1} + D_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \\ & \quad \times (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \\ & \quad \times \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\ & \quad \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} \\ & \quad + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\ & \quad \times \xi^{s-s_{k+1}^{j+3}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\ & \quad \times q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \\ & \quad \times \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}}, \end{aligned}$$

corresponds to the second term of the product. From the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned} & (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} \right. \\ & \quad \left. - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s \right. \\ & \quad \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right], \end{aligned}$$

$$q^{D_k^{j+1} + D_k^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$(a_{k+1}^{j+1})^\dagger \left[ - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right]$$

$$\begin{aligned}
& -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\
& \quad \times \xi^{s_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \\
& \quad \times (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \Big].
\end{aligned}$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{aligned}
& \begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\
& \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},
\end{aligned}$$

would take the form,

$$\begin{aligned}
& \left[ (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} \right. \right. \\
& \quad \left. \left. - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s \right. \right. \\
& \quad \left. \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right] \right] \\
& \times \left[ (a_k^{j+3})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+5}+D_{k+1}^{j+5}} \right. \right. \\
& \quad \left. \left. - q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s \right. \right. \\
& \quad \left. \left. + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right] \right], \\
& \left[ q^{D_k^{j+1}+D_k^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right] \right] \left[ q^{D_k^{j+3}+D_k^{j+4}} \left[ (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} \right. \right. \\
& \quad \left. \left. \times (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right] \right], \\
& \left[ q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right] \right] \left[ q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} (a_{k+1}^{j+4})^\dagger \right. \right. \\
& \quad \left. \left. \times q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right] \right], \\
& \left[ (a_{k+1}^{j+1})^\dagger \left[ - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \right. \\
& \quad \left. \left. - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \right. \right. \\
& \quad \left. \left. \times \xi^{s_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \right. \right. \\
& \quad \left. \left. \times (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right] \right] \\
& \times \left[ (a_{k+1}^{j+3})^\dagger \left[ - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \right. \\
& \quad \left. \left. \right. \right]
\end{aligned}$$

$$\begin{aligned}
& -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \\
& \times \xi^{s_k^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\
& \times (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \Big].
\end{aligned}$$

Denoting,

$$\begin{aligned}
\underline{\mathcal{T}_{(1,2)}^1} & \equiv (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} \right. \\
& - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s \\
& \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right],
\end{aligned}$$

$$\underline{\mathcal{T}_{(1,2)}^2} \equiv q^{D_k^{j+1}+D_k^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$\underline{\mathcal{T}_{(1,2)}^3} \equiv q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$\begin{aligned}
\underline{\mathcal{T}_{(1,2)}^4} & \equiv (a_{k+1}^{j+1})^\dagger \left[ -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\
& \times \xi^{s_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \\
& \left. \times (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right].
\end{aligned}$$

Furthermore, denoting,

$$\begin{aligned}
\underline{B_1(\underline{u})} & \equiv (a_k^{j+3})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+5}+D_{k+1}^{j+5}} \right. \\
& - q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s \\
& \left. + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right],
\end{aligned}$$

$$\underline{B_2(\underline{u})} \equiv q^{D_k^{j+3}+D_{k+1}^{j+3}} \left[ (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right],$$

$$\begin{aligned}
\underline{B_3(\underline{u})} & \equiv q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \right. \\
& \times \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \Big],
\end{aligned}$$

$$\begin{aligned}
\underline{B_4(\underline{u})} & \equiv (a_{k+1}^{j+3})^\dagger \left[ -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \right. \\
& \times \xi^{s-s_k^{j+5}} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \\
& \times \xi^{s_k^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\
& \left. \times (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right].
\end{aligned}$$

higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}}_{(1,2)}^1 + \underline{\mathcal{T}}_{(1,2)}^2 + \underline{\mathcal{T}}_{(1,2)}^3 + \underline{\mathcal{T}}_{(1,2)}^4 \right] \underline{B}_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,2)}^1 + \underline{\mathcal{T}}_{(1,2)}^2 + \underline{\mathcal{T}}_{(1,2)}^3 + \underline{\mathcal{T}}_{(1,2)}^4 \right] \underline{B}_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,2)}^1 + \underline{\mathcal{T}}_{(1,2)}^2 + \underline{\mathcal{T}}_{(1,2)}^3 + \underline{\mathcal{T}}_{(1,2)}^4 \right] \underline{B}_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,2)}^1 + \underline{\mathcal{T}}_{(1,2)}^2 + \underline{\mathcal{T}}_{(1,2)}^3 + \underline{\mathcal{T}}_{(1,2)}^4 \right] \underline{B}_4(\underline{u}).$$

Taking a product over each of the  $\underline{B}(\underline{u})$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{B}_{1,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{1,j}(\underline{u}) \underline{B}_{1,j}(\underline{u}') + \underline{B}_{1,j}(\underline{u}) \underline{E}_{1,j}(\underline{u}') + \underline{C}_{1,j}(\underline{u}) \underline{H}_{1,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{B}_{2,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{2,j}(\underline{u}) \underline{B}_{2,j}(\underline{u}') + \underline{B}_{2,j}(\underline{u}) \underline{E}_{2,j}(\underline{u}') + \underline{C}_{2,j}(\underline{u}) \underline{H}_{2,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{B}_{3,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{3,j}(\underline{u}) \underline{B}_{3,j}(\underline{u}') + \underline{B}_{3,j}(\underline{u}) \underline{E}_{3,j}(\underline{u}') + \underline{C}_{3,j}(\underline{u}) \underline{H}_{3,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{B}_{4,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{4,j}(\underline{u}) \underline{B}_{4,j}(\underline{u}') + \underline{B}_{4,j}(\underline{u}) \underline{E}_{4,j}(\underline{u}') + \underline{C}_{4,j}(\underline{u}) \underline{H}_{4,j}(\underline{u}')]. \end{aligned}$$

The desired expression is obtained after replacing  $\underline{B}_1(\underline{u}), \dots, \underline{B}_4(\underline{u})$  with each of the four factors provided above.

After the second term of the representation,

$$\begin{aligned} q^{D_k^{j+1} + D_k^{j+2}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \\ + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} \\ \times q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} - (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} q^{D_k^{j+2}} (a_k^{j+2})^\dagger \\ + (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} \\ \times (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger \\ \times q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-D_{k+1}^{j+1} - D_{k+1}^{j+2}}, \end{aligned}$$

corresponds to the third term of the product. Denoting the terms above as  $\mathcal{R}_{1,3}^{j+1,j+2}$ , higher-order terms would accumulate interactions from,

from the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned} (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right. \\ \left. - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} q^{D_k^{j+2}} (a_k^{j+2})^\dagger \right], \end{aligned}$$

$$q^{D_k^{j+1} + D_k^{j+2}},$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$(a_{k+1}^{j+2})^\dagger \left[ q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\ \left. + q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} \right].$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},$$

would take the form,

$$(a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right. \\ \left. - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} q^{D_k^{j+2}} (a_k^{j+2})^\dagger \right]$$

$$\times \left[ (a_k^{j+2})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+5}} + q^{D_k^{j+3}} \xi^{s_k^{j+2}} q^{D_k^{j+4}} \right. \right. \\ \times q^{-D_k^{j+4}+D_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \\ \left. \left. - q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-2} q^{D_k^{j+4}} (a_k^{j+4})^\dagger \right] \right],$$

$$\left[ q^{D_k^{j+1}+D_k^{j+2}} \right] \left[ q^{D_k^{j+3}+D_k^{j+4}} \right],$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right] \left[ q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right. \right. \\ \times \xi^{s-s_k^{j+3}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \left. \right] \right],$$

$$(a_{k+1}^{j+2})^\dagger \left[ q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\ \left. + q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} \right] \\ \times \left[ (a_{k+1}^{j+4})^\dagger \left[ q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} (a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right. \right. \\ \left. \left. + q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right] \right].$$

Denoting,

$$\mathcal{T}_{(1,3)}^1 \equiv (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right. \\ \left. - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} q^{D_k^{j+2}} (a_k^{j+2})^\dagger \right],$$

$$\underline{\mathcal{T}}_{(1,3)}^2 \equiv q^{D_k^{j+1} + D_k^{j+2}},$$

$$\underline{\mathcal{T}}_{(1,3)}^3 \equiv q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right],$$

$$\begin{aligned} \underline{\mathcal{T}}_{(1,3)}^4 \equiv & (a_{k+1}^{j+2})^\dagger \left[ q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right. \\ & \left. + q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-D_{k+1}^{j+1} - D_{k+1}^{j+2}} \right], \end{aligned}$$

Furthermore, denoting,

$$\begin{aligned} C_1(\underline{u}) \equiv & (a_k^{j+2})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+5}} + q^{D_k^{j+3}} \xi^{s_k^{j+2}} q^{D_k^{j+4}} \right. \\ & \times q^{-D_k^{j+4} + D_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \\ & \left. - q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-2} q^{D_k^{j+4}} (a_k^{j+4})^\dagger \right], \end{aligned}$$

$$C_2(\underline{u}) \equiv q^{D_k^{j+3} + D_k^{j+4}},$$

$$C_3(\underline{u}) \equiv q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \right],$$

$$\begin{aligned} C_4(\underline{u}) \equiv & (a_{k+1}^{j+4})^\dagger \left[ q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} (a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger \right. \\ & \times q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} + q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_k^{j+5}} \xi^{s_k^{j+5}} \left. \right], \end{aligned}$$

contributions to the higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] C_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] C_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] C_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] C_4(\underline{u}).$$

Taking a product over each of the  $C(\underline{u})$  factors, corresponding to at most  $4 \lceil \frac{m-4}{3} \rceil$  terms,

$$\prod_{i \in \mathbb{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{C}_{1,i}(\underline{u}) = \prod_{j \in \mathbb{N}: |j| \leq 4 \lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{A}_{1,j}(\underline{u}) \underline{C}_{1,j}(\underline{u}') + \underline{B}_{1,j}(\underline{u}) \underline{F}_{1,j}(\underline{u}') + \underline{C}_{1,j}(\underline{u}) \underline{I}_{1,j}(\underline{u}') \right],$$

$$\prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{C}_{2,i}(\underline{u}) = \prod_{j \in \mathbb{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{2,j}(\underline{u}) \underline{C}_{2,j}(\underline{u}') + \underline{B}_{2,j}(\underline{u}) \underline{F}_{2,j}(\underline{u}') + \underline{C}_{2,j}(\underline{u}) \underline{I}_{2,j}(\underline{u}')],$$

$$\prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{C}_{3,i}(\underline{u}) = \prod_{j \in \mathbb{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{3,j}(\underline{u}) \underline{C}_{3,j}(\underline{u}') + \underline{B}_{3,j}(\underline{u}) \underline{F}_{3,j}(\underline{u}') + \underline{C}_{3,j}(\underline{u}) \underline{I}_{3,j}(\underline{u}')],$$

$$\prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{C}_{4,i}(\underline{u}) = \prod_{j \in \mathbb{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{A}_{4,j}(\underline{u}) \underline{C}_{4,j}(\underline{u}') + \underline{B}_{4,j}(\underline{u}) \underline{F}_{4,j}(\underline{u}') + \underline{C}_{4,j}(\underline{u}) \underline{I}_{4,j}(\underline{u}')].$$

The desired expression is obtained after replacing  $\underline{C}_1(\underline{u}), \dots, \underline{C}_4(\underline{u})$  with each of the four factors provided above, from which we conclude the argument.  $\square$

**Lemma 7 (precursor to the generalized L product representation).** The product of four L-operators is spanned by the union of three subspaces,

$$\begin{aligned} \left[ \begin{array}{c} \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \\ \times \left[ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{1,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{2,i}(\underline{u}) \right. \right. \\ \left. \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{3,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{4,i}(\underline{u}) \right] \end{array} \right] \\ \left[ \begin{array}{c} \underline{\mathcal{T}}_{(2,2)}^1 + \underline{\mathcal{T}}_{(2,2)}^2 + \underline{\mathcal{T}}_{(2,2)}^3 + \underline{\mathcal{T}}_{(2,2)}^4 + \underline{\mathcal{T}}_{(2,2)}^5 + \underline{\mathcal{T}}_{(2,2)}^6 \\ \times \left[ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{1,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{2,i}(\underline{u}) \right. \right. \\ \left. \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{3,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{4,i}(\underline{u}) \right. \right. \\ \left. \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{5,i}(\underline{u}) \right] \end{array} \right] \\ \left[ \begin{array}{c} \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \\ \left[ \begin{array}{c} \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \\ \times \left[ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{1,i}(\underline{u}) \right. \right. \\ \left. \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{2,i}(\underline{u}) \right. \right. \\ \left. \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{3,i}(\underline{u}) \right] \end{array} \right] \end{array} \right] \end{aligned}$$

corresponding to the product,

$$\begin{bmatrix} \mathbf{1}^{1,\underline{j}} & \mathbf{4}^{1,\underline{j}} & \mathbf{7}^{1,\underline{j}} \\ \mathbf{2}^{1,\underline{j}} & \mathbf{5}^{1,\underline{j}} & \mathbf{8}^{1,\underline{j}} \\ \mathbf{3}^{1,\underline{j}} & \mathbf{6}^{1,\underline{j}} & \mathbf{9}^{1,\underline{j}} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+1} & \mathbf{4}^{1,\underline{j}+1} & \mathbf{7}^{1,\underline{j}+1} \\ \mathbf{2}^{1,\underline{j}+1} & \mathbf{5}^{1,\underline{j}+1} & \mathbf{8}^{1,\underline{j}+1} \\ \mathbf{3}^{1,\underline{j}+1} & \mathbf{6}^{1,\underline{j}+1} & \mathbf{9}^{1,\underline{j}+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+2} & \mathbf{4}^{1,\underline{j}+2} & \mathbf{7}^{1,\underline{j}+2} \\ \mathbf{2}^{1,\underline{j}+2} & \mathbf{5}^{1,\underline{j}+2} & \mathbf{8}^{1,\underline{j}+2} \\ \mathbf{3}^{1,\underline{j}+2} & \mathbf{6}^{1,\underline{j}+2} & \mathbf{9}^{1,\underline{j}+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+3} & \mathbf{4}^{1,\underline{j}+3} & \mathbf{7}^{1,\underline{j}+3} \\ \mathbf{2}^{1,\underline{j}+3} & \mathbf{5}^{1,\underline{j}+3} & \mathbf{8}^{1,\underline{j}+3} \\ \mathbf{3}^{1,\underline{j}+3} & \mathbf{6}^{1,\underline{j}+3} & \mathbf{9}^{1,\underline{j}+3} \end{bmatrix} \times \dots$$

*Proof of Lemma 7.* After the third term of the representation,

$$\begin{aligned} q^{D_k^{j+1}} q^{-2} a_k^{j+2} q^{D_k^{j+2} + D_k^{j+3}} + q^{D_k^{j+1}} q^{-2} a_k^{j+2} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} \\ - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} - + q^{-2} \\ \times a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+1} \\ \times q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \end{aligned}$$

$$\begin{aligned}
& + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \\
& \times \xi_{k+1}^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} q^{D_k^{j+2}+D_{k+1}^{j+3}} \\
& + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger \\
& \times q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\
& \quad + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \\
& \quad - (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad \quad + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} a_k^{j+2} \\
& \times q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} \\
& \quad \quad \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \\
& \quad \quad \quad \times \xi_{k+1}^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \\
& \quad - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{D_k^{j+2}} q^{-2} a_k^{j+3} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \\
& \quad \quad \quad \times \xi^s q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{-2} a_k^{j+2} \\
& \quad \quad \quad \times q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} \\
& \times q^{D_{k+1}^{j+2}} \xi^s a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\
& \quad \quad \quad \times q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \\
& \quad \quad \quad \times \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \\
& \quad \quad \quad \times q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger \\
& \quad \quad \quad \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} + q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}},
\end{aligned}$$

from the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned}
& q^{D_k^{j+1}} \left[ q^{-2} a_k^{j+2} q^{D_k^{j+2}+D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right], \\
& - q^{D_k^{j+2}-D_{k+1}^{j+2}} \left[ \xi^{s-s_k^{j+2}} q^{D_k^{j+2}+D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{D_k^{j+2}+D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right], \\
& a_k^{j+1} a_{k+1}^{j+1} \left[ q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \right. \\
& \quad \left. \times q^{D_k^{j+2}+D_k^{j+3}} + q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger \right], \\
& (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \right], \\
& (a_{k+1}^{j+1})^\dagger \left[ - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right. \\
& \quad \left. \times q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \\
& \quad \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right].
\end{aligned}$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{aligned} & \begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ & \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix}, \end{aligned}$$

would take the form,

$$q^{D_k^{j+1}} \left[ q^{-2} a_k^{j+2} q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right] \left[ q^{D_k^{j+3}} \left[ q^{-2} a_k^{j+4} q^{D_k^{j+4} + D_k^{j+5}} \right. \right.$$

$$\left. \left. + q^{-2} a_k^{j+4} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right] \right],$$

$$-q^{D_k^{j+2} - D_{k+1}^{j+2}} \left[ \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right]$$

$$\times \left[ -q^{D_k^{j+4} - D_{k+1}^{j+4}} \left[ \xi^{s-s_k^{j+4}} q^{D_k^{j+4} + D_k^{j+5}} - \xi^{s-s_k^{j+4}} q^{D_k^{j+4} + D_k^{j+5}} - \xi^{s-s_k^{j+5}} q^{-2} a_k^{j+4} \right. \right.$$

$$\left. \left. \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right] \right],$$

$$(a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right.$$

$$\left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right.$$

$$\left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \right]$$

$$\times \left[ (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \right.$$

$$\left. \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \right. \right.$$

$$\left. \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} \right. \right]$$

$$(a_{k+1}^{j+1})^\dagger \left[ -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right.$$

$$\left. \times q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right.$$

$$\left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right]$$

$$\times \left[ (a_{k+1}^{j+3})^\dagger \left[ -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right. \right.$$

$$\left. \left. \times (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s q^{-2} a_k^{j+4} \right. \right.$$

$$\left. \left. \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s \right. \right]$$

$$\left. \left. \times q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right] \right].$$

Denoting,

$$\underline{\mathcal{T}}_{(2,1)}^1 \equiv q^{D_k^{j+1}} \left[ q^{-2} a_k^{j+2} q^{D_k^{j+2} + D_k^{j+3}} + q^{-2} a_k^{j+2} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$\underline{\mathcal{T}}_{(2,1)}^2 \equiv -q^{D_k^{j+2} - D_{k+1}^{j+2}} \left[ \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{D_k^{j+2} + D_k^{j+3}} - \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \right],$$

$$\begin{aligned} \underline{\mathcal{T}}_{(2,1)}^3 \equiv & (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ & \quad \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \\ & \quad \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \right], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(2,1)}^4 \equiv & (a_{k+1}^{j+1})^\dagger \left[ -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right. \\ & \times q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \\ & \quad \left. + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right], \end{aligned}$$

Furthermore, denoting,

$$\begin{aligned} D_1(\underline{u}) \equiv & q^{D_k^{j+3}} \left[ q^{-2} a_k^{j+4} q^{D_k^{j+4} + D_k^{j+5}} + q^{-2} a_k^{j+4} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right], \\ D_2(\underline{u}) \equiv & -q^{D_k^{j+4} - D_{k+1}^{j+4}} \left[ \xi^{s-s_k^{j+4}} q^{D_k^{j+4} + D_k^{j+5}} - \xi^{s-s_k^{j+4}} q^{D_k^{j+4} + D_k^{j+5}} - \xi^{s-s_k^{j+5}} q^{-2} a_k^{j+4} \right. \\ & \quad \left. \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} \right], \end{aligned}$$

$$\begin{aligned} D_3(\underline{u}) \equiv & (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right. \\ & \quad \left. \times q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\ & \quad \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \right. \\ & \quad \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} \right. \\ & \quad \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} \right], \end{aligned}$$

$$\begin{aligned} D_4(\underline{u}) \equiv & (a_{k+1}^{j+3})^\dagger \left[ -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} \right. \\ & \times (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s q^{-2} a_k^{j+4} \\ & \quad \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s \\ & \quad \left. \times q^{D_k^{j+5} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right], \end{aligned}$$

contributions to the higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \right] D_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \right] \underline{D}_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \right] \underline{D}_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \right] \underline{D}_4(\underline{u}).$$

Taking a product over each of the  $\underline{D}(\underline{u})$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{1,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{1,j}(\underline{u}) \underline{A}_{1,j}(\underline{u}') + \underline{E}_{1,j}(\underline{u}) \underline{B}_{1,j}(\underline{u}') + \underline{F}_{1,j}(\underline{u}) \underline{I}_{1,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{2,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{2,j}(\underline{u}) \underline{A}_{2,j}(\underline{u}') + \underline{E}_{2,j}(\underline{u}) \underline{B}_{2,j}(\underline{u}') + \underline{F}_{2,j}(\underline{u}) \underline{I}_{2,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{3,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{3,j}(\underline{u}) \underline{A}_{3,j}(\underline{u}') + \underline{E}_{3,j}(\underline{u}) \underline{B}_{3,j}(\underline{u}') + \underline{F}_{3,j}(\underline{u}) \underline{I}_{3,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{D}_{4,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{4,j}(\underline{u}) \underline{A}_{4,j}(\underline{u}') + \underline{E}_{4,j}(\underline{u}) \underline{B}_{4,j}(\underline{u}') + \underline{F}_{4,j}(\underline{u}) \underline{I}_{4,j}(\underline{u}')]. \end{aligned}$$

The desired expression is obtained after replacing  $\underline{D}_1(\underline{u}), \dots, \underline{D}_4(\underline{u})$  with each of the four factors provided above.

After the fourth term of the representation,

$$\begin{aligned} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \\ \times \xi^{s-s_k^{j+3}} + (a^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \\ \times \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\ \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \\ + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \\ - q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ \times q^{-2} q^{D_k^{j+3}} \xi^s + q^{-D_k^{j+1}+D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\ \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \\ + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \\ \times \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_{k+2}^{j+2})^\dagger \\ \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s - (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} \\ \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger \\ \times q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \\ \times q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s \\ \times q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+2})^\dagger \end{aligned}$$

$$\begin{aligned}
& \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+3} + D_{k+1}^{j+3}} - q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \\
& \quad \times \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + q^{-D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger \\
& \quad \times q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\
& \quad \times q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} \\
& \quad \times a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \\
& \times (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\
& \quad \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \\
& \quad \times \xi^{s-s_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_k^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
& \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_k^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \\
& \quad \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
& \quad - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} \\
& \quad \times a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger \\
& \quad \times q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \\
& \quad \times \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\
& - q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \\
& \quad \times \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}},
\end{aligned}$$

corresponds to the fifth term of the representation. From the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned}
& (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{D_k^{j+1}} \xi^{s_k^{j+1}} \right. \\
& \quad \left. \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \right],
\end{aligned}$$

$$\begin{aligned}
& q^{-D_k^{j+1} + D_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right. \\
& \quad \left. + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \right. \\
& \quad \left. \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right],
\end{aligned}$$

$$\begin{aligned}
& q^{-2} \left[ -q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} - q^{D_k^{j+1}} \right. \\
& \quad \times \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\
& \quad \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger
\end{aligned}$$

$$\times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \Big],$$

$$(a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_{k+1}^{j+2})^\dagger \right. \\ \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + q^{D_{k+1}^{j+1}} \\ \times \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \Big],$$

$$(a_{k+1}^{j+1})^\dagger \left[ -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3}+D_{k+1}^{j+3}} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \right. \\ \times \xi^s q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \Big],$$

$$q^{-D_k^{j+1}} \left[ (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+3}+D_{k+1}^{j+3}} - (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \right. \\ \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \Big],$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},$$

would take the form,

$$\begin{aligned} & \left[ (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \right. \\ & + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\ & \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \Big] \\ & \times \left[ (a_k^{j+3})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{D_k^{j+5}-D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \right. \\ & + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \\ & + q^{D_k^{j+3}} \xi^{s_k^{j+3}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger \\ & \quad \times q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} \Big] \Big], \end{aligned}$$

$$q^{-D_k^{j+1}+D_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right]$$

$$\begin{aligned}
& + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \\
& + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\
& \quad \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \\
& \quad \times \left[ q^{-D_k^{j+3} + D_{k+1}^{j+3}} \left[ (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - (a_k^{j+4})^\dagger q^{D_k^{j+4}} \right. \right. \\
& \quad \times \xi^{s_k^{j+4}} q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \\
& \quad \left. \left. + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger \right. \right. \\
& \quad \times q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \left. \right] ,
\end{aligned}$$

$$\begin{aligned}
& q^{-2} \left[ -q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} - q^{D_k^{j+1}} \right. \\
& \quad \times \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\
& \quad \times \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \left. \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \right] \\
& \quad \times \left[ q^{-2} \left[ -q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \right. \right. \\
& \quad \times \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger \\
& \quad \times q^{D_k^{j+5} - 3D_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \\
& \quad \times \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger \\
& \quad \left. \left. \times q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} \right] \right] ,
\end{aligned}$$

$$\begin{aligned}
& (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_{k+1}^{j+2})^\dagger \right. \\
& \quad \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + q^{D_{k+1}^{j+1}} \\
& \quad \left. \times \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right] \\
& \quad \times \left[ (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+5} + D_{k+1}^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} \right. \right. \\
& \quad \times q^{D_{k+1}^{j+4}} \xi^s (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \\
& \quad \left. \left. \times (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right] \right] ,
\end{aligned}$$

$$\begin{aligned}
& (a_{k+1}^{j+1})^\dagger \left[ -q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \right. \\
& \quad \times \xi^s q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \\
& \quad \times \left[ (a_{k+1}^{j+3})^\dagger \left[ -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+5} + D_{k+1}^{j+5}} \right. \right. \\
& \quad \times q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right]
\end{aligned}$$

$$\begin{aligned} & -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \\ & \times \xi^s q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \Big] \Big], \end{aligned}$$

$$\begin{aligned} & q^{-D_k^{j+1}} \left[ (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+3} + D_{k+1}^{j+3}} - (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} \right. \\ & \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+2}} \Big] \\ & \times \left[ q^{-D_k^{j+3}} \left[ (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+5} + D_{k+1}^{j+5}} \right. \right. \\ & - (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s \\ & \left. \left. + (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right] \right]. \end{aligned}$$

Denoting,

$$\begin{aligned} \underline{\mathcal{T}}_{(2,2)}^1 \equiv & (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ & + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s + q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\ & \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} \Big], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(2,2)}^2 \equiv & q^{-D_k^{j+1} + D_{k+1}^{j+1}} \left[ (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ & + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \\ & + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \\ & \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \Big], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(2,2)}^3 \equiv & q^{-2} \left[ -q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} - q^{D_k^{j+1}} \right. \\ & \times \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\ & \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\ & \times \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} - q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \Big] \\ & \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}}, \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(2,2)}^4 \equiv & (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-D_k^{j+3} + D_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_{k+1}^{j+2})^\dagger \right. \\ & \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+3}} \xi^s + q^{D_{k+1}^{j+1}} \\ & \times \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{-D_k^{j+2}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \Big], \end{aligned}$$

$$\begin{aligned}\mathcal{T}_{(2,2)}^5 \equiv & (a_{k+1}^{j+3})^\dagger \left[ -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+5} + D_{k+1}^{j+5}} \right. \\ & \left. - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \right. \\ & \left. \times \xi^s q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right],\end{aligned}$$

$$\begin{aligned}\mathcal{T}_{(2,2)}^6 \equiv & q^{-D_k^{j+3}} \left[ (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+5} + D_{k+1}^{j+5}} \right. \\ & - (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s \\ & \left. + (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right].\end{aligned}$$

Furthermore, denoting,

$$\begin{aligned}E_1(\underline{u}) \equiv & (a_k^{j+3})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_k^{j+3}} \xi^{s_k^{j+3}} \right. \\ & \times q^{D_k^{j+4}} q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\ & + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \\ & + q^{D_k^{j+3}} \xi^{s_k^{j+3}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \\ & \times \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger \\ & \left. \times q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} \right],\end{aligned}$$

$$\begin{aligned}E_2(\underline{u}) \equiv & q^{-D_k^{j+3} + D_{k+1}^{j+3}} \left[ (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - (a_k^{j+4})^\dagger q^{D_k^{j+4}} \right. \\ & \times \xi^{s_k^{j+4}} q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} \\ & \times q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \\ & + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+5})^\dagger \\ & \left. \times q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right],\end{aligned}$$

$$\begin{aligned}E_3(\underline{u}) \equiv & q^{-2} \left[ -q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{D_k^{j+4}} \right. \\ & \times a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \times \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \\ & \times \xi^{s-s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger \\ & \times q^{D_k^{j+5} - 3D_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \\ & \times \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} - q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger \\ & \left. \times q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} \right],\end{aligned}$$

$$\begin{aligned}E_4(\underline{u}) \equiv & (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right. \\ & \times q^{-D_k^{j+4} + D_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}}\end{aligned}$$

$$\begin{aligned} & \times q^{-D_k^{j+5} + D_{k+1}^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} \\ & \times q^{D_{k+1}^{j+4}} \xi^s (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \\ & \times (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \Big], \end{aligned}$$

$$\begin{aligned} E_5(\underline{u}) & \equiv -q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} \\ & \times q^{-D_k^{j+5} + D_{k+1}^{j+5}} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}}, \end{aligned}$$

$$\begin{aligned} E_6(\underline{u}) & \equiv q^{-D_k^{j+3}} \left[ (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+2}} q^{-2} q^{-D_k^{j+5} + D_{k+1}^{j+5}} \right. \\ & \left. - (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+5}} \xi^s + (a_k^{j+3})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} q^{-D_k^{j+4}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right], \end{aligned}$$

contributions to higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_4(\underline{u}),$$

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_5(\underline{u}),$$

$$\left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] E_6(\underline{u}).$$

Taking a product over each of the  $\underline{E}(\underline{u})$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{1,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{1,j}(\underline{u}) \underline{B}_{1,j}(\underline{u}') + \underline{E}_{1,j}(\underline{u}) \underline{E}_{1,j}(\underline{u}') + \underline{F}_{1,j}(\underline{u}) \underline{H}_{1,j}(\underline{u}') \right], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{2,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{2,j}(\underline{u}) \underline{B}_{2,j}(\underline{u}') + \underline{E}_{2,j}(\underline{u}) \underline{E}_{2,j}(\underline{u}') + \underline{F}_{2,j}(\underline{u}) \underline{H}_{2,j}(\underline{u}') \right], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{3,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{3,j}(\underline{u}) \underline{B}_{3,j}(\underline{u}') + \underline{E}_{3,j}(\underline{u}) \underline{E}_{3,j}(\underline{u}') + \underline{F}_{3,j}(\underline{u}) \underline{H}_{3,j}(\underline{u}') \right], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{4,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{4,j}(\underline{u}) \underline{B}_{4,j}(\underline{u}') + \underline{E}_{4,j}(\underline{u}) \underline{E}_{4,j}(\underline{u}') + \underline{F}_{4,j}(\underline{u}) \underline{H}_{4,j}(\underline{u}') \right], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{5,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{5,j}(\underline{u}) \underline{B}_{5,j}(\underline{u}') + \underline{E}_{5,j}(\underline{u}) \underline{E}_{5,j}(\underline{u}') + \underline{F}_{5,j}(\underline{u}) \underline{H}_{5,j}(\underline{u}') \right], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{E}_{6,i}(\underline{u}) & = \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{D}_{6,j}(\underline{u}) \underline{B}_{6,j}(\underline{u}') + \underline{E}_{6,j}(\underline{u}) \underline{E}_{6,j}(\underline{u}') + \underline{F}_{6,j}(\underline{u}) \underline{H}_{6,j}(\underline{u}') \right]. \end{aligned}$$

The desired expression is obtained after replacing  $E_1(\underline{u}), \dots, E_6(\underline{u})$  with each of the four factors provided above.

After the fifth term of the representation,

$$\begin{aligned} & (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger \\ & \times q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\ & \times q^{-2} q^{D_k^{j+3}} \xi^s + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \\ & \times q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \\ & + q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}}, \end{aligned}$$

from the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned} & (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \right. \\ & \quad \times \left. \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right], \\ & (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right. \\ & \quad \times \left. q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right], \\ & q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right]. \end{aligned}$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{aligned} & \begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ & \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix}, \end{aligned}$$

would take the form,

$$\begin{aligned} & \left[ (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \right. \right. \\ & \quad \times \left. \left. \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right] \right] \\ & \times (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+5}-D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\ & \quad \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \right], \\ & \left[ (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right. \right. \\ & \quad \times \left. \left. q^{-2} a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \right] \right] \end{aligned}$$

$$\begin{aligned} & \times (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right. \\ & \quad \left. \times (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right], \end{aligned}$$

$$\begin{aligned} & \left[ q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right] \right] \\ & \times q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} \right. \\ & \quad \left. \times a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right]. \end{aligned}$$

Denoting,

$$\begin{aligned} \underline{\mathcal{T}}_{(2,3)}^1 & \equiv (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} q^{-2} a_k^{j+3} - q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \right. \\ & \quad \left. \times \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+3}} \xi^s \right], \\ \underline{\mathcal{T}}_{(2,3)}^2 & \equiv (a_k^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} \right. \\ & \quad \left. \times (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right], \\ \underline{\mathcal{T}}_{(2,3)}^3 & \equiv q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+3})^\dagger q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \right]. \end{aligned}$$

Furthermore, denoting,

$$\begin{aligned} F_1(\underline{u}) & \equiv (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{D_k^{j+4}} q^{-2} a_k^{j+5} - q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+5} - D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\ & \quad \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-2} q^{D_k^{j+5}} \xi^s \right], \end{aligned}$$

$$\begin{aligned} F_2(\underline{u}) & \equiv (a_k^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} \right. \\ & \quad \left. \times (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right], \end{aligned}$$

$$\begin{aligned} F_3(\underline{u}) & \equiv q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+5})^\dagger q^{D_{k+1}^{j+5}} \xi^{s_{k+1}^{j+5}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} \right. \\ & \quad \left. \times a_k^{j+5} q^{-D_k^{j+5} - D_{k+1}^{j+5}} \right], \end{aligned}$$

contributions to higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] F_1(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \underline{F}_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \underline{F}_3(\underline{u}).$$

Taking a product over each of the  $\underline{F}(\underline{u})$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{1,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{1,j}(\underline{u}) \underline{C}_{1,j}(\underline{u}') + \underline{E}_{1,j}(\underline{u}) \underline{F}_{1,j}(\underline{u}') + \underline{F}_{1,j}(\underline{u}) \underline{I}_{1,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{2,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{2,j}(\underline{u}) \underline{C}_{2,j}(\underline{u}') + \underline{E}_{2,j}(\underline{u}) \underline{F}_{2,j}(\underline{u}') + \underline{F}_{2,j}(\underline{u}) \underline{I}_{2,j}(\underline{u}')], \\ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{F}_{3,i}(\underline{u}) &= \prod_{j \in \mathbf{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} [\underline{D}_{3,j}(\underline{u}) \underline{C}_{3,j}(\underline{u}') + \underline{E}_{3,j}(\underline{u}) \underline{F}_{3,j}(\underline{u}') + \underline{F}_{3,j}(\underline{u}) \underline{I}_{3,j}(\underline{u}')]. \end{aligned}$$

The desired expression is obtained after replacing  $\underline{F}_1(\underline{u}), \underline{F}_2(\underline{u}), \underline{F}_3(\underline{u})$  with each of the four factors provided above, from which we conclude the argument.  $\square$

**Lemma 8** (*precursor to the generalized L product representation*). The product of four L-operators is spanned by the union of three subspaces,

$$\begin{aligned} &\left[ \left[ \underline{\mathcal{T}}_{(3,1)}^1 + \underline{\mathcal{T}}_{(3,1)}^2 + \underline{\mathcal{T}}_{(3,1)}^3 + \underline{\mathcal{T}}_{(3,1)}^4 + \underline{\mathcal{T}}_{(3,1)}^5 \right] \left[ \underline{G}_1(\underline{u}) + \underline{G}_2(\underline{u}) + \underline{G}_3(\underline{u}) + \underline{G}_4(\underline{u}) + \underline{G}_5(\underline{u}) \right] \right. \\ &\quad \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G}_{2,i}(\underline{u}) \right. \\ &\quad + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G}_{4,i}(\underline{u}) \\ &\quad \left. \left. + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G}_{5,i}(\underline{u}) \right] \right] \\ \left[ \begin{matrix} \underline{G}(\underline{u}) \\ \underline{H}(\underline{u}) \\ \underline{I}(\underline{u}) \end{matrix} \right] &\equiv \left[ \left[ \underline{\mathcal{T}}_{(3,2)}^1 + \underline{\mathcal{T}}_{(3,2)}^2 + \underline{\mathcal{T}}_{(3,2)}^3 \right] \left[ \underline{H}_1(\underline{u}) + \underline{H}_2(\underline{u}) + \underline{H}_3(\underline{u}) \right] \right. \\ &\quad \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{H}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{H}_{2,i}(\underline{u}) \right. \\ &\quad + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{H}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{H}_{4,i}(\underline{u}), \left. \left. \right] \right] \\ &\quad \left[ \left[ \underline{\mathcal{T}}_{(3,3)}^1 + \underline{\mathcal{T}}_{(3,3)}^2 + \underline{\mathcal{T}}_{(3,3)}^3 + \underline{\mathcal{T}}_{(3,3)}^4 \right] \left[ \underline{I}_1(\underline{u}) + \underline{I}_2(\underline{u}) + \underline{I}_3(\underline{u}) + \underline{I}_4(\underline{u}) \right] \right. \\ &\quad \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{I}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{I}_{2,i}(\underline{u}) \right. \\ &\quad + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{I}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{I}_{4,i}(\underline{u}), \left. \left. \right] \right] \end{aligned}$$

corresponding to the product,

$$\begin{bmatrix} \mathbf{1}^{1,\underline{j}} & \mathbf{4}^{1,\underline{j}} & \mathbf{7}^{1,\underline{j}} \\ \mathbf{2}^{1,\underline{j}} & \mathbf{5}^{1,\underline{j}} & \mathbf{8}^{1,\underline{j}} \\ \mathbf{3}^{1,\underline{j}} & \mathbf{6}^{1,\underline{j}} & \mathbf{9}^{1,\underline{j}} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+1} & \mathbf{4}^{1,\underline{j}+1} & \mathbf{7}^{1,\underline{j}+1} \\ \mathbf{2}^{1,\underline{j}+1} & \mathbf{5}^{1,\underline{j}+1} & \mathbf{8}^{1,\underline{j}+1} \\ \mathbf{3}^{1,\underline{j}+1} & \mathbf{6}^{1,\underline{j}+1} & \mathbf{9}^{1,\underline{j}+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+2} & \mathbf{4}^{1,\underline{j}+2} & \mathbf{7}^{1,\underline{j}+2} \\ \mathbf{2}^{1,\underline{j}+2} & \mathbf{5}^{1,\underline{j}+2} & \mathbf{8}^{1,\underline{j}+2} \\ \mathbf{3}^{1,\underline{j}+2} & \mathbf{6}^{1,\underline{j}+2} & \mathbf{9}^{1,\underline{j}+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,\underline{j}+3} & \mathbf{4}^{1,\underline{j}+3} & \mathbf{7}^{1,\underline{j}+3} \\ \mathbf{2}^{1,\underline{j}+3} & \mathbf{5}^{1,\underline{j}+3} & \mathbf{8}^{1,\underline{j}+3} \\ \mathbf{3}^{1,\underline{j}+3} & \mathbf{6}^{1,\underline{j}+3} & \mathbf{9}^{1,\underline{j}+3} \end{bmatrix} \times \dots$$

*Proof of Lemma 8.* After the sixth term of the representation,

$$\begin{aligned}
& q^{D_k^{j+1} + D_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\
& \times q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{D_k^{j+1} + D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \\
& \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} \\
& \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1} + D_k^{j+2}} q^{-2} a_k^{j+2} \\
& \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\
& \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& + q^{D_k^{j+1} + D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\
& + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\
& \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} + q^{D_k^{j+1}} q^{-2} a_k^{j+2} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
& \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{D_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} - q^{D_k^{j+1}} q^{-2} a_k^{j+2} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}} - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& - q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& + q^{D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
& \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\
& \times q^{-2} q^{D_k^{j+2}} \xi^s q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& - q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-2} q^{D_k^{j+2}} \xi^s \\
& \times (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} \\
& \times (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\
& \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger \\
& \times q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \\
& \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger \\
& \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s \\
& \times (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - a_k^{j+1} a_{k+1}^{j+1} q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \\
& \times \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\
& \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} \\
& \times q^{-D_k^{j+2} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_k^{j+2} - D_{k+1}^{j+1}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\
& \times \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+1} \\
& \times q^{-D_k^{j+1} - D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2} - D_{k+1}^{j+3}} ,
\end{aligned}$$

corresponds to the seventh term of the representation, from the observation that lower-order of the product representation can be grouped together as,

$$q^{D_k^{j+1}+D_k^{j+2}} \left[ q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right. \\ \left. + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \right],$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \\ \times \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\ \times q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \\ \times \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \\ \times \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ - a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\ \left. \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right]$$

$$q^{D_k^{j+1}} \left[ q^{-2} a_k^{j+2} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \right. \\ \times q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-2} a_k^{j+2} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \left. \right],$$

$$a_k^{j+1} a_{k+1}^{j+1} \left[ q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (a_k^{j+2})^\dagger \right. \\ \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger$$

$$\times q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \\ \times \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s \\ \times (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-D_k^{j+1}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} \\ \times q^{-D_k^{j+2}-D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}},$$

$$q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\ \left. + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} \right].$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},$$

would take the form,

$$\begin{aligned}
& \left[ q^{D_k^{j+1} + D_k^{j+2}} \left[ q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right] \right. \\
& + q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \left. \right] \\
& \times \left[ q^{D_k^{j+3} + D_k^{j+4}} \left[ q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} \right. \right. \\
& + q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\
& \left. \left. \times q^{-D_{k+1}^{j+5}} \right] \right],
\end{aligned}$$

$$\begin{aligned}
& \left[ q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \right. \right. \\
& \times \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \\
& \times q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \\
& \times \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \\
& \times \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& - a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \left. \left. \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \right]
\end{aligned}$$

$$\begin{aligned}
& \times q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& + a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& \left. \left. + a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-D_k^{j+4} + D_{k+1}^{j+4}} \right. \right. \\
& \times a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-D_k^{j+4} + D_{k+1}^{j+4}} \\
& \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3} - D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-2} q^{D_k^{j+4}} \xi^s \\
& \left. \left. \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \right]
\end{aligned}$$

$$\begin{aligned}
& a_k^{j+1} a_{k+1}^{j+1} \left[ q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_k^{j+2})^\dagger \right. \\
& \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger \\
& \times q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} - q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \\
& \times \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s \\
& \times (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-D_k^{j+1} - 3D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}-s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-2} a_k^{j+2} \\
& \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \left. \right] \\
& \times a_k^{j+3} a_{k+1}^{j+3} \left[ q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} \right. \\
& \left. \left. \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} \right] \right]
\end{aligned}$$

$$\begin{aligned}
& \times q^{-D_k^{j+4}-D_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \\
& + q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \\
& \quad \times q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} - q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \\
& \quad \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s \\
& \quad \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger \\
& \quad \times q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s \\
& \quad \times \left[ \dots \right]
\end{aligned}$$

$$\begin{aligned}
& q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& \quad \left. + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+1}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} \right] \\
& \times \left[ q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \right. \\
& \quad \left. \left. + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \right] \right],
\end{aligned}$$

Denoting,

$$\begin{aligned}
\underline{\mathcal{T}_{(3,1)}^1} & \equiv q^{D_k^{j+1}+D_k^{j+2}} \left[ q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \right. \\
& \quad \times \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\
& \quad \left. \times q^{-D_{k+1}^{j+3}} \right],
\end{aligned}$$

$$\begin{aligned}
\underline{\mathcal{T}_{(3,1)}^2} & \equiv q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \right. \\
& \quad \times \xi^{s-s_k^{j+1}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} \\
& \quad \times q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \\
& \quad \times \xi^{s-s_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \\
& \quad \times \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad - a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} q^{-2} q^{D_k^{j+2}} \xi^s q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \quad \left. \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right],
\end{aligned}$$

$$\begin{aligned}
\underline{\mathcal{T}_{(3,1)}^3} & \equiv q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& \quad + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& \quad + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} \\
& \quad \times a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-D_k^{j+4}+D_{k+1}^{j+4}} \\
& \quad \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-2} q^{D_k^{j+4}} \xi^s \\
& \quad \left. \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right],
\end{aligned}$$

$$\begin{aligned}
\mathcal{T}_{(3,1)}^4 \equiv & a_k^{j+3} a_{k+1}^{j+3} \left[ q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} \right. \\
& \times q^{-D_k^{j+4}-D_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \\
& + q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \\
& \times q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} - q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s \\
& \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger \\
& \times q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \Big], 
\end{aligned}$$

$$\begin{aligned}
\mathcal{T}_{(3,1)}^5 \equiv & q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\
& \left. + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \right], 
\end{aligned}$$

Furthermore, denoting,

$$\begin{aligned}
G_1(\underline{u}) \equiv & q^{D_k^{j+3}+D_k^{j+4}} \left[ q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& + q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} \\
& + q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + a_k^{j+4} \\
& \times a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} \Big], 
\end{aligned}$$

$$\begin{aligned}
G_2(\underline{u}) \equiv & q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} \\
& \times a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-D_k^{j+4}+D_{k+1}^{j+4}} \\
& \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-2} q^{D_k^{j+4}} \xi^s \\
& \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big], 
\end{aligned}$$

$$\begin{aligned}
G_3(\underline{u}) \equiv & q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \\
& + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} \\
& \times a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-D_k^{j+4}+D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}} \\
& \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} q^{-2} q^{D_k^{j+4}} \xi^s q^{-2} q^{D_k^{j+4}} \xi^s \Big], 
\end{aligned}$$

$$\times \left( -a_{k+1}^{j+5} \right)^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big],$$

$$\begin{aligned} G_4(\underline{u}) \equiv & a_k^{j+3} a_{k+1}^{j+3} \left[ q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} \right. \\ & \times (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} \\ & \times q^{-D_k^{j+4} - D_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \\ & + q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} \\ & \quad \times q^{-D_k^{j+4} + D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} - q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \\ & \quad \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s \\ & \quad \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} (a_k^{j+4})^\dagger \\ & \quad \times q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (a_k^{j+3})^\dagger q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s \\ & \quad \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \Big], \end{aligned}$$

$$\begin{aligned} G_5(\underline{u}) \equiv & q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} \right. \\ & \times (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\ & \quad \times q^{-D_{k+1}^{j+4} - D_{k+1}^{j+5}} \Big], \end{aligned}$$

higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \underline{G_1(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \underline{G_2(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \underline{G_3(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \underline{G_4(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \underline{G_5(\underline{u})}.$$

Taking a product over each of the  $\underline{G(\underline{u})}$  factors, corresponding to at most  $4\lceil \frac{m-4}{3} \rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G_{1,i}(\underline{u})} &= \prod_{j \in \mathbb{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{G_{1,j}(\underline{u})} \underline{A_{1,j}(\underline{u}')} + \underline{H_{1,j}(\underline{u})} \underline{D_{1,j}(\underline{u}')} + \underline{I_{1,j}(\underline{u})} \underline{G_{1,j}(\underline{u}')} \right], \\ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{G_{2,i}(\underline{u})} &= \prod_{j \in \mathbb{N}: |j| \leq 4\lceil \frac{m-4}{3} \rceil - 1} \left[ \underline{G_{2,j}(\underline{u})} \underline{A_{2,j}(\underline{u}')} + \underline{H_{2,j}(\underline{u})} \underline{D_{2,j}(\underline{u}')} + \underline{I_{2,j}(\underline{u})} \underline{G_{2,j}(\underline{u}')} \right], \end{aligned}$$

$$\begin{aligned}
\prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{\underline{G}_{3,i}(\underline{u})} &= \prod_{j \in \mathbf{N}: |j| \leq 4 \lceil \frac{m-4}{3} \rceil - 1} [\underline{\underline{G}_{3,j}(\underline{u})} \underline{\underline{A}_{3,j}(\underline{u}') + H_{3,j}(\underline{u})} \underline{\underline{D}_{3,j}(\underline{u}') + I_{3,j}(\underline{u})} \underline{\underline{G}_{3,j}(\underline{u}')} ] \\
\prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{\underline{G}_{4,i}(\underline{u})} &= \prod_{j \in \mathbf{N}: |j| \leq 4 \lceil \frac{m-4}{3} \rceil - 1} [\underline{\underline{G}_{4,j}(\underline{u})} \underline{\underline{A}_{4,j}(\underline{u}') + H_{4,j}(\underline{u})} \underline{\underline{D}_{4,j}(\underline{u}') + I_{4,j}(\underline{u})} \underline{\underline{G}_{4,j}(\underline{u}')} ] \\
\prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{\underline{G}_{5,i}(\underline{u})} &= \prod_{j \in \mathbf{N}: |j| \leq 4 \lceil \frac{m-4}{3} \rceil - 1} [\underline{\underline{G}_{5,j}(\underline{u})} \underline{\underline{A}_{5,j}(\underline{u}') + H_{5,j}(\underline{u})} \underline{\underline{D}_{5,j}(\underline{u}') + I_{5,j}(\underline{u})} \underline{\underline{G}_{5,j}(\underline{u}')} ].
\end{aligned}$$

The desired expression is obtained after replacing  $\underline{\underline{G}_1(\underline{u})}, \dots, \underline{\underline{G}_5(\underline{u})}$  with each of the four factors provided above.

After the seventh term of the representation,

$$\begin{aligned}
&(a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} \\
&\quad \times q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
&\quad + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
&\quad \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\
&\quad \times \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
&\quad \times q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \\
&\quad \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger \\
&\quad \times q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \\
&\quad \times \xi^{s-s_k^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} \\
&\quad \times q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
&\quad \times q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
&\quad \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} \\
&\quad \times q^{-D_k^{j+2} - D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
&\quad - q^{-2} q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \\
&\quad \times \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \\
&\quad \times q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \\
&\quad \times q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \\
&\quad \times q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \\
&\quad \times \xi_{k+1}^{j+1} q^{-D_k^{j+2} + D_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
&\quad + (a_k^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
&\quad \quad + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} \\
&\quad \quad \quad \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
&\quad \quad + (a_k^{j+1})^\dagger q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} \\
&\quad \quad \quad \times q^{-D_{k+1}^{j+2} - D_{k+1}^{j+3}} + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} \\
&\quad \quad \quad \quad \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
&\quad \quad + q^{-D_k^{j+1} + D_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2} - D_{k+1}^{j+3}}
\end{aligned}$$

$$\begin{aligned}
& -q^{-2} q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger \\
& \times q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-2} q^{D_k^{j+1}} \\
& \times \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}}, 
\end{aligned}$$

corresponds to the eighth term of the representation, from the observation that lower-order of the product representation can be grouped together as,

$$\begin{aligned}
& q^{-2} \left[ q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \right. \\
& \quad \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad \left. - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right], 
\end{aligned}$$

$$\begin{aligned}
& (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right. \\
& + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} \\
& \quad \times q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\
& \quad \times q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\
& \quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right], 
\end{aligned}$$

$$\begin{aligned}
& q^{-D_k^{j+1}+D_{k+1}^{j+1}} \left[ (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& + (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\
& \quad \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \left. \right]. 
\end{aligned}$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{aligned}
& \begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\
& \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix}, 
\end{aligned}$$

would take the form,

$$q^{-2} \left[ q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \right]$$

$$\begin{aligned}
& \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad - q^{D_k^{j+1}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\
& \quad \times \left[ q^{-2} \left[ q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger a_k^{j+4} a_{k+1}^{j+4} \right. \right. \\
& \quad \times q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger \\
& \quad \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& \quad \left. \left. - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right] \right],
\end{aligned}$$

$$\begin{aligned}
& (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right. \\
& + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} \\
& \quad \times q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\
& \quad \times q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\
& \quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& \quad \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right] \\
& \times \left[ (a_k^{j+3})^\dagger \left[ q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{-D_k^{j+4}-D_{k+1}^{j+4}} q^{-2} q^{D_{k+1}^{j+4}} \xi^s (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \right. \right. \\
& \quad \times \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& \quad + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \\
& \quad + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} \\
& \quad + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& \quad \left. \left. + q^{D_k^{j+3}} \xi^{s_k^{j+3}} q^{D_k^{j+4}} q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right] \right], \\
\end{aligned}$$

$$\begin{aligned}
& q^{-D_k^{j+1}+D_{k+1}^{j+1}} \left[ (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_{k+1}^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right. \\
& + (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\
& \quad \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\
& \quad \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\
& \times \left[ q^{-D_k^{j+3}+D_{k+1}^{j+3}} \left[ (-a_{k+1}^{j+4})^\dagger q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_{k+1}^{j+5}-3D_{k+1}^{j+5}} \right. \right. \\
& \quad \times \xi^{s-s_k^{j+5}} + (-a_{k+1}^{j+4})^\dagger q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \\
& \quad + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\
& \quad \times \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+2} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger \\
& \quad \left. \left. \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right] \right].
\end{aligned}$$

Denoting,

$$\begin{aligned} \underline{\mathcal{T}}_{(3,2)}^1 &\equiv q^{-2} \left[ q^{D_k^{j+1}} \xi^s (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \right. \\ &\quad \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger \\ &\quad \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ &\quad \left. - q^{D_k^{j+1}} - q^{D_k^{j+1}} (a_k^{j+1})^\dagger q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(3,2)}^2 &\equiv (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right. \\ &\quad + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} \\ &\quad \times q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\ &\quad \times q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\ &\quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ &\quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\ &\quad \left. + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \right], \end{aligned}$$

$$\begin{aligned} \underline{\mathcal{T}}_{(3,2)}^3 &\equiv q^{-D_k^{j+3}+D_{k+1}^{j+3}} \left[ (-a_{k+1}^{j+4})^\dagger q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_{k+1}^{j+5}-3D_{k+1}^{j+5}} \right. \\ &\quad \times \xi^{s-s_k^{j+5}} + (-a_{k+1}^{j+4})^\dagger q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \\ &\quad + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\ &\quad \times \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} + (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+2} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger \\ &\quad \left. \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right], \end{aligned}$$

Furthermore, denoting,

$$\begin{aligned} H_1(\underline{u}) &\equiv q^{-2} \left[ q^{D_k^{j+3}} \xi^s (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger a_k^{j+4} a_{k+1}^{j+4} \right. \\ &\quad \times q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (-a_{k+1}^{j+5})^\dagger \\ &\quad \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\ &\quad \left. - q^{D_k^{j+3}} (a_k^{j+3})^\dagger q^{D_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right], \end{aligned}$$

$$\begin{aligned} H_2(\underline{u}) &\equiv (a_k^{j+1})^\dagger \left[ q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} q^{D_{k+1}^{j+2}} \xi^s (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} \right. \\ &\quad \times q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\ &\quad + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} q^{-2} \\ &\quad \times q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\ &\quad \times q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+3}} \\ &\quad + q^{D_k^{j+1}} \xi^{s_k^{j+1}} q^{D_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \end{aligned}$$

$$+q^{D_k^{j+1}}\xi^{s_k^{j+1}}q^{D_k^{j+2}}q^{-2}a_k^{j+2}q^{-D_k^{j+2}-D_{k+1}^{j+2}}(-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}} \\ +q^{D_k^{j+1}}\xi^{s_k^{j+1}}q^{D_k^{j+2}}q^{D_k^{j+2}}a_k^{j+3}a_{k+1}^{j+3}q^{-D_k^{j+3}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+3}-s_{k+1}^{j+3}}\Big],$$

$$\underline{H_3(\underline{u})} \equiv q^{-D_k^{j+1}+D_{k+1}^{j+1}} \left[ (-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_{k+1}^{j+2}}(a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}}\xi^{s_{k+1}^{j+2}}(-a_{k+1}^{j+3})^\dagger \right. \\ \times q^{D_{k+1}^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}} \\ +(-a_{k+1}^{j+2})^\dagger q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_{k+1}^{j+2}}q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}}+(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}a_k^{j+2}a_{k+1}^{j+2}q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\ \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}}q^{-D_{k+1}^{j+3}}+(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}q^{-2}a_k^{j+2}q^{-D_k^{j+2}-D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}}(-a_{k+1}^{j+3})^\dagger \\ \times q^{D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}}+(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}q^{D_k^{j+2}}a_k^{j+3}a_{k+1}^{j+3}q^{-D_k^{j+3}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+3}-s_{k+1}^{j+3}}\Big],$$

higher-order terms emerge from,

$$\left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \underline{H_1(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \underline{H_2(\underline{u})},$$

$$\left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \underline{H_3(\underline{u})}.$$

Taking a product over each of the  $\underline{H(\underline{u})}$  factors, corresponding to at most  $4^{\lceil \frac{m-4}{3} \rceil}$  terms,

$$\prod_{i \in \mathbb{N}: |i| \leq 4^{\lceil \frac{m-4}{3} \rceil}} \underline{H_{1,i}(\underline{u})} = \prod_{j \in \mathbb{N}: |j| \leq 4^{\lceil \frac{m-4}{3} \rceil}-1} [G_{1,j}(\underline{u}) \underline{B_{1,j}(\underline{u}')} + H_{1,j}(\underline{u}) \underline{E_{1,j}(\underline{u}')} + I_{1,j}(\underline{u}) \underline{H_{1,j}(\underline{u}')}],$$

$$\prod_{i \in \mathbb{N}: |i| \leq 4^{\lceil \frac{m-4}{3} \rceil}} \underline{H_{2,i}(\underline{u})} = \prod_{j \in \mathbb{N}: |j| \leq 4^{\lceil \frac{m-4}{3} \rceil}-1} [G_{2,j}(\underline{u}) \underline{B_{2,j}(\underline{u}')} + H_{2,j}(\underline{u}) \underline{E_{2,j}(\underline{u}')} + I_{2,j}(\underline{u}) \underline{H_{2,j}(\underline{u}')}],$$

$$\prod_{i \in \mathbb{N}: |i| \leq 4^{\lceil \frac{m-4}{3} \rceil}} \underline{H_{3,i}(\underline{u})} = \prod_{j \in \mathbb{N}: |j| \leq 4^{\lceil \frac{m-4}{3} \rceil}-1} [G_{3,j}(\underline{u}) \underline{B_{3,j}(\underline{u}')} + H_{3,j}(\underline{u}) \underline{E_{3,j}(\underline{u}')} + I_{3,j}(\underline{u}) \underline{H_{3,j}(\underline{u}')}].$$

The desired expression is obtained after replacing  $\underline{H_1(\underline{u})}, \dots, \underline{H_3(\underline{u})}$  with each of the four factors provided above.

After the eighth term of the representation,

$$(a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}}\xi^{s_{k+1}^{j+1}}(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}q^{D_k^{j+2}}a_k^{j+3}a_{k+1}^{j+3}q^{-D_k^{j+3}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+3}-s_{k+1}^{j+3}}+(a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \\ \times \xi^{s_{k+1}^{j+1}}(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}q^{-2}a_k^{j+2}q^{-D_k^{j+2}-D_{k+1}^{j+2}}(-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}} \\ +(a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}}\xi^{s_{k+1}^{j+1}}(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}q^{-2}a_k^{j+2}q^{-D_k^{j+2}-D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}} \\ \times (a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}}+(a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}}\xi^{s_{k+1}^{j+1}}(a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}a_k^{j+2}a_{k+1}^{j+2} \\ \times q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}-s_{k+1}^{j+2}}q^{-D_{k+1}^{j+3}}+q^{D_k^{j+2}}a_k^{j+2}a_{k+1}^{j+2}q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} \\ \times (a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}}\xi^{s_k^{j+2}}a_k^{j+3}a_{k+1}^{j+3}q^{-D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} \\ +q^{D_k^{j+1}}a_k^{j+2}a_{k+1}^{j+2}q^{-D_k^{j+2}-3D_{k+1}^{j+2}}\xi^{s-s_k^{j+2}-s_{k+1}^{j+2}}q^{-D_k^{j+2}+D_{k+1}^{j+2}} \\ \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}}-q^{D_k^{j+1}}a_k^{j+2}a_{k+1}^{j+2}q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \\ \times \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}}q^{-2}q^{D_k^{j+2}}\xi^s(-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}}\xi^{s-s_k^{j+3}}$$

$$\begin{aligned}
& -q^{D_k^{j+1}} a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (-a_k^{j+2})^\dagger \\
& \times q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \\
& \times \xi^{s-s_{k+1}^{j+2}-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \\
& -q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_k^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\
& \times q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - q^{-2} a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \\
& \times \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}} + (a_{k+1}^{j+1})^\dagger q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} \\
& \times (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& + q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \\
& + q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} ,
\end{aligned}$$

corresponds to the final entry of the product. After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1}+D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{aligned}
& \begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\
& \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix} ,
\end{aligned}$$

would take the form,

$$\begin{aligned}
(a_{k+1}^{j+1})^\dagger & \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \right. \\
& \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}}
\end{aligned}$$

$$\begin{aligned}
& \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger \\
& \times q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger b q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big] ,
\end{aligned}$$

$$\begin{aligned}
& q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \right. \\
& \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} \\
& \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big] ,
\end{aligned}$$

$$q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \right. \\ - a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \\ \times \xi^{s-s_k^{j+3}} - a_k^{j+1} q^{-D_k^{j+1} - D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\ \left. q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right],$$

$$q^{-D_{k+1}^{j+1} - D_{k+1}^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-D_{k+1}^{j+2} - D_{k+1}^{j+3}} \right].$$

After grouping terms depending upon whether the first coefficient of the expression is  $(a_k^{j+1})^\dagger$ ,  $q^{-2}$ ,  $q^{D_k^{j+1} + D_{k+1}^{j+2}}$ , or  $q^{D_k^{j+2}}$ , the leading term from the higher order expansion, from products such as,

$$\begin{bmatrix} \mathbf{1}^{1,j} & \mathbf{4}^{1,j} & \mathbf{7}^{1,j} \\ \mathbf{2}^{1,j} & \mathbf{5}^{1,j} & \mathbf{8}^{1,j} \\ \mathbf{3}^{1,j} & \mathbf{6}^{1,j} & \mathbf{9}^{1,j} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+1} & \mathbf{4}^{1,j+1} & \mathbf{7}^{1,j+1} \\ \mathbf{2}^{1,j+1} & \mathbf{5}^{1,j+1} & \mathbf{8}^{1,j+1} \\ \mathbf{3}^{1,j+1} & \mathbf{6}^{1,j+1} & \mathbf{9}^{1,j+1} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+2} & \mathbf{4}^{1,j+2} & \mathbf{7}^{1,j+2} \\ \mathbf{2}^{1,j+2} & \mathbf{5}^{1,j+2} & \mathbf{8}^{1,j+2} \\ \mathbf{3}^{1,j+2} & \mathbf{6}^{1,j+2} & \mathbf{9}^{1,j+2} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+3} & \mathbf{4}^{1,j+3} & \mathbf{7}^{1,j+3} \\ \mathbf{2}^{1,j+3} & \mathbf{5}^{1,j+3} & \mathbf{8}^{1,j+3} \\ \mathbf{3}^{1,j+3} & \mathbf{6}^{1,j+3} & \mathbf{9}^{1,j+3} \end{bmatrix} \\ \times \begin{bmatrix} \mathbf{1}^{1,j+4} & \mathbf{4}^{1,j+4} & \mathbf{7}^{1,j+4} \\ \mathbf{2}^{1,j+4} & \mathbf{5}^{1,j+4} & \mathbf{8}^{1,j+4} \\ \mathbf{3}^{1,j+4} & \mathbf{6}^{1,j+4} & \mathbf{9}^{1,j+4} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+5} & \mathbf{4}^{1,j+5} & \mathbf{7}^{1,j+5} \\ \mathbf{2}^{1,j+5} & \mathbf{5}^{1,j+5} & \mathbf{8}^{1,j+5} \\ \mathbf{3}^{1,j+5} & \mathbf{6}^{1,j+5} & \mathbf{9}^{1,j+5} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+6} & \mathbf{4}^{1,j+6} & \mathbf{7}^{1,j+6} \\ \mathbf{2}^{1,j+6} & \mathbf{5}^{1,j+6} & \mathbf{8}^{1,j+6} \\ \mathbf{3}^{1,j+6} & \mathbf{6}^{1,j+6} & \mathbf{9}^{1,j+6} \end{bmatrix} \begin{bmatrix} \mathbf{1}^{1,j+7} & \mathbf{4}^{1,j+7} & \mathbf{7}^{1,j+7} \\ \mathbf{2}^{1,j+7} & \mathbf{5}^{1,j+7} & \mathbf{8}^{1,j+7} \\ \mathbf{3}^{1,j+7} & \mathbf{6}^{1,j+7} & \mathbf{9}^{1,j+7} \end{bmatrix},$$

would take the form,

$$(a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \right. \\ \times \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2} - D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger \\ \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger \\ \times q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big] \\ \times (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} \right. \\ \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4} - D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\ \left. + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger \right. \\ \left. \times q^{D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5} - 3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right],$$

$$q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \right. \\ \times \xi^{s-s_k^{j+3} - s_{k+1}^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-D_k^{j+2} + D_{k+1}^{j+2}} \\ \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2} - 3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2} - s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\ \times q^{D_k^{j+3} - 3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \Big] \\ \times q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5} - 3D_{k+1}^{j+5}} \right. \\ \left. \times \xi^{s-s_k^{j+5} - s_{k+1}^{j+5}} + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4} - 3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4} - s_{k+1}^{j+4}} q^{-D_k^{j+4} + D_{k+1}^{j+4}} \right]$$

$$\begin{aligned} & \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} - a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\ & \quad \times q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}}, \end{aligned}$$

$$\begin{aligned} & q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \right. \\ & \quad - a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \\ & \quad \times \xi^{s-s_k^{j+3}} - a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\ & \quad \left. \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right] \\ & \times q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger \right. \\ & \quad \times q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_{k+1}^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger \\ & \quad \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-2} \\ & \quad \times q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \left. \right], \end{aligned}$$

$$\begin{aligned} & q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} \right. \\ & \quad \times q^{-D_{k+1}^{j+3}-D_{k+1}^{j+4}} \left[ (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\ & \quad \left. \left. + q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \right] \right]. \end{aligned}$$

Denoting,

$$\begin{aligned} & \underline{\mathcal{T}_{(3,3)}^1} \equiv (a_{k+1}^{j+1})^\dagger \left[ q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{D_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+2}} \right. \\ & \quad \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} q^{-2} a_k^{j+2} q^{-D_k^{j+2}-D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \\ & \quad \times \xi^{s-s_k^{j+3}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} \\ & \quad \times a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_{k+1}^{j+2}} + q^{D_{k+1}^{j+1}} \xi^{s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}} (a_{k+1}^{j+2})^\dagger \\ & \quad \times q^{D_k^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \left. \right], \\ & \underline{\mathcal{T}_{(3,3)}^2} \equiv q^{D_k^{j+1}} \left[ a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} (a_k^{j+2})^\dagger q^{D_k^{j+2}} \xi^{s_k^{j+2}} a_k^{j+3} a_{k+1}^{j+3} q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \right. \\ & \quad \times \xi^{s-s_k^{j+3}-s_{k+1}^{j+3}} + a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} \\ & \quad \times (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} - a_k^{j+2} a_{k+1}^{j+2} q^{-D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_k^{j+2}-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\ & \quad \times q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \left. \right], \\ & \underline{\mathcal{T}_{(3,3)}^3} \equiv q^{-2} \left[ a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-D_k^{j+2}+D_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{-D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} \right. \end{aligned}$$

$$\begin{aligned}
& -a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \\
& \times \xi^{s-s_k^{j+3}} - a_k^{j+1} q^{-D_k^{j+1}-D_{k+1}^{j+1}} \xi^{s-s_{k+1}^{j+1}} (-a_{k+1}^{j+2})^\dagger q^{D_k^{j+2}-3D_{k+1}^{j+2}} \xi^{s-s_{k+1}^{j+2}} q^{-2} q^{D_k^{j+2}} \xi^s (-a_{k+1}^{j+3})^\dagger \\
& \quad \left. q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} \right],
\end{aligned}$$

$$\mathcal{T}_{(3,3)}^4 \equiv q^{-D_{k+1}^{j+1}-D_{k+1}^{j+2}} \left[ (a_{k+1}^{j+2})^\dagger q^{D_{k+1}^{j+2}} \xi^{s_{k+1}^{j+2}} (-a_{k+1}^{j+3})^\dagger q^{D_k^{j+3}-3D_{k+1}^{j+3}} \xi^{s-s_k^{j+3}} + q^{-D_{k+1}^{j+2}-D_{k+1}^{j+3}} \right].$$

Furthermore, denoting,

$$\begin{aligned}
I_1(\underline{u}) &\equiv (a_{k+1}^{j+3})^\dagger \left[ q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} q^{-D_k^{j+5}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} \right. \\
& + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} q^{-2} a_k^{j+4} q^{-D_k^{j+4}-D_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \\
& + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_{k+1}^{j+4}} + q^{D_{k+1}^{j+3}} \xi^{s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger \\
& \quad \left. \times q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} (a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right],
\end{aligned}$$

$$\begin{aligned}
I_2(\underline{u}) &\equiv q^{D_k^{j+3}} \left[ a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} (a_k^{j+4})^\dagger q^{D_k^{j+4}} \xi^{s_k^{j+4}} a_k^{j+5} a_{k+1}^{j+5} \right. \\
& \quad \times q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \\
& \quad \times \xi^{s-s_k^{j+5}-s_{k+1}^{j+5}} + a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} \\
& \quad \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+4} a_{k+1}^{j+4} q^{-D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}-s_{k+1}^{j+4}} \\
& \quad \left. \times q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right],
\end{aligned}$$

$$\begin{aligned}
I_3(\underline{u}) &\equiv q^{-2} \left[ a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_k^{j+4}} q^{-D_k^{j+4}+D_{k+1}^{j+4}} \right. \\
& \quad \times (-a_{k+1}^{j+5})^\dagger q^{-D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+3}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger
\end{aligned}$$

$$\begin{aligned}
& \quad \times q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-2} q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger \\
& \quad \times q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} - a_k^{j+3} q^{-D_k^{j+3}-D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+3}} (-a_{k+1}^{j+4})^\dagger q^{D_k^{j+4}-3D_{k+1}^{j+4}} \xi^{s-s_{k+1}^{j+4}} q^{-2} \\
& \quad \times q^{D_k^{j+4}} \xi^s (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \Big],
\end{aligned}$$

$$\begin{aligned}
I_4(\underline{u}) &\equiv q^{-D_{k+1}^{j+3}-D_{k+1}^{j+4}} \left[ (a_{k+1}^{j+4})^\dagger q^{D_{k+1}^{j+4}} \xi^{s_{k+1}^{j+4}} (-a_{k+1}^{j+5})^\dagger q^{D_k^{j+5}-3D_{k+1}^{j+5}} \xi^{s-s_k^{j+5}} \right. \\
& \quad \left. + q^{-D_{k+1}^{j+4}-D_{k+1}^{j+5}} \right],
\end{aligned}$$

higher-order terms emerge from,

$$\left[ \mathcal{T}_{(3,3)}^1 + \mathcal{T}_{(3,3)}^2 + \mathcal{T}_{(3,3)}^3 + \mathcal{T}_{(3,3)}^4 \right] I_1(\underline{u}),$$

$$\left[ \mathcal{T}_{(3,3)}^1 + \mathcal{T}_{(3,3)}^2 + \mathcal{T}_{(3,3)}^3 + \mathcal{T}_{(3,3)}^4 \right] I_2(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(3,3)}^1 + \underline{\mathcal{T}}_{(3,3)}^2 + \underline{\mathcal{T}}_{(3,3)}^3 + \underline{\mathcal{T}}_{(3,3)}^4 \right] I_3(\underline{u}),$$

$$\left[ \underline{\mathcal{T}}_{(3,3)}^1 + \underline{\mathcal{T}}_{(3,3)}^2 + \underline{\mathcal{T}}_{(3,3)}^3 + \underline{\mathcal{T}}_{(3,3)}^4 \right] I_4(\underline{u}).$$

Taking a product over each of the  $I(\underline{u})$  factors, corresponding to at most  $4\lceil\frac{m-4}{3}\rceil$  terms,

$$\begin{aligned} \prod_{i \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil} I_{1,i}(\underline{u}) &= \prod_{j \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil - 1} [G_{1,j}(\underline{u}) \underline{C}_{1,j}(\underline{u}') + H_{1,j}(\underline{u}) \underline{F}_{1,j}(\underline{u}') + I_{1,j}(\underline{u}) \underline{I}_{1,j}(\underline{u}')] , \\ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil} I_{2,i}(\underline{u}) &= \prod_{j \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil - 1} [G_{2,j}(\underline{u}) \underline{C}_{2,j}(\underline{u}') + H_{2,j}(\underline{u}) \underline{F}_{2,j}(\underline{u}') + I_{2,j}(\underline{u}) \underline{I}_{2,j}(\underline{u}')] , \\ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil} I_{3,i}(\underline{u}) &= \prod_{j \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil - 1} [G_{3,j}(\underline{u}) \underline{C}_{3,j}(\underline{u}') + H_{3,j}(\underline{u}) \underline{F}_{3,j}(\underline{u}') + I_{3,j}(\underline{u}) \underline{I}_{3,j}(\underline{u}')] , \\ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil} I_{4,i}(\underline{u}) &= \prod_{j \in \mathbb{N}: |i| \leq 4\lceil\frac{m-4}{3}\rceil - 1} [G_{4,j}(\underline{u}) \underline{C}_{4,j}(\underline{u}') + H_{4,j}(\underline{u}) \underline{F}_{4,j}(\underline{u}') + I_{4,j}(\underline{u}) \underline{I}_{4,j}(\underline{u}')] . \end{aligned}$$

The desired expression is obtained after replacing  $I_1(\underline{u}), \dots, I_4(\underline{u})$  with each of the four factors provided above. With each entry of the three-dimensional product representation exhausted, we conclude the argument.  $\square$

## 2.4 Re-formulating the system of Poisson brackets with entries of the three-dimensional product representation

We make use of all entries of the three-dimensional product representation below. Before incorporating all of the products of  $A, B, C, D, E, F, G, H$ , or  $I$  factors after each  $\mathcal{T}$  factor, we asymptotically approximate each of the 81 brackets below. With such approximations to each Poisson bracket, we establish the sequence of constants that are provided in the *Main Result*. With the set of relations obtained for the generalized product representation, the system of 81 Poisson brackets is equivalent, term by term, to the system:

$$\left\{ \begin{array}{l} (1) : \{A(\underline{u}), A(\underline{u}')\} = \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,1)}^1)' + (\underline{\mathcal{T}}_{(1,1)}^2)' + (\underline{\mathcal{T}}_{(1,1)}^3)' + (\underline{\mathcal{T}}_{(1,1)}^4)' + (\underline{\mathcal{T}}_{(1,1)}^5)' + (\underline{\mathcal{T}}_{(1,1)}^6)' \right] \left[ \underline{A}_1(\underline{u}') + \underline{A}_2(\underline{u}') + \underline{A}_3(\underline{u}') \right. \right. \\ \left. \left. + \underline{A}_4(\underline{u}') + \underline{A}_5(\underline{u}') \right] \right\}, \\ (2) : \{A(\underline{u}), B(\underline{u}')\} = \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,2)}^1)' + (\underline{\mathcal{T}}_{(1,2)}^2)' + (\underline{\mathcal{T}}_{(1,2)}^3)' + (\underline{\mathcal{T}}_{(1,2)}^4)' \right] \left[ \underline{B}_1(\underline{u}') + \underline{B}_2(\underline{u}') + \underline{B}_3(\underline{u}') + \underline{B}_4(\underline{u}') \right] \right\}, \\ (3) : \{A(\underline{u}), C(\underline{u}')\} = \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,3)}^1)' + (\underline{\mathcal{T}}_{(1,3)}^2)' + (\underline{\mathcal{T}}_{(1,3)}^3)' + (\underline{\mathcal{T}}_{(1,3)}^4)' \right] \left[ \underline{C}_1(\underline{u}') + \underline{C}_2(\underline{u}') + \underline{C}_3(\underline{u}') + \underline{C}_4(\underline{u}') \right] \right\}, \\ (4) : \{A(\underline{u}), D(\underline{u}')\} = \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(2,1)}^1)' + (\underline{\mathcal{T}}_{(2,1)}^2)' + (\underline{\mathcal{T}}_{(2,1)}^3)' + (\underline{\mathcal{T}}_{(2,1)}^4)' \right] \left[ \underline{D}_1(\underline{u}') + \underline{D}_2(\underline{u}') + \underline{D}_3(\underline{u}') + \underline{D}_4(\underline{u}') \right] \right\}, \end{array} \right.$$















corresponding to the set of equalities obtained for **Lemma 6**,

$$\begin{aligned} \left[ \begin{array}{l} D(\underline{u}) \\ E(\underline{u}) \\ F(\underline{u}) \end{array} \right] \equiv & \left[ \begin{array}{l} \left[ \mathcal{T}_{(2,1)}^1 + \mathcal{T}_{(2,1)}^2 + \mathcal{T}_{(2,1)}^3 + \mathcal{T}_{(2,1)}^4 \right] \left[ \underline{D}_1(\underline{u}) + \underline{D}_2(\underline{u}) + \underline{D}_3(\underline{u}) + \underline{D}_4(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{D}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{D}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{D}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{D}_{4,i}(\underline{u}) \right] \\ \left[ \mathcal{T}_{(2,2)}^1 + \mathcal{T}_{(2,2)}^2 + \mathcal{T}_{(2,2)}^3 + \mathcal{T}_{(2,2)}^4 + \mathcal{T}_{(2,2)}^5 + \mathcal{T}_{(2,2)}^6 \right] \left[ \underline{E}_1(u) + \underline{E}_2(\underline{u}) + \underline{E}_3(\underline{u}) + \underline{E}_4(\underline{u}) + \underline{E}_5(\underline{u}) + \underline{E}_6(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{E}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{E}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{E}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{E}_{4,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{E}_{5,i}(\underline{u}) \right] \\ \left[ \mathcal{T}_{(2,3)}^1 + \mathcal{T}_{(2,3)}^2 + \mathcal{T}_{(2,3)}^3 \right] \left[ \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{F}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{F}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{F}_{3,i}(\underline{u}) \right] \end{array} \right], \end{aligned}$$

corresponding to the set of equalities obtained for **Lemma 7**, and,

$$\begin{aligned} \left[ \begin{array}{l} G(\underline{u}) \\ H(\underline{u}) \\ I(\underline{u}) \end{array} \right] \equiv & \left[ \begin{array}{l} \left[ \mathcal{T}_{(3,1)}^1 + \mathcal{T}_{(3,1)}^2 + \mathcal{T}_{(3,1)}^3 + \mathcal{T}_{(3,1)}^4 + \mathcal{T}_{(3,1)}^5 \right] \left[ \underline{G}_1(\underline{u}) + \underline{G}_2(\underline{u}) + \underline{G}_3(\underline{u}) + \underline{G}_4(\underline{u}) + \underline{G}_5(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{G}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{G}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{G}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{G}_{4,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{G}_{5,i}(\underline{u}) \right] \\ \left[ \mathcal{T}_{(3,2)}^1 + \mathcal{T}_{(3,2)}^2 + \mathcal{T}_{(3,2)}^3 \right] \left[ \underline{H}_1(\underline{u}) + \underline{H}_2(\underline{u}) + \underline{H}_3(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{H}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{H}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{H}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{H}_{4,i}(\underline{u}), \right] \\ \left[ \mathcal{T}_{(3,3)}^1 + \mathcal{T}_{(3,3)}^2 + \mathcal{T}_{(3,3)}^3 + \mathcal{T}_{(3,3)}^4 \right] \left[ \underline{I}_1(\underline{u}) + \underline{I}_2(\underline{u}) + \underline{I}_3(\underline{u}) + \underline{I}_4(\underline{u}) \right] \\ \times \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{I}_{1,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{I}_{2,i}(\underline{u}) \right. \\ \left. + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{I}_{3,i}(\underline{u}) + \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{I}_{4,i}(\underline{u}) \right] \end{array} \right], \end{aligned}$$

corresponding to the set of equalities obtained for **Lemma 8**.

## 2.5 Poisson bracket approximations in asymptotic weak finite volume

With approximations for each entry of the three-dimensional product representation, below we demonstrate, for each Poisson bracket within the system, how terms can be asymptotically approximated in

the weak finite volume limit. In comparison to approximating the 16 brackets asymptotically for two-dimensional Poisson structure in the presence of inhomogeneities, as studied in [38], approximating brackets asymptotically for three-dimensional Poisson structure, as exhibited below, is dependent upon a more complicated series of computations. Such computations are not only dependent upon the formula for each entry of the three-dimensional product representation obtained in the previous section, but also on the total number of Poisson brackets that are summed over after one application of the bilinearity property. Beginning with the first Poisson bracket, we group together terms appropriately within each argument of the Poisson bracket, after which we apply the sequence of arguments, consisting of the following 5 steps:

- (1) : one application of the bilinearity, (BL), property, to separate terms from  $\mathcal{T}, A, B, C, D, E, F, G, H$ , or  $I$ , factors,
- (2) : one application of the Leibniz rule, (LR), to simplify the number of terms appearing in the first argument of the Poisson bracket from two to one,
- (3) : one application of the anticommutativity, (AC), property, to reverse the order in which the arguments appear in the superposition of two Poisson brackets obtained after an application of (LR) in the previous step,
- (4) : one application of the Leibniz rule, (LR), to simplify the number of arguments appearing in the first argument of the first Poisson bracket from the superposition of Poisson brackets obtained in the second step,
- (5) : a final application of the Leibniz rule, (LR), to simplify the number of arguments appearing in the first argument of the second Poisson bracket from the superposition of Poisson brackets obtained in the second step,
- (6) : taking a product over constants obtained for each Poisson bracket, to obtain each of the 81 constants for approximating each Poisson bracket from the three-dimensional Poisson structure.

After having performed each of the six steps above, we obtain the desired approximation for each Poisson bracket, within the three-dimensional family, by taking a product over approximations for Poisson brackets before the product of at most  $4\lceil \frac{m-4}{3} \rceil$  terms was substituted in. For example, given the first bracket,

$$\left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,1)}^1)' + (\underline{\mathcal{T}}_{(1,1)}^2)' + (\underline{\mathcal{T}}_{(1,1)}^3)' + (\underline{\mathcal{T}}_{(1,1)}^4)' + (\underline{\mathcal{T}}_{(1,1)}^5)' + (\underline{\mathcal{T}}_{(1,1)}^6)' \right] \left[ \underline{A}_1(\underline{u}') + \underline{A}_2(\underline{u}') + \underline{A}_3(\underline{u}') + \underline{A}_4(\underline{u}') + \underline{A}_5(\underline{u}') \right] \right\},$$

can be used to asymptotically approximate,

$$\begin{aligned} & \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{1,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{2,i}(\underline{u}) + \right. \right. \\ & \quad \left. \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{3,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{4,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{5,i}(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,1)}^1)' + (\underline{\mathcal{T}}_{(1,1)}^2)' + (\underline{\mathcal{T}}_{(1,1)}^3)' \right. \\ & \quad \left. + (\underline{\mathcal{T}}_{(1,1)}^4)' + (\underline{\mathcal{T}}_{(1,1)}^5)' + (\underline{\mathcal{T}}_{(1,1)}^6)' \right] \left[ \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{1,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{2,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{3,i}(\underline{u}) \right. \\ & \quad \left. + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{4,i}(\underline{u}) + \prod_{i \in \mathbb{N}: |i| \leq 4\lceil \frac{m-4}{3} \rceil} \underline{A}_{5,i}(\underline{u}) \right] \right\}, \end{aligned}$$

from the observation that the bracket above is equivalent to, after having followed the first 5 steps provided at the beginning of the section,

$$\begin{aligned}
& \left\{ \left[ \sum_{k \in \mathbf{N}: 1 \leq k \leq 6} \underline{\mathcal{T}_{(1,1)}^k} \right] \left[ \sum_{j \in \mathbf{N}: 1 \leq j \leq 5} \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j,i}(\underline{u})} \right] \right], \left[ \sum_{k' \in \mathbf{N}: 1 \leq k \leq 6} (\underline{\mathcal{T}_{(1,1)}^{k'}})' \right] \left[ \sum_{j' \in \mathbf{N}: 1 \leq j' \leq 5} \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j',i}(\underline{u})} \right] \right] \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{k \in \mathbf{N}: 1 \leq k \leq 6 \\ j \in \mathbf{N}: 1 \leq j \leq 5 \\ k' \in \mathbf{N}: 1 \leq k \leq 6 \\ j' \in \mathbf{N}: 1 \leq j' \leq 5}} \left\{ \underline{\mathcal{T}_{(1,1)}^k} \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j,i}(\underline{u})} \right], (\underline{\mathcal{T}_{(1,1)}^{k'}})' \left[ \prod_{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j',i}(\underline{u})} \right] \right\} \\
& \quad \vdots \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{k \in \mathbf{N}: 1 \leq k \leq 6 \\ j \in \mathbf{N}: 1 \leq j \leq 5 \\ k' \in \mathbf{N}: 1 \leq k \leq 6 \\ j' \in \mathbf{N}: 1 \leq j' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left[ \prod_{j \neq j' \in \mathbf{N}: |i|, |j|, |j'| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j,i}(\underline{u})} \underline{A_{j',i}(\underline{u})} \right] + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \right. \\
& \quad \times \left\{ \prod_{\substack{i \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil \\ j \neq j' \in \mathbf{N}: |j|, |j'| \leq 4 \lceil \frac{m-4}{3} \rceil}} \underline{A_{j,i}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left[ \prod_{i, j \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j,i}(\underline{u})} \right] + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \\
& \quad \times \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \prod_{j \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j,i}(\underline{u})} \right\} \left[ \prod_{j' \in \mathbf{N}: |i| \leq 4 \lceil \frac{m-4}{3} \rceil} \underline{A_{j',i}(\underline{u})} \right] + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \right. \\
& \quad \times \left. \left. \prod_{i \neq j \neq j' \in \mathbf{N}: |i|, |j|, |j'| \leq 4 \lceil \frac{m-4}{3} \rceil} \left\{ \underline{A_{j,i}(\underline{u})}, \underline{A_{j',i}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

The asymptotic approximation for Poisson brackets of the form above, namely brackets involving products of  $A, B, C, D, E, F, G, H$ , or  $I$ , terms, above is obtained from manipulating a simpler Poisson bracket before the product of terms over  $i, j, j', k$  or  $k'$  is inserted into expressions, from the previous section, that were introduced for each of the 9 entries of the L-operator product representation.

*Proof of Main Result.* Refer to the computations for each of the 81 Poisson brackets in the Appendix before the References. As discussed in the beginning of 2.5, the constant approximating each bracket is obtained by applying the sequence of 6 steps, one application of (BL), one application of (LR), one application of (AC), two applications of (LR), followed by further manipulation of entries of the three-dimensional product representation obtained in the previous section, from which we conclude the argument.  $\square$

### 3 Crossing probabilities for the 20-vertex model

#### 3.1 Introduction

As alluded to previously leading up to discussions of Poisson structure and QISM-type methods in the Paper Organization, 1.7, crossing probabilities remain a central object of study in Statistical Physics, one recent example of which appears in the seminal work of [10] in which it was shown that the height function of square ice for the six-vertex model logarithmically delocalizes. Despite the fact that crossing probability estimates for the six-vertex model can be analyzed for other classes of boundary conditions, namely boundary conditions with a rational slope lying in  $(-1, 1) \times (-1, 1)$  for establishing that a similar result holds, as well as other analogues for crossing probabilities of the Ashkin-Teller, generalized random-cluster, and  $(q_\sigma, q_\tau)$ -spin models, [36], from crossing probabilities in sufficiently flat boundary conditions, such objects do not seem to have been previously examined for the 20-vertex model. In the 20-vertex model, in comparison to the 6-vertex model, obstacles to obtaining Russo-Seymour-Welsh results, or at very least crossing probability estimates, stem from the fact that it is not clear as to whether the triangular height function representation satisfies the Fortuin-Kesetelyn-Ginibre, (FKG), lattice condition, which is heavily used throughout all of the square ice proofs for decoupling the probability that certain crossing events occur together simultaneously. Nevertheless, independently of whether the 20-vertex model has its own version of the (FKG) inequality, or even the Spatial Markov Property, (SMP), in the last section of the paper we exhibit how observations from Poisson structure, and Integrable Probability, can be connected with notions from discrete Probability, which continue to remain connections of future interest.

### 3.2 20-vertex objects

For sufficiently flat boundary conditions  $\xi$  that do not have rational slope, from the probability measure  $\mathbf{P}_T^{20V,\xi}[\cdot] \equiv \mathbf{P}^{20V,\xi}[\cdot]$  introduced in 1.3, one can define a ‘triangularized’ analog of crossing probabilities, from those introduced for the 6-vertex model and square ice, with the quantity,

$$\mathbf{P}_T^{20V,\xi} \left[ (\{0\} \times \{0\} \times \{0\}) \xleftrightarrow[T]{h \geq ck} ([0, M_1] \times [0, M_2] \times [0, N]) \right],$$

corresponding to the crossing probability of obtaining an infinite connected component from the origin of the triangular lattice,  $\{0\} \times \{0\} \times \{0\}$ , to some distance away from the origin of  $\mathbf{T}$  as  $\underline{M} \equiv (M_1, M_2) \rightarrow +\infty$ , and as  $N \rightarrow -\infty$ , supported over some  $T \subsetneq \mathbf{T}$ . For the sake of completeness, crossing events such as the one above are quantified from crossing events, which take the form,

$$\{A \xleftrightarrow[T]{h \geq ck} B\},$$

in which the 20-vertex height function achieves a height of at least  $ck$ , for some  $c > 0$  and  $k \geq 1$ , at each face of the  $\mathbf{T}$  which connects  $A, B \subset F(\mathbf{T})$ . Despite the fact that it is expected to be easier for the 20-vertex height function to have a crossing across  $h \geq ck$  as the threshold is taken to 0 from above, as is the case for the 6-vertex height function, under the assumption that (FKG) does not hold, crossing probabilities, such as the one provided above can be analyzed by taking the limit,

$$\lim_{\substack{i \rightarrow +\infty \\ j \rightarrow -\infty}} \mathbf{P}_T^{20V,\xi} \left[ (\{0\} \times \{0\} \times \{0\}) \xleftrightarrow[T]{h \geq ck} ([0, M_{1,i}] \times [0, M_{2,i}] \times [0, N_j]) \right],$$

in which  $M_{1,i}$ ,  $M_{2,i}$ , and  $N_j$  are inserted into the 20-vertex crossing probability in place of  $M_1$ ,  $M_2$ , and  $N$ , respectively. We denote the limit of crossing probabilities above for the 20-vertex model with  $p_{M_{1,i}, M_{2,i}, N_j} \equiv p_{i,j}$ . Equipped with these  $p_{i,j}$ , it is then of interest to determine how crossing probability estimates for the 6-vertex model over the strip, cylinder, and torus, could be established for the 20-vertex model. Even if the (FKG)-lattice condition is later verified for the 20-vertex model, obtaining estimates for crossing probabilities of two, and three, dimensional height functions in the absence of the (FKG) inequality is always a research direction of great interest to discrete probabilists, primarily for determining whether RSW-type results can be obtained for probability measures, and various models of Statistical Physics, which do not enjoy monotonicity. To this end, one can still define, as introduced from seminal arguments in [10], several objects associated with crossing probabilities for the two-dimensional height function, which in three dimensions over  $\mathbf{T}$  include symmetric domains, beginning first with collections of crossing events across the strip. In strips of  $\mathbf{T}$ , in comparison to strips of  $\mathbf{Z}^2$ , the probability of obtaining a crossing of the triangular height function, in the absence of (FKG), can still be expressed from conditional probabilities of crossing events across favorable domains. For the 20-vertex model, such suitable domains, in comparison to those adapted for the level set percolation on the Gaussian free-field which do not enjoy  $\frac{\pi}{3}$  rotational symmetry, [38], amongst those for several other models [10, 37, 36], can be introduced without any rotational invariance either, from the fact that it is expected that the 20-vertex height function, in comparison to the 6-vertex height function, is not rotationally invariant. With such remarks in mind, introduce,

$$\mathbf{P}_{\mathcal{D}}^{20V,\xi} \left[ (\{0\} \times \{0\} \times \{0\}) \xleftrightarrow[T \cap \mathcal{D}]{h \geq ck} ([0, m_1] \times [0, m_2] \times [0, n_1]) \right],$$

corresponding to the 20-vertex crossing probability, supported across some nonempty, triangular, domain  $\mathcal{D}$ ,

$$\begin{aligned} \lim_{\substack{i \rightarrow +\infty \\ j \rightarrow -\infty}} \mathbf{P}_{\mathcal{D}}^{20V,\xi} \left[ (\{0\} \times \{0\} \times \{0\}) \xleftrightarrow[T]{h \geq ck} ([0, M_{1,i}] \times [0, M_{2,i}] \times [0, N_j]) \middle| (\{0\} \times \{0\} \times \{0\}) \xleftrightarrow[T \cap \mathcal{D}]{h \geq ck} ([0, m_1] \right. \\ \left. \times [0, m_2] \times [0, n_1]) \right], \end{aligned}$$

corresponding to crossing probability that a connected component occurs in the 20-vertex model, conditionally upon the fact that there exists a crossing across  $\mathcal{D}$  over  $\mathbf{T} \cap \mathcal{D}$ ,

$$\mathbf{P}_{\mathcal{D}}^{20V,\xi}[\gamma_{L,\mathcal{D}} \xrightarrow[\mathbf{T} \cap \mathcal{D}]{}^{\text{h}\geq ck} \gamma_{R,\mathcal{D}}],$$

corresponding to the crossing probability across  $\mathcal{D}$  between the left and right boundaries,

$$\begin{aligned} \gamma_{L,\mathcal{D}} &\equiv \bigcup_{\text{vertices } v} \{\forall v \in V(\mathbf{T}), \exists i, i', j \in \mathbf{N} : v \cap V(\mathcal{D}) \neq \emptyset, \mathbf{P}_{\mathcal{D}}^{20V,\xi}[v \xrightarrow[\mathbf{T} \cap \mathcal{D}]{}^{\text{h}\geq ck} ([0, M_i] \times [0, M_{i'}] \times [0, N_j])] > 0\}, \\ \gamma_{R,\mathcal{D}} &\equiv \bigcup_{\text{vertices } v} \{\forall v' \in V(\mathbf{T}), \exists v \in V(\mathcal{D}) : v' \cap \gamma_{L,\mathcal{D}} \equiv \emptyset, \mathbf{P}_{\mathcal{D}}^{20V,\xi}[v \xrightarrow[\mathbf{T} \cap \mathcal{D}]{}^{\text{h}\geq ck} v] > 0\}, \end{aligned}$$

respectively, of  $\mathcal{D}$ ,

$$\{\mathbf{P}_{\mathcal{D}_1}^{20V,\xi}[\gamma_{L,\mathcal{D}_1} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} \gamma_{R,\mathcal{D}_1}]\} \bigcup \cdots \bigcup \{\mathbf{P}_{\mathcal{D}_n}^{20V,\xi}[\gamma_{L,\mathcal{D}_n} \xrightarrow[\mathbf{T} \cap \mathcal{D}_n]{}^{\text{h}\geq ck} \gamma_{R,\mathcal{D}_n}]\},$$

corresponding to the union of crossing probabilities across a sequence of domains,  $\mathcal{D}_1, \dots, \mathcal{D}_n$ , for some  $n > 0$ , each of which is embedded in strips of  $\mathbf{T}$ . Equipped with such objects, under a pair of boundary conditions for the 20-vertex model with sufficiently flat sloped,  $\xi$ , as introduced at the beginning of the section, abbreviate,

$$\mathbf{P}^{20V,\xi}[\cdot] \equiv \mathbf{P}^\xi[\cdot],$$

from which arguments surrounding  $\mathbf{T}$  crossing probabilities, along with crossing estimates across domains, can be studied independently of the (FKG) inequality by analyzing,

$$\begin{aligned} &\mathbf{P}_{\mathcal{D}_1}^\xi[\gamma_{L,\mathcal{D}} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} F_{\max}], \\ &\mathbf{P}_{\mathcal{D}_1}^\xi[\gamma_{R,\mathcal{D}} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} F_{\max}] \\ 0 &\leq \frac{\mathbf{P}_{\mathcal{D}_1}^\xi[F_{\max} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} F_{\max-2\delta}]}{\mathbf{P}_{\mathcal{D}_1}^\xi[F_{\max} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} F_{\max-\delta}]} \leq \epsilon, \end{aligned} \tag{*}$$

across  $\mathcal{D}_1$ , corresponding to the crossing probabilities between left, and right, boundaries of suitable domains  $\mathcal{D}$ , for,

$$F_{\max} \equiv \sup_{F \in F(\mathbf{T})} \{F' \in F(\mathbf{T}) : h|_F > h|_{F'}, h|_F \geq ck\},$$

along with the ratio of crossing probabilities between  $F_{\max}$  and other faces within  $\mathcal{D}$ , which can be taken to be arbitrarily small for suitable  $\epsilon$ , given sufficiently large  $\delta$ , and

$$F_{\max-n\delta} \equiv \{\forall n > 0, F_{\max} \in F(\mathbf{T}), \exists F \in \mathcal{F} : \mathbf{P}_{\mathcal{D}}^\xi[F_{\max} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{}^{\text{h}\geq ck} F] > 0\},$$

from the collection of faces,

$$\mathcal{F} \equiv \{F \in F(\mathbf{T}) : h|_{F_{\max}} = h|_F - n\lfloor\delta\rfloor \geq ck\} \subsetneq F(\mathbf{T}),$$

Given some  $c \neq c' \in \mathbf{R}$ , as  $c' \rightarrow 0^+$ , the fact that,

$$\frac{\mathbf{P}_T^\xi\left[\left(\{0\} \times \{0\} \times \{0\}\right) \xrightarrow[\mathbf{T}]{}^{\text{h}\geq c'k} \left([0, M_1] \times [0, M_2] \times [0, N]\right)\right]}{\mathbf{P}_T^\xi\left[\left(\{0\} \times \{0\} \times \{0\}\right) \xrightarrow[\mathbf{T}]{}^{\text{h}\geq ck} \left([0, M_1] \times [0, M_2] \times [0, N]\right)\right]} \stackrel{\substack{N \rightarrow -\infty \\ M_2 \rightarrow +\infty \\ M_1 \rightarrow +\infty \\ T \rightarrow \mathbf{T}}}{C(c, c') \in (0, +\infty]} \stackrel{c \rightarrow 0^+}{\substack{c' > c}} +\infty,$$

is expected to hold, in which the ratio of two crossing probabilities across  $\mathbf{T}$  concentrates around some real  $C$  that is dependent upon  $c$ , and  $c'$ , which captures the intuition that one would expect, in which crossing probabilities of the 20-vertex height function, like those of the 6-vertex height function, increase monotonically with respect to the threshold of the height function  $h$ , as it is more probable to obtain a large scale crossing of the 20-vertex height function across a lower threshold, rather than across a higher threshold. Quantifying the degree to which a domain which is embedded in  $\mathbf{T}$  is suitable for inducing a crossing event across smaller scales, which can be used to infer the existence of a crossing probability across large scales, and even in the best case an infinite connected component, can be captured by analyzing the probabilities,

$$\begin{aligned} \mathbf{P}_{\mathbf{T}}^{\xi}[(\{0\} \times \{0\} \times \{0\}) \xrightarrow[\mathbf{T}]{} \gamma_1], \\ \mathbf{P}_{\mathcal{D}_1}^{\xi}[\gamma_{1+\epsilon} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} \mathcal{L}(\mathcal{D})], \\ \mathbf{P}_{\mathcal{D}_1}^{\xi}[\gamma_3 \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} \partial \mathcal{D}_1], \end{aligned}$$

corresponding to 'analog' events for the three crossing events provided in (\*), which are instead dependent upon crossing events between the origin of  $\mathbf{T}$ , and paths,

$$\begin{aligned} \gamma_1 &\equiv \{\forall z \in \mathbf{T}, \exists k \in \mathbf{N} : \mathbf{P}_{\mathcal{D}_1}^{\xi}[(\{0\} \times \{0\} \times \{0,0\}) \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} (\mathcal{D}_1)|_k] = 1\}, \\ \gamma_{1+\epsilon} &\equiv \{\forall z \in \mathbf{T}, \exists k, \epsilon \in \mathbf{N} : \mathbf{P}_{\mathcal{D}_1}^{\xi}[(\{0\} \times \{0\} \times \{0,0\}) \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} (\mathcal{D}_1)|_{k(1+\epsilon)}] = 1\}, \\ \gamma_3 &\equiv \{z \in \mathbf{T} : \langle z, e_1 \rangle = 0\}, \end{aligned}$$

where  $e_1 =$ ,  $e_2 =$ , and  $e_3 =$  are the standard basis of  $\mathbf{T}$ , and, for  $L_k$ , the  $k$ th horizontal line of  $\mathbf{T}$ , there exists a subdomain  $(\mathcal{D}_1)|_k \equiv \mathcal{D} \cap L_k$  of  $\mathcal{D}$ . In the second crossing probability, for the connectivity event  $\{\gamma_{1+\epsilon} \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} \mathcal{L}(\mathcal{D})\}$ , the boundaries of  $\mathcal{D}$ , and triangular domains in general, are obtained by the following partition of the vertices of  $\partial \mathcal{D}$  evenly into 4 groups. Denote, for some  $j > 0$ ,  $x_j = t_j$ , where  $t_j = \{\forall 1 \leq k \leq |\partial \mathcal{D}|, \exists x \in \mathbf{T} : x_j \cap \mathcal{D} \neq \emptyset\}$ , in which,

$$\begin{aligned} \mathcal{L}(\mathcal{D}) &= \{\forall 1 \leq i \leq \frac{|\partial \mathcal{D}|}{4}, \exists z \in \mathbf{T} : z = x_i\}, \\ \mathcal{R}(\mathcal{D}) &= \{\forall \frac{|\partial \mathcal{D}|}{4} < i \leq \frac{|\partial \mathcal{D}|}{2}, \exists z \in \mathbf{T} : z = x_i\}, \\ \mathcal{T}(\mathcal{D}) &= \{\forall \frac{|\partial \mathcal{D}|}{2} < i \leq \frac{3|\partial \mathcal{D}|}{4}, \exists z \in \mathbf{T} : z = x_i\}, \\ \mathcal{B}(\mathcal{D}) &= \{\forall \frac{3|\partial \mathcal{D}|}{4} < i \leq |\partial \mathcal{D}|, \exists z \in \mathbf{T} : z = x_i\}, \end{aligned}$$

For the first probability, in the case that a triangular domain over strips of  $\mathbf{T}$  not intersect the origin, the crossing probability,

$$\mathbf{P}_{\mathbf{T}}^{\xi}[(\{0\} \times \{0\} \times \{0\}) \xrightarrow[\mathbf{T}]{} \gamma_1],$$

is asymptotically proportional to the first crossing probability,

$$\mathbf{P}_{\mathcal{D}_1}^{\xi}[(\{0\} \times \{0\} \times \{0\}) \xrightarrow[\mathbf{T} \cap \mathcal{D}_1]{} \gamma_1]$$

as  $\mathcal{D}_1 \rightarrow \mathbf{T}$ , in which  $\mathbf{P}_{\mathbf{T}}^{\xi}[\mathcal{D}_1 \cap (\{0\} \times \{0\} \times \{0\}) = \emptyset] = 0$ .

Denote a strip of  $\mathbf{T}$  as,

$$\mathcal{T} \equiv \left[ \{a\} \times [0, \delta_1] \right] \cap \left[ \{b\} \times [0, \delta_2] \right],$$

for  $a < b \in \mathbf{R}$ , and  $\delta_1 < \delta_2 \in \mathbf{R}$ . As  $\mathcal{T} \rightarrow \mathbf{T}$ ,

$$\left[ \{a\} \times [0, \delta_1] \right] \cap \left[ \{b\} \times [0, \delta_2] \right] \xrightarrow{\delta_1, \delta_2 \rightarrow +\infty} \left[ \{a\} \times \mathbf{Z} \right] \cap \left[ \{b\} \times \mathbf{Z} \right],$$

Furthermore, denote portions of the bottom and top of strips in  $\mathbf{T}$ , such as  $\mathcal{T}$  above, with,

$$\text{Top of strip} \equiv T(\mathcal{T}) \equiv \bigcup_{\text{vertices } v} \{v \in V(\mathbf{T}) : v \cap (V(\mathbf{T}) \text{ at } \{a\}) \neq \emptyset, \text{ or } v \cap (V(\mathbf{T}) \text{ at } [0, \delta_1]) \neq \emptyset\},$$

$$\text{Bottom of strip} \equiv B(\mathcal{T}) \equiv \bigcup_{\text{vertices } v} \{v \in V(\mathbf{T}) : v \cap (V(\mathbf{T}) \text{ at } \{b\}) \neq \emptyset, \text{ or } v \cap (V(\mathbf{T}) \text{ at } [0, \delta_2]) \neq \emptyset\}.$$

The crossing probabilities,

$$\begin{aligned} \mathbf{P}_{\mathcal{D}_1}^\xi \left[ (\{0\} \times \{0\} \times \{0\}) \xrightarrow[\mathbf{T} \cap \mathcal{D}]{}^{h \geq ck} ([0, m_1] \times [0, m_2] \times [0, n_1]) \right], \\ \mathbf{P}_{\mathcal{T}}^\xi \left[ (\{0\} \times \{0\} \times \{0\}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} ([0, m_1] \times [0, m_2] \times [0, n_1]) \right], \end{aligned}$$

across  $\mathcal{D}_1$ , and  $\mathcal{T}$ , can be related to one another, independently of the assumption that the 20-vertex probability measure  $\mathbf{P}^{20V}[\cdot]$  satisfies (FKG), through the existence of domains in  $\mathcal{T}$  for which,

$$\mathbf{P}_{\mathcal{T}}^\xi [T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T})]. \quad (*)$$

**Lemma 20V-CP-1** (*arbitrarily small probability that a crossing between the top and bottom of the strip*). Fix some  $c^* > 0$ . One has,

$$(*) \leq \exp \left( -c^*(|T(\mathcal{T})| - |B(\mathcal{T})|) \right) \approx 1 - c^*(|T(\mathcal{T})| - |B(\mathcal{T})|).$$

*Proof of Lemma 20V-CP-1.* We establish the result by induction over the "height" of the top boundary of the strip,  $T(\mathcal{T})$ . That is, if the top and bottom boundaries of the strip are taken to have a height of some arbitrarily small positive parameter  $\epsilon$ , in which,

$$|T(\mathcal{T})| - |B(\mathcal{T})| \equiv \left| |T(\mathcal{T})| - |B(\mathcal{T})| \right| \equiv \left| T(\mathcal{T}) - B(\mathcal{T}) \right| \approx \epsilon,$$

then the result will be shown to hold as the top boundary of the strip,  $T(\mathcal{T})$  approaches  $+\infty$ , from the observation that the crossing probability,

$$\mathbf{P}_{\mathcal{T}}^\xi \left[ T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T}) \mid |T(\mathcal{T}) - B(\mathcal{T})| \approx \epsilon \right],$$

conditionally upon the fact that,  $|T(\mathcal{T}) - B(\mathcal{T})| \approx \epsilon$ , can be bound above with,

$$\exp(-c_\epsilon^* \epsilon),$$

for some  $c_\epsilon^* > 0$ . As  $|T(\mathcal{T}) - B(\mathcal{T})| > \epsilon$ , the desired exponential in the statement of the result can be obtained from,

$$\begin{aligned} \sum_{\epsilon > 0} \mathbf{P}_{\mathcal{T}}^\xi \left[ T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T}) \mid |T(\mathcal{T}) - B(\mathcal{T})| \approx \epsilon \right] &\equiv \sum_{\epsilon > 0} \mathbf{P}_{\mathcal{T}}^\xi \left[ \left| T(\mathcal{T}) - B(\mathcal{T}) \right| \approx \epsilon \mid T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T}) \right] \\ &\quad \times \frac{\mathbf{P}_{\mathcal{T}}^\xi [T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T})]}{\mathbf{P}_{\mathcal{T}}^\xi [|T(\mathcal{T}) - B(\mathcal{T})| \approx \epsilon]} \\ &\approx \sum_{\epsilon_1, \epsilon_2 > 0} \frac{\epsilon_1}{\epsilon_2} \mathbf{P}_{\mathcal{T}}^\xi [T(\mathcal{T}) \xrightarrow[\mathcal{T}]{}^{h \geq ck} B(\mathcal{T})] \\ &\leq \sum_{\epsilon, \epsilon_1, \epsilon_2 > 0} \frac{\epsilon_1}{\epsilon_2} \exp(-c_\epsilon^* |T(\mathcal{T}) - B(\mathcal{T})|). \end{aligned}$$

The final term obtained above is approximately the exponential,

$$\exp(-c^*(\epsilon_1, \epsilon_2)|T(\mathcal{T}) - B(\mathcal{T})|),$$

from the observation that this same term is equivalent to,

$$\sum_{\epsilon, \epsilon_1, \epsilon_2 > 0} \exp(-c_\epsilon^* |T(\mathcal{T}) - B(\mathcal{T})| \log[\frac{\epsilon_1}{\epsilon_2}]),$$

from which we conclude the argument, as the leading order term of the final exponential above takes the form  $1 - c^*(\epsilon_1, \epsilon_2)|T(\mathcal{T}) - B(\mathcal{T})| \equiv 1 - c^*|T(\mathcal{T}) - B(\mathcal{T})|$ .  $\square$

In addition to the result above, crossing probabilities across domains embedded within  $\mathcal{T}$  can be further characterized from quantities that are studied in **Main Result**, which established approximations for a series of 81 Poisson brackets; depending upon the entry of the three-dimensional L-operator product, the Poisson bracket within the set of 81 relations, which constitute the three-dimensional Poisson structure, . Despite the fact that the 20-vertex model does not have integrability properties from integrability of limit shapes as does the inhomogeneous six-vertex model [24], which characterized conserved quantities from solutions to the Euler-Lagrange equations, domains in the 20-vertex model for which it is expected to have a sufficiently good crossing probability can be studied by not only keeping track of spectral parameters that are situated at each point within the interior of the domain, but also from interactions between different combinations of spectral parameters within the interior of the domain over finite volume.

**Lemma 20V-CP-2** (*crossing probabilities across domains*). Fix some  $c'$  sufficiently small. One has,

$$\mathbf{P}_\mathcal{T}^\xi [\mathcal{L}(\mathcal{D}_1) \xrightleftharpoons[\mathcal{D}_1]{h \geq ck} \mathcal{R}(\mathcal{D}_1)] < 1 - c'.$$

*Proof of Lemma 20V-CP-2.* To exhibit that the strict inequality provided above holds, observe that the crossing probability between the left and right sides of the domain can be decomposed as,

$$\sum_{\text{subdomains } \mathcal{D}'} \mathbf{P}_\mathcal{T}^\xi [\mathcal{L}(\mathcal{D}') \xrightleftharpoons[\mathcal{D}']{h \geq ck} \mathcal{R}(\mathcal{D}')].$$

Under such a decomposition, depending upon the size of the cardinality of the subdomains  $\mathcal{D}'$  that can be embedded completely within the interior of the original  $\mathcal{D}$ , an upper bound from the contribution of each crossing probability would be of the form,

$$C\left(\frac{\mathcal{D}'}{\mathcal{D}}, \mathcal{T}, c\right),$$

for some suitable constant that is dependent upon the size of the subdomain  $\mathcal{D}'$  relative to  $\mathcal{D}$ , the size of  $\mathcal{T}$ , and the threshold  $c$  for the height function. To demonstrate that an upper bound for each crossing probability with  $C$  above can be used to obtain the desired upper that is proportional to  $c'$ , observe,

$$\sum_{\text{subdomains } \mathcal{D}'} C\left(\frac{\mathcal{D}'}{\mathcal{D}}, \mathcal{T}, c\right),$$

is proportional to the probability, for sufficiently small  $C'_1$ , and  $x, y \in \mathcal{D}'$ ,

$$\mathbf{P}_\mathcal{T}^\xi \left[ \mathcal{L}(\mathcal{D}') \xrightleftharpoons[\mathcal{D}']{h \geq ck} \mathcal{R}(\mathcal{D}'), \{x, y\} \approx C'_1 \right],$$

which depends on the value of the Poisson bracket. The approximation to contributions from the Poisson bracket in the interior of the subdomains embedded in  $\mathcal{T}$  can be obtained depending upon the staggering of the interior of the domain, which is related to computations with the Poisson bracket in the **Main Result** from each of the 9 entries of the quantum monodromy, and transfer, matrices. Altogether,

$$\sum_{\text{subdomains } \mathcal{D}'} \mathbf{P}_T^\xi \left[ \mathcal{L}(\mathcal{D}') \xrightarrow[\mathcal{D}']{h \geq ck} \mathcal{R}(\mathcal{D}'), \{x, y\} \approx C'_1 \right],$$

yields the desired constant  $1 - c'$ , from the fact that each probability satisfies,

$$\mathbf{P}_T^\xi \left[ \mathcal{L}(\mathcal{D}') \xrightarrow[\mathcal{D}']{h \geq ck} \mathcal{R}(\mathcal{D}'), \{x, y\} \approx C'_1 \right] \approx \frac{\mathcal{C}}{c} |\mathcal{D}'|,$$

for some strictly positive  $\mathcal{C}$  which implies that the strict inequality,

$$\sum_{\text{subdomains } \mathcal{D}'} \frac{\mathcal{C}}{c} |\mathcal{D}'| < 1 - c',$$

holds by taking each small enough, from which we conclude the argument.  $\square$

## 4 Discussion + Outlook

In this work, several connections with integrability were examined, ranging from Poisson structure in two, and in three, dimensions, integrability, L-operators, transfer matrices, and quantum monodromy matrices, to name a few. By further studying three-dimensional L-operators provided by Boos and colleagues, it is possible to represent entries of a L-operator product representation by further examining individual components appearing in each entry. From such a representation, similar steps can be used, as for two-dimensional Poisson structure, to approximate contributions from terms of the quantum monodromy matrix, which is proportional to the trace of the transfer matrix. However, despite being able to perform similar computations, an integrability property that can be established for the inhomogeneous 6-vertex model is still not known to hold for the 20-vertex model. It would not only be of great interest to further determine whether any Integrability property, or class of such properties, holds for the 20-vertex model (as a starting point, one could look to formulate conserved quantities which are related to solutions of the Euler-Lagrange equations that is provided in [24], in the hopes that some higher-dimensional analog of such an argument, in combination with this work, would exhibit that the 20-vertex model satisfies some Integrability property). In models of Statistical Mechanics, Integrability, and related properties, are not only often difficult to establish, but also are highly dependent upon boundary conditions, along with adjusting other parameters of a model, very precisely. Despite the fact that a similar type of Integrability property in this work for the 20-vertex model was not established as it was for the inhomogeneous 6-vertex model, [41], establishing characteristics of three-dimensional Poisson structure is of great importance in future work on the 20-vertex model, and within Mathematical Physics in general.

Besides research directions primarily surrounding Integrability, it is also of interest to further pursue connections between Poisson structures and symplectic geometries. As mentioned in the abstract of this work, higher-dimensional L-operators provided by Boos and colleagues have algebraic, geometric, and combinatorial, qualities, which can have many interesting connections. Combinatorially, it could be of great interest to investigate tilings of  $\mathbf{T}$ , as has been done in several past works within Integrable Probability for dimers and perfect matchings, while algebraically and geometrically, it could be of interest to determine whether there are new families of polynomials which reflect the encoding of boundary conditions, and "typical" characteristics of 20-vertex configurations in large finite volumes. Along these lines, there are perspective of such L-operators, and related operators, that are also of interest for future examination.

## 5 Appendix: Computations with the Poisson bracket over three dimensions

We perform computations with the Poisson bracket. For simplicity, we denote the constants used for each bracket with  $C_1$ ,  $C_2$ , and  $C_{1,2,3}$ , which can be trivially relabeled for those of the **Main Result**.

$$\begin{aligned}
& \underline{\text{Poisson bracket } \# 1 :} \left\{ \left[ \underline{\mathcal{T}_{(1,1)}^1} + \underline{\mathcal{T}_{(1,1)}^2} + \underline{\mathcal{T}_{(1,1)}^3} + \underline{\mathcal{T}_{(1,1)}^4} + \underline{\mathcal{T}_{(1,1)}^5} + \underline{\mathcal{T}_{(1,1)}^6} \right] \left[ \underline{A_1(\underline{u})} + \underline{A_2(\underline{u})} + \underline{A_3(\underline{u})} + \underline{A_4(\underline{u})} \right. \right. \\
& \quad \left. \left. + \underline{A_5(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' + (\underline{\mathcal{T}_{(1,1)}^2})' + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1(\underline{u}') + A_2(\underline{u}') + A_3(\underline{u}') + A_4(\underline{u}') + A_5(\underline{u}')} \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{A_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A_{i'''}(\underline{u})} \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \underline{A_{i'}(\underline{u})} \right), \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}_{(1,1)}^i}, \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right) \right\} \left( \underline{A_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \underline{A_{i'}(\underline{u})}, \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right), \underline{A_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \left( \underline{A_{i'}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}(\underline{u})} \right), \underline{A_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \left( \underline{A_{i'}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{A_{i'}(\underline{u})} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}(\underline{u})}, \underline{A_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}(\underline{u})} \underline{A_{i'}(\underline{u})}}{\underline{i''_{(1,1)}} - \underline{i_{(1,1)}}} + \frac{(\underline{\mathcal{T}_{(1,1)}^{i''}})''}{\underline{i''' - i'}} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}(\underline{u})} \underline{A_{i'}(\underline{u})}}{\underline{i'' - i}} + \frac{(\underline{\mathcal{T}_{(1,1)}^{i''}})''}{\underline{i''' - i'}} \right] \approx \frac{C_1}{\underline{i'' - i}} + \frac{C_2}{\underline{i''' - i'}},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{A_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(1,1)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,1)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{A_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{A_{i'}}(\underline{u}) + \underline{A_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 2 : \left\{ \left[ \underline{\mathcal{T}_{(1,1)}^1} + \underline{\mathcal{T}_{(1,1)}^2} + \underline{\mathcal{T}_{(1,1)}^3} + \underline{\mathcal{T}_{(1,1)}^4} + \underline{\mathcal{T}_{(1,1)}^5} + \underline{\mathcal{T}_{(1,1)}^6} \right] \left[ \underline{A_1}(\underline{u}) + \underline{A_2}(\underline{u}) + \underline{A_3}(\underline{u}) + \underline{A_4}(\underline{u}) \right. \right. \\ & \quad \left. \left. + \underline{A_5}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,2)}^1})' + (\underline{\mathcal{T}_{(1,2)}^2})' + (\underline{\mathcal{T}_{(1,2)}^3})' + (\underline{\mathcal{T}_{(1,2)}^4})' \right] \left[ \underline{B_1}(\underline{u}') + \underline{B_2}(\underline{u}') + \underline{B_3}(\underline{u}') + \underline{B_4}(\underline{u}') \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{A_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B_{i'''}}(\underline{u}) \right) \right\} \end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \underline{A_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,1)}^i}, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \left( \underline{A_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \underline{A_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{A_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{A_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{A_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{A_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{A_{i'}}(\underline{u}) \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{A_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{A_{i'}(\underline{u})}{i_{(1,1)}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i_{(1,1)}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \left( \frac{B_{i'''}(\underline{u})}{i_{(1,1)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \right] \\ & \quad \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \right] \left[ \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} + \frac{B_{i'''}(\underline{u})}{i_{(1,1)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 3 : \left\{ \left[ \frac{\mathcal{T}_{(1,1)}^1 + \mathcal{T}_{(1,1)}^2 + \mathcal{T}_{(1,1)}^3 + \mathcal{T}_{(1,1)}^4 + \mathcal{T}_{(1,1)}^5 + \mathcal{T}_{(1,1)}^6}{A_1(\underline{u}) + A_2(\underline{u}) + A_3(\underline{u}) + A_4(\underline{u}) + A_5(\underline{u})} \right], \left[ (\mathcal{T}_{(1,3)}^1)' + (\mathcal{T}_{(1,3)}^2)' + (\mathcal{T}_{(1,3)}^3)' + (\mathcal{T}_{(1,3)}^4)' \right] \left[ \frac{C_1(\underline{u}') + C_2(\underline{u}') + C_3(\underline{u}') + C_4(\underline{u}')}{A_1(\underline{u}) + A_2(\underline{u}) + A_3(\underline{u}) + A_4(\underline{u}) + A_5(\underline{u})} \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(1,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \right\} \end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ \frac{A_{i'}(\underline{u})}{i_{(1,1)}}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right), \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) - \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right), \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right), \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i_{(1,1)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i_{(1,1)}}, \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{A_{i'}(\underline{u})}{i_{(1,3)}} + (\mathcal{T}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i_{(1,3)}}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i_{(1,3)} - i} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \right] \\ & \quad \times \left[ \left\{ \frac{C_{i'''}(\underline{u})}{i_{(1,3)} - i}, \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right\} \right] \left[ \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} + \frac{C_{i'''}(\underline{u})}{i_{(1,3)} - i} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 4 : \left\{ \left[ \frac{\mathcal{T}_{(1,1)}^1}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^2}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^3}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^4}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^5}{i_{(1,1)}}, \frac{\mathcal{T}_{(1,1)}^6}{i_{(1,1)}} \right] \left[ \frac{A_1(\underline{u})}{i_{(1,1)}}, \frac{A_2(\underline{u})}{i_{(1,1)}}, \frac{A_3(\underline{u})}{i_{(1,1)}}, \frac{A_4(\underline{u})}{i_{(1,1)}} \right. \right. \\ & \quad \left. \left. + A_5(\underline{u}) \right], \left[ (\mathcal{T}_{(2,1)}^1)', (\mathcal{T}_{(2,1)}^2)', (\mathcal{T}_{(2,1)}^3)', (\mathcal{T}_{(2,1)}^4)' \right] \left[ D_1(\underline{u}'), D_2(\underline{u}'), D_3(\underline{u}'), D_4(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(1,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,1)}^i, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right) \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ A_{i'}(\underline{u}), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right), \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) - \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right), A_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right) \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i}, \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{i_{(1,1)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,1)}^i}{i_{(1,1)}} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{i_{(2,1)} - i} \right), A_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) \left( \underline{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}(\underline{u})}, \underline{A_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} \frac{A_{i'}(\underline{u})}{i''_{(2,1)}} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(1,1)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{A_{i'}(\underline{u})} + \underline{D_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket \# 5:} \left\{ \left[ \underline{\mathcal{T}_{(1,1)}^1} + \underline{\mathcal{T}_{(1,1)}^2} + \underline{\mathcal{T}_{(1,1)}^3} + \underline{\mathcal{T}_{(1,1)}^4} + \underline{\mathcal{T}_{(1,1)}^5} + \underline{\mathcal{T}_{(1,1)}^6} \right] \left[ \underline{A_1(\underline{u})} + \underline{A_2(\underline{u})} + \underline{A_3(\underline{u})} + \underline{A_4(\underline{u})} \right. \right. \\
&+ \underline{A_5(\underline{u})} \Big], \left[ (\underline{\mathcal{T}_{(2,2)}^1})' + (\underline{\mathcal{T}_{(2,2)}^2})' + (\underline{\mathcal{T}_{(2,2)}^3})' + (\underline{\mathcal{T}_{(2,2)}^4})' + (\underline{\mathcal{T}_{(2,2)}^5})' + (\underline{\mathcal{T}_{(2,2)}^6})' \right] \left[ \underline{E_1(\underline{u}')} + \underline{E_2(\underline{u}')} + \underline{E_3(\underline{u}')} + \underline{E_4(\underline{u}')} \right. \\
&\quad \left. \left. + \underline{E_5(\underline{u}')} + \underline{E_6(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{A_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \underline{A_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(1,1)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\} \left( \underline{A_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \underline{A_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{A_{i'}(\underline{u})} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \left( \underline{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{A_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \left( \underline{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{A_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}(\underline{u})} \underline{A_{i'}(\underline{u})}}{\underline{i''_{(2,2)}} - \underline{i_{(2,2)}}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}(\underline{u})} \underline{A_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} \left( \underline{A_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(1,1)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{A_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{A_{i'}(\underline{u})} + \underline{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket \# 6 :} \left\{ \left[ \underline{\mathcal{T}_{(1,1)}^1} + \underline{\mathcal{T}_{(1,1)}^2} + \underline{\mathcal{T}_{(1,1)}^3} + \underline{\mathcal{T}_{(1,1)}^4} + \underline{\mathcal{T}_{(1,1)}^5} + \underline{\mathcal{T}_{(1,1)}^6} \right] \left[ \underline{A_1(\underline{u})} + \underline{A_2(\underline{u})} + \underline{A_3(\underline{u})} + \underline{A_4(\underline{u})} \right. \right. \\
&\quad \left. \left. + \underline{A_5(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,3)}^1})' + (\underline{\mathcal{T}_{(2,3)}^2})' + (\underline{\mathcal{T}_{(2,3)}^3})' \right] \left[ \underline{F_1(\underline{u}')} + \underline{F_2(\underline{u}')} + \underline{F_3(\underline{u}')} \right] \right\} \\
&= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{A_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F_{i'''}(\underline{u})} \right) \right\} \\
&\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left( \underline{A_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \\
&\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(1,1)}^i}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \left( \underline{A_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,1)}^i} \right) \left\{ \underline{A_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \right]
\end{aligned}$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right), \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right) - \left( \mathcal{T}_{(1,1)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right), \mathcal{T}_{(1,1)}^i \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{\mathcal{T}_{(1,1)}^i}, \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right) \right. \\ \left. + \left( \mathcal{T}_{(1,1)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right), \mathcal{T}_{(1,1)}^i \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{\mathcal{T}_{(1,1)}^i}, \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right) \right. \\ \left. + \left( \mathcal{T}_{(1,1)}^i \right) \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})}, \mathcal{T}_{(1,1)}^i \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} \frac{A_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{\mathcal{T}_{(1,1)}^i}, \mathcal{T}_{(1,1)}^i \right\} \left( \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right) + \left( \mathcal{T}_{(1,1)}^i \right) \left\{ (\mathcal{T}_{(2,3)}^{i''})', \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right\} \left( \frac{F_{i'''}(\underline{u})}{A_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \mathcal{T}_{(1,1)}^i \right) \right] \\ \times \left[ \left\{ F_{i'''}(\underline{u}), \mathcal{T}_{(1,1)}^i \right\} + \left\{ (\mathcal{T}_{(2,3)}^{i''})', \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right\} \right] \left[ \left( A_{i'}(\underline{u}) + F_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket } \# 7: \left\{ \left[ \mathcal{T}_{(1,1)}^1 + \mathcal{T}_{(1,1)}^2 + \mathcal{T}_{(1,1)}^3 + \mathcal{T}_{(1,1)}^4 + \mathcal{T}_{(1,1)}^5 + \mathcal{T}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\mathcal{T}_{(3,1)}^1)' + (\mathcal{T}_{(3,1)}^2)' + (\mathcal{T}_{(3,1)}^3)' + (\mathcal{T}_{(3,1)}^4)' + (\mathcal{T}_{(3,1)}^5)' \right] \left[ \underline{G}_1(\underline{u}') + \underline{G}_2(\underline{u}') + \underline{G}_3(\underline{u}') + \underline{G}_4(\underline{u}') + \underline{G}_5(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(1,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \frac{G_{i'''}(\underline{u})}{\mathcal{T}_{(3,1)}^{i''}} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \mathcal{T}_{(1,1)}^i \right) \left( \frac{A_{i'}(\underline{u})}{\mathcal{T}_{(1,1)}^i} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i'''}(\underline{u})}{\mathcal{T}_{(3,1)}^{i''}} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \mathcal{T}_{(1,1)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \left( A_{i'}(\underline{u}) \right) + \left( \mathcal{T}_{(1,1)}^i \right) \left\{ A_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), \mathcal{T}_{(1,1)}^i \right\} \left( A_{i'}(\underline{u}) \right) - \left( \mathcal{T}_{(1,1)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), A_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( G_{i'''}(\underline{u}) \right) \left( A_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,1)}^i \right\} \left( A_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \mathcal{T}_{(1,1)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), A_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,1)}^i \right\} \left( G_{i'''}(\underline{u}) \right) \left( A_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,1)}^i \right\} \left( A_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \mathcal{T}_{(1,1)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', A_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), A_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} \frac{A_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,1)}^i \right\} \left( A_{i'}(\underline{u}) \right) + \left( \mathcal{T}_{(1,1)}^i \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', A_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \mathcal{T}_{(1,1)}^i \right) \right] \\ \times \left[ \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,1)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', A_{i'}(\underline{u}) \right\} \right] \left[ \left( A_{i'}(\underline{u}) + G_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket } \# 8 : \left\{ \left[ \mathcal{T}_{(1,1)}^1 + \mathcal{T}_{(1,1)}^2 + \mathcal{T}_{(1,1)}^3 + \mathcal{T}_{(1,1)}^4 + \mathcal{T}_{(1,1)}^5 + \mathcal{T}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\ \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\mathcal{T}_{(3,2)}^1)' + (\mathcal{T}_{(3,2)}^2)' + (\mathcal{T}_{(3,2)}^3)' \right] \left[ \underline{H}_1(\underline{u}') + \underline{H}_2(\underline{u}') + \underline{H}_3(\underline{u}') \right] \right\} \\ = \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(1,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{A}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right) \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})}, \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\} \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right) \left\{ A_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right), \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right\} \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) - \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right), \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})}, \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right\} \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right.$$

$$\left. + \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right), \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})}, \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right\} \left( \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i''}(\underline{u})} \right) \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{H_{i''}(\underline{u})}, \frac{A_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} \frac{A_{i'}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} + (\mathcal{T}_{(3,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i'' - i} \frac{A_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(1,1)}^i}{H_{i'''}(\underline{u})} \right\} \left( \frac{A_{i'}(\underline{u})}{H_{i'''}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(1,1)}^i}{H_{i'''}(\underline{u})} \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{A_{i'}(\underline{u})}{H_{i'''}(\underline{u})} \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \frac{\mathcal{T}_{(1,1)}^i}{H_{i'''}(\underline{u})} \right) \right] \\ \times \left[ \left\{ \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(1,1)}^i}{H_{i'''}(\underline{u})} \right\} + \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{A_{i'}(\underline{u})}{H_{i'''}(\underline{u})} \right\} \right] \left[ \left( \frac{A_{i'}(\underline{u})}{H_{i'''}(\underline{u})} + \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned}
& \text{Poisson bracket } \# 9 : \left\{ \left[ \underline{\mathcal{T}}_{(1,1)}^1 + \underline{\mathcal{T}}_{(1,1)}^2 + \underline{\mathcal{T}}_{(1,1)}^3 + \underline{\mathcal{T}}_{(1,1)}^4 + \underline{\mathcal{T}}_{(1,1)}^5 + \underline{\mathcal{T}}_{(1,1)}^6 \right] \left[ \underline{A}_1(\underline{u}) + \underline{A}_2(\underline{u}) + \underline{A}_3(\underline{u}) + \underline{A}_4(\underline{u}) \right. \right. \\
& \quad \left. \left. + \underline{A}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,3)}^1)' + (\underline{\mathcal{T}}_{(3,3)}^2)' + (\underline{\mathcal{T}}_{(3,3)}^3)' + (\underline{\mathcal{T}}_{(3,3)}^4)' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}}_{(1,2)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{A}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left( \underline{A}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}}_{(1,1)}^i, \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \left( \underline{A}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \underline{A}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{A}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{A}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{A}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{A}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{A}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{A}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{A}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{A}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{A}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{\underline{i}_{(3,3)}^{i''} - \underline{i}_{(3,3)}} \frac{\underline{A}_{i'}(\underline{u})}{\underline{i}_{(3,3)}^{i''}} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{\underline{i}^{i''} - i} \frac{\underline{A}_{i'}(\underline{u})}{\underline{i}^{i''}} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{\underline{i}^{i''} - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{A_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{A_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{A_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{A_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 10 : \left\{ \left[ \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \right] \left[ \underline{B_1(u)} + \underline{B_2(u)} + \underline{B_3(u)} + \underline{B_4(u)} \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' \right. \right. \\ & \left. \left. + (\underline{\mathcal{T}_{(1,1)}^2})' + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1(u')} + \underline{A_2(u')} + \underline{A_3(u')} + \underline{A_4(u')} + \underline{A_5(u')} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{B_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \underline{B_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,2)}^i}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \left( \underline{B_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \underline{B_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{B_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{AC})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{B_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{B_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{B_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{B_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u})}{i''_{(2,3)}} \frac{\underline{B_{i'}}(\underline{u})}{i_{(2,3)}} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u})}{i''-i} \frac{\underline{B_{i'}}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i''-i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{B_{i'}}(\underline{u}) + \underline{A_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 11 :} \left\{ \left[ \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \right] \left[ \underline{B_1}(\underline{u}) + \underline{B_2}(\underline{u}) + \underline{B_3}(\underline{u}) + \underline{B_4}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,2)}^1})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(1,2)}^2})' + (\underline{\mathcal{T}_{(1,2)}^3})' + (\underline{\mathcal{T}_{(1,2)}^4})' \right] \left[ \underline{B_1}(\underline{u}') + \underline{B_2}(\underline{u}') + \underline{B_3}(\underline{u}') + \underline{B_4}(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{B_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \underline{B_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,2)}^i}, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \left( \underline{B_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \underline{B_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{B_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{B_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{B_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{B_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{B_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{B_{i'}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} + \frac{(\mathcal{T}_{(1,2)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{B_{i'}(\underline{u})}{i'' - i} + \frac{(\mathcal{T}_{(1,2)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i''' - i'},$$

corresponding to the first, and last, bracket appearing in  $(*)$ , and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)}}, \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) + \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \left( \frac{B_{i'''}(\underline{u})}{i''_{(1,2)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \right] \\ & \quad \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)}}, \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \right] \left[ \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} + \frac{B_{i'''}(\underline{u})}{i''_{(1,2)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 12 : \left\{ \left[ \frac{\mathcal{T}_{(1,2)}^1 + \mathcal{T}_{(1,2)}^2 + \mathcal{T}_{(1,2)}^3 + \mathcal{T}_{(1,2)}^4}{i''_{(1,2)}} \right] \left[ \frac{B_1(\underline{u}) + B_2(\underline{u}) + B_3(\underline{u}) + B_4(\underline{u})}{i''_{(1,2)}} \right], \left[ \left( \frac{\mathcal{T}_{(1,3)}^1}{i''_{(1,3)}} \right)' \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(1,3)}^2}{i''_{(1,3)}} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^3}{i''_{(1,3)}} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^4}{i''_{(1,3)}} \right)' \right] \left[ \frac{C_1(\underline{u}') + C_2(\underline{u}') + C_3(\underline{u}') + C_4(\underline{u}')}{i''_{(1,3)}} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left( \sum_{1 \leq i' \leq 4} \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \right\} \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) + \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left\{ B_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right), \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) - \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right), \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \right]$$

$$\begin{aligned} & \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}}, \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right), \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}}, \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right\} \left( \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,2)}^i}{i''_{(1,2)}} \right) \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}}, \frac{B_{i'}(\underline{u})}{i''_{(1,2)}} \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{B_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{B_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{B_{i'}(\underline{u})} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{B_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{B_{i'}(\underline{u})} + \underline{C_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\text{Poisson bracket } \# 13 : \left\{ \left[ \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \right] \left[ \underline{B_1(\underline{u})} + \underline{B_2(\underline{u})} + \underline{B_3(\underline{u})} + \underline{B_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,1)}^1})' \right. \right.$$

$$\left. \left. + (\underline{\mathcal{T}_{(2,1)}^2})' + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1(\underline{u}')} + \underline{D_2(\underline{u}')} + \underline{D_3(\underline{u}')} + \underline{D_4(\underline{u}')} \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{B_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{D_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \underline{B_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,2)}^i}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\} \left( \underline{B_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \underline{B_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{B_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{D_{i'''}}(\underline{u}) \right) \left( \underline{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{B_{i'}(\underline{u})} \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \frac{B_{i'}(\underline{u})}{D_{i'''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', B_{i'}(\underline{u}) \right\} \left( \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ D_{i'''}(\underline{u}), B_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i'' - i} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \frac{B_{i'}(\underline{u})}{D_{i'''}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', B_{i'}(\underline{u}) \right\} \left( \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', B_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{B_{i'}(\underline{u})}{D_{i'''}(\underline{u})} + \frac{D_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket \# 14 :} \left\{ \left[ \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \right] \left[ \underline{B_1(\underline{u})} + \underline{B_2(\underline{u})} + \underline{B_3(\underline{u})} + \underline{B_4(\underline{u})} \right], \left[ (\mathcal{T}_{(2,2)}^1)' \right. \right. \\
&+ (\mathcal{T}_{(2,2)}^2)' + (\mathcal{T}_{(2,2)}^3)' + (\mathcal{T}_{(2,2)}^4)' + (\mathcal{T}_{(2,2)}^5)' + (\mathcal{T}_{(2,2)}^6)' \left. \left. \right] \left[ \underline{E_1(\underline{u}')} + \underline{E_2(\underline{u}')} + \underline{E_3(\underline{u}')} + \underline{E_4(\underline{u}')} + \underline{E_5(\underline{u}')} + \underline{E_6(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}_{(1,2)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ B_{i'}(\underline{u}), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right), B_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \left( \underline{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{B_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \left( \underline{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{B_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{B_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}(\underline{u})} \underline{B_{i'}(\underline{u})}}{\underline{i''_{(2,2)}} - \underline{i_{(2,2)}}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}(\underline{u})} \underline{B_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{B_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{B_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{B_{i'}(\underline{u})} + \underline{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket } \# 15 : \left\{ \left[ \underline{\mathcal{T}_{(1,2)}^1} + \underline{\mathcal{T}_{(1,2)}^2} + \underline{\mathcal{T}_{(1,2)}^3} + \underline{\mathcal{T}_{(1,2)}^4} \right] \left[ \underline{B_1(\underline{u})} + \underline{B_2(\underline{u})} + \underline{B_3(\underline{u})} + \underline{B_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,3)}^1})' \right. \right. \\
&\quad \left. \left. + (\underline{\mathcal{T}_{(2,3)}^2})' + (\underline{\mathcal{T}_{(2,3)}^3})' \right] \left[ \underline{F_1(\underline{u'})} + \underline{F_2(\underline{u'})} + \underline{F_3(\underline{u'})} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{B_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{F_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left( \underline{B_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}_{(1,2)}^i}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \left( \underline{B_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ \underline{B_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right), \mathcal{T}_{(1,2)}^i \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) - \left( \mathcal{T}_{(1,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right), \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(1,2)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \mathcal{T}_{(1,2)}^i \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(1,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right), \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''}), \mathcal{T}_{(1,2)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \mathcal{T}_{(1,2)}^i \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(1,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{F_{i'''}(\underline{u})}{i'' - i} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \mathcal{T}_{(1,2)}^i \right\} \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(1,2)}^i \right) \left\{ (\mathcal{T}_{(2,3)}^{i''})', \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \left( \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \mathcal{T}_{(1,2)}^i \right) \right] \\ \times \left[ \left\{ \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})}, \mathcal{T}_{(1,2)}^i \right\} + \left\{ (\mathcal{T}_{(2,3)}^{i''})', \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right\} \right] \left[ \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} + \frac{F_{i'''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket } \# 16 : \left\{ \left[ \frac{\mathcal{T}_{(1,2)}^1 + \mathcal{T}_{(1,2)}^2 + \mathcal{T}_{(1,2)}^3 + \mathcal{T}_{(1,2)}^4}{B_1(\underline{u}) + B_2(\underline{u}) + B_3(\underline{u}) + B_4(\underline{u})} \right] \left[ \frac{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right], \left[ \left( \frac{\mathcal{T}_{(3,1)}^1}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right)' \right. \right. \\ \left. \left. + \left( \frac{\mathcal{T}_{(3,1)}^2}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right)' + \left( \frac{\mathcal{T}_{(3,1)}^3}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right)' + \left( \frac{\mathcal{T}_{(3,1)}^4}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right)' + \left( \frac{\mathcal{T}_{(3,1)}^5}{G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}')} \right)' \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(1,2)}^i \right) \left( \sum_{1 \leq i' \leq 4} \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \frac{G_{i'''}(\underline{u})}{G_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \mathcal{T}_{(1,2)}^i \right) \left( \frac{B_{i'}(\underline{u})}{B_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i'''}(\underline{u})}{G_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \mathcal{T}_{(1,2)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \left( B_{i'}(\underline{u}) \right) + \left( \mathcal{T}_{(1,2)}^i \right) \left\{ B_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), \mathcal{T}_{(1,2)}^i \right\} \left( B_{i'}(\underline{u}) \right) - \left( \mathcal{T}_{(1,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), B_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,2)}^i \right\} \left( G_{i'''}(\underline{u}) \right) \left( B_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,2)}^i \right\} \left( B_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \mathcal{T}_{(1,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), B_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,2)}^i \right\} \left( G_{i'''}(\underline{u}) \right) \left( B_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,2)}^i \right\} \left( B_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \mathcal{T}_{(1,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', B_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), B_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u}) B_{i'}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} + (\mathcal{T}_{(3,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u}) B_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,2)}^i \right\} \left( B_{i'}(\underline{u}) \right) + \left( \mathcal{T}_{(1,2)}^i \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', B_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \mathcal{T}_{(1,2)}^i \right) \right] \\ \times \left[ \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(1,2)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', B_{i'}(\underline{u}) \right\} \right] \left[ \left( B_{i'}(\underline{u}) + G_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket \# 17:} \left\{ \left[ \mathcal{T}_{(1,2)}^1 + \mathcal{T}_{(1,2)}^2 + \mathcal{T}_{(1,2)}^3 + \mathcal{T}_{(1,2)}^4 \right] \left[ \underline{B}_1(\underline{u}) + \underline{B}_2(\underline{u}) + \underline{B}_3(\underline{u}) + \underline{B}_4(\underline{u}) \right], \left[ (\mathcal{T}_{(3,2)}^1)' \right. \right. \\ \left. \left. + (\mathcal{T}_{(3,2)}^2)' + (\mathcal{T}_{(3,2)}^3)' \right] \left[ \underline{H}_1(\underline{u}') + \underline{H}_2(\underline{u}') + \underline{H}_3(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(1,2)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{B}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})}, \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right\} \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left\{ B_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right), \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) - \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right), \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right), \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} \frac{B_{i'}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} + (\mathcal{T}_{(3,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i'' - i} \frac{B_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right) \right] \\ \times \left[ \left\{ \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})}, \frac{\mathcal{T}_{(1,2)}^i}{B_{i'}(\underline{u})} \right\} + \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right] \left[ \left( \frac{B_{i'}(\underline{u})}{H_{i''}(\underline{u})} + \frac{H_{i''}(\underline{u})}{B_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned}
& \text{Poisson bracket } \# 18 : \left\{ \left[ \underline{\mathcal{T}}_{(1,2)}^1 + \underline{\mathcal{T}}_{(1,2)}^2 + \underline{\mathcal{T}}_{(1,2)}^3 + \underline{\mathcal{T}}_{(1,2)}^4 \right] \left[ \underline{B}_1(\underline{u}) + \underline{B}_2(\underline{u}) + \underline{B}_3(\underline{u}) + \underline{B}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,3)}^1)' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}}_{(3,3)}^2)' + (\underline{\mathcal{T}}_{(3,3)}^3)' + (\underline{\mathcal{T}}_{(3,3)}^4)' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(1,2)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{B}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left( \underline{B}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}}_{(1,2)}^i, \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \left( \underline{B}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \underline{B}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{B}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{B}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{B}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{B}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{B}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{B}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,2)}^i \right\} \left( \underline{B}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,2)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{B}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{B}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{B}_{i'}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{B}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{3,3}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} \left( \underline{B_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,2)}^i} \right) \left\{ (\mathcal{T}_{3,3}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{3,3}^{i''})' + \underline{\mathcal{T}_{(1,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,2)}^i} \right\} + \left\{ (\mathcal{T}_{3,3}^{i''})', \underline{B_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{B_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 19 : \left\{ \left[ \underline{\mathcal{T}_{(1,3)}^1} + \underline{\mathcal{T}_{(1,3)}^2} + \underline{\mathcal{T}_{(1,3)}^3} + \underline{\mathcal{T}_{(1,3)}^4} \right] \left[ \underline{C_1}(\underline{u}) + \underline{C_2}(\underline{u}) + \underline{C_3}(\underline{u}) + \underline{C_4}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(1,1)}^2})' + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1}(\underline{u}') + \underline{A_2}(\underline{u}') + \underline{A_3}(\underline{u}') + \underline{A_4}(\underline{u}') + \underline{A_5}(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{C_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \underline{C_{i'}}(\underline{u}) \right), \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}_{(1,3)}^i}, \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \left( \underline{C_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \underline{C_{i'}}(\underline{u}), \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{C_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{C_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{C_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{C_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{C_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{C_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{C_{i'}}(\underline{u})}{\underline{i''}_{(1,1)} - \underline{i}_{(1,1)}} + (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{C_{i'}}(\underline{u})}{\underline{i''} - \underline{i}} + (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right],$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{C_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(1,3)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{C_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{C_{i'}}(\underline{u}) + \underline{A_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 20 : & \left\{ \left[ \underline{\mathcal{T}_{(1,3)}^1} + \underline{\mathcal{T}_{(1,3)}^2} + \underline{\mathcal{T}_{(1,3)}^3} + \underline{\mathcal{T}_{(1,3)}^4} \right] \left[ \underline{C_1}(\underline{u}) + \underline{C_2}(\underline{u}) + \underline{C_3}(\underline{u}) + \underline{C_4}(\underline{u}) \right], \left[ (\mathcal{T}_{(1,2)}^1)' \right. \right. \\ & \quad \left. \left. + (\mathcal{T}_{(1,2)}^2)' + (\mathcal{T}_{(1,2)}^3)' + (\mathcal{T}_{(1,2)}^4)' \right] \left[ \underline{B_1}(\underline{u}') + \underline{B_2}(\underline{u}') + \underline{B_3}(\underline{u}') + \underline{B_4}(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{C_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \underline{C_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,3)}^i}, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \left( \underline{C_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \underline{C_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{C_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{C_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{C_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{C_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{C_{i'}}(\underline{u}) \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{C_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{C_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{C_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in  $(*)$ , and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i}, \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{i} \right) + \left( \mathcal{T}_{(1,3)}^i \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{C_{i'}(\underline{u})}{i} \right\} \left( \frac{B_{i'''}(\underline{u})}{i} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \mathcal{T}_{(1,3)}^i \right) \right] \\ & \quad \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i}, \mathcal{T}_{(1,3)}^i \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{C_{i'}(\underline{u})}{i} \right\} \right] \left[ \left( \frac{C_{i'}(\underline{u})}{i} + \frac{B_{i'''}(\underline{u})}{i} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 21 : \left\{ \left[ \frac{\mathcal{T}_{(1,3)}^1 + \mathcal{T}_{(1,3)}^2 + \mathcal{T}_{(1,3)}^3 + \mathcal{T}_{(1,3)}^4}{4} \right] \left[ \frac{C_1(\underline{u}) + C_2(\underline{u}) + C_3(\underline{u}) + C_4(\underline{u})}{4} \right], \left[ \left( \frac{\mathcal{T}_{(1,3)}^1}{4} \right)' \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(1,3)}^2}{4} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^3}{4} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^4}{4} \right)' \right] \left[ \frac{C_1(\underline{u}') + C_2(\underline{u}') + C_3(\underline{u}') + C_4(\underline{u}')}{4} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(1,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} \frac{C_{i'}(\underline{u})}{i'} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \mathcal{T}_{(1,3)}^i \right) \left( \frac{C_{i'}(\underline{u})}{i'} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,3)}^i, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\} \left( \frac{C_{i'}(\underline{u})}{i'} \right) + \left( \mathcal{T}_{(1,3)}^i \right) \left\{ C_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{i'} \right) - \left( \mathcal{T}_{(1,3)}^i \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), C_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \left( \frac{C_{i'}(\underline{u})}{i'} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i'''}, \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{i'} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(1,3)}^i \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), C_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \left( \frac{C_{i'}(\underline{u})}{i'} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i'''}, \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{i'} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(1,3)}^i \right) \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', C_{i'}(\underline{u}) \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ C_{i'''}(\underline{u}), C_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{C_{i'}(\underline{u})}{i''_{(1,3)} - i'} + \frac{(\mathcal{T}_{(1,3)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{C_{i'}(\underline{u})}{i'' - i'} + \frac{(\mathcal{T}_{(1,3)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i''' - i'},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}}, \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right\} \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right) + \left( \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \right] \\ & \times \left[ \left\{ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}}, \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right\} \right] \left[ \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} + \frac{C_{i'''}(\underline{u})}{i''_{(1,3)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 22 : & \left\{ \left[ \frac{\mathcal{T}_{(1,3)}^1}{i''_{(1,3)}} + \frac{\mathcal{T}_{(1,3)}^2}{i''_{(1,3)}} + \frac{\mathcal{T}_{(1,3)}^3}{i''_{(1,3)}} + \frac{\mathcal{T}_{(1,3)}^4}{i''_{(1,3)}} \right] \left[ \frac{C_1(\underline{u})}{i''_{(1,3)}} + \frac{C_2(\underline{u})}{i''_{(1,3)}} + \frac{C_3(\underline{u})}{i''_{(1,3)}} + \frac{C_4(\underline{u})}{i''_{(1,3)}} \right], \left[ \left( \frac{\mathcal{T}_{(2,1)}^1}{i''_{(2,1)}} \right)' \right. \right. \\ & \left. \left. + \left( \frac{\mathcal{T}_{(2,1)}^2}{i''_{(2,1)}} \right)' + \left( \frac{\mathcal{T}_{(2,1)}^3}{i''_{(2,1)}} \right)' + \left( \frac{\mathcal{T}_{(2,1)}^4}{i''_{(2,1)}} \right)' \right] \left[ \frac{D_1(\underline{u}')}{i''_{(2,1)}} + \frac{D_2(\underline{u}')}{i''_{(2,1)}} + \frac{D_3(\underline{u}')}{i''_{(2,1)}} + \frac{D_4(\underline{u}')}{i''_{(2,1)}} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left( \sum_{1 \leq i' \leq 4} \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \right\} \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right) + \left( \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left\{ C_{i'}(\underline{u}), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \right\} \right]$$

$$\begin{aligned} \stackrel{(\text{AC})}{=} & \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right), \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right\} \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right) - \left( \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right), C_{i'}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right\} \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ E_{i'''}(\underline{u}), \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right\} \left( \frac{C_{i'}(\underline{u})}{i''_{(1,3)}} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(1,3)}^i}{i''_{(1,3)}} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{i''_{(2,2)}} \right), C_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \frac{C_{i'}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', C_{i'}(\underline{u}) \right\} \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ E_{i'''}(\underline{u}), C_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two negative positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i'' - i} \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', C_{i'}(\underline{u}) \right\} \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(1,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', C_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} + \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 23 :} \left\{ \left[ \underline{\mathcal{T}_{(1,3)}^1} + \underline{\mathcal{T}_{(1,3)}^2} + \underline{\mathcal{T}_{(1,3)}^3} + \underline{\mathcal{T}_{(1,3)}^4} \right] \left[ \underline{C_1(\underline{u})} + \underline{C_2(\underline{u})} + \underline{C_3(\underline{u})} + \underline{C_4(\underline{u})} \right], \left[ (\mathcal{T}_{(2,2)}^1)' \right. \right. \\
& \quad \left. \left. + (\mathcal{T}_{(2,2)}^2)', (\mathcal{T}_{(2,2)}^3)', (\mathcal{T}_{(2,2)}^4)', (\mathcal{T}_{(2,2)}^5)', (\mathcal{T}_{(2,2)}^6)' \right] \left[ \underline{E_1(\underline{u}')} + \underline{E_2(\underline{u}')} + \underline{E_3(\underline{u}')} + \underline{E_4(\underline{u}')} + \underline{E_5(\underline{u}')} + \underline{E_6(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{C_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(1,3)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) \right\} \left( \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ C_{i'}(\underline{u}), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \frac{C_{i'}(\underline{u})}{C_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{C_{i'}(\underline{u})} \right), C_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned}
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})' \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right), \left( \underline{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{C_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})' \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{E_{i'''}(\underline{u})} \right), \left( \underline{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{C_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{C_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i'' - i} \frac{C_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(1,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{C_{i'}(\underline{u})} + \underline{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 24 :} \left\{ \left[ \underline{\mathcal{T}_{(1,3)}^1} + \underline{\mathcal{T}_{(1,3)}^2} + \underline{\mathcal{T}_{(1,3)}^3} + \underline{\mathcal{T}_{(1,3)}^4} \right] \left[ \underline{C_1(\underline{u})} + \underline{C_2(\underline{u})} + \underline{C_3(\underline{u})} + \underline{C_4(\underline{u})} \right], \left[ \left( \underline{\mathcal{T}_{(2,3)}^1} \right)' \right. \right. \\
& \quad \left. \left. + (\mathcal{T}_{(2,3)}^2)', (\mathcal{T}_{(2,3)}^3)' \right] \left[ \underline{F_1(\underline{u}')}, \underline{F_2(\underline{u}')}, \underline{F_3(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{C_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \underline{C_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(1,3)}^i}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \left( \underline{C_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \underline{C_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\begin{aligned}
&\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{C_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \left( \underline{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{C_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \left( \underline{C_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{C_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} \frac{C_{i'}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i'' - i} \frac{C_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \left( \underline{G_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \underline{\mathcal{T}_{(1,3)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(1,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{C_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{C_{i'}(\underline{u})} + \underline{G_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&Poisson\ bracket\ \# 25 : \left\{ \left[ \underline{\mathcal{T}_{(1,3)}^1} + \underline{\mathcal{T}_{(1,3)}^2} + \underline{\mathcal{T}_{(1,3)}^3} + \underline{\mathcal{T}_{(1,3)}^4} \right] \left[ \underline{C_1(\underline{u})} + \underline{C_2(\underline{u})} + \underline{C_3(\underline{u})} + \underline{C_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(3,1)}^1})' \right. \right. \\
&\quad \left. \left. + (\underline{\mathcal{T}_{(3,1)}^2})' + (\underline{\mathcal{T}_{(3,1)}^3})' + (\underline{\mathcal{T}_{(3,1)}^4})' + (\underline{\mathcal{T}_{(3,1)}^5})' \right] \left[ \underline{G_1(\underline{u'})} + \underline{G_2(\underline{u'})} + \underline{G_3(\underline{u'})} + \underline{G_4(\underline{u'})} + \underline{G_5(\underline{u'})} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(1,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{C_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{G_{i'''}(\underline{u})} \right) \right\}$$

$$\begin{aligned}
& \stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right\} \\
& \stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,3)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right\} \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) + \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left\{ C_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right\} \right] \\
& \stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right), \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) - \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right), C_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,3)}^i \right\} \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i''}(\underline{u}), \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right. \\
& \quad \left. + \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right), C_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(1,3)}^i \right\} \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i''}(\underline{u}), \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right. \\
& \quad \left. + \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', C_{i'}(\underline{u}) \right\} \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ G_{i''}(\underline{u}), C_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \frac{G_{i''}(\underline{u})}{\underline{i''}} \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \frac{G_{i''}(\underline{u})}{\underline{i''}} \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}}, \mathcal{T}_{(1,3)}^i \right\} \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) + \left( \frac{\mathcal{T}_{(1,3)}^i}{\underline{i''}} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', C_{i'}(\underline{u}) \right\} \left( \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \mathcal{T}_{(1,3)}^i \right) \right] \\
& \quad \times \left[ \left\{ \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}}, \mathcal{T}_{(1,3)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', C_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{C_{i'}(\underline{u})}{\underline{G_{i''}(\underline{u})}} + \frac{G_{i''}(\underline{u})}{\underline{G_{i''}(\underline{u})}} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 26 : \left\{ \left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] \left[ \underline{C}_1(\underline{u}) + \underline{C}_2(\underline{u}) + \underline{C}_3(\underline{u}) + \underline{C}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,2)}^1)' + (\underline{\mathcal{T}}_{(3,2)}^2)' + (\underline{\mathcal{T}}_{(3,2)}^3)' \right] \left[ \underline{H}_1(\underline{u}) + \underline{H}_2(\underline{u}) + \underline{H}_3(\underline{u}) \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(1,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{C}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{H}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left( \underline{C}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{C}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{C}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,2)}^{i''})', \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{C}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{C}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,2)}^{i''})', \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{C}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(3,2)}^{i''})', \underline{C}_{i'}(\underline{u}) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{C}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u}) \underline{C}_{i'}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} + (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u}) \underline{C}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(3,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{C}_{i'}(\underline{u}) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \underline{\mathcal{T}}_{(1,3)}^i \right) \right] \\ & \quad \times \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{C}_{i'}(\underline{u}) \right\} + \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \right] \left[ \left( \underline{C}_{i'}(\underline{u}) + \underline{H}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 27: & \left\{ \left[ \underline{\mathcal{T}}_{(1,3)}^1 + \underline{\mathcal{T}}_{(1,3)}^2 + \underline{\mathcal{T}}_{(1,3)}^3 + \underline{\mathcal{T}}_{(1,3)}^4 \right] \left[ \underline{C}_1(\underline{u}) + \underline{C}_2(\underline{u}) + \underline{C}_3(\underline{u}) + \underline{C}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,3)}^1)' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}}_{(3,3)}^2)' + (\underline{\mathcal{T}}_{(3,3)}^3)' + (\underline{\mathcal{T}}_{(3,3)}^4)' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(1,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{C}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left( \underline{C}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}}_{(1,3)}^i, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \left( \underline{C}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \underline{C}_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{C}_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{C}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{C}_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{C}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(1,3)}^i \right\} \left( \underline{C}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}}_{(1,3)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{C}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{C}_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{C}_{i'}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{C}_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} \left( \underline{C_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(1,3)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{C_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(1,3)}^i} \right) \right] \\ & \quad \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(1,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{C_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{C_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 28 : \left\{ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D_1(u)} + \underline{D_2(u)} + \underline{D_3(u)} + \underline{D_4(u)} \right], \left[ (\mathcal{T}_{(1,1)}^1)' \right. \right. \\ & \quad \left. \left. + (\mathcal{T}_{(1,1)}^2)' + (\mathcal{T}_{(1,1)}^3)' + (\mathcal{T}_{(1,1)}^4)' + (\mathcal{T}_{(1,1)}^5)' + (\mathcal{T}_{(1,1)}^6)' \right] \left[ \underline{A_1(u')} + \underline{A_2(u')} + \underline{A_3(u')} + \underline{A_4(u')} + \underline{A_5(u')} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{D_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{A_{i'''}(u)} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \underline{D_{i'}(u)} \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(2,1)}^i}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right) \right\} \left( \underline{D_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \underline{D_{i'}(u)}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right), \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) - \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right), \underline{D_{i'}(u)} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{A_{i'''}(u)} \right) \left( \underline{D_{i'}(u)} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(u)} \right), \underline{D_{i'}(u)} \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{A_{i'''}(u)} \right) \left( \underline{D_{i'}(u)} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D_{i'}(u)} \right\} \left( \underline{A_{i'''}(u)} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}(u)}, \underline{D_{i'}(u)} \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{A_{i'''}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} \frac{D_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{A_{i'''}(\underline{u})}{i'' - i} \frac{D_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \frac{A_{i'''}(\underline{u})}{i''_{(2,1)}}, \mathcal{T}_{(2,1)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{i''_{(2,1)}} \right) + \left( \mathcal{T}_{(2,1)}^i \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \frac{D_{i'}(\underline{u})}{i''_{(2,1)}} \right\} \left( \frac{A_{i'''}(\underline{u})}{i''_{(2,1)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \mathcal{T}_{(2,1)}^i \right) \right] \\ & \quad \times \left[ \left\{ \frac{A_{i'''}(\underline{u})}{i''_{(2,1)}}, \mathcal{T}_{(2,1)}^i \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \frac{D_{i'}(\underline{u})}{i''_{(2,1)}} \right\} \right] \left[ \left( \frac{D_{i'}(\underline{u})}{i''_{(2,1)}} + \frac{A_{i'''}(\underline{u})}{i''_{(2,1)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 29: & \left\{ \left[ \mathcal{T}_{(2,1)}^1 + \mathcal{T}_{(2,1)}^2 + \mathcal{T}_{(2,1)}^3 + \mathcal{T}_{(2,1)}^4 \right] \left[ \underline{D}_1(\underline{u}) + \underline{D}_2(\underline{u}) + \underline{D}_3(\underline{u}) + \underline{D}_4(\underline{u}) \right], \left[ \left( \mathcal{T}_{(1,2)}^1 \right)' \right. \right. \\ & \quad \left. \left. + \left( \mathcal{T}_{(1,2)}^2 \right)' + \left( \mathcal{T}_{(1,2)}^3 \right)' + \left( \mathcal{T}_{(1,2)}^4 \right)' \right] \left[ \underline{B}_1(\underline{u}') + \underline{B}_2(\underline{u}') + \underline{B}_3(\underline{u}') + \underline{B}_4(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(2,1)}^i \right) \left( \sum_{1 \leq i' \leq 4} \frac{D_{i'}(\underline{u})}{i'} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \mathcal{T}_{(2,1)}^i \right) \left( \frac{D_{i'}(\underline{u})}{i'} \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(2,1)}^i, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\} \left( \frac{D_{i'}(\underline{u})}{i'} \right) + \left( \mathcal{T}_{(2,1)}^i \right) \left\{ D_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\} \right]$$

$$\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), \mathcal{T}_{(2,1)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{i'} \right) - \left( \mathcal{T}_{(2,1)}^i \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), D_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \mathcal{T}_{(2,1)}^i \right\} \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \left( \frac{D_{i'}(\underline{u})}{i'} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i'''}, \mathcal{T}_{(2,1)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{i'} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(2,1)}^i \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), D_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \mathcal{T}_{(2,1)}^i \right\} \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \left( \frac{D_{i'}(\underline{u})}{i'} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i'''}, \mathcal{T}_{(2,1)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{i'} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(2,1)}^i \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{D_{i'}(\underline{u})}{i'} \right\} \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i'''}, D_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{D_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{D_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i''_{(2,1)}}, \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right\} \left( \frac{D_{i'}(\underline{u})}{i''} \right) + \left( \mathcal{T}_{(2,1)}^i \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{D_{i'}(\underline{u})}{i''} \right\} \left( \frac{B_{i'''}(\underline{u})}{i''} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \right] \\ & \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i''_{(2,1)}}, \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{D_{i'}(\underline{u})}{i''} \right\} \right] \left[ \left( \frac{D_{i'}(\underline{u})}{i''} + \frac{B_{i'''}(\underline{u})}{i''} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 30 : \left\{ \left[ \frac{\mathcal{T}_{(2,1)}^1}{i''_{(2,1)}} + \frac{\mathcal{T}_{(2,1)}^2}{i''_{(2,1)}} + \frac{\mathcal{T}_{(2,1)}^3}{i''_{(2,1)}} + \frac{\mathcal{T}_{(2,1)}^4}{i''_{(2,1)}} \right] \left[ \frac{D_1(\underline{u})}{i''} + \frac{D_2(\underline{u})}{i''} + \frac{D_3(\underline{u})}{i''} + \frac{D_4(\underline{u})}{i''} \right], \left[ \left( \frac{\mathcal{T}_{(1,3)}^1}{i''_{(1,3)}} \right)' \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(1,3)}^2}{i''_{(1,3)}} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^3}{i''_{(1,3)}} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^4}{i''_{(1,3)}} \right)' \right] \left[ \frac{C_1(\underline{u}')}{i''} + \frac{C_2(\underline{u}')}{i''} + \frac{C_3(\underline{u}')}{i''} + \frac{C_4(\underline{u}')}{i''} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \left( \sum_{1 \leq i' \leq 4} \frac{D_{i'}(\underline{u})}{i''} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{C_{i'''}(\underline{u})}{i''} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \left( \frac{D_{i'}(\underline{u})}{i''} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right) \right\} \left( \frac{D_{i'}(\underline{u})}{i''} \right) + \left( \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right), \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right\} \left( \frac{D_{i'}(\underline{u})}{i''} \right) - \left( \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right), D_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right\} \left( \frac{C_{i'''}(\underline{u})}{i''} \right) \left( \frac{D_{i'}(\underline{u})}{i''} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i''}, \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right\} \left( \frac{D_{i'}(\underline{u})}{i''} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(2,1)}^i}{i''_{(2,1)}} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i''} \right), D_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \left( \underline{D_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \left( \underline{C_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{D_{i'}(\underline{u})}, \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{D_{i'}(\underline{u})}{i'} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{D_{i'}(\underline{u})}{i'} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(2,1)}^i} \right) \right] \\ \times \left[ \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \right] \left[ \left( \underline{D_{i'}(\underline{u})} + \underline{C_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket \# 31 :} \left\{ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D_1(\underline{u})} + \underline{D_2(\underline{u})} + \underline{D_3(\underline{u})} + \underline{D_4(\underline{u})} \right], \left[ \left( \underline{\mathcal{T}_{(2,1)}^1} \right)' \right. \right. \\ \left. \left. + (\underline{\mathcal{T}_{(2,1)}^2})' + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1(\underline{u}')} + \underline{D_2(\underline{u}')} + \underline{D_3(\underline{u}')} + \underline{D_4(\underline{u}')} \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{D_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \underline{D_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(2,1)}^i}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \left( \underline{D_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \underline{D_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{D_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right) \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right), D_{i'}(\underline{u}) \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right) \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', D_{i'}(\underline{u}) \right\} \left( \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})}, D_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} \frac{D_{i'}(\underline{u})}{i'' - i} + \frac{(\mathcal{T}_{(2,1)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i'' - i} \frac{D_{i'}(\underline{u})}{i'' - i} + \frac{(\mathcal{T}_{(2,1)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i''' - i'},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right\} \left( \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(2,1)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right\} \right] \left[ \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} + \frac{D_{i'''}(\underline{u})}{D_{i''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket } \# 32: \left\{ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D_1(\underline{u})} + \underline{D_2(\underline{u})} + \underline{D_3(\underline{u})} + \underline{D_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,2)}^1})' \right. \right. \\
&+ (\underline{\mathcal{T}_{(2,2)}^2})' + (\underline{\mathcal{T}_{(2,2)}^3})' + (\underline{\mathcal{T}_{(2,2)}^4})' + (\underline{\mathcal{T}_{(2,2)}^5})' + (\underline{\mathcal{T}_{(2,2)}^6})' \left. \right] \left[ \underline{E_1(\underline{u}')} + \underline{E_2(\underline{u}')} + \underline{E_3(\underline{u}')} + \underline{E_4(\underline{u}')} + \underline{E_5(\underline{u}')} + \underline{E_6(\underline{u}')} \right] \left. \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \frac{E_{i'''}(\underline{u})}{E_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(2,1)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i''}(\underline{u})} \right) \right\} \left( \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \frac{D_{i'}(\underline{u})}{D_{i''}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right), \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) - \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right), \underline{D_{i'}(u)} \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{E_{i''}(u)} \right) \left( \underline{D_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right), \underline{D_{i'}(u)} \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{E_{i''}(u)} \right) \left( \underline{D_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{D_{i'}(u)} \right\} \left( \underline{E_{i''}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{D_{i'}(u)} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i''}(u)} \underline{D_{i'}(u)}}{\underline{i''_{(2,2)}} - \underline{i_{(2,2)}}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i''}(u)} \underline{D_{i'}(u)}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{D_{i'}(u)} \right\} \left( \underline{E_{i''}(u)} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(2,1)}^i} \right) \right] \\ \times \left[ \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(2,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{D_{i'}(u)} \right\} \right] \left[ \left( \underline{D_{i'}(u)} + \underline{E_{i''}(u)} \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket } \# 33 : \left\{ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D_1(u)} + \underline{D_2(u)} + \underline{D_3(u)} + \underline{D_4(u)} \right], \left[ (\underline{\mathcal{T}_{(2,3)}^1})' \right. \right. \\ \left. \left. + (\underline{\mathcal{T}_{(2,3)}^2})' + (\underline{\mathcal{T}_{(2,3)}^3})' \right] \left[ \underline{F_1(u')} + \underline{F_2(u')} + \underline{F_3(u')} \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{D_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F_{i''}(u)} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left( \underline{D_{i'}(u)} \right), \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right) \right\}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(2,1)}^i}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \left( \underline{D_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \underline{D_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right) \right\} \right] \\
&\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{D_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \left( \underline{D_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(\underline{u})} \right), \underline{D_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \left( \underline{D_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \left( \underline{F_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{D_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u}) D_{i'}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u}) D_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} \left( \underline{D_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,1)}^i} \right) \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \underline{\mathcal{T}_{(2,1)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{D_{i'}(\underline{u})}, \right\} \right] \left[ \left( \underline{D_{i'}(\underline{u})} + \underline{F_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket } \# 34 : \left\{ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D_1(\underline{u})} + \underline{D_2(\underline{u})} + \underline{D_3(\underline{u})} + \underline{D_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(3,1)}^1})' \right. \right. \\
&\quad \left. \left. + (\underline{\mathcal{T}_{(3,1)}^2})' + (\underline{\mathcal{T}_{(3,1)}^3})' + (\underline{\mathcal{T}_{(3,1)}^4})' + (\underline{\mathcal{T}_{(3,1)}^5})' \right] \left[ \underline{G_1(\underline{u}')} + \underline{G_2(\underline{u}')} + \underline{G_3(\underline{u}')} + \underline{G_4(\underline{u}')} + \underline{G_5(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 4} \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \mathcal{T}_{(2,2)}^i \right) \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \mathcal{T}_{(2,2)}^i, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\} \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ D_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right), \mathcal{T}_{(2,2)}^i, \right\} \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) - \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right), D_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), \mathcal{T}_{(2,2)}^i, \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ H_{i'''}(\underline{u}), \mathcal{T}_{(2,2)}^i, \right\} \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right), D_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), \mathcal{T}_{(2,2)}^i, \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ H_{i'''}(\underline{u}), \mathcal{T}_{(2,2)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(2,2)}^i \right) \left[ \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), D_{i'}(\underline{u}) \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ H_{i'''}(\underline{u}), D_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{H_{i'''}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} \frac{D_{i'}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{H_{i'''}(\underline{u})}{i'' - i} \frac{D_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \mathcal{T}_{(2,2)}^i \right) \right] \\ \times \left[ \left\{ \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right\} \right] \left[ \left( \frac{D_{i'}(\underline{u})}{H_{i''}(\underline{u})} + \frac{H_{i'''}(\underline{u})}{H_{i''}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\underline{\text{Poisson bracket } \# 35} : \left\{ \left[ \underline{\mathcal{T}}_{(2,1)}^1 + \underline{\mathcal{T}}_{(2,1)}^2 + \underline{\mathcal{T}}_{(2,1)}^3 + \underline{\mathcal{T}}_{(2,1)}^4 \right] \left[ \underline{D}_1(\underline{u}) + \underline{D}_2(\underline{u}) + \underline{D}_3(\underline{u}) + \underline{D}_4(\underline{u}) \right], \left[ \left( \underline{\mathcal{T}}_{(3,2)}^1 \right)' + \left( \underline{\mathcal{T}}_{(3,2)}^2 \right)' \right] \left[ \underline{H}_1(\underline{u}') + \underline{H}_2(\underline{u}') + \underline{H}_3(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{D}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left( \underline{D}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}}_{(2,2)}^i, \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\} \left( \underline{D}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \underline{D}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{D}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{D}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,1)}^{i''})', \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{D}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{D}_{i'}(\underline{u}) \right) \right.$$

$$\left. + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \underline{D}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,1)}^{i''})', \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{D}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{D}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(1,1)}^{i''})', \underline{D}_{i'}(\underline{u}) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,1)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{D}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u}) \underline{D}_{i'}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u}) \underline{D}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{D}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D}_{i'}(\underline{u}) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(2,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{D}_{i'}(\underline{u}) + \underline{H}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 36 : & \left[ \left[ \underline{\mathcal{T}_{(2,1)}^1} + \underline{\mathcal{T}_{(2,1)}^2} + \underline{\mathcal{T}_{(2,1)}^3} + \underline{\mathcal{T}_{(2,1)}^4} \right] \left[ \underline{D}_1(\underline{u}) + \underline{D}_2(\underline{u}) + \underline{D}_3(\underline{u}) + \underline{D}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(3,3)}^1})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(3,3)}^2})' + (\underline{\mathcal{T}_{(3,3)}^3})' + (\underline{\mathcal{T}_{(3,3)}^4})' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right] \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{D}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{D}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \left( \underline{D}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{D}_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{D}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{D}_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{D}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{D}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{D}_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{D}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{D}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{D}_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{D}_{i'}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{D}_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{D_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(2,2)}^i} \right) \right]$$

$$\times \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{D_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{D_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned} \text{Poisson bracket } \# 37: & \left\{ \left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] \left[ \underline{E_1}(\underline{u}) + \underline{E_2}(\underline{u}) + \underline{E_3}(\underline{u}) + \underline{E_4}(\underline{u}) \right. \right. \\ & + \underline{E_5}(\underline{u}) + \underline{E_6}(\underline{u}) \Big], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' + (\underline{\mathcal{T}_{(1,1)}^2})' + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1}(\underline{u'}) + \underline{A_2}(\underline{u'}) + \underline{A_3}(\underline{u'}) \right. \\ & \quad \left. \left. + \underline{A_4}(\underline{u'}) + \underline{A_5}(\underline{u'}) \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 6} \underline{E_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{E_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \left( \underline{E_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{E_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{E_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{E_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{E_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{E_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), \underline{E_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{E_{i'}}(\underline{u}) \right\} \right] \right]$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{A_{i'''}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} \frac{E_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{A_{i'''}(\underline{u})}{i'' - i} \frac{E_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \frac{A_{i'''}(\underline{u})}{i''_{(2,2)}}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{i''_{(2,2)}} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), \frac{E_{i'}(\underline{u})}{i''_{(2,2)}} \right\} \left( \frac{A_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \mathcal{T}_{(2,2)}^i \right) \right] \\ & \times \left[ \left\{ \frac{A_{i'''}(\underline{u})}{i''_{(2,2)}}, \mathcal{T}_{(2,2)}^i \right\} + \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right), \frac{E_{i'}(\underline{u})}{i''_{(2,2)}} \right\} \right] \left[ \left( \frac{E_{i'}(\underline{u})}{i''_{(2,2)}} + \frac{A_{i'''}(\underline{u})}{i''_{(2,2)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 38 : \left\{ \left[ \mathcal{T}_{(2,2)}^1 + \mathcal{T}_{(2,2)}^2 + \mathcal{T}_{(2,2)}^3 + \mathcal{T}_{(2,2)}^4 + \mathcal{T}_{(2,2)}^5 + \mathcal{T}_{(2,2)}^6 \right] \left[ \underline{E}_1(\underline{u}) + \underline{E}_2(\underline{u}) + \underline{E}_3(\underline{u}) \right. \right. \\ & \left. \left. + \underline{E}_4(\underline{u}) + \underline{E}_5(\underline{u}) + \underline{E}_6(\underline{u}) \right], \left[ (\mathcal{T}_{(1,2)}^1)' + (\mathcal{T}_{(1,2)}^2)' + (\mathcal{T}_{(1,2)}^3)' + (\mathcal{T}_{(1,2)}^4)' \right] \left[ \underline{B}_1(\underline{u}') + \underline{B}_2(\underline{u}') + \underline{B}_3(\underline{u}') + \underline{B}_4(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 6} \frac{E_{i'}(\underline{u})}{i'} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \mathcal{T}_{(2,2)}^i \right) \left( \frac{E_{i'}(\underline{u})}{i'} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \mathcal{T}_{(2,2)}^i, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\} \left( \frac{E_{i'}(\underline{u})}{i'} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ E_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \right\} \right]$$

$$\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{i'} \right) - \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), E_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \mathcal{T}_{(2,2)}^i \right\} \left( \frac{B_{i'''}(\underline{u})}{i'''} \right) \left( \frac{E_{i'}(\underline{u})}{i'} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i'''}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{i'} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{i'''} \right), E_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{B_{i'''}(\underline{u})} \right) \left( \underline{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{B_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{B_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{B_{i'''}(\underline{u})}, \underline{E_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{E_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{E_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{B_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{B_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \right) \right] \\
&\quad \times \left[ \left\{ \underline{B_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{E_{i'}(\underline{u})} + \underline{B_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket } \# 39 : \left\{ \left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] \left[ \underline{E_1(\underline{u})} + \underline{E_2(\underline{u})} + \underline{E_3(\underline{u})} \right. \right. \\
&+ \underline{E_4(\underline{u})} + \underline{E_5(\underline{u})} + \underline{E_6(\underline{u})} \left. \right], \left[ (\underline{\mathcal{T}_{(1,3)}^1})' + (\underline{\mathcal{T}_{(1,3)}^2})' + (\underline{\mathcal{T}_{(1,3)}^3})' + (\underline{\mathcal{T}_{(1,3)}^4})' \right] \left[ \underline{C_1(\underline{u}')} + \underline{C_2(\underline{u}')} + \underline{C_3(\underline{u}')} + \underline{C_4(\underline{u}')} \right] \left. \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 6} \underline{E_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{C_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{E_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right) \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{E_{i'}(\underline{u})}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right), \underline{E_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \left( \underline{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \underline{C_{i'''}(\underline{u})} \right), \underline{E_{i'}(\underline{u})} \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \left( \underline{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{E_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{C_{i'''}(\underline{u})} \underline{E_{i'}(\underline{u})}}{\underline{i''_{(1,3)}} - \underline{i_{(1,3)}}} + (\mathcal{T}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{C_{i'''}(\underline{u})} \underline{E_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(2,2)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{E_{i'}(\underline{u})} + \underline{C_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 40 : \left\{ \left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] \left[ \underline{E_1(\underline{u})} + \underline{E_2(\underline{u})} + \underline{E_3(\underline{u})} \right. \right. \\
& \left. \left. + \underline{E_4(\underline{u})} + \underline{E_5(\underline{u})} + \underline{E_6(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,1)}^1})' + (\underline{\mathcal{T}_{(2,1)}^2})' + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1(\underline{u'})} + \underline{D_2(\underline{u'})} + \underline{D_3(\underline{u'})} + \underline{D_4(\underline{u'})} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 6} \underline{E_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{E_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{E_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\begin{aligned}
&\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right), \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) - \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right), E_{i'}(\underline{u}) \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} \left( E_{i'}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right), E_{i'}(\underline{u}) \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \frac{\mathcal{T}_{(2,2)}^i}{D_{i'''}(\underline{u})}, D_{i'''}(\underline{u}) \right\} \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} \left( E_{i'}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \mathcal{T}_{(2,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \frac{E_{i'}(\underline{u})}{D_{i'''}(\underline{u})} \right\} \left( \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, E_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i'' - i} \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \frac{E_{i'}(\underline{u})}{D_{i'''}(\underline{u})} \right\} \left( \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \mathcal{T}_{(2,2)}^i \right) \right] \\
&\quad \times \left[ \left\{ \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})}, \mathcal{T}_{(2,2)}^i \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \frac{E_{i'}(\underline{u})}{D_{i'''}(\underline{u})} \right\} \right] \left[ \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} + \frac{D_{i'''}(\underline{u})}{E_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket \# 41 :} \left\{ \left[ \mathcal{T}_{(2,2)}^1 + \mathcal{T}_{(2,2)}^2 + \mathcal{T}_{(2,2)}^3 + \mathcal{T}_{(2,2)}^4 + \mathcal{T}_{(2,2)}^5 + \mathcal{T}_{(2,2)}^6 \right] \left[ \underline{E}_1(\underline{u}) + \underline{E}_2(\underline{u}) + \underline{E}_3(\underline{u}) \right. \right. \\
&\quad \left. \left. + \underline{E}_4(\underline{u}) + \underline{E}_5(\underline{u}) + \underline{E}_6(\underline{u}) \right], \left[ (\mathcal{T}_{(2,2)}^1)' + (\mathcal{T}_{(2,2)}^2)', (\mathcal{T}_{(2,2)}^3)', (\mathcal{T}_{(2,2)}^4)', (\mathcal{T}_{(2,2)}^5)', (\mathcal{T}_{(2,2)}^6)' \right] \right. \\
&\quad \left. \times \left[ \underline{E}_1(\underline{u}') + \underline{E}_2(\underline{u}') + \underline{E}_3(\underline{u}') + \underline{E}_4(\underline{u}') + \underline{E}_5(\underline{u}') + \underline{E}_6(\underline{u}') \right] \right\} \\
&= \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 6} \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\}
\end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left( \frac{E_{i''}(\underline{u})}{E_{i'''}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \frac{\mathcal{T}_{(2,2)}^i}{E_{i'''}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left\{ \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right), \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) - \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right), \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \frac{\mathcal{T}_{(2,2)}^i}{E_{i'''}(\underline{u})} \right\} \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right), \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \frac{\mathcal{T}_{(2,2)}^i}{E_{i'''}(\underline{u})} \right\} \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left[ \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right), \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right\} \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})}, \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{E_{i'}(\underline{u})}{i'' - i} + \frac{(\mathcal{T}_{(2,2)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i'' - i} \frac{E_{i'}(\underline{u})}{i''' - i'} + \frac{(\mathcal{T}_{(2,2)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i''' - i'},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right\} \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right), \frac{E_{i'}(\underline{u})}{E_{i'''}(\underline{u})} \right\} \left( \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right) \right] \\ \times \left[ \left\{ \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})}, \frac{\mathcal{T}_{(2,2)}^i}{E_{i'}(\underline{u})} \right\} + \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right), \frac{E_{i'}(\underline{u})}{E_{i'''}(\underline{u})} \right\} \right] \left[ \left( \frac{E_{i'}(\underline{u})}{E_{i'}(\underline{u})} + \frac{E_{i'''}(\underline{u})}{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned} \text{Poisson bracket } \# 42 : & \left\{ \left[ \underline{\mathcal{T}}_{(2,2)}^1 + \underline{\mathcal{T}}_{(2,2)}^2 + \underline{\mathcal{T}}_{(2,2)}^3 + \underline{\mathcal{T}}_{(2,2)}^4 + \underline{\mathcal{T}}_{(2,2)}^5 + \underline{\mathcal{T}}_{(2,2)}^6 \right] \left[ \underline{E}_1(\underline{u}) + \underline{E}_2(\underline{u}) + \underline{E}_3(\underline{u}) \right. \right. \\ & \left. \left. + \underline{E}_4(\underline{u}) + \underline{E}_5(\underline{u}) + \underline{E}_6(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(2,3)}^1)' + (\underline{\mathcal{T}}_{(2,3)}^2)' + (\underline{\mathcal{T}}_{(2,3)}^3)' \right] \left[ \underline{F}_1(\underline{u}') + \underline{F}_2(\underline{u}') + \underline{F}_3(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 6} \underline{E}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left( \underline{E}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}}_{(2,2)}^i, \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\} \left( \underline{E}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \underline{E}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{E}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{E}_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} \stackrel{(LR)}{=} & - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(2,3)}^{i''})', \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \left( \underline{E}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{E}_{i'}(\underline{u}) \right) \right. \\ & \left. + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{E}_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} \stackrel{(LR)}{=} & - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(2,3)}^{i''})', \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \left( \underline{E}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{E}_{i'}(\underline{u}) \right) \right. \\ & \left. + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(2,3)}^{i''})', \underline{E}_{i'}(\underline{u}) \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,3)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{E}_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{F}_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{\underline{E}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{F}_{i'''}(\underline{u})}{i'' - i} \frac{\underline{E}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{F_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \underline{\mathcal{T}_{(2,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{F_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(2,3)}^{i''})', \underline{E_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{E_{i'}(\underline{u})} + \underline{F_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 43 : \left\{ \left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] \left[ \underline{E_1(\underline{u})} + \underline{E_2(\underline{u})} + \underline{E_3(\underline{u})} \right. \right. \\ & + \underline{E_4(\underline{u})} + \underline{E_5(\underline{u})} + \underline{E_6(\underline{u})} \left. \right], \left[ (\underline{\mathcal{T}_{(3,1)}^1})' + (\underline{\mathcal{T}_{(3,1)}^2})' + (\underline{\mathcal{T}_{(3,1)}^3})' + (\underline{\mathcal{T}_{(3,1)}^4})' + (\underline{\mathcal{T}_{(3,1)}^5})' \right] \left[ \underline{G_1(\underline{u'})} + \underline{G_2(\underline{u'})} + \underline{G_3(\underline{u'})} \right. \\ & \quad \left. \left. + \underline{G_4(\underline{u'})} + \underline{G_5(\underline{u'})} \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 6} \underline{E_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{G_{i'''}(\underline{u})} \right) \right\} \end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{E_{i'}(\underline{u})} \right), \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right) \right\} \left( \underline{E_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{E_{i'}(\underline{u})}, \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right), \underline{E_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}_{(3,1)}^{i''}})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{G_{i'''}(\underline{u})} \right) \left( \underline{E_{i'}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left\{ \underline{G_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left( \underline{G_{i'''}(\underline{u})} \right), \underline{E_{i'}(\underline{u})} \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}_{(3,1)}^{i''}})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{G_{i'''}(\underline{u})} \right) \left( \underline{E_{i'}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left\{ \underline{G_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}(\underline{u})} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ (\underline{\mathcal{T}_{(3,1)}^{i''}})', \underline{E_{i'}(\underline{u})} \right\} \left( \underline{G_{i'''}(\underline{u})} \right) + \left( (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right) \left\{ \underline{G_{i'''}(\underline{u})}, \underline{E_{i'}(\underline{u})} \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{G_{i'''}(\underline{u})} \underline{E_{i'}(\underline{u})}}{\underline{i'''}_{(3,1)} - \underline{i}_{(3,1)}} + (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{G_{i'''}(\underline{u})} \underline{E_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\underline{\mathcal{T}_{(3,1)}^{i''}})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{E_{i'}}(\underline{u}) \right\} \left( \underline{G_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \underline{\mathcal{T}_{(2,2)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{E_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{E_{i'}}(\underline{u}) + \underline{G_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \\
& \text{Poisson bracket } \# 44 : \left\{ \left[ \underline{\mathcal{T}_{(2,2)}^1} + \underline{\mathcal{T}_{(2,2)}^2} + \underline{\mathcal{T}_{(2,2)}^3} + \underline{\mathcal{T}_{(2,2)}^4} + \underline{\mathcal{T}_{(2,2)}^5} + \underline{\mathcal{T}_{(2,2)}^6} \right] \left[ \underline{E_1}(\underline{u}) + \underline{E_2}(\underline{u}) + \underline{E_3}(\underline{u}) \right. \right. \\
& \quad \left. \left. + \underline{E_4}(\underline{u}) + \underline{E_5}(\underline{u}) + \underline{E_6}(\underline{u}) \right], \left[ (\mathcal{T}_{(3,2)}^1)' + (\mathcal{T}_{(3,2)}^2)' + (\mathcal{T}_{(3,2)}^3)' \right] \left[ \underline{H_1}(\underline{u'}) + \underline{H_2}(\underline{u'}) + \underline{H_3}(\underline{u'}) \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 6} \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \sum_{1 \leq i' \leq 6} \underline{E_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{H_{i'''}}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left( \underline{E_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(2,2)}^i}, \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right) \right\} \left( \underline{E_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \underline{E_{i'}}(\underline{u}), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right), \underline{E_{i'}}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{H_{i'''}}(\underline{u}) \right) \left( \underline{E_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \underline{H_{i'''}}(\underline{u}) \right), \underline{E_{i'}}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{H_{i'''}}(\underline{u}) \right) \left( \underline{E_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,2)}^i} \right\} \left( \underline{E_{i'}}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(2,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{E_{i'}}(\underline{u}) \right\} \left( \underline{H_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H_{i'''}}(\underline{u}), \underline{E_{i'}}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} \frac{E_{i'}(\underline{u})}{+} + (\mathcal{T}_{(3,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i'' - i} \frac{E_{i'}(\underline{u})}{+} + (\mathcal{T}_{(3,2)}^{i''})' \right],$$

corresponding to the first, and last, bracket appearing in  $(*)$ , and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{+}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{+} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{E_{i'}(\underline{u})}{+} \right\} \left( \frac{H_{i'''}(\underline{u})}{+} \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \mathcal{T}_{(2,2)}^i \right) \right] \\ & \times \left[ \left\{ \frac{H_{i'''}(\underline{u})}{+}, \mathcal{T}_{(2,2)}^i \right\} + \left\{ (\mathcal{T}_{(3,2)}^{i''})', \frac{E_{i'}(\underline{u})}{+} \right\} \right] \left[ \left( \frac{E_{i'}(\underline{u})}{+} + \frac{H_{i'''}(\underline{u})}{+} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 45 : \left\{ \left[ \frac{\mathcal{T}_{(2,2)}^1 + \mathcal{T}_{(2,2)}^2 + \mathcal{T}_{(2,2)}^3 + \mathcal{T}_{(2,2)}^4 + \mathcal{T}_{(2,2)}^5 + \mathcal{T}_{(2,2)}^6}{+} \right] \left[ \frac{E_1(\underline{u}) + E_2(\underline{u}) + E_3(\underline{u})}{+} \right. \right. \\ & \left. \left. + E_4(\underline{u}) + E_5(\underline{u}) + E_6(\underline{u}) \right], \left[ (\mathcal{T}_{(3,3)}^1)' + (\mathcal{T}_{(3,3)}^2)' + (\mathcal{T}_{(3,3)}^3)' + (\mathcal{T}_{(3,3)}^4)' \right] \left[ \frac{I_1(\underline{u}') + I_2(\underline{u}') + I_3(\underline{u}') + I_4(\underline{u}')}{+} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 6} \mathcal{T}_{(2,2)}^i \right) \left( \sum_{1 \leq i' \leq 6} \frac{E_{i'}(\underline{u})}{+} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \frac{I_{i'''}(\underline{u})}{+} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \mathcal{T}_{(2,2)}^i \right) \left( \frac{E_{i'}(\underline{u})}{+} \right), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \mathcal{T}_{(2,2)}^i, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right) \right\} \left( \frac{E_{i'}(\underline{u})}{+} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \frac{E_{i'}(\underline{u})}{+}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right), \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{+} \right) - \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right), E_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 6 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \mathcal{T}_{(2,2)}^i \right\} \left( \frac{I_{i'''}(\underline{u})}{+} \right) \left( \frac{E_{i'}(\underline{u})}{+} \right) \right. \\ & \left. + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \frac{I_{i'''}(\underline{u})}{+}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{+} \right) + \left( \mathcal{T}_{(2,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{+} \right), E_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \mathcal{T}_{(2,2)}^i \right\} \left( \frac{I_{i'''}(\underline{u})}{+} \right) \left( \frac{E_{i'}(\underline{u})}{+} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \frac{I_{i'''}(\underline{u})}{+}, \mathcal{T}_{(2,2)}^i \right\} \left( \frac{E_{i'}(\underline{u})}{+} \right) \right]$$

$$+ \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{E}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{E}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{\underline{i}_{(3,3)}'' - i_{(3,3)}} \frac{\underline{E}_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{\underline{i}'' - i} \frac{\underline{E}_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} \left( \underline{E}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,2)}^i \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{E}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}}_{(2,2)}^i \right) \right] \\ & \quad \times \left[ \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,2)}^i \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{E}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{E}_{i'}(\underline{u}) + \underline{I}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 46 : \left\{ \left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \left[ \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,1)}^1)' + (\underline{\mathcal{T}}_{(1,1)}^2)' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}}_{(1,1)}^3)' + (\underline{\mathcal{T}}_{(1,1)}^4)' + (\underline{\mathcal{T}}_{(1,1)}^5)' + (\underline{\mathcal{T}}_{(1,1)}^6)' \right] \left[ \underline{A}_1(\underline{u}') + \underline{A}_2(\underline{u}') + \underline{A}_3(\underline{u}') + \underline{A}_4(\underline{u}') + \underline{A}_5(\underline{u}') \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \sum_{1 \leq i' \leq 3} \underline{F}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A}_{i'''}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \underline{F}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right) \right\} \end{aligned}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}}_{(2,3)}^i, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right) \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \underline{F}_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{A}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right]$$

$$+ \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\}$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{A}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \left( \underline{A}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A}_{i'''}(\underline{u}), \underline{F}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A}_{i'''}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} \frac{\underline{F}_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A}_{i'''}(\underline{u})}{i'' - i} \frac{\underline{F}_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \left( \underline{A}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}}_{(2,3)}^i \right) \right] \\ \times \left[ \left\{ \underline{A}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{F}_{i'}(\underline{u}) + \underline{A}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket \# 47:} \left\{ \left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \left[ \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,2)}^1)' + (\underline{\mathcal{T}}_{(1,2)}^2)' \right. \right. \\ \left. \left. + (\underline{\mathcal{T}}_{(1,2)}^3)' + (\underline{\mathcal{T}}_{(1,2)}^4)' \right] \left[ \underline{B}_1(\underline{u}') + \underline{B}_2(\underline{u}') + \underline{B}_3(\underline{u}') + \underline{B}_4(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \sum_{1 \leq i' \leq 3} \underline{F}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \underline{F}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}}_{(2,3)}^i, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B}_{i'''}(\underline{u}) \right) \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \underline{F}_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\begin{aligned}
&\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i''}}(\underline{u}) \right), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i''}}(\underline{u}) \right), \underline{F_{i'}}(\underline{u}) \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{B_{i''}}(\underline{u}) \right) \left( \underline{F_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i''}}(\underline{u}) \right), \underline{F_{i'}}(\underline{u}) \right\} \right] \\
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{B_{i''}}(\underline{u}) \right) \left( \underline{F_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{F_{i'}}(\underline{u}) \right\} \left( \underline{B_{i''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i''}}(\underline{u}), \underline{F_{i'}}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{B_{i''}}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} \frac{\underline{F_{i'}}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{B_{i''}}(\underline{u})}{i'' - i} \frac{\underline{F_{i'}}(\underline{u})}{i''} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{F_{i'}}(\underline{u}) \right\} \left( \underline{B_{i''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \underline{\mathcal{T}_{(2,3)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{B_{i''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{F_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{F_{i'}}(\underline{u}) + \underline{B_{i''}}(\underline{u}) \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket \# 48 :} \left\{ \left[ \underline{\mathcal{T}_{(2,3)}^1} + \underline{\mathcal{T}_{(2,3)}^2} + \underline{\mathcal{T}_{(2,3)}^3} \right] \left[ \underline{F_1}(\underline{u}) + \underline{F_2}(\underline{u}) + \underline{F_3}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,3)}^1})' + (\underline{\mathcal{T}_{(1,3)}^2})' + (\underline{\mathcal{T}_{(1,3)}^3})' \right. \right. \\
&\quad \left. \left. + (\underline{\mathcal{T}_{(1,3)}^4})' \right] \left[ \underline{C_1}(\underline{u'}) + \underline{C_2}(\underline{u'}) + \underline{C_3}(\underline{u'}) + \underline{C_4}(\underline{u'}) \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(2,3)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{F_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{C_{i''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \mathcal{T}_{(2,3)}^i \right) \left( \frac{F_{i'}(\underline{u})}{C_{i''}(\underline{u})} \right), \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(2,3)}^i, \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \right\} \left( \frac{F_{i'}(\underline{u})}{C_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ \frac{F_{i'}(\underline{u})}{\left( \mathcal{T}_{(1,3)}^{i''} \right)'}, \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \right\} \right]$$

$$\begin{aligned} & \stackrel{(AC)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,3)}^{i''}, \mathcal{T}_{(2,3)}^i \right\} \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \left( \frac{F_{i'}(\underline{u})}{C_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left\{ \frac{C_{i'''}(\underline{u})}{\mathcal{T}_{(2,3)}^i}, F_{i'}(\underline{u}) \right\} \right] \\ & \quad + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right), F_{i'}(\underline{u}) \right\} \\ & \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,3)}^{i''}, \mathcal{T}_{(2,3)}^i \right\} \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \left( \frac{F_{i'}(\underline{u})}{C_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left\{ \frac{C_{i'''}(\underline{u})}{\mathcal{T}_{(2,3)}^i}, F_{i'}(\underline{u}) \right\} \right] \\ & \quad + \left( \mathcal{T}_{(2,3)}^i \right) \left[ \left\{ \left( \mathcal{T}_{(1,3)}^{i''} \right)', F_{i'}(\underline{u}) \right\} \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) + \left( \left( \mathcal{T}_{(1,3)}^{i''} \right)' \right) \left\{ \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right), F_{i'}(\underline{u}) \right\} \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{F_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{F_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( \mathcal{T}_{(1,3)}^{i''} \right)' \left\{ \frac{C_{i'''}(\underline{u})}{\mathcal{T}_{(2,3)}^i}, F_{i'}(\underline{u}) \right\} + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ \left( \mathcal{T}_{(1,3)}^{i''} \right)', F_{i'}(\underline{u}) \right\} \left( \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \approx \left[ \left( \mathcal{T}_{(1,3)}^{i''} \right)' + \mathcal{T}_{(2,3)}^i \right] \\ & \quad \times \left[ \left\{ \frac{C_{i'''}(\underline{u})}{\mathcal{T}_{(2,3)}^i}, F_{i'}(\underline{u}) \right\} + \left\{ \left( \mathcal{T}_{(1,3)}^{i''} \right)', F_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{F_{i'}(\underline{u})}{C_{i'''}(\underline{u})} + \frac{C_{i'''}(\underline{u})}{F_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 49 : \left\{ \left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \left[ \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(2,1)}^1)' + (\underline{\mathcal{T}}_{(2,1)}^2)' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}}_{(2,1)}^3)' + (\underline{\mathcal{T}}_{(2,1)}^4)' \right] \left[ \underline{D}_1(\underline{u}') + \underline{D}_2(\underline{u}') + \underline{D}_3(\underline{u}') + \underline{D}_4(\underline{u}') \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \sum_{1 \leq i' \leq 3} \underline{F}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{D}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \underline{F}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}}_{(2,3)}^i, \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right) \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \underline{F}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right) \right\} \right] \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}}_{(2,2)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{D}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left\{ \underline{D}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left( \underline{D}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}}_{(2,2)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{D}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left\{ \underline{D}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(2,2)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \left( \underline{D}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right) \left\{ \underline{D}_{i'''}(\underline{u}), \underline{F}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D}_{i'''}(\underline{u}) \underline{F}_{i'}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D}_{i'''}(\underline{u}) \underline{F}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{D_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i}, \right\} \left( \underline{F_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{F_{i'}}(\underline{u}) \right\} \left( \underline{D_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(2,3)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{D_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i}, \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{F_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{F_{i'}}(\underline{u}) + \underline{D_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 50:} \left\{ \left[ \underline{\mathcal{T}_{(2,3)}^1} + \underline{\mathcal{T}_{(2,3)}^2} + \underline{\mathcal{T}_{(2,3)}^3} \right] \left[ \underline{F_1}(\underline{u}) + \underline{F_2}(\underline{u}) + \underline{F_3}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(2,2)}^1})' + (\underline{\mathcal{T}_{(2,2)}^2})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(2,2)}^3})' + (\underline{\mathcal{T}_{(2,2)}^4})' + (\underline{\mathcal{T}_{(2,2)}^5})' + (\underline{\mathcal{T}_{(2,2)}^6})' \right] \left[ \underline{E_1}(\underline{u}') + \underline{E_2}(\underline{u}') + \underline{E_3}(\underline{u}') + \underline{E_4}(\underline{u}') + \underline{E_5}(\underline{u}') + \underline{E_6}(\underline{u}') \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(2,3)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{F_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{E_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left( \underline{F_{i'}}(\underline{u}) \right), \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}_{(2,3)}^i}, \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\} \left( \underline{F_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \underline{F_{i'}}(\underline{u}), \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\} \right] \\ & \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{F_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(2,2)}^{i''}})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) \left( \underline{F_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{F_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\underline{\mathcal{T}_{(2,2)}^{i''}})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) \left( \underline{F_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left[ \left\{ (\underline{\mathcal{T}_{(2,2)}^{i''}})', \underline{F_{i'}}(\underline{u}) \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{F_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}}(\underline{u}) \underline{F_{i'}}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} + (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E_{i'''}}(\underline{u}) \underline{F_{i'}}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}_{(2,2)}^{i''}})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \left( \underline{E}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}}_{(2,3)}^i \right) \right] \\ & \quad \times \left[ \left\{ \underline{E}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{F}_{i'}(\underline{u}) + \underline{E}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket \# 51:} & \left\{ \left[ \underline{\mathcal{T}}_{(2,3)}^1 + \underline{\mathcal{T}}_{(2,3)}^2 + \underline{\mathcal{T}}_{(2,3)}^3 \right] \left[ \underline{F}_1(\underline{u}) + \underline{F}_2(\underline{u}) + \underline{F}_3(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(2,3)}^1)' + (\underline{\mathcal{T}}_{(2,3)}^2)' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}}_{(2,3)}^3)'\right] \left[ \underline{F}_1(\underline{u}') + \underline{F}_2(\underline{u}') + \underline{F}_3(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{F}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left( \underline{F}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \underline{\mathcal{T}}_{(2,3)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\} \left( \underline{F}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \underline{F}_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{F}_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \left( \underline{F}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(2,3)}^i \right\} \left( \underline{F}_{i'}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}}_{(2,3)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{F}_{i'}(\underline{u}) \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{F}_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''-(3,1)} \frac{F_{i'}(\underline{u})}{i-(3,1)} + \frac{(\mathcal{T}_{(3,1)}^{i''})'}{i'''-i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''-i} \frac{F_{i'}(\underline{u})}{i'''-i'} + \frac{(\mathcal{T}_{(3,1)}^{i''})'}{i'''-i'} \right] \approx \frac{C_1}{i''-i} + \frac{C_2}{i'''-i'},$$

corresponding to the first, and last, bracket appearing in  $(*)$ , and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{i-(3,1)}, \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) + \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \left( \frac{F_{i'''}(\underline{u})}{i-(3,1)} \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \right] \\ & \quad \times \left[ \left\{ \frac{F_{i'''}(\underline{u})}{i-(3,1)}, \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \right] \left[ \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} + \frac{F_{i'''}(\underline{u})}{i-(3,1)} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 52 : \left\{ \left[ \frac{\mathcal{T}_{(2,3)}^1}{i-(2,3)} + \frac{\mathcal{T}_{(2,3)}^2}{i-(2,3)} + \frac{\mathcal{T}_{(2,3)}^3}{i-(2,3)} \right] \left[ \frac{F_1(\underline{u})}{i-(2,3)} + \frac{F_2(\underline{u})}{i-(2,3)} + \frac{F_3(\underline{u})}{i-(2,3)} \right], \left[ (\mathcal{T}_{(3,1)}^{1'})' + (\mathcal{T}_{(3,1)}^{2'})' \right. \right. \\ & \quad \left. \left. + (\mathcal{T}_{(3,1)}^{3'})' + (\mathcal{T}_{(3,1)}^{4'})' + (\mathcal{T}_{(3,1)}^{5'})' \right] \left[ G_1(\underline{u}') + G_2(\underline{u}') + G_3(\underline{u}') + G_4(\underline{u}') + G_5(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left( \sum_{1 \leq i' \leq 5} \frac{F_{i'}(\underline{u})}{i-(2,3)} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left\{ \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)}, (\mathcal{T}_{(3,1)}^{i''})' \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) + \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left\{ F_{i'}(\underline{u}), (\mathcal{T}_{(3,1)}^{i''})' \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ - \left\{ (\mathcal{T}_{(3,1)}^{i''})' \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) - \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})' \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i'''}(\underline{u})}{i-(3,1)}, \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) \right. \\ \left. + \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i'''}(\underline{u})}{i-(3,1)}, \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 5 \\ 1 \leq i''' \leq 5}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i'''}(\underline{u})}{i-(3,1)}, \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right\} \left( \frac{F_{i'}(\underline{u})}{i-(2,3)} \right) \right. \\ & \quad \left. + \left( \frac{\mathcal{T}_{(2,3)}^i}{i-(2,3)} \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \left( \frac{G_{i'''}(\underline{u})}{i-(3,1)} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i'''}(\underline{u})}{i-(3,1)}, \frac{F_{i'}(\underline{u})}{i-(3,1)} \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} \frac{F_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i'' - i} \frac{F_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{G_{i'''}(\underline{u})}{i_{(2,3)}^i}, \mathcal{T}_{(2,3)}^i \right\} \left( \frac{F_{i'}(\underline{u})}{i''} \right) + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{F_{i'}(\underline{u})}{i''} \right\} \left( \frac{G_{i'''}(\underline{u})}{i''} \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \mathcal{T}_{(2,3)}^i \right) \right] \\ & \times \left[ \left\{ G_{i'''}(\underline{u}), \mathcal{T}_{(2,3)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', F_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{F_{i'}(\underline{u})}{i''} + \frac{G_{i'''}(\underline{u})}{i''} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 53 : \left\{ \left[ \mathcal{T}_{(2,3)}^1 + \mathcal{T}_{(2,3)}^2 + \mathcal{T}_{(2,3)}^3 \right] \left[ \frac{F_1(\underline{u})}{i''} + \frac{F_2(\underline{u})}{i''} + \frac{F_3(\underline{u})}{i''} \right], \left[ (\mathcal{T}_{(3,2)}^1)' + (\mathcal{T}_{(3,2)}^2)' \right. \right. \\ & \quad \left. \left. + (\mathcal{T}_{(3,2)}^3)' \right] \left[ \frac{H_1(\underline{u}')}{i''} + \frac{H_2(\underline{u}')}{i''} + \frac{H_3(\underline{u}')}{i''} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \mathcal{T}_{(2,3)}^i \right) \left( \sum_{1 \leq i' \leq 3} \frac{F_{i'}(\underline{u})}{i''} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \frac{H_{i'''}(\underline{u})}{i''} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \mathcal{T}_{(2,3)}^i \right) \left( \frac{F_{i'}(\underline{u})}{i''} \right), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \mathcal{T}_{(2,3)}^i, \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right) \right\} \left( \frac{F_{i'}(\underline{u})}{i''} \right) + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ F_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right) \right\} \right]$$

$$\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right), \mathcal{T}_{(2,3)}^i \right\} \left( \frac{F_{i'}(\underline{u})}{i''} \right) - \left( \mathcal{T}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right), F_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \mathcal{T}_{(2,3)}^i \right\} \left( \frac{H_{i'''}(\underline{u})}{i''} \right) \left( \frac{F_{i'}(\underline{u})}{i''} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ H_{i'''}(\underline{u}), \mathcal{T}_{(2,3)}^i \right\} \left( \frac{F_{i'}(\underline{u})}{i''} \right) \right. \\ & \quad \left. + \left( \mathcal{T}_{(2,3)}^i \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{i''} \right), F_{i'}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{H_{i''}(u)} \right) \left( \underline{F_{i'}(u)} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H_{i''}(u)}, \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(u)} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{F_{i'}(u)} \right\} \left( \underline{H_{i''}(u)} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{H_{i''}(u)}, \underline{F_{i'}(u)} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{H_{i''}(u)}{i''_{(3,2)} - i_{(3,2)}} \frac{F_{i'}(u)}{i''} + (\mathcal{T}_{(3,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{H_{i''}(u)}{i'' - i} \frac{F_{i'}(u)}{i''} + (\mathcal{T}_{(3,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \underline{I_{i''}(u)}, \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{F_{i'}(u)} \right\} \left( \underline{I_{i''}(u)} \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \underline{\mathcal{T}_{(2,3)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{I_{i''}(u)}, \underline{\mathcal{T}_{(2,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,2)}^{i''})', \underline{F_{i'}(u)} \right\} \right] \left[ \left( \underline{F_{i'}(u)} + \underline{I_{i''}(u)} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&\text{Poisson bracket } \# 54 : \left\{ \left[ \underline{\mathcal{T}_{(2,3)}^1} + \underline{\mathcal{T}_{(2,3)}^2} + \underline{\mathcal{T}_{(2,3)}^3} \right] \left[ \underline{F_1(u)} + \underline{F_2(u)} + \underline{F_3(u)} \right], \left[ (\underline{\mathcal{T}_{(3,3)}^1})' + (\underline{\mathcal{T}_{(3,3)}^2})' \right. \right. \\
&\quad \left. \left. + (\underline{\mathcal{T}_{(3,3)}^3})' + (\underline{\mathcal{T}_{(3,3)}^4})' \right] \left[ \underline{I_1(u')} + \underline{I_2(u')} + \underline{I_3(u')} + \underline{I_4(u')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}_{(2,3)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{F_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{I_{i'''}(u)} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left( \underline{F_{i'}(u)} \right), \left( (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \underline{I_{i'''}(u)} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(2,3)}^i}, \left( (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \underline{I_{i'''}(u)} \right) \right\} \left( \underline{F_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \underline{F_{i'}(u)}, \left( (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \underline{I_{i'''}(u)} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \underline{I_{i'''}(u)} \right), \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(u)} \right) - \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(3,3)}^{i''}})' \right) \left( \underline{I_{i'''}(u)} \right), \underline{F_{i'}(u)} \right\} \right]$$

$$\begin{aligned}
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) \left( \underline{F_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{I_{i'''}(\underline{u})} \right), \underline{F_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) \left( \underline{F_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{F_{i'}(\underline{u})} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{F_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{I_{i'''}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} \frac{F_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{I_{i'''}(\underline{u})}{i'' - i} \frac{F_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right],$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,3)}^i} \right\} \left( \underline{F_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(2,3)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{F_{i'}(\underline{u})} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(2,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(2,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{F_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{F_{i'}(\underline{u})} + \underline{I_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 55 :} \left\{ \left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \left[ \underline{G_1(\underline{u})} + \underline{G_2(\underline{u})} + \underline{G_3(\underline{u})} + \underline{G_4(\underline{u})} \right. \right. \\
& \quad \left. \left. + \underline{G_5(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' + (\underline{\mathcal{T}_{(1,1)}^2})' + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1(\underline{u'})} + \underline{A_2(\underline{u'})} + \underline{A_3(\underline{u'})} \right. \right. \\
& \quad \left. \left. + \underline{A_4(\underline{u'})} + \underline{A_5(\underline{u'})} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{G_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{A_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \underline{G_{i'}(\underline{u})} \right), \left( \mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}(\underline{u})} \right) \right\}$$

$$\begin{aligned}
& \stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,1)}^i}, \left( \mathcal{T}_{(1,1)}^{i''} \right)' \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \left( \underline{G_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \underline{G_{i'}(\underline{u})}, \left( \mathcal{T}_{(1,1)}^{i''} \right)' \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \right] \\
& \stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( \mathcal{T}_{(1,1)}^{i''} \right)' \right\} \left( \underline{A_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( \mathcal{T}_{(1,1)}^{i''} \right)' \right\} \left( \underline{A_{i'''}(\underline{u})} \right), \underline{G_{i'}(\underline{u})} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,1)}^{i''} \right)', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \left( \underline{G_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(1,1)}^{i''} \right)' \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( \mathcal{T}_{(1,1)}^{i''} \right)' \right\} \left( \underline{A_{i'''}(\underline{u})} \right), \underline{G_{i'}(\underline{u})} \right] \\
& \stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 6 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(1,1)}^{i''} \right)', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \left( \underline{G_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(1,1)}^{i''} \right)' \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left[ \left\{ \mathcal{T}_{(1,1)}^{i''} \right)', \underline{G_{i'}(\underline{u})} \right\] \left( \underline{A_{i'''}(\underline{u})} \right) + \left( \mathcal{T}_{(1,1)}^{i''} \right)' \left\{ \underline{A_{i'''}(\underline{u})}, \underline{G_{i'}(\underline{u})} \right\} \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{A_{i'''}(\underline{u})} \underline{G_{i'}(\underline{u})}}{\underline{i''_{(1,1)}} - \underline{i_{(1,1)}}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{A_{i'''}(\underline{u})} \underline{G_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( \mathcal{T}_{(1,1)}^{i''} \right)' \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \mathcal{T}_{(1,1)}^{i''} \right)', \underline{G_{i'}(\underline{u})} \right\} \left( \underline{A_{i'''}(\underline{u})} \right) \approx \left[ \left( \mathcal{T}_{(1,1)}^{i''} + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{A_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ \mathcal{T}_{(1,1)}^{i''} \right)', \underline{G_{i'}(\underline{u})} \right] \left[ \left( \underline{G_{i'}(\underline{u})} + \underline{A_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 56 :} \left\{ \left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \left[ \underline{G_1(\underline{u})} + \underline{G_2(\underline{u})} + \underline{G_3(\underline{u})} + \underline{G_4(\underline{u})} \right. \right. \\
& \quad \left. \left. + \underline{G_5(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(1,2)}^1})' + (\underline{\mathcal{T}_{(1,2)}^2})' + (\underline{\mathcal{T}_{(1,2)}^3})' + (\underline{\mathcal{T}_{(1,2)}^4})' \right] \left[ \underline{B_1(\underline{u'})} + \underline{B_2(\underline{u'})} + \underline{B_3(\underline{u'})} + \underline{B_4(\underline{u'})} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \mathcal{T}_{(3,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \mathcal{T}_{(3,1)}^i \right) \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(3,1)}^i, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \right\} \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) + \left( \mathcal{T}_{(3,1)}^i \right) \left\{ G_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right), \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) - \left( \mathcal{T}_{(3,1)}^i \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right), \mathcal{T}_{(3,1)}^i \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right), \mathcal{T}_{(3,1)}^i \right\} \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})}, \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(3,1)}^i \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right), \mathcal{T}_{(3,1)}^i \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right), \mathcal{T}_{(3,1)}^i \right\} \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})}, \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) \right. \\ \left. + \left( \mathcal{T}_{(3,1)}^i \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right\} \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})}, \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} + (\mathcal{T}_{(1,2)}^{i''})' \right],$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})}, \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right) + \left( \mathcal{T}_{(3,1)}^i \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right\} \left( \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \mathcal{T}_{(3,1)}^i \right) \right] \\ \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})}, \mathcal{T}_{(3,1)}^i \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} \right\} \right] \left[ \left( \frac{G_{i'}(\underline{u})}{B_{i'''}(\underline{u})} + \frac{B_{i'''}(\underline{u})}{G_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned}
& \text{Poisson bracket } \# 57 : \left\{ \left[ \underline{\mathcal{T}}_{(3,1)}^1 + \underline{\mathcal{T}}_{(3,1)}^2 + \underline{\mathcal{T}}_{(3,1)}^3 + \underline{\mathcal{T}}_{(3,1)}^4 + \underline{\mathcal{T}}_{(3,1)}^5 \right] \left[ \underline{G}_1(\underline{u}) + \underline{G}_2(\underline{u}) + \underline{G}_3(\underline{u}) + \underline{G}_4(\underline{u}) \right. \right. \\
& \quad \left. \left. + \underline{G}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(1,3)}^1)' + (\underline{\mathcal{T}}_{(1,3)}^2)' + (\underline{\mathcal{T}}_{(1,3)}^3)' + (\underline{\mathcal{T}}_{(1,3)}^4)' \right] \left[ \underline{C}_1(\underline{u}') + \underline{C}_2(\underline{u}') + \underline{C}_3(\underline{u}') + \underline{C}_4(\underline{u}') \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{G}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{C}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \underline{G}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{C}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{C}_{i'''}(\underline{u}) \right) \left( \underline{G}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{C}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right\} \left( \underline{C}_{i'''}(\underline{u}) \right), \underline{G}_{i'}(\underline{u}) \right\} \\
& \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{C}_{i'''}(\underline{u}) \right\}, \underline{\mathcal{T}}_{(3,1)}^i \right] \left( \underline{G}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right\} \left( \underline{C}_{i'''}(\underline{u}), \underline{G}_{i'}(\underline{u}) \right) \\
& \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{C}_{i'''}(\underline{u}) \right) \left( \underline{G}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{C}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{G}_{i'}(\underline{u}) \right\} \left( \underline{C}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{C}_{i'''}(\underline{u}), \underline{G}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{C}_{i'''}(\underline{u}) \underline{G}_{i'}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} + (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{C}_{i'''}(\underline{u}) \underline{G}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{C_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{C_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\ & \quad \left[ \left\{ \underline{C_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{G_{i'}}(\underline{u}) + \underline{C_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 58 :} \left\{ \left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \left[ \underline{G_1}(\underline{u}) + \underline{G_2}(\underline{u}) + \underline{G_3}(\underline{u}) \right. \right. \\ & \quad \left. \left. + \underline{G_4}(\underline{u}) + \underline{G_5}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(2,1)}^1})' + (\underline{\mathcal{T}_{(2,1)}^2})' + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1}(\underline{u'}) + \underline{D_2}(\underline{u'}) + \underline{D_3}(\underline{u'}) + \underline{D_4}(\underline{u'}) \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{G_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{D_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \underline{G_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,1)}^i}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \underline{G_{i'}}(\underline{u}), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right) \right\} \right] \\ & \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{D_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{D_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{D_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}}(\underline{u}), \underline{G_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D_{i'''}}(\underline{u}) \underline{G_{i'}}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D_{i'''}}(\underline{u}) \underline{G_{i'}}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and also,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{G_{i'}}(\underline{u}) + \underline{E_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 59 : \left\{ \left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \left[ \underline{G_1}(\underline{u}) + \underline{G_2}(\underline{u}) + \underline{G_3}(\underline{u}) \right. \right. \\ & \left. \left. + \underline{G_4}(\underline{u}) + \underline{G_5}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(2,2)}^1})' + (\underline{\mathcal{T}_{(2,2)}^2})' + (\underline{\mathcal{T}_{(2,2)}^3})' + (\underline{\mathcal{T}_{(2,2)}^4})' + (\underline{\mathcal{T}_{(2,2)}^5})' + (\underline{\mathcal{T}_{(2,2)}^6})' \right] \left[ \underline{E_1}(\underline{u'}) + \underline{E_2}(\underline{u'}) + \underline{E_3}(\underline{u'}) \right. \right. \\ & \left. \left. + \underline{E_4}(\underline{u'}) + \underline{E_5}(\underline{u'}) + \underline{E_6}(\underline{u'}) \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{G_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{E_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \underline{G_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(3,1)}^i}, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \underline{G_{i'}}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right.$$

$$\left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{E_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{E_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{E_{i'''}}(\underline{u}), \underline{G_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} \frac{G_{i'}(\underline{u})}{+ (\mathcal{T}_{(3,1)}^{i''})'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(\underline{u})}{i'' - i} \frac{G_{i'}(\underline{u})}{+ (\mathcal{T}_{(3,1)}^{i''})'} \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{E_{i'''}(\underline{u})}{\underline{u}}, \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right) + \left( \mathcal{T}_{(3,1)}^i \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{G_{i'}(\underline{u})}{\underline{u}} \right\} \left( \frac{E_{i'''}(\underline{u})}{\underline{u}} \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \mathcal{T}_{(3,1)}^i \right) \right] \\ & \quad \times \left[ \left\{ \frac{E_{i'''}(\underline{u})}{\underline{u}}, \mathcal{T}_{(3,1)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \frac{G_{i'}(\underline{u})}{\underline{u}} \right\} \right] \left[ \left( \frac{G_{i'}(\underline{u})}{\underline{u}} + \frac{E_{i'''}(\underline{u})}{\underline{u}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket } \# 60 : \left\{ \left[ \mathcal{T}_{(3,1)}^1 + \mathcal{T}_{(3,1)}^2 + \mathcal{T}_{(3,1)}^3 + \mathcal{T}_{(3,1)}^4 + \mathcal{T}_{(3,1)}^5 \right] \left[ G_1(\underline{u}) + G_2(\underline{u}) + G_3(\underline{u}) \right. \right. \\ & \quad \left. \left. + G_4(\underline{u}) + G_5(\underline{u}) \right], \left[ (\mathcal{T}_{(2,3)}^1)' + (\mathcal{T}_{(2,3)}^2)' + (\mathcal{T}_{(2,3)}^3)' \right] \left[ F_1(\underline{u}') + F_2(\underline{u}') + F_3(\underline{u}') \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \mathcal{T}_{(3,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \frac{G_{i'}(\underline{u})}{\underline{u}} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{F_{i'''}(\underline{u})}{\underline{u}} \right) \right\}$$

$$\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \mathcal{T}_{(3,1)}^i \right) \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right) \right\}$$

$$\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \mathcal{T}_{(3,1)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right) \right\} \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right) + \left( \mathcal{T}_{(3,1)}^i \right) \left\{ G_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right) \right\} \right]$$

$$\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right), \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right) - \left( \mathcal{T}_{(3,1)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right), G_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \mathcal{T}_{(3,1)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{\underline{u}} \right) \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{\underline{u}}, \mathcal{T}_{(3,1)}^i \right\} \left( \frac{G_{i'}(\underline{u})}{\underline{u}} \right) \right]$$

$$\begin{aligned}
& + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right), \underline{G}_{i'}(\underline{u}) \right\} \\
\stackrel{(LR)}{=} & - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \left( \underline{G}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) \right. \\
& \left. + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G}_{i'}(\underline{u}) \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{G}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{F}_{i'''}(\underline{u}) \underline{G}_{i'}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} + (\mathcal{T}_{(3,1)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{F}_{i'''}(\underline{u}) \underline{G}_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G}_{i'}(\underline{u}) \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \underline{\mathcal{T}}_{(3,1)}^i \right) \right] \\
& \times \left[ \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{G}_{i'}(\underline{u}) + \underline{F}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 61 :} \left\{ \left[ \underline{\mathcal{T}}_{(3,1)}^1 + \underline{\mathcal{T}}_{(3,1)}^2 + \underline{\mathcal{T}}_{(3,1)}^3 + \underline{\mathcal{T}}_{(3,1)}^4 + \underline{\mathcal{T}}_{(3,1)}^5 \right] \left[ \underline{G}_1(\underline{u}) + \underline{G}_2(\underline{u}) + \underline{G}_3(\underline{u}) \right. \right. \\
& \left. \left. + \underline{G}_4(\underline{u}) + \underline{G}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,1)}^1)' + (\underline{\mathcal{T}}_{(3,1)}^2)' + (\underline{\mathcal{T}}_{(3,1)}^3)' + (\underline{\mathcal{T}}_{(3,1)}^4)' + (\underline{\mathcal{T}}_{(3,1)}^5)' \right] \left[ \underline{G}_1(\underline{u}') + \underline{G}_2(\underline{u}') + \underline{G}_3(\underline{u}') \right. \right. \\
& \left. \left. + \underline{G}_4(\underline{u}') + \underline{G}_5(\underline{u}') \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{G}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{G}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \underline{G}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}}_{(3,1)}^i, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G}_{i'''}(\underline{u}) \right) \right\} \left( \underline{G}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ \underline{G}_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i'''}}(\underline{u}) \right), \underline{G_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'''}}(\underline{u}) \right) \left( \underline{G_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{G_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i'''}}(\underline{u}), \underline{G_{i'}}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{G_{i'''}}(\underline{u}) \underline{G_{i'}}(\underline{u})}{i''_{(3,1)} - i_{(3,1)}} + \frac{(\mathcal{T}_{(3,1)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{G_{i'''}}(\underline{u}) \underline{G_{i'}}(\underline{u})}{i'' - i} + \frac{(\mathcal{T}_{(3,1)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i''' - i'},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{G_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\ \times \left[ \left\{ \underline{G_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{G_{i'}}(\underline{u}) + \underline{G_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket \# 62:} \left\{ \left[ \underline{\mathcal{T}_{(3,1)}^1} + \underline{\mathcal{T}_{(3,1)}^2} + \underline{\mathcal{T}_{(3,1)}^3} + \underline{\mathcal{T}_{(3,1)}^4} + \underline{\mathcal{T}_{(3,1)}^5} \right] \left[ \underline{G_1}(\underline{u}) + \underline{G_2}(\underline{u}) + \underline{G_3}(\underline{u}) \right. \right. \\ \left. \left. + \underline{G_4}(\underline{u}) + \underline{G_5}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(3,2)}^1})' + (\underline{\mathcal{T}_{(3,2)}^2})' + (\underline{\mathcal{T}_{(3,2)}^3})' \right] \left[ \underline{H_1}(\underline{u'}) + \underline{H_2}(\underline{u'}) + \underline{H_3}(\underline{u'}) \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \sum_{1 \leq i' \leq 5} \underline{G_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{H_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left( \underline{G_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,1)}^i}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \right\} \left( \underline{G_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \underline{G_{i'}(\underline{u})}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right), \underline{G_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \left( \underline{G_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{H_{i'''}} \left( \underline{u} \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{H_{i'''}} \left( \underline{u} \right) \right), \underline{G_{i'}(\underline{u})} \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \left( \underline{G_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{H_{i'''}} \left( \underline{u} \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{G_{i'}(\underline{u})} \right\} \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{H_{i'''}} \left( \underline{u} \right), \underline{G_{i'}(\underline{u})} \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H_{i'''}} \left( \underline{u} \right) \underline{G_{i'}(\underline{u})}}{i''_{(3,3)} - i_{(3,3)}} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{H_{i'''}} \left( \underline{u} \right) \underline{G_{i'}(\underline{u})}}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{H_{i'''}} \left( \underline{u} \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{G_{i'}(\underline{u})} \right\} \left( \underline{H_{i'''}} \left( \underline{u} \right) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\ \times \left[ \left\{ \underline{H_{i'''}} \left( \underline{u} \right), \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{G_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{G_{i'}(\underline{u})} + \underline{H_{i'''}} \left( \underline{u} \right) \right) \right] \approx C_{1,2,3}.$$

$$\begin{aligned}
& \text{Poisson bracket } \# 63 : \left\{ \left[ \underline{\mathcal{T}}_{(3,1)}^1 + \underline{\mathcal{T}}_{(3,1)}^2 + \underline{\mathcal{T}}_{(3,1)}^3 + \underline{\mathcal{T}}_{(3,1)}^4 + \underline{\mathcal{T}}_{(3,1)}^5 \right] \left[ \underline{G}_1(\underline{u}) + \underline{G}_2(\underline{u}) + \underline{G}_3(\underline{u}) + \underline{G}_4(\underline{u}) \right. \right. \\
& \quad \left. \left. + \underline{G}_5(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,3)}^1)' + (\underline{\mathcal{T}}_{(3,3)}^2)' + (\underline{\mathcal{T}}_{(3,3)}^3)' + (\underline{\mathcal{T}}_{(3,3)}^4)' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 5} \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \sum_{1 \leq i' \leq 5} \underline{G}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left( \underline{G}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \\
& \stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right] \\
& \stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{G}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{G}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{G}_{i'}(\underline{u}) \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{G}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,1)}^i \right\} \left( \underline{G}_{i'}(\underline{u}) \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}}_{(3,1)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(1,3)}^{i''})', \underline{G}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{G}_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{\underline{G}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u})}{i'' - i} \frac{\underline{G}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(1,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} \left( \underline{G_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,1)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(3,1)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,1)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{G_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{G_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 64 : & \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1}(\underline{u}) + \underline{H_2}(\underline{u}) + \underline{H_3}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' + (\underline{\mathcal{T}_{(1,1)}^2})' \right. \right. \\ & \left. \left. + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1}(\underline{u'}) + \underline{A_2}(\underline{u'}) + \underline{A_3}(\underline{u'}) + \underline{A_4}(\underline{u'}) + \underline{A_5}(\underline{u'}) \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{H_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 6} (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \underline{H_{i'}}(\underline{u}) \right), \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(3,2)}^i}, \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \left( \underline{H_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}}(\underline{u}), \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{H_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{H_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{H_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{H_{i'}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left[ \left\{ (\underline{\mathcal{T}_{(1,1)}^{i''}})', \underline{H_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) + \left( (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{H_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{H_{i'}}(\underline{u})}{\underline{i''}_{(1,1)} - \underline{i}_{(1,1)}} + (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{H_{i'}}(\underline{u})}{\underline{i''} - i} + (\underline{\mathcal{T}_{(1,1)}^{i''}})' \right] \approx \frac{C_1}{\underline{i''} - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{H_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(3,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{H_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{H_{i'}}(\underline{u}) + \underline{A_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 65 :} \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1}(\underline{u}) + \underline{H_2}(\underline{u}) + \underline{H_3}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,2)}^1})' + (\underline{\mathcal{T}_{(1,2)}^2})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(1,2)}^3})' + (\underline{\mathcal{T}_{(1,2)}^4})' \right] \left[ \underline{B_1}(\underline{u}') + \underline{B_2}(\underline{u}') + \underline{B_3}(\underline{u}') + \underline{B_4}(\underline{u}') \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{H_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \underline{H_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \\ & \stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,2)}^i}, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \left( \underline{H_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \right] \\ & \stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{H_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{H_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{H_{i'}}(\underline{u}) \right\} \right] \\ & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{H_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left[ \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right), \underline{H_{i'}}(\underline{u}) \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{H_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{H_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{H_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{i} \right) + \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right), \frac{H_{i'}(\underline{u})}{i} \right\} \left( \frac{B_{i'''}(\underline{u})}{i} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \right] \\ & \quad \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i}, \mathcal{T}_{(3,2)}^i \right\} + \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right), \frac{H_{i'}(\underline{u})}{i} \right\} \right] \left[ \left( \frac{H_{i'}(\underline{u})}{i} + \frac{B_{i'''}(\underline{u})}{i} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 66 :} \left\{ \left[ \frac{\mathcal{T}_{(3,2)}^1 + \mathcal{T}_{(3,2)}^2 + \mathcal{T}_{(3,2)}^3}{i} \right] \left[ \frac{H_1(\underline{u}) + H_2(\underline{u}) + H_3(\underline{u})}{i} \right], \left[ \left( \frac{\mathcal{T}_{(1,3)}^1}{i} + \frac{\mathcal{T}_{(1,3)}^2}{i} \right)' \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(1,3)}^3}{i} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^4}{i} \right)' \right] \left[ \frac{C_1(\underline{u}') + C_2(\underline{u}') + C_3(\underline{u}') + C_4(\underline{u}')}{i} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left( \sum_{1 \leq i' \leq 3} \frac{H_{i'}(\underline{u})}{i'} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left( \frac{H_{i'}(\underline{u})}{i'} \right), \left( \frac{(\mathcal{T}_{(1,3)}^{i''})'}{i''} \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(3,2)}^i}{i}, \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\} \left( \frac{H_{i'}(\underline{u})}{i'} \right) + \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left\{ H_{i'}(\underline{u}), \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), \frac{\mathcal{T}_{(3,2)}^i}{i} \right\} \left( \frac{H_{i'}(\underline{u})}{i'} \right) - \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), \frac{H_{i'}(\underline{u})}{i'} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{\mathcal{T}_{(3,2)}^i}{i} \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \left( \frac{H_{i'}(\underline{u})}{i'} \right) + \left( \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i'''}, \frac{\mathcal{T}_{(3,2)}^i}{i} \right\} \left( \frac{H_{i'}(\underline{u})}{i'} \right) \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{i'''} \right), \frac{H_{i'}(\underline{u})}{i'} \right\} \right) \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{\mathcal{T}_{(3,2)}^i}{i} \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) \left( \frac{H_{i'}(\underline{u})}{i'} \right) + \left( \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i'''}, \frac{\mathcal{T}_{(3,2)}^i}{i} \right\} \left( \frac{H_{i'}(\underline{u})}{i'} \right) \right. \right. \\ & \quad \left. \left. + \left( \frac{\mathcal{T}_{(3,2)}^i}{i} \right) \left[ \left\{ \left( (\mathcal{T}_{(1,3)}^{i''})' \right), \frac{H_{i'}(\underline{u})}{i'} \right\} \left( \frac{C_{i'''}(\underline{u})}{i'''} \right) + \left( \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{i'''}, H_{i'}(\underline{u}) \right\} \right] \right] \right] \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(1,3)} - i_{(1,3)}} \frac{H_{i'}(\underline{u})}{+ (\mathcal{T}_{(1,3)}^{i''})'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{H_{i'}(\underline{u})}{+ (\mathcal{T}_{(1,3)}^{i''})'} \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,3)}^{i''})' \right) \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{H_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(1,3)}^{i''})' + \underline{\mathcal{T}_{(3,2)}^i} \right) \right] \\ & \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ (\mathcal{T}_{(1,3)}^{i''})', \underline{H_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{H_{i'}(\underline{u})} + \underline{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} & \text{Poisson bracket \# 67:} \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1(\underline{u})} + \underline{H_2(\underline{u})} + \underline{H_3(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,1)}^1})' + (\underline{\mathcal{T}_{(2,1)}^2})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1(\underline{u'})} + \underline{D_2(\underline{u'})} + \underline{D_3(\underline{u'})} + \underline{D_4(\underline{u'})} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{H_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \underline{H_{i'}(\underline{u})} \right), \left( \underline{\mathcal{T}_{(2,2)}^{i''}} \right)' \left( \underline{D_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \underline{\mathcal{T}_{(3,2)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{H_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) \left( \underline{H_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( \mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{H_{i'}(\underline{u})} \right\} \right] \end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) \left( \underline{H_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^{i''} \right)' \right] \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) \\
&\quad + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left[ \left\{ \mathcal{T}_{(2,2)}^{i''} \right)', \underline{H_{i'}(\underline{u})} \right] \left( \underline{D_{i'''}(\underline{u})} \right) + \left( \mathcal{T}_{(2,2)}^{i''} \right)' \left\{ \underline{D_{i'''}(\underline{u})}, \underline{H_{i'}(\underline{u})} \right\} \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{H_{i'}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{D_{i'''}(\underline{u})}{i'' - i} \frac{H_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( \mathcal{T}_{(2,2)}^{i''} \right)' \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \mathcal{T}_{(2,2)}^{i''} \right)', \underline{H_{i'}(\underline{u})} \right\} \left( \underline{E_{i'''}(\underline{u})} \right) \approx \left[ \left( \mathcal{T}_{(2,2)}^{i''} \right)' + \underline{\mathcal{T}_{(3,2)}^i} \right] \\
& \quad \times \left[ \left\{ \underline{E_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ \mathcal{T}_{(2,2)}^{i''} \right)', \underline{H_{i'}(\underline{u})} \right] \left[ \left( \underline{H_{i'}(\underline{u})} + \underline{E_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 68 : \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1(\underline{u})} + \underline{H_2(\underline{u})} + \underline{H_3(\underline{u})} \right], \left[ \left( \underline{\mathcal{T}_{(2,2)}^1} \right)' + \left( \underline{\mathcal{T}_{(2,2)}^2} \right)' \right. \right. \\
& \quad \left. \left. + \left( \underline{\mathcal{T}_{(2,2)}^3} \right)' + \left( \underline{\mathcal{T}_{(2,2)}^4} \right)' + \left( \underline{\mathcal{T}_{(2,2)}^5} \right)' + \left( \underline{\mathcal{T}_{(2,2)}^6} \right)' \right] \left[ \underline{E_1(\underline{u}')} + \underline{E_2(\underline{u}')} + \underline{E_3(\underline{u}')} + \underline{E_4(\underline{u}')} + \underline{E_5(\underline{u}')} + \underline{E_6(\underline{u}')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{H_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \underline{H_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \right\} \left( \underline{H_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i'''}(\underline{u})} \right), \underline{H_{i'}(\underline{u})} \right\} \right]$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{E_{i''}(u)} \right) \left( \underline{H_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(u)} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right), \underline{H_{i'}(u)} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 6 \\ 1 \leq i''' \leq 6}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{E_{i''}(u)} \right) \left( \underline{H_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(u)} \right) \right. \\
&\quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left[ \left\{ \mathcal{T}_{(2,2)}^{i''}', \underline{H_{i'}(u)} \right\} \left( \underline{E_{i''}(u)} \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{H_{i'}(u)} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(u) H_{i'}(u)}{i''_{(3,2)} - i_{(3,2)}} + (\mathcal{T}_{(3,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{E_{i'''}(u) H_{i'}(u)}{i'' - i} + (\mathcal{T}_{(3,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \mathcal{T}_{(2,2)}^{i''}', \underline{H_{i'}(u)} \right\} \left( \underline{E_{i''}(u)} \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}_{(3,2)}^i} \right) \right] \\
&\quad \times \left[ \left\{ \underline{E_{i''}(u)}, \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ \mathcal{T}_{(2,2)}^{i''}', \underline{H_{i'}(u)} \right\} \right] \left[ \left( \underline{H_{i'}(u)} + \underline{E_{i''}(u)} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
&Poisson\ bracket\ \# \ 69 : \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1(u)} + \underline{H_2(u)} + \underline{H_3(u)} \right], \left[ \left( \underline{\mathcal{T}_{(2,3)}^1}' + \underline{\mathcal{T}_{(2,3)}^2}' \right. \right. \right. \\
&\quad \left. \left. \left. + (\underline{\mathcal{T}_{(2,3)}^3})' \right] \left[ \underline{F_1(u')} + \underline{F_2(u')} + \underline{F_3(u')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \sum_{1 \leq i' \leq 3} \underline{H_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F_{i'''}(u)} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left( \underline{H_{i'}(u)} \right), \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(u)} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(3,2)}^i}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(u)} \right) \right\} \left( \underline{H_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}(u)}, \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \underline{F_{i'''}(u)} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right), \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) - \left( \mathcal{T}_{(3,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right), H_{i'}(\underline{u}) \right\} \right]$$

$$\begin{aligned} &\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(3,2)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) \right. \\ &\quad \left. + \left( \mathcal{T}_{(3,2)}^i \right) \left\{ \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right), H_{i'}(\underline{u}) \right\} \right] \\ &\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 3 \\ 1 \leq i' \leq 3 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', \mathcal{T}_{(3,2)}^i \right\} \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) \right. \\ &\quad \left. + \left( \mathcal{T}_{(3,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(2,3)}^{i''})', H_{i'}(\underline{u}) \right\} \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, H_{i'}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u}) H_{i'}(\underline{u})}{i''_{(2,3)} - i_{(2,3)}} + (\mathcal{T}_{(2,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{F_{i'''}(\underline{u}) H_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(2,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} &\left( (\mathcal{T}_{(2,3)}^{i''})' \right) \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right) + \left( \mathcal{T}_{(3,2)}^i \right) \left\{ (\mathcal{T}_{(2,3)}^{i''})', H_{i'}(\underline{u}) \right\} \left( \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,3)}^{i''})' + \mathcal{T}_{(3,2)}^i \right) \right] \\ &\quad \times \left[ \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} + \left\{ \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \right] \left[ \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} + \frac{F_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} &\text{Poisson bracket } \# 70: \left\{ \left[ \mathcal{T}_{(3,2)}^1 + \mathcal{T}_{(3,2)}^2 + \mathcal{T}_{(3,2)}^3 \right] \left[ \frac{H_1(\underline{u})}{H_1(\underline{u})} + \frac{H_2(\underline{u})}{H_2(\underline{u})} + \frac{H_3(\underline{u})}{H_3(\underline{u})} \right], \left[ (\mathcal{T}_{(3,1)}^1)' + (\mathcal{T}_{(3,1)}^2)' \right. \right. \\ &\quad \left. \left. + (\mathcal{T}_{(3,1)}^3)' + (\mathcal{T}_{(3,1)}^4)' + (\mathcal{T}_{(3,1)}^5)' \right] \left[ \frac{G_1(\underline{u}')}{G_1(\underline{u}')}, \frac{G_2(\underline{u}')}{G_2(\underline{u}')}, \frac{G_3(\underline{u}')}{G_3(\underline{u}')}, \frac{G_4(\underline{u}')}{G_4(\underline{u}')}, \frac{G_5(\underline{u}')}{G_5(\underline{u}')} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \mathcal{T}_{(3,2)}^i \right) \left( \sum_{1 \leq i' \leq 3} \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \frac{G_{i'''}(\underline{u})}{G_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \mathcal{T}_{(3,2)}^i \right) \left( \frac{H_{i'}(\underline{u})}{H_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \frac{G_{i'''}(\underline{u})}{G_{i'''}(\underline{u})} \right) \right\}$$

$$\begin{aligned}
& \stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(3,2)}^i}, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right) \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \underline{H_{i'}(\underline{u})}, \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right) \right\} \right] \\
& \stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right), \underline{H_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left( \underline{G_{i''}(\underline{u})} \right), \underline{H_{i'}(\underline{u})} \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{G_{i''}(\underline{u})} \right) \left( \underline{H_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{H_{i'}(\underline{u})} \right\} \left( \underline{G_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \left( \underline{G_{i''}(\underline{u})}, \underline{H_{i'}(\underline{u})} \right) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{\underline{G_{i''}(\underline{u})} \underline{H_{i'}(\underline{u})}}{\underline{i''_{(3,1)}} - \underline{i_{(3,1)}}} + (\mathcal{T}_{(3,1)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{\underline{G_{i''}(\underline{u})} \underline{H_{i'}(\underline{u})}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(3,1)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,1)}^{i''})' \right) \left\{ \underline{G_{i''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{H_{i'}(\underline{u})} \right\} \left( \underline{G_{i''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(3,1)}^{i''})' + \underline{\mathcal{T}_{(3,2)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{G_{i''}(\underline{u})}, \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ (\mathcal{T}_{(3,1)}^{i''})', \underline{H_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{H_{i'}(\underline{u})} + \underline{G_{i''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 71 : \left\{ \left[ \underline{\mathcal{T}_{(3,2)}^1} + \underline{\mathcal{T}_{(3,2)}^2} + \underline{\mathcal{T}_{(3,2)}^3} \right] \left[ \underline{H_1(\underline{u})} + \underline{H_2(\underline{u})} + \underline{H_3(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(3,2)}^1})' + (\underline{\mathcal{T}_{(3,2)}^2})' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}_{(3,2)}^3})' \right] \left[ \underline{H_1(\underline{u}')} + \underline{H_2(\underline{u}')} + \underline{H_3(\underline{u}')} \right] \right\}
\end{aligned}$$

$$\begin{aligned}
&= \left\{ \left( \sum_{1 \leq i \leq 3} \mathcal{T}_{(3,2)}^i \right) \left( \sum_{1 \leq i' \leq 3} H_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} H_{i'''}(\underline{u}) \right) \right\} \\
&\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \mathcal{T}_{(3,2)}^i \right) \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \right\} \\
&\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \mathcal{T}_{(3,2)}^i, \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{I_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(3,2)}^i \right) \left\{ H_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i'}(\underline{u})} \right) \right\} \right] \\
&\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right), \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) - \left( \mathcal{T}_{(3,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right), H_{i'}(\underline{u}) \right\} \right] \\
&\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \mathcal{T}_{(3,2)}^i \right) \left\{ \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right), H_{i'}(\underline{u}) \right\} \right] \\
&\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})}, \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) \right. \\
&\quad \left. + \left( \mathcal{T}_{(3,2)}^i \right) \left[ \left\{ (\mathcal{T}_{(3,2)}^{i''})', H_{i'}(\underline{u}) \right\} \left( \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ \frac{H_{i'''}(\underline{u})}{H_{i'''}(\underline{u})}, H_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i''_{(3,2)} - i_{(3,2)}} \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} + \frac{(\mathcal{T}_{(3,2)}^{i''})'}{i''' - i'} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{H_{i'''}(\underline{u})}{i'' - i} \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} + \frac{(\mathcal{T}_{(3,2)}^{i''})'}{i''' - i'} \right] \approx \frac{C_1}{i'' - i} + \frac{C_2}{i'' - i'},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(3,2)}^{i''})' \right) \left\{ I_{i'''}(\underline{u}), \mathcal{T}_{(3,2)}^i \right\} \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} \right) + \left( \mathcal{T}_{(3,2)}^i \right) \left\{ (\mathcal{T}_{(3,2)}^{i''})', H_{i'}(\underline{u}) \right\} \left( \frac{I_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(3,2)}^{i''})' + \mathcal{T}_{(3,2)}^i \right) \right] \\
&\quad \times \left[ \left\{ I_{i'''}(\underline{u}), \mathcal{T}_{(3,2)}^i \right\} + \left\{ (\mathcal{T}_{(3,2)}^{i''})', H_{i'}(\underline{u}) \right\} \right] \left[ \left( \frac{H_{i'}(\underline{u})}{H_{i''}(\underline{u})} + \frac{I_{i'''}(\underline{u})}{H_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\text{Poisson bracket } \# 72 : \left\{ \left[ \underline{\mathcal{T}}_{(3,2)}^1 + \underline{\mathcal{T}}_{(3,2)}^2 + \underline{\mathcal{T}}_{(3,2)}^3 \right] \left[ \underline{H}_1(\underline{u}) + \underline{H}_2(\underline{u}) + \underline{H}_3(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,3)}^1)' + (\underline{\mathcal{T}}_{(3,3)}^2)' + (\underline{\mathcal{T}}_{(3,3)}^3)' + (\underline{\mathcal{T}}_{(3,3)}^4)' \right] \left[ \underline{I}_1(\underline{u}') + \underline{I}_2(\underline{u}') + \underline{I}_3(\underline{u}') + \underline{I}_4(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 3} \underline{\mathcal{T}}_{(3,2)}^i \right) \left( \sum_{1 \leq i' \leq 3} \underline{H}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}}_{(3,2)}^i \right) \left( \underline{H}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}}_{(3,2)}^i, \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \left( \underline{H}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,2)}^i \right) \left\{ \underline{H}_{i'}(\underline{u}), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(3,2)}^i \right\} \left( \underline{H}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(3,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{H}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(3,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{H}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,2)}^i \right\} \left( \underline{H}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,2)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{I}_{i'''}(\underline{u}) \right), \underline{H}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(3,2)}^i \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) \left( \underline{H}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,2)}^i \right\} \left( \underline{H}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,2)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{H}_{i'}(\underline{u}) \right\} \left( \underline{I}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{I}_{i'''}(\underline{u}), \underline{H}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{H}_{i'}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I}_{i'''}(\underline{u}) \underline{H}_{i'}(\underline{u})}{i'' - i} + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} \left( \underline{H_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,2)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{H_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(3,2)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{I_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,2)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{H_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{H_{i'}}(\underline{u}) + \underline{I_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 73: & \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1}(\underline{u}) + \underline{I_2}(\underline{u}) + \underline{I_3}(\underline{u}) + \underline{I_4}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,1)}^1})' + (\underline{\mathcal{T}_{(1,1)}^2})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(1,1)}^3})' + (\underline{\mathcal{T}_{(1,1)}^4})' + (\underline{\mathcal{T}_{(1,1)}^5})' + (\underline{\mathcal{T}_{(1,1)}^6})' \right] \left[ \underline{A_1}(\underline{u'}) + \underline{A_2}(\underline{u'}) + \underline{A_3}(\underline{u'}) + \underline{A_4}(\underline{u'}) + \underline{A_5}(\underline{u'}) \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{A_{i'''}}(\underline{u}) \right) \right\} \end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \underline{I_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^i}, \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{I_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left( \underline{A_{i'''}}(\underline{u}) \right), \underline{I_{i'}}(\underline{u}) \right\} \right] \end{aligned}$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{I_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{I_{i'}}(\underline{u})}{i''_{(1,1)} - i_{(1,1)}} + (\mathcal{T}_{(1,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{A_{i'''}}(\underline{u}) \underline{I_{i'}}(\underline{u})}{i'' - i} + (\mathcal{T}_{(1,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,1)}^{i''})' \right) \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \left( \underline{A_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(1,1)}^{i''})' + \underline{\mathcal{T}_{(3,3)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{A_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} + \left\{ (\mathcal{T}_{(1,1)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{I_{i'}}(\underline{u}) + \underline{A_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 74 : & \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1}(\underline{u}) + \underline{I_2}(\underline{u}) + \underline{I_3}(\underline{u}) + \underline{I_4}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(1,2)}^1})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(1,2)}^2})' + (\underline{\mathcal{T}_{(1,2)}^3})' + (\underline{\mathcal{T}_{(1,2)}^4})' \right] \left[ \underline{B_1}(\underline{u'}) + \underline{B_2}(\underline{u'}) + \underline{B_3}(\underline{u'}) + \underline{B_4}(\underline{u'}) \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \underline{I_{i'}}(\underline{u}) \right), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^i}, \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}}(\underline{u}), \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{I_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right.$$

$$\left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left( \underline{B_{i'''}}(\underline{u}) \right), \underline{I_{i'}}(\underline{u}) \right\} \right]$$

$$\begin{aligned} \stackrel{(\text{LR})}{=} & - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right. \\ & \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(1,2)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \left( \underline{B_{i'''}}(\underline{u}) \right) + \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \underline{B_{i'''}}(\underline{u}), \underline{I_{i'}}(\underline{u}) \right\} \right] \right]. \end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i''_{(1,2)} - i_{(1,2)}} \frac{I_{i'}(\underline{u})}{i_{(1,2)}} + (\mathcal{T}_{(1,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{B_{i'''}(\underline{u})}{i'' - i} \frac{I_{i'}(\underline{u})}{i} + (\mathcal{T}_{(1,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(1,2)}^{i''})' \right) \left\{ \frac{B_{i'''}(\underline{u})}{i_{(3,3)}} \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} + \left( \mathcal{T}_{(3,3)}^i \right) \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{I_{i'}(\underline{u})}{i_{(3,3)}} \right\} \left( \frac{B_{i'''}(\underline{u})}{i_{(3,3)}} \right) \approx \left[ \left( (\mathcal{T}_{(1,2)}^{i''})' + \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \right] \\ & \times \left[ \left\{ \frac{B_{i'''}(\underline{u})}{i_{(3,3)}} \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} + \left\{ (\mathcal{T}_{(1,2)}^{i''})', \frac{I_{i'}(\underline{u})}{i_{(3,3)}} \right\} \right] \left[ \left( \frac{I_{i'}(\underline{u})}{i_{(3,3)}} + \frac{B_{i'''}(\underline{u})}{i_{(3,3)}} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket \# 75:} & \left\{ \left[ \frac{\mathcal{T}_{(3,3)}^1}{I_{i'}(\underline{u})} + \frac{\mathcal{T}_{(3,3)}^2}{I_{i'}(\underline{u})} + \frac{\mathcal{T}_{(3,3)}^3}{I_{i'}(\underline{u})} + \frac{\mathcal{T}_{(3,3)}^4}{I_{i'}(\underline{u})} \right] \left[ \frac{I_1(\underline{u})}{I_{i'}(\underline{u})} + \frac{I_2(\underline{u})}{I_{i'}(\underline{u})} + \frac{I_3(\underline{u})}{I_{i'}(\underline{u})} + \frac{I_4(\underline{u})}{I_{i'}(\underline{u})} \right], \left[ \left( \frac{\mathcal{T}_{(1,3)}^1}{I_{i'}(\underline{u})} \right)' \right. \right. \\ & \left. \left. + \left( \frac{\mathcal{T}_{(1,3)}^2}{I_{i'}(\underline{u})} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^3}{I_{i'}(\underline{u})} \right)' + \left( \frac{\mathcal{T}_{(1,3)}^4}{I_{i'}(\underline{u})} \right)' \right] \left[ \frac{C_1(\underline{u}')}{I_{i'}(\underline{u})} + \frac{C_2(\underline{u}')}{I_{i'}(\underline{u})} + \frac{C_3(\underline{u}')}{I_{i'}(\underline{u})} + \frac{C_4(\underline{u}')}{I_{i'}(\underline{u})} \right] \right\} \end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \mathcal{T}_{(3,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} I_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} C_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \left( \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right) \right\} \left( \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right) + \left( \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \left\{ I_{i'}(\underline{u}), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right) - \left( \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right), \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right\} \right]$$

$$\begin{aligned} & \stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})}, \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right) \right. \\ & \left. + \left( \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \frac{C_{i'''}(\underline{u})}{I_{i''}(\underline{u})} \right), \frac{I_{i'}(\underline{u})}{I_{i''}(\underline{u})} \right\} \right] \end{aligned}$$

$$\begin{aligned}
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) \left( \underline{I_{i'}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(\underline{u})} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(\underline{u})} \right\} \left( \underline{C_{i'''}(\underline{u})} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{C_{i'''}(\underline{u})}, \underline{I_{i'}(\underline{u})} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i''_{(2,1)} - i_{(2,1)}} \frac{I_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{C_{i'''}(\underline{u})}{i'' - i} \frac{I_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(\underline{u})} \right\} \left( \underline{D_{i'''}(\underline{u})} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(3,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{D_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{I_{i'}(\underline{u})} + \underline{D_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 76 :} \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1(\underline{u})} + \underline{I_2(\underline{u})} + \underline{I_3(\underline{u})} + \underline{I_4(\underline{u})} \right], \left[ (\underline{\mathcal{T}_{(2,1)}^1})' + (\underline{\mathcal{T}_{(2,1)}^2})' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}_{(2,1)}^3})' + (\underline{\mathcal{T}_{(2,1)}^4})' \right] \left[ \underline{D_1(\underline{u}')} + \underline{D_2(\underline{u}')} + \underline{D_3(\underline{u}')} + \underline{D_4(\underline{u}')} \right] \right\} \\
& = \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}(\underline{u})} \right), \left( \sum_{1 \leq i'' \leq 4} (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 4} \underline{D_{i'''}(\underline{u})} \right) \right\} \\
& \stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \underline{I_{i'}(\underline{u})} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \\
& \stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right), \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \left( \underline{I_{i'}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}(\underline{u})}, \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right) \right\} \right] \\
& \stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{I_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{I_{i'}(\underline{u})} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
& \stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{I_{i'}(\underline{u})} \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i'''}(\underline{u})} \right), \underline{I_{i'}(\underline{u})} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{D_{i''}(u)} \right) \left( \underline{I_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i''}(u)}, \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{I_{i'}(u)} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left( \underline{D_{i''}(u)} \right), \underline{I_{i'}(u)} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{D_{i''}(u)} \right) \left( \underline{I_{i'}(u)} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i''}(u)}, \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{I_{i'}(u)} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(u)} \right\} \left( \underline{D_{i''}(u)} \right) + \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i''}(u)}, \underline{I_{i'}(u)} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D_{i''}(u)} \underline{I_{i'}(u)}}{\underline{i''_{(2,1)}} - \underline{i_{(2,1)}}} + (\mathcal{T}_{(2,1)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{D_{i''}(u)} \underline{I_{i'}(u)}}{\underline{i''} - \underline{i}} + (\mathcal{T}_{(2,1)}^{i''})' \right] \approx \frac{C_1}{\underline{i''} - \underline{i}} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(2,1)}^{i''})' \right) \left\{ \underline{D_{i''}(u)}, \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} \left( \underline{I_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(u)} \right\} \left( \underline{D_{i''}(u)} \right) \approx \left[ \left( (\mathcal{T}_{(2,1)}^{i''})' + \underline{\mathcal{T}_{(3,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{D_{i''}(u)}, \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \right\} + \left\{ (\mathcal{T}_{(2,1)}^{i''})', \underline{I_{i'}(u)} \right\} \right] \left[ \left( \underline{I_{i'}(u)} + \underline{D_{i''}(u)} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket } \# 77: \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1(u)} + \underline{I_2(u)} + \underline{I_3(u)} + \underline{I_4(u)} \right], \left[ (\underline{\mathcal{T}_{(2,2)}^1})' + (\underline{\mathcal{T}_{(2,2)}^2})' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}_{(2,2)}^3})' + (\underline{\mathcal{T}_{(2,2)}^4})' + (\underline{\mathcal{T}_{(2,2)}^5})' + (\underline{\mathcal{T}_{(2,2)}^6})' \right] \left[ \underline{E_1(u')} + \underline{E_2(u')} + \underline{E_3(u')} + \underline{E_4(u')} + \underline{E_5(u')} + \underline{E_6(u')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 6} (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 6} \underline{E_{i''}(u)} \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \underline{I_{i'}(u)} \right), \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^i}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right) \right\} \left( \underline{I_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}(u)}, \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E_{i''}(u)} \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E}_{i'''}(\underline{u}) \right), \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{I}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E}_{i'''}(\underline{u}) \right), \underline{I}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{E}_{i'''}(\underline{u}) \right) \left( \underline{I}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{I}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left( \underline{E}_{i'''}(\underline{u}) \right), \underline{I}_{i'}(\underline{u}) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{E}_{i'''}(\underline{u}) \right) \left( \underline{I}_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{I}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left[ \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{I}_{i'}(\underline{u}) \right\} \left( \underline{E}_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{E}_{i'''}(\underline{u}), \underline{I}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E}_{i'''}(\underline{u})}{i''_{(2,2)} - i_{(2,2)}} \frac{\underline{I}_{i'}(\underline{u})}{i} + (\mathcal{T}_{(2,2)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{E}_{i'''}(\underline{u})}{i'' - i} \frac{\underline{I}_{i'}(\underline{u})}{i} + (\mathcal{T}_{(2,2)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\left( (\mathcal{T}_{(2,2)}^{i''})' \right) \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{I}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{I}_{i'}(\underline{u}) \right\} \left( \underline{F}_{i'''}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(2,2)}^{i''})' + \underline{\mathcal{T}}_{(3,3)}^i \right) \right] \\ \times \left[ \left\{ \underline{F}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,3)}^i \right\} + \left\{ (\mathcal{T}_{(2,2)}^{i''})', \underline{I}_{i'}(\underline{u}) \right\} \right] \left[ \left( \underline{I}_{i'}(\underline{u}) + \underline{F}_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.$$

$$\text{Poisson bracket \# 78 :} \left\{ \left[ \underline{\mathcal{T}}_{(3,3)}^1 + \underline{\mathcal{T}}_{(3,3)}^2 + \underline{\mathcal{T}}_{(3,3)}^3 + \underline{\mathcal{T}}_{(3,3)}^4 \right] \left[ \underline{I}_1(\underline{u}) + \underline{I}_2(\underline{u}) + \underline{I}_3(\underline{u}) + \underline{I}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(2,3)}^1)' + (\underline{\mathcal{T}}_{(2,3)}^2)' \right. \right. \\ \left. \left. + (\underline{\mathcal{T}}_{(2,3)}^3)' \right] \left[ \underline{F}_1(\underline{u}') + \underline{F}_2(\underline{u}') + \underline{F}_3(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(3,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{I}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left( \underline{I}_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F}_{i'''}(\underline{u}) \right) \right\}$$

$$\begin{aligned}
& \stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^i}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right) \right\} \left( \underline{I_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}(u)}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right) \right\} \right] \\
& \stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(u)} \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right), \underline{I_{i'}(u)} \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{F_{i''}(u)} \right) \left( \underline{I_{i'}(u)} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{F_{i''}(u)}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(u)} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \underline{F_{i''}(u)} \right), \underline{I_{i'}(u)} \right\} \right] \\
& \stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{F_{i''}(u)} \right) \left( \underline{I_{i'}(u)} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{F_{i''}(u)}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(u)} \right) \right. \\
& \quad \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{I_{i'}(u)} \right\} \left( \underline{F_{i''}(u)} \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{F_{i''}(u)}, \underline{I_{i'}(u)} \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i, i', i'', i'''} \left[ \frac{F_{i'''}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} \frac{I_{i'}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i, i', i'', i'''} \left[ \frac{F_{i'''}(\underline{u})}{i'' - i} \frac{I_{i'}(\underline{u})}{i'' - i} + (\mathcal{T}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
& \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{F_{i''}(u)}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}(u)} \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{I_{i'}(u)} \right\} \left( \underline{F_{i''}(u)} \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(3,3)}^i} \right) \right] \\
& \quad \times \left[ \left\{ \underline{F_{i''}(u)}, \underline{\mathcal{T}_{(3,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{I_{i'}(u)} \right\} \right] \left[ \left( \underline{I_{i'}(u)} + \underline{F_{i''}(u)} \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\begin{aligned}
& \text{Poisson bracket \# 79:} \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1(u)} + \underline{I_2(u)} + \underline{I_3(u)} + \underline{I_4(u)} \right], \left[ (\underline{\mathcal{T}_{(3,1)}^1})' + (\underline{\mathcal{T}_{(3,1)}^2})' \right. \right. \\
& \quad \left. \left. + (\underline{\mathcal{T}_{(3,1)}^3})' + (\underline{\mathcal{T}_{(3,1)}^4})' + (\underline{\mathcal{T}_{(3,1)}^5})' \right] \left[ \underline{G_1(u')} + \underline{G_2(u')} + \underline{G_3(u')} + \underline{G_4(u')} + \underline{G_5(u')} \right] \right\}
\end{aligned}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}(u)} \right), \left( \sum_{1 \leq i'' \leq 5} (\mathcal{T}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 5} \underline{G_{i'''}(u)} \right) \right\}$$

$$\begin{aligned}
&\stackrel{\text{(BL)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \left( I_{i'}(\underline{u}) \right), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \\
&\stackrel{\text{(LR)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})}, \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \left( I_{i'}(\underline{u}) \right) + \left( \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right) \left\{ I_{i'}(\underline{u}), \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right) \right\} \right] \\
&\stackrel{\text{(AC)}}{=} \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( I_{i'}(\underline{u}) \right) - \left( \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), I_{i'}(\underline{u}) \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \frac{\mathcal{T}_{(3,3)}^i}{G_{i'''}(\underline{u})} \right\} \left( G_{i'''}(\underline{u}) \right) \left( I_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( I_{i'}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \left\{ \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left( G_{i'''}(\underline{u}) \right), I_{i'}(\underline{u}) \right\} \right] \\
&\stackrel{\text{(LR)}}{=} - \sum_{\substack{1 \leq i \leq 5 \\ 1 \leq i' \leq 5 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', \frac{\mathcal{T}_{(3,3)}^i}{G_{i'''}(\underline{u})} \right\} \left( G_{i'''}(\underline{u}) \right) \left( I_{i'}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( I_{i'}(\underline{u}) \right) \right. \\
&\quad \left. + \left( \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', I_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) + \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), I_{i'}(\underline{u}) \right\} \right] \right].
\end{aligned}$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly positive constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} \frac{I_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{G_{i'''}(\underline{u})}{i'' - i} \frac{I_{i'}(\underline{u})}{i''} + (\mathcal{T}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned}
&\left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ G_{i'''}(\underline{u}), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} \left( I_{i'}(\underline{u}) \right) + \left( \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \left[ \left\{ (\mathcal{T}_{(3,3)}^{i''})', I_{i'}(\underline{u}) \right\} \left( G_{i'''}(\underline{u}) \right) \right] \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \frac{\mathcal{T}_{(3,3)}^i}{G_{i''}(\underline{u})} \right) \right] \\
&\quad \times \left[ \left\{ G_{i'''}(\underline{u}), \frac{\mathcal{T}_{(3,3)}^i}{I_{i'}(\underline{u})} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', I_{i'}(\underline{u}) \right\} \right] \left[ \left( I_{i'}(\underline{u}) + G_{i'''}(\underline{u}) \right) \right] \approx C_{1,2,3}.
\end{aligned}$$

$$\text{Poisson bracket } \# 80 : \left\{ \left[ \underline{\mathcal{T}}_{(3,3)}^1 + \underline{\mathcal{T}}_{(3,3)}^2 + \underline{\mathcal{T}}_{(3,3)}^3 + \underline{\mathcal{T}}_{(3,3)}^4 \right] \left[ \underline{I}_1(\underline{u}) + \underline{I}_2(\underline{u}) + \underline{I}_3(\underline{u}) + \underline{I}_4(\underline{u}) \right], \left[ (\underline{\mathcal{T}}_{(3,2)}^1)' + (\underline{\mathcal{T}}_{(3,2)}^2)' \right. \right. \\ \left. \left. + (\underline{\mathcal{T}}_{(3,2)}^3)'\right] \left[ \underline{H}_1(\underline{u}') + \underline{H}_2(\underline{u}') + \underline{H}_3(\underline{u}') \right] \right\}$$

$$= \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}}_{(3,3)}^i \right) \left( \sum_{1 \leq i' \leq 4} \underline{I}_{i'}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 3} (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \sum_{1 \leq i''' \leq 3} \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(BL)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left\{ \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left( \underline{I}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\}$$

$$\stackrel{(LR)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \left( \underline{\mathcal{T}}_{(3,3)}^i \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\} \left( \underline{I}_{i'}(\underline{u}) \right) + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ \left( \underline{I}_{i'}(\underline{u}) \right), \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(AC)}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ - \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \right\} \left( \underline{I}_{i'}(\underline{u}) \right) - \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \left( \underline{I}_{i'}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right), \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{I}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \left( \underline{H}_{i'''}(\underline{u}) \right), \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \right\} \left( \underline{I}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left\{ \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left( \underline{H}_{i'''}(\underline{u}) \right), \left( \underline{I}_{i'}(\underline{u}) \right) \right\} \right]$$

$$\stackrel{(LR)}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 3 \\ 1 \leq i''' \leq 3}} \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) \left( \underline{I}_{i'}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{\mathcal{T}}_{(3,3)}^i \right\} \left( \underline{I}_{i'}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}}_{(3,3)}^i \right) \left[ \left\{ (\underline{\mathcal{T}}_{(3,3)}^{i''})', \underline{I}_{i'}(\underline{u}) \right\} \left( \underline{H}_{i'''}(\underline{u}) \right) + \left( (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right) \left\{ \underline{H}_{i'''}(\underline{u}), \underline{I}_{i'}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u})}{i''_{(3,3)} - i_{(3,3)}} \underline{I}_{i'}(\underline{u}) + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{H}_{i'''}(\underline{u})}{i'' - i} \underline{I}_{i'}(\underline{u}) + (\underline{\mathcal{T}}_{(3,3)}^{i''})' \right] \approx \frac{C_1}{i'' - i} + C_2,$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} & \left( (\mathcal{T}_{(3,3)}^{i''})' \right) \left\{ \underline{H_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \left( \underline{H_{i'''}}(\underline{u}) \right) \approx \left[ \left( (\mathcal{T}_{(3,3)}^{i''})' + \underline{\mathcal{T}_{(3,3)}^i} \right) \right] \\ & \quad \times \left[ \left\{ \underline{H_{i'''}}(\underline{u}), \underline{\mathcal{T}_{(3,3)}^i} \right\} + \left\{ (\mathcal{T}_{(3,3)}^{i''})', \underline{I_{i'}}(\underline{u}) \right\} \right] \left[ \left( \underline{I_{i'}}(\underline{u}) + \underline{H_{i'''}}(\underline{u}) \right) \right] \approx C_{1,2,3}. \end{aligned}$$

$$\begin{aligned} \text{Poisson bracket } \# 81 : & \left\{ \left[ \underline{\mathcal{T}_{(3,3)}^1} + \underline{\mathcal{T}_{(3,3)}^2} + \underline{\mathcal{T}_{(3,3)}^3} + \underline{\mathcal{T}_{(3,3)}^4} \right] \left[ \underline{I_1}(\underline{u}) + \underline{I_2}(\underline{u}) + \underline{I_3}(\underline{u}) + \underline{I_4}(\underline{u}) \right], \left[ (\underline{\mathcal{T}_{(3,3)}^1})' + (\underline{\mathcal{T}_{(3,3)}^2})' \right. \right. \\ & \quad \left. \left. + (\underline{\mathcal{T}_{(3,3)}^3})' + (\underline{\mathcal{T}_{(3,3)}^4})' \right] \left[ \underline{I_1}(\underline{u'}) + \underline{I_2}(\underline{u'}) + \underline{I_3}(\underline{u'}) + \underline{I_4}(\underline{u'}) \right] \right\} \\ & = \left\{ \left( \sum_{1 \leq i \leq 4} \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \sum_{1 \leq i' \leq 4} \underline{I_{i'}}(\underline{u}) \right), \left( \sum_{1 \leq i'' \leq 4} \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \sum_{1 \leq i''' \leq 4} \underline{I_{i'''}(\underline{u})} \right) \right\} \end{aligned}$$

$$\stackrel{(\text{BL})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left\{ \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left( \underline{I_{i'}}(\underline{u}) \right), \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right) \right\}$$

$$\stackrel{(\text{LR})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^i}, \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right) \right\} \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \underline{I_{i'}}(\underline{u}), \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right) \right\} \right]$$

$$\stackrel{(\text{AC})}{=} \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ - \left\{ \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right), \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) - \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right), \underline{I_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^{i''}}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left\{ \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left( \underline{I_{i'''}(\underline{u})} \right), \underline{I_{i'}}(\underline{u}) \right\} \right]$$

$$\stackrel{(\text{LR})}{=} - \sum_{\substack{1 \leq i \leq 4 \\ 1 \leq i' \leq 4 \\ 1 \leq i'' \leq 4 \\ 1 \leq i''' \leq 4}} \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^{i''}}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'''}(\underline{u})} \right) \left( \underline{I_{i'}}(\underline{u}) \right) + \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left( \underline{I_{i'}}(\underline{u}) \right) \right. \\ \left. + \left( \underline{\mathcal{T}_{(3,3)}^i} \right) \left[ \left\{ \underline{\mathcal{T}_{(3,3)}^{i''}}, \underline{I_{i'}}(\underline{u}) \right\} \left( \underline{I_{i'''}(\underline{u})} \right) + \left( \underline{\mathcal{T}_{(3,3)}^{i''}} \right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{I_{i'}}(\underline{u}) \right\} \right] \right].$$

For the first two terms of the superposition superposition above, (\*), there exists two strictly negative constants,  $C_1$  and  $C_2$ , together implying that the first two terms can be approximated with,

$$(*) \approx - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I_{i'''}(\underline{u})} \underline{I_{i'}(\underline{u})}}{\underline{i''_{(3,3)}} - \underline{i_{(3,3)}}} + \frac{(\underline{\mathcal{T}_{(3,3)}^{i''}})''}{\underline{i''' - i'}} \right] \equiv - \sum_{i,i',i'',i'''} \left[ \frac{\underline{I_{i'''}(\underline{u})} \underline{I_{i'}(\underline{u})}}{\underline{i'' - i}} + \frac{(\underline{\mathcal{T}_{(3,3)}^{i''}})'}{\underline{i''' - i'}} \right] \approx \frac{C_1}{\underline{i'' - i}} + \frac{C_2}{\underline{i''' - i'}},$$

corresponding to the first, and last, bracket appearing in (\*), and another strictly negative constant,

$$C_{1,2,3},$$

corresponding to the remaining two brackets, from the observation,

$$\begin{aligned} \left(\underline{\mathcal{T}_{(3,3)}^{i''}}\right) \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \left(\underline{I_{i'}(\underline{u})}\right) + \left(\underline{\mathcal{T}_{(3,3)}^i}\right) \left\{ \underline{\mathcal{T}_{(3,3)}^{i''}}, \underline{I_{i'}(\underline{u})} \right\} \left(\underline{I_{i'''}(\underline{u})}\right) &\approx \left[ \left(\underline{\mathcal{T}_{(3,3)}^{i''}} + \underline{\mathcal{T}_{(3,3)}^i}\right) \right] \left[ \left\{ \underline{I_{i'''}(\underline{u})}, \underline{\mathcal{T}_{(3,3)}^i} \right\} \right. \\ &\quad \left. + \left\{ \underline{\mathcal{T}_{(3,3)}^{i''}}, \underline{I_{i'}(\underline{u})} \right\} \right] \left[ \left( \underline{I_{i'}(\underline{u})} + \underline{I_{i'''}(\underline{u})} \right) \right] \approx C_{1,2,3}. \end{aligned}$$

## 6 References

- [1] Amico, L., Frahm, H., Osterloh, A., Ribeiro, G.A.P. Integrable spin-boson models descending from rational six-vertex models. *Nucl. Phys. B.* **787**: 283-300 (2007).
- [2] Alcaraz, F.C., Lazo, M.J. Exactly solvable interacting vertex models. *J. Stat. Mech.* P08008 (2007).
- [3] Batchelor, M.T., Baxter, R.J., O'Rourke, M.J., Yung, C.M. Exact solution and interfacial tension of the six-vertex model with anti-periodic boundary conditions. *J. Phys. A: Math. Gen.* **28**: 2759 (1995).
- [4] Baxter, R.J. Exactly Solved Models in Statistical Mechanics. Dover P
- [5] Boos, H., et al. Universal R-matrix and functional relations. *Rev. Math. Phys.* **26**: 143005 (2014).
- [6] Boos, H., Gohmann, F., Klumper, A., Nirov, K.S., Razumov, A.V.. Exercises with the universal R-matrix.
- [7] Colomo, F., Giulio, G.D., Pronko, A.G. Six-vertex model on a finite lattice: Integral representations for nonlocal correlation functions. *Nuclear Physics B* **972**: 115535 (2021).
- [8] Colomo, F., Pronko, A.G. The Arctic Circle Revisited. *Contemp. Math.* **458**: 361-376 (2008).
- [9] Deguchi, T. Introduction to solvable lattice models in statistical and mathematical physics. *CRC Press*: 9780429137891 (2003).
- [10] Duminil-Copin, H., Karrila, A., Manolescu, I., Oulamara, M. Delocalization of the height function of the six-vertex model. *J. Eur. Math. Soc.* (2024).
- [11] Duminil-Copin, H., Kozlowski, K.K., Krachun, D. et al. On the Six-Vertex Model's Free Energy. *Commun. Math. Phys.* 395, 1383–1430 (2022). <https://doi.org/10.1007/s00220-022-03948-1>
- [12] de Vega, H.J. Bethe Ansatz and Quantum Groups. *LPTHE* **93/17** (1992).
- [13] de Vega, H.J. Boundary K-matrices for the XYZ, XXZ and XXX spin chains. *LPTHE-PAR* **93/29** (1993).
- [14] de Vega, H.J., Ruiz, A.G. Boundary K-matrices for the six vertex and the  $n(2n - 1)$   $A_{n-1}$  vertex models. *J. Phys. A: Math. Gen.* **26** (1993).
- [15] Di Francesco, Philippe. Twenty Vertex model and domino tilings of the Aztec triangle. the electronic journal of combinatorics **28**(4), (2021).
- [16] Faddeev, L.D., Takhtajan, L. A. Hamiltonian Methods in the Theory
- [17] Frahm, H., Seel, A. The staggered six-vertex model: Conformal invariance and corrections to scaling. *Nucl. Phys. B.* **879**: 382-406 (2014).
- [18] Garbali, A., de Gier, J., Mead, W., Wheeler, M. Symmetric functions from the six-vertex model in half-space. *arXiv: 2312.14348* (2023).

- [19] Gier, J.D., Korepin, V. Six-vertex model with domain wall boundary conditions: variable inhomogeneities. *J. Phys. A: Math. Gen.* **34** (2001).
- [20] Gohmann, F. Bethe ansatz. *arXiv: 2309.02008* (2023).
- [21] Gorbounov, V., Korff, C. Quantum integrability and generalised quantum Schubert calculus. *Adv. Math.* **313**: 282-356 (2017).
- [22] Gorbounov, V., Korff, C., Stroppel, C. Yang-Baxter Algebras as Convolution Algebras: The Grassmannian case. *Russian Mathematical Surveys* **75** (2020).
- [23] Ikhlef, Y., Jacobsen, J., Saleur, H. A staggered six-vertex model with non-compact continuum limit. *Nucl. Phys. B.* **789**(3): 483-524 (2008).
- [24] Keating, D., Reshetikhin, N., Sridhar, A. Integrability of Limit Shapes of the Inhomogeneous Six Vertex Model. *Commun. Math. Phys.* **391**, 1181–1207 (2022). <https://doi.org/10.1007/s00220-021-03980-w>
- [25] Kitanine, N., et al. Thermodynamic limit of particle-hole-form factors in the massless XXZ Heisenberg chain. *J. Stat. Mech. P05028* (2011).
- [26] Kitanine, N., et al. On correlation functions of integrable models associated with the six-vertex R-matrix. *J. Stat. Mech. P01022* (2007).
- [27] Kitanine, N., et al. On the spin-spin correlation functions of the XXZ spin- $\frac{1}{2}$  infinite chain. *J. Phys. A: Math. Gen.* **38** (2005).
- [28] Kozlowski, K.K. Riemann-Hilbert approach to the time-dependent generalized sine kernel. *Adv. Theor. Math. Phys.* **15**: 1655-1743 (2011).
- [29] Korff, C., McCoy, B.M. Loop symmetry of integrable vertex models at roots of unity. *Nucl. Phys. B.* **618**: 551-569 (2001).
- [30] Lieb, E. H. The Residual Entropy of Square Ice, *Phys Rev.* **162** 162-172 (1967).
- [31] Lamers, J. Introduction to quantum integrability. *10th Modave Summer School in Mathematical Physics* (2015).
- [32] Motegi, K. Symmetric functions and wavefunctions of the XXZ-type six-vertex models and elliptic Felderhof models by Izergin-Korepin analysis. *J. Math. Phys.* **59**: 053505 (2018).
- [33] Naprienko, S. Free fermionic Schur functions. *Adv. Math.* **436**: 109413 (2024).
- [34] Pauling, L. J. Am. Chem. Soc. **57**, 2680 (1935)
- [35] Reshetikhin, N., Sridhar, A. Integrability of limits shapes of the six-vertex model. *Comm. Math. Phys.* **356**: 535-565 (2017).
- [36] Rigas, P. From logarithmic delocalization of the six-vertex height function under sloped boundary conditions to weakened crossing probability estimates for the Ashkin-Teller, generalized random-cluster, and  $(q_\sigma, q_\tau)$ -cubic models, *arXiv:2211.14934* (2022).
- [37] Rigas, P. Renormalization of crossing probabilities in the dilute Potts model. *arXiv: 2211.10979 v2* (2022).
- [38] Rigas, P. The phase transition for the Gaussian free field is sharp. *arXiv: 2307.12925* (2023).
- [39] Rigas, P. Phase transition of the long range Ising model in lower dimensions, for  $d < \alpha \leq d + 1$ , with a Peierls' argument. *arXiv: 2309.07943* (2023).
- [40] Rigas, P. Operator formalism for discreteley holomorphic parafermions of the two-color Ashkin-Teller, loop O(1), staggered eight-vertex, odd eight-vertex, and abelian sandpile models. *arXiv: 2310.08212* (2023).

- [41] Rigas, P. Poisson structure and Integrability of a Hamiltonian flow for the inhomogeneous six-vertex model. *arXiv*: 2310.15181 (2023).
- [42] Rigas, P. Open boundary conditions of the  $D_3^{(2)}$  spin chain and sectors of conformal field theories. *arXiv*: 2310.18499 (2023).
- [43] Rigas, P. Scaling limit of the triangular prudent walk. *arXiv*: 2312.16236 (2023).
- [44] Rigas, P. Eigenvalue attraction in open quantum systems, biophysical systems, and Parity-time symmetric materials. *arXiv*: 2309.07943 (2023).
- [45] Szabo, R.J., Tierz, M. Two-dimensional Yang-Mills theory, Painleve equations and the six-vertex model. *J. Phys. A.: Math. Theor.* **45** (2012).
- [46] Tavares, T.S., Ribeiro, G.A.P. Finite temperature properties of an integrable zigzag ladder chain. *Nucl. Phys. B* **995** (2023).
- [47] Zinn-Justin, P. Six-vertex model with domain wall boundary conditions and one-matrix model. *Phys. Rev. E* **62**, 3411 (2000).
- [48] Zinn-Justin, P. Six-vertex, Loop and Tiling Models: Integrability and Combinatorics. *Lambert Academic Publishing*: 978-3-8383-2577-4 (2010).