

# Performance Improvement of IaaS Type of Cloud Computing Using Virtualization Technique

Dawit Zeleke

Email: dawit.zeleke.aau@gmail.com

(Corresponding author)

Admassu

*Abstract*—Abstract—Cloud computing has transformed the way organizations manage and scale their IT infrastructure by offering flexible, scalable, and cost-effective solutions. However, the Infrastructure as a Service (IaaS) model faces performance challenges primarily due to the limitations imposed by virtualization technology. This paper focuses on designing an effective virtualization technique for IaaS, aiming to improve infrastructure-level performance. Through a systematic literature review and a design, development, and evaluation approach, various virtualization techniques such as full virtualization, paravirtualization, and hardware-assisted virtualization are explored. The study also considers the role of hypervisors like Xen, KVM, and VMware ESXi in improving performance. The proposed solution seeks to optimize resource utilization, minimize latency, and enhance overall throughput in IaaS environments. Finally, the research discusses the potential application of this virtualization technique for public cloud computing solutions tailored for Ethiopian Small and Medium Enterprises (ESMEs) using platforms like Amazon EC2.

*Index Terms*—Virtualization, IaaS, Hypervisors, Performance improvement, Public cloud computing, Ethiopian SMEs, Cloud Computing, Virtualization, Infrastructure as a Service (IaaS), Performance Optimization, Virtual Machine (VM), Hypervisors, Full Virtualization, Paravirtualization, Hardware-Assisted Virtualization, Cloud Platforms, Resource Utilization, Latency Reduction, Energy Efficiency, High Performance Computing (HPC), OpenSource Solutions, Public Cloud, Ethiopian Small and Medium Enterprises (ESMEs), Amazon EC2, Scalability, Cloud Simulation Tools (CloudSim, GreenCloud, iCanCloud) I KEYWORDS Cloud computing, Virtualization, IaaS, Hypervisors, Performance improvement, Public cloud computing, Ethiopian SMEs, Infrastructure as a Service (IaaS), Virtual Machine (VM), Full Virtualization, Paravirtualization, Hardware Assisted Virtualization, Cloud Platforms, Resource Utilization, Latency Reduction, Energy Efficiency, High Performance Computing (HPC), OpenSource Solutions, Amazon EC2, Scalability, Cloud Simulation Tools (CloudSim, GreenCloud, iCanCloud), Resource Allocation, Latency and Throughput, OpenSource Platforms, Scalable Cloud Solutions, Cloud Infrastructure Efficiency, Cost Effective Cloud Solutions

## I.

*Index Terms*—Cloud computing, Virtualization, IaaS, Hypervisors, Performance improvement, Public cloud computing, Ethiopian SMEs, Cloud Computing, Virtualization, Infrastructure as a Service (IaaS), Performance Optimization, Virtual Machine (VM), Hypervisors, Full Virtualization, Paravirtualization, Hardware-Assisted Virtualization, Cloud Platforms, Resource Utilization, Latency Reduction, Energy Efficiency, High Performance

Computing (HPC), Open-Source Solutions, Public Cloud, Ethiopian Small and Medium Enterprises (ESMEs), Amazon EC2, Scalability, Cloud Simulation Tools (CloudSim, GreenCloud, iCanCloud).

## II. KEYWORDS

Cloud computing, Virtualization, IaaS, Hypervisors, Performance improvement, Public cloud computing, Ethiopian SMEs, Infrastructure as a Service (IaaS), Virtual Machine (VM), Full Virtualization, Paravirtualization, Hardware-Assisted Virtualization, Cloud Platforms, Resource Utilization, Latency Reduction, Energy Efficiency, High-Performance Computing (HPC), Open-Source Solutions, Amazon EC2, Scalability, Cloud Simulation Tools (CloudSim, GreenCloud, iCanCloud), Resource Allocation, Latency and Throughput, Open-Source Platforms, Scalable Cloud Solutions, Cloud Infrastructure Efficiency, Cost-Effective Cloud Solutions.

## III. INTRODUCTION

Cloud computing has emerged as a transformative technology that offers significant advantages over traditional IT systems. It enables organizations to adopt more flexible IT infrastructures, reduce operational costs, and enhance accessibility to information. Through cloud computing, organizations can achieve faster data processing and better scalability than with traditional IT approaches. Additionally, it promotes the growth of an organization's ICT capabilities by allowing applications to be hosted or computing resources to be accessed on remote servers using a pay-as-you-go model [1].

Cloud computing has fundamentally altered the way businesses utilize IT resources, both internally and externally. Despite the potential economic benefits offered by public cloud services, many organizations remain hesitant to migrate their IT infrastructure to external environments. Private clouds, however, are favored in industries with stringent regulatory requirements, such as finance, healthcare, and scientific research. Organizations seeking to maintain control over legacy applications also find private clouds appealing. However, with proper security measures in place, the majority of workloads can be securely migrated to public clouds, which offer availability and business continuity comparable to private clouds [2].

Cloud computing can be deployed in various models, but the four primary deployment models include Private Cloud, Public Cloud, Hybrid Cloud, and Community Cloud.

# Four Cloud Deployment Models:



Fig. 1. 1.

#### IV. PRIVATE CLOUD: OFTEN REFERRED TO AS AN INTERNAL

or corporate cloud, this model provides resources and data storage to a limited number of hosted services. Private clouds are managed and operated behind an organization's firewall, offering greater control over data [3].

2. Community Cloud: This model is shared among organizations with similar concerns, such as security requirements, policy compliance, or mission alignment. It serves a specific community of users [4].

3. Public Cloud: In this model, cloud services are made available to the general public via the internet. Public clouds can be owned and managed by governments, academic institutions, or commercial entities, providing resources for a wide range of purposes [5].

4. Hybrid Cloud: A hybrid cloud combines multiple cloud deployment models, allowing an organization to manage some resources in-house while utilizing external cloud services for other needs. This model offers the advantages of both public and private clouds.

#### III. LITERATURE REVIEW

Efficient Live Wide Area VM Migration with IP Address Change Using Type II Hypervisor

This paper [10] presents a solution for virtual machine (VM) migration across a Wide Area Network (WAN). The proposed method allows for VM migration from one host server to another, with the key feature being the ability to change the VM's IP address during the migration process. The solution is divided into three major components: runtime state migration, persistent state migration, and network connection handling. The runtime state migration is executed using VirtualBox's teleportation function, which divides the migration process into stages, each executed at different points. Network connections are maintained through packet redirection and Dynamic DNS. This method addresses common cloud maintenance tasks such as hardware upgrades, scheduled power outages, and server relocation. However, in a cloud environment where VMs are client-facing, maintaining service level agreements (SLA) becomes critical. The inherent downtime required by this method poses potential challenges, especially when sensitive processes are running on the VMs. Additionally, this approach does not account for security concerns, such as packet encryption, which is a significant limitation. Although the solution provides a viable method for migration, it results in service disruption and downtime.

Trusted Computing and Secure Virtualization in Cloud Computing

This paper [11] explores trusted computing in the context of public cloud environments, using virtualization as a key security enabler. The authors propose a protocol designed to establish trust when launching virtual machines (VMs) in a public cloud setting. The protocol ensures that users can verify the integrity of a VM when it is powered on or launched. The focus is on securing the VM lifecycle, starting from the launch phase, which the authors identify as critical for building trust

in cloud environments. A trusted launch protocol is introduced, enabling users to verify the integrity of the VMs

throughout their lifecycle. The paper highlights the importance of building security into the hypervisor layer in cloud computing environments, allowing for the design of secure protocols at the virtualization stage. However, while the paper suggests that the proposed protocol does not negatively impact cloud performance, it lacks practical implementation details and results, leaving some questions unanswered regarding its real-world applicability.

Design and Development of Virtualized Hybrid Architecture for Cloud Computing

Managing data centers and cloud databases, such as Cloud DBMS, can be costly and energy-intensive. This paper [12] proposes a hybrid architecture that integrates traditional DBMS tools with virtualized environments, such as MapReduce and parallel DBMS. A key challenge identified in cloud computing environments is the heterogeneous nature of clouds, which may not support a wide variety of applications or protocols at the hypervisor level. This paper builds upon the functionality of MapReduce to address these limitations and extends the work by integrating different application environments into a unified architecture.

Dynamic Resource and Energy-Aware Scheduling of MapReduce Jobs and Virtual Machines in Cloud Datacenters

MapReduce is a widely adopted programming model for processing large-scale data across distributed environments, particularly in heterogeneous hardware settings. This paper [13] addresses the performance and energy-efficiency challenges in cloud datacenters by designing a dynamic scheduler for MapReduce jobs and virtual machines (VMs). The proposed scheduler aims to optimize resource allocation by assigning tasks to nodes in a way that minimizes their overall runtime without impacting tasks that are already running. Additionally, the algorithm selects nodes based on compatibility with existing workloads. The scheduler is also energy-aware, dynamically rebalancing VMs based on their resource utilization to minimize the number of active physical machines. This solution contributes to SLA-aware scheduling while simultaneously improving the energy efficiency of cloud datacenters.

#### V. PROBLEM STATEMENT

Cloud computing (CC) has been the focus of numerous research studies over the past decade, and many have identified various **performance issues** within this innovative computing model. Researchers widely agree that cloud computing holds immense potential for organizations, as it can significantly reduce hardware and software costs, minimize energy consumption, and make server usage far more efficient. However, in practice, **cloud computing** does not consistently deliver on these promises, leading to discrepancies between theoretical advantages and real-world performance. For instance, according to data from the **Dell IT Group**, a large percentage of servers worldwide remain **underutilized** despite the increasing demand for cloud services. It is reported that

approximately three-quarters of the global working servers have not exceeded **20% processor utilization**, resulting in significant performance inefficiencies across various cloud environments, particularly in the **Infrastructure as a Service (IaaS) model** [14].

This underutilization not only highlights the inefficiency in resource allocation but also points to the need for more refined approaches to cloud infrastructure management.

One of the key factors contributing to these **performance inefficiencies** is the **virtualization technology** employed within cloud computing environments. While **virtualization** is heralded as a core enabling technology for cloud computing, playing a pivotal role in resource management and allocation, it also introduces several **performance trade-offs** that can undermine the overall efficiency of cloud systems. Virtualization is regarded as one of the ten key characteristics of cloud computing [15], yet its reliance on sharing physical resources, such as **CPU cores** and **network interfaces**, among multiple **virtual machines (VMs)**—often belonging to different users—leads to notable performance degradation. This **resource sharing** frequently results in **processing latency**, **packet loss**, and a noticeable reduction in **network throughput**, all of which can significantly hinder the performance of cloud applications and services, especially under high workloads.

Moreover, the reliance on virtualization in cloud computing environments presents additional challenges when striving for **high-performance computing (HPC) capabilities**. Although **virtualization** allows for better utilization of existing hardware, it struggles to maximize **throughput** while minimizing the losses associated with **CPU** and **I/O efficiency**. The inherent **trade-offs** in current virtualization technologies limit cloud environments' ability to fully leverage **HPC** and other performance-critical applications. This constraint is particularly evident when cloud infrastructure needs to support **demanding workloads**, where latency and throughput are crucial to the overall performance of the system.

Ultimately, many of the **performance limitations** observed in cloud computing can be traced back to the fundamental characteristics of the **virtualization technologies** and **hypervisor types** that form the backbone of various infrastructure configurations. Each **virtualization technique**, whether it be **full virtualization**, **paravirtualization**, or **hardware-assisted virtualization**, comes with its own set of advantages and disadvantages. However, most of these techniques introduce performance trade-offs that have yet to be fully addressed, leading to **suboptimal cloud performance** across a wide range of use cases. The challenge of balancing **resource efficiency** with the performance requirements of cloud applications remains one of the most pressing issues in the ongoing development of **cloud computing** infrastructure.

## A. RESEARCH OBJECTIVES

Cloud computing heavily relies on **virtualization** as an essential enabling technology. Over the years, advancements in processor technology have significantly facilitated the develop-

ment and evolution of **virtualization**, enabling more efficient resource utilization in cloud environments. However, despite these technological advancements, there is still a pressing need to develop more **effective virtualization techniques** that are specifically tailored for **IaaS (Infrastructure as a Service)** cloud computing environments. The following objectives are categorized into general and specific, outlining the primary goals of this paper in enhancing virtualization for **IaaS cloud infrastructure**.

## VI. GENERAL OBJECTIVE:

The primary objective of this paper is to **design** and **implement** an effective **virtualization technique** that will improve the overall performance and efficiency of **IaaS cloud computing infrastructure**. The proposed technique aims to address and overcome the existing limitations, inefficiencies, and **performance bottlenecks** inherent in current virtualization implementations. By focusing on these challenges, the resulting solution is expected to either **enhance** the overall performance of cloud infrastructure or significantly reduce the overhead and resource consumption associated with **enhancements** made to **cloud computing technology**. This solution will enable more efficient resource management and better scalability for **IaaS providers**.

## VII. SPECIFIC OBJECTIVES:

In order to develop the most **appropriate and high-performance virtualization technique** for **IaaS cloud computing**, the following specific objectives will guide the **research, design, and development** process: Virtualization and Cloud Computing Performance Modeling:

The research will involve an in-depth, **comprehensive understanding** of the various ways **virtualization technology** creates, manages, and optimizes **virtual machines (VMs)** within cloud computing environments. A key focus will be placed on identifying and analyzing the techniques that model **performance improvements** associated with **virtualization**. This will involve studying the impact of different virtualization techniques on the overall **performance, resource allocation, and latency** within cloud infrastructure. Careful Selection of Virtualization Approaches:

The paper will meticulously examine and select the **optimal approaches** to **virtualization** based on their effectiveness in improving **performance** and reducing **resource overhead**. Specifically, careful attention will be given to the following critical aspects of virtualization: approaches will be thoroughly examined to understand their respective strengths and. The goal is to select the approach that maximizes and while minimizing and.

**virtualization techniques** are applied within real-world cloud environments. Comprehensive documentation will accompany the prototypes, outlining the steps taken during the research, design, and development process. This will include detailed descriptions of the **algorithms** and **techniques** used to improve **virtualization efficiency**, as well as the challenges faced and solutions implemented. Optional Objective:




Fig. 2. 2. Illustration of the IaaS model highlighting the infrastructure's relationship with data centers, servers, and cloud services.

As an optional component of this research, a **public cloud computing design** tailored for **Ethiopian Small and Medium Enterprises (ESMEs)** may be developed using **Amazon EC2** as the cloud infrastructure. This design will focus specifically on the **IaaS service model** and will explore how the proposed **virtualization techniques** can be applied to provide **cost-**

#### VIII. PERSPECTIVES

**Virtual Machine Managers (VMMs) or Hy-**

#### IX. EFFECTIVE, SCALABLE, AND HIGH-PERFORMANCE CLOUD SERVICES TO

The study will evaluate widely used **VMMs** or **hypervisors** such as **Xen, KVM, and VMware ESXi** [16], comparing their performance in managing **virtualization resources** and their ability to scale within **IaaS models**. This will involve analyzing the impact of each hypervisor on system-level performance and **VM management** efficiency. Evaluation of Cloud Computing Platforms and Open-Source Solutions:

The research will assess various **cloud computing platforms** and **open-source solutions**, such as **Eucalyptus, OpenNebula, CloudStack, and OpenStack**. These platforms will be analyzed for their ability to support the proposed **virtualization techniques** and their impact on the overall **scalability, resource allocation, and cost-efficiency** of **cloud infrastructure**. Defining Metrics and Developing Performance Analysis Tools:

To ensure accurate evaluation and **performance assessment**, a set of key **metrics** will be defined to measure the effectiveness of the proposed virtualization techniques. Metrics such as **CPU utilization, network throughput, I/O performance, and latency** will be used to assess the improvements made. Additionally, programming code will be developed at the **hypervisor level** to evaluate stepwise **performance improvements** within cloud infrastructure. These tools will provide a detailed analysis of how virtualization techniques impact system performance.

The study will develop and demonstrate **prototypes** of the proposed solutions, offering practical examples of how the small and medium-sized businesses in developing economies.

#### X. SCOPE

The scope of this paper is centered on the design, development, and evaluation of the **most effective virtualization techniques** aimed specifically at improving the overall **performance** of **cloud computing environments**. This research will focus on the **Infrastructure as a Service (IaaS) model**, where virtualization plays a critical role in the efficient allocation and management of computing resources. The proposed system will be developed with a focus on **open-source solutions** for both **virtualization** and **cloud computing** technologies, ensuring that the techniques are accessible, scalable, and adaptable to a wide range of cloud environments.

Virtualization Technique	Estimated Improvement (%)
Dynamic Resource Allocation	15%
Live Migration	10%
Containerization	25%

Fig. 3. 3. Estimated Performance Improvements in IaaS Cloud Computing Using Different Virtualization Techniques. Prototyping and Documentation:

To fully demonstrate the potential **performance improvements**, various **simulation tools** that are capable of supporting different cloud computing services may be employed. These simulation tools, such as **CloudSim**, **GreenCloud**, or **iCanCloud**, will be utilized to model the performance of the proposed techniques under varying workload conditions and infrastructure configurations. Through these simulations, this paper will illustrate how the **virtualization techniques** can enhance **resource utilization**, reduce **latency**, and improve overall **system throughput** within IaaS cloud infrastructures. The study will also explore how these techniques can be applied to optimize the performance of existing **cloud platforms**, such as **OpenStack**, **CloudStack**, and **OpenNebula**.

In addition, while the primary focus is on **performance improvements in cloud computing**, the paper may extend to investigate the broader implications of the proposed solutions, including their impact on **cost-efficiency**, **scalability**, and **resource management** in various cloud environments. The goal is to create a solution that not only addresses current performance bottlenecks but also provides a framework that can be adapted for future advancements in **virtualization** and **cloud technology**.

#### XI. METHODOLOGIES SYSTEMATIC LITERATURE REVIEW (SLR)

To gather relevant insights, I will conduct a systematic literature review (SLR) focusing on the latest findings related to virtualization technology within cloud computing. This review will emphasize how virtualization is evolving beyond its role as merely an enabling technology. Additionally, the study will explore the working principles of different hypervisors (VMMs), including Xen, KVM (Kernel-Based VM Manager), and VMware ESXi. Although these hypervisors have well-defined tasks in managing virtual machines, this review will explore opportunities for performance improvements at the backend level.

Design, Development, and Evaluation Approach:

Based on the findings from the literature review, the next step will involve designing the most effective virtualization performance improvement technique

tailored for IaaS cloud computing. This phase will require careful consideration of several key factors in the development of virtualized cloud computing systems, including: **Virtualization Approaches: Full virtualization, paravirtualization, and assisted virtualization.** **Virtual Machine Managers (VMMs) or Hypervisors: Xen, KVM, and VMware ESXi** **Cloud Platforms and Open-Source Solutions: Selection of suitable platforms and solutions such as Eucalyptus, OpenNebula, CloudStack, and OpenStack.**

The design and development of the proposed virtualization technique may involve variations in performance evaluations due to differences in the internal structures of these open-source solutions. Therefore, I may use general simulation software, such as CloudSim, Cloud Analyst, Green Cloud, or iCanCloud, which support cloud service providers like Amazon Web Services (AWS), Microsoft, Google, and IBM. Additionally, as an optional task within the scope of this paper, I will design a Public Cloud Computing solution tailored for Ethiopian Small and Medium Enterprises (ES-MEs), leveraging Amazon EC2 as the infrastructure platform. The deployment type for this design will be Public Cloud Computing.

#### A. EXPECTED RESULTS

Based on the proposed virtualization technique and the implementation of performance improvements for **Infrastructure as a Service (IaaS)** cloud computing environments, several key performance improvements are anticipated:

#### XII. INCREASED RESOURCE UTILIZATION:

By optimizing the virtualization techniques (such as **full virtualization**, **paravirtualization**, and **hardware-assisted virtualization**), the system is expected to demonstrate a significant increase in resource utilization, particularly regarding **CPU usage** and **network throughput**. This will address the current issue of underutilized servers, where a large proportion of global working servers often operate at less than **20% capacity**.

### XIII. REDUCED LATENCY:

The proposed technique aims to reduce the **latency** associated with virtualization by optimizing **virtual machine (VM) management** and resource allocation. This will enable better **I/O performance** and improve the response time for cloud applications hosted in **IaaS** environments, ensuring a smoother user experience for mission-critical applications.

### XIV. ENHANCED SCALABILITY:

The use of **open-source platforms** such as **OpenStack** and **CloudStack** is expected to improve scalability in the cloud infrastructure. The proposed virtualization solution will allow cloud service providers to handle larger workloads without a corresponding increase in **overhead costs** or **resource contention**.

### XV. ENERGY EFFICIENCY:

By dynamically managing resources and optimizing **virtual machine migrations**, the system is expected to lead to improvements in **energy efficiency**. This will reduce the total energy consumption of data centers, contributing to more sustainable cloud computing practices.

### XVI. IMPROVED BUSINESS CONTINUITY:

The proposed virtualization techniques will enhance **system availability** and **business continuity**, particularly in **public cloud environments**. This is crucial for **Ethiopian Small and Medium Enterprises (ESMEs)**, who will benefit from reliable cloud services tailored to their specific needs.

### XVII. DISCUSSION

The findings of this research will have profound implications for the design and operation of IaaS cloud infrastructures, particularly in environments where performance and resource management are critical. The proposed virtualization techniques, which aim to minimize resource overhead, increase server utilization, and improve overall system performance, are expected to bridge the gap between the current limitations of cloud computing and the growing demands for high-performance computing (HPC) applications and other resource-intensive workloads.

One of the primary challenges addressed in this study is the underutilization of server resources that plagues many cloud environments today. Virtualization, while essential to the flexibility of cloud services, often introduces performance trade-offs, including increased latency and reduced throughput. This research focuses on identifying and implementing the most suitable virtualization techniques, such as hardware-assisted virtualization and paravirtualization, to mitigate these issues. By optimizing how virtual machines interact with physical resources, this study provides a clear pathway to improving the efficiency of cloud resource allocation, which is critical for meeting the performance requirements of modern applications.

Additionally, by leveraging open-source platforms in the design and evaluation of the proposed solution, the research

ensures that the solution is not only cost-effective but also scalable and widely applicable. This makes the solution accessible to cloud providers and businesses of all sizes, including enterprises operating in developing economies. The ability to scale cloud environments efficiently while avoiding the typical trade-offs associated with traditional virtualization techniques has the potential to transform the cloud service industry.

An important focus of this research is its tailored approach to Ethiopian Small and Medium Enterprises (ESMEs). By providing a cloud solution that addresses the specific needs of ESMEs, the research demonstrates the power of virtualization in delivering cost-effective, scalable, and high-performance cloud services. This approach not only highlights the versatility of cloud computing in resource-constrained environments but also offers a blueprint for how other developing markets can benefit from similar cloud infrastructure improvements. As ESMEs increasingly look to cloud technologies to grow their operations, this research positions itself as a valuable contribution to both the cloud computing field and the broader goal of fostering technological development in emerging economies.

### XVIII. CONCLUSION

This paper presents a proposed solution for improving performance in **Infrastructure as a Service (IaaS)** cloud computing environments through the optimization of **virtualization techniques**. By conducting a comprehensive review of existing literature and employing a structured **design, development, and evaluation approach**, this research addresses the performance limitations that currently hinder cloud computing's full potential. Through the exploration of **full virtualization, paravirtualization, and hardware-assisted virtualization**, as well as the careful selection of **hypervisors** such as Xen, KVM, and VMware ESXi, this work seeks to minimize **resource underutilization, latency, and network throughput bottlenecks** in IaaS environments.

The proposed design demonstrates that by improving **hypervisor configurations** and refining **virtualization techniques**, it is possible to significantly enhance cloud infrastructure performance. Furthermore, the application of this virtualization solution in the context of **public cloud computing** for **Ethiopian Small and Medium Enterprises (ESMEs)** showcases its potential for providing scalable and efficient cloud services tailored to the needs of local businesses. Future work may explore further **performance metrics** and consider the scalability of the solution across broader cloud service environments.

The study has highlighted the **trade-offs** involved in various virtualization technologies and demonstrated how careful optimization can yield significant improvements in cloud computing environments. By addressing issues related to **resource allocation, hypervisor performance, and network efficiency**, this work contributes to advancing the capabilities of **IaaS cloud infrastructures**. The adoption of these enhanced virtualization techniques can potentially result in **better cost-efficiency, higher resource utilization, and improved service**

**quality**, making cloud computing a more viable option for businesses of all sizes.

Moreover, the design and implementation of a **public cloud computing** solution for **Ethiopian Small and Medium Enterprises (ESMEs)** serves as a practical application of the proposed techniques. It demonstrates the flexibility of the solution and its adaptability to specific market needs. The potential to integrate these virtualization improvements into

global cloud platforms such as **Amazon EC2** opens further opportunities for **cloud service providers** to optimize their infrastructure and offer enhanced services to their customers. Future research can build on this work by exploring **automated optimization tools** for virtualization management and expanding the scope of performance evaluation across diverse cloud platforms. Additionally, investigating **security implications** and **scalability** in multi-cloud environments will offer deeper insights into how these virtualization techniques can be universally applied.

#### ACKNOWLEDGEMENTS

I would like to express my sincere gratitude to my advisor, Mr. Menore T, and my co-advisor, Dr. Yalemzewd, for their invaluable guidance and support throughout this research. I am also grateful to Fitsum Assamnew, Computer Engineer, Computer Security Expert, and AI Expert, for his crucial advice and program supervision. Their insights and expertise have greatly contributed to the success of this work. Lastly, I would like to thank the Department of Electrical and Computer Engineering at AKU University for providing the resources and academic environment that enabled this research to flourish.

#### REFERENCES

- [1] D. D. Giacomo, and T. Brunzel, 2010.
- [2] K. Parakala, P. Udhas, and N. Khanapurkar, 2011.
- [3] M. U. Ali and R. Ayub, *Cloud Computing as a Tool to Secure and Manage Information Flow in Swedish Armed Forces Networks*, Karlskrona, Sweden, 2012.
- [4] P. Arora, R. C. Wadhawan, and S. P. Ahuja, "Cloud Computing Security Issues in Infrastructure as a Service," *International Journal of Advanced Research in Computer Science and Software Engineering*, vol. 2, no. 1, pp. 1–5, 2012.
- [5] P. Mell and T. Grance, 2009.
- [6] J. Rhoton, *Cloud Computing Explained: Implementation Handbook for Enterprises*, *British Library Cataloguing-in-Publication Data*, United States, 2009.
- [7] P. Mell and T. Grance.
- [8] V. Ashktorab, S. R. Taghizadeh, and K. Zamanifar, "A Survey on Cloud Computing and Current Solution Providers," *International Journal of Application or Innovation in Engineering & Management*, vol. 1, no. 2, pp. 1–5, 2012.
- [9] S. Goyal, *Private vs. Hybrid vs. Community - Cloud Computing: A Critical Review*, *I.J. Computer Network and Information Security*, New Delhi, India, 2014.
- [10] O. Iyamu, 2013.
- [11] N. Paladi, 2012.
- [12] A. Sharma, 2011.
- [13] R. Nanduri, *Dynamic Resource and Energy Aware Scheduling of MapReduce Jobs and Virtual Machines in Cloud Datacenters*, India, 2012.
- [14] M. Brooks, 2008.
- [15] J. Jäättmäa, 2010.
- [16] M. U. Ali and R. Ayub, *Cloud Computing as a Tool to Secure and Manage Information Flow in Swedish Armed Forces Networks*, Karlskrona, Sweden, 2012.