

# Sustainable computing workshops in high-energy physics at DESY

J. Alimena<sup>1</sup>, C. Beyer<sup>1</sup>, B. Brüers<sup>1</sup>, F. Gaede<sup>1</sup>,  
N. Gillwald<sup>1</sup>, M. Hernandez Villanueva<sup>2</sup>, E. Jones<sup>1,\*</sup>,  
Y. Kemp<sup>1</sup>, T. Madlener<sup>1</sup>, K. Schwarz<sup>1</sup>  
and C. Wissing<sup>1</sup>

<sup>1</sup> Deutsches Elektronen-Synchrotron DESY, Notkestr. 85, 22607 Hamburg, Germany

<sup>2</sup>Brookhaven National Laboratory, Upton, New York 11973, U.S.A.

\*Corresponding author: Eleanor Jones; eleanor.jones@desy.de

## Abstract

This perspective article details the program of sustainable computing workshops launched within the High Energy Physics department at DESY in 2023. The workshop series targets scientific users of the National Analysis Facility, hosted at DESY, in order to promote sustainable software development and usage across a wide range of applications. Details of the structure of the workshops, as well as the reception amongst participants, will be presented. In addition, plans for the expansion of the workshop series will be outlined.

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Computing on the National Analysis Facility</b>	<b>4</b>
<b>3</b>	<b>Overview of the workshops</b>	<b>6</b>
3.1	Beginner workshops . . . . .	6
3.1.1	Introduction to ROOT . . . . .	7
3.1.2	Batch computing on the NAF . . . . .	7
3.1.3	Introduction to Git . . . . .	8
3.1.4	Best coding practices . . . . .	8
3.1.5	Continuous integration . . . . .	9
3.2	Advanced workshops . . . . .	10
3.2.1	Software testing . . . . .	10
<b>4</b>	<b>Analysis of the workshops</b>	<b>11</b>
4.1	User opinions . . . . .	12
4.2	Future outlook . . . . .	12
<b>5</b>	<b>Conclusions</b>	<b>15</b>

# 1 Introduction

The Deutsches Elektronen-Synchrotron (DESY) is one of the largest research centres in Germany, where a wide range of research is performed. Amongst the diverse topics, high-energy physics (HEP) is a significant part of the program, and this has large computing and storage demands. Since 2007, DESY has hosted the National Analysis Facility (NAF), designed to analyse and simulate data from the particle physics experiments ATLAS [1], CMS [2], BELLE II [3], and from possible future colliders such as the International Linear Collider and the Future Circular Collider. The NAF has over 1000 registered scientific users of the large batch system, thus complementing the DESY Grid by allowing interactive and fast analysis of large data sets on Grid storage systems.

The ongoing and immediate climate crisis necessitates a drastic reduction of the carbon footprint in all areas of society, including computing in HEP. In 2023, an initiative was launched within the HEP group at DESY to provide a series of workshops targeting users of the NAF. The workshops aim to educate scientific users on software and batch computing best practices in order to encourage sustainable software development across a wide range of applications.

“Sustainability” is an umbrella term that is often used to refer to many diverse actions we can take, in science and society, in order to address the immediate and increasing climate crisis. In this series of workshops at DESY and throughout this paper, we use the terms “sustainability” and “sustainable computing” to refer to power conservation, intelligent software development and preservation, and computing in an environmentally-sustainable way.

Initially, the series was launched with a workshop dedicated to providing a basic understanding of how to write sustainable code and how to perform batch computing sustainably. This workshop targets new users of the NAF and focuses predominantly on common tools and software utilised within HEP and their use within the NAF.

Following the success of the initial workshop, the series has continued to provide the beginner workshops, as well as providing dedicated advanced workshops in specific areas of software development practices. The advanced workshops aim to provide methods to optimise code to perform more sustainably, with, for example, software testing.

This perspective article will provide an overview of the sustainable computing workshop series launched within HEP at DESY in 2023, focusing on the plans for expansion and progression of the series, including bringing the program outside of DESY.

## 2 Computing on the National Analysis Facility

DESY offers large computing resources for the communities it hosts. The Interdisciplinary Data and Analysis Facility (IDAF) is the umbrella under which several infrastructures are set up to exactly target the needs of the communities. The NAF was set up in 2007 in the realm of the Helmholtz Alliance “Physics at the Terascale”, and serves the German ATLAS and CMS community, the global Belle II collaboration, as well as a variety of small and medium-sized, DESY-based experiments. The NAF is optimised for interactive and fast turn-around analysis of large data sets. It benefits from the proximity of another IDAF component, serving as a ‘Tier-2’ site for the Worldwide Large Hadron Collider (LHC) Computing Grid (WLCG) [4] for ATLAS, CMS, and LHCb, as well as a RAW data centre for Belle II. Data and data access are central to any HEP analysis, and having common data for the NAF and the WLCG serves users from both systems.

The NAF itself is composed of the following triad:

- flexible login and access systems (small sized);
- batch compute system (large sized);

- scaling and flexible storage system, integrated into and shared with experiments’ data management..

The current access services to NAF are SSH servers, remote desktop and screen sharing, and Jupyter hub. Further services can be added if needed. Dedicated resources need to be reserved, which might be inefficient. We therefore integrated the interactive Jupyter service into the batch farm [5].

The batch computing system is at the heart of the NAF. A large pool of identically configured compute servers is governed by a scheduling system, that is set up such that it honours group fair share, and favours short, interactive-like jobs over large production jobs. For versatility purposes, the batch farm also supports jobs running in containers provided by users or experiments.

Last, but not least, is the storage system, which on the NAF consists of several parts. At the centre is the “dCache” system [6], which holds the large data that is central to both the WLCG and the NAF. Secondly, there is the ‘DUST’ system, which is local to the NAF and contains project space for users and groups. The AFS storage system [7] provides user access to a global file system, whereas CVMFS is a global file system for centrally-organised software and container image distribution [8]. For ease of usage, all these storage systems are presented as mounted file systems with all features of the Portable Operating System Interface (POSIX) access model.

The NAF is operated by the DESY IT department. Amongst their duties and key factors of the success of the NAF are extensive support, documentation, and consulting. However, a formal training platform was rare in the past. Furthermore, other factors are also important for the optimal use of the NAF, for example, good code development workflows, usage of optimal algorithms and programming techniques, and well-tested code. User support and training on these aspects is best provided by the experiments and expert users — optimally in a way that it complements the NAF infrastructure.

Raising awareness that computing has a substantial environmental impact is important: The CO<sub>2</sub> footprint of users’ computational tasks is estimated,

and a weekly summary is presented to them. This initiative has been well received and will be refined in the future to also take into account storage access.

In the context of the RF2.0 project [9], the DESY IT department will investigate the dynamic provisioning of resources and adaptation to both the user load and green energy availability. Future sustainability workshops might involve training on how to best prepare jobs for such a dynamic provisioning.

### **3 Overview of the workshops**

As highlighted above, sustainable computing necessitates user training on best practices, not only in programming but also in optimal use of resources within a computing system such as the NAF. The goal of the workshops provided within HEP at DESY is to promote sustainable practices within personal use of the NAF. To do so, the workshops present the concepts in short talks, followed by hands-on exercises. These talks and exercises are reused and improved with each iteration of the workshop, providing a persistent resource that can be used even outside the workshop context. The workshop series has so far consisted of three beginner workshops and one advanced workshop, both of which will be explored in further detail below.

#### **3.1 Beginner workshops**

The beginner workshop is targeted primarily at students and early-career post-doctoral researchers who are new to the NAF environment. Attendees get an introduction to some of the commonly used software tools within HEP and information that is specific to working sustainably in the NAF environment. Several of the sections build on the experience gained in earlier sections of the workshop. There is a strong emphasis on building a coherent path through the different sections to create links between all the different elements and how they all contribute to working sustainably on the NAF.

### 3.1.1 Introduction to ROOT

ROOT [10] is a software framework that is an integral part of data analysis in HEP, allowing fast access to huge amounts of data. Within HEP, two of the most common ways to use ROOT are interactively through the command line and integrated into existing languages such as C++ and Python.

Within the beginner workshop, the attendees are given a broad overview of the use of ROOT, through several interactive exercises to demonstrate the capabilities of the language on the command line. This includes introductions to the types of objects that can be stored in a ROOT file, how to display their information, and how to perform basic manipulations of the stored data. Furthermore, attendees are also guided through creating a basic ROOT macro that allows for fast data visualisation, as well as being provided an introduction to PyRoot through Jupyter notebooks.

### 3.1.2 Batch computing on the NAF

Batch systems are very powerful because they grant access to a large amount of central processing unit (CPU) resources. However, when used inappropriately, there is the risk of huge resource waste or even spoiling the whole infrastructure. The workshop covers an introduction to HTCondor [11], the batch system used for the NAF, with some “dos and don’ts”.

During a practical hands-on exercise, attendees process a few terabytes of a CMS OpenData [12] sample to convert the input data from the CMS AOD <sup>1</sup> format to a small ROOT tree. These concepts were introduced in the ROOT part of the workshop, and used again in this exercise on batch computing. For the exercise, an example from the CERN OpenData portal was adopted for use on the NAF, using data collected by the CMS experiment from 2009 to 2012 (LHC Run 1). Since the CMS software release required to process the Run 1 data cannot run on recent and supported Linux distributions, the

---

<sup>1</sup>AOD stands for Analysis Object Data and it is a data format that contains reconstructed ‘physics objects’ with all the information required for a CMS analysis.

exercise also involves how to employ Apptainer [13] containers on the NAF batch system, as a practical example of persistent data analysis.

### **3.1.3 Introduction to Git**

Git [14] is one of the most used version control systems, which allows users to keep the history of their code and collaborate easily with others. Git is “distributed”, in that each developer has a copy of the repository, the “local” repository, where they make changes, and then they interact with one or more “remote” repositories to share their changes or import changes from others. Version control systems like Git allow users to collaborate efficiently on software developments, providing a sustainable platform for future developments and code preservation.

During the workshops, participants listen to a brief lecture on Git that illustrates the motivation for using such version-controlled documentation for software development and then introduces basic Git commands. Several ways of organising work in Git are demonstrated. Then, the workshop participants attempt a hands-on tutorial to set up and begin to use Git. In this tutorial, the participants learn how to clone, fork, branch, merge, and rebase an example code repository.

### **3.1.4 Best coding practices**

Software in HEP is usually written in two languages: C++ is used for anything performance critical and is usually wrapped with Python to allow for a more convenient configuration. Given that the majority of students do not receive any formal education in software development during their physics studies apart from some introductory courses, most of them pick up their skills along the way. A common experience is to get handed an existing script or program and attempt to integrate some new task. Very often these scripts have grown somewhat organically without any regard for maintainability, as long as “it gets the job done”. A considerable amount of precious person-power is lost



this way because changes require manual tests and validation without any real guarantees that existing functionality is not broken.

To mitigate the main pain points in this common workflow, the major focus of these exercises is to instill some generally applicable, mostly language-agnostic good practices, for example, how to structure software such that it becomes (automatically) testable and maintainable. Additionally, we introduce the basics of modern CPUs and the implications on how to write performant software by taking into account memory layout and also considerations for running on multiple threads. Finally, we highlight some common “gotchas” for C++ and how to avoid them.

### 3.1.5 Continuous integration

Continuous integration (CI) is a software development practice in which automated builds and tests are performed every time a contributor merges their changes into a remote repository using version-control programs like Git. These tests typically ensure that the code continues to work by performing specific tests such as checking that C++ code compiles, unit tests of limited scope, and so on. CI provides the mechanism for these types of tests to be executed automatically. One relevant example of how CI can be used to support sustainable computing in HEP is to test analysis jobs before submitting large-scale jobs to a batch system, which would avoid wasting resources on jobs that fail or produce meaningless output. CI could also be used to ensure an analysis is reproducible by testing that the output is the same when a new version of a dependent package is deployed or when the code runs on a different machine or computing cluster.

In the beginner workshop, the attendees are introduced to the basic concepts behind CI through a brief lecture followed by hands-on exercises based on the training exercises developed by the HEP Software Foundation [15, 16]. The exercises focus on GitLab<sup>2</sup> CI as a concrete example. The attendees

---

<sup>2</sup>GitLab is a platform offering Git repositories and collaboration features. Other

learn how to write a simple configuration file in Yet Another Markup Language (YAML) [17], which is a human-readable, data-serialization language. Once such a configuration file is available, it can be used as input to a job, which defines what to run in a pipeline, which is the top-level component of CI, delivery, and deployment. Once the attendees learn how to execute a simple configuration file in a pipeline, layers of complexity are added, demonstrating how to build and execute code with CI, use a Docker image, build multiple versions of the code, and build only when changes are introduced. More complicated concepts like stages and artefacts are introduced for those who want further enrichment.

## **3.2 Advanced workshops**

The advanced workshops focus on one topic and treat that topic in more depth compared to the beginner workshops. To allow for participation from a wider audience, including staff scientists and senior post-doctoral researchers, these workshops last only a half day. To date, one advanced workshop has been presented on software testing, detailed below. The workshop series is aiming to expand to also include advanced workshops on focused software engineering topics, depending on interest from the HEP community at DESY.

### **3.2.1 Software testing**

This workshop is targeted at an audience that is already familiar with the basics of writing software in either Python or C++ and that is interested in how software can be tested. The main goal of this advanced workshop is to familiarise participants with the terminology of software testing and to make them aware of its benefits. Apart from the obvious benefit of a reduced chance of introducing bugs into the code, the increased maintainability, easier transitions of responsibility for a piece of software, and also the fact that

---

platforms also exist; however, GitLab is a common platform within the HEP experiments and at DESY.

tests are very effective in easing the debugging process are highlighted. The workshop is also used to show participants good practices in setting up software projects and how to organise them, such that they become more easily usable by others as well. This allows for a distribution of developers on the same project, in a way that is fully established by large software projects inside and outside of HEP.

After the brief theoretical overview, the rest of the workshop focuses on a practical introduction to writing unit tests and integrating a test suite into a CI pipeline (discussed in Section 3.1.5). For this, several exercises with increasing complexity were prepared, ranging from a very basic introduction to the `pytest` [18] and `Catch2` [19] unit testing frameworks, to advanced topics like instrumenting tests with *sanitizers*<sup>3</sup> to detect issues that can go unnoticed even if unit tests are passing. This way, this half-day workshop is able to cover various levels of prior knowledge that participants have.

## 4 Analysis of the workshops

The workshop concept of combining short introductory talks (providing a basic level of knowledge and context to all participants) with a concise, well-documented set of hands-on exercises and solutions (which can be continued after the workshop and used as future reference material) has been very successful. This concept has also enabled a smooth transition between different team members teaching subtopics of the workshop, which is especially important in an environment, such as academia, with rapid changes in the organising team. The split into general beginner workshops and dedicated advanced workshops allows better coverage of interesting topics, although stand-alone deep-dives into a specific topic can pose difficulties when there is no time to explain other concepts to a certain level.

---

<sup>3</sup>Sanitizers are software tools that are used for discovering bugs or suspicious behaviour at runtime by inserting instrumentation code or checks during compilation.

## 4.1 User opinions


The workshops were well received in general. Both the participants of the beginner and the advanced workshops liked the extensive use of easy-to-follow, well-documented, and self-explanatory exercises, providing detailed explanations and including example solutions. Practical tips from and discussions with experts were greatly appreciated, and participants anticipated an easy transfer of skills learned in the workshop to their own future work.

Participants of the second beginner workshop rated their competency with HTCondor, Git, and ROOT higher after the workshop than before, while there was no perceived improvement in C++ and Python knowledge, as shown in Figure 1. Participants of the advanced workshop felt more confident about testing after the workshop, and felt confident to write tests for their own code base, shown in Figure 2. The half-day length of the advanced workshop was complimented as making it easier to find time to attend the workshop.


Possible improvements to the beginner workshops mostly relate to the participants' heterogeneity in knowledge and thus the perceived level of the workshop. Therefore, it might be useful to provide more detailed initial exercises for total beginners, while adding more advanced exercises for more experienced participants. Both in the beginner and advanced workshops, participants wished to cover topics in more detail, hinting towards the need for more instalments of the advanced workshops. Participants preferred structured exercises over free exercises. In the advanced workshop, they wished for further reading material and tools to study outside of the workshop and proposed to extend the workshop to a full day to cover more topics and details.

## 4.2 Future outlook


The education of users on how to sensibly and efficiently use available computing resources is key to reaching sustainable fundamental research. Therefore,




(a) C++ proficiency.




(b) Python proficiency.



(c) Git proficiency.




(d) HTCondor proficiency.




(e) ROOT proficiency.

Figure 1: Survey on the participants' self-perceived proficiency in different skills taught at the second instalment of the beginner workshop in January 2024. The question: "On a scale of 1 (total beginner) to 5 (expert), how would you assess your competency with ...?" was asked. The data includes only participants who filled out the survey both before and after the workshop.



(a) “On a scale of 1 (nothing) to 5 (a lot), how much more do you feel you know about unit testing after participating in the workshop?”



(b) “On a scale of 1 (unsure) to 5 (confident), how would you assess your competency to now write unit tests for your own code base?”

Figure 2: Survey on the participants’ self-perceived knowledge about unit tests and their confidence to implement them in their own future work after having attended the advanced workshop on unit testing.

the computing workshops will continue to teach these concepts to our institute members within the framework of the beginner workshops. Furthermore, the single edition of the advanced workshop thus far had a positive reception, and, in addition to the feedback from the beginner workshops, highlights the scope for more advanced workshops on various topics to be presented.

The NAF is a national facility and, as such, has users from outside of DESY too. It would be great to expand the workshops to be able to include external users of the NAF as well, such that these tutorials on sustainable computing practices can reach as many users as possible. This extension of the workshops will be considered as the workshop series continues to grow and mature.

## 5 Conclusions

This perspective has presented the sustainable computing workshop series at DESY that aims to provide users of the NAF with the skills and knowledge to work in a sustainable manner. The series was launched in 2023 and has, to date, provided three beginner workshops and one advanced workshop. Feedback from the workshops has shown a positive reception of them, and a motivation to continue providing the workshops and expanding the program. Through continuous training and education, it will be possible to create a community of researchers that have a sustainable mindset when it comes to the use and employment of computing resources at DESY.

## Conflict of Interest Statement

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Author Contributions

The authors confirm that each author contributed to the production of this article.

## Acknowledgements

We acknowledge support from DESY (Hamburg, Germany), a member of the Helmholtz Association HGF, and support by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy – EXC 2121 "Quantum Universe" – 390833306.

## References

- [1] ATLAS Collaboration. The ATLAS Experiment at the CERN Large Hadron Collider. *JINST*, 3:S08003, 2008.
- [2] CMS Collaboration. The CMS experiment at the CERN LHC. *JINST*, 3:S08004, 2008.
- [3] Belle II Collaboration. Belle II Technical Design Report. arXiv: 1011.0352, 11 2010.
- [4] Ian Bird et al. Update of the computing models of the wlcg and the lhc experiments. <https://cds.cern.ch/record/1695401/files/LCG-TDR-002.pdf>, 2014.



- [5] Johannes Reppin et al. Interactive analysis notebooks on DESY batch resources. *Computing and Software for Big Science*, 5(1):16, Jun 2021.
- [6] Tigran Mkrtchyan et al. dcache: Inter-disciplinary storage system. *EPJ Web Conf.*, 251:02010, 2021.
- [7] John H. Howard et al. Scale and performance in a distributed file system. *ACM Trans. Comput. Syst.*, 6(1):51–81, February 1988.
- [8] Predrag Buncic et al. Cernvm – a virtual software appliance for lhc applications. *Journal of Physics: Conference Series*, 219(4):042003, apr 2010.
- [9] RF2.0: Research Facilities 2.0. <https://rf20.eu>, 2024. Under grant agreement from the European Union Horizon Program No. 101131850 and from the Swiss State Secretariat for Education, Research and Innovation (SERI).
- [10] Rene Brun and Fons Rademakers. Root - an object oriented data analysis framework. *Nucl. Instrum. Meth. A*, 389:81–86, 1997.
- [11] Douglas Thain, Todd Tannenbaum and Miron Livny. Distributed computing in practice: the condor experience. *Concurrency - Practice and Experience*, 17(2-4):323–356, 2005.
- [12] Achim Geiser, Irene Dutta, Harri Hirvonsalo and Bridget Sheeran. Example code to produce the di-muon spectrum from a CMS 2011 or 2012 primary dataset, 2017.
- [13] Vanessa Sochat Gregory M. Kurtzer and Michael W. Bauer. Singularity: Scientific containers for mobility of compute. *PLOS ONE*, 12(5):1–20, 05 2017.
- [14] Scott Chacon and Ben Straub. *Pro git*. Apress, 2014.

- [15] Sudhir Malik et al. Software Training in HEP. *Comput. Softw. Big Sci.*, 5(1):22, 2021.
- [16] Dario Berzano et al. HEP Software Foundation Community White Paper Working Group - Training, Staffing and Careers. 7 2018.
- [17] The Official YAML Web Site. <https://yaml.org/>, 2024.
- [18] pytest documentation. <https://docs.pytest.org/en/stable/>, 2024.
- [19] Catch2 github repository. <https://github.com/catchorg/Catch2>, 2024.