# Towards a Blockchain and Opportunistic Edge Driven Metaverse of Everything

Paula Fraga-Lamas\*, Sérgio Ivan Lopes†‡§¶, Tiago M. Fernández-Caramés\*

\*Dpt. of Computer Engineering, Centro de investigación CITIC,
Faculty of Computer Science, Universidade da Coruña, 15071, A Coruña, Spain

†ADiT-Lab, Instituto Politécnico de Viana do Castelo, 4900-348 Viana do Castelo, Portugal

‡CiTin—Centro de Interface Tecnológico Industrial, 4970-786 Arcos de Valdevez, Portugal

§IT—Instituto de Telecomunicações, Campus Universitário de Santiago, 3810-193 Aveiro, Portugal
Email: paula.fraga@udc.es, sil@estg.ipvc.pt, tiago.fernandez@udc.es

Abstract—Decentralized Metaverses, built on Web 3.0 and Web 4.0 technologies, have attracted significant attention across various fields. This innovation leverages blockchain, Decentralized Autonomous Organizations (DAOs), Extended Reality (XR) and advanced technologies to create immersive and interconnected digital environments that mirror the real world. This article delves into the Metaverse of Everything (MoE), a platform that fuses the Metaverse concept with the Internet of Everything (IoE), an advanced version of the Internet of Things (IoT) that connects not only physical devices but also people, data and processes within a networked environment. Thus, the MoE integrates generated data and virtual entities, creating an extensive network of interconnected components. This article seeks to advance current MoE, examining decentralization and the application of Opportunistic Edge Computing (OEC) for interactions with surrounding IoT devices and IoE entities. Moreover, it outlines the main challenges to guide researchers and businesses towards building a future cyber-resilient opportunistic MoE.

Index Terms—Metaverse of Everything; IoT; Blockchain; Opportunistic Edge Computing; Digital Twins; Extended Reality; Web 4.0; Future Internet.

## I. INTRODUCTION

The Metaverse can be defined as a network of real-time rendered 3D virtual worlds delivered through Extended Reality (XR) devices like Augmented and Mixed Reality (AR/MR) smart glasses or Virtual Reality (VR) headsets [1], [2]. The term "Metaverse" originates from Neal Stephenson's 1992 science fiction novel Snow Crash. However it gained substantial attention in late 2021 following Mark Zuckerberg's announcement of Facebook's rebranding to Meta, a new company dedicated to developing next-generation social networking solutions. Since then, the Metaverse became a popular buzzword among companies, each interpreting and promoting it according to their own perspectives and technological capabilities.

Few articles in the literature examine decentralized metaverses that rely on blockchain [3], with the majority focusing

This work has been funded by grants TED2021-129433A-C22 (HELENE) and PID2020-118857RA-100 (ORBALLO) funded by MCIN/AEI/10.13039/501100011033 and the European Union NextGenerationEU/PRTR, and by Project "TEXPCT: Pacto de inovacção para a digitalização do STV", funded under the Recovery and Resilience Plan – 02-C05-i01.01-2022.PC644915249-00000025, under the scope of the project "WP 2.2 (PPS#8): Digital Twin Platform for Textile Manufacturing".

on cybersecurity and Decentralized Autonomous Organizations (DAOs). In particular, in [4] the concept of Metaverse of Everything (MoE) is defined as a concept that merges the Metaverse with the Internet of Everything (IoE), an extension of the Internet of Things (IoT) paradigm. This article outlines the main opportunities and challenges and provides a thorough SWOT analysis. Nevertheless, this article does not address the need to incorporate Opportunistic Edge Computing (OEC) communications [2] to build hybrid worlds that allow for interacting seamlessly with both virtual and physical entities.

In contrast, the motivation behind this article is to explore how blockchain and opportunistic communications can enhance the MoE by addressing current limitations related to cybersecurity and latency in the communications of an edge-cloud computing continuum. To the knowledge of the authors, this is the first article that proposes a global and comprehensive vision of how to confront the main MoE issues to guide researchers and managers on future developments. This article also aims to shed light on the integration of XR, blockchain, IoE and opportunistic communications, providing valuable insights into the field.

The rest of this paper is organized as follows. Section II provides a conceptualization the Metaverse of Everything (MoE) and an overview of its key concepts, Section III proposes a communications architecture for the MoE. In Section IV the main challenges of the MoE are outlined. Finally, Section V is devoted to conclusions.

#### II. BASIC CONCEPTS

#### A. The Metaverse

The Metaverse is envisioned as an extension of the physical world where Metaverse users (Meta-users) can interact with a computer-generated environment and with other Meta-users [1], [5]–[7], enabling interaction across diverse virtual or hybrid spaces (i.e., a space that is partially real and partially virtual). Therefore, it is a network of shared interconnected spaces that exist alongside the physical world. Such a concept is set to drive the future Internet and to influence all sectors of the economy, like entertainment, education, industry (with the so-called industrial metaverses [2]), finance, and even governance [8]. By leveraging advancements in ubiquitous

computing and sophisticated technologies, the Metaverse provides a versatile framework for novel applications. Thus, it promises a future where technology integrates seamlessly, creating new value opportunities.

From an engineering standpoint, metaverses exhibit typical characteristics of Cyber-Physical Sytems (CPSs) [9] or even Cyber-Physical Social Systems (CPSSs) [10], which specially refers to three worlds (physical, virtual, and mental worlds). Despite its potential, the Metaverse lacks a standardized definition, and there is even an ongoing debate about the core technologies it encompasses (e.g., it is not clear whether it is indispensable to use ultra-Low latency communication networks like 6G). Nonetheless, XR technologies are undeniably central to its development thanks to their ability to offer novel and immersive ways to interact with digital content. For instance, XR technologies like Augmented Reality (AR) enable overlaying digital information onto the physical world; Virtual Reality (VR) can create fully digital immersive environments; and Mixed Reality (MR) can combine real and virtual elements.

As the Metaverse continues to evolve, there is a growing need for decentralization to ensure user control, cybersecurity, and interoperability across different platforms [11]. In addition, IoT and Industrial IoT (IIoT) technologies are also crucial for bridging the physical and digital worlds since they provide real-time data through sensors and enable interactions with the environment through actuators [2].

#### B. Internet of Everything

The growing penetration of IoT technologies is reflected in sectors such as consumer electronics or CPSs for industrial automation [9]. The Internet of Everything (IoE) extends the IoT paradigm by connecting people, processes, data and things, forming a challenging integrated network of interconnected entities [12]. The added value of IoE lies in its ability to provide Machine-to-Machine (M2M), Person-to-Machine (P2M), and Person-to-Person connections [13]. For instance, Digital Twins leverage information provided by IoE entities by creating detailed digital models of physical objects, systems, or processes that are enriched with real-world data, thus allowing real-time simulations, analytics and optimizations, closing the loop control at the system level [4]. Thus, the integration of the IoE within the Metaverse creates the socalled Metaverse of Everything (MoE), which opens up a plethora of opportunities across various domains [4]. Table I shows some examples of IoE and MoE entities. Despite these opportunities, several challenges remain, including technical limitations, user adoption and ethical considerations [4], [7].

#### C. Web 3.0 and 4.0

Web 3.0 is characterized by decentralization, user's full empowerment, and enhanced privacy [14]. Unlike its predecessor, Web 2.0, which is dominated by centralized platforms, Web 3.0 leverages Distributed Ledger Technologies (DLTs) like Blockchain and distributed networks to enable peer-topeer interactions without central authorities [15]. DAOs can

operate autonomously through smart contracts (self-executing contracts to automate transactions and interactions based on predefined conditions), eliminating the need for external intervention [15]. This new Web 3.0 paradigm emphasizes user control over personal data and digital assets (e.g., Non-Fungible Tokens (NFTs), dynamic NFTs (dNFTs), tokens), utilizes smart contracts for automated transactions, and supports decentralized applications (DApps) that run on distributed networks [4], [15]. Thus, by incorporating decentralized governance through DAOs, Web 3.0 aims to create a more open, secure, and user-centric Internet.

While Web 3.0 focuses on decentralization and openness, the so-called Web 4.0 is defined in an European Union initiative as a ground-breaking technological transition towards a world where everything is seamlessly interconnected [16]: "Using advanced artificial and ambient intelligence, the Internet of Things, trusted Blockchain transactions, virtual worlds and XR capabilities, digital and real objects and environments are fully integrated and communicate with each other, enabling truly intuitive, immersive experiences, seamlessly blending the physical and digital worlds." Therefore, Web 4.0 envisions a highly personalized and context-aware Internet where intelligent systems anticipate user needs and provide real-time adaptive interactions.

## D. The Metaverse of Everything

The MoE is an advanced conceptualization of the Metaverse that integrates and extends IoE into a unified immersive virtual environment. In the MoE, physical and digital worlds are seamlessly interconnected, with a comprehensive network of virtual entities, including people, objects, data and processes, all interacting within a persistent 3D virtual space. This environment leverages Web 3.0 technologies to create a decentralized and user-centric ecosystem where virtual representations of real-world assets and activities coexist. The MoE envisions a holistic digital experience where users can engage in complex interactions, conduct transactions and manage their digital and physical assets in an interconnected and immersive manner, effectively merging the virtual and physical realms into a cohesive and interactive digital universe (Web 4.0). MoE is expected to revolutionize sectors, from entertainment to industry and work interactions [7].

# E. Blockchain and Decentralized Metaverses

Decentralized metaverses like Decentral or Voxels Metaverse are powered by Web 3.0 technologies, where virtual entities are stored, updated, shared and exchanged across local nodes. Decentralized intelligence circulates and aggregates among these nodes, producing integrated intelligence [10].

These platforms vary in their approach to governance, user control and interoperability [11], [17]. In the case of centralized metaverses, they are vulnerable to various security threats, since each platform server manages sensitive user data such as identities, passwords and biometric information [18]. For instance, in centralized metaverses, users only own their virtual avatars, while in decentralized metaverses, they can co-create

TABLE I EXAMPLES OF IOE AND MOE ENTITIES.

IoE category	IoE examples	MoE (Digital Twins)	MoE examples
People	Users connected to the Internet	Meta-users (Avatars)	Meta-users, company owners and marketing agencies
Processes	Different types of processors: SBCs, Central Processing Units (CPUs), Road-Side Units (RSUs), Programmable Logic Controllers (PLCs), Supervisory Control and Data Acquisition (SCADA) Systems, Micro- controllers (MCUs)	Web 3.0 and Web 4.0 based components, AI agents	NFTs, Dynamic NFTs (dNFTs), DeFi, smart contracts and digital twins
Data	Users' information, videos, music, documents, email	Generated data and DApps	Digital identity, data generated on MoE and related services (e.g., In- tellectual Property)
Things	Sensors, vehicles, drones and AGVs (Autonomous Ground Vehicles), UAVs, robots, Radio Frequency Identification (RFID) tags, HVAC systems, cameras, smart irrigation systems, smart traffic lights	Virtual assets and services	Virtual worlds: virtual markets, virtual universities, virtual cities, virtual buildings, virtual environments

virtual avatars in the DAO and collaborate with existing avatars to manage new ones. DAOs facilitate efficient operations, where any member, such as a holder or contractor, can propose initiatives. Proposals are discussed within the community and enacted if the majority votes in favor, with smart contracts recording the outcomes. Members who significantly contribute to the community gain reputation values, influencing future votes. Tokens circulate within the community to incentivize active participation.

Therefore, decentralization is essential, aiming to distribute control and decision-making away from centralized entities. Blockchain technology [15], with its transparent and immutable ledger, forms the backbone of decentralized systems. DApps and smart contracts enable trustless interactions, reducing the need for intermediaries and enhancing security.

Data management leverages Blockchain technologies to ensure data integrity, security and privacy. The provided key features include:

- Data are stored across a network of nodes, reducing the risk of data breaches and ensuring high availability.
- Advanced encryption techniques protect user data, ensuring privacy and compliance with regulations.
- Standardized protocols facilitate seamless data exchange between different systems and platforms within the MoE.

In the context of the Metaverse, decentralization offers several advantages, including increased user control over digital assets, enhanced privacy and resilience against attacks. However, it also presents challenges such as scalability, interoperability and regulatory compliance, which must be addressed to realize its full potential.

## F. Opportunistic Edge Computing

OEC systems leverage Edge Computing devices to identify and provide computing services opportunistically to nearby IoT/IIoT devices and IoE entities. Edge Computing is used to eliminate the need for sending requests to a remote Cloud [9]. Regarding IoT/IIoT devices and IoE entities, they are often resource-constrained (e.g., battery-powered) and distributed across extensive environments, and rely on external devices for connectivity and computational functions (e.g., processing

power, internal storage), typically a remote Cloud that may not always be accessible. In addition, IoT/IIoT devices and IoE entities require reduced energy consumption for sustainability purposes.

OEC systems are particularly beneficial when IoT/IIoT devices and IoE entities lack continuous Internet connectivity or are static or have limited mobility, preventing them from relocating to communicate with other devices or entities [2].

Moreover, the collaborative nature of OEC solutions helps to mitigate some limitations of traditional Cloud Computing architectures, which are not designed for energy efficiency and face scalability issues with large-scale IoT/IIoT/IoE implementations [9].

Technological advancements in Single-Board Computers (SBCs), wearables, embedded IoT/IIoT devices and IoE entities have recently made OEC feasible and affordable. These devices now offer sufficient computing power and reduced power consumption, allowing them to function as MoE gateways or smart end devices within Edge Computing architectures.

The main software components of an OEC system for a MoE solution should include the following functionality:

- Peer discovery: it enables Meta-users to detect nearby IoT/IIoT devices and IoE entities and other Meta-users. This requires implementing a device discovery protocol that is ideally secure and fast, as Meta-users usually move around, establishing communications between Metaverse applications and surrounding IoT/IIoT devices and IoE entities automatically.
- Peer routing: communications need to be routed to and from specific XR or IoT/IIoT devices and IoE entities, which requires establishing an efficient path to the destination.
- Data routing: it allows for transmitting information from one device to another when the receiving device/entity is not within the communication range of the sending device/entity.
- Resource sharing: it is essential for optimizing resource use while delivering the necessary resources as close as possible to the IoT/IIoT/IoE and XR devices. Thus,

efficient resource sharing allows for reducing response latency, which is crucial for the User Experience (UX) of MoE applications.

## III. ARCHITECTURE OF THE MOE

## A. Main components

The architecture of the MoE consists of several core components that work together to create a cohesive and interactive digital environment. These components include:

- Digital Twin framework: it allows for creating and managing digital replicas of physical objects, enabling seamless integration between virtual and physical worlds.
- Blockchain infrastructure: it provides a decentralized ledger that ensures secure and transparent transactions within the MoE. It supports the use of smart contracts and digital assets.
- IoE integration layer: this layer connects IoT/IIoT devices and IoE entities among them, facilitating real-time data exchanges and interactions.
- User interfaces: they are the AR/MR/VR interfaces [2] through which users interact with the MoE, aiming to provide an immersive and intuitive user experience.

In practice, the previous components are deployed in layers like the ones illustrated in Figure 1. Such a Figure shows an example of MoE architecture for a smart city and includes six main layers:

- Smart Object Layer: it is composed of the deployed smart IoT/IIoT devices and the IoE entities. Thus, this layer includes both objects from the real world (e.g., smart traffic lights, intelligent vehicles, devices for automating smart buildings) and virtual entities (e.g., digital twins of physical objects, digital messages, Artificial Intelligence (AI) agents, or virtual entities that represent data from processes or entered by people). This layer can exchange information not only with the MoE-ready XR Device Layer, but also with the servers of the Cloud Layer and with the Decentralized Subsystem Layer, which can feed/read data into/from the Smart Object Layer, and also interact with the deployed physical devices and the virtual entities. Thus, the smart objects of this layer track the state and changes of every IoT/IIoT surrounding object or IoE entity, sending notifications to the XR devices when needed, so that they can receive the latest information and events. Moreover, this layer also allows developers to exchange data that feeds the XR virtual content, which can react to changes in real-world IoT/IIoT devices and IoE entities. Furthermore, this layer can send messages back to the real devices in response to the user's interactions (like clicks or when grabbing a specific virtual object).
- MoE-ready XR Device Layer: it includes all the XR devices used by the Meta-users to interact with the Smart Object Layer. Every XR subsystem runs locally the necessary software to both control user interactions (e.g., hand movements, eye tracking) and communications with IoT/IIoT devices and IoE entities. Moreover, to keep

synchronized with the virtual elements of a MoE world, MoE-ready XR devices should be able to monitor the state of the components shared with other Meta-users. Furthermore, XR devices have three other communication channels:

- XR device-to-XR device (XR2XR): two MoE-ready XR devices can communicate directly between them or by using OEC communications, thus avoiding unnecessary connections through external devices.
- XR device-to-OEC device (XR2OEC): in case of having an OEC device in range, XR devices can use it to exchange data with third parties (e.g., with other XR devices or Smart Objects that are not in range, with the Cloud or with a Decentralized Subsystem) or to perform certain processing tasks that require a high amount of computing power.
- XR device-to-Cloud (XR2Cloud) and XR device-to-Decentralized System (XR2DS): type of communications that makes use of the Routing Layer to exchange data either with a remote Cloud certain services of a Metaverse are provided or with specific decentralized services (e.g., with a blockchain or with a decentralized storage).
- OEC Layer: it provides opportunistic Edge Computing services to the MoE devices whenever they are in range. In Figure 1, as an example, three types of OEC devices are included: a low-power computing device (based on the use of a SBC), a high-power computing device (a Cloudlet based on a powerful server) and a mobile device (a smartphone).
- Routing Layer: this layer includes a set of gateways that allow for exchanging requests and data between the Cloud Layer and the Decentralized Subsystem Layer with the deployed XR and OEC devices.
- Cloud Layer: it is where the actual MoE applications are executed. Thus, it allows the different metaverses to provide service for diverse fields, like those illustrated in Figure 1.
- Decentralized Subsystem Layer. They enable the decentralization of the MoE by providing services related to blockchain, DLTs or decentralized storage (e.g., decentralized databases that utilize InterPlanetary File System (IPFS)). For instance, DAOs and smart contracts facilitate efficient data transmission and verification within the Metaverse's economic system. Consensus mechanisms can guarantee transactions, while distributed blockchain storage enhances security by providing redundancy. Further networking details in blockchain-enabled communications and computing can be found in [19].

#### IV. CHALLENGES AND RECOMMENDATIONS

# A. Meta-user interaction and UX

The MoE promises a world of incredible possibilities, yet for its full potential to be realized, current IoT/IIoT/IoE technologies need significant advancement. Achieving truly




Fig. 1. Example of communications architecture for a MoE city.

immersive experiences hinges on four crucial elements of user experience. First, there must be seamless integration, ensuring a smooth interconnection between the physical and virtual worlds. Second, synchronization is key, providing all metausers with a shared, real-time experience. High data-exchange latency between IoT/IIoT devices and IoE entities and XR devices can hinder real-time interactions (with an ideal latency under 10 ms), making it a critical issue to address. Third, rapid interaction is essential, allowing for swift engagement with both digital content and the physical surroundings. Finally, persistence is necessary to track and retain Meta-user actions over time, ensuring data continuity and consistency.

#### B. Energy efficiency

IoT/IIoT/IoE face significant resource constraints, as many IoT/IIoT devices within the network run on batteries and are limited by their energy and processing capabilities. The increased communications with XR devices in the MoE will drain their batteries faster, posing a challenge to energy efficiency. Strategies to optimize the energy efficiency of MoE architectures, specially regarding blockchain and DLTs [15], are required to extend IoT/IIoT device battery life and to develop more sustainable solutions towards the creation of Green Metaverses [6].

#### C. Diversity of real-world scenarios

The developed solutions must be versatile and adaptable enough to be applicable across a wide range of settings, including homes, healthcare facilities, educational institutions, agricultural environments, transportation networks, smart cities, and industrial environments. Each of these scenarios presents unique requirements and challenges that need to be carefully considered and addressed to ensure MoE is effective and efficient in diverse contexts.

## D. Open-source opportunistic plug-and-play protocols

Opportunistic plug-and-play protocols are essential for the rapid discovery and establishment of communication between Metaverse applications and IoT/IIoT devices and IoE entities, processes, and data. Developing these protocols involves creating open-source frameworks that support XR devices, IoT/IIoT devices, and IoE entities, processes, and data, as well as Single-Board Computers (SBCs). These frameworks will facilitate seamless integration and interaction, enabling the Metaverse to effectively utilize the vast array of connected devices and technologies.

# E. Standardization

Standardization is an ongoing effort, so it is necessary to monitor the different organizations (e.g., IEEE, ITU's Focus Group on Metaverse, 3GPP's Metaverse projects, IETF and MPAI) that are carrying out initiatives for such a purpose [20].

#### V. CONCLUSIONS

The journey towards a Blockchain and Opportunistic MoE represents a significant leap in the evolution of the Internet. This ambitious vision integrates Blockchain with Opportunistic Edge Computing to create a robust interconnected network that seamlessly blends physical and digital worlds. The MoE aims to enhance security, efficiency and scalability, paving the way for innovative applications and transformative user experiences across various industries. The article proposed a comprehensive vision the main concepts of the MoE, described its communications architecture and shed light on the integration of XR, blockchain, IoE and opportunistic communications, providing valuable insights into the field.

## REFERENCES

- [1] D. B. Rawat, D. H. Hagos. "Metaverse Survey & Tutorial: Exploring Key Requirements, Technologies, Standards, Applications, Challenges, and Perspectives". arXiv:2405.04718. 2024.
- [2] T. M. Fernández-Caramés and P. Fraga-Lamas, "Forging the Industrial Metaverse for Industry 5.0: Where Extended Reality, IIoT, Opportunistic Edge Computing, and Digital Twins Meet," in IEEE Access, vol. 12, pp. 95778-95819, 2024.
- [3] P. Fraga-Lamas, T. M. Fernández-Caramés. "Leveraging blockchain for sustainability and open innovation: A cyber-resilient approach toward EU Green Deal and UN Sustainable Development Goals," in Computer Security Threats, 2020, IntechOpen.
- [4] S. B. Far, A. I. Rad, S. M. H. Bamakan, M. R. Assar, "Toward Metaverse of everything: Opportunities, challenges, and future directions of the next generation of visual/virtual communications," Journal of Network and Computer Applications, 217, 103675. 2023.
- [5] S. M. Park and Y. G. Kim, "A Metaverse: Taxonomy, Components, Applications, and Open Challenges," in IEEE Access, vol. 10, pp. 4209-4251, 2022.
- [6] Y. Wang et al., "A Survey on Metaverse: Fundamentals, Security, and Privacy," in IEEE Communications Surveys & Tutorials, vol. 25, no. 1, pp. 319-352, Firstquarter 2023.
- [7] H. Wang et al., "A Survey on the Metaverse: The State-of-the-Art, Technologies, Applications, and Challenges," in IEEE Internet of Things Journal, vol. 10, no. 16, pp. 14671-14688, 15 Aug.15, 2023.
- [8] S. B. Far, A. I. Rad, M. R. Assar. "Blockchain and its derived technologies shape the future generation of digital businesses: a focus on decentralized finance and the Metaverse," Data Science and Management, 6(3), 183-197, 2023.
- [9] P. Fraga-Lamas et al., "Design and Empirical Validation of a Bluetooth 5 Fog Computing Based Industrial CPS Architecture for Intelligent Industry 4.0 Shipyard Workshops," in IEEE Access, vol. 8, pp. 45496-45511, 2020.
- [10] X. Wang et al., "Metaverses and DeMetaverses: From Digital Twins in CPS to Parallel Intelligence in CPSS," in IEEE Intelligent Systems, vol. 37, no. 4, pp. 97-102, 1 July-Aug. 2022.
- [11] T. Huynh-The et al., "Blockchain for the metaverse: A Review," in Future Generation Computer Systems, vol. 143, 2023, pp. 401-419.
- [12] X. Zhou et al., "Edge-Enabled Two-Stage Scheduling Based on Deep Reinforcement Learning for Internet of Everything," in IEEE Internet of Things Journal, vol. 10, no. 4, pp. 3295-3304, 15 Feb.15, 2023.
- [13] V.C. Farias da Costa, L. Oliveira, J. de Souza, "Internet of Everything (IoE) Taxonomies: A Survey and a Novel Knowledge-Based Taxonomy", Sensors 2021, 21, 568.
- [14] R. Qin et al., "Web3-Based Decentralized Autonomous Organizations and Operations: Architectures, Models, and Mechanisms," in IEEE Transactions on Systems, Man, and Cybernetics: Systems, vol. 53, no. 4, pp. 2073-2082, April 2023.
- [15] P. Fraga-Lamas, T. M. Fernández-Caramés, A. M. Rosado da Cruz, S. I. Lopes, "An Overview of Blockchain for Industry 5.0: Towards Human-centric, Sustainable and Resilient Applications", IEEE Access, July 2024.

- [16] Communication from the Commission to the European Parliament, the Council, the European Economic and social committee and the committee of the regions. An EU initiative on Web 4.0 and virtual worlds: a head start in the next technological transition.
- [17] Q. Yang, Y. Zhao, H. Huang, Z. Xiong, J. Kang and Z. Zheng, "Fusing Blockchain and AI With Metaverse: A Survey," in IEEE Open Journal of the Computer Society, vol. 3, pp. 122-136, 2022.
- [18] J. Ryu, S. Son, J. Lee, Y. Park and Y. Park, "Design of Secure Mutual Authentication Scheme for Metaverse Environments Using Blockchain," in IEEE Access, vol. 10, pp. 98944-98958, 2022.
- [19] Y. Fu, C. Li, F. R. Yu, T. H. Luan, P. Zhao and S. Liu, "A Survey of Blockchain and Intelligent Networking for the Metaverse," in IEEE Internet of Things Journal, vol. 10, no. 4, pp. 3587-3610, 15 Feb.15, 2023.
- [20] C. Westphal et al., "Networking for the metaverse: The standardization landscape," TU Journal on Future and Evolving Technologies, vol. 4, Issue 4, pp. 604-618, 2023.



Paula Fraga-Lamas has been a researcher at University of A Coruña (UDC) since 2009. She has more than 100 publications and has participated in more than 40 research projects funded by the regional and national government as well as R&D contracts. Her current research interests include IoT/IIoT/IoE, Cyber-Physical Systems, Extended Reality (XR), fog and edge computing, blockchain and Distributed Ledger Technology (DLT), and cybersecurity. She is a Senior Member of the IEEE. Contact her at paula.fraga@udc.es.



Sérgio Ivan Lopes is the Director-General at CiTin – Centro de Interface Tecnológico e Industrial, Assistant Professor at the Technology and Management School of the Polytechnic Institute of Viana do Castelo (ESTG-IPVC), and researcher with the Instituto de Telcomunicações. His current research interests include Cyber-Physical Systems, IoT/IIoT, Industry 5.0, Sensor Systems, and Edge Intelligence. In such areas, he has co-authored more than 100 scientific publications. He is a Senior Member of the IEEE. Contact him at sil@estg.ipvc.pt.



**Tiago M. Fernández-Caramés** works as an Associate Professor at University of A Coruña (UDC) (Spain). His current research interests include XR technologies, IoT/IIoT systems and blockchain, as well as the other different technologies involved in the Industry 4.0 and 5.0 paradigms. In such fields, he has contributed to more than 120 publications. He is a Senior Member of the IEEE. Contact him at tiago.fernandez@udc.es.