The physical and chemical structure of Sagittarius B2 VIII. Full molecular line survey of hot cores

T. Möller¹, P. Schilke¹, Á. Sánchez-Monge^{2,3}, and A. Schmiedeke⁴

¹ I. Physikalisches Institut, Universität zu Köln, Zülpicher Str. 77, D-50937 Köln, Germany e-mail: moeller@ph1.uni-koeln.de

² Institut de Ciències de l'Espai (ICE, CSIC), Campus UAB, Carrer de Can Magrans s/n, 08193, Bellaterra (Barcelona), Spain

Institut d'Estudis Espacials de Catalunya (IEEC), 08860, Castelldefels (Barcelona), Spain

⁴ Green Bank Observatory, 155 Observatory Rd, Green Bank, WV 24944 (USA)

Received 26 June 2024 / Accepted 20 November 2024

Abstract

Context. The giant molecular cloud complex Sagittarius B2 (Sgr B2) in the central molecular zone of our Galaxy hosts several high-mass star formation sites, with Sgr B2(M) and Sgr B2(N) being the main centers of activity. This analysis aims to comprehensively model each core spectrum, considering molecular lines, dust attenuation, and free-free emission interactions. We describe the molecular content analysis of each hot core and identify the chemical composition of detected sources.

Aims. Using ALMA's high sensitivity, we aim to characterize the hot core population in Sgr B2(M) and N, gaining a better understanding of the different evolutionary phases of star formation processes in this complex.

Methods. We conducted an unbiased ALMA spectral line survey of 47 sources in band 6 (211-275 GHz). Chemical composition and column densities were derived using XCLASS, assuming local thermodynamic equilibrium. Quantitative descriptions for each molecule were determined, considering all emission and absorption features across the spectral range. Temperature and velocity distributions were analyzed, and derived abundances were compared with other spectral line surveys.

Results. We identified 65 isotopologs from 41 different molecules, ranging from light molecules to complex organic compounds, originating from various environments. Most sources in the Sgr B2 complex were assigned different evolutionary phases of high-mass star formation.

Conclusions. Sgr B2(N) hot cores show more complex molecules such as CH₃OH, CH₃OCHO, and CH₃OCH₃, while M cores contain lighter molecules such as SO₂, SO, and NO. Some sulfur-bearing molecules are more abundant in N than in M. The derived molecular abundances can be used for comparison and to constrain astrochemical models. Inner sources in both regions were generally more developed than outer sources, with some exceptions.

Key words. ISM: clouds – dust, extinction – evolution – ISM: molecules – ISM: individual objects: Sagittarius B2(M) - ISM: individual objects: Sagittarius B2(N)

1. Introduction

With a mass of $10^7 M_{\odot}$ and H₂ densities of $10^3 - 10^5 \text{ cm}^{-3}$ (Schmiedeke et al. (2016), Hüttemeister et al. (1995), Lis & Goldsmith (1989)), Sagittarius B2 (Sgr B2) is one of the most massive molecular clouds in our Galaxy. Sgr B2 is part of the central molecular zone (CMZ, Henshaw et al. 2023)). It is located at a distance¹ of $8.178 \pm 0.013_{\text{stat.}} \pm 0.022_{\text{sys.}}$ kpc (Gravity Collaboration et al. 2019) and is situated at a projected distance of 107 pc from Sgr A*, the compact radio source associated with the supermassive black hole in the Galactic center.

The Sgr B2 complex contains two main sites of active high-mass star formation, Sgr B2 Main (M) and North (N), which are separated by $\sim 48''$ (~ 1.9 pc in projection). With comparable luminosities of $2 - 10 \times 10^6 L_{\odot}$, masses of $5 \times 10^4 M_{\odot}$, and sizes of ~0.5 pc (see Schmiedeke et al. 2016) these two sites are located at the center of an envelope

with a radius of 2 pc, which contains at least \sim 70 high-mass stars with spectral types in the range from O5 to B0 (see e.g., Gaume et al. (1995), De Pree et al. (2014)). All of this together is embedded in another envelope with a radius of 20 pc, which contains more than 99 % of the total mass of Sgr B2. Compared to Sgr B2(N), Sgr B2(M) shows a higher degree of fragmentation, has a higher luminosity, and contains more ultracompact HII regions (see e.g., Goldsmith et al. (1992), Qin et al. (2011), Sánchez-Monge et al. (2017), Schwörer et al. (2019), Meng et al. (2019)), which suggests a more evolved stage and larger amount of feedback. Moreover, previous studies show that M is very rich in sulfur-bearing molecules, while N is dominated by organics (Sutton et al. (1991), Nummelin et al. (1998), Friedel et al. (2004), Belloche et al. (2013), Neill et al. (2014)). The complex and multilayered structures of high-mass protoclusters such as Sgr B2 are difficult to study. The high density of molecular lines and the continuum emission detected toward the two main sites indicate the presence of a large amount of material to form new stars. Spectral line studies

¹ In order to be consistent with previous models we use a distance of 8.5 kpc.

provide the opportunity to gain a better insight into their thermal excitation conditions and dynamics by examining line intensities and profiles, allowing for the separation of different physical components and identification of chemical patterns. Additionally, line surveys offer the possibility to study the distribution of exciting sources by looking at vibrationally excited molecules. Since IR radiation is needed to excite them (e.g., Costagliola & Aalto 2010), they should delineate the exact position of the exciting sources, which are otherwise difficult to see due to extinction even at millimeter wavelengths.

Although Sgr B2 has been the target of numerous spectral line surveys before (see e.g., Cummins et al. (1986), Turner (1989), Sutton et al. (1991), Nummelin et al. (1998), Friedel et al. (2004), Belloche et al. (2013), Neill et al. (2014), Belloche et al. (2016), Belloche et al. (2019), Möller et al. (2021)), the unique capabilities of the Atacama Large Millimeter/submillimeter Array (ALMA) now offer further insight into the process of star formation. Hot cores have been identified as birthplaces of high-mass stars where the central protostar(s) heats up the surrounding dense envelope. These regions are compact (diameters ≤ 0.1 pc), dense $(n \ge 10^7 \text{ cm}^{-3})$, hot $(T \ge 100 \text{ K})$, and dark $(A_v \ge 100 \text{ mag})$ molecular cloud cores (see e.g., van der Tak 2004). The high temperatures of the hot cores lead to the sublimation of icy dust mantles, which are the main sites for the formation of complex organic molecules. Additionally, the molecular line emission in hot cores provides powerful constraints on both the physical and chemical conditions in these regions (Kurtz et al. (2000), Bisschop et al. (2007)). Although many hot cores show similarities in their molecular content, they possess a great diversity in terms of relative molecular abundances (see e.g., Walmsley & Schilke (1993), Bisschop et al. (2007), Belloche et al. (2013), Minh et al. (2018)). Furthermore, hot cores are often associated with outflows, infall, and rotation. In later stages of the hot cores, ultracompact H II regions (UCH II) are formed, where the protostars ionize their surrounding envelope.

In this paper, which continues our series of studies on Sgr B2 (Schmiedeke et al. (2016), Sánchez-Monge et al. (2017), Pols et al. (2018), Schwörer et al. (2019), Meng et al. (2019), Meng et al. (2022), Möller et al. (2023)), we describe the full analysis of broadband spectral line surveys of hot cores, identified by Sánchez-Monge et al. (2017) in Sgr B2(M) and N, to characterize the hot core population in the Sgr B2 complex, where we take the complex interactions between molecular lines, dust attenuation, and freefree emission arising from HII regions into account. In the first half of our analysis, described in the seventh paper of our series on the analysis of the Sgr B2 complex, Paper VII (Möller et al. 2023), we have guantified the dust and, if contained, the free-free contributions to the continuum levels of each core, and we have derived the corresponding parameters not only for each core but also for their local surrounding envelope, and determined their physical properties. In this paper, we describe the analysis of the molecular content of each hot core and identify the chemical composition of the detected sources.

This paper is laid out as follows. We start with Sect. 2, where we describe the observations and outline the data reduction procedure, followed by Sect. 3 presenting the modeling methodology used to analyze the dataset. In Sect. 4, in which we present the results of our analysis and then discuss them in Sect. 5. We end with a summary and conclusions in Sect. 6.

2. Observations and data reduction

As is described in Sánchez-Monge et al. (2017), Sgr B2 was observed with ALMA (Atacama Large Millimeter/submillimeter Array; ALMA Partnership et al. 2015) during Cycle 2 in June 2014 and June 2015, using 34 - 36 antennas in an extended configuration with baselines in the range from 30 m to 650 m, which results in an angular resolution of 0.3' - 0.7' (corresponding to \sim 3300 au). The observations were carried out in the spectral scan mode covering the whole ALMA band 6 (211 to 275 GHz) with 10 different spectral tunings, providing a resolution of 0.5 - 0.7 km s⁻¹ across the full frequency band. The two sources Sgr B2(M) and Sgr B2(N) were observed in track-sharing mode, with phase centers at $\alpha_{\rm J2000}$ = $17^{h}47^{m}20^{s}.157, \ \delta_{J2000} = -28^{\circ}23'04''.53 \ \text{for Sgr B2(M), and}$ at $\alpha_{J2000} = 17^{h}47^{m}19^{s}.887, \ \delta_{J2000} = -28^{\circ}22'15''.76 \ \text{for}$ Sgr B2(N). Calibration and imaging were carried out with CASA² version 4.4.0. Finally, all images were restored with a common Gaussian beam of 0.4. The continuum emission was determine using STATCONT (Sánchez-Monge et al. 2018). Details of the observations, calibration and imaging procedures are described in Sánchez-Monge et al. (2017) and Schwörer et al. (2019).

3. Data analysis

Sánchez-Monge et al. (2017) identified a core within continuum emission maps of Sgr B2(M) and N, if at least one closed contour (polygon) above the 3σ level (with σ the root mean square (rms) noise level of the map: 8 mJy beam⁻¹) was found, see Figs. 1 - 2. The spectra for each core, described in Figs. A.1 - A.2, are obtained by averaging over all pixels contained in a polygon to improve the signal-tonoise and detection of weak lines. The rms noise level³ of sources in Sgr B2(M) ranges from 1.07 mJy beam⁻¹ to 106.17 mJy beam⁻¹, while for the cores in N, it varies between 2.24 mJy beam⁻¹ and 307.11 mJy beam⁻¹.

The spectra of each hot core were modeled using the eXtended CASA Line Analysis Software Suite (XCLASS⁴, Möller et al. 2017) with additional extensions (Möller in prep.). XCLASS allows modeling and fitting of molecular and recombination lines by solving the 1D radiative transfer equation assuming local thermal equilibrium (LTE) conditions and an isothermal source. Because of the high hydrogen column densities ($n_{H_2} \ge 4.0 \cdot 10^6$ cm⁻³), which we found in the first paper even in the outer sources, LTE is a valid approximation and the kinetic temperature of the gas can

² The Common Astronomy Software Applications (CASA, McMullin et al. 2007) is available at https://casa.nrao.edu.

 $^{^3\,}$ rms noise level was determined using an iterative sigma clipping approach. First, the sigma value was optimized so that the clipped spectrum contained approximately 68 % of the data points. This optimal sigma was then used in a final sigma clipping procedure to isolate the noise and determine the rms noise level of the corresponding source. Although this method provides a robust estimate of the noise level by excluding potential spectral features or artifacts, we cannot exclude the possibility that the determined noise level is still dominated by weak lines instead of thermal noise.

⁴ https://xclass.astro.uni-koeln.de/

T. Möller et al.: Full molecular line survey of hot cores



Figure 1: Partly taken from Möller et al. (2023). Continuum emission toward Sgr B2(M) at 242 GHz. A close-up of the central part is presented in the right panel. The identified sources are marked with shaded blue polygons and indicated with the corresponding source ID. The shaded light blue polygons describe the inner cores. The black points indicate the position of each core, described by Sánchez-Monge et al. (2017). The intensity color scale is shown in units of brightness temperature, and the synthesized beam of 0.4 is described in the lower left corner. The green ellipses describe the H II regions identified by De Pree et al. (2015), where the size of each ellipse indicates to the size of the corresponding H II region.



Figure 2: Partly taken from Möller et al. (2023). Continuum emission toward Sgr B2(N) at 242 GHz. The right panel describes a close-up of the central part. The shaded blue polygons together with the corresponding source ID indicate the identified hot cores. The shaded light blue polygons describe the inner cores. The black points indicate the position of each core described by Sánchez-Monge et al. (2017). The intensity color scale is shown in units of brightness temperature, while the synthesized beam of 0.4 is indicated in the lower left corner. The green ellipses describe the H II regions identified by De Pree et al. (2015), where the size of each ellipse indicates to the size of the corresponding H II region.

be estimated from the rotation temperature: $T_{\rm rot} \approx T_{\rm kin}$. Additionally, finite source size, dust attenuation, and optical depth effects are taken into account as well. Details of the calculation procedure are described in Paper VII.

The contribution of each molecule is described by a certain number of components, where each component is defined by the source size $\theta_{\rm source},$ the rotation temperature $T_{\rm rot},$ the column density $N_{\rm tot},$ the Gaussian line width Δv_G , and the velocity offset from the systemic velocity v_{off} . Additionally, each component is located at a certain distance along the line of sight to recreate a layered structure, with some components situated in front of or behind others, mimicking the relative depths of the original sources. In addition to molecules, XCLASS offers the possibility to model the contribution of radio recombination lines (RRLs) up to $\Delta n = 6$ (ζ -transitions) as well, using Voigt line profiles instead of Gaussian line profiles⁵ as for molecules. Similar to molecules, the contribution of each RRL is described by multiple components, defining the source size, the electron temperature T_e , the emission measure EM, the Gaussian Δv_G and Lorentzian Δv_L line width, the velocity offset v_{off} , and the distance to the observer along the line of sight.

XCLASS includes the MAGIX (Möller et al. 2013) optimization package, which is used to fit these model parameters to observational data. In order to reduce the number of fit parameters, the modeling can be done simultaneously with corresponding isotopologs, where both molecules (isotopolog and main species) are described by the same parameters, except that the column density of each component is scaled by a user defined ratio. For all sources in Sgr B2(M) and N the ${}^{12}C/{}^{13}C$ ratio was taken to be 20 (Wilson & Rood (1994), Humire et al. (2020)), the ${}^{16}O/{}^{18}O$ to be 250 and ${}^{32}S/{}^{34}S$ to be 13. Additionally, we take the ratios described by Neill et al. (2014) for ${}^{16}O/{}^{17}O$ to be 800, for ${}^{32}S/{}^{33}S$ to be 75, for ${}^{14}N/{}^{15}N$ to be 182, and for ${}^{35}Cl/{}^{37}Cl$ to be 3. If deuterated isotopologs are identified, we leave the ratio as an additional fit parameter.

All molecular parameters (e.g., transition frequencies, Einstein A coefficients, etc.) are taken from an SQLite database embedded in XCLASS containing entries from the Cologne Database for Molecular Spectroscopy (CDMS, Müller et al. (2001), Müller et al. (2005)) and Jet Propulsion Laboratory database (JPL, Pickett et al. (1998)) using the Virtual Atomic and Molecular Data Center (VAMDC, Endres et al. (2016)).

In line-crowded sources such as Sgr B2(M) and N, line intensities from two partly overlapping lines do not simply add up if at least one line is optically thick, because photons emitted from one line are absorbed by the other line. XCLASS takes the local line overlap (described by Cesaroni & Walmsley 1991) into account, by computing an average source function $S_l(\nu)$ for each frequency ν and distance l. Details of this procedure are described in Möller et al. (2021).

For all cores in Sgr B2(M) and N, we assume a two-layer model, where all components belonging to a layer have the same distance to the observer. The first layer (hereafter called core-layer) contains all components describing emission features in the corresponding core spectrum, because these lines require in general excitation temperatures larger than the continuum brightness temperature, which occur only in the hot cores. The analysis of the continuum levels described in the first paper has shown that some local surrounding envelopes contain warm molecules as well, whose emission features could also be included in the corresponding core spectra leading to falsified results. However, since the dust temperatures of the various sources range from 190 to 354 K, the contributions of these molecules are small and have no further influence on our analysis. The source size $\theta_{\rm core}$ for each component in the core layer is given by the diameter of a circle that has the same area, $A_{\rm core}$, as the corresponding polygon of the source; that is, we determined the source size, $\theta_{\rm core}$, using

$$A_{\rm core} = \pi \left(\frac{\theta_{\rm core}}{2}\right)^2$$
$$\Rightarrow \theta_{\rm core} = 2\sqrt{\frac{A_{\rm core}}{\pi}}.$$
(1)

The second layer (envelope-layer) contains components describing absorption features, since low excitation temperatures below the continuum temperature are needed. Additionally, we assume beam filling for all components located in the envelope layer; in other words, all components located in this layer cover the full beam.

In the first step of the analysis of the line survey, we used parameters from previous surveys of Sgr B2(M) and N (Belloche et al. (2013), Neill et al. (2014), Bonfand et al. (2017)), to estimate initial parameter sets for each molecule showing at least one transition within the frequency ranges covered by the ALMA observations. Subsequent to adjusting of the parameters by eye, we made use of the Levenberg-Marquardt algorithm (Marquardt 1963) to further improve the description. A molecule is claimed as identified if a sufficient number of lines are stronger than the 5σ level of the random noise, are not blended, and if the model does not predict a strong line that is not detected. In general, the spectra of many sources located further out in Sgr B2(M) and N show a significantly lower signal-to-noise ratio than the inner sources, which makes the identification of molecules and the determination of physical parameters more difficult.

For sources in Sgr B2(M), the percentage of unidentified lines⁶ varies between 7 % (A10) and 31 % (A03), with some weak, outlying sources (A18, A19, A21, and A27) having significantly higher proportions of unidentified lines (42 - 58 %). We find a similar behavior for sources in Sgr B2(N), where the proportion of unidentified lines ranges from 14 % (A06) and 37 % (A03), with some weak, far-out sources (A12, A13, A15, A16, and A19) having significantly higher fraction (41 - 67 %). Many of the unidentified spectral features toward the weaker cores are actually due to imaging artifacts in this high dynamic range cube. These artifacts can also affect intensities and shapes of real lines, adding another source of error.

Since line overlap plays a major role in many sources, it is necessary to also model those molecules, such as CO and HCN, which show only one transition within the survey. However, for these molecules a quantitative analysis is not possible, which is why we have fixed the excitation

 $^{^{5}}$ Here, the Gaussian line profile is caused by the thermal motion of the gas particles and micro-turbulence, see Möller et al. (2017) for more details.

 $^{^{6}\,}$ In this analysis, we declare a line as unidentified if the model describes less than 20 % of the height of the line.

temperatures for components describing emission features of these species to a value of 200 K. For components describing absorption features, we assume a temperature of 2.7 K. (The exact values of the temperatures have no further meaning for our analysis, since we only need a phenomenological descriptions of the line shapes of the corresponding molecules.) Afterward, we fit the column densities, line widths and velocity offsets of all components to obtain a good description of their contribution. Finally, we fit again all parameters describing the contributions of all identified molecules and RRLs simultaneously, where we take the continuum parameters derived in the first paper into account (see Figs. B.1 - B.2).

Due to the large number of model parameters, a reliable estimation of the errors is not feasible within an acceptable time. We have therefore determined the errors of the model parameters for OCS and CH_3CN of core A03 in Sgr B2(M) as a proxy for the other parameters to give the reader some guidance as to the reliability of the model parameters. Here, the contributions of all other species are taken into account as well. Details of the fitting process are described in Möller et al. (2021). The errors of the model parameters were estimated using the emcee⁷ package (Foreman-Mackey et al. 2013), which implements the affine-invariant ensemble sampler of Goodman & Weare (2010), to perform a Markov chain Monte Carlo (MCMC) algorithm that approximates the posterior distribution of model parameters by random sampling in a probabilistic space. Here, the MCMC algorithm starts at the calculated maximum of the likelihood function – that is, the parameters of the bestfit LTE model of OCS (CH₃CN) – and draws 40 samples (walkers) of model parameters from the likelihood function in a ball around this position. For each parameter we used 1500 steps to sample the posterior. The probability distribution and the corresponding highest posterior density (HPD) interval of each model parameter are calculated afterward. In order to get a more reliable error estimation, the errors for the column densities were calculated on a log scale; that is, these parameters were converted to the log10 value before applying the MCMC algorithm and converted back to linear scale after finishing the error estimation procedure. Details of the calculation procedure as well as the HPD interval are described in Möller et al. (2021). The posterior distributions of the individual parameters of OCS and CH_3CN are shown in Figs. C.1 and C.2. For all parameters we find a unimodal distribution, which means that there is no other fit within the given parameter ranges that describes the data so well.

4. Results

In this section we describe the molecules and their isotopologs and vibrational excited states identified in the line surveys of each source in Sgr B2(M) and N. Due to their chemical relationships, for example having the same heavy-atom backbone or the same functional group, the detected molecules are divided into eight families: Simple O-bearing molecules (Sect. E.1), complex O-bearing molecules (Sect. E.2), NH-bearing molecules (Sect. E.3), N- and O-bearing molecules (Sect. E.4), cyanide molecules (Sect. E.5), S-bearing molecules (Sect. E.6), carbon and hydrocarbons (Sect. E.7), and other molecules (Sect. E.8).

Cold gas in the interstellar medium is often made up of simple molecules (e.g., CO, HCN, N₂, O₂ etc), which are frozen onto dust grains. Both hydrogenation and reactions with CO produce more complex molecules on the dust surface; for example, CO₂, CH₃OH, and H₂O. UV radiation can cause some of these molecules to dissociate into radicals. With increasing temperature, these radicals become mobile and form new species. When the temperature is high enough (T \sim 100-150 K), the ice mantles sublimate and the resulting molecules enter the gas phase and form, among other things, precursors of complex organic molecules (COMs) (Taquet et al. 2016). In addition, shocks generated by the interaction of jets and outflows with the surrounding envelope can also sublimate or sputter icv grain mantles, releasing molecules such as CH₃OH and other COMs into the gas-phase. Furthermore, shocks can also sputter the grain cores themselves, releasing the embedded Si and S atoms and increasing the production of Si- and S-bearing species such as SiO, SO_2 and SO (see e.g., Gusdorf et al. (2008), van Dishoeck (2018)). It is important to note that while grain-surface chemistry plays a significant role in the formation of COMs, these molecules can also form in the gas phase. Various models, such as those by Vasyunin et al. (2009) and Wang et al. (2021), suggest that gas-phase reactions contribute significantly to the synthesis of COMs.

The derived excitation temperatures and abundances for each detected molecule and source in Sgr B2(M) and N. respectively, are shown in Appendix G and H. For molecules for which more than one component was required, we give the column density weighted mean temperature and the summed abundances. We calculated the abundances relative to H_2 using the hydrogen column densities derived in our first paper for each source. A comparison between the obtained temperature and abundance ranges for each source in Sgr B2(M) and N and literature values are given in Table E.1 - E.2, respectively. In general, a direct comparison of the obtained temperatures and abundances with previous analysis is of limited value. First, compared to Sutton et al. (1991), Belloche et al. (2013), Neill et al. (2014), and Möller et al. (2021), our observations have a much higher spatial resolution, which is why we can detect structures that could not be included in these analyses. Only the observations of Bonfand et al. (2017) have a similar resolution. Nevertheless, our analysis differs significantly from previous analyses in some aspects, because we determined not only the dust and free-free contributions to each source but in addition considered effects such as local overlap effects, which are important for line-rich sources such as Sgr B2(M) and N.

A detailed description of all identified species together with figures showing the spectra of each detected molecule is provided in Appendix E - F. For molecules with a large number of transitions, a representative selection of the detected transitions is shown⁸.

5. Discussion

5.1. Physical parameters

To better understand the distribution of the derived physical parameters, we computed in addition to the mean tem-

⁷ https://emcee.readthedocs.io/en/stable/

⁸ The fitted spectra are published as online material

Table 1: Velocity ranges

Component	$v_{\rm LSR}~({\rm km~s^{-1}})$	$v_{\rm off} \ ({\rm km \ s^{-1}})$
Galactic Center (GC)	-92 to -69	-156 to -133
Norma Arm	-47 to -13	-111 to -77
Galactic Center (GC)	-9 to 8	-73 to -56
Scutum Arm	12 to 22	-52 to -42
Sagittarius B2	>22	> -42

Notes. Velocity ranges corresponding to different kinematic components, taken from Lis et al. (2014). Velocity offsets v_{off} are computed relative to the source velocity of 64 (km s⁻¹).

peratures of each source and layer shown in Figs. G.1 -G.4, kernel density estimations (KDE, Rosenblatt (1956), Parzen (1962)) with a Gaussian kernel for each source, layer and molecular family, see Figs. I.1 - I.12. Here, we consider only those components that clearly belong to Sgr B2; that is, whose source velocity is greater than 22 km s⁻¹ (see Table 1). In addition, we take only those molecules into account, which show more than one transition within the frequency ranges covered by our observations. Furthermore, Silverman's rule (Silverman 1986) as scipy implementation (Virtanen et al. 2020) is used to compute the bandwidth of each KDE. For a better visibility, we have normalized the maximum of each KDE to one. In general, the KDE is a nonparametric way to estimate the probability density function of a given parameter and offers a visual representation of the individual parameters with the aim to see their spread and to search for general trends. The shape of the KDE plot can provide insights into the underlying distribution of the data. For example, a unimodal KDE plot with a single peak suggests that the data is distributed around a central value, while a bimodal KDE plot with two peaks suggests that the data may be drawn from two different distributions.

The KDEs of excitation temperatures of components belonging to the envelope layer in both regions mostly show an unimodal distribution with maxima located at around 20 K for most sources and molecular families, see Fig. I.1 and Fig. I.3. This is remarkable because in our analysis of continuum contributions (see Möller et al. (2023)) we found excitation temperatures in the envelopes of around 73 K (for sources in Sgr B2(M)) and 59 K (for sources in Sgr B2(N)). A possible explanation for this may lie in the way the excitation temperatures were determined in Möller et al. (2023), where we selected pixels around each source and used the spectra at these positions to compute an averaged envelope spectrum. Afterward, we analyzed the contributions of CH₃CN, H₂CCO, H₂CO, H₂CS, HNCO, and SO to these envelope spectra to determine the averaged gas temperature in each envelope. Details of the calculation procedure are described in Möller et al. (2023). In contrast to the molecules in the current analysis located in the envelope layer, these molecules are seen more or less in emission only. But emission features from the envelope toward the sources cannot be separated from the core. Molecules in emission have mostly higher temperatures than molecules in absorption. Therefore, we underestimate in this analysis the real excitation temperatures in the envelopes around each source.

For the inner sources in Sgr B2(M) and N – those located less than 50 au from the center of the central core A01 for both regions – we find broader distributions of

simple O-bearing and cyanide molecules, while the NHbearing molecules are usually at lower temperatures. A possible explanation for this behavior could be the high contributions of H₂CO, CH₃OH, HCN, and HNC in the inner sources, which are hot and very close to each other heating up the surrounding envelope. For sources A08, A09, A20, and A22 in Sgr B2(M), the maximum of the KDE of sulfur-bearing molecules is shifted toward slightly higher temperatures. The formation and abundance of certain sulphur-bearing molecules, such as SO and SO_2 , are positively correlated with the kinetic temperature (Fontani et al. 2023), suggesting that these molecules become more abundant as the temperature increases through the evolutionary stages. Therefore these molecules are usually located in the warmer regions of the envelopes. For some inner sources in Sgr B2(N), we find slightly broader distributions of simple O-bearing and NH-bearing molecules. Additionally, for source A07 the different molecular families show clear separated maxima, where the sulfur-bearing molecules, as in source A14, are the hottest.

The KDEs of temperatures whose components are located in the core layer of Sgr B2(M) show a very different behavior, see Fig. I.2. While the inner sources show broad distributions for many molecular families, we see narrower and sometimes spike-like⁹ KDEs in the outer sources. This is due to the fact that many outer sources are mainly seen in absorption and have fewer emission features. In many sources, the sulfur-bearing molecules exhibit the highest temperatures, which, in addition to the fact that these molecules require high temperatures for formation, can also be explained by the fact that molecules of this family often exhibit vibrationally excited states with high excitation temperatures. For sources in Sgr B2(N) the temperatures in the core layer show, in contrast to sources in M, much narrower distributions, see Fig. I.4. The sources in N thus seem to have a more homogeneous structure.

For the line widths, we obtain KDEs with mostly unimodal distributions in all sources, layers, and molecular families, see Figs. I.5 - I.8. However, the distribution between the different families of molecules and sources is sometimes very different. As for the excitation temperatures, in both regions the outer sources show narrower distributions than the inner sources. In general, the line width contains among other things a thermal and a turbulent proportion, where the thermal one depends on the gas temperature and the respective molecular weight. For all molecular families and sources the thermal line widths range from 0.1 to 0.6 km s⁻¹. Therefore, the distribution of line widths mainly shows the turbulent contribution. Line widths above 10 km s^{-1} indicate outflows or large-scale motions. Some sources show significant differences between molecular families. For example, in source A20 in Sgr B2(M), the N- and O-bearing molecules in the core layer show a significantly larger line width, see Fig. I.6, and a larger velocity offset, see Fig. I.10, than the other molecules, which could indicate that it cannot be directly assigned to the hot core A20 but to a filament. In addition, some molecules show high asymmetric line shapes, which can be associated with outflows. The description of these line shapes requires many components, which falsifies the true distribution of line widths.

 $^{^{9}\,}$ A spike-like KDE has only a single data point and thus shows no variation.

By using the distributions of velocity offsets, it is possible not only to determine the velocity of each source, but also whether certain families of molecules show deviations from it, which in turn can indicate a different affiliation. A deviating source velocity could, for example, show that the associated molecular family does not belong to the source in question, but to a filament located in front of the source. For example, the distributions of velocity offsets of the different molecular families in the core layer of source A14 in Sgr B2(M) show clear differences. While the N- and O-bearing and sulfur-bearing molecules show more or less the same velocity offsets, we see clear shifts toward higher velocities for simple O-bearing, cvanide, and NH-bearing molecules. A similar but less pronounced behavior can be found among others for source A08, A15, and A22. In general, we find, in both regions, broader distributions in the envelope than in the core layer for most sources.

5.2. Correlations between sources

To find correlations between different sources in Sgr B2(M)and N that might indicate similar evolutionary phases, we used the principal component analysis (PCA). PCA is a widely used multivariate analysis method that uses an orthogonal transformation to convert observed variables into a set of linearly uncorrelated new variables called principal components. The first principal component contains the largest possible variance, and the subsequent principal component has the next highest variance, provided that it is orthogonal to the previous component. In contrast to other PCA analyses (e.g., Gratier et al. (2017); Kim et al. (2023)), we do not apply PCA directly to the observed spectra, but use the calculated abundances relative to the hydrogen column densities derived in our first paper for each source of the core components¹⁰ for the different sources (see Figs. H.2 and H.4) whose source velocity is greater than 22 km s⁻¹. By using abundances, the results of the PCA are not distorted by line overlap or absorption features. Furthermore, we do not need to normalize the spectra, nor do the spectra of the different sources need to be corrected due to the different source velocities. Here, we assume that two sources of the same age also have great similarities in the sequence of their abundances. However, the abundances can be distorted by contributions from filaments, foreground objects and imaging artifacts. Furthermore, many spectra from sources located further out in Sgr B2(M) and N have a significantly lower signal-to-noise ratio than the inner sources, which makes the identification of molecules and the determination of the physical parameters more difficult. This in turn can lead to incorrect PCA results, whereby correlations that are not real are identified. For our analysis, we have used the PCA implementation available in the Python package scikit-learn (Pedregosa et al. 2011).

The percentages of eigenvalues are shown in Fig. 3. For both regions, the first eigenvalue has the highest proportion (49.7% for Sgr B2(M) and 34.2% for Sgr B2(N)), while the first six principal components together account for more than 80% of the total variance for both regions. The first six eigenvectors for each region are described in Figs. D.3 - D.4. Table 2: Clusters identified by the k-means algorithm.

Cluster:	Sources:
Sgr B2(M	(1
CM1	A01, A03, A04, A05, A06, A07, A10
CM2	A11, A23
CM3	A17, A22, A25
CM4	A02, A08, A09, A12, A13, A14, A15
CM5	A20
CM6	A16, A18, A19, A21, A24, A26, A27
Sgr B2(N	
CN1	A16, A19, A20
CN2	A05, A06, A07, A08, A10
CN3	A01, A02, A17
CN4	A03, A04
CN5	A13
CN6	A09, A14, A15, A18
CN7	A11, A12

Notes. Clusters identified by the k-means algorithm with the contained sources for both regions in the projection of the first two eigenvectors PC1 and PC2.

For sources in Sgr B2(M), the first eigenvector is mainly dominated by contributions from outer sources, in particular by A20, while the remaining eigenvectors exhibit relatively uniform distributions. Similarly, for Sgr B2(N), the first eigenvector again shows the most significant contributions, with the outer sources A09, A12, and A13 being dominant, while the other eigenvectors display a more consistent structure.

The abundances of each source in Sgr B2(M) and N can now be projected onto a pair of principal components (see Figs. D.1 - D.2). After transforming the data into the principal component space, the k-means (Hartigan & Wong 1979) function from the scikit-learn package is used to categorize the cores into a predefined number of distinct, nonoverlapping clusters. In order to obtain the best number of clusters, we apply the elbow method (Thorndike 1953) using the yellowbrick Python package (Bengfort & Bilbro 2019), which involves plotting the within-cluster sum of squares (WCSS) against the number of clusters (see Fig. 4). The point of maximum curvature in the plot called elbow or knee represents the point where the WCSS starts to decrease at a slower rate. This point indicates the appropriate number of clusters. For sources in Sgr B2(M), the elbow is at six and for N at seven clusters. The identified cluster together with the contained sources for both regions are shown in Table 2.

The projection of the first two eigenvectors PC1 and PC2, which together have a variance of more than 57% for both regions, shows a clear separation between different sources in Sgr B2(M). For each identified cluster and region in this projection of PC1 and PC2, we calculated the mean abundances (see Fig. D.5 (for Sgr B2(M)) and Fig. D.6 (for Sgr B2(N)), and the mean temperatures, see Fig. D.7 (for Sgr B2(M)) and Fig. D.8 (for Sgr B2(N))) for each identified molecule. In addition to the level of evolution of the source, other contributions such as filaments can also play a role in the classification of the sources into the various clusters.

The temperature and abundances dispersions for each cluster in Sgr B2(M) are described in Fig. 5, which show more a less a unimodal behavior. Clusters CM1 and CM4 in Sgr B2(M) have similar abundances for most molecules, with t-HCOOH and NH₂CN found exclusively in clus-

 $^{^{10}\,}$ Here we consider only those molecules that have more than one transition in the frequency ranges covered by our observations.

350

300

Distortion 520

200

150

225

200

175

5



9 10 11

Figure 3: The percentages of the first eleven eigenvalues in descending order for sources in a) Sgr B2(M) and b) Sgr B2(N).

ter CM1, and $c-C_3H_2$ only in cluster CM4. Furthermore, cluster CM1, which contains most of the inner sources, has the highest mean temperatures of all species and clusters. In addition, the cluster has the highest mean temperature for the sulfur-bearing molecules except NS. This could indicate that the sources contained in these two clusters are in later stages of evolution, where more complex molecules such as C_2H_5OH can also form. Furthermore, the presence of vibrationally excited molecules, such as $C_2H_3CN, v_{10}=1$ (E_{low} = 1662.9 K) and C₂H₅CN,v₂₀=1 (E_{low} = 694.0 K), indicates that the protostars have already reached high temperatures, which in turn suggests an advanced state of evolution. As cluster CM1 shows slightly higher mean temperatures than cluster CM4, the majority of sources in this cluster appear to have progressed furthest in their development. In contrast to that, sources in cluster CM2 exhibits the lowest mean abundances of CH₃OH, H₂CCO, CH₃CN, C₂H₅CN, HCCCN, OCS, and its vibrational state $OCS, v_2=1$ and the highest abundance of CCH. Furthermore, this cluster also shows the lowest mean temperature of methanol. Both together suggest that the sources in this cluster are in earlier stages of evolution. In addition, cluster CM3 has the lowest mean abundances for SO, H₂CCN, H₂CS, HNCO, NH₂D,

Figure 4: Elbow plot for sources in a) Sgr B2(M) and b) Sgr B2(N).

a) Sgr B2(M)

10

10

11

b) Sgr B2(N)

9

number of clusters

11

CH₃OCH₃, and H₂CO, while OCS, OCS,v₂=1, H₂CS, and HCCCN show the lowest mean temperatures, again indicating a fairly early stage of development. Cluster CM5 containing only source A20 has the lowest abundances of SO₂ and its vibrational state SO₂,v₂=1, NO, and CH₃OCHO. At the same time, this source shows the lowest mean temperatures for SO, NO, and CH₃OCHO, which again suggests an early phase of evolution. Finally, cluster CM6 has the lowest mean abundances for SiO, CH₂NH, CN, and NS of all clusters. In addition, this cluster exhibits the highest mean temperatures for NS, H₂³⁴S, HCS⁺, SO₂, SO₂,v₂=1, HC(O)NH₂, HNCO and H₂CO on the other, which makes it difficult to classify the cluster into an evolutionary stage.

For Sgr B2(N), we find a somewhat larger number of clusters, two of which consist of only two elements and one of which consists of only one element. The temperature and abundances dispersions for each cluster in Sgr B2(N) are described in Fig. 6. Cluster CN1 exhibits the lowest mean abundances of CH₃OH, H₂CCO, CH₃OCHO, and CN, as well as the lowest mean temperatures for CH₃OH, H₂CCO, and SiO. This could indicate that the sources in this cluster are in early stages of evolution. The cluster CN2 shows the lowest mean abundances





Figure 5: Violin plots describing a) temperature and b) abundance distributions for each cluster in Sgr B2(M). Here, the long dashed lines describe the respective medians, while the short dashed lines represent the quartiles of the data, which are also described as black dots.

Figure 6: Violin plots show a) temperature and b) abundance distributions for clusters in Sgr B2(N). Long dashes represent medians, short dashes mark quartiles, and black dots depict data points.

for C₂H₅OH, CH₃CHO, CH₃NH₂, HC(O)NH₂, C₂H₃CN, $C_2H_3CN, v_{10}=1, C_2H_5CN, C_2H_5CN, v_{20}=1, HCCCN, v_7=2,$ SO_2 , and $SO_2, v_2=1$. Furthermore, the lowest temperatures are also found in this cluster for many of these molecules; that is, CH_3OCH_3 , C_2H_5OH , CH_3OCHO , CH_3CHO , CH_2NH , $HC(O)NH_2$, C_2H_3CN , C_2H_5CN , $H_2^{34}S$, SO_2 , SO_2 , $v_2=1$, and OCS, $v_2=1$. At the same time, this cluster contains the highest abundances for NO and SO and the highest mean temperatures for NO, $C_2H_3CN, v_{10}=1$, and HCCCN, $v_7=2$. In addition, cluster CN2 is the only cluster that contains NH₂D. This behavior indicates a very heterogeneous source structure, so that no statement can be made about the state of development. For cluster CN3, we found the highest mean abundances for several molecules - H₂CO, SiO, CH₃OCH₃, CH₂NH, C₂H₃CN, C₂H₃CN,v₁₀=1, C₂H₅CN, C₂H₅CN,v₂₀=1, HCCCN,v₇=2, $H_2^{34}S$, SO₂, and NS – and the highest mean temperatures for CH₃OH, H₂CCO, SiO, C₂H₅OH, CH₃CHO, CH_2NH , HNCO, C_2H_3CN , C_2H_5CN , C_2H_5CN , $v_{20}=1$, SO, $SO_2, v_2=1$, OCS, and OCS, $v_2=1$. The lowest temperature of H₂CO, CH₃NH₂, and CH₃NH₂ is also found in this cluster. In summary, the high temperatures and the high abundances of some vibrationally excited states indicate that the majority of the sources in this cluster are at higher evolutionary stages. Cluster CN4 exhibits the highest mean abundances of CH₃OH, H₂CCO, C₂H₅OH, CH₃OCHO, CH₃CHO, CH₃NH₂, HNCO, HC(O)NH₂, HCCCN, H₂CS, and $OCS, v_2=1$, as well as the highest mean temperatures for H_2CO , CH_3OCHO , CH_3NH_2 , $HC(O)NH_2$, HCCCN, $H_2^{34}S$, SO_2 , and H_2CS . In contrast, NS has the lowest concentration, and $C_2H_3CN, v_{10}=1, C_2H_5CN, v_{20}=1,$ HCCCN, v₇=2, and NS have the lowest mean temperatures. This could indicate that the sources in this cluster are in an intermediate stage of development, at which the temperature is still too low to excite vibrationally excited states sufficiently. The cluster CN5, which contains only source A13, shows the lowest mean abundances for CH_3OCH_3 , CH_2NH , $H_2^{34}S$, and OCS on the one hand and the highest mean temperatures for CH₃OCH₃ and NS on the other. In addition, we find that HCCCN has by far the lowest excitation temperature of all clusters. This unusual behavior could indicate a more complex source structure. In the case of cluster CN6, the mean abundance is lowest for H_2CO , HNCO, SO, and OCS, $v_2=1$, and highest for CH₃CN, CN, and CCH. Additionally, the lowest mean temperatures are found for CH₃CN, H₂CS, and CCH, while the highest temperature is found for CN within this cluster. As with the previous cluster CN5, this behavior indicates again a more complex source structure. Finally, cluster CN7, shows the lowest mean abundances for SiO, NO, CH₃CN, HCCCN, and H₂CS, and the lowest mean temperatures for NO and OCS. However, this cluster also shows the highest temperature for CH_3CN , which may be due to inaccuracies in the fit. The sources contained in this cluster have been found to contain only a small number of molecules, which also show relatively low mean temperatures. This indicates that the sources in this cluster are still in a relatively young phase of evolution.

The Kendall correlation coefficient (Kendall 1938) analysis offers another possibility to find correlations between different sources in a more rigorous and unbiased way. The coefficient, commonly referred to as Kendall's τ co-

efficient¹¹, is applied to the calculated abundances of the core components for the different sources for both regions, whose source velocities are greater than 22 km s⁻¹. The coefficient is calculated for each pair of sources and is given by

$$\tau = \frac{2}{n(n-1)} \sum_{i=1}^{n-1} \sum_{j=i+1}^{n} \operatorname{sign}(x_i - x_j) \operatorname{sign}(y_i - y_j), \quad (2)$$

where n represents the number of paired observations and x_i, x_j are the observations of the first and y_i, y_j are the observations of the second variable, respectively. The coefficient is used to measure the ordinal association between two measured quantities. It is particularly suitable for ordinal variables and is a non-parametric measure of the strength and direction of association that exists between two variables. The coefficient ranges from -1 to 1, where 1 indicates perfect agreement, -1 indicates perfect disagreement, and 0 indicates no association. Setting an (arbitrary) threshold at $\geq |0.9|$ to indicate a good correlation (see Figs. J.1 -J.2). For sources in Sgr B2(M) we find strong correlations between A08 and A14 (both are located in cluster CM4 and are next to each other), A18 and A19, A18 and A21, A19 and A21, and between A21 and A24 (all contained in cluster CM6). Source A20, on the other hand, shows a remarkably low correlation ($\leq |0.5|$) with most of the other sources. There appears to be a somewhat greater correlation only with sources A16, A17, A22 and A25, although these sources are not located in the vicinity of A20. The correlations for sources in Sgr B2(N) are generally smaller than in Sgr B2(M). Strong correlations are found between sources A09 and A14, and between A09 and A15 (all sources are located in cluster CN6) and between A11 and A12 (both part of cluster CN7). In addition, there are also strong correlations between sources A09 and A11 and between A11 and A16 although the respective sources are not in the same cluster. For example, source A09 belongs to cluster CN6 and source A11 to cluster CN7. The correlation between sources A11 and A16 is remarkable, as neither source is neighboring and A16, in contrast to source A11, contains an HII region, which is why both sources are in different evolutionary stages. There is also a particularly low correlation between sources A13 and A17.

5.3. Evolutionary sequence in Sgr B2(M) and N

Following Codella et al. (2004) and Bonfand et al. (2017), we used the distributions of masers, outflows and H II regions to determine the evolutionary sequence and age of the different hot cores in the Sgr B2 complex (see Fig. 7).

Codella et al. (2004) proposed an evolutionary scheme for high-mass star forming regions, where class II methanol masers are formed before H II regions can be observed, because the masers are thought to be associated with deeply embedded, high-mass protostars that are not evolved

¹¹ Here, we use the Kendall instead of the Pearson (Pearson 1901) or Spearman (Spearman 1904) correlation coefficient, because the Kendall correlation is more robust and efficient, making it preferred when dealing with small samples or outliers. In addition, the Kendall coefficient does not require continuous data and can be used with ordinal data, making it suitable for variables with inconsistent intervals between ranks.

T. Möller et al.: Full molecular line survey of hot cores



Figure 7: Evolutionary sequence as proposed by Bonfand et al. (2017) for the hot cores embedded in the Sgr B2 complex based on Fig. 5 of Codella et al. (2004), along with the "straw man" model (Ellingsen et al. 2007) that shows the lifetimes of various maser species.

enough to ionize the surrounding gas and produce a detectable HII region. In the next phase, maser and HII region coexist, where the methanol molecules are shielded from the central UV radiation by the warm dust in the slowly expanding molecular envelope of the UCH II region, whose emission also provides its pumping photons. After 2.5×10^4 to 4.5×10^4 yr (depending on the assumed initial mass function (IMF), van der Walt 2005), the maser emission stops as the UCH II region continues to expand. However, this analysis is complicated by the fact that we have averaged the spectra of each source over several pixels in order to obtain a better signal-to-noise ratio. This means that the averaged spectra may contain contributions from different protostars. For example, the polygon of core A01 in Sgr B2(M) contains six H II regions and more than 33 masers (see Table 3), indicating that core A01 includes multiple protostars.

5.3.1. Maser

As is described by Fig. 8 many sources in Sgr B2(M) and N contain a variety of masers. Methanol masers are commonly found in the early stages of high-mass star formation and are associated with the presence of hot molecular cores (Fontani et al. (2010), Yang et al. (2023)). They are known to trace the processes of mass accretion and outflow in these region. They are classified into two series of transitions called class I and class II. Class I methanol masers are excited by collisional processes, such that they are often found in outflows and interacting regions between outflows and dense ambient gases, usually offset from the associated protostellar object (Matsumoto et al. 2014). The $7_0 - 6_1 A^+$ methanol maser at 44 GHz is representative of the class I methanol maser and was found

only in the envelope of Sgr B2(N), see Fig. 8. Class II methanol masers are radiatively excited and closely associated with high-mass protostars, because the pumping requires dust temperatures > 150 K, high methanol column densities (> 2×10^{15} cm⁻²), and moderate hydrogen den-sities ($n_{\rm H} < 10^8$ cm⁻³). The $5_1 - 6_0 A^+$ class II methanol transition at 6.7 GHz in particular is the strongest and most widespread of the methanol masers (Sobolev et al. 1997). The sources¹² A04 / A05 in Sgr B2(\dot{M}) as well as A08 and A13 in Sgr B2(N) contain a single class II methanol maser, respectively. Moreover, H₂O masers, are primarily located in the inner sources of Sgr B2(M) (A01, A02, A06, A07, A08, A10, A11, and A21) and N (A01, A02, A03, A04, A07, and A08). Similar to methanol masers, water masers tend to disappear as an UCH II region develops. These masers are also directly connected to molecular outflows (Codella et al. 2004). Furthermore, they are often associated with shocks resulting from the interaction of dense molecular outflows with the surrounding medium (Elitzur et al. 1989). The characteristics of H₂O masers can help to understand the distribution of water vapor and the impact of shocks and radiation on its abundance (van Dishoeck et al. 2021). Moreover, ammonia (NH_3) masers are also found in the early stages of high-mass star formation and are associated with the presence of dense, hot molecular cores (Mei et al. (2020), Yan et al. (2022b)). They are known to trace the presence of high-density gas and strong shocks and are often used to study the processes of mass accretion and outflow. Similar to H_2O masers, NH_3 masers are predominantly found in the inner sources of Sgr B2(M) (A01, A02, A03, A05, and A07) and N (A01, A02, and A08). Additionally,

 $^{^{12}\,}$ The class II methanol maser is located at the edge of sources A04 and A05 and cannot be assigned to one of the two sources alone.

T. Möller et al.: Full molecular line survey of hot cores





Figure 8: Sources in Sgr B2(M) and N together with the positions of the different masers. A close-up of the central part is presented in the right panel. The identified sources are marked with shaded blue polygons and indicated with the corresponding source ID. Similar to Figs. 1 - 2, the shaded light blue polygons describe the inner cores of the corresponding region. The black points indicate the positions of each source described by Sánchez-Monge et al. (2017). The intensity color scale is shown in units of brightness temperature and the synthesized beam of 0".4 is described in the lower left corner. The green ellipses describe the H II regions identified by De Pree et al. (2015). The markers indicate the positions of published maser detections from the 44 GHz class I (Mehringer & Menten 1997) and from the 6.7 GHz class II methanol masers (Caswell (1996), Hu et al. (2016), Lu et al. (2019)). Additionally, the positions from H₂CO (Whiteoak et al. (1987), Mehringer et al. (1994), Lu et al. (2017)), H₂O (McGrath et al. (2004)), NH₃ (Martín-Pintado et al. (1999), Mills et al. (2018), Yan et al. (2022a)), OH (Gaume & Claussen (1990), Yusef-Zadeh et al. (2016)), and SiO (Morita et al. (1992), Shiki & Deguchi (1997), Zapata et al. (2009)) masers are described as well. The red crosses and names indicate the hot cores in Sgr B2(N) identified by Bonfand et al. (2017).



Figure 9: Example of transitions used to identify outflows toward Sgr B2(M) and N. The vertical dashed line marks the systemic velocity of the Sgr B2 complex and the high velocity wings are indicated in blue and red. The black line describes the observational data, while the green line represents a fit with a single Gaussian to emphasize the non-Gaussian wings of each peak. a) Some transitions show more or less symmetric, non-Gaussian line shapes. b) In addition, some transitions contain contributions from an isotopolog or another molecule. c) There are also some transitions that show a strongly asymmetric line shape.

formaldehyde (H₂CO) masers are relatively rare and have been observed in a few high-mass star-forming regions. They are known to indicate the presence of high-velocity shocks and are found in many sources, especially in the inner parts of Sgr B2(M) (A01, and A02) and N (A02, A03, and A08), respectively. Finally, OH masers are typically associated with the late stages of high-mass star formation and are often found in regions with evolved stars or supernova remnants (Wu et al. 2006). Additionally, OH masers are known to detect the presence of high-speed shocks and are often used to study the magnetic fields in these regions, among other things. The sources in Sgr B2(M) in particular contain a large number of OH masers (A01, A02, A03, A06, A10, A16, and A26), whereas only source A04 in Sgr B2(N) contains such a maser.

5.3.2. Outflows

The evolutionary sequence, as is shown in Fig. 7, requires the identification of outflows. In general, the study of outflows in high-mass star-forming regions can provide crucial information about the formation and evolution of massive stars. The momentum injected by outflows may limit accretion onto the massive star, potentially setting an upper mass limit to the stellar initial mass function. Additionally, there is a decrease in jet activity with evolutionary time in high-mass star-forming regions (Arce et al. 2007).

The line profiles of the outflow tracers (e.g., SiO, SO, and OCS) show high velocity emissions and non-Gaussian line-wings that are likely associated with out flowing gas at blue- and red-shifted velocities compared to the systemic velocity of the source (see Fig. 9). In addition to outflows, rotation and infall motions can also lead to red and blue asymmetric line profiles, where infall usually produces stronger blue- than red-shifted emission (Fuller et al. 2005). Here, we assume that all non-Gaussian line-wings indicate outflows. (Due to its large optical depth, SiO shows self-absorbing line profiles, which is why we do not consider it further in the analysis.)

Sulfur monoxide (SO) and carbonyl sulfide (OCS) are excellent outflow tracers due to their strong, high-velocity line wings, and spatial distributions. In high-mass starforming regions, SO and OCS have several advantages as outflow tracers. Unlike other molecules, SO and OCS are less confused by emission and absorption by unrelated molecular clouds, making these valuable tracers of outflow activity in these regions (Hatchell et al. 2001).

When analyzing the outflow components, it is important to consider that the line shape may contain other contributions. For instance, a filament in front of the source, which also contains an outflow tracer such as SO, can impact the line shape. Depending on the temperature of this gas, it can result in a lateral peak or an additional absorption structure in the line shape, as illustrated in panel b) and panel c) in Fig. 9, respectively. The detection of outflows in the inner sources in Sgr B2(N) is complicated by strong overlap of other molecular lines. In order to be able to estimate these contributions, the gas would have to be examined in detail not only in the hot cores but also between the cores in order to precisely determine the expansions of the filaments and the outflows.

5.3.3. Classification according to evolutionary phase

The classification of each sources in Sgr B2(M) and N into the individual evolutionary phases described in Sect. 5.3, is shown in Table 3. For sources A14 in Sgr B2(M) and A05 and A17 in Sgr B2(N) we found evidences of outflows, but neither masers nor H II regions. Perhaps the associated H II regions are too small, which is why they have not yet been discovered. However, the asymmetrical line profiles could also have other causes, such as infall motions. Sources A15 and A24 in Sgr B2(M), which roughly correspond in position and size to a single H II region, and sources A10 and A16 in Sgr B2(N) show the highest evolutionary phase. In general, the inner sources in the two regions Sgr B2(M) and N, which are located within a distance of less than 50 au around the central core A01, are usually in a more advanced phase than the outer sources (see Fig. 10).

Exceptions are the sources A24 and A26 in Sgr B2(M) and A16 in Sgr B2(N). We have identified the same evolutionary stages for sources A08 (associated with N3) and A13 (associated with N4) in Sgr B2(N) as are reported by Bonfand et al. (2017). However, we assign the inner source A01 (N1) to an earlier evolutionary stage due to the presence of H₂O masers. According to our analysis, source A02 (N2) is at a significantly later evolutionary stage as classified by Bonfand et al. (2017), as we not only consider the occurrence of H₂O maser, but also identify outflows in this source. This difference may be attributed to the fact that Bonfand's source N2 in our analysis comprises two sources (A02 and A03).

5.4. Chemical clocks

In addition to the methods described above, the abundances of certain molecules can be used to determine the age of a source. Chemical tracers that show empirical relations between their abundances and the different phases of the star formation process are often referred to as chemical clocks (see e.g., Charnley (1997); Hatchell et al. (1998)). Some molecules become abundant (or disappear) after a certain evolutionary phase, while other tracers may show a constant increase (or decrease) throughout the evolutionary sequence. Chemical clocks are based on the relative abundances ratios of different molecular species. In the following we use the abundances derived in Sect. 4 for the core $components^{13}$ (see Fig. H.2 and Fig. H.4), to estimate the evolutionary sequence of each source in Sgr B2(M) and N. Charnley (1997), Hatchell et al. (1998) and Herpin et al. (2009) propose the usage of the relative abundance ratios

of OCS, SO, SO₂ and H₂S as chemical clocks, because the main reservoir of sulfur on grain mantles is H_2S . (Recent observations by McClure et al. (2023) using the James Webb Space Telescope (JWST) have provided new insights into the composition of ices in dense molecular clouds. Contrary to previous assumptions, H₂S was not detected as a major component in these ices. Shingledecker et al. (2020) identified cyclic octatomic sulfur (S_8) as a potential alternative reservoir of sulfur on grain surfaces. However, for the purposes of the further analysis, we shall maintain the assumption that H_2S remains the primary reservoir for sulfur on dust mantles. This approach allows coherence with existing models while taking into account the need for future refinements based on these new observations.) When the dust temperature in the hot core exceeds the mantle evaporation temperature, all components of the grain mantles, including hydrogen sulfide, are suddenly injected into the gas phase (Wakelam et al. 2004a). Subsequently, endothermic reactions in the hot gas transform H₂S into atomic sulfur and SO, leading to the formation of more SO and afterward to SO_2 on timescales of ~ 10^3 yr. Therefore, the SO_2/SO and SO/H_2S ratios are functions of time and can thus indicate the age of the hot cores (Wakelam et al. 2004a). In addition, Wakelam et al. (2011) predict an increase in the SO_2/OCS and SO_2/H_2S ratios for sources with more evolved chemistry. Since H_2S has no transition in the frequency ranges covered by our observations, we only use the ratios of SO_2/OCS and SO_2/SO to estimate the age.

In addition to sulfur-bearing molecules, complex cyanides, especially those containing the CN group, have also been identified as possible chemical clocks in high-mass star-forming regions. Belloche et al. (2009) and Garrod et al. (2017) suggested that the formation of C_2H_5CN on grains occurs through the hydrogenation of C₂H₃CN, which is formed from HCCCN during the collapse and warmup phase. Subsequently, C_2H_5CN sublimates to the gas phase at a temperature of 100 K (Garrod et al. 2017). The majority of the C₂H₅CN formed on the grains is subsequently eliminated by gas-phase reactions. In their chemical simulations, Belloche et al. (2014) observed a reduction in the gas phase abundance of C₂H₅CN and an increase in the abundance of C_2H_3CN after approximately $\sim 3.5 \times 10^5$ vr. Here, we use the ratio of ethyl cyanide to vinyl cyanide as a chemical clock, similar to Bonfand et al. (2017). According to Minh et al. (2016), the formation of CH_3CN is anticipated to occur at a later stage than CH_3OH . Therefore, comparing the abundances of these two species can serve as a reliable indicator of the evolutionary timescale during the initial phases of massive star formation. The CH₃CN/CH₃OH abundance ratios are expected to be low during the very early phase of grain mantle evaporation and increases over time by the production of CH₃CN and the destruction of CH₃OH through its transformation into other complex species. As was discussed by Rodgers & Charnley (2001), CH_3OH maintains a high abundance until the age of around 10^4 yr, after which it begins to be depleted. Over the next 10^5 yr, the abundance of CH₃CN is expected to increase, reaching a level only a few times less than that of CH_3OH . However, Garrod et al. (2022) have revealed a more nuanced understanding of cyanide formation and abundance in these environments. While the formation of C₂H₅CN on grains through hydrogenation of C_2H_3CN remains a viable pathway, the gas-phase chemistry of cyanides at high temperatures has been shown to play a significant role. The revised models indicate that certain N-bearing molecules, especially cyanides, experience substantial enhancement through gas-phase chemistry at temperatures above 100 K. HCN and CH_3CN , in particular, see their greatest gas-phase production at very high temperatures exceeding 300 K, with considerable production also occurring between 120 - 160 K as ice-mantle material sublimates. This new understanding complicates the use of cyanide abundance ratios as simple chemical clocks. The CH₃CN/CH₃OH abundance ratio, previously thought to increase steadily over time due to CH₃CN production and CH₃OH destruction, may now be influenced by hightemperature gas-phase chemistry. This additional production pathway for CH₃CN could potentially accelerate its abundance increase relative to CH₃OH, altering the expected temporal evolution of their ratio.

However, it is important to note that the ratios are also influenced by physical conditions and the composition of grain mantles, making their interpretation as standalone indicators of age challenging (Vidal & Wakelam 2018). Determining the exact age of each source would require complex chemical modeling of each individual source, which would go beyond the scope of this paper. Furthermore, we cannot completely exclude the possibility that one or the

 $^{^{13}\,}$ Here we focus on the abundances of the core components, as we can identify them quite reliably with the hot cores and not with filaments or with the envelope.

0	NT 1 0		0.0		01
Source:	Number of	Number and type of maser:	Outflow:	Evolution-Phase:	Cluster:
	H II regions:				
Sgr B2(N	1)				
A01	6	$1 \times H_2CO: 5 \times H_2O: 3 \times NH_3: > 24 \times OH$	OCS: SO	IV	CM1
A02	6.5	$2 \times H_2CO: >33 \times H_2O: 1 \times NH_2: >36 \times OH$	OCS: SO	IV	CM4
A03	-	$1 \times \text{NH}_2$: 7 × OH	OCS: SO	III	CM1
A04	1	$1 \times CH3OH$ class II^*	SO	IV	CM1
A05	-	$2 \times \text{NH}_2$: $1 \times \text{CH}_2\text{OH}$ class II*	-	II	CM1
A06	_	$2 \times H_{13}$, $1 \times OH_{3}OH$, class H $3 \times H_{2}O$, $2 \times OH$	OCS SO	III	CM1
A07	1	$1 \times \text{H}_2\text{O}; 2 \times \text{NH}_2$	0CS: SO	IV	CM1
A08	15	$1 \times H_2O$	0CS: SO	IV	CM4
A00	1.0	1 ~ 1120	005,50	I	CM4 CM4
A10		$2 \times H_2 \cap (1 \times OH)$	OCS	III	CM1
Δ11	-	$2 \times \text{H}_2\text{O}, 1 \times \text{OH}$	005	II	CM2
A11 A19	-	2 × 1120	-	11 I	CM4
A12 A13	-	-	-	I	CM4
A13	-	-	002.20	2	CM4 CM4
A14 A15	-	-	005, 50	V	CM4
A10	1	- 7 × 011	00		CM4 CM6
A10	1	/ × On	005	11	CMO
A10	-	-	-	1	CM3 CMC
A18	-	-	-	1	CM6
A19	-	-	-	l	CM6
A20	-	-	-	1	CM5
A21	-	$1 \times H_2O$	-	II	CM6
A22	-	-	-	l	CM3
A23	-	-	-	1	CM2
A24	1	-	SO	V	CM6
A25	-	-	-	1	CM3
A26	1	$1 \times OH$	OCS	IV	CM6
A27	-	-	-	I	CM6
Sgr B2(N	1)				
A01	2	$>47 \times H_2O; 5 \times NH_3$	OCS; SO	IV	CN3
A02	-	$3 \times H_2CO; 3 \times H_2O; 1 \times NH_3$	OCS; SO	III	CN3
A03	1	$1 \times H_2CO; 1 \times H_2O$	ÓCS	IV	CN4
A04	-	$1 \times H_2O; 1 \times OH$	OCS	III	CN4
A05	-	_ ,	OCS	?	CN2
A06	-	-	-	Ι	CN2
A07	-	$1 \times H_2O$	OCS	III	CN2
A08	-	$1 \times CH_3OH$, class II: $1 \times H_2CO$: $1 \times H_2O$: $1 \times NH_3$	OCS	III	CN2
A09	-		-	I	CN6
A10	1	-	OCS: SO	V	CN2
A11	-	-		T	CN7
A12	_	_	-	Ī	CN7
Δ13	_	1 × CH ₂ OH class II	_	II	CN5
A14	-		-	11 I	CN6
A15	-	-	-	I	CNG
A16	-	-	005		CN1
A17	1		003.50		CN1 CN2
A18	-	-	005,50	: T	CNS
A10	-	-	-	I	CINU CINU
A19	-	-	-	1	CN1 CN1
A20	-	-	-	1	UNI

Table 3: Evolutionary	phases	of	the in	ndividual	sources	in	Sgr	B2(M) and N	N.
•/										/	

Notes. When an H II region is not entirely contained within a source, it results in a non-integer quantity of H II regions. The CH_3OH class II maser, which is marked with an asterisk (*), is located at the edge of sources A04 and A05 and cannot be assigned to one of the two sources alone.

other emission belongs to a filament rather than a hot core, which would falsify the determination of the abundances as well. It should also be noted that the sources identified by Sánchez-Monge et al. (2017) sometimes consist of several individual hot cores.

The evolutionary sequences obtained from the different chemical clocks are described in Table 4, where the sources in each row are ordered from young to old (evolved). In addition to the abundance ratios described above, we also consider the abundance ratios of vibrationally excited molecules, as these species describe the innermost, hottest part of each source. The orders of the sources based on the ratios of vibrationally excited molecules are broadly consistent with the orders determined using the abundance ratios of non-vibrationally excited molecules. In general, we do not obtain a uniform order of the various sources in Sgr B2(M) and N. In the following discussion, the evolution phase of

Table 4: Evolutionary sequences of the individual sources in Sgr B2(M) and N.

Abundance Ratio:	Sou	irces	(youn	$g \longrightarrow$	old):														
Sgr $B2(M)$																			
SO / OCS	A24	A09	A02	A20	A26	A05	A07	A10	A13	A03	A01	A12	A06	A04	A14	A08			
SO_2 / SO	A20	A17	A26	A04	A10	A08	A05	A14	A09	A13	A12	A16	A06	A07	A03	A15	A01	A24	A02
SO_2 / OCS	A22	A20	A26	A09	A24	A10	A05	A07	A13	A03	A04	A01	A12	A02	A06	A08	A14		
$SO_2, v_2=1 / OCS, v_2=1$	A22	A20	A26	A07	A24	A09	A05	A03	A13	A04	A02	A12	A06	A08	A14				
CH ₃ CN / CH ₃ OH	A11	A24	A09	A26	A13	A10	A22	A20	A05	A27	A07	A03	A04	A23	A06				
$C_2H_3CN / HCCCN$	A02	A09	A01	A05	A07	A03	A10	A06	A04										
$C_2H_3CN, v_{10}=1 / HCCCN, v_7=2$	A02	A03	A01	A06															
$C_2H_5CN, v_{20}=1 / HCCCN, v_7=2$	A02	A03	A07	A01	A04	A05													
$C_2H_5CN / HNCO$	A06	A04	A13	A01	A02	A03	A07	A05	A09	A10									
CH_3CN / C_2H_5CN	A11	A10	A05	A13	A09	A07	A02	A03	A04	A01	A06								
C_2H_3CN / C_2H_5CN	A07	A05	A10	A09	A04	A02	A03	A06	A01										
$C_2H_3CN, v_{10}=1 / C_2H_5CN, v_{20}=1$	A03	A01	A02																
Sgr $B2(N)$																			
SO / OCS	A02	A03	A20	A04	A01	A06	A10	A08	A16	A05	A07	A17							
SO_2 / SO	A08	A05	A06	A17	A07	A10	A04	A02	A03	A01									
SO_2 / OCS	A08	A02	A06	A05	A03	A04	A10	A17	A07	A01									
$SO_2, v_2=1 / OCS, v_2=1$	A08	A06	A05	A02	A03	A07	A04	A01	A10										
CH ₃ CN / CH ₃ OH	A13	A08	A10	A05	A07	A04	A17	A03	A06	A02	A20	A01							
$C_2H_3CN / HCCCN$	A03	A06	A04	A02	A01	A08													
$C_2H_3CN, v_{10}=1 / HCCCN, v_7=2$	A06	A04	A02	A03	A01	A08													
$C_2H_5CN, v_{20}=1 / HCCCN, v_7=2$	A01	A03	A04	A02	A05														
$C_2H_5CN / HNCO$	A10	A01	A03	A08	A04	A06	A17	A02											
CH_3CN / C_2H_5CN	A02	A08	A03	A01	A04	A10	A06	A17	A07	A05									
C_2H_3CN / C_2H_5CN	A02	A06	A04	A03	A08	A01													
$C_2H_3CN, v_{10}=1 / C_2H_5CN, v_{20}=1$	A04	A02	A03	A01															

Notes. Evolutionary sequences of the individual sources in Sgr B2(M) and N based on abundance ratios of some chemical clocks. The sources in each row are ordered from young to old (evolved), whereby the absolute age is different for each row.

a source, as is described in Table 3, is indicated in round brackets.



Figure 10: Evolutionary phases as function of the distance from the center from the respective region for a) Sgr B2(M) and b) Sgr B2(N).

For sources in Sgr B2(M), sulfur-bearing molecule ratios suggest A20 (evolution phase I) and A26 (IV) as young sources, A03 (III), A13 (I) and A12 (I) as intermediate, and A14 (no classification) and A08 (IV) as evolved. These results largely align with previous analyses, with A26 being a notable exception, possibly due to its complex substructure. The H_{II} region, which is decisive for the classification of the source A26 into phase IV, only covers a small part of the source, so that it can be assumed that the source is not monolithic, but has a complex substructure consisting of several sources. Cyanide-based ratios, however, present a different picture, classifying A0 (IV), A01 (IV), and A10 (III) as young, A05 (II) and A07 (IV) as intermediate, and A03 (III), A04 (IV), and A06 (III) as evolved. These discrepancies may be attributed to the potentially complex substructures within these sources, many of which contain multiple HII regions and/or maser emissions.

In Sgr B2(N), our analysis using sulfur-bearing molecules indicates A08 (III) and A06 (I) as young sources, A04 (III) as intermediate, and A10 (V) as evolved, generally corroborating previous analyses except for A08. Conversely, cyanide-based ratios suggest A01 (IV) as young, A06 (I), A04 (III), and A02 (III) as intermediate, and A08 (III) as evolved. The disparities in classifications, particularly for A01 (IV) and A08 (III), may be attributed to their complex substructures.

Our study highlights the challenges in determining the evolutionary stages of sources within the Sgr B2 complex. The results of our analyses for each source in Sgr B2(M) and N are given in the Appendix K. The use of different chemical tracers can lead to varying age classifications, while the complex substructures of some sources contribute to discrepancies between different classification methods and previous analyses. These findings underscore the need for a multifaceted approach when studying the chemical evo-

lution of star-forming regions, taking into account both molecular abundances and structural complexities.

6. Conclusions

In this paper, we have described a comprehensive analysis of the molecular content of each hot core identified by Sánchez-Monge et al. (2017), where we took the complex interaction between molecular lines, dust attenuation, and free-free emission into account. We identified the chemical composition of the detected sources and derived physical parameters including column densities, temperatures, line widths, and velocities and determined their distributions, which can be used to draw conclusions about the source structure and possible connections to larger structures such as filaments. Finally, we estimated the age of the each hot core and identified correlations between sources using the PCA and the Kendall correlation coefficient analysis.

The hot cores in Sgr B2(N) exhibit a greater variety of complex molecules such as CH₃OCH₃, CH₃NH₂, or NH_2CHO , while the cores in M contain more lighter molecules like NO, SO, and SO₂. However, some sulfurbearing molecules such as H₂CS, CS, NS, and OCS are more abundant in N than in M. In both regions, the inner sources were found to be more evolved than the outer sources, with a few exceptions. Furthermore, some sources in Sgr B2(N) seem to be embedded in filaments connecting different sources. These filaments seem to be quite warm, as we can find their possible contributions in the emission spectra of the individual sources. So far, however, such a filamentary structure has not yet been identified in Sgr B2(M), but the distributions of the fit parameters suggest that filaments can also be found in Sgr B2(M). The contribution of the filaments also influences the age determinations of each core. Assuming that sources that are at the same evolutionary phase also have a similar molecular composition, the contribution of filaments distorts this correlation and the results of the chemical clock, PCA and Kendall coefficient analysis may give incorrect results. In addition, the emission spectra of many sources located further out in Sgr B2(M) and N show a significantly lower signal-to-noise ratio than the inner sources, which makes the identification of molecules and the determination of physical parameters more difficult. This in turn can also lead to incorrect conclusions about the age and possible correlations between individual sources. The classification of sources into different evolutionary stages based on characteristic features such as masers, outflows, or H II regions can also be falsified by various circumstances. For example, non-Gaussian line shapes can be caused not only by outflows but also by infall motions. Furthermore, the emission spectra of each source were averaged over several pixels, so that not every source is caused by a single protostar. This complex source structure can also be seen in the fact that some sources contain multiple masers and HII regions.

Acknowledgements. This work was supported by the Deutsche Forschungsgemeinschaft (DFG) through grant Collaborative Research Centre 956 (subproject A6 and C3, project ID 184018867) and from BMBF/Verbundforschung through the projects ALMA-ARC 05A14PK1 and ALMA-ARC 05A20PK1. A.S.-M. acknowledges support from the RyC2021-032892-I grant funded by MCIN/AEI/10.13039/501100011033 and by the European Union 'Next GenerationEU'/PRTR, as well as the program Unidad de Excelencia María de Maeztu CEX2020-001058-M, and support from the PID2020-117710GB-I00 (MCI-AEI-FEDER,

UE). This paper makes use of the following ALMA data: ADS/JAO.ALMA#2013.1.00332.S. ALMA is a partnership of ESO (representing its member states), NSF (USA) and NINS (Japan), together with NRC (Canada), MOST and ASIAA (Taiwan), and KASI (Republic of Korea), in cooperation with the Republic of Chile. The Joint ALMA Observatory is operated by ESO, AUI/NRAO and NAOJ. In order to do the analysis and plots, we used the Python packages scipy, numpy, pandas, matplotlib, astropy, spectral_cube, regions, aplpy, seaborn, and scikit-learn.

References

- Acharyya, K. & Herbst, E. 2018, ApJ, 859, 51
- Allegrinia, M., Johns, J. W. C., & McKellar, A. R. W. 1979, J. Chem. Phys., 70, 2829
- ALMA Partnership, Fomalont, E. B., Vlahakis, C., et al. 2015, ApJ, 808, L1
- Anderl, S., Guillet, V., Pineau des Forêts, G., & Flower, D. R. 2013, A&A, 556, A69
- Apponi, A. J. & Ziurys, L. M. 1997, ApJ, 481, 800
- Arce, H. G., Shepherd, D., Gueth, F., et al. 2007, in Protostars and Planets V, ed. B. Reipurth, D. Jewitt, & K. Keil, 245
- Bakker, E. J., Waters, L. B. F. M., Lamers, H. J. G. L. M., Trams, N. R., & van der Wolf, F. L. A. 1996, A&A, 310, 893
- Balucani, N., Ceccarelli, C., & Taquet, V. 2015, MNRAS, 449, L16
- Barone, V., Latouche, C., Skouteris, D., et al. 2015, MNRAS, 453, L31
- Barr, A. G., Boogert, A., DeWitt, C. N., et al. 2018, ApJ, 868, L2
- Belloche, A., Garrod, R. T., Müller, H. S. P., & Menten, K. M. 2014,
- Science, 345, 1584
 Belloche, A., Garrod, R. T., Müller, H. S. P., et al. 2009, A&A, 499, 215
- Belloche, A., Garrod, R. T., Müller, H. S. P., et al. 2019, A&A, 628, A10
- Belloche, A., Müller, H. S. P., Garrod, R. T., & Menten, K. M. 2016, A&A, 587, A91
- Belloche, A., Müller, H. S. P., Menten, K. M., Schilke, P., & Comito, C. 2013, A&A, 559, A47
- Bengfort, B. & Bilbro, R. 2019, Journal of Open Source Software, 4, 1075
- Beuther, H., Semenov, D., Henning, T., & Linz, H. 2008, ApJ, 675, L33
- Bisschop, S. E., Jørgensen, J. K., van Dishoeck, E. F., & de Wachter, E. B. M. 2007, A&A, 465, 913
- Blair, S. K., Magnani, L., Brand, J., & Wouterloot, J. G. A. 2008, Astrobiology, 8, 59
- Blake, G. A., Mundy, L. G., Carlstrom, J. E., et al. 1996, ApJ, 472, L49
- Boger, G. I. & Sternberg, A. 2005, ApJ, 632, 302
- Bonfand, M., Belloche, A., Garrod, R. T., et al. 2019, A&A, 628, A27 Bonfand, M., Belloche, A., Menten, K. M., Garrod, R. T., & Müller,
- H. S. P. 2017, A&A, 604, A60 Cabezas, C., Endo, Y., & Cernicharo, J. 2021, Journal of Molecular
- Spectroscopy, 377, 111448
- Canelo, C. M., Bronfman, L., Mendoza, E., et al. 2021, MNRAS, 504, 4428
- Caswell, J. L. 1996, MNRAS, 283, 606
- Ceccarelli, C., Loinard, L., Castets, A., et al. 2001, A&A, 372, 998
- Cesaroni, R. & Walmsley, C. M. 1991, A&A, 241, 537
- Chantzos, J., Rivilla, V. M., Vasyunin, A., et al. 2020, A&A, 633, A54
- Chapman, J. F., Millar, T. J., Wardle, M., Burton, M. G., & Walsh, A. J. 2009, MNRAS, 394, 221
- Charnley, S. 2004, Advances in Space Research, 33, 23, space Life Sciences: Steps Toward Origin(s) of Life
- Charnley, S. B. 1997, ApJ, 481, 396
- Charnley, S. B. & Rodgers, S. D. 2008, Space Sci. Rev., 138, 59
- Codella, C., Lorenzani, A., Gallego, A. T., Cesaroni, R., & Moscadelli, L. 2004, A&A, 417, 615
- Corby, J. F., Jones, P. A., Cunningham, M. R., et al. 2015, MNRAS, 452, 3969
- Costagliola, F. & Aalto, S. 2010, A&A, 515, A71
- Coutens, A., Willis, E. R., Garrod, R. T., et al. 2018, A&A, 612, A107
- Cummins, S. E., Linke, R. A., & Thaddeus, P. 1986, ApJS, 60, 819
- De Pree, C. G., Peters, T., Mac Low, M. M., et al. 2014, ApJ, 781, L36
- De Pree, C. G., Peters, T., Mac Low, M. M., et al. 2015, ApJ, 815, 123

- Dickinson, D. F. & Kuiper, E. N. R. 1981, ApJ, 247, 112
- Doddipatla, S., He, C., Goettl, S. J., et al. 2021, Science Advances, 7, eabg7003
- Duvernay, F., Chiavassa, T., Borget, F., & Avcard, J.-P. 2005, The Journal of Physical Chemistry A, 109, 603, pMID: 16833385
- Elitzur, M., Hollenbach, D. J., & McKee, C. F. 1989, ApJ, 346, 983
- Ellingsen, S. P., Voronkov, M. A., Cragg, D. M., et al. 2007, in Astrophysical Masers and their Environments, ed. J. M. Chapman & W. A. Baan, Vol. 242, 213-217
- Endres, C. P., Schlemmer, S., Schilke, P., Stutzki, J., & Müller, H. S. P. 2016, Journal of Molecular Spectroscopy, 327, 95
- Enrique-Romero, J., Álvarez-Barcia, S., Kolb, F. J., et al. 2020, MNRAS, 493, 2523
- Enrique-Romero, J., Rimola, A., Ceccarelli, C., & Balucani, N. 2016, MNRAS, 459, L6
- Fabricant, B., Krieger, D., & Muenter, J. S. 1977, J. Chem. Phys., 67, 1576
- Feketeová, L., Pelc, A., Ribar, A., Huber, S. E., & Denifl, S. 2018, A&A, 617, A102
- Fontani, F., Cesaroni, R., & Furuya, R. S. 2010, A&A, 517, A56
- Fontani, F., Roueff, E., Colzi, L., & Caselli, P. 2023, A&A, 680, A58 Foreman-Mackey, D. 2016, The Journal of Open Source Software, 1, 24
- Foreman-Mackey, D., Hogg, D. W., Lang, D., & Goodman, J. 2013, PASP, 125, 306
- Friedel, D. N., Snyder, L. E., Turner, B. E., & Remijan, A. 2004, ApJ, 600, 234
- Fuller, G. A., Williams, S. J., & Sridharan, T. K. 2005, A&A, 442, 949
- Gans, B., Boyé-Péronne, S., Garcia, G. A., et al. 2017, The Journal of Physical Chemistry Letters, 8, 4038, pMID: 28796511
- Garrod, R. T., Belloche, A., Müller, H. S. P., & Menten, K. M. 2017, A&A, 601, A48
- Garrod, R. T. & Herbst, E. 2006, A&A, 457, 927
- Garrod, R. T., Jin, M., Matis, K. A., et al. 2022, ApJS, 259, 1
- Gaume, R. A. & Claussen, M. J. 1990, ApJ, 351, 538
- Gaume, R. A., Claussen, M. J., de Pree, C. G., Goss, W. M., & Mehringer, D. M. 1995, ApJ, 449, 663
- Gieser, C., Beuther, H., Semenov, D., et al. 2021, A&A, 648, A66
- Goldsmith, P. F., Lis, D. C., Lester, D. F., & Harvey, P. M. 1992, ApJ, 389, 338
- Goodman, J. & Weare, J. 2010, Communications in Applied Mathematics and Computational Science, 5, 65
- Gratier, P., Bron, E., Gerin, M., et al. 2017, A&A, 599, A100
- Gravity Collaboration, Abuter, R., Amorim, A., et al. 2019, A&A, 625, L10
- Gusdorf, A., Cabrit, S., Flower, D. R., & Pineau Des Forêts, G. 2008, A&A, 482, 809
- Hartigan, J. & Wong, M. 1979, Applied Statistics, 28, 100
- Hatchell, J., Fuller, G. A., & Millar, T. J. 2001, A&A, 372, 281
- Hatchell, J., Thompson, M. A., Millar, T. J., & MacDonald, G. H. 1998, A&A, 338, 713
- Henshaw, J. D., Barnes, A. T., Battersby, C., et al. 2023, in Astronomical Society of the Pacific Conference Series, Vol. 534, Protostars and Planets VII, ed. S. Inutsuka, Y. Aikawa, T. Muto, K. Tomida, & M. Tamura, 83
- Herbst, E. & Klemperer, W. 1973, ApJ, 185, 505
- Herbst, E. & Leung, C. M. 1989, ApJS, 69, 271
- Herbst, E. & van Dishoeck, E. F. 2009, ARA&A, 47, 427
- Herpin, F., Marseille, M., Wakelam, V., Bontemps, S., & Lis, D. C. 2009, A&A, 504, 853
- Higuchi, A. E., Chibueze, J. O., Habe, A., Takahira, K., & Takano, S. 2014, AJ, 147, 141
- Hoffman, I. M., Goss, W. M., & Palmer, P. 2007, ApJ, 654, 971
- Hollis, J. M., Jewell, P. R., Lovas, F. J., Remijan, A., & Møllendal, H. 2004, ApJ, 610, L21
- Hu, B., Menten, K. M., Wu, Y., et al. 2016, ApJ, 833, 18 $\,$
- Humire, P. K., Thiel, V., Henkel, C., et al. 2020, A&A, 642, A222
- Hüttemeister, S., Henkel, C., Mauersberger, R., et al. 1995, A&A, 295, 571
- Hüttemeister, S., Wilson, T. L., Mauersberger, R., et al. 1995, A&A, 294.667
- Ilyushin, V. & Lovas, F. J. 2007, Journal of Physical and Chemical Reference Data, 36, 1141
- Juvela, M., Harju, J., Ysard, N., & Lunttila, T. 2012, A&A, 538, A133 Kendall, M. G. 1938, Biometrika, 30, 81
- Kim, W. J., Schilke, P., Neufeld, D. A., et al. 2023, A&A, 670, A111

- Kraśnicki, A. & Kisiel, Z. 2011, Journal of Molecular Spectroscopy, 270, 83
- Kurtz, S., Cesaroni, R., Churchwell, E., Hofner, P., & Walmsley, C. M. 2000, in Protostars and Planets IV, ed. V. Mannings, A. P. Boss, & S. S. Russell, 299–326
- Ligterink, N. F. W., Calcutt, H., Coutens, A., et al. 2018, A&A, 619, A28
- Ligterink, N. F. W., Tenenbaum, E. D., & van Dishoeck, E. F. 2015, A&A, 576, A35
- Lis, D. C. & Goldsmith, P. F. 1989, ApJ, 337, 704
- Lis, D. C., Schilke, P., Bergin, E. A., et al. 2014, ApJ, 785, 135
- Liszt, H. & Lucas, R. 2001, A&A, 370, 576
- Liu, S.-Y., Mehringer, D. M., & Snyder, L. E. 2001, ApJ, 552, 654
- López-Sepulcre, A., Jaber, A. A., Mendoza, E., et al. 2015, MNRAS, 449, 2438
- Lu, X., Mills, E. A. C., Ginsburg, A., et al. 2019, ApJS, 244, 35
- Lu, X., Zhang, Q., Kauffmann, J., et al. 2017, in IAU Symposium, Vol. 322, The Multi-Messenger Astrophysics of the Galactic Centre, ed. R. M. Crocker, S. N. Longmore, & G. V. Bicknell, 99-102
- Maksyutenko, P., Zhang, F., Gu, X., & Kaiser, R. I. 2011, Phys. Chem. Chem. Phys., 13, 240
- Maluendes, S. A., McLean, A. D., & Herbst, E. 1993, ApJ, 417, 181
- Marquardt, D. W. 1963, Journal of the Society for Industrial and Applied Mathematics, 11, 431
- Martín-Pintado, J., Gaume, R. A., Rodríguez-Fernández, N., de Vicente, P., & Wilson, T. L. 1999, ApJ, 519, 667
- Matsumoto, N., Hirota, T., Sugiyama, K., et al. 2014, ApJ, 789, L1 McAllister, T. 1978, ApJ, 225, 857
- McClure, M. K., Rocha, W. R. M., Pontoppidan, K. M., et al. 2023, Nature Astronomy, 7, 431
- McGonagle, D., Irvine, W. M., & Ohishi, M. 1994, ApJ, 422, 621
- McGrath, E. J., Goss, W. M., & De Pree, C. G. 2004, ApJS, 155, 577
- McMullin, J. P., Waters, B., Schiebel, D., Young, W., & Golap, K. 2007, in Astronomical Society of the Pacific Conference Series, Vol. 376, Astronomical Data Analysis Software and Systems XVI, ed. R. A. Shaw, F. Hill, & D. J. Bell, 127
- Mehringer, D. M., Goss, W. M., & Palmer, P. 1994, ApJ, 434, 237
- Mehringer, D. M. & Menten, K. M. 1997, ApJ, 474, 346
- Mehringer, D. M., Snyder, L. E., Miao, Y., & Lovas, F. J. 1997, ApJ,
- 480. L71
- Mei, Y., Chen, X., Shen, Z.-Q., & Li, B. 2020, ApJ, 898, 157
- Meier, D. S. & Turner, J. L. 2005, ApJ, 618, 259
- Meng, F., Sánchez-Monge, Á., Schilke, P., et al. 2022, A&A, 666, A31
- Meng, F., Sánchez-Monge, Á., Schilke, P., et al. 2019, A&A, 630, A73 Millar, T. J., Adams, N. G., Smith, D., & Clary, D. C. 1985, MNRAS, $216,\,1025$
- Millar, T. J., Adams, N. G., Smith, D., Lindinger, W., & Villinger, H. 1986, MNRAS, 221, 673
- Millar, T. J. & Herbst, E. 1990, A&A, 231, 466
- Mills, E. A. C., Ginsburg, A., Clements, A. R., et al. 2018, ApJ, 869, L14
- Minh, Y. C., Liu, H. B., & Galvań-Madrid, R. 2016, ApJ, 824, 99
- Minh, Y. C., Liu, H. B., Galvań-Madrid, R., et al. 2018, ApJ, 864, 102
- Mininni, C., Fontani, F., Rivilla, V. M., et al. 2018, MNRAS, 476, L39
- Möller, T., Bernst, I., Panoglou, D., et al. 2013, A&A, 549, A21
- Möller, T., Endres, C., & Schilke, P. 2017, A&A, 598, A7
- Möller, T., Schilke, P., Sánchez-Monge, Á., Schmiedeke, A., & Meng, F. 2023, A&A, 676, A121
- Möller, T., Schilke, P., Schmiedeke, A., et al. 2021, A&A, 651, A9
- Morita, K.-I., Hasegawa, T., Ukita, N., Okumura, S. K., & Ishiguro, M. 1992, PASJ, 44, 373
- Mota, V. C., Varandas, A. J. C., Mendoza, E., Wakelam, V., & Galvão, B. R. L. 2021, ApJ, 920, 37
- Müller, H. S. P., Schlöder, F., Stutzki, J., & Winnewisser, G. 2005, Journal of Molecular Structure, 742, 215
- Müller, H. S. P., Thorwirth, S., Roth, D. A., & Winnewisser, G. 2001,
- A&A, 370, L49 Neill, J. L., Bergin, E. A., Lis, D. C., et al. 2014, ApJ, 789, 8
- Ngo, T. L. 2022, PhD thesis, Universität zu Köln Niedenhoff, M., Yamada, K. M. T., Belov, S. P., & Winnewisser, G. 1995, Journal of Molecular Spectroscopy, 174, 151
- Noble, J. A., Theule, P., Congiu, E., et al. 2015, A&A, 576, A91
- Nummelin, A., Bergman, P., Hjalmarson, Å., et al. 1998, ApJS, 117, 427
- Ohashi, N. & Hougen, J. T. 1987, Journal of Molecular Spectroscopy, 121, 474

- Parzen, E. 1962, Ann. Math. Statist., 33, 1065
- Pearson, K. 1901, Philosophical Magazine, 2, 559
- Pedregosa, F., Varoquaux, G., Gramfort, A., et al. 2011, Journal of Machine Learning Research, 12, 2825
- Pickett, H. M., Poynter, R. L., Cohen, E. A., et al. 1998, J. Quant. Spec. Radiat. Transf., 60, 883
- Pickles, J. B. & Williams, D. A. 1977, Ap&SS, 52, 453
- Pilling, S., Baptista, L., Boechat-Roberty, H. M., & Andrade, D. P. P. 2011, Astrobiology, 11, 883
- Podio, L., Lefloch, B., Ceccarelli, C., Codella, C., & Bachiller, R. 2014, A&A, 565, A64
- Pols, S., Schwörer, A., Schilke, P., et al. 2018, A&A, 614, A123
- Qin, S. L., Schilke, P., Rolffs, R., et al. 2011, A&A, 530, L9
- Ramal-Olmedo, J. C., Menor-Salván, C. A., & Fortenberry, R. C. 2021, A&A, 656, A148
- Rivilla, V. M., Drozdovskaya, M. N., Altwegg, K., et al. 2020, MNRAS, 492, 1180
- Rodgers, S. D. & Charnley, S. B. 2001, ApJ, 546, 324
- Rosenblatt, M. 1956, Ann. Math. Statist., 27, 832
- Sánchez-Monge, Á., Schilke, P., Ginsburg, A., Cesaroni, R., & Schmiedeke, A. 2018, A&A, 609, A101
- Sánchez-Monge, Á., Schilke, P., Schmiedeke, A., et al. 2017, A&A, 604. A6
- Schilke, P., Groesbeck, T. D., Blake, G. A., Phillips, & T. G. 1997, ApJS, 108, 301
- Schmiedeke, A., Schilke, P., Möller, T., et al. 2016, A&A, 588, A143 Schwörer, A., Sánchez-Monge, Á., Schilke, P., et al. 2019, A&A, 628,
- A6
- Shiki, S. & Deguchi, S. 1997, ApJ, 478, 206
- Shingledecker, C. N., Lamberts, T., Laas, J. C., et al. 2020, ApJ, 888, 52
- Sil, M., Gorai, P., Das, A., et al. 2018, ApJ, 853, 139
- Silverman, B. W. 1986, Density estimation for statistics and data analysis
- Sinclair, M. W., Carrad, G. J., Caswell, J. L., Norris, R. P., & Whiteoak, J. B. 1992, MNRAS, 256, 33P
- Singh, P. S. & Maciel, W. J. 1980, Ap&SS, 68, 87
- Smith, I. W. M., Herbst, E., & Chang, Q. 2004, MNRAS, 350, 323
- Sobolev, A. M., Cragg, D. M., & Godfrey, P. D. 1997, A&A, 324, 211
- Spearman, C. 1904, The American Journal of Psychology, 15, 72
- Sutton, E. C., Jaminet, P. A., Danchi, W. C., & Blake, G. A. 1991, ApJS, 77, 255
- Taniguchi, K., Guzmán, A. E., Majumdar, L., Saito, M., & Tokuda, K. 2020, ApJ, 898, 54
- Taniguchi, K., Miyamoto, Y., Saito, M., et al. 2018, ApJ, 866, 32
- Taniguchi, K., Saito, M., & Ozeki, H. 2016, ApJ, 830, 106
- Taquet, V., Wirström, E. S., & Charnley, S. B. 2016, ApJ, 821, 46
- Thorndike, R. L. 1953, Psychometrika, 18, 267
- Turner, B. E. 1989, ApJS, 70, 539
- Turner, B. E. 1992, ApJ, 396, L107
- Turner, B. E. 1998, ApJ, 501, 731
- Turner, B. E., Tsuji, T., Bally, J., Guelin, M., & Cernicharo, J. 1990, ApJ, 365, 569
- van der Tak, F. F. S. 2004, in Star Formation at High Angular Resolution, ed. M. G. Burton, R. Jayawardhana, & T. L. Bourke, Vol. 221, 59
- van der Walt, J. 2005, MNRAS, 360, 153
- van Dishoeck, E. F. 2018, IAU Symposium, 332, 3
- van Dishoeck, E. F., Kristensen, L. E., Mottram, J. C., et al. 2021, A&A, 648, A24
- Vasyunin, A. I., Semenov, D. A., Wiebe, D. S., & Henning, T. 2009, ApJ, 691, 1459
- Vasyunina, T., Linz, H., Henning, T., et al. 2011, A&A, 527, A88
- Vidal, T. H. G. & Wakelam, V. 2018, MNRAS, 474, 5575
- Virtanen, P., Gommers, R., Oliphant, T. E., et al. 2020, Nature Methods, 17, 261
- Wakelam, V., Caselli, P., Ceccarelli, C., Herbst, E., & Castets, A. 2004a, A&A, 422, 159
- Wakelam, V., Castets, A., Ceccarelli, C., et al. 2004b, A&A, 413, 609
- Wakelam, V., Hersant, F., & Herpin, F. 2011, A&A, 529, A112
- Walmsley, C. M. & Schilke, P. 1993, in Dust and Chemistry in Astronomy, ed. T. J. Millar & D. A. Williams, 37
- Wang, Y., Du, F., Semenov, D., Wang, H., & Li, J. 2021, A&A, 648, A72
- Watanabe, N., Shiraki, T., & Kouchi, A. 2003, ApJ, 588, L121
- Whiteoak, J. B., Gardner, F. F., Forster, J. R., Palmer, P., & Pankonin, V. 1987, in IAU Symposium, Vol. 115, Star Forming Regions, ed. M. Peimbert & J. Jugaku, 161

- Wiebe, D. Z., Kirsanova, M. S., Shustov, B. M., & Pavlyuchenkov, Y. N. 2008, Astronomy Reports, 52, 976
- Williams, A. & Ibrahim, I. T. 1981, Chemical Reviews, 81, 589
- Wilson, A. V., Parker, D. S. N., Zhang, F., & Kaiser, R. I. 2012, Physical Chemistry Chemical Physics (Incorporating Faraday) Transactions), 14, 477
- Wilson, T. L. & Rood, R. 1994, ARA&A, 32, 191
- Wright, M. C. H., Plambeck, R. L., & Wilner, D. J. 1996, ApJ, 469, 216
- Wu, Y., Zhang, Q., Yu, W., et al. 2006, A&A, 450, 607
- Yamada, M., Osamura, Y., & Kaiser, R. I. 2002, A&A, 395, 1031 Yan, Y. T., Henkel, C., Menten, K. M., et al. 2022a, A&A, 666, L15
- Yan, Y. T., Henkel, C., Menten, K. M., et al. 2022b, A&A, 659, A5
- Yang, W., Gong, Y., Menten, K. M., et al. 2023, A&A, 675, A112 Yusef-Zadeh, F., Cotton, W., Wardle, M., & Intema, H. 2016, ApJ,
- 819, L35 Zapata, L. A., Menten, K., Reid, M., & Beuther, H. 2009, ApJ, 691,
- 332
- Zeng, S., Jiménez-Serra, I., Rivilla, V. M., et al. 2018, MNRAS, 478, 2962

Appendix A: Spectra of hot cores



Figure A.1: Continuum subtracted observational spectrum of each hot core A01 - A27 in Sgr B2(M). The scaling factor for each spectrum is given on the right side of the corresponding core name, if the factor is different from one. The offset between the different spectra is set to 450.



Figure A.2: Continuum subtracted observational spectrum of each hot core A01 – A20 in Sgr B2(N). The scaling factor for each spectrum is given on the right side of the corresponding core name, if the factor is different from one. The offset between the different spectra is set to 250.

Appendix B: Fitted spectra of hot cores



Figure B.1: Excerpts from the ALMA survey of Sgr B2(M). Here, the observed spectrum of each core is shown in blue together with the full model in red. On the right sight of each spectrum the name of the corresponding core is described together with the applied scaling factor (in round brackets).



Figure B.2: Excerpts from the ALMA survey of Sgr B2(N). Here, the observed spectrum of each core is shown in blue together with the full model in red. On the right sight of each spectrum the name of the corresponding core is described together with the applied scaling factor (in round brackets).

Appendix C: Error estimation



Figure C.1: Corner plot (Foreman-Mackey 2016) showing the one and two dimensional projections of the posterior probability distributions of the model parameters for OCS of core A03 in Sgr B2(M). On top of each column the probability distribution for each free parameter is shown together with the value of the 50 % quantile (median) and the corresponding left and right errors. The black dashed lines indicate the lower and upper limits of the corresponding highest posterior density (HPD) interval, respectively. The median is shown in blue, while the dashed orange lines indicate the parameter values of the best fit. For very asymmetric distributions, the parameter values of the best fit are at quite some distance from the median, at or even beyond the limits of the HPD interval. The plots in the lower left corner describe the projected 2D histograms of two parameters and the contours the HPD regions, respectively. In order to get a better estimation of the errors, we determine the error of the column density on log scale and use the velocity offset (v_{off}) related to the source velocity of $v_{LSR} = 64 \text{ km s}^{-1}$.



Figure C.2: Corner plot (Foreman-Mackey 2016) showing the one and two dimensional projections of the posterior probability distributions of the model parameters for CH₃CN of core A03 in Sgr B2(M). On top of each column the probability distribution for each free parameter is shown together with the value of the 50 % quantile (median) and the corresponding left and right errors. The black dashed lines indicate the lower and upper limits of the corresponding highest posterior density (HPD) interval, respectively. The median is shown in blue, while the dashed orange lines indicate the parameter values of the best fit. For very asymmetric distributions, the parameter values of the best fit are at quite some distance from the median, at or even beyond the limits of the HPD interval. The plots in the lower left corner describe the projected 2D histograms of two parameters and the contours the HPD regions, respectively. In order to get a better estimation of the errors, we determine the error of the column density on log scale and use the velocity offset (v_{off}) related to the source velocity of $v_{LSR} = 64 \text{ km s}^{-1}$.





Figure D.1: The abundances of each source in Sgr B2(M) projected onto a pair of principal components. The colors indicate the different classes identified by the k-means clustering algorithm.



Figure D.2: The abundances of each source in Sgr B2(N) projected onto a pair of principal components. The colors indicate the different classes identified by the k-means clustering algorithm.



Figure D.3: First six eigenvectors of abundances in Sgr B2(M).



Figure D.4: First six eigenvectors of abundances in Sgr B2(N).



Figure D.5: Mean abundances for each identified cluster in Sgr B2(M).



Figure D.6: Mean abundances for each identified cluster in Sgr B2(N).



Figure D.7: Mean temperature for each identified cluster in Sgr B2(M).



Figure D.8: Mean temperature for each identified cluster in Sgr B2(N).

Appendix E: Identified species

E.1. Simple O-bearing Molecules

CO. Atomic carbon and atomic oxygen become mobile when the temperature is increased to ~15 K, which results in the formation of surface carbon monoxide (CO) via reaction between these atoms. CO and three of its isotopologues ¹³CO, C¹⁷O, and C¹⁸O are clearly identified, see Figs. F.1 - F.2, while ¹³C¹⁷O, ¹³C¹⁸O and the vibrational excited states CO,v=1 and CO,v=2 are not detected. Only the (J = 2 - 1, $E_{\text{low}} = 5.5$ K) of CO is covered by our observation and shows broad absorption features for many sources in Sgr B2(M) and N. Due to the fact that only a single transition is covered by our observation and due to the large optical depth a reliable temperature estimation of CO and its isotopologues is not possible. For sources in Sgr B2(M), the highest abundance is two order of magnitude lower than in Möller et al. (2021).

 CH_3OH . Methanol (CH_3OH) is mainly formed through the hydrogenation of CO on grain surfaces, which requires high temperatures (~ 90 K) (Watanabe et al. (2003), Meier & Turner (2005)). This and subsequent evaporation at higher temperature makes methanol a warm molecular gas tracer. (An alternative formation process occurs by photodissociative recombination of $CH_3OH_2^+$, which results from radiative association of CH_3 with water molecules (H_2O) (Turner 1998). However, since this process is very slow, it seems unlikely that it can be responsible for the high abundances of methanol found in our analysis, see Figs. H.2 -H.3). 253 transitions of methanol (CH₃OH) are included in our survey with lower energies ranging from 12.5 K (J_{K_a,K_c} $= 1_{1,0} - 2_{1,2}$) up to 2405 K ($J_{K_a,K_c} = 39_{11,28} - 40_{10,30}$). Here, we do not distinguish between the two nuclear-spin states, depending on the net spin of the three protons of the CH_3 group. CH_3OH is seen in all sources in Sgr B2(M) and N, see Fig. F.3, where the interaction of torsional and rotational motions leads to multiple energy states and complex spectra. For some sources, CH₃OH is found only in emission (e.g. A09 in Sgr B2(M)), or only in absorption (e.g. A01 in Sgr B2(M)), or as combination of emission and absorption features (e.g. A13 in Sgr B2(N)). Additionally, we identified torsionally excited $CH_3OH, v_{12}=1$ in some sources in Sgr B2(M) and N, see Fig. F.4. The ¹³CH₃OH isotopologue is clearly identified in only a few sources in Sgr B2(M) and N, see Fig. F.5. The other isotopologues $CH_3^{18}OH$ and deuterated methanol were not detected. For each source we fit methanol, its vibrational excited state CH₃OH,v₁₂=1 (if included), and the ${}^{13}CH_3OH$ isotopologue by the same model, i.e. we use for all three molecules the same number of components and parameters, except that the column density of the ¹³CH₃OH isotopologue is scaled by the aforementioned ${}^{12}C/{}^{13}C$ ratio. Here, we use at least two components for each source in Sgr B2(M) and N to model the contribution of CH_3OH , except in source A16 in Sgr B2(N), where only a single component was used. The range of derived excitation temperatures for sources in Sgr B2(M) agrees quite well with Möller et al. (2021). For sources in Sgr B2(N), we obtain a much broader range of temperatures, where especially outlying sources show much lower excitation temperatures compared to Bonfand et al. (2017). While the range of abundances for sources in Sgr B2(N) agrees well with previous studies, sources in Sgr B2(M) show abundances that are up to two orders of magnitude larger than in the previous study of Möller et al. (2021), which may be caused by the different H_2 column densities and different beams. Additionally, class I (Mehringer & Menten 1997) and class II methanol masers (Caswell (1996), Hu et al. (2016), Lu et al. (2019)) were detected towards some sources in Sgr B2(M) and N as well, see Sect. 5.3.1.

 H_2CO . Due to its ubiquity, formaldehyde (H_2CO) and some of its isotopologues (e.g., $H_2^{13}CO$; $H_2C^{17}O$ or $H_2C^{18}O$, Blair et al. 2008) are used to determine, among other things, the kinetic temperature and density in starforming regions (Wiebe et al. 2008). Formaldehyde is considered a crucial chemical intermediate in the formation pathways leading to complex organic molecules at low temperatures (Barone et al. 2015). Between 20 K and ~ 250 K, H_2CO is formed in the gas-phase, while below 20 K (the CO snow line), H₂CO is created on surfaces of icy dust grains by a double hydrogenation process of CO (Gieser et al. (2021), Ramal-Olmedo et al. (2021)). After heating up the dust, a sublimation process takes place in which formaldehyde is desorbed from the grains and enters the gas phase. Moreover, CO hydrogenation appears to be 250 times more efficient in H₂O-rich ice than in CO-rich ice mantles, as estimated by Ceccarelli et al. (2001). The frequency ranges covered by our observations contain 30 transitions of H_2CO . The four lowest-energy transitions $J_{K_a,K_c} = 3_{0,3} - 2_{0,2}$ $(E_{\text{low}} = 10.5 \text{ K}), J_{K_a,K_c} = 3_{1,3} - 2_{1,2} (E_{\text{low}} = 21.9 \text{ K}), J_{K_a,K_c} = 3_{1,2} - 2_{1,1} (E_{\text{low}} = 22.6 \text{ K}), \text{and } J_{K_a,K_c} = 3_{2,1} - 2_{2,0} (E_{\text{low}} = 57.6 \text{ K}) \text{ show deep absorptions in almost all}$ sources in Sgr B2(M) and N, see Fig. F.6, where the absorption depth is greatest for the inner sources. Additionally, the transitions $J_{K_a,K_c} = 9_{1,8} - 9_{1,9}$ ($E_{\text{low}} = 163.6$ K) and $J_{K_a,K_c} = 10_{1,9} - 10_{1,10}$ ($E_{\text{low}} = 197.3$ K) are seen in emission for the inner sources in Sgr B2(M). From the five isotopologues $H_2^{13}CO$, $H_2C^{17}O$, HDCO, HD¹³CO, and $HDC^{18}O$, we could identify only $H_2^{13}CO$ in many inner sources of Sgr B2(M) and N, see Fig. F.7. The contributions of the other isotopologues are tiny and strongly blended by other molecules. We use at least two components for each source in Sgr B2(M) and N to model the contribution of formaldehyde, except in source A02 and A18 in Sgr B2(N), where only a single component was used. Compared to other analyses, we find a much broader range of excitation temperatures and much higher abundances, which could be due to the higher spatial resolution of our observations and the different H_2 column densities. Additionally, sources A01 and A02 in Sgr B2(M) and A02 and A08 in Sgr B2(N) contain H_2CO masers (Whiteoak et al. (1987), Mehringer et al. (1994), Hoffman et al. (2007), Lu et al. (2019)), Sect. 5.3.1.

H₂**CCO**. Ketene (CH₂CO, C₂H₂O, or H₂CCO), also called ethenone, is a 16-valence electron molecule. Although it is not a COM because COMs consist of at least six atoms, it is an important oxygen-bearing organic compound that acts as a COM precursor due to the presence of unsaturated CC and CO bonds. The formation chemistry of ketene (CH₂CO, C₂H₂O, or H₂CCO) is unclear (Enrique-Romero et al. (2016), Enrique-Romero et al. (2020)). Several solid-state mechanisms, such as radical associations, O-atom additions, and hydroxylation have been proposed (Charnley (2004), Balucani et al. (2015), Taquet et al. (2016)). Our observations contain 73 transitions of H₂CCO with lower energies ranging from 53.3 K ($J_{K_a,K_c} = 11_{0,11} - 10_{0,10}$) up to 1933 K ($J_{K_a,K_c} = 13_{12,1} - 12_{12,0}$). Here we do not distinguish between ortho and para states. Ketene is clearly detected by emission and absorption features in more or

Table E.1: Comparison of temperature T_{rot} and abundance $X = N(x)/N(H_2)$ ranges for species identified in sources in Sgr B2(M).

molecule:	T_{rot}^{min} (K) – T_{rot}^{max} (K):	$T_{rot,ref}^{min}$ (K) – $T_{rot,ref}^{max}$ (K):	$X^{\min} - X^{\max}$:	$X_{ref}^{min} - X_{ref}^{max}$:
СО	-	-	$1 \cdot 10^{-11} (A01) - 3 \cdot 10^{-5} (A15)$	$5 \cdot 10^{-10} - 4 \cdot 10^{-3(a)}$
CH ₃ OH	8 (A10) – 337 (A22)	$3 - 308^{(a)}$	$7 \cdot 10^{-12}$ (A23) $- 2 \cdot 10^{-6}$ (A05)	$7 \cdot 10^{-10} - 2 \cdot 10^{-8(a)}$
H_2CO	5(A22) - 369(A13)	$43 - 74^{(a)}$	$2 \cdot 10^{-13}$ (A13) $- 3 \cdot 10^{-7}$ (A03)	$2 \cdot 10^{-10} - 5 \cdot 10^{-10(a)}$
H ₂ CCO	11(A06) - 342(A03)	$71^{(b)}$	$1 \cdot 10^{-11}$ (A18) $- 2 \cdot 10^{-8}$ (A01)	$2 \cdot 10^{-10}$ (b)
$H^{13}CO^+$		-	$4 \cdot 10^{-13}$ (A18) $- 2 \cdot 10^{-9}$ (A21)	$2 \cdot 10^{-12} - 7 \cdot 10^{-11(a)}$
$HO^{13}C^+$	-	-	$3 \cdot 10^{-13} (A05) - 4 \cdot 10^{-9} (A15)$	
SiO	3 (A16) - 1097 (A15)	$25 - 103^{(a)}$	$2 \cdot 10^{-12}$ (A14) $- 4 \cdot 10^{-7}$ (A15)	$2 \cdot 10^{-11} - 9 \cdot 10^{-11(a)}$
CH_3OCH_3	8(A11) - 302(A04)	$100^{(a)}$	$1 \cdot 10^{-11}$ (A11) $- 4 \cdot 10^{-8}$ (A05)	$4 \cdot 10^{-10(a)}$
C ₂ H ₅ OH	124(A09) - 206(A05)	$20 - 100^{(c)}$	$1 \cdot 10^{-8}$ (A10) $- 3 \cdot 10^{-8}$ (A05)	$5 \cdot 10^{-10} - 1 \cdot 10^{-8(c)}$
CH ₃ OCHO	151 (A20) - 266 (A26)	$40^{(c)}$	$4 \cdot 10^{-9} (A20) - 3 \cdot 10^{-8} (A05)$	$2 \cdot 10^{-8(c)}$
CH ₃ CHO	80 (A13) - 273 (A03)	$40^{(c)}$	$7 \cdot 10^{-9}$ (A13) $- 9 \cdot 10^{-8}$ (A03)	$5 \cdot 10^{-10(c)}$
t-HCOOH	200 (A04) - 392 (A03)	-	$5 \cdot 10^{-9} (A04) - 1 \cdot 10^{-8} (A03)$	
CH ₃ NH ₂	9(A16) - 311(A03)	$14^{(a)}$	$1 \cdot 10^{-10}$ (A16) $- 7 \cdot 10^{-8}$ (A03)	$9 \cdot 10^{-9(a)}$
CH2NH	3(A27) - 314(A03)	$11^{(a)}$	$5 \cdot 10^{-14} (A01) - 1 \cdot 10^{-8} (A03)$	$1 \cdot 10^{-10(a)}$
NH ₂ D	9(A18) - 289(A22)		$4 \cdot 10^{-10} (A22) - 2 \cdot 10^{-7} (A18)$	
HNCO	3(A17) - 542(A01)	$12 - 300^{(a)}$	$3 \cdot 10^{-13}$ (A25) - $4 \cdot 10^{-6}$ (A15)	$7 \cdot 10^{-11} - 4 \cdot 10^{-10(a)}$
$HC(O)NH_2$	19 (A25) - 697 (A02)	$300^{(a)}$	$5 \cdot 10^{-10}$ (A16) $- 2 \cdot 10^{-7}$ (A03)	$1 \cdot 10^{-10(a)}$
NO	3(A08) - 314(A03)	$24 - 325^{(a)}$	$1 \cdot 10^{-13} (A20) - 5 \cdot 10^{-6} (A15)$	$4 \cdot 10^{-9} - 8 \cdot 10^{-8(a)}$
NO ⁺			$1 \cdot 10^{-11}$ (A18) $- 4 \cdot 10^{-8}$ (A01)	
HCN	_	_	$1 \cdot 10^{-13} (A26) - 6 \cdot 10^{-7} (A02)$	$1 \cdot 10^{-12} - 3 \cdot 10^{-5(a)}$
HNC	_	_	$1 \cdot 10^{-14} (A21) - 1 \cdot 10^{-8} (A15)$	$1 \cdot 10^{-10} - 3 \cdot 10^{-9(a)}$
CH ₂ CN	4(A19) - 432(A01)	$60 - 200^{(c)}$	$2 \cdot 10^{-13} (A05) - 2 \cdot 10^{-5} (A06)$	$2 \cdot 10^{-10} - 1 \cdot 10^{-7(c)}$
C ₂ H ₂ CN	162 (A10) - 405 (A01)	$50^{(c)}$	$5 \cdot 10^{-10} (A09) - 2 \cdot 10^{-8} (A01)$	$3 \cdot 10^{-9(c)}$
$C_2H_3CN, v_{10}=1$	307 (A03) - 343 (A06)	-	$4 \cdot 10^{-8} (A02) - 2 \cdot 10^{-7} (A01)$	
C ₂ H ₅ CN	10 (A06) - 381 (A01)	$70^{(c)}$	$5 \cdot 10^{-12}$ (A06) $- 2 \cdot 10^{-8}$ (A03)	$9 \cdot 10^{-9(c)}$
$C_2H_5CN, v_{20}=1$	188(A07) - 443(A02)	-	$1 \cdot 10^{-8}$ (A04) $- 7 \cdot 10^{-8}$ (A01)	-
CN	3(A25) - 273(A24)	$33^{(a)}$	$1 \cdot 10^{-13}$ (A26) $- 5 \cdot 10^{-8}$ (A14)	$1 \cdot 10^{-9(a)}$
H_2CCN	10(A25) - 205(A25)	-	$1 \cdot 10^{-11}$ (A16) $- 5 \cdot 10^{-10}$ (A09)	-
HCCCN	3(A12) - 536(A01)	$20 - 60^{(c)}$	$8 \cdot 10^{-11}$ (A19) $- 6 \cdot 10^{-6}$ (A15)	$2 \cdot 10^{-10} - 4 \cdot 10^{-10(c)}$
HCCCN, $v_7=2$	120(A07) - 568(A01)	$200^{(c)}$	$7 \cdot 10^{-8}$ (A06) $-5 \cdot 10^{-7}$ (A01)	$4 \cdot 10^{-7(c)}$
NH ₂ CN	175(A05) - 308(A03)	$20^{(c)}$	$3 \cdot 10^{-10}$ (A05) $- 2 \cdot 10^{-9}$ (A03)	$3 \cdot 10^{-11(c)}$
$H_2^{3\overline{4}}S$	5(A27) - 496(A01)	$2-97^{(a)}$	$2 \cdot 10^{-10}$ (A26) $- 3 \cdot 10^{-5}$ (A19)	$9 \cdot 10^{-14} - 5 \cdot 10^{-9} {}^{(a)}$
SO	6(A18) - 866(A01)	$16 - 174^{(a)}$	$4 \cdot 10^{-11}$ (A27) $- 1 \cdot 10^{-5}$ (A15)	$9 \cdot 10^{-11} - 6 \cdot 10^{-8(a)}$
SO^+	-	-	$8 \cdot 10^{-10}$ (A22) $- 5 \cdot 10^{-8}$ (A22)	$3\cdot 10^{-11}$ – $6\cdot 10^{-10(a)}$
SO_2	16 (A19) - 648 (A01)	$50-200^{(c)}$	$1 \cdot 10^{-13}$ (A20) $- 1 \cdot 10^{-5}$ (A15)	$5 \cdot 10^{-9} - 1 \cdot 10^{-5(c)}$
$SO_2, v_2=1$	16(A19) - 434(A02)	$200^{(c)}$	$1 \cdot 10^{-13}$ (A20) $- 5 \cdot 10^{-6}$ (A08)	$7 \cdot 10^{-5(c)}$
CS	-	-	$3 \cdot 10^{-11}$ (A04) $- 2 \cdot 10^{-6}$ (A14)	$7 \cdot 10^{-10} - 4 \cdot 10^{-9(a)}$
H_2CS	3 (A15) – 774 (A01)	$120^{(a)}$	$7 \cdot 10^{-13}$ (A17) $-1 \cdot 10^{-5}$ (A15)	$2 \cdot 10^{-10(a)}$
ŌĊS	6(A22) - 612(A01)	$134 - 172^{(a)}$	$3 \cdot 10^{-12}$ (A11) $-1 \cdot 10^{-5}$ (A15)	$1\cdot 10^{-9} - 5\cdot 10^{-9} (a)$
OCS, $v_2=1$	6(A22) - 612(A01)	-	$3 \cdot 10^{-12}$ (A11) $- 1 \cdot 10^{-5}$ (A15)	_
HCS ⁺	3(A12) - 203(A22)	$51^{(a)}$	$1 \cdot 10^{-12}$ (A26) $- 9 \cdot 10^{-10}$ (A12)	$1 \cdot 10^{-10(a)}$
NS	285(A18) - 554(A02)	$70^{(a)}$	$7 \cdot 10^{-10}$ (A18) $-1 \cdot 10^{-8}$ (A01)	$2 \cdot 10^{-10(a)}$
SiS	198(A09) - 200(A03)	-	$1 \cdot 10^{-10}$ (A09) $- 8 \cdot 10^{-10}$ (A04)	-
CCCS	173 (A02) – 258 (A01)	-	$5 \cdot 10^{-11}$ (A02) $- 2 \cdot 10^{-10}$ (A01)	-
CCH	3 (A03) - 201 (A07)	$26^{(a)}$	$6 \cdot 10^{-12} (A18) - 1 \cdot 10^{-7} (A15)$	$5 \cdot 10^{-9(a)}$
$c-C_3H_2$	5 (A04) - 60 (A13)	$2 - 15^{(c)}$	$1 \cdot 10^{-11} (A04) - 1 \cdot 10^{-9} (A15)$	$1\cdot 10^{-13} - 2\cdot 10^{-10(c)}$
PH_3	-	-	$3 \cdot 10^{-12} (A09) - 5 \cdot 10^{-6} (A13)$	-

The source ID in round brackets indicates the source where the minimum and maximum value of the corresponding parameter was determined. The abundances are computed relative to the hydrogen column densities derived in our first paper for each source. The abundance ranges for references ^(a)Möller et al. (2021) and ^(c)Belloche et al. (2013) are given for an H₂ column density of 1.1×10^{24} cm⁻² for core and 1.8×10^{24} cm⁻² for foreground components. For reference ^(b)Sutton et al. (1991) an H₂ column density of 2.6×10^{24} cm⁻² was used. For species with only a single transition within the frequency ranges covered by our observations, a reliable temperature estimation is not possible.

less all sources in Sgr B2(M) and N, except in some outer sources, see Fig. F.8, which are mostly modeled by a single component. We obtain excitation temperatures and abundances that far exceed the results of Sutton et al. (1991) and Neill et al. (2014), where the low spatial resolution of their observations could be a possible explanation. The four isotopologues $H_2^{13}CCO$, $H_2C^{13}CO$, $H_2CC^{18}O$, and HDCCO are not reliably detected.

 HCO^+ . The formyl radical (HCO⁺), i.e. protonated CO, is known to be a good tracer, among others, of cosmic ray and UV dominated regions in dense gas (e.g.

Hüttemeister et al. (1995), Vasyunina et al. (2011)). The abundance of HCO⁺ is enhanced in shocked and dense environments, and in regions of higher fractional ionization. Although the formyl radical (HCO⁺) and its energetically-disfavored isomer HOC⁺ do not have a transition in the frequency ranges covered by our observation, we have possibly identified both molecules by their two isotopologues $H^{13}CO^+$ (HO¹³C⁺) and HC¹⁸O⁺ (H¹⁸OC⁺), see Fig. F.9, each of which show the (J = 3 - 2, $E_{low} = 31.3$ K) transition. The other isotopologues DCO⁺ and DOC⁺ were not detected. A reliable temperature estimate is not possible

Table E.2: Comparison of temperature T_{rot} and abundance $X = N(x)/N(H_2)$ ranges for species identified in sources in Sgr B2(N).

molecule:	T_{rot}^{min} (K) – T_{rot}^{max} (K):	$T_{rot,ref}^{min}$ (K) – $T_{rot,ref}^{max}$ (K):	$X^{\min} - X^{\max}$:	$X_{ref}^{min} - X_{ref}^{max}$:
CO	-	-	$6 \cdot 10^{-9} (A12) - 1 \cdot 10^{-5} (A03)$	$1\cdot 10^{-9} - 3\cdot 10^{-9} (d)$
CH_3OH	11 (A19) - 294 (A01)	$160 - 190^{(e)}$	$9 \cdot 10^{-11} (A19) - 5 \cdot 10^{-5} (A18)$	$8\cdot 10^{-8} - 2\cdot 10^{-5(e)}$
H_2CO	4 (A14) - 236 (A14)	$2 - 100^{(d)}$	$8 \cdot 10^{-13} (A14) - 9 \cdot 10^{-7} (A17)$	$2 \cdot 10^{-9} - 6 \cdot 10^{-8(d)}$
H_2CCO	14 (A11) - 309 (A01)	$180^{(f)}$	$1 \cdot 10^{-9} (A20) - 6 \cdot 10^{-6} (A04)$	$8 \cdot 10^{-9(f)}$
$\rm H^{13}CO^+$	-	-	$2 \cdot 10^{-13}$ (A06) $- 1 \cdot 10^{-9}$ (A08)	$3 \cdot 10^{-15} - 3 \cdot 10^{-11(d)}$
$\rm HO^{13}C^+$	-	-	$6 \cdot 10^{-13}$ (A16) $- 3 \cdot 10^{-7}$ (A04)	-
SiO	3 (A20) - 408 (A17)	$2 - 16^{(d)}$	$2 \cdot 10^{-12}$ (A11) $- 6 \cdot 10^{-9}$ (A17)	$6 \cdot 10^{-14} - 4 \cdot 10^{-11(d)}$
CH ₃ OCH ₃	120 (A08) - 210 (A13)	$130^{(f)}$	$2 \cdot 10^{-9} (A13) - 8 \cdot 10^{-7} (A17)$	$3 \cdot 10^{-8(f)}$
C_2H_5OH	93 (A17) - 318 (A01)	$145 - 150^{(e)}$	$1 \cdot 10^{-8} (A07) - 2 \cdot 10^{-7} (A03)$	$6\cdot 10^{-9} - 1\cdot 10^{-6}{}^{(e)}$
CH ₃ OCHO	109(A06) - 298(A01)	$145 - 150^{(e)}$	$6 \cdot 10^{-8} (A20) - 8 \cdot 10^{-7} (A17)$	$2 \cdot 10^{-8} - 2 \cdot 10^{-6(e)}$
CH ₃ CHO	144 (A10) - 265 (A01)	$100^{(d)}$	$2 \cdot 10^{-8}$ (A08) $- 3 \cdot 10^{-7}$ (A03)	$1\cdot 10^{-8} - 1\cdot 10^{-8(d)}$
CH_3NH_2	103 (A07) - 181 (A03)	$2-100^{(d)}$	$1 \cdot 10^{-8}$ (A08) $- 1 \cdot 10^{-7}$ (A10)	$1 \cdot 10^{-11} - 7 \cdot 10^{-8(d)}$
CH_2NH	3(A05) - 256(A17)	$200^{(d)}$	$1 \cdot 10^{-12}$ (A06) $-1 \cdot 10^{-7}$ (A17)	$3 \cdot 10^{-8} - 1 \cdot 10^{-7} (d)$
NH_2D	91 (A05) - 91 (A08)	$200^{(d)}$	$9 \cdot 10^{-10}$ (A08) $- 6 \cdot 10^{-9}$ (A05)	$3\cdot 10^{-9} - 4\cdot 10^{-9(d)}$
HNCO	3(A16) - 586(A02)	$145 - 240^{(e)}$	$1 \cdot 10^{-10} (A20) - 5 \cdot 10^{-6} (A11)$	$8\cdot 10^{-10} - 1\cdot 10^{-6(e)}$
$HC(O)NH_2$	13 (A11) - 341 (A01)	$2-180^{(d)}$	$1 \cdot 10^{-10} (A05) - 2 \cdot 10^{-7} (A03)$	$3\cdot 10^{-12} - 1\cdot 10^{-7} {}^{(d)}$
NO	3(A11) - 268(A07)	$50 - 180^{(f)}$	$3 \cdot 10^{-9}$ (A11) $- 7 \cdot 10^{-8}$ (A07)	$1\cdot 10^{-8} - 1\cdot 10^{-7(f)}$
NO^+	-	-	$5 \cdot 10^{-11}$ (Å16) – $7 \cdot 10^{-10}$ (Å17)	-
HCN	-	-	$5 \cdot 10^{-13}$ (A16) $- 7 \cdot 10^{-6}$ (A07)	$2 \cdot 10^{-14} - 6 \cdot 10^{-10(d)}$
HNC	-	-	$1 \cdot 10^{-11} (A20) - 4 \cdot 10^{-8} (A03)$	$9 \cdot 10^{-16} - 3 \cdot 10^{-11(d)}$
CH ₃ CN	4 (A15) - 518 (A08)	$90-300^{(f)}$	$5 \cdot 10^{-13}$ (A12) $- 3 \cdot 10^{-6}$ (A18)	$1 \cdot 10^{-11} - 1 \cdot 10^{-9(f)}$
C_2H_3CN	86(A08) - 289(A01)	$145 - 200^{(e)}$	$2 \cdot 10^{-9}$ (A06) $- 4 \cdot 10^{-8}$ (A01)	$5 \cdot 10^{-10} - 2 \cdot 10^{-7(e)}$
$C_2H_3CN, v_{10}=1$	240 (A03) - 606 (A08)	-	$1 \cdot 10^{-9} (A06) - 5 \cdot 10^{-7} (A01)$	-
C_2H_5CN	8 (A13) - 292 (A01)	$150 - 170^{(e)}$	$1 \cdot 10^{-10} (A13) - 3 \cdot 10^{-7} (A02)$	$4\cdot 10^{-9} - 3\cdot 10^{-6(e)}$
$C_2H_5CN, v_{20}=1$	156 (A05) - 276 (A01)	$170^{(d)}$	$4 \cdot 10^{-9} (A07) - 5 \cdot 10^{-7} (A02)$	$1\cdot 10^{-7} - 5\cdot 10^{-7} (d)$
CN	3 (A11) - 198 (A18)	$170^{(d)}$	$1 \cdot 10^{-11} (A11) - 1 \cdot 10^{-6} (A17)$	$7\cdot 10^{-9} - 9\cdot 10^{-9(d)}$
HCCCN	14 (A11) - 460 (A03)	$60 - 80^{(d)}$	$2 \cdot 10^{-13} (A11) - 1 \cdot 10^{-5} (A18)$	$9\cdot 10^{-10} - 8\cdot 10^{-9} {}^{(d)}$
HCCCN, v ₇ =2	177 (A04) - 1100 (A05)	$200^{(d)}$	$4 \cdot 10^{-9} (A05) - 3 \cdot 10^{-7} (A03)$	$1 \cdot 10^{-8} - 3 \cdot 10^{-7(d)}$
$H_2^{34}S$	3 (A12) - 400 (A04)	$160 - 190^{(f)}$	$2 \cdot 10^{-14} (A13) - 3 \cdot 10^{-7} (A17)$	$5 \cdot 10^{-10} - 1 \cdot 10^{-9(f)}$
SO	9 (A19) - 500 (A01)	$2 - 150^{(d)}$	$6 \cdot 10^{-12} (A18) - 1 \cdot 10^{-6} (A17)$	$1\cdot 10^{-11} - 1\cdot 10^{-7(d)}$
SO_2	13 (A18) - 497 (A03)	$2 - 150^{(d)}$	$1 \cdot 10^{-10} (A16) - 3 \cdot 10^{-7} (A17)$	$1 \cdot 10^{-11} - 1 \cdot 10^{-7(d)}$
$SO_2, v_2=1$	13 (A18) - 654 (A01)	-	$1 \cdot 10^{-10} (A16) - 3 \cdot 10^{-7} (A17)$	-
CS	-	-	$3 \cdot 10^{-11} (A16) - 5 \cdot 10^{-6} (A02)$	$1 \cdot 10^{-13} - 3 \cdot 10^{-8(d)}$
H_2CS	10 (A06) - 202 (A03)	$15 - 150^{(d)}$	$2 \cdot 10^{-13} (A06) - 3 \cdot 10^{-7} (A07)$	$1 \cdot 10^{-11} - 5 \cdot 10^{-8(d)}$
OCS	15 (A19) - 272 (A20)	$15-60^{(d)}$	$1 \cdot 10^{-10} (A13) - 4 \cdot 10^{-6} (A09)$	$3\cdot 10^{-9} - 2\cdot 10^{-8} {}^{(d)}$
OCS, $v_2=1$	105 (A08) - 245 (A01)	$150^{(d)}$	$4 \cdot 10^{-9} (A15) - 1 \cdot 10^{-7} (A03)$	$2\cdot 10^{-8} - 8\cdot 10^{-8} (d)$
NS	59 (A07) - 357 (A06)	$2 - 30^{(d)}$	$1 \cdot 10^{-13} (A03) - 3 \cdot 10^{-8} (A07)$	$4 \cdot 10^{-11} - 1 \cdot 10^{-10(d)}$
CCH	3 (A14) - 420 (A16)	$2 - 20^{(d)}$	$2 \cdot 10^{-10} (A12) - 3 \cdot 10^{-8} (A19)$	$3 \cdot 10^{-13} - 3 \cdot 10^{-10(d)}$
PH_3	-	-	$2 \cdot 10^{-12} (A05) - 7 \cdot 10^{-8} (A06)$	-
PN	-	-	$1 \cdot 10^{-13} (A13) - 7 \cdot 10^{-7} (A17)$	$1 \cdot 10^{-13} - 2 \cdot 10^{-13(d)}$

The source ID in round brackets indicates the source where the minimum and maximum value of the corresponding parameter was determined. The abundances are computed relative to the hydrogen column densities derived in our first paper for each source. The abundance ranges reported in references ^(d)Belloche et al. (2013) and ^(f)Neill et al. (2014) are given for an H₂ column density of 8.0×10^{24} cm⁻² for core and foreground components. The reference ^(e)Bonfand et al. (2017) used different H₂ column density to calculate the abundances for different cores. For species with only a single transition within the frequency ranges covered by our observations, temperature estimation is not possible.

due to the fact that only a single transition is observed, respectively. Compared to other analyses of Sgr B2, we find higher abundances, which could be due to the higher spatial resolution of our observations and to the different H₂ column densities. For HOC⁺, Apponi & Ziurys (1997) obtained an excitation temperature of 15 K and an abundance of 3×10^{-12} for Sgr B2(OH).

SiO. Silicon monoxide (SiO) traces, among others, the presence of energetic protostellar outflows since the destruction of silicon-bearing dust (e.g., $MgSiO_3$) by shocks is associated with the origin of SiO in the gas-phase (e.g. Blake et al. (1996), Wright et al. (1996), Schilke et al. (1997), Gusdorf et al. (2008), Anderl et al. (2013)). There are two ways in which SiO can enter the gas phase. SiO can be released into the gas phase by gas-grain interactions, which leads to sputtering of the grain cores, but also by graingrain collisions, which lead to vaporization and shattering

of the grains. Here, the latter effect leads to the formation of small grain fragments in large numbers, which increases the total surface area of the dust grains. In our analysis SiO is identified by its two transitions (J = 5 - 4, $E_{low} = 20.8$ K, J = 6 - 5, $E_{low} = 31.3$ K) in all sources in Sgr B2(M) and N, showing broad and complex, self-absorption line profiles, see Fig. F.10, which require a large number of components. We find excitation temperatures up to ~1000 K for sources in Sgr B2(M), which should be considered with caution because of the high optical depths and the small number of transitions covered by our observations. Other isotopologues or vibrationally excited states could not be identified. SiO and its connection to molecular outflows in the Sgr B2 complex will be described in a separate paper.
E.2. Complex O-bearing Molecules

 CH_3OCH_3 . Dimethyl ether (CH_3OCH_3) is a large, organic molecule that is ubiquitous in regions of massive star formation. For temperatures up to 30 K, dimethyl ether is mostly formed on the surface of dust grains through the radicaladdition reaction (Bonfand et al. 2019): $CH_3 + CH_3O \rightarrow$ CH_3OCH_3 . Due to the electronic recombination reaction $CH_3OCH_4^+ + e^- \rightarrow CH_3OCH_3 + H$, where $CH_3OCH_4^+$ is a product of the reaction between methanol and protonated methanol $(CH_3OH_2^+)$, the gas-phase fractional abundance of CH₃OCH₃ increases when CH₃OH desorbs from the dust grains around 130 K (Bonfand et al. 2019). Our survey contains 1988 transitions of dimethyl ether with lower energies between 11.1 K $(J_{K_a,K_c} = 4_{3,2} - 3_{2,2})$ and 3544 K $(J_{K_a,K_c} = 72_{29,44} - 73_{28,46})$. In our analysis, CH₃OCH₃ is found in many inner sources in Sgr B2(M) and N, see Fig. F.11, with sources in N containing significantly more CH₃OCH₃ than sources in M. Other isotopologues or vibrationally excited states were not detected. In most sources, dimethyl ether shows emission features described by a single component. Compared to previous analyses, the temperatures and abundances we determined have much wider ranges, respectively. The outlying sources in both regions show lower excitation temperatures compared to Bonfand et al. (2017) and Neill et al. (2014). Additionally, we obtain abundances which are up to two orders of magnitude higher than in previous studies.

 C_2H_5OH . According to Bonfand et al. (2019), ethanol (C_2H_5OH) is predominantly produced on dust grains via: $CH_3 \xrightarrow{C} C_2H_3 \xrightarrow{H} C_2H_4 \xrightarrow{H} C_2H_5 \xrightarrow{O} C_2H_5O \xrightarrow{H} C_2H_5OH$ followed by later desorption into the gas phase. The 3877 transitions included in our observations cover a wide range of lower energies from 8.4 K ($J_{K_a,K_c} = 4_{3,1} - 4_{0,4}$) up to 2620 K ($J_{K_a,K_c} = 26_{4,23} - 25_{5,20}$). We detected C_2H_5OH in emission in only three sources (A05, A09, and A10) in Sgr B2(M), but in ten sources (A01 - A08, A10, and A17) in Sgr B2(N), see Fig. F.12, which are described in most cases by a single component. Additionally, none of its isotopologues were found. In contrast to previous surveys, we obtain much higher temperatures for the inner sources in both regions, but cannot find a cold component as described by Belloche et al. (2013) for Sgr B2(M).

 CH_3OCHO . Methyl formate (CH_3OCHO) is a prolate asymmetric top molecule and one of three isomeric forms of $C_2H_4O_2$. The other two isomers are acetic acid (CH₃COOH) and glycolaldehyde (HOCH₂CHO) (Feketeová et al. 2018) and have also been identified in space (Mehringer et al. (1997), Hollis et al. (2004)) but they are much less ubiquitous and abundant. CH₃OCHO is formed mainly via the grain-surface radical-radical addition reaction: HCO + $CH_3O \rightarrow CH_3OCHO$ followed by later desorption into the gas phase. Bonfand et al. (2019) describe an increase in the gas-phase abundance of CH_3OCHO around 40 K, when H_2CO is abundantly released into the gas phase and reacts with $CH_3OH_2^+$ to form $HC(OH)OCH_3^+$. CH_3OCHO in the gas phase is then produced via the electronic recombination of $HC(OH)OCH_3^+$. Our observations contain 1734 transitions of methyl formate with lower energies between 11.4 K ($J_{K_a,K_c} = 6_{4,3} - 6_{4,3}$ $(5_{2,4})$ and 1586 K $(J_{K_a,K_c} = 69_{15,54} - 69_{14,55})$. CH₃OCHO is identified in emission in some sources in Sgr B2(M)and N, see Fig. F.13, mostly described by a single component. Additionally, we also identified the vibrational excited state $CH_3OCHO,v_{18}=1$ in all sources, see Fig. F.14, where methyl formate was found using the same model parameters (excitation temperatures, column densities, etc.). Isotopologues and vibrationally excited states as well as the isomers acetic acid (CH_3COOH) and glycolaldehyde ($HOCH_2CHO$) could not be detected. While the abundances in both regions fit well with the results of previous analyses, we find a different behavior for temperatures: For Sgr B2(M) we cannot find the cold component described by Belloche et al. (2013), but instead obtain consistently hotter temperatures. In contrast to that, the sources in Sgr B2(N) have a much broader temperature range compared to Bonfand et al. (2017).

 CH_3CHO . Acetaldehyde (CH_3CHO) is a non-cyclic isomer of ethylene oxide $(c-C_2H_4O)$ and has an important role as an evolutionary tracer of different astronomical objects (Herbst & van Dishoeck 2009). Below 30 K acetaldehyde (CH_3CHO) is formed on the grains via the surface reactions: $CH_2 + HCO \rightarrow CH_2CHO \xrightarrow{H} CH_3CHO$ and $CH_3 + HCO \rightarrow CH_3CHO$ (Bonfand et al. 2019). Above 90 K acetaldehyde is formed directly in the gas phase via the reaction $C_2H_5 + O \rightarrow CH_3CHO + H$, when C_2H_5 desorbs from dust grains. 742 transitions of CH_3CHO with lower energies between 0.9 K $(J_{K_a,K_c} = 2_{2,0} - 1_{0,1})$ and 2619 K $(J_{K_a,K_c} =$ $45_{27,19} - 46_{26,20}$) are covered by our observations, where acetaldehyde is seen in many sources in emission in Sgr B2(M) and N, see Fig. F.15. The contribution of acetaldehyde is mostly modeled by a single component. Additionally, we also see the vibrational excited state $CH_3CHO, v_{15}=1$ in more or less all sources, see Fig.F.16, where methyl formate was found using the same model parameters, i.e. excitation temperatures etc. Only in source A13 in Sgr B2(M) we cannot uniquely identify $CH_3CHO, v_{15}=1$. Other vibrationally excited states such as $CH_3CHO, v_{15}=2$, or isotopologues cannot be reliably identified. In our analysis, we find higher excitation temperatures and abundances compared to previous analyses of Möller et al. (2021) and Belloche et al. (2013).

t-HCOOH. Formic acid (HCOOH), the simplest carboxylic acid, plays a major role in interstellar chemistry. Additionally, it is a possible precursor of organic and prebiotic species, such as acetic acid (CH₃COOH) and glycine (NH_2CH_2COOH) (Liu et al. (2001), Pilling et al. (2011)). Garrod & Herbst (2006) showed that formic acid (HCOOH) is formed on the grain surface via $HCO + OH \rightarrow HCOOH$. Additionally, HCOOH is formed in the gas phase from the dissociative recombination of $HCOOH_2^+$, which then dissociatively recombines with electrons. In addition, the evaporation of formaldehyde and the subsequent reaction with atomic oxygen produces more OH in the gas phase, which reacts again with H₂CO increasing the abundance of formic acid. Formic acid, occurs in two conformers, trans (t-HCOOH) and cis (c-HCOOH), with the latter being 2000 K higher in energy. The frequency ranges covered by our observations contain 166 transitions of t-HCOOH, whose lower energy ranges from 32.3 K $(J_{K_a,K_c} = 2_{2,1} - 2_{0,2})$ to 1970 K $(J_{K_a,K_c} = 58_{6,52} - 58_{6,53})$. We clearly identify trans formic acid in emission in three sources in Sgr B2(M), see Fig. F.17, using a single component to describe the contribution. In contrast to Belloche et al. (2013), we did not detect formic acid in Sgr B2(N). We also could not identify c-HCOOH in any of the sources in Sgr B2(M) and N.

E.3. NH-bearing Molecules

 CH_3NH_2 . Methylamine (CH_3NH_2) is an asymmetric top molecule, where the methyl group torsion and an inversion of the amine hydrogens are the most important motions. The symmetry of the molecule is characterized by the G₁₂ permutation-inversion group (Ohashi & Hougen 1987), where the allowed transitions are labeled with the $A_1, A_2, B_1, B_2, E_{1\pm 1}, and E_{2\pm 1}$ torsion-inversion-rotation irreducible representations Γ (Ilyushin & Lovas 2007), and the selection rules are $\Gamma = A_1 \leftrightarrow A_2$, $B_1 \leftrightarrow B_2$, $E_{1\pm 1} \leftrightarrow E_{1\pm 1}$, and $E_{2\pm 1} \leftrightarrow E_{2\pm 1}$. According to Ligterink et al. (2015) methylamine is formed on ice mantles by UV photons via $CH_4 + h\nu \rightarrow CH_3^+ + H$, $NH_3 + h\nu \rightarrow NH_2^+ + H$, and $CH_3^+ + NH_2^+ \rightarrow CH_3NH_2$. With increasing temperature the formed methylamine evaporates from the grains and enters the gas phase. Our data set contains 511 transitions of CH_3NH_2 with lower energies between 63.8 K ($J_K\Gamma$ $= 3_1 A_2 - 2_0 A_1$ and 3433 K $(J_K \Gamma = 56_4 B_2 - 56_1 B_1)$. We found CH_3NH_2 in nine sources in Sgr B2(M) and N mainly in emission, see Fig. F.18, described mostly by a single component. Only in source A02, A16 and A21 in Sgr B2(M), CH_3NH_2 is seen in absorption. Opposed to previous analyses, we found much higher excitation temperatures and abundances towards the inner sources in both regions. Isotopologues or vibrationally excited states were not detected.

 CH_2NH . Methanimine (or methyleneimine, CH_2NH) is the simplest molecule with a carbon-nitrogen double bond and a planar asymmetric top molecule. Due to the large aand b dipole moments of $\mu_a = 1.340$ D and $\mu_b = 1.446$ D (Allegrinia et al. 1979), the spectrum consists of both aand b type transitions. It is formed via one of the following pathways: $CN \xrightarrow{H} HCN \xrightarrow{H} H_2CN \xrightarrow{H} CH_2NH$ and $CN \xrightarrow{H}$ HCN \xrightarrow{H} HCNH \xrightarrow{H} CH₂NH (Sil et al. 2018). 79 transitions of methanimine with lower energies between 0 K (J_{K_a,K_c} $= 1_{1,1} - 0_{0,0}$ and 1198 K $(J_{K_a,K_c} = 26_{4,23} - 25_{5,20})$ are included in our survey, where we detected CH_2NH in more or less all sources in Sgr B2(M) and N, see Fig. F.19, where we used for most sources at least two components to describe CH₂NH. In addition to the ground state transitions, which are clearly visible by deep absorptions, we found methanimine for some sources also in emission. Compared to other analyses, we obtain much higher temperatures and abundances for sources in Sgr B2(M), while for Sgr B2(N)we also find sources with low temperatures not identified by Belloche et al. (2013). The isotopologues ${}^{13}CH_2NH$ and $CH_2^{15}NH$ were not detected.

NH₃. Ammonia is a useful tracer of kinetic temperature (Juvela et al. 2012), because the relative populations of its rotational stages characterized by the quantum numbers J and K depend only on collisions, since dipole transitions between the different K ladders are forbidden. Despite a small amount of ammonia formed in the gas phase, the formation of ammonia (NH₃) occurs most efficiently through successive hydrogenation reactions of nitrogen at the grain surface (Acharyya & Herbst 2018). Although ammonia (NH₃) has only a single transition with lower energy of 10788 K within the frequency ranges covered by our observations, we have detected its NH₂D isotopologue, which shows in total 12 transitions in our survey with lower energies ranging from 108.6 K ($J_{K_a,K_c} = 3_{2,2} - 3_{1,2}$) to 3055 K ($J_{K_a,K_c} = 18_{7,12} - 18_{6,12}$). However, we could clearly detect only the J_{K_a,K_c}

 $= 3_{2,2} - 3_{1,2}$ transition as an emission or absorption feature in some sources in Sgr B2(M) and N, see Fig. F.20, mostly described by a single component. A reliable temperature estimate is therefore difficult. For sources in Sgr B2(N), we obtain a broader range of abundances compared to Belloche et al. (2013). Other isotopologues or vibrationally excited states were not detected.

E.4. N- and O-bearing Molecules

HNCO. Isocyanic acid (HNCO) is a precursor of other prebiotic and complex organic molecules, which are of great astrochemical and astrobiological interest due to their potential to form molecules such as amino acids, sugars and nucleobases. According to Canelo et al. (2021) there are two pathways to form HNCO: On the one hand, HNCO is initially formed on the surface of grains via H + OCN \rightarrow HNCO and sublimates to the gas phase afterwards. Another possibility is the formation of HNCO via NH + $CO \rightarrow HNCO$. HNCO is a near prolate asymmetric top molecule with a linearity barrier at 1899 cm^{-1} (Niedenhoff et al. 1995). In our observations 43 transitions are included with lower energies from 47.5 K $(J_{K_a,K_c} = 10_{0,10} - 9_{0,9})$ to 1462 K $(J_{K_a,K_c} = 12_{6,6} - 11_{6,5})$. As in previous line surveys (Sutton et al. (1991), Nummelin et al. (1998), Belloche et al. (2013)) we also see isocyanic acid (HNCO) in many sources in Sgr B2(M) and N, see Fig. F.21, where two or more components are used to describe the contributions of HNCO for the majority of sources. In many inner sources HNCO is detected in emission, while outer sources contain isocyanic acid mostly in absorption. The isotopologues DNCO, HN¹³CO and HNC¹⁸O were not detected. For both regions, we obtain excitation temperatures well beyond the temperature ranges described in previous analyses. While the abundances derived in Sgr B2(N) agree quite well with those described by Bonfand et al. (2017), we find large differences for the abundances in Sgr B2(M), where the highest abundance is four orders of magnitude higher than that of Möller et al. (2021). Here, the small beam of their HIFI observation which is not able to resolve the hot cores with their high HNCO abundances could be a possible explanation.

NH₂CHO. Formamide (NH₂CHO or HC(O)NH₂) has been identified as a potential precursor of a wide variety of organic compounds essential to life and played a crucial role in the context of the origin of life on our planet. The formation of formamide is still unclear. On the one hand, it may be formed via gas phase pathways involving H_2CO and NH_2 (e.g. Barone et al. (2015), Sinclair et al. (1992)). On the other hand, it can be produced by grain surfaces reactions involving hydrogenation of HNCO (e.g. Charnley & Rodgers 2008), although laboratory studies indicate that this pathway is unlikely (Noble et al. (2015), López-Sepulcre et al. (2015)). In our analysis, 218 transitions with lower energies ranging from 3.1 K ($J_{K_a,K_c} = 2_{2,1}$ $(-2_{0,2})$ to 2548 K $(J_{K_a,K_c} = 68_{7,61} - 68_{7,62})$ are included. Formamide is found in many sources in Sgr B2(M) and N mostly in emission, see Fig. F.22, described mostly by a single component. Some sources in Sgr B2(M) show high asymmetric line shapes toward lower velocities, e.g. A05 and A07, which can be associated with outflows. Additionally, we also see the vibrational excited state $NH_2CHO_{12}=1$ in some sources where formamide is detected, see Fig.F.23, using the same model parameters as for NH₂CHO. The isotopologue NH_2^{13} CHO is clearly identified in source A02 and A03 in Sgr B2(N), while the other isotopologues NH_2 CDO, ¹⁵NH₂CHO and NH₂CH¹⁸O are not detected. For both regions we find much higher excitation temperatures than in previous studies, while for sources in Sgr B2(M) we also find a cold component in some outlying sources not identified by Möller et al. (2021). Similar to isocyanic acid we obtain abundances in Sgr B2(N), which are comparable to results of previous analysis. For sources in Sgr B2(M), however, we find abundances that are up to three orders of magnitude higher than in the analysis of Möller et al. (2021).

NO. Nitric oxide (NO) plays an important role in the formation of hydroxylamine (H_3NO) , which in turn is important for the formation of amino acids. Additionally, the search for formic acid and nitric oxide may point to the production of amines within circumstellar environments. NO is thought to mainly form via the $N + OH \rightarrow NO + H$ neutral-neutral reaction in the gas-phase (Ligterink et al. 2018). Our observations contain 44 transitions of NO with lower energies between 7.2 K ($J_N = 2.5_3 - 1.5_2$) and 179.7 K $(J_N = 2.5_2 - 1.5_1)$. We clearly identified NO in a number of sources in Sgr B2(M) and N, see Fig. F.24, with some sources showing complex line shapes. For sources without complex line shapes, we usually use a single component to describe the contribution of nitric oxide. The isotopologues N¹⁷O, N¹⁸O and ¹⁵N¹⁷O were not detected. While the excitation temperatures for sources in Sgr B2(M) agree fairly well with the results of Möller et al. (2021), the sources in Sgr B2(N) show a wider range of temperatures than in Neill et al. (2014). The abundances show an opposite behaviour. While the highest abundance in Sgr B2(N) coincide quite well with the results of the previous analysis by Neill et al. (2014), we find abundances in Sgr B2(M) that are in some cases up two orders of magnitude larger than in Möller et al. (2021). For some inner sources in Sgr B2(M), NO provides the highest contribution to the corresponding core spectra.

NO⁺. The formation of nitric oxide ion (or nitrosyl cation or nitrosylium ion, NO⁺) in cold dense interstellar clouds include charge transfer reactions (Herbst & Klemperer (1973), Pickles & Williams (1977), Singh & Maciel (1980)) between NO and various ions (C⁺, H⁺, CH₃⁺,...) and the exothermic ion molecule reactions between N⁺ and oxygen bearing species such as CO, O₂, NO, ..., and the reaction of HNO with H⁺, He⁺. Our survey contains only the (J = 2 - 1, $E_{low} = 5.7$ K) transition, which is clearly seen in some sources in Sgr B2(M) and N, see Fig. F.25 and mostly described by two or more components. Due to the fact that only a single transition is covered by our observation a reliable temperature estimation is not possible. Isotopologues or vibrationally excited states were not detected.

E.5. Cyanide Molecules

HCN. Hydrogen cyanide (HCN) is thought to be a good tracer of the dense molecular gas that fuels star formation. It is formed through one of two pathways (Boger & Sternberg 2005): via a neutral-neutral reaction (CH₂ + N \rightarrow HCN + H) and via dissociative recombination (HCNH⁺ + e⁻ \rightarrow HCN + H). The dissociative recombination pathway is 30 % more common, but protonated hydrogen cyanide (HCNH⁺) must be in its linear form. Dissociative recombination with its structural isomer, H₂NC⁺, produces

only hydrogen isocyanic hydrogen (HNC). We clearly detected HCN, its isotopologues H¹³CN and HC¹⁵N, and the vibrational excited states $HCN, v_2=1$ and $HCN, v_2=2$ in many sources in Sgr B2(M) and N, see Figs. F.26a, F.26b, F.27a, F.27b, F.29a, F.29b, F.30. The deuterated isotopologue DCN and its vibrational excited state DCN, $v_2=1$ were not detected. Because of the large optical depth of HCN and since only a single transition (J = 3 - 2), $E_{\rm low} = 12.8$ K) of HCN is covered by our observation, we cannot derive excitation temperatures. For the abundances we get a very opposite behaviour for both regions. While the highest abundances in Sgr B2(M) are two orders of magnitude lower than those described by Möller et al. (2021), we obtain abundances for Sgr B2(N) that are up to four orders of magnitude higher than those described by Neill et al. (2014). However, the obtained abundances should be viewed with caution, as they are derived from only a single transition.

HNC. Hydrogen isocyanic hydrogen (HNC) is found in all sources in Sgr B2(M) and N, see Figs. F.26c - F.26d. Its isotopologues $HN^{13}C$ and $H^{15}NC$ are also detected in many sources, see Figs. F.27c, F.27d, F.28c, F.28d. Similar to HCN, we also observe the vibrationally excited state $HNC,v_2=1$, see Figs. F.31a - F.31b. The deuterated isotopologue HNC was not detected. As for HCN, only the $(J = 3 - 2, E_{low} = 13.1 \text{ K})$ transition is included in our observation, so we cannot derive excitation temperatures for HNC either. In both regions the received abundances exceed the results of previous studies by several orders of magnitude. But similar to HCN, the abundances are not very reliable.

CH₃CN. Methyl cyanide, CH₃CN, also known as acetonitrile or cyanomethane, is a symmetric top molecule with a large dipole moment of 3.92 D. It is used to probe the temperature and density in star forming regions. According to Bonfand et al. (2019), methyl cyanide (CH₃CN) mostly derives from the grain-surface hydrogenation reaction: $CH_2CN + H \rightarrow CH_3CN$, where CH_2CN is formed via the grain-surface atomic-addition sequence: $CN \xrightarrow{C} C_2N \xrightarrow{H} HC_2N \xrightarrow{H} CH_2CN$. At low temperatures (T < 50 K), CH_3CN is also produced in the gas phase via the electronic recombination of protonated methyl cyanide (CH_3CNH^+) , product of the ion-molecule reaction between CH_3^+ and HCN. 51 transitions of CH_3CN are included in our survey with lower energies ranging from 58.3 K (J_K $= 12_0 - 11_0$) up to 1488 K ($J_K = 15_{14} - 14_{14}$). Unlike other molecules, the high-energy transitions of CH₃CN have comparable transition probabilities to the lower transitions, making CH₃CN a good tracer for warm and moderately hot regions. In our analysis, we clearly identified CH_3CN , its isotopologues $^{13}CH_3CN$ and $CH_3^{13}CN$, and the vibrationally excited states $CH_3CN, v_8=1$ and $CH_3CN, v_8=2$ in many sources in Sgr B2(M) and N, see Fig. F.32, F.33, F.34, F.35, F.36, where for most sources in Sgr B2(M) and N we use at least two components. Only for some outer sources we need only one component. For the vibrationally excited states, we use the same model as for CH_3CN , since the lower energies of the vibrationally excited state transitions are located more or less in the same range as the CH_3CN transition. Compared to previous analyses, we find a wider range of excitation temperatures and abundances for both regions.

 C_2H_3CN . Vinyl cyanide (C_2H_3CN) is a planar molecule and is a slightly asymmetric prolate rotor with two non-zero electric dipole moment components, which lead to a rich rotational spectrum. C_2H_3CN is formed on dust grains through the successive hydrogenation of HCCCN (Bonfand et al. 2019): HCCCN \xrightarrow{H} C₂H₂CN \xrightarrow{H} C₂H₃CN. Subsequently, C₂H₃CN is converted to C₂H₅CN on the grain surface by hydrogenation $C_2H_3CN \xrightarrow{H} C_2H_4CN \xrightarrow{H}$ C_2H_5CN . Since it is rapidly destroyed by an ion-molecule reaction immediately after desorption, C₂H₃CN originated from the grains contributes only a small fraction to abundance in the gas phase. At late times C₂H₃CN may form in the gas phase via the reaction: $C_2H_4 + CN \rightarrow C_2H_3CN +$ H. In our observations 762 transitions of vinyl cyanide with lower energies from 6.8 K $(J_{K_a,K_c} = 6_{2,4} - 5_{0,5})$ to 2133 K $(J_{K_a,K_c} = 88_{13,75} - 89_{12,78})$ are included. Similar to other line surveys (Nummelin et al. (1998), Friedel et al. (2004), Belloche et al. (2013), Neill et al. (2014)), we detected vinyl cyanide (C_2H_3CN) in emission, see Fig. F.37, using mostly a single component to describe the contribution. In contrast to Belloche et al. (2013), we cannot identify a cold temperature component in sources in Sgr B2(M), but instead obtain much higher excitation temperatures. Maybe that colder component is part of the envelope surrounding the Sgr B2 complex, which we discussed in the first part of the analysis described in Paper VII. The corresponding abundances show a slightly wider range. For sources in Sgr B2(N), we obtain excitation temperatures similar to Bonfand et al. (2017), but the highest abundance we find in Sgr B2(N) is an order of magnitude lower than Bonfand et al. (2017). Additionally, the vibrational excited states $C_2H_3CN, v_{11}=1$, $C_2H_3CN, v_{11}=2$, and $C_2H_3CN, v_{15}=1$ in Sgr B2(M) and N are weakly detected, see Figs. F.38, F.39, F.40, F.41. Since we assume that the vibrationally excited states originate from the same region and are subject to the same conditions, we fit for each source all three vibrational excited states with the same model parameters and components. Isotopologues were not detected.

 C_2H_5CN . Ethyl cyanide (C_2H_5CN) is a prolate, asymmetric top molecule with one plane of symmetry. Due to its strong permanent dipole moment ($\mu_a = 3.816$ D, $\mu_b =$ 1.235 D along the molecular-fixed principal axes (Kraśnicki & Kisiel 2011)) the pure rotational spectrum shows strong a- and b-type transitions. Our survey contains 2174 transitions with lower energies between 10.4 K ($J_{K_a,K_c} = 7_{3,4} - 6_{1,5}$) and 2434 K ($J_{K_a,K_c} = 104_{9,95} - 104_{8,96}$). Ethyl cyanide is identified in many sources in emission in Sgr B2(M) and N, see Fig. F.42, whose contributions are modeled by one and two components. Additionally, we weakly detected the isotopologue C₂H₅¹³CN in some sources, see Fig. F.43, while $C_2H_5C^{15}N$ is not found. Compared to the previous analysis of Belloche et al. (2013), we find wider ranges of excitation temperatures and abundances in sources in Sgr B2(M). Compared to Bonfand et al. (2017), in Sgr B2(N), as already in Sgr B2(M), we also obtain a larger temperature range, which in addition includes a cold temperature component. In contrast, Bonfand et al. (2017) describe abundances that are up to an order of magnitude higher. Similar to vinyl cyanide we also identified vibrational excited states, i.e. $C_2H_5CN, v_{12}=1, C_2H_5CN, v_{13}+v_{21}=1$, and $C_2H_5CN, v_{20}=1$ in Sgr B2(N) in sources A01, A02, A03, and A08, see Figs. F.44b, F.45b, F.46b. Again, we assume a common origin for the vibrationally excited states, so that

we use the same model parameters such as excitation temperature, etc., for each source in which vibrationally excited states have been identified.

CN. The cyano radical (CN) is a key molecule in many astrochemical chains and very reactive with molecules possessing C=C double and $C\equiv C$ triple bonds. Additionally, it is involved in the formation of cvanopolyvnes (Gans et al. 2017) and other complex molecules related to star-forming processes. Furthermore, it is proposed as 'chemical clocks' in determining the age of this kind of source (Taniguchi et al. (2018), Chapman et al. (2009)). CN is formed by dissociative recombination (Liszt & Lucas 2001): HCN^+ + $e^- \rightarrow CN + H$ or by photo dissociation (Bakker et al. 1996): $HCN + h\nu \rightarrow CN + H$. The 19 hyperfine transitions of CN around $(E_{\text{low}} = 5.4 \text{ K})$ are clearly observed in nearly all sources in Sgr B2(M) and N, see Fig. F.47. The transitions usually occur as broad absorption features over a wide velocity range described by multiple components. The isotope 13 CN is also detected in many sources in Sgr B2(M) and N, see Fig.F.48, whereas $C^{15}N$ is not. For both regions, the determined excitation temperatures and abundances show a much wider range than in previous studies.

H₂**CCN**. The cyanomethyl radical is the simplest cyanide derivative of the methyl radical, CH₃, (Cabezas et al. 2021) and has two interchangeable hydrogen nuclei with non-zero spin which dictate the existence of an ortho and para symmetry. According to Zeng et al. (2018) the cyanomethyl radical (H₂CCN or CH₂CN) is formed via one of the following reactions: CN \xrightarrow{H} HCN \xrightarrow{H} H₂CN \xrightarrow{C} CH₂CN or CN \xrightarrow{H} HCN \xrightarrow{C} HC₂N \xrightarrow{H} CH₂CN or CN \xrightarrow{H} HCN \xrightarrow{C} HC₂N. In our analysis, 145 transitions of the cyanomethyl radical are included with lower energies between 5.3 K ($N_{K_a,K_c} = 11_{0,11} - 10_{0,10}$) and 1384 K ($N_{K_a,K_c} = 13_{10,4} - 12_{10,3}$), where we do not distinguish between ortho and para symmetry. H₂CCN was mostly found in emission in some sources in Sgr B2(M), see Fig. F.49, usually modeled by a single component. None of its isotopologues were found.

HCCCN. Cyanoacetylene (HCCCN or HC_3N) is a linear molecule and the simplest cyanopolyyne (HC_nN , with $n = 3, 5, 7, \ldots$). Its main formation pathway is the neutral-neutral reaction between C_2H_2 and CN (Taniguchi et al. 2016): $C_2H_2 + CN \rightarrow HCCCN + H. HCCCN$ has six transitions with lower energies between 120.5 K (J = 24 – 23) and 189.9 K (J = 30 - 29) within the frequency ranges covered by our observations. Furthermore, cyanopolyyne was found in almost all sources in Sgr B2(M) and N, see Fig. F.50, mostly in emission described by two components. Additionally, we detect the isotopologues $H^{13}CCCN$, see Fig. F.51, HC¹³CCN, see Fig. F.52, HCC¹³CN, see Fig. F.53, while the other isotopologues HCCC^{15}N , DCCCN, D^{13}CCCN , $\text{D}\text{C}^{13}\text{CCN}$, $\text{D}\text{C}\text{C}^{13}\text{CN}$, $\text{D}\text{C}\text{C}^{15}\text{N}$, $\text{H}^{13}\text{C}^{13}\text{CCN}$, $\text{H}^{13}\text{C}^{13}\text{CN}$, $\text{H}^{13}\text{C}^{13}\text{CN}$, $\text{H}^{13}\text{C}^{15}\text{N}$ could not be identified. Furthermore, we identified the following vibrationally excited states in some sources in Sgr B2(M) and N: HCCCN, $v_4=1$, Fig. F.54, HCCCN, $v_4=1, v_7=1$, Fig. F.55, HCCCN, v₅=1, Fig. F.56, HCCCN, v₅=1, v₇=1, Fig. F.57, HCCCN, $v_5=2$, Fig. F.58, HCCCN, $v_6=1$, Fig. F.59, HCCCN, v₆=1, v₇=1, Fig. F.60, HCCCN, v₇=1, F.61, HCCCN, $v_7=2$, Fig. F.62, HCCCN, $v_7=3$, Fig. Fig. F.63, HCCCN,v7=4, Fig. F.64, H¹³CCCN,v7=1, Fig. F.65, $H^{13}CCCN, v_7=2$, Fig. F.66, $H^{13}CCCN, v_7=3$, Fig. F.67, HC¹³CCN,v₇=1, Fig. F.68, HCC¹³CN,v₇=1, Fig. F.69. Similar to the vibrationally excited states of vinyl cyanide, we fit all vibrational excited states belonging to HCCCN with the same model parameters. For the vibrational excitated states associated with $\rm H^{13}CCCN$ we use the same model parameters as for the vibrational excitated states of HCCCN, except that the column densities are scaled by the $^{12}\rm C/^{13}C$ ratio. Compared with the previous analysis of Belloche et al. (2013), we obtain excitation temperatures and abundances for HCCCN and its vibrationally excited states that have a much wider range.

 NH_2CN . Cyanamide (NH_2CN or CN_2H_2) is one of the rare amide-type molecule that was created with two individual nitrogen atoms. After reaction with H₂O, NH₂CN is converted to urea (NH_2CONH_2) , which plays a very important role in organic chemistry and biology (Belloche et al. 2019). Its isomer carbodiimide (HNCNH) can be generated from NH₂CN by photochemically and thermally induced reactions (Duvernay et al. 2005). Molecules containing the carbodiimide moiety (-NCN-) are used in various biological processes, including the assembly of amino acids into peptides (see e.g., Williams & Ibrahim 1981). NH₂CN is formed through one of the following two pathways: Neutral-neutral reaction between ammonia (NH_3) and cyanide (CN) on the grain surfaces (Smith et al. 2004): $CN + NH_3 \rightarrow NH_2CN +$ H) or through the electronic recombination of NH_2CNH^+ : $NH_2CNH^+ + e^- \rightarrow NH_2CN + H$ (Coutens et al. 2018), while the reaction between NH_3 and CN is much more efficient. In our survey, 196 transitions with lower energies ranging from 52.8 K $(J_{K_a,K_c} = 11_{0,11} - 10_{0,10})$ up to 3538 K $(J_{K_a,K_c} = 82_{4,78} - 81_{5,76})$ are included. We have identified cyanamide in two sources in Sgr B2(M), see Fig. F.70, using a single component to describe the contribution of cyanamide. Unlike Belloche et al. (2013), we cannot identify the cold temperature component, but we obtain much higher temperatures and abundances. We could find neither one of the isotpologues nor urea.

E.6. S-bearing Molecules

H₂**S**. Hydrogen sulfide (H₂S) is one of the most primitive sulfur-bearing molecules detected in star-forming regions (Wakelam et al. 2004b). It is mainly produced by successive additions of H atoms to atomic sulfur on icy grains (Millar et al. (1986), Millar & Herbst (1990)): S \xrightarrow{H} HS \xrightarrow{H} H₂S. Due to the fact that these reactions are barrierless, H₂S is formed at extremely low temperatures (~10 K). Although hydrogen sulfide is not included in our observations, we detected its isotopologues H₂³³S (14 transitions from J_{K_a,K_c} = 2_{2,0} − 2_{1,1}, E_{low} = 76.6 K to J_{K_a,K_c} = 4_{3,2} − 5_{0,5}, E_{low} = 239.1 K), see Fig. F.71, and H₂³⁴S (two transitions from J_{K_a,K_c} = 2_{2,0} − 2_{1,1}, E_{low} = 73.5 K to J_{K_a,K_c} = 4_{3,2} − 5_{0,5}, E_{low} = 238.9 K), see Fig. F.72, in some sources. The sources in both regions have excitation temperatures and abundances that cover a much wider range than previous studies. Deuterated hydrogen sulfide, also known as deuterium sulfide (D₂S), was not detected.

SO. Sulfur monoxide (SO) is considered to be a shock tracer (Taniguchi et al. 2020). According to Charnley (1997) dissociative recombination of H_3S^+ , produced via $H_3O^+ + H_2S \rightarrow H_3S^+ + H_2O$, yields SH, which forms sulfur monoxide via SH + O \rightarrow SO + H. Additionally, at around 100 K the reactions S + OH \rightarrow SO + H and S + $O_2 \rightarrow$ SO + O are the major source of SO, with atomic

sulfur obtained from $SH + H \rightarrow S + H_2$. As source temperatures increase, the reaction including O_2 dominates, as OH abundance decreases faster with temperature than O_2 . Due to the formation of SO via neutral-neutral reactions. such as the aforementioned $S + OH \rightarrow SO + H$ reaction, the SO abundance could be enhanced in a high-temperature environment and/or in the late stages of molecular cloud evolution. In general, neutral-neutral reactions are slower than ion-molecule reactions and tend to have activation energies that must be overcome during the reactions. Dense regions can accelerate the formation of SO via slow neutral-neutral reactions by increasing the collision rate between the reactants (Higuchi et al. 2014). Other reaction pathways can also be important for the formation of SO (Ngo 2022). For example, SO can also be formed by recombination of SO_2^+ , but we do not consider this further in our analysis as the significance of these pathways is unclear. In our survey, eight transitions of sulfur monoxide with lower energies from 4.5 K $(J_N = 1_2 - 2_1)$ to 71.0 K $(J_N = 7_8 - 2_1)$ 7₇) are included. We identified SO in almost all sources in Sgr B2(M) and N, see Fig. F.73, modeled by two or more components. Some sources especially in Sgr B2(M) show strongly asymmetric line shapes indicating a complex kinematic structure. The isotopologues ³³SO, ³⁴SO, S¹⁷O, and $S^{17}O$ were also detected in many sources, see Figs. F.74, F.75, F.76, and F.77. Compared to previous analyses of Möller et al. (2021) and Belloche et al. (2013), we obtain excitation temperatures and abundances for SO for both regions that have a much wider range. In particular, we obtain much higher temperatures and abundances for the inner sources.

SO⁺. The sulfoxide cation (SO⁺) is primarily produced by ion-molecule reactions via (Herbst & Leung 1989): S⁺ + OH → SO⁺ + H. In early evolution stages other reactions such as SH⁺ + O → SO⁺ + H, H₂S⁺ + O → SO⁺ + H, and H⁺ + SO → SO⁺ + H could also contribute to production of SO⁺ (Turner 1992). We possibly detected SO⁺ through its ($J_N = 5.5_6 - 4.5_5$, $E_{low} = 27$ K) transition in seven sources in Sgr B2(M), see Fig. F.78, usually described by a single component. Since only one transition was detected in our survey (the other transition is at $E_{low} = 550$ K (J_N = 5.5₅ - 4.5₄)), we cannot reliably determine the excitation temperatures. Compared to the previous analysis by Möller et al. (2021), we obtain abundances that are up to two orders of magnitude larger. None of its isotopologues were found.

SO₂. Similar to SO and SiO, sulfur dioxide (SO₂) is also a molecular tracer of shocks, so it is expected that it should originate from similar regions. Additionally, the formation pathways of SO₂ are similar to those of sulfur monoxide. As with SO, the pathways of SO₂ each begin with atomic sulfur or SH and continue as follows: S $\xrightarrow{OH,O_2}$ SO \xrightarrow{OH} SO₂ or SH \xrightarrow{O} SO \xrightarrow{OH} SO₂ (Charnley 1997). The abundance of SO₂ and SO is also influenced by cosmic ray-induced photodissociation through the reactions (Ngo 2022) SO₂ + CRP → SO + O and SO + CRP → S + O, where the phrase CRP describes a cosmic ray photon. Like SO, we do not consider the contributions of photons from cosmic rays in our analysis, as the quantity of photons is unclear. Our observations contain 155 transitions of SO₂ with lower energies between 7.7 K ($J_{K_a,K_c} = 4_{2,2} - 3_{1,3}$) and 5155 K ($J_{K_a,K_c} = 94_{21,73} - 95_{20,76}$). We clearly identify sulfur dioxide in many sources in Sgr B2(M) and N, see Fig. F.79, where the contribution of SO₂ is mostly described by two components. For sources in both regions, we obtain excitation temperatures that are in a much larger range compared to previous studies, while the ranges of abundances are in very good agreement with the results of Belloche et al. (2013). Similar to SO, we obtain the highest temperatures for the inner sources. The SO₂ isotopologues ³³SO₂ and ³⁴SO₂ are also observed, see Figs. F.81, F.82, but SO¹⁷O and SO¹⁸O are not conclusively detected, see Figs. F.83, F.84. Additionally, we detected the vibrational excited state SO₂, v₂=1 in many sources.

CS. Carbon monosulfide (CS) is a linear molecule and has a simple rovibrational spectrum. According to Barr et al. (2018) CS is mainly produced via $CH_2 + S \rightarrow CS$ + H₂. Charnley (1997) also suggested the following other pathways: $SO + C \rightarrow CS + O$, $HCS^+ + e^- \rightarrow CS + H$, and $H_3CS^+ + e^- \rightarrow CS + H + H_2$. In our analysis, the (J = 5 - 1)4, $E_{\rm low} = 23.5$ K) rotational transition of carbon monosulfide is clearly detected in all sources in the Sgr B2 complex, see Fig. F.85. Additionally, the isotopologues ¹³CS, C³³S, C³⁴S are also clearly observed, see Figs. F.85c, F.85d, F.86a, F.86b, F.86c, F.86d, whereas the vibrational excited states CS,v=1, CS,v=2, CS,v=3, and CS,v=4 are not seen. Since only one transition was observed and due to the large optical depth of CS, we cannot reliably determine the excitation temperatures. Compared to previous analyses, we find wider ranges of abundances for both regions.

 H_2CS . Thioformaldehyde (H₂CS) is a slightly asymmetric rotor with two interchangeable hydrogen nuclei. Therefore, its rotational states are grouped into ortho (K_a) odd) and para $(K_a \text{ even})$, where the ortho ground state is 14.9 K above the para ground state and has a dipole moment of $\mu_a = 1.647$ D (Fabricant et al. 1977). Here we do not distinguish between ortho and para states. According to Charnley (1997), H_2CS is produced by one of the following pathways: $S + CH_3 \rightarrow H_2CS + H \text{ or } H_3CS^+ +$ $e^- \rightarrow \hat{H}_2CS + H$. Our observations cover 36 transitions of H₂CS with lower energies ranging from 34.6 K ($J_{K_a,K_c} = 7_{0,7} - 6_{0,6}$) to 2931 K ($J_{K_a,K_c} = 58_{3,55} - 58_{3,56}$). We found H_2CS in many sources in both regions, see Fig. F.87, mostly described by one or two components. The isotopologues $H_2^{13}CS$, see Fig. F.88, $H_2C^{33}S$, see Fig. F.89, and $H_2C^{34}S$, see Fig. F.89, are detected in many sources as well. However, HDCS is not observed. While the range of excitation temperatures in Sgr B2(N) agrees quite well with the results of Belloche et al. (2013), we find temperatures in Sgr B2(M) that are in a much wider range than in Möller et al. (2021). Furthermore, the abundances of the inner sources in both regions are in some cases significantly higher than those from previous studies.

OCS. Carbonyl sulfide (OCS) has a linear structure. OCS as well as H₂S have been suggested as possible main sulfur carriers on dust grains (see e.g. Wakelam et al. (2004a), Podio et al. (2014)). For young hot sources ($t \leq 2 \times 10^4$ yr), OCS is mainly formed in the gas-phase through the radiative association reaction CO + S \rightarrow OCS + h ν (Charnley 1997). Thereafter, it is produced via one of the following pathways: HOCS⁺ + e⁻ \rightarrow OCS + H and O + HCS \rightarrow OCS + H, with the latter making only a minor contribution. In our observations, we found transitions of carbonyl sulfide (OCS) ranging from $J_{\rm up} = 18$ to 21 ($E_{\rm low} = 89 - 123$ K) in nearly all sources in Sgr B2, see Fig. F.91, mostly described by two components. Compared to previous analyses, we find a wider range of excitation temperatures and abundances for both regions. Similar to other molecules like SO or SiO, we found highly asymmetric line shapes for some sources indicating a complex kinematic structure. Furthermore, the isotopologues $O^{13}CS$, see Fig. F.93, $OC^{33}S$, see Fig. F.94, and $OC^{34}S$, see Fig. F.95, are found in many sources, while the other isotopologues ^{17}OCS , ^{18}OCS , $OC^{36}S$, $O^{13}C^{33}S$, $O^{13}C^{34}S$, $^{18}O^{13}CS$, and $^{18}O^{13}C^{34}S$ are not reliably detected. In addition, the vibrational excited state $OCS, v_2=1$, see Fig. F.92, is detected in many inner sources of Sgr B2(M) and N.

HCS⁺. Thiomethylium (sometimes called thioformyl cation) (HCS⁺) is produced primarily through the following reactions (McAllister 1978): CS⁺ + H₂ → H + HCS⁺ and C⁺ + H₂S → HCS⁺ + H. According to Millar et al. (1985), the proton transfer reactions such as CS + H₃⁺ → HCS⁺ + H₂ and CS + HCO⁺ → HCS⁺ + CO may dominate in dense molecular clouds. We detected HCS⁺ in eight sources in Sgr B2(M), see Fig. F.96, by its two transitions $J_{\rm up} = 5$ and 6 ($E_{\rm low} = 20 - 31$ K), where we use usually two components to describe the contribution of HCS⁺. None of its isotopologues DCS⁺, H¹³CS⁺ was identified. Compared to results of the previous analysis of Möller et al. (2021), we find a wider range of excitation temperatures and abundances.

NS. Nitrogen sulfide (or sulfur mononitride) (NS) is isoelectronic to nitric oxide (NO) and its sulfur analog. According to (McGonagle et al. 1994), NS is formed through $HS + N \rightarrow NS + H$ and $HNS^+ + e^- \rightarrow NS + H$, where HS is produced by the reaction of S^+ with organic species such as H_2CO , while HNS^+ is created from NH_2^+ and atomic sulfur. In our observations the hyperfine splitted transition $(J_N = 5.5_5 - 4.5_4)$ of nitrogen sulfide (NS) is seen in some sources in Sgr B2, see Fig. F.97, mostly described by a single component. Only one of its isotopologues N³⁴S, see Fig. F.98, is clearly identified in some sources in Sgr B2(M) and N, while the other isotopologues ^{15}NS and $N^{33}S$ are not found. In contrast to previous studies of Möller et al. (2021) and Belloche et al. (2013), we achieve much higher excitation temperatures for all sources in both regions. Moreover, we derive much higher abundances for sources in Sgr B2(M), while the range of abundances for sources in Sgr B2(N) is larger compared to Belloche et al. (2013).

SiS. Silicon monosulfide (SiS) is the simplest molecule containing a silicon-sulfur chemical bond. The SiS molecule is considered as a possible gas-phase precursor of sulfide grains. In circumstellar envelopes, it is thought to be formed in the densest and hottest parts of the inner envelope, where it is thought to be produced under thermochemical conditions. According to (Mota et al. 2021), SiS is formed mainly via $\text{Si} + \text{SH} \rightarrow \text{SiS} + \text{H}$, although other reactions such as Si+ SH₂ \rightarrow SiS + H₂ (Doddipatla et al. 2021) might be important as well. Only the $(J = 15 - 14, E_{low} = 58 \text{ K})$ transition of SiS is identified in three inner sources in Sgr B2(M), see Fig. F.99, so a reliable temperature estimation is not possible. Dickinson & Kuiper (1981) described a detection of silicon sulfide in Sgr B2 at 90.77 GHz and 108.92 GHz. For an assumed excitation temperature of 20 K, they obtain a column density of $1 - 2 \times 10^{13}$ cm⁻², leading to a range abundances of $1.25 - 2.5 \times 10^{-12}$ for an H₂ column density of 8.0×10^{24} cm⁻². None of its isotopologues were found.

CCCS. Tricarbon monosulfide (C_3S or CCCS), sometimes called tricarbon sulfur, is a heterocumulene or thiocumulene, consisting of a straight chain of three carbon atoms and an additional sulfur atom. Different ways for the formation of CCCS are discussed: Millar & Herbst (1990) proposed the ion-molecule reaction scheme S⁺ + (c-C₃H₂; l-C₃H₂) \rightarrow HCCCS⁺ + H, where "c" and "l" represent the cyclic and linear isomers, respectively. Finally, the HCCCS⁺ ion is recombined with an electron to give CCCS. According to Yamada et al. (2002), CCCS is produced through the neutral-neutral reaction C₂ + H₂CS \rightarrow CCCS + H₂. In our survey, ten transitions of CCCS with E_{low} located in a range between 184 K (J = 37 - 36) and 300 K (J = 47 - 46) are included. We detected CCCS in two sources in Sgr B2(M), see Fig. F.100, described by a single component. Corby et al. (2015) identified CCCS in Sgr B2(N), but without specifying temperature and abundance.

E.7. Carbon and Hydrocarbons

CCH. In star-forming regions ethynyl is related to the earliest stages of massive star-formation (Beuther et al. 2008). Ethynyl (CCH or C_2H) and other light ionized hydrocarbons CH_n^+ (n = 2 ... 5) are formed by radiative association of C⁺ with H₂ and hydrogen addition reactions: $C^+ \to CH_2^+ \to CH_5^+$. These molecules react with electrons, CO, C, OH, and more complex species to form methane, which forms $C_2H_2^+$ and $C_2H_3^+$ in reactive collisions with C^+ (Beuther et al. 2008). An alternative pathway for the formation of $C_2H_2^+$ is the dissociative recombination of CH_5^+ to CH_3 , followed by reactions with C^+ . Finally, $C_2H_2^+$ and $C_2H_3^+$ recombine dissociatively to form CH, C_2H , and C_2H_2 . In our analysis we detected transitions of CCH from N = 6 - 5 to 21 - 20 ($E_{\text{low}} = 63 - 879$ K) in all sources in Sgr B2, see Fig. F.101. The doublets, caused by the unpaired electron, are clearly separated in the survey and well described by a single component without a red-shifted wing as described by Belloche et al. (2013). Neither the isotopologues $C^{13}CH$, $CC^{13}H$, and CCD nor the vibrational excited states CCH,v₂=1, CCH,v₂=2, and CCH,v₃=1 could be reliably detected. Unlike other studies of Sgr B2, we find temperatures and abundances in a broader range, including moderately high temperatures not previously identified.

 \mathbf{c} - $\mathbf{C}_{3}\mathbf{H}_{2}$. $\mathbf{C}_{3}\mathbf{H}_{2}$ is a class of highly unsaturated carbenes, which consists of three isomers, propynylidene (C_3H_2) , propadienylidene $(l-C_3H_2)$ and cyclopropenylidene $(c-C_3H_2)$. Among them, singlet cyclopropenylidene, $c-C_3H_2$, is the most stable isomer and contains the smallest hydrocarbon ring. The formation pathways of cyclopropenylidene is not clear. According to Maluendes et al. (1993) cyclopropenylidene is formed by the dissociative recombination of $C_3H_3^+$: $C_3H_3^+ + e^- \rightarrow C_3H_2 + H$. Maksyutenko et al. (2011) describe a different pathway involving the reaction of the methylidyne radical (CH) with acetylene (C_2H_2) , which forms cyclopropenylidene plus atomic hydrogen and also propadienylidene plus atomic hydrogen. Additionally, the neutral-neutral reaction between atomic carbon and the vinyl radical (C_2H_3) also forms cyclopropenylidene plus atomic hydrogen (Wilson et al. 2012). 147 transitions from $J_{K_a,K_c} = 2_{2,1} - 2_{0,2}$, $E_{\text{low}} = 6.4$ K to $J_{K_a,K_c} = 39_{29,10} - 39_{28,11}$, $E_{\text{low}} = 2391$ K are included in our survey. We identified cyclopropenylidene in some sources in Sgr B2(M), see Fig. F.102, using a single component to describe the contribution of $c-C_3H_2$. Some sources show abundances and temperatures that fit well with results described by Belloche et al. (2013). In addition, we have also identified $c-C_3H_2$ in sources with much higher temperatures and abundances. None of its isotopologues were found.

E.8. Other Molecules

PH₃. Phosphine (PH₃) is a symmetric top molecule with a pyramidal structure similar to NH₃, but with negligible inversion splitting. PH₃ is an important molecule for the chemistry of phosphorus (P)-bearing species and is considered to form primarily on grains. According to Chantzos et al. (2020) and Rivilla et al. (2020) PH₃ is produced via the following reactions on grains: P \xrightarrow{H} PH \xrightarrow{H} PH₂ \xrightarrow{H} PH₃. In our observations 19 transitions of PH₃ with lower energies from 0 K ($J_K = 1_0 - 0_0$) to 4727 K (27₂ − 27₅) are included. We clearly identify phosphine by its ground state transition in many sources in Sgr B2(M) and N, see Fig. F.103. Due to the fact that only the ground state transition is detected, a reliable temperature estimation of PH₃ is difficult. Turner et al. (1990) found PH₃ in Sgr B2 with an excitation temperature of 50 K and an abundance of < 2 × 10⁻¹⁰.

PN. According to Turner et al. (1990), phosphorus nitride (PN) forms via one of the following pathways: first, phosphorus nitride is formed by $PO + N \rightarrow PN + O$ when temperatures are high enough to overcome the activation barrier, or on grains that are disrupted in star-forming regions and preferentially release PN (and SiO) as products of disruption. Additionally, Minimi et al. (2018) reported that PN may be released by sputtering of dust grains due to shocks. In our analysis we identified the (J = 5 - 4), $E_{\rm low} = 23$ K) transition of phosphorus nitride in almost all sources in Sgr B2(N), see Fig. F.104. However, due to the fact that only this transition is included in our observations, we cannot determine the excitation temperatures for the different sources. We obtain abundances which are six orders of magnitude higher than those of Belloche et al. (2013). Because only one transition was considered in our analysis, our abundances should be viewed with caution. We could find neither one of the isotopologues nor PO.

Appendix F: Transition plots

In the following subsection, the quantum number J = N + S + L describes the total angular momentum of the respective molecule, while the other quantum numbers N, S and L describe the rotational, electron spin and electron orbital angular momentum quantum numbers, respectively. For species without electronic angular momentum, i.e. J = N, the rotational transitions are denoted by ΔJ , whereas those with electronic angular momentum the rotational levels are labeled by N_J . Furthermore, energy levels for symmetric rotors are described by J_K , where K indicates the angular momentum along the symmetry axis. Energy levels for asymmetric rotors are denoted by J_{K_a,K_c} , where K_a and K_c refer to the angular momentum along the symmetry axis in the oblate and prolate symmetric upper limits, respectively.

In each figure presented in this section the observed ALMA spectrum for each core (blue line) is shown together with the overall fit (green dashed line) and the contribution of the respective molecule (red line), respectively. The vertical gray dashed line indicates the source velocity of the whole Sgr B2 complex. On the right sight of each spectrum the name of the corresponding core is described together with the applied scaling factor (in round brackets). The offset between the different spectra is set to 450.



Figure F.1: Transitions of CO and 13 CO in Sgr B2(M) and N.



Figure F.2: Transitions of $C^{17}O$ and $C^{18}O$ in Sgr B2(M) and N.



Figure F.3: Selected transitions of CH₃OH in Sgr B2(M) and N.





(b) Sgr B2(N)

Figure F.4: Selected transitions of CH_3OH , $v_{12}=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.5: Selected transitions of ${}^{13}CH_3OH$ in Sgr B2(M) and N.



Figure F.6: Selected transitions of H_2CO in Sgr B2(M) and N.



Figure F.7: Selected transitions of $H_2^{13}CO$ in Sgr B2(M) and N.



Figure F.8: Selected transitions of H_2CCO in Sgr B2(M) and N.



(a) $H^{13}CO^+$ in Sgr B2(M) (b) $H^{13}CO^+$ in Sgr B2(N) (c) $HO^{13}C^+$ in Sgr B2(M) (d) $HO^{13}C^+$ in Sgr B2(N) Figure F.9: Transitions of $H^{13}CO^+$ and $HO^{13}C^+$ in Sgr B2(M) and N.



Figure F.10: Selected transitions of SiO in Sgr B2(M) and N.



Figure F.11: Selected transitions of CH_3OCH_3 in Sgr B2(M) and N.

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 37



Figure F.12: Selected transitions of C₂H₅OH in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.13: Selected transitions of CH₃OCHO in Sgr B2(M) and N.





(b) Sgr B2(N)

Figure F.14: Selected transitions of CH₃OCHO, v_{18} =1 in Sgr B2(M) and N.



T. Möller et al.: Full molecular line survey of hot cores, Online Material p 40





(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.16: Selected transitions of CH_3CHO , $v_{15}=1$ in Sgr B2(M) and N.



Figure F.17: Selected transitions of t-HCOOH in Sgr B2(M).



Figure F.18: Selected transitions of CH₃NH₂ in Sgr B2(M) and N.



Figure F.19: Selected transitions of CH_2NH in Sgr B2(M) and N.



Figure F.20: Selected transitions of NH_2D in Sgr B2(M) and N.



Figure F.21: Selected transitions of HNCO in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.22: Selected transitions of NH₂CHO in Sgr B2(M) and N.



Figure F.23: Selected transitions of NH_2CHO , $v_{12} = 1$ in Sgr B2(M) and N.



Figure F.24: Selected transitions of NO in Sgr B2(M) and N.

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 48



Figure F.25: Selected transitions of NO^+ in Sgr B2(M) and N.



(a) HCN in Sgr B2(M). (b) HCN in Sgr B2(N). (c) HNC in Sgr B2(M). (d) HNC in Sgr B2(N). Figure F.26: Selected transitions of HCN and HNC in Sgr B2(M) and N.



(a) $H^{13}CN$ in Sgr B2(M). (b) $H^{13}CN$ in Sgr B2(N). (c) $HN^{13}C$ in Sgr B2(M). (d) $HN^{13}C$ in Sgr B2(N). Figure F.27: Selected transitions of $H^{13}CN$ and $HN^{13}C$ in Sgr B2(M) and N.



(a) $HC^{15}N$ in Sgr B2(M). (b) $HC^{15}N$ in Sgr B2(N). (c) $H^{15}NC$ in Sgr B2(M). (d) $H^{15}NC$ in Sgr B2(N). Figure F.28: Selected transitions of $HC^{15}N$ and $H^{15}NC$ in Sgr B2(M) and N.



Figure F.29: Selected transitions of HCN, $v_2=1$ in Sgr B2(M) and N.







Figure F.31: Selected transitions of HNC, $\mathbf{v_2}{=}1$ in Sgr B2(M) and N.


Figure F.32: Selected transitions of CH_3CN in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.33: Selected transitions of ${}^{13}CH_3CN$ in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.34: Selected transitions of $CH_3^{13}CN$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.35: Selected transitions of CH_3CN , $v_8=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.36: Selected transitions of CH_3CN , $v_8=2$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)





(b) Sgr B2(N)

Figure F.38: Selected transitions of C_2H_3CN , $v_{10}=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.39: Selected transitions of C_2H_3CN , $v_{11}=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.40: Selected transitions of C_2H_3CN , $v_{11}=2$ in Sgr B2(M) and N.



(a) Sgr B2(M) (b) Sgr B2(N)

Figure F.41: Selected transitions of C_2H_3CN , $v_{15}=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

Figure F.42: Selected transitions of C_2H_5CN in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.43: Selected transitions of $C_2H_5^{13}CN$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.44: Selected transitions of C_2H_5CN , $v_{12}=1$ in Sgr B2(M) and N.





(a) Sgr B2(M)

(b) Sgr B2(N)





(a) Sgr B2(M)

Figure F.46: Selected transitions of C_2H_5CN , $v_{20}=1$ in Sgr B2(M) and N.



Figure F.47: Selected transitions of CN in Sgr B2(M) and N.



Figure F.48: Selected transitions of 13 CN in Sgr B2(M) and N.

T. Möller $et \ al.:$ Full molecular line survey of hot cores, $Online \ Material \ p \ 66$



Figure F.49: Selected transitions of H_2CCN in Sgr B2(M).



Figure F.50: Selected transitions of HCCCN in Sgr B2(M) and N.



(b) Sgr B2(N)

Figure F.51: Selected transitions of H¹³CCCN in Sgr B2(M) and N.



(b) Sgr B2(N)

Figure F.52: Selected transitions of HC¹³CCN in Sgr B2(M) and N.



(b) Sgr B2(N)

Figure F.53: Selected transitions of $HCC^{13}CN$ in Sgr B2(M) and N.







Figure F.55: Selected transitions of HCCCN, v₄=1,v₇=1 in Sgr B2(M) and N.



(a) Sgr B2(M)





(a) Sgr B2(M)

(b) Sgr B2(N)





(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.58: Selected transitions of HCCCN, $v_5=2$ in Sgr B2(M) and N.





Figure F.59: Selected transitions of HCCCN, $v_6=1$ in Sgr B2(M) and N.



Figure F.60: Selected transitions of HCCCN, $v_6=1, v_7=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.61: Selected transitions of HCCCN, $v_7=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)





(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.63: Selected transitions of HCCCN, $v_7=3$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)





(a) Sgr B2(M)

Figure F.65: Selected transitions of $H^{13}CCCN$, $v_7=1$ in Sgr B2(M) and N.



Figure F.66: Selected transitions of $H^{13}CCCN$, $v_7=2$ in Sgr B2(M)



Figure F.67: Selected transitions of $H^{13}CCCN$, $v_7=3$ in Sgr B2(M)



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.68: Selected transitions of $HC^{13}CCN$, $v_7=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)





Figure F.70: Selected transitions of NH₂CN in Sgr B2(M).



Figure F.71: Selected transitions of $H_2^{33}S$ in Sgr B2(M) and N.



Figure F.72: Selected transitions of $H_2^{34}S$ in Sgr B2(M) and N.



Figure F.73: Selected transitions of SO in Sgr B2(M) and N.



Figure F.74: Selected transitions of 33 SO in Sgr B2(M) and N.



Figure F.75: Selected transitions of ${}^{34}SO$ in Sgr B2(M) and N.



Figure F.76: Selected transitions of $S^{17}O$ in Sgr B2(M) and N.



Figure F.77: Selected transitions of $S^{18}O$ in Sgr B2(M) and N.

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 86



Figure F.78: Selected transitions of $\mathrm{SO^+}$ in Sgr B2(M)



Figure F.79: Selected transitions of SO_2 in Sgr B2(M) and N.



Figure F.80: Selected transitions of SO_2 , $v_2=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.81: Selected transitions of ${}^{33}SO_2$ in Sgr B2(M) and N.


(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.82: Selected transitions of ${}^{34}SO_2$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.83: Selected transitions of SO¹⁷O in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.84: Selected transitions of SO¹⁸O in Sgr B2(M) and N.



Figure F.85: Selected transitions of CS and ¹³CS in Sgr B2(M) and N.



Figure F.86: Selected transitions of $C^{33}S$ and $C^{34}S$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.87: Selected transitions of H_2CS in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.88: Selected transitions of $H_2^{13}CS$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.89: Selected transitions of $H_2C^{33}S$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.90: Selected transitions of $H_2C^{34}S$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.91: Selected transitions of OCS in Sgr B2(M) and N.



Figure F.92: Selected transitions of OCS, $v_2=1$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.93: Selected transitions of $O^{13}CS$ in Sgr B2(M) and N.



(a) Sgr B2(M)

(b) Sgr B2(N)

Figure F.94: Selected transitions of $OC^{33}S$ in Sgr B2(M) and N.



Figure F.95: Selected transitions of $OC^{34}S$ in Sgr B2(M) and N.

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 103



Figure F.96: Selected transitions of HCS^+ in Sgr B2(M)



Figure F.97: Selected transitions of NS in Sgr B2(M) and N.



Figure F.98: Selected transitions of $\rm N^{34}S$ in Sgr B2(M)



Figure F.99: Selected transitions of SiS in Sgr $\mathrm{B2}(\mathrm{M})$



Figure F.100: Selected transitions of CCCS in Sgr B2(M)



Figure F.101: Selected transitions of CCH in Sgr B2(M) and N.







Figure F.103: Selected transitions of PH_3 in Sgr B2(M) and N.



Figure F.104: Selected transitions of PN in Sgr $\mathrm{B2}(\mathrm{N})$





Figure G.1: Excitation temperatures of envelope layers for each detected molecule and source in Sgr B2(M).



Figure G.2: Excitation temperatures of core layers for each detected molecule and source in Sgr B2(M).



Figure G.3: Excitation temperatures of envelope layers for each detected molecule and source in Sgr B2(N).



Figure G.4: Excitation temperatures of core layers for each detected molecule and source in Sgr B2(N).





Figure H.1: Abundances of envelope layers for each detected molecule and source in Sgr B2(M).



Figure H.2: Abundances of core layers for each detected molecule and source in Sgr B2(M).



Figure H.3: Abundances of envelope layers for each detected molecule and source in Sgr B2(N).



Figure H.4: Abundances of core layers for each detected molecule and source in Sgr B2(N).

Appendix I: Parameter distributions of best-fit model

In the following we visualize the distribution of the derived physical parameters by computing the kernel density estimations (KDE, Rosenblatt (1956), Parzen (1962)) for the fitted parameters of the different families as described in Sect. 5.1. For better visibility, we have normalized the maximum of each KDE to one. In addition, we consider only those components that clearly belong to Sgr B2, i.e. whose source velocity is greater than 22 km s⁻¹, see Table 1. The short black vertical lines under each KDE diagram indicate the parameter values of all components and molecules of the respective source. Here, Silverman's rule (Silverman 1986) is used as a scipy implementation (Virtanen et al. 2020) to calculate the bandwidth of each KDE. Peak-like KDEs indicate that the corresponding molecular family shows only a single value (temperature, line width, or velocity offset) within the corresponding layer.



T. Möller et al.: Full molecular line survey of hot cores, Online Material p 118

Figure I.1: Normalized KDE of excitation temperatures $T_{rot}(K)$ of components located in the envelope layer for different sources and molecule families in Sgr B2(M).



Figure I.2: Normalized KDE of excitation temperatures $T_{rot}(K)$ of components located in the core layer for different sources and molecule families in Sgr B2(M).

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 120



Figure I.3: Normalized KDE of excitation temperatures $T_{rot}(K)$ of components located in the envelope layer for different sources and molecule families in Sgr B2(N).



T. Möller et al.: Full molecular line survey of hot cores, Online Material p 121

Figure I.4: Normalized KDE of excitation temperatures $T_{rot}(K)$ of components located in the core layer for different sources and molecule families in Sgr B2(N).



Figure I.5: Normalized KDE of line widths Δv (km s⁻¹) of components located in the envelope layer for different sources and molecule families in Sgr B2(M).



Figure I.6: Normalized KDE of line widths Δv (km s⁻¹) of components located in the core layer for different sources and molecule families in Sgr B2(M).



Figure I.7: Normalized KDE of line widths Δv (km s⁻¹) of components located in the envelope layer for different sources and molecule families in Sgr B2(N).





Figure I.8: Normalized KDE of line widths Δv (km s⁻¹) of components located in the core layer for different sources and molecule families in Sgr B2(N).


Figure I.9: Normalized KDE of velocity offsets $v_{lsr}(km \ s^{-1})$ of components located in the envelope layer for different sources and molecule families in Sgr B2(M).



Figure I.10: Normalized KDE of velocity offsets $v_{lsr}(km s^{-1})$ of components located in the core layer for different sources and molecule families in Sgr B2(M). The gray vertical solid lines indicate the median velocity, respectively.



Figure I.11: Normalized KDE of velocity offsets $v_{lsr}(km \ s^{-1})$ of components located in the envelope layer for different sources and molecule families in Sgr B2(N).



T. Möller et al.: Full molecular line survey of hot cores, Online Material p 129

Figure I.12: Normalized KDE of velocity offsets $v_{lsr}(km s^{-1})$ of components located in the core layer for different sources and molecule families in Sgr B2(N). The gray vertical solid lines indicate the median velocity, respectively.

Appendix J: Kendall rank correlation coefficient



Figure J.1: Kendall rank correlation coefficient of abundances for sources in Sgr B2(M). The number in each square indicates the Kendall coefficient for the corresponding pair of sources.



Figure J.2: Kendall rank correlation coefficient of abundances for sources in Sgr B2(N). The number in each square indicates the Kendall coefficient for the corresponding pair of sources.

Appendix K: Final results

K.1. Source in Sgr B2(M)

- **A01**: The envelope around source A01 in Sgr B2(M) is dominated by contributions from CH₃CN, CCH, H₂CO, CH₃OH, and CN. For the corresponding core spectrum, NO provides the largest contribution, followed by SO_2 , SO, HCCCN, $v_7=2$, H_2CO . For the core, we obtain slightly different mode¹⁴ temperatures for the different families of molecules, see Fig. I.2, with simple O-bearing molecules having the lowest temperatures and sulfurbearing molecules the highest, which also fits well with the results of the PCA, according to which this source is assigned to the cluster (CM1) with the highest temperatures of the sulfur-bearing molecules, see Fig. D.7. In addition, NH-bearing molecules show a much larger mode line width than the other families, see Fig. I.6, which together with a significantly higher velocity, see Fig. I.10, could indicate a different origin, such as a filament. Since this source contains maser as well as outflows and H_{II} regions, this source is considered to be more evolved (phase IV), see Sect. 5.3, which fits well with the classification based on chemical clocks containing sulfur-bearing molecules, see Table 4.
- A02: In source A02, NO once again makes the largest contribution to the emission, followed by SO_2 , and its vibrationally excited state $SO_2, v_2=1$, as well as HCCCN, $v_7=2$, and $H_2^{34}S$. Similar to the neighboring source A01, the envelope is again dominated by contributions from CCH, CH₃OH, CN, CH₃CN and H₂CO. For the core spectrum, the molecular families have different mode temperatures, line widths and velocities, respectively, indicating together with the high number of maser that the source contains different protostars and / or filaments. This fact is supported by the analysis of the chemical clocks, according to which A02 is classified as both a young and an evolved source. Nevertheless, the evolutionary phase analysis classifies the source as evolved (phase IV), which also fits well with the high contributions of some vibrationally excited molecules. Furthermore, PCA assigns the source to a cluster (CM4) that has the highest mean abundances of SO_2 and its vibrational excited state $SO_2, v_2=1$, see Fig. **D.5**.
- A03: For source A03, SiO, CCH, CN, CH₃OH, and H_2CO are the main contributors to the envelope, while the corresponding emissions are mainly CH₃OH, NO, SO_2 , SO, and SO_2 , $v_2=1$. The core seems to be more uniform, as the molecular families all have more or less the same mode temperatures, line widths and velocities. According to the analysis of the chemical clocks, the source is more or less at an intermediate age, which also agrees quite well with the analysis of the evolutionary phases (phase III). Moreover, this classification is also underpinned by the not so high proportion of vibrationally excited molecules in the emission, which require high temperatures and a high evolutionary phase. Furthermore, this source is part of the PCA cluster CM1 containing many intermediate to highly evolved sources (except A05).

- A04: Source A04 shows large contributions from SO, SO_2 , SO_2 , $v_2=1$, NO, and CH_3OH to the emission, while CN, CH₃OH, CCH, H₂CO, and SO dominate the envelope. Similar to source A02, source A04 also shows a differentiated behavior of the various molecular families. While the sulfur-bearing molecules show a significantly higher mode temperature than the other families, the NH-bearing molecules show a much larger mode line width, which indicates a higher amount of turbulence and so a different origin like a filament. In contrast, the mode velocities are more or less the same. However, the result of the chemical clocks is contradictory, as the ratio of SO / OCS indicates the source as evolved, whereas the ratio of SO_2 / SO implies a young source. On the other hand, the presence of masers, outflows and H II regions indicates a more evolved source (phase IV), which also fits well with the results of the PCA, according to which this source belongs to the same cluster (CM1) as the evolved source A01.
- A05: The envelope around source A05, is dominated by CN, CCH, H_2CO , SO, and CH_2NH . The corresponding core spectrum is primarily caused by CH_3OH , SO, SO₂, NO, and SO₂, $v_2=1$, where the distributions of temperatures, line widths and velocities indicate a more or less uniform source structure. The chemical clocks point to a rather young to intermediate age, which also fits well with the analysis of the phase analysis of the evolutionary sequence (phase II) and the small contributions of vibrational excited species to the core spectrum. Nevertheless, the PCA assigns this source to the same cluster (CM1) as the more developed source A01.
- A06: For source A06, the envelope contains mainly CN, SiO, HCCCN, CCH, and H_2CO , while in the core spectrum we find large amounts of CH₃CN, SO₂, $SO_2, v_2=1$, SO, and NO. Moreover, the core spectrum shows more or less unimodal distributions for the fit parameters except that the mode temperature of sulfurbearing molecules is higher than for the other families. Although the mode line widths are more or less identical for the different families, the mode value of the velocity for simple O- and NH-bearing molecules is slightly larger, which could indicate a filament. The analysis of the chemical clocks and the PCA show mostly that the source is at an advanced stage of evolution (cluster CM1 containing the evolved sources A01, A04, and A07), although the presence of masers and outflows and the moderate contribution of the vibrationally excited $SO_2, v_2=1$ indicate an intermediate age (phase III).
- A07: Source A07 is embedded in an envelope, including predominantly H_2CO , CN, CCH, SO, and HCCCN, whereas the core spectrum mainly shows emission from CH₃OH, SO₂, SO, NO, and HCCCN, $v_7=2$. The mode temperature of sulfur- and complex O-bearing molecules in the core spectrum is slightly higher. The corresponding mode line widths and velocities are mostly the same for all molecules, except for carbon and hydrocarbons, which exhibit a significantly lower velocity revealing a cloud in the foreground. The analysis based on chemical clocks shows an inconsistent picture, as some ratios indicate a young and others an old age, which together with the different mode temperatures could indicate a variety of protostars. In contrast to that, the results of the PCA (cluster CM1) and the analysis of the evolu-

 $^{^{14}\,}$ The position of the x-axis, where a kernel density estimate (KDE) has its maximum is commonly referred to as the "mode" of the distribution.

tionary features (maser, outflows, H II regions) clearly indicate the source as evolved.

- A08: While the envelope of source A08 contains mainly CH₃CN, CH₃OH, OCS, NO, and HCCCN, the core spectrum is dominated by contributions from SO, SO₂, SO₂, $SO_2, v_2=1$, NO, and $H_2^{34}S$. Moreover, the distribution of the parameters in the core describe a rather inconsistent picture, according to which the N- and O-bearing molecules tend to be colder in comparison with the other molecules. Furthermore, the mode line widths and velocities are distributed over a wider range, which in turn indicates a rather heterogeneous source structure such as an additional filament. The source is located at the edge of a large, possibly expanding H II region including source A16, which may explain the remarkable shift in velocities compared to the source velocity of the Sgr B2 complex. The analysis of the chemical clocks and the presence of masers, outflows and HII regions indicate an advanced stage of evolution (phase IV). In addition, the PCA classifies the source in the same cluster (CM4) as A02. Furthermore, the Kendall correlation coefficient analysis shows a strong correlation to the neighboring source A14.
- A09: In source A09, SO_2 provides the largest contribution to the envelope spectrum followed by CN, CCH, SO, and H₂CCN. In addition, the core spectrum consists of CH₃OH, SO, SO₂, OCS, and SO₂, v₂=1. Furthermore, the molecules in the core all have more or less the same mode temperatures, line widths and velocity distributions. The N- and O-bearing molecules, which are slightly colder, are an exception. The analysis of the chemical clocks and the evolutionary features indicate a rather young age (phase I), whereas the PCA suggests a more evolved age (cluster CM4).
- A10: While the envelope spectrum around source A10 consists predominantly of CN, CH₃OH, CCH, H₂CO, and SiO, the core spectrum incorporate mostly CH₃OH, SO, NO, SO₂, and H₂CO, whereby the distributions of the parameters there also show a fairly uniform picture, with the mode temperatures for the NH- and N- and O-bearing molecules being somewhat higher. The further analyses assign the source to an intermediate evolutionary phase (phase III), whereby the PCA indicates a rather older age (cluster CM1).
- A11: In source A11, the envelope spectrum has high contributions of OCS, HNCO, $H_2^{34}S$, SO₂, and CH₃OH. The corresponding emission is primarily caused by CH₃OH, CCH, CH₃OCHO, CH₃OCH₃, and CN and shows an inconsistent behavior, as the mode temperatures and line widths of the core spectrum in particular are distributed over a broad range, which in turn could indicate the presence of a filament. Nevertheless, the chemical clocks as well as the evolutionary characteristics exhibit the source as young. PCA assigns this source to its own cluster, which only includes source A23 as an additional element, although the analysis of the Kendall correlation coefficient shows only a low correlation between both sources. The high proportions of CCH and the exceptionally low temperatures of methanol in both sources could be possible explanations for this classification.
- A12: The envelope around source A12 shows absorption features primarily from HCCCN, OCS, CH₃OH, CN, and CH₃CN. Furthermore, the core spectrum consists

mainly of $SO_2, v_2=1$, SO_2 , SO, NO and OCS and shows uniform distributions of the parameters, except for the mode velocity of the NH-bearing molecules, which is approximately at the source velocity of the Sgr B2 complex, while the other molecules show the largest velocity shift of all sources. This could again indicate a filament. The chemical clocks and the PCA indicate that the source is old (cluster CM4). However, all characteristics of an advanced development are missing (phase I).

- A13: Source A13 is embedded in an envelope, including predominantly CCH, CN, SO, H_2CS , and SiO, whereas its core spectrum is mostly made of CH_3OH , SO, SO₂, NO, and SO₂, $v_2=1$. Although the distribution of mode temperatures and line widths in the core are less uniform, all molecules show more or less the same low mode velocity, which could be caused by the large, possibly expanding H II region between sources A02 and A13. The further analyses do not allow a clear statement regarding the age of the source, which supports the assumption that the source contains a large number of protostars. The chemical clocks indicate an intermediate age, whereas the PCA classifies the source as a more developed source (cluster CM4). However, there are no signs of an advanced evolution (phase I).
- A14: In source A14, HCCCN, CH₃OH, CN, HNCO, and CCH provide the largest contributions to the envelope spectrum. In addition, the corresponding core spectrum consists mostly of SO₂, $v_2=1$, SO, SO₂, NO, and $H_2^{34}S$. From the analysis of the distribution of the parameters, a very heterogeneous source structure can be derived for this source, which can be seen in particular in the distribution of the mode line widths and velocities. While the mode line width for the NH-bearing molecules in particular deviates significantly from the others, the velocities of almost all molecular families are distributed over a wide range, which in turn suggests a complex kinematic structure. Like the neighboring source A08, this source is also located at the edge of the large H II region around source A16, which could cause the unusually low velocities in this source. The analysis of the chemical clocks exhibit a middle to old age, which agrees quite well with the classification of the PCA (cluster CM4). However, this source contains neither masers nor H II regions but only outflows, which prevents its categorization into an evolutionary phase. As described in Sect. 5.3.2, we cannot exclude the possibility that the non-Gaussian line shape of OCS and SO results from rotational or infall motions, so that this could also be a young source.
- A15: While the envelope spectrum around source A15 consists predominantly of OCS, H_2CS , CH_3CN , HCCCN, and HNCO, the emission spectrum contains mainly SO₂, SO, NO, SiO, and SO₂, $v_2=1$. The source correspond more or less to a single HII region, and we also find hints for a complex kinematic structure. In contrast to the distribution of the mode temperatures and line widths, the various families of molecules show a clear bimodal distribution of the velocities, where the N- and O-bearing molecules have much lower velocities. These velocities are comparable to the mean velocity of the neighboring source A13, while the velocities of the other molecules are more than 20 km $\rm s^{-1}$ higher, comparable to the mean velocity of source A17, indicating a common structure like a filament connecting both sources. In addition, the ratio of SO_2 / SO_2

the analysis of the evolutionary features, and the PCA (cluster CM4) exhibit this source as highly evolved (phase V). Furthermore, the analysis of the contributions of dust and ionized gas, as described in Möller et al. (2023), indicates an age of 3100 yr for the H II region.

- A16: HCCCN, SO₂, OCS, CH₃CN, and H₂³⁴S are highly abundant in the envelope around source A16, while the core spectrum show large contributions of SO₂, SO, SO₂,v₂=1, CN, and NO. The source A16, which is embedded in a large H II region, contains only a few molecules in emission, making it difficult to analyze the distribution of parameters. The mode velocities of the different families are distributed over a range of 30 km s⁻¹, which could indicate an expansion of the associated H II region. The further analyses indicate an advanced age (phase IV). The PCA assigns the source to a cluster (CM6) with other external sources where the mean temperature is highest for NO and lowest for many sulfur-bearing molecules.
- A17: Source A17 is embedded in an envelope, including predominantly HNCO, SO₂, CH₃OH, NH₂D, and OCS, while the core spectrum is predominantly made of $H_2^{34}S$, CN, CCH, SO, SiO, where the simple O-bearing molecules show a significantly larger mode line width than the other molecules. Furthermore, all molecules in the core show high velocities comparable to those in source A15, indicating a common structure, such as a filament, in which both sources are embedded. Both the ratio of SO₂ / SO and the evolutionary analysis indicate a young age (phase I). According to the PCA, the sources show correlations with sources A22 and A25 (cluster CM3), all of which are also at a very early stage of development.
- A18: The envelope around source A18 shows large contributions of H₂³⁴S, OCS, NH₂D, HCCCN, and CH₃CN. The core contains mainly CCH, H₂CO, H₂CS, NS, HCCCN, where the mode line width of the simple Obearing molecules is significantly lower than for the other molecules, while the velocities are more or less identical. Here, the chemical clocks cannot be used to estimate the age, as the source does not contain the required molecules. Since neither masers nor outflows nor HII regions are included, the source seems to be quite young, which is also supported by the fact that no vibrational excited molecules are found. Furthermore, the Kendall correlation coefficient analysis shows strong correlations with the equally young sources A19 and A21. However, the PCA assigns the source to a cluster (CM6) that also contains the developed sources A16, A24, A26.
- A19: In source A19, the envelope contains mainly $H_2^{34}S$, CH_3CN , OCS, HCCCN, and CH_3OH , while the core spectrum contains mostly H_2CS , HCCCN, SiO, and CH_2NH . The mode line width and velocity of the NH-bearing molecules differ significantly from the other molecules in the core, indicating a more complex source structure like an additional filament. Since the majority of the molecules in A19 have more or less the same mean velocity as the neighboring source A11, we assume that both sources are embedded in a common structure like a filament. The NH-bearing molecules are an exception and could describe a warm foreground object or an additional filament. As in source A18, the chemical clocks

do not allow an age estimation due to the lack of the required molecules. Due to the lack of any evolutionary features, a young age can be assumed. In addition, the Kendall coefficient indicates strong correlations with the similar young sources A18 and A21. As with the previous source A18, the PCA assigns this source to a cluster (CM6), which contains both young and old sources.

- **A20**: As for many other outer sources in Sgr B2(M). SO_2 is the main component of the envelope around source A20 followed by CH₃OH, OCS, H₂CO, and SO. The core spectrum is dominated by the same contributions as in source A11, i.e. CH₃OH, CH₃OCHO, CCH, H_2CO , and SO, although both sources are quite far apart. Here, the N- and O-bearing molecules have a clearly different mode line width and velocity, while the mode velocities of the other molecules in the core spectrum are similar to those of source A19. Based on the chemical clocks and the lack of evolutionary features, the source appears to be in a young evolutionary phase (phase I) like source A11. But according to the Kendall coefficient analysis, there is no strong correlation with other sources, which is also underpinned by the PCA, which classifies this source in its own cluster (CM5).
- A21: Source A21 is surrounded by an envelope consisting predominantly of SO₂, OCS, H₂CO, CH₃OH, and H₂CCO, while in the core spectrum we were able to identify only CCH in addition to a number of molecules with only one transition. Therefore, the use of chemical clocks for age determination is not possible. Only the presence of a water maser allows a classification in evolutionary phase II. According to the Kendall coefficient analysis and the PCA, there are strong correlations with sources A18, A19, and A24, which is more surprising since source A24 is an evolved source with an old H II region.
- A22: The envelope around source A22 includes mostly OCS, CH_3OH , CH_3CN , SO, and CCH. In addition, the core spectrum is mainly made of CH_3OH , CCH, OCS, $OCS, v_2=1$, and CH_3OCH_3 , where the NH-bearing and cyanide molecules show significantly larger mode line widths. Together with the corresponding mode velocities, which are distributed over a wide range, this indicates again a complex source structure like a filament. The median velocity of this source is one of the lowest of all sources in Sgr B2(M). The chemical clocks and the lack of any evolutionary features exhibit the source as young (phase I), in agreement with the PCA, which shows correlations with the equally young sources A17 and A25 (cluster CM3).
- A23: HNCO, $H_2^{34}S$, ÓCS, HCCCN, and CN play an important role in the envelope around source A23. The corresponding core spectrum contains mainly $H_2^{34}S$, OCS, OCS, $v_2=1$, H_2 CCO, and H_2 CS, where the sulfurbearing molecules have lower mode temperatures and velocities compared to the other molecules. The ratio of CH₃CN / CH₃OH suggests an intermediate age, while the evolutionary phase analysis exhibit a young age (phase I). The PCA found correlation with the young source A11 (cluster CM2).
- A24: Source A24 is embedded in an envelope, including predominantly SO₂, H₂CO, CCH, SO, and SiO, while the core spectrum is mostly made of CH₃OH, SO₂, SO₂,v₂=1, OCS, and OCS,v₂=1. The source is identical in size and location to a single large H II region.

The mode temperatures and line widths are not identical for all families in the core and are distributed over a narrow range, whereas the mode velocities all agree very well with the source velocity of the Sgr B2 complex at 64 km s^{-1} . This could indicate a filament, but the H II region also expands (Möller et al. 2023), which creates an additional dynamic. The analysis of the chemical clocks leads to contradictory statements regarding the age. For example, the ratio of SO / OCS indicates a very young source, whereas the ratio of SO_2 / SO indicates an old source, which is also consistent with the results of the evolutionary phase analysis (phase V) and the high abundances of vibrational excited $SO_2, v_2=1$ and $OCS, v_2=1$. Furthermore, the analysis of the contributions of dust and ionized gas, as described in Möller et al. (2023), yields an age of 7000 years for the HII region. In contrast, the PCA assigns the source to cluster CM6, which contains both young and old sources. In addition, the Kendall coefficient shows a strong correlation with the young source A21. One possible explanation would be that the source contains not one but several protostars, which are in different stages of development.

- A25: While the envelope spectrum around source A25 consists mostly of SO_2 , HCCCN, CH_3CN , SO, and $HC(O)NH_2$, the emission spectrum contains mainly CCH, CH_3OH , H_2CS , $H_2^{34}S$, and HCCCN, where the N- and O-bearing molecules show slightly larger mode line widths and velocities than the other molecules, which could expose again an additional filament. Since the source contains no masers, outflows or H II regions, it appears to be quite young. This assessment fits well with the results of the PCA, which assigns the source to cluster CM3, which contains only young sources.
- A26: $H_2^{34}S$, SO₂, NO, SO, and H_2CO contribute the most to the envelope around source A26. Furthermore, CH₃OH, SO, H₂CO, SO₂, and SO₂,v₂=1 make large contributions to the core spectrum. A26 appears to be an evolved source, as it contains both masers and outflows and H_{II} regions. This is also supported by the PCA, which assigns the source to cluster CM6, which contains many old sources. However, the chemical clocks consistently identify this source as a young source. A heterogeneous source structure cannot explain this circumstance, as the distribution of the mode values in core spectrum is quite uniform, except the mode temperature of complex O-bearing molecules which is slightly higher.
- A27: As in the envelopes of many other outer sources, $H_2^{34}S$ makes the largest contribution to the envelope around source A27 followed by SO₂, HCCCN, CH₃OH, and CH₃CN. In contrast to that, the core spectrum is dominated by contributions from CH₃OH, SO, CH₃CN, H₂CO, as well as SiO, where we obtain clearly separated mode velocities for the three families of molecules contained in this source, which could indicate the existence of a filament. According to the ratio of CH₃CN / CH₃OH, the source has an intermediate age. However, no maser could be detected, which would be expected for a source in this period. The PCA assigns this source to cluster CM6, which contains both young and old sources.

K.2. Source in Sgr B2(N)

- **A01**: For source A01 in Sgr B2(N), CN, CCH, H_2CO , CH_2NH , and SiO are the main contributors to the envelope. The corresponding emission is dominated by CH_3OH , C_2H_3CN , $v_{10}=1$, C_2H_5CN , $v_{20}=1$, HCCCN, v₇=2, and CH₃CN. While the mode values for the temperatures and line widths of the core spectrum are distributed over a narrow range, see Fig. I.4 and Fig. I.8, the molecules have more or less the same velocity, see Fig. I.12, which is located slightly below the source velocity of the Sgr B2 complex. The results of the chemical clock analysis, see Table 4, show that the source is both a young and an old source, while the occurrence of masers, outflows and HII regions and the high abundances of vibrational excited states like $C_2H_3CN, v_{10}=1, C_2H_5CN, v_{20}=1, and HCCCN, v_7=2 in$ dicate this source as more evolved. A possible explanation for this contradiction could be that the source may consist of several protostars, which could also explain the variances in the temperatures and line widths. The PCA finds correlations with A02 and the neighboring source A17. Schwörer et al. (2019) identified different filaments in Sgr B2(N), where the filament F01 connects these two sources with the main hub, which is identical with source A01. This could explain the identified correlations.
- A02: The envelope around source A02 is dominated by the same molecules as the envelopes around sources A01 and A05, i.e. CN, CCH, H₂CO, CH₂NH, and SiO, the core spectrum is made of CH₃OH, OCS, $C_2H_5CN, v_{20}=1$, CH_3CN , and C_2H_5CN . The distributions of the parameters in the core spectrum indicate a rather homogeneous source structure, with the mode line width for N- and O-bearing molecules being slightly larger than that of the others. As already mentioned in the description of source A01, the filament F01, which was identified by Schwörer et al. (2019) and in which source A02 seems to be embedded, could explain the observed deviations in the line widths. The abundance ratios used to estimate the age of the source points toward a young to intermediate source, which agrees quite well with the evolutionary analysis (phase III). The PCA assigns the source to the same cluster (CN3) as A01, which could also suggest a similar age. According to our analysis, source A02 is at a significantly later stage of development than indicated in the analysis of Bonfand et al. (2017). This is due to the presence of H_2O masers and outflows in this source, which were not previously considered. Furthermore, we have subdivided the source (N2) identified by Bonfand et al. (2017) into two individual sources (A02 and A03).
- A03: In source A03, as with the other sources A01 and A02, the envelope contains mainly CCH, CN, H₂CO, CH₂NH, and SiO, albeit with a different weighting. In the core spectrum, contributions from CH₃OH, OCS, HCCCN, C₂H₅CN, v₂₀=1, and CH₃CN are particularly important. Here, the distributions of the mode values are quite uniform, which again indicates a homogeneous source structure. However, small differences in the line widths could indicate the influence of filament F01 (Schwörer et al. 2019). The median velocity is the second highest of all sources in Sgr B2(N). Since the source contains both masers and outflows and H II re-

gions, it appears to be older (phase IV). Unfortunately, the chemical clocks do not allow a clear age determination, as they come to different results (young to old). According to the PCA, there are connections to source A04. Since both sources are connected to different filaments, this could indicate a similar age, which means that both A03 and A04 are in a middle to older stage of development.

- A04: CCH, CN, H_2CO , CH_2NH , and SiO are the main contributors to the envelope spectrum around source A04, while CH_3OH , H_2CCO , H_2CO , CH_3OCHO , and OCS dominate the core spectrum. The source also appears to be quite homogeneous, although the line width of the N- and O-bearing molecules is slightly larger than the mean value. A possible explanation could be the filament F08 (Schwörer et al. 2019), which connects the sources A01, A04, A05, A11, A15, A08 and A19. According to the ratios of the sulphur-bearing molecules and the results of the evolutionary phase analysis (phase III), the source appears to have an intermediate age. This is also in good agreement with the PCA classification, which correlates it with the similarly aged source A03.
- A05: Around source A05, CN, CCH, H₂CO, CH₂NH and SiO contribute the largest part to the envelope spectrum, as was also the case with sources A01 and A02, while the core spectrum consists mainly of CH₃OH, CH₃OCHO, SO, CH₃OCH₃, and OCS. Source A05 shows no signs of a heterogeneous source structure, except for a slightly larger line width for N- and O-bearing molecules, which could indicate a connection to the previously mentioned filament F08 (Schwörer et al. 2019). This is also partially supported by the PCA, which finds correlations with some other sources (A07 and A08) in this filament F08. The chemical clocks lead to very different age estimates and therefore do not allow a uniform classification. The sole occurrence of outflows without masers or HII regions also does not allow a classification into a single evolutionary phase. Perhaps the non-Gaussian line shapes of some OCS transitions have other causes than outflow, which would then indicate a very young source.
- A06: The envelope around source A06 is dominated by CN, CCH, HCCCN, H₂CO, and SO. The largest contributions to the core spectrum are caused by CH₃OH, CH₃CN, OCS, CH₃OCH₃, and CH₃OCHO. The distributions of the mode values in the core suggest a more or less homogeneous source structure. But variations in the temperatures indicates a small contribution from filament F01 (Schwörer et al. 2019), although the PCA finds correlations with A05, A07, A08, and A10 (cluster CN2). The majority of the various chemical clocks suggest a rather young source, which also fits well with the results of the evolutionary phase analysis (phase I).
- A07: In contrast to the neighboring sources A04 and A06, the envelope around source A07 appears to have a completely different composition, as the contributions from H_2CS and OCS dominate here. The molecules known from the envelope spectra around other sources CN and H_2CO only play a subordinate role here. Additionally, we find C_2H_5CN . The most important molecules in the core spectrum (CH₃OH, CH₃OCHO, SO, OCS, and CH₃OCH₃) are almost identical to those in source A05, albeit with different weightings. The ker-

nel density estimates for each parameter of the different families in the core have more or less the same mode values, suggesting an uniform source structure. However, slight differences in the line widths indicate a contribution from the filament F08 (Schwörer et al. 2019). The further analyses classify the source as an intermediate (phase III) to old source. In addition, the PCA shows correlations with the sources A05, A06, A07, A08 and A10, some of which (A05, A07, and A08) are also part of the filament F08.

- A08: For source A08, CCH, H₂CO, CN, and SiO are the main contributors to the envelope, while the core spectrum consists mostly of CH₃OH, CH₃OCHO, $C_2H_3CN, v_{10}=1$, OCS, and OCS, $v_2=1$. The different molecular families in the core show different mode values for temperature and line width, indicating a more complex source structure. Here, filament F08 (Schwörer et al. 2019) could also be a possible explanation for the additional structure. At the same time, the mode velocities are the same, which could indicate that the source is fully embedded in the filament. According to the evolutionary phase analysis (phase III) the source is at an intermediate age, which agrees quite well with the classification of Bonfand et al. (2017) (source A08 is identical with their core N3) and the moderate high abundance of vibrational excited states $C_2H_3CN, v_{10}=1$ and $OCS, v_2=1$. However, the majority of chemical clocks tend to indicate the source as young, which could, together with the different mode temperatures and the large number of masers, point to a multitude of protostars. Furthermore, PCA finds similarities with some other inner sources A05, A06, A07 and A10 (cluster CN2), where two of these sources are also connected by the F08 filament (A05 and A07).
- A09: CH₃OH, HCCCN, OCS, HNCO, and CH₃CN contribute the most to the envelope around source A09. Furthermore, CCH, H₂CS, SiO, and H₂³⁴S make large contributions to the core spectrum. The respective mode values for the temperature and the line width of the simple O-bearing molecules differ significantly from the other molecules in the core, which could indicate an additional filament. However, such a filament was not found by Schwörer et al. (2019). The analysis of the evolutionary features suggests a young age (phase I), while the molecules required for the chemical clocks are not contained in the source. The PCA revealed correlations with sources A14, A15 and A18 (cluster CN6). The analysis of the Kendall coefficient also shows strong links to A14 and A15, but in contrast to the PCA, the relationship to A11 is stronger than to A18.
- A10: The composition (H₂CO, SiO, CCH, and CN) of the envelope around source A10 is similar to that of the envelope around the neighboring source A01 except that CH₂NH is missing. The core spectrum contains mainly CH₃OH, CH₃OCHO, H₂CO, CH₃OCH₃, and OCS. The distributions of the mode values of the fit parameters in the core indicate a more monolithic source structure, except that the mode values of the line widths differ slightly, which could show a connection to filament (F06) identified by Schwörer et al. (2019) connecting A01 with this source. The age estimate based on chemical clocks gives an inconsistent picture for this source (young to old), while the evolutionary features suggest a highly evolved source (phase V), as it contains

outflows and an H II region. According to the PCA the source correlates with sources A05, A06, A07, and A08 (cluster CN2), although these sources are at different stages of development and are not all associated with the same filament.

- A11: In contrast to many other sources, the envelope around source A11 shows an unusual composition. HNCO, HCCCN, OCS, CH₃OH, and CH₃CN are particularly important here, whereas the molecules known from other envelope spectra such as CCH, CN, and $\mathrm{H}_2\mathrm{CO}$ are far less dominant. The core spectrum contains mainly NO, OCS, SiO, and HCCCN, where the mode values of the velocities indicate an additional structure, which could be identified with filament F08. Since neither masers nor outflows and HII regions are included. this source appears to be very young (phase I). An analvsis of the chemical clocks is not possible here, as the required molecules are missing. In addition, the PCA and the Kendall coefficient suggest correlations with source A12 (cluster CN7), which is also in a very early stage of development. In addition, the Kendall coefficient analysis also indicates connections to the highly evolved source A16, which was not found by the PCA.
- A12: Around source A12, CH₃OH, CN, CH₃CN, CCH, and SO contribute the largest part to the envelope spectrum. The core spectrum is dominated by OCS, NS, SiO, H_2CS , and HCCCN, where the mode value of the velocity of the simple O-bearing molecules is clearly shifted to higher velocities, which again indicates an additional structure. However, no filament was found by Schwörer et al. (2019) in which this source appears to be embedded. As with the previous source A11, only the evolutionary phase analysis provides an estimate of the age, as the necessary molecules for an age estimate based on chemical clocks are not included in this source. Here, the source appears to be also rather young (phase I). Despite the large distance, the PCA finds correlation with the similarly developed source A12 (cluster CN7).
- A13: For the envelope around the outer source A13, we find strong contributions from HNCO, CH_3OH , CN, CH_3CN , and CCH, while the core spectrum is mostly made of CH_3OH , CH_3OCH_3 , CCH, HCCCN, and CH_2NH . The distributions of the different fit parameters in the core differ strongly, indicating a complex source structure, but no filament was found by Schwörer et al. (2019) associated with this source. This could indicate a large number of protostars. The age estimation results in a rather young age (phase II) for this source, which agrees quite well with the age determination of Bonfand et al. (2017) (source A13 is identical with their core N4) and the ratio of CH_3CN / CH_3OH . Neither the PCA nor the Kendall coefficient analysis identified any correlations with other sources.
- A14: Source A14 is surrounded by an envelope where CCH, SO, SO₂, H₂CO, and CN play an important role. The corresponding core spectrum contains mainly CH₃OH, HNCO, SiO, H₂³⁴S, and H₂CO, where we find slightly lower velocities for sulfur-bearing molecules and slightly larger line widths for N- and O-bearing molecules, which could indicate multiple protostars within the source. (An additional filament was not identified by Schwörer et al. (2019)). Like many other outer sources in Sgr B2(N), this source is in an early stage of

development (phase I), as any signs of older age such as masers or outflows have not been identified. The PCA indicates correlations to sources A09, A15, and A18, which also appear to be quite young.

- A15: The envelope around source A15 is dominated by CH₃OH, CH₃CN, OCS, SO, and HCCCN, whereas the core spectrum includes mostly OCS, $v_2=1$, H₂CS, and H₂³⁴S. Because only the sulfur-bearing molecules make a significant contribution to the emission, we cannot use the parameter distributions to make any statements about the source structure. However, according to Schwörer et al. (2019), this source is part of filament F08. Since this source also shows no signs of higher evolution (phase I), it seems to be, like the neighboring source A11, very young. PCA groups this source into cluster CN6, which contains sources A09, A14 and A18, all of which are in evolutionary phase I.
- A16: While the envelope spectrum around source A16 contains mainly HNCO, CH_3OH , H_2CO , SO_2 , and HCCCN, the emission is dominated by CCH, $H_2^{34}S$, OCS, and SO. The source contains only two families of molecules, namely carbon and hydrocarbons and sulfurbearing molecules, which have different line widths and velocities. The included H II region and maser indicate a highly evolved source (phase V), which according to PCA has connections to sources A16, A19 and A20, although their similarities remain unclear as all three sources belong to different stages of evolution and A16 does not belong to any filament.
- A17: The envelope surrounding source A17 has a composition (CN, CCH, SiO, H₂CO, and CH₂NH) similar to that of the envelope around the neighboring source A01. The core spectrum also shows great similarity to the neighbouring source A07, although the weighting of the individual molecules (CH₃OH, SO, H₂CO, CH₃OCH₃, and CH_3OCHO) differs in some cases. In particular, the distribution of the line widths in the core indicates an additional structure that can be identified with filament F01 (Schwörer et al. 2019). This is also underpinned by the PCA, which classifies source A17 together with sources A01, A02, which are also contained in filament F01, in cluster CN3. In addition, the chemical clocks indicate an intermediate to high age. Unfortunately, the evolutionary phase analysis does not allow an age estimate here, as only non-Gaussian line shapes are found, which cannot be interpreted alone. It is possible that these line shapes are not caused by outflows but have other causes, such as rotations or infall motions, so that this source could also be young.
- A18: Although source A18 is located directly next to source A16, there are differences between the two envelope spectra. In addition to CH_3OH and SO_2 , which can be found in both envelopes, there is also HCCCN, CN, and CCH around A18. Apart from SO, the core spectrum of A18 contains mainly CH_3CN , CN, SiO, and H_2CO . As with the neighboring source A16, the distributions of the fit parameters for source A18 also indicate a more complex source structure. However, Schwörer et al. (2019) could not find a filament in connection with source A18. In addition, the evolutionary analysis categorises this source as very young (phase I). Moreover, the PCA also describes correlations with the other, similarly young sources A09 and A15.

- A19: The envelope around A19 shows only few similarities with the neighbouring source A08 and is mainly dominated by OCS, HCCCN, CN, CCH, and CH₃OH. The core spectrum of source A09 shows no agreement with source A18, except that CH₃OH is contained in both core spectra. Particularly important compounds in this context are CCH, HCCCN, SO, and H₂CS. Source A19 shows the influence of filament F08 (Schwörer et al. 2019) through different temperatures and line widths for the different molecular families. The evolutionary phase analysis yields a very young age (phase I). In addition, the PCA identified correlations to the sources A16, A19, and A20, although all three sources belong to different stages of evolution and the other sources do not belong to filament F08.
- A20: In addition to CH₃OH, H₂CO, SO₂, and CCH, which are also found around many other sources, the envelope around source A20 also shows contributions from $HC(O)NH_2$, which were only found around source A25 in Sgr B2(M). The emission of A20 is dominated by CH₃OH, CH₃OCHO, OCS, H₂CO, and H₂³⁴S. The distributions of the fitting parameters may show a contribution of the filament F05 (Schwörer et al. 2019). In addition, the analysis of the chemical clocks gives an inconsistent picture for this source. The ratio of CH₃CN / CH₃OH indicates a middle age, while SO / OCS suggests a young age. This classification is supported by the absence of masers, outflows, and HII regions (phase I). As with the previous source A19, the PCA finds correlations with sources A16 and A19, the origin of which remains unclear.

Molecule

 $\theta^{m,c}$

(")

1.7

1.7

1.7

 $T_{ex}^{m,a}$

(K)

200

200

200

(Continued)

 $\frac{\mathrm{N_{tot}^{m,c}}}{(\mathrm{cm}^{-2})}$

 3.2×10^{15}

 $1.2~\times 10^{12}$

 9.9×10^{12}

 $\Delta \mathbf{v}^{m,c}$

 $(\mathrm{km}\,\mathrm{s}^{-1})$

4.0

7.1

12.6

0.6

35.3

9.1

23.1

2.1

16.0

3.3

6.5

22.4

6.3

10.8

4.4

8.8

3.8

9.1

14.7

4.3

10.9

10.5

10.3

6.4

6.4

3.2

8.9

6.9

7.8

6.1

4.3

13.7

10.0

9.6

8.2

10.4

8.8

8.2

9.0

8.2

8.9

1.4

20.9

8.2

4.7

2.4

5.4

47.4

5.9

11.5

21.4

5.9

6.4

1.9

3.5

7.9

24.5

1.0

9.6

5.5

11.8

32.0

12.5

29.5

2.8

7.2

6.7

8.6

3.7

5.3

7.1

 $\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km}\,\mathrm{s}^{-1})}$

-1

66

15

17

1

-168

-132

-116

-95

-80

-33

-12

-2

29

66

97

110

126

145

161

-153

-124

-94

-69

-42

5

64

76

112

142

157

-159

-122

-97

-77

-45

27

70

108

128

156

113

76

62

35

-43

-61

-160

-121

-32

-7

34

79

86

95

117

145

27

38

80

-142

-109

-54

-23

-15

11

-184

67

99

115

129

Appendix L: LTE parameters

L.1. Sgr B2(M)

Table L.1: LTE Parameters for the full LTE model (Core Components) for source A01 in Sgr B2(M).

- /			0 (/			1.7	200	2.2×10^{13}
Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda \mathbf{v}^{m,c}$			1.7	200	2.9×10^{16}
Wolccule	(")	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\rm km s^{-1})$	^{13}CS	1.7	200	3.1×10^{15}
	()	(11)	(0111)	(1111 5)	(1115)		1.7	200	2.1×10^{15}
RRL-H	1.7	3685	2.7×10^9	45.7	64		1.7	200	3.3×10^{14}
$H_2^{34}S$	1.7	497	3.5×10^{18}	6.2	64		1.7	200	5.2×10^{16}
NH ₂ D	1.7	268	1.2×10^{18}	8.5	55		1.7	200	2.2×10^{14}
SO ₂	1.7	265	1.2×10^{12}	5.4	66		1.7	200	1.4×10^{15}
	1.7	648	4.4×10^{19}	9.9	63		1.7	200	2.6×10^{16}
OCS	1.7	612	2.4×10^{18}	9.9	63		1.7	200	1.4×10^{15}
CCCS	1.7	258	6.2×10^{15}	7.4	63		1.7	200	3.3×10^{16}
NO	1.7	293	7.2×10^{19}	7.1	63		1.7	200	2.5×10^{14}
CH ₃ CN	1.7	582	1.3×10^{13}	11.8	64		1.7	200	6.4×10^{16}
0	1.7	432	4.4×10^{17}	7.8	64		1.7	200	2.2×10^{15}
HCCCN	1.7	536	2.4×10^{18}	7.7	65		1.7	200	7.8×10^{15}
HCCCN, $v_7=2$	1.7	568	9.0×10^{17}	11.9	64		1.7	200	6.3×10^{14}
HC(O)NH ₂	1.7	595	3.0×10^{17}	10.6	63		1.7	200	4.7×10^{15}
CN	1.7	183	1.2×10^{12}	2.5	-124	$C^{33}S$	1.7	200	3.1×10^{14}
H_2CO	1.7	325	6.9×10^{18}	6.4	63		1.7	200	7.1×10^{15}
HNCO	1.7	543	9.5×10^{17}	10.7	63		1.7	200	1.0×10^{15}
SO	1.7	390	2.3×10^{18}	33.6	58		1.7	200	4.1×10^{15}
	1.7	432	1.8×10^{12}	3.5	66		1.7	200	1.3×10^{15}
	1.7	174	1.2×10^{12}	2.8	64		1.7	200	7.7×10^{14}
	1.7	903	3.0×10^{19}	10.5	64		1.7	200	5.1×10^{15}
H_2CCO	1.7	246	5.6×10^{17}	11.7	62		1.7	200	4.5×10^{15}
SiO	1.7	505	2.2×10^{17}	17.0	59		1.7	200	4.5×10^{15}
H_2CS	1.7	775	1.7×10^{17}	6.6	64		1.7	200	5.6×10^{14}
C_2H_5CN	1.7	381	2.2×10^{17}	7.5	64	24	1.7	200	2.1×10^{15}
$C_2H_5CN, v_{20}=1$	1.7	227	6.1×10^{17}	8.3	64	$C^{34}S$	1.7	200	3.1×10^{15}
C ₂ H ₃ CN	1.7	405	6.2×10^{17}	8.1	64		1.7	200	6.8×10^{15}
$C_2H_3CN, v_{10}=1$	1.7	333	5.8×10^{17}	8.3	64		1.7	200	4.1×10^{15}
NO ⁺	1.7	285	9.7×10^{17}	6.6	58		1.7	200	4.1×10^{15}
CH ₂ NH	1.7	187	1.2×10^{12}	13.7	76		1.7	200	7.9×10^{15}
t-HCOOH	1.7	415	3.2×10^{17}	11.5	64		1.7	200	4.5×10^{16}
NH ₂ CN	1.7	260	1.3×10^{17}	12.2	69		1.7	200	5.6×10^{15}
H ₂ CNH	1.7	326	1.8×10^{17}	6.1	65		1.7	200	6.0×10^{15}
CH ₃ CHO	1.7	279	1.0×10^{17}	6.4	65		1.7	200	5.8×10^{15}
CH ₃ OCH ₃	1.7	477	5.9×10^{16}	6.1	59		1.7	200	1.0×10^{14}
NS	1.7	528	3.1×10^{17}	7.2	62	HCN	1.7	200	1.3×10^{12}
H ₂ CCN	1.7	214	7.0×10^{16}	16.2	65		1.7	200	1.2×10^{14}
HCN, $v_2=1$	1.7	802	2.7×10^{18}	14.8	64		1.7	200	3.3×10^{16}
HNC, $v_2=1$	1.7	1100	1.2×10^{18}	13.6	64		1.7	200	1.0×10^{19}
CO	1.7	200	3.7×10^{14}	4.6	145		1.7	200	4.6×10^{10}
	1.7	200	1.6×10^{13}	3.1	76	19	1.7	200	5.3×10^{15}
^{13}CO	1.7	200	2.6×10^{19}	2.7	61	$H^{13}CN$	1.7	200	3.3×10^{15}
$C^{17}O$	1.7	200	1.3×10^{18}	9.7	-156		1.7	200	2.2×10^{15}
	1.7	200	1.3×10^{17}	4.6	-138		1.7	200	1.6×10^{15}
	1.7	200	2.5×10^{17}	2.7	-103		1.7	200	5.4×10^{15}
	1.7	200	2.1×10^{18}	7.5	60		1.7	200	3.7×10^{14}
	1.7	200	3.1×10^{18}	21.1	86		1.7	200	3.6×10^{14}
	1.7	200	4.0×10^{15}	2.7	110		1.7	200	6.1×10^{14}
$C^{18}O$	1.7	200	2.2×10^{17}	6.5	-178		1.7	200	6.4×10^{14}
	1.7	200	8.4×10^{17}	11.9	-137		1.7	200	1.3×10^{15}
	1.7	200	3.1×10^{18}	7.5	-120		1.7	200	2.6×10^{13}
	1.7	200	2.7×10^{18}	12.5	-93	HNC	1.7	200	2.6×10^{15}
	1.7	200	2.4×10^{18}	11.9	-69		1.7	200	4.2×10^{14}
	1.7	200	7.0×10^{17}	2.8	-55	10	1.7	200	5.1×10^{13}
	1.7	200	1.5×10^{18}	6.9	-36	$\rm HN^{13}C$	1.7	200	4.5×10^{14}
	1.7	200	1.3×10^{17}	2.7	-25		1.7	200	7.4×10^{15}
	1.7	200	6.6×10^{18}	9.1	8		1.7	200	2.4×10^{14}
	1.7	200	4.4×10^{18}	5.9	82		1.7	200	3.5×10^{14}
	1.7	200	2.8×10^{18}	10.2	95		1.7	200	8.9×10^{14}
	1.7	200	1.0×10^{18}	2.2	109		1.7	200	5.5×10^{14}
	1.7	200	4.7×10^{18}	10.8	122		1.7	200	2.7×10^{14}
	1.7	200	5.0×10^{14}	2.1	133		1.7	200	2.1×10^{14}
	1.7	200	4.1×10^{18}	10.5	153		1.7	200	8.2×10^{13}
CS	1.7	200	1.2×10^{12}	8.1	71		1.7	200	8.7×10^{13}
	±.1	200	1.2 / 10	0.1	1 1		1.7	200	9.1×10^{12}

(Continued)

Table L.2: LTE Parameters for the full LTE model (Envelope

velope C	ompor	nents) fo	or source A0)1 in Sgr E	32(M).	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
							('')	(K)	$\frac{(\text{cm}^2)}{7.2 \times 10^{15}}$	(km s ⁻¹)	(km s ⁻¹)
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$		ext.	ა ე	1.5×10^{17}	0.4	43 60
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$({\rm km}{\rm s}^{-1})$		ext.	ა ე	1.5×10^{-15}	21.0	20
			10				ext.	ა ვ	1.1×10^{16}	2.9	30
CCH	ext.	3	2.4×10^{16}	14.6	64		ext.	ა ვ	4.0×10 3.2×10^{15}	24.1	0 19
CH_3CN	ext.	3	1.3×10^{19}	6.0	97		ext.	3 2	9.2×10^{15}	2.5	-2
	ext.	7	1.2×10^{12}	5.5	68		evt	3	1.2×10^{12}	0.0	-2
013 X	ext.	143	2.3×10^{10}	13.3	49		ext.	3	4.2×10^{16}	18.1	-26
CN	ext.	9	7.8×10^{13}	8.2	67		ext.	3	1.2×10^{17}	1.0	-43
	ext.	16	2.3×10^{10}	11.5	60		ext.	3	2.9×10^{16}	3.7	-49
	ext.	3	1.0×10^{15}	20.6	43		ext.	3	5.7×10^{15}	10.7	-62
	ext.	8	1.2×10^{10}	0.3	29		ext.	3	5.8×10^{15}	4.3	-79
	ext.	11	1.5×10^{-5}	19.0	1		ext.	3	3.8×10^{15}	1.7	-101
	ext.	10 66	1.0×10^{10}	3.0 10.1	0		ext.	3	9.1×10^{15}	4.0	-106
	ext.	20	1.5×10^{-1}	10.1	-20		ext.	3	2.4×10^{15}	4.9	-113
	ext.	20 82	9.8×10 2.5 × 10 ¹⁶	2.0	-43		ext.	3	7.0×10^{12}	0.2	-114
	evt	10	1.0×10^{14}	3.9	-47		ext.	3	1.2×10^{12}	1.7	-74
	evt	8	5.8×10^{14}	14.4	-102	$C^{17}O$	ext.	3	10.0×10^{14}	1.7	-180
$H_{2}CO$	ext.	23	8.0×10^{14}	1.8	73		ext.	3	3.7×10^{14}	2.0	-167
11200	ext.	31	1.4×10^{16}	11.6	63		ext.	3	4.3×10^{14}	7.1	-146
	ext.	76	4.5×10^{16}	10.1	51		ext.	3	2.2×10^{15}	13.6	-119
SO	ext.	18	5.5×10^{15}	17.0	54		ext.	3	1.2×10^{14}	2.5	-100
CH ₃ OH	ext.	191	1.0×10^{12}	8.5	112		ext.	3	1.2×10^{14}	2.0	-95
0113011	ext.	7	5.0×10^{15}	7.1	66		ext.	3	2.5×10^{14}	5.4	-87
	ext.	17	4.4×10^{15}	10.7	58		ext.	3	3.9×10^{14}	5.1	-79
SiO	ext.	21	3.4×10^{15}	0.7	54		ext.	3	5.0×10^{14}	6.8	-68
	ext.	18	1.1×10^{15}	15.3	55		ext.	3	1.8×10^{15}	9.2	-44
CH_2NH	ext.	5	3.6×10^{13}	1.3	73		ext.	3	3.1×10^{14}	2.9	-23
-	ext.	3	3.0×10^{13}	10.0	-186		ext.	3	1.3×10^{14}	3.8	-15
	ext.	7	1.0×10^{15}	13.7	61		ext.	3	7.1×10^{14}	22.4	1
	ext.	3	4.8×10^{12}	2.3	30		ext.	3	3.3×10^{14}	7.1	9
	ext.	8	1.7×10^{13}	4.5	16		ext.	3	1.5×10^{14}	3.3	22
	ext.	3	2.2×10^{13}	12.7	3		ext.	3	6.4×10^{14}	6.2	28
CH_3NH_2	ext.	8	1.2×10^{12}	31.1	64		ext.	3	5.6×10^{15}	7.7	52
	ext.	3	1.2×10^{15}	18.2	61		ext.	3	2.5×10^{10}	10.1	73
CO	ext.	3	3.0×10^{16}	18.2	97		ext.	3	0.5×10^{11}	8.9	94
	ext.	3	5.5×10^{15}	8.5	88		ext.	ა ი	1.0×10^{11}	3.4	108
	ext.	3	1.2×10^{17}	2.0	74		ext.	ა ი	4.3×10^{-1}	9.1 5 1	119
	ext.	3	1.7×10^{12}	1.7	-184		ext.	ა ვ	2.9×10 3.7×10^{14}	0.1 19.5	132
	ext.	3	2.1×10^{17}	7.7	65	$C^{18}O$	ext.	2	5.7×10^{15}	3.0	144
	ext.	3	2.5×10^{15}	1.1	53	0 0	evt	3	1.5×10^{14}	5.9	-44
	ext.	3	1.2×10^{17}	9.5	54		evt	3	1.0×10^{15} 1.8 × 10 ¹⁵	53	-20
	ext.	3	2.8×10^{13}	0.4	71		ext.	3	1.0×10^{15} 1.2×10^{15}	5.0	30
	ext.	3	1.7×10^{14}	0.8	17		ext.	3	1.2×10^{16} 1.4 × 10 ¹⁶	8.1	52
	ext.	3	3.4×10^{10}	22.3	45		ext.	3	1.3×10^{16}	10.9	68
	ext.	3	4.4×10^{10}	2.8	30	\mathbf{CS}	ext.	3	1.9×10^{17}	0.6	74
	ext.	3	3.5×10^{17}	26.5	9	0.0	ext.	3	5.3×10^{16}	0.6	66
	ext.	3	5.0×10^{12}	2.7	4		ext.	3	3.8×10^{17}	15.3	59
	ext.	3	1.5×10^{10}	2.7	-4		ext.	3	1.6×10^{12}	9.0	52
	ext.	3	1.2×10^{15}	1.2	-6		ext.	3	1.3×10^{12}	4.4	47
	ext.	ა ე	8.4×10^{13}	0.5	-0 10		ext.	3	1.2×10^{12}	5.1	-89
	ext.	ა ე	3.0×10^{10}	0.7	-16		ext.	3	5.1×10^{15}	1.7	1
	ext.	ა ე	1.5×10^{-1}	10.9	-23	^{13}CS	ext.	3	1.1×10^{14}	10.6	-158
	ext.	ა ე	10.0×10^{-1}	1.9	-40		ext.	3	3.6×10^{13}	2.5	-144
	ext.	ა ე	1.2×10^{-1}	1.1	-/1		ext.	3	7.6×10^{15}	18.8	-64
	ext.	ა ე	1.6×10^{-1}	30.0 4 1	-05		ext.	3	5.6×10^{14}	6.4	14
	ext.	ა ე	3.7×10^{-12}	4.1	-11		ext.	3	1.5×10^{16}	10.4	50
	ext.	ວ ໑	3.2×10^{12}	0.7	-144		ext.	3	3.8×10^{14}	6.5	84
	ext.	ა ე	4.1×10 2.2×10^{17}	0.9	-00		ext.	3	3.3×10^{14}	2.8	150
	ext.	ວ ໑	2.3×10^{16}	19.0	-101	$C^{33}S$	ext.	3	1.3×10^{16}	6.5	-168
	ext.	ა ვ	3.0×10^{-5} 1 4 $\vee 10^{14}$	1.7	-111 -66		ext.	3	$3.6~\times10^{15}$	7.1	-106
	ext.	3 2	1.4×10 9 7 $\times 10^{14}$	5.2	-00 _179		ext.	3	$1.2~\times 10^{15}$	9.5	-25
	ext.	ง 2	2.7×10 8.2 × 10 ¹⁴	0.4 2 0	-174 -190		ext.	3	3.8×10^{14}	6.0	-15
13CO	ext.	3 2	6.2×10^{15}	2.9 10 /	-129		ext.	3	$1.7~\times10^{15}$	17.6	27
00	ext.	ა ვ	9.7×10^{-9}	10.4	09 73		ext.	3	8.8×10^{15}	12.8	49
	ext.	3 2	7.2×10^{12}	1.4 2.6	73 60		ext.	3	1.7×10^{14}	3.0	132
	CAU.	5	2.01016	2.0 5.1	67	$C^{34}S$	ext.	3	$1.0~\times 10^{15}$	9.2	-55
	ovt	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$311 \vee 11110$								1.5
	ext.	3	3.0×10^{10} 1.2 × 10 ¹²	0.1	61		ext.	3	5.4×10^{15}	31.5	-15
	ext. ext.	3 3 3	3.0×10^{10} 1.2×10^{12} 1.8×10^{16}	0.2 3.0	61 53		ext. ext.	3 3	5.4×10^{15} 6.5×10^{14}	$\begin{array}{c} 31.5 \\ 10.5 \end{array}$	-15 0
	ext. ext. ext.	3 3 3	$\begin{array}{r} 3.0 \times 10^{10} \\ 1.2 \times 10^{12} \\ 1.8 \times 10^{16} \end{array}$	0.2 3.0	61 53		ext. ext. ext.	3 3 3	$5.4 \times 10^{15} \\ 6.5 \times 10^{14} \\ 3.4 \times 10^{16}$	$31.5 \\ 10.5 \\ 12.6$	-15 0 50

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 141

	(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
	ext.	3	4.2×10^{15}	5.5	137				
HCN	ext.	3	1.7×10^{13}	0.8	72				
	ext.	3	3.7×10^{17}	4.1	70				
	ext.	3	2.2×10^{15}	14.2	55				
	ext.	3	5.6×10^{14}	5.8	39				
	ext.	3	1.2×10^{14}	1.3	30				
	ext.	3	2.1×10^{14}	7.2	15				
	ext.	3	1.3×10^{15}	9.2	2				
	ext.	3	5.6×10^{13}	2.9	-79				
$\rm H^{13}CN$	ext.	3	1.6×10^{15}	16.2	58				
	ext.	3	5.9×10^{13}	5.2	128				
HNC	ext.	3	5.6×10^{14}	5.0	1				
	ext.	3	1.1×10^{16}	11.7	63				
$\rm HN^{13}C$	ext.	3	9.0×10^{13}	7.0	57				
$\rm H^{13}CO^+$	ext.	3	1.2×10^{14}	8.6	64				
	ext.	3	1.9×10^{14}	17.5	55				
	ext.	3	1.4×10^{13}	1.6	74				
$\rm HO^{13}C^+$	ext.	3	9.0×10^{12}	3.9	46				
	ext.	3	4.0×10^{13}	8.3	39				

Table L.3: LTE Parameters for the full LTE model (Core Components) for source A02 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\rm km \ s^{-1})$
$H_2^{34}S$	1.9	342	2.3×10^{18}	9.1	62
NH ₂ D	1.9	253	5.0×10^{16}	9.7	58
CCCS	1.9	173	1.4×10^{15}	6.1	61
H_2CS	1.9	726	5.2×10^{16}	7.7	60
t-HCOOH	1.9	496	4.0×10^{16}	13.0	64
NS	1.9	554	1.5×10^{17}	8.8	57
H_2CCN	1.9	236	2.3×10^{12}	5.7	62
ĊŇ	1.9	172	2.9×10^{12}	3.0	-100
CH ₃ CN	1.9	221	6.3×10^{12}	3.9	124
	1.9	212	5.9×10^{12}	5.5	120
	1.9	207	1.3×10^{16}	9.3	74
	1.9	271	1.5×10^{17}	8.1	61
CCH	1.9	27	1.9×10^{15}	5.9	55
NO	1.9	476	7.4×10^{18}	3.8	62
	1.9	180	2.6×10^{19}	12.1	57
HCCCN	1.9	448	3.3×10^{17}	4.6	62
	1.9	264	2.8×10^{17}	12.3	57
HCCCN, $v_7=2$	1.9	337	2.0×10^{17}	5.0	62
	1.9	248	2.3×10^{17}	10.0	55
SiO	1.9	549	3.9×10^{16}	46.0	57
OCS	1.9	404	3.8×10^{17}	5.4	64
	1.9	458	8.5×10^{17}	14.3	57
$HC(O)NH_2$	1.9	697	5.9×10^{16}	7.7	59
SO_2	1.9	434	2.9×10^{19}	13.1	59
	1.9	700	4.0×10^{12}	5.7	58
C_2H_5CN	1.9	188	1.1×10^{17}	6.1	61
$C_2H_5CN, v_{20}=1$	1.9	443	8.4×10^{16}	6.9	61
C_2H_3CN	1.9	312	1.2×10^{17}	6.4	61
$C_2H_3CN, v_{10}=1$	1.9	312	1.1×10^{17}	6.4	61
SO	1.9	435	1.7×10^{18}	9.0	67
	1.9	566	1.9×10^{16}	3.2	64
HNCO	1.9	355	2.1×10^{17}	5.9	62
	1.9	319	2.3×10^{17}	10.8	51
H_2CO	1.9	322	2.2×10^{16}	6.5	64
HCN, $v_2=1$	1.9	690	1.2×10^{18}	13.6	60
	1.9	279	3.0×10^{18}	17.2	51
H_2CCO	1.9	138	5.8×10^{16}	11.3	59
HNC, $v_2=1$	1.9	467	3.3×10^{17}	20.2	59
	1.9	513	1.8×10^{17}	6.0	63
CO	1.9	200	10.0×10^{19}	3.3	63

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
	1.9	200	7.3×10^{17}	6.2	128
	1.9	200	2.3×10^{13} 7.5 × 10 ¹²	10.1	41
^{13}CO	1.9	$\frac{200}{200}$	9.6×10^{19}	2.1	61
00	1.9	200	1.4×10^{19}	10.9	43
	1.9	200	2.6×10^{17}	1.1	36
$C^{17}O$	1.9	200	2.2×10^{17}	9.6	-158
	1.9	200	3.3×10^{16}	2.4	-148
	1.9	200	2.7×10^{17}	9.7	-139
	1.9	200	3.4×10^{10} 2.7 × 10 ¹⁷	2.9	-111
	1.9	200	6.5×10^{18}	43	44 62
	1.9	200	4.4×10^{17}	9.2	160
$C^{18}O$	1.9	200	1.9×10^{15}	7.4	-139
	1.9	200	3.1×10^{14}	8.5	-120
	1.9	200	4.1×10^{17}	18.6	-98
	1.9	200	3.7×10^{17}	9.7	-72
	1.9	200	2.4×10^{17}	4.6	-58
	1.9	200	4.7×10^{17}	10.8	-14
	1.9	200	1.1×10^{-1} 3.3×10^{17}	12.4 179	43 87
	1.9	$200 \\ 200$	7.6×10^{16}	2.1	99
	1.9	200	4.4×10^{17}	9.8	116
	1.9	200	4.9×10^{17}	8.0	128
	1.9	200	4.5×10^{17}	9.0	150
\mathbf{CS}	1.9	200	8.9×10^{12}	2.2	105
	1.9	200	2.7×10^{14}	2.0	92
	1.9	200	4.1×10^{10}	28.0	86 76
	1.9	200	1.4×10^{-1}	9.2	70 50
	1.9	200	5.6×10^{16}	9.6	36
	1.9	200	3.3×10^{15}	5.7	10
	1.9	200	1.1×10^{16}	11.2	-30
^{13}CS	1.9	200	1.6×10^{13}	1.1	100
	1.9	200	2.0×10^{12}	30.4	77
	1.9	200	3.0×10^{12}	7.0	61
	1.9	200	4.0×10^{11} 1.0 × 10 ¹²	0.8	39
	1.9	200	6.7×10^{12}	3.2	56
	1.9	200	9.5×10^{13}	12.6	-30
	1.9	200	4.6×10^{12}	0.3	-23
$C^{33}S$	1.9	200	1.5×10^{17}	2.4	-165
	1.9	200	2.8×10^{15}	9.2	-133
	1.9	200	2.0×10^{15}	6.7	-121
	1.9	200	4.4×10^{10}	12.1	-97 79
	1.9	200	1.3×10^{16}	35.2 15.6	-12
	1.9	$200 \\ 200$	3.7×10^{15}	10.0 10.5	39
	1.9	200	1.4×10^{15}	7.1	62
	1.9	200	9.4×10^{14}	6.7	74
	1.9	200	1.8×10^{16}	13.1	106
c34 c	1.9	200	1.7×10^{13}	7.1	153
C34S	1.9	200	7.8×10^{14}	19.3	-161 195
	1.9	200	0.5×10^{13}	11.2	-120 102
	1.9	200	5.4×10^{14}	16.0	-85
	1.9	200	4.1×10^{15}	11.3	-47
	1.9	200	$4.0~{\times}10^{14}$	15.0	25
	1.9	200	1.4×10^{14}	5.3	35
	1.9	200	1.1×10^{15}	5.2	74
	1.9	200	1.3×10^{10}	9.2	104
HCN	1.9 1.0	200 200	2.4×10^{-2} 9.3 $\times 10^{14}$	11.2 30	$140 \\ 147$
11010	1.9	200	2.3×10^{16}	13.6	120
	1.9	200	5.8×10^{13}	8.4	65
	1.9	200	2.5×10^{18}	2.4	36
	1.9	200	3.4×10^{16}	2.2	24
	1.9	200	7.4×10^{14}	3.6	-10
	1.9	200	1.9×10^{15} 7.7 × 10^{13}	3.0	-36
	1.9	200	1.1×10^{10}	4.2 0.7	-30 -61
	1.9	200	5.5×10^{12}	1.0	-83
				•	. •

T. Möller <i>et al.</i> : Full	molecular line survey	of hot cores,	Online	Material p) 142

(Continued)							
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISD		
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{1.5\mathrm{R}}\mathrm{s}^{-1})$		
	1.9	200	6.8×10^{12}	3.8	-112		
	1.9	200	7.2×10^{13}	3.2	-58		
	1.9	200	1.2×10^{19}	5.8	-101		
	1.9	200	2.8×10^{16}	13.2	-111		
	1.9	200	2.7×10^{14}	3.5	-156		
	1.9	200	4.2×10^{13}	0.4	-170		
	1.9	200	2.0×10^{12}	8.1	73		
$\rm H^{13}CN$	1.9	200	2.6×10^{17}	30.6	64		
	1.9	200	2.8×10^{15}	6.5	24		
	1.9	200	1.0×10^{13}	26.4	-4		
HNC	1.9	200	3.4×10^{15}	1.7	76		
	1.9	200	2.1×10^{16}	8.0	38		
	1.9	200	9.1×10^{14}	2.0	25		
	1.9	200	2.6×10^{12}	5.1	-10		
	1.9	200	1.1×10^{13}	1.1	-37		
	1.9	200	6.2×10^{12}	19.2	-56		
	1.9	200	2.1×10^{13}	0.5	-63		
	1.9	200	6.7×10^{13}	0.9	-140		
	1.9	200	2.2×10^{14}	4.8	-161		
	1.9	200	1.2×10^{14}	4.2	-183		
$\rm HN^{13}C$	1.9	200	8.6×10^{17}	0.6	75		
	1.9	200	4.0×10^{16}	16.0	60		
	1.9	200	5.2×10^{12}	0.1	27		
	1.9	200	4.7×10^{13}	10.3	-61		
	1.9	200	5.5×10^{12}	1.1	-37		
	1.9	200	9.8×10^{13}	2.2	-47		
	1.9	200	2.8×10^{14}	0.6	-63		
	1.9	200	3.5×10^{12}	0.9	-132		
	1.9	200	3.6×10^{12}	11.4	-163		
	1.9	200	1.9×10^{12}	3.9	-184		
$\rm HO^{13}C^+$	1.9	200	2.0×10^{13}	10.7	162		
	1.9	200	1.3×10^{14}	6.4	69		
	1.9	200	3.5×10^{14}	12.3	50		

Table L.4: LTE Parameters for the full LTE model (Envelope Components) for source A02 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
			10		
CH_3NH_2	ext.	8	5.5×10^{13}	3.0	66
	ext.	3	7.5×10^{14}	11.0	62
CH_3OH	ext.	48	6.1×10^{15}	3.3	66
	ext.	9	6.0×10^{15}	10.0	64
CH_2NH	ext.	5	4.3×10^{13}	1.2	73
	ext.	4	2.5×10^{14}	9.1	64
	ext.	7	7.2×10^{14}	10.8	61
	ext.	8	1.9×10^{13}	2.0	29
	ext.	6	6.4×10^{13}	16.2	7
CN	ext.	10	5.1×10^{15}	6.7	68
	ext.	21	4.5×10^{16}	11.7	62
	ext.	3	1.3×10^{15}	10.0	40
	ext.	6	1.1×10^{15}	0.4	28
	ext.	15	1.9×10^{15}	21.5	6
	ext.	19	1.9×10^{15}	3.0	0
	ext.	62	1.3×10^{16}	10.0	-25
	ext.	16	6.6×10^{14}	0.8	-43
	ext.	72	2.6×10^{16}	6.6	-47
	ext.	11	1.3×10^{14}	2.8	-80
	ext.	8	5.6×10^{14}	16.9	-102
CH_3CN	ext.	135	8.7×10^{15}	14.3	137
	ext.	13	3.5×10^{14}	5.2	92
	ext.	113	7.1×10^{15}	26.1	64
CCH	ext.	3	2.1×10^{16}	13.1	64
SiO	ext.	7	9.3×10^{13}	6.6	63
	ext.	14	1.2×10^{14}	1.8	61

		(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	41	7.8×10^{15}	2.7	57
	ext.	47	7.4×10^{14}	9.8	50
H ₂ CO	ext.	25	9.2×10^{15}	12.5	64
2	ext.	74	6.8×10^{15}	12.9	50
CO	ext.	3	2.7×10^{16}	16.8	95
	ext.	3	5.3×10^{16}	4.3	74
	ext.	3	3.4×10^{17}	14.4	60
	ext.	3	3.5×10^{14}	1.8	54
	ext.	3	1.8×10^{16}	0.8	28
	ext.	3	6.0×10^{16}	12.1	25^{-5}
	ext.	3	3.8×10^{16}	0.7	21
	ext.	3	5.9×10^{16}	0.2	9
	ext.	3	2.4×10^{17}	22.9	5
	ext.	3	1.2×10^{12}	0.8	-3
	ext.	3	6.4×10^{16}	8.9	-22
	ext.	3	2.2×10^{16}	4.1	-29
	ext.	3	6.0×10^{16}	20.7	-25
	ext.	3	8.6×10^{16}	7.4	-44
	ext.	3	3.8×10^{16}	2.6	-51
	ext.	3	1.9×10^{14}	1.3	-82
	ext.	3	6.1×10^{16}	11.2	-64
	ext.	3	4.4×10^{16}	4.8	-78
	ext.	3	2.1×10^{17}	19.8	-102
	ext.	3	1.7×10^{16}	1.9	-87
	ext.	3	2.7×10^{12}	2.0	-136
	ext.	3	1.1×10^{14}	2.0	-128
^{13}CO	ext.	3	8.4×10^{15}	14.7	91
00	ext.	3	2.2×10^{16}	1.0	74
	ext.	3	1.1×10^{16}	3.5	69
	ext.	3	1.4×10^{17}	19.0	62
	ext.	3	5.2×10^{15}	2.9	54
	ext.	3	9.1×10^{15}	0.3	31
	ext.	3	4.3×10^{16}	25.8	8
	ext.	3	3.2×10^{13}	0.7	21
	ext.	3	2.9×10^{14}	3.8	16
	ext.	3	7.3×10^{15}	8.8	-2
	ext.	3	1.7×10^{12}	1.0	-27
	ext.	3	2.5×10^{16}	2.4	-43
	ext.	3	1.7×10^{13}	4.1	-18
	ext.	3	9.7×10^{13}	31.5	-19
	ext.	3	1.5×10^{12}	1.5	-26
	ext.	3	2.7×10^{16}	12.8	-29
	ext.	3	4.9×10^{13}	1.0	-14
	ext.	3	2.3×10^{16}	2.9	-49
	ext.	3	6.1×10^{15}	12.2	-62
	ext.	3	4.9×10^{15}	4.7	-79
	ext.	3	4.3×10^{15}	2.6	-99
	ext.	3	8.7×10^{15}	4.3	-106
	ext.	3	10.0×10^{14}	2.5	-126
$C^{17}O$	ext.	3	1.8×10^{15}	2.2	-179
	ext.	3	3.9×10^{14}	11.0	-124
	ext.	3	1.0×10^{14}	3.4	-97
	ext.	3	2.2×10^{15}	30.9	-78
	ext.	3	7.0×10^{13}	2.2	-55
	ext.	3	1.8×10^{15}	5.7	-44
	ext.	3	1.4×10^{14}	3.8	-33
	ext.	3	5.1×10^{14}	6.8	-23
	ext.	3	1.9×10^{14}	11.3	-4
	ext.	3	4.2×10^{14}	6.5	7
	ext.	3	1.5×10^{13}	7.2	12
	ext.	3	1.9×10^{15}	22.7	28
	ext.	3	3.6×10^{15}	5.9	52
	ext.	3	5.6×10^{15}	8.9	67
	ext.	3	9.9×10^{14}	10.9	86
	ext.	3	9.3×10^{13}	2.5	100
	ext.	3	6.1×10^{13}	3.6	105
	ext.	3	6.4×10^{14}	13.0	118
	ext.	3	4.2×10^{13}	3.4	124
	ext.	3	3.3×10^{14}	6.7	143
$C^{18}O$	ext.	3	5.0×10^{15}	3.6	-44
	ext.	3	2.0×10^{14}	2.3	-28
	ext.	3	7.7×10^{14}	2.1	-22

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 143

(Continued)							
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}		
	('')	(K)	$\frac{(\text{cm}^{-2})}{2.8 \times 10^{15}}$	(km s^{-1})	$({\rm km s^{-1}})$		
	ext.	ঠ ৭	2.8×10^{15} 1.5 $\times 10^{15}$	11.4 13.3	-3 91		
	ext.	3	5.9×10^{15}	6.7	52^{11}		
	ext.	3	1.4×10^{16}	9.0	70		
\mathbf{CS}	ext.	3	1.4×10^{13}	1.0	143		
	ext.	3	4.3×10^{16}	0.8	74		
	ext.	3	3.0×10^{17}	13.4	61		
	ext.	3	4.0×10^{13}	0.8	-137		
	ext.	3	2.9×10^{13}	1.9	0		
	ext.	3 3	3.3×10^{-2} 8.2 × 10 ¹⁴	1.0	-98		
	ext.	3	1.9×10^{15}	2.3	-180		
^{13}CS	ext.	3	3.5×10^{12}	0.5	124		
	ext.	3	1.5×10^{14}	0.6	-184		
	ext.	3	2.4×10^{15}	0.2	57		
	ext.	3	6.8×10^{15}	6.8	49		
	ext.	3	2.0×10^{12}	2.6	-49		
$C^{33}S$	ext.	3	6.2×10^{14}	6.2	-80		
	ext.	3	3.5×10^{13}	5.2	-33		
	ext.	ა ა	3.0×10^{10}	0.2	-15 10		
	ext.	ა ვ	1.3×10 2.6 × 10 ¹⁵	2.4 21.7	-10		
	ext.	3	5.4×10^{15}	8.7	49		
	ext.	3	1.9×10^{14}	3.5	67		
	ext.	3	3.7×10^{14}	4.5	132		
	ext.	3	2.0×10^{14}	2.5	140		
	ext.	3	5.1×10^{14}	12.3	160		
$C^{34}S$	ext.	3	2.4×10^{14}	6.1	-114		
	ext.	3	7.2×10^{13}	3.0	-103		
	ext.	- び - 2	2.6×10^{13}	30.4	-17		
	ext.	ა ვ	4.2×10^{16}	0.0	-2 50		
	ext.	3	3.1×10^{15}	3.6	57		
	ext.	3	1.4×10^{14}	2.8	93		
	ext.	3	2.8×10^{13}	7.2	111		
HCN	ext.	3	2.0×10^{15}	1.2	67		
	ext.	3	1.9×10^{17}	9.0	64		
	ext.	3	1.8×10^{14}	4.3	48		
	ext.	3	1.1×10^{14}	1.8	40		
	ext.	ა ე	5.4×10^{14}	5.7	39		
	ext.	ა ვ	1.7×10 7.8 × 10 ¹³	2.5	29 20		
	ext.	3	1.6×10^{14}	6.2	16		
	ext.	3	1.6×10^{14}	2.0	7		
	ext.	3	7.2×10^{14}	6.4	0		
	ext.	3	3.1×10^{13}	3.2	-21		
	ext.	3	2.8×10^{13}	0.8	-26		
	ext.	3	4.3×10^{13}	0.2	-37		
	ext.	3	3.8×10^{13}	1.2	-48		
	ext.	3	1.2×10^{-2} 3.7×10^{13}	0.4	-44		
	ext.	3	6.0×10^{13}	0.4	-44 -78		
	ext.	3	2.0×10^{13}	1.2	-85		
	ext.	3	3.9×10^{12}	1.0	-141		
	ext.	3	2.2×10^{12}	1.6	-174		
	ext.	3	2.6×10^{12}	0.9	-169		
	ext.	3	5.9×10^{13}	22.2	-149		
H ¹³ CN	ext.	3	2.0×10^{14}	0.6	74		
	ext.	3	3.4×10^{13}	0.4	51		
	ext.	3 3	9.9×10^{-1}	12.4	03 56		
	ext.	3	2.2×10^{13}	1.0	47		
	ext.	3	1.7×10^{12}	9.5	-180		
	ext.	3	1.7×10^{12}	11.5	18		
	ext.	3	6.0×10^{12}	2.0	23		
	ext.	3	$1.3~\times 10^{13}$	6.3	9		
	ext.	3	1.0×10^{12}	11.4	2		
	ext.	3	1.2×10^{13}	3.2	0		
	ext.	3	3.2×10^{13}	16.0	-19		
	ext.	3	1.3×10^{13} 1.2 $\times 10^{12}$	2.0	3		
HNC	ext.	3 3	1.2×10^{-10} 1.5 $\times 10^{15}$	3.8	-04 79		
11110	CAU.	5	1.0 \ 10	5.0	14		

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	6.8×10^{15}	7.5	62
	ext.	3	2.1×10^{13}	2.2	15
	ext.	3	5.1×10^{14}	3.5	1
	ext.	3	3.6×10^{13}	6.1	-20
	ext.	3	2.8×10^{13}	1.0	-43
	ext.	3	1.2×10^{13}	1.3	-48
	ext.	3	1.0×10^{13}	1.2	-74
	ext.	3	9.6×10^{12}	1.1	-101
	ext.	3	6.3×10^{12}	0.9	-125
	ext.	3	2.0×10^{12}	1.3	-113
	ext.	3	9.5×10^{12}	0.9	-109
	ext.	3	9.0×10^{12}	1.8	-116
	ext.	3	7.2×10^{12}	1.5	-131
$\rm HN^{13}C$	ext.	3	4.4×10^{13}	11.8	71
	ext.	3	1.4×10^{14}	7.3	61
	ext.	3	1.1×10^{12}	3.1	18
	ext.	3	1.5×10^{12}	4.8	-4
	ext.	3	1.0×10^{12}	5.6	-26
	ext.	3	1.5×10^{12}	0.9	-46
	ext.	3	1.1×10^{12}	1.4	-49
	ext.	3	1.1×10^{12}	1.1	-88
	ext.	3	1.0×10^{12}	0.9	-92
	ext.	3	1.0×10^{12}	0.8	-85
	ext.	3	1.1×10^{12}	1.2	-103
	ext.	3	6.2×10^{12}	2.1	-98
	ext.	3	1.2×10^{12}	0.1	-107
	ext.	3	1.1×10^{12}	1.4	-126
$\rm H^{13}CO^+$	ext.	3	3.1×10^{14}	20.4	60
	ext.	3	5.2×10^{12}	2.0	50
$\rm HO^{13}C^+$	ext.	3	1.3×10^{13}	9.0	124
	ext.	3	3.1×10^{13}	10.4	37
	ext.	3	1.1×10^{13}	24.5	-5
	ext.	3	1.1×10^{13}	1.3	-105

Table L.5: LTE Parameters for the full LTE model (Core Components) for source A03 in Sgr B2(M).

Moloculo	$\Delta m, c$	$T^{m,c}$	$N^{m,c}$	$\Lambda m, c$	$_{v}^{m,c}$
Molecule	(//)	$(\mathbf{I}_{\mathcal{L}})$	(am - 2)	$(1 \text{ m} a^{-1})$	(1 LSR)
	()	(K)	(cm)	(km s)	(km s)
CIL CN	1.0	974	9 = 1017	80	GE
UH3UN	1.2	374	6.0×10^{16}	0.0	05
IL CO	1.2	200	4.9×10^{-8}	23.4	64
H_2CO	1.2	321	9.2×10^{13}	6.5	65
C_2H_5CN	1.2	352	5.2×10^{17}	8.3	65
$C_2H_5CN, v_{20}=1$	1.2	312	2.5×10^{17}	7.1	61
CN	1.2	154	1.1×10^{12}	2.9	-108
SO_2	1.2	521	9.0×10^{18}	4.7	66
	1.2	463	2.1×10^{19}	10.0	64
$SO_2, v_2 = 1$	1.2	364	1.3×10^{19}	4.9	66
HCN, $v_2=1$	1.2	662	6.6×10^{17}	6.2	67
	1.2	616	1.1×10^{18}	11.2	60
SO	1.2	719	6.7×10^{18}	4.6	67
	1.2	363	1.7×10^{19}	7.0	61
NO	1.2	334	3.2×10^{19}	6.2	64
	1.2	154	4.0×10^{18}	7.1	64
CH_3OH	1.2	285	7.0×10^{18}	7.2	65
	1.2	162	1.6×10^{16}	5.3	40
HCCCN	1.2	393	1.8×10^{18}	8.8	64
HCCCN, $v_7=2$	1.2	424	6.6×10^{17}	11.9	63
CH ₂ NH	1.2	314	3.6×10^{17}	4.6	66
H_2CS	1.2	335	3.2×10^{17}	6.2	65
H ₂ CCO	1.2	342	4.4×10^{17}	8.5	65
$H_{2}^{34}S$	1.2	300	1.8×10^{18}	13.7	66
t-HCOOH	1.2	392	4.5×10^{17}	7.1	66
SiO	1.2	223	2.2×10^{15}	1.8	70
HNC, $v_2=1$	1.2	1047	4.8×10^{17}	12.6	64

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 144

	(Continued)				(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LSR}^{m,c}$
0.00	(")	(K)	$\frac{(\text{cm}^{-2})}{1100}$	$({\rm km}{\rm s}^{-1})$	$({\rm kms^{-1}})$		(")	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km}{\rm s}^{-1})$	$({\rm kms^{-1}})$
OCS	1.2	423	1.1×10^{18} 1.2×10^{18}	5.2	65 61		1.2 1.2	200 200	2.3×10^{13} 5.3 × 10 ¹⁴	7.8 8.0	35 _9
HNCO	1.2 1.2	445	2.0×10^{18}	10.4 10.8	64	$C^{33}S$	$1.2 \\ 1.2$	200	1.7×10^{16}	9.1	-153
$HC(O)NH_2$	1.2	437	2.5×10^{18}	0.3	67		1.2	200	4.5×10^{15}	28.8	-111
	1.2	439	1.2×10^{18}	9.8	64		1.2	200	1.0×10^{16}	6.5	-89
C_2H_3CN	1.2	352	6.2×10^{17}	9.5	64 C1		1.2	200	7.5×10^{15}	7.9	-67
$C_2H_3CN, V_{10}=1$ NH ₀ D	1.2 1.2	307 237	2.1×10^{-1} 1.5 × 10 ¹⁶	0.0 9.5	61 62		1.2 1.2	200	1.1×10^{-5} 6.0 × 10 ¹⁵	$1.0 \\ 5.7$	-ə7 -40
NH ₂ CN	1.2	308	7.3×10^{16}	6.3	66		1.2	200	5.5×10^{14}	2.3	-3
CH_3OCH_3	1.2	413	5.7×10^{17}	12.6	63		1.2	200	1.5×10^{16}	21.6	5
H_2CCN	1.2	165	4.2×10^{16}	26.5	67 64		1.2	200	1.4×10^{15}	4.0	25
$H_2 CNH$ CH ₂ CHO	1.2 1.2	353 273	4.8×10^{17} 4.9×10^{17}	9.0 6.8	64 66		1.2 1.2	200	1.6×10^{11} 5.2 × 10 ¹³	7.8 2.2	$\frac{42}{52}$
CH_3NH_2	1.2	302	1.5×10^{18}	5.7	66		1.2	200	1.6×10^{16}	5.8	66
	1.2	336	5.2×10^{17}	8.3	62		1.2	200	3.7×10^{16}	9.7	79
NS	1.2	335	1.5×10^{17}	7.9	64		1.2	200	1.8×10^{16}	6.4	107
SiS	1.2	200	1.0×10^{10} 2.0 × 10 ¹⁵	6.8 2.0	$72 \\ 117$		1.2	200	2.3×10^{13} 2.4 $\times 10^{16}$	9.0 6.2	141 160
	1.2 1.2	$\frac{200}{200}$	2.0×10^{-10} 2.9×10^{18}	2.9 13.4	117	$C^{34}S$	1.2 1.2	200	5.4×10^{16}	0.2 5.1	-169
	1.2	200	1.0×10^{12}	2.0	75		1.2	200	1.5×10^{16}	30.5	-156
	1.2	200	1.1×10^{17}	6.1	62		1.2	200	1.2×10^{16}	9.0	-119
	1.2	200	4.4×10^{14}	2.0	-4		1.2	200	8.6×10^{14}	11.6	-95
	1.2	200	3.0×10^{10} 8.3 × 10 ¹⁷	2.0	-34		1.2	200	5.5×10^{15}	15.0	-77
$C^{17}O$	$1.2 \\ 1.2$	$\frac{200}{200}$	2.6×10^{12}	3.9	-172		$1.2 \\ 1.2$	200	$4.0 \times 10^{4.0}$ 4.0×10^{14}	5.9	-42
	1.2	200	5.7×10^{12}	6.8	-154		1.2	200	3.7×10^{12}	2.0	0
	1.2	200	5.5×10^{15}	1.7	-143		1.2	200	1.3×10^{15}	7.5	8
	1.2	200	1.2×10^{12}	5.3	-138		1.2	200	7.3×10^{15}	12.1	35
	1.2 1.2	$200 \\ 200$	$1.2 \times 10^{}$ 5.5 × 10 ¹⁵	7.0 1.7	-106 -98		1.2 1.2	200	1.8×10^{-5} 8.2 × 10 ¹⁶	7.0 7.3	42 66
	1.2 1.2	200	6.9×10^{17}	8.9	-79		1.2	200	1.7×10^{15}	9.6	103
	1.2	200	1.9×10^{16}	1.5	-68		1.2	200	1.6×10^{15}	36.4	112
	1.2	200	2.6×10^{17}	4.8	-58		1.2	200	1.6×10^{16}	8.3	133
	1.2	200	6.7×10^{17}	8.6 2.7	-31 20	HCN	1.2	$200 \\ 200$	6.6×10^{13}	10.8	138
	1.2 1.2	$\frac{200}{200}$	7.2×10^{17}	12.6	-20	non	1.2 1.2	200	1.3×10^{18}	0.1	41
	1.2	200	1.3×10^{17}	5.6	6		1.2	200	6.1×10^{13}	2.0	48
	1.2	200	1.6×10^{16}	1.7	12		1.2	200	2.1×10^{17}	2.7	17
	1.2	200	2.2×10^{17}	10.2	17		1.2	200	1.5×10^{14}	1.0	-9 160
	1.2 1.2	$200 \\ 200$	7.0×10^{10} 2.4 × 10 ¹⁶	7.3 6.4	63 85		1.2 1.2	200	4.5×10^{12} 5 7 × 10 ¹²	2.2	-37
	1.2	200	3.0×10^{17}	8.2	98		1.2	200	5.6×10^{13}	0.9	-38
	1.2	200	6.9×10^{17}	6.4	109	$\rm H^{13}CN$	1.2	200	1.3×10^{16}	7.9	94
C180	1.2	200	3.0×10^{17}	8.0	126		1.2	200	7.1×10^{17}	3.3	67
$C_{10}O$	1.2	200	1.7×10^{18} 3.6 $\times 10^{18}$	8.4	-175 159		1.2	200	2.7×10^{17} 1.4 × 10^{16}	1.2	74 47
	$1.2 \\ 1.2$	$\frac{200}{200}$	3.4×10^{18}	14.0	-132		$1.2 \\ 1.2$	200	1.4×10 8.9×10^{19}	4.9 6.2	23
	1.2	200	7.4×10^{12}	6.0	-120		1.2	200	1.3×10^{16}	4.5	0
	1.2	200	3.0×10^{18}	31.2	-90		1.2	200	4.6×10^{16}	12.2	-24
	1.2	200	6.4×10^{18}	21.6	-66	HNC	1.2	200	1.0×10^{13}	1.3	87 70
	1.2 1.2	$200 \\ 200$	2.4×10^{18} 1.0 × 10 ¹⁸	7.5 8.2	-əə -31		1.2 1.2	200	2.1×10^{-5} 4.5×10^{14}	$1.3 \\ 4.7$	79 47
	1.2 1.2	200	1.4×10^{18}	7.7	-17		1.2	200	8.2×10^{15}	0.8	43
	1.2	200	1.8×10^{17}	8.6	10		1.2	200	2.8×10^{13}	2.0	35
	1.2	200	2.9×10^{18}	7.5	62		1.2	200	2.3×10^{15}	4.9	24
	1.2	200	1.1×10^{19}	10.1	85 102		1.2	200	1.5×10^{13} 4.7×10^{12}	3.9	-13 21
	$1.2 \\ 1.2$	$\frac{200}{200}$	3.1×10^{13}	49.9	$103 \\ 122$		$1.2 \\ 1.2$	$200 \\ 200$	4.7×10 6.2×10^{15}	$\frac{0.3}{5.5}$	-29
	1.2	200	2.1×10^{18}	13.1	142		1.2	200	3.5×10^{13}	29.4	43
	1.2	200	1.8×10^{18}	7.9	154		1.2	200	3.2×10^{13}	2.2	-65
CS	1.2	200	2.0×10^{15}	1.4	134		1.2	200	2.3×10^{13}	1.0	-110
	1.2 1.2	200 200	1.3×10^{14} 6.8×10^{14}	$\frac{2.3}{1.5}$	89		1.2 1.2	200 200	9.5 $\times 10^{12}$ 1.2 $\times 10^{12}$	38.9 5.6	-124 -136
	1.2 1.2	200	3.6×10^{16}	9.2	37	$\rm HN^{13}C$	1.2 1.2	200	2.0×10^{15}	3.7	88
	1.2	200	6.3×10^{14}	1.0	20	-	1.2	200	$7.0~\times 10^{12}$	1.3	78
	1.2	200	1.3×10^{15}	7.0	9		1.2	200	3.8×10^{14}	0.8	47
	1.2	200	1.6×10^{10} 1.5 $\times 10^{13}$	10.9 2 9	-40 15		1.2	200	4.9×10^{10} 4.0×10^{12}	0.8 2.0	37 36
	1.2	200 200	9.7×10^{13}	0.∠ 4.1	-92		1.2 1.2	200 200	$4.0 \times 10^{}$ 4.9×10^{13}	2.0 4.8	30 18
^{13}CS	1.2	200	3.9×10^{14}	10.8	98		1.2	200	1.0×10^{12}	3.9	-8
	1.2	200	6.3×10^{16}	4.3	66		1.2	200	5.4×10^{12}	0.3	-14
	1.2	200	4.3×10^{15}	3.4	42		1.2	200	1.0×10^{13}	5.2	-26

T. Möller et al.: Full molecular line survey of hot cores, Online Material p145

	(Continued)											
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$							
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})							
	1.2	200	9.8×10^{13}	29.5	-53							
	1.2	200	2.8×10^{12}	1.5	-62							
	1.2	200	1.7×10^{12}	1.0	-110							
	1.2	200	1.0×10^{12}	3.0	-120							
	1.2	200	9.8×10^{12}	5.5	-93							
$\rm HO^{13}C^+$	1.2	200	4.0×10^{15}	9.8	97							
	1.2	200	6.8×10^{13}	2.4	74							
	1.2	200	4.7×10^{14}	5.0	58							
	1.2	200	1.8×10^{13}	2.8	-9							

Table L.6: LTE Parameters for the full LTE model (Envelope Components) for source A03 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$({\rm km s^{-1}})$
H_2CO	ext.	37	1.4×10^{16}	11.6	66
	ext.	7	3.9×10^{12}	5.3	-26
	ext.	33	7.4×10^{15}	9.9	58
CN	ext.	3	7.2×10^{14}	1.5	67
	ext.	21	5.4×10^{16}	12.5	62
	ext.	5	4.7×10^{14}	7.0	41
	ext.	32	5.0×10^{15}	6.3	33
	ext.	15	1.5×10^{15}	15.6	8
	ext.	19	1.9×10^{15}	5.5	-1
	ext.	17	7.5×10^{14}	16.0	-24
	ext.	22	1.1×10^{15}	2.2	-43
	ext.	57	1.2×10^{16}	5.3	-49
	ext.	11	7.6×10^{13}	3.9	-78
	ext.	8	4.3×10^{14}	14.1	-102
CCH	ext.	3	5.8×10^{15}	6.1	56
	ext.	3	1.4×10^{16}	10.9	65
SO	ext.	15	2.9×10^{15}	14.0	56
CH ₃ OH	ext.	7	5.1×10^{15}	7.8	65
0	ext.	13	1.7×10^{15}	5.7	56
CH ₂ NH	ext.	3	1.3×10^{14}	8.6	64
02	ext.	6	2.2×10^{14}	6.0	56
	ext.	7	7.8×10^{13}	0.8	72
SiO	ext.	5	1.2×10^{17}	3.5	58
CO	ext.	3	8.6×10^{16}	22.4	91
00	ext.	3	7.7×10^{15}	1.4	84
	ext.	3	6.7×10^{16}	8.2	72
	evt	3	7.1×10^{16}	8.1	63
	evt	3	8.4×10^{16}	83	53
	evt	3	8.1×10^{15}	3.0	30
	evt	3	3.1×10^{16}	6.1	31
	ovt	3	1.6×10^{17}	10.5	16
	ext.	3	6.5×10^{16}	10.8	2
	ovt	3	0.0×10^{16}	37	5
	evt	3	1.7×10^{16}	3.4	-11
	ovt	3	3.6×10^{16}	5.9	-11
	ovt	3	0.0×10^{16}	11.5	-10
	ext.	3	6.5×10^{16}	67	-42
	ovt	3	1.2×10^{17}	2.2	-42
	ext.	3	1.2×10^{16}	3.0	-61
	ovt	3	6.3×10^{16}	0.0 01 4	-01
	ext.	3	1.5×10^{16}	21.4	-12
	ext.	5 9	1.5×10^{16}	2.4	-70
	ext.	ა ი	1.0×10^{17}	2.0	-00
	ext.	ა ი	1.0×10^{-1}	11.9	-91 106
	ext.	ა ი	0.4 × 10-9	4.U 2 0	-100
	ext.	ა ი	3.3×10^{15}	ა. ბ	-111 117
	ext.	3	9.4×10^{15}	2.0	-117
13.00	ext.	3	3.5×10^{10}	2.0	-126
00	ext.	3	1.2×10^{10}	8.7	87
	ext.	3	1.5×10^{10}	2.5	73
	ext.	3	1.5×10^{17}	24.3	60
	ext.	3	5.6×10^{10}	2.5	52

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tat}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	ext.	3	7.8×10^{14}	3.0	38
	ext.	3	5.3×10^{15}	3.0	30
	ext.	3	3.1×10^{16}	19.9	12
	ext.	3	1.9×10^{16}	10.9	-2
	ext.	3	2.5×10^{16}	2.0	-43
	evt	3	2.0×10^{16}	2.0	_49
	ovt	3	3.4×10^{15}	2.1	-62
	ext.	2	3.4×10^{15}	2.8	-02
	ext.	. J 9	4.0×10^{15}	5.9	-78
	ext.	ა ი	1.1×10^{-1}	2.9	-60
	ext.	ა ი	3.2×10^{-5}	2.9	-90
	ext.	ა ი	4.6×10^{-5}	2.9	-100
C170	ext.	ა ე	0.0×10^{-3}	0.1	-100
Crit	ext.	3	0.8×10^{10}	3.0	-119
	ext.	3	4.9×10^{11}	0.3 7.0	-71
	ext.	3	1.2×10^{15}	7.6	-50
	ext.	3	2.6×10^{13}	13.0	1
	ext.	3	2.7×10^{13}	1.6	118
	ext.	3	1.3×10^{15}	4.3	52
10	ext.	3	2.4×10^{15}	3.7	72
$C_{18}O$	ext.	3	4.0×10^{15}	3.4	-44
	ext.	3	1.5×10^{14}	2.7	13
	ext.	3	1.1×10^{15}	7.5	30
	ext.	3	2.0×10^{16}	6.4	51
\mathbf{CS}	ext.	3	7.1×10^{15}	5.9	87
	ext.	3	3.2×10^{16}	3.1	73
	ext.	3	1.6×10^{12}	2.8	66
	ext.	3	2.1×10^{17}	10.7	60
	ext.	3	4.3×10^{16}	1.9	54
	ext.	3	1.1×10^{12}	0.6	-9
	ext.	3	2.4×10^{14}	2.4	-85
	ext.	3	4.7×10^{14}	1.8	-105
	ext.	3	1.9×10^{14}	2.1	-112
^{13}CS	ext.	3	8.0×10^{15}	7.2	55
$C^{33}S$	ext	3	7.7×10^{14}	9.8	-169
0 5	ext.	3	1.2×10^{15}	6.5	-22
$C^{34}S$	ext.	3	4.0×10^{14}	3.8	-55
0 0	evt	3	5.3×10^{15}	12.0	-20
	ovt	3	4.2×10^{14}	2.0	-12
	ovt	2	1.6×10^{16}	2.1	-12
HCN	ext.	. J 9	1.0×10 0.5 × 10 ¹⁴	9.0 10.0	71
non	ext.	ວ າ	9.5×10^{14}	10.0	71 50
	ext.	ა ე	9.5×10^{-1}	9.9	59
	ext.	3	4.0×10^{11}	0.0	5Z
	ext.	3	1.3×10^{10}	2.1	40
	ext.	3	3.8×10^{14}	4.2	35
	ext.	3	4.1×10^{12}	1.0	26
	ext.	3	2.3×10^{14}	5.8	16
	ext.	3	2.6×10^{14}	5.7	7
TT12 cm -	ext.	3	5.3×10^{14}	5.9	0
$H^{13}CN$	ext.	3	8.6×10^{13}	0.7	74
	ext.	3	9.6×10^{14}	9.7	60
HNC	ext.	3	3.5×10^{12}	4.7	150
	ext.	3	1.0×10^{12}	0.7	121
	ext.	3	2.8×10^{13}	2.9	92
	ext.	3	7.9×10^{14}	10.6	69
	ext.	3	1.0×10^{12}	1.8	66
	ext.	3	3.3×10^{15}	0.6	60
	ext.	3	7.8×10^{14}	6.3	56
	ext.	3	$2.9~\times10^{12}$	2.0	29
	ext.	3	2.8×10^{13}	1.8	17
	ext.	3	1.6×10^{12}	0.6	13
	ext.	3	3.6×10^{13}	1.7	-2
	ext.	3	1.7×10^{12}	1.3	-36
	ext.	3	5.2×10^{12}	2.2	-47
	ext.	3	1.6×10^{13}	2.7^{-}	-68
	ext	3	7.2×10^{12}	0.8	-76
	ext	3	3.5×10^{12}	3.9	-88
	evt	3	1.4×10^{13}	1.0	-96
	ovt	२ २	1.3×10^{13}	1.0	-104
$HN^{13}C$	ovt	ວ ຈ	1.3×10^{-1} 1.3×10^{12}	1.0	125
IIIV O	ext.	ა 9	1.0×10^{12}	4.0	144
	ext.	ა 9	1.0×10 1.0×10^{12}	0.7	144
	ext.	ა ი	$1.0 \times 10^{}$	2.9 E C	90 02
	ext.	ა	1.0 ×10	0.0	80

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 146

(Continued)											
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$						
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$						
-	ext.	3	1.6×10^{12}	1.4	65						
	ext.	3	1.1×10^{12}	0.7	61						
	ext.	3	5.1×10^{12}	9.3	57						
	ext.	3	1.0×10^{12}	2.0	29						
	ext.	3	1.2×10^{12}	2.1	14						
	ext.	3	2.1×10^{12}	0.6	23						
	ext.	3	1.0×10^{13}	1.4	1						
	ext.	3	1.0×10^{12}	1.3	-28						
	ext.	3	1.0×10^{12}	2.2	-43						
	ext.	3	1.0×10^{12}	2.7	-72						
	ext.	3	1.0×10^{12}	0.8	-79						
	ext.	3	1.0×10^{12}	3.9	-84						
	ext.	3	9.9×10^{11}	5.3	-91						
	ext.	3	1.0×10^{12}	0.8	-98						
$\rm H^{13}CO^+$	ext.	3	7.6×10^{12}	1.4	73						
	ext.	3	1.1×10^{14}	8.9	65						
	ext.	3	$1.4~\times 10^{14}$	6.7	56						

Table L.7: LTE Parameters for the full LTE model (Core Components) for source A04 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}$	$\mathbb{N}^{m,c}$	$\Lambda v^{m,c}$	v ^{m,c}	CO
Molecule	(‴)	(K)	(cm^{-2})	$(km s^{-1})$	$(\mathrm{km s^{-1}})$	
	()	(11)	(0111)	(1111 5)	(1111 5)	
RRL-H	1.2	9508	9.3×10^{8}	0.1	49	
$H_2^{34}S$	1.2	250	2.1×10^{17}	11.0	65	
H_2CNH	1.2	199	1.1×10^{17}	8.4	65	
CH_3CHO	1.2	230	9.2×10^{16}	9.1	65	
CH_2NH	1.2	228	5.6×10^{14}	15.9	78	4.0
C_2H_3CN	1.2	100	2.2×10^{16}	7.3	57	$C^{18}O$
	1.2	238	2.6×10^{16}	5.9	68	
$C_2H_3CN, v_{10}=1$	1.2	306	6.8×10^{15}	6.6	61	
SO	1.2	438	8.4×10^{18}	6.6	65	
	1.2	463	2.4×10^{19}	7.3	64	
SiS	1.2	200	9.7×10^{15}	6.0	72	
$\rm NH_2D$	1.2	133	1.1×10^{16}	2.6	68	
	1.2	130	2.3×10^{16}	1.0	6	
	1.2	138	1.9×10^{19}	2.3	58	
OCS	1.2	341	7.5×10^{17}	10.4	64	
CN	1.2	160	1.5×10^{12}	2.9	-107	
SiO	1.2	200	1.5×10^{15}	3.3	69	
SO_2	1.2	424	5.7×10^{18}	5.7	67	
	1.2	358	5.4×10^{18}	9.1	63	
H_2CCO	1.2	200	3.3×10^{16}	3.1	67	
	1.2	198	2.2×10^{16}	3.8	60	
t-HCOOH	1.2	200	6.4×10^{16}	4.8	68	\mathbf{CS}
H_2CO	1.2	301	2.7×10^{17}	6.5	67	19
SO^+	1.2	165	1.3×10^{17}	7.6	62	^{13}CS
HNCO	1.2	626	9.5×10^{16}	4.3	68	
	1.2	296	4.2×10^{17}	10.3	64	
H_2CS	1.2	200	1.4×10^{16}	5.0	69	
	1.2	490	1.2×10^{16}	2.9	64	
CH_3CN	1.2	286	8.1×10^{16}	12.8	65	
	1.2	308	6.8×10^{16}	4.9	68	
$HC(O)NH_2$	1.2	322	2.5×10^{17}	11.3	65	
C_2H_5CN	1.2	248	5.9×10^{16}	7.2	68	
	1.2	200	1.5×10^{16}	5.6	58	
$C_2H_5CN, v_{20}=1$	1.2	437	4.0×10^{16}	7.6	61	
HCCCN	1.2	404	5.9×10^{16}	11.7	66	
HCCCN, $v_7=2$	1.2	211	5.8×10^{16}	11.4	66	
CH_3OH	1.2	200	1.1×10^{18}	11.3	64	
NO	1.2	200	9.8×10^{18}	6.5	65	
$\rm NH_2CN$	1.2	182	3.7×10^{15}	11.9	68	
CH_3NH_2	1.2	200	1.8×10^{17}	7.6	67	
CH_3OCH_3	1.2	302	5.8×10^{16}	7.4	66	
H_2CCN	1.2	297	6.6×10^{14}	7.9	67	

=

(Continued)										
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$					
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})					
C_2H_5OH	1.2	345	1.1×10^{17}	7.9	67					
HCN, $v_2=1$	1.2	395	7.3×10^{17}	8.9	66					
HNC, $v_2=1$	1.2	333	2.3×10^{18}	0.1	77					
~~	1.2	1002	7.0×10^{16}	14.2	66					
CO	1.2	200	1.8×10^{13}	0.7	140					
	1.2	200	3.3×10^{10}	1.4	147					
	1.2	200	5.7×10^{14}	25.4	-45					
	1.2	200	1.3×10^{-2}	0.3	110					
	1.2	200	2.0×10^{13}	1.1	-124 147					
^{13}CO	1.2 1.2	200	1.3×10^{17}	1.4	197					
00	1.2	200	6.8×10^{13}	0.9	125					
	1.2	200	3.5×10^{17}	7.5	141					
	1.2	200	2.2×10^{12}	0.4	115					
	1.2	200	7.4×10^{14}	7.9	151					
	1.2	200	2.7×10^{17}	5.8	110					
	1.2	200	2.5×10^{16}	1.0	-7					
	1.2	200	3.6×10^{16}	0.8	-27					
	1.2	200	3.6×10^{14}	0.9	-58					
	1.2	200	9.9×10^{13}	2.2	-126					
	1.2	200	9.2×10^{13}	2.6	-156					
	1.2	200	2.3×10^{14}	2.7	-167					
	1.2	200	9.9×10^{15}	2.8	-186					
$C^{17}O$	1.2	200	3.7×10^{17}	8.4	-149					
	1.2	200	1.3×10^{17}	4.4	-134					
	1.2	200	1.5×10^{16}	2.8	-122					
	1.2	200	7.6×10^{16}	3.4	-30					
	1.2	200	7.2×10^{10}	3.7	-7					
	1.2	200	9.7×10^{18}	7.8	63					
	1.2	200	2.8×10^{17}	4.8	88					
	1.2	200	4.0×10^{13}	7.6	120					
C180	1.2	200	2.7×10^{17}	15.4	155					
Croo	1.2	200	8.8×10^{17}	10.8	-173					
	1.2	200	1.5×10^{-1} 5.1 × 10 ¹⁵	13.9	-130 115					
	1.2	200	3.1×10^{-6}	2.7	-110					
	1.2 1.2	200	4.6×10^{16}	5.8 11 4	-00					
	1.2	200	6.7×10^{16}	4 9	-00					
	1.2 1 2	200	6.9×10^{16}	9.4	-30 -14					
	1.2	200	7.8×10^{15}	2.7	-29					
	1.2	200	5.8×10^{15}	2.7	19					
	1.2	200	5.6×10^{15}	1.8	24					
	1.2	200	8.7×10^{18}	13.0	60					
	1.2	200	2.7×10^{16}	9.6	86					
	1.2	200	8.6×10^{16}	2.7	96					
	1.2	200	3.3×10^{16}	2.4	124					
	1.2	200	1.1×10^{17}	11.3	142					
	1.2	200	6.6×10^{15}	2.5	159					
CS	1.2	200	1.6×10^{12}	0.9	19					
	1.2	200	4.2×10^{14}	2.6	11					
^{13}CS	1.2	200	2.4×10^{13}	0.9	153					
	1.2	200	3.8×10^{12}	11.8	84					
	1.2	200	1.4×10^{12}	10.6	116					
	1.2	200	5.3×10^{12}	9.0	95					
	1.2	200	4.2×10^{12}	0.8	89					
	1.2	200	8.8×10^{12}	0.6	69					
	1.2	200	7.8×10^{13}	7.4	68					
	1.2	200	0.0×10^{12}	2.1	48					
	1.2	200 200	2.3×10^{10} 1 0 $\times 10^{12}$	4.0 0.2	31 2					
	1.4 1.9	200	4.0×10^{13}	0.5	-5 -24					
	1.2	200	3.4×10^{14}	5.7	6					
	1.2	$\frac{200}{200}$	1.1×10^{15}	12.5	_7					
	1.2	200	1.7×10^{13}	0.1	-26					
	1.2	200	3.9×10^{14}	17.6	-38					
	1.2	200	7.8×10^{13}	6.0	-109					
	1.2	200	4.9×10^{15}	6.8	-64					
	1.2	200	3.2×10^{15}	6.6	-72					
	1.2	200	$1.0~\times 10^{12}$	0.1	-90					
	1.2	200	1.1×10^{13}	0.7	-107					
	1.2	200	1.6×10^{12}	1.0	-109					
	1.2	200	1.1×10^{14}	0.7	-111					

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 147

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$				
	('')	(K)	$\frac{(\text{cm}^{-2})}{1.7 \times 10^{12}}$	$({\rm km s^{-1}})$	$\frac{(\text{km s}^{-1})}{197}$				
	1.2 1.2	200	1.7×10^{-2} 1.6 × 10^{12}	2.2 1.3	-127				
	$1.2 \\ 1.2$	200	1.0×10^{12} 1.9×10^{12}	0.7	-164				
	1.2	200	1.5×10^{12}	1.7	-62				
$C^{33}S$	1.2	200	9.6×10^{18}	10.4	-150				
	1.2	200	1.5×10^{15}	7.2	-120				
	1.2	200	5.5×10^{14}	2.4	-105				
	1.2	200	1.4×10^{10} 1.4×10^{15}	0.8 8 8	-91 65				
	1.2	200	3.1×10^{14}	4.0	-53				
	1.2	200	1.2×10^{16}	8.5	-39				
	1.2	200	6.4×10^{14}	7.2	3				
	1.2	200	7.2×10^{14}	12.3	15				
	1.2	200	4.3×10^{15}	8.2	69				
	1.2	200	1.3×10^{15} 5.0 × 10 ¹⁵	5.0	81 192				
	1.2 1.2	200	3.0×10^{13} 8.3 × 10 ¹⁴	7.0 2.1	125 162				
$C^{34}S$	$1.2 \\ 1.2$	200	2.4×10^{15}	28.8	-156				
	1.2	200	3.4×10^{15}	8.8	-120				
	1.2	200	7.4×10^{14}	6.2	-101				
	1.2	200	1.2×10^{14}	7.7	-67				
	1.2	200	4.9×10^{14}	6.8	-40				
	1.2	200	1.1×10^{10} 1.2×10^{14}	7.4	10				
	1.2 1.2	200	1.2×10 1.2×10^{16}	0.2 8 7	55 67				
	$1.2 \\ 1.2$	200	3.3×10^{14}	6.3	89				
	1.2	200	4.8×10^{14}	5.9	134				
	1.2	200	3.6×10^{15}	7.4	147				
HCN	1.2	200	7.2×10^{15}	8.9	99				
	1.2	200	1.4×10^{10}	2.1	46				
	1.2	200	2.1×10^{13}	3.4 1.1	-40				
	1.2 1.2	$\frac{200}{200}$	1.1×10^{13}	0.8	-92				
	1.2	200	8.2×10^{12}	5.9	-115				
	1.2	200	1.3×10^{13}	1.1	-125				
	1.2	200	1.4×10^{13}	0.7	-127				
	1.2	200	5.8×10^{14}	3.7	-136				
	1.2	200	1.1×10^{13}	2.7	-146 164				
	1.2 1.2	200	1.3×10^{13}	1.1 3.6	-169				
	1.2	200	4.3×10^{12}	2.1	-158				
	1.2	200	$1.4~\times 10^{12}$	21.4	-176				
10	1.2	200	1.1×10^{12}	0.1	-186				
$H^{13}CN$	1.2	200	9.1×10^{13}	0.6	89				
	1.2	200	9.5×10^{13}	7.3	95				
	1.2 1.2	200	2.7×10^{12}	2.1 0.7	80 70				
	1.2 1.2	$\frac{200}{200}$	1.7×10^{15}	4.3	49				
	1.2	200	1.2×10^{14}	7.5	30				
	1.2	200	1.4×10^{12}	0.9	3				
	1.2	200	2.0×10^{13}	11.8	-6				
	1.2	200	8.5×10^{13}	8.3	-9				
	1.2	200	1.3×10^{14}	0.9	-23				
	1.2 1.2	200	1.9×10^{14} 1.2 × 10 ¹⁴	$\frac{2.0}{2.0}$	-30 -43				
	1.2	200	1.7×10^{14}	2.0 9.5	-55				
	1.2	200	6.9×10^{13}	2.5	-73				
HNC	1.2	200	2.5×10^{13}	2.6	19				
	1.2	200	3.5×10^{14}	10.5	-6				
	1.2	200	1.5×10^{14}	4.2	-30 46				
	1.2 1.2	200 200	2.0×10^{13} 1 7 $\times 10^{13}$	0.9	-40 -59				
	1.2 1.2	$\frac{200}{200}$	1.7×10^{12} 1.7×10^{12}	0.6	-87				
	1.2	200	1.7×10^{12}	1.1	-107				
	1.2	200	$5.4~\times10^{12}$	1.5	-115				
	1.2	200	1.7×10^{12}	0.7	-114				
	1.2	200	8.0×10^{12}	0.9	-131				
	1.2	200	5.3×10^{12}	2.6	-164 160				
	1.2 1.2	200 200	2.4×10^{13} 3.5 $\times 10^{12}$	3.∠ 1 9	-109 -177				
	1.2 1.2	200	1.0×10^{12}	0.3	-182				
$\rm HN^{13}C$	1.2	200	3.9×10^{15}	9.5	-11				

(Continued)										
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$					
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})					
	1.2	200	2.2×10^{14}	9.9	46					
	1.2	200	6.7×10^{14}	6.2	65					
	1.2	200	2.0×10^{12}	19.4	72					
	1.2	200	2.7×10^{14}	13.9	80					
	1.2	200	2.2×10^{13}	7.1	159					
	1.2	200	9.3×10^{13}	5.3	132					
	1.2	200	3.2×10^{13}	2.6	149					
$\rm HO^{13}C^+$	1.2	200	6.1×10^{12}	0.1	83					
	1.2	200	7.8×10^{13}	4.3	75					
	1.2	200	3.2×10^{14}	25.3	64					
	1.2	200	2.4×10^{13}	1.8	55					
	1.2	200	2.0×10^{14}	5.0	36					
	1.2	200	8.3×10^{14}	12.8	17					

Table L.8: LTE Parameters for the full LTE model (Envelope Components) for source A04 in Sgr B2(M).

	022 0	$m_{m,c}$	NTM.C	A 200 C	m.c
Molecule	$\theta^{m,c}$	T_{ex}	N _{tot} 2	$\Delta v^{m,c}$	VLSR 1
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
			19		
CH_2NH	ext.	9	5.1×10^{13}	2.5	73
	ext.	6	7.0×10^{14}	14.0	61
$c-C_3H_2$	ext.	5	1.6×10^{14}	10.2	64
SO	ext.	13	3.2×10^{15}	8.0	59
CN	ext.	12	2.1×10^{15}	7.8	69
	ext.	23	5.3×10^{16}	12.1	61
	ext.	3	1.0×10^{12}	9.1	36
	ext.	14	2.6×10^{14}	4.8	29
	ext.	26	5.6×10^{15}	16.1	10
	ext.	17	1.0×10^{15}	4.4	-1
	ext.	51	1.3×10^{16}	11.6	-26
	ext.	22	2.0×10^{15}	7.3	-46
	ext.	77	1.0×10^{16}	5.2	-47
	ext.	5	3.6×10^{13}	4.0	-76
	ext.	8	4.0×10^{14}	15.2	-102
SiO	ext.	25	1.2×10^{15}	4.2	57
CCH	ext.	3	6.8×10^{15}	9.2	57
0011	ext.	10	1.9×10^{15}	12.8	65
$H_{2}CO$	ext.	5	7.1×10^{14}	2.2	68
11200	evt	6	5.2×10^{14}	2.2	73
	evt	6	5.2×10^{14}	4.5	65
	ovt	31	1.2×10^{16}	83	55
NO^+	ovt	66	1.2×10^{15} 5.3 × 10 ¹⁵	35	61
CHOOH	ext.	7	3.3×10^{15}	5.5 4.5	66
0113011	ext.	10	2.8×10^{15}	4.5	50
CO	ext.	12	3.3×10	1.5	125
0	ext.	ა ი	4.4×10 2.2×10^{12}	0.8	150
	ext.	ა ე	2.3×10 1 1 $\times 10^{17}$	1.1	114
	ext.	3	1.1×10^{-7}	20.9	81
	ext.	చ ం	6.9×10^{10}	1.3	66
	ext.	ა ი	10.0×10^{12}	2.6	62
	ext.	3	2.0×10^{17}	32.5	55
	ext.	3	2.0×10^{17}	1.0	30
	ext.	3	1.2×10^{12}	0.1	-163
	ext.	3	1.7×10^{17}	27.9	11
	ext.	3	1.4×10^{17}	28.1	-26
	ext.	3	1.5×10^{13}	4.5	-122
	ext.	3	3.0×10^{16}	6.0	-44
	ext.	3	2.6×10^{16}	4.3	-51
	ext.	3	2.3×10^{16}	4.9	-61
	ext.	3	2.8×10^{13}	0.2	-72
	ext.	3	2.5×10^{16}	12.8	-72
	ext.	3	1.2×10^{17}	28.7	-97
	ext.	3	2.7×10^{13}	16.2	151
	ext.	3	2.2×10^{14}	2.0	-121
			16	11.0	107
	ext.	3	3.3×10^{10}	11.0	-107
	ext. ext.	$\frac{3}{3}$	3.3×10^{10} 1.0×10^{13}	0.7	-107 114

T. Möller <i>et al.</i> : Ful	l molecular	line survey	of hot	cores.	Online	Material	\boldsymbol{n}	148
1. Moner ce wen i ui	monecular	mic survey	01 1100	corco,	Chounte	111 0001 000	P	140

	(Continued)					(Continued)					
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s^{-1})	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s^{-1})
	ext.	3	9.4×10^{14}	1.6	57		ext.	3	$\frac{(0.11)^{-14}}{3.6 \times 10^{14}}$	3.1	-8
^{13}CO	ext.	3	1.3×10^{16}	9.8	90		ext.	3	8.4×10^{15}	19.5	18
	ext.	3	8.3×10^{16}	18.6	69		ext.	3	3.4×10^{16}	8.6	57
	ext.	3	4.4×10^{12}	6.9	67		ext.	3	1.7×10^{14}	2.8	100
	ext.	3	6.0×10^{10}	15.2	50		ext.	3	10.0×10^{14}	7.2	111
	ext.	3	6.4×10^{10} 5.1 × 10 ¹⁴	3.0	30 25	HCN	ext.	3	4.6×10^{14}	4.1	120
	ext.	3 3	1.6×10^{16}	0.8	20 14	non	ext.	ა ვ	1.0×10^{12}	0.9	140 139
	ext.	3	2.2×10^{16}	12.6	1		ext.	3	7.9×10^{12}	2.7	129
	ext.	3	2.3×10^{12}	0.4	1		ext.	3	4.1×10^{13}	3.4	111
	ext.	3	1.1×10^{14}	0.8	107		ext.	3	4.3×10^{13}	2.7	89
	ext.	3	1.5×10^{16}	3.1	-43		ext.	3	8.9×10^{13}	3.1	75
	ext.	3	1.5×10^{16}	3.0	-49		ext.	3	2.1×10^{12}	3.0	85
	ext.	3	9.5×10^{15}	1.1	-63		ext.	3	1.8×10^{15}	28.6	64
	ext.	3	3.2×10^{13}	4.0	-78		ext.	3	1.6×10^{14}	5.3	52
	ext.	3 2	3.3×10^{13} 2.2 × 10 ¹²	0.8	28 101		ext.	3	1.2×10^{11}	2.0	41 36
	ext.	3	3.1×10^{13}	0.6	-101		ext.	3	1.1×10^{14}	2.0	28
$C^{17}O$	ext.	3	1.3×10^{15}	2.7	-179		ext.	3	3.2×10^{14}	11.2	16
	ext.	3	4.8×10^{14}	2.8	-144		ext.	3	8.4×10^{13}	2.0	8
	ext.	3	3.3×10^{14}	2.8	-123		ext.	3	4.3×10^{14}	7.3	1
	ext.	3	9.3×10^{14}	5.4	-116		ext.	3	1.6×10^{12}	1.3	-12
	ext.	3	3.2×10^{14}	7.4	-98		ext.	3	1.0×10^{12}	4.1	109
	ext.	3	9.7×10^{13}	15.9	-95		ext.	3	1.5×10^{14}	20.3	-29
	ext.	3	4.8×10^{14}	7.4	-87		ext.	3	1.0×10^{12}	2.8	-32
	ext.	3 2	8.8×10^{-4}	1.1	-08 62		ext.	3	3.8×10^{-3} 4.2×10^{13}	3.0	-43
	ext.	3 3	1.7×10^{15}	$\frac{5.0}{7.5}$	-02		ext.	3	4.2×10^{13}	2.0 6.5	-40 -73
	ext.	3	4.1×10^{14}	1.9	-24		ext.	3	1.7×10^{14}	2.0	-103
	ext.	3	4.7×10^{14}	3.4	1	$\rm H^{13}CN$	ext.	3	6.1×10^{13}	6.7	126
	ext.	3	1.2×10^{15}	11.0	14		ext.	3	6.4×10^{12}	0.9	120
	ext.	3	4.0×10^{14}	2.9	31		ext.	3	1.9×10^{13}	2.1	81
	ext.	3	1.4×10^{16}	17.2	51		ext.	3	4.8×10^{13}	1.8	74
	ext.	3	6.6×10^{14}	11.7	120		ext.	3	1.9×10^{15}	0.4	67 50
$C^{18}O$	ext.	ა ვ	2.3×10^{14} 1.6 $\times 10^{14}$	7.0	132	HNC	ext.	3 3	1.0×10^{10} 1.3×10^{12}	10.9	58 161
0.0	ext.	3 3	3.7×10^{14}	7.3	-109	IIINC	ext.	3 3	1.3×10^{12}	13	101
	ext.	3	6.4×10^{14}	4.4	-104		ext.	3	5.0×10^{12}	0.8	111
	ext.	3	8.6×10^{14}	2.7	-56		ext.	3	1.2×10^{12}	1.3	105
	ext.	3	3.6×10^{15}	4.6	-44		ext.	3	6.0×10^{13}	0.3	99
	ext.	3	5.5×10^{14}	2.9	-22		ext.	3	4.5×10^{14}	2.0	54
	ext.	3	5.9×10^{14}	4.0	0		ext.	3	6.7×10^{13}	22.2	99
	ext.	3	5.2×10^{14}	3.5	6		ext.	3	4.6×10^{13}	0.1	76
	ext.	ა ვ	5.0×10^{11} 2.7×10^{16}	$\frac{2.1}{7.3}$	30 50		ext.	3 3	2.6×10^{10} 3.4×10^{15}	0.9	20 63
	ext.	3	4.2×10^{15}	2.8	52 73		ext.	3	3.4×10^{14} 3.2×10^{14}	25.2	46
	ext.	3	3.7×10^{14}	5.0	119		ext.	3	2.1×10^{13}	0.7	45
\mathbf{CS}	ext.	3	4.6×10^{14}	0.7	104		ext.	3	3.3×10^{12}	4.0	43
	ext.	3	1.7×10^{14}	2.0	106		ext.	3	3.7×10^{13}	3.0	17
	ext.	3	3.4×10^{16}	3.7	73		ext.	3	2.3×10^{12}	1.3	5
	ext.	3	4.9×10^{14}	0.5	26		ext.	3	2.5×10^{15}	0.9	1
	ext.	3	1.9×10^{17}	17.6	57		ext.	3	1.6×10^{14}	15.7	3
	ext.	ა ი	$2.5 \times 10^{}$	19.8	28 55		ext.	ა ა	3.3×10^{13}	1.1	-43
	ext.	3 3	3.2×10^{15}	3.0 4.6	00 0		ext.	3	5.2×10^{12}	3.7 2.5	-28 -74
^{13}CS	ext.	3	1.6×10^{16}	5.5	57		ext.	3	1.0×10^{12}	0.9	-88
0.0	ext.	3	1.7×10^{16}	14.0	-64		ext.	3	1.3×10^{12}	0.8	-93
$C^{33}S$	ext.	3	3.7×10^{16}	10.9	-165		ext.	3	8.6×10^{11}	0.1	-97
	ext.	3	3.3×10^{16}	9.1	-137		ext.	3	3.0×10^{12}	1.0	-102
	ext.	3	2.3×10^{15}	10.3	-30		ext.	3	1.3×10^{12}	0.9	-84
	ext.	3	1.3×10^{15}	12.7	32		ext.	3	1.7×10^{12}	2.1	-124
	ext.	3	3.5×10^{15}	2.5	21		ext.	3	1.1×10^{12}	1.3	-140
	ext.	১ ২	9.0×10^{10} 1.2 $\times 10^{15}$	8.U 5.4	09 100	$HN^{13}C$	ext.	ა ვ	0.7×10^{12} 1.8 $\times 10^{14}$	2.2 7 5	-101 58
	ext.	ა ვ	2.0×10^{16}	0.4 12.3	121	$H_{13}CO+$	ext. ext	ы З	$1.5 \times 10^{}$ 1.5×10^{14}	7.0 6.9	50 57
	ext.	3	2.1×10^{14}	1.8	139		ext.	3	3.0×10^{13}	4.4	49
	ext.	3	1.3×10^{13}	2.5	144			•			
$\rm C^{34}S$	ext.	3	7.9×10^{14}	6.3	-60						
	ext.	3	$1.0~\times 10^{15}$	8.4	-50						
	ext.	3	5.0×10^{14}	7.8	-32		TT D		ng for 1 C	וו דיידי	adal (C
	ext.	3	1.1×10^{14}	2.3	-31	Table L.9: 1	JE P8	iramete	or the fu	ш LIE m элм	oder (Core
	ext.	3	8.0 ×10 ¹⁴	6.3	-20	Components	s) for s	ource A	tuo in Sgr B	$\angle(\mathbf{M}).$	

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t=t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. ,	. ,	(/
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CO	1.2	223	4.1×10^{18}	5.8	65
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	SO^+	1.2	203	3.3×10^{16}	6.6	62
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HNCO	1.2	310	5.5×10^{17}	8.8	65
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	OCS	1.2	286	2.2×10^{17}	1.3	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	297	9.5×10^{17}	8.6	64
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	CH_3CN	1.2	266	1.8×10^{17}	6.6	65
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.2	255	4.8×10^{16}	14.8	65
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$		1.2	155	4.1×10^{16}	5.1	59
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$H_2^{34}S$	1.2	200	5.2×10^{17}	9.0	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH_2NH	1.2	190	1.0×10^{17}	11.5	64
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	NO	1.2	157	5.0×10^{18}	6.0	64
	SiO	1.2	243	1.3×10^{17}	0.6	70
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		1.2	246	1.0×10^{10}	1.1	67
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H_2CNH	1.2	200	3.4×10^{17}	4.6	64 C4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CII OII	1.2	147	1.1×10^{11}	3.1 E 0	04 64
SO 1.2 201 1.3 $\times 10^{10}$ 1.0 64 1.2 306 2.8 $\times 10^{18}$ 5.0 68 CH ₃ NH ₂ 1.2 214 1.2 $\times 10^{18}$ 8.8 64 CH ₃ NH ₂ 1.2 209 1.4 $\times 10^{17}$ 8.3 65 C ₂ H ₅ CN 1.2 209 1.4 $\times 10^{17}$ 8.3 64 1.2 166 1.1 $\times 10^{17}$ 3.3 64 C ₂ H ₅ CN 1.2 298 3.2.7 $\times 10^{16}$ 8.7 64 C ₂ H ₅ CN 0.1 2 983 2.7 $\times 10^{16}$ 8.7 64 CH ₃ CHO 1.2 183 2.4 $\times 10^{17}$ 5.5 65 SO ₂ 1.2 319 3.9 $\times 10^{18}$ 6.4 68 (CH ₃ CHO 1.2 183 2.4 $\times 10^{17}$ 5.5 65 SO ₂ 1.2 319 3.9 $\times 10^{18}$ 6.4 68 (CH ₃ CHO 1.2 153 1.5 $\times 10^{12}$ 2.8 -110 HCCCN 7=2 1.2 212 1.1 $\times 10^{18}$ 5.2 60 CN 1.2 150 1.5 $\times 10^{12}$ 2.8 -110 HCCCN 7=2 1.2 217 1.0 $\times 10^{17}$ 8.1 65 CH ₃ OCH ₃ 1.2 187 6.6 $\times 10^{17}$ 4.7 64 HC(0)NH ₂ 1.2 286 2.9 $\times 10^{17}$ 4.8 65 HCCCN, $v_7=2$ 1.2 217 1.0 $\times 10^{17}$ 8.1 65 CH ₃ OCH ₃ 1.2 187 6.6 $\times 10^{17}$ 4.7 64 HC(0)NH ₂ 1.2 286 2.9 $\times 10^{17}$ 4.7 64 HC(0)NH ₂ 1.2 286 2.9 $\times 10^{17}$ 4.7 64 HC(0)NH ₂ 1.2 286 2.9 $\times 10^{17}$ 4.7 64 HC(0) H ₂ 1.2 255 7.9 $\times 10^{16}$ 4.0 64 1.2 200 5.0 $\times 10^{15}$ 5.1 59 NH ₂ D 1.2 153 1.1 $\times 10^{16}$ 5.7 64 H ₂ CCN 1.2 155 $\times 7.9 \times 10^{16}$ 4.0 64 NH ₂ CN 1.2 155 $\times 7.9 \times 10^{16}$ 4.8 64 NH ₂ CN 1.2 175 5.7×10^{15} 5.8 67 H ₂ CCO 1.2 228 1.5×10^{17} 7.0 64 NS 1.2 613 5.9×10^{15} 5.9 64 C ₂ H ₃ CN, $v_{10}=1$ 1.2 308 1.8×10^{16} 6.5 61 Sis 1.2 186 1.6×10^{15} 2.1 -171 1.2 200 5.8×10^{16} 6.1 65 CH ₃ OCHO 1.2 210 7.2×10^{15} 2.9 -1448 1^{3} CO 1.2 200 7.2×10^{15} 2.1 -171 1.2 200 1.5×10^{17} 7.3 -132 1.2 200 4.8×10^{17} 7.3 -64 1.2 200 3.5×10^{17} 8.7 -10 1.2 200 3.5×10^{17} 8.7 -10 1.2 200 3.5×10^{17} 8.7 -10 1.2 200 4.8×10^{17} 7.3 -132 1.2 200 4.8×10^{17} 7.3 -66 1.2 200 4.8×10^{17} 7.	СпзОп	1.2	210	4.0×10^{-5} 1.2 × 1018	0.0 1.6	04 64
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50	1.2	237	1.3×10^{-5}	1.0	68
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	30	1.2	090 306	2.8×10^{-10}	5.0 8 8	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CHaNHa	1.2	214	1.2×10^{18}	4.0	64 64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCN $v_0 = 1$	1.2	214 276	1.2×10^{17} 8.3 × 10 ¹⁷	83	65
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CoHrCN	1.2	209	1.4×10^{17}	3.3	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	02113010	1.2	166	1.4×10^{17} 1.1×10^{17}	9.1	64
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_5CN , $v_{20}=1$	1.2	438	1.1×10^{17}	7.1	61
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC. $v_2=1$	1.2	983	2.7×10^{16}	8.7	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C ₂ H ₅ OH	1.2	206	5.8×10^{17}	0.6	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH ₃ CHO	1.2	183	2.4×10^{17}	5.5	65
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SO_2	1.2	319	3.9×10^{18}	6.4	68
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.2	212	1.1×10^{18}	5.2	60
$\begin{array}{c ccccc} HCCCN & 1.2 & 283 & 1.8 \times 10^{17} & 7.8 & 65 \\ HCCCN, v_7=2 & 1.2 & 217 & 1.0 \times 10^{17} & 8.1 & 65 \\ CH_3OCH_3 & 1.2 & 187 & 6.6 \times 10^{17} & 4.7 & 64 \\ HC(O)NH_2 & 1.2 & 286 & 2.9 \times 10^{17} & 4.7 & 65 \\ 1.2 & 267 & 1.5 \times 10^{17} & 13.1 & 63 \\ H_2CS & 1.2 & 182 & 9.7 \times 10^{16} & 4.0 & 64 \\ 1.2 & 200 & 5.0 \times 10^{15} & 5.1 & 59 \\ NH_2D & 1.2 & 153 & 1.1 \times 10^{16} & 5.7 & 64 \\ H_2CCN & 1.2 & 255 & 7.9 \times 10^{15} & 12.0 & 64 \\ t+HCOOH & 1.2 & 132 & 4.9 \times 10^{16} & 8.8 & 64 \\ NH_2CN & 1.2 & 175 & 5.7 \times 10^{15} & 5.8 & 67 \\ H_2CCO & 1.2 & 228 & 1.5 \times 10^{17} & 7.0 & 64 \\ NS & 1.2 & 613 & 5.9 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 5.8 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 5.8 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 5.8 \times 10^{16} & 6.5 & 61 \\ SiS & 1.2 & 186 & 1.6 \times 10^{15} & 2.1 & -171 \\ 1.2 & 200 & 1.5 \times 10^{17} & 2.6 & -142 \\ 1.2 & 200 & 1.5 \times 10^{17} & 2.6 & -142 \\ 1.2 & 200 & 5.7 \times 10^{15} & 2.1 & -171 \\ 1.2 & 200 & 5.7 \times 10^{16} & 0.6 & -40 \\ 1.2 & 200 & 5.7 \times 10^{16} & 0.6 & -40 \\ 1.2 & 200 & 5.7 \times 10^{17} & 6.3 & -174 \\ 1.2 & 200 & 4.8 \times 10^{17} & 7.3 & -132 \\ 1.2 & 200 & 3.4 \times 10^{17} & 2.9 & -162 \\ 1.2 & 200 & 3.4 \times 10^{17} & 7.5 & -132 \\ 1.2 & 200 & 3.4 \times 10^{17} & 7.5 & -132 \\ 1.2 & 200 & 3.5 \times 10^{17} & 5.3 & -33 \\ 1.2 & 200 & 3.5 \times 10^{17} & 5.1 & -33 \\ 1.2 & 200 & 3.5 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.5 \times 10^{17} & 3.1 & -26 \\ 1.2 & 200 & 3.5 \times 10^{17} & 3.7 & -33 \\ 1.2 & 200 & 3.5 \times 10^{17} & 3.7 & -33 \\ 1.2 & 200 & 3.5 \times 10^{17} & 5.8 & 63 \\ 1.2 & 200 & 3.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.4 \times 10^{18} & 5.8 & 63 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.5 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.4 $	CN	1.2	150	1.5×10^{12}	2.8	-110
$\begin{array}{c cccc} HCCCN, v_7=2 & 1.2 & 217 & 1.0 \times 10^{17} & 8.1 & 65 \\ CH_3OCH_3 & 1.2 & 187 & 6.6 \times 10^{17} & 4.7 & 64 \\ HC(O)NH_2 & 1.2 & 286 & 2.9 \times 10^{17} & 4.7 & 63 \\ 1.2 & 267 & 1.5 \times 10^{17} & 13.1 & 63 \\ H_2CS & 1.2 & 182 & 9.7 \times 10^{16} & 4.0 & 64 \\ 1.2 & 200 & 5.0 \times 10^{15} & 5.1 & 59 \\ NH_2D & 1.2 & 153 & 1.1 \times 10^{16} & 5.7 & 64 \\ H_2CCN & 1.2 & 255 & 7.9 \times 10^{15} & 12.0 & 64 \\ t+HCOOH & 1.2 & 132 & 4.9 \times 10^{16} & 8.8 & 64 \\ NH_2CN & 1.2 & 175 & 5.7 \times 10^{15} & 5.8 & 67 \\ H_2CCO & 1.2 & 228 & 1.5 \times 10^{17} & 7.0 & 64 \\ NS & 1.2 & 613 & 5.9 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 5.8 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 5.8 \times 10^{16} & 6.1 & 65 \\ C_2H_3CN & 1.2 & 200 & 7.2 \times 10^{15} & 4.2 & 67 \\ CH_3OCHO & 1.2 & 214 & 3.2 \times 10^{17} & 4.9 & 64 \\ CO & 1.2 & 200 & 7.2 \times 10^{17} & 2.6 & -142 \\ 1.2 & 200 & 2.1 \times 10^{15} & 2.9 & -148 \\ ^{13}CO & 1.2 & 200 & 5.7 \times 10^{16} & 0.6 & -40 \\ 1.2 & 200 & 6.4 \times 10^{17} & 1.8 & -53 \\ 1.2 & 200 & 4.8 \times 10^{17} & 2.9 & -162 \\ 1.2 & 200 & 4.8 \times 10^{17} & 7.3 & -132 \\ 1.2 & 200 & 3.3 \times 10^{17} & 7.7 & -80 \\ 1.2 & 200 & 3.0 \times 10^{17} & 7.3 & -132 \\ 1.2 & 200 & 3.0 \times 10^{17} & 5.3 & -33 \\ 1.2 & 200 & 3.0 \times 10^{17} & 5.3 & -33 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 5.3 & -33 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 8.7 & -10 \\ 1.2 & 200 & 3.0 \times 10^{17} & 4.7 & 31 \\ 1.2 & 200 & 3.0 \times 10^{17} & 4.7 & 31 \\ 1.2 & 200 & 3.0 \times 10^{17} & 4.7 & 31 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.0 \times 10^{17} & 3.5 & 107 \\ 1.2 & 200 & 1.4 \times 10^{17} & 2.3 & 142 \\ \end{array}$	HCCCN	1.2	283	1.8×10^{17}	7.8	65
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCCCN, $v_7=2$	1.2	217	1.0×10^{17}	8.1	65
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH ₃ OCH ₃	1.2	187	6.6×10^{17}	4.7	64
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$HC(O)NH_2$	1.2	286	2.9×10^{17}	4.7	65
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	267	1.5×10^{17}	13.1	63
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H_2CS	1.2	182	9.7×10^{16}	4.0	64
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.2	200	5.0×10^{15}	5.1	59
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\rm NH_2D$	1.2	153	1.1×10^{16}	5.7	64
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CCN	1.2	255	7.9×10^{15}	12.0	64
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	t-HCOOH	1.2	132	4.9×10^{16}	8.8	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm NH_2CN$	1.2	175	5.7×10^{15}	5.8	67
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CCO	1.2	228	1.5×10^{17}	7.0	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	NS	1.2	613	5.9×10^{15}	5.9	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_3CN	1.2	200	5.8×10^{16}	6.1	65
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$C_2H_3CN, v_{10}=1$	1.2	308	1.8×10^{10}	6.5	61
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SiS	1.2	186	1.6×10^{13}	4.2	67
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH ₃ OCHO	1.2	214	3.2×10^{17}	4.9	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CO	1.2	200	7.2×10^{13}	2.1	-171
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{17}	2.6	-142
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13.00	1.2	200	2.1×10^{16}	2.9	-148
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1000	1.2	200	5.7×10^{13}	0.6	-40
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	6.4×10^{17}	1.8	-53
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$C^{17}O$	1.2	200	3.4×10^{-1}	2.2	-81
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0-0	1.2	200	5.7×10^{-1}	0.3	-174
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.0×10^{-10}	2.9	-102 154
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	9.5×10^{17}	1.0 7.2	-104 199
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.8×10^{14}	7.5	-132
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.3×10^{17}	$\frac{5.0}{2.7}$	-100
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	7.7×10^{16}	1.0	-00 -46
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.4 1.9	200	3.0×10^{17}	5.3	_33
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.6×10^{17}	3.1	-26
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.5×10^{17}	8.7	-10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.1×10^{16}	2.0	17
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.0×10^{17}	4.7	31
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.4×10^{18}	5.8	63
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.6×10^{17}	4.5	84
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.2×10^{17}	2.3	96
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.1×10^{17}	3.5	107
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{17}	3.9	127
		1.2	200	1.4×10^{17}	2.3	142

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 1:	50
1. Monet et al. 1 un molecular fine survey of not cores	Onunic	maicriai	$p_{\perp c}$	50

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISD
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
$C^{18}O$	12	200	$\frac{28 \times 10^{18}}{2}$	0.8	-176
0 0	1.2	200	2.8×10^{17}	9.0	-170
	1.2	200	2.8×10^{-17}	0.2	-101
	1.2	200	4.5×10^{17}	6.1	-134
	1.2	200	6.6×10^{15}	6.2	-90
	1.2	200	1.6×10^{12}	8.1	-66
	12	200	1.4×10^{17}	42	-31
	1.2	200	1.0×10^{17}	75	10
	1.2	200	1.3×10^{17}	1.5	-19
	1.2	200	2.5×10^{17}	9.8	8
	1.2	200	1.0×10^{17}	3.7	19
	1.2	200	3.4×10^{15}	2.7	38
	1.2	200	2.9×10^{18}	6.1	65
	1.2	200	2.7×10^{17}	6.2	85
	1.2	200	8.8×10^{17}	6.2	138
	1.2	200	1.0×10^{16}	4.7	155
aa	1.2	200	1.0×10^{-4}	4.7	100
CS	1.2	200	3.3×10^{14}	0.8	103
	1.2	200	2.0×10^{15}	3.1	36
	1.2	200	6.0×10^{15}	3.2	19
	1.2	200	3.4×10^{14}	2.4	12
	1.2	200	2.7×10^{13}	2.4	6
	1.2	200	7.8×10^{12}	0.0	°,
	1.2	200	1.0×10^{15}	0.3	2
	1.2	200	1.1×10^{-5}	0.1	-0
12	1.2	200	1.7×10^{13}	5.9	-37
^{13}CS	1.2	200	2.8×10^{14}	0.4	76
	1.2	200	7.6×10^{15}	3.6	65
	1.2	200	1.1×10^{15}	4.0	40
	12	200	2.1×10^{12}	10.4	36
	1.2	200	1.6×10^{12}	0.0	20
C33g	1.2	200	1.0×10	0.3	151
Uns	1.2	200	3.9×10^{-5}	8.4	-131
	1.2	200	6.2×10^{10}	8.8	-107
	1.2	200	6.2×10^{15}	15.1	-86
	1.2	200	2.1×10^{15}	3.6	-68
	1.2	200	2.0×10^{15}	5.6	-57
	1.2	200	6.2×10^{15}	6.2	-38
	12	200	4.7×10^{15}	17.0	5
	1.2	200	6.0×10^{14}	3.8	10
	1.2	200	1.6×10^{14}	5.0	20
	1.2	200	1.0×10	5.1	20
	1.2	200	1.4×10^{10}	6.0	39
	1.2	200	3.2×10^{15}	5.0	64
	1.2	200	4.1×10^{15}	10.5	83
	1.2	200	6.7×10^{15}	5.2	119
	1.2	200	5.7×10^{14}	6.6	134
	12	200	5.1×10^{14}	2.4	149
	1.2	200	3.6×10^{15}	5.2	150
C34C	1.2	200	3.0×10^{16}	0.2 97.7	109
Cors	1.2	200	2.0×10^{16}	31.1	-101
	1.2	200	1.3×10^{10}	10.0	-163
	1.2	200	2.3×10^{15}	2.6	-149
	1.2	200	4.4×10^{15}	14.5	-117
	1.2	200	1.9×10^{15}	19.1	-92
	1.2	200	4.0×10^{14}	5.2	-77
	19	200	1.2×10^{14}	24	-69
	1.2	200	0.6×10^{14}	6.0	49
	1.2	200	3.0×10^{14}	0.0	-42
	1.2	200	1.0×10^{-1}	2.5	-35
	1.2	200	3.0×10^{14}	2.8	-27
	1.2	200	3.6×10^{14}	6.2	-8
	1.2	200	1.8×10^{15}	8.2	5
	1.2	200	3.7×10^{14}	2.4	13
	12	200	5.2×10^{14}	2.8	32
	1.2	200	1.4×10^{15}	4.2	40
	1.2	200	7.4×10^{15}	4.2	40
	1.2	200	1.8×10^{-3}	0.2	05
	1.2	200	2.9×10^{14}	2.2	-77
	1.2	200	1.1×10^{15}	6.2	87
	1.2	200	1.8×10^{15}	7.4	101
	1.2	200	4.8×10^{15}	7.3	131
	1.2	200	8.2×10^{15}	7.8	151
HCN	19	200	5.6×10^{12}	0.8	153
	1.2	200	1.9×10^{12}	16.1	154
	1.4	200	1.0×10 1.0 $\times 10^{12}$	1 /	140
	1.2	200	1.3×10^{-2}	1.4	148
	1.2	200	3.2×10^{12}	2.2	124
	1.2	200	5.1×10^{14}	2.4	107
	1.2	200	2.2×10^{15}	3.7	95
	1.2	200	5.9×10^{14}	1.6	22
	1.2	200	5.0×10^{13}	0.9	12

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	(Continued)									
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.0×10^{12}	13.8	4				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.3×10^{13}	1.0	-47				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	6.6×10^{12}	2.5	-51				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.0×10^{12}	2.7	-63				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	8.3×10^{14}	5.9	-85				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.8×10^{14}	1.8	-115				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.1×10^{13}	0.8	-129				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.0×10^{13}	1.4	-137				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{15}	5.6	-140				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{14}	2.3	-147				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	8.9×10^{14}	4.6	-160				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.7×10^{14}	2.0	-176				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm H^{13}CN$	1.2	200	6.5×10^{14}	7.4	99				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.7×10^{12}	0.3	87				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{17}	0.8	71				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.5×10^{15}	3.5	50				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	6.1×10^{14}	6.9	31				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.2×10^{13}	0.7	-15				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.0×10^{12}	1.0	-6				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.0×10^{12}	25.2	-9				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	6.5×10^{13}	4.9	-25				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.0×10^{12}	1.7	-28				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.2×10^{12}	0.8	-27				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.4×10^{12}	4.2	-61				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.3×10^{14}	2.4	-69				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.3×10^{12}	0.8	-91				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC	1.2	200	1.0×10^{12}	5.1	120				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.7×10^{13}	1.9	107				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.9×10^{16}	5.9	83				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.0×10^{15}	4.4	23				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.2	200	1.9×10^{13}	1.0	-64				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HN^{13}C$	1.2	200	1.1×10^{12}	5.4	-147				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.5×10^{12}	7.9	-131				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.7×10^{12}	9.9	-115				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.0×10^{12}	2.2	-101				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.6×10^{13}	3.5	-60				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.1×10^{14}	4.3	-53				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.3×10^{14}	5.7	-42				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	8.5×10^{14}	7.5	-8				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.7×10^{14}	3.9	11				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.3×10^{15}	10.2	39				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.2×10^{15}	0.7	66				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.4×10^{15}	13.5	81				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.7×10^{14}	6.1	115				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.5×10^{14}	7.2	129				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.7×10^{14}	1.0	148				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.1×10^{15}	45.1	156				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HO^{13}C^+$	1.2	200	2.4×10^{14}	6.7	95				
1.2 200 1.5×10^{12} 8.4 -25		1.2	200	5.2×10^{14}	0.1	73				
		1.2	200	1.5×10^{12}	8.4	-25				

Table L.10: LTE Parameters for the full LTE model (Envelope Components) for source A05 in Sgr B2(M).

	0772 0	=m.c	x .m.c	A 222 C	<i>m.c</i>
Molecule	$\theta^{m,c}$	T_{ex}	N _{tot}	$\Delta v^{m,c}$	v_{LSR}
	('')	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$({\rm km s^{-1}})$
H_2CO	ext.	38	2.0×10^{16}	14.6	64
CH_3CN	ext.	24	1.0×10^{12}	6.3	102
CH_2NH	ext.	5	2.3×10^{13}	2.5	73
	ext.	6	3.7×10^{14}	12.3	63
	ext.	20	1.8×10^{14}	5.5	-63
SiO	ext.	21	3.2×10^{14}	6.5	57
SO	ext.	28	6.6×10^{15}	16.3	56
CN	ext.	3	3.6×10^{14}	21.9	71

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 151

		(C	Continued)			_			(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{\text{LSR}}^{m,c}$	_	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{\text{LSR}}^{m,c}$
	ext.	34	1.1×10^{17}	13.1	63			ext.	3	1.6×10^{15}	6.4	118
	ext.	29	1.6×10^{15}	5.0	31		10	ext.	3	1.1×10^{15}	6.4	130
	ext.	3	1.6×10^{14}	6.4	-48		$C^{18}O$	ext.	3	8.5×10^{14}	3.2	-123
	ext.	40 8	1.4×10^{10} 1.6 × 10 ¹⁴	18.9	8 _1			ext.	3 3	3.8×10^{10} 1.1 × 10 ¹⁵	14.8 3.9	-113 -82
	ext.	54	8.2×10^{15}	11.8	-26			ext.	3	3.8×10^{15}	4.0	-44
	ext.	47	5.8×10^{15}	2.3	-43			ext.	3	3.1×10^{14}	3.1	-6
	ext.	75	8.8×10^{15}	4.7	-63			ext.	3	9.1×10^{14}	3.6	0
	ext.	8	3.9×10^{13} 3.3×10^{14}	5.3 17.0	-76 102			ext.	3	2.9×10^{10}	15.0 5.6	54 73
CCH	ext.	3	$3.3 \times 10^{-3.1} \times 10^{12}$	1.6	-102 54			ext.	3	5.0×10^{14}	7.5	128
	ext.	8	$1.9~{\times}10^{15}$	14.3	64		\mathbf{CS}	ext.	3	$7.9~{\times}10^{13}$	1.0	78
G 0	ext.	59	1.7×10^{16}	3.3	56			ext.	3	9.8×10^{15}	3.7	73
CO	ext.	3	1.1×10^{10} 2.0 × 10^{16}	9.4	105			ext.	3	3.7×10^{10} 5.8 × 10 ¹⁶	30.3	68 62
	ext.	3	1.4×10^{16}	6.3	94 84			ext.	3	1.2×10^{17}	18.9	58
	ext.	3	8.7×10^{16}	20.4	70			ext.	3	5.9×10^{16}	2.8	55
	ext.	3	1.7×10^{16}	10.0	58			ext.	3	2.7×10^{13}	0.2	46
	ext.	3	4.5×10^{16}	8.1	49			ext.	3	1.9×10^{15}	1.0	26
	ext.	3 3	1.0×10^{10} 5.9 × 10 ¹⁵	4.5	41 35			ext.	3 3	1.4×10^{10} 2.1 × 10 ¹⁵	$\frac{3.4}{1.4}$	-5
	ext.	3	6.5×10^{15}	2.0	30			ext.	3	7.2×10^{12}	$1.4 \\ 1.0$	-72
	ext.	3	1.4×10^{17}	34.2	14			ext.	3	1.9×10^{15}	1.5	-116
	ext.	3	8.7×10^{15}	6.9	0			ext.	3	3.2×10^{13}	26.7	-109
	ext.	3	6.2×10^{15}	2.0	-5			ext.	3	8.5×10^{14}	1.0	-121
	ext.	3 3	3.9×10^{15}	1.9 6.0	-10 -19		^{13}CS	ext.	3	1.1×10^{15} 1.7×10^{15}	1.1	160
	ext.	3	1.1×10^{16}	8.1	-27		00	ext.	3	1.0×10^{12}	1.7	-147
	ext.	3	6.3×10^{16}	23.7	-27			ext.	3	2.2×10^{16}	9.3	57
	ext.	3	5.0×10^{16}	11.1	-47			ext.	3	1.9×10^{15}	11.7	27
	ext.	3	1.4×10^{10}	3.5	-61 68			ext.	3	4.3×10^{12}	0.4	54 40
	ext.	э 3	2.1×10^{-10} 9.9×10^{15}	2.0	-08 -77		$C^{33}S$	ext.	э 3	3.2×10^{16}	0.4 14.8	-49 -159
	ext.	3	5.6×10^{14}	1.1	-79		0 0	ext.	3	3.7×10^{15}	8.0	-131
	ext.	3	2.1×10^{13}	0.7	-98			ext.	3	1.3×10^{16}	6.6	-104
	ext.	3	1.0×10^{17}	25.1	-99			ext.	3	8.3×10^{15}	6.3	-78
	ext.	3	2.1×10^{15} 1.7×10^{15}	$0.5 \\ 5.2$	-102 -165			ext.	3	1.7×10^{15} 8.0 × 10 ¹⁵	2.2 5.0	47 59
	ext.	3	1.3×10^{13}	1.2	-133			ext.	3	2.3×10^{15}	5.8	94
	ext.	3	9.0×10^{15}	2.2	-111			ext.	3	1.6×10^{15}	4.1	105
	ext.	3	4.9×10^{15}	2.0	-88		a34a	ext.	3	1.0×10^{16}	5.4	120
13CO	ext.	3	1.4×10^{13} 2.2 × 10^{13}	2.9	-135 78		C ₂₄ S	ext.	3	3.3×10^{15} 1.5 $\times 10^{15}$	11.2 6.2	-60 -50
00	ext.	3	2.2×10^{16} 2.3×10^{16}	14.3	82			ext.	3	2.9×10^{15}	9.3	20
	ext.	3	2.5×10^{16}	0.8	73			ext.	3	3.8×10^{16}	8.9	57
	ext.	3	1.5×10^{12}	2.5	63			ext.	3	1.3×10^{15}	4.4	120
	ext.	3	1.0×10^{17}	20.8	56 20		HCN	ext.	3	5.1×10^{13}	6.0 27.0	113
	ext.	э 3	9.1×10^{16}	1.5 3.4	50 53			ext.	э 3	1.4×10^{-1} 7.0×10^{13}	27.9	72 59
	ext.	3	3.0×10^{16}	26.8	7			ext.	3	3.4×10^{14}	6.3	53
	ext.	3	6.7×10^{12}	1.9	3			ext.	3	5.4×10^{14}	9.3	37
	ext.	3	1.6×10^{15}	1.9	-1			ext.	3	7.9×10^{13}	1.6	28
	ext.	3	2.6×10^{-2} 1 4 × 10 ¹⁶	2.5 2.3	-44			ext.	3	3.8×10^{-1} 1 2 × 10 ¹⁴	10.6 2.6	17
	ext.	3	1.2×10^{16}	$2.0 \\ 2.7$	-49			ext.	3	2.3×10^{14}	5.4	0
	ext.	3	1.9×10^{15}	0.7	-52			ext.	3	4.7×10^{13}	1.4	-44
	ext.	3	2.6×10^{14}	1.9	-79			ext.	3	4.4×10^{13}	1.0	-48
	ext.	3	1.1×10^{10} 6.0 × 10 ¹⁵	24.0 5.5	-78 70		$H^{13}CN$	ext.	3	9.6×10^{13} 1 4 × 10 ¹⁴	$1.3 \\ 7.2$	-103 120
	ext.	3	5.6×10^{15}	$\frac{5.5}{7.1}$	-98		II ON	ext.	3	5.1×10^{13}	5.3	129
	ext.	3	5.6×10^{15}	5.0	-105			ext.	3	8.5×10^{14}	12.7	59
$C^{17}O$	ext.	3	2.9×10^{15}	9.8	-90			ext.	3	3.5×10^{12}	1.2	15
	ext.	3	2.1×10^{15}	1.4	-69		HNC	ext.	3	4.9×10^{13}	9.7	146
	ext.	3 2	1.9×10^{10} 1 4 $\times 10^{15}$	5.U 4 8	-52 -41			ext.	3 २	1.2×10^{13} 5.2 $\times 10^{13}$	0.8 0.5	102 85
	ext.	3	3.3×10^{15}	4.0 7.8	-29			ext.	3	8.4×10^{13}	14.3	84
	ext.	3	8.5×10^{14}	2.0	-19			ext.	3	1.7×10^{12}	0.6	-30
	ext.	3	3.1×10^{15}	16.1	6			ext.	3	3.0×10^{14}	8.8	73
	ext.	3	7.8×10^{14}	2.4	20			ext.	3	1.9×10^{13}	1.0	68
	ext.	ა 3	2.9×10^{10} 5.6 $\times 10^{15}$	5.8 3.5	43 52			ext. ext	ა ვ	1.0×10^{10} 3.3×10^{12}	21.8 0.1	61 37
	ext.	3	2.2×10^{15}	4.6	73			ext.	3	2.1×10^{14}	34.7	31
		-		-		=			-			-

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 152

	(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$					
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})					
	ext.	3	2.2×10^{13}	1.8	16					
	ext.	3	1.0×10^{14}	14.1	2					
	ext.	3	3.1×10^{13}	0.9	0					
	ext.	3	1.8×10^{15}	3.2	56					
	ext.	3	2.2×10^{13}	6.0	-47					
	ext.	3	4.9×10^{12}	2.3	-68					
	ext.	3	2.6×10^{13}	6.7	-70					
	ext.	3	7.4×10^{12}	2.9	-77					
	ext.	3	3.7×10^{13}	11.5	-86					
	ext.	3	3.3×10^{13}	2.0	-105					
	ext.	3	1.2×10^{13}	1.8	-125					
$\rm HN^{13}C$	ext.	3	1.4×10^{14}	6.6	57					
$\rm H^{13}CO^+$	ext.	3	1.0×10^{14}	13.0	64					
	ext.	3	1.6×10^{14}	5.5	56					
$\rm HO^{13}C^+$	ext.	3	5.2×10^{12}	1.0	128					

Table L.11: LTE Parameters for the full LTE model (Core Components) for source A06 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	. ,	· /	. ,	
$H_2^{34}S$	1.4	355	6.4×10^{17}	6.0	56
SO	1.4	433	1.3×10^{18}	9.6	62
	1.4	349	9.0×10^{18}	5.4	56
	1.4	200	1.2×10^{18}	18.9	58
HCCCN	1.4	163	3.3×10^{16}	3.3	56
HCCCN, $v_7=2$	1.4	353	2.5×10^{16}	4.1	56
HCN, $v_2=1$	1.4	500	2.5×10^{17}	7.7	56
CH_3CN	1.4	211	7.5×10^{15}	5.2	55
	1.4	76	4.2×10^{19}	0.2	55
OCS	1.4	292	3.3×10^{17}	6.9	56
NO	1.4	96	4.4×10^{18}	4.9	56
SiO	1.4	480	1.4×10^{16}	29.3	61
	1.4	347	1.1×10^{15}	8.5	69
SO_2	1.4	282	4.3×10^{18}	14.7	59
	1.4	341	9.9×10^{18}	5.1	57
HNCO	1.4	307	9.3×10^{10}	6.5	56
HNC, $v_2=1$	1.4	1100	9.6×10^{10}	8.1	56
NO^+	1.4	301	1.5×10^{10}	3.1	78
0 II 01	1.4	232	8.1×10^{13}	2.2	49
C_2H_3CN	1.4	200	1.7×10^{10}	2.9	56
	1.4	50	3.6×10^{15}	0.5	56
$C_2H_3CN, v_{10}=1$	1.4	343	2.7×10^{10}	3.2	56
H_2CO	1.4	777	1.9×10^{17}	9.4	55
CH_3NH_2	1.4	200	4.9×10^{10}	3.9	55
H ₂ CCN	1.4	200	1.9×10^{11}	3.1	48
SO '	1.4	200	4.2×10^{13}	8.7	57
H2UNH C U CN	1.4	193	$4.4 \times 10^{}$	(.8 5.0	04 EE
CH-OH	1.4	102	1.0×10^{-5} 1.4×10^{16}	0.9	00 60
0113011	1.4	0 90	1.4×10^{-1}	0.1	62
CHANH	1.4	0	2.7×10^{-1}	19.2	158
01121011	1.4	9	1.0×10 1.3×10^{15}	2.4	62
Hacco	1.4	202	1.3×10 2.0 $\times 10^{15}$	5.0	55
CO	1.4	202	2.0×10^{17} 8.4 × 10 ¹⁷	2.0	82
00	1.4	200	1.1×10^{19}	7.5	40
	1.4	200	7.5×10^{14}	0.9	-80
	1.4	200	3.5×10^{17}	5.7	-133
^{13}CO	14	200	1.0×10^{14}	0.7	139
~~~	1.4	200	$1.1 \times 10^{12}$	0.2	134
	1.4	200	$1.0 \times 10^{12}$	0.8	133
	1.4	200	$3.9 \times 10^{12}$	0.7	126
	1.4	200	$1.4 \times 10^{12}$	11.8	113
	1.4	200	$1.0 \times 10^{12}$	1.9	-22
	1.4	200	$1.0 \times 10^{12}$	0.2	-82
				•	

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	('')	(K) 200	$\frac{(\text{cm}^{-2})}{2.0 \times 10^{14}}$	$({\rm km  s^{-1}})$	$\frac{(\text{km s}^{-1})}{52}$
	$1.4 \\ 1.4$	200	$1.3 \times 10^{12}$	$0.3 \\ 0.7$	$\frac{52}{51}$
	1.4	200	$8.1 \times 10^{19}$	14.0	55
	1.4	200	$1.7 \times 10^{12}$	0.9	22
	1.4	200	$1.3 \times 10^{12}$	4.4	-19
	$1.4 \\ 1.4$	200	$4.5 \times 10^{12}$	1.2	-55 -87
	1.4	200	$2.2 \times 10^{14}$	0.9	-90
	1.4	200	$7.3 \times 10^{14}$	1.2	150
	1.4	200	$7.5 \times 10^{14}$	30.0	-151
$C^{17}O$	$1.4 \\ 1.4$	200	$5.4 \times 10^{13}$ 1 1 × 10 ¹⁷	0.6	-184 -165
0 0	1.4	200	$2.9 \times 10^{17}$	10.0	-144
	1.4	200	$4.0 \times 10^{16}$	3.1	-116
	1.4	200	$1.3 \times 10^{16}$	7.2	-97
	1.4	200	$2.3 \times 10^{10}$ 5.1 × 10^{16}	47.4	-92 73
	$1.4 \\ 1.4$	200	$1.5 \times 10^{16}$	2.7	-73
	1.4	200	$1.6 \times 10^{16}$	2.7	-52
	1.4	200	$2.0 \times 10^{16}$	2.7	-39
	1.4	200	$9.6 \times 10^{15}$	3.7	6
	$1.4 \\ 1.4$	200	$4.3 \times 10^{11}$ $1.5 \times 10^{16}$	2.7	17 25
	1.4	200	$1.0 \times 10^{17}$ $1.9 \times 10^{17}$	3.2	20 46
	1.4	200	$2.4 \times 10^{18}$	6.9	57
	1.4	200	$8.4 \times 10^{15}$	1.1	92
	1.4	200	$1.1 \times 10^{10}$ 1.2 × 10 ¹⁶	2.8	100
	1.4 1.4	200	$1.2 \times 10$ $2.0 \times 10^{17}$	2.0	$153 \\ 153$
$C^{18}O$	1.4	200	$2.6 \times 10^{17}$	1.3	-182
	1.4	200	$1.2 \times 10^{17}$	3.7	-146
	1.4	200	$3.0 \times 10^{10}$	2.2	-109
	$1.4 \\ 1.4$	200	$4.3 \times 10^{12}$ 8.5 × 10 ¹⁶	3.8 7.6	-101 -78
	1.4	200	$4.2 \times 10^{16}$	4.7	-57
	1.4	200	$7.5 \times 10^{15}$	2.8	-55
	1.4	200	$4.7 \times 10^{16}$	7.4	-30
	1.4	200	$3.4 \times 10^{10}$ 6.6 × 10^{16}	2.5	-25 17
	$1.4 \\ 1.4$	200	$2.7 \times 10^{15}$	2.7	-17
	1.4	200	$5.2 \times 10^{18}$	10.0	57
	1.4	200	$2.4 \times 10^{16}$	3.5	79
	1.4	200	$1.8 \times 10^{13}$	4.4	112
	$1.4 \\ 1.4$	200	$7.2 \times 10^{16}$	2.0 3.6	120
	1.4	200	$3.6 \times 10^{16}$	3.5	138
	1.4	200	$7.6 \times 10^{16}$	4.1	145
CC.	1.4	200	$7.1 \times 10^{15}$	2.7	158
CS	1.4	200	$5.7 \times 10^{15}$ $7.2 \times 10^{15}$	2.3	74 41
$^{13}CS$	1.4	200	$1.2 \times 10^{12}$ $1.1 \times 10^{12}$	1.3	101
	1.4	200	$1.0 \times 10^{12}$	2.4	87
	1.4	200	$1.2 \times 10^{14}$	4.7	72
	1.4	200	$3.9 \times 10^{13}$	4.7	55 40
	1.4 1.4	200	$1.5 \times 10^{12}$	0.2	40 11
	1.4	200	$1.1 \times 10^{13}$	1.1	11
	1.4	200	$2.2 \times 10^{12}$	1.2	-15
C339	1.4	200	$4.1 \times 10^{14}$	25.3	-47 179
Coos	$1.4 \\ 1.4$	200	$1.5 \times 10^{11}$ $3.1 \times 10^{16}$	$\frac{3.0}{7.8}$	-172 -157
	1.4	200	$1.1 \times 10^{15}$	5.3	-128
	1.4	200	$6.7 \times 10^{15}$	6.8	-98
	1.4	200	$9.8 \times 10^{13}$	3.0	-69
	1.4 1 /	200	$8.3 \times 10^{13}$ 5.2 $\times 10^{14}$	4.3 5.1	-47 30
	1.4	200	$8.2 \times 10^{14}$	3.3	57
	1.4	200	$1.5 \times 10^{15}$	5.8	107
a ³⁴ ~	1.4	200	$2.0 \times 10^{14}$	8.1	143
$C^{34}S$	1.4	200	$8.3 \times 10^{13}$	5.6 6 1	-165
	1.4 1.4	$200 \\ 200$	$2.0 \times 10^{10}$ $1.4 \times 10^{14}$	0.1 5.3	-128 -86
			/ 10	5.5	

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 153

		(C	Continued)			Ta	able $L.12$ :	LTE	Param	eters for
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}	(E	Invelope C	ompon	lents) fo	or source
	(")	(K)	$(cm^{-2})$	$({\rm km  s^{-1}})$	$({\rm km  s^{-1}})$					
	1.4	200	$5.1 \times 10^{14}$	5.3	-50		Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$
	1.4	200	$1.3 \times 10^{-1}$ 1.0 × 10 ¹⁴	0.3 6.0	20 42			('')	(K)	$(cm^{-2})$
	1.4	200	$1.9 \times 10^{15}$	5.7	42 57					
	1.4	200	$2.9 \times 10^{14}$	6.2	71		CN	ext.	8	$1.2 \times 10^{-3}$
	1.4	200	$3.3 \times 10^{14}$	12.1	152			ext.	8	$2.1 \times 10^{-3}$
HCN	1.4	200	$3.0 \times 10^{18}$	4.1	84			ext.	4	$3.0 \times 10^{-1}$
	1.4	200	$3.6 \times 10^{14}$	2.0	88			ext.	3	$2.0 \times 10^{10}$ 5.8 $\times 10^{10}$
	1.4	200	$2.6 \times 10^{15}$	7.2	45			ext.	36	$1.0 \times 10^{10}$
	1.4	200	$5.4 \times 10^{14}$	1.9	32			ext.	14	$2.3 \times 10^{1}$
	1.4	200	$1.2 \times 10^{14}$	1.7	24			ext.	15	$1.1 \times 10^{1}$
	1.4	200	$4.7 \times 10^{14}$	13.1	24			ext.	9	$5.2 \times 10^{1}$
	1.4	200	$1.0 \times 10^{12}$	0.8	-107			ext.	13	$3.5 \times 10^{1}$
u13CN	1.4	200	$7.9 \times 10^{19}$ 5.2 × 10 ¹⁴	1.8	-13 119			ext.	11	$2.0 \times 10^{1}$
H-SCN	1.4	200	$5.5 \times 10^{-1}$	29.7	115 81			ext.	9	$4.2 \times 10^{1}$
	1.4	200	$1.0 \times 10^{12}$	9.8 1.1	56			ext.	9	$1.3 \times 10^{-1}$
	1.4	200	$4.9 \times 10^{16}$	6.5	57		ILCOOL	ext.	6	$3.1 \times 10^{-1}$
	1.4	200	$9.5 \times 10^{14}$	9.1	45		HCCCN	ext.	21	$6.7 \times 10^{-3}$
	1.4	200	$1.0 \times 10^{15}$	29.8	41		510	ext.	9	$2.6 \times 10^{3}$
	1.4	200	$1.9 \times 10^{14}$	1.0	-11		CCH	ext.	44 2	$1.3 \times 10^{-1}$
	1.4	200	$5.9 \times 10^{13}$	5.0	-18		HaCO	ext.	3 20	$1.9 \times 10^{1}$
	1.4	200	$8.0 \times 10^{13}$	6.8	-26		H ₂ CNH	ext.	20	$1.1 \times 10^{1}$ $1.2 \times 10^{1}$
	1.4	200	$3.5 \times 10^{13}$	3.7	-38		11201011	ext.	3	$9.5 \times 10^{10}$
	1.4	200	$3.5 \times 10^{13}$	0.5	-27		C ₂ H ₅ CN	ext.	10	$3.1 \times 10^{10}$
	1.4	200	$9.8 \times 10^{12}$	2.6	-52		H ₂ CCO	ext.	11	$2.5 \times 10^{1}$
	1.4	200	$2.0 \times 10^{13}$	39.7	-77		CO	ext.	3	$4.1 \times 10^{1}$
	1.4	200	$1.6 \times 10^{12}$	1.7	-68			ext.	3	$7.5 \times 10^{1}$
	1.4	200	$6.4 \times 10^{13}$	2.4	-83			ext.	3	$7.3 \times 10^{1}$
	1.4	200	$2.3 \times 10^{13}$	1.1	-90			ext.	3	$1.2 \times 10^{1}$
	1.4	200	$2.0 \times 10^{13}$	1.3	-97			ext.	3	$1.5 \times 10^{1}$
	1.4	200	$1.7 \times 10^{10}$	1.5	-110			ext.	3	$2.1 \times 10^{1}$
	1.4	200	$3.5 \times 10$ 1.4 × 10 ¹²	1.4	-121			ext.	3	$5.9 \times 10^{1}$
	1.4	200	$7.5 \times 10^{13}$	1.0	-120			ext.	3	$6.7 \times 10^{1}$
HNC	1.4	200	$4.7 \times 10^{12}$	0.1	117			ext.	3	$7.1 \times 10^{-1}$
	1.4	200	$1.8 \times 10^{14}$	0.7	104			ext.	3	$7.8 \times 10^{-1}$
	1.4	200	$3.2 \times 10^{15}$	1.0	77			ext.	ა ე	$9.6 \times 10^{-1}$
	1.4	200	$5.6 \times 10^{16}$	16.2	59			ext.	3 2	$8.3 \times 10^{-3}$
	1.4	200	$7.4 \times 10^{13}$	1.8	25			ext.	3	$6.6 \times 10^{10}$
	1.4	200	$8.9 \times 10^{13}$	0.7	16			ext.	3	$2.2 \times 10^{10}$
	1.4	200	$4.3 \times 10^{13}$	2.2	-11			ext.	3	$5.4 \times 10^{10}$
	1.4	200	$1.0 \times 10^{12}$	2.9	-59			ext.	3	$1.9 \times 10^{1}$
	1.4	200	$2.1 \times 10^{12}$	1.5	-50			ext.	3	$2.0 \times 10^{1}$
	1.4	200	$2.5 \times 10^{13}$	5.3	-59			ext.	3	$1.9 \times 10^{1}$
	1.4	200	$8.0 \times 10^{12}$	1.1	-69			ext.	3	$1.5 \times 10^{1}$
un13c	1.4	200	$1.5 \times 10^{12}$	2.1	-87			ext.	3	$9.8 \times 10^{1}$
HN10C	1.4	200	$6.9 \times 10^{10}$	11.4 E.C	-60			ext.	3	$1.3 \times 10^{1}$
	1.4 1.4	200 200	$2.3 \times 10^{-1}$	0.0 2.6	-32 _91		10	ext.	3	$9.0 \times 10^{1}$
	1.4 1 /	200 200	$4.0 \times 10^{13}$	2.0 5.4	-21 A		$^{13}CO$	ext.	3	$1.0 \times 10^{1}$
	1.4	200	$1.0 \times 10^{15}$	7.5	4 57			ext.	3	$1.7 \times 10^{1}$
	1.4	200	$5.8 \times 10^{13}$	0.9	45			ext.	3	$3.4 \times 10^{-1}$
	1.4	200	$2.7 \times 10^{14}$	4.1	106			ext.	3	$6.3 \times 10^{-1}$
$\rm H^{13}CO^+$	1.4	200	$1.4 \times 10^{14}$	0.9	58			ext.	3	$1.6 \times 10^{4}$
$HO^{13}C^+$	1.4	200	$2.5 \times 10^{12}$	0.3	157			ext.	3	$2.1 \times 10^{4}$
-	1.4	200	$1.2 \times 10^{13}$	1.0	141			ext.	ა ი	1.0 ×10 ¹
	1.4	200	$8.6 \times 10^{11}$	1.9	97			ext.	3 2	$1.2 \times 10^{1}$
	1.4	200	$2.9~\times10^{12}$	0.4	94			ext.	२	$2.1 \times 10$ 2.7 $\times 10^{3}$
	1.4	200	$1.9 \times 10^{12}$	0.8	64			ext.	3	$2.4 \times 10^{1}$
	1.4	200	$1.0 \times 10^{12}$	0.8	93			ext.	3	$1.3 \times 10^{1}$
	1.4	200	$6.6 \times 10^{13}$	26.8	44			ext.	3	$1.5 \times 10^{1}$ $1.5 \times 10^{1}$
	1.4	200	$1.0 \times 10^{12}$	4.3	63			ext.	3	$2.5 \times 10^{1}$
	1.4	200	$2.7 \times 10^{12}$	3.5	60			ext.	3	$4.5 \times 10^{1}$
	1.4	200	$3.0 \times 10^{13}$	1.8	46			ext.	3	$1.1 \times 10^{1}$
	1.4	200	$3.7 \times 10^{13}$	0.7	37			ext.	3	$3.6 \times 10^{1}$
	1.4	200	$1.9 \times 10^{12}$	29.0	29			ext.	3	$1.1 \times 10^{1}$
	1.4 1 4	200 200	$1.0 \times 10^{-2}$ 1.8 $\vee 10^{14}$	0.7	20 4			ext.	3	$1.4 \times 10^{1}$
	1.4 1.4	200 200	$1.0 \times 10^{-1}$ 8.1 × 10 ¹²	0.9	-3			ext.	3	$1.2 \times 10^{1}$
	1.4	200	0.1 \ 10	0.9	-0			ext.	3	$3.3 \times 10^{1}$

s for the full LTE model source A06 in Sgr B2(M).

 $\times 10^{13}$ 

 $\times 10^{13}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{17}$ 

 $\times 10^{15}$ 

 $\times 10^{15}$ 

 $\times 10^{13}$ 

 $\times 10^{14}$ 

 $\times 10^{14}$ 

 $\times 10^{13}$ 

 $imes 10^{14}$ 

 $\times 10^{14}$ 

 $\times 10^{16}$ 

 $imes 10^{14}$ 

 $\times 10^{17}$ 

 $\times 10^{16}$ 

 $imes 10^{16}$ 

 $imes 10^{13}$ 

 $imes 10^{13}$ 

 $imes 10^{13}$ 

 $\times 10^{15}$ 

 $\times 10^{14}$ 

 $\times 10^{12}$ 

 $\times 10^{16}$ 

 $\times 10^{18}$ 

 $\times 10^{17}$ 

 $\times 10^{16}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $imes 10^{16}$ 

 $imes 10^{16}$ 

 $\times 10^{16}$ 

 $\times 10^{16}$ 

 $imes 10^{14}$ 

 $\times 10^{15}$ 

 $imes 10^{12}$ 

 $\times 10^{16}$ 

 $\times 10^{12}$ 

 $\times 10^{15}$ 

 $\times 10^{17}$ 

 $\times 10^{12}$ 

 $imes 10^{12}$ 

 $\times 10^{12}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{15}$ 

 $\times 10^{16}$ 

 $\times 10^{16}$ 

 $\times 10^{15}$ 

 $\times 10^{14}$ 

 $\times 10^{16}$ 

 $\times 10^{12}$ 

 $imes 10^{13}$ 

 $\times 10^{16}$ 

 $imes 10^{13}$ 

 $\times 10^{13}$ 

 $\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km\,s}^{-1})}$ 

120

95

67

64

30

26

0

-4

-29

-43

-48

-60

-79

-103

67

58

47

62

65

73

64

62

64

131

111

96

74

59

29

16

8

1

22

-11

-23

-32

-46

-59

-66

-70

-78

-85

-92

-103

-87

-117

129

92

83

75

61

30

13

159

5

-4

-39

-44

-49

-61

-68

-80

-96

-143

-104

-131

55

 $\Delta \mathbf{v}^{m,c}$  $(\mathrm{km}\,\mathrm{s}^{-1})$ 

5.2

6.8

2.8

9.3

26.3

16.8

3.7

1.8

1.9

2.5

3.3

0.6

0.5

16.2

0.4

7.0

2.3

13.0

9.7

1.9

13.9

2.9

3.5

1.8

17.0

15.5

1.1

14.3

2.0

11.1

2.9

10.7

3.2

2.1

13.1

0.9

9.5

1.9

1.9

9.1

2.6

2.8

3.6

16.9

1.9

2.2

0.6

11.1

13.4

0.7

19.1

27.8

0.9

0.4

18.8

1.9

3.3

2.5

3.2

2.4

1.0

0.8

1.2

2.6

15.1

1.2

1.2

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 154

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	ext.	3	$2.3 \times 10^{14}$	2.4	-157
$C^{17}O$	ext.	3	$3.6 \times 10^{15}$	10.1	-174
	ext.	3	$4.2 \times 10^{14}$ 1 3 × 10^{14}	4.1	-153 -129
	ext.	3	$1.3 \times 10^{14}$ $1.3 \times 10^{14}$	2.7	-123
	ext.	3	$4.1 \times 10^{14}$	2.7	-105
	ext.	3	$1.2 \times 10^{13}$ 6.1 × 10^{14}	6.2 5.3	-79 63
	ext.	3	$7.4 \times 10^{13}$	2.7	-55
	ext.	3	$2.3 \times 10^{15}$	12.2	-47
	ext.	3	$1.1 \times 10^{14}$ 3.9 × 10 ¹⁴	1.3 7.6	1 12
	ext.	3	$1.6 \times 10^{14}$	2.7	20
	ext.	3	$1.5 \times 10^{15}$	8.7	73
	ext.	3	$2.0 \times 10^{13}$ $4.1 \times 10^{14}$	14.7 6.7	84 122
$C^{18}O$	ext.	3	$1.0 \times 10^{14}$	2.8	-159
	ext.	3	$1.1 \times 10^{15}$	8.2	-137
	ext.	3	$1.0 \times 10^{14}$ 1.1 × 10^{14}	2.7 2.7	-93 -66
	ext.	3	$2.8 \times 10^{15}$	4.6	-44
	ext.	3	$1.3 \times 10^{14}$	2.8	-9
	ext.	3	$8.0 \times 10^{14}$ 8.7 × 10^{13}	5.0	-3
	ext.	3	$2.8 \times 10^{14}$	3.2	19
	ext.	3	$1.3 \times 10^{16}$	8.0	64
	ext.	3	$3.5 \times 10^{14}$ 1.2 × 10 ¹⁵	3.5 6.3	86 95
	ext.	3	$3.9 \times 10^{14}$	3.5	153
aa	ext.	3	$3.6 \times 10^{13}$	2.7	159
CS	ext.	3	$2.4 \times 10^{14}$ 1 4 × 10 ¹⁵	$\frac{2.1}{2.4}$	$110 \\ 104$
	ext.	3	$4.2 \times 10^{15}$	3.4	90
	ext.	3	$1.1 \times 10^{17}$	1.0	74 66
	ext.	3	$4.6 \times 10^{16}$ $2.9 \times 10^{16}$	6.7 3.4	66 59
	ext.	3	$3.0 \times 10^{16}$	2.0	55
1309	ext.	3	$3.7 \times 10^{13}$	3.1 5.2	-177 52
05	ext.	3	$8.9 \times 10^{14}$	0.5	6
	ext.	3	$6.7 \times 10^{13}$	2.9	0
	ext.	3	$3.9 \times 10^{13}$ 5 3 × 10 ¹⁴	8.8 2.3	-44 -73
	ext.	3	$2.9 \times 10^{15}$	3.2	-80
~??~	ext.	3	$5.0 \times 10^{12}$	0.9	-118
$C^{33}S$	ext.	3	$1.8 \times 10^{13}$ 9.3 × 10 ¹⁴	$6.0 \\ 2.5$	-15 -2
	ext.	3	$2.0 \times 10^{15}$	9.3	15
	ext.	3	$1.2 \times 10^{16}$	10.7	52
	ext.	3	$1.6 \times 10^{15}$	2.5 15.3	72 86
	ext.	3	$2.0 \times 10^{14}$	2.5	142
c34c	ext.	3	$1.1 \times 10^{15}$	6.2	158
Cors	ext.	3	$1.9 \times 10^{10}$ $9.9 \times 10^{15}$	8.4 11.3	-142 -98
	ext.	3	$8.4 \times 10^{13}$	2.5	-65
	ext.	3	$4.1 \times 10^{14}$ 2.7 × 10 ¹⁴	3.1 2.5	-30
	ext.	3	$4.7 \times 10^{14}$	3.2	-22
	ext.	3	$1.1 \times 10^{15}$	7.0	5
	ext.	3 3	$1.4 \times 10^{10}$ 3.9 $\times 10^{14}$	$\frac{4.7}{2.5}$	50 82
	ext.	3	$1.4 \times 10^{15}$	7.1	91
	ext.	3	$1.4 \times 10^{14}$	2.1	98
HCN	ext.	3 3	$8.5 \times 10^{14}$ $1.8 \times 10^{13}$	$3.1 \\ 9.5$	$104 \\ 147$
	ext.	3	$8.0 \times 10^{14}$	13.4	67
	ext.	3	$1.7 \times 10^{12}$	1.2	60 54
	ext.	ა 3	$1.3 \times 10^{15}$	$\frac{0.9}{2.4}$	54 40
	ext.	3	$4.4 \times 10^{14}$	4.4	0
	ext.	3	$2.3 \times 10^{13}$	1.3	-21

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISD				
	('')	(K)	$(cm^{-2})$	$({\rm km} {\rm s}^{-1})$	$(\mathrm{kms^{-1}})$				
	ext.	3	$1.3 \times 10^{14}$	27.9	-46				
	ext.	3	$1.2 \times 10^{13}$	1.0	-184				
	ext.	3	$3.0 \times 10^{12}$	0.9	-51				
	ext.	3	$6.2 \times 10^{12}$	0.7	-71				
	ext.	3	$7.5 \times 10^{12}$	0.9	-99				
	ext.	3	$1.7 \times 10^{13}$	2.1	-87				
	ext.	3	$1.1 \times 10^{12}$	0.1	-107				
	ext.	3	$4.2 \times 10^{12}$	2.1	-153				
$\rm H^{13}CN$	ext.	3	$8.2 \times 10^{12}$	0.5	70				
	ext.	3	$1.5 \times 10^{15}$	11.0	60				
HNC	ext.	3	$1.6 \times 10^{13}$	2.8	92				
	ext.	3	$2.5 \times 10^{13}$	0.9	72				
	ext.	3	$9.5 \times 10^{12}$	6.3	156				
	ext.	3	$4.2 \times 10^{15}$	17.9	65				
	ext.	3	$5.9 \times 10^{14}$	2.3	53				
	ext.	3	$4.4 \times 10^{14}$	3.4	0				
	ext.	3	$2.7 \times 10^{12}$	3.0	-27				
	ext.	3	$1.1 \times 10^{13}$	1.0	-42				
	ext.	3	$8.8 \times 10^{11}$	0.8	-88				
	ext.	3	$8.8 \times 10^{11}$	1.1	-100				
	ext.	3	$2.9 \times 10^{12}$	0.8	-117				
	ext.	3	$1.0 \times 10^{12}$	1.2	-111				
	ext.	3	$1.4 \times 10^{13}$	1.5	-120				
	ext.	3	$8.9 \times 10^{11}$	1.1	-128				
$\rm HN^{13}C$	ext.	3	$2.7 \times 10^{13}$	7.1	-9				
$\rm H^{13}CO^+$	ext.	3	$4.5 \times 10^{14}$	2.6	65				
	ext.	3	$2.7 \times 10^{13}$	1.9	51				
$\rm HO^{13}C^+$	ext.	3	$4.5 \times 10^{12}$	2.4	-112				
	ext.	3	$1.3 \times 10^{14}$	10.1	-144				

Table L.13: LTE Parameters for the full LTE model (Core Components) for source A07 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km~s^{-1}})$	$(\mathrm{kms^{-1}})$
RRL-H	1.2	5824	$3.9 \times 10^{8}$	45.9	63
SO ⁺	1.2	107	$9.2 \times 10^{16}$	4.3	62
SO	1.2	386	$1.4 \times 10^{18}$	4.1	68
	1.2	249	$3.1 \times 10^{18}$	3.2	64
CH ₃ CN	1.2	264	$6.4 \times 10^{16}$	3.4	69
	1.2	217	$5.3 \times 10^{16}$	8.7	65
OCS	1.2	281	$2.5 \times 10^{17}$	3.0	69
	1.2	297	$6.0 \times 10^{17}$	9.3	64
$H_2CO$	1.2	151	$8.1 \times 10^{17}$	8.0	66
	1.2	193	$7.6 \times 10^{14}$	0.1	-185
$SO_2$	1.2	308	$1.8 \times 10^{18}$	3.8	69
	1.2	267	$3.7 \times 10^{18}$	7.5	64
$SO_2, v_2=1$	1.2	307	$1.1 \times 10^{18}$	3.9	69
SiO	1.2	200	$2.0 \times 10^{15}$	5.0	69
	1.2	200	$2.0 \times 10^{15}$	3.5	64
CH ₃ OH	1.2	193	$1.5 \times 10^{18}$	3.2	70
	1.2	146	$2.2 \times 10^{17}$	5.3	64
CCH	1.2	201	$7.0 \times 10^{15}$	4.0	48
$CO^+$	1.2	81	$1.6 \times 10^{16}$	2.8	73
$H_2^{34}S$	1.2	200	$7.0 \times 10^{17}$	8.5	91
	1.2	200	$4.8 \times 10^{16}$	9.0	71
HCCCN	1.2	239	$1.6 \times 10^{16}$	3.4	69
	1.2	189	$1.5 \times 10^{16}$	9.3	65
HCCCN, v ₇ =2	1.2	120	$1.2 \times 10^{17}$	3.6	69
$H_2CS$	1.2	209	$4.0 \times 10^{16}$	3.3	70
	1.2	131	$3.5 \times 10^{15}$	2.7	64
$H_2CNH$	1.2	200	$2.5 \times 10^{16}$	3.7	69
$H_2CCO$	1.2	200	$2.2 \times 10^{16}$	4.2	69
	1.2	200	$1.2 \times 10^{16}$	5.9	62
$HC(O)NH_2$	1.2	219	$3.6 \times 10^{16}$	9.5	65

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 155

		(Conti	inued)					(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI GD	Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LGD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km  s^{-1}})$		(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km  s^{-1}})$
	1.0	062	$\frac{(cm)}{0.7 \times 10^{16}}$	2.2	70		10	200	<u> </u>	(KIII 5 )	21
C II CN	1.2	205	$9.7 \times 10^{-6}$	3.3	70		1.2	200	0.0 × 10	4.0	-51
$C_2H_5CN$	1.2	84	$6.2 \times 10^{10}$	4.7	68		1.2	200	$5.5 \times 10^{14}$	4.2	-38
	1.2	200	$2.5 \times 10^{10}$	2.7	69		1.2	200	$4.9 \times 10^{13}$	1.1	-57
$C_2H_5CN, v_{20}=1$	1.2	188	$4.8 \times 10^{16}$	5.1	69		1.2	200	$1.0 \times 10^{12}$	0.1	-64
HNCO	1.2	274	$1.4 \times 10^{17}$	3.9	69		1.2	200	$1.2 \times 10^{14}$	1.4	-64
	1.2	185	$1.2 \times 10^{17}$	7.9	64		1.2	200	$1.1 \times 10^{12}$	2.0	-83
NH ₂ D	1.2	146	$2.2 \times 10^{15}$	1.0	68		1.2	200	$8.8 \times 10^{12}$	12.0	01
NILON	1.2	140	$2.2 \times 10^{15}$	4.5	08		1.2	200	$3.0 \times 10^{13}$	10.2	-91
NH ₂ CN	1.2	82	$2.2 \times 10^{10}$	34.1	68		1.2	200	$3.0 \times 10^{10}$	1.2	-105
$CH_3NH_2$	1.2	200	$9.4 \times 10^{10}$	5.3	70		1.2	200	$2.0 \times 10^{13}$	0.9	-111
CH ₃ OCH ₃	1.2	295	$4.8 \times 10^{10}$	5.4	68		1.2	200	$3.1 \times 10^{14}$	2.4	-123
$CH_3CHO$	1.2	106	$4.9 \times 10^{16}$	10.1	66	$^{13}CS$	1.2	200	$3.4 \times 10^{12}$	1.5	108
t-HCOOH	1.2	323	$9.2 \times 10^{16}$	3.9	70		1.2	200	$3.4 \times 10^{14}$	6.7	100
C ₂ H ₂ CN	1.2	170	$1.0 \times 10^{16}$	5.1	69		1.2	200	$1.5 \times 10^{16}$	2.4	70
NO	1.2	240	$1.8 \times 10^{18}$	67	63		1.2	200	$7.4 \times 10^{15}$	17.8	59
110	1.2	197	$1.0 \times 10^{10}$	5.6	68		1.2	200	$1.4 \times 10^{12}$	0.7	51
	1.2	107	$1.2 \times 10^{-1}$	5.0	08		1.2	200	$1.4 \times 10$	0.7	51
CH ₃ OCHO	1.2	264	$1.6 \times 10^{17}$	3.2	70	0.0	1.2	200	$1.9 \times 10^{13}$	3.1	-36
HCN, $v_2=1$	1.2	231	$4.2 \times 10^{17}$	4.3	70	$C^{33}S$	1.2	200	$5.3 \times 10^{10}$	12.0	-151
HNC, $v_2=1$	1.2	293	$1.0 \times 10^{16}$	6.2	72		1.2	200	$5.6 \times 10^{14}$	5.8	-118
CO	1.2	200	$4.8 \times 10^{18}$	2.8	-57		1.2	200	$1.8 \times 10^{15}$	7.8	-106
	12	200	$4.0 \times 10^{16}$	11	-128		12	200	$9.9 \times 10^{15}$	13.2	-91
1300	1.2	200	$8.4 \times 10^{19}$	83	63		1.2	200	$4.2 \times 10^{14}$	3.0	64
00	1.2	200	$6.4 \times 10^{17}$	0.5	190		1.2	200	$4.2 \times 10^{-14}$	5.9	-04
	1.2	200	$0.9 \times 10^{17}$	25.9	130		1.2	200	$0.3 \times 10^{14}$	4.9	-54
	1.2	200	$4.4 \times 10^{17}$	4.7	119		1.2	200	$4.2 \times 10^{10}$	9.7	-37
	1.2	200	$3.3 \times 10^{17}$	5.6	111		1.2	200	$4.2 \times 10^{13}$	4.6	-10
	1.2	200	$9.2 \times 10^{16}$	1.2	100		1.2	200	$7.8 \times 10^{14}$	3.9	0
	1.2	200	$1.3 \times 10^{17}$	1.0	-8		1.2	200	$1.5 \times 10^{15}$	24.4	15
	12	200	$7.7 \times 10^{15}$	18.3	-27		12	200	$5.6 \times 10^{15}$	4.0	69
	1.2	200	$1.8 \times 10^{16}$	1 2	52		1.2	200	$4.6 \times 10^{14}$	2.0	83
	1.2	200	$1.0 \times 10$	1.5	-00		1.2	200	$4.0 \times 10$	2.0	00
	1.2	200	$1.3 \times 10^{10}$	1.0	-112		1.2	200	$1.4 \times 10^{10}$	8.6	89
	1.2	200	$2.8 \times 10^{10}$	0.5	-120		1.2	200	$8.9 \times 10^{14}$	2.5	108
$C^{17}O$	1.2	200	$4.4 \times 10^{17}$	6.9	-172		1.2	200	$4.0 \times 10^{15}$	19.5	119
	1.2	200	$1.4 \times 10^{17}$	7.2	-164		1.2	200	$1.4 \times 10^{14}$	3.5	135
	1.2	200	$4.4 \times 10^{17}$	7.2	-148		1.2	200	$2.8 \times 10^{15}$	42.5	155
	1.2	200	$1.4 \times 10^{16}$	2.8	-132	$C^{34}S$	1.2	200	$2.4 \times 10^{14}$	19	-172
	1.2	200	$1.4 \times 10^{16}$	2.0	194	0 0	1.2	200	$2.4 \times 10^{15}$	11.5	167
	1.2	200	$1.4 \times 10^{-1}$	7.0	-124		1.2	200	$2.2 \times 10^{-4}$	11.0	-107
	1.2	200	$4.3 \times 10^{10}$	2.7	-95		1.2	200	$7.2 \times 10^{14}$	5.9	-157
	1.2	200	$4.3 \times 10^{15}$	2.7	-90		1.2	200	$2.4 \times 10^{14}$	2.7	-144
	1.2	200	$1.0 \times 10^{17}$	4.1	-76		1.2	200	$2.4 \times 10^{14}$	3.5	-134
	1.2	200	$6.6 \times 10^{15}$	2.7	-46		1.2	200	$7.2 \times 10^{14}$	9.2	-117
	1.2	200	$4.0 \times 10^{16}$	3.6	-39		1.2	200	$2.4 \times 10^{14}$	5.9	-109
	1.2	200	$4.3 \times 10^{16}$	7.2	-18		1.2	200	$2.4 \times 10^{14}$	3.7	-92
	1.2	200	$1.2 \times 10^{17}$	6.9	-4		1.2	200	$2.2 \times 10^{14}$	4.6	-75
	1.2	200	$1.2 \times 10$	11.0	-4		1.2	200	$2.2 \times 10$	4.0	-15
	1.2	200	$4.8 \times 10^{-3}$	11.9	00		1.2	200	$1.1 \times 10^{-1}$	9.5	-05
	1.2	200	$5.4 \times 10^{17}$	3.5	88		1.2	200	$1.2 \times 10^{14}$	4.0	-37
	1.2	200	$5.9 \times 10^{15}$	2.7	100		1.2	200	$3.4 \times 10^{13}$	3.0	-25
$C^{18}O$	1.2	200	$9.3 \times 10^{18}$	10.7	-172		1.2	200	$5.6 \times 10^{14}$	6.3	12
	1.2	200	$4.7 \times 10^{16}$	2.6	-148		1.2	200	$2.0 \times 10^{13}$	7.8	20
	1.2	200	$4.8 \times 10^{17}$	6.3	-132		1.2	200	$4.1 \times 10^{14}$	5.9	37
	1.2	200	$3.3 \times 10^{17}$	6.9	_88		1.2	200	$2.7 \times 10^{14}$	2.6	15
	1.4	200	$1.7 \cup 10^{18}$	0.4	-00		1.4	200	$4.1 \times 10$ 0.9 $\times 10^{15}$	4.0 6 6	-±0 60
	1.2	∠00 202	$1.7 \times 10^{-6}$	0.1	-03		1.2	200	$9.2 \times 10^{-3}$	0.0	09
	1.2	200	$2.1 \times 10^{10}$	2.7	-52		1.2	200	$0.9 \times 10^{14}$	6.2	91
	1.2	200	$1.1 \times 10^{17}$	5.5	-25		1.2	200	$2.0 \times 10^{14}$	1.7	116
	1.2	200	$1.3 \times 10^{17}$	4.1	-14		1.2	200	$3.1 \times 10^{15}$	18.7	139
	1.2	200	$6.1 \times 10^{15}$	2.8	-4		1.2	200	$1.1 \times 10^{17}$	7.8	156
	1.2	200	$8.7 \times 10^{15}$	20.2	2	HCN	12	200	$8.1 \times 10^{14}$	4.6	103
	10	200	$20 \times 10^{10}$	20.2		11011	1.2	200	$10 \sqrt{1014}$	1.0	100
	1.4	200	1 0 V 1016	2.9	10		1.4	200	1.7 XIU 0.1 V1015	0.9	1
	1.2	200	$1.2 \times 10^{10}$	2.5	19		1.2	200	$2.1 \times 10^{10}$	2.0	1
	1.2	200	$1.6 \times 10^{10}$	2.9	24		1.2	200	$1.6 \times 10^{12}$	0.8	-10
	1.2	200	$3.6 \times 10^{16}$	3.1	35		1.2	200	$1.0 \times 10^{12}$	0.7	-15
	1.2	200	$4.0 \times 10^{18}$	13.2	60		1.2	200	$1.0 \times 10^{12}$	0.9	76
	1.2	200	$5.5 \times 10^{17}$	9.3	90		1.2	200	$5.5 \times 10^{13}$	1.0	-36
	1.2	200	$3.5 \times 10^{15}$	0.0 9 Q	100		1.2	200	$1.2 \times 10^{12}$	1.0	40
	1.4	200	$1.1 \times 10^{16}$	2.0	109		1.4	200	$1.4 \times 10^{-1}$	4.0	40
	1.2	200	$1.1 \times 10^{10}$	2.7	123		1.2	200	$2.0 \times 10^{14}$	3.4	-84
	1.2	200	$5.4 \times 10^{17}$	5.0	143		1.2	200	$5.8 \times 10^{12}$	0.7	-83
	1.2	200	$8.0 \times 10^{16}$	2.7	159		1.2	200	$5.7 \times 10^{12}$	1.1	-82
CS	1.2	200	$1.4 \times 10^{14}$	3.0	106		1.2	200	$3.1 \times 10^{12}$	1.9	-118
#	1.2	200	$3.8 \times 10^{13}$	10.3	101		1.2	200	$1.8 \times 10^{12}$	7 9	_110
	1.4	200	$15 \times 10^{16}$	10.0	70		1.4	200	$1.0 \times 10$ 9.9 $\times 10^{12}$	2.0	110
	1.2	∠00 202	$1.0 \times 10^{10}$	0.3	10		1.2	200	$2.3 \times 10^{-2}$	2.9	-118
	1.2	200	$5.9 \times 10^{13}$	1.0	24	19	1.2	200	$5.9 \times 10^{14}$	3.8	-135
	1.2	200	$3.9 \times 10^{13}$	3.1	19	$H^{13}CN$	1.2	200	$8.4 \times 10^{13}$	0.8	93
	1.2	200	$2.7 \times 10^{14}$	2.4	11		1.2	200	$1.1 \times 10^{14}$	2.1	101
	1.0	200	$2.1 \times 10^{14}$	19	2		12	200	$1.4 \times 10^{17}$	65	66
		Z			<i></i>			× + + + + + +			1.11.1

	0	(C)	NTT C	A	mc
Molecule	$\theta^{m,c}$	$T_{ex}^{m,e}$	N _{tot}	$\Delta \mathbf{v}^{m,c}$	V _{LSR}
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(km s^{-})$
	1.2	200	$1.4 \times 10^{14}$	0.8	35
	1.2	200	$4.9 \times 10^{14}$	0.9	22
	1.2	200	$1.8 \times 10^{13}$	0.1	17
	1.2	200	$2.2 \times 10^{14}$	11.2	1
	1.2	200	$5.7 \times 10^{13}$	1.0	-5
	1.2	200	$2.5 \times 10^{12}$	2.4	-10
	1.2	200	$1.3 \times 10^{12}$	2.2	-25
	1.2	200	$6.4 \times 10^{12}$	1.4	-25
HNC	1.2	200	$3.9 \times 10^{13}$	1.3	-5
	1.2	200	$2.2 \times 10^{14}$	2.3	-22
	1.2	200	$2.6 \times 10^{14}$	4.3	-29
	1.2	200	$1.0 \times 10^{12}$	0.7	147
	1.2	200	$5.9 \times 10^{12}$	1.0	-46
$\rm HN^{13}C$	1.2	200	$1.6 \times 10^{16}$	2.5	-145
	1.2	200	$2.2 \times 10^{17}$	13.9	-139
	1.2	200	$6.2 \times 10^{16}$	8.2	-129
	1.2	200	$1.1 \times 10^{16}$	14.1	-113
	1.2	200	$1.6 \times 10^{16}$	3.7	-97
	1.2	200	$2.6 \times 10^{13}$	3.7	-58
	1.2	200	$8.9 \times 10^{13}$	10.6	-51
	1.2	200	$8.6 \times 10^{13}$	3.2	-38
	1.2	200	$3.2 \times 10^{15}$	1.7	-3
	1.2	200	$4.9 \times 10^{13}$	9.4	39
	1.2	200	$2.1 \times 10^{14}$	6.6	48
	1.2	200	$2.8 \times 10^{14}$	6.7	81
	1.2	200	$2.5 \times 10^{14}$	4.9	92
	1.2	200	$1.3 \times 10^{14}$	4.4	121
	1.2	200	$7.9 \times 10^{13}$	4.9	132
	1.2	200	$1.0 \times 10^{14}$	2.6	151
$\rm HO^{13}C^+$	1.2	200	$1.0 \times 10^{12}$	0.7	162
	1.2	200	$3.3 \times 10^{12}$	1.2	164
	1.2	200	$1.0 \times 10^{12}$	0.8	162
	1.2	200	$8.4 \times 10^{13}$	4.6	146
	1.2	200	$7.4 \times 10^{13}$	3.4	115
	1.2	200	$7.8 \times 10^{13}$	4.8	74
	1.2	200	$2.0 \times 10^{13}$	1.0	45
	1.2	200	$2.9 \times 10^{14}$	7.3	38
	1.2	200	$1.0 \times 10^{12}$	5.5	91
	1.2	200	$9.5 \times 10^{13}$	3.6	-38
	1.2	200	$2.7 \times 10^{14}$	3.1	-77
	19	200	$4.3 \times 10^{14}$	47	-85

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 156

Table L.14: LTE Parameters for the full LTE model (Envelope Components) for source A07 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\rm kms^{-1}$
SO	ext	7	$2.0 \times 10^{15}$	27.3	68
50	ext.	8	$2.1 \times 10^{15}$	6.5	47
$H_2CO$	ext.	28	$4.0 \times 10^{15}$	2.9	74
-	ext.	3	$4.3 \times 10^{16}$	0.1	64
	ext.	31	$1.6 \times 10^{16}$	15.5	58
	ext.	4	$1.4 \times 10^{14}$	1.6	53
SiO	ext.	11	$8.9 \times 10^{13}$	3.3	54
	ext.	9	$3.6 \times 10^{13}$	10.5	74
	ext.	14	$1.3 \times 10^{14}$	10.4	62
	ext.	3	$3.6 \times 10^{14}$	6.7	53
$CH_3OH$	ext.	9	$2.8 \times 10^{14}$	1.3	75
CCH	ext.	6	$3.3 \times 10^{15}$	18.2	60
CN	ext.	3	$1.6 \times 10^{12}$	6.2	66
	ext.	25	$5.8 \times 10^{16}$	14.7	62
	ext.	4	$3.3 \times 10^{13}$	15.4	40
	ext.	9	$1.3 \times 10^{14}$	8.0	31
	ext.	21	$2.4 \times 10^{15}$	14.2	9

		(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	(*) ext.	(K) 8	$\frac{(cm^{-})}{1.6 \times 10^{14}}$	4.2	-1
	ext.	25	$5.8 \times 10^{14}$	2.1	-43
	ext. ext.	$\frac{35}{79}$	$7.9 \times 10^{15}$ $3.1 \times 10^{15}$	$\frac{35.2}{4.7}$	-38 -56
	ext.	11	$3.4 \times 10^{13}$	3.9	-74
HOOON	ext.	8	$3.2 \times 10^{14}$	15.7	-103
HCCCN H2CNH	ext. ext.	27	$2.3 \times 10^{13}$ $1.8 \times 10^{13}$	4.6 6.1	53 70
112 01 111	ext.	3	$2.0 \times 10^{13}$	6.4	65
CII NII	ext.	3	$2.6 \times 10^{13}$	5.2 5.0	$55 \\ 72$
$On_2Nn$	ext.	э 3	$6.1 \times 10^{13}$	$\frac{5.9}{10.2}$	73 61
CO	ext.	3	$2.7 \times 10^{12}$	5.7	131
	ext.	3	$1.0 \times 10^{12}$ 1.4 × 10^{17}	0.1	128
	ext.	э 3	$7.6 \times 10^{15}$	$\frac{52.2}{7.3}$	80 107
	ext.	3	$6.4 \times 10^{15}$	3.0	52
	ext.	3	$1.0 \times 10^{17}$	27.4	49
	ext.	э 3	$1.3 \times 10^{17}$	2.0 29.8	30 9
	ext.	3	$5.4 \times 10^{14}$	1.9	-6
	ext.	3	$2.0 \times 10^{16}$	9.5	-22
	ext. ext.	3 3	$1.2 \times 10^{-1}$ $1.2 \times 10^{16}$	37.1 6.4	-38 -50
	ext.	3	$1.8 \times 10^{16}$	3.0	-59
	ext.	3	$7.9 \times 10^{15}$	2.8	-71
	ext.	3	$1.2 \times 10^{10}$ $3.0 \times 10^{15}$	$\frac{3.0}{2.5}$	-77 -89
	ext.	3	$1.0 \times 10^{17}$	27.5	-98
	ext.	3	$8.9 \times 10^{14}$	2.0	-99
	ext.	3	$9.2 \times 10^{13}$ $4.3 \times 10^{13}$	3.8 2.0	-111 -126
	ext.	3	$1.3 \times 10^{15}$	0.8	-126
10	ext.	3	$3.8 \times 10^{14}$	1.0	-183
$^{13}\mathrm{CO}$	ext.	3	$4.2 \times 10^{15}$	2.9	91 64
	ext.	э 3	$1.9 \times 10^{-1}$ $1.7 \times 10^{17}$	$\frac{29.1}{3.8}$	64 50
	ext.	3	$3.7 \times 10^{15}$	1.9	30
	ext.	3	$7.2 \times 10^{15}$	5.9	9
	ext. ext.	3 3	$1.2 \times 10^{16}$	э.1 11.3	15
	ext.	3	$5.9 \times 10^{13}$	2.0	-17
	ext.	3	$1.4 \times 10^{16}$	1.5	-44
	ext.	3	$2.3 \times 10^{10}$ 1.6 $\times 10^{16}$	0.9	-48 -64
	ext.	3	$1.8 \times 10^{16}$	38.0	-35
	ext.	3	$1.9 \times 10^{15}$	2.8	-91
	ext.	3	$7.6 \times 10^{13}$ 1.5 × 10^{14}	5.7 0.4	-102 -111
$C^{17}O$	ext.	3	$4.3 \times 10^{15}$	7.2	-180
	ext.	3	$4.2 \times 10^{14}$	3.8	-114
	ext.	3	$1.3 \times 10^{13}$ $4.2 \times 10^{14}$	7.2	-108 -101
	ext.	3	$1.3 \times 10^{14}$	1.4	-92
	ext.	3	$6.7 \times 10^{14}$	7.2	-87
	ext.	3	$1.9 \times 10^{15}$ 2.1 × 10^{15}	9.7 11.4	-68
	ext.	3	$8.2 \times 10^{14}$	2.9	-44 -36
	ext.	3	$5.7 \times 10^{14}$	2.7	-26
	ext.	3	$7.1 \times 10^{14}$	7.8	6
	ext.	3	$3.1 \times 10^{16}$	8.5	52
	ext.	3	$1.8 \times 10^{14}$	13.6	79
C180	ext.	3	$6.8 \times 10^{14}$	10.5	132
00	ext. ext.	ა 3	$4.0 \times 10^{10}$ $2.7 \times 10^{14}$	12.2 2.7	-104 -80
	ext.	3	$2.9 \times 10^{15}$	5.4	-44
	ext.	3	$5.0 \times 10^{13}$	2.8	0
	ext.	ა 3	$0.4 \times 10^{14}$ 5.1 × 10 ¹⁶	3.4 8.1	8 51
	ext.	3	$1.1 \times 10^{14}$	2.1	108
	ext.	3	$7.6 \times 10^{14}$	8.4	113

T. Möller et al.: Full molecular line survey of hot cores, Online Material p157

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
CS	(″)	(K)	$\frac{(\text{cm}^{-2})}{1.2 \times 10^{16}}$	$(\text{km s}^{-1})$	$({\rm km  s^{-1}})$
05	ext.	3 3	$1.2 \times 10^{-4}$ 4 4 × 10 ¹⁶	9.2 5.1	83 74
	ext.	3	$1.4 \times 10^{16}$	3.2	66
	ext.	3	$1.3 \times 10^{17}$	13.4	55
	ext.	3	$4.0 \times 10^{16}$	2.0	53
	ext.	3	$2.8 \times 10^{15}$	0.1	38
	ext.	3	$1.4 \times 10^{15}$	1.4	30
	ext.	3 3	$1.2 \times 10^{10}$	3.0 1.1	46 78
	ext.	3	$1.5 \times 10^{15}$	2.5	-94
	ext.	3	$4.6 \times 10^{12}$	1.0	-179
$^{13}CS$	ext.	3	$9.6~\times 10^{14}$	1.0	101
	ext.	3	$2.0 \times 10^{15}$	6.4	75
a??a	ext.	3	$3.1 \times 10^{16}$	9.7	55
$C^{33}S$	ext.	3	$1.9 \times 10^{10}$	8.9	-163
	ext.	3 3	$5.8 \times 10^{13}$	8.9 2.5	-130 77
	ext.	3	$3.4 \times 10^{14}$	2.5	-72
	ext.	3	$2.7 \times 10^{15}$	7.7	32
	ext.	3	$5.9 \times 10^{15}$	6.3	52
	ext.	3	$1.9 \times 10^{15}$	2.4	57
	ext.	3	$7.1 \times 10^{14}$	1.3	76
~24~	ext.	3	$6.2 \times 10^{15}$	27.1	131
$C^{34}S$	ext.	3	$7.4 \times 10^{12}$	3.5	-52
	ext.	3 3	$9.5 \times 10^{11}$ 2.2 × 10^{13}	7.4	-47
	ext.	3	$6.5 \times 10^{14}$	$\frac{2.4}{7.3}$	-30
	ext.	3	$1.9 \times 10^{13}$	2.4	30
	ext.	3	$3.8 \times 10^{14}$	2.4	40
	ext.	3	$2.3 \times 10^{16}$	9.2	55
	ext.	3	$7.1 \times 10^{15}$	8.0	77
TION	ext.	3	$8.1 \times 10^{14}$	2.4	129
HCN	ext.	3	$5.8 \times 10^{12}$	2.4	71
	ext.	3 3	$3.0 \times 10^{13}$	0.1 0.1	92 82
	ext.	3	$1.2 \times 10^{15}$	37.5	$\frac{02}{72}$
	ext.	3	$1.3 \times 10^{14}$	9.8	55
	ext.	3	$8.0~\times 10^{12}$	7.9	60
	ext.	3	$7.4 \times 10^{14}$	30.3	36
	ext.	3	$7.2 \times 10^{13}$	4.0	36
	ext.	3	$4.0 \times 10^{13}$	0.9	12
	ext.	ა ვ	$9.1 \times 10^{13}$ $2.7 \times 10^{14}$	1.7	0
	ext.	3	$3.9 \times 10^{13}$	2.1	-26
	ext.	3	$6.6 \times 10^{13}$	8.1	-35
	ext.	3	$1.2 \times 10^{12}$	1.0	-37
	ext.	3	$1.5 \times 10^{13}$	1.2	-43
	ext.	3	$2.3 \times 10^{13}$	1.0	-48
u13 CN	ext.	3	$1.2 \times 10^{14}$	1.3	-103
H CN	ext.	ა ვ	$9.9 \times 10^{-13}$	0.1 5.7	$150 \\ 194$
	ext.	3	$8.0 \times 10^{12}$	0.3	108
	ext.	3	$6.0 \times 10^{12}$	1.0	106
	ext.	3	$1.8 \times 10^{13}$	1.5	84
	ext.	3	$1.3 \times 10^{14}$	1.6	73
	ext.	3	$1.6 \times 10^{15}$	15.1	61
	ext.	3	$9.7 \times 10^{13}$	14.8	-3
HNC	ext.	ა ვ	$1.8 \times 10^{-2}$	1.0	-105
milli	ext.	3	$1.4 \times 10^{13}$	0.8	107
	ext.	3	$1.7 \times 10^{13}$	1.0	98
	ext.	3	$2.6~\times 10^{13}$	0.3	96
	ext.	3	$2.5 \times 10^{13}$	2.3	88
	ext.	3	$2.7 \times 10^{14}$	0.9	74
	ext.	3	$2.6 \times 10^{15}$	3.3	56
	ext.	ঠ ২	$2.0 \times 10^{19}$ $4.7 \times 10^{14}$	20.2 33.0	02 51
	ext.	3 3	$2.3 \times 10^{13}$	2.0	16
	ext.	3	$2.0 \times 10^{13}$ $2.0 \times 10^{13}$	2.0	7
	ext.	3	$2.7 \times 10^{12}$	2.1	-13
10	ext.	3	$5.0 \times 10^{12}$	2.1	-10
$HN^{13}C$	ext.	3	$1.8 \times 10^{14}$	7.5	55

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
$H^{13}CO^+$	ext.	3	$4.2 \times 10^{13}$	5.9	70
	ext.	3	$1.8 \times 10^{14}$	10.0	55

Table L.15: LTE Parameters for the full LTE model (Core Components) for source A08 in Sgr B2(M).

	0.000 0	<i></i>	2 m C		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{n,e}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	(")	(K)	(cm ⁻² )	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
BBI H	1.0	8052	$1.5 \times 10^9$	41.6	47
HCCCN	1.0	182	$6.2 \times 10^{14}$	34	47 55
HCCCN v=-2	1.0	202	$1.2 \times 10^{15}$	2.4	54
HCN $w_7=2$	1.0	202	$1.3 \times 10^{16}$	2.9	56
1000, 02=1	1.0	200 761	$9.8 \times 10^{18}$	5.5 7.7	56
50	1.0	127	$1.6 \times 10^{18}$	15.0	50
	1.0	1107	$1.0 \times 10$ $2.7 \times 10^{17}$	53	44
UNC = 1	1.0	120	$2.7 \times 10^{17}$	5.5	44 55
$1100, v_2=1$	1.0	200	$1.5 \times 10^{17}$	0.0	61
$50_{2}$	1.0	209	$3.3 \times 10^{18}$	5.0	56
	1.0	1202	$4.0 \times 10^{18}$	0.7	46
NO	1.0	139	$1.4 \times 10$ 2.0 × 10 ¹⁸	9.2	40
NO H-CS	1.0	90 05	$2.9 \times 10$ 1 4 × 10 ¹⁵	0.4	54
H2C5	1.0	90 106	$1.4 \times 10$ $7.2 \times 10^{14}$	0.9	54 76
11200 DH-	1.0	190	$7.2 \times 10$ 2.1 × 10 ¹³	1.0	59
F 113	1.0	105	$0.5 \times 10^{17}$	2.1	18
NHaD	1.0	190	$9.3 \times 10^{16}$	0.9	40
H_34S	1.0	200	$2.4 \times 10$ 2.6 × 10 ¹⁷	0.0 6.0	75 56
SiO	1.0	200	$2.0 \times 10^{15}$	35.9	50 60
OCS	1.0	213	$1.2 \times 10^{17}$	58	54
HNCO	1.0	140	$1.2 \times 10^{16}$	3.6	55
CO	1.0	200	$1.1 \times 10$ 7.2 × 10 ¹⁵	1.0	156
00	1.0	200	$5.2 \times 10^{15}$	1.0	135
	1.0	200	$6.5 \times 10^{15}$	0.0	110
	1.0	200	$3.3 \times 10^{17}$	3.4	90
	1.0	200	$9.5 \times 10^{18}$	1.1	30 77
	1.0	200	$1.3 \times 10^{18}$	3.0	35
	1.0	200	$1.6 \times 10^{17}$	4.6	-135
	1.0	200	$1.0 \times 10^{15}$ $1.7 \times 10^{15}$	1.0	-162
	1.0	200	$6.2 \times 10^{15}$	1.0	-167
	1.0	200	$3.8 \times 10^{16}$	2.5	-173
$^{13}CO$	1.0	200	$3.3 \times 10^{15}$	0.8	108
00	1.0	200	$3.6 \times 10^{17}$	0.8	84
	1.0	200	$2.0 \times 10^{18}$	11.1	40
$C^{17}O$	1.0	200	$3.2 \times 10^{15}$	2.7	-164
0 0	1.0	200	$3.2 \times 10^{16}$	7.1	-154
	1.0	200	$1.1 \times 10^{17}$	5.9	-146
	1.0	200	$1.0 \times 10^{16}$	7.1	-127
	1.0	200	$1.0 \times 10^{16}$	2.7	-122
	1.0	200	$1.0 \times 10^{16}$	2.7	-116
	1.0	200	$3.2 \times 10^{16}$	3.5	-98
	1.0	200	$3.2 \times 10^{15}$	2.7	-71
	1.0	200	$1.0 \times 10^{16}$	2.7	-52
	1.0	200	$1.0 \times 10^{16}$	2.7	-26
	1.0	200	$3.3 \times 10^{16}$	4.3	-15
	1.0	200	$3.0 \times 10^{16}$	2.7	-7
	1.0	200	$1.0 \times 10^{16}$	2.7	4
	1.0	200	$3.2 \times 10^{15}$	2.7	17
	1.0	200	$1.1 \times 10^{17}$	10.6	41
	1.0	200	$5.4 \times 10^{17}$	3.6	54
	1.0	200	$1.0 \times 10^{16}$	2.7	84
	1.0	200	$3.3 \times 10^{16}$	7.1	100
	1.0	200	$1.0 \times 10^{16}$	2.7	108
	1.0	200	$3.3 \times 10^{16}$	2.7	129
	1.0	200	$3.1 \times 10^{16}$	7.1	142
	1.0	200	$9.2 \times 10^{16}$	9.4	152
$C^{18}O$	1.0	200	$1.3 \times 10^{15}$	2.7	-164
	1.0	200	$4.1 \times 10^{15}$	2.7	-145

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 158

		(0	Continued)						(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}	N	Aolecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v ^{m,c} _{LSR}
	(")	(K)	$\frac{(\text{cm}^{-2})}{1.2 \times 10^{15}}$	$(\text{km s}^{-1})$	$(\rm kms^{-1})$		133 CI	('')	(K)	$\frac{(\text{cm}^{-2})}{1.6 \times 10^{16}}$	$(\text{km s}^{-1})$	$(\text{km s}^{-1})$
	1.0	200	$1.3 \times 10^{15}$ $4.1 \times 10^{15}$	2.7	-120 -121	(	5°°5	1.0	200	$1.6 \times 10^{-3}$ $4.4 \times 10^{14}$	7.9 6.8	-139
	1.0	$200 \\ 200$	$1.3 \times 10^{16}$	4.4	-112			1.0	$200 \\ 200$	$7.7 \times 10^{14}$	9.8	-130
	1.0	200	$4.1 \times 10^{15}$	2.8	-101			1.0	200	$3.8 \times 10^{15}$	8.0	-100
	1.0	200	$7.2 \times 10^{16}$	4.0	-77			1.0	200	$1.7 \times 10^{14}$	8.4	-79
	1.0	200	$8.8 \times 10^{15}$	2.7	-25			1.0	200	$3.0 \times 10^{15}$	6.4	-49
	1.0	200	$3.8 \times 10^{15}$	2.6	-30			1.0	200	$1.4 \times 10^{14}$	8.1	-25
	1.0	200	$1.8 \times 10^{10}$	28.5	-14		340	1.0	200	$3.2 \times 10^{14}$	6.3	104
	1.0	200	$1.4 \times 10^{15}$	2.6	2	(	J**S	1.0	200	$6.4 \times 10^{15}$	2.6	-173 120
	1.0	$\frac{200}{200}$	$3.7 \times 10^{18}$	2.7 24.0	13 54			1.0 1.0	$\frac{200}{200}$	$1.3 \times 10^{13}$ 8.2 × 10 ¹³	2.6	-130
	1.0	200	$1.0 \times 10^{17}$	3.7	96			1.0	200	$1.6 \times 10^{14}$	5.0	-83
	1.0	200	$2.8 \times 10^{14}$	2.2	104			1.0	200	$1.2 \times 10^{14}$	5.8	-62
	1.0	200	$4.5 \times 10^{16}$	9.4	109			1.0	200	$1.1 \times 10^{14}$	5.0	-52
	1.0	200	$1.7 \times 10^{15}$	2.7	123			1.0	200	$3.7 \times 10^{13}$	2.3	-47
~~~	1.0	200	$7.8 \times 10^{15}$	9.6	128			1.0	200	$7.6 \times 10^{13}$	3.2	-27
\mathbf{CS}	1.0	200	1.7×10^{14}	3.0	149			1.0	200	9.3×10^{13}	6.1	-17
	1.0	200	2.5×10^{13}	1.0	137			1.0	200	4.2×10^{13}	1.5	-12
	1.0	200	0.9×10^{12}	2.2	100			1.0	200	1.1×10^{13}	२.7 २.8	-5 17
	1.0	200	1.1×10^{13}	0.9	105			1.0	200	7.0×10^{14}	7.1	40
	1.0	200	4.8×10^{14}	2.4	90			1.0	200	8.3×10^{14}	3.1	55
	1.0	200	8.6×10^{14}	3.2	75			1.0	200	6.8×10^{13}	6.2	87
	1.0	200	6.7×10^{15}	2.0	57			1.0	200	2.8×10^{15}	12.3	135
	1.0	200	6.1×10^{15}	10.6	41			1.0	200	3.5×10^{14}	5.2	152
	1.0	200	1.4×10^{15}	40.0	28	F	ICN	1.0	200	1.7×10^{15}	6.4	90
	1.0	200	1.9×10^{12}	0.8	16			1.0	200	8.1×10^{15}	7.6	81
	1.0	200	3.2×10^{14}	3.1	4			1.0	200	1.1×10^{12}	0.8	60
	1.0	200	3.1×10^{13}	0.7	-3			1.0	200	4.3×10^{13}	5.2	36
	1.0	200	8.7×10^{13} 5.2 × 10 ¹³	3.7	-8 15			1.0	200	3.4×10^{-3} 1.7 × 10 ¹⁴	1.1	24 16
	1.0	200	4.4×10^{13}	0.9	-15			1.0	200	1.7×10^{12}	38.8	-12
	1.0	$200 \\ 200$	1.1×10^{14}	2.4	-52			1.0	200	4.8×10^{12}	1.0	-12
	1.0	200	8.7×10^{12}	0.8	-58			1.0	200	2.0×10^{12}	32.1	-62
	1.0	200	1.5×10^{13}	1.0	-57			1.0	200	5.7×10^{12}	1.4	-75
	1.0	200	6.0×10^{13}	1.2	-72			1.0	200	2.1×10^{12}	1.0	-170
	1.0	200	1.0×10^{12}	0.9	-81		10	1.0	200	6.0×10^{12}	1.0	-176
	1.0	200	3.3×10^{14}	9.1	-88	H	I ¹³ CN	1.0	200	1.0×10^{13}	1.0	103
	1.0	200	7.7×10^{13}	2.7	-95			1.0	200	3.8×10^{12}	1.0	99 50
	1.0	200	2.7×10^{13}	1.1	-100			1.0	200	8.1×10^{14}	7.6	76 EE
	1.0	200	1.1×10^{-3} 7.0 × 10^{13}	0.8	-105			1.0	200	1.9×10^{15} 1 1 $\times 10^{15}$	1.5	55 41
	1.0	200	8.7×10^{12}	2.4	-127			1.0	200	7.3×10^{12}	1.0	25
	1.0	200	3.3×10^{12}	1.3	-130			1.0	200	3.2×10^{13}	1.3	21
	1.0	200	2.4×10^{13}	1.3	-147			1.0	200	1.4×10^{13}	1.2	16
	1.0	200	7.0×10^{13}	13.5	-161			1.0	200	4.1×10^{12}	21.7	152
^{13}CS	1.0	200	4.0×10^{12}	38.3	150			1.0	200	5.1×10^{13}	5.2	-23
	1.0	200	1.0×10^{12}	2.6	139			1.0	200	9.7×10^{13}	1.8	-29
	1.0	200	3.6×10^{13}	0.9	125			1.0	200	8.3×10^{14}	0.7	-36
	1.0	200	1.2×10^{13}	2.7	118			1.0	200	1.4×10^{12}	1.0	-68
	1.0	200	2.2×10^{13}	0.9	92			1.0	200	1.2×10^{13}	1.1	-07
	1.0	200	1.7×10 1.0×10^{12}	0.8	00 81			1.0	200	5.0×10^{12}	1.2	-01
	1.0	200	7.7×10^{13}	0.1	78			1.0	200	5.4×10^{13}	1.1	-00
	1.0	200	1.4×10^{14}	1.1	55			1.0	200	7.9×10^{12}	1.0	-103
	1.0	200	4.2×10^{14}	7.4	39			1.0	200	1.5×10^{12}	0.5	-155
	1.0	200	1.3×10^{12}	35.5	25			1.0	200	5.9×10^{13}	7.8	-118
	1.0	200	4.6×10^{13}	1.2	14			1.0	200	1.7×10^{12}	0.8	-126
	1.0	200	8.3×10^{13}	0.8	2			1.0	200	1.2×10^{13}	0.9	-132
	1.0	200	6.3×10^{13}	3.5	-21			1.0	200	1.1×10^{14}	7.2	-138
	1.0	200	1.1×10^{13}	0.6	-33			1.0	200	1.2×10^{13}	1.2	-144
	1.0	200	4.7×10^{13}	0.9	-85			1.0	200	8.8×10^{12}	1.2	-157
	1.0	200 200	1.8×10^{12}	U.8 3 4	-90 100			1.0	200 200	0.0×10^{12}	1.1 91 5	-1/U 190
	1.0	200 200	6.2×10^{-3}	0.4 0.7	-100			1.0	200 200	1.5×10^{13}	01.0 93	-100
	1.0	200	1.8×10^{12}	1.2	-114	F	INC	1.0	200	1.0×10^{12}	⊿.5 16.0	-179 114
	1.0	200	6.3×10^{12}	5.6	-137	1		1.0	200	1.2×10^{13}	0.7	159
	1.0	200	3.8×10^{14}	6.5	-131			1.0	200	3.4×10^{14}	9.8	91
	1.0	200	1.0×10^{12}	0.2	-154			1.0	200	2.7×10^{13}	0.8	57
	1.0	200	1.8×10^{13}	1.0	-147			1.0	200	$2.9~{\times}10^{14}$	4.4	46
	1.0	200	3.3×10^{12}	0.8	-138			1.0	200	1.7×10^{14}	4.7	38
	1.0	200	1.1×10^{12}	2.2	-179			1.0	200	1.9×10^{12}	0.9	22

T. Möller <i>et</i>	al.: Full molecular	line survey of hot cores	s, Online Material p 159

$\begin{array}{c c c c c c c c c c c c c c c c c c c $			(C	ontinued)		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\mathbf{N}_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	7.0×10^{13}	4.1	16
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.5×10^{13}	2.6	10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	7.9×10^{12}	4.3	-14
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.0×10^{12}	1.0	_22
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.0×10^{12} 1.1×10^{12}	23	-22
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.1×10^{12}	0.9	-36
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.4×10^{12}	0.9	-30
$ HN^{13}C + HO^{11}O^{$		1.0	200	1.0×10^{12}	0.9	-40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.3×10^{12}	0.9	-40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.3×10^{12}	1.0	-40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	7.0×10 2.7×10^{13}	1.0	-40 57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.7×10^{-2}	2.3 6.2	-57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.1×10^{-2}	0.2	-07
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	3.4×10^{-2}	2.9	-12
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	7.9×10^{-2}	0.9	-10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	8.0×10^{13}	13.7	-84
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.8×10^{12}	1.0	-97
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.7×10^{13}	2.2	-127
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	5.7×10^{12}	1.0	-146
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	6.1×10^{13}	4.6	-152
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.0×10^{12}	0.6	-159
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	8.1×10^{12}	1.3	-167
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.2×10^{12}	39.4	-170
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	TTT 12 C	1.0	200	4.7×10^{14}	2.5	-182
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HN ¹³ C	1.0	200	1.4×10^{14}	1.7	-160
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.0×10^{14}	26.1	-88
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	8.5×10^{13}	7.7	-34
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	4.5×10^{14}	5.8	55
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.0	200	2.3×10^{13}	1.9	104
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$HO_{12}C_{+}$	1.0	200	1.9×10^{13}	0.8	163
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.1×10^{12}	0.8	159
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.3×10^{12}	0.8	150
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	6.9×10^{12}	0.8	142
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.9×10^{13}	2.2	137
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	3.1×10^{13}	3.4	132
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.1×10^{13}	2.2	125
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	6.3×10^{13}	1.3	116
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.4×10^{12}	1.1	125
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.2×10^{13}	3.6	95
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.0×10^{13}	2.8	85
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	3.2×10^{12}	0.7	79
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.0×10^{13}	3.3	63
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	2.1×10^{14}	30.3	56
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	3.2×10^{13}	7.0	47
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.2×10^{13}	1.5	37
1.0 200 1.8×10^{12} 0.8 7		1.0	200	1.2×10^{13}	1.0	31
		1.0	200	1.8×10^{12}	0.8	7
$1.0 200 2.4 \times 10^{13} 5.3 3$		1.0	200	2.4×10^{13}	5.3	3

Table L.16: LTE Parameters for the full LTE model (Envelope Components) for source A08 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\rm kms^{-1}$
CN	ovt	22	2 2 × 1016	5.6	67
010	ext.	$\frac{22}{20}$	2.3×10^{16} 2.3×10^{16}	9.5	61
	ext.	3	$4.0~\times 10^{14}$	32.0	30
	ext.	3	8.1×10^{13}	2.8	30
	ext.	7	2.2×10^{14}	10.5	5
	ext.	23	3.0×10^{15}	4.4	-2
	ext.	35	5.8×10^{15}	27.6	-25
	ext.	20	8.0×10^{14}	1.9	-43
	ext.	11	1.6×10^{14}	4.8	-48
	ext.	11	8.0×10^{13}	3.4	-80
	ext.	8	3.0×10^{14}	6.9	-106

(Continued)									
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
HCCCN	ext.	22	6.9×10^{12}	3.6	67				
	ext.	35	2.2×10^{16}	3.7	67				
	ext.	30	3.2×10^{16}	4.2	62				
CH_3CN	ext.	14	3.6×10^{14}	4.2	113				
	ext.	18	2.8×10^{14}	5.1	84				
	ext.	22	2.2×10^{13}	2.0	67				
NG	ext.	4	3.1×10^{10}	11.3	63				
NO U CC	ext.	3	1.0×10^{17}	15.7	60				
H_2CS	ext.	9	5.1×10^{14}	2.3	67				
	ext.	36	1.1×10^{10}	5.1	62				
H_2CO	ext.	14	4.0×10^{10}	0.0	83 65				
	ext.	20	8.7×10^{10}	1.8	00 52				
DU.	ext.	20 12	3.1×10^{-1}	3.3 96.4	00 65				
F II3 H ₂ CNH	ext.	13	1.9×10^{-1} 2.1 $\times 10^{15}$	20.4	53				
1120111	ext.	21	2.1×10 3.8×10^{14}	10.5	55 64				
SiO	ext.	15	3.0×10^{13}	6.7	67				
510	ext.	17	6.0×10^{13}	0.7	54				
	ext.	23	3.8×10^{14}	6.1	54 50				
	ext.	20	8.7×10^{12}	23	47				
OCS	evt	34	1.0×10^{17}	5.0	65				
CoH-CN	evt	23	2.1×10^{15}	3.6	64				
CH ₂ OH	ext.	25	1.2×10^{12}	10.0	-14				
0113011	ext.	7	1.2×10^{15} 1.4 × 10 ¹⁵	57	65				
	ext.	33	1.1×10^{17}	9.6	63				
CCH	ext.	3	6.8×10^{15}	13.3	64				
CH ₂ NH	ext.	10	1.0×10^{12}	2.6	73				
01121111	ext.	13	3.4×10^{12}	9.0	-107				
	ext.	7	6.7×10^{14}	12.3	62				
H ₂ CCO	ext.	38	1.8×10^{16}	29.1	64				
HNCO	ext.	12	3.0×10^{14}	1.0	72				
	ext.	36	3.0×10^{16}	7.6	64				
CO	ext.	3	4.1×10^{13}	0.1	161				
	ext.	3	1.4×10^{14}	1.0	158				
	ext.	3	2.5×10^{14}	1.9	153				
	ext.	3	2.1×10^{15}	1.3	144				
	ext.	3	2.0×10^{14}	9.1	128				
	ext.	3	7.5×10^{14}	1.4	132				
	ext.	3	2.7×10^{14}	1.2	127				
	ext.	3	8.9×10^{15}	6.0	108				
	ext.	3	5.8×10^{15}	2.5	97				
	ext.	3	4.1×10^{15}	1.5	72				
	ext.	3	1.2×10^{16}	5.8	69				
	ext.	3	3.3×10^{12}	0.7	62				
	ext.	3	7.7×10^{16}	16.3	58				
	ext.	3	1.1×10^{18}	0.8	56				
	ext.	3	4.1×10^{16}	1.7	30				
	ext.	3	7.9×10^{15}	4.9	20				
	ext.	3	8.7×10^{10}	18.9	12				
	ext.	3	8.9×10^{10}	1.2	-6				
	ext.	3	4.0×10^{10}	9.4	-3				
	ext.	3	1.5×10^{15}	0.6	-11				
	ext.	3	7.7×10^{10}	12.8	-25				
	ext.	3	6.5×10^{10}	10.8	-40				
	ext.	ა ი	1.3×10^{-5}	2.9	-60				
	ext.	ა ე	1.5×10^{-1}	3.U 2.1	-03				
	ext.	3	1.0×10 1.8 × 10 ¹⁶	3.1	-71				
	ext.	3 3	1.0×10 2.7×10^{16}	63	-70				
	evt	3	1.5×10^{15}	0.6	-94				
	ext.	3	6.9×10^{16}	13.7	-104				
	ext	3	4.6×10^{14}	0.2	-109				
	ext	3	4.2×10^{15}	3.0	-112				
	ext.	3	3.5×10^{15}	0.8	-117				
	ext.	3	4.2×10^{13}	0.4	-125				
	ext.	3	4.1×10^{13}	1.0	-156				
	ext.	3	5.4×10^{14}	3.0	-153				
^{13}CO	ext.	3	3.2×10^{14}	2.3	114				
	ext.	3	$1.0~\times 10^{16}$	2.0	91				
	ext.	3	4.3×10^{15}	1.7	78				
	ext.	3	1.9×10^{17}	0.7	67				
	ext.	3	6.1×10^{16}	17.5	66				

T. Möll	ler et	al.:	Full	molecular	line	survey	of hot	cores,	Online	Material	p	160

		(C	ontinued)					(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	('') ext.	(K) 3	$\frac{(\text{cm}^2)}{7.5 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{3.0}$	(km s ⁻¹) 53		('') ext.	(K) 3	$\frac{(\text{cm}^2)}{1.7 \times 10^{16}}$	$\frac{(\text{km s}^{-1})}{0.6}$	(km s^{-1})
	ext.	3	7.8×10^{15}	2.4	29		ext.	3	4.4×10^{14}	9.1	-56
	ext.	3	7.7×10^{15}	4.0	19		ext.	3	5.3×10^{14}	0.9	-66
	ext.	3	7.4×10^{15}	4.5	7		ext.	3	2.5×10^{15}	7.1	-80
	ext.	3 3	1.3×10^{-5} 1.6 $\times 10^{16}$	0.1 2.1	-2 -44	$C^{33}S$	ext.	১ ৭	$1.4 \times 10^{}$ 5.9 × 10 ¹⁴	1.1 4.7	-124 -69
	ext.	3	1.0×10^{16} 1.2×10^{16}	2.5	-49	0 5	ext.	3	2.1×10^{15}	6.2	-37
	ext.	3	1.7×10^{15}	2.0	-115		ext.	3	1.4×10^{15}	6.1	-20
c17.0	ext.	3	8.0×10^{15}	6.0	-105		ext.	3	8.5×10^{14}	2.4	-12
Crio	ext.	3	2.2×10^{13} 1.0 × 10 ¹⁴	$7.1 \\ 2.7$	-180 -161		ext.	3	1.3×10^{13} 3.9 $\times 10^{14}$	2.9 2.5	-2 17
	ext.	3	9.4×10^{14}	2.7	-135		ext.	3	7.7×10^{15}	4.4	49
	ext.	3	$1.0~\times 10^{14}$	2.7	-119		ext.	3	$4.1~\times10^{15}$	6.7	62
	ext.	3	1.0×10^{15}	8.5	-108		ext.	3	1.1×10^{15}	6.1	83
	ext.	3	1.0×10^{14}	$\frac{2.7}{7.7}$	-92 82		ext.	3	8.5×10^{13} 8.2×10^{14}	8.7 2.8	116 136
	ext.	3	3.2×10^{14}	2.7	-82 -73		ext.	3	1.3×10^{14}	$\frac{2.6}{2.5}$	149
	ext.	3	1.0×10^{14}	2.7	-68		ext.	3	8.6×10^{14}	2.8	159
	ext.	3	7.0×10^{14}	1.8	-63	$C^{34}S$	ext.	3	3.0×10^{15}	3.8	-163
	ext.	3	1.0×10^{15}	7.1	-44		ext.	3	4.2×10^{15}	8.0	-158
	ext.	3 3	1.0×10^{14} 3.2×10^{14}	2.4 2.6	-34 7		ext.	১ ৭	8.0×10^{11} 2.4×10^{15}	3.1 8.4	-151 -97
	ext.	3	3.2×10^{14} 3.2×10^{14}	3.6	14		ext.	3	8.8×10^{13}	2.5	-70
	ext.	3	3.4×10^{14}	2.8	20		ext.	3	2.4×10^{14}	2.2	-40
	ext.	3	3.3×10^{14}	5.5	31		ext.	3	1.6×10^{16}	5.1	50
	ext.	3	1.0×10^{14}	2.7	47 68		ext.	3	5.6×10^{13}	6.0 2.4	67 79
	ext.	3	1.1×10^{15}	9.2 8.4	90		ext.	3	3.6×10^{14}	$\frac{2.4}{6.2}$	79 96
	ext.	3	3.3×10^{14}	3.2	113		ext.	3	3.0×10^{14}	2.5	112
	ext.	3	9.6×10^{14}	7.1	124	HCN	ext.	3	1.0×10^{12}	1.1	140
c180	ext.	3	1.0×10^{14}	2.7	145		ext.	3	1.5×10^{12}	0.9	122
0.0	ext.	3 3	1.3×10^{10} 4.2×10^{14}	8.2 15.4	-175 -156		ext.	ঠ ব	2.0×10^{11} 2.7 × 10 ¹³	6.7 0.5	106 74
	ext.	3	4.2×10^{-14} 4.3×10^{14}	8.3	-139		ext.	3	5.5×10^{12}	$0.3 \\ 0.7$	67
	ext.	3	$2.3~\times10^{13}$	12.6	-90		ext.	3	$6.6~\times 10^{12}$	1.3	64
	ext.	3	1.6×10^{15}	9.4	-68		ext.	3	1.2×10^{15}	40.0	58
	ext.	3	3.3×10^{13}	3.8	-44 36		ext.	3	2.3×10^{13} 2.0 × 10^{12}	4.3 20.1	45
	ext.	3	3.7×10^{14}	$\frac{2.3}{5.0}$	-28		ext.	3	1.0×10^{12}	1.1	15
	ext.	3	3.8×10^{14}	2.7	-22		ext.	3	$2.4~\times10^{12}$	13.0	123
	ext.	3	2.5×10^{13}	2.7	-17		ext.	3	4.4×10^{14}	10.7	1
	ext.	3	9.2×10^{14} 5.0 × 10 ¹⁴	7.1	-3 5		ext.	3	4.0×10^{12}	1.2	-23
	ext.	3	2.7×10^{14}	$\frac{3.0}{2.2}$	11		ext.	3	3.2×10^{12}	2.0	-29 -36
	ext.	3	5.3×10^{14}	3.0	19		ext.	3	4.8×10^{13}	2.8	-43
	ext.	3	1.6×10^{15}	6.9	27		ext.	3	1.8×10^{13}	3.6	-48
	ext.	3	3.6×10^{16}	13.9	66 02		ext.	3	1.1×10^{12}	0.5	-54
	ext.	3 3	2.5×10^{-5} 2.8 × 10 ¹⁴	0.2 3.3	93 120		ext.	3 3	1.2×10^{13} 1.1 × 10 ¹³	2.2 1.4	-60 -63
	ext.	3	3.2×10^{14}	2.7	$120 \\ 127$		ext.	3	2.8×10^{12}	1.0	-79
	ext.	3	1.1×10^{15}	8.2	139		ext.	3	1.1×10^{13}	2.3	-86
	ext.	3	2.6×10^{14}	2.2	147		ext.	3	1.0×10^{12}	0.2	-94
CS	ext.	3 3	2.2×10^{14} 1 2 $\times 10^{15}$	3.3 2.6	155 158		ext.	3 3	1.3×10^{13} 4.5 $\times 10^{14}$	2.2 4 9	-103 -107
00	ext.	3	1.1×10^{14}	1.0	104		ext.	3	1.1×10^{12}	1.0	-120
	ext.	3	5.9×10^{16}	6.9	67		ext.	3	2.9×10^{14}	40.0	-107
	ext.	3	2.3×10^{16}	3.5	55		ext.	3	6.1×10^{12}	7.1	-129
	ext.	3	3.5×10^{10}	7.7	50 192		ext.	3	1.9×10^{12} 2.5 × 10 ¹²	1.2	-136
	ext.	3	6.9×10^{13}	2.4 1.4	-123 -164		ext.	3	2.5×10^{12} 2.5×10^{12}	0.9	-142
	ext.	3	1.7×10^{13}	2.1	-176		ext.	3	2.9×10^{13}	3.0	-152
10.	ext.	3	4.6×10^{13}	0.6	-181		ext.	3	1.9×10^{12}	0.9	-158
^{13}CS	ext.	3	1.1×10^{13}	1.1	160		ext.	3	2.1×10^{12}	1.0	-167
	ext.	చ 3	3.4×10^{13} 1 3 $\times 10^{15}$	31.9 3.2	93 69		ext.	び マ	2.9×10^{12} 1 1 $\times 10^{12}$	1.2	-174 36
	ext.	3	4.1×10^{14}	0.9	7	$\rm H^{13}CN$	ext.	3	2.4×10^{13}	1.6	154
	ext.	3	5.0×10^{15}	4.5	61	-	ext.	3	1.1×10^{12}	0.9	131
	ext.	3	9.0×10^{15}	4.5	49		ext.	3	8.7×10^{12}	2.6	110
	ext.	3	5.4×10^{13}	0.8	$\frac{39}{7}$		ext.	3	6.0×10^{14}	10.4	67 54
	ext.	ა 3	1.4×10^{-5} 1.2×10^{15}	$\frac{4.0}{8.7}$	-10		ext.	ა ვ	2.3×10^{-1}	0.9	$\frac{54}{30}$
	ext.	3	1.1×10^{14}	2.9	-18		ext.	3	4.0×10^{13}	1.3	-2

T. Möller et al.:	Full molecular l	ine survey of hot cores	s, Online Material p	161

(Continued)										
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISD					
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{1.5}\mathrm{n}^{-1})$					
-	ext.	3	1.2×10^{13}	2.3	-9					
	ext.	3	2.8×10^{12}	0.8	-16					
	ext.	3	1.4×10^{13}	1.0	-85					
	ext.	3	3.6×10^{13}	2.4	-106					
	ext.	3	9.0×10^{11}	0.5	-158					
HNC	ext.	3	2.1×10^{13}	17.4	164					
	ext.	3	1.2×10^{13}	1.9	157					
	ext.	3	6.1×10^{13}	17.8	118					
	ext.	3	3.6×10^{14}	5.1	70					
	ext.	3	1.0×10^{12}	12.4	64					
	ext.	3	9.6×10^{14}	14.1	60					
	ext.	3	3.7×10^{13}	1.1	53					
	ext.	3	2.5×10^{13}	2.0	29					
	ext.	3	1.6×10^{13}	3.8	21					
	ext.	3	1.0×10^{12}	7.2	9					
	ext.	3	3.3×10^{14}	5.2	-1					
	ext.	3	3.4×10^{12}	1.0	-42					
	ext.	3	4.6×10^{12}	1.0	-95					
	ext.	3	1.3×10^{14}	2.1	-105					
	ext.	3	3.8×10^{13}	1.4	-116					
	ext.	3	8.8×10^{11}	0.9	-137					
	ext.	3	2.4×10^{12}	1.0	-139					
	ext.	3	4.0×10^{12}	1.0	-153					
	ext.	3	2.7×10^{12}	0.3	-177					
	ext.	3	1.1×10^{14}	3.0	-183					
$\rm HN^{13}C$	ext.	3	4.4×10^{13}	9.9	-10					
	ext.	3	1.2×10^{14}	8.0	67					
$\rm HO^{13}C^+$	ext.	3	1.3×10^{12}	1.1	94					
	ext.	3	3.9×10^{12}	2.5	73					
	ext.	3	1.3×10^{13}	3.0	21					
	ext.	3	7.0×10^{12}	3.1	-12					
	ext.	3	3.5×10^{13}	2.3	-28					
	ext.	3	3.0×10^{13}	4.0	-56					
	ext.	3	8.6×10^{11}	0.1	-55					
10	ext.	3	8.2×10^{12}	3.5	-96					
$H^{13}CO^+$	ext.	3	9.3×10^{13}	5.8	68					
	ext.	3	8.7×10^{12}	24.8	56					
	ext.	3	1.0×10^{12}	0.3	58					

Table L.17: LTE Parameters for the full LTE model (Core Components) for source A09 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ov}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI. GD
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km s^{-1}})$
		()	, ,	()	
H_2CO	1.5	196	7.2×10^{14}	1.5	65
C_2H_5OH	1.5	124	1.3×10^{17}	4.1	69
	1.5	39	7.0×10^{13}	0.1	49
OCS	1.5	238	9.4×10^{17}	7.2	65
	1.5	199	1.0×10^{13}	5.0	65
OCS, $v_2=1$	1.5	238	5.2×10^{17}	7.2	66
H_2CCN	1.5	130	6.1×10^{14}	7.2	61
$H_2^{34}S$	1.5	200	1.2×10^{16}	6.7	72
	1.5	200	1.4×10^{16}	3.6	67
CH_3CN	1.5	183	5.3×10^{16}	7.8	66
H_2CS	1.5	171	3.1×10^{16}	3.7	69
	1.5	142	1.5×10^{16}	5.9	63
H_2CCO	1.5	138	2.3×10^{16}	8.3	67
HNCO	1.5	76	2.8×10^{16}	6.9	67
NO	1.5	68	2.1×10^{17}	2.3	69
CH_3OH	1.5	184	1.3×10^{18}	3.9	69
	1.5	158	5.5×10^{17}	6.4	64
SO_2	1.5	182	1.1×10^{18}	7.2	65
	1.5	291	7.3×10^{12}	0.8	-163
$SO_2, v_2=1$	1.5	182	9.2×10^{17}	7.2	65

(Continued)								
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}			
	(")	(K)	$\frac{(\text{cm}^{-2})}{4.2 \times 10^{14}}$	(km s^{-1})	$({\rm km s^{-1}})$			
HCS	$1.0 \\ 1.5$	$200 \\ 200$	4.3×10^{-1} 2.0 × 10 ¹⁴	$\frac{4.1}{2.1}$	61			
SO	1.5	212	1.2×10^{18}	7.2	64			
	1.5	1088	1.9×10^{13}	9.0	68			
SO^+	1.5	72	9.3×10^{15}	5.3	62			
$HC(O)NH_2$	1.5	200	6.7×10^{15}	5.9	69 62			
HCCCN	1.5	200	2.3×10^{19}	3.7	62 66			
CoHrCN	1.5	200	1.4×10 8.2 × 10 ¹⁵	7.5 3.9	68			
02113011	1.5	200	6.1×10^{15}	4.1	62			
$\rm NH_2D$	1.5	67	3.0×10^{15}	4.1	66			
CH_3NH_2	1.5	200	7.7×10^{16}	6.2	68			
CH_3OCH_3	1.5	172	7.2×10^{16}	8.4	67			
H ₂ CNH	1.5	196	2.6×10^{10}	7.6	68 55			
CH ₂ CHO	$1.0 \\ 1.5$	234 143	4.4×10^{-4} 5.3 × 10 ¹⁶	14.4 8.5	55 67			
CH ₂ NH	1.5 1.5	297	3.4×10^{14}	4.9	70			
$\tilde{C}_2 \tilde{H}_3 CN$	1.5	281	3.6×10^{15}	4.6	68			
SiS	1.5	198	8.5×10^{14}	6.0	70			
CH_3OCHO	1.5	187	1.1×10^{17}	6.1	68			
HCN, $v_2=1$	1.5	248	1.8×10^{16}	3.8	69			
CO	1.5	200	6.2×10^{13}	6.5	134			
-00	$1.0 \\ 1.5$	200	1.2×10^{16}	1.2 2.3	138			
	1.5 1.5	200	3.9×10^{17}	$\frac{2.0}{30.3}$	115			
	1.5	200	3.7×10^{15}	0.8	126			
	1.5	200	1.4×10^{17}	2.5	111			
	1.5	200	3.4×10^{17}	9.8	98			
	1.5	200	1.5×10^{10}	1.2	25			
	1.5 1.5	200	2.4×10^{10} 2.1×10^{14}	2.4	-74 62			
	1.5	200	4.8×10^{15}	2.9	-58			
	1.5	200	3.1×10^{16}	0.2	-82			
	1.5	200	6.4×10^{14}	0.1	-141			
	1.5	200	3.2×10^{16}	2.7	-157			
	1.5	200	4.0×10^{16}	2.7	-166			
	1.5	200	2.8×10^{17}	1.2	-172 162			
$C^{17}O$	$1.0 \\ 1.5$	200	3.9×10^{16}	4.7 2.8	-102 -172			
0 0	1.5 1.5	200	9.0×10^{15}	5.2	-156			
	1.5	200	3.2×10^{16}	2.2	-151			
	1.5	200	3.2×10^{16}	3.6	-146			
	1.5	200	3.2×10^{15}	2.7	-122			
	1.5	200	1.0×10^{17}	4.6	-76			
	1.5 1.5	200	3.2×10^{10} 3.2×10^{16}	4.0 3.5	-31 19			
	1.5	200	3.2×10^{16} 3.2×10^{16}	4.2	-12			
	1.5	200	1.0×10^{15}	2.7	-28			
	1.5	200	3.2×10^{15}	2.7	28			
	1.5	200	3.1×10^{18}	12.1	60			
	1.5	200	3.0×10^{17}	6.3	87			
	1.5 1 5	200 200	3.2×10^{10} 1.0 $\times 10^{16}$	3.8 1 1	111 145			
	1.5	200 200	3.2×10^{15}	2.7	153			
$C^{18}O$	1.5	200	3.5×10^{17}	10.3	-172			
	1.5	200	3.5×10^{15}	2.7	-156			
	1.5	200	1.1×10^{16}	7.5	-141			
	1.5	200	3.5×10^{16}	4.7	-137			
	1.5 1 ¤	200	3.5×10^{14} 1 1 $\checkmark 10^{16}$	2.7	-123 _118			
	$1.0 \\ 1.5$	200 200	1.1×10^{-5} 1.1×10^{15}	5.7 2.7	-110 -78			
	1.5 1.5	200	1.7×10^{16}	9.4	-88			
	1.5	200	1.2×10^{17}	8.9	-63			
	1.5	200	5.1×10^{15}	0.9	-55			
	1.5	200	1.1×10^{15}	2.7	-36			
	1.5	200	1.2×10^{10}	3.0	-17			
	1.5 1 5	200 200	10.0×10^{10} 3.7×10^{15}	2.1 2.7	-9			
	1.5	200 200	1.5×10^{16}	10.8	-5 8			
	1.5	200	1.0×10^{16}	7.5	16			
	1.5	200	2.8×10^{15}	2.7	26			
	1.5	200	2.2×10^{16}	3.9	35			
T. Möller <i>et al.</i> : Full molecular line survey of hot c	ores. Online Material n 162							
---	-------------------------------							
1. Moner et un indice una inte survey of not e	ores, or where $p \to \infty$							

		(C	Continued)		
Molecule	Am,c	$T^{m,c}$	$N^{m,c}$	$\Lambda_{\mathbf{v}}m,c$	$u^{m,c}$
Molecule		$^{1} ex$	(1 tot - 2)	$(1 \dots -1)$	^v LSR
	()	(K)	(cm -)	(km s -)	(km s)
	1.5	200	2.7×10^{10}	13.4	60
	1.5	200	1.1×10^{16}	0.5	98
	1.5	200	4.0×10^{17}	10.5	140
	1.5	200	9.6 $\times 10^{14}$	2.7	156
	1.5	200	1.2×10^{16}	1.1	146
aa	1.0	200	1.3×10	1.1	140
CS	1.5	200	1.9×10^{14}	29.7	129
	1.5	200	2.1×10^{13}	4.9	127
	1.5	200	3.7×10^{12}	13.0	136
	1.5	200	1.5×10^{15}	1.9	69
	1.5	200	2.3×10^{12}	20	17
	1.5	200	1.7×10^{12}	0.6	14
	1.0	200	1.7×10^{14}	0.0	14
	1.5	200	1.4×10^{14}	5.2	10
10	1.5	200	7.2×10^{12}	9.6	2
^{13}CS	1.5	200	3.4×10^{12}	1.1	163
	1.5	200	1.8×10^{13}	0.1	142
	1.5	200	1.0×10^{12}	1.6	114
	1.5	200	2.5×10^{12}	6.6	101
	1.0	200	2.0×10^{12}	0.0	101
	1.5	200	4.4×10^{12}	2.0	63
	1.5	200	9.0×10^{12}	0.8	80
	1.5	200	1.3×10^{16}	5.3	67
	1.5	200	5.0×10^{15}	10.7	61
	1.5	200	1.1×10^{14}	5.6	47
	15	200	2.0×10^{14}	7 3	7
C33c	1.0	200	2.0 1015	1.5	150
0-5	1.5	200	3.8×10^{-14}	9.5	-152
	1.5	200	1.1×10^{14}	6.1	-109
	1.5	200	1.5×10^{15}	9.8	-91
	1.5	200	5.0×10^{14}	3.3	-40
	1.5	200	6.8×10^{14}	5.0	-33
	1.5	200	0.3×10^{13}	6.1	-20
	1.5	200	5.5×10^{13}	2.0	-20
	1.5	200	0.5×10^{-14}	3.0	0
	1.5	200	1.7×10^{14}	8.5	10
	1.5	200	9.8×10^{13}	4.4	22
	1.5	200	3.7×10^{14}	6.7	42
	1.5	200	5.8×10^{15}	10.2	68
	1.5	200	5.4×10^{14}	5.8	89
	1.5	200	1.7×10^{13}	4.0	101
C34C	1.0	200	1.7×10^{-14}	4.5	121
C**S	1.5	200	4.0×10^{-1}	11.1	-107
	1.5	200	4.6×10^{14}	11.0	-157
	1.5	200	5.6×10^{13}	2.6	-144
	1.5	200	5.6×10^{13}	5.6	-119
	1.5	200	1.9×10^{13}	3.1	-101
	1.5	200	5.5×10^{14}	10.1	-92
	1.5	200	5.6×10^{14}	20.1	-52
	1.0	200	3.0×10^{-14}	52.4	-1
	1.5	200	3.4×10^{14}	7.7	10
	1.5	200	4.9×10^{13}	4.6	24
	1.5	200	6.0×10^{15}	6.7	67
	1.5	200	3.9×10^{14}	9.1	89
	1.5	200	1.1×10^{14}	5.5	101
	1.5	200	9.5×10^{13}	33	108
	1 5	200	1.9×10^{15}	5.5	197
	1.0	200	1.0 . 1016	0.1	157
	1.5	200	1.2×10^{10}	9.0	120
HCN	1.5	200	7.8×10^{12}	0.1	134
	1.5	200	3.5×10^{12}	2.2	105
	1.5	200	2.1×10^{13}	1.0	19
	1.5	200	8.0×10^{13}	3.3	-2
	1.5	200	2.1×10^{13}	14	-13
	1 5	200	1.8×10^{13}	1.1	-05 TO
	1.0	200	1.0×10^{-2}	1.9	-20
	1.5	200	1.4×10^{-2}	1.4	-34
	1.5	200	8.9×10^{12}	1.0	-51
	1.5	200	5.9×10^{13}	3.9	-79
	1.5	200	2.7×10^{13}	4.0	-84
	1.5	200	6.9×10^{13}	2.4	-92
	1.5	200	1.5×10^{12}	1.0	-117
	15	200	2.0×10^{10}	1.0	126
113CM	1.0	200	4.4×10^{-1}	4.0	-100
H-SUN	1.5	200	1.9×10^{12}	4.0	103
	1.5	200	2.4×10^{15}	5.6	148
	1.5	200	2.0×10^{13}	2.8	100
	1.5	200	1.0×10^{12}	29.6	88
	1.5	200	1.2×10^{15}	0.7	70
	1.5	200	1.7×10^{13}	2.8	34
	15	200	3.7×10^{12}	0.4	22
	1 5	200	$15 \sqrt{1013}$	1.0	20
	1.0	200	1.9 ×10.	1.9	20

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\mathbf{N}_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	15	200	1.3×10^{13}	2.6	12
	1.5	200	1.3×10^{12}	2.0	21
	1.5	200	1.4×10^{13}	1.0	10
	1.0	200	1.0×10 4×10^{13}	1.0	-19
	1.0	200	4.0×10	2.0	-48
	1.0	200	7.5×10^{-2}	0.2	-00
	1.5	200	9.4×10^{12}	4.3	-70
	1.5	200	1.1×10^{14}	1.1	-76
	1.5	200	1.1×10^{13}	0.9	-92
	1.5	200	2.7×10^{13}	2.5	-94
	1.5	200	1.8×10^{13}	1.3	-109
	1.5	200	8.0×10^{12}	1.3	-111
	1.5	200	2.7×10^{12}	1.1	-150
	1.5	200	4.7×10^{13}	1.9	-173
	1.5	200	7.0×10^{12}	1.0	-179
HNC	1.5	200	1.5×10^{13}	3.6	143
	1.5	200	1.9×10^{12}	2.5	136
	1.5	200	6.4×10^{13}	1.3	102
	1.5	200	4.9×10^{12}	2.2	20
	1.5	200	1.0×10^{12}	0.1	19
	1.5	200	5.7×10^{13}	1.2	2
	1.5	200	1.5×10^{14}	2.0	-3
	1.5	200	6.4×10^{12}	0.6	-20
	1.5	200	9.5×10^{12}	11	-26
$HN^{13}C$	1.5	200	3.0×10^{13}	7.5	-129
	1.0	200	1.0×10^{13}	8.1	-125
	1.5	200	7.6×10^{13}	10.4	-04
	1.5	200	1.0×10^{14}	77	-45
	1.5	200	4.0×10^{14}	1.1	-5
	1.0	200	2.0×10^{14}	11.0	43
	1.0	200	1.2×10	4.0	00
	1.5	200	1.9×10^{-1}	8.9	83
13 g±	1.5	200	9.3×10^{10}	5.0	120
HOPOC	1.5	200	1.7×10^{12}	1.3	152
	1.5	200	1.6×10^{13}	4.6	141
	1.5	200	1.0×10^{12}	0.6	136
	1.5	200	8.9×10^{13}	1.1	121
	1.5	200	1.1×10^{13}	0.8	112
	1.5	200	3.2×10^{12}	3.0	91
	1.5	200	3.9×10^{12}	2.8	72
	1.5	200	5.7×10^{12}	4.2	70
	1.5	200	2.0×10^{12}	0.9	62
	1.5	200	1.7×10^{13}	0.8	54
	1.5	200	7.4×10^{13}	6.5	36
	1.5	200	1.4×10^{13}	2.7	26
	1.5	200	3.5×10^{12}	11.8	7
	1.5	200	1.2×10^{12}	1.0	-7
	1.5	200	1.7×10^{13}	5.6	-9
	1.5	200	5.6×10^{12}	1.1	-18
	1.5	200	9.3×10^{12}	1.1	-25
	1.5	200	1.2×10^{12}	0.5	_30
	1.0	200	5.4×10^{13}	5.0	-30
	15	/ 1 · · · ·	0.4 × 10	0.0	-09
	1.5	200	0.2 \1013	11	70
	$1.5 \\ 1.5 \\ 1.5$	200	9.3×10^{13}	4.1	-78
	$1.5 \\ 1.5 $	200 200 200	9.3×10^{13} 1.4×10^{14}	4.1 6.0	-78 -85
	$1.5 \\ 1.5 $	200 200 200 200	9.3 $\times 10^{13}$ 1.4 $\times 10^{14}$ 5.4 $\times 10^{13}$	$4.1 \\ 6.0 \\ 4.0 \\ -$	-78 -85 -94
	$1.5 \\ 1.5 $	200 200 200 200 200	$\begin{array}{c} 9.3 \times 10^{13} \\ 1.4 \times 10^{14} \\ 5.4 \times 10^{13} \\ 2.8 \times 10^{13} \end{array}$	$ \begin{array}{r} 4.1 \\ 6.0 \\ 4.0 \\ 5.2 \\ \end{array} $	-78 -85 -94 -101
	$1.5 \\ 1.5 $	200 200 200 200 200 200	$\begin{array}{c} 9.3 \times 10^{13} \\ 1.4 \times 10^{14} \\ 5.4 \times 10^{13} \\ 2.8 \times 10^{13} \\ 1.6 \times 10^{14} \end{array}$	$ \begin{array}{c} 4.1 \\ 6.0 \\ 4.0 \\ 5.2 \\ 0.4 \\ \end{array} $	-78 -85 -94 -101 -156

Table L.18: LTE Parameters for the full LTE model (Envelope Components) for source A09 in Sgr B2(M).

Molecule	$ extsf{ heta}^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\stackrel{\mathrm{N}^{m,c}_{\mathrm{tot}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
$\rm H_2CO$	ext. ext.	$\frac{11}{12}$	$\begin{array}{c} 1.5 \times 10^{14} \\ 5.8 \times 10^{14} \end{array}$	$2.8 \\ 21.4$	$\frac{74}{57}$

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 163

		(C	Continued)				(Continued)				
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s^{-1})	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s^{-1})
	ext.	13	$\frac{1.9 \times 10^{14}}{1.9 \times 10^{14}}$	3.4	52		ext.	3	$\frac{(cm)}{1.0 \times 10^{15}}$	8.2	-130
CN	ext.	24	7.2×10^{16}	16.3	63		ext.	3	$1.0~\times 10^{15}$	11.9	-108
	ext.	66	5.0×10^{13}	17.3	40		ext.	3	4.9×10^{14}	7.1	-92
	ext.	15	2.1×10^{14}	8.0	31		ext.	3	9.9×10^{14}	1.0	-66
	ext.	10	6.3×10^{14}	16.7	7		ext.	3	3.1×10^{13}	9.5	-44
	ext.	1058	2.4×10^{14}	1.4 14 1	-1 -26		ext.	3 3	3.2×10^{14}	2.1	-20 -18
	ext.	10	1.1×10^{14}	4.2	-34		ext.	3	3.2×10^{14} 3.2×10^{14}	7.4	-10
	ext.	13	4.0×10^{14}	8.0	-45		ext.	3	1.0×10^{15}	14.5	12
	ext.	5	1.6×10^{14}	10.2	-103		ext.	3	1.0×10^{15}	7.2	20
H_2CCN	ext.	48	3.6×10^{15}	3.5	54		ext.	3	1.0×10^{14}	2.7	38
ССН	ext.	3	1.4×10^{10}	19.8	61 52		ext.	3	3.5×10^{10}	7.7	52 05
SOa	ext.	3 25	1.4×10^{13} 4.0×10^{17}	3.7 5.8	50 50		ext.	3	1.0×10^{10} 2.8 × 10 ¹⁴	3.5	90 103
SO ₂	ext.	22	4.9×10^{15} 7 9 × 10 ¹⁵	14.8	50 54		ext.	3	1.0×10^{15}	2.0 8.8	105
HCCCN	ext.	14	1.4×10^{15}	4.0	-9		ext.	3	1.0×10^{15}	6.6	135
PH_3	ext.	3	$2.3~{\times}10^{13}$	4.2	56		ext.	3	$1.0~\times 10^{14}$	7.3	151
H_2CNH	ext.	3	9.8×10^{12}	5.1	74		ext.	3	1.0×10^{14}	2.7	156
	ext.	3	1.2×10^{13}	11.2	64	$C^{18}O$	ext.	3	1.1×10^{14}	3.1	-161
d:0	ext.	10	1.4×10^{14}	5.1	53		ext.	3	2.9×10^{12}	2.7	-153
SiO	ext.	18	1.1×10^{13}	18.9	54 44		ext.	3	1.1×10^{14} 1.1 × 10 ¹⁵	2.7	-112 105
CHaNH	ext.	10 3	6.0×10^{12}	4.7	44 73		ext.	ა ვ	1.1×10^{-3} 3.5×10^{14}	7.0 3.4	-105
01121111	ext.	3	5.5×10^{13}	11.4	64		ext.	3	1.8×10^{14}	2.7	-82
	ext.	11	3.9×10^{13}	5.0	55		ext.	3	3.4×10^{14}	2.9	-77
CO	ext.	3	1.5×10^{15}	0.5	164		ext.	3	4.5×10^{14}	2.7	-58
	ext.	3	1.1×10^{12}	1.0	157		ext.	3	2.7×10^{15}	4.5	-44
	ext.	3	1.4×10^{17}	38.6	77		ext.	3	9.8×10^{13}	1.1	-109
	ext.	3	5.2×10^{14}	0.1	59 50		ext.	3	2.8×10^{14}	2.8	-28
	ext.	3	2.4×10^{10} 7.4 × 10 ¹²	0.8	58 51		ext.	3	5.9×10^{10}	2.7	-6
	ext.	3 3	4.1×10^{16}	0.8 16.0	31 46		ext.	3 3	5.0×10 7 7 × 10 ¹⁶	2.1 6.4	0 51
	ext.	3	6.7×10^{14}	3.5	38		ext.	3	1.2×10^{16}	10.0	78
	ext.	3	7.2×10^{15}	4.5	30		ext.	3	2.8×10^{15}	4.1	89
	ext.	3	8.2×10^{16}	29.7	11		ext.	3	6.4×10^{14}	7.8	107
	ext.	3	2.5×10^{12}	0.6	6		ext.	3	1.9×10^{14}	2.5	123
	ext.	3	3.9×10^{15}	2.9	-1		ext.	3	3.6×10^{14}	3.0	120
	ext.	- び - 9	1.5×10^{10} 5 1 × 10 ¹⁶	1.0	-11 25		ext.	- ゴ - シ	5.4×10^{14}	2.9	129
	ext.	3	3.6×10^{15}	2.9	-25 -35	\mathbf{CS}	ext.	3	1.0×10^{17}	$\frac{3.2}{23.7}$	$\frac{130}{72}$
	ext.	3	1.3×10^{16}	5.6	-43	00	ext.	3	5.8×10^{15}	2.0	73
	ext.	3	1.8×10^{16}	6.4	-50		ext.	3	3.9×10^{16}	2.0	53
	ext.	3	8.0×10^{15}	3.0	-60		ext.	3	10.0×10^{16}	15.7	51
	ext.	3	2.6×10^{19}	0.5	-69		ext.	3	1.4×10^{15}	0.6	55
	ext.	3	2.0×10^{16}	10.9	-77	13 00	ext.	3	6.0×10^{14}	0.5	33
	ext.	3	8.6×10^{10}	2.0	82	¹³ CS	ext.	3	2.0×10^{14}	1.1	76 50
	ext.	3 3	1.4×10^{-5} 3.5×10^{15}	5.9 0.0	-91		ext.	3 3	3.0×10^{-5} 6.3 × 10 ¹⁵	21.0 4.7	55 55
	ext.	3	3.9×10^{16}	12.2	-100		ext.	3	1.3×10^{14}	4.7	-26
	ext.	3	2.7×10^{15}	2.9	-111	$C^{33}S$	ext.	3	3.1×10^{16}	13.8	-161
	ext.	3	1.1×10^{16}	16.0	-114		ext.	3	3.6×10^{15}	9.7	-135
^{13}CO	ext.	3	6.6×10^{14}	0.8	86		ext.	3	1.1×10^{16}	4.6	-101
	ext.	3	4.8×10^{15}	1.4	78		ext.	3	1.1×10^{15}	3.4	-79
	ext.	3	8.1×10^{10}	27.5	78		ext.	3	6.5×10^{13}	6.6	-49
	ext.	3 2	9.1×10^{10} 1.6 × 10 ¹⁷	0.8	66 51		ext.	3 3	2.8×10^{11}	3.1	-7 97
	ext.	3	1.0×10 4 7 × 10 ¹⁶	$\frac{4.1}{26.5}$	31 47		ext.	3	8.8×10^{15}	3.5 4.6	27 54
	ext.	3	7.7×10^{15}	2.0	7		ext.	3	2.0×10^{16}	6.0	73
	ext.	3	5.2×10^{15}	3.1	1		ext.	3	4.0×10^{15}	7.0	104
	ext.	3	2.4×10^{15}	2.5	-37		ext.	3	1.1×10^{14}	2.5	138
	ext.	3	3.2×10^{15}	1.2	-41		ext.	3	1.1×10^{15}	3.1	145
	ext.	3	3.2×10^{15}	0.9	-49	~24~	ext.	3	2.8×10^{14}	2.5	150
	ext.	3	8.3×10^{14}	2.9	-63	$C^{34}S$	ext.	3	1.4×10^{13}	2.3	-77
	ext.	ა ვ	8.3×10^{14} 9.4×10^{13}	3.5 A &	-75		ext.	ঠ ২	0.8×10^{13} 1 4 $\times 10^{14}$	∠.5 2.2	-70 -62
	ext.	ა ვ	5.4×10^{-5} 5.5 × 10 ¹⁵	19 <i>4</i>	-00 -104		ext.	ы З	1.4×10^{-1} 1.3×10^{13}	2.2 2.2	-02 -107
	ext.	3	3.3×10^{15}	3.6	-101		ext.	3	5.9×10^{14}	3.3	-45
	ext.	3	3.3×10^{14}	0.8	-108		ext.	3	5.4×10^{14}	4.5	-32
	ext.	3	$8.0~\times 10^{13}$	1.0	-88		ext.	3	$3.0~\times 10^{15}$	19.1	-20
- 17 -	ovt	3	3.2×10^{14}	3.7	-180		ext.	3	4.6×10^{14}	2.6	-2
$C^{1}O$	ext.	0	0.2 / 10								
$C^{1}O$	ext.	3	3.2×10^{14}	2.7	-167		ext.	3	1.1×10^{14}	2.4	25

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 164

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	(Continued)										
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISP					
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCN	ext.	3	4.5×10^{13}	6.9	112					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.1×10^{12}	1.0	109					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{14}	8.9	95					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.1×10^{14}	19.1	81					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.8×10^{14}	22.8	56					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.0×10^{14}	13.8	35					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.8×10^{13}	4.3	14					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.9×10^{13}	2.0	7					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	6.4×10^{13}	3.0	0					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.3×10^{13}	3.0	-34					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.4×10^{13}	5.5	-100					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm H^{13}CN$	ext.	3	5.5×10^{12}	0.2	130					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.6×10^{12}	1.0	112					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.0×10^{14}	2.0	75					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.5×10^{13}	0.8	58					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.1×10^{14}	11.4	55					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.0×10^{12}	0.9	-21					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.0×10^{12}	2.3	-160					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC	ext.	3	1.9×10^{14}	10.9	122					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{13}	0.7	116					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	7.4×10^{12}	0.2	88					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.5×10^{14}	1.5	76					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.1×10^{14}	2.0	52					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.3×10^{15}	31.3	66					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{12}	0.8	60					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.8×10^{14}	13.7	47					
$\begin{array}{cccccccc} & \mathrm{ext.} & 3 & 1.3 \times 10^{13} & 1.1 & 7 \\ \mathrm{HN}^{13}\mathrm{C} & \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 9.1 & 55 \\ \mathrm{H}^{13}\mathrm{CO}^{+} & \mathrm{ext.} & 3 & 7.5 \times 10^{13} & 7.2 & 70 \\ & & \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 9.0 & 54 \end{array}$		ext.	3	7.2×10^{12}	1.0	18					
$\begin{array}{cccccc} \mathrm{HN}^{13}\mathrm{C} & \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 9.1 & 55 \\ \mathrm{H}^{13}\mathrm{CO}^{+} & \mathrm{ext.} & 3 & 7.5 \times 10^{13} & 7.2 & 70 \\ & \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 9.0 & 54 \end{array}$	10	ext.	3	1.3×10^{13}	1.1	7					
$\begin{array}{cccccc} \mathrm{H}^{13}\mathrm{CO}^{+} & \mathrm{ext.} & 3 & 7.5 \times 10^{13} & 7.2 & 70 \\ & \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 9.0 & 54 \end{array}$	$HN^{13}C$	ext.	3	2.0×10^{14}	9.1	55					
ext. 3 2.0×10^{14} 9.0 54	$H^{13}CO^+$	ext.	3	7.5×10^{13}	7.2	70					
		ext.	3	2.0×10^{14}	9.0	54					

Table L.19: LTE Parameters for the full LTE model (Core Components) for source A10 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSB} ^{m,c}
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
	. ,				,
CH_3OH	1.7	131	1.4×10^{18}	4.2	61
CH_3OCH_3	1.7	153	8.8×10^{16}	3.3	60
	1.7	76	5.5×10^{16}	5.6	61
OCS	1.7	111	5.9×10^{16}	6.4	68
	1.7	139	1.2×10^{14}	5.5	63
	1.7	138	2.1×10^{17}	5.7	60
$HC(O)NH_2$	1.7	200	1.2×10^{16}	6.5	64
	1.7	223	2.3×10^{16}	17.5	64
CH_3CHO	1.7	122	3.0×10^{16}	7.5	62
H_2CCO	1.7	145	2.1×10^{16}	7.0	61
HCCCN	1.7	103	5.1×10^{15}	18.1	64
	1.7	142	2.5×10^{16}	8.2	62
HCCCN, $v_7=2$	1.7	147	3.7×10^{16}	11.3	61
CH_3NH_2	1.7	215	2.0×10^{17}	8.8	62
$H_2^{34}S$	1.7	189	4.1×10^{16}	6.4	69
	1.7	259	7.6×10^{16}	8.1	59
H_2CNH	1.7	199	5.7×10^{16}	5.8	60
NO	1.7	249	9.3×10^{17}	7.2	66
	1.7	192	5.1×10^{17}	3.9	60
H_2CS	1.7	86	1.4×10^{16}	5.3	60
	1.7	125	3.6×10^{15}	3.4	59
H_2CO	1.7	143	6.5×10^{16}	0.7	66
	1.7	104	7.7×10^{17}	4.5	61
H_2CCN	1.7	139	3.0×10^{15}	8.6	60
	1.7	44	1.1×10^{15}	2.7	52
HNCO	1.7	42	6.9×10^{14}	3.9	64
	1.7	151	8.6×10^{16}	9.2	62
SO	1.7	407	1.3×10^{18}	8.1	65

		(Co	ntinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.7	69	3.2×10^{17}	10.9	61
SOa	17	311	2.1×10^{13}	7.0	-182
502	17	161	1.1×10^{18}	10.6	65
SO_{2} $w_{2}=1$	1.7	211	2.1×10^{13}	7.0	189
$SO_2, V_2=1$	1.7	100	2.1×10 2.7×10^{15}	7.0	-162
C_2H_3CN	1.1	100	3.7×10^{-3}	ə.7	60
	1.7	295	1.1×10^{12}	3.2	61
	1.7	100	3.4×10^{13}	4.1	60
	1.7	215	3.8×10^{15}	9.2	53
CH_3OCHO	1.7	180	6.6×10^{16}	5.8	60
CH_3CN	1.7	129	4.8×10^{16}	8.4	61
	1.7	86	9.8×10^{15}	0.5	57
NH2D	1.7	89	1.3×10^{16}	6.7	60
SO^{-}	1.7	200	7.7×10^{15}	7.7	62
CoHe OH	17	200	8.4×10^{16}	4.5	62
SiO	1.7	123	5.4×10^{16}	16.2	57
+ UCOOU	1.7	120	1.4×10^{15}	57	62
C IL CN	1.7	121	4.3×10^{-4}	5.7	02
C_2H_5CN	1.7	90	4.6×10^{16}	5.8	62
CH_2NH	1.7	116	2.3×10^{10}	17.7	61
NS	1.7	545	2.1×10^{15}	8.7	61
HCN, $v_2=1$	1.7	46	5.4×10^{16}	12.2	61
HNC, $v_2=1$	1.7	895	5.2×10^{15}	8.3	64
	1.7	633	4.5×10^{15}	8.2	58
CO	1.7	200	3.5×10^{13}	1.6	151
	1.7	200	8.7×10^{16}	8.1	127
	1.7	200	1.0×10^{12}	0.6	122
^{13}CO	17	200	2.9×10^{16}	29.5	162
~~~	17	200	$3.7 \times 10^{12}$	0.8	135
	1.7	200	$1.0 \times 10^{12}$	0.0	195
	1.7	200	$1.0 \times 10$	21.0	130
	1.7	200	$2.1 \times 10^{-3}$	1.0	130
	1.7	200	$1.4 \times 10^{12}$	0.6	-100
	1.7	200	$1.4 \times 10^{12}$	2.1	115
	1.7	200	$7.5 \times 10^{10}$	2.3	113
	1.7	200	$9.9 \times 10^{16}$	2.0	102
	1.7	200	$4.0 \times 10^{16}$	1.1	-39
	1.7	200	$1.3 \times 10^{13}$	0.1	-55
	1.7	200	$2.8 \times 10^{17}$	2.7	-62
	1.7	200	$8.6 \times 10^{15}$	1.0	-81
	1.7	200	$7.9 \times 10^{16}$	6.8	-147
	1.7	200	$3.1 \times 10^{16}$	1.8	-156
	17	200	$4.6 \times 10^{15}$	0.5	-132
	1.7	200	$7.7 \times 10^{15}$	2.7	-174
	1.7	200	$8.7 \times 10^{16}$	2.1	-174
0170	1.7	200	$6.7 \times 10^{-5}$	2.0	-101
ChiO	1.7	200	$5.2 \times 10^{10}$	3.7	-181
	1.7	200	$2.9 \times 10^{10}$	6.7	-173
	1.7	200	$1.3 \times 10^{17}$	8.5	-157
	1.7	200	$1.0 \times 10^{13}$	2.7	-143
	1.7	200	$1.9 \times 10^{16}$	2.9	-132
	1.7	200	$1.1 \times 10^{16}$	4.5	-111
	1.7	200	$3.3 \times 10^{15}$	2.7	-105
	1.7	200	$6.5 \times 10^{16}$	7.1	-83
	1.7	200	$3.4 \times 10^{15}$	2.7	-57
	1.7	200	$2.8 \times 10^{16}$	4.4	-39
	1.7	200	$1.0 \times 10^{15}$	2.7	-26
	1.7	200	$1.0 \times 10^{15}$	2.7	-20
	1.7	200	$1.0 \times 10^{16}$ $1.1 \times 10^{16}$	4.6	-12
	1.7	200	$1.1 \times 10^{15}$	4.0	-12
	1.7	200	$5.5 \times 10^{17}$	2.1 E 2	9 60
	1.7	200	$7.5 \times 10^{16}$	0.0 E 9	00
	1.1	200	$0.0 \times 10^{-5}$ 1 1 $\times 10^{16}$	0.0 7 1	01
	1.(	200	$1.1 \times 10^{10}$	(.1	90
	1.7	200	$(.3 \times 10^{10})$	9.2	105
C18 C	1.7	200	$4.9 \times 10^{10}$	1.3	162
CTOO	1.7	200	$4.2 \times 10^{10}$	7.5	-179
	1.7	200	$1.4 \times 10^{16}$	7.1	-143
	1.7	200	$1.4 \times 10^{16}$	9.0	-134
	1.7	200	$4.9 \times 10^{14}$	2.6	-123
	1.7	200	$1.8 \times 10^{16}$	1.2	-91
	1.7	200	$1.7 \times 10^{17}$	15.1	-63
	1.7	200	$1.6 \times 10^{16}$	3.7	-36
	1.7	200	$2.6 \times 10^{16}$	2.9	-22
	17	200	$4.8 \times 10^{15}$	2.3	-11
	17	200	$2.4 \times 10^{12}$	5.3	_3
	17	200	2.7 ~ 10	17	10
	1.1	200	2.0 \ 10	-±.1	19

T. Möller et al.: Full molecular line survey of hot cores, G	Online	Material	p 16
--------------------------------------------------------------	--------	----------	------

		(0	Continued)						(C	ontinued)
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{o}}^{m,c}$	$\Delta v^{m,c}$	v _{LSR}		Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$
. <u></u>	('')	(K)	$\frac{(\text{cm}^{-2})}{1000}$	$({\rm km  s^{-1}})$	$({\rm km}{\rm s}^{-1})$			(")	(K)	$\frac{(\text{cm}^{-2})}{1-1}$
	1.7	200	$4.0 \times 10^{13}$	1.4	27			1.7	200	$1.7 \times 10^{12}$
	1.7	200	$1.5 \times 10^{15}$	0.9	02 96			1.7 1.7	200	$4.8 \times 10^{-3}$ 3.9 $\times 10^{13}$
	1.7	200	$4.6 \times 10^{15}$	$2.0 \\ 2.5$	107			1.7	200	$2.6 \times 10^{13}$
	1.7	200	$2.4 \times 10^{16}$	2.3	123			1.7	200	$3.3 \times 10^{12}$
	1.7	200	$8.0 \times 10^{16}$	6.8	135			1.7	200	$4.7 \times 10^{13}$
	1.7	200	$1.2 \times 10^{16}$	4.7	158			1.7	200	$3.5 \times 10^{13}$
$\mathbf{CS}$	1.7	200	$1.1 \times 10^{14}$	3.2	103			1.7	200	$8.5 \times 10^{12}$
	1.7	200	$6.6 \times 10^{14}$	7.1	38		HNC	1.7	200	$2.7 \times 10^{12}$
	1.7	200	$3.0 \times 10^{11}$ 7.4 × 10 ¹³	8.1	30 19			1.7 1.7	200	$8.5 \times 10^{12}$
	1.7 1.7	200	$4.5 \times 10^{13}$	2.5	8			1.7 17	200	$2.3 \times 10^{13}$
	1.7	200	$9.9 \times 10^{13}$	1.6	0			1.7	200	$1.8 \times 10^{13}$
	1.7	200	$2.2 \times 10^{14}$	3.8	-14			1.7	200	$2.1 \times 10^{12}$
	1.7	200	$7.3 \times 10^{13}$	1.2	-23			1.7	200	$2.4~\times10^{14}$
	1.7	200	$2.9 \times 10^{13}$	0.7	-36			1.7	200	$1.3 \times 10^{12}$
	1.7	200	$1.4 \times 10^{14}$	5.1	-51			1.7	200	$9.1 \times 10^{13}$
	1.7	200	$9.0 \times 10^{11}$	0.1	-58			1.7	200	$1.4 \times 10^{13}$
	1.7	200	$6.6 \times 10^{12}$	1.6	-69 72			1.7	200	$1.3 \times 10^{13}$
	1.7	200	$3.1 \times 10^{13}$ 1.8 × 10 ¹³	3.3 2.2	-73 01			1.7	200	$1.2 \times 10^{13}$
	1.7 1.7	200	$7.3 \times 10^{13}$	2.4	-91			1.7 17	200	$2.1 \times 10^{13}$
	1.7	200	$6.5 \times 10^{13}$	2.1	-108			1.7	200	$1.3 \times 10^{13}$
	1.7	200	$9.0 \times 10^{12}$	0.8	-117			1.7	200	$1.2 \times 10^{13}$
$^{13}CS$	1.7	200	$1.1 \times 10^{12}$	1.2	105			1.7	200	$1.1 \times 10^{13}$
	1.7	200	$2.8 \times 10^{13}$	2.0	98			1.7	200	$1.3 \times 10^{12}$
	1.7	200	$2.5 \times 10^{12}$	0.7	93			1.7	200	$8.7 \times 10^{11}$
	1.7	200	$5.6 \times 10^{13}$	3.2	86 79			1.7	200	$1.4 \times 10^{13}$
	1.7	200	$2.0 \times 10^{12}$	0.8	72		$UN^{13}C$	1.7	200	$1.4 \times 10^{13}$
	1.7 1.7	200	$4.9 \times 10^{13}$	23.3 8 1	40		III C	1.7 1.7	200	$5.3 \times 10^{13}$
	1.7	200	$1.0 \times 10^{12}$	3.1	21			1.7	200	$3.4 \times 10^{13}$
	1.7	200	$2.4 \times 10^{13}$	0.7	11			1.7	200	$2.6 \times 10^{13}$
$C^{33}S$	1.7	200	$3.8 \times 10^{16}$	15.2	-148			1.7	200	$4.0 \times 10^{14}$
	1.7	200	$1.2 \times 10^{15}$	9.1	-108			1.7	200	$3.9 \times 10^{13}$
	1.7	200	$6.2 \times 10^{14}$	5.1	-86			1.7	200	$3.9 \times 10^{13}$
	1.7	200	$5.3 \times 10^{14}$	10.3	-71			1.7	200	$5.2 \times 10^{13}$
	1.7	200	$3.6 \times 10^{14}$	10.2	-59			1.7	200	$10.0 \times 10^{10}$
	1.7 1.7	200	$1.3 \times 10^{13}$	2.6	-39			1.7 1.7	200	$5.3 \times 10^{13}$
	1.7	200	$7.1 \times 10^{14}$	17.7	2		$HO^{13}C^+$	1.7	200	$4.2 \times 10^{13}$
	1.7	200	$2.0 \times 10^{12}$	6.8	10			1.7	200	$2.2 \times 10^{13}$
	1.7	200	$1.9 \times 10^{14}$	9.6	39			1.7	200	$1.1 \times 10^{12}$
	1.7	200	$4.1 \times 10^{14}$	7.7	82			1.7	200	$1.2 \times 10^{12}$
	1.7	200	$1.0 \times 10^{15}$	9.2	118			1.7	200	$4.2 \times 10^{13}$
C34C	1.7	200	$3.5 \times 10^{14}$	6.1	159			1.7	200	$2.9 \times 10^{12}$
Co ₄ S	1.7	200	$1.2 \times 10^{10}$	6.8	-175 164			1.7	200	$1.5 \times 10^{12}$
	1.7 1.7	200	$5.8 \times 10^{14}$	0.4 3.4	-104 -154			1.7 1.7	200	$3.2 \times 10^{12}$
	1.7	200	$1.3 \times 10^{15}$	11.1	-146			1.7	200	$5.9 \times 10^{13}$
	1.7	200	$5.3 \times 10^{14}$	7.7	-124			1.7	200	$1.2 \times 10^{12}$
	1.7	200	$4.1 \times 10^{14}$	4.7	-116			1.7	200	$1.4 \times 10^{14}$
	1.7	200	$2.7 \times 10^{14}$	8.4	-103			1.7	200	$3.8 \times 10^{12}$
	1.7	200	$1.5 \times 10^{14}$	3.7	-91			1.7	200	$3.3 \times 10^{13}$
	1.7	200	$1.9 \times 10^{14}$	11.1	-10			1.7	200	$1.0 \times 10^{12}$
	1.7	200	$2.8 \times 10^{14}$	7.7	5			1.7	200	$1.3 \times 10^{13}$
	1.7	200	$1.4 \times 10^{11}$ 2.7 × 10 ¹⁴	6.9 7 1	27			1.7 1.7	200	$3.2 \times 10^{12}$
	1.7 1.7	200	$1.3 \times 10^{14}$	2.0	03 03			1.7 17	200	$3.7 \times 10^{13}$
	1.7	200	$2.2 \times 10^{14}$	5.6	99			1.1	200	0.1 ×10
	1.7	200	$5.5 \times 10^{13}$	2.3	107					
	1.7	200	$3.1~\times 10^{14}$	5.2	129					
	1.7	200	$3.0 \times 10^{15}$	13.2	153	т	able L 20.	LTE	Param	eters for
HCN	1.7	200	$6.6 \times 10^{14}$	1.4	48	1 (1	Envelope $C$	ompor	ente) fo	r = 101
	1.7	200	$1.7 \times 10^{14}$	0.8	41	()	Sinciope O	ompon	01103/10	a source A
	1.7	200	$9.9 \times 10^{13}$	4.7	-3			0m -	mm c	NTM. C
$H^{13}CN$	1.7	200	$2.0 \times 10^{13}$ 6.7 $\times 10^{13}$	0.8	-23 02		Molecule	$\theta^{m,c}$	$T_{ex}^{n,c}$	$N_{tot}^{m,c}$
	1.7	200	$2.1 \times 10^{16}$	4.4 11.1	55 64			(")	(K)	(cm ~)
	1.7	200	$2.2 \times 10^{15}$	5.4	51					
	1.7	200	$7.1 \times 10^{14}$	40.0	45					
	1.7	200	$1.3 \times 10^{12}$	1.1	30					

 $1.0 \times 10^{12}$  $1.3 \times 10^{13}$ 6.8-22  $3.2 \times 10^{12}$  $8.7 \times 10^{11}$ -23 0.70.218 $3.7 \times 10^{13}$ 3.2-94 ers for the full LTE model source A10 in Sgr B2(M).

 $\stackrel{\rm v^{m,c}_{\rm LSR}}{\rm (km\,s^{-1})}$ 

16

 $\mathbf{2}$ 

-11

-6

-28

-28

-46

-80

105

105

63

27

4

-20

-17

-38

-37

-41

-50

-56

-65

-72

-81

-86

-101

-108

-114

-124

-134

-172

-132

-120

-57

-15

7

34

41

76

112

128

164

144

139

127

121

94

89

104

69

56

68

22

20

-1

-10

 $\Delta \mathbf{v}^{m,c}$  $({\rm km}\,{\rm s}^{-1})$ 

4.7

4.2

4.1

1.4

1.7

6.4

11.0

6.0

1.0

0.9

0.9

1.5

1.2

6.3

0.8

0.9

16.7

0.7

0.9

0.9

3.7

0.7

2.1

1.3

2.1

0.9

0.2

3.2

2.1

8.4

7.8

4.1

6.5

11.3

2.4

5.2

2.1

13.1

6.4

6.2

30.0

31.5

1.4

0.5

31.6

0.6

8.5

12.6

6.5

9.7

7.3

28.6

0.6

0.9

39.5

Malaanla	$\Omega m.c$	$T^{m,c}$	$n_m,c$	$\Lambda - m.c$	$_{m,c}$
molecule	0,-	Lev	INALL	$\Delta V^{m,a}$	Vicin
		CA	tot	-	LSR
	('')	$(\mathbf{V})$	$(am^{-2})$	(1 - 1)	(1 - 1)
		(11)	(CIII)	(KIIIS)	(KIIIS)

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 166

$ \begin{aligned} \begin{aligned} & \text{Molecule}  \begin{array}{c} 0^{m,0} & 0^{m,0} & 1_{k}, & 1_{k}, & 1_{k} & 1_{k} & 1_{k} & 0^{m,0} & 1_{k} & 1_{k} & 0^{m,0} & 0^{m,0} & 1_{k} & 0^{m,0} & 0^$		(Continued)					(Continued)					
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
		('')	(K)	(cm 2)	(km s ⁻¹ )	(km s ⁻¹ )		(") ext	(K) 3	$\frac{(\text{cm}^2)}{2.4 \times 10^{15}}$	(km s ⁻¹ ) 4 1	$\frac{(\text{km s}^{-1})}{-98}$
ect.         6         22 × 10 ¹⁴ 3.9         64         C ¹⁷ O         ect.         3         12 × 10 ¹⁴ 2.7         -175           ext.         2         4.3 × 10 ¹⁵ 2.0         63         ext.         3         1.0 × 10 ¹⁴ 2.7         -140           IL ₂ CNII         ext.         3         1.0 × 10 ¹⁴ 7.1         -120         ext.         3         1.0 × 10 ¹⁴ 7.1         -120           ext.         3         1.0 × 10 ¹⁴ 0.7         1.5 × 10 ¹⁷ 120         63         ext.         3         1.0 × 10 ¹⁴ 1.1         -901           ext.         10         1.2 × 10 ¹⁴ 1.0 × 10 ¹⁶ -905         ext.         3         1.0 × 10 ¹⁴ 1.0         -901         ext.         3         1.0 × 10 ¹⁴ 3.0 × 10 ¹⁴ 1.0         -901         4.0 × 10 ¹⁴ 1.0 × 1	CH ₃ OH	ext.	5	$9.5 \times 10^{14}$	10.4	65		ext.	3	$5.5 \times 10^{13}$	1.0	-99
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	6	$2.2 \times 10^{15}$	3.9	64		ext.	3	$2.2 \times 10^{14}$	0.9	-111
	DU	ext.	13	$1.5 \times 10^{15}$	6.8	55	$C^{17}O$	ext.	3	$1.1 \times 10^{14}$	2.7	-175
	$PH_3$	ext.	52 20	$4.3 \times 10^{17}$	2.0	63 55		ext.	3	$1.0 \times 10^{14}$ 3.0 × 10 ¹⁴	2.7	-140 124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	H ₂ CNH	ext.	29	$1.2 \times 10^{13}$	6.0	64		ext.	3	$3.0 \times 10^{-3.1} \times 10^{-14}$	7.1 3.4	-124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2	ext.	3	$1.8 \times 10^{13}$	6.7	57		ext.	3	$3.0 \times 10^{14}$	3.4	-101
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$_{\rm CN}$	ext.	6	$5.6 \times 10^{13}$	11.5	83		ext.	3	$7.3 \times 10^{14}$	7.1	-90
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	39	$1.5 \times 10^{17}$	12.0	63 21		ext.	3	$8.4 \times 10^{14}$	9.8 2.1	-77
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	19 4	$3.2 \times 10^{-1}$ $1.3 \times 10^{14}$	$0.0 \\ 10.7$	$\frac{31}{17}$		ext.	3 3	$2.7 \times 10^{14}$	2.1 1.6	-05 -51
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	23	$8.8 \times 10^{14}$	10.1	4		ext.	3	$8.5 \times 10^{14}$	13.7	-46
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	4	$4.4 \times 10^{13}$	3.9	-2		ext.	3	$7.9 \times 10^{14}$	4.6	1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	22	$5.3 \times 10^{14}$	11.6	-26		ext.	3	$3.2 \times 10^{14}$	3.7	11
		ext.	31 5	$1.4 \times 10^{10}$ 8.1 × 10 ¹²	9.5 2.9	-46 -67		ext.	3 3	$3.0 \times 10^{14}$ 1.6 × 10 ¹⁴	3.0 3.0	33 30
		ext.	5	$1.1 \times 10^{14}$	12.9	-101		ext.	3	$7.5 \times 10^{15}$	6.7	$53 \\ 52$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$H_2CO$	ext.	11	$4.2~{\times}10^{13}$	3.1	72		ext.	3	$2.3 \times 10^{15}$	6.2	73
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	41	$1.1 \times 10^{16}$	9.6	64		ext.	3	$2.9 \times 10^{14}$	2.3	124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CCII	ext.	33	$2.4 \times 10^{15}$	4.0	55 66	0180	ext.	3	$6.2 \times 10^{14}$	4.4	129
	CCH	ext.	3 47	$3.3 \times 10^{13}$ $3.4 \times 10^{14}$	11.8 3.6	00 54	0.0	ext.	3 3	$1.9 \times 10^{13}$ 5.5 × 10 ¹³	2.0 2.6	-120 -112
	SiO	ext.	8	$1.3 \times 10^{14}$	13.7	70		ext.	3	$2.7 \times 10^{15}$	30.3	-57
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		ext.	38	$9.0 \times 10^{14}$	8.6	58		ext.	3	$9.2 \times 10^{14}$	4.3	-44
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	14	$2.2 \times 10^{14}$	13.9	47		ext.	3	$1.7 \times 10^{16}$	8.9	51
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$CH_2NH$	ext.	3	$1.0 \times 10^{13}$	2.9	73 64		ext.	3	$5.3 \times 10^{13}$	9.0	73
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 8	$1.3 \times 10^{13}$	9.5 2.8	04 55		ext.	3 3	$1.0 \times 10$ $1.3 \times 10^{14}$	$\frac{4.3}{2.6}$	92 113
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CO	ext.	3	$7.1 \times 10^{15}$	10.6	104		ext.	3	$3.6 \times 10^{14}$	7.7	109
ext. 3 $6.3 \times 10^{15}$ 2.0 $-77$ CS ext. 3 $1.2 \times 10^{12}$ 12.1 86 ext. 3 $1.8 \times 10^{13}$ 1.4 68 ext. 3 $1.4 \times 10^{15}$ 1.7 69 ext. 3 $5.3 \times 10^{15}$ 4.2 $-113$ ext. 3 $7.6 \times 10^{16}$ 33.5 61 ext. 3 $4.2 \times 10^{16}$ 6.6 $-107$ ext. 3 $2.4 \times 10^{14}$ 4.3 78 ext. 3 $4.9 \times 10^{15}$ 2.0 51 13 CS ext. 3 $2.4 \times 10^{14}$ 4.3 78 ext. 3 $1.8 \times 10^{16}$ 0.8 30 ext. 3 $2.9 \times 10^{15}$ 4.0 56 ext. 3 $1.8 \times 10^{16}$ 0.8 30 ext. 3 $2.9 \times 10^{15}$ 4.0 56 ext. 3 $1.8 \times 10^{16}$ 0.8 30 ext. 3 $3.0 \times 10^{15}$ 4.0 56 ext. 3 $1.2 \times 10^{14}$ 1.9 41 ext. 3 $3.0 \times 10^{15}$ 4.0 56 ext. 3 $1.2 \times 10^{14}$ 0.3 74 ext. 3 $1.7 \times 10^{16}$ 11.8 55 ext. 3 $1.2 \times 10^{16}$ 1.9 20 ext. 3 $2.8 \times 10^{16}$ 6.0 -140 ext. 3 $1.2 \times 10^{16}$ 1.8 5 11 ext. 3 $1.0 \times 10^{16}$ 6.8 -106 ext. 3 $1.2 \times 10^{16}$ 1.8 5 11 ext. 3 $4.2 \times 10^{15}$ 9.7 -50 ext. 3 $9.8 \times 10^{14}$ 0.6 -11 ext. 3 $9.8 \times 10^{14}$ 0.6 -11 ext. 3 $9.8 \times 10^{16}$ 0.0 -2 ext. 3 $4.2 \times 10^{15}$ 9.3 68 ext. 3 $1.4 \times 10^{16}$ 1.9.8 -24 ext. 3 $5.7 \times 10^{16}$ 1.1.2 107 ext. 3 $3.4 \times 10^{16}$ 7.7 -46 ext. 3 $3.8 \times 10^{14}$ 2.5 -70 ext. 3 $5.9 \times 10^{15}$ 3.3 -61 ext. 3 $5.9 \times 10^{15}$ 3.3 -61 ext. 3 $5.9 \times 10^{15}$ 5.3 -61 ext. 3 $3.8 \times 10^{16}$ 2.5 0 -97 ext. 3 $3.8 \times 10^{16}$ 2.5 0 -97 ext. 3 $3.8 \times 10^{16}$ 2.5 0 -97 ext. 3 $3.8 \times 10^{16}$ 0.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -70 ext. 3 $3.6 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -70 ext. 3 $2.6 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -70 ext. 3 $2.6 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -250 ext. 3 $2.6 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -50 ext. 3 $3.0 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -50 ext. 3 $3.0 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -50 ext. 3 $3.0 \times 10^{15}$ 7.3 -68 ext. 3 $3.0 \times 10^{14}$ 2.5 -50 ext. 3 $3.0 \times 10^{15}$ 7.2 53 ext. 3 $3.0 \times 10^{15}$ 7.2 53 ext. 3 $3.0 \times 10^{15}$ 5.9 12 ext. 3 $3.0 \times 10^{15$		ext.	3	$6.0 \times 10^{16}$	39.7	84		ext.	3	$3.7 \times 10^{14}$	5.6	118
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$6.3 \times 10^{15}$	2.0	-77	$\mathbf{CS}$	ext.	3	$1.2 \times 10^{12}$	12.1	86
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.8 \times 10^{13}$ 5.2 × 10 ¹⁵	1.4	68 112		ext.	3	$1.4 \times 10^{13}$ 7.6 × 10 ¹⁶	1.7	69 61
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.2 \times 10^{15}$	4.2 6.6	-113		ext.	3	$4.8 \times 10^{16}$	3.6	54
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.9 \times 10^{15}$	2.0	51	$^{13}CS$	ext.	3	$2.4 \times 10^{14}$	4.3	78
ext. 3 $5.2 \times 10^{14}$ 1.9 41 ext. 3 $3.0 \times 10^{15}$ 4.0 56 ext. 3 $1.8 \times 10^{16}$ 0.6 14 C ³³ S ext. 3 $1.7 \times 10^{16}$ 11.8 55 ext. 3 $1.0 \times 10^{15}$ 0.9 20 ext. 3 $2.8 \times 10^{16}$ 20.1 -153 ext. 3 $1.2 \times 10^{14}$ 0.3 74 ext. 3 $2.8 \times 10^{16}$ 20.1 -153 ext. 3 $1.2 \times 10^{14}$ 0.3 74 ext. 3 $2.8 \times 10^{16}$ 9.0 -140 ext. 3 $1.2 \times 10^{14}$ 10.0 -2 ext. 3 $4.2 \times 10^{15}$ 9.7 -50 ext. 3 $9.8 \times 10^{14}$ 0.6 -11 ext. 3 $5.7 \times 10^{14}$ 3.0 -15 ext. 3 $9.8 \times 10^{14}$ 0.6 -11 ext. 3 $8.8 \times 10^{14}$ 4.3 25 ext. 3 $3.4 \times 10^{16}$ 19.8 -24 ext. 3 $4.6 \times 10^{15}$ 5.9 52 ext. 3 $3.1 \times 10^{15}$ 4.0 -33 ext. 3 $2.8 \times 10^{15}$ 5.9 52 ext. 3 $3.1 \times 10^{15}$ 4.0 -33 ext. 3 $2.8 \times 10^{15}$ 9.3 68 ext. 3 $5.9 \times 10^{15}$ 4.3 -51 ext. 3 $3.3 \times 10^{14}$ 2.5 -70 ext. 3 $5.9 \times 10^{15}$ 4.3 -61 C ³⁴ S ext. 3 $3.3 \times 10^{14}$ 2.5 -70 ext. 3 $5.9 \times 10^{15}$ 0.8 -64 ext. 3 $3.3 \times 10^{14}$ 2.5 -70 ext. 3 $3.8 \times 10^{16}$ 2.0 -97 ext. 3 $3.0 \times 10^{14}$ 2.5 -50 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.6 \times 10^{14}$ 1.8 55 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.6 \times 10^{14}$ 1.8 55 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.6 \times 10^{14}$ 2.5 -50 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.7 \times 10^{12}$ 1.6 69 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.6 \times 10^{14}$ 2.2 57 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.7 \times 10^{12}$ 1.6 69 ext. 3 $2.6 \times 10^{12}$ 1.6 -107 HCN ext. 3 $8.7 \times 10^{12}$ 1.6 69 ext. 3 $2.6 \times 10^{13}$ 0.7 86 ext. 3 $2.4 \times 10^{13}$ 2.0 75 ext. 3 $2.6 \times 10^{16}$ 0.3 8 70 ext. 3 $3.9 \times 10^{16}$ 0.3 8 70 ext. 3 $3.8 \times 10^{16}$ 7.2 53 ext. 3 $3.9 \times 10^{15}$ 5.9 13 H ¹³ CN ext. 3 $3.6 \times 10^{13}$ 7.8 19 ext. 3 $3.6 \times 10^{15}$ 7.9 13 H ¹³ CN ext. 3 $3.6 \times 10^{13}$ 0.1 66 ext. 3 $3.6 \times 10^{15}$ 1.1 -48 ext. 3 $3.6 \times 10^{12}$ 0.5 93 ext. 3 $5.6 \times 10^{13}$ 0.1 1 65 ext. 3 $5.6 \times 10^{15}$ 1.1 -48 ext. 3 $1.1 \times 10^{13}$ 3.5 16 ext. 3 $5.6 \times 10^{15}$ 1.1 -48 ext. 3 $1.1 \times 10^{13}$ 3.5 16 ext. 3 $2.4 \times 10^{15}$ 1.0 -62 ext. 3 $2.$		ext.	3	$7.0 \times 10^{16}$	39.8	44		ext.	3	$2.9 \times 10^{15}$	0.2	66
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.2 \times 10^{14}$	1.9	41		ext.	3	$3.0 \times 10^{15}$	4.0	56 55
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	$1.8 \times 10^{16}$ 1.8 $\times 10^{16}$	0.8	30 14	$C^{33}S$	ext.	3 3	$1.7 \times 10^{10}$ 8.7 × 10 ¹⁶	11.8 20.1	55 -153
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.0 \times 10^{15}$ $1.0 \times 10^{15}$	0.9	20	0 0	ext.	3	$2.8 \times 10^{16}$	9.0	-140
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.2 \times 10^{14}$	0.3	74		ext.	3	$1.0 \times 10^{16}$	6.8	-106
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.0 \times 10^{16}$	18.5	11		ext.	3	$4.2 \times 10^{15}$	9.7	-50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{10}$	10.0	-2 11		ext.	3	$5.7 \times 10^{14}$	3.0	-15 25
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.4 \times 10^{16}$	19.8	-11 -24		ext.	3 3	$4.6 \times 10^{15}$	$\frac{4.3}{5.9}$	$\frac{25}{52}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.1 \times 10^{15}$	4.0	-33		ext.	3	$2.8 \times 10^{15}$	9.3	68
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.2 \times 10^{16}$	7.7	-46		ext.	3	$5.7 \times 10^{15}$	11.2	107
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.9 \times 10^{15}$	4.3	-51	C34C	ext.	3	$1.3 \times 10^{15}$	2.8	122
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.5 \times 10^{15}$	3.3 0.8	-01 -64	C2	ext.	3	$3.3 \times 10^{-1}$ $3.0 \times 10^{14}$	$\frac{2.5}{2.5}$	-70 -50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.8 \times 10^{16}$	25.0	-97		ext.	3	$6.0 \times 10^{14}$	6.2	20
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$7.0 \times 10^{15}$	7.3	-68		ext.	3	$2.6 \times 10^{16}$	11.8	55
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.4 \times 10^{12}$	6.2	-102		ext.	3	$4.3 \times 10^{15}$	28.1	75
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.6 \times 10^{12}$ 5.0 × 10 ¹⁴	1.6	-107	HCN	ext.	3	$8.0 \times 10^{12}$ 6.6 × 10^{13}	1.6	114 70
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$4.6 \times 10^{15}$	0.3 4.7	-89 -40		ext.	3 3	$2.4 \times 10^{13}$	$\frac{3.8}{2.0}$	79 75
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$^{13}\mathrm{CO}$	ext.	3	$2.0 \times 10^{13}$	0.7	86		ext.	3	$8.7 \times 10^{12}$	1.6	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$2.6 \times 10^{16}$	23.9	82		ext.	3	$2.8 \times 10^{14}$	24.2	58
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.8 \times 10^{16}$	0.8	70		ext.	3	$1.1 \times 10^{14}$	5.8	35
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	33	$2.8 \times 10^{10}$ 3.9 $\times 10^{16}$	7.2 30.6	53 50		ext.	3	$3.4 \times 10^{14}$ 2.3 × 10 ¹³	30.6 0.3	20 28
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.9 \times 10^{13}$	0.5	15		ext.	3	$5.0 \times 10^{13}$	7.8	19
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$3.0 \times 10^{15}$	5.9	13	$\rm H^{13}CN$	ext.	3	$6.5 \times 10^{13}$	6.4	126
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.7 \times 10^{12}$	0.2	-185		ext.	3	$1.2 \times 10^{12}$	1.5	98
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$5.9 \times 10^{15}$	8.9	2		ext.	3	$8.0 \times 10^{12}$	0.5	93 65
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	చ 3	$5.2 \times 10^{13}$ 5.6 $\times 10^{15}$	$\frac{2.1}{1.1}$	-32 -44		ext.	చ 3	$1.0 \times 10^{13}$ 1 4 $\times 10^{15}$	0.1 16.2	62 62
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.6 \times 10^{15}$	1.1	-48		ext.	3	$1.1 \times 10^{13}$	3.5	16
ext.       3 $4.5 \times 10^{15}$ $30.6$ $-49$ ext.       3 $2.1 \times 10^{13}$ $2.4$ $82$ ext.       3 $1.2 \times 10^{15}$ $2.6$ $-78$ ext. $3$ $5.6 \times 10^{13}$ $1.5$ $74$		ext.	3	$2.4 \times 10^{15}$	1.0	-62	HNC	ext.	3	$1.8~{\times}10^{13}$	2.1	91
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$4.5 \times 10^{15}$	30.6	-49		ext.	3	$2.1 \times 10^{13}$	2.4	82
		ext.	3	1.2 ×10 ¹³	2.6	-78		ext.	3	5.6 ×10 ¹³	1.5	74

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 167

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$				
	ext.	3	$5.5 \times 10^{14}$	16.1	65				
	ext.	3	$1.3 \times 10^{14}$	6.1	55				
	ext.	3	$1.0 \times 10^{14}$	10.6	42				
	ext.	3	$1.2 \times 10^{12}$	3.0	31				
	ext.	3	$2.2 \times 10^{13}$	3.3	16				
	ext.	3	$1.4 \times 10^{12}$	1.0	-97				
	ext.	3	$2.4 \times 10^{12}$	1.0	-110				
$\rm H^{13}CO^+$	ext.	3	$1.1 \times 10^{14}$	10.9	55				
	ext.	3	$1.1 \times 10^{12}$	1.4	50				

Table L.21: LTE Parameters for the full LTE model (Core Components) for source A11 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ov}$	$N_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL CD
	(")	(K)	$(\mathrm{cm}^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
			. /		
$CH_3OCHO$	1.6	200	$1.1 \times 10^{16}$	7.5	64
CN	1.6	200	$7.5 \times 10^{15}$	3.2	26
CCH	1.6	33	$1.8 \times 10^{16}$	12.8	61
$H_2CNH$	1.6	223	$3.0 \times 10^{15}$	7.7	63
$CH_3OCH_3$	1.6	153	$9.0 \times 10^{15}$	5.3	64
$CH_3OH$	1.6	124	$3.3 \times 10^{16}$	8.0	64
$C_2H_5CN$	1.6	163	$6.2 \times 10^{14}$	4.2	65
$C_2H_5CN, v_{20}=1$	1.6	594	$1.2 \times 10^{14}$	9.2	57
SiO	1.6	205	$2.1 \times 10^{15}$	24.1	59
OCS	1.6	382	$7.4 \times 10^{12}$	8.1	63
$CH_3CN$	1.6	115	$1.9 \times 10^{14}$	3.6	64
$H_2CCO$	1.6	194	$1.4 \times 10^{14}$	3.8	63
HCCCN	1.6	117	$3.5 \times 10^{14}$	4.2	64
$H_2CS$	1.6	159	$4.7 \times 10^{15}$	8.3	64
$^{13}CO$	1.6	200	$5.4 \times 10^{15}$	8.0	115
	1.6	200	$4.6 \times 10^{16}$	1.3	105
	1.6	200	$5.8 \times 10^{16}$	5.1	97
	1.6	200	$1.3 \times 10^{17}$	8.1	88
	1.6	200	$7.7 \times 10^{16}$	3.6	52
	1.6	200	$1.1 \times 10^{17}$	0.9	-4
$C^{17}O$	1.6	200	$9.6 \times 10^{14}$	2.7	-180
	1.6	200	$4.6 \times 10^{16}$	12.2	-121
	1.6	200	$3.3 \times 10^{15}$	2.7	-95
	1.6	200	$2.5 \times 10^{16}$	7.6	-82
	1.6	200	$1.7 \times 10^{16}$	2.7	-50
	1.6	200	$5.4 \times 10^{15}$	2.7	-26
	1.6	200	$8.0 \times 10^{15}$	2.8	-18
	1.6	200	$1.1 \times 10^{16}$	3.8	-13
	1.6	200	$5.9 \times 10^{15}$	2.7	-4
	1.6	200	$3.0 \times 10^{14}$	2.7	15
	1.6	200	$3.0 \times 10^{14}$	2.7	22
	1.6	200	$1.2 \times 10^{16}$	2.7	28
	1.6	200	$7.7 \times 10^{15}$	2.8	33
	1.6	200	$3.1 \times 10^{16}$	2.7	41
	1.6	200	$2.4 \times 10^{16}$	3.3	84
	1.6	200	$3.7 \times 10^{15}$	2.7	94
	1.6	200	$1.3 \times 10^{16}$	4.9	105
	1.6	200	$2.2 \times 10^{15}$	2.7	115
	1.6	200	$8.6 \times 10^{15}$	3.1	135
10	1.6	200	$3.3 \times 10^{15}$	2.7	154
$C^{18}O$	1.6	200	$3.8 \times 10^{15}$	3.4	-167
	1.6	200	$4.3 \times 10^{15}$	2.7	-159
	1.6	200	$1.6 \times 10^{16}$	3.7	-132
	1.6	200	$3.6 \times 10^{15}$	2.2	-115
	1.6	200	$1.5 \times 10^{16}$	4.1	-109
	1.6	200	$4.1 \times 10^{15}$	2.7	-88
	1.6	200	$7.3 \times 10^{15}$	2.7	-80
	1.6	200	$1.2 \times 10^{16}$	3.6	-63
	1.6	200	$5.5 \times 10^{15}$	3.0	-50
	1.6	200	$8.5 \times 10^{15}$	3.0	-14
	1.6	200	$1.1 \times 10^{16}$	2.7	22

		(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	(″) 1.6	(K) 200	$\frac{(\text{cm}^{-2})}{5.1 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{2.7}$	$\frac{(\text{km s}^{-1})}{27}$
	1.6	200	$7.1 \times 10^{15}$	2.9	35
	1.6	200	$1.7 \times 10^{17}$	21.3	84
	1.6 1.6	$200 \\ 200$	$2.0 \times 10^{12}$ 1.4 × 10^{17}	7.5 22.1	$125 \\ 137$
$\mathbf{CS}$	1.6	200	$2.8 \times 10^{13}$	3.5	112
	1.6	200	$4.0 \times 10^{13}$	0.8	107
	1.6	200	$1.8 \times 10^{14}$	7.3	101
	$1.0 \\ 1.6$	$200 \\ 200$	$1.1 \times 10$ 8.4 × 10 ¹⁴	5.9 1.1	90 51
	1.6	200	$1.7 \times 10^{13}$	0.9	22
	1.6	200	$9.5 \times 10^{13}$	4.4	14
	1.6 1.6	$200 \\ 200$	$4.5 \times 10^{13}$ 6.3 × 10^{13}	2.3 1.2	-1 -62
	1.6	200	$5.7 \times 10^{13}$	5.5	-68
$^{13}CS$	1.6	200	$4.2 \times 10^{13}$	2.1	96
	1.6	200	$5.5 \times 10^{13}$	1.1	33
	1.6 1.6	$200 \\ 200$	$7.1 \times 10^{13}$ 8.4 $\times 10^{13}$	4.0 4.1	0 -13
	1.6	200	$3.0 \times 10^{13}$	2.3	-25
	1.6	200	$2.5 \times 10^{14}$	1.0	-40
	1.6	200	$1.7 \times 10^{12}$	1.0	-55
$C^{34}S$	1.6 1.6	$200 \\ 200$	$3.4 \times 10^{14}$ 6.9 × 10^{13}	0.9 6.2	-86 97
0 5	$1.0 \\ 1.6$	$200 \\ 200$	$10.0 \times 10^{13}$	8.8	102
HCN	1.6	200	$1.9 \times 10^{14}$	1.6	50
	1.6	200	$1.3 \times 10^{14}$	3.0	44
	1.6	$200 \\ 200$	$7.3 \times 10^{13}$ $3.5 \times 10^{13}$	2.1	37 28
	$1.0 \\ 1.6$	$200 \\ 200$	$5.3 \times 10^{13}$	$\frac{2.0}{3.8}$	28 16
	1.6	200	$1.0 \times 10^{12}$	0.7	2
	1.6	200	$1.3 \times 10^{13}$	0.9	2
	1.6	200	$6.1 \times 10^{13}$	2.0	-4
	$1.6 \\ 1.6$	$200 \\ 200$	$1.4 \times 10^{12}$	1.0	-20 -48
	1.6	200	$1.9 \times 10^{13}$	1.4	-80
$\rm H^{13}CN$	1.6	200	$1.4 \times 10^{13}$	2.7	116
	1.6	200	$2.1 \times 10^{13}$	4.0	101
	$1.0 \\ 1.6$	$200 \\ 200$	$1.4 \times 10^{-1}$ $1.5 \times 10^{13}$	$\frac{5.0}{2.2}$	30 38
	1.6	200	$2.1 \times 10^{13}$	3.7	19
	1.6	200	$2.5 \times 10^{13}$	4.5	12
	1.6	200	$3.8 \times 10^{12}$ 7.7 × 10 ¹²	0.7	7
	1.6	$\frac{200}{200}$	$1.5 \times 10^{13}$	$\frac{1.0}{2.7}$	-26
	1.6	200	$2.4 \times 10^{12}$	0.6	-43
	1.6	200	$1.0 \times 10^{13}$	2.2	-58
	1.6	200	$2.7 \times 10^{12}$	0.8	-44
	1.6	$\frac{200}{200}$	$7.3 \times 10^{12}$	3.0 3.0	-07 -75
	1.6	200	$8.9 \times 10^{12}$	2.3	-80
	1.6	200	$2.2 \times 10^{13}$	1.1	-97
	1.6	200	$1.9 \times 10^{13}$ 1.7 × 10^{12}	1.3	-110
HNC	1.0 1.6	200	$1.7 \times 10^{-2}$ $1.0 \times 10^{12}$	1.1	-114 131
111.0	1.6	200	$1.2 \times 10^{14}$	7.4	131
	1.6	200	$1.0 \times 10^{13}$	1.8	107
	1.6	200	$1.7 \times 10^{12}$	0.8	96 80
	$1.0 \\ 1.6$	$200 \\ 200$	$1.8 \times 10^{12}$	1.2 22.0	89 76
	1.6	200	$8.5 \times 10^{14}$	5.1	51
	1.6	200	$3.0 \times 10^{13}$	2.1	25
	1.6 1.e	200	$5.6 \times 10^{13}$	6.1	14 26
	1.0	200 200	$4.1 \times 10^{13}$	$0.0 \\ 3.2$	-4
	1.6	200	$1.7 \times 10^{12}$	8.9	-18
	1.6	200	$2.0 \times 10^{13}$	2.2	-37
	1.6 1.e	200	$4.0 \times 10^{13}$ 2.5 × 10^{13}	1.2	-48
	1.0	200 200	$4.0 \times 10^{13}$	0.8 4.8	-54 -57
$\rm H^{13}CO^+$	1.6	200	$5.7 \times 10^{13}$	4.5	62
$HO^{13}C^+$	1.6	200	$4.4 \times 10^{13}$	40.0	155

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 168

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{1.5\mathrm{R}}\mathrm{s}^{-1})$
	1.6	200	$1.5 \times 10^{12}$	1.0	162
	1.6	200	$1.0 \times 10^{12}$	0.6	157
	1.6	200	$1.4 \times 10^{12}$	26.0	147
	1.6	200	$1.1 \times 10^{12}$	0.6	137
	1.6	200	$6.1 \times 10^{12}$	5.2	123
	1.6	200	$4.4 \times 10^{12}$	0.5	118
	1.6	200	$1.6 \times 10^{13}$	6.2	111
	1.6	200	$2.5 \times 10^{12}$	0.2	104
	1.6	200	$4.1 \times 10^{12}$	0.8	98
	1.6	200	$1.5 \times 10^{13}$	20.6	87
	1.6	200	$2.6 \times 10^{12}$	1.1	82
	1.6	200	$5.3 \times 10^{13}$	32.8	64
	1.6	200	$1.4 \times 10^{13}$	4.9	34
	1.6	200	$1.8 \times 10^{13}$	0.9	25
	1.6	200	$1.0 \times 10^{13}$	4.1	20
	1.6	200	$5.6 \times 10^{12}$	0.1	14
	1.6	200	$1.5 \times 10^{12}$	0.6	11
	1.6	200	$1.2 \times 10^{13}$	10.3	12
	1.6	200	$1.0 \times 10^{12}$	0.3	4
	1.6	200	$2.1 \times 10^{13}$	7.8	-14
	1.6	200	$6.5 \times 10^{12}$	0.6	-17
	1.6	200	$1.2 \times 10^{13}$	3.7	-22
	1.6	200	$8.7 \times 10^{13}$	32.5	-59
	1.6	200	$7.2 \times 10^{12}$	2.9	-90
	1.6	200	$1.0 \times 10^{12}$	1.1	-96
	1.6	200	$5.8 \times 10^{13}$	29.8	-106
	1.6	200	$1.2 \times 10^{12}$	1.7	-110
	1.6	200	$8.6 \times 10^{12}$	6.2	-123
	1.6	200	$1.0 \times 10^{12}$	0.7	-122
	1.6	200	$1.8 \times 10^{13}$	6.6	-136
	1.6	200	$1.0 \times 10^{12}$	0.2	-173
	1.6	200	$7.8 \times 10^{12}$	2.3	-176
	1.6	200	$1.6 \times 10^{12}$	0.8	-172

Table L.22: LTE Parameters for the full LTE model (Envelope Components) for source A11 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
$H_2^{34}S$	ext.	10	$1.6 \times 10^{17}$	13.0	56
$SO_2$	ext.	15	$5.2 \times 10^{15}$	12.2	61
	ext.	20	$1.0 \times 10^{17}$	3.0	54
	ext.	10	$9.6 \times 10^{14}$	7.2	45
$H_2CO$	ext.	11	$3.7 \times 10^{14}$	8.7	72
	ext.	9	$4.6 \times 10^{14}$	8.1	64
	ext.	8	$7.8 \times 10^{14}$	5.4	57
	ext.	10	$4.3 \times 10^{14}$	5.3	45
	ext.	14	$1.9 \times 10^{14}$	7.8	34
SO	ext.	12	$4.1 \times 10^{15}$	11.8	64
	ext.	11	$4.1 \times 10^{15}$	11.6	54
	ext.	9	$1.7 \times 10^{15}$	7.7	45
CN	ext.	5	$1.0 \times 10^{14}$	4.2	77
	ext.	15	$4.7 \times 10^{16}$	11.6	66
	ext.	3	$1.0 \times 10^{14}$	4.5	44
	ext.	9	$6.3 \times 10^{14}$	12.7	29
	ext.	16	$1.7 \times 10^{15}$	4.3	3
	ext.	10	$1.4 \times 10^{14}$	6.1	-29
	ext.	24	$4.1 \times 10^{14}$	2.5	-50
	ext.	75	$5.8 \times 10^{14}$	6.4	-53
	ext.	13	$1.2 \times 10^{15}$	28.5	-41
	ext.	30	$3.6 \times 10^{14}$	3.5	-86
	ext.	9	$4.3 \times 10^{14}$	22.9	-98
CCH	ext.	5	$1.3 \times 10^{15}$	6.8	69
	ext.	11	$1.3 \times 10^{14}$	1.5	45
HNCO	ext.	8	$1.0 \times 10^{16}$	6.0	59

	(Continued)						
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$		
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km  s^{-1}})$		
	ovt	4	$\frac{65 \times 10^{17}}{10^{17}}$	4.7	49		
H-CNH	ext.	4 6	$0.0 \times 10^{14}$	4.7	49		
CUL OCU	ext.	0	$3.2 \times 10^{-13}$	11.4	02		
$CH_3OCH_3$	ext.	8	$2.6 \times 10^{15}$	8.3	64		
$CH_3OH$	ext.	11	$3.2 \times 10^{15}$	4.6	70		
	ext.	4	$2.8 \times 10^{13}$	0.6	59		
	ext.	14	$1.1 \times 10^{16}$	14.3	51		
$PH_3$	ext.	3	$4.0 \times 10^{13}$	6.7	67		
	ext.	3	$2.8 \times 10^{13}$	6.0	59		
	ext	5	$2.2 \times 10^{13}$	2.9	53		
CHANH	ovt.	4	$4.8 \times 10^{12}$	2.5	65		
01121011	ext.	4	$4.0 \times 10^{-10}$	2.9	57		
d'o	ext.	4	$1.6 \times 10^{13}$	2.9	57		
S10	ext.	7	$7.7 \times 10^{13}$	3.6	65		
	ext.	12	$8.9 \times 10^{14}$	20.5	59		
	ext.	6	$1.2 \times 10^{14}$	4.7	45		
	ext.	7	$5.9 \times 10^{13}$	10.2	36		
OCS	ext.	12	$7.9 \times 10^{17}$	3.6	59		
	ext.	13	$1.1 \times 10^{18}$	5.2	55		
NHaD	evt	24	$1.1 \times 10^{17}$	43	57		
CO	ort.	24	$2.1 \times 10^{15}$	4.0 6.0	119		
00	ext.	3	6.2 × 10 °	0.9	112		
	ext.	3	$4.1 \times 10^{10}$	11.8	92		
	ext.	3	$3.1 \times 10^{10}$	10.5	76		
	ext.	3	$6.5 \times 10^{15}$	2.8	66		
	ext.	3	$5.2 \times 10^{16}$	15.3	58		
	ext.	3	$1.9 \times 10^{16}$	3.8	44		
	ext	3	$3.8 \times 10^{16}$	10.8	34		
	ovt	3	$3.1 \times 10^{15}$	10.0	22		
	ent.	ວ າ	$3.1 \times 10^{16}$	12.0	16		
	ext.	3	$3.7 \times 10^{-5}$	13.0	16		
	ext.	3	$8.5 \times 10^{16}$	4.5	8		
	ext.	3	$2.4 \times 10^{10}$	9.2	-2		
	ext.	3	$1.7 \times 10^{16}$	13.1	-26		
	ext.	3	$4.4 \times 10^{16}$	27.9	-22		
	ext.	3	$2.5 \times 10^{16}$	9.2	-44		
	ext	3	$8.4 \times 10^{15}$	3.9	-51		
	ovt.	2	$7.0 \times 10^{15}$	0.0	60		
	ext.		$1.0 \times 10$	2.3	-00		
	ext.	ა ი	$1.1 \times 10^{-5}$	1.0	-00		
	ext.	3	$1.1 \times 10^{10}$	3.4	- / /		
	ext.	3	$1.1 \times 10^{10}$	9.3	-87		
	ext.	3	$1.6 \times 10^{16}$	10.7	-94		
	ext.	3	$3.6 \times 10^{16}$	15.9	-104		
	ext.	3	$8.9 \times 10^{15}$	6.4	-112		
$^{13}CO$	ext.	3	$4.0 \times 10^{16}$	20.9	71		
00	evt	š	$1.3 \times 10^{15}$	33	66		
	ent.	9 9	$6.6 \times 10^{15}$	0.5	50		
	ext.	3	$0.0 \times 10^{-5}$	2.1	59		
	ext.	3	$9.1 \times 10^{10}$	2.6	54		
	ext.	3	$1.0 \times 10^{10}$	1.9	45		
	ext.	3	$5.8 \times 10^{15}$	3.8	41		
	ext.	3	$4.4 \times 10^{15}$	2.8	31		
	ext.	3	$2.2 \times 10^{15}$	3.1	18		
	ext	3	$8.0 \times 10^{15}$	8.6	0		
	evt	š	$2.9 \times 10^{15}$	1.9	-38		
	ovt	2	$1.4 \times 10^{16}$	5.9	-45		
	EXU.	0	$1.4 \times 10$	0.2	-40		
	ext.	3	$7.1 \times 10^{-1}$	2.0	-62		
	ext.	3	$2.5 \times 10^{15}$	4.3	-89		
	ext.	3	$3.4 \times 10^{15}$	2.7	-97		
	ext.	3	$4.1 \times 10^{15}$	4.5	-105		
$C^{17}O$	ext.	3	$2.5 \times 10^{14}$	7.1	-175		
	ext.	3	$2.6 \times 10^{14}$	2.7	-169		
	ext	3	$2.9 \times 10^{14}$	5.0	-161		
	evt	ર	$9.1 \times 10^{13}$	2.5	-146		
	CAU.	9	$7.1 \times 10^{14}$	2.0 9.9	195		
	ext.	ი	$1.4 \times 10^{-1}$	0.0 7 1	-100		
	ext.	3	$(.1 \times 10^{14})$	(.1	-111		
	ext.	3	$7.2 \times 10^{14}$	5.3	-105		
	ext.	3	$2.9 \times 10^{14}$	4.7	-88		
	ext.	3	$6.1 \times 10^{14}$	2.7	-77		
	ext.	3	$8.0 \times 10^{14}$	3.8	-68		
	ext	3	$6.7 \times 10^{14}$	2.9	-52		
	ext	3	$8.3 \times 10^{14}$	13 7	-42		
	ovt	2	$1.9 \ 1014$	20.1	- 26		
	CAU.	ບ ຄ	$1.2 \times 10^{-1.2}$	2.0	-00		
	ext.	3	$0.0 \times 10^{14}$	3.9	-31		
	ext.	3	$3.7 \times 10^{14}$	2.7	-23		
	ext.	3	$1.8 \times 10^{14}$	2.7	-7		
	ext.	3	$3.9 \times 10^{14}$	2.7	-1		

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online Material p 169
1. Moner et will i un molecular mie burvey of not cores	O TRUTTE IN AUCTION P 100

		(0	Continued)						(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{ISP} ^{m,c}		Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$			(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$({\rm km  s^{-1}})$
	ext.	3	$7.9 \times 10^{14}$	7.1	10			ext.	3	$9.6 \times 10^{14}$	2.8	-45
	ext.	3	$6.6 \times 10^{13}$	3.2	17			ext.	3	$3.4 \times 10^{14}$	2.5	-30
	ext.	3	$1.5 \times 10^{14}$	2.8	31			ext.	3	$10.0 \times 10^{13}$	1.9	-7
	ext.	3	$2.4 \times 10^{16}$	15.9	52			ext.	3	$2.1 \times 10^{13}$	2.5	10
	ext.	3	$7.8 \times 10^{15}$	5.2	68			ext.	3	$1.0 \times 10^{14}$	2.5	15
	evt	3	$4.6 \times 10^{14}$	3.6	125			evt	3	$1.0 \times 10^{15}$	<u> </u>	23
	evt	3	$1.0 \times 10^{14}$	27	140			evt	3	$3.5 \times 10^{14}$	2.4	32
$C^{18}O$	ovt	3	$1.2 \times 10^{15}$	2.1	178			ovt	3	$0.0 \times 10^{15}$	2.4 5.1	47
0 0	ovt	3	$1.2 \times 10^{13}$	2.1	-170			ovt	3	$3.3 \times 10^{15}$	2.0	50
	ext.	5 9	$10.0 \times 10^{15}$	2.5	-100			ext.	5 9	$2.4 \times 10$ $7.2 \times 10^{15}$	2.0	52
	ext.	ວ ໑	$1.7 \times 10$ $2.4 \times 1014$	11.0	-140 192			ext.	ວ ໑	$7.2 \times 10$ 2.1 × 1014	0.2	117
	ext.	ວ າ	$3.4 \times 10^{-14}$	0.0 0 F	-123			ext.	ວ າ	$3.1 \times 10^{16}$	2.5	117
	ext.	ა ე	$3.4 \times 10^{-1}$	2.0	-104			ext.	ა ე	$1.0 \times 10^{15}$	4.4	144
	ext.	3	$1.9 \times 10^{10}$	10.3	-94			ext.	3	$1.9 \times 10^{16}$	2.9	151
	ext.	ა ი	$6.3 \times 10^{14}$	7.5	-84		HON	ext.	3	$3.2 \times 10^{10}$	11.2	150
	ext.	3	$1.1 \times 10^{14}$	3.0	-11		HCN	ext.	3	$7.9 \times 10^{12}$	1.2	148
	ext.	3	$2.1 \times 10^{13}$	2.9	-55			ext.	3	$9.8 \times 10^{12}$	2.6	109
	ext.	3	$8.7 \times 10^{14}$	2.5	-41			ext.	3	$3.2 \times 10^{12}$	4.8	100
	ext.	3	$4.2 \times 10^{14}$	3.5	-30			ext.	3	$2.9 \times 10^{14}$	29.3	97
	ext.	3	$4.2 \times 10^{14}$	7.5	-25			ext.	3	$9.6 \times 10^{13}$	4.6	79
	ext.	3	$5.6 \times 10^{14}$	2.7	19			ext.	3	$1.3 \times 10^{13}$	2.6	70
	ext.	3	$1.4 \times 10^{14}$	2.7	24			ext.	3	$4.5 \times 10^{12}$	0.5	65
	ext.	3	$2.9 \times 10^{16}$	13.7	52			ext.	3	$4.8 \times 10^{13}$	5.4	61
	ext.	3	$1.5 \times 10^{16}$	7.9	72			ext.	3	$1.2 \times 10^{13}$	0.9	31
	ext.	3	$3.3 \times 10^{15}$	36.6	103			ext.	3	$1.3 \times 10^{13}$	2.6	23
	ext.	3	$2.8 \times 10^{15}$	8.3	150			ext.	3	$2.0 \times 10^{14}$	13.2	-33
CS	ext.	3	$7.7 \times 10^{14}$	0.7	81			ext.	3	$1.0 \times 10^{12}$	0.3	-43
	ext.	3	$3.8 \times 10^{16}$	12.0	69			ext.	3	$1.2 \times 10^{13}$	2.2	-67
	ext.	3	$5.3 \times 10^{13}$	6.9	64			ext.	3	$1.6 \times 10^{14}$	14.9	-103
	ext.	3	$2.8 \times 10^{16}$	7.2	56			ext.	3	$4.0 \times 10^{12}$	1.0	-111
	ext.	3	$1.1 \times 10^{16}$	3.5	43			ext.	3	$1.9 \times 10^{12}$	0.4	-118
	ext.	3	$1.6 \times 10^{15}$	2.3	-23			ext.	3	$1.1 \times 10^{13}$	1.1	-120
$^{13}CS$	ext.	3	$2.3 \times 10^{15}$	9.0	153			ext.	3	$2.7 \times 10^{12}$	0.9	-107
0.0	ext.	3	$2.1 \times 10^{16}$	14.9	58			ext.	3	$4.5 \times 10^{13}$	1.2	-130
	ext.	3	$6.1 \times 10^{15}$	4.6	46			ext.	3	$2.9 \times 10^{12}$	0.8	-123
	evt	3	$5.5 \times 10^{15}$	9.1	-40			evt	3	$3.6 \times 10^{13}$	4.5	-154
	evt	3	$9.4 \times 10^{14}$	5.0	-40		$H^{13}CN$	evt	3	$2.0 \times 10^{12}$	4.0	158
C335	ovt	3	$1.8 \times 10^{16}$	32.0	-157		II ON	ovt	3	$2.0 \times 10$ 2.3 × 10 ¹³	4. <i>3</i> 5.0	149
0 5	ext.	5 9	$1.0 \times 10$ 2.0 × 1015	52.9	-157			ext.	5 9	$2.5 \times 10$ 1.0 × 1014	10.2	145
	ext.	5 9	$1.0 \times 10^{15}$	0.0	-101			ext.	5 9	$1.3 \times 10$ 2.2 × 1013	19.5	140
	ext.	ა ე	$1.0 \times 10^{-3}$	3.0 2.C	-155			ext.	ა ე	$3.3 \times 10^{-3}$	8.0 2.C	129
	ext.	ა ე	$0.1 \times 10^{-1}$	3.0	-119			ext.	ა ე	$1.5 \times 10^{-3}$	3.0	125
	ext.	3	$1.2 \times 10^{10}$	2.3	-111			ext.	3	$1.1 \times 10^{13}$	0.8	(1
	ext.	3	$8.8 \times 10^{15}$	20.0	-96			ext.	3	$10.0 \times 10^{10}$	5.7	68
	ext.	3	$1.2 \times 10^{13}$	2.0	-88			ext.	3	$7.5 \times 10^{13}$	5.2	57
	ext.	3	$8.0 \times 10^{14}$	4.7	-77			ext.	3	$2.8 \times 10^{12}$	1.2	-156
	ext.	3	$2.0 \times 10^{14}$	2.3	-64		HNC	ext.	3	$5.2 \times 10^{13}$	1.8	115
	ext.	3	$8.0 \times 10^{15}$	17.3	-49			ext.	3	$4.6 \times 10^{12}$	1.2	92
	ext.	3	$9.2 \times 10^{14}$	2.5	-41			ext.	3	$1.5 \times 10^{14}$	5.0	78
	ext.	3	$7.9 \times 10^{14}$	2.7	-32			ext.	3	$7.3 \times 10^{14}$	13.0	68
	ext.	3	$5.5 \times 10^{14}$	1.8	-24			ext.	3	$6.8 \times 10^{14}$	8.6	55
	ext.	3	$6.6 \times 10^{14}$	2.5	-10			ext.	3	$1.1 \times 10^{14}$	2.9	43
	ext.	3	$8.7 \times 10^{14}$	8.5	-3			ext.	3	$7.3 \times 10^{13}$	1.3	32
	ext.	3	$6.1 \times 10^{14}$	6.0	2			ext.	3	$1.0 \times 10^{12}$	1.0	-37
	ext.	3	$5.1 \times 10^{14}$	2.4	10			ext.	3	$3.7 \times 10^{13}$	5.7	-31
	ext.	3	$3.0 \times 10^{14}$	2.7	20			ext.	3	$8.9 \times 10^{12}$	0.1	-138
	ext.	3	$7.9 \times 10^{14}$	3.3	25		$\rm HN^{13}C$	ext.	3	$1.5 \times 10^{13}$	6.5	59
	ext.	3	$3.0 \times 10^{14}$	0.7	39			ext.	3	$9.4 \times 10^{13}$	18.7	67
	ext.	3	$1.7 \times 10^{16}$	25.7	63		$H^{13}CO^+$	ext.	3	$6.1 \times 10^{13}$	10.7	67
	ext.	3	$3.9 \times 10^{14}$	2.7	64			ext.	3	$4.0 \times 10^{13}$	10.8	54
	ext.	3	$9.3 \times 10^{14}$	3.0	88		$HO^{13}C^+$	ext.	3	$6.2 \times 10^{12}$	1.2	-148
	ext	3	$2.9 \times 10^{15}$	17.6	102			01101	· ·	0.2 //10		110
	evt	3	$1.3 \times 10^{16}$	22.1	112							
	ovt	3	$6.4 \times 10^{13}$	22.1	142							
	evt	2	$0.1 \times 10^{-10}$ 0.2 \square 10^{-14}	2.0	160							
$C^{34}$ S	CAL.	2 2	$1.3 \times 10^{15}$	4.4 95	_174	Т	able L.23: 1	LTE Pa	aramete	ers for the f	ull LTE n	nodel (Core
0 5	ext.	ა 9	$1.0 \times 10^{-2}$ $9.9 \times 10^{15}$	2.0 9.7	-114 166	$\mathbf{C}$	omponents	) for so	ource A	12 in Ser F	B2(M).	`
	ext.	ა ი	$2.2 \times 10^{10}$	5.1 6 5	155	Ű	1.01100	,			( -/-	
	ext.	ა ი	$3.9 \times 10^{10}$	0.0	-100			0.~-	-m c		A	<i>m.c</i>
	ext.	చ	$3.0 \times 10^{14}$	2.5	-144		Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	Ntot	$\Delta \mathbf{v}^{m,c}$	VLSR 1
	ext.	3	$1.0 \times 10^{10}$	2.5	-119			(")	(K)	$(cm^{-2})$	$({\rm km  s^{-1}})$	$(\mathrm{kms^{-1}})$
	ext.	3	$8.1 \times 10^{14}$	3.9	-107							
	ext.	3	$3.4 \times 10^{14}$	2.6	-94							
	ext.	3	$8.4 \times 10^{14}$	2.7	-77							
	ext.	3	7.8 ×10 ¹⁴	7.1	-70							

-

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 170

		(Cont	inued)					(0	Continued)		
Molecule	$ extsf{\theta}^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	${\operatorname{N_{tot}^{m,c}}\atop ({\operatorname{cm}^{-2}})}$	$\frac{\Delta  \mathrm{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$ extsf{\theta}^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathrm{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
<b>77</b> 24 c							1.4	200	$5.2 \times 10^{13}$	7.7	-82
$H_2^{34}S$	1.4	364	$1.2 \times 10^{17}$	6.0	51		1.4	200	$6.9 \times 10^{15}$	2.8	-66
CH ₃ CN	1.4	285	$4.0 \times 10^{15}$	5.9	50		1.4	200	$1.2 \times 10^{10}$	3.6	-52
HCCCN	1.4	144	$1.8 \times 10^{15}$	0.5	51		1.4	200	$2.0 \times 10^{10}$	8.8	-36
HCCCN, $v_7=2$	1.4	363	$1.3 \times 10^{15}$	0.5	51		1.4	200	$1.4 \times 10^{10}$	3.8	-25
HNC, $v_2=1$	1.4	200	$1.8 \times 10^{10}$	6.6	56		1.4	200	$2.3 \times 10^{15}$	2.7	-19
	1.4	132	$1.3 \times 10^{17}$	5.3	51		1.4	200	$2.6 \times 10^{10}$	8.0	-11
CH ₃ CHO	1.4	201	$5.4 \times 10^{15}$	5.1	50		1.4	200	$5.0 \times 10^{15}$	3.4	2
SO	1.4	296	$3.1 \times 10^{18}$	4.9	51		1.4	200	$1.0 \times 10^{10}$	8.0	8
	1.4	156	$1.2 \times 10^{17}$	18.4	44		1.4	200	$3.0 \times 10^{17}$	4.0	40
$SO_2$	1.4	263	$3.3 \times 10^{18}$	5.3	51		1.4	200	$4.2 \times 10^{18}$	6.0	49
	1.4	106	$3.9 \times 10^{16}$	1.0	47		1.4	200	$4.0 \times 10^{16}$	2.2	82
	1.4	200	$5.6 \times 10^{10}$	9.3	37		1.4	200	$1.6 \times 10^{16}$	3.7	108
$SO_2, v_2=1$	1.4	186	$6.3 \times 10^{18}$	7.1	52		1.4	200	$4.9 \times 10^{15}$	2.3	115
HNCO	1.4	178	$2.8 \times 10^{16}$	5.0	50		1.4	200	$4.6 \times 10^{12}$	2.9	152
SiO	1.4	200	$3.0 \times 10^{15}$	9.5	57	$\mathbf{CS}$	1.4	200	$2.0 \times 10^{13}$	0.6	126
	1.4	175	$2.6 \times 10^{15}$	21.9	39		1.4	200	$1.0 \times 10^{12}$	0.8	121
HCN, $v_2=1$	1.4	200	$1.5 \times 10^{17}$	4.4	51		1.4	200	$3.0 \times 10^{14}$	6.4	100
$H_2CO$	1.4	287	$6.3 \times 10^{16}$	0.3	50		1.4	200	$1.1 \times 10^{15}$	0.7	56
	1.4	148	$3.6 \times 10^{16}$	17.1	48		1.4	200	$9.3 \times 10^{15}$	14.8	38
NO	1.4	307	$1.9 \times 10^{18}$	6.6	51		1.4	200	$5.5 \times 10^{14}$	12.4	2
$\rm NH_2D$	1.4	119	$1.8 \times 10^{16}$	6.7	73		1.4	200	$1.0 \times 10^{12}$	0.5	-33
OCS	1.4	231	$1.2 \times 10^{17}$	6.1	51		1.4	200	$1.1 \times 10^{12}$	0.8	-28
	1.4	238	$3.7 \times 10^{16}$	4.2	51		1.4	200	$4.3 \times 10^{13}$	2.4	-49
$HC(O)NH_2$	1.4	240	$1.4 \times 10^{15}$	3.8	50		1.4	200	$1.1 \times 10^{13}$	3.4	-56
$H_2CCO$	1.4	165	$3.3 \times 10^{15}$	6.3	51		1.4	200	$5.9 \times 10^{13}$	1.0	-69
CO	1.4	200	$2.3 \times 10^{16}$	0.9	136		1.4	200	$8.0 \times 10^{12}$	1.0	-73
	1.4	200	$1.4 \times 10^{15}$	2.4	135		1.4	200	$3.8 \times 10^{13}$	1.1	-78
	1.4	200	$5.0 \times 10^{19}$	12.0	32		1.4	200	$4.8 \times 10^{13}$	4.7	-86
	1.4	200	$2.5 \times 10^{19}$	1.3	20		1.4	200	$1.3 \times 10^{14}$	4.2	-97
	1.4	200	$7.6 \times 10^{15}$	0.9	-63		1.4	200	$2.0 \times 10^{12}$	0.5	-101
	1.4	200	$3.1 \times 10^{14}$	0.9	-129		1.4	200	$1.9 \times 10^{12}$	0.5	-104
	1.4	200	$7.8 \times 10^{16}$	2.4	-137		1.4	200	$3.5 \times 10^{13}$	1.2	-112
	1.4	200	$4.1 \times 10^{16}$	2.3	-163		1.4	200	$5.2 \times 10^{13}$	2.4	-118
	1.4	200	$1.5 \times 10^{15}$	1.4	-173		1.4	200	$1.9 \times 10^{12}$	0.1	-122
$^{13}CO$	1.4	200	$8.9 \times 10^{15}$	0.9	163		1.4	200	$9.8 \times 10^{13}$	3.3	-128
~ ~	1.4	200	$4.5 \times 10^{16}$	16.1	156		1.4	200	$1.1 \times 10^{13}$	4.6	-134
	1.4	200	$1.2 \times 10^{16}$	2.7	132		1.4	200	$2.0 \times 10^{13}$	0.8	-143
	14	200	$3.8 \times 10^{18}$	13.1	80		14	200	$4.2 \times 10^{13}$	2.0	-150
	1.1	200	$6.8 \times 10^{19}$	0.7	50		1.1	200	$8.3 \times 10^{12}$	0.6	-156
	1.4	200	$5.9 \times 10^{19}$	18.5	54		1.4	200	$2.5 \times 10^{13}$	2.4	-160
	1.4	200	$1.0 \times 10^{17}$	3.0	26		1.4	200	$5.0 \times 10^{12}$	0.5	-183
	1.4	200	$1.0 \times 10$ $1.8 \times 10^{16}$	2.6	_9	13CS	1.4	200	$4.0 \times 10^{14}$	30 0.0	150
C170	1.4	200	$4.0 \times 10$ 2.2 × 1015	2.0	-3	05	1.4	200	$4.0 \times 10$ 2.0 × 10 ¹³	1.0	199
0.0	1.4	200	$3.3 \times 10^{-1}$	2.1	-170		1.4	200	$3.0 \times 10^{-3}$	1.9	100
	1.4	200	$2.6 \times 10^{-5}$	2.1	-104		1.4	200	$4.1 \times 10^{13}$ $1.0 \times 10^{12}$	4.2	120
	1.4	200	$1.1 \times 10^{-1}$	0.1	-149		1.4	200	$1.0 \times 10^{}$ 1.1 $\times 10^{13}$	0.9	00
	1.4	200	$1.1 \times 10^{10}$	2.8	-14U		1.4	200	$1.1 \times 10^{10}$	0.8	84 27
	1.4	200	$1.1 \times 10^{15}$	7.1	-132		1.4	200	$4.2 \times 10^{13}$	1.3	37
	1.4	200	$3.3 \times 10^{10}$	2.7	-114		1.4	200	$1.0 \times 10^{11}$	0.7	33
	1.4	200	$1.1 \times 10^{10}$	2.7	-103		1.4	200	$0.2 \times 10^{10}$	(.8	22
	1.4	200	$1.1 \times 10^{10}$	2.8	-95		1.4	200	$2.1 \times 10^{14}$	6.5	-28
	1.4	200	$1.5 \times 10^{10}$	4.8	-84		1.4	200	$8.0 \times 10^{13}$	6.8	-67
	1.4	200	$9.5 \times 10^{13}$	1.4	-74		1.4	200	$1.3 \times 10^{13}$	1.7	-89
	1.4	200	$1.3 \times 10^{10}$	1.9	-52		1.4	200	$1.1 \times 10^{14}$	4.4	-101
	1.4	200	$9.2 \times 10^{15}$	2.7	-39		1.4	200	$3.7 \times 10^{13}$	0.7	-110
	1.4	200	$1.4 \times 10^{16}$	2.4	-26		1.4	200	$1.9 \times 10^{14}$	1.9	-133
	1.4	200	$1.3 \times 10^{16}$	7.1	-17		1.4	200	$1.1 \times 10^{12}$	2.1	-154
	1.4	200	$8.9 \times 10^{15}$	5.2	-2	$C^{33}S$	1.4	200	$1.2 \times 10^{14}$	5.7	-178
	1.4	200	$3.2 \times 10^{15}$	2.4	4		1.4	200	$8.5 \times 10^{15}$	5.4	-162
	1.4	200	$3.6 \times 10^{15}$	3.1	9		1.4	200	$5.4 \times 10^{14}$	10.4	-133
	1.4	200	$8.7 \times 10^{15}$	2.5	23		1.4	200	$1.5 \times 10^{14}$	2.7	-118
	1.4	200	$3.2 \times 10^{16}$	7.1	41		1.4	200	$2.4 \times 10^{15}$	7.2	-102
	1.4	200	$3.6 \times 10^{18}$	6.2	50		1.4	200	$7.3 \times 10^{13}$	2.9	-67
	1.4	200	$1.1 \times 10^{16}$	2.7	92		1.4	200	$1.7 \times 10^{15}$	6.1	-51
	1.4	200	$2.6 \times 10^{16}$	7.1	103		1.4	200	$5.6 \times 10^{13}$	8.4	-7
	14	200	$1.3 \times 10^{16}$	4.8	113		14	200	$7.5 \times 10^{13}$	2.7	2
	14	200	$1.6 \times 10^{16}$	3.4	197		1 4	200	$4.5 \times 10^{14}$	247	35
	1.4 1.4	200	$1.0 \times 10^{-1}$ $1.4 \times 10^{17}$	0.4 12 0	149		1.4	200	$4.0 \times 10$ 6 5 $\vee 1014$	24.1 7 0	102
C180	1.4	200	$1.4 \times 10^{-1}$ 1 5 $\times 10^{16}$	10.0	148	C34C	1.4	200	$0.0 \times 10^{-1}$	(.U 0 1	100
0.00	1.4	200	$1.0 \times 10^{10}$	2.2	-159	CoaS	1.4	200	$1.0 \times 10^{10}$	8.1	-133
	1.4	200	$1.2 \times 10^{17}$	7.8	-148		1.4	200	$1.8 \times 10^{13}$	9.9	-87
			1 2 37 1011	111.4	112		1.4	• 11 11 1	6 7 1010		
	1.4	200	$1.5 \times 10^{-16}$	10.4	-115		1.4	200	$0.7 \times 10$	0.3	-52

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 171

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	('')	(K)	$\frac{(\text{cm}^{-2})}{5.0 \times 10^{13}}$	$({\rm km  s^{-1}})$	$(\rm km  s^{-1})$
	1.4	200	$5.6 \times 10^{13}$	6.4 5 7	-10
	1.4	200	$1.2 \times 10$ 2.7 × 10 ¹⁴	0.7 0.7	10
	1.4 1 4	$\frac{200}{200}$	$4.2 \times 10^{14}$	5.4 6.2	129
	1.4	200	$4.0 \times 10^{15}$	5.3	144
HCN	1.4	200	$2.1 \times 10^{12}$	4.8	89
	1.4	200	$6.2 \times 10^{14}$	2.7	46
	1.4	200	$2.1 \times 10^{15}$	5.2	34
	1.4	200	$8.4 \times 10^{14}$	4.4	25
	1.4	200	$7.5 \times 10^{13}$	0.9	18
	1.4	200	$2.7 \times 10^{13}$	3.3 2.7	9
	1.4	200	$6.6 \times 10^{13}$	5.0	-0
	1.4	200	$7.7 \times 10^{12}$	0.3	-32
	1.4	200	$4.6 \times 10^{12}$	1.1	-54
	1.4	200	$1.5 \times 10^{12}$	1.1	-74
$\rm H^{13}CN$	1.4	200	$1.9 \times 10^{15}$	4.3	138
	1.4	200	$2.0~\times 10^{14}$	1.3	121
	1.4	200	$2.6 \times 10^{13}$	0.9	114
	1.4	200	$2.0 \times 10^{13}$	2.2	98
	1.4	200	$3.0 \times 10^{15}$	0.7	52
	1.4	200	$2.7 \times 10^{15}$	4.3	49
	1.4	200	$3.4 \times 10^{14}$	7.4	31
	1.4	200	$2.2 \times 10^{13}$	0.8	11 E
	1.4	200	$3.2 \times 10^{13}$	2.1	Э О
	1.4 1 4	$\frac{200}{200}$	$2.7 \times 10^{13}$	1.2	-18
	1.4	200	$5.8 \times 10^{13}$	2.6	-32
	1.4	200	$2.6 \times 10^{13}$	2.2	-41
	1.4	200	$5.7 \times 10^{12}$	0.9	-65
	1.4	200	$1.0~\times 10^{12}$	39.3	-84
	1.4	200	$2.4 \times 10^{13}$	2.9	-95
	1.4	200	$2.9 \times 10^{12}$	1.0	-111
HNC	1.4	200	$3.9 \times 10^{13}$	2.0	102
	1.4	200	$2.7 \times 10^{12}$	0.2	92
	1.4	200	$4.1 \times 10^{13}$	3.4	87
	1.4	200	$1.0 \times 10^{10}$ 2.1 × 10 ¹⁵	4.0 16.5	01 46
	1.4 1 4	$\frac{200}{200}$	$1.1 \times 10^{12}$	0.8	40 19
	1.4	200	$2.1 \times 10^{14}$	23.2	24
	1.4	200	$2.3 \times 10^{13}$	0.1	13
	1.4	200	$2.1 \times 10^{13}$	1.2	9
	1.4	200	$2.9~{\times}10^{13}$	1.0	-13
	1.4	200	$3.7 \times 10^{13}$	2.0	-18
	1.4	200	$1.0 \times 10^{12}$	23.4	-35
	1.4	200	$4.1 \times 10^{13}$	3.2	-37
	1.4	200	$1.6 \times 10^{13}$	2.0	-47
	1.4	200	$8.0 \times 10^{-2}$	0.2	-03 57
	1.4	200	$3.0 \times 10^{13}$	1.2	-65
	1.4	200	$2.9 \times 10^{12}$	0.8	-71
	1.4	200	$3.5 \times 10^{13}$	3.0	-74
	$1.4^{-1}$	200	$2.2 \times 10^{13}$	5.3	-81
	1.4	200	$1.0 \times 10^{13}$	0.9	-85
	1.4	200	$5.3 \times 10^{12}$	1.1	-92
	1.4	200	$3.2 \times 10^{12}$	0.8	-97
112 C	1.4	200	$1.4 \times 10^{13}$	1.2	-102
HN13C	1.4	200	$2.1 \times 10^{14}$	10.2	-161
	1.4	200	$1.0 \times 10^{14}$	6.9 5.4	-143 67
	1.4	200	$2.5 \times 10^{-4}$ 1 4 × 10 ¹⁴	0.4 10.6	-07
	1.4	200	$5.9 \times 10^{13}$	4.4	-23
	1.4	200	$6.0 \times 10^{14}$	5.5	50
	1.4	200	$4.7 \times 10^{13}$	7.1	99
	$1.4^{-1}$	200	$6.4 \times 10^{13}$	9.3	141
$\rm H^{13}CO^+$	1.4	200	$8.3~{\times}10^{14}$	0.8	49
	1.4	200	$6.6~\times 10^{14}$	14.1	47
$\rm HO^{13}C^+$	1.4	200	$4.1 \times 10^{12}$	1.3	161
	1.4	200	$6.2 \times 10^{12}$	1.9	154
	1.4	200	$5.5 \times 10^{12}$	0.7	142
	1.4	200	$1.1 \times 10^{10}$ $1.7 \times 10^{13}$	ರ.⊥ হ_1	135 197
	1.4	200	1.7 × 10	3.1	141

(Continued)									
Molecule	$\theta^{m,c}$ T ^{m,c} _{ex}		$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$				
	1.4	200	$8.0 \times 10^{12}$	6.8	118				
	1.4	200	$5.1 \times 10^{12}$	0.9	58				
	1.4	200	$7.4 \times 10^{13}$	7.0	41				
	1.4	200	$1.2 \times 10^{12}$	4.2	8				
	1.4	200	$7.7 \times 10^{12}$	0.8	-2				
	1.4	200	$2.7 \times 10^{12}$	1.0	-23				
	1.4	200	$2.3 \times 10^{13}$	9.1	-23				
	1.4	200	$1.0 \times 10^{12}$	3.8	-45				
	1.4	200	$1.0 \times 10^{12}$	4.4	-67				
	1.4	200	$1.7 \times 10^{12}$	0.8	-99				
	1.4	200	$1.5 \times 10^{12}$	0.8	-104				
	1.4	200	$2.2 \times 10^{12}$	2.4	-129				
	1.4	200	$7.1 \times 10^{13}$	2.4	-145				
	1.4	200	$1.5 \times 10^{13}$	3.4	-183				

Table L.24: LTE Parameters for the full LTE model (Envelope Components) for source A12 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI SD
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	()	(***** )	( )	( )
CH ₃ CN	ext.	27	$2.1 \times 10^{15}$	0.2	83
0113 011	ext.	20	$1.3 \times 10^{15}$	7.3	115
	ext	14	$8.9 \times 10^{14}$	7.0	83
	ext	6	$1.4 \times 10^{16}$	4 4	64
HCCCN	ext.	24	$1.6 \times 10^{17}$	7 1	64
neccu	ext.	3	$8.4 \times 10^{18}$	6.7	62
SO	evt	16	$8.5 \times 10^{15}$	22.6	67
CN	evt	16	$3.1 \times 10^{15}$	17	73
011	ovt	10	$1.8 \times 10^{12}$	10.0	67
	ovt	20	$5.2 \times 10^{16}$	80	64
	ext.	20	$3.2 \times 10^{16}$	3.0	54
	ext.	20 50	$1.5 \times 10^{12}$	16.6	54
	ext.	19	$1.0 \times 10$ 7.2 × 1014	27.2	19
	ext.	12	$1.3 \times 10^{-1}$	57.5	10
	ext.	18	$1.8 \times 10^{15}$	5.4	-1
	ext.	20	$1.1 \times 10^{13}$	0.0	-40
	ext.	12	$8.5 \times 10^{10}$	1.5	-79
00	ext.	9	$1.6 \times 10^{14}$	15.4	-104
$SO_2$	ext.	32	$2.2 \times 10^{10}$	9.9	64
$CH_3OH$	ext.	3	$1.9 \times 10^{13}$	12.3	65
	ext.	26	$6.5 \times 10^{10}$	9.3	62
	ext.	3	$1.0 \times 10^{12}$	0.7	51
CCH	ext.	10	$2.0 \times 10^{15}$	12.4	65
	ext.	3	$2.6 \times 10^{15}$	4.8	51
HNCO	ext.	27	$2.1 \times 10^{16}$	7.8	64
SiO	ext.	12	$2.2 \times 10^{13}$	2.0	64
	ext.	16	$6.1 \times 10^{14}$	17.1	64
$CH_2NH$	ext.	3	$6.8 \times 10^{12}$	12.4	62
	ext.	8	$7.4 \times 10^{13}$	5.4	62
$H_2CO$	ext.	20	$1.5 \times 10^{16}$	8.9	64
$HCS^+$	ext.	3	$1.7 \times 10^{15}$	4.9	67
	ext.	3	$2.3 \times 10^{15}$	5.3	60
NO	ext.	9	$1.3 \times 10^{16}$	7.3	64
$NH_2CN$	ext.	12	$5.7 \times 10^{14}$	12.2	60
$H_2CNH$	ext.	3	$3.9 \times 10^{13}$	8.9	67
-	ext.	3	$2.7 \times 10^{13}$	6.1	59
OCS	ext.	16	$5.8 \times 10^{17}$	7.3	65
C ₂ H ₅ CN	ext.	22	$7.2 \times 10^{12}$	3.9	66
PH₃	ext.	10	$9.8 \times 10^{13}$	5.0	67
NO ⁺	ext.	3	$1.1 \times 10^{14}$	4.9	38
H ₂ CCO	ext.	20	$9.4 \times 10^{15}$	14.8	62
H ₂ CS	ext.	30	$1.3 \times 10^{16}$	1.0	61
11200	ext.	22	$1.7 \times 10^{15}$	7.6	64
CO	evt	3	$1.4 \times 10^{15}$	0.9	163
00	evt	3	$6.0 \times 10^{14}$	0.9	158
	ovt	3 3	$5.5 \times 10^{13}$	14.1	1/8
	CAU.	5	0.0 \ 10	14.1	140

		(C	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecu	ile $\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	('')	(K)	$\frac{(\text{cm}^{-2})}{1.1 \times 10^{15}}$	$(km s^{-1})$	$(km s^{-1})$		('')	(K)	$\frac{(\text{cm}^{-2})}{2.0 \times 10^{13}}$	$(\text{km s}^{-1})$	$(\text{km s}^{-1})$
	ext.	ঠ ৭	$1.1 \times 10^{15}$ 3.8 $\times 10^{15}$	2.8 2.6	128		ext.	3 3	$2.0 \times 10^{13}$ 1.3 × 10 ¹³	2.7	125 139
	ext.	3	$2.0 \times 10^{14}$	0.3	102		ext.	3	$7.9 \times 10^{14}$	5.5 7.1	132
	ext.	3	$4.9 \times 10^{16}$	10.1	99		ext.	3	$5.0 \times 10^{14}$	4.7	154
	ext.	3	$1.2 \times 10^{15}$	0.1	85	$\mathbf{CS}$	ext.	3	$1.0~\times 10^{12}$	0.8	161
	ext.	3	$6.8 \times 10^{16}$	25.1	77		ext.	3	$5.6 \times 10^{15}$	0.9	85
	ext.	3	$9.8 \times 10^{15}$	0.5	65		ext.	3	$4.8 \times 10^{15}$	0.6	82
	ext.	3	$3.1 \times 10^{16}$	0.9	57		ext.	3	$7.1 \times 10^{16}$	13.2	68
	ext.	3	$2.5 \times 10^{10}$	2.1	52		ext.	3	$7.4 \times 10^{17}$	0.5	51
	ext.	ა ვ	$6.9 \times 10^{17}$ 7.0 × 10 ¹⁶	$1.4 \\ 7.5$	29	1305	ext.	ა ვ	$2.9 \times 10^{15}$ 2.0 × 10 ¹⁵	5.6	-175 150
	ext.	3	$2.5 \times 10^{16}$	1.5	20 6	60	ext.	3	$2.3 \times 10^{15}$ 2.1 × 10 ¹⁵	4.9	78
	ext.	3	$2.4 \times 10^{16}$	5.4	-1		ext.	3	$6.4 \times 10^{16}$	15.8	62
	ext.	3	$2.3 \times 10^{16}$	0.6	-12		ext.	3	$1.8 \times 10^{15}$	6.6	48
	ext.	3	$3.1 \times 10^{16}$	13.3	-22		ext.	3	$7.4 \times 10^{15}$	4.4	3
	ext.	3	$4.4 \times 10^{15}$	3.1	-30		ext.	3	$3.1 \times 10^{15}$	33.2	-23
	ext.	3	$2.9 \times 10^{16}$	8.8	-46		ext.	3	$1.8 \times 10^{15}$	0.9	-45
	ext.	3	$1.3 \times 10^{10}$	0.4	-60		ext.	3	$4.1 \times 10^{14}$	0.9	-38
	ext.	3	$9.4 \times 10^{12}$	1.5	-62		ext.	3	$1.3 \times 10^{15}$	9.5	-57
	ext.	ა ვ	$1.1 \times 10^{10}$ $1.1 \times 10^{16}$	0.0	-70		ext.	3	$1.4 \times 10^{13}$	10.4	-12
	ext.	3	$9.4 \times 10^{15}$	1.3	-87		ext.	3	$6.5 \times 10^{14}$	1.9	-04
	ext.	3	$1.4 \times 10^{16}$	2.0	-93		ext.	3	$1.6 \times 10^{14}$	1.9	-123
	ext.	3	$2.4 \times 10^{16}$	9.5	-104		ext.	3	$1.3 \times 10^{13}$	2.0	-122
	ext.	3	$4.1 \times 10^{14}$	0.8	-98	$C^{33}S$	ext.	3	$1.5 \times 10^{16}$	21.2	-151
10	ext.	3	$2.1 \times 10^{15}$	1.2	-114		ext.	3	$1.6 \times 10^{15}$	1.9	-87
$^{13}CO$	ext.	3	$3.8 \times 10^{14}$	1.1	115		ext.	3	$6.3 \times 10^{14}$	2.4	-79
	ext.	3	$2.8 \times 10^{13}$	23.3	105		ext.	3	$2.5 \times 10^{15}$	3.8	-62
	ext.	3	$1.9 \times 10^{10}$	2.8	83		ext.	3	$1.2 \times 10^{13}$	2.7	-35
	ext.	3 3	$2.4 \times 10^{-13}$	34.4 2.7	08 72		ext.	3 3	$1.1 \times 10^{15}$	2.4	-30 _99
	ext.	3	$1.4 \times 10^{17}$ $1.7 \times 10^{17}$	1.3	63		ext.	3	$5.5 \times 10^{14}$	2.5	-22
	ext.	3	$1.0 \times 10^{17}$	4.3	57		ext.	3	$8.5 \times 10^{14}$	4.3	15
	ext.	3	$9.9 \times 10^{15}$	0.2	40		ext.	3	$9.9 \times 10^{14}$	2.4	27
	ext.	3	$1.5 \times 10^{15}$	1.3	22		ext.	3	$9.8 \times 10^{15}$	8.7	52
	ext.	3	$6.5 \times 10^{14}$	2.0	9		ext.	3	$1.0 \times 10^{16}$	10.0	66
	ext.	3	$8.7 \times 10^{15}$	13.3	0		ext.	3	$7.6 \times 10^{13}$	18.7	85
	ext.	3	$4.7 \times 10^{15}$	4.4	-38		ext.	3	$4.2 \times 10^{15}$	6.5	95 110
	ext.	ა ვ	$7.3 \times 10^{10}$	1.4	-44 48		ext.	3	$4.6 \times 10^{10}$	(.0 2.5	119
	ext.	3	$1.0 \times 10^{15}$	1.4	-40		ext.	3	$9.9 \times 10^{12}$	2.5	146
	ext.	3	$6.3 \times 10^{13}$	3.8	-65		ext.	3	$9.7 \times 10^{13}$	2.5	160
	ext.	3	$2.0 \times 10^{15}$	0.5	-79	$C^{34}S$	ext.	3	$5.3 \times 10^{14}$	2.5	-182
	ext.	3	$8.7 \times 10^{13}$	1.0	-96		ext.	3	$1.8 \times 10^{15}$	5.0	-173
	ext.	3	$2.9 \times 10^{14}$	1.0	-100		ext.	3	$8.3 \times 10^{15}$	19.8	-157
	ext.	3	$3.1 \times 10^{15}$	2.7	-107		ext.	3	$1.7 \times 10^{15}$	17.4	-144
	ext.	3	$7.6 \times 10^{14}$	4.4	-119		ext.	3	$1.7 \times 10^{15}$	6.2	-107
	ext.	- び - 9	$1.4 \times 10^{13}$	39.9	-181		ext.	ა ა	$4.7 \times 10^{13}$ 1.8 × 10 ¹⁴	7.8	-97 70
	ext.	3 3	$1.4 \times 10$ 1.9 × 10 ¹⁴	0.5	-162		ext.	3	$1.8 \times 10$ $1.4 \times 10^{14}$	2.5	-65
	ext.	3	$4.2 \times 10^{13}$	0.9	-183		ext.	3	$5.9 \times 10^{14}$	5.8	-37
$C^{17}O$	ext.	3	$1.0 \times 10^{15}$	2.9	-178		ext.	3	$7.2 \times 10^{14}$	14.2	-20
	ext.	3	$3.3 \times 10^{14}$	2.7	-172		ext.	3	$7.4 \times 10^{14}$	3.1	3
	ext.	3	$3.2 \times 10^{14}$	2.7	-167		ext.	3	$4.6 \times 10^{15}$	3.4	52
	ext.	3	$3.3 \times 10^{14}$	2.7	-159		ext.	3	$3.5 \times 10^{16}$	19.3	67
	ext.	3	$3.0 \times 10^{14}$	3.3	-68		ext.	3	$1.1 \times 10^{15}$	3.9	88
	ext.	3	$7.2 \times 10^{14}$	1.2	-60	UCN	ext.	3	$1.5 \times 10^{13}$	5.3	106
	ext.	3 3	$1.1 \times 10^{-1}$	5.0 5.0	-42 -31	HUN	ext.	3 3	$9.8 \times 10^{-3}$ 2.3 × 10^{12}	28.0	102
	ext.	3	$3.3 \times 10^{14}$	3.9	-51		ext.	3	$4.6 \times 10^{12}$	2.4	130
	ext.	3	$3.7 \times 10^{15}$	20.9	60		ext.	3	$9.3 \times 10^{12}$	0.8	118
	ext.	3	$1.4 \times 10^{15}$	4.3	87		ext.	3	$2.1 \times 10^{14}$	10.8	104
	ext.	3	$1.0~\times 10^{14}$	1.7	121		ext.	3	$1.0~\times 10^{12}$	4.7	70
$C^{18}O$	ext.	3	$7.8 \times 10^{15}$	15.6	-176		ext.	3	$7.8 \times 10^{14}$	30.3	66
	ext.	3	$3.6 \times 10^{15}$	9.6	-126		ext.	3	$1.0 \times 10^{12}$	1.5	63
	ext.	3	$1.3 \times 10^{15}$	3.2	-96		ext.	3	$5.6 \times 10^{13}$	1.1	52
	ext.	3	$9.7 \times 10^{14}$	15.6	-44		ext.	3	$1.7 \times 10^{10}$	1.2	41
	ext.	3	$3.0 \times 10^{14}$ 1 1 $\times 10^{16}$	4.5 5.0	16 60		ext.	3	$5.0 \times 10^{13}$	28.5	35 1
	ext. ext	อ 3	$1.7 \times 10^{16}$	5.0 8.2	68		ext. evt	ы З	$2.0 \times 10^{-1}$ 9.3 × 10 ¹²	0.2	-1 -4
	ext.	3	$7.2 \times 10^{13}$	2.9	30		ext.	3	$1.4 \times 10^{13}$	3.2	-22
	ext.	$\ddot{3}$	$6.6 \times 10^{14}$	5.0	99		ext.	3	$3.7 \times 10^{13}$	5.8	-43
		-	· · · ·								-

			o 1.		
T. Möller <i>et al.</i> : Ful	l molecular line survey	of hot cores,	Online	Material p	o 173

		(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	$1.1 \times 10^{13}$	0.8	-49
	ext.	3	$1.1 \times 10^{13}$	4.0	-62
	ext.	3	$1.7 \times 10^{13}$	2.1	-79
	ext.	3	$7.5 \times 10^{12}$	1.0	-87
	ext.	3	$6.1 \times 10^{12}$	1.3	-100
	ext.	3	$1.7 \times 10^{14}$	6.6	-109
$\rm H^{13}CN$	ext.	3	$1.3 \times 10^{14}$	10.6	154
	ext.	3	$1.7 \times 10^{14}$	5.7	148
	ext.	3	$7.3 \times 10^{14}$	15.5	66
	ext.	3	$6.0 \times 10^{12}$	0.9	1
	ext.	3	$7.2 \times 10^{12}$	1.0	-44
	ext.	3	$4.2 \times 10^{13}$	1.3	-53
	ext.	3	$1.3 \times 10^{12}$	0.6	-63
	ext.	3	$1.5 \times 10^{12}$	20.7	-105
HNC	ext.	3	$1.0 \times 10^{12}$	12.6	131
	ext.	3	$8.4 \times 10^{12}$	1.1	75
	ext.	3	$10.0 \times 10^{13}$	1.9	74
	ext.	3	$2.7 \times 10^{12}$	13.4	71
	ext.	3	$1.3 \times 10^{15}$	19.3	62
	ext.	3	$9.5 \times 10^{14}$	2.5	53
	ext.	3	$2.5 \times 10^{14}$	2.1	1
	ext.	3	$2.6 \times 10^{13}$	3.7	-107
	ext.	3	$3.1 \times 10^{12}$	1.2	-115
$\rm HN^{13}C$	ext.	3	$6.7 \times 10^{13}$	10.4	-10
	ext.	3	$1.3 \times 10^{14}$	6.9	66
$\rm H^{13}CO^+$	ext.	3	$1.7 \times 10^{14}$	9.1	68
$\rm HO^{13}C^+$	ext.	3	$5.5 \times 10^{12}$	2.8	108
	ext.	3	$7.0 \times 10^{12}$	5.1	101
	ext.	3	$4.6 \times 10^{12}$	3.2	74
	ext.	3	$7.5 \times 10^{12}$	4.8	53
	ext.	3	$3.3 \times 10^{12}$	2.1	24
	ext.	3	$1.4 \times 10^{12}$	1.2	-16
	ext.	3	$1.9 \times 10^{13}$	6.9	-55
	ext.	3	$3.5 \times 10^{13}$	6.8	-118
	ext.	3	$8.7 \times 10^{11}$	6.7	-167
	ext.	3	$4.1 \times 10^{13}$	5.7	-172

Table L.25: LTE Parameters for the full LTE model (Core Components) for source A13 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
H ₂ CCN	1.4	88	$1.5 \times 10^{15}$	4.1	57
SiO	1.4	379	$4.3 \times 10^{15}$	12.1	67
	1.4	141	$1.5 \times 10^{15}$	9.7	52
	1.4	173	$3.0 \times 10^{14}$	11.2	41
OCS	1.4	148	$8.8 \times 10^{16}$	4.0	56
$HC(O)NH_2$	1.4	147	$1.3 \times 10^{16}$	11.0	56
SO	1.4	168	$3.1 \times 10^{17}$	9.7	65
	1.4	138	$2.9 \times 10^{17}$	7.2	54
CH ₃ OH	1.4	12	$2.7 \times 10^{16}$	25.6	62
-	1.4	107	$4.9 \times 10^{17}$	3.1	58
$c-C_3H_2$	1.4	60	$1.6 \times 10^{15}$	2.8	57
H ₂ CO	1.4	369	$1.0 \times 10^{12}$	2.5	57
$H_2CCO$	1.4	110	$10.0 \times 10^{15}$	4.0	57
$SO_2$	1.4	109	$5.8 \times 10^{17}$	14.6	60
HCCCN	1.4	220	$6.2 \times 10^{15}$	5.2	57
	1.4	227	$1.5 \times 10^{15}$	0.3	56
HCCCN, v ₇ =2	1.4	74	$1.6 \times 10^{17}$	3.7	58
CH ₃ OCHO	1.4	153	$6.3 \times 10^{12}$	3.8	57
HNC, $v_2=1$	1.4	1002	$4.5 \times 10^{15}$	4.2	58
CH ₃ CN	1.4	118	$1.4 \times 10^{16}$	3.7	57
CH ₂ NH	1.4	148	$3.3 \times 10^{16}$	3.7	57
$H_2^{34}S$	1.4	96	$1.6 \times 10^{16}$	9.0	64
	1.4	242	$4.1 \times 10^{16}$	8.3	54

		(Co	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
$CH_3OCH_3$	1.4	93	$5.2 \times 10^{16}$	4.1	57
HNCO	1.4	133	$3.7 \times 10^{16}$	7.6	57
CN	1.4	148	$1.8 \times 10^{10}$	3.0	58
UN H-CS	1.4	108	$3.7 \times 10^{12}$	2.9	-101 57
$H_2CS$	1.4	119	$1.3 \times 10^{-10}$	4.0	57 54
CH ₂ CHO	1.4	80	$1.3 \times 10^{15}$ 5.6 × 10 ¹⁵	5.1	57
CoHr CN	1.4	51	$8.4 \times 10^{15}$	2.6	58
NO	1.4	158	$5.9 \times 10^{17}$	4.2	57
CO	1.4	200	$1.7 \times 10^{17}$	1.0	47
$^{13}CO$	1.4	200	$3.1 \times 10^{15}$	1.8	155
	1.4	200	$4.3 \times 10^{14}$	6.0	133
	1.4	200	$8.1 \times 10^{14}$	1.1	118
	1.4	200	$7.1 \times 10^{14}$	2.7	125
	1.4	200	$4.4 \times 10^{17}$	0.8	78
	1.4	200	$8.6 \times 10^{15}$	2.7	-11
	1.4	200	$5.4 \times 10^{14}$	1.0	-147
C170	1.4	200	$2.6 \times 10^{16}$	2.8	-140
C=O	1.4	200	$1.1 \times 10^{-5}$ $1.0 \times 10^{16}$	1.0	-160
	$1.4 \\ 1.4$	200	$1.0 \times 10$ $3.2 \times 10^{15}$	3.1	-155
	1.4	200	$1.0 \times 10^{16}$	5.8	-135
	1.4	200	$3.3 \times 10^{15}$	2.7	-119
	1.4	200	$1.0 \times 10^{15}$	2.7	-102
	1.4	200	$1.0 \times 10^{16}$	3.6	-103
	1.4	200	$3.4 \times 10^{16}$	8.2	-90
	1.4	200	$3.3 \times 10^{15}$	2.7	-58
	1.4	200	$3.2 \times 10^{15}$	2.5	-52
	1.4	200	$3.2 \times 10^{15}$	2.7	-31
	1.4	200	$1.0 \times 10^{16}$	7.5	-23
	1.4	200	$3.2 \times 10^{15}$	7.1	1
	1.4	200	$1.0 \times 10^{10}$	2.7	0
	1.4	200	$1.0 \times 10^{11}$	0.5	12
	$1.4 \\ 1.4$	200	$1.0 \times 10^{16}$	$\frac{2.3}{2.7}$	23
	1.4	200	$1.0 \times 10^{15}$ $1.0 \times 10^{15}$	2.7	-10
	1.4	200	$1.0 \times 10^{15}$	2.7	36
	1.4	200	$1.0 \times 10^{17}$	5.3	68
	1.4	200	$2.9 \times 10^{16}$	2.7	79
	1.4	200	$3.4 \times 10^{16}$	8.0	102
	1.4	200	$1.0 \times 10^{16}$	3.9	115
	1.4	200	$3.2 \times 10^{15}$	7.1	127
	1.4	200	$1.0 \times 10^{16}$	3.0	132
	1.4	200	$1.0 \times 10^{16}$	2.5	143
c18 c	1.4	200	$4.3 \times 10^{16}$	4.0	158
$C_{10}O$	1.4	200	$1.4 \times 10^{17}$	7.7	-162
	1.4	200	$1.1 \times 10^{10}$ 2.7 × 10 ¹⁶	2.4	-147
	1.4	200	$3.7 \times 10^{15}$	3.0 2.7	-145 02
	$1.4 \\ 1.4$	200	$1.9 \times 10^{16}$	2.1	-92 -72
	1.4	200	$1.1 \times 10^{16}$	2.7	-50
	1.4	200	$1.0 \times 10^{15}$	2.7	-28
	1.4	200	$1.1 \times 10^{16}$	2.8	-22
	1.4	200	$3.1 \times 10^{16}$	7.5	2
	1.4	200	$1.0 \times 10^{16}$	2.0	13
	1.4	200	$2.4 \times 10^{17}$	5.3	71
	1.4	200	$3.2 \times 10^{16}$	2.7	79
	1.4	200	$3.3 \times 10^{15}$	2.7	101
	1.4	200	$1.2 \times 10^{10}$	2.7	126
CC	1.4	200	$8.9 \times 10^{19}$	3.4	133
05	1.4 1 /	200 200	$2.6 \times 10^{-1}$ 5.5 × 10 ¹⁴	0.4 9.7	78
	1.4	200	$1.0 \times 10^{12}$	0.3	66
	1.4	200	$1.4 \times 10^{12}$	1.7	26
	1.4	200	$3.4 \times 10^{13}$	0.9	$27^{-0}$
	1.4	200	$7.0 \times 10^{12}$	1.1	20
	1.4	200	$3.5~\times10^{13}$	1.5	0
	1.4	200	$1.0~\times 10^{12}$	3.8	-16
	1.4	200	$1.0 \times 10^{12}$	3.9	-10
	1.4	200	$1.1 \times 10^{12}$	0.9	-5
	1.4	200	$1.3 \times 10^{13}$	0.9	-47
	1.4	200	$1.0 \times 10^{12}$	3.0	46

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 174

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm ⁻² )	$\Delta v^{m,c}$ $(\mathrm{km}  \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ $(\text{km s}^{-1})$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm ⁻² )	$\Delta v^{m,c}$ $(\mathrm{km}  \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s ⁻¹ )
	1.4	200	$\frac{(0.01)^{-1}}{2.1 \times 10^{13}}$	0.8	-66		1.4	200	$\frac{(0.01)^{-1}}{5.0 \times 10^{13}}$	5.2	-60
	1.4	200	$1.0 \times 10^{12}$	4.7	-64		1.4	200	$2.6 \times 10^{12}$	1.2	-77
	1.4	200	$1.0 \times 10^{12}$	1.8	-86		1.4	200	$1.4 \times 10^{13}$	0.8	-78
	1.4	200	$9.6 \times 10^{12}$	0.9	-85		1.4	200	$1.0 \times 10^{13}$	1.4	-90
	1.4	200	$7.5 \times 10^{13}$	0.6	-103		1.4	200	$4.4 \times 10^{13}$	1.6	-136
13.00	1.4	200	$1.0 \times 10^{12}$	6.5	-99		1.4	200	$1.0 \times 10^{12}$	1.9	-104
¹⁰ CS	1.4	200	$1.5 \times 10^{14}$ 1.7 × 10 ¹²	1.2	71		1.4	200	$3.5 \times 10^{12}$	0.9	-174
	1.4	200	$1.7 \times 10$ $1.6 \times 10^{12}$	1.0	27 17		1.4	200	$9.8 \times 10$ 1.3 × 10 ¹²	3.U 0.8	-177
	1.4	200	$5.0 \times 10^{12}$	1.2	0	$H^{13}CN$	1.4 1 4	200	$1.5 \times 10^{12}$ 1.5 × 10 ¹²	12.6	-165
	1.4	200	$1.0 \times 10^{12}$	1.3	-8	ii on	1.4	200	$2.0 \times 10^{15}$	7.4	146
	1.4	200	$5.6 \times 10^{12}$	0.5	5		1.4	200	$8.1 \times 10^{14}$	2.9	132
	1.4	200	$1.8 \times 10^{13}$	1.6	-31		1.4	200	$1.0 \times 10^{12}$	2.1	113
	1.4	200	$1.0 \times 10^{12}$	2.4	143		1.4	200	$2.2 \times 10^{12}$	2.5	85
	1.4	200	$1.5 \times 10^{12}$	0.7	-64		1.4	200	$9.4 \times 10^{13}$	5.7	74
	1.4	200	$1.8 \times 10^{12}$	1.9	-78		1.4	200	$1.1 \times 10^{10}$	13.4	56
C33C	1.4	200	$4.2 \times 10^{13}$	2.6	-106		1.4	200	$9.0 \times 10^{13}$	4.0	33
0005	1.4	200	$5.0 \times 10^{11}$	13.4	-103 157		1.4	200	$1.7 \times 10^{11}$ $1.2 \times 10^{12}$	7.0	17
	1.4	200	$1.4 \times 10$ 8.0 $\times 10^{13}$	2.0	-137		1.4	200	$1.3 \times 10$ 3.0 × 10 ¹³	0.0	5
	1.4	200	$9.7 \times 10^{13}$	4.7	-124		1.4	200	$1.2 \times 10^{12}$	1.2	-5
	1.4	200	$9.8 \times 10^{13}$	3.4	-114		1.4	200	$4.7 \times 10^{12}$	0.9	-10
	1.4	200	$2.4 \times 10^{14}$	8.3	-103		1.4	200	$1.8 \times 10^{12}$	0.9	-5
	1.4	200	$3.9 \times 10^{14}$	7.9	-87		1.4	200	$1.7 \times 10^{13}$	7.7	-177
	1.4	200	$8.0 \times 10^{13}$	2.8	-74		1.4	200	$2.7 \times 10^{12}$	0.3	-26
	1.4	200	$5.9 \times 10^{13}$	3.1	-64		1.4	200	$1.0 \times 10^{12}$	1.9	-45
	1.4	200	$7.0 \times 10^{13}$	3.7	-57		1.4	200	$1.4 \times 10^{12}$	3.8	-61
	1.4	200	$1.2 \times 10^{14}$	5.3	-44		1.4	200	$3.9 \times 10^{12}$	1.7	-65 70
	1.4	200	$5.7 \times 10^{13}$	2.9	-37		1.4	200	$6.9 \times 10^{13}$	1.8	-78
	1.4	200	$1.6 \times 10^{14}$	2.0	-30		1.4	200	$1.0 \times 10$ $1.2 \times 10^{12}$	0.9	-90 -97
	1.4	200	$2.0 \times 10^{14}$	13.6	-10		1.4	200	$1.2 \times 10^{12}$ $1.4 \times 10^{12}$	0.5	-86
	1.4	200	$7.6 \times 10^{13}$	3.5	20		1.4	200	$2.5 \times 10^{12}$	1.3	-100
	1.4	200	$8.6 \times 10^{13}$	6.1	31		1.4	200	$7.6 \times 10^{12}$	2.2	-106
	1.4	200	$2.8 \times 10^{14}$	3.7	79		1.4	200	$2.2 \times 10^{13}$	2.7	-115
	1.4	200	$1.1 \times 10^{14}$	6.1	101		1.4	200	$1.2 \times 10^{12}$	0.8	-125
	1.4	200	$2.3 \times 10^{14}$	4.2	109		1.4	200	$1.2 \times 10^{13}$	0.4	-139
	1.4	200	$6.1 \times 10^{13}$	3.0	125		1.4	200	$2.6 \times 10^{12}$	2.3	-136
	1.4	200	$1.3 \times 10^{14}$ 7.2 × 10 ¹³	6.1	135		1.4	200	$7.8 \times 10^{12}$	1.1	-176
	1.4	200	$1.2 \times 10$ 1.1 × 10 ¹⁴	2.8	140		1.4	200	$1.1 \times 10^{12}$	1.0	-94 -185
$C^{34}S$	1.4	200	$3.4 \times 10^{14}$	4.8	-176	HNC	1.4	200	$4.0 \times 10^{13}$	2.4	108
	1.4	200	$4.8 \times 10^{14}$	13.6	-165	-	1.4	200	$9.3 \times 10^{12}$	0.5	101
	1.4	200	$2.3 \times 10^{14}$	3.2	-154		1.4	200	$1.7 \times 10^{12}$	23.2	87
	1.4	200	$2.3 \times 10^{14}$	6.1	-144		1.4	200	$1.9 \times 10^{14}$	2.4	80
	1.4	200	$1.9 \times 10^{14}$	4.7	-128		1.4	200	$4.5 \times 10^{12}$	0.5	23
	1.4	200	$2.0 \times 10^{14}$	5.8	-119		1.4	200	$4.4 \times 10^{13}$	1.7	10
	1.4	200	$10.0 \times 10^{10}$	3.4 7.2	-107		1.4	200	$2.7 \times 10^{13}$ 1.2 × 10 ¹³	3.7	5 7
	1.4	200	$9.5 \times 10^{13}$	6.2	-92 -84		$1.4 \\ 1.4$	200	$7.6 \times 10^{12}$	14.9	-1
	1.4	200	$10.0 \times 10^{13}$	11.4	-22		1.4	200	$5.4 \times 10^{13}$	0.7	-10
	1.4	200	$1.0 \times 10^{14}$	7.4	-1		1.4	200	$1.6 \times 10^{12}$	0.9	-45
	1.4	200	$9.4 \times 10^{13}$	5.3	27		1.4	200	$1.4 \times 10^{12}$	30.8	-32
	1.4	200	$9.9 \times 10^{14}$	6.0	70		1.4	200	$3.7 \times 10^{13}$	5.7	-43
	1.4	200	$1.6 \times 10^{14}$	6.7	95		1.4	200	$1.6 \times 10^{12}$	0.2	-50
	1.4	200	$1.7 \times 10^{14}$	4.3	127		1.4	200	$5.6 \times 10^{12}$	0.9	-55
	1.4	200	$9.3 \times 10^{14}$	4.1	142		1.4	200	$3.6 \times 10^{12}$	2.8	-113
HCN	1.4	200	$2.5 \times 10^{11}$	20.3	101		1.4	200	$1.7 \times 10^{13}$	4.4	-73
non	1.4	200	$1.4 \times 10^{15}$	3.9	46		$1.4 \\ 1.4$	200	$1.7 \times 10^{-1}$ $1.3 \times 10^{12}$	- 3.∠ 29.6	-09
	1.4	200	$5.7 \times 10^{13}$	0.9	30		1.4	200	$1.5 \times 10^{12}$ $1.5 \times 10^{12}$	2.1	-115
	1.4	200	$1.5 \times 10^{14}$	1.0	80		1.4	200	$1.7 \times 10^{12}$	0.4	-101
	1.4	200	$1.5~\times 10^{15}$	16.2	38		1.4	200	$2.3 \times 10^{12}$	3.4	-114
	1.4	200	$1.2~\times 10^{12}$	18.8	19		1.4	200	$4.9~{\times}10^{13}$	6.3	-124
	1.4	200	$1.4 \times 10^{13}$	0.1	7		1.4	200	$2.2 \times 10^{13}$	2.2	-134
	1.4	200	$1.4 \times 10^{14}$	4.1	-3		1.4	200	$1.9 \times 10^{13}$	2.0	-149
	1.4	200	$9.1 \times 10^{12}$	2.0	-16		1.4	200	$2.9 \times 10^{13}$	2.8	-158
	1.4	200	$0.2 \times 10^{13}$ 2 2 $\times 10^{13}$	3.4 9.5	-22		1.4 1 4	200	$1.1 \times 10^{12}$ $1.0 \times 10^{13}$	28.0 4 3	-155 _170
	1.4 1.4	200 200	$2.3 \times 10^{-5}$ 8.5 × 10 ¹³	$^{2.0}_{3.4}$	-əə -43		1.4 1 A	200 200	$1.0 \times 10^{12}$	4.5 5.8	-170
	1.4	200	$5.5 \times 10^{12}$	0.4	-51	$\rm HN^{13}C$	1.4	200	$5.7 \times 10^{13}$	5.6	-134
	1.4	200	$1.0 \times 10^{12}$	0.8	17	-	$1.4^{-1}$	200	$4.2 \times 10^{13}$	3.9	-122
		. •					-	. •			_

T. Möller <i>et al.</i> : Full	molecular line survey	of hot cores.	Online Material p	175

(Continued)							
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LGD}^{m,c}$		
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$		
	1.4	200	$2.8 \times 10^{13}$	5.4	-60		
	1.4	200	$2.6 \times 10^{14}$	10.6	-18		
	1.4	200	$3.7 \times 10^{13}$	5.0	6		
	14	200	$3.2 \times 10^{13}$	2.9	39		
	1.1	200	$8.6 \times 10^{13}$	4.5	50		
	1.4	200	$9.0 \times 10^{13}$	2.5	57		
	1.4	200	$6.7 \times 10^{13}$	11.5	75		
	1.4	200	$6.5 \times 10^{13}$	7.3	108		
$H^{13}CO^+$	1.1	200	$3.6 \times 10^{14}$	10.1	64		
$HO^{13}C^{+}$	1.1	200	$1.0 \times 10^{12}$	2.4	162		
110 0	1.4	200	$1.0 \times 10^{12}$ $1.0 \times 10^{12}$	1.0	144		
	1.1	200	$1.6 \times 10^{12}$	0.8	142		
	1.1	200	$1.0 \times 10^{12}$	4.0	129		
	1.4	200	$1.0 \times 10^{12}$	17	113		
	1.4	200	$1.0 \times 10^{12}$	1.7	129		
	1.4	200	$1.0 \times 10^{12}$	27	101		
	1.4	200	$2.0 \times 10^{12}$	0.9	90		
	1.4	200	$1.1 \times 10^{12}$	0.9	83		
	1.4	200	$3.1 \times 10^{13}$	2.9	81		
	1.4	200	$1.0 \times 10^{13}$	2.3	66		
	1.4	200	$1.3 \times 10^{13}$	1.5	62		
	1.4	200	$1.0 \times 10^{13}$	1.0	58		
	1.4	200	$1.2 \times 10^{12}$ $1.2 \times 10^{12}$	1.1	28		
	1.4	200	$1.2 \times 10^{13}$	2.5	20 15		
	1.4	200	$1.3 \times 10^{12}$	10.4	5		
	1.4	200	$1.5 \times 10^{12}$ 2.8 × 10 ¹²	1.9	-20		
	1.4	200	$2.8 \times 10^{12}$	2.4	-20		
	1.4	200	$5.3 \times 10^{12}$	2.4	-21		
	1.4	200	$1.4 \times 10^{12}$	2.8	-40		
	1.4	200	$1.0 \times 10^{13}$	2.0	-45		
	1.4	200	$1.2 \times 10^{12}$	2.0 4 9	-69		
	1.4	200	$2.3 \times 10^{12}$	4. <i>3</i> 0.8	-03		
	1.4	200	$6.7 \times 10^{12}$	0.0	-67		
	1.4	200	$1.0 \times 10^{12}$	18.8	-80		
	1.4	200	$3.2 \times 10^{12}$	10.0	-96		
	14	200	$1.1 \times 10^{12}$	0.9	-137		
	14	200	$1.0 \times 10^{12}$	2.3	-90		
	14	200	$1.0 \times 10^{13}$	2.8	-121		
	14	200	$1.2 \times 10^{12}$	1.4	-140		
	14	200	$1.2 \times 10^{12}$ 1 1 × 10 ¹²	1 4	-160		
	1.4	200	$1.1 \times 10^{12}$	2.5	-156		
	1.4	200	$1.2 \times 10^{12}$ 1.8 × 10 ¹²	2.5	-158		
	1.4	200	1.0 × 10	2.0	-100		

Table L.26: LTE Parameters for the full LTE model (Envelope Components) for source A13 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
			· · · ·		
SiO	ext.	17	$3.6 \times 10^{14}$	6.6	58
CCH	ext.	3	$7.7 \times 10^{12}$	2.8	113
	ext.	3	$1.3 \times 10^{16}$	18.7	64
	ext.	4	$4.1 \times 10^{14}$	0.7	52
SO	ext.	25	$4.9 \times 10^{15}$	6.0	57
$H_2CO$	ext.	5	$7.6 \times 10^{13}$	0.7	70
$PH_3$	ext.	38	$2.1 \times 10^{19}$	7.8	64
	ext.	29	$7.1 \times 10^{15}$	1.3	55
CN	ext.	8	$3.3 \times 10^{14}$	0.3	73
	ext.	18	$4.4 \times 10^{16}$	11.6	63
	ext.	3	$3.4 \times 10^{14}$	23.1	21
	ext.	24	$4.6 \times 10^{12}$	3.0	23
	ext.	13	$1.8 \times 10^{15}$	13.4	-2
	ext.	29	$1.3 \times 10^{16}$	12.4	-9
	ext.	16	$2.6 \times 10^{14}$	2.0	-43
	ext.	77	$4.3 \times 10^{15}$	6.5	-54

		(C	Continued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
	ext.	16	$1.8 \times 10^{15}$	8.8	-53
	ext.	12	$1.7 \times 10^{14}$	2.3	-79
IL CC	ext.	9	$1.5 \times 10^{14}$	19.4	-102
$H_2 CS$	ext.	21	$1.8 \times 10^{-5}$ 2.0 × 10 ¹⁵	0.8 0.1	04 198
00	ext.	3	$9.4 \times 10^{14}$	2.1	120
	ext.	3	$7.3 \times 10^{16}$	12.2	95
	ext.	3	$1.5 \times 10^{16}$	0.5	87
	ext.	3	$1.5 \times 10^{15}$	1.0	-39
	ext.	3	$7.5 \times 10^{16}$	23.0	69
	ext.	3	$2.6 \times 10^{14}$	0.4	62
	ext.	3	$2.9 \times 10^{15}$	1.3	51
	ext.	3	$6.6 \times 10^{15}$	2.0	40
	ext.	3	$5.7 \times 10^{10}$	28.2	26
	ext.	3	$2.3 \times 10^{15}$	3.4	19
	ext.	ა ე	$2.0 \times 10^{10}$	0.8	0
	ext.	ა ვ	$1.1 \times 10^{-1}$ $1.3 \times 10^{15}$	0.2	-1 -5
	ext.	3	$4.5 \times 10^{16}$	35.7	-5
	ext.	3	$3.2 \times 10^{16}$	13.1	-25
	ext.	3	$2.3 \times 10^{16}$	8.6	-45
	ext.	3	$4.9 \times 10^{15}$	2.0	-51
	ext.	3	$4.9 \times 10^{15}$	1.9	-60
	ext.	3	$1.7 \times 10^{16}$	11.4	-69
	ext.	3	$1.2 \times 10^{16}$	4.6	-77
	ext.	3	$6.9 \times 10^{15}$	6.2	-87
	ext.	3	$8.6 \times 10^{16}$	5.1	-112
13CO	ext.	ა ა	$4.8 \times 10^{-3}$ 7.6 × 10 ¹⁴	10.0	-100 125
0	ext.	ა ვ	$7.0 \times 10^{15}$	1.1 6.4	130
	ext.	3	$1.9 \times 10^{16}$	4.8	96
	ext.	3	$3.2 \times 10^{15}$	1.8	88
	ext.	3	$6.3 \times 10^{15}$	1.0	91
	ext.	3	$2.7 \times 10^{16}$	0.6	75
	ext.	3	$2.7 \times 10^{14}$	1.0	120
	ext.	3	$1.5 \times 10^{17}$	34.5	53
	ext.	3	$6.2 \times 10^{16}$	6.4	47
	ext.	3	$2.6 \times 10^{15}$	1.1	22
	ext.	3	$2.2 \times 10^{15}$	2.7	15
	ext.	ა ა	$8.0 \times 10^{10}$	6.2 1.1	4
	ext.	3	$4.1 \times 10^{16}$	1.1 34 5	-3 -35
	ext.	3	$3.1 \times 10^{15}$	1.1	-48
	ext.	3	$2.2 \times 10^{15}$	15.0	-75
	ext.	3	$3.9 \times 10^{15}$	2.5	-78
	ext.	3	$8.1 \times 10^{15}$	0.9	-94
	ext.	3	$5.8 \times 10^{14}$	0.7	-24
	ext.	3	$4.6 \times 10^{14}$	1.1	-103
c17.0	ext.	3	$2.6 \times 10^{13}$	1.0	-106
010	ext.	ა ე	$3.2 \times 10^{11}$	3.6	-143
	ext.	3	$9.8 \times 10^{-1}$	8.0	-124 108
	ext.	3	$1.0 \times 10^{14}$	2.7	-108
	ext.	3	$1.0 \times 10^{15}$	11.2	-82
	ext.	3	$3.3 \times 10^{14}$	2.8	-68
	ext.	3	$3.2 \times 10^{14}$	2.7	-60
	ext.	3	$1.0 \times 10^{14}$	2.7	-55
	ext.	3	$1.0 \times 10^{14}$	9.6	-63
	ext.	3	$9.8 \times 10^{14}$	7.1	-4
	ext.	3	$3.2 \times 10^{14}$	2.8	29
	ext.	ა ვ	$3.2 \times 10^{13}$ 0.8 $\sim 10^{15}$	2.1 77	33 40
	ext.	3 3	$2.3 \times 10^{15}$	3.0	49 60
	ext.	3	$1.1 \times 10^{15}$	4.3	84
	ext.	3	$1.0 \times 10^{14}$	2.7	108
	ext.	3	$1.0 \times 10^{14}$	2.7	140
$C^{18}O$	ext.	3	$1.1~\times 10^{15}$	2.7	-170
	ext.	3	$3.4 \times 10^{15}$	10.0	-136
	ext.	3	$1.0 \times 10^{15}$	9.0	-123
	ext.	3	$3.2 \times 10^{14}$	2.7	-107
	ext.	3	$2.6 \times 10^{15}$	8.5	-57
	ext.	3	1.0 × 10 ¹⁰	3.3	-41

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 176

		(0	Continued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{\alpha}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$\frac{(\text{cm}^{-2})}{100000000000000000000000000000000000$	$({\rm km  s^{-1}})$	$({\rm km}{\rm s}^{-1})$
	ext.	3	$1.0 \times 10^{10}$ 6.1 × 10 ¹⁴	7.5	-16 -11
	ext.	3	$5.2 \times 10^{16}$	10.7	48
	ext.	3	$1.7 \times 10^{15}$	2.7	76
	ext.	3	$3.2 \times 10^{15}$	3.8	95
	ext.	3	$4.6 \times 10^{14}$	2.5	106
	ext.	3	$10.0 \times 10^{14}$	4.1	112
	ext.	3 3	$3.2 \times 10^{11}$	2.2	117
	ext.	3	$2.9 \times 10^{15}$	$\frac{2.0}{12.7}$	144
	ext.	3	$1.1 \times 10^{15}$	2.6	153
	ext.	3	$1.0 \times 10^{15}$	3.2	158
$\mathbf{CS}$	ext.	3	$3.8 \times 10^{15}$	3.5	88
	ext.	3	$4.0 \times 10^{15}$	1.7	71 50
	ext.	3 3	$1.2 \times 10^{17}$ 7.6 × 10 ¹⁴	7.4 1.0	50 3
	ext.	3	$2.7 \times 10^{15}$	$\frac{1.0}{3.2}$	-3 37
$^{13}CS$	ext.	3	$1.7 \times 10^{12}$	0.8	163
	ext.	3	$3.2 \times 10^{14}$	18.9	108
	ext.	3	$4.0 \times 10^{15}$	2.5	61
	ext.	3	$2.1 \times 10^{16}$	7.7	52
	ext.	3	$8.3 \times 10^{10}$	0.2	46
	ext.	3 3	$5.7 \times 10^{13}$ $2.4 \times 10^{14}$	2.0	-132 78
	ext.	3	$2.4 \times 10^{13}$ $2.6 \times 10^{13}$	18.1	-123
	ext.	3	$3.0 \times 10^{14}$	1.9	-96
	ext.	3	$4.6 \times 10^{13}$	1.2	-110
$C^{33}S$	ext.	3	$3.2 \times 10^{14}$	2.5	-134
	ext.	3	$9.8 \times 10^{14}$	2.5	-128
	ext.	3	$1.2 \times 10^{12}$ $4.2 \times 10^{14}$	2.5	-52 40
	ext.	3	$3.8 \times 10^{14}$	$\frac{2.5}{2.7}$	-40 -17
	ext.	3	$8.5 \times 10^{14}$	2.5	15
	ext.	3	$8.1 \times 10^{14}$	2.7	39
	ext.	3	$1.5 \times 10^{16}$	5.9	52
	ext.	3	$1.6 \times 10^{16}$	5.6	62
	ext.	3	$9.6 \times 10^{14}$	2.1	89 117
	ext.	3	$6.8 \times 10^{14}$	2.5	158
$C^{34}S$	ext.	3	$3.3 \times 10^{14}$	2.0	-137
	ext.	3	$1.1 \times 10^{14}$	2.5	-84
	ext.	3	$3.3 \times 10^{14}$	2.9	-70
	ext.	3	$10.0 \times 10^{14}$	2.6	-40
	ext.	3 3	$1.0 \times 10^{13}$ $1.7 \times 10^{14}$	0.2 2.5	-35 15
	ext.	3	$3.4 \times 10^{14}$	$\frac{2.5}{2.5}$	-10
	ext.	3	$1.1 \times 10^{14}$	2.5	20
	ext.	3	$1.0 \times 10^{15}$	2.4	40
	ext.	3	$1.5 \times 10^{16}$	6.0	52
	ext.	3	$3.4 \times 10^{10}$	17.4	60
	ext.	১ ৭	$3.3 \times 10^{-1}$ 1 1 × 10 ¹⁴	2.5 2.5	82 110
	ext.	3	$8.1 \times 10^{15}$	$\frac{2.5}{3.6}$	136
HCN	ext.	3	$1.4 \times 10^{13}$	2.3	125
	ext.	3	$1.2 \times 10^{13}$	0.9	115
	ext.	3	$2.7 \times 10^{13}$	1.6	111
	ext.	3	$2.3 \times 10^{13}$ 2.6 $\times 10^{13}$	4.2 2.1	104
	ext.	3	$6.7 \times 10^{13}$	8.8	89
	ext.	3	$1.3 \times 10^{14}$	7.6	77
	ext.	3	$1.0 \times 10^{12}$	0.8	65
	ext.	3	$2.3 \times 10^{14}$	22.9	60
	ext.	3	$8.4 \times 10^{13}$	3.5	28
	ext.	び 2	$2.4 \times 10^{14}$ 1.5 $\times 10^{12}$	5.3 3.0	35 17
	ext.	3 3	$2.3 \times 10^{13}$	5.0 5.1	9
	ext.	3	$1.4 \times 10^{13}$	5.6	-69
	ext.	3	$4.7~\times10^{13}$	1.7	-105
**12	ext.	3	$3.9 \times 10^{13}$	6.7	-115
H ¹³ CN	ext.	3	$9.1 \times 10^{13}$	5.4	125
	ext.	ঠ ২	$1.7 \times 10^{15}$ 1.8 × 10 ¹⁵	0.2 13.0	73 50
	CAU.	J	1.0 \ 10	10.0	03

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
HNC	ext.	3	$1.9 \times 10^{13}$	2.2	87
	ext.	3	$9.8 \times 10^{14}$	18.4	67
	ext.	3	$8.1 \times 10^{12}$	1.4	64
	ext.	3	$2.1 \times 10^{14}$	5.3	55
	ext.	3	$5.8 \times 10^{13}$	3.7	46
	ext.	3	$8.6 \times 10^{12}$	1.7	40
	ext.	3	$2.0 \times 10^{12}$	1.1	21
	ext.	3	$7.1 \times 10^{13}$	38.0	19
	ext.	3	$1.9 \times 10^{13}$	0.3	2
	ext.	3	$1.6 \times 10^{12}$	37.4	-102
$\rm H^{13}CO^+$	ext.	3	$2.6~\times 10^{14}$	13.1	57

Table L.27: LTE Parameters for the full LTE model (Core Components) for source A14 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
	. /	<u> </u>	. ,	. ,	
SiO	1.1	305	$1.4 \times 10^{16}$	15.9	74
	1.1	142	$1.0 \times 10^{12}$	4.4	64
	1.1	82	$1.3 \times 10^{15}$	5.3	43
$H_2^{34}S$	1.1	139	$4.6 \times 10^{17}$	4.2	55
	1.1	145	$1.2 \times 10^{17}$	7.1	50
HCN, $v_2=1$	1.1	200	$1.9 \times 10^{17}$	4.8	56
SO	1.1	373	$5.2 \times 10^{17}$	13.6	70
	1.1	382	$9.9 \times 10^{18}$	8.3	53
	1.1	78	$6.6 \times 10^{17}$	10.4	52
$CH_3CN$	1.1	200	$3.4 \times 10^{13}$	3.0	103
$H_2CO$	1.1	198	$5.0 \times 10^{15}$	4.9	75
CN	1.1	200	$1.9 \times 10^{15}$	7.0	103
OCS	1.1	200	$1.0 \times 10^{17}$	4.3	55
	1.1	200	$6.9 \times 10^{16}$	6.6	51
$SO_2$	1.1	150	$4.4 \times 10^{17}$	11.7	69
-	1.1	337	$1.9 \times 10^{18}$	4.1	56
	1.1	254	$7.6 \times 10^{18}$	7.7	52
$SO_2, v_2=1$	1.1	195	$1.4 \times 10^{19}$	8.1	53
NO	1.1	128	$3.1 \times 10^{18}$	5.1	53
NO ⁺	1.1	100	$1.8 \times 10^{15}$	4.0	73
-	1.1	100	$2.2 \times 10^{15}$	3.5	68
NH2D	1.1	262	$2.4 \times 10^{16}$	6.1	73
CH ₂ NH	1.1	228	$8.2 \times 10^{14}$	16.0	78
HNCO	1.1	188	$1.4 \times 10^{16}$	6.1	54
HCCCN	1.1	308	$1.6 \times 10^{15}$	3.9	54
CO	1.1	200	$2.7 \times 10^{13}$	1.0	139
	1.1	200	$3.1 \times 10^{16}$	23.3	113
	1.1	200	$1.3 \times 10^{14}$	24.1	104
	1.1	200	$1.6 \times 10^{15}$	0.1	103
	1.1	200	$4.4 \times 10^{17}$	0.7	100
	1.1	200	$1.4 \times 10^{19}$	9.7	86
	1.1	200	$2.6 \times 10^{19}$	2.0	78
	1.1	200	$1.3 \times 10^{17}$	1.1	46
	1.1	200	$1.1 \times 10^{18}$	6.3	35
	1.1	200	$3.1 \times 10^{17}$	6.3	-137
	1.1	200	$4.7 \times 10^{13}$	0.8	-160
	1.1	200	$1.4 \times 10^{13}$	0.9	-164
	1.1	200	$2.0 \times 10^{16}$	2.4	-168
	1.1	200	$3.0 \times 10^{16}$	0.4	-184
	1.1	200	$1.4 \times 10^{13}$	0.7	-184
$^{13}CO$	1.1	200	$1.8 \times 10^{17}$	29.9	163
	1.1	200	$1.1 \times 10^{15}$	29.8	161
	1.1	200	$4.4 \times 10^{14}$	0.9	158
	1.1	200	$5.0 \times 10^{14}$	0.8	154
	1.1	200	$5.6 \times 10^{15}$	1.0	147
	1.1	200	$4.7 \times 10^{16}$	2.3	124
	1.1	200	$2.4 \times 10^{15}$	29.9	112
	1.1	200	$6.0 \times 10^{16}$	3.3	98
	1.1	200	$1.6 \times 10^{17}$	1.1	84

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	p 177
1. Monor of an more data me bury of not cores	01000100	111 0001 0000	P - ' '

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$\begin{array}{c} \mathrm{N}_{\mathrm{tot}}^{m,c} \\ (\mathrm{cm}^{-2}) \end{array}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$rac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
	1.1	200	$1.5 \times 10^{18}$	6.9	77		1.1	200	$1.9 \times 10^{14}$	1.9	-168
	1.1	200	$3.2 \times 10^{17}$	3.0	56	10	1.1	200	$8.4 \times 10^{18}$	0.1	-182
	1.1	200	$10.0 \times 10^{17}$	4.6	49	$^{13}CS$	1.1	200	$1.1 \times 10^{12}$	16.1	162
	1.1	200	$5.1 \times 10^{10}$	0.9	16		1.1	200	$1.0 \times 10^{14}$	7.6	108
	1.1	200	$5.0 \times 10^{15}$	1.1	-9		1.1	200	$3.4 \times 10^{15}$	1.3	103
	1.1	200	$7.5 \times 10^{10}$	0.9	-08 119		1.1	200	$1.6 \times 10^{15}$ $1.0 \times 10^{15}$	11.7	72 56
	1.1	200	$1.2 \times 10$ $1.3 \times 10^{15}$	0.9	-112 -142		1.1	200	$1.0 \times 10$ $1.5 \times 10^{12}$	2.0	50 46
	1.1	200	$5.4 \times 10^{15}$	0.4	-142		1.1	200	$2.9 \times 10^{13}$	1.0	14
$C^{17}O$	1.1	200	$3.3 \times 10^{16}$	2.7	-176		1.1	200	$1.1 \times 10^{12}$	0.8	-40
	1.1	200	$3.2 \times 10^{15}$	3.5	-164		1.1	200	$2.7 \times 10^{13}$	0.8	-62
	1.1	200	$5.4 \times 10^{15}$	2.4	-159		1.1	200	$5.0 \times 10^{13}$	1.0	-68
	1.1	200	$1.9 \times 10^{17}$	6.7	-150		1.1	200	$1.1 \times 10^{14}$	6.2	-100
	1.1	200	$1.0 \times 10^{16}$	2.7	-138		1.1	200	$2.0 \times 10^{13}$	1.0	-136
	1.1	200	$3.2 \times 10^{15}$	2.7	-122		1.1	200	$1.1 \times 10^{14}$	20.8	-136
	1.1	200	$3.3 \times 10^{10}$	2.7	-92 70		1.1	200	$2.4 \times 10^{12}$	2.6	-147
	1.1	200	$1.0 \times 10^{-5}$ 1.0 $\times 10^{15}$	2.1	-79		1.1	200	$2.3 \times 10^{-3}$ 1.3 × 10 ¹³	2.0	-101 175
	1.1	200	$9.7 \times 10^{15}$	2.7	-7		1.1	200	$2.8 \times 10^{13}$	1.5	-179
	1.1	200	$1.4 \times 10^{16}$	2.7	4	$C^{33}S$	1.1	200	$1.5 \times 10^{16}$	10.2	-161
	1.1	200	$3.2 \times 10^{15}$	2.7	25		1.1	200	$6.7 \times 10^{14}$	7.5	-133
	1.1	200	$1.8 \times 10^{18}$	6.3	54		1.1	200	$2.4 \times 10^{15}$	8.8	-100
	1.1	200	$7.8 \times 10^{16}$	6.9	81		1.1	200	$3.4 \times 10^{14}$	7.8	-83
	1.1	200	$9.5 \times 10^{15}$	2.5	89		1.1	200	$3.8 \times 10^{15}$	7.8	-51
	1.1	200	$3.2 \times 10^{15}$	2.7	97		1.1	200	$1.3 \times 10^{14}$	7.8	30
	1.1	200	$1.0 \times 10^{10}$	2.7	105		1.1	200	$2.6 \times 10^{14}$	8.1	74
	1.1	200	$3.2 \times 10^{10}$ 7.5 × 10 ¹⁶	0.6	111		1.1	200	$1.4 \times 10^{13}$ 1.8 × 10 ¹⁴	9.4	100
$C^{18}O$	1.1	200	$7.5 \times 10^{-16}$	0.4 5.8	-123		1.1	200	$1.8 \times 10$ $1.1 \times 10^{14}$	1.9	124
0 0	1.1	200	$8.7 \times 10^{13}$	6.9	-125		1.1	200	$8.9 \times 10^{13}$	2.5	149
	1.1	200	$2.8 \times 10^{15}$	2.4	-58	$C^{34}S$	1.1	200	$1.8 \times 10^{14}$	6.5	-163
	1.1	200	$1.0 \times 10^{16}$	1.7	-52		1.1	200	$1.8 \times 10^{15}$	7.9	-133
	1.1	200	$9.9 \times 10^{15}$	2.1	-36		1.1	200	$1.8 \times 10^{14}$	7.3	-84
	1.1	200	$1.1 \times 10^{16}$	1.3	-25		1.1	200	$6.8 \times 10^{13}$	2.6	-76
	1.1	200	$4.4 \times 10^{15}$	4.0	-17		1.1	200	$2.5 \times 10^{14}$	15.9	-62
	1.1	200	$4.4 \times 10^{10}$	5.1	-6		1.1	200	$1.8 \times 10^{14}$	6.8	-47
	1.1	200	$3.1 \times 10^{10}$	1.7	2		1.1	200	$1.5 \times 10^{14}$ 1.4 × 10 ¹⁴	5.6	-35 19
	1.1	200	$3.2 \times 10^{-1}$ 2.7 × 10 ¹⁷	0.5 10.8	54 76		1.1	200	$1.4 \times 10$ 5 7 × 10 ¹³	7.0	-12
	1.1	200	$6.5 \times 10^{16}$	1.7	85		1.1	200	$7.0 \times 10^{13}$	5.7	-0 20
	1.1	200	$1.1 \times 10^{16}$	3.0	97		1.1	200	$1.6 \times 10^{14}$	3.1	$45^{-5}$
	1.1	200	$3.4 \times 10^{16}$	9.6	111		1.1	200	$7.7 \times 10^{14}$	4.4	55
	1.1	200	$1.3 \times 10^{16}$	1.6	129		1.1	200	$1.3 \times 10^{15}$	9.2	75
	1.1	200	$5.0 \times 10^{16}$	2.5	150		1.1	200	$8.0 \times 10^{13}$	6.3	15
$\mathbf{CS}$	1.1	200	$1.0 \times 10^{12}$	0.8	152		1.1	200	$6.3 \times 10^{15}$	8.3	143
	1.1	200	$2.0 \times 10^{14}$	3.5	148	UCN	1.1	200	$4.3 \times 10^{13}$	10.4	161
	1.1	200	$1.0 \times 10$ $1.0 \times 10^{12}$	0.0	100	HUN	1.1	200	$1.4 \times 10$ 5.3 × 10 ¹⁶	4.5 13.0	82
	1.1	200	$1.6 \times 10^{16}$	10.7	75		1.1	200	$1.8 \times 10^{15}$	5.6	36
	1.1	200	$1.6 \times 10^{15}$	3.8	43		1.1	200	$3.2 \times 10^{13}$	7.7	25
	1.1	200	$2.1 \times 10^{14}$	4.6	24		1.1	200	$4.9 \times 10^{13}$	0.8	22
	1.1	200	$4.4 \times 10^{13}$	3.4	17		1.1	200	$3.2 \times 10^{14}$	7.1	18
	1.1	200	$9.2 \times 10^{14}$	9.0	2		1.1	200	$1.9 \times 10^{13}$	2.6	-34
	1.1	200	$2.5 \times 10^{12}$	0.1	-9	H ¹³ CN	1.1	200	$9.3 \times 10^{14}$	1.7	150
	1.1	200	$4.2 \times 10^{13}$	1.0	-12		1.1	200	$7.1 \times 10^{13}$	21.6	140
	1.1	200	$1.7 \times 10^{-3}$ $1.0 \times 10^{13}$	0.8	-40 51		1.1	200	$5.9 \times 10^{}$ 1.3 × 10 ¹⁴	0.6	127
	1.1	$\frac{200}{200}$	$1.9 \times 10^{13}$ 1.9 × 10 ¹³	0.7	-51		1.1	200	$2.4 \times 10^{14}$	1.4 0.2	94
	1.1	200	$5.3 \times 10^{13}$	2.9	-59		1.1	200	$3.0 \times 10^{15}$	11.2	80
	1.1	200	$2.4 \times 10^{13}$	2.5	-63		1.1	200	$7.5 \times 10^{14}$	4.5	43
	1.1	200	$6.4 \times 10^{13}$	0.9	-72		1.1	200	$5.4 \times 10^{12}$	0.5	20
	1.1	200	$9.1 \times 10^{12}$	2.5	-79		1.1	200	$9.7 \times 10^{13}$	4.1	17
	1.1	200	$6.0 \times 10^{13}$	0.4	-82		1.1	200	$1.7 \times 10^{13}$	14.1	9
	1.1	200	$1.5 \times 10^{14}$	3.9	-86		1.1	200	$1.0 \times 10^{12}$	0.1	0
	1.1	200	$1.3 \times 10^{12}$	0.3	-93		1.1	200	$1.0 \times 10^{12}$ 1.4 × 10 ¹³	0.7	-9 16
	1.1	200 200	$4.3 \times 10^{12}$ $4.3 \times 10^{12}$	1.3 1.9	-98 _107		1.1 1 1	200 200	$1.4 \times 10^{13}$ 2.2 $\times 10^{14}$	2.2	-10 -97
	1.1 1 1	200	$4.6 \times 10^{12}$	1.2	-107		1.1 1 1	200 200	$1.4 \times 10^{12}$	6.8	-21 -28
	1.1	200	$4.4 \times 10^{13}$	1.0	-125		1.1	200	$1.6 \times 10^{12}$	0.5	-49
	1.1	200	$2.9 \times 10^{13}$	3.9	-132		1.1	200	$9.9 \times 10^{12}$	0.8	-27
	1.1	200	$3.3 \times 10^{13}$	2.1	-140		1.1	200	$3.9 \times 10^{15}$	0.5	-43
	1.1	200	$4.1 \times 10^{12}$	1.1	-154		1.1	200	$1.2 \times 10^{12}$	0.1	-71

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 178

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	N ^{m,c} _{tot}	$\Delta \mathbf{v}^{m,c}$	V ^{m,c} _{LSR 1}			
	(")	(K) 200	$\frac{(\text{cm}^{-2})}{7.4 \times 10^{14}}$	$(\text{km s}^{-1})$	$\frac{(\text{km s}^{-1})}{57}$			
	1.1	200	$2.0 \times 10^{13}$	1.7	-66			
	1.1	200	$3.6 \times 10^{13}$	3.3	-74			
	1.1	200	$4.8 \times 10^{13}$	2.1	-90			
	1.1	$\frac{200}{200}$	$9.9 \times 10^{}$ 1.6 × 10^{13}	0.9	-98 -103			
	1.1	200	$7.3 \times 10^{12}$	0.9	-109			
	1.1	200	$2.0 \times 10^{14}$	25.8	-115			
	1.1	200	$2.6 \times 10^{13}$ 1.8 × 10^{12}	4.5	-125 120			
	1.1	$200 \\ 200$	$4.0 \times 10^{13}$	2.3	-134			
	1.1	200	$7.5 \times 10^{13}$	3.5	-141			
	1.1	200	$1.5 \times 10^{13}$	1.4	-149			
	1.1	200	$2.6 \times 10^{13}$ 1.8 × 10^{13}	1.3 5.0	-159 -168			
	1.1	200	$2.0 \times 10^{12}$	0.5	-174			
	1.1	200	$1.6~\times 10^{13}$	2.7	-186			
HNC	1.1	200	$1.2 \times 10^{13}$	0.8	163			
	1.1	200	$1.1 \times 10^{12}$ 6.7 × 10^{13}	0.9	156			
	1.1	200	$8.1 \times 10^{13}$	6.0	140			
	1.1	200	$2.3 \times 10^{15}$	5.0	119			
	1.1	200	$2.4 \times 10^{13}$	0.5	108			
	1.1	200	$5.6 \times 10^{14}$	9.1	90 86			
	1.1	$200 \\ 200$	$1.3 \times 10^{-1}$ $5.9 \times 10^{15}$	0.8 9.5	80 74			
	1.1	200	$1.9 \times 10^{13}$	0.7	26			
	1.1	200	$2.5 \times 10^{13}$	2.6	21			
	1.1	200	$2.8 \times 10^{13}$	0.8	17			
	1.1	$\frac{200}{200}$	$1.6 \times 10^{13}$	2.0	13 -14			
	1.1	200	$3.4 \times 10^{12}$	1.0	-21			
	1.1	200	$2.4 \times 10^{12}$	14.8	-28			
	1.1	200	$7.4 \times 10^{13}$	3.9	-39			
	1.1	$\frac{200}{200}$	$4.9 \times 10^{12}$	0.8	-44 -53			
	1.1	200	$1.5 \times 10^{14}$	18.3	-60			
	1.1	200	$4.5 \times 10^{13}$	3.4	-69			
	1.1	200	$7.8 \times 10^{12}$	0.7	-75			
	1.1	$\frac{200}{200}$	$1.1 \times 10^{13}$	$\frac{3.0}{2.1}$	-85 -94			
	1.1	200	$1.5~\times 10^{12}$	0.4	-97			
	1.1	200	$1.3 \times 10^{12}$	0.8	-102			
	1.1	200	$3.2 \times 10^{13}$	0.2	-106			
	1.1	$\frac{200}{200}$	$2.1 \times 10$ $2.0 \times 10^{12}$	$\frac{2.1}{2.2}$	-111			
	1.1	200	$1.3 \times 10^{12}$	1.3	-126			
	1.1	200	$2.3 \times 10^{12}$	0.9	-141			
	1.1 11	200 200	$1.0 \times 10^{13}$ 2.0 $\times 10^{13}$	1.6 0.0	-148 -156			
	1.1	200	$2.0 \times 10^{12}$ $2.1 \times 10^{12}$	2.1	-164			
	1.1	200	$1.0~\times 10^{13}$	1.3	-168			
	1.1	200	$2.2 \times 10^{12}$	1.0	-175			
$HN^{13}C$	1.1 11	200 200	$4.3 \times 10^{13}$ $3.5 \times 10^{14}$	0.9 8.5	-182 -161			
	1.1	200	$1.9 \times 10^{13}$	5.0	-144			
	1.1	200	$1.8 \times 10^{14}$	7.5	-35			
	1.1	200	$1.6 \times 10^{15}$	8.3	57			
$H^{13}CO^+$	1.1	200	$4.8 \times 10^{13}$ 3.7 × 10 ¹⁴	5.6 13.5	104 83			
11 00	1.1	200	$4.3 \times 10^{14}$	6.4	55			
$\rm HO^{13}C^+$	1.1	200	$1.8 \times 10^{13}$	1.7	132			
	1.1	200	$1.2 \times 10^{12}$	0.4	129			
	1.1 11	200	$5.1 \times 10^{13}$ 1 7 × 10 ¹²	9.2 1.8	121 96			
	1.1	200	$5.1 \times 10^{12}$	1.1	86			
	1.1	200	$1.5 \times 10^{14}$	9.0	62			
	1.1	200	$2.1 \times 10^{14}$	26.2	61			
	1.1 1 1	200 200	$1.3 \times 10^{14}$ 3.4 $\times 10^{13}$	9.4 3 7	42 33			
	1.1 1.1	$200 \\ 200$	$1.9 \times 10^{12}$	0.7	12			
	1.1	200	$2.8 \times 10^{13}$	0.6	6			

(Continued)								
Molecul	e $\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$			
	1.1	200	$8.4 \times 10^{12}$	0.7	4			
	1.1	200	$2.2 \times 10^{13}$	2.6	-1			

Table L.28: LTE Parameters for the full LTE model (Envelope Components) for source A14 in Sgr B2(M).

Molecule	$A^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda_{\mathbf{v}}^{m,c}$	w ^{m,c}
Molecule	(")	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$
	( )	()	(***** )	( )	( )
SiO	ext.	10	$9.0 \times 10^{12}$	3.0	57
$CH_3CN$	ext.	18	$1.8 \times 10^{15}$	6.0	116
	ext.	19	$1.2 \times 10^{15}$	5.9	85
	ext.	16	$3.5 \times 10^{12}$	6.1	67
$H_2CO$	ext.	11	$9.3 \times 10^{14}$	4.0	70
	ext.	14	$1.7 \times 10^{15}$	4.1	61
	ext.	11	$3.1 \times 10^{14}$	2.0	53
CN	ext.	16	$4.2 \times 10^{15}$	5.0	67
	ext.	23	$5.9 \times 10^{10}$	11.5	61
	ext.	25	$1.2 \times 10^{17}$	9.5	31
	ext.	20	$2.7 \times 10^{13}$	10.3	1
	ext.	14	$4.2 \times 10^{14}$	3.7	-2
	ext.	22	$1.5 \times 10^{13}$	2.8	-43
	ext.	75	$1.1 \times 10^{13}$	4.9	-53
	ext.	11	$6.7 \times 10^{13}$	3.7	-80
II ONI	ext.	8	$2.6 \times 10^{14}$	20.5	-142
$H_2CNH$	ext.	19	$1.5 \times 10^{15}$	7.6	64
$CH_3OH$	ext.	22	$2.8 \times 10^{10}$	7.3	64
COLL	ext.	16	$6.5 \times 10^{15}$	7.3	60
CCH	ext.	3	$8.4 \times 10^{13}$	13.4	64 79
$CH_2NH$	ext.	10	$9.3 \times 10^{12}$	2.5	73
	ext.	6	$8.3 \times 10^{14}$	17.3	61
	ext.	3	$2.4 \times 10^{12}$	2.9	29
	ext.	8	$1.2 \times 10^{12}$	4.7	10
	ext.	5	$3.4 \times 10^{15}$	14.0	2
$H_2CCO$	ext.	19	$1.7 \times 10^{15}$	5.9	62 CC
IINCO	ext.	19	$4.3 \times 10^{10}$	7.0	00
HNCO	ext.	24	$4.1 \times 10^{13}$	8.4	00
HUUUN	ext.	21	$4.0 \times 10^{-1}$	3.7	64 67
$H_2CS$	ext.	10	$2.2 \times 10^{12}$	0.Z	07 146
0	ext.	ა ე	$1.0 \times 10$ $4.5 \times 10^{13}$	2.2	140 127
	ext.	ა ე	$4.3 \times 10^{13}$	20.2	145
	ext.	ა ე	$2.8 \times 10^{15}$	2.2	140
	ext.	ა ვ	$1.7 \times 10^{12}$	1.0 25.0	129
	ext.	ა ვ	$1.0 \times 10^{16}$	25.9	92 65
	ext.	3 2	$1.0 \times 10$ $3.1 \times 10^{16}$	0.2	59
	ext.	3 3	$2.1 \times 10^{16}$	1.8	30
	ext.	3 3	$1.5 \times 10^{16}$	77	17
	evt	3	$3.0 \times 10^{12}$	0.4	0
	ext.	3	$1.0 \times 10^{12}$	1.2	1
	ext.	3	$8.8 \times 10^{16}$	37.9	-4
	ext.	3	$2.1 \times 10^{13}$	0.5	-10
	ext.	3	$1.7 \times 10^{16}$	7.3	-27
	ext.	3	$3.0 \times 10^{16}$	9.4	-47
	ext.	3	$1.9 \times 10^{13}$	0.7	-46
	ext.	3	$4.7 \times 10^{15}$	1.0	-60
	ext.	3	$2.3 \times 10^{16}$	17.8	-75
	ext.	3	$4.6 \times 10^{13}$	0.9	-102
	ext.	3	$1.6 \times 10^{16}$	6.5	-88
	ext.	3	$1.4 \times 10^{15}$	4.6	-93
	ext.	3	$3.8 \times 10^{16}$	13.8	-106
	ext.	3	$7.7 \times 10^{13}$	0.9	64
	ext.	3	$4.1 \times 10^{13}$	1.1	-136
$^{13}CO$	ext.	3	$1.7 \times 10^{16}$	11.2	92
	ext.	3	$1.7 \times 10^{15}$	0.1	68
	ext.	3	$2.1 \times 10^{16}$	5.9	65
	ext.	3	$7.9 \times 10^{15}$	2.3	40

		(0	Continued)					(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	ext.	(K) 3	$\frac{(\text{cm}^{-})}{1.3 \times 10^{16}}$	(Km s  )	(km s -) 30		(``) ext	(K) 3	$\frac{(\text{cm}^{-})}{9.7 \times 10^{14}}$	$\frac{(\text{km s}^{-1})}{0.2}$	(Km s - ) -56
	ext.	3	$9.3 \times 10^{14}$	0.5	22		ext.	3	$6.3 \times 10^{13}$	1.0	-58
	ext.	3	$1.3 \times 10^{15}$	1.2	15		ext.	3	$6.3 \times 10^{14}$	0.3	-67
	ext.	3	$4.9 \times 10^{15}$	2.3	7		ext.	3	$6.4 \times 10^{13}$	30.0	-73
	ext.	3	$3.0 \times 10^{15}$	1.7	1		ext.	3	$1.9 \times 10^{13}$	2.6	-79
	ext.	ა ვ	$4.9 \times 10^{-10}$ 6.5 × 10 ¹⁵	0.1	-37 -43		ext.	3 3	$9.0 \times 10^{-14}$	1.1	-00 -93
	ext.	3	$1.0 \times 10^{16}$	1.5	-48		ext.	3	$1.1 \times 10^{15}$	1.8	-119
	ext.	3	$1.9 \times 10^{15}$	2.1	-105		ext.	3	$5.8 \times 10^{14}$	1.0	-124
	ext.	3	$5.7 \times 10^{13}$	1.0	-114		ext.	3	$4.3 \times 10^{14}$	1.0	-72
	ext.	3	$5.6 \times 10^{13}$	1.0	-119 196	C33g	ext.	3	$3.8 \times 10^{14}$	2.1	-181
	ext.	3	$5.1 \times 10^{13}$	$\frac{4.0}{2.6}$	-120	05	ext.	3	$3.4 \times 10^{14}$	$\frac{5.0}{2.5}$	-133 -92
$C^{17}O$	ext.	3	$9.7 \times 10^{14}$	2.6	-180		ext.	3	$5.1 \times 10^{15}$	6.2	-40
	ext.	3	$2.8 \times 10^{12}$	3.2	-114		ext.	3	$9.8 \times 10^{13}$	2.5	-10
	ext.	3	$3.2 \times 10^{14}$	3.1	-108		ext.	3	$3.9 \times 10^{14}$	2.5	-2
	ext.	3	$4.4 \times 10^{14}$	3.0	-100		ext.	3	$3.5 \times 10^{14}$	2.5	10
	ext.	ა ვ	$9.9 \times 10^{14}$ $3.2 \times 10^{14}$	0.3 2.7	-87		ext.	3 3	$3.9 \times 10^{10}$ 5.2 × 10 ¹²	2.5	17
	ext.	3	$9.5 \times 10^{14}$	3.5	-60		ext.	3	$3.1 \times 10^{14}$	2.5 2.5	44
	ext.	3	$3.0 \times 10^{14}$	0.8	-42		ext.	3	$1.1 \times 10^{16}$	10.8	64
	ext.	3	$2.5 \times 10^{15}$	20.5	-36		ext.	3	$1.5 \times 10^{16}$	5.5	112
	ext.	3	$2.1 \times 10^{15}$	7.1	-26	a34 a	ext.	3	$3.4 \times 10^{14}$	2.5	153
	ext.	3	$3.3 \times 10^{14}$	2.7	-15 10	C34S	ext.	3	$1.8 \times 10^{10}$	18.1	-157 107
	ext.	ა ვ	$2.8 \times 10$ 7 7 × 10 ¹⁴	2.7	-10		ext.	3 3	$4.7 \times 10$ 1.5 × 10 ¹⁵	$\frac{2.5}{2.7}$	-107
	ext.	3	$1.2 \times 10^{15}$	3.6	15		ext.	3	$1.7 \times 10^{14}$	2.5	-20
	ext.	3	$3.2 \times 10^{14}$	1.9	22		ext.	3	$8.1 \times 10^{14}$	2.5	-3
	ext.	3	$6.9 \times 10^{15}$	7.1	44		ext.	3	$1.4 \times 10^{14}$	2.5	27
	ext.	3	$2.5 \times 10^{13}$	4.6	68		ext.	3	$6.3 \times 10^{15}$	6.7	65
	ext.	ঠ ৭	$1.7 \times 10^{14}$ $1.0 \times 10^{14}$	2.7	108		ext.	ა ვ	$1.6 \times 10^{10}$ 2.3 × 10 ¹⁴	0.2 2.5	101 108
	ext.	3	$1.0 \times 10^{15}$ $1.0 \times 10^{15}$	3.8	113	HCN	ext.	3	$1.4 \times 10^{13}$	2.0	103
	ext.	3	$1.0 \times 10^{15}$	6.2	132		ext.	3	$8.0 \times 10^{14}$	4.6	72
c18 c	ext.	3	$7.7 \times 10^{14}$	3.0	137		ext.	3	$1.9 \times 10^{14}$	2.5	66
$C^{18}O$	ext.	3	$7.1 \times 10^{15}$	8.6	-175		ext.	3	$6.0 \times 10^{13}$	1.9	55 50
	ext.	3 3	$9.2 \times 10^{11}$ 1.9 × 10 ¹⁵	2.7	-104 -155		ext.	3 3	$2.6 \times 10^{11}$ 1.6 $\times 10^{15}$	$\frac{2.1}{2.4}$	$\frac{50}{42}$
	ext.	3	$1.3 \times 10^{14}$ $1.3 \times 10^{14}$	2.3 2.4	-140		ext.	3	$5.7 \times 10^{13}$	1.9	32
	ext.	3	$5.7 \times 10^{15}$	8.7	-135		ext.	3	$7.9\ \times 10^{13}$	3.0	5
	ext.	3	$2.7 \times 10^{13}$	7.5	-116		ext.	3	$1.8 \times 10^{14}$	6.2	-1
	ext.	3	$2.0 \times 10^{15}$	5.8	-110		ext.	3	$2.0 \times 10^{13}$	1.9	-65 72
	ext.	ঠ ৭	$1.3 \times 10^{10}$ $1.2 \times 10^{15}$	8.9 6.6	-93 -66	$H^{13}CN$	ext.	ა ვ	$2.8 \times 10^{10}$ 1 1 $\times 10^{19}$	3.0 0.1	-73 71
	ext.	3	$2.6 \times 10^{15}$	7.5	-44	II ON	ext.	3	$4.5 \times 10^{14}$	7.5	64
	ext.	3	$2.3 \times 10^{12}$	48.3	0		ext.	3	$4.6 \times 10^{13}$	1.0	55
	ext.	3	$1.4 \times 10^{14}$	0.8	5		ext.	3	$1.2 \times 10^{12}$	3.0	-9
	ext.	3	$1.0 \times 10^{15}$	5.1	30	HNC	ext.	3	$1.0 \times 10^{12}$	0.9	164
	ext.	ა ვ	$3.6 \times 10^{10}$ 2.6 $\times 10^{15}$	3.8 3.1	41 68		ext.	3 3	$1.1 \times 10^{12}$ 8.5 × 10 ¹⁴	0.9	139 71
	ext.	3	$1.0 \times 10^{15}$	7.2	95		ext.	3	$1.2 \times 10^{15}$	15.3	62
	ext.	3	$5.7 \times 10^{13}$	2.9	98		ext.	3	$4.7 \times 10^{14}$	2.9	51
	ext.	3	$3.5 \times 10^{14}$	5.1	115		ext.	3	$1.3 \times 10^{14}$	4.0	40
aa	ext.	3	$3.1 \times 10^{15}$	6.6	150		ext.	3	$1.0 \times 10^{13}$	0.9	31
CS	ext.	3	$1.4 \times 10^{12}$ 8.3 × 10 ¹⁶	0.6 6.6	161 60		ext.	3	$4.0 \times 10^{14}$ $3.1 \times 10^{12}$	5.6 8.6	0
	ext.	3	$1.3 \times 10^{16}$	$0.0 \\ 0.7$	61		ext.	3	$1.7 \times 10^{12}$	3.0 7.7	-0 -27
	ext.	3	$7.4 \times 10^{16}$	2.8	54		ext.	3	$3.0 \times 10^{12}$	0.9	-104
10	ext.	3	$3.4 \times 10^{13}$	3.1	-174	$\rm HN^{13}C$	ext.	3	$7.2 \times 10^{13}$	8.1	-9
$^{13}CS$	ext.	3	$7.3 \times 10^{12}$	1.1	152		ext.	3	$3.8 \times 10^{14}$	10.8	66
	ext.	3 2	$3.3 \times 10^{13}$ 1 1 $\times 10^{13}$	10.2 6.0	135 08	<b>H</b> 13CO+	ext.	3	3.1 ×10 ¹³ 6 9 ×10 ¹³	6.8 1.4	116 67
	ext.	ა 3	$2.6 \times 10^{16}$	8.1	90 66	II *00+	ext.	ы З	$1.5 \times 10^{-3}$	1.4	62
	ext.	3	$2.5 \times 10^{15}$	1.1	50	$\rm HO^{13}C^+$	ext.	3	$6.6 \times 10^{12}$	2.3	106
	ext.	3	$8.2~\times10^{14}$	6.7	40		ext.	3	$1.6~\times 10^{13}$	3.8	19
	ext.	3	$7.4 \times 10^{14}$	0.6	32		ext.	3	$7.4 \times 10^{12}$	3.4	-15
	ext.	3	$3.0 \times 10^{10}$ 5.0 × 10 ¹²	6.5	4		ext.	3	$1.5 \times 10^{13}$	3.4	-52 57
	ext.	ა 3	$1.6 \times 10^{12}$	14.9	-ə -14		ext.	э 3	$3.1 \times 10^{13}$ 8.6 × 10 ¹³	2.0 9.8	-ə <i>r</i> -116
	ext.	3	$5.7 \times 10^{14}$	1.7	-38		ext.	3	$1.1 \times 10^{12}$	0.6	-92
	ext.	3	$6.0 \times 10^{13}$	4.7	-53						
	ext.	3	$1.3 \times 10^{16}$	1.1	-57						

Molecule

 $\theta^{m,c}$ 

(″)

 $T_{ex}^{m,a}$ 

(K)

(Continued) $\xrightarrow{c} N_{tot}^{m,c}$  $(cm^{-2})$ 

 $\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km}\,\mathrm{s}^{-1})}$ 

-110

-85

-49

-44

-9

11

16

30

35

55

73

86

161

164

164

164

149

140

110

92

80

37

5

1

-9

-22

-153

-32

-52

-61

-77

-86

-97

-105

-109

-117

-112

-137

-151

-151

-7

-164

147

140

89

79

31

14

5

-26

-32

-41

-104

-142

-151

-138

-165

-183

-160

-99

-51

106

-132

-27

10

40

72

77

92

121

146

163

 $\Delta \mathbf{v}^{m,c}$ 

 $({\rm km~s^{-1}})$ 

2.7

2.7

2.7

2.5

2.7

2.7

2.7

40.3

5.0

4.8

9.3

2.2

2.7

0.5

0.5

0.5

1.2

0.9

11.8

12.0

10.5

1.0

0.5

5.2

10.2

2.3

0.5

6.2

4.6

4.2

4.3

36.1

0.7

1.1

0.6

2.2

0.6

1.3

0.7

5.4

0.6

0.7

2.9

0.9

0.6

12.1

1.0

1.9

1.9

2.6

5.8

1.9

2.4

2.8

1.0

1.3

2.8

2.4

8.4

8.0

6.8

3.2

6.5

8.8

6.4

2.8

4.6

2.3

6.2

8.3

8.8

1.9

Table L.29: LTE Parameters for the full LTE model (Core Components) for source A15 in Sgr B2(M).

Molecule	$A^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda_{v}m,c$	w ^{m,c}		0.9	200	$2.5 \times 10^{14}$
Molecule	(")	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(km s^{-1})$		0.9	200	$4.6 \times 10^{16}$
-	()	(11)	(0111 )	(11115)	(1110)		0.9	200	$8.4 \times 10^{16}$
RRL-H	0.9	8850	$6.6 \times 10^8$	28.9	77		0.9	200	$9.6 \times 10^{16}$
$H_2^{34}S$	0.9	169	$5.4 \times 10^{16}$	6.6	63		0.9	200	$2.2 \times 10^{15}$
$SO_2$	0.9	57	$6.2 \times 10^{16}$	8.6	73		0.9	200	$7.5 \times 10^{10}$
	0.9	165	$1.1 \times 10^{18}$	3.4	56		0.9	200	$1.5 \times 10^{10}$
	0.9	117	$8.9 \times 10^{17}$	3.9	51		0.9	200	$2.8 \times 10^{16}$
$SO_2, v_2=1$	0.9	57	$6.2 \times 10^{16}$	8.6	73		0.9	200	$4.0 \times 10^{-1}$
SO	0.9	820	$2.5 \times 10^{17}$	18.1	76		0.9	200	$6.7 \times 10^{17}$
TT 00	0.9	138	$1.3 \times 10^{18}$	5.3	53		0.9	200	$6.0 \times 10^{16}$
$H_2CO$	0.9	35	$1.2 \times 10^{15}$	2.6	85		0.9	200	$2.7 \times 10^{15}$
	0.9	102	$1.1 \times 10^{15}$	0.5	81	$\mathbf{CS}$	0.9	200	$1.0 \times 10^{12}$
CN	0.9	300	$4.0 \times 10^{13}$	2.0	(8 80		0.9	200	$1.3 \times 10^{12}$
UN HaCS	0.9	102	$3.3 \times 10^{-1}$	1.0 3.1	-80 85		0.9	200	$2.0\ \times 10^{13}$
11205	0.9	202	$5.6 \times 10^{14}$	33	77		0.9	200	$5.9 \times 10^{13}$
	0.9	210	$2.4 \times 10^{14}$	0.8	73		0.9	200	$1.7 \times 10^{12}$
	0.9	110	$3.0 \times 10^{15}$	2.9	69		0.9	200	$1.9 \times 10^{14}$
HNC. $v_2=1$	0.9	897	$1.6 \times 10^{15}$	2.7	64		0.9	200	$1.3 \times 10^{12}$
NO	0.9	139	$2.6 \times 10^{17}$	0.3	55		0.9	200	$6.2 \times 10^{15}$
	0.9	223	$5.5 \times 10^{17}$	3.8	52		0.9	200	$1.5 \times 10^{13}$
$NH_2D$	0.9	123	$4.8 \times 10^{15}$	9.9	74		0.9	200	$5.0 \times 10^{13}$
SiO	0.9	1097	$7.5 \times 10^{16}$	32.0	64		0.9	200	$2.5 \times 10^{14}$
$H_2CCO$	0.9	200	$1.7 \times 10^{14}$	4.0	72		0.9	200	$6.3 \times 10^{13}$
CO	0.9	200	$8.9 \times 10^{14}$	1.0	143		0.9	200	$2.8 \times 10^{13}$
	0.9	200	$4.4 \times 10^{18}$	8.0	84		0.9	200	$2.8 \times 10^{10}$
	0.9	200	$5.0 \times 10^{17}$	0.4	54		0.9	200	$1.7 \times 10^{11}$
	0.9	200	$4.1 \times 10^{17}$	1.7	45		0.9	200	$9.1 \times 10^{13}$
	0.9	200	$3.4 \times 10^{15}$	4.5	-6		0.9	200	$8.9 \times 10^{13}$
	0.9	200	$5.6 \times 10^{16}$	1.0	-63		0.9	200	$0.4 \times 10^{-1}$
	0.9	200	$2.4 \times 10^{16}$	2.0	-80		0.9	200	$1.5 \times 10$ 1.0 × 10 ¹²
	0.9	200	$3.7 \times 10^{15}$	1.2	-117		0.9	200	$1.0 \times 10$ $1.8 \times 10^{12}$
	0.9	200	$1.9 \times 10^{16}$	2.6	-126		0.9	200	$3.0 \times 10^{13}$
	0.9	200	$9.2 \times 10^{10}$	3.5	-137		0.9	200	$5.9 \times 10^{12}$
13 00	0.9	200	$3.2 \times 10^{15}$	1.0	-154		0.9	200	$1.6 \times 10^{12}$
¹³ CO	0.9	200	$1.2 \times 10^{10}$	2.7	-1		0.9	200	$2.9 \times 10^{13}$
	0.9	200	$2.0 \times 10^{17}$	7.4	36		0.9	200	$1.7 \times 10^{12}$
	0.9	200	$1.3 \times 10^{17}$	2.7	47		0.9	200	$1.5 \times 10^{12}$
	0.9	200	$3.7 \times 10^{19}$	2.5	55 70		0.9	200	$1.6 \times 10^{12}$
	0.9	200	$2.3 \times 10^{-5}$ 2.0 × 10 ¹⁷	9.0	79 80		0.9	200	$1.5 \times 10^{12}$
	0.9	200	$2.0 \times 10^{-10}$	2.1	04	$^{13}CS$	0.9	200	$9.1 \times 10^{13}$
	0.9	200	$3.4 \times 10^{16}$	2.5	107		0.9	200	$1.8 \times 10^{12}$
	0.9	200	$3.2 \times 10^{16}$ 2.2 × 10 ¹⁶	2.4	114		0.9	200	$6.4 \times 10^{12}$
	0.9	200	$2.2 \times 10^{16}$ 2.0 × 10 ¹⁶	2.0	123		0.9	200	$3.8 \times 10^{14}$
	0.9	200	$1.4 \times 10^{16}$	2.2	128		0.9	200	$2.5 \times 10^{13}$
	0.9	200	$3.2 \times 10^{14}$	2.7	133		0.9	200	$3.4 \times 10^{13}$
	0.9	200	$1.2 \times 10^{16}$	7.4	139		0.9	200	$1.8 \times 10^{13}$
	0.9	200	$2.0 \times 10^{16}$	7.4	156		0.9	200	$3.8 \times 10^{13}$
$C^{17}O$	0.9	200	$6.6 \times 10^{16}$	3.3	-146		0.9	200	$5.9 \times 10^{13}$
	0.9	200	$2.3 \times 10^{16}$	2.9	-130		0.9	200	$2.0 \times 10^{13}$
	0.9	200	$7.2 \times 10^{16}$	6.4	-100		0.9	200	$1.8 \times 10^{13}$
	0.9	200	$2.3 \times 10^{16}$	2.9	-60		0.9	200	$1.2 \times 10^{14}$
	0.9	200	$1.5 \times 10^{15}$	43.6	-52		0.9	200	$5.6 \times 10^{12}$
	0.9	200	$1.8 \times 10^{16}$	2.7	-44		0.9	200	$7.9 \times 10^{12}$
	0.9	200	$8.5 \times 10^{15}$	3.5	-31		0.9	200	$1.6 \times 10^{10}$
	0.9	200	$1.4 \times 10^{16}$	2.7	-10	C335	0.9	200	$0.1 \times 10^{}$
	0.9	200	$1.3 \times 10^{16}$	1.8	6	05	0.9	200	$4.3 \times 10^{-1}$
	0.9	200	$4.0 \times 10^{16}$	4.6	15		0.9	200	$1.0 \times 10$ $1.2 \times 10^{15}$
	0.9	200	$2.4 \times 10^{16}$	3.8	28		0.9	200	$7.0 \times 10^{13}$
	0.9	200	$3.0 \times 10^{16}$	10.1	36	$C^{34}S$	0.9	200	$8.9 \times 10^{14}$
	0.9	200	$4.6 \times 10^{17}$	4.2	55	0.0	0.9	200	$1.1 \times 10^{14}$
	0.9	200	$2.2 \times 10^{17}$	7.4	71		0.9	200	$9.8 \times 10^{13}$
	0.9	200	$2.6 \times 10^{10}$	2.4	86		0.9	200	$8.7 \times 10^{13}$
	0.9	200	$0.7 \times 10^{10}$	4.6	92		0.9	200	$2.7 \times 10^{14}$
	0.9	200	$1.1 \times 10^{10}$	2.7	126		0.9	200	$8.9 \times 10^{13}$
$C^{18}O$	0.9	200	$9.7 \times 10^{14}$	3.Z	147		0.9	200	$1.0 \times 10^{14}$
00	0.9	200	$2.4 \times 10^{10}$ 2.4 $\times 10^{16}$	4.1 7 5	-131 110		0.9	200	$9.6 \times 10^{13}$
	0.9	200	2.4 × 10-3	6.1	-119		0.9	200	$5.6 \times 10^{15}$
							0.9	200	$3.0 \times 10^{14}$

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 181

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	V ^{m,c} LSR 1
HCN	('')	(K) 200	$\frac{(\text{cm}^{-2})}{1.7 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{71}$	$\frac{(\text{km s}^{-1})}{85}$
non	0.9	200	$2.6 \times 10^{14}$	3.2	50
	0.9	200	$2.0 \times 10^{13}$	3.0	40
	0.9	200	$1.3 \times 10^{13}$	1.6	18
	0.9	200	$2.8 \times 10^{13}$ 1.2 × 10^{13}	2.7	8 -24
	0.9	200	$3.3 \times 10^{12}$	1.0	-44
	0.9	200	$3.3 \times 10^{12}$	1.0	-79
$\rm H^{13}CN$	0.9	200	$1.2 \times 10^{12}$	6.2	150
	0.9	$200 \\ 200$	$6.2 \times 10^{14}$ 1 7 × 10 ¹⁴	4.5 5.1	$140 \\ 127$
	0.9 0.9	$200 \\ 200$	$6.2 \times 10^{13}$	33.5	$127 \\ 103$
	0.9	200	$4.4 \times 10^{14}$	12.7	84
	0.9	200	$8.8 \times 10^{11}$	1.2	68
	0.9	200	$1.7 \times 10^{12}$ 1.7 × 10^{13}	0.4	62 20
	0.9	$200 \\ 200$	$1.6 \times 10^{12}$	0.1	20 15
	0.9	200	$1.8 \times 10^{13}$	3.6	9
	0.9	200	$1.5 \times 10^{13}$	9.0	-26
	0.9	200	$4.5 \times 10^{13}$	1.6	-41
	0.9	200	$0.6 \times 10^{14}$ 1.0 × 10 ¹²	0.7 23.0	-52 -77
	0.9	$200 \\ 200$	$1.6 \times 10^{13}$	23.0 2.1	-61
	0.9	200	$1.1 \times 10^{13}$	2.1	-84
	0.9	200	$1.1 \times 10^{12}$	0.7	-89
	0.9	$200 \\ 200$	$1.1 \times 10^{12}$ $1.4 \times 10^{13}$	1.5 1.2	-96 104
	0.9	$200 \\ 200$	$1.4 \times 10$ $2.0 \times 10^{12}$	1.2	-104 -115
	0.9	200	$1.8 \times 10^{13}$	2.2	-115
	0.9	200	$3.7 \times 10^{12}$	0.8	-123
	0.9	200	$2.4 \times 10^{13}$	2.2	-133
	0.9	200	$2.2 \times 10^{12}$ 7 7 × 10 ¹²	0.3 1.3	-143 -173
	0.9	200	$2.2 \times 10^{12}$	2.2	-181
HNC	0.9	200	$3.2 \times 10^{13}$	4.1	152
	0.9	200	$6.0 \times 10^{13}$	2.4	146
	0.9	200	$2.5 \times 10^{12}$ 6.2 × 10^{13}	0.3	136 194
	0.9 0.9	$200 \\ 200$	$1.0 \times 10^{12}$	1.0	$124 \\ 122$
	0.9	200	$6.4 \times 10^{14}$	11.7	89
	0.9	200	$5.8 \times 10^{14}$	5.5	80
	0.9	200	$3.6 \times 10^{14}$	2.1	52 48
	0.9	$200 \\ 200$	$3.0 \times 10^{12}$	0.5	40 36
	0.9	200	$4.4 \times 10^{13}$	3.8	27
	0.9	200	$2.3 \times 10^{13}$	3.6	17
	0.9	200	$1.4 \times 10^{13}$	1.7	11
	0.9	$200 \\ 200$	$4.1 \times 10^{-2}$ $1.0 \times 10^{12}$	0.9	4 -5
	0.9	200	$3.8 \times 10^{13}$	2.4	-17
	0.9	200	$9.5 \times 10^{12}$	0.8	-23
	0.9	200	$1.5 \times 10^{13}$	1.7	-31
	0.9	200	$4.9 \times 10^{12}$ 1.3 × 10 ¹³	1.2	-42 -47
	0.9	200	$1.8 \times 10^{13}$	1.4	-51
	0.9	200	$3.2 \times 10^{13}$	2.9	-58
	0.9	200	$2.1 \times 10^{13}$	1.4	-62
	0.9	200	$5.9 \times 10^{13}$ 1 1 $\times 10^{13}$	3.8 1.0	-70 -77
	0.9	200	$2.4 \times 10^{13}$	1.0	-87
	0.9	200	$4.0 \times 10^{13}$	1.4	-96
	0.9	200	$1.1 \times 10^{13}$	0.8	-100
	0.9 0 a	200	$1.3 \times 10^{13}$ 4 9 $\times 10^{12}$	1.0 1.1	-108 -112
	0.9	200	$1.1 \times 10^{13}$	4.4	-132
	0.9	200	$2.6 \times 10^{13}$	2.6	-139
	0.9	200	$3.3 \times 10^{12}$	0.9	-144
	0.9 0.0	200 200	$2.3 \times 10^{12}$ 2.2 $\times 10^{13}$	0.4 0.6	-151 _158
	0.9	200	$4.2 \times 10^{13}$	2.3	-167
	0.9	200	$3.6~\times 10^{13}$	2.5	-172
	0.9	200	$2.9 \times 10^{12}$	0.9	-174

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	0.9	200	$2.9 \times 10^{12}$	0.2	-186
$\rm HN^{13}C$	0.9	200	$2.2 \times 10^{14}$	11.7	-159
	0.9	200	$5.2 \times 10^{13}$	7.3	-67
	0.9	200	$3.0 \times 10^{13}$	2.4	-32
	0.9	200	$2.7 \times 10^{13}$	8.0	141
$\rm H^{13}CO^+$	0.9	200	$9.7 \times 10^{13}$	5.6	71
	0.9	200	$2.3 \times 10^{14}$	13.0	79
$\rm HO^{13}C^+$	0.9	200	$1.1 \times 10^{14}$	20.4	126
	0.9	200	$1.2 \times 10^{13}$	1.0	119
	0.9	200	$1.0 \times 10^{13}$	1.8	109
	0.9	200	$2.0 \times 10^{12}$	0.2	96
	0.9	200	$5.3 \times 10^{13}$	13.0	86
	0.9	200	$3.2 \times 10^{12}$	1.7	84
	0.9	200	$1.4 \times 10^{13}$	1.2	77
	0.9	200	$6.9 \times 10^{13}$	9.4	69
	0.9	200	$7.6 \times 10^{12}$	0.9	59
	0.9	200	$1.1 \times 10^{13}$	0.8	54
	0.9	200	$1.4 \times 10^{13}$	0.3	48
	0.9	200	$6.0 \times 10^{13}$	5.5	43
	0.9	200	$5.9 \times 10^{12}$	1.2	22
	0.9	200	$1.7 \times 10^{13}$	3.7	13
	0.9	200	$2.6 \times 10^{13}$	0.5	4
	0.9	200	$3.1 \times 10^{13}$	2.5	-1
	0.9	200	$9.1 \times 10^{12}$	2.8	-7
	0.9	200	$5.5 \times 10^{12}$	1.0	-15
	0.9	200	$2.2 \times 10^{13}$	2.8	-29
	0.9	200	$8.6 \times 10^{12}$	2.0	-35
	0.9	200	$8.9 \times 10^{12}$	2.0	-46
	0.9	200	$2.9 \times 10^{13}$	4.9	-64
	0.9	200	$3.2 \times 10^{13}$	2.9	-72
	0.9	200	$1.3 \times 10^{13}$	2.7	-79
	0.9	200	$1.9 \times 10^{12}$	7.4	-123
	0.9	200	$3.0 \times 10^{13}$	2.3	-96
	0.9	200	$1.3 \times 10^{12}$	1.0	-95
	0.9	200	$8.9 \times 10^{12}$	2.2	-126

Table L.30: LTE Parameters for the full LTE model (Envelope Components) for source A15 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
SO	ext.	4	$9.7 \times 10^{15}$	1.9	52
	ext.	34	$1.9 \times 10^{17}$	0.1	52
$H_2CO$	ext.	15	$6.9 \times 10^{14}$	3.1	74
	ext.	16	$1.8 \times 10^{16}$	5.2	65
	ext.	9	$6.3 \times 10^{14}$	8.1	57
CN	ext.	3	$1.3 \times 10^{14}$	7.1	74
	ext.	3	$6.8 \times 10^{13}$	6.4	60
	ext.	12	$1.2 \times 10^{15}$	0.4	36
	ext.	30	$4.1 \times 10^{14}$	2.4	-33
	ext.	24	$6.9 \times 10^{18}$	9.0	-52
	ext.	49	$4.4 \times 10^{12}$	3.4	-74
	ext.	7	$2.9 \times 10^{13}$	10.3	-106
	ext.	5	$1.1 \times 10^{14}$	13.9	-77
$H_2CS$	ext.	3	$9.9 \times 10^{17}$	2.1	50
	ext.	25	$1.4 \times 10^{14}$	2.0	47
	ext.	3	$9.1 \times 10^{17}$	2.1	60
$H_2CNH$	ext.	10	$1.0 \times 10^{12}$	7.0	-90
SiO	ext.	11	$9.0 \times 10^{15}$	5.0	61
	ext.	21	$7.1 \times 10^{15}$	25.6	52
OCS	ext.	12	$8.7 \times 10^{17}$	5.8	67
	ext.	12	$1.2 \times 10^{18}$	5.1	61
$CH_3CHO$	ext.	20	$9.4 \times 10^{16}$	9.7	64
$C_2H_5CN$	ext.	12	$6.0 \times 10^{14}$	5.0	64
CH ₃ OH	ext.	10	$6.9 \times 10^{15}$	7.3	63

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 182

		(Co	ontinued)					(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	(**)	(K) 10	$\frac{(\text{cm}^2)}{1.4 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{70}$	$\frac{(\text{km s}^{-1})}{50}$		('')	(K)	$\frac{(\text{cm}^2)}{7.4 \times 10^{15}}$	(km s ⁻¹ )	(km s ⁻¹ )
CCH	ext.	10 3	$1.4 \times 10^{-15}$ 5.8 × 10 ¹⁵	7.9 12.9	50 56		ext.	२	$7.4 \times 10^{-1}$ 2.5 × 10 ¹⁴	13.0 7 4	-137
CH ₃ OCH ₃	ext.	3	$1.2 \times 10^{15}$	2.9	50 59		ext.	3	$1.0 \times 10^{14}$	2.7	-112 -107
CH ₃ CN	ext.	23	$3.9 \times 10^{12}$	2.6	79		ext.	3	$1.0 \times 10^{16}$	22.7	-93
0	ext.	16	$1.5 \times 10^{14}$	5.4	75		ext.	3	$6.6 \times 10^{15}$	24.0	-74
	ext.	5	$5.0 \times 10^{17}$	17.8	64		ext.	3	$9.2 \times 10^{14}$	2.5	-68
	ext.	9	$4.8 \times 10^{15}$	5.0	57		ext.	3	$3.4 \times 10^{15}$	2.7	-47
	ext.	10	$1.9 \times 10^{16}$	5.8	62		ext.	3	$2.5 \times 10^{15}$	2.3	-42
CH NH	ext.	19	$6.2 \times 10^{10}$	4.6	64		ext.	3	$10.0 \times 10^{13}$	2.7	-33
CH ₂ NH	ext.	10 6	$1.1 \times 10^{12}$	2.5	74		ext.	3	$1.4 \times 10^{15}$	2.6	-28
HNCO	ext.	20	$1.9 \times 10^{17}$	14.3 5.0	64		ext.	3 3	$1.0 \times 10^{-4}$ 8.3 × 10 ¹⁴	2.1	-19
HCCCN	ext.	17	$8.5 \times 10^{17}$	8.9	62		ext.	3	$1.9 \times 10^{12}$	2.7	-6
c-C ₃ H ₂	ext.	10	$2.5 \times 10^{14}$	6.7	58		ext.	3	$5.2 \times 10^{14}$	2.7	13
CO	ext.	3	$4.2 \times 10^{14}$	1.2	161		ext.	3	$1.6 \times 10^{15}$	5.9	19
	ext.	3	$3.0 \times 10^{14}$	4.1	154		ext.	3	$1.4 \times 10^{16}$	11.8	50
	ext.	3	$1.7 \times 10^{15}$	3.3	144		ext.	3	$1.3 \times 10^{16}$	5.1	62
	ext.	3	$3.8 \times 10^{15}$	1.3	131		ext.	3	$9.2 \times 10^{14}$	7.6	100
	ext.	3	$4.7 \times 10^{15}$	2.5	123		ext.	3	$1.8 \times 10^{14}$	2.6	106
	ext.	3	$5.2 \times 10^{13}$	1.6	113		ext.	3	$4.8 \times 10^{13}$	10.9	118
	ext.	3	$1.0 \times 10^{12}$	2.5	110		ext.	3	$3.3 \times 10^{14}$	11.8	130
	ext.	ა ე	$5.9 \times 10^{10}$	1.2	103	CS	ext.	ა ი	$1.5 \times 10^{10}$	4.2	149
	ext.	3 3	$1.3 \times 10^{15}$ 1.8 × 10 ¹⁵	2.5	99 67	CS	ext.	3	$3.9 \times 10$ 8.1 × 10 ¹⁶	17.3	59
	ext.	3	$3.3 \times 10^{15}$	2.5	61		ext.	3	$1.2 \times 10^{16}$	4.0	45
	ext.	3	$3.0 \times 10^{16}$	25.2	52		ext.	3	$2.6 \times 10^{15}$	1.7	32
	ext.	3	$4.5 \times 10^{15}$	1.8	40		ext.	3	$7.4 \times 10^{14}$	0.7	-3
	ext.	3	$2.5 \times 10^{15}$	2.9	28		ext.	3	$1.0 \times 10^{15}$	1.3	13
	ext.	3	$1.3 \times 10^{16}$	4.6	22		ext.	3	$6.1 \times 10^{14}$	0.7	-19
	ext.	3	$2.9 \times 10^{15}$	0.7	15		ext.	3	$2.3 \times 10^{15}$	2.9	-80
	ext.	3	$3.6 \times 10^{15}$	0.9	7		ext.	3	$9.0 \times 10^{13}$	0.7	-181
	ext.	3	$8.1 \times 10^{15}$	1.3	4		ext.	3	$2.6 \times 10^{12}$	0.8	-174
	ext.	- ろ - 9	$9.9 \times 10^{15}$	3.1 5.5	-2	1305	ext.	- ゴ - 9	$1.0 \times 10^{12}$ $1.4 \times 10^{15}$	0.6	-182 157
	ext.	3 3	$9.2 \times 10$ 3.8 $\times 10^{15}$	2.5	-20 -27	CS	ext.	3	$1.4 \times 10$ 1.6 × 10 ¹⁵	9.9	134
	ext.	3	$3.9 \times 10^{15}$	5.4	-33		ext.	3	$5.7 \times 10^{14}$	0.5	127
	ext.	3	$1.3 \times 10^{15}$	1.3	-41		ext.	3	$7.3 \times 10^{14}$	1.1	96
	ext.	3	$1.2 \times 10^{16}$	8.2	-46		ext.	3	$1.0 \times 10^{12}$	0.9	89
	ext.	3	$4.7 \times 10^{15}$	2.6	-59		ext.	3	$4.2 \times 10^{17}$	1.0	61
	ext.	3	$1.7 \times 10^{15}$	1.3	-68		ext.	3	$1.0 \times 10^{17}$	16.4	55
	ext.	3	$7.1 \times 10^{15}$	3.8	-78		ext.	3	$9.2 \times 10^{14}$	2.0	-10
	ext.	3	$2.9 \times 10^{15}$	1.4	-86		ext.	3	$2.3 \times 10^{15}$	12.7	-15
	ext.	3	$2.9 \times 10^{15}$	0.9	-91		ext.	3	$1.1 \times 10^{13}$	2.0	-42
1300	ext.	ა ე	$1.2 \times 10^{13}$	15.2	-102		ext.	ა ე	$7.0 \times 10^{14}$	1.3	-49
-00	ext.	3 3	$3.3 \times 10^{15}$	0.8	-2		ext.	3 3	$1.3 \times 10^{-4}$ $4.1 \times 10^{14}$	4.0	-30
	ext.	3	$3.0 \times 10^{15}$	7.3	22		ext.	3	$\frac{4.1 \times 10}{8.4 \times 10^{14}}$	3.0	-81
	ext.	3	$9.5 \times 10^{14}$	2.7	30		ext.	3	$5.2 \times 10^{14}$	2.3	-91
	ext.	3	$1.0 \times 10^{16}$	8.1	41		ext.	3	$4.2 \times 10^{14}$	1.0	-114
	ext.	3	$3.5 \times 10^{16}$	26.9	60		ext.	3	$1.4 \times 10^{14}$	2.4	-122
1.5	ext.	3	$2.5 \times 10^{15}$	2.2	69	00	ext.	3	$8.6 \times 10^{13}$	1.1	-63
$C^{17}O$	ext.	3	$5.7 \times 10^{15}$	10.6	-178	$C^{33}S$	ext.	3	$1.0 \times 10^{15}$	5.6	-178
	ext.	3	$6.7 \times 10^{14}$	2.7	-168		ext.	3	$3.7 \times 10^{15}$	2.8	-152
	ext.	3	$2.1 \times 10^{15}$	2.3	-161		ext.	3	$3.7 \times 10^{19}$	6.7	-121
	ext.	ა ე	$2.2 \times 10^{-5}$	4.4	-100		ext.	ა ი	$9.7 \times 10^{15}$	2.9 18 5	-111
	ext.	3 3	$3.2 \times 10$ 2.1 × 10 ¹⁵	3.3 73	-138		ext.	3 3	$6.4 \times 10^{14}$	40.0 5 7	-09
	ext.	3	$6.8 \times 10^{14}$	7.5 3.0	-122		ext.	3	$3.5 \times 10^{13}$	1.9	-19
	ext.	3	$1.6 \times 10^{15}$	7.2	-68		ext.	3	$1.6 \times 10^{16}$	13.9	-61
	ext.	3	$4.6 \times 10^{14}$	3.0	-55		ext.	3	$1.5 \times 10^{15}$	5.1	-37
	ext.	3	$1.1 \times 10^{15}$	7.3	-49		ext.	3	$3.9 \times 10^{14}$	2.6	-25
	ext.	3	$7.6 \times 10^{14}$	2.8	-23		ext.	3	$3.1 \times 10^{14}$	2.4	-17
	ext.	3	$1.1 \times 10^{15}$	3.6	-11		ext.	3	$1.4 \times 10^{15}$	7.4	-10
	ext.	3	$1.5 \times 10^{15}$	5.9	-4		ext.	3	$9.1 \times 10^{14}$	7.7	10
	ext.	3	$3.5 \times 10^{14}$	7.3	1		ext.	3	$3.0 \times 10^{12}$	2.5	20
	ext.	3	$1.8 \times 10^{15}$	7.3	9		ext.	3	$9.0 \times 10^{14}$	2.9	32
	ext.	3	$9.0 \times 10^{13}$	5.5	63 101		ext.	3	$1.2 \times 10^{13}$	2.1	143
	ext.	ა ვ	$1.1 \times 10^{19}$ 6.6 $\times 10^{14}$	ა.9 ეუ	101 116		ext.	ა გ	$(.0 \times 10^{13})$ $(.1 \times 10^{15})$	4.U 6 1	49 64
	EX1.	ა	0.0 × 10	4.1	110		ext.	ა	4.1 X 10	0.1	04
	evt	3	$9.3 \times 10^{14}$	$4 \cap$	133		evt	3	$3.2 \times 10^{14}$	23	76
	ext.	3 3	$9.3 \times 10^{14}$ $2.2 \times 10^{15}$	4.0 2.6	$133 \\ 157$		ext. ext	3 3	$3.2 \times 10^{14}$ $2.9 \times 10^{14}$	$2.3 \\ 2.5$	76 81

T Möller	et al ·	Full	molecular	line	SHEVOV	of ho	t cores	Online	Material	n	189
T. Moner	ei $ai$	гuп	molecular	me	survey	or no	t cores,	Omme	materiai	p	100

Molecule	Am,c	$T^{m,c}$	N ^{m,c}	$\Lambda_{w}m,c$	$_{v^{m,c}}$	Mology
Molecule	(//)	$(\mathbf{K})$	$(am^{-2})$	$\Delta v^{,c}$	$V_{\rm LSR}$	Molecu
	()	- (K)	$\frac{(\text{cm})}{1.6 \times 10^{15}}$		(KIIIS) 121	CCII
	ext.	ა ი	$1.0 \times 10^{-1}$	0.0	151	NO
	ext.	ა ი	$1.5 \times 10$ 1.4 × 10 ¹²	29.1	101	NO
C34C	ext.	3	$1.4 \times 10^{}$	1.0	155	$SO_2$
02	ext.	3	$1.0 \times 10^{15}$	22.1	-109	$SO_2, v$
	ext.	3	$1.0 \times 10^{-3}$	2.5	-113	50
	ext.	3	$3.3 \times 10^{-1}$	2.0	-107	
	ext.	3	$9.5 \times 10^{-3}$	11.0	-92	CO
	ext.	3	$1.0 \times 10^{-1}$	2.5	-80	CO
	ext.	3	$9.8 \times 10^{-1}$	2.0	-80	
	ext.	3	$1.0 \times 10^{10}$	2.3	-72	
	ext.	3	$1.0 \times 10^{10}$	2.8	-60	
	ext.	3	$3.3 \times 10^{14}$	2.9	-50	
	ext.	3	$2.0 \times 10^{13}$	9.6	-42	
	ext.	3	$3.3 \times 10^{14}$	2.5	15	12 00
	ext.	3	$1.0 \times 10^{15}$	2.5	34	13CO
	ext.	3	$1.0 \times 10^{15}$	2.5	37	
	ext.	3	$4.4 \times 10^{10}$	9.5	52	
	ext.	3	$2.7 \times 10^{10}$	6.8	62	
	ext.	3	$3.3 \times 10^{14}$	2.5	90	
	ext.	3	$6.6 \times 10^{13}$	2.5	107	
	ext.	3	$3.3 \times 10^{15}$	6.2	115	17
	ext.	3	$1.1 \times 10^{15}$	2.4	127	$C^{17}O$
	ext.	3	$3.3 \times 10^{15}$	1.6	133	
	ext.	3	$5.5 \times 10^{15}$	2.9	156	
HCN	ext.	3	$8.2 \times 10^{12}$	0.9	106	
	ext.	3	$4.2 \times 10^{13}$	3.1	102	
	ext.	3	$1.9 \times 10^{13}$	0.9	97	
	ext.	3	$5.9 \times 10^{13}$	1.0	76	
	ext.	3	$5.0 \times 10^{13}$	1.1	45	
	ext.	3	$1.1 \times 10^{13}$	1.4	38	
	ext.	3	$3.3 \times 10^{13}$	2.4	32	
	ext.	3	$4.0 \times 10^{13}$	5.0	23	
	ext.	3	$1.1 \times 10^{13}$	1.0	13	
	ext.	3	$6.2 \times 10^{12}$	2.5	-4	
	ext.	3	$2.6 \times 10^{13}$	1.9	-125	
	ext.	3	$8.4 \times 10^{12}$	16.4	-142	
$H^{13}CN$	ext.	3	$1.0 \times 10^{12}$	0.1	113	
	ext.	3	$1.2 \times 10^{14}$	6.6	60	
	ext.	3	$2.8 \times 10^{13}$	3.0	47	
HNC	ext.	3	$6.6 \times 10^{12}$	1.0	112	$C^{18}O$
	ext.	3	$7.2 \times 10^{13}$	5.2	69	
	ext.	3	$8.4 \times 10^{13}$	3.0	63	
	ext.	3	$1.5 \times 10^{14}$	2.1	56	
	ext.	3	$1.4 \times 10^{14}$	1.9	45	
	ext.	3	$1.3 \times 10^{13}$	0.7	0	
	ext.	3	$7.7 \times 10^{12}$	1.0	-55	
	ext.	3	$1.3 \times 10^{13}$	1.0	-102	
$\rm HN^{13}C$	ext.	3	$3.8 \times 10^{13}$	8.6	-74	
	ext.	3	$4.2 \times 10^{13}$	5.5	52	
	ext.	3	$1.4 \times 10^{14}$	5.1	59	
$H^{13}CO^{+}$	ext.	3	$1.6 \times 10^{14}$	8.6	57	

Table L.31: LTE Parameters for the full LTE model (Core Components) for source A16 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
			0		
RRL-H	1.7	9445	$6.5 \times 10^{8}$	18.5	60
CN	1.7	200	$3.3 \times 10^{15}$	3.7	76
$NO^+$	1.7	200	$2.5 \times 10^{15}$	2.9	75
	1.7	200	$1.9 \times 10^{15}$	2.0	68
	1.7	200	$3.1 \times 10^{15}$	7.3	48
$CH_2NH$	1.7	291	$6.4 \times 10^{14}$	1.1	75
$HCS^+$	1.7	199	$1.1 \times 10^{14}$	8.0	75

		(Co	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
CCH	1.7	100	$1.0 \times 10^{14}$	2.2	50
NO	1.7	303	$2.8 \times 10^{15}$	1.1	81
$SO_2$	1.7	66 66	$2.1 \times 10^{10}$	3.2	59 50
$SO_2, v_2=1$	1.7 1.7	730	$2.1 \times 10$ 7.9 × 10 ¹⁵	5.8	59 71
50	1.7	511	$6.1 \times 10^{15}$	3.7	60
	1.7	261	$5.3 \times 10^{15}$	4.1	52
CO	1.7	200	$3.8 \times 10^{14}$	0.3	158
	1.7	200	$2.1 \times 10^{15}$	4.0	160
	1.7	200	$2.0 \times 10^{16}$	2.7	144
	1.7	200	$8.9 \times 10^{17}$	7.0	99
	1.7	200	$2.6 \times 10^{18}$	1.3	76
	1.7	200	$2.7 \times 10^{10}$	1.2	51 14
$^{13}CO$	1.7 1.7	200	$4.7 \times 10^{-4}$ 2.9 × 10 ¹⁵	1.0	-14 130
00	1.7	200	$2.3 \times 10^{13}$ $2.4 \times 10^{13}$	1.5	28
	1.7	200	$1.3 \times 10^{13}$	3.6	19
	1.7	200	$2.0 \times 10^{12}$	1.1	-8
	1.7	200	$2.7 \times 10^{14}$	3.4	-68
	1.7	200	$1.9 \times 10^{14}$	3.2	72
c17 c	1.7	200	$3.5 \times 10^{15}$	1.5	-112
$C^{1}O$	1.7	200	$1.1 \times 10^{15}$	2.7	-175
	1.7	200	$1.1 \times 10^{10}$	2.7	-164
	1.7	200	$1.1 \times 10^{10}$	4.5	-137
	1.7	200	$1.1 \times 10^{16}$	0.9	-124 100
	1.7 17	200	$3.5 \times 10^{15}$	2.6	-100
	1.7	200	$3.1 \times 10^{15}$	2.0	-73
	1.7	200	$9.8 \times 10^{15}$	3.2	-55
	1.7	200	$8.6 \times 10^{15}$	3.3	-23
	1.7	200	$7.1 \times 10^{15}$	14.9	-18
	1.7	200	$7.5 \times 10^{15}$	2.7	-10
	1.7	200	$1.7 \times 10^{16}$	14.3	4
	1.7	200	$4.4 \times 10^{15}$	2.7	17
	1.7	200	$3.3 \times 10^{14}$	2.7	22
	1.7	200	$4.9 \times 10^{15}$	3.7	113
	1.7	200	$1.3 \times 10^{10}$	2.7	119
	1.7	200	$4.7 \times 10^{-5}$ 2.0 × 10 ¹⁵	2.1	129
$C^{18}O$	1.7	200	$1.5 \times 10^{15}$	2.8	-153
0 0	1.7	200	$4.8 \times 10^{15}$	2.8	-118
	1.7	200	$4.8 \times 10^{15}$	2.8	-112
	1.7	200	$1.5 \times 10^{15}$	2.8	-104
	1.7	200	$1.5 \times 10^{15}$	1.7	-90
	1.7	200	$2.9 \times 10^{15}$	2.8	-25
	1.7	200	$1.1 \times 10^{16}$	4.1	-14
	1.7	200	$1.5 \times 10^{15}$	2.8	2
	1.7	200	$2.8 \times 10^{10}$	9.2	30
	1.7	200	$4.6 \times 10^{11}$ 7.4 × 10 ¹⁵	1.3	123
	1.7 1.7	200	$3.6 \times 10^{15}$	2.8	151
CS	1.7	200	$1.7 \times 10^{13}$	2.0 4 1	145
~~	1.7	200	$2.1 \times 10^{14}$	9.1	139
	1.7	200	$1.1 \times 10^{13}$	1.1	130
	1.7	200	$7.0 \times 10^{13}$	2.6	112
	1.7	200	$1.2 \times 10^{13}$	5.1	105
	1.7	200	$4.4 \times 10^{12}$	0.8	102
	1.7	200	$1.6 \times 10^{15}$	1.0	73
	1.7	200	$7.4 \times 10^{12}$	0.8	22
	1.7	200	$2.0 \times 10^{14}$ 2.4 × 1013	30.0 1 7	-101
	1.7	200	$2.4 \times 10^{-5}$ 8.5 $\times 10^{13}$	$\frac{1.1}{2.7}$	0 4
	1.7	200	$1.6 \times 10^{13}$	0.8	-7
	1.7	200	$5.7 \times 10^{12}$	0.8	-9
	1.7	200	$5.1 \times 10^{12}$	1.0	-15
	1.7	200	$6.6 \times 10^{13}$	4.1	-35
	1.7	200	$2.3~\times10^{13}$	1.2	-41
	1.7	200	$10.0 \times 10^{13}$	5.7	-50
	1.7	200	$8.9 \times 10^{13}$	4.8	-57
	1.7	200	$5.4 \times 10^{13}$	2.8	-82
	1.7	200	$1.4 \times 10^{13}$	37.6	-177
	1.7	200	2.9 ×10 ¹⁰	1.0	-93

T. Möller <i>et al.</i> : Full	molecular	line survey	of hot cores.	Online	Material	p	184
1. WONCE CU W I UN	molecular	mic bui vey	01 1100 00100,	OTHERE	111 0001 000	P	104

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI GD
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km  s^{-1}})$
	17	200	$\frac{10^{13}}{26 \times 10^{13}}$	2.4	106
	1.7	200	$2.0 \times 10$	2.4	-100
	1.7	200	$1.3 \times 10^{-1}$	3.9	-116
	1.7	200	$7.1 \times 10^{13}$	2.4	-126
	1.7	200	$3.2 \times 10^{13}$	2.0	-135
	1.7	200	$6.6 \times 10^{13}$	6.6	-142
	1.7	200	$1.7 \times 10^{13}$	4.5	-151
	17	200	$6.0 \times 10^{13}$	19	-155
13 CC	1.7	200	$5.0 \times 10^{13}$	0.4	145
-05	1.7	200	$3.9 \times 10^{-14}$	0.4	140
	1.7	200	$1.4 \times 10^{14}$	3.7	150
	1.7	200	$1.9 \times 10^{13}$	0.1	128
	1.7	200	$1.0 \times 10^{12}$	1.1	105
	1.7	200	$4.5 \times 10^{13}$	8.0	14
	1.7	200	$2.1 \times 10^{13}$	1.5	-41
	17	200	$2.8 \times 10^{13}$	27	-66
	1.7	200	$2.0 \times 10$ 1 1 $\times 10^{12}$	2.1	-00
	1.1	200	$1.1 \times 10^{12}$	1.0	-135
	1.7	200	$1.0 \times 10^{12}$	1.0	-137
	1.7	200	$1.0 \times 10^{12}$	4.3	-142
	1.7	200	$2.0 \times 10^{12}$	0.3	-160
	1.7	200	$1.1 \times 10^{12}$	9.9	-186
	1 7	200	$1.5 \times 10^{13}$	13.7	186
C33C	1.7	200	$1.0 \times 10^{13}$	10.1	-100
Coos	1.7	200	$8.2 \times 10^{10}$	9.6	-20
$C^{34}S$	1.7	200	$1.0 \times 10^{14}$	6.6	-59
	1.7	200	$1.1 \times 10^{14}$	7.3	-32
	1.7	200	$8.0 \times 10^{14}$	6.2	149
HCN	1.7	200	$5.3 \times 10^{12}$	0.2	161
	1 7	200	$0.6 \times 10^{13}$	1.0	76
	1.7	200	$3.0 \times 10$	1.0	10
	1.7	200	$6.4 \times 10^{10}$	1.9	48
	1.7	200	$1.0 \times 10^{12}$	0.8	10
	1.7	200	$6.0 \times 10^{12}$	1.0	-53
	1.7	200	$6.8 \times 10^{12}$	1.9	-56
	1.7	200	$5.0 \times 10^{12}$	2.7	-77
	17	200	$6.2 \times 10^{12}$	4.1	-120
	1.7	200	$0.2 \times 10^{12}$	4.1	-120
	1.7	200	$3.2 \times 10^{12}$	1.8	-136
	1.7	200	$3.8 \times 10^{12}$	0.3	-158
	1.7	200	$2.4 \times 10^{12}$	0.5	-163
	1.7	200	$1.7 \times 10^{12}$	0.7	-168
	1.7	200	$6.2 \times 10^{12}$	3.6	-173
	17	200	$3.7 \times 10^{12}$	2.2	-18/
ul3cm	1.7	200	$3.7 \times 10^{12}$	2.2	-104
HIGON	1.7	200	$4.7 \times 10^{12}$	0.9	137
	1.7	200	$5.8 \times 10^{14}$	19.5	142
	1.7	200	$3.6 \times 10^{14}$	3.7	141
	1.7	200	$1.1 \times 10^{13}$	14.3	137
	1.7	200	$1.0 \times 10^{12}$	1.3	118
	17	200	$1.3 \times 10^{13}$	7 2	101
	1 7	200	$1.5 \times 10^{12}$	0.2	05
	1.7	200	$1.7 \times 10$	0.2	85
	1.7	200	$1.0 \times 10^{12}$	1.4	84
	1.7	200	$1.8 \times 10^{13}$	5.4	75
	1.7	200	$2.1 \times 10^{12}$	0.8	46
	1.7	200	$1.0 \times 10^{12}$	1.5	36
	1.7	200	$2.7 \times 10^{12}$	1.5	24
	1.7	200	$2.5 \times 10^{13}$	0.9	22
	17	200	$4.8 \times 10^{13}$	10.4	10
	17	200	-1.0 A 10 9 9 V 1012	10.4	10
	1.1	200	$4.0 \times 10^{}$	0.0	4
	1.7	200	$4.3 \times 10^{12}$	1.4	-11
	1.7	200	$2.7 \times 10^{12}$	2.1	-16
	1.7	200	$3.7 \times 10^{12}$	0.3	-28
	1.7	200	$3.5 \times 10^{13}$	1.1	-32
	1.7	200	$9.5 \times 10^{12}$	2.6	-39
	1 7	200	$7.4 \times 10^{12}$	0.0	53
	1.7	200	20 21013	0.9	-00
	1.(	200	$3.0 \times 10^{13}$	4.4	-09
	1.7	200	$2.0 \times 10^{13}$	1.7	-99
	1.7	200	$1.4 \times 10^{14}$	38.4	-110
	1.7	200	$1.3 \times 10^{13}$	2.0	-116
	1.7	200	$6.2 \times 10^{12}$	7.9	-142
	1 7	200	$3.2 \times 10^{13}$	5.6	-148
	17	200	$6.6 \times 10^{12}$	1 1	-157
	1.7	200	$1.0 \times 10^{13}$	1.1	-107
	1.7	200	$1.2 \times 10^{13}$	2.2	-106
	1.7	200	$1.4 \times 10^{12}$	0.2	-169
HNC	1.7	200	$1.0 \times 10^{12}$	39.7	90
	1.7	200	$1.9 \times 10^{12}$	0.7	159
	1.7	200	$2.6 \times 10^{12}$	0.7	157
	17	200	$5.6 \times 10^{12}$	0.3	153
	<b>T</b> • 1	200	0.0 / 10	0.0	100

(Continued)											
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$						
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$						
	1.7	200	$1.8 \times 10^{13}$	5.7	146						
	1.7	200	$2.4 \times 10^{13}$	2.8	100						
	1.7	200	$1.8 \times 10^{14}$	1.2	74						
	1.7	200	$8.9 \times 10^{13}$	2.8	52						
	1.7	200	$8.7 \times 10^{11}$	0.5	45						
	1.7	200	$7.1 \times 10^{12}$	1.7	23						
	1.7	200	$1.2 \times 10^{13}$	2.9	14						
	1.7	200	$1.0 \times 10^{14}$	2.1	3						
	1.7	200	$2.2 \times 10^{13}$	3.5	-15						
	1.7	200	$6.7 \times 10^{12}$	0.6	-23						
	1.7	200	$10.0 \times 10^{12}$	2.0	-30						
	1.7	200	$2.3 \times 10^{13}$	2.7	-37						
	1.7	200	$6.1 \times 10^{12}$	2.7	-43						
	1.7	200	$3.4 \times 10^{12}$	2.1	-49						
	1.7	200	$1.0 \times 10^{12}$	0.6	-57						
	1.7	200	$7.4 \times 10^{12}$	3.2	-65						
	1.7	200	$5.0 \times 10^{12}$	0.1	-68						
	1.7	200	$2.3 \times 10^{13}$	1.1	-76						
	1.7	200	$1.2 \times 10^{13}$	1.3	-80						
	1.7	200	$7.7 \times 10^{12}$	0.1	-88						
	1.7	200	$6.6 \times 10^{12}$	1.0	-105						
	1.7	200	$4.9 \times 10^{12}$	1.3	-111						
	1.7	200	$7.9 \times 10^{12}$	1.0	-122						
	1.7	200	$1.0 \times 10^{13}$	2.2	-136						
	1.7	200	$8.1 \times 10^{12}$	2.7	-145						
	1.7	200	$1.3 \times 10^{13}$	1.9	-154						
	1.7	200	$2.9 \times 10^{12}$	11.9	-185						
	1.7	200	$1.6 \times 10^{13}$	1.6	-167						
	1.7	200	$2.2 \times 10^{12}$	0.8	-175						
	1.7	200	$1.7 \times 10^{13}$	3.6	-180						
$\rm HN^{13}C$	1.7	200	$6.7 \times 10^{13}$	10.1	-96						
	1.7	200	$2.6 \times 10^{13}$	8.2	-71						
	1.7	200	$6.4 \times 10^{13}$	24.7	23						
$H^{13}CO^+$	1.7	200	$2.4 \times 10^{14}$	9.2	62						
$\rm HO^{13}C^+$	1.7	200	$6.4 \times 10^{13}$	26.5	163						
	1.7	200	$1.8 \times 10^{14}$	26.6	124						
	1.7	200	$2.0 \times 10^{13}$	4.9	81						
	1.7	200	$3.7 \times 10^{13}$	18.1	38						
	1.7	200	$3.6 \times 10^{13}$	12.1	1						
	1.7	200	$1.7 \times 10^{14}$	24.5	-50						
	1.7	200	$5.0 \times 10^{12}$	7.8	-78						
	1.7	200	$9.5 \times 10^{13}$	30.5	-86						

Table L.32: LTE Parameters for the full LTE model (Envelope Components) for source A16 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
CN	ext.	3	$1.9 \times 10^{12}$	2.2	67
	ext.	20	$5.9 \times 10^{14}$	16.3	62
	ext.	9	$3.1 \times 10^{13}$	7.0	46
	ext.	10	$1.0 \times 10^{14}$	21.0	33
	ext.	5	$2.4 \times 10^{13}$	7.4	8
	ext.	16	$5.9 \times 10^{13}$	2.9	-2
	ext.	42	$1.0 \times 10^{12}$	9.8	-12
	ext.	18	$7.4 \times 10^{13}$	7.9	-46
	ext.	66	$1.0 \times 10^{12}$	4.0	41
	ext.	18	$1.6 \times 10^{14}$	17.5	-102
$H_2^{34}S$	ext.	14	$1.4 \times 10^{16}$	2.4	81
	ext.	14	$2.0 \times 10^{15}$	0.8	63
	ext.	43	$7.4 \times 10^{16}$	3.8	54
$H_2CO$	ext.	4	$1.0 \times 10^{13}$	5.6	83
	ext.	42	$4.4 \times 10^{16}$	9.4	62
	ext.	16	$2.1 \times 10^{14}$	11.2	46

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 185

(Continued)						(Continued)						
Molecule	$ extsf{\theta}^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{\left(\mathrm{kms}^{-1} ight)}$	N	Molecule	$ extsf{\theta}^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{\left(\mathrm{kms}^{-1} ight)}$
	ext.	10	$4.0 \times 10^{12}$	3.3	36			ext.	3	$1.7 \times 10^{14}$	0.5	-184
$HC(O)NH_2$	ext.	21	$1.2 \times 10^{13}$ $1.4 \times 10^{13}$	14.8	64 67			ext.	ঠ ৭	$1.4 \times 10^{15}$ $1.8 \times 10^{15}$	25.3 6.2	-101 -111
Olizitii	ext.	19	$1.4 \times 10^{12}$ $1.4 \times 10^{12}$	4.9	59			ext.	3	$10.0 \times 10^{14}$	1.0	-125
	ext.	10	$1.9 \times 10^{13}$	2.9	3			ext.	3	$4.2 \times 10^{14}$	7.7	-142
	ext.	9	$1.6 \times 10^{13}$	3.8	-3	1	2	ext.	3	$3.7 \times 10^{14}$	2.5	-152
$PH_3$	ext.	3	$1.4 \times 10^{13}$	7.0	57	1	³ CO	ext.	3	$1.2 \times 10^{10}$	14.8	89
HaCCO	ext.	3 16	$7.1 \times 10^{}$ 2.6 × 10 ¹⁵	0.1 11 3	47 63			ext.	3 3	$4.0 \times 10^{15}$	1.3 1.0	80 70
SiO	ext.	3	$2.6 \times 10^{15}$	1.8	65			ext.	3	$7.2 \times 10^{15}$	8.9	61
	ext.	3	$3.1 \times 10^{15}$	0.5	56			ext.	3	$2.2 \times 10^{16}$	1.0	54
	ext.	18	$1.3 \times 10^{14}$	13.9	48			ext.	3	$8.5 \times 10^{15}$	1.5	48
$CH_3CN$	ext.	10	$1.9 \times 10^{13}$ 1.0 × 10^{17}	2.9	67 62			ext.	3	$1.0 \times 10^{10}$ 5.5 × 10 ¹⁴	9.6 1.5	43
$H_2CS$	ext.	47 26	$1.9 \times 10^{-1}$ $4.9 \times 10^{14}$	0.9	03 67			ext.	ა 3	$1.0 \times 10^{16}$	$1.0 \\ 35.3$	20 12
11200	ext.	17	$1.1 \times 10^{15}$	10.4	60			ext.	3	$1.3 \times 10^{15}$	4.2	0
$HCS^+$	ext.	5	$1.1~\times 10^{14}$	7.4	61			ext.	3	$3.9~{\times}10^{15}$	3.8	-44
	ext.	3	$1.3 \times 10^{14}$	3.2	54			ext.	3	$3.8 \times 10^{15}$	2.4	-50
$H_2CCN$	ext.	14	$4.9 \times 10^{13}$	5.1	51			ext.	3	$1.0 \times 10^{12}$	1.1	-182
ССН	ext.	14	$2.4 \times 10^{13}$	$\frac{2.0}{7.2}$	63 61	(	7170	ext.	3	$8.8 \times 10^{13}$ 7.5 × 10 ¹⁴	2.6	-186 172
CH ₃ OH	ext.	33	$1.9 \times 10^{16}$	17.1	59		0	ext.	3	$1.1 \times 10^{14}$	7.3	-167
0	ext.	30	$3.5 \times 10^{15}$	7.9	62			ext.	3	$8.4 \times 10^{14}$	3.8	-156
	ext.	9	$2.2 \times 10^{14}$	2.3	13			ext.	3	$3.3 \times 10^{14}$	3.4	-130
	ext.	12	$9.5 \times 10^{13}$	3.2	1			ext.	3	$1.1 \times 10^{14}$	2.7	-119
NO	ext.	40	$5.5 \times 10^{12}$	7.0	-9 72			ext.	3	$3.2 \times 10^{14}$	4.8	-111
NO	ext.	4	$3.8 \times 10^{-1}$ 3.3 $\times 10^{15}$	2.9 2.9	73 55			ext.	3 3	$9.0 \times 10^{-1}$ 3.8 × 10 ¹⁴	7.1 2.8	-100
	ext.	3	$3.4 \times 10^{15}$	4.5	67			ext.	3	$9.6 \times 10^{14}$	4.4	-44
	ext.	3	$3.1 \times 10^{15}$	3.9	63			ext.	3	$6.8 \times 10^{13}$	0.5	-28
	ext.	3	$2.5 \times 10^{15}$	1.3	57			ext.	3	$6.4 \times 10^{14}$	3.8	12
	ext.	3	$2.3 \times 10^{15}$	1.0	49			ext.	3	$6.9 \times 10^{15}$	12.0	49
H_C ³³ S	ext.	30 7	$3.9 \times 10^{15}$ 1.3 × 10 ¹⁵	38.0 22.4	34 55			ext.	3	$1.4 \times 10^{15}$ 1.8 $\times 10^{15}$	22.1	57 80
H ₂ C S H ₂ CNH	ext.	3	$2.5 \times 10^{13}$	22.4 8.3	59			ext.	3	$1.8 \times 10$ $9.0 \times 10^{14}$	2.6	88
	ext.	7	$5.3 \times 10^{13}$	5.6	67			ext.	3	$1.1 \times 10^{14}$	2.5	95
$SO_2$	ext.	9	$9.2 \times 10^{13}$	5.7	67			ext.	3	$1.6 \times 10^{14}$	2.8	109
0.00	ext.	45	$1.2 \times 10^{18}$	6.1	49			ext.	3	$1.3 \times 10^{14}$	2.9	124
ocs	ext.	17	$4.9 \times 10^{10}$	7.1 5.2	57 50			ext.	3	$3.5 \times 10^{14}$	2.8	137
	ext.	19 45	$1.0 \times 10^{-5}$ $4.7 \times 10^{17}$	$\frac{5.2}{7.6}$	50 62			ext.	ა ვ	$3.9 \times 10^{-1}$ 8.5 × 10 ¹⁴	2.9 3.6	$144 \\ 154$
SO	ext.	19	$2.5 \times 10^{14}$	8.4	82	(	$C^{18}O$	ext.	3	$2.3 \times 10^{15}$	7.6	-178
	ext.	13	$1.4~\times10^{15}$	18.7	50			ext.	3	$8.7 \times 10^{14}$	7.5	-159
HNCO	ext.	21	$1.0 \times 10^{15}$	12.8	59			ext.	3	$2.4 \times 10^{15}$	16.9	-140
HCCCN	ext.	12	$6.0 \times 10^{10}$	6.5	69 61			ext.	3	$1.4 \times 10^{14}$	2.8	-120
	ext.	30	$7.4 \times 10^{10}$	10.7	61 51			ext.	ა ვ	$1.2 \times 10^{13}$ $4.1 \times 10^{14}$	7.0 3.8	-99 80
CH ₃ NH ₂	ext.	9	$5.6 \times 10^{14}$	13.2	61			ext.	3	$\frac{4.1 \times 10}{8.2 \times 10^{14}}$	6.8	-77
CO	ext.	3	$1.4 \times 10^{14}$	1.0	159			ext.	3	$8.9 \times 10^{14}$	3.5	-69
	ext.	3	$1.8 \times 10^{14}$	1.0	146			ext.	3	$9.8 \times 10^{14}$	7.2	-60
	ext.	3	$4.0 \times 10^{14}$	1.1	134			ext.	3	$1.6 \times 10^{15}$	3.7	-44
	ext.	3	$1.3 \times 10^{10}$	2.2	128			ext.	3	$8.3 \times 10^{14}$	7.5	-30 -30
	ext.	3	$2.2 \times 10^{15}$ 2.4 × 10 ¹⁵	2.4	107			ext.	3	$5.8 \times 10^{14}$ 5.7 × 10 ¹⁴	7.5 5.1	-22
	ext.	3	$6.3 \times 10^{15}$	5.0	90			ext.	3	$4.1 \times 10^{14}$	7.5	13
	ext.	3	$2.5 \times 10^{15}$	0.9	85			ext.	3	$1.9 \times 10^{16}$	21.6	49
	ext.	3	$7.6 \times 10^{14}$	1.1	65			ext.	3	$2.9 \times 10^{15}$	7.7	69
	ext.	3	$1.1 \times 10^{15}$	0.7	57 49			ext.	3	$2.3 \times 10^{13}$	5.2	78 100
	ext.	3 3	$4.4 \times 10^{-5}$ 10.0 × 10 ¹⁴	0.2	42 33			ext.	ა ვ	$4.1 \times 10^{-1}$ $3.3 \times 10^{14}$	3.0 4.4	100
	ext.	3	$1.1 \times 10^{15}$	1.2	28			ext.	3	$3.5 \times 10^{14}$ $3.5 \times 10^{14}$	3.4	111
	ext.	3	$5.9 \times 10^{15}$	8.3	14			ext.	3	$5.7 \times 10^{14}$	3.5	117
	ext.	3	$4.3 \times 10^{15}$	1.0	24			ext.	3	$1.3 \times 10^{15}$	9.5	142
	ext.	3	$1.4 \times 10^{16}$	22.5	2	(	CS	ext.	3	$1.4 \times 10^{16}$	8.5	84
	ext.	3	$1.7 \times 10^{10}$	2.6	-7 20			ext.	3	$2.0 \times 10^{10}$	0.3 4 5	72 66
	ext.	ა ვ	$7.7 \times 10^{15}$	0.7 12.1	-20 -26			ext.	ა ვ	$1.8 \times 10^{13}$	4.0 1.0	00 59
	ext.	3	$8.5 \times 10^{15}$	13.3	-46			ext.	3	$1.9 \times 10^{16}$	17.2	56
	ext.	3	$1.2 \times 10^{14}$	19.7	-54			ext.	3	$1.7 \times 10^{15}$	1.0	54
	ext.	3	$2.7 \times 10^{15}$	1.5	-61			ext.	3	$2.1 \times 10^{16}$	10.6	42
	ext.	3	$3.5 \times 10^{15}$	6.1	-75			ext.	3	$2.6 \times 10^{15}$	4.1	-171
		3	4 H ¥ 10 ¹⁹	0.1	-81			ext.	3	$1.8 \times 10^{13}$	9.3	-176

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 186

(Continued)											
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{o}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}						
13.00	('')	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km}{\rm s}^{-1})$	$({\rm kms^{-1}})$						
¹³ CS	ext.	3	$9.2 \times 10^{13}$ 7.1 × 10^{13}	1.1 1.0	80 64						
	ext.	3	$1.9 \times 10^{16}$	15.1	58						
	ext.	3	$5.1 \times 10^{12}$	0.5	13						
	ext.	3	$5.1 \times 10^{13}$	20.4	-1						
	ext.	3	$4.2 \times 10^{12}$	0.1	-33						
	ext.	3	$7.8 \times 10^{13}$	3.7	-47						
$C^{33}S$	ext.	3	$2.2 \times 10^{-1}$ 3.7 × 10 ¹⁴	3.0 2.2	-əə -178						
0 0	ext.	3	$9.7 \times 10^{15}$	13.2	-161						
	ext.	3	$4.6 \times 10^{15}$	9.7	-150						
	ext.	3	$3.8 \times 10^{14}$	2.5	-121						
	ext.	3	$3.3 \times 10^{15}$	6.1 16.0	-109						
	ext.	3 3	$0.7 \times 10^{13}$ 1.1 × 10 ¹⁴	10.9 2.4	-100						
	ext.	3	$3.3 \times 10^{14}$	$2.4 \\ 2.6$	-72						
	ext.	3	$8.7 \times 10^{14}$	2.4	-59						
	ext.	3	$5.8 \times 10^{15}$	22.6	-52						
	ext.	3	$1.8 \times 10^{15}$	7.6	-37						
	ext.	3	$1.2 \times 10^{14}$	2.2	-27						
	ext.	3 3	$2.3 \times 10^{15}$	$\frac{2.5}{7.6}$	20 39						
	ext.	3	$1.3 \times 10^{15}$	3.8	49						
	ext.	3	$1.1 \times 10^{16}$	15.3	59						
	ext.	3	$2.1 \times 10^{15}$	10.3	84						
	ext.	3	$6.3 \times 10^{15}$	16.4	110						
	ext.	3	$4.4 \times 10^{14}$ 6.8 × 10 ¹⁴	1.9	115 120						
	ext.	3	$2.6 \times 10^{14}$	2.5	120						
	ext.	3	$9.7 \times 10^{14}$	5.6	161						
$C^{34}S$	ext.	3	$7.6 \times 10^{14}$	6.1	-181						
	ext.	3	$9.0 \times 10^{14}$	2.0	-170						
	ext.	3	$6.9 \times 10^{13}$	32.2	-166 150						
	ext.	3	$2.0 \times 10^{15}$	$\frac{2.3}{6.2}$	-139 -146						
	ext.	3	$2.6 \times 10^{15}$	14.0	-132						
	ext.	3	$8.9 \times 10^{14}$	5.4	-122						
	ext.	3	$2.1 \times 10^{15}$	8.2	-94						
	ext.	3	$3.1 \times 10^{14}$	2.6	-84						
	ext.	3	$3.1 \times 10^{14}$	$\frac{2.5}{2.6}$	-47						
	ext.	3	$1.2 \times 10^{13}$	2.5	20						
	ext.	3	$1.0~\times 10^{14}$	2.5	27						
	ext.	3	$5.7 \times 10^{15}$	6.0	45						
	ext.	3	$1.5 \times 10^{10}$	12.0	60						
	ext.	3	$2.3 \times 10^{15}$ 2.1 × 10 ¹⁵	0.0 10.8	80 105						
	ext.	3	$1.0 \times 10^{14}$	2.5	122						
	ext.	3	$8.8 \times 10^{15}$	14.4	137						
	ext.	3	$4.9 \times 10^{15}$	2.2	145						
HON	ext.	3	$2.2 \times 10^{15}$	6.1	156						
HCN	ext.	ঠ ৭	$1.1 \times 10^{13}$ 2.0 × 10^{13}	0.8	105						
	ext.	3	$1.2 \times 10^{13}$	0.7	93						
	ext.	3	$3.5 \times 10^{13}$	8.6	87						
	ext.	3	$1.6 \times 10^{14}$	27.2	58						
	ext.	3	$3.2 \times 10^{13}$	0.3	43						
	ext.	3	$6.5 \times 10^{13}$ 1.0 × 10^{12}	14.6	36 27						
	ext.	3	$2.4 \times 10^{13}$	$\frac{0.4}{4.2}$	-1						
	ext.	3	$2.3 \times 10^{12}$	1.0	-43						
	ext.	3	$1.0 \times 10^{12}$	0.7	-54						
11 ² ON	ext.	3	$1.0 \times 10^{13}$	6.4	-103						
H ¹³ CN	ext.	3	$4.2 \times 10^{13}$	5.8	68 62						
	ext.	ა ვ	$1.6 \times 10^{13}$	10.7	03 56						
	ext.	3	$1.1 \times 10^{14}$	26.5	48						
	ext.	3	$2.8~\times 10^{12}$	0.6	-53						
INC	ext.	3	$1.7 \times 10^{12}$	4.7	-75						
HNC	ext.	3	$4.2 \times 10^{13}$	9.1 0.7	131						
	ext.	ა ვ	$1.0 \times 10^{12}$ 8.7 × 10 ¹²	0.7 2.1	$131 \\ 122$						
		0	J., AIO	<i></i>							

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$({\rm km} {\rm s}^{-1})$	$(\rm kms^{-1})$				
	ext.	3	$2.1 \times 10^{13}$	5.1	87				
	ext.	3	$2.8 \times 10^{13}$	0.6	66				
	ext.	3	$3.5 \times 10^{13}$	5.3	62				
	ext.	3	$4.0 \times 10^{13}$	6.0	55				
	ext.	3	$1.3 \times 10^{14}$	7.8	40				
	ext.	3	$5.3 \times 10^{13}$	6.2	-1				
	ext.	3	$1.1 \times 10^{13}$	1.9	-8				
	ext.	3	$9.0 \times 10^{12}$	1.0	-102				
$\rm HN^{13}C$	ext.	3	$1.3 \times 10^{13}$	6.6	-7				
	ext.	3	$6.7 \times 10^{13}$	45.0	46				
	ext.	3	$3.1 \times 10^{13}$	7.6	62				
	ext.	3	$1.4 \times 10^{13}$	13.1	113				
$\rm H^{13}CO^+$	ext.	3	$6.7 \times 10^{12}$	5.0	80				
	ext.	3	$8.3 \times 10^{13}$	8.2	60				
	ext.	3	$1.7 \times 10^{13}$	5.1	43				
$\rm HO^{13}C^+$	ext.	3	$3.6 \times 10^{12}$	7.9	19				
	ext.	3	$3.8 \times 10^{13}$	15.6	-52				
	ext.	3	$4.2 \times 10^{12}$	6.8	-118				

Table L.33: LTE Parameters for the full LTE model (Core Components) for source A17 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL CD
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
			( )	( )	<u> </u>
RRL-H	1.6	23779	$4.6 \times 10^{8}$	22.6	60
$H_2^{34}S$	1.6	200	$5.2 \times 10^{15}$	5.5	59
$H_2CS$	1.6	108	$1.0 \times 10^{12}$	3.4	78
CCH	1.6	100	$1.0 \times 10^{14}$	1.3	73
SiO	1.6	200	$7.1 \times 10^{13}$	11.4	81
CN	1.6	200	$4.8 \times 10^{14}$	3.1	77
SO	1.6	179	$2.5 \times 10^{14}$	1.1	75
	1.6	1012	$3.4 \times 10^{12}$	12.7	71
$SO_2$	1.6	298	$1.1 \times 10^{12}$	4.9	52
CO	1.6	200	$2.6 \times 10^{15}$	1.1	174
	1.6	200	$9.5 \times 10^{15}$	1.1	135
	1.6	200	$1.3 \times 10^{16}$	1.3	112
	1.6	200	$5.6 \times 10^{16}$	3.9	109
	1.6	200	$5.0 \times 10^{16}$	2.9	84
	1.6	200	$1.5 \times 10^{18}$	1.4	45
	1.6	200	$2.3 \times 10^{16}$	1.0	-37
	1.6	200	$4.3 \times 10^{15}$	1.2	-59
	1.6	200	$2.2 \times 10^{15}$	1.0	-121
	1.6	200	$1.4 \times 10^{16}$	3.6	-140
	1.6	200	$2.1 \times 10^{15}$	0.4	-167
$^{13}CO$	1.6	200	$1.4 \times 10^{12}$	0.1	149
	1.6	200	$2.2 \times 10^{16}$	2.0	105
	1.6	200	$8.0 \times 10^{15}$	0.7	61
	1.6	200	$1.6 \times 10^{16}$	1.5	-134
	1.6	200	$1.5 \times 10^{16}$	1.0	-137
$C^{17}O$	1.6	200	$3.1 \times 10^{15}$	2.8	-167
	1.6	200	$3.1 \times 10^{16}$	11.7	-159
	1.6	200	$3.1 \times 10^{15}$	2.4	-135
	1.6	200	$3.1 \times 10^{15}$	1.0	-130
	1.6	200	$3.1 \times 10^{14}$	2.7	-114
	1.6	200	$3.1 \times 10^{15}$	3.6	-98
	1.6	200	$1.2 \times 10^{16}$	7.9	-82
	1.6	200	$4.0 \times 10^{15}$	2.7	-58
	1.6	200	$3.3 \times 10^{15}$	2.7	-47
	1.6	200	$1.2 \times 10^{16}$	2.6	-36
	1.6	200	$5.3 \times 10^{15}$	2.7	-12
	1.6	200	$5.7 \times 10^{15}$	2.7	6
	1.6	200	$3.7 \times 10^{15}$	2.7	28
	1.6	200	$1.1 \times 10^{15}$	2.7	33
	1.6	200	$8.2 \times 10^{14}$	0.8	38
	1.6	200	$2.3 \times 10^{16}$	7.1	78

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 187

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}			
	(")	(K) 200	$\frac{(\text{cm}^{-2})}{2.7 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{7}$	$\frac{(\text{km s}^{-1})}{84}$			
	1.6	$200 \\ 200$	$4.7 \times 10^{15}$	$\frac{7.1}{2.7}$	84 95			
	1.6	200	$1.6 \times 10^{16}$	8.5	137			
	1.6	200	$1.6 \times 10^{16}$	3.4	156			
G18 G	1.6	200	$8.6 \times 10^{15}$	2.2	161			
CroO	1.6	200	$6.9 \times 10^{13}$	2.4	-153 145			
	1.6	$\frac{200}{200}$	$1.9 \times 10$ 8.8 × 10 ¹²	$\frac{3.3}{2.4}$	-145			
	1.6	200	$2.5 \times 10^{13}$	2.4	-121			
	1.6	200	$6.9 \times 10^{13}$	0.5	-110			
	1.6	200	$1.9 \times 10^{14}$	6.7	-99			
	1.0 1.6	200	$1.9 \times 10^{11}$ 1.3 × 10 ¹⁶	2.8 8.8	-93 -82			
	1.6	200	$5.7 \times 10^{15}$	6.0	-74			
	1.6	200	$5.4 \times 10^{13}$	1.6	-55			
	1.6	200	$2.3 \times 10^{15}$	1.7	-50			
	1.6	200	$5.2 \times 10^{15}$	5.0	0			
	1.6 1.6	200	$1.2 \times 10^{12}$ 2.1 × 10 ¹⁶	1.1 16.5	8 27			
	1.6	$200 \\ 200$	$2.0 \times 10^{13}$	2.4	32			
	1.6	200	$4.2~\times10^{16}$	4.1	76			
	1.6	200	$3.2 \times 10^{16}$	9.8	104			
	1.6	200	$1.3 \times 10^{16}$	6.2	114			
	1.6 1.6	200	$9.9 \times 10^{13}$ 8.6 × 10^{14}	4.7	122			
	$1.0 \\ 1.6$	$200 \\ 200$	$9.1 \times 10^{15}$	6.8	142			
	1.6	200	$9.7 \times 10^{16}$	49.0	156			
CS	1.6	200	$9.0 \times 10^{13}$	11.8	113			
	1.6	200	$8.3 \times 10^{13}$	1.2	85			
	1.6 1.6	200	$1.7 \times 10^{13}$ 3.4 $\times 10^{13}$	1.0 1.2	52 43			
	$1.0 \\ 1.6$	$\frac{200}{200}$	$5.4 \times 10^{13}$ $5.1 \times 10^{13}$	$\frac{1.2}{2.3}$	43 14			
	1.6	200	$1.4 \times 10^{13}$	1.1	3			
	1.6	200	$4.7 \times 10^{13}$	3.2	-10			
	1.6	200	$7.1 \times 10^{12}$	1.3	-36			
	1.6 1.6	200	$4.6 \times 10^{13}$ $3.8 \times 10^{13}$	2.2	-50 -65			
	1.6	$200 \\ 200$	$2.4 \times 10^{12}$	0.5	-82			
	1.6	200	$3.7 \times 10^{13}$	2.1	-82			
	1.6	200	$5.1 \times 10^{13}$	2.5	-99			
	1.6	200	$1.5 \times 10^{13}$	0.9	-120			
	1.6 1.6	200	$4.1 \times 10^{13}$ $1.8 \times 10^{13}$	2.3 1.3	-124 -132			
	$1.0 \\ 1.6$	$200 \\ 200$	$1.5 \times 10^{13}$	1.5	-143			
	1.6	200	$3.9 \times 10^{13}$	1.9	-153			
$^{13}CS$	1.6	200	$1.0 \times 10^{14}$	6.1	72			
$C^{33}S$	1.6	200	$2.1 \times 10^{14}$	8.7	60			
Cors	1.6 1.6	200	$8.7 \times 10^{13}$ 5.2 × 10^{13}	5.1 23.0	-62 -25			
	$1.0 \\ 1.6$	$200 \\ 200$	$2.5 \times 10^{14}$	50.0	-20			
	1.6	200	$9.1 \times 10^{13}$	6.4	30			
	1.6	200	$2.8 \times 10^{14}$	6.4	42			
	1.6	200	$1.1 \times 10^{14}$	4.4	73			
	1.6 1.6	200	$5.7 \times 10^{13}$ 1.2 × 10^{14}	2.5 21.0	84 95			
HCN	$1.0 \\ 1.6$	200	$2.4 \times 10^{13}$	21.3 2.0	$\frac{33}{42}$			
$\rm H^{13}CN$	1.6	200	$8.0 \times 10^{12}$	0.9	163			
	1.6	200	$7.3 \times 10^{12}$	0.9	159			
	1.6	200	$3.9 \times 10^{14}$	6.5	133			
	1.6 1.6	200	$3.5 \times 10^{13}$ 2.0 $\times 10^{13}$	2.9	45 10			
	1.6	200	$1.1 \times 10^{13}$	0.8	2			
	1.6	200	$4.9 \times 10^{12}$	2.6	-71			
	1.6	200	$7.9 \times 10^{12}$	7.4	-56			
	1.6	200	$8.4 \times 10^{12}$	0.5	-88			
	1.6 1.6	200 200	$6.8 \times 10^{13}$ $6.4 \times 10^{12}$	25.6 2.8	-109 -116			
	1.6	200	$1.2 \times 10^{13}$	1.4	-124			
	1.6	200	$1.6 \times 10^{13}$	3.2	-133			
	1.6	200	$1.8 \times 10^{13}$	1.9	-145			
UNC	1.6	200	$8.5 \times 10^{12}$	1.0	-176			
HNU	1.0	200	1.3 ×10 ¹⁰	1.7	138			

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$				
	1.6	200	$1.3 \times 10^{12}$	0.7	138				
	1.6	200	$1.4 \times 10^{13}$	2.0	50				
	1.6	200	$1.9 \times 10^{13}$	1.9	44				
	1.6	200	$1.2 \times 10^{13}$	1.1	2				
$\rm HO^{13}C^+$	1.6	200	$3.2 \times 10^{13}$	26.0	129				
	1.6	200	$4.4 \times 10^{12}$	2.3	109				

Table L.34: LTE Parameters for the full LTE model (Envelope Components) for source A17 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda \mathbf{v}^{m,c}$	v ^{m,c}
molecule	<i>(''</i> )	(K)	$(cm^{-2})$	$(km s^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$
	()	(11)	(em)	(11115)	(11115)
SiS	ext.	33	$1.0 \times 10^{15}$	0.9	82
10-10	ext.	11	$1.1 \times 10^{15}$	2.0	57
$H_2CS$	ext.	11	$1.3 \times 10^{12}$	2.3	83
11200	ext.	17	$6.1 \times 10^{14}$	8.8	65
	evt	19	$9.5 \times 10^{14}$	10.5	50
CCH	ext.	16	$3.5 \times 10^{-14}$	57	65
COII	ext.	17	$4.1 \times 10^{-14}$	2.0	53
NO	ext.	11 C	$4.2 \times 10^{15}$	2.9	55 74
NO	ext.	0	$1.4 \times 10^{-1}$	2.5	74 60
	ext.	ა ე	$3.4 \times 10^{-1}$	1.7	09 54
	ext.	3	$7.7 \times 10^{-5}$	2.6	54
	ext.	3	$3.8 \times 10^{15}$	0.9	47
mag	ext.	3	$2.9 \times 10^{13}$	1.9	42
HNCO	ext.	3	$9.2 \times 10^{17}$	1.6	63
SiO	ext.	26	$3.2 \times 10^{13}$	3.2	57
	ext.	3	$1.0 \times 10^{13}$	2.0	64
	ext.	3	$4.0 \times 10^{14}$	0.8	48
$_{\rm CN}$	ext.	3	$7.8 \times 10^{13}$	5.4	66
	ext.	26	$2.5 \times 10^{16}$	14.1	60
	ext.	16	$1.1 \times 10^{14}$	13.4	33
	ext.	14	$1.7 \times 10^{14}$	17.7	1
	ext.	12	$1.4 \times 10^{13}$	2.4	-11
	ext.	21	$2.0 \times 10^{14}$	16.7	-43
	ext.	23	$6.5 \times 10^{12}$	2.5	-66
	ext.	74	$1.3 \times 10^{14}$	7.0	-63
	ext.	11	$6.9 \times 10^{12}$	3.8	-85
	ext.	8	$1.7 \times 10^{13}$	14.4	-106
CH₃OH	ext.	33	$1.6 \times 10^{15}$	1.0	57
0113011	ext.	36	$1.0 \times 10^{12}$	1.1	57
	ext.	26	$2.4 \times 10^{16}$	6.1	67
	evt	20 Q	$1.0 \times 10^{12}$	1.8	150
	ext.	20	$1.0 \times 10^{15}$ 2.5 × 10 ¹⁵	2.0	53
	ovt	10	$2.5 \times 10^{14}$	2.0	50
H.CO	ext.	19	$1.0 \times 10^{15}$	1.5	50 60
$H_{2}CO$	ext.	20	$1.2 \times 10^{-1}$	4.9	50
80	ext.	11 F	$3.1 \times 10^{14}$	0.9	00
50	ext.	0	$1.4 \times 10^{-1}$	1.9	00
	ext.	9	$2.2 \times 10^{14}$	5.1	55
	ext.	20	$3.6 \times 10^{14}$	1.6	49
	ext.	10	$1.9 \times 10^{14}$	4.1	45
$H_2CNH$	ext.	10	$3.3 \times 10^{12}$	7.9	64
$SO_2$	ext.	26	$2.5 \times 10^{17}$	8.8	49
OCS	ext.	24	$4.3 \times 10^{10}$	8.2	64
$\rm NH_2D$	ext.	11	$6.4 \times 10^{16}$	5.1	71
	ext.	11	$3.0 \times 10^{16}$	4.9	75
$NO^+$	ext.	10	$9.9 \times 10^{13}$	6.9	43
$CH_3CN$	ext.	12	$1.4 \times 10^{14}$	5.2	64
$CH_2NH$	ext.	6	$1.0 \times 10^{13}$	2.5	72
	ext.	7	$1.6 \times 10^{14}$	18.6	62
	ext.	4	$1.4 \times 10^{12}$	2.2	10
HCCCN	ext.	23	$6.7 \times 10^{15}$	5.3	64
CH ₃ NH ₂	ext.	10	$2.5 \times 10^{13}$	6.9	64
	ext.	8	$5.2 \times 10^{13}$	7.9	61
c-C2H2	ext	12	$3.4 \times 10^{13}$	17.7	63
CO	ext.	3	$1.2 \times 10^{15}$	2.8	159
00	evt	2	$1.2 \times 10^{14}$	1.0	146
	CAU.	ა	1.0 \ 10	1.4	140

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 188

		(0	Continued)			(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$		Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	ext.	3	$\frac{(cm)}{1.1 \times 10^{14}}$	$\frac{(\text{km s})}{0.7}$	(KIIIS) 127			ext.	(K) 3	$\frac{(cm)}{1.8 \times 10^{15}}$	1.8	$\frac{(\text{km s})}{80}$
	ext.	3	$2.5 \times 10^{14}$	0.9	117			ext.	3	$1.1 \times 10^{18}$	0.1	76
	ext.	3	$2.0 \times 10^{16}$	8.3	96			ext.	3	$3.0 \times 10^{15}$	2.0	70
	ext.	3	$6.6 \times 10^{10}$ 3.2 $\times 10^{15}$	2.1 1.3	71 62			ext.	33	$6.1 \times 10^{15}$ 1.8 × 10^{15}	4.1	64 56
	ext.	3	$1.7 \times 10^{15}$	1.5	54			ext.	3	$2.4 \times 10^{15}$	2.3	48
	ext.	3	$3.5 \times 10^{15}$	2.6	39			ext.	3	$1.6 \times 10^{15}$	2.6	38
	ext.	3	$1.8 \times 10^{15}$	1.3	30		10	ext.	3	$7.5 \times 10^{14}$	2.5	-172
	ext.	3	$5.1 \times 10^{15}$	7.2	17		$^{13}CS$	ext.	3	$2.5 \times 10^{15}$	8.8	-176
	ext.	3	$6.7 \times 10^{13}$	2.0	-17			ext.	3	$2.5 \times 10^{15}$ $2.5 \times 10^{15}$	$\frac{3.4}{4.7}$	-108
	ext.	3	$1.3 \times 10^{14}$	1.5	-22			ext.	3	$10.0 \times 10^{14}$	6.6	-139
	ext.	3	$2.5 \times 10^{16}$	39.4	-21			ext.	3	$2.5 \times 10^{15}$	7.1	-129
	ext.	3	$2.7 \times 10^{15}$	2.6	-43			ext.	3	$2.5 \times 10^{15}$ 7.6 × 10 ¹⁴	7.2	-111
	ext.	3 3	$3.3 \times 10^{-5}$ 1.9 × 10 ¹⁵	2.8	-49 -60			ext.	э 3	$6.5 \times 10^{14}$	2.8 2.6	-105 -69
	ext.	3	$1.8 \times 10^{12}$	0.8	-132			ext.	3	$9.2 \times 10^{14}$	7.1	-56
	ext.	3	$2.7 \times 10^{15}$	1.5	-77			ext.	3	$4.4 \times 10^{14}$	4.1	-49
	ext.	3	$1.2 \times 10^{15}$	1.3	-82			ext.	3	$4.9 \times 10^{14}$	4.1	-38
	ext.	ঠ ৭	$2.3 \times 10^{15}$ $3.6 \times 10^{15}$	2.0	-87			ext.	ა ვ	$3.9 \times 10^{14}$ 1 1 $\times 10^{14}$	3.3 1.8	-30 -25
	ext.	3	$1.9 \times 10^{15}$	$1.0 \\ 1.6$	-103			ext.	3	$1.1 \times 10^{15}$ $1.4 \times 10^{15}$	9.3	-15
	ext.	3	$2.5 \times 10^{14}$	0.9	66			ext.	3	$1.2 \times 10^{15}$	6.6	1
12 0 0	ext.	3	$2.8 \times 10^{14}$	1.3	-159			ext.	3	$1.5 \times 10^{14}$	1.2	19
¹³ CO	ext.	3	$3.0 \times 10^{15}$	4.5	96 88			ext.	3	$5.7 \times 10^{14}$ 5.4 × 10^{15}	2.9	34 47
	ext.	3	$9.7 \times 10^{14}$	1.0	81			ext.	3	$1.6 \times 10^{15}$	5.3	47 63
	ext.	3	$3.3 \times 10^{15}$	9.3	69			ext.	3	$8.4 \times 10^{14}$	4.6	97
	ext.	3	$2.9 \times 10^{15}$	2.2	61			ext.	3	$4.8 \times 10^{14}$	1.9	107
	ext.	3	$2.9 \times 10^{15}$	1.8	53			ext.	3	$7.5 \times 10^{14}$	4.5	119
	ext.	3 3	$8.0 \times 10^{10}$ $3.2 \times 10^{14}$	11.8 25.8	45 -158			ext.	3 3	$9.8 \times 10^{13}$ 7.5 × 10 ¹⁴	1.0	132 141
	ext.	3	$1.1 \times 10^{12}$	0.8	14			ext.	3	$1.2 \times 10^{15}$	6.9	161
	ext.	3	$8.1 \times 10^{14}$	2.5	10		$C^{33}S$	ext.	3	$5.0 \times 10^{14}$	2.5	-178
	ext.	3	$6.2 \times 10^{14}$	0.6	1			ext.	3	$1.6 \times 10^{15}$	2.1	-168
	ext.	3	$1.1 \times 10^{14}$ 2.2 × 10 ¹⁵	1.3 4.2	-39 -43			ext.	3 3	$5.1 \times 10^{15}$ 1.6 $\times 10^{15}$	$7.1 \\ 2.7$	-161 -153
	ext.	3	$1.1 \times 10^{14}$	1.0	-43 -47			ext.	3	$1.6 \times 10^{15}$	2.7 2.5	-109
	ext.	3	$1.1~\times 10^{14}$	1.3	-104			ext.	3	$1.6~\times 10^{15}$	7.4	-101
$C^{17}O$	ext.	3	$3.1 \times 10^{14}$	2.3	-180			ext.	3	$1.6 \times 10^{15}$	2.5	-94
	ext.	3	$9.7 \times 10^{14}$ 3.1 × 10 ¹⁴	7.1	-119 111			ext.	3	$8.7 \times 10^{13}$ $3.3 \times 10^{14}$	2.2	-79 72
	ext.	3	$3.1 \times 10^{14}$ $3.1 \times 10^{14}$	2.1	-103			ext.	3	$1.1 \times 10^{14}$	$\frac{2.3}{2.4}$	-72 -64
	ext.	3	$3.1 \times 10^{14}$	2.7	-90			ext.	3	$1.1 \times 10^{14}$	2.4	-59
	ext.	3	$5.7 \times 10^{14}$	2.3	-74			ext.	3	$8.2 \times 10^{14}$	3.4	-45
	ext.	3	$10.0 \times 10^{13}$	2.7	-34			ext.	3	$1.9 \times 10^{14}$ 6.7 × 10 ¹⁴	2.0	-32 27
	ext.	3	$3.9 \times 10^{14}$	$\frac{12.7}{2.7}$	-20 14			ext.	3	$1.2 \times 10^{15}$	3.9 4.5	-27
	ext.	3	$1.8 \times 10^{14}$	2.7	30			ext.	3	$3.6 \times 10^{14}$	2.1	22
	ext.	3	$5.2 \times 10^{13}$	0.7	36			ext.	3	$2.7 \times 10^{14}$	3.5	34
	ext.	3	$1.2 \times 10^{10}$	9.7	49 65			ext.	3	$8.1 \times 10^{15}$ 1.2 × 10^{15}	10.0	64 112
	ext.	3	$5.7 \times 10^{14}$	$\frac{3.4}{2.7}$	81			ext.	3	$1.3 \times 10$ $8.4 \times 10^{14}$	$\frac{5.4}{6.9}$	$112 \\ 130$
	ext.	3	$3.1 \times 10^{14}$	6.7	92			ext.	3	$5.5 \times 10^{14}$	2.2	147
	ext.	3	$4.1 \times 10^{14}$	2.7	97		24	ext.	3	$1.0 \times 10^{15}$	3.9	154
	ext.	3	$1.7 \times 10^{14}$	2.7	105		$C^{34}S$	ext.	3	$10.0 \times 10^{14}$	4.5	-132
	ext.	3 3	$4.0 \times 10^{14}$	4.7 2.4	$115 \\ 126$			ext.	3 3	$1.7 \times 10^{14}$	1.8 1.6	-117 -67
	ext.	3	$1.5 \times 10^{14}$	2.7	132			ext.	3	$1.8 \times 10^{14}$	1.4	-45
$C^{18}O$	ext.	3	$8.8 \times 10^{12}$	2.4	-178			ext.	3	$1.2 \times 10^{15}$	2.7	-15
	ext.	3	$8.8 \times 10^{12}$	6.7	-162			ext.	3	$1.5 \times 10^{12}$	1.7	-3
	ext.	3	$3.1 \times 10^{12}$ $3.1 \times 10^{12}$	2.4	-151 -118			ext.	33	$3.2 \times 10^{10}$ 3.9 × 10 ¹⁴	$\frac{26.0}{1.7}$	55 65
	ext.	3	$1.2 \times 10^{14}$	$\frac{2.4}{7.4}$	-63			ext.	3	$8.7 \times 10^{14}$	1.6	89
	ext.	3	$3.8 \times 10^{14}$	9.0	-30			ext.	3	$3.7 \times 10^{15}$	4.4	136
	ext.	3	$1.5 \times 10^{13}$	1.9	-14			ext.	3	$1.9 \times 10^{15}$	5.2	150
	ext.	3	$7.2 \times 10^{13}$	2.8	5		HCN	ext.	3	$1.3 \times 10^{13}$ 1.6 × 10^{13}	2.1	104
	ext.	ა 3	$1.0 \times 10^{10}$ $9.9 \times 10^{15}$	1.0 17.0	10 54			ext.	ა 3	$1.0 \times 10^{10}$ $6.7 \times 10^{12}$	5.6 3.9	90 88
	ext.	3	$8.4 \times 10^{12}$	1.8	60			ext.	3	$1.2 \times 10^{13}$	4.7	72
	ext.	3	$5.4 \times 10^{15}$	32.1	96			ext.	3	$4.2 \times 10^{12}$	2.0	57
CS	ext.	3	$2.8 \times 10^{15}$	2.2	94			ext.	3	$3.8 \times 10^{13}$	13.2	66

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 189

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$			
	ext.	3	$3.9 \times 10^{12}$	0.9	62			
	ext.	3	$6.3 \times 10^{12}$	0.9	57			
	ext.	3	$3.8 \times 10^{13}$	8.3	48			
	ext.	3	$1.2 \times 10^{13}$	1.0	35			
	ext.	3	$4.2 \times 10^{13}$	22.7	10			
	ext.	3	$7.0 \times 10^{12}$	8.9	-25			
	ext.	3	$9.9 \times 10^{12}$	6.9	-41			
	ext.	3	$3.5 \times 10^{12}$	2.0	-76			
	ext.	3	$5.7 \times 10^{12}$	5.9	-93			
	ext.	3	$1.0 \times 10^{13}$	8.1	-109			
$\rm H^{13}CN$	ext.	3	$6.1 \times 10^{13}$	12.1	146			
	ext.	3	$9.1 \times 10^{12}$	1.9	68			
	ext.	3	$1.8 \times 10^{13}$	0.6	63			
	ext.	3	$3.1 \times 10^{13}$	5.8	57			
	ext.	3	$4.6 \times 10^{13}$	0.1	39			
	ext.	3	$7.5 \times 10^{12}$	2.1	-2			
HNC	ext.	3	$9.3 \times 10^{12}$	5.0	37			
	ext.	3	$1.7 \times 10^{13}$	4.8	58			
	ext.	3	$1.3 \times 10^{13}$	3.8	95			
	ext.	3	$1.9 \times 10^{13}$	4.0	75			
	ext.	3	$1.3 \times 10^{13}$	3.0	68			
$\rm HN^{13}C$	ext.	3	$3.3 \times 10^{13}$	11.8	66			
$\rm H^{13}CO^+$	ext.	3	$2.3 \times 10^{12}$	5.2	65			
	ext.	3	$9.2 \times 10^{12}$	5.2	64			
	ext.	3	$1.0 \times 10^{13}$	4.7	54			
$\rm HO^{13}C^+$	ext.	3	$3.2 \times 10^{12}$	2.0	65			
	ext.	3	$4.8 \times 10^{12}$	4.1	61			

Table L.35: LTE Parameters for the full LTE model (Core Components) for source A18 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
nagan			0.0 4015		<b>F</b> 0
HCCCN	1.0	55	$3.3 \times 10^{15}$	9.7	53
$H_2CS$	1.0	96	$5.8 \times 10^{15}$	9.0	52
$H_2CO$	1.0	295	$7.4 \times 10^{13}$	2.9	52
SiO	1.0	169	$2.4 \times 10^{13}$	2.4	53
CCH	1.0	113	$1.3 \times 10^{16}$	9.8	55
$H_2CCO$	1.0	84	$1.1 \times 10^{14}$	0.7	119
NS	1.0	285	$5.3 \times 10^{15}$	8.3	49
CO	1.0	200	$4.6 \times 10^{14}$	1.0	97
	1.0	200	$4.9 \times 10^{17}$	4.1	85
	1.0	200	$1.1 \times 10^{17}$	1.9	44
$^{13}CO$	1.0	200	$8.6 \times 10^{17}$	3.1	48
	1.0	200	$8.2 \times 10^{17}$	6.3	88
	1.0	200	$1.9 \times 10^{13}$	1.0	-35
$C^{17}O$	1.0	200	$3.3 \times 10^{15}$	2.7	-151
	1.0	200	$3.3 \times 10^{15}$	2.7	-125
	1.0	200	$9.9 \times 10^{14}$	2.7	-100
	1.0	200	$1.1 \times 10^{15}$	2.7	-84
	1.0	200	$4.3 \times 10^{15}$	2.6	-52
	1.0	200	$3.6 \times 10^{15}$	2.7	-10
	1.0	200	$3.5 \times 10^{15}$	2.7	23
	1.0	200	$2.1 \times 10^{15}$	2.7	36
	1.0	200	$1.9 \times 10^{16}$	2.7	55
	1.0	200	$1.1 \times 10^{16}$	4.5	105
	1.0	200	$1.1 \times 10^{15}$	2.7	127
	1.0	200	$1.3 \times 10^{16}$	3.8	145
$C^{18}O$	1.0	200	$5.8 \times 10^{14}$	2.7	-163
0 0	1.0	200	$6.0 \times 10^{15}$	2.7	-156
	1.0	200	$2.4 \times 10^{15}$	2.1	-151
	1.0	200	$5.8 \times 10^{14}$	2.7	-129
	1.0	200	$5.8 \times 10^{14}$	2.7	-118
	1.0	200	$6.5 \times 10^{15}$	3.5	-107
	1.0	200	$5.8 \times 10^{15}$	3.1	-107

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
	1.0	200	$1.8 \times 10^{15}$	3.1	-96
	1.0	200	$3.1 \times 10^{15}$	3.0	-88
	1.0	200	$8.2 \times 10^{14}$	12.2	-80
	1.0	200	$4.2 \times 10^{-1}$ $3.7 \times 10^{15}$	2.1	-44 -30
	1.0	$200 \\ 200$	$2.8 \times 10^{15}$	2.1	-11
	1.0	200	$4.9 \times 10^{15}$	2.1 2.7	22
	1.0	200	$2.6 \times 10^{17}$	6.4	49
	1.0	200	$1.6 \times 10^{17}$	6.4	87
	1.0	200	$8.0 \times 10^{16}$	11.9	124
	1.0	200	$3.0 \times 10^{14}$	2.7	137
$\mathbf{CS}$	1.0	200	$2.9 \times 10^{12}$	1.0	147
	1.0	200	$7.5 \times 10^{13}$ 7.7 × 10 ¹³	1.1	147
	1.0	200	$7.7 \times 10^{13}$	2.3 1.1	152
	1.0	200	$2.3 \times 10^{14}$ 2.2 × 10 ¹⁴	4.5	$120 \\ 122$
	1.0	200	$5.0 \times 10^{13}$	1.0	114
	1.0	200	$3.0 \times 10^{13}$	1.1	101
	1.0	200	$3.8 \times 10^{15}$	12.9	86
	1.0	200	$1.0 \times 10^{12}$	2.5	85
	1.0	200	$1.1 \times 10^{14}$	0.9	50
	1.0	200	$2.3 \times 10^{12}$	5.3	16
	1.0	200	$3.5 \times 10^{12}$	2.3	11
	1.0	200	$2.3 \times 10^{13}$	1.0	0
	1.0	200	$1.4 \times 10^{12}$	0.3	-0
	1.0	200	$1.7 \times 10^{10}$ 1.0 × 10 ¹²	4.2	-11
	1.0	200	$1.0 \times 10$ $1.0 \times 10^{12}$	2.0	-18
	1.0	200	$3.1 \times 10^{13}$	1.0	-36
	1.0	200	$9.8 \times 10^{13}$	2.3	-45
	1.0	200	$7.6 \times 10^{13}$	2.4	-57
	1.0	200	$4.6 \times 10^{13}$	2.0	-63
	1.0	200	$2.1 \times 10^{13}$	4.9	-78
	1.0	200	$5.0 \times 10^{12}$	0.4	-86
	1.0	200	$8.1 \times 10^{13}$	2.5	-104
	1.0	200	$4.7 \times 10^{13}$	1.8	-113
	1.0	200	$2.5 \times 10^{13}$	2.4	-106
	1.0	200	$1.0 \times 10^{-2}$ 2.2 × 10^{13}	9.1	-130
	1.0	200	$1.4 \times 10^{13}$	1.0	-151
	1.0	200	$1.2 \times 10^{14}$	2.4	-145
	1.0	200	$2.8 \times 10^{13}$	1.0	-152
	1.0	200	$1.4~\times 10^{12}$	1.6	-170
	1.0	200	$8.9 \times 10^{12}$	1.4	-161
10	1.0	200	$3.7 \times 10^{14}$	2.6	-180
$^{13}CS$	1.0	200	$5.6 \times 10^{13}$	5.0	-155
	1.0	200	$5.2 \times 10^{13}$	6.5	-101
	1.0	200	$3.5 \times 10^{-2}$	0.7 0.2	-93
	1.0	200	$1.3 \times 10^{14}$	2.5	-20
	1.0	200	$7.0 \times 10^{13}$	2.0	14
	1.0	200	$2.0 \times 10^{15}$	5.9	51
	1.0	200	$1.2 \times 10^{15}$	16.9	81
	1.0	200	$1.2 \times 10^{14}$	2.6	96
22	1.0	200	$2.5 \times 10^{14}$	6.5	105
$C^{33}S$	1.0	200	$3.0 \times 10^{14}$	7.2	52
$C^{34}S$	1.0	200	$9.3 \times 10^{13}$	6.7	-67
	1.0	200	$6.2 \times 10^{14}$	7.8 6.4	50 85
HCN	1.0	200	$1.5 \times 10^{12}$	0.4	00 193
non	1.0	200	$1.0 \times 10$ 4.8 × 10 ¹³	2.5	51
	1.0	200	$1.3 \times 10^{13}$	1.0	3
	1.0	200	$2.8 \times 10^{13}$	2.4	-3
	1.0	200	$4.1 \times 10^{12}$	1.3	-82
	1.0	200	$1.0~\times 10^{12}$	2.3	-166
$\rm H^{13}CN$	1.0	200	$5.3 \times 10^{13}$	4.8	9
HNC	1.0	200	$1.3 \times 10^{13}$	0.9	161
	1.0	200	$2.1 \times 10^{12}$	0.8	161
	1.0	200	$5.1 \times 10^{13}$	1.1	149
	1.0	200	$1.0 \times 10^{12}$ 1.8 $\times 10^{13}$	0.4	11 11 <i>e</i>
	1.0	200 200	$2.3 \times 10^{14}$	0.9	100
	1.0	200	2.0 / 10	0.0	100

T. Möller	et al.: Fu	ıll molecular	line survey	of hot c	cores, $C$	Dnline	Material	p	190

(Continued)					
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\mathbf{N}_{t=t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.0	200	$5.1 \times 10^{13}$	2.9	105
	1.0	200	$1.6 \times 10^{12}$	0.4	100
	1.0	200	$1.1 \times 10^{12}$	1.1	112
	1.0	200	$1.2 \times 10^{13}$	1.0	83
	1.0	200	$6.7 \times 10^{13}$	2.0	47
	1.0	200	$3.7 \times 10^{14}$	8.7	38
	1.0	200	$5.7 \times 10^{13}$	3.0	28
	1.0	200	$9.7 \times 10^{13}$	1.2	18
	1.0	200	$3.3 \times 10^{13}$	1.1	13
	1.0	200	$5.5 \times 10^{12}$	0.8	2
	1.0	200	$1.3 \times 10^{12}$	2.7	-36
	1.0	200	$1.2 \times 10^{13}$	1.0	-17
	1.0	200	$3.4 \times 10^{13}$	3.9	-26
	1.0	200	$1.5 \times 10^{13}$	1.5	-40
	1.0	200	$9.0 \times 10^{12}$	0.8	-49
	1.0	200	$9.4 \times 10^{13}$	3.8	-56
	1.0	200	$3.2 \times 10^{13}$	2.2	-66
	1.0	200	$5.3 \times 10^{13}$	4.9	-76
	1.0	200	$5.2 \times 10^{13}$	2.8	-81
	1.0	200	$8.5 \times 10^{12}$	1.0	-88
	1.0	200	$2.0 \times 10^{14}$	14.5	-98
	1.0	200	$4.2 \times 10^{12}$	1.0	-93
	1.0	200	$1.4 \times 10^{13}$	2.0	-95
	1.0	200	$2.8 \times 10^{12}$	0.6	-93
	1.0	200	$6.5 \times 10^{13}$	4.8	-111
	1.0	200	$2.1 \times 10^{12}$	0.9	-114
	1.0	200	$3.2 \times 10^{12}$	0.8	-131
	1.0	200	$6.7 \times 10^{13}$	1.6	-134
	1.0	200	$4.8 \times 10^{13}$	2.0	-143
	1.0	200	$1.1 \times 10^{13}$	1.1	-148
	1.0	200	$2.8 \times 10^{13}$	2.1	-154
	1.0	200	$5.1 \times 10^{13}$	2.1	-171
	1.0	200	$4.3 \times 10^{13}$	1.3	-176
	1.0	200	$2.5 \times 10^{12}$	1.4	-174
	1.0	200	$1.3 \times 10^{13}$	1.0	-186
$\rm HN^{13}C$	1.0	200	$6.9 \times 10^{13}$	4.5	55
$\rm H^{13}CO^+$	1.0	200	$9.4 \times 10^{13}$	7.1	53
	1.0	200	$3.9 \times 10^{13}$	4.4	61
$\rm HO^{13}C^+$	1.0	200	$1.3 \times 10^{14}$	4.4	-149
	1.0	200	$1.5 \times 10^{14}$	17.3	-34
	1.0	200	$3.1 \times 10^{13}$	2.7	0
	1.0	200	$8.8 \times 10^{13}$	11.6	45
	1.0	200	$3.2 \times 10^{14}$	39.3	147

Table L.36: LTE Parameters for the full LTE model (Envelope Components) for source A18 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	V _{LCD}
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
HCCCN	ext.	14	$3.5 \times 10^{17}$	6.6	63
$H_2CS$	ext.	18	$9.9 \times 10^{14}$	4.6	67
	ext.	7	$2.6 \times 10^{15}$	39.7	15
$CH_3OH$	ext.	3	$5.4 \times 10^{13}$	16.4	48
	ext.	27	$5.8 \times 10^{15}$	19.2	83
	ext.	36	$5.0 \times 10^{13}$	16.9	79
	ext.	5	$9.4 \times 10^{12}$	18.3	30
$H_2CO$	ext.	11	$4.6 \times 10^{14}$	6.8	66
	ext.	4	$3.9 \times 10^{13}$	3.1	61
	ext.	11	$3.9 \times 10^{14}$	3.1	58
	ext.	11	$4.7 \times 10^{13}$	3.6	40
	ext.	11	$5.3 \times 10^{13}$	2.5	43
HNCO	ext.	15	$8.5 \times 10^{13}$	5.9	68
	ext.	11	$1.1 \times 10^{15}$	4.3	55
	ext.	12	$1.3 \times 10^{14}$	8.1	48

		(C	Continued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{c}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	(")	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$
CN	ext.	14	$2.7 \times 10^{15}$	5.6	77
	ext.	10 3	$1.2 \times 10^{10}$ $1.0 \times 10^{12}$	7.4	64 46
	ext.	3 4	$1.9 \times 10^{13}$ 4.3 × 10 ¹³	2.0	40 40
	ext.	16	$2.8 \times 10^{13}$	3.2	30
SO	ext.	11	$1.0 \times 10^{15}$	8.5	68
	ext.	6	$3.8 \times 10^{15}$	9.5	58
	ext.	5	$2.6 \times 10^{15}$	12.1	42
	ext.	11	$2.4 \times 10^{13}$	6.2	56
$SO_2$	ext.	18	$2.6 \times 10^{15}$	14.2	65
	ext.	16	$2.2 \times 10^{13}$	9.6	53
SiO	ext.	3 10	$6.9 \times 10^{13}$	3.4	40
510	ext.	28	$1.4 \times 10^{14}$	2.1 22.6	75
	ext.	82	$1.1 \times 10^{14}$	9.7	38
	ext.	5	$7.7 \times 10^{14}$	12.3	38
CCH	ext.	3	$1.2 \times 10^{13}$	1.1	67
	ext.	3	$1.0 \times 10^{12}$	4.5	66
$H_2^{34}S$	ext.	12	$3.4 \times 10^{17}$	0.7	78
	ext.	15	$9.8 \times 10^{19}$	3.1	70
	ext.	16	$6.3 \times 10^{19}$	1.5	46
$H_2CCO$	ext.	14	$1.2 \times 10^{15}$	12.1	80
CIL CN	ext.	12	$9.0 \times 10^{10}$	8.6	66 110
CH ₃ CN	ext.	10 6	$8.8 \times 10^{-1}$	2.1 5.3	11Z 85
	ext.	5	$1.9 \times 10^{16}$	0.0 9.9	60 73
	ext.	14	$7.5 \times 10^{14}$	4.6	66
$PH_3$	ext.	10	$2.2 \times 10^{13}$	2.0	53
	ext.	10	$3.3 \times 10^{13}$	4.0	59
$\mathrm{CH}_3\mathrm{NH}_2$	ext.	10	$1.0 \times 10^{14}$	7.2	64
	ext.	8	$1.9 \times 10^{14}$	8.4	61
OCS	ext.	13	$4.9 \times 10^{17}$	5.7	66
NUL D	ext.	11	$3.9 \times 10^{13}$	5.6	59
$NH_2D$	ext.	21	$1.1 \times 10^{19}$ 1.8 × 10 ¹⁸	9.2	73
$NO^+$	ext.	0 10	$1.6 \times 10^{-1}$ 8.5 × 10 ¹³	0.0 6.0	09 47
CH ₂ NH	ext.	35	$4.6 \times 10^{13}$	8.6	87
01121111	ext.	11	$3.8 \times 10^{13}$	1.1	75
	ext.	14	$2.5 \times 10^{14}$	7.9	63
	ext.	5	$6.4 \times 10^{12}$	15.3	-26
CO	ext.	3	$1.6 \times 10^{16}$	6.1	78
	ext.	3	$3.4 \times 10^{16}$	5.9	66
	ext.	3	$1.0 \times 10^{10}$	1.5	60 07
	ext.	3 2	$2.9 \times 10^{10}$	5.3 7.6	97 59
	ext.	3	$4.3 \times 10^{16}$	10.2	35
	ext.	3	$2.0 \times 10^{17}$	1.0	-2
	ext.	3	$5.9 \times 10^{16}$	19.5	-100
$^{13}CO$	ext.	3	$2.9 \times 10^{13}$	3.5	97
	ext.	3	$2.0 \times 10^{16}$	31.3	69
	ext.	3	$1.0 \times 10^{16}$	2.8	66
	ext.	3	$9.1 \times 10^{15}$	5.5	60
	ext.	3	$4.4 \times 10^{10}$	3.0	40
$C^{17}O$	ext.	- ゴ - 9	$1.5 \times 10^{10}$	8.8 2.5	34 180
0	ext.	3 3	$3.3 \times 10^{14}$	2.0	-167
	ext.	3	$2.5 \times 10^{15}$	13.0	-158
	ext.	3	$3.1 \times 10^{14}$	3.6	-140
	ext.	3	$3.2 \times 10^{14}$	2.2	-132
	ext.	3	$10.0~\times10^{14}$	4.7	-125
	ext.	3	$3.1 \times 10^{14}$	2.7	-114
	ext.	3	$9.8 \times 10^{14}$	7.1	-107
	ext.	3	$9.5 \times 10^{14}$	4.5	-95
	ext.	3	$2.9 \times 10^{14}$	2.7	-89
	ext.	3	$2.8 \times 10^{14}$ 1.5 $\times 10^{15}$	2.4 11 F	-82 71
	ext.	ა ვ	$1.0 \times 10^{10}$ 7.0 $\times 10^{14}$	11.0 7 1	-(1 _60
	ext.	ა ვ	$4.7 \times 10^{14}$	4.2	-00
	ext.	3	$3.8 \times 10^{14}$	3.9	-36
	ext.	3	$9.5 \times 10^{14}$	9.2	-28
	ext.	3	$8.1 \times 10^{14}$	5.6	-15
	ext.	3	$7.1 \times 10^{14}$	3.3	-2

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 191

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$ (")	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$rac{\mathrm{N}^{m,c}_{\mathrm{tot}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$rac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\begin{array}{c} \mathrm{N}_{\mathrm{tot}}^{m,c} \\ (\mathrm{cm}^{-2}) \end{array}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
	ext.	3	$9.0 \times 10^{14}$	7.1	6		ext.	3	$8.0 \times 10^{14}$	2.2	-145
	ext.	3	$3.1 \times 10^{14}$	2.6	13		ext.	3	$3.0 \times 10^{14}$	2.6	-138
	ext.	3	$7.5 \times 10^{14}$	4.2	17		ext.	3	$2.6 \times 10^{14}$	2.4	-131
	ext.	3	$4.7 \times 10^{14}$	7.1	33		ext.	3	$3.0 \times 10^{14}$	2.5	-123
	ext.	3 2	$2.3 \times 10^{-5}$ 1.8 × 10 ¹⁵	5.7 6.2	41 50		ext.	3	$8.6 \times 10^{-2}$	2.8 8.7	-109
	ext.	3 3	$5.3 \times 10^{15}$	0.2 8.0	59 71		ext.	3	$4.0 \times 10^{-14}$	6.1	-101
	ext.	3	$5.5 \times 10^{14}$	3.1	84		ext.	3	$4.8 \times 10^{15}$	11.8	-50
	ext.	3	$4.0 \times 10^{14}$	3.0	95		ext.	3	$3.3 \times 10^{14}$	5.3	-35
	ext.	3	$3.3 \times 10^{14}$	2.4	100		ext.	3	$3.3 \times 10^{14}$	6.1	-30
	ext.	3	$3.0 \times 10^{14}$	3.3	116		ext.	3	$3.1 \times 10^{14}$	2.1	-22
	ext.	3	$8.7 \times 10^{14}$	7.1	123		ext.	3	$5.8 \times 10^{14}$	8.8	-12
	ext.	3	$3.3 \times 10^{14}$	2.2	129		ext.	3	$6.5 \times 10^{14}$	4.4	5
	ext.	- ゴ - 9	$8.3 \times 10^{14}$	3.0	157		ext.	び 9	$4.7 \times 10^{14}$	3.7 6.1	12
$C^{18}O$	ext.	3 3	$4.0 \times 10^{15}$ 3.0 × 10 ¹⁵	2.0 5.9	-178		ext.	3	$2.5 \times 10^{15}$	12.7	39
0 0	ext.	3	$5.9 \times 10^{14}$	7.3	-169		ext.	3	$7.5 \times 10^{15}$	6.4	59
	ext.	3	$5.8 \times 10^{14}$	7.3	-162		ext.	3	$7.5 \times 10^{14}$	2.6	69
	ext.	3	$6.0 \times 10^{13}$	2.7	-153		ext.	3	$9.0 \times 10^{13}$	2.5	79
	ext.	3	$6.1 \times 10^{14}$	3.3	-121		ext.	3	$3.6 \times 10^{14}$	9.6	89
	ext.	3	$10.0 \times 10^{14}$	2.7	-115		ext.	3	$3.9 \times 10^{15}$	7.7	103
	ext.	3	$1.0 \times 10^{15}$	5.3	-60		ext.	3	$2.2 \times 10^{15}$	7.2	114
	ext.	3	$7.1 \times 10^{14}$	2.9	-47		ext.	3	$8.8 \times 10^{14}$	3.5	129
	ext.	3 3	$6.6 \times 10^{14}$	4.9	-38	$C^{34}S$	ext.	3	$1.0 \times 10^{15}$	$\frac{2.1}{2.7}$	-171
	ext.	3	$2.3 \times 10^{14}$	2.6	-3	0 0	ext.	3	$9.3 \times 10^{14}$	2.1	-167
	ext.	3	$1.3 \times 10^{15}$	5.7	8		ext.	3	$9.4 \times 10^{14}$	3.5	-158
	ext.	3	$4.1 \times 10^{14}$	3.5	16		ext.	3	$2.5 \times 10^{15}$	6.8	-153
	ext.	3	$3.9 \times 10^{16}$	36.7	60		ext.	3	$9.7 \times 10^{14}$	3.2	-146
	ext.	3	$4.3 \times 10^{15}$	6.4	71		ext.	3	$3.1 \times 10^{14}$	2.0	-137
	ext.	3	$1.7 \times 10^{14}$	2.6	95		ext.	3	$2.4 \times 10^{15}$	6.2	-131
	ext.	3	$3.8 \times 10^{14}$	7.0	108		ext.	3	$1.1 \times 10^{13}$	6.4	-120
	ext.	3 3	$0.1 \times 10$ 2.0 × 10 ¹⁴	0.1 2.8	144		ext.	ა ვ	$9.8 \times 10$ 2.9 × 10 ¹⁴	9.5 3.1	-97
$\mathbf{CS}$	ext.	3	$3.8 \times 10^{12}$	16.9	80		ext.	3	$2.0 \times 10^{15}$	17.5	-77
0.0	ext.	3	$8.8 \times 10^{15}$	1.7	70		ext.	3	$1.8 \times 10^{14}$	3.4	-60
	ext.	3	$8.8 \times 10^{15}$	4.3	66		ext.	3	$3.0 \times 10^{14}$	6.2	-35
	ext.	3	$2.9 \times 10^{12}$	3.7	62		ext.	3	$7.3 \times 10^{14}$	6.2	-27
	ext.	3	$9.7 \times 10^{14}$	1.0	51		ext.	3	$3.1 \times 10^{14}$	2.1	-17
	ext.	3	$5.5 \times 10^{15}$	11.8	37		ext.	3	$2.5 \times 10^{14}$	6.2	-10
	ext.	3 2	$1.7 \times 10^{10}$ 2.5 × 10 ¹⁴	2.0	22		ext.	3	$3.0 \times 10^{11}$ 1 1 $\times 10^{15}$	2.4 5.7	2
	ext.	3	$4.1 \times 10^{14}$	1.0	-115		ext.	3	$1.0 \times 10^{15}$	2.8	17
	ext.	3	$7.1 \times 10^{14}$	1.0	-140		ext.	3	$3.5 \times 10^{14}$	2.1	22
	ext.	3	$5.0 \times 10^{13}$	26.9	-164		ext.	3	$1.7 \times 10^{15}$	8.0	27
$^{13}CS$	ext.	3	$3.9 \times 10^{14}$	2.7	-173		ext.	3	$1.2 \times 10^{15}$	4.3	37
	ext.	3	$1.3 \times 10^{15}$	3.3	-165		ext.	3	$2.0 \times 10^{15}$	6.2	60
	ext.	3	$3.6 \times 10^{14}$	2.0	-142		ext.	3	$1.1 \times 10^{14}$	2.5	89
	ext.	3 2	$3.7 \times 10^{-5}$	0.0	-134 120		ext.	3	$3.4 \times 10^{-2}$ 1.0 × 10 ¹⁶	3.0 7.8	119
	ext.	3	$1.1 \times 10^{14}$	2.5	-113		ext.	3	$3.4 \times 10^{15}$	2.7	151
	ext.	3	$3.6 \times 10^{14}$	3.1	-107		ext.	3	$1.4 \times 10^{15}$	2.2	161
	ext.	3	$8.1 \times 10^{12}$	2.5	-87	HCN	ext.	3	$3.7 \times 10^{12}$	2.3	148
	ext.	3	$7.0 \times 10^{15}$	3.9	-77		ext.	3	$6.4 \times 10^{12}$	1.2	143
	ext.	3	$6.8 \times 10^{15}$	10.3	-57		ext.	3	$9.2 \times 10^{12}$	1.9	105
	ext.	3	$9.4 \times 10^{15}$	10.7	-50		ext.	3	$4.7 \times 10^{12}$	2.3	100
	ext.	3	$6.4 \times 10^{13}$	5.3	-35		ext.	3	$6.3 \times 10^{12}$	2.0	96 86
	ext.	3 3	$1.4 \times 10^{-5}$ 5.3 × 10 ¹⁵	2.0	-20		ext.	ა ვ	$2.3 \times 10^{}$ 1 3 × 10 ¹³	2.0	80 82
	ext.	3	$1.1 \times 10^{16}$	10.0	-15		ext.	3	$1.3 \times 10^{13}$ $1.4 \times 10^{13}$	2.1	79
	ext.	3	$8.7 \times 10^{14}$	2.1	8		ext.	3	$3.5 \times 10^{13}$	2.0	76
	ext.	3	$4.8 \times 10^{14}$	2.4	19		ext.	3	$1.7 \times 10^{12}$	0.3	84
	ext.	3	$1.3 \times 10^{15}$	3.4	26		ext.	3	$1.3 \times 10^{12}$	1.0	71
	ext.	3	$1.5 \times 10^{16}$	7.1	37		ext.	3	$1.0 \times 10^{12}$	1.3	63
	ext.	3	$1.7 \times 10^{15}$	2.5	94		ext.	3	$5.9 \times 10^{12}$	2.4	58
	ext.	3	$2.3 \times 10^{13}$ 2.0 $\times 10^{15}$	2.5	106 134		ext.	3	$1.0 \times 10^{12}$ 1.2 $\times 10^{13}$	5.3 ടറ	53 24
	ext.	э З	$2.0 \times 10^{10}$ $3.1 \times 10^{15}$	4.0 3.0	$134 \\ 143$		ext.	э 3	$1.2 \times 10^{10}$ $1.5 \times 10^{13}$	0.2 0.9	34 26
	ext.	3	$9.7 \times 10^{14}$	2.2	157		ext.	3	$2.7 \times 10^{12}$	2.3	12
$C^{33}S$	ext.	3	$2.9 \times 10^{14}$	2.7	-180		ext.	3	$1.9 \times 10^{13}$	1.0	3
	ext.	3	$2.2 \times 10^{15}$	6.1	-169		ext.	3	$1.5 \times 10^{13}$	2.1	-35
	ext.	3	$1.3 \times 10^{16}$	17.0	-160		ext.	3	$1.3 \times 10^{13}$	3.9	-40

T. Möller et al.: Full molecular line survey of hot cores, Online Material p192

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{1.5\mathrm{R}}\mathrm{s}^{-1})$
	ext.	3	$5.4 \times 10^{12}$	1.3	-67
	ext.	3	$5.3 \times 10^{12}$	1.2	-83
	ext.	3	$9.4 \times 10^{12}$	3.2	-107
	ext.	3	$4.7 \times 10^{12}$	1.4	-116
	ext.	3	$6.2 \times 10^{12}$	1.9	-130
	ext.	3	$5.4 \times 10^{12}$	2.3	-144
	ext.	3	$1.5 \times 10^{13}$	7.1	-156
$\rm H^{13}CN$	ext.	3	$1.0 \times 10^{14}$	21.6	41
	ext.	3	$1.6 \times 10^{13}$	1.8	58
	ext.	3	$1.5 \times 10^{14}$	15.7	70
	ext.	3	$2.7 \times 10^{14}$	29.6	140
HNC	ext.	3	$1.2 \times 10^{12}$	0.7	149
	ext.	3	$1.0 \times 10^{12}$	0.9	131
	ext.	3	$1.0 \times 10^{12}$	8.0	77
	ext.	3	$1.0 \times 10^{12}$	0.9	118
	ext.	3	$3.6 \times 10^{12}$	0.3	91
	ext.	3	$2.3 \times 10^{13}$	2.9	78
	ext.	3	$1.9 \times 10^{13}$	0.8	74
	ext.	3	$2.3 \times 10^{14}$	16.6	67
	ext.	3	$7.6 \times 10^{12}$	2.0	61
	ext.	3	$1.3 \times 10^{13}$	2.5	59
	ext.	3	$5.8 \times 10^{13}$	5.6	54
	ext.	3	$3.2 \times 10^{12}$	2.5	-38
$\rm HN^{13}C$	ext.	3	$1.9 \times 10^{13}$	19.7	-11
$H^{13}CO^+$	ext.	3	$3.1 \times 10^{12}$	4.0	46

Table L.37: LTE Parameters for the full LTE model (Core Components) for source A19 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\rm kms^{-1}$
HCCCN	1 1	111	$1.0 \times 10^{14}$	1.0	60
H-CS	1.1	200	$1.3 \times 10$ 2.1 × 1015	1.0	59
11205 SiO	1.1	158	$2.1 \times 10$ 1 1 $\times 10^{13}$	0.0 0.3	53
CHANH	1.1	87	$1.1 \times 10$ $1.0 \times 10^{12}$	2.5	77
CO	1.1	200	$5.4 \times 10^{15}$	14.5	153
00	1.1	200	$0.4 \times 10^{15}$	1.1	106
	1.1	200	$9.1 \times 10^{16}$	1.0	100
	1.1	200	$1.5 \times 10^{16}$	2.4	08
	1.1	200	$5.7 \times 10^{16}$	0.4 2.6	90 84
	1.1	200	$3.7 \times 10^{15}$	2.0	11
	1.1	200	$2.5 \times 10^{15}$	1.0	57
	1.1	200	$4.0 \times 10^{16}$	1.0	37
	1.1	200	$3.0 \times 10^{16}$	2.0	37
	1.1	200	$2.2 \times 10^{16}$	1.0	20
	1.1	200	$1.3 \times 10^{16}$	1.1	23 4
	1.1	200	$5.6 \times 10^{16}$	2.9	4 7
	1.1	200	$1.0 \times 10^{16}$	2.4	-7
	1.1	200	$1.3 \times 10^{15}$ 8 3 $\times 10^{15}$	1.4	-19
	1.1	200	$3.4 \times 10^{16}$	3.1	-35
	1.1	200	$8.9 \times 10^{15}$	1.1	-59
	1.1	200	$1.7 \times 10^{16}$	2.4	-59
	1.1	200	$4.0 \times 10^{16}$	2.4	-05
	1.1	200	$4.0 \times 10^{16}$	2.0	-80
	1.1	200	$8.0 \times 10^{15}$	14	-86
	1.1	200	$2.1 \times 10^{16}$	2.4	-101
	1.1	200	$3.5 \times 10^{16}$	3.2	-108
	1.1	200	$3.8 \times 10^{16}$	1.0	-117
$^{13}CO$	1.1	200	$1.6 \times 10^{16}$	1.9	155
	1.1	200	$1.7 \times 10^{15}$	0.2	144
	1.1	200	$2.9 \times 10^{16}$	2.0	140
	1.1	200	$1.4 \times 10^{17}$	1.0	91
	1.1	200	$2.7 \times 10^{17}$	3.7	86
	1.1	200	$3.8 \times 10^{16}$	1.0	-6
	1.1	200	$1.5 \times 10^{16}$	1.1	-11

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			(0	Continued)		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
$C^{18}O = 1.0 \times 10^{16} = 2.9 = .51$ $1.1 = 200 = 6.9 \times 10^{16} = 2.1 = .64$ $1.1 = 200 = 3.1 \times 10^{16} = 1.7 = .72$ $1.1 = 200 = 3.1 \times 10^{16} = 1.3 = .79$ $1.1 = 200 = 3.1 \times 10^{16} = 0.1 = .75$ $1.1 = 200 = 4.3 \times 10^{15} = 1.1 = .103$ $1.1 = 200 = 2.6 \times 10^{16} = 2.1 = .118$ $1.1 = 200 = 3.4 \times 10^{15} = 1.0 = .158$ $1.1 = 200 = 3.4 \times 10^{15} = 1.0 = .158$ $1.1 = 200 = 3.4 \times 10^{16} = 2.7 = .167$ $1.1 = 200 = 3.3 \times 10^{15} = 2.7 = .167$ $1.1 = 200 = 3.3 \times 10^{15} = 2.7 = .167$ $1.1 = 200 = 3.3 \times 10^{16} = 2.7 = .167$ $1.1 = 200 = 3.3 \times 10^{15} = 2.7 = .154$ $1.1 = 200 = 3.4 \times 10^{16} = 3.6 = .125$ $1.1 = 200 = 3.2 \times 10^{16} = 3.6 = .125$ $1.1 = 200 = 3.2 \times 10^{15} = 2.7 = .108$ $1.1 = 200 = 3.2 \times 10^{15} = 2.7 = .108$ $1.1 = 200 = 3.2 \times 10^{15} = 2.7 = .108$ $1.1 = 200 = 1.4 \times 10^{16} = 3.4 = .58$ $1.1 = 200 = 1.4 \times 10^{16} = 3.4 = .58$ $1.1 = 200 = 1.4 \times 10^{16} = 3.4 = .58$ $1.1 = 200 = 1.4 \times 10^{16} = 3.4 = .58$ $1.1 = 200 = 1.4 \times 10^{16} = 3.4 = .58$ $1.1 = 200 = 1.4 \times 10^{16} = 3.1 = .79$ $1.1 = 200 = 1.4 \times 10^{17} = 3.1 = 60$ $1.1 = 200 = 3.9 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = 129$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{16} = 2.7 = .18$ $1.1 = 200 = 3.2 \times 10^{16} = 2.7 = .18$ $1.1 = 200 = 3.2 \times 10^{16} = 2.7 = .33$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{15} = 1.3 = .85$ $1.1 = 200 = 3.2 \times 10^{16} = 2.7 = .33$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = .33$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = .33$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 = .33$ $1.1 = 200 = 1.0 \times 10^{16} = 2.7 =$		('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$({\rm km  s^{-1}})$
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{12}$	0.9	-51
$C^{17}O = \begin{bmatrix} 1.1 & 200 & 3.4 \times 10^{16} & 1.7 & -72 \\ 1.1 & 200 & 3.1 \times 10^{16} & 1.3 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 0.2 & -90 \\ 1.1 & 200 & 4.3 \times 10^{15} & 1.1 & -103 \\ 1.1 & 200 & 2.6 \times 10^{16} & 2.1 & -118 \\ 1.1 & 200 & 2.6 \times 10^{16} & 2.7 & -140 \\ 1.1 & 200 & 8.9 \times 10^{15} & 1.0 & -158 \\ 1.1 & 200 & 8.4 \times 10^{15} & 2.7 & -167 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & -167 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & -167 \\ 1.1 & 200 & 3.4 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 3.4 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 3.4 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 3.4 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 3.4 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 1.6 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 1.2 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 1.2 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.7 & -108 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 3.7 & -118 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & 5 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & 5 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & 5 \\ 1.1 & 200 & 3.2 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & 5 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & 5 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 73 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 134 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 134 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 136 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 &$		1.1	200	$6.9 \times 10^{16}$	2.9	-55
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	$8.4 \times 10^{10}$	2.1	-64
$C^{17}O = \begin{bmatrix} 1, 1 \\ 200 \\ 5.5 \times 10^{16} \\ 0.2 \\ 0.5 \\ 0.11 \\ 200 \\ 1.1 \\ 200 \\ 2.6 \times 10^{16} \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ 0.2 \\ $		1.1	200	$7.6 \times 10^{10}$	1.7	-72
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.1 \times 10^{10}$	1.3	-79
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	$5.5 \times 10^{10}$	6.1	-85
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{10}$	0.2	-90
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$4.3 \times 10^{10}$	1.1	-103
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.6 \times 10^{-5}$	2.1	-118
$C^{17}O = \begin{bmatrix} 1.1 & 200 & 8.9 \times 10^{15} & 1.0 & -158 \\ 1.1 & 200 & 6.2 \times 10^{14} & 0.9 & -130 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & -167 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & -154 \\ 1.1 & 200 & 1.2 \times 10^{16} & 0.6 & -119 \\ 1.1 & 200 & 1.2 \times 10^{16} & 0.6 & -125 \\ 1.1 & 200 & 1.2 \times 10^{16} & 5.0 & -90 \\ 1.1 & 200 & 2.9 \times 10^{16} & 5.0 & -90 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.3 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.3 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.3 \times 10^{16} & 5.7 & -108 \\ 1.1 & 200 & 1.3 \times 10^{16} & 3.4 & -58 \\ 1.1 & 200 & 1.3 \times 10^{16} & 5.7 & -16 \\ 1.1 & 200 & 1.3 \times 10^{16} & 5.7 & -16 \\ 1.1 & 200 & 1.3 \times 10^{16} & 5.7 & -16 \\ 1.1 & 200 & 1.3 \times 10^{16} & 2.7 & -16 \\ 1.1 & 200 & 1.4 \times 10^{17} & 3.1 & 60 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & -16 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & -126 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & -126 \\ 1.1 & 200 & 1.2 \times 10^{16} & 3.7 & -178 \\ 1.1 & 200 & 1.2 \times 10^{16} & 3.7 & -178 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & 57 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 58 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 58 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 16 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.7 & 16 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.7 & 16 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.7 & 128 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 13 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 13 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 13 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 13 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 28 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.5 & 131 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.2 & 138 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.3 & 87 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.3 & 87 \\ 1.1 & 200 & 1.0 \times 10^{14} & 2.3 & 87 \\ 1.1 & 200 & 1.2 \times 10^{13} & 1.0 & 13$		1.1	200	$3.4 \times 10^{-1}$	0.8	-155
$ \begin{array}{c} 1.1 & 200 & 6.2 \times 10^{14} & 0.9 & -130 \\ 1.1 & 200 & 4.3 \times 10^{16} & 2.7 & -167 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & -154 \\ 1.1 & 200 & 3.4 \times 10^{16} & 7.1 & -138 \\ 1.1 & 200 & 1.6 \times 10^{16} & 3.6 & -125 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -114 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -114 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -114 \\ 1.1 & 200 & 3.2 \times 10^{16} & 5.0 & -90 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.1 & -79 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.1 \times 10^{16} & 3.8 & -20 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.9 & -12 \\ 1.1 & 200 & 1.3 \times 10^{16} & 2.7 & 6 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & 6 \\ 1.1 & 200 & 3.3 \times 10^{15} & 2.7 & 6 \\ 1.1 & 200 & 1.4 \times 10^{17} & 3.1 & 60 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 82 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 129 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 129 \\ 1.1 & 200 & 1.2 \times 10^{16} & 3.7 & -126 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -126 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{15} & 1.3 & -85 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.7 & -57 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -126 \\ 1.1 & 200 & 3.2 \times 10^{15} & 2.7 & -126 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.8 & -8 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.8 & -8 \\ 1.1 & 200 & 3.2 \times 10^{16} & 3.8 & -8 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 57 \\ 1.1 & 200 & 1.2 \times 10^{16} & 2.7 & 57 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 57 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 15 \\ 1.1 & 200 & 1.1 \times 10^{16} & 2.7 & 15 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.7 & 15 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.9 & 150 \\ 1.1 & 200 & 1.0 \times 10^{16} & 2.3 & 87 \\ 1.1 & 200 & 1.0 \times 10^{14} & 2.3 & 87 \\ 1.1 & 200 & 1.0 \times 10^{14} & 2.3 & 87 \\ 1.1 & $		1.1	200	$2.8 \times 10^{15}$ 8.9 $\times 10^{15}$	2.7	-140
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$6.2 \times 10^{14}$	1.0	-130
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$4.3 \times 10^{16}$	2.7	-167
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$C^{17}O$	1.1	200	$3.3 \times 10^{15}$	2.7 2.7	-175
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$	0 0	1.1	200	$3.3 \times 10^{15}$	2.7	-154
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	$3.4 \times 10^{16}$	7.1	-138
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.6 \times 10^{16}$	3.6	-125
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.2 \times 10^{16}$	0.6	-119
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{15}$	2.7	-114
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{15}$	2.7	-108
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$2.9 \times 10^{16}$	5.0	-90
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{16}$	3.1	-79
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.4 \times 10^{16}$	3.4	-58
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.3 \times 10^{16}$	3.8	-20
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{16}$	2.9	-12
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.3 \times 10^{15}$	2.7	6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.9 \times 10^{16}$	7.1	25
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.4 \times 10^{17}$	3.1	60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$9.6 \times 10^{16}$	9.2	78
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{10}$	2.7	92
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.9 \times 10^{10}$	4.9	116
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{10}$	2.7	129
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.2 \times 10^{10}$	2.7	134
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C180	1.1	200	$3.2 \times 10^{10}$	2.7	140
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Croo	1.1	200	$1.1 \times 10^{10}$	3.1	-101
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.3 \times 10^{10}$	2.1	-120
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{15}$	3.7 1.9	-110
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{15}$	10.3	-80
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{16}$ $3.7 \times 10^{16}$	37	-57
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.5 \times 10^{16}$	3.0	-38
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.3 \times 10^{16}$	2.7	-33
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.2 \times 10^{16}$	2.8	-25
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.7 \times 10^{16}$	4.4	-15
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.5 \times 10^{16}$	3.8	-8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{15}$	2.7	5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.3 \times 10^{16}$	2.7	16
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{16}$	2.7	27
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$6.4 \times 10^{16}$	1.2	57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$5.2 \times 10^{17}$	7.4	76
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{17}$	3.5	85
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{16}$	2.7	98
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$9.1 \times 10^{16}$	12.0	117
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$10.0 \times 10^{15}$	2.2	123
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{16}$	2.5	131
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$1.1 \times 10^{16}$	1.1	136
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{10}$	2.9	150
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CC	1.1	200	$1.0 \times 10^{10}$	12.5	155
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	US	1.1	200	$1.0 \times 10^{12}$	0.9	144
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.2 \times 10^{13}$	1.1	145
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.0 \times 10^{13}$	2.3	131
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$3.0 \times 10^{10}$	1.1	125
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1 1 1	200	$1.0 \times 10^{13}$ $2.0 \times 10^{13}$	4.8	120 116
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1 1 1	200	$2.0 \times 10^{-5}$ 2.5 $\times 10^{13}$	1.0	102
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1 1 1	200	$2.0 \times 10^{-5}$ 1 3 $\times 10^{14}$	1.U 5.0	08
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.5 \times 10^{14}$	0.4 2.2	30 87
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.3 \times 10^{13}$	0.3	55
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$2.6 \times 10^{12}$	5.1	15
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	$1.2 \times 10^{14}$	2.3	9
		1.1	200	$1.6 \times 10^{13}$	0.9	3

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 193
1. Monet et al. 1 an molecular fine sarvey of not cores,	01000100	111 0001 000	p 100

		(C	Continued)			
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{\text{LSR}}^{m,c}$	
	1.1	200	$1.0 \times 10^{12}$	0.3	-8	
	1.1	200	$9.4 \times 10^{13}$	5.8	-9	
	1.1 1.1	$200 \\ 200$	$8.3 \times 10^{13}$ $3.9 \times 10^{13}$	$\frac{2.5}{3.2}$	-18 -24	
	1.1	200	$1.6 \times 10^{13}$	1.0	-39	
	1.1	200	$3.8 \times 10^{13}$	2.2	-47	
	$1.1 \\ 1.1$	$200 \\ 200$	$5.3 \times 10^{13}$ $1.4 \times 10^{13}$	$1.0 \\ 2.0$	-60 -66	
	1.1	200	$2.0 \times 10^{14}$	5.0	-75	
	1.1	200	$1.2 \times 10^{14}$	0.4	-89	
	1.1 1.1	$\frac{200}{200}$	$3.4 \times 10^{13}$	$\frac{2.4}{1.0}$	-101 -114	
	1.1	200	$7.0 \times 10^{13}$	2.3	-123	
	1.1	200	$7.9 \times 10^{13}$ 7.4 $\times 10^{12}$	2.4	-133 142	
	$1.1 \\ 1.1$	$200 \\ 200$	$4.4 \times 10^{12}$	1.0	-142 -142	
	1.1	200	$8.6 \times 10^{13}$	2.3	-147	
	1.1	200	$9.7 \times 10^{12}$ 3.2 × 10^{13}	1.0 1.6	-154 158	
	1.1	200	$1.9 \times 10^{14}$	1.3	-175	
10	1.1	200	$7.2 \times 10^{13}$	2.4	-180	
$^{13}CS$	1.1	$200 \\ 200$	$6.5 \times 10^{14}$ 5.0 × 10^{13}	4.9 2.2	58 -58	
	1.1	200	$1.0 \times 10^{12}$	1.3	-134	
$C^{33}S$	1.1	200	$3.2 \times 10^{14}$	4.1	57	
C ₂₄ S	1.1 1.1	$200 \\ 200$	$1.1 \times 10^{14}$ 3.3 × 10 ¹⁴	5.0 3.9	$\frac{40}{57}$	
	1.1	200	$5.8 \times 10^{13}$	6.2	89	
HON	1.1	200	$1.2 \times 10^{14}$	13.9	97	
HCN	1.1 1.1	$200 \\ 200$	$1.0 \times 10^{13}$ 2.0 × 10^{13}	$\frac{2.2}{1.0}$	122 49	
	1.1	200	$1.1 \times 10^{13}$	1.0	4	
	1.1	200	$5.3 \times 10^{13}$	2.4	-4	
	$1.1 \\ 1.1$	$\frac{200}{200}$	$2.3 \times 10^{12}$ $2.2 \times 10^{13}$	$1.2 \\ 1.1$	-79 -103	
	1.1	200	$1.0 \times 10^{12}$	1.0	-171	
$\rm H^{13}CN$	1.1	200	$5.5 \times 10^{13}$	2.6	126	
	$1.1 \\ 1.1$	$200 \\ 200$	$5.8 \times 10^{13}$	$0.9 \\ 0.9$	$113 \\ 107$	
	1.1	200	$2.7 \times 10^{13}$	0.9	103	
	1.1	200	$6.5 \times 10^{13}$ 5.8 × 10^{12}	1.3	53 38	
	1.1	$200 \\ 200$	$5.3 \times 10^{13}$ $5.3 \times 10^{13}$	1.3	31	
	1.1	200	$5.1 \times 10^{13}$	1.0	24	
	1.1	$200 \\ 200$	$6.6 \times 10^{12}$ 2.9 × 10^{12}	2.3 0.2	17 3	Т
	1.1	200	$2.3 \times 10^{13}$ $2.3 \times 10^{13}$	1.8	6	(1
	1.1	200	$4.1 \times 10^{13}$	0.2	1	
	1.1 1.1	$200 \\ 200$	$4.3 \times 10^{13}$ 3.0 × 10^{13}	0.7 1.6	-6 -11	
	1.1	200	$3.0 \times 10^{13}$	3.0	-16	
	1.1	200	$2.4 \times 10^{13}$	2.3	-22	
	1.1 1.1	$200 \\ 200$	$2.9 \times 10^{12}$ $1.6 \times 10^{13}$	$1.0 \\ 2.3$	-42 -51	
	1.1	200	$8.0 \times 10^{12}$	2.1	-61	
	1.1	200	$4.0 \times 10^{12}$	0.7	-65	
	$1.1 \\ 1.1$	$200 \\ 200$	$4.4 \times 10^{13}$ $3.6 \times 10^{13}$	$1.1 \\ 3.2$	-74 -80	
	1.1	200	$1.6 \times 10^{13}$	0.9	-89	
	1.1	200	$3.9 \times 10^{13}$ 1.7 × 10^{12}	2.1	-94 105	
	$1.1 \\ 1.1$	$200 \\ 200$	$1.7 \times 10^{12}$ $2.8 \times 10^{12}$	$0.9 \\ 0.8$	-105 -107	
	1.1	200	$7.4 \times 10^{13}$	0.8	-111	
	1.1 1 1	200	$3.8 \times 10^{13}$ 2.8 × 10^{13}	2.6	-120 -134	
	1.1 1.1	200	$6.2 \times 10^{12}$	$^{2.3}_{1.3}$	-134 -144	
	1.1	200	$9.3 \times 10^{12}$	1.1	-155	
HNC	1.1 1 1	$200 \\ 200$	$3.2 \times 10^{12}$ 2.1 × 10^{13}	0.2	-181 161	
11110	$1.1 \\ 1.1$	200	$4.7 \times 10^{12}$	0.8	156	
	1.1	200	$6.2 \times 10^{12}$	1.1	147	
	1.1	200	$3.2 \times 10^{12}$	0.4	137	

			(C	ontinued)		
	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
(-1)		('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{1.5\mathrm{R}}\mathrm{s}^{-1})$
		1.1	200	$4.6 \times 10^{12}$	8.5	116
		1.1	200	$1.6 \times 10^{13}$	0.8	109
		1.1	200	$3.8 \times 10^{13}$	2.7	106
		1.1	200	$1.9 \times 10^{12}$	0.4	101
		1.1	200	$1.1 \times 10^{13}$	1.1	96
		1.1	200	$2.2 \times 10^{13}$	1.0	85
		1.1	200	$1.0 \times 10^{14}$	2.0	54
		1.1	200	$1.8 \times 10^{12}$	2.3	35
		1.1	200	$1.2 \times 10^{13}$	3.0	28
		1.1	200	$4.7 \times 10^{12}$	1.2	17
L		1.1	200	$1.3 \times 10^{13}$	1.6	12
1		1.1	200	$1.4 \times 10^{13}$	0.8	3
3		1.1	200	$2.9 \times 10^{13}$	2.7	-3
3		1.1	200	$4.9 \times 10^{13}$	0.9	-17
2		1.1	200	$3.8 \times 10^{13}$	4.2	-23
2		1.1	200	$3.4 \times 10^{13}$	1.5	-43
7		1.1	200	$5.6 \times 10^{13}$	0.8	-49
1		1.1	200	$6.0 \times 10^{13}$	5.4	-58
3		1.1	200	$3.1 \times 10^{13}$	2.2	-67
5		1.1	200	$3.2 \times 10^{12}$	4.9	-72
)		1.1	200	$3.4 \times 10^{13}$	3.1	-79
		1.1	200	$1.6 \times 10^{13}$	1.0	-86
		1.1	200	$3.4 \times 10^{12}$	0.7	-90
1		1.1	200	$1.2 \times 10^{13}$	1.0	-91
		1.1	200	$1.8 \times 10^{13}$	2.1	-103
		1.1	200	$2.6 \times 10^{12}$	0.6	-109
		1.1	200	$3.4 \times 10^{13}$	4.7	-115
		1.1	200	$2.6 \times 10^{12}$	0.9	-119
		1.1	200	$2.5 \times 10^{12}$	0.8	-130
1		1.1	200	$4.0 \times 10^{13}$	1.6	-138
		1.1	200	$2.8 \times 10^{13}$	2.2	-143
		1.1	200	$1.2 \times 10^{13}$	1.1	-148
		1.1	200	$3.5 \times 10^{13}$	2.2	-158
		1.1	200	$3.1 \times 10^{13}$	2.1	-167
3		1.1	200	$3.8 \times 10^{13}$	1.3	-174
L		1.1	200	$2.5 \times 10^{13}$	1.4	-180
i		1.1	200	$5.5 \times 10^{13}$	1.0	-184
	$HN^{13}C$	1.1	200	$7.1 \times 10^{13}$	9.5	-77
•		1.1	200	$1.7 \times 10^{13}$	2.2	-25
	TT12 C C L	1.1	200	$3.5 \times 10^{13}$	5.4	153
	H ¹³ CO ⁺	1.1	200	$8.5 \times 10^{13}$	1.0	58

Table L.38: LTE Parameters for the full LTE model (Envelope Components) for source A19 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
HCCCN	ext.	17	$1.6 \times 10^{17}$	2.1	66
	ext.	18	$9.3 \times 10^{16}$	5.7	48
$H_2CS$	ext.	13	$1.0 \times 10^{15}$	3.9	68
	ext.	15	$1.1 \times 10^{15}$	3.9	49
$CH_3OH$	ext.	3	$5.8 \times 10^{15}$	0.8	60
	ext.	19	$2.0 \times 10^{16}$	6.7	68
	ext.	10	$7.7 \times 10^{12}$	1.0	62
	ext.	15	$9.3 \times 10^{15}$	12.5	48
$H_2CO$	ext.	15	$8.0 \times 10^{14}$	7.5	72
	ext.	3	$1.9 \times 10^{12}$	2.0	60
	ext.	10	$1.7 \times 10^{14}$	2.8	59
	ext.	10	$6.4 \times 10^{14}$	7.5	46
HNCO	ext.	16	$5.6 \times 10^{15}$	6.2	68
	ext.	13	$4.6 \times 10^{15}$	4.7	57
	ext.	12	$8.3 \times 10^{15}$	8.2	48
	ext.	14	$8.3 \times 10^{14}$	0.9	36
CN	ext.	16	$2.8 \times 10^{15}$	4.6	77

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 194

		(C	Continued)					(0	Continued)		
Molecule	$ extstyle  heta^{m,c} ('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta v^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$T_{\text{ex}}^{m,c}$ (K)	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
	ext.	10	$3.2 \times 10^{14}$	14.4	64		ext.	3	$5.9 \times 10^{14}$	7.1	-156
	ext.	3	$4.1 \times 10^{13}$	2.1	46		ext.	3	$1.0 \times 10^{14}$	2.7	-135
00	ext.	6	$3.1 \times 10^{13}$	3.0	38		ext.	3	$3.1 \times 10^{14}$	2.7	-111
50	ext.	13	$5.9 \times 10^{13}$	16.5	66 5 <i>6</i>		ext.	ა ე	$3.0 \times 10^{14}$	2.7	-106
	ext.	12	$3.7 \times 10^{15}$	0.2 8 3	20 48		ext.	3 3	$2.9 \times 10$ $3.1 \times 10^{14}$	2.1	-90 -60
	ext.	9 10	$1.1 \times 10^{15}$	4 9	40 39		ext.	3	$3.1 \times 10^{14}$	2.1 2.7	-00
$SO_2$	ext.	17	$8.4 \times 10^{15}$	19.9	65		ext.	3	$3.1 \times 10^{14}$	2.7	9
	ext.	3	$2.4 \times 10^{14}$	7.8	50		ext.	3	$9.9 \times 10^{13}$	2.4	17
	ext.	3	$7.0 \times 10^{13}$	4.3	41		ext.	3	$9.6 \times 10^{14}$	7.2	30
SiO	ext.	14	$3.2 \times 10^{15}$	6.3	65		ext.	3	$7.8 \times 10^{15}$	7.1	52
	ext.	18	$3.1 \times 10^{14}$	0.8	56		ext.	3	$7.4 \times 10^{15}$	6.7	65
CCU	ext.	16	$5.9 \times 10^{14}$	11.3	45		ext.	3	$3.3 \times 10^{14}$	2.8	89
ССП	ext.	30 3	$1.3 \times 10^{-5}$ $1.3 \times 10^{15}$	4.0	57 70		ext.	3 3	$3.0 \times 10^{-1}$ $2.1 \times 10^{14}$	2.1	102
	ext.	3	$1.3 \times 10^{14}$	3.2 4.3	66		ext.	3	$3.2 \times 10^{14}$	2.1 2.7	137
	ext.	10	$5.8 \times 10^{14}$	11.5	$45^{00}$		ext.	3	$2.7 \times 10^{14}$	2.7	142
$H_2^{34}S$	ext.	12	$2.9 \times 10^{17}$	0.7	87		ext.	3	$2.7 \times 10^{15}$	13.7	156
	ext.	16	$3.5 \times 10^{19}$	3.4	69	$C^{18}O$	ext.	3	$8.9 \times 10^{14}$	7.5	-149
	ext.	16	$4.9 \times 10^{19}$	1.7	52		ext.	3	$1.8 \times 10^{15}$	7.1	-142
$H_2CCO$	ext.	3	$2.0 \times 10^{14}$	2.0	67		ext.	3	$3.6 \times 10^{15}$	7.6	-133
CIL CN	ext.	17	$1.2 \times 10^{10}$	5.3	66 79		ext.	3	$9.9 \times 10^{13}$	2.7	-123
CH ₃ CN	ext.	9	$4.8 \times 10^{10}$	4.3	68		ext.	3	$3.2 \times 10^{15}$ 1.2 $\times 10^{15}$	2.9	-109
	ext.	4	$1.7 \times 10^{19}$	16.3	55		ext.	3	$3.1 \times 10^{15}$	5.2 4 4	-97
	ext.	15	$2.8 \times 10^{14}$	4.3	$54^{-10}$		ext.	3	$3.1 \times 10^{14}$	2.7	-82
$\rm NH_2D$	ext.	20	$3.2 \times 10^{16}$	7.9	64		ext.	3	$6.2 \times 10^{14}$	2.6	-77
$PH_3$	ext.	10	$1.2 \times 10^{14}$	5.0	69		ext.	3	$5.0 \times 10^{15}$	6.7	-66
	ext.	11	$8.9 \times 10^{13}$	4.6	58		ext.	3	$9.9 \times 10^{14}$	5.3	-47
OCS CH NH	ext.	10	$3.7 \times 10^{13}$	11.8	54		ext.	3	$5.2 \times 10^{14}$	3.1	2
$OH_2 NH$	ext.	0 13	$5.5 \times 10^{-14}$	1.0	71 64		ext.	3 3	$3.9 \times 10^{14}$	2.1	0 30
	ext.	15	$1.7 \times 10^{14}$	34.8	151		ext.	3	$3.2 \times 10^{16}$	10.2	48
	ext.	3	$1.0 \times 10^{12}$	2.4	21		ext.	3	$4.3 \times 10^{16}$	14.7	69
	ext.	7	$1.0~\times 10^{12}$	4.3	23		ext.	3	$3.0 \times 10^{14}$	2.7	95
	ext.	3	$9.6 \times 10^{12}$	13.7	0		ext.	3	$3.2 \times 10^{14}$	2.7	128
$CH_3NH_2$	ext.	10	$4.5 \times 10^{14}$	6.7	64		ext.	3	$9.2 \times 10^{14}$	7.5	141
CO	ext.	8	$5.0 \times 10^{14}$ 5.6 × 10 ¹⁴	1.4	01 135	CS	ext.	3 3	$3.1 \times 10^{12}$ 1 3 $\times 10^{16}$	2.1	101
00	ext.	3	$1.2 \times 10^{15}$	4.2	115	05	ext.	3	$2.2 \times 10^{16}$	1.9	73
	ext.	3	$1.7 \times 10^{15}$	2.6	89		ext.	3	$1.3 \times 10^{16}$	3.5	67
	ext.	3	$1.4 \times 10^{15}$	2.6	79		ext.	3	$2.6 \times 10^{16}$	3.7	61
	ext.	3	$3.7 \times 10^{14}$	1.0	73		ext.	3	$3.8 \times 10^{15}$	1.0	50
	ext.	3	$3.1 \times 10^{14}$	1.4	59 50		ext.	3	$5.7 \times 10^{16}$	14.6	43
	ext.	3 2	$5.2 \times 10^{14}$ 5.7 $\times 10^{15}$	1.0 9.1	59 46		ext.	3 3	$5.4 \times 10^{14}$	1.0	23 37
	ext.	3	$1.4 \times 10^{15}$	$\frac{2.1}{2.0}$	40 10		ext.	3	$4.9 \times 10^{14}$	1.0	-105
	ext.	3	$4.3 \times 10^{14}$	1.0	-1		ext.	3	$3.7 \times 10^{14}$	1.0	-140
	ext.	3	$1.3 \times 10^{15}$	2.1	-93		ext.	3	$2.3 \times 10^{15}$	2.6	-167
	ext.	3	$4.3 \times 10^{14}$	1.0	-115	$^{13}CS$	ext.	3	$8.0 \times 10^{15}$	17.4	64
12 0 0	ext.	3	$2.6 \times 10^{14}$	1.0	-155		ext.	3	$1.3 \times 10^{15}$	4.6	-58
13CO	ext.	3	$3.6 \times 10^{13}$	3.5	98	C33 C	ext.	3	$2.1 \times 10^{14}$	0.8	-51 179
	ext.	3 3	$1.4 \times 10^{16}$	1.0	90 72	0-5	ext.	3 3	$3.4 \times 10^{15}$	4.3 7 3	-175
	ext.	3	$1.3 \times 10^{15}$	3.9	65		ext.	3	$10.0 \times 10^{14}$	3.5	-136
	ext.	3	$4.3 \times 10^{15}$	0.9	61		ext.	3	$2.0 \times 10^{15}$	5.5	-128
	ext.	3	$6.0 \times 10^{16}$	5.6	47		ext.	3	$9.9 \times 10^{14}$	3.6	-119
	ext.	3	$6.4 \times 10^{15}$	2.1	31		ext.	3	$9.2 \times 10^{14}$	2.1	-102
	ext.	3	$1.5 \times 10^{15}$	0.8	22		ext.	3	$4.6 \times 10^{14}$	3.0	-94
	ext.	ა ა	$5.9 \times 10^{10}$	3.5 1.0	15 0		ext.	ა ა	$1.0 \times 10^{10}$	4.1	-74
	ext.	3 3	$4.5 \times 10^{15}$	1.9	-40		ext.	3 3	$7.3 \times 10^{14}$	3.1	-02 -54
	ext.	3	$1.2 \times 10^{16}$	2.4	-44		ext.	3	$4.2 \times 10^{13}$	6.1	-35
	ext.	3	$3.3 \times 10^{14}$	0.8	-61		ext.	3	$8.2 \times 10^{14}$	2.8	-25
	ext.	3	$2.1~\times10^{14}$	1.3	-112		ext.	3	$6.8~{\times}10^{14}$	3.6	-17
	ext.	3	$2.6 \times 10^{15}$	1.6	-124		ext.	3	$1.4 \times 10^{15}$	11.4	12
	ext.	3	$3.6 \times 10^{15}$	1.3	-132		ext.	3	$3.3 \times 10^{14}$	5.9	20
	ext.	చ २	$4.0 \times 10^{13}$ $3.2 \times 10^{14}$	1.0	-149 -150		ext.	ა გ	$0.4 \times 10^{13}$ 6 5 $\times 10^{14}$	4.0 3.4	3U 37
	ext.	3	$1.6 \times 10^{15}$	2.7	-173		ext.	3	$2.7 \times 10^{15}$	4.2	64
$C^{17}O$	ext.	3	$3.2 \times 10^{14}$	3.2	-180		ext.	3	$8.8 \times 10^{14}$	3.0	78
	ext.	3	$3.3 \times 10^{14}$	2.7	-172		ext.	3	$9.5 \times 10^{14}$	4.3	85

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 195

$\begin{array}{c c c c c c c c c c c c c c c c c c c $	(Continued)							
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		(")	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.2 \times 10^{13}$	5.4	93		
$ \begin{array}{ccccc} {\rm ext.} & 3 & 8.8 \times 10^{13} & 2.5 & 122 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 141 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 145 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 145 \\ {\rm ext.} & 3 & 7.9 \times 10^{14} & 6.5 & 164 \\ {\rm ext.} & 3 & 2.3 \times 10^{15} & 5.0 & -167 \\ {\rm ext.} & 3 & 9.3 \times 10^{14} & 4.1 & -149 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 6.2 & -134 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ {\rm ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ {\rm ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ {\rm ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ {\rm ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ {\rm ext.} & 3 & 2.1 \times 10^{16} & 1.42 & 107 \\ {\rm ext.} & 3 & 6.0 \times 10^{14} & 4.2 & 107 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 142 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 142 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.1 & 94 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 63 \\ {\rm ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ {\rm ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ {\rm ext.} & 3 & 2.6 \times 10^{13} & 2.0 & 82 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 11 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 122 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 143 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 1.0 & 11 \\ {\rm ext.} & 3 & 6.9 \times 10^{12} & 1.0 & 11 \\ {\rm ext.} & 3 & 6.9 \times 10^{12} & 1.2 & -81 \\ {\rm ext.} & 3 & 1.4 \times 10^{13} & 1.8 & -126 \\ {\rm ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 143 \\ {\rm ext.} & 3 & 6.9 \times 10^{$		ext.	3 3	$9.3 \times 10^{-1}$	4.5 6.3	105		
$ \begin{array}{cccc} \mathrm{ext.} & 3 & 1.2 \times 10^{15} & 4.8 & 131 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 144 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 145 \\ \mathrm{ext.} & 3 & 1.1 \times 10^{15} & 3.4 & 152 \\ \mathrm{ext.} & 3 & 7.9 \times 10^{14} & 6.5 & 164 \\ \mathrm{ext.} & 3 & 9.1 \times 10^{14} & 6.2 & -159 \\ \mathrm{ext.} & 3 & 9.1 \times 10^{14} & 6.2 & -159 \\ \mathrm{ext.} & 3 & 9.3 \times 10^{14} & 4.1 & -149 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 4.1 & -149 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -85 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -87 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -87 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -37 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ \mathrm{ext.} & 3 & 6.9 \times 10^{15} & 37.2 & 132 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.7 & 100 \\ \mathrm{ext.} & 3 & 6.9 \times 10^{15} & 37.2 & 132 \\ \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 4.2 & 107 \\ \mathrm{ext.} & 3 & 2.0 \times 10^{14} & 4.2 & 107 \\ \mathrm{ext.} & 3 & 4.9 \times 10^{12} & 1.2 & 144 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.0 & -11 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.0 & -11 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.0 & -12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.0 & -13 \\ \mathrm{ext.} & 3 & 2.0 \times 10^{13} & 1.4 & -114 \\ \mathrm{ext.} & 3 & 3.1 \times 10^{13} & 5.9 & -28 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{14} & 5.7 & 31 \\ \mathrm{ext.} & 3 & 2.0 \times 10^{13} & 1.4 & -114 \\ \mathrm{ext.} & 3 & 3.1 \times 10^{13} & 3.1 & -65 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{12} & 3.1 & -65 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 150 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 150 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 150 \\ \mathrm{ext.} & 3 & 1.4 $		ext.	3	$8.0 \times 10^{13}$	2.5	122		
$ \begin{array}{c} \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 141 \\ \mathrm{ext.} & 3 & 1.1 \times 10^{15} & 3.4 & 152 \\ \mathrm{ext.} & 3 & 7.9 \times 10^{14} & 6.5 & 164 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{15} & 5.0 & -167 \\ \mathrm{ext.} & 3 & 9.1 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -85 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -87 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -277 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -87 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ \mathrm{ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.2 \times 10^{13} & 1.2 & 144 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 144 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 144 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 142 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 105 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 105 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 6.5 \times 10^{13} & 2.3 & 55 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 2.0 \times 10^{13} & 1.4 & -114 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 5.9 & -28 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 3.1 & -96 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -96 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -96 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -114 \\ \mathrm{ext.} & 3 & 1.7 \times 10^{13} & 3.1 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{1$		ext.	3	$1.2 \times 10^{15}$	4.8	131		
$ \begin{array}{c} \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 145 \\ \mathrm{ext.} & 3 & 1.1 \times 10^{15} & 3.4 & 152 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{14} & 2.7 & -181 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{15} & 5.0 & -167 \\ \mathrm{ext.} & 3 & 9.3 \times 10^{14} & 4.1 & -149 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -80 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -85 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -85 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -87 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{14} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 2.1 \times 10^{16} & 11.0 & 147 \\ \mathrm{HCN} & \mathrm{ext.} & 3 & 4.1 \times 10^{12} & 2.1 & 142 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 1.1 & 94 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 1.1 & 94 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{14} & 5.7 & 31 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.4 & -114 \\ \mathrm{ext.} & 3 & 3.1 \times 10^{13} & 3.1 & -66 \\ \mathrm{ext.} & 3 & 1.1 \times 10^{13} & 3.1 & -66 \\ \mathrm{ext.} & 3 & 1.1 \times 10^{13} & 3.2 & -141 \\ \mathrm{ext.} & 3 & 3.1 \times 10^{13} & 3.1 & -66 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{14} & 5.2 & 70 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -166 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -166 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -166 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 3.1 & -166 \\ \mathrm{ext.} & 3 & 1.4 \times 1$		ext.	3	$2.6 \times 10^{14}$	2.5	141		
$\begin{array}{cccc} \mathrm{ext.} & 3 & 1.1 \times 10^{15} & 3.4 & 152 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{14} & 6.5 & 164 \\ \mathrm{ext.} & 3 & 2.3 \times 10^{14} & 5.0 & -167 \\ \mathrm{ext.} & 3 & 9.1 \times 10^{14} & 6.2 & -159 \\ \mathrm{ext.} & 3 & 9.3 \times 10^{14} & 6.2 & -134 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.8 \times 10^{14} & 2.5 & -124 \\ \mathrm{ext.} & 3 & 2.1 \times 10^{13} & 2.5 & -85 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -27 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -27 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{13} & 2.5 & -27 \\ \mathrm{ext.} & 3 & 9.2 \times 10^{14} & 2.8 & -5 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 1.0 \times 10^{16} & 4.9 & 50 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ \mathrm{ext.} & 3 & 6.9 \times 10^{15} & 37.2 & 132 \\ \mathrm{ext.} & 3 & 2.1 \times 10^{16} & 11.0 & 147 \\ \mathrm{ext.} & 3 & 4.1 \times 10^{12} & 2.1 & 142 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.8 & 105 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.2 & 100 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 1.2 & 100 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 1.2 & 80 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 8.2 & 42 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{12} & 0.2 & 72 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{14} & 5.7 & 31 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 3.6 \times 10^{13} & 4.0 & -35 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 143 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 3.6 \times 10^{13} & 1.0 & 1 \\ \mathrm{ext.} & 3 & 3.6 \times 10^{13} & 1.4 \times 10^{14} & 5.2 & 70 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} $		ext.	3	$2.6 \times 10^{14}$	2.5	145		
ext. 3 7.9 × 10 ¹⁴ 6.5 164 $C^{34}S$ ext. 3 8.7 × 10 ¹⁴ 2.7 - 181 ext. 3 9.1 × 10 ¹⁴ 6.2 - 159 ext. 3 9.3 × 10 ¹⁴ 6.2 - 134 ext. 3 2.8 × 10 ¹⁴ 6.2 - 134 ext. 3 2.8 × 10 ¹⁴ 6.2 - 134 ext. 3 2.8 × 10 ¹⁴ 2.5 - 124 ext. 3 2.8 × 10 ¹⁴ 2.5 - 85 ext. 3 6.4 × 10 ¹⁴ 2.5 - 80 ext. 3 2.8 × 10 ¹⁴ 2.5 - 87 ext. 3 2.8 × 10 ¹⁴ 2.5 - 87 ext. 3 2.8 × 10 ¹⁴ 2.5 - 77 ext. 3 1.0 × 10 ¹⁶ 4.9 50 ext. 3 1.8 × 10 ¹⁶ 4.9 50 ext. 3 2.6 × 10 ¹⁴ 2.7 80 ext. 3 2.6 × 10 ¹⁴ 2.5 119 ext. 3 2.6 × 10 ¹⁴ 2.5 119 ext. 3 2.6 × 10 ¹⁵ 37.2 132 ext. 3 2.6 × 10 ¹³ 1.2 132 ext. 3 5.2 × 10 ¹³ 1.2 142 ext. 3 5.2 × 10 ¹³ 1.8 105 ext. 3 5.2 × 10 ¹³ 1.1 94 ext. 3 8.5 × 10 ¹³ 1.2 63 ext. 3 1.9 × 10 ¹³ 1.1 94 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.2 63 ext. 3 3.5 × 10 ¹³ 2.2 12 ext. 3 1.5 × 10 ¹³ 1.2 63 ext. 3 3.5 × 10 ¹³ 2.2 12 ext. 3 1.5 × 10 ¹³ 1.2 63 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.7 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.7 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 2.6 × 10 ¹³ 1.0 71 ext. 3 3.7 × 10 ¹³ 0.9 24 ext. 3 2.6 × 10 ¹³ 1.2 63 ext. 3 1.9 × 10 ¹³ 0.9 24 ext. 3 2.6 × 10 ¹³ 1.0 35 ext. 3 3.1 × 10 ¹³ 0.9 24 ext. 3 2.6 × 10 ¹³ 1.0 35 ext. 3 3.1 × 10 ¹³ 0.9 24 ext. 3 2.6 × 10 ¹³ 0.9 24 ext. 3 2.7 × 10 ¹³ 0.9 24 ext. 3 2.6 × 10 ¹³ 0.9 24 ext. 3 2.7 × 10 ¹³ 0.9 24 ext. 3 3.1 × 10 ¹³ 0.9 24 ext. 3 3.1 × 10 ¹³ 0.9 24 ext. 3 3.1 × 10 ¹³ 0.9 24 ext. 3 2.5 × 10 ¹³ 0.9 24 ext. 3 2.5 × 10 ¹³ 0.9 143 ext. 3 2.5 × 10 ¹³ 0.9 143		ext.	3	$1.1 \times 10^{15}$	3.4	152		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$7.9 \times 10^{14}$	6.5	164		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$C^{34}S$	ext.	3	$8.7 \times 10^{14}$	2.7	-181		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	- び - 9	$2.3 \times 10^{10}$	5.0	-167		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	$9.1 \times 10$ $9.3 \times 10^{14}$	0.2	-139		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.8 \times 10^{14}$	6.2	-143		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.8 \times 10^{14}$	2.5	-124		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.6 \times 10^{14}$	3.7	-114		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.1 \times 10^{13}$	2.5	-85		
ext. 3 $9.2 \times 10^{13}$ 2.5 $-27$ ext. 3 $2.8 \times 10^{14}$ 2.8 $-5$ ext. 3 $1.0 \times 10^{16}$ 4.9 $50$ ext. 3 $1.0 \times 10^{16}$ 4.9 $50$ ext. 3 $1.8 \times 10^{16}$ 9.8 $67$ ext. 3 $6.0 \times 10^{14}$ 4.2 $107$ ext. 3 $2.6 \times 10^{14}$ 4.2 $107$ ext. 3 $2.6 \times 10^{14}$ 4.2 $107$ ext. 3 $2.6 \times 10^{14}$ 2.5 $119$ ext. 3 $6.9 \times 10^{15}$ 37.2 $132$ ext. 3 $4.1 \times 10^{12}$ 2.1 $142$ ext. 3 $4.9 \times 10^{12}$ 1.2 $144$ ext. 3 $5.2 \times 10^{13}$ 1.8 $105$ ext. 3 $5.2 \times 10^{13}$ 1.2 $100$ ext. 3 $5.2 \times 10^{13}$ 1.8 $105$ ext. 3 $5.2 \times 10^{13}$ 1.8 $105$ ext. 3 $5.2 \times 10^{13}$ 1.1 $94$ ext. 3 $8.3 \times 10^{13}$ 4.2 $86$ ext. 3 $1.9 \times 10^{13}$ 1.1 $94$ ext. 3 $6.5 \times 10^{13}$ 2.7 $80$ ext. 3 $1.5 \times 10^{14}$ 1.8 $75$ ext. 3 $2.2 \times 10^{13}$ 1.0 $71$ ext. 3 $6.5 \times 10^{14}$ 1.8 $75$ ext. 3 $2.2 \times 10^{13}$ 1.2 $63$ ext. 3 $2.6 \times 10^{14}$ 8.2 $42$ ext. 3 $3.5 \times 10^{14}$ 1.8 $75$ ext. 3 $2.6 \times 10^{14}$ 8.2 $42$ ext. 3 $3.5 \times 10^{13}$ 1.2 $63$ ext. 3 $3.5 \times 10^{14}$ 1.8 $75$ ext. 3 $2.6 \times 10^{14}$ 8.2 $42$ ext. 3 $3.5 \times 10^{13}$ 1.9 $2.0$ $72$ ext. 3 $1.5 \times 10^{13}$ 1.0 $71$ ext. 3 $2.6 \times 10^{14}$ 8.2 $42$ ext. 3 $3.5 \times 10^{13}$ 1.2 $63$ ext. 3 $2.6 \times 10^{14}$ 8.2 $42$ ext. 3 $3.5 \times 10^{13}$ 1.0 $1$ ext. 3 $3.1 \times 10^{13}$ 5.9 $-28$ ext. 3 $2.6 \times 10^{13}$ 3.0 $9$ 24 ext. 3 $2.8 \times 10^{13}$ 1.0 $1$ ext. 3 $3.1 \times 10^{13}$ 3.1 $-65$ ext. 3 $3.8 \times 10^{12}$ 3.1 $-65$ ext. 3 $3.5 \times 10^{11}$ 0.1 $-155$ ext. 3 $5.3 \times 10^{11}$ 0.1 $-155$ ext. 3 $5.3 \times 10^{11}$ 0.1 $-155$ ext. 3 $8.4 \times 10^{13}$ 9.0 $150$ ext. 3 $1.4 \times 10^{13}$ 0.8 $78$ ext. 3 $6.3 \times 10^{13}$ 4.4 $133$ ext. 3 $6.3 \times 10^{13}$ 4.2 $45$ ext. 3 $1.4 \times 10^{13}$ 2.3 $-159$ ext. 3 $1.4 \times 10^{13}$ 2.3 $-159$ ext. 3 $2.5 \times 10^{12}$ 1.0 $-180$ ext. 3 $2.5 \times 10^{12}$ 1.0 $-180$ ext. 3 $2.5 \times 10^{12}$ 0.7 $142$		ext.	3	$6.4 \times 10^{14}$	2.5	-80		
$ \begin{array}{c} {\rm ext.} & 3 & 2.8 \times 10^{14} & 2.8 & -5 \\ {\rm ext.} & 3 & 3.1 \times 10^{14} & 5.0 & 7 \\ {\rm ext.} & 3 & 1.8 \times 10^{16} & 9.8 & 67 \\ {\rm ext.} & 3 & 6.0 \times 10^{14} & 2.7 & 80 \\ {\rm ext.} & 3 & 2.6 \times 10^{14} & 2.5 & 119 \\ {\rm ext.} & 3 & 2.6 \times 10^{15} & 37.2 & 132 \\ {\rm ext.} & 3 & 2.1 \times 10^{16} & 11.0 & 147 \\ {\rm ext.} & 3 & 4.9 \times 10^{12} & 1.2 & 144 \\ {\rm ext.} & 3 & 4.9 \times 10^{12} & 1.2 & 144 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.8 & 105 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 1.8 & 105 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ {\rm ext.} & 3 & 5.2 \times 10^{13} & 2.0 & 82 \\ {\rm ext.} & 3 & 6.5 \times 10^{13} & 2.0 & 82 \\ {\rm ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ {\rm ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ {\rm ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ {\rm ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.6 \times 10^{13} & 1.0 & 71 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 2.3 & 55 \\ {\rm ext.} & 3 & 1.6 \times 10^{14} & 5.7 & 31 \\ {\rm ext.} & 3 & 1.6 \times 10^{14} & 5.7 & 31 \\ {\rm ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ {\rm ext.} & 3 & 1.8 \times 10^{13} & 1.0 & 1 \\ {\rm ext.} & 3 & 2.5 \times 10^{13} & 1.0 & 1 \\ {\rm ext.} & 3 & 3.5 \times 10^{13} & 4.0 & -35 \\ {\rm ext.} & 3 & 1.4 \times 10^{14} & 5.7 & 31 \\ {\rm ext.} & 3 & 1.4 \times 10^{13} & 1.0 & 1 \\ {\rm ext.} & 3 & 3.6 \times 10^{13} & 1.0 & 1 \\ {\rm ext.} & 3 & 3.6 \times 10^{12} & 1.2 & -81 \\ {\rm ext.} & 3 & 3.8 \times 10^{12} & 3.1 & -65 \\ {\rm ext.} & 3 & 2.0 \times 10^{13} & 1.4 & -114 \\ {\rm ext.} & 3 & 3.7 \times 10^{13} & 3.8 & -126 \\ {\rm ext.} & 3 & 5.3 \times 10^{12} & 0.1 & 155 \\ {\rm ext.} & 3 & 5.3 \times 10^{12} & 0.1 & 155 \\ {\rm ext.} & 3 & 5.3 \times 10^{12} & 0.1 & 155 \\ {\rm ext.} & 3 & 5.3 \times 10^{12} & 0.9 & 133 \\ {\rm ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ {\rm ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 313 \\ {\rm ext.} & 3 & 6.3 \times 10^{12} & 0.7 & 142 \\ {\rm ext.} & 3 & 1.4 \times 10^{13} & 0.8 & 78 \\ {\rm ext.} & 3 & 1.4 \times 10^{13} & 0.8 & 78 \\ {\rm ext.} & 3 & 0.5 \times 10^{13} & 4.2 & 45 \\ {\rm ext.} & 3 & 0.5 \times 10^{13} & 4.2 & 45 \\ {\rm ext.} & 3 & 0.5 \times 10^{13} & 4.2 & 45 \\ {\rm ext.} & 3 & 0.5 \times 10^{12} & 0.7 & 142 \\ $		ext.	3	$9.2 \times 10^{13}$	2.5	-27		
ext. 3 $3.1 \times 10^{14}$ 5.0 7 ext. 3 $1.0 \times 10^{16}$ 4.9 50 ext. 3 $6.0 \times 10^{14}$ 2.7 80 ext. 3 $2.6 \times 10^{14}$ 2.7 80 ext. 3 $2.6 \times 10^{14}$ 2.7 132 ext. 3 $2.6 \times 10^{14}$ 2.5 119 ext. 3 $2.1 \times 10^{16}$ 11.0 147 HCN ext. 3 $4.1 \times 10^{12}$ 2.1 142 ext. 3 $5.2 \times 10^{13}$ 1.2 142 ext. 3 $5.2 \times 10^{13}$ 1.2 100 ext. 3 $1.9 \times 10^{13}$ 1.1 94 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $1.9 \times 10^{13}$ 1.1 94 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $1.9 \times 10^{13}$ 1.1 94 ext. 3 $5.2 \times 10^{13}$ 2.0 82 ext. 3 $2.3 \times 10^{13}$ 2.0 82 ext. 3 $2.3 \times 10^{13}$ 2.0 82 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $5.5 \times 10^{13}$ 2.7 80 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $2.2 \times 10^{13}$ 1.0 71 ext. 3 $3.5 \times 10^{13}$ 1.2 63 ext. 3 $3.5 \times 10^{13}$ 2.3 55 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $1.4 \times 10^{14}$ 5.7 31 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 1.0 1 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 3.0 9 24 ext. 3 $2.5 \times 10^{13}$ 3.0 1 ext. 3 $2.5 \times 10^{13}$ 3.0 9 24 ext. 3 $2.5 \times 10^{13}$ 3.0 1 ext. 3 $3.1 \times 10^{13}$ 5.9 -28 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $1.4 \times 10^{14}$ 5.7 31 ext. 3 $2.5 \times 10^{13}$ 1.0 1 ext. 3 $3.1 \times 10^{13}$ 3.1 -96 ext. 3 $2.0 \times 10^{13}$ 1.4 -114 ext. 3 $3.1 \times 10^{13}$ 3.1 -96 ext. 3 $1.1 \times 10^{13}$ 2.2 -141 ext. 3 $3.7 \times 10^{13}$ 3.1 -96 ext. 3 $1.4 \times 10^{14}$ 3.1 -916 ext. 3 $1.4 \times 10^{13}$ 3.1 -96 ext. 3 $1.4 \times 10^{13}$ 3.0 9 133 ext. 3 $2.1 \times 10^{13}$ 3.0 9 133 ext. 3 $2.1 \times 10^{13}$ 3.0 9 133 ext. 3 $2.1 \times 10^{13}$ 3.0 9 130 ext. 3 $1.4 \times 10^{14}$ 5.2 70 ext. 3 $1.4 \times 10^{14}$ 5.2 70 ext. 3 $1.4 \times 10^{14}$ 5.2 70 ext. 3 $1.4 \times 10^{13}$ 2.3 -159 ext. 3 $2.5 \times 10^{12}$ 1.0 -180 HNC ext. 3 $2.5 \times 10^{12}$ 1.0 -180 HNC ext. 3 $1.0 \times 10^{12}$ 0.7 1426		ext.	3	$2.8 \times 10^{14}$	2.8	-5		
ext. 3 $1.0 \times 10^{13}$ 4.9 50 ext. 3 $1.8 \times 10^{16}$ 9.8 67 ext. 3 $6.0 \times 10^{14}$ 2.7 80 ext. 3 $2.6 \times 10^{14}$ 2.5 119 ext. 3 $2.6 \times 10^{14}$ 2.5 132 ext. 3 $2.1 \times 10^{16}$ 11.0 147 HCN ext. 3 $4.1 \times 10^{12}$ 2.1 142 ext. 3 $4.9 \times 10^{12}$ 1.2 144 ext. 3 $5.2 \times 10^{13}$ 1.8 105 ext. 3 $5.2 \times 10^{13}$ 1.8 105 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $5.2 \times 10^{13}$ 2.0 82 ext. 3 $5.2 \times 10^{13}$ 2.0 82 ext. 3 $6.5 \times 10^{13}$ 2.7 80 ext. 3 $6.5 \times 10^{13}$ 2.7 80 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $2.2 \times 10^{13}$ 1.0 71 ext. 3 $6.7 \times 10^{13}$ 1.0 71 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $2.5 \times 10^{13}$ 2.3 55 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $1.4 \times 10^{14}$ 5.7 31 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $1.4 \times 10^{14}$ 5.7 31 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $2.5 \times 10^{13}$ 1.0 1 ext. 3 $3.1 \times 10^{13}$ 5.9 -28 ext. 3 $3.1 \times 10^{13}$ 5.9 -28 ext. 3 $3.1 \times 10^{13}$ 5.9 -28 ext. 3 $3.1 \times 10^{13}$ 3.1 -96 ext. 3 $3.1 \times 10^{13}$ 3.1 -96 ext. 3 $3.1 \times 10^{13}$ 3.1 -96 ext. 3 $3.5 \times 10^{12}$ 1.2 -81 ext. 3 $3.7 \times 10^{13}$ 6.8 -147 ext. 3 $3.4 \times 10^{12}$ 0.1 155 ext. 3 $3.4 \times 10^{12}$ 0.3 127 ext. 3 $3.4 \times 10^{13}$ 0.9 150 ext. 3 $1.4 \times 10^{13}$ 0.8 78 ext. 3 $2.1 \times 10^{13}$ 0.5 -37 ext. 3 $2.1 \times 10^{13}$ 0.5 -37 ext. 3 $2.1 \times 10^{13}$ 0.5 -37 ext. 3 $2.5 \times 10^{12}$ 1.0 -180 HNC ext. 3 $1.0 \times 10^{12}$ 0.9 136		ext.	3	$3.1 \times 10^{14}$	5.0	7		
ext. 3 $1.8 \times 10^{-1}$ 9.8 07 ext. 3 $60 \times 10^{14}$ 2.7 80 ext. 3 $2.6 \times 10^{14}$ 2.5 119 ext. 3 $6.9 \times 10^{15}$ 37.2 132 ext. 3 $2.1 \times 10^{16}$ 11.0 147 HCN ext. 3 $4.1 \times 10^{12}$ 2.1 142 ext. 3 $5.2 \times 10^{13}$ 1.2 144 ext. 3 $5.2 \times 10^{13}$ 1.2 144 ext. 3 $5.2 \times 10^{13}$ 1.1 94 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $1.9 \times 10^{13}$ 1.1 94 ext. 3 $5.2 \times 10^{13}$ 2.2 100 ext. 3 $1.9 \times 10^{13}$ 1.1 94 ext. 3 $6.5 \times 10^{13}$ 2.7 80 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $6.5 \times 10^{13}$ 2.7 80 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $6.5 \times 10^{13}$ 2.7 80 ext. 3 $1.5 \times 10^{14}$ 1.8 75 ext. 3 $6.7 \times 10^{13}$ 1.0 71 ext. 3 $2.2 \times 10^{13}$ 1.2 63 ext. 3 $2.5 \times 10^{13}$ 2.3 55 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $2.5 \times 10^{13}$ 2.3 12 ext. 3 $1.9 \times 10^{13}$ 0.9 24 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $1.4 \times 10^{14}$ 5.7 31 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.6 \times 10^{14}$ 8.2 42 ext. 3 $1.4 \times 10^{13}$ 0.9 24 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.5 \times 10^{13}$ 2.2 12 ext. 3 $2.6 \times 10^{13}$ 4.0 -35 ext. 3 $3.1 \times 10^{13}$ 4.0 -35 ext. 3 $3.7 \times 10^{13}$ 6.8 -147 ext. 3 $1.4 \times 10^{13}$ 1.8 -126 ext. 3 $1.4 \times 10^{13}$ 1.8 -126 ext. 3 $1.4 \times 10^{13}$ 1.9 -160 H ¹³ CN ext. 3 $1.4 \times 10^{13}$ 0.9 143 ext. 3 $2.1 \times 10^{13}$ 0.9 143 ext. 3 $2.1 \times 10^{13}$ 0.9 143 ext. 3 $2.1 \times 10^{13}$ 0.8 78 ext. 3 $1.4 \times 10^{13}$ 0.8 78 ext. 3 $2.1 \times 10^{13}$ 0.8 78 ext. 3 $1.4 \times 10^{13}$ 0.5 -377 ext. 3 $2.1 \times 10^{13}$ 0.7 142 ext. 3 $2.5 \times 10^{12}$ 0.9 136		ext.	3	$1.0 \times 10^{10}$	4.9	50		
$\begin{array}{c} \mathrm{ext.} & 3 & 0.0 \times 10^{-1} & 4.2 & 107 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 4.2 & 107 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{15} & 37.2 & 132 \\ \mathrm{ext.} & 3 & 2.1 \times 10^{16} & 11.0 & 147 \\ \mathrm{ext.} & 3 & 4.1 \times 10^{12} & 2.1 & 142 \\ \mathrm{ext.} & 3 & 4.9 \times 10^{12} & 1.2 & 144 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.8 & 105 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.1 & 94 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.1 & 94 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 1.1 & 94 \\ \mathrm{ext.} & 3 & 5.2 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \mathrm{ext.} & 3 & 6.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 1.5 \times 10^{14} & 1.8 & 75 \\ \mathrm{ext.} & 3 & 2.2 \times 10^{13} & 1.2 & 63 \\ \mathrm{ext.} & 3 & 5.5 \times 10^{13} & 2.3 & 55 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ \mathrm{ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ \mathrm{ext.} & 3 & 1.9 \times 10^{13} & 0.9 & 24 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \mathrm{ext.} & 3 & 2.5 \times 10^{13} & 2.1 & 2.1 \\ \mathrm{ext.} & 3 & 3.6 \times 10^{13} & 4.0 & -35 \\ \mathrm{ext.} & 3 & 3.8 \times 10^{12} & 3.1 & -65 \\ \mathrm{ext.} & 3 & 3.0 \times 10^{13} & 4.0 & -35 \\ \mathrm{ext.} & 3 & 3.6 \times 10^{13} & 4.0 & -35 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 1.8 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 1.8 & -126 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 1.4 & -114 \\ \mathrm{ext.} & 3 & 3.7 \times 10^{13} & 6.8 & -147 \\ \mathrm{ext.} & 3 & 3.5 \times 10^{11} & 0.1 & -155 \\ \mathrm{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 143 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.4 & 133 \\ \mathrm{ext.} & 3 & 6.3 \times 10^{13} & 4.$		ext.	- び - 9	$1.8 \times 10^{10}$	9.8	67 80		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	$7.0 \times 10^{14}$	4.7	107		
$ \begin{array}{c} \operatorname{ext.} & 3 & 6.9 \times 10^{15} & 37.2 & 132 \\ \operatorname{ext.} & 3 & 2.1 \times 10^{16} & 11.0 & 147 \\ \operatorname{HCN} & \operatorname{ext.} & 3 & 4.1 \times 10^{12} & 2.1 & 142 \\ \operatorname{ext.} & 3 & 4.9 \times 10^{12} & 1.2 & 144 \\ \operatorname{ext.} & 3 & 5.2 \times 10^{13} & 1.8 & 105 \\ \operatorname{ext.} & 3 & 5.2 \times 10^{13} & 2.2 & 100 \\ \operatorname{ext.} & 3 & 1.9 \times 10^{13} & 1.1 & 94 \\ \operatorname{ext.} & 3 & 5.2 \times 10^{13} & 2.0 & 82 \\ \operatorname{ext.} & 3 & 2.3 \times 10^{13} & 2.0 & 82 \\ \operatorname{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \operatorname{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \operatorname{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \operatorname{ext.} & 3 & 6.5 \times 10^{13} & 2.7 & 80 \\ \operatorname{ext.} & 3 & 6.7 \times 10^{13} & 1.0 & 71 \\ \operatorname{ext.} & 3 & 6.7 \times 10^{13} & 1.0 & 71 \\ \operatorname{ext.} & 3 & 2.2 \times 10^{13} & 1.2 & 63 \\ \operatorname{ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ \operatorname{ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ \operatorname{ext.} & 3 & 2.6 \times 10^{14} & 8.2 & 42 \\ \operatorname{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \operatorname{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \operatorname{ext.} & 3 & 2.5 \times 10^{13} & 2.2 & 12 \\ \operatorname{ext.} & 3 & 2.8 \times 10^{13} & 1.0 & 1 \\ \operatorname{ext.} & 3 & 3.1 \times 10^{13} & 5.9 & -28 \\ \operatorname{ext.} & 3 & 3.8 \times 10^{12} & 3.1 & -65 \\ \operatorname{ext.} & 3 & 3.8 \times 10^{12} & 3.1 & -65 \\ \operatorname{ext.} & 3 & 3.8 \times 10^{12} & 3.1 & -65 \\ \operatorname{ext.} & 3 & 3.7 \times 10^{13} & 3.1 & -96 \\ \operatorname{ext.} & 3 & 1.7 \times 10^{13} & 3.1 & -96 \\ \operatorname{ext.} & 3 & 1.7 \times 10^{13} & 3.1 & -96 \\ \operatorname{ext.} & 3 & 1.7 \times 10^{13} & 3.1 & -96 \\ \operatorname{ext.} & 3 & 1.4 \times 10^{12} & 0.1 & 155 \\ \operatorname{ext.} & 3 & 5.3 \times 10^{12} & 4.9 & -160 \\ \operatorname{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 150 \\ \operatorname{ext.} & 3 & 1.4 \times 10^{13} & 0.9 & 143 \\ \operatorname{ext.} & 3 & 2.1 \times 10^{13} & 0.9 & 143 \\ \operatorname{ext.} & 3 & 2.1 \times 10^{12} & 0.3 & 127 \\ \operatorname{ext.} & 3 & 4.9 \times 10^{12} & 1.0 & 90 \\ \operatorname{ext.} & 3 & 1.3 \times 10^{13} & 0.8 & 78 \\ \operatorname{ext.} & 3 & 1.4 \times 10^{13} & 0.8 & 78 \\ \operatorname{ext.} & 3 & 2.1 \times 10^{13} & 0.5 & -37 \\ \operatorname{ext.} & 3 & 1.4 \times 10^{13} & 0.5 & -37 \\ \operatorname{ext.} & 3 & 1.1 \times 10^{13} & 2.3 & -159 \\ \operatorname{ext.} & 3 & 1.0 \times 10^{12} & 0.9 & 136 \\ \end{array}$		ext.	3	$2.6 \times 10^{14}$	2.5	119		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$6.9 \times 10^{15}$	37.2	132		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$2.1 \times 10^{16}$	11.0	147		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCN	ext.	3	$4.1 \times 10^{12}$	2.1	142		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.9 \times 10^{12}$	1.2	144		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.2 \times 10^{13}$	1.8	105		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.2 \times 10^{13}$	2.2	100		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.9 \times 10^{13}$	1.1	94		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.3 \times 10^{13}$	4.2	86		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	$2.3 \times 10^{13}$	2.0	82		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	$1.5 \times 10^{14}$	2.7	80 75		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.1 \times 10^{12}$	0.2	72		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$6.7 \times 10^{13}$	1.0	71		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.2 \times 10^{13}$	1.2	63		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.5 \times 10^{13}$	2.3	55		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.6 \times 10^{14}$	8.2	42		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{14}$	5.7	31		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.9 \times 10^{13}$	0.9	24		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.5 \times 10^{13}$	2.2	12		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	$2.8 \times 10^{-3}$ 2.1 × 10 ¹³	1.0	1		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.1 \times 10^{13}$	5.9 4 0	-20		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.8 \times 10^{12}$	3.1	-65		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$6.9 \times 10^{12}$	1.2	-81		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.7 \times 10^{13}$	3.1	-96		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.0 \times 10^{13}$	1.4	-114		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{13}$	1.8	-126		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.1 \times 10^{13}$	2.2	-141		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.7 \times 10^{13}$	6.8	-147		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	$8.5 \times 10^{11}$	0.1	-155 160		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$H^{13}CN$	ext.	3	$1.4 \times 10^{12}$	4.9	-100		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ii oit	ext.	3	$8.4 \times 10^{13}$	9.0	150		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{13}$	0.9	143		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$6.3 \times 10^{13}$	4.4	133		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.1 \times 10^{12}$	0.3	127		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.9 \times 10^{12}$	1.0	90		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.3 \times 10^{13}$	0.8	78		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{14}$	5.2	70		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.0 \times 10^{13}$	2.8	62 45		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ა	$(.3 \times 10^{13})$ 2 1 $\sim 10^{13}$	4.2	45		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	$2.1 \times 10^{13}$ 1 1 $\times 10^{13}$	0.0 2 3	-ə <i>t</i> -150		
HNC ext. $3 1.0 \times 10^{12} 0.7 142$ ext. $3 7.8 \times 10^{12} 0.9 136$		ext.	3	$2.5 \times 10^{12}$	1.0	-180		
ext. 3 $7.8 \times 10^{12}$ 0.9 136	HNC	ext.	3	$1.0 \times 10^{12}$	0.7	142		
		ext.	3	$7.8 \times 10^{12}$	0.9	136		

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
	ext.	3	$8.3 \times 10^{13}$	8.4	124
	ext.	3	$5.1 \times 10^{12}$	0.9	114
	ext.	3	$2.9 \times 10^{12}$	0.3	91
	ext.	3	$4.6 \times 10^{13}$	3.0	79
	ext.	3	$2.6 \times 10^{13}$	2.0	74
	ext.	3	$2.0 \times 10^{14}$	11.1	68
	ext.	3	$1.7 \times 10^{13}$	2.0	61
	ext.	3	$6.0 \times 10^{13}$	2.1	58
	ext.	3	$1.1 \times 10^{14}$	6.1	47
	ext.	3	$1.7 \times 10^{13}$	2.5	-33
$\rm HN^{13}C$	ext.	3	$1.7 \times 10^{13}$	1.7	50
	ext.	3	$1.7 \times 10^{14}$	10.2	64
	ext.	3	$2.6 \times 10^{13}$	4.8	113
$\rm H^{13}CO^+$	ext.	3	$3.1 \times 10^{13}$	3.0	72
	ext.	3	$1.2 \times 10^{14}$	7.2	67
	ext.	3	$3.1 \times 10^{13}$	2.4	56
	ext.	3	$6.2 \times 10^{13}$	3.1	51
	ext.	3	$1.4 \times 10^{14}$	1.1	46

Table L.39: LTE Parameters for the full LTE model (Core Components) for source A20 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ov}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	V. GD
	(")	(K)	$(\mathrm{cm}^{-2})$	$(km s^{-1})$	$(\mathrm{kms}^{-1})$
	()	()	(**** )	( )	( )
$SO_2$	1.1	176	$1.0 \times 10^{12}$	3.0	57
$H_2CO$	1.1	200	$2.2 \times 10^{16}$	0.7	60
CH ₃ OCHO	1.1	151	$1.9 \times 10^{16}$	2.6	60
NO	1.1	133	$1.2 \times 10^{12}$	17.9	80
$CH_3CN$	1.1	144	$1.9 \times 10^{14}$	0.5	58
, in the second s	1.1	145	$5.1 \times 10^{14}$	2.0	60
$H_2^{34}S$	1.1	200	$1.1 \times 10^{16}$	2.1	58
ĈŇ	1.1	200	$3.7 \times 10^{14}$	0.7	67
$H_2CS$	1.1	91	$2.7 \times 10^{15}$	3.1	60
CH ₃ OH	1.1	157	$1.3 \times 10^{16}$	0.4	61
SO	1.1	108	$1.4 \times 10^{16}$	3.0	58
SiO	1.1	270	$5.0 \times 10^{14}$	5.5	58
OCS	1.1	189	$4.6 \times 10^{15}$	2.5	59
CCH	1.1	200	$7.7 \times 10^{15}$	5.2	59
CO	1.1	200	$1.2 \times 10^{13}$	0.8	156
	1.1	200	$8.8 \times 10^{16}$	0.8	75
	1.1	200	$2.0 \times 10^{16}$	0.8	25
	1.1	200	$1.0 \times 10^{12}$	0.8	-73
	1.1	200	$5.2 \times 10^{15}$	0.8	-70
$^{13}CO$	1.1	200	$1.1 \times 10^{19}$	5.7	59
$C^{17}O$	1.1	200	$1.1 \times 10^{16}$	2.7	-132
	1.1	200	$1.1 \times 10^{16}$	3.1	-92
	1.1	200	$1.1 \times 10^{16}$	3.0	-87
	1.1	200	$3.3 \times 10^{15}$	2.7	-74
	1.1	200	$1.2 \times 10^{16}$	0.9	-39
	1.1	200	$3.1 \times 10^{16}$	7.8	-20
	1.1	200	$1.1 \times 10^{16}$	2.6	-12
	1.1	200	$4.0 \times 10^{16}$	4.2	-1
	1.1	200	$3.2 \times 10^{15}$	2.7	-5
	1.1	200	$1.1 \times 10^{16}$	2.9	28
	1.1	200	$1.1 \times 10^{16}$	2.6	36
	1.1	200	$1.3 \times 10^{16}$	2.7	41
	1.1	200	$1.2 \times 10^{18}$	5.1	59
	1.1	200	$1.0 \times 10^{15}$	2.7	81
	1.1	200	$7.3 \times 10^{15}$	2.7	92
	1.1	200	$3.3 \times 10^{15}$	2.7	108
	1.1	200	$1.0 \times 10^{16}$	2.7	122
	1.1	200	$1.1 \times 10^{16}$	3.5	135
	1.1	200	$3.3 \times 10^{15}$	2.7	97
$C^{18}O$	1.1	200	$9.6 \times 10^{15}$	3.0	-161
	1.1	200	$9.4 \times 10^{15}$	3.8	-148

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 196
1. Moner et will i un morecular mile survey of not cores,	OTHERE	111 0001 000	p 100

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$ (km s ⁻¹ )	$v_{\text{LSR}}^{m,c}$
	1.1	200	$\frac{(cm)}{9.9 \times 10^{15}}$	3.9	-104		1.1	200	$\frac{(cm)}{1.0 \times 10^{12}}$	0.6	<u>(KIII'S )</u> 63
	1.1	200	$2.9 \times 10^{14}$	2.7	-58		1.1	200	$1.1 \times 10^{13}$	0.7	52
	1.1	200	$2.8 \times 10^{16}$	2.7	-49		1.1	200	$3.5 \times 10^{14}$	2.0	52
	1.1	200	$1.1 \times 10^{16}$	2.8	-25		1.1	200	$1.3 \times 10^{14}$	1.9	37
	1.1	200	$4.1 \times 10^{15}$	7.4	-6		1.1	200	$5.7 \times 10^{13}$	2.0	19
	1.1	200	$8.8 \times 10^{15}$	2.7	16		1.1	200	$5.5 \times 10^{13}$	8.9	6
	1.1	200	$2.1 \times 10^{10}$ $3.8 \times 10^{16}$	3.9 10.4	35 6		1.1	200	$2.9 \times 10^{11}$ 1.0 × 10 ¹²	4.2	-1 100
	1.1	200	$1.2 \times 10^{18}$	9.2	0 57	$H^{13}CN$	1.1	200	$1.0 \times 10$ $1.8 \times 10^{14}$	0.9 1.8	-109 56
	1.1	200	$7.8 \times 10^{15}$	2.7	112		1.1	200	$1.0 \times 10^{12}$	1.7	35
	1.1	200	$1.3~\times 10^{16}$	5.7	139		1.1	200	$1.0~\times 10^{12}$	6.5	8
	1.1	200	$2.1 \times 10^{15}$	13.2	158		1.1	200	$3.3 \times 10^{13}$	11.2	8
$\mathbf{CS}$	1.1	200	$8.4 \times 10^{13}$	2.6	161	HNC	1.1	200	$2.8 \times 10^{13}$	3.1	157
	1.1	200	$2.6 \times 10^{13}$	1.5	142		1.1	200	$3.6 \times 10^{13}$	3.6	149
	1.1	200	$1.8 \times 10^{12}$	0.9	134		1.1	200	$2.4 \times 10^{12}$ 5.5 × 10 ¹²	0.8	145
	1.1	200	$5.8 \times 10^{-5}$ 6.5 × 10 ¹⁴	1.0	150 54		1.1	200	$3.3 \times 10^{}$ $3.4 \times 10^{13}$	0.7	97
	1.1	200	$4.7 \times 10^{13}$	2.2	24		1.1	200	$2.8 \times 10^{14}$	2.1	54
	1.1	200	$5.8 \times 10^{13}$	11.0	-5		1.1	200	$5.6 \times 10^{12}$	0.2	37
	1.1	200	$9.4 \times 10^{13}$	2.3	-74		1.1	200	$7.5 \times 10^{13}$	3.9	34
	1.1	200	$2.6 \times 10^{14}$	0.9	-84		1.1	200	$4.1 \times 10^{13}$	3.2	29
	1.1	200	$5.3 \times 10^{13}$	2.3	-89		1.1	200	$6.8 \times 10^{13}$	1.0	21
	1.1	200	$3.6 \times 10^{13}$	2.4	-96		1.1	200	$3.3 \times 10^{13}$	1.9	7
	1.1	200	$3.3 \times 10^{12}$	0.9	-98 117		1.1	200	$5.4 \times 10^{13}$	2.0	-1
	1.1	200	$1.4 \times 10^{14}$	0.8	-117		1.1	200	$2.5 \times 10$ 1.6 × 10 ¹²	0.8	-1 -28
	1.1	200	$5.1 \times 10^{12}$	1.4	-132		1.1	200	$1.6 \times 10^{12}$	0.7	-20
	1.1	200	$6.8 \times 10^{13}$	3.3	-145		1.1	200	$1.8 \times 10^{14}$	36.3	-49
	1.1	200	$3.3 \times 10^{12}$	0.3	-164		1.1	200	$1.0 \times 10^{12}$	0.3	-57
	1.1	200	$1.1 \times 10^{14}$	2.3	-160		1.1	200	$1.7 \times 10^{13}$	2.0	-55
12 00	1.1	200	$3.9 \times 10^{14}$	1.0	-172		1.1	200	$2.9 \times 10^{13}$	2.3	-61
$^{13}CS$	1.1	200	$1.4 \times 10^{14}$	0.8	103		1.1	200	$7.5 \times 10^{12}$	1.4	-68
	1.1	200	$8.1 \times 10^{12}$	0.9	89 59		1.1	200	$2.7 \times 10^{10}$ $1.7 \times 10^{12}$	2.1	-87
	1.1	200	$9.6 \times 10^{-1}$ 1.5 × 10 ¹⁴	$\frac{4.1}{5.3}$	58 45		1.1	200	$1.7 \times 10^{13}$	1.2	-104 -113
	1.1	200	$1.6 \times 10^{13}$	0.3	-31		1.1	200	$3.6 \times 10^{12}$	0.9	-133
	1.1	200	$1.0 \times 10^{12}$	33.1	30		1.1	200	$5.7 \times 10^{13}$	2.2	-178
	1.1	200	$4.3 \times 10^{13}$	0.8	20	$\rm HN^{13}C$	1.1	200	$2.5 \times 10^{13}$	4.0	-138
	1.1	200	$3.5 \times 10^{13}$	0.9	11		1.1	200	$3.0 \times 10^{13}$	5.8	-116
	1.1	200	$3.6 \times 10^{13}$	0.7	-7		1.1	200	$1.8 \times 10^{14}$	49.6	-72
	1.1	200	$1.0 \times 10^{12}$	1.0	-22	u1300+	1.1	200	$4.8 \times 10^{13}$	12.0	86
	1.1	200	$5.1 \times 10^{13}$	1.8	-07 61	$H^{10}CO^+$	1.1	200	$3.0 \times 10^{13}$	1.8	58 164
	1.1	200	$1.9 \times 10^{-1}$ 1.3 × 10 ¹²	1.2	-01	110 *0*	1.1	200	$9.9 \times 10$ 1.9 × 10 ¹³	2.0	158
	1.1	200	$2.1 \times 10^{15}$	0.6	-104		1.1	200	$4.9 \times 10^{13}$	0.8	151
	1.1	200	$1.2 \times 10^{14}$	0.8	-123		1.1	200	$7.7 \times 10^{12}$	2.2	147
	1.1	200	$1.0 \times 10^{12}$	33.1	-161		1.1	200	$1.8 \times 10^{13}$	2.2	142
	1.1	200	$1.0 \times 10^{12}$	1.0	-98		1.1	200	$7.8 \times 10^{13}$	0.3	135
$C^{33}S$	1.1	200	$1.4 \times 10^{14}$	3.0	-173		1.1	200	$1.7 \times 10^{13}$	2.2	128
	1.1	200	$1.1 \times 10^{14}$	3.0	-132		1.1	200	$3.3 \times 10^{13}$	6.3	123
	1.1 1 1	200	$1.0 \times 10^{13}$ $1.4 \times 10^{14}$	5.7 3.2	-124 -119		1.1 1 1	200	$1.7 \times 10^{10}$ 8.6 $\times 10^{11}$	1.1 27 0	$114 \\ 107$
	1.1 1 1	200 200	$1.4 \times 10^{14}$ $1.2 \times 10^{14}$	5.9 5.9	-113 -76		1.1 1 1	200 200	$1.0 \times 10^{12}$	$\frac{21.9}{0.2}$	107
	1.1	200	$7.0 \times 10^{13}$	3.1	-62		1.1	200	$7.5 \times 10^{12}$	4.3	99
	$1.1^{-}$	200	$2.1 \times 10^{14}$	6.6	-53		1.1	200	$2.8 \times 10^{13}$	28.3	93
	1.1	200	$4.5 \times 10^{13}$	2.4	-27		1.1	200	$2.0~\times10^{13}$	1.4	83
	1.1	200	$1.7 \times 10^{14}$	6.0	-19		1.1	200	$1.8 \times 10^{12}$	1.0	75
	1.1	200	$4.0 \times 10^{14}$	6.2	27		1.1	200	$3.6 \times 10^{13}$	27.2	64
	1.1	200	$3.5 \times 10^{14}$	7.7	44		1.1	200	$1.0 \times 10^{12}$	2.3	52
	1.1	200	$9.5 \times 10^{13}$	5.8 7.2	59 100		1.1	200	$1.1 \times 10^{13}$ 1.7 × 10 ¹³	3.6	48
	1.1 1 1	200 200	$4.7 \times 10^{-1}$ 1.6 $\times 10^{14}$	1.0 3.8	100		1.1 1 1	200 200	$5.7 \times 10^{10}$	1.0	54 31
	1.1	200	$1.3 \times 10^{14}$	5.0 6.1	137		1.1	200 200	$1.1 \times 10^{13}$	$\frac{1.2}{2.5}$	13
$C^{34}S$	1.1	200	$6.6 \times 10^{13}$	8.1	-176		1.1	200	$4.1 \times 10^{13}$	5.2	3
0 5	1.1	200	$5.6 \times 10^{13}$	2.5	-159		1.1	200	$3.4 \times 10^{13}$	0.8	-12
	1.1	200	$6.1 \times 10^{13}$	3.4	-141		1.1	200	$2.1 \times 10^{13}$	2.6	-15
	1.1	200	$4.6 \times 10^{13}$	8.3	-57		1.1	200	$8.1~\times10^{12}$	0.9	-35
	1.1	200	$2.7 \times 10^{13}$	0.5	41		1.1	200	$3.3 \times 10^{13}$	5.5	-43
	1.1	200	$5.7 \times 10^{15}$	5.0	57		1.1	200	$1.4 \times 10^{12}$	0.4	-41
UCN	1.1	200	$7.0 \times 10^{13}$	2.7	130		1.1	200	$8.9 \times 10^{12}$	2.9	-57
HUN	1.1 1 1	200	$3.4 \times 10^{10}$ 6.0 $\times 10^{14}$	2.1 24.4	11 69		1.1 1 1	200	$1.0 \times 10^{13}$ 1.8 $\times 10^{13}$	1.0	-00 _82
	1.1	200	0.0 × 10	24.4	02	<u> </u>	1.1	200	1.0 × 10-5	1.0	-02

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 197

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ $N_{tot}^{m,c}$		$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$			
	1.1	200	$8.6 \times 10^{11}$	0.6	-80			
	1.1	200	$4.5 \times 10^{13}$	0.8	-89			
	1.1	200	$2.3 \times 10^{13}$	1.5	-96			
	1.1	200	$1.6 \times 10^{13}$	2.2	-103			
	1.1	200	$3.4 \times 10^{12}$	1.2	-111			
	1.1	200	$5.2 \times 10^{13}$	2.5	-122			
	1.1	200	$1.3 \times 10^{13}$	1.3	-129			
	1.1	200	$1.1 \times 10^{12}$	0.2	-167			
	1.1	200	$1.3 \times 10^{13}$	0.9	-155			
	1.1	200	$2.3 \times 10^{13}$	2.4	-159			
	1.1	200	$1.4 \times 10^{12}$	1.3	-186			

Table L.40: LTE Parameters for the full LTE model (Envelope Components) for source A20 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
			. ,		. ,
HCCCN	ext.	69	$7.6 \times 10^{14}$	2.6	61
	ext.	31	$3.7 \times 10^{15}$	5.1	67
	ext.	3	$3.2 \times 10^{15}$	2.1	66
	ext.	16	$3.5 \times 10^{15}$	2.6	51
HNCO	ext.	11	$5.8 \times 10^{12}$	7.6	64
	ext.	31	$5.6 \times 10^{15}$	11.5	56
	ext.	12	$1.0 \times 10^{12}$	7.6	52
$SO_2$	ext	36	$5.9 \times 10^{17}$	7.6	67
502	ext.	35	$4.7 \times 10^{16}$	6.2	50
$H_{2}CO$	ext.	74	$2.0 \times 10^{16}$	1.8	57
11200	evt	28	$9.4 \times 10^{14}$	11.0	73
	ovt	20	$1.7 \times 10^{15}$	0.2	64
	ovt	25	$1.7 \times 10^{15}$	9.2 9.9	57
	ext.	20	$4.4 \times 10$	2.2	40
DU.	ext.	22	$2.0 \times 10^{13}$	J.0	49 66
гпз	ext.	9	$4.0 \times 10^{-3}$ $2.7 \times 10^{12}$	1.9	50
	ext.	3	$3.7 \times 10^{-2}$	2.1	00 40
NO	ext.	9	$2.4 \times 10^{13}$	3.0	40
NO	ext.	3	$3.3 \times 10^{12}$	0.5	79
	ext.	3	$1.0 \times 10^{12}$	1.0	59
	ext.	9	$2.8 \times 10^{15}$	0.8	48
	ext.	5	$2.6 \times 10^{13}$	6.3	66
	ext.	9	$4.7 \times 10^{14}$	1.6	58
	ext.	3	$1.8 \times 10^{13}$	1.9	50
	ext.	5	$2.1 \times 10^{13}$	2.0	35
$CH_3CN$	ext.	13	$2.1 \times 10^{14}$	2.8	70
	ext.	13	$1.0 \times 10^{12}$	2.5	56
$H_2CS$	ext.	13	$1.5 \times 10^{14}$	0.6	67
$CH_2NH$	ext.	10	$6.5 \times 10^{12}$	1.9	68
	ext.	3	$2.2 \times 10^{12}$	5.3	64
$CH_3OH$	ext.	26	$3.6 \times 10^{15}$	5.2	69
	ext.	25	$1.8 \times 10^{15}$	2.7	65
	ext.	30	$1.5 \times 10^{16}$	4.5	55
SO	ext.	34	$2.2 \times 10^{16}$	15.6	71
	ext.	10	$2.4 \times 10^{15}$	0.5	50
$H_2CNH$	ext.	11	$2.7 \times 10^{14}$	14.4	64
SiO	ext.	18	$5.6 \times 10^{13}$	17.5	80
	ext.	28	$2.8 \times 10^{14}$	11.7	66
	ext.	17	$2.6 \times 10^{13}$	4.7	50
OCS	ext.	31	$3.4 \times 10^{16}$	7.3	67
	ext.	17	$2.3 \times 10^{16}$	1.4	52
CCH	ext.	3	$1.4 \times 10^{15}$	7.2	56
	ext.	10	$1.1 \times 10^{14}$	9.0	67
CO	ext.	3	$1.4 \times 10^{14}$	0.5	143
	ext	3	$3.4 \times 10^{13}$	0.6	-84
	ext.	3	$8.3 \times 10^{14}$	2.2	128
	evt	3	$4.1 \times 10^{13}$	28.3	155
	evt	3	$9.3 \times 10^{14}$	20.0	119
	ovt	2 2	$3.5 \times 10^{12}$	2.0	100
	ext.	ა ვ	$2.1 \times 10^{17}$	0.1	87
	ext.	ა	2.0 X 10	0.1	01

(Continued)								
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LGD}^{m,c}$			
morecure	(")	(K)	$(cm^{-2})$	$(km e^{-1})$	$(km s^{-1})$			
	()	(IX)	0.11016	(KIIIS)				
	ext.	3	$2.1 \times 10^{10}$	40.0	85			
	ext.	3	$2.8 \times 10^{13}$	7.1	83			
	ext.	3	$3.7 \times 10^{12}$	0.2	71			
	ext.	3	$2.8 \times 10^{15}$	3.1	63			
	ext.	3	$9.6 \times 10^{15}$	6.2	48			
	ovt	3	$2.0 \times 10^{14}$	0.0	38			
	ext.		$2.9 \times 10$	0.9	00			
	ext.	3	$1.8 \times 10^{-5}$	2.3	29			
	ext.	3	$2.1 \times 10^{13}$	1.9	22			
	ext.	3	$3.6 \times 10^{14}$	1.9	12			
	ext.	3	$1.1 \times 10^{16}$	23.8	10			
	ext.	3	$9.9 \times 10^{14}$	2.8	3			
	ext.	3	$2.2 \times 10^{13}$	28.7	-13			
	evt	3	$1.2 \times 10^{15}$	3.1	-18			
	ort.	2	$2.7 \times 10^{14}$	2.2	21			
	EXU.	0	$1.0 \times 10^{16}$	2.0	-51			
	ext.	3	$1.8 \times 10^{10}$	32.0	-30			
	ext.	3	$1.7 \times 10^{15}$	1.8	-59			
	ext.	3	$1.4 \times 10^{15}$	2.2	-67			
	ext.	3	$1.4 \times 10^{15}$	2.3	-77			
	ext.	3	$3.3 \times 10^{15}$	6.3	-93			
	ext	3	$9.5 \times 10^{15}$	16.4	-106			
	evt	Ř	$4.9 \times 10^{12}$	20.1	-134			
	ort.	9	$2.0 \times 10^{14}$	1.0	120			
1300	ext.	3	$2.0 \times 10^{-1}$	1.9	-129			
00	ext.	3	$1.3 \times 10^{10}$	3.0	97			
	ext.	3	$2.3 \times 10^{10}$	2.1	84			
	ext.	3	$6.5 \times 10^{15}$	13.6	81			
	ext.	3	$5.4 \times 10^{16}$	10.2	59			
	ext.	3	$8.3 \times 10^{15}$	1.3	48			
$C^{17}O$	ext	3	$1.5 \times 10^{15}$	10.0	-174			
0 0	ovt	a a	$8.4 \times 10^{14}$	3 /	-152			
	CAU.		$1.1 \times 10^{15}$	5.4 7 1	-152			
	ext.	3	$1.1 \times 10^{-3}$	1.1	-119			
	ext.	3	$2.8 \times 10^{14}$	2.7	-103			
	ext.	3	$8.7 \times 10^{14}$	3.7	-79			
	ext.	3	$3.0 \times 10^{14}$	2.7	-71			
	ext.	3	$8.0 \times 10^{14}$	4.8	-34			
	ext.	3	$1.0 \times 10^{14}$	29.4	69			
	ext	3	$1.0 \times 10^{14}$	2.7	4			
	ovt	3	$5.0 \times 10^{14}$	2.1	15			
	ext.	ວ າ	$0.9 \times 10^{14}$	2.1	10			
	ext.	3	$2.8 \times 10^{14}$	2.7	38			
	ext.	3	$5.0 \times 10^{13}$	9.0	49			
	ext.	3	$1.3 \times 10^{15}$	5.5	86			
	ext.	3	$6.6 \times 10^{14}$	3.7	95			
	ext.	3	$8.0 \times 10^{14}$	7.1	103			
	ext.	3	$1.2 \times 10^{15}$	7.5	147			
	ext	3	$2.8 \times 10^{14}$	2.3	153			
	ort.	2	$6.2 \times 10^{14}$	2.0	159			
C180	EXU.	0	$1.0 \times 10^{15}$	5.0	170			
0.0	ext.	3	$1.6 \times 10^{-1}$	8.5	-179			
	ext.	3	$8.9 \times 10^{10}$	2.7	-153			
	ext.	3	$6.8 \times 10^{14}$	4.0	-139			
	ext.	3	$7.7 \times 10^{14}$	7.4	-133			
	ext.	3	$1.4 \times 10^{15}$	11.2	-90			
	ext.	3	$6.9 \times 10^{14}$	2.9	-72			
	ext.	3	$6.1 \times 10^{14}$	3.4	-66			
	ext	3	$3.9 \times 10^{14}$	3.0	-29			
	ovt	3	$4.6 \times 10^{14}$	3.4	-14			
	CAU.	- U - P	$\frac{4.0 \times 10}{2.0 \times 10^{14}}$	0.4	-14			
	ext.	3	$3.9 \times 10$	2.9	2			
	ext.	3	$6.0 \times 10^{14}$	8.7	11			
	ext.	3	$6.0 \times 10^{14}$	4.5	21			
	ext.	3	$2.3 \times 10^{14}$	2.1	27			
	ext.	3	$9.1 \times 10^{15}$	8.3	50			
	ext.	3	$3.9 \times 10^{15}$	16.7	77			
	ext.	3	$4.3 \times 10^{14}$	7.4	97			
	evt	3	$1.2 \times 10^{14}$	29	106			
	ort.	9	$7.0 \times 10^{14}$	2.3 Q 1	110			
	ext.	3	$1.0 \times 10^{14}$	0.1	110			
	ext.	3	$0.5 \times 10^{14}$	5.3	129			
	ext.	3	$7.1 \times 10^{14}$	4.2	152			
$\mathbf{CS}$	ext.	3	$7.6 \times 10^{14}$	9.1	158			
	ext.	3	$3.1 \times 10^{14}$	0.3	91			
	ext.	3	$4.2 \times 10^{14}$	1.2	81			
	ext	3	$2.7 \times 10^{16}$	15.1	73			
	ovt	2	$7.6 \times 10^{14}$	10.1	50			
	ext.	บ ก	1.0 × 10	0.0	19			
	ext.	3	$1.1 \times 10^{10}$	1.6	48			
	ext.	3	$3.2 \times 10^{13}$	2.6	41			
T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 198					
--------------------------------------------------------------------	---------	--------------	-------					
1. Moner et w. 1 un morecular mie survey of not cores	Crownee	111 0001 000	p 100					

		(C	Continued)			
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	-
	(*) ext.	(K) 3	$\frac{(\text{cm}^{-})}{3.3 \times 10^{15}}$	23.3	<u>(km s -)</u> -24	-
	ext.	3	$5.0 \times 10^{14}$	2.4	-32	
	ext.	3	$1.1 \times 10^{15}$	2.2	-42 165	
	ext.	э 3	$6.4 \times 10^{14}$	$\frac{1.5}{2.3}$	-105	
$^{13}CS$	ext.	3	$2.3 \times 10^{15}$	15.1	158	
	ext.	3	$2.3 \times 10^{14}$	0.3	147	
	ext.	3 3	$2.3 \times 10^{14}$ 8.8 × 10 ¹⁴	1.1	102 79	
	ext.	3	$2.4 \times 10^{15}$	4.3	69	
	ext.	3	$2.5 \times 10^{14}$	1.1	-41	
	ext.	3	$3.5 \times 10^{14}$ 3.0 $\times 10^{13}$	0.6 5.4	-48 124	
	ext.	3	$2.3 \times 10^{13}$	3.4 3.9	-124 -93	
	ext.	3	$6.5 \times 10^{14}$	0.4	-97	
C133C	ext.	3	$1.1 \times 10^{16}$	0.6	-104	
Case	ext.	3	$1.1 \times 10^{10}$ 4.6 × 10^{14}	10.4 2.5	-153 -134	
	ext.	3	$9.7 \times 10^{14}$	2.0	-103	
	ext.	3	$5.9 \times 10^{15}$	12.6	-96	
	ext.	3	$9.6 \times 10^{14}$ 5.2 × 10 ¹⁴	2.5	-74 67	
	ext.	э 3	$7.3 \times 10^{14}$	$\frac{2.5}{2.5}$	-07 -57	
	ext.	3	$2.1 \times 10^{15}$	6.1	-42	
	ext.	3	$5.2 \times 10^{14}$	2.6	-5	
	ext.	3	$1.7 \times 10^{13}$ $1.4 \times 10^{15}$	2.7	0	
	ext.	3	$4.5 \times 10^{14}$	$2.8 \\ 2.5$	$12^{-12}$	
	ext.	3	$8.2 \times 10^{14}$	2.9	37	
	ext.	3	$2.4 \times 10^{16}$	11.8	63	
	ext.	3	$1.0 \times 10^{15}$ $4.9 \times 10^{15}$	$\frac{2.3}{7.8}$	80 115	
	ext.	3	$1.9 \times 10^{15}$	0.6	$113 \\ 137$	
$C^{34}S$	ext.	3	$5.4 \times 10^{14}$	2.5	-168	
	ext.	3	$1.9 \times 10^{14}$	2.5	-161	
	ext.	3 3	$1.0 \times 10^{13}$ 6.0 × 10^{13}	6.3 2.3	-155 -149	
	ext.	3	$5.4 \times 10^{14}$	2.6	-134	
	ext.	3	$1.7 \times 10^{15}$	14.9	-125	
	ext.	3	$1.9 \times 10^{14}$ 1.0 × 10^{14}	2.6	-112 104	
	ext.	3	$3.1 \times 10^{14}$	$\frac{2.3}{2.9}$	-104 -82	
	ext.	3	$4.6 \times 10^{14}$	2.5	-75	
	ext.	3	$4.5 \times 10^{14}$	3.4	-64	-
	ext.	3	$1.0 \times 10^{13}$ 2.5 × 10^{12}	3.8 2.4	-37 -25	-
	ext.	3	$4.3 \times 10^{14}$	2.4 2.4	3	
	ext.	3	$3.5 \times 10^{14}$	2.4	18	Ta
	ext.	3	$8.4 \times 10^{14}$	3.3	25	Co
	ext.	3 3	$6.4 \times 10^{15}$	2.0 5.3	35 69	00
	ext.	3	$1.4 \times 10^{15}$	6.1	86	=
	ext.	3	$1.3 \times 10^{14}$	2.4	104	_
	ext.	3	$2.7 \times 10^{14}$ 5.1 × 10 ¹⁴	0.9	111	_
	ext.	э 3	$3.1 \times 10$ $3.8 \times 10^{14}$	$\frac{2.0}{2.2}$	117	
	ext.	3	$2.8 \times 10^{15}$	6.8	141	
	ext.	3	$1.1 \times 10^{16}$	11.5	155	
HCN	ext.	3	$2.0 \times 10^{13}$ 3.0 × 10^{13}	2.4 13.3	163 160	
non	ext.	3	$3.5 \times 10^{12}$	0.8	65	
	ext.	3	$4.2 \times 10^{12}$	1.3	149	
	ext.	3	$1.1 \times 10^{13}$	4.9	140	
	ext.	33	$1.3 \times 10^{13}$ 1.2 × 10^{13}	1.8 2.1	130 125	
	ext.	3	$4.4 \times 10^{13}$	7.9	115	
	ext.	3	$2.0 \times 10^{12}$	7.5	107	
	ext.	3	$9.7 \times 10^{13}$	1.0	100	_
	ext.	ა 3	$3.3 \times 10^{14}$ $4.9 \times 10^{14}$	8.4 4.5	90 48	_
	ext.	3	$2.7 \times 10^{13}$	2.0	32	
	ext.	3	$1.4 \times 10^{13}$	2.1	26	

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
	ext.	3	$3.3 \times 10^{13}$	1.4	12
	ext.	3	$6.2 \times 10^{12}$	2.1	-8
	ext.	3	$3.1 \times 10^{12}$	0.8	-25
	ext.	3	$2.4 \times 10^{13}$	2.5	-33
	ext.	3	$3.9 \times 10^{13}$	5.8	-42
	ext.	3	$2.0 \times 10^{13}$	6.8	-68
	ext.	3	$1.9 \times 10^{12}$	0.7	-71
	ext.	3	$1.2 \times 10^{13}$	1.7	-87
	ext.	3	$1.7 \times 10^{12}$	1.0	-126
	ext.	3	$1.9 \times 10^{13}$	2.1	-101
	ext.	3	$1.6 \times 10^{13}$	1.5	-110
	ext.	3	$1.0 \times 10^{12}$	0.3	-125
	ext.	3	$3.6 \times 10^{13}$	7.4	-120
	ext.	3	$1.1 \times 10^{12}$	0.6	-127
	ext.	3	$2.9 \times 10^{13}$	16.4	-137
	ext.	3	$1.0 \times 10^{12}$	0.6	-148
	ext.	3	$1.3 \times 10^{13}$	2.0	-148
	ext.	3	$7.9 \times 10^{12}$	1.9	-155
	ext.	3	$1.0 \times 10^{12}$	0.5	153
	ext.	3	$2.6 \times 10^{12}$	1.3	-158
	ext.	3	$3.6 \times 10^{12}$	1.0	-181
$\rm H^{13}CN$	ext.	3	$7.3 \times 10^{13}$	9.3	69
	ext.	3	$5.3 \times 10^{13}$	7.7	50
HNC	ext.	3	$3.6 \times 10^{12}$	8.7	137
	ext.	3	$1.6 \times 10^{12}$	0.9	125
	ext.	3	$2.2 \times 10^{14}$	0.1	127
	ext.	3	$2.9 \times 10^{13}$	5.1	116
	ext.	3	$1.0 \times 10^{12}$	0.7	93
	ext.	3	$9.7 \times 10^{12}$	2.1	87
	ext.	3	$4.3 \times 10^{13}$	1.3	76
	ext.	3	$4.5 \times 10^{13}$	0.9	71
	ext.	3	$1.1 \times 10^{12}$	1.8	58
	ext.	3	$1.6 \times 10^{14}$	28.9	56
	ext.	3	$4.0 \times 10^{13}$	5.6	49
	ext.	3	$5.9 \times 10^{12}$	1.0	-164
$\rm HN^{13}C$	ext.	3	$1.6 \times 10^{13}$	4.9	52
	ext.	3	$1.6 \times 10^{13}$	3.3	64
$\rm H^{13}CO^+$	ext.	3	$1.6 \times 10^{13}$	4.4	74
	ext.	3	$7.8 \times 10^{12}$	3.0	69
	ext.	3	$2.6 \times 10^{13}$	5.5	64
	ext.	3	$1.8 \times 10^{13}$	5.6	51
$\rm HO^{13}C^+$	ext.	3	$5.4 \times 10^{12}$	2.2	-54
	ext.	3	$4.5 \times 10^{12}$	1.4	-149
	ext.	3	$5.1 \times 10^{12}$	2.2	-168
		-			

Table L.41: LTE Parameters for the full LTE model (Core Components) for source A21 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$
CN	0.7	65	$7.6 \times 10^{14}$	3.1	-109
$c-C_3H_2$	0.7	13	$2.7 \times 10^{14}$	3.6	58
CCH	0.7	200	$4.0 \times 10^{15}$	4.1	63
$CH_3OCH_3$	0.7	337	$6.9 \times 10^{14}$	13.7	65
CO	0.7	200	$4.4 \times 10^{17}$	17.8	96
$^{13}CO$	0.7	200	$1.1 \times 10^{17}$	7.2	17
	0.7	200	$8.8 \times 10^{16}$	2.7	57
	0.7	200	$3.6 \times 10^{17}$	3.1	98
	0.7	200	$3.9 \times 10^{16}$	4.1	109
	0.7	200	$1.2 \times 10^{17}$	7.4	119
	0.7	200	$5.7 \times 10^{16}$	4.0	128
	0.7	200	$4.1 \times 10^{16}$	2.5	138
	0.7	200	$1.3 \times 10^{15}$	2.7	145
$C^{17}O$	0.7	200	$1.2 \times 10^{16}$	2.7	-73

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 199

		(0	Continued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$\mathrm{N}_{\mathrm{tot}_{-}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
	0.7	200	$1.1 \times 10^{10}$	2.7	-65 60
	0.7	200	$1.2 \times 10^{16}$	2.7	-00 -55
	0.7	200	$1.2 \times 10^{16}$ $1.3 \times 10^{16}$	3.0	-50
	0.7	200	$3.5 \times 10^{15}$	2.7	-44
	0.7	200	$1.1 \times 10^{16}$	9.6	-20
	0.7	200	$1.2 \times 10^{16}$	2.8	25
	0.7	200	$3.4 \times 10^{13}$	2.7	31
	0.7	200	$1.2 \times 10^{-1}$ 3.6 × 10 ¹⁵	$\frac{2.4}{2.7}$	55 65
	0.7	200	$1.1 \times 10^{16}$	2.7	84
	0.7	200	$3.4 \times 10^{15}$	2.7	113
	0.7	200	$2.5 \times 10^{15}$	2.7	124
	0.7	200	$3.5 \times 10^{15}$	2.7	132
$C^{18}O$	0.7	200	$1.1 \times 10^{10}$	2.7	145 161
0	0.7	$\frac{200}{200}$	$1.5 \times 10^{16}$	2.7	-126
	0.7	200	$1.8 \times 10^{16}$	2.7	-58
	0.7	200	$5.6 \times 10^{16}$	9.2	-44
	0.7	200	$2.2 \times 10^{16}$	1.2	-33
	0.7	200	$1.7 \times 10^{16}$	2.6	-17
	0.7	200	$9.4 \times 10^{10}$ 7.5 × 10 ¹⁶	8.8 8.7	-8 3
	0.7	$200 \\ 200$	$6.5 \times 10^{14}$	2.4	11
	0.7	200	$4.3 \times 10^{16}$	4.4	19
	0.7	200	$5.6 \times 10^{16}$	7.2	27
	0.7	200	$6.4 \times 10^{16}$	3.0	46
	0.7	200	$7.1 \times 10^{10}$	2.5	98 71
	0.7	200	$5.0 \times 10^{11}$ 2.0 × 10 ¹⁶	2.7 2.7	71 115
	0.7	200	$2.6 \times 10^{15}$ $2.6 \times 10^{15}$	2.7 2.7	$110 \\ 120$
	0.7	200	$5.8 \times 10^{16}$	4.4	142
$^{13}CS$	0.7	200	$2.5 \times 10^{14}$	3.6	-177
	0.7	200	$1.3 \times 10^{14}$	7.2	-158
	0.7	200	$1.8 \times 10^{14}$	2.6	-145 110
	0.7	$\frac{200}{200}$	$3.1 \times 10^{14}$	$\frac{10.0}{28.2}$	-119
	0.7	200	$3.1 \times 10^{14}$	6.2	-8
	0.7	200	$2.9~\times 10^{14}$	3.0	1
	0.7	200	$2.1 \times 10^{15}$	5.5	48
C339	0.7	200	$2.8 \times 10^{14}$	6.7 5.6	111
02	0.7	200	$1.5 \times 10^{-1}$ 8.0 × 10 ¹³	5.0 2.9	-175 -127
	0.7	200	$10.0 \times 10^{13}$	4.4	-114
	0.7	200	$9.3 \times 10^{13}$	6.3	-61
	0.7	200	$1.5 \times 10^{14}$	41.5	-32
	0.7	200	$6.7 \times 10^{13}$	6.6	10
	0.7	200	$4.5 \times 10^{-1}$ 1 7 × 10 ¹⁴	3.0 3.0	52 59
	0.7	200	$9.7 \times 10^{13}$	5.3	85
	0.7	200	$1.0 \times 10^{14}$	7.0	94
$C^{34}S$	0.7	200	$2.4 \times 10^{14}$	2.7	-141
	0.7	200	$1.2 \times 10^{14}$	2.3	-67
	0.7	200	$2.0 \times 10^{11}$ 1.2 × 10 ¹⁴	2.8	-34 10
	0.7	$\frac{200}{200}$	$3.7 \times 10^{14}$	$\frac{5.4}{21.5}$	-10
	0.7	200	$1.1 \times 10^{15}$	5.0	49
10	0.7	200	$1.0 \times 10^{14}$	5.4	92
$\rm H^{13}CN$	0.7	200	$6.3 \times 10^{13}$	5.5	-146
	0.7	200	$8.0 \times 10^{13}$ 5.2 × 10 ¹³	8.4	-121
	0.7 0.7	200 200	$5.0 \times 10^{13}$	3.0 4.8	-97 -58
	0.7	200	$8.4 \times 10^{13}$	14.4	-23
	0.7	200	$8.1 \times 10^{13}$	11.6	11
	0.7	200	$1.9 \times 10^{14}$	2.6	54
$HN^{13}C$	0.7	200	$3.0 \times 10^{12}$	8.7	-76
$H^{13}CO^+$	0.7	200 200	$3.0 \times 10^{-2}$ 2.6 $\times 10^{13}$	3.0 2.5	21 _77
11 00	0.7	200	$2.4 \times 10^{13}$	$\frac{2.5}{3.1}$	-71
	0.7	200	$1.1 \times 10^{12}$	5.3	-65
	0.7	200	$3.1 \times 10^{13}$	1.3	-61
	0.7	200	$1.5 \times 10^{13}$	1.1	-48

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
	0.7	200	$2.2 \times 10^{13}$	1.4	-50
	0.7	200	$8.4 \times 10^{12}$	4.4	-44
	0.7	200	$4.4 \times 10^{13}$	2.4	6
	0.7	200	$9.0 \times 10^{12}$	1.8	15
	0.7	200	$4.0 \times 10^{12}$	1.9	29
	0.7	200	$8.5 \times 10^{15}$	0.6	56
	0.7	200	$1.1 \times 10^{14}$	2.5	64
	0.7	200	$2.0 \times 10^{13}$	3.3	84
	0.7	200	$3.6 \times 10^{12}$	5.0	100
	0.7	200	$5.0 \times 10^{12}$	6.3	99
$\rm HO^{13}C^+$	0.7	200	$7.7 \times 10^{13}$	5.8	-134
	0.7	200	$5.2 \times 10^{13}$	12.4	42

Table L.42: LTE Parameters for the full LTE model (Envelope Components) for source A21 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t=t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	()	(**** )	( )	( )
$H_2CO$	ext.	24	$3.2 \times 10^{17}$	2.8	61
	ext.	3	$2.1 \times 10^{14}$	16.0	61
$CH_3CN$	ext.	14	$6.3 \times 10^{14}$	5.7	64
ů,	ext.	3	$2.5 \times 10^{13}$	2.5	64
CH ₃ OH	ext.	13	$7.9 \times 10^{14}$	3.2	65
- 0 -	ext.	18	$1.8 \times 10^{16}$	6.1	59
CN	ext.	72	$9.0 \times 10^{10}$	11.7	-19
	ext.	24	$1.5 \times 10^{13}$	4.2	33
	ext.	3	$2.6 \times 10^{13}$	4.5	68
	ext.	4	$1.8 \times 10^{11}$	11.0	61
	ext.	4	$1.1 \times 10^{13}$	11.7	51
	ext.	6	$2.9 \times 10^{11}$	6.4	0
	ext.	9	$1.2 \times 10^{11}$	4.0	-45
SOa	ext	23	$3.4 \times 10^{18}$	6.6	57
502	ext	4	$1.9 \times 10^{15}$	10.1	53
CH ₂ NH ₂	ext.	21	$1.5 \times 10^{16}$	12.4	56
CCH	ext.	5	$1.3 \times 10^{15}$	12.1	62
SiO	evt	23	$3.0 \times 10^{16}$	17	52
510	evt	35	$8.7 \times 10^{15}$	5.0	49
CHANH	ext.		$2.1 \times 10^{15}$	0.0	49 62
Hacco	ovt	21	$1.7 \times 10^{12}$	0.2	64
112000	ext.	21	$1.7 \times 10^{16}$	9.2 7.5	62
HaCS	ext.	24 10	$4.0 \times 10^{11}$	10.0	62
11205	ext.	19	$0.0 \times 10$ 2.2 × 10 ¹⁶	10.9	50
009	ext.	24 10	$3.2 \times 10^{14}$	0.8	59 60
005	ext.	19	$2.2 \times 10$	0.4	50
	ext.	14	$3.3 \times 10^{17}$	9.9	09 61
CO	ext.	19	$3.4 \times 10^{-1}$	10.9	01
0	ext.	ა ე	$4.2 \times 10$	12.9	09 C2
	ext.	ა ე	$1.5 \times 10^{-3}$	8.1	03
	ext.	3	$3.0 \times 10^{}$	2.1	107
	ext.	ა ე	$1.2 \times 10^{10}$	9.8	-43
	ext.	ა ე	$3.3 \times 10^{12}$	3.9	50
	ext.	3	$1.6 \times 10^{12}$	(.(	-94
	ext.	3	$1.5 \times 10^{15}$	2.1	-167
	ext.	3	$4.4 \times 10^{16}$	12.9	62
	ext.	3	$2.4 \times 10^{10}$	4.3	51
	ext.	3	$7.0 \times 10^{15}$	7.0	36
	ext.	3	$2.0 \times 10^{10}$	18.0	8
	ext.	3	$1.8 \times 10^{10}$	15.1	-22
	ext.	3	$1.8 \times 10^{15}$	2.7	-59
	ext.	3	$1.3 \times 10^{17}$	1.8	83
	ext.	3	$3.5 \times 10^{13}$	3.9	-77
12	ext.	3	$1.3 \times 10^{10}$	18.0	-108
¹³ CO	ext.	3	$4.3 \times 10^{14}$	2.7	11
	ext.	3	$4.8 \times 10^{15}$	19.8	41
	ext.	3	$1.2 \times 10^{16}$	4.2	52
	ext.	3	$4.1 \times 10^{15}$	5.8	63
	ext.	3	$2.2 \times 10^{15}$	3.3	71

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 200

		(C	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{\text{LSR}}^{m,c}$
	ext.	3	$\frac{1.6 \times 10^{16}}{1.6 \times 10^{16}}$	13.9	82		ext.	3	$2.8 \times 10^{15}$	6.4	-94
	ext.	3	$3.6 \times 10^{15}$	3.3	91		ext.	3	$1.0 \times 10^{15}$	2.5	-49
	ext.	3	$1.0 \times 10^{14}$	2.7	142		ext.	3	$3.3 \times 10^{15}$	5.0	-42
C170	ext.	3	$5.9 \times 10^{14}$	2.7	161		ext.	3	$1.3 \times 10^{13}$	2.5	-20
Crio	ext.	ა ვ	$9.7 \times 10^{14}$	7.1	-174 167		ext.	ა ვ	$1.8 \times 10^{14}$ $1.7 \times 10^{14}$	0.9	-12 7
	ext.	3	$1.5 \times 10^{15}$	2.7	-152		ext.	3	$1.7 \times 10^{15}$ $1.9 \times 10^{15}$	2.5 4.7	-1
	ext.	3	$2.1 \times 10^{15}$	10.0	-142		ext.	3	$2.4 \times 10^{15}$	2.9	74
	ext.	3	$1.0 \times 10^{15}$	7.1	-110		ext.	3	$5.7 \times 10^{14}$	2.0	85
	ext.	3	$3.3 \times 10^{14}$	2.8	-100		ext.	3	$3.7 \times 10^{15}$	6.1	102
	ext.	3	$3.4 \times 10^{14}$	2.7	-76 62		ext.	3	$2.7 \times 10^{13}$	3.0	113
	ext.	3 3	$3.5 \times 10^{-4}$ $3.5 \times 10^{14}$	2.1	-03 -57		ext.	3 3	$1.1 \times 10^{-5}$ $1.6 \times 10^{15}$	$\frac{2.4}{2.5}$	119
	ext.	3	$3.4 \times 10^{14}$	2.7	-52	$C^{34}S$	ext.	3	$2.4 \times 10^{15}$	3.9	-163
	ext.	3	$3.5 \times 10^{14}$	2.9	-47		ext.	3	$2.6 \times 10^{15}$	4.2	-157
	ext.	3	$9.1 \times 10^{14}$	7.1	-39		ext.	3	$2.2 \times 10^{15}$	6.4	-150
	ext.	3	$9.7 \times 10^{14}$	3.9	-29		ext.	3	$5.6 \times 10^{15}$	6.3	-139
	ext.	3	$3.4 \times 10^{14}$	2.7	-13		ext.	3	$1.5 \times 10^{13}$	5.7 2.6	-121
	ext.	э 3	$9.4 \times 10^{-4}$ 3.4 × 10 ¹⁴	$\frac{7.1}{2.7}$	-2 9		ext.	3 3	$7.5 \times 10^{-1}$ 7.6 × 10 ¹⁴	$\frac{2.0}{2.6}$	-114 -109
	ext.	3	$9.6 \times 10^{14}$	2.9	15		ext.	3	$2.2 \times 10^{15}$	4.5	-102
	ext.	3	$1.0 \times 10^{15}$	7.1	38		ext.	3	$1.1 \times 10^{15}$	2.2	-84
	ext.	3	$3.5 \times 10^{14}$	2.7	52		ext.	3	$3.8 \times 10^{14}$	2.4	-55
	ext.	3	$1.1 \times 10^{14}$	2.7	57		ext.	3	$1.7 \times 10^{15}$	5.4	-46
	ext.	3	$9.3 \times 10^{14}$	1.9	63 72		ext.	3	$2.3 \times 10^{14}$	2.4	-30
	ext.	3 3	$2.6 \times 10^{13}$ 9.6 $\times 10^{14}$	10.7	73 89		ext.	3	$1.6 \times 10^{15}$ $3.4 \times 10^{15}$	2.1 4.4	о 60
	ext.	3	$9.3 \times 10^{14}$	4.0 3.4	99		ext.	3	$2.2 \times 10^{15}$	4.9	69
	ext.	3	$9.7 \times 10^{14}$	3.7	108		ext.	3	$2.5 \times 10^{15}$	3.9	75
10	ext.	3	$9.6 \times 10^{14}$	7.1	127		ext.	3	$2.4 \times 10^{14}$	2.5	82
$C_{18}O$	ext.	3	$6.7 \times 10^{15}$	20.4	-144		ext.	3	$8.8 \times 10^{14}$	2.5	96
	ext.	3	$9.9 \times 10^{14}$	3.7	-110		ext.	3	$1.7 \times 10^{13}$	2.9	104
	ext.	3 3	$1.2 \times 10^{-5}$ 7.8 × 10 ¹⁵	31.9 24.8	-93 -74		ext.	3 3	$1.3 \times 10^{14}$	0.1	115
	ext.	3	$7.8 \times 10^{14}$	24.0	-55		ext.	3	$1.3 \times 10^{13}$ $1.1 \times 10^{13}$	2.5	131
	ext.	3	$5.2 \times 10^{12}$	2.7	-30		ext.	3	$4.3 \times 10^{15}$	7.6	140
	ext.	3	$1.5 \times 10^{15}$	2.9	-13		ext.	3	$2.4 \times 10^{16}$	16.4	149
	ext.	3	$9.4 \times 10^{14}$	2.6	-3	HCN	ext.	3	$2.7 \times 10^{13}$	2.6	57
	ext.	3	$1.6 \times 10^{15}$	5.2	38 E 4		ext.	3	$1.0 \times 10^{14}$	11.2	66 50
	ext.	3 3	$1.4 \times 10^{10}$	12.4 25.8	54 79		ext.	3	$2.4 \times 10^{11}$ $4.6 \times 10^{11}$	0.3 13	00 31
	ext.	3	$1.3 \times 10^{15}$	20.0	117		ext.	3	$2.9 \times 10^{13}$	9.3	-3
	ext.	3	$1.0~\times 10^{15}$	3.8	125	$\rm H^{13}CN$	ext.	3	$7.4 \times 10^{13}$	18.3	34
	ext.	3	$1.5 \times 10^{15}$	3.1	148		ext.	3	$9.2 \times 10^{13}$	6.7	50
aa	ext.	3	$1.0 \times 10^{15}$	2.3	156		ext.	3	$2.2 \times 10^{14}$	17.7	67
CS	ext.	3	$3.7 \times 10^{15}$	1.4	64 88	UNC	ext.	3	$2.1 \times 10^{14}$ 2.1 × 10 ¹⁴	26.1	140 81
$^{13}CS$	ext.	э 3	$2.0 \times 10^{15}$	0.7 2.6	-180	пію	ext.	3 3	$5.1 \times 10^{13}$	7.3	63
00	ext.	3	$2.0 \times 10^{15}$ $2.1 \times 10^{15}$	1.6	-156		ext.	3	$6.9 \times 10^{13}$	5.3	36
	ext.	3	$1.8 \times 10^{15}$	2.6	-143	$\mathrm{HN}^{13}\mathrm{C}$	ext.	3	$1.1 \times 10^{12}$	1.7	-163
	ext.	3	$1.9 \times 10^{15}$	3.3	-136		ext.	3	$2.4 \times 10^{12}$	13.3	-16
	ext.	3	$5.6 \times 10^{13}$	8.3	-87		ext.	3	$4.1 \times 10^{14}$	0.7	57 60
	ext.	ঠ ৭	$4.3 \times 10^{11}$ 1.2 × 10 ¹⁴	2.6	-75 -66		ext.	3 3	$1.2 \times 10^{12}$ 2.0 × 10^{12}	6.U 5.0	69 78
	ext.	3	$6.9 \times 10^{15}$	12.0	-58	$H^{13}CO^+$	ext.	3	$1.3 \times 10^{13}$	2.4	-169
	ext.	3	$4.2 \times 10^{15}$	4.1	-33		ext.	3	$1.2 \times 10^{13}$	5.7	-167
	ext.	3	$3.1 \times 10^{15}$	3.3	-25		ext.	3	$1.1 \times 10^{13}$	2.4	-175
	ext.	3	$1.7 \times 10^{15}$	2.5	19		ext.	3	$6.2 \times 10^{12}$	2.5	-149
	ext.	3	$2.3 \times 10^{15}$	2.0	24		ext.	3	$5.7 \times 10^{12}$	2.4	-104
	ext.	3 3	$1.7 \times 10^{16}$ 2.8 × 10 ¹⁶	$\frac{2.0}{26.7}$	68		ext.	3 3	$4.3 \times 10^{}$ 7 1 × 10 ¹²	2.4	-98 -90
	ext.	3	$1.4 \times 10^{15}$	2.3	86		ext.	3	$3.1 \times 10^{12}$	4.9	-79
	ext.	3	$1.1 \times 10^{15}$	5.4	92		ext.	3	$5.0 \times 10^{12}$	16.9	-63
	ext.	3	$1.7 \times 10^{15}$	2.6	105		ext.	3	$9.7 \times 10^{12}$	2.3	-61
	ext.	3	$3.3 \times 10^{14}$	2.6	119		ext.	3	$1.5 \times 10^{13}$	6.1	-33
	ext.	3	$1.5 \times 10^{15}$	8.1	128		ext.	3	$4.7 \times 10^{12}$ 1.2 × 10^{13}	1.7	-14
	ext.	э 3	$2.6 \times 10^{15}$	0.1 2.3	140 161		ext.	э 3	$4.6 \times 10^{13}$	7.0 2.4	∠ 13
$C^{33}S$	ext.	3	$3.7 \times 10^{15}$	22.3	-163		ext.	3	$3.6 \times 10^{12}$	2.5	20
	ext.	3	$2.3 \times 10^{15}$	4.3	-140		ext.	3	$3.3 \times 10^{12}$	2.4	27
	ext.	3	$9.3 \times 10^{14}$	2.5	-106		ext.	3	$2.6 \times 10^{13}$	6.1	43
	ext.	3	$9.3 \times 10^{14}$	2.5	-101		ext.	3	$2.2 \times 10^{14}$	21.1	66

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 201

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$			
	ext.	3	$4.9 \times 10^{12}$	0.6	72			
	ext.	3	$3.0 \times 10^{13}$	16.9	96			
	ext.	3	$3.2 \times 10^{12}$	2.9	100			
	ext.	3	$3.7 \times 10^{13}$	8.5	135			
	ext.	3	$1.3 \times 10^{12}$	2.3	127			

Table L.43: LTE Parameters for the full LTE model (Core Components) for source A22 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ov}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v ^{m,c}
monocuro	('')	(K)	$(\mathrm{cm}^{-2})$	$(km s^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$
	( )	()	(**** )	()	()
OCS	0.8	64	$2.1 \times 10^{12}$	3.0	63
	0.8	46	$1.5 \times 10^{16}$	3.3	49
$HCS^+$	0.8	204	$6.0 \times 10^{12}$	3.1	66
	0.8	203	$1.4 \times 10^{14}$	2.0	50
$H_2CS$	0.8	64	$4.0 \times 10^{14}$	1.6	67
-	0.8	89	$1.1 \times 10^{15}$	0.9	50
$CH_3CN$	0.8	126	$1.4 \times 10^{15}$	7.1	49
$SO_2$	0.8	199	$1.5 \times 10^{12}$	0.6	58
$CH_{3}OH$	0.8	67	$4.1 \times 10^{15}$	1.5	67
0	0.8	390	$2.1 \times 10^{16}$	7.0	51
SiO	0.8	82	$7.0 \times 10^{13}$	3.9	42
$H_2CO$	0.8	195	$1.3 \times 10^{15}$	1.5	74
-	0.8	101	$1.0 \times 10^{12}$	3.2	49
CCH	0.8	116	$2.6 \times 10^{15}$	1.7	72
	0.8	84	$7.9 \times 10^{15}$	2.0	53
$SO^+$	0.8	200	$2.0 \times 10^{15}$	4.0	70
	0.8	200	$10.0~\times 10^{14}$	1.7	65
	0.8	117	$3.4 \times 10^{14}$	0.7	50
$CH_2NH$	0.8	38	$3.7 \times 10^{15}$	3.1	51
HCCCN	0.8	45	$6.0 \times 10^{15}$	5.4	50
$NH_2D$	0.8	289	$1.9 \times 10^{15}$	5.8	69
$CH_3OCH_3$	0.8	106	$1.0 \times 10^{16}$	2.6	50
CH ₃ CHO	0.8	239	$3.3 \times 10^{15}$	5.2	50
$c-C_3H_2$	0.8	108	$4.4 \times 10^{14}$	2.7	50
CO	0.8	200	$7.7 \times 10^{15}$	1.1	154
	0.8	200	$5.1 \times 10^{16}$	12.9	156
	0.8	200	$6.4 \times 10^{16}$	2.6	144
	0.8	200	$2.3 \times 10^{16}$	1.2	104
	0.8	200	$8.8 \times 10^{16}$	2.8	43
	0.8	200	$2.1 \times 10^{16}$	1.2	28
	0.8	200	$1.1 \times 10^{16}$	1.0	106
	0.8	200	$1.9 \times 10^{17}$	0.9	-12
	0.8	200	$1.6 \times 10^{16}$	1.4	-37
	0.8	200	$1.8 \times 10^{16}$	1.4	-56
	0.8	200	$1.1 \times 10^{17}$	6.3	-70
	0.8	200	$6.6 \times 10^{16}$	2.2	-124
	0.8	200	$5.2 \times 10^{15}$	1.7	-133
	0.8	200	$5.5 \times 10^{16}$	3.2	-161
	0.8	200	$6.0 \times 10^{15}$	1.2	-167
	0.8	200	$1.2 \times 10^{16}$	1.2	-172
$^{13}CO$	0.8	200	$6.5 \times 10^{14}$	1.1	156
	0.8	200	$1.1 \times 10^{14}$	1.0	116
	0.8	200	$4.1 \times 10^{12}$	0.4	106
	0.8	200	$5.0 \times 10^{12}$	0.5	105
	0.8	200	$9.3 \times 10^{16}$	10.5	104
	0.8	200	$2.4 \times 10^{12}$	0.5	142
	0.8	200	$1.3 \times 10^{17}$	9.7	80
	0.8	200	$7.5 \times 10^{16}$	2.4	64
	0.8	200	$5.1 \times 10^{15}$	34.9	60
	0.8	200	$7.0 \times 10^{17}$	5.9	45
	0.8	200	$5.8 \times 10^{16}$	2.2	29
	0.8	200	$7.0 \times 10^{16}$	7.2	16
	0.8	200	$1.8 \times 10^{17}$	8.6	6
	0.8	200	$6.0 \times 10^{16}$	4.4	-38
	0.8	200	$4.9 \times 10^{16}$	1.1	-49
	0.0	-00	1.0 //10		

$\begin{array}{c c c c c c c c c c c c c c c c c c c $			(C	Continued)		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		('')	(K) 200	$\frac{(\text{cm}^{-2})}{2.7 \times 10^{16}}$	$\frac{(\text{km s}^{-1})}{4.1}$	$\frac{(\text{km s}^{-1})}{67}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{16}$	1.1	-80
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{16}$	3.5	-101
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.0 \times 10^{16}$	5.6	-143
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.5	0.8	200	$3.0 \times 10^{16}$	2.1	-178
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$C^{17}O$	0.8	200	$3.3 \times 10^{15}$	2.7	-180
$C^{18}O = 0.8 = 200 = 1.0 \times 10^{16} = 2.7 = -108 \\ 0.8 = 200 = 3.3 \times 10^{15} = 2.7 = -71 \\ 0.8 = 200 = 3.3 \times 10^{15} = 2.7 = -71 \\ 0.8 = 200 = 3.4 \times 10^{16} = 2.7 = -44 \\ 0.8 = 200 = 3.4 \times 10^{16} = 2.7 = -74 \\ 0.8 = 200 = 3.4 \times 10^{16} = 2.7 = -74 \\ 0.8 = 200 = 3.4 \times 10^{16} = 2.7 = -74 \\ 0.8 = 200 = 3.4 \times 10^{16} = 2.7 = -74 \\ 0.8 = 200 = 3.4 \times 10^{16} = 4.81 = 68 \\ 0.8 = 200 = 1.0 \times 10^{15} = 2.7 = 85 \\ 0.8 = 200 = 1.0 \times 10^{15} = 2.7 = 85 \\ 0.8 = 200 = 1.0 \times 10^{15} = 2.7 = 92 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 92 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 92 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 92 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 120 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 120 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 120 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -129 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.4 = -777 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.5 = -44 \\ 0.8 = 200 = 2.7 \times 10^{16} = 4.5 = -44 \\ 0.8 = 200 = 7.6 \times 10^{15} = 2.3 = -39 \\ 0.8 = 200 = 1.2 \times 10^{15} = 2.3 = -39 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = 17 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.9 = 8 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = 17 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.1 = 125 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = 17 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.1 = 125 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = 17 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = 17 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.1 = 125 \\ 0.8 = 200 = 1.2 \times 10^{14} = 2.4 = 19 \\ 0.8 = 200 = 1.2 \times 10^{14} = 2.4 = 19 \\ 0.8 = 200 = 1.8 \times 10^{14} = 2.4 = 19 \\ 0.8 = 200 = 1.8 \times 10^{14} = 3.4 = 107 \\ 0.8 = 200 = 1.8 \times 10^{13} = 1.0 = 71 \\ 0.8 = 200 = 1.8 \times 10^{13} = 1.0 = 71 \\ 0.8 = 200 = 1.8 \times 10^{13} = 1.0 = 71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 = -71 \\ 0.8 = 2$		0.8	200	$3.2 \times 10^{15}$	3.0	-156
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{10}$	2.7	-140 -108
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{15}$	2.7 2.7	-100
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{15}$	2.7	-95
$C^{18}O = \begin{cases} 0.8 & 200 & 1.0 \times 10^{16} & 2.7 & -44 \\ 0.8 & 200 & 5.1 \times 10^{17} & 8.7 & 50 \\ 0.8 & 200 & 5.1 \times 10^{17} & 8.7 & 50 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 85 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 85 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 85 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 97 \\ 0.8 & 200 & 9.0 \times 10^{15} & 3.9 & 134 \\ 0.8 & 200 & 9.0 \times 10^{15} & 3.9 & 134 \\ 0.8 & 200 & 2.8 \times 10^{16} & 4.1 & 151 \\ 0.8 & 200 & 1.3 \times 10^{16} & 3.7 & -149 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.4 & -77 \\ 0.8 & 200 & 1.5 \times 10^{16} & 6.2 & -69 \\ 0.8 & 200 & 2.7 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 1.5 \times 10^{16} & 2.7 & -30 \\ 0.8 & 200 & 1.2 \times 10^{16} & 2.7 & -70 \\ 0.8 & 200 & 1.2 \times 10^{16} & 2.7 & 17 \\ 0.8 & 200 & 7.6 \times 10^{17} & 3.7 & 49 \\ 0.8 & 200 & 7.6 \times 10^{17} & 3.7 & 49 \\ 0.8 & 200 & 9.7 \times 10^{16} & 4.8 & 107 \\ 0.8 & 200 & 1.2 \times 10^{16} & 1.25 \\ 0.8 & 200 & 1.7 \times 10^{16} & 4.2 & 125 \\ 0.8 & 200 & 1.8 \times 10^{13} & 1.0 & 130 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.0 & -1 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.0 & -1 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.0 & -1 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.9 \times 10^{14} & 2.4 & -130 \\ 0.8 & 200 & 1.9 \times 10^{14} & 2.4 & -130 \\ 0.8 & 200 & 1.9 \times 10^{14} & 2.4 & -130 \\ 0.8 & 200 & 1.9 \times 10^{13} & 2.0 & 18 \\ 0.8 & 200 & 1.9 \times 10^{13} & 2.0 & 18 \\ 0.8 & 200 & 1.9 \times 10^{13} & 2.6 & -69 \\ 0.8 & 200 & 1.9 \times 10^{13} & 3.4 & -79 \\ \end{array}$		0.8	200	$3.3 \times 10^{15}$	2.7	-71
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.0 \times 10^{16}$	2.7	-44
$C^{18}O = \begin{cases} 0.8 & 200 & 8.5 \times 10^{10^{-5}} & 1.9 & 12 \\ 0.8 & 200 & 3.4 \times 10^{16} & 48.1 & 68 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 85 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 97 \\ 0.8 & 200 & 9.5 \times 10^{15} & 3.9 & 134 \\ 0.8 & 200 & 9.5 \times 10^{15} & 7.1 & 140 \\ 0.8 & 200 & 2.8 \times 10^{16} & 3.7 & -149 \\ 0.8 & 200 & 1.3 \times 10^{16} & 3.7 & -149 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -142 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -142 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.4 & -77 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 1.5 \times 10^{16} & 6.2 & -69 \\ 0.8 & 200 & 1.5 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 7.1 \times 10^{15} & 2.3 & -39 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & -120 \\ 0.8 & 200 & 1.0 \times 10^{16} & 4.9 & 8 \\ 0.8 & 200 & 1.2 \times 10^{16} & 2.7 & -20 \\ 0.8 & 200 & 1.2 \times 10^{16} & 2.7 & -70 \\ 0.8 & 200 & 1.2 \times 10^{16} & 1.7 & -70 \\ 0.8 & 200 & 1.2 \times 10^{16} & 1.7 & 49 \\ 0.8 & 200 & 7.7 \times 10^{16} & 7.3 & 65 \\ 0.8 & 200 & 1.5 \times 10^{14} & 2.6 & 144 \\ 0.8 & 200 & 1.5 \times 10^{14} & 2.6 & 144 \\ 0.8 & 200 & 1.5 \times 10^{14} & 1.1 & 15 \\ 0.8 & 200 & 1.8 \times 10^{14} & 1.4 & 99 \\ 0.8 & 200 & 1.5 \times 10^{13} & 1.0 & 130 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.4 & -15 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.4 & -15 \\ 0.8 & 200 & 1.8 \times 10^{14} & 3.0 & -1 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -125 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -143 \\ 0.8 & 200 & 1.2 \times 10^{13} & 2.6 & -69 \\ 0.8 & 200 & 1.3 \times 10^{13} & 2.6 & -69 \\ 0.8 & 200 & 1.3 \times 10^{13} & 3.4 & -39 \\ 0.8 & 200 & 1.3 \times 10^{13} & 3.4 & -39 \\ 0.8 & 200 & 1.4 \times 10^{1$		0.8	200	$3.4 \times 10^{15}$	2.7	-7
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		0.8	200	$8.5 \times 10^{13}$ 5.1 × 10 ¹⁷	1.9	12 50
$C^{18}O = 200 = 1.0 \times 10^{15} = 2.7 = 85 \\ 0.8 = 200 = 1.0 \times 10^{15} = 2.4 = 87 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 92 \\ 0.8 = 200 = 3.4 \times 10^{15} = 2.7 = 120 \\ 0.8 = 200 = 9.0 \times 10^{15} = 3.9 = 134 \\ 0.8 = 200 = 2.8 \times 10^{16} = 4.1 = 151 \\ 0.8 = 200 = 1.1 \times 10^{16} = 2.7 = 159 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -142 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -129 \\ 0.8 = 200 = 3.8 \times 10^{15} = 2.7 = -129 \\ 0.8 = 200 = 3.7 \times 10^{16} = 4.4 = -77 \\ 0.8 = 200 = 2.7 \times 10^{16} = 4.5 = -44 \\ 0.8 = 200 = 2.7 \times 10^{16} = 4.5 = -44 \\ 0.8 = 200 = 7.7 \times 10^{16} = 4.5 = -44 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = -30 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = -30 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = -30 \\ 0.8 = 200 = 1.2 \times 10^{16} = 2.7 = -30 \\ 0.8 = 200 = 1.2 \times 10^{16} = 4.9 = 8 \\ 0.8 = 200 = 1.2 \times 10^{16} = 4.9 = 8 \\ 0.8 = 200 = 1.5 \times 10^{14} = 3.6 \\ 0.8 = 200 = 1.5 \times 10^{14} = 3.6 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.25 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.6 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.1 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.1 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.1 \\ 0.8 = 200 = 1.5 \times 10^{14} = 1.1 \\ 0.8 = 200 = 1.5 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.8 \times 10^{14} = 3.0 \\ 0.8 = 200 = 1.8 \times 10^{14} = 3.0 \\ 0.8 = 200 = 1.8 \times 10^{14} = 3.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.0 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.3 \times 10^{13} = 2.4 \\ 0.8 = 200 = 1.3 \times 10^{13} = 2.4 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.4 \times 10^{13} = 1.2 \\ 0.8 = 200 = 1.4 \times 10^{13}$		0.8	200	$3.1 \times 10^{-1}$ $3.4 \times 10^{16}$	0.7 48 1	50 68
$C^{18}O = \begin{bmatrix} 1, 0, \times 10^{15} & 2.4 & 87 \\ 0.8 & 200 & 1.0 \times 10^{15} & 2.7 & 92 \\ 0.8 & 200 & 3.4 \times 10^{15} & 2.7 & 97 \\ 0.8 & 200 & 9.0 \times 10^{15} & 3.9 & 134 \\ 0.8 & 200 & 9.5 \times 10^{15} & 7.1 & 140 \\ 0.8 & 200 & 2.8 \times 10^{16} & 4.1 & 151 \\ 0.8 & 200 & 1.3 \times 10^{16} & 3.7 & -149 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.8 \times 10^{15} & 2.7 & -129 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.4 & -77 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 2.7 \times 10^{16} & 4.5 & -44 \\ 0.8 & 200 & 1.5 \times 10^{16} & 2.7 & -30 \\ 0.8 & 200 & 9.8 \times 10^{15} & 2.7 & -30 \\ 0.8 & 200 & 1.0 \times 10^{16} & 2.7 & -30 \\ 0.8 & 200 & 1.0 \times 10^{16} & 4.9 & 8 \\ 0.8 & 200 & 1.0 \times 10^{16} & 4.9 & 8 \\ 0.8 & 200 & 1.0 \times 10^{16} & 4.9 & 8 \\ 0.8 & 200 & 7.7 \times 10^{16} & 7.3 & 65 \\ 0.8 & 200 & 3.7 \times 10^{16} & 1.25 \\ 0.8 & 200 & 3.7 \times 10^{15} & 4.8 & 107 \\ 0.8 & 200 & 3.7 \times 10^{16} & 4.1 & 2.6 \\ 1.4 & 0.8 & 200 & 1.7 \times 10^{14} & 2.6 & 144 \\ 0.8 & 200 & 1.7 \times 10^{14} & 2.6 & 144 \\ 0.8 & 200 & 1.8 \times 10^{14} & 2.4 & 99 \\ 0.8 & 200 & 2.5 \times 10^{13} & 1.0 & 71 \\ 0.8 & 200 & 2.5 \times 10^{13} & 1.0 & 71 \\ 0.8 & 200 & 2.5 \times 10^{13} & 1.0 & 71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -27 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -27 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -27 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.4 \times 10^{13} & 1.0 & -71 \\ 0.8 & 200 & 1.3 \times 10^{13} & 2.6 & -69 \\ 0.8 & 200 & 1.3 \times 10^{13} & 2.6 & -69 \\ 0.8 & 200 $		0.8	200	$1.0 \times 10^{15}$	2.7	85
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.0 \times 10^{15}$	2.4	87
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.0~\times 10^{15}$	2.7	92
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.4 \times 10^{15}$	2.7	97
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.1 \times 10^{15}$	2.7	120
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$9.0 \times 10^{15}$	3.9	134
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$9.5 \times 10^{16}$	7.1	140
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$2.8 \times 10^{-1}$ 1.1 × 10 ¹⁶	$\frac{4.1}{2.7}$	151
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$C^{18}O$	0.8	200	$1.3 \times 10^{16}$	3.7	-149
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$3.8 \times 10^{15}$	2.7	-142
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$3.8 \times 10^{15}$	2.7	-129
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$3.7 \times 10^{16}$	4.4	-77
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.5 \times 10^{16}$	6.2	-69
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$2.7 \times 10^{10}$ 7.1 × 10 ¹⁵	4.5	-44
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$7.1 \times 10^{-10}$	2.3 2.7	-39
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$4.2 \times 10^{16}$	2.7 2.7	-20
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.0 \times 10^{16}$	4.9	8
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.2 \times 10^{16}$	2.7	17
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$7.6 \times 10^{17}$	3.7	49
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$7.7 \times 10^{16}$	7.3	65
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$9.7 \times 10^{19}$ 2.7 × 10 ¹⁶	4.8	107
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CS	0.8	200	$1.5 \times 10^{14}$	2.6	$123 \\ 144$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	05	0.8	200	$4.8 \times 10^{13}$	1.0	130
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.7 \times 10^{14}$	28.2	125
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.3 \times 10^{13}$	1.2	118
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.8 \times 10^{14}$	2.4	99
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$2.5 \times 10^{13}$	1.0	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$2.5 \times 10^{10}$	11.9 5 9	38 92
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.1 \times 10^{14}$	1.1	25 15
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.8 \times 10^{14}$	3.0	-1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$4.9 \times 10^{13}$	2.4	-15
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.4 \times 10^{13}$	1.0	-27
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$6.2 \times 10^{13}$	6.2	-33
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.4 \times 10^{13}$	1.0	-71
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.5 \times 10^{13}$ 1.4 × 10^{13}	1.0	-80 -86
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.9 \times 10^{14}$	$1.1 \\ 1.7$	-101
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$2.9 \times 10^{13}$	1.0	-112
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.3 \times 10^{13}$	1.0	-125
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.9 \times 10^{14}$	2.4	-130
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.4 \times 10^{13}$	0.8	-139
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1300	0.8	200	$4.9 \times 10^{13}$ 1.2 × 10 ¹⁴	1.2	-148 51
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	05	0.8	200	$3.7 \times 10^{13}$	1.9 2.9	34
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.2 \times 10^{13}$	2.0 2.0	18
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.8	200	$1.3 \times 10^{13}$	2.4	-39
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$1.0~\times 10^{13}$	3.0	-63
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0.8	200	$3.9 \times 10^{13}$	2.6	-69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C33C	0.8	200	$3.5 \times 10^{13}$	1.0	-143
	0-5	0.8	200 200	$1.4 \times 10^{11}$ 5.8 × 10 ¹³	$3.2 \\ 3.4$	ə∠ 79

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 202

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
$C^{34}S$	(")	(K) 200	$\frac{(\text{cm}^2)}{2.6 \times 10^{14}}$	(km s ⁻¹ ) 3.1	$\frac{(\text{km s}^{-1})}{-177}$
0 0	0.8	200	$2.5 \times 10^{14}$	4.0	-142
	0.8	200	$5.0 \times 10^{14}$	9.2	-135
	$0.8 \\ 0.8$	$200 \\ 200$	$2.6 \times 10^{14}$ $3.1 \times 10^{14}$	$4.0 \\ 5.9$	-127 -117
	0.8	200	$3.6 \times 10^{14}$	12.6	-99
	0.8	200	$5.9 \times 10^{13}$	2.0	-80
	$0.8 \\ 0.8$	$200 \\ 200$	$6.0 \times 10^{13}$ $4.7 \times 10^{13}$	2.6 4.6	-70 -47
	0.8	200	$2.7 \times 10^{14}$	37.9	-35
	0.8	200	$1.3 \times 10^{14}$	9.4	-20
	0.8	$200 \\ 200$	$4.2 \times 10^{-5}$ $1.2 \times 10^{14}$	2.7 10.0	-12 17
	0.8	200	$8.7 \times 10^{13}$	3.7	35
	0.8	200	$9.8 \times 10^{13}$	2.9	72 78
	0.8	$200 \\ 200$	$1.0 \times 10^{14}$ $1.1 \times 10^{14}$	$\frac{5.1}{8.6}$	107
	0.8	200	$7.1 \times 10^{13}$	2.9	119
HCN	0.8	200	$4.8 \times 10^{14}$ 3.4 $\times 10^{13}$	5.4	37 20
	$0.8 \\ 0.8$	200	$4.3 \times 10^{13}$	2.0	29 13
	0.8	200	$3.6 \times 10^{13}$	2.0	7
	0.8	200	$5.2 \times 10^{13}$ 8.0 × 10^{13}	2.3	1
	0.8	200	$2.6 \times 10^{13}$	2.4	-44
	0.8	200	$1.4 \times 10^{13}$	2.5	-86
$H^{13}CN$	0.8	200 200	$1.9 \times 10^{13}$ 1.0 × 10^{12}	2.3	-179 162
II OIV	0.8	200	$7.2 \times 10^{13}$	1.8	151
	0.8	200	$7.1 \times 10^{13}$	2.0	102
	0.8	$200 \\ 200$	$1.1 \times 10^{13}$ 5.2 × 10^{12}	1.3	91 86
	0.8	200	$1.6 \times 10^{14}$	5.5	74
	0.8	200	$4.9 \times 10^{13}$	4.2	27
	$0.8 \\ 0.8$	$200 \\ 200$	$7.3 \times 10^{13}$ $4.8 \times 10^{13}$	$\frac{2.7}{3.2}$	22 13
	0.8	200	$2.2 \times 10^{12}$	1.3	-14
	0.8	200	$2.2 \times 10^{13}$	12.5	-15
	$0.8 \\ 0.8$	$200 \\ 200$	$4.2 \times 10^{13}$ $1.8 \times 10^{13}$	2.0 2.1	-25 -32
	0.8	200	$3.2 \times 10^{13}$	3.1	-42
	0.8	200	$5.0 \times 10^{12}$	0.6	-71 68
	0.8	$200 \\ 200$	$4.5 \times 10^{13}$	$1.9 \\ 1.6$	-08 -73
	0.8	200	$5.7 \times 10^{13}$	2.0	-83
	0.8	200	$4.8 \times 10^{13}$ 5.5 × 10^{13}	3.6 1.4	-96 02
	$0.8 \\ 0.8$	200	$4.2 \times 10^{12}$	0.9	-92 -102
	0.8	200	$1.1 \times 10^{12}$	0.8	-107
	0.8	$200 \\ 200$	$1.0 \times 10^{12}$ 1.0 × 10^{13}	1.1 2.2	-119 -140
	0.8	200	$7.1 \times 10^{13}$	1.1	-145
	0.8	200	$5.7 \times 10^{12}$	2.2	-153
	$0.8 \\ 0.8$	$200 \\ 200$	$2.7 \times 10^{12}$ $1.4 \times 10^{12}$	9.3 0.9	-155 -184
HNC	0.8	200	$1.2 \times 10^{12}$	39.0	95
	0.8	200	$6.3 \times 10^{12}$	1.0	57
	0.8 0.8	$200 \\ 200$	$5.4 \times 10^{12}$ $1.7 \times 10^{12}$	$\frac{2.1}{1.4}$	44 -133
$\rm HN^{13}C$	0.8	200	$3.9 \times 10^{13}$	9.2	-24
$H^{13}CO^+$	0.8	200	$2.7 \times 10^{13}$	2.1	72
$\rm HO^{13}C^+$	0.8	$200 \\ 200$	$9.1 \times 10^{13}$ $1.3 \times 10^{13}$	$2.0 \\ 2.3$	95
-	0.8	200	$5.1 \times 10^{12}$	0.8	79
	0.8	200	$1.4 \times 10^{13}$ 2.0 $\times 10^{13}$	1.8	75 73
	0.8	$200 \\ 200$	$5.1 \times 10^{13}$	2.6	63
	0.8	200	$5.0 \times 10^{12}$	24.9	59
	0.8 0.8	200	$8.7 \times 10^{13}$ 1.8 $\times 10^{13}$	1.2	42 37
	0.8	200	$2.8 \times 10^{13}$	1.9	32
	0.8	200	$3.6 \times 10^{13}$	0.8	11

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$				
	0.8	200	$2.5 \times 10^{13}$	3.9	6				
	0.8	200	$1.3 \times 10^{13}$	1.6	-22				
	0.8	200	$1.9 \times 10^{13}$	1.1	-30				
	0.8	200	$3.0 \times 10^{13}$	3.8	-34				
	0.8	200	$3.8 \times 10^{12}$	1.0	-46				
	0.8	200	$1.9 \times 10^{13}$	4.1	-70				
	0.8	200	$9.8 \times 10^{12}$	0.8	-75				
	0.8	200	$2.0 \times 10^{12}$	1.0	-94				
	0.8	200	$2.4 \times 10^{13}$	2.8	-103				
	0.8	200	$1.9 \times 10^{13}$	2.4	-131				
	0.8	200	$2.7 \times 10^{12}$	0.9	-132				
	0.8	200	$5.3 \times 10^{13}$	0.9	-182				

Table L.44: LTE Parameters for the full LTE model (Envelope Components) for source A22 in Sgr B2(M).

-					
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
-	( )	~ /	. ,	. ,	. ,
OCS	ext.	6	$3.3 \times 10^{18}$	4.0	54
	ext.	17	$2.3 \times 10^{16}$	2.1	55
$HCS^+$	ext.	12	$4.2 \times 10^{13}$	3.3	59
$PH_3$	ext.	10	$2.2 \times 10^{13}$	4.0	69
0	ext.	10	$3.0 \times 10^{13}$	3.0	57
$CH_3CN$	ext.	23	$3.5 \times 10^{15}$	9.7	64
0	ext.	37	$5.0 \times 10^{14}$	2.4	50
$SO_2$	ext.	18	$1.7 \times 10^{15}$	10.1	64
	ext.	14	$4.2 \times 10^{14}$	7.8	56
$CH_3OH$	ext.	11	$6.8 \times 10^{14}$	2.6	66
0	ext.	9	$6.5 \times 10^{14}$	2.3	56
	ext.	33	$6.4 \times 10^{16}$	7.3	50
SiO	ext.	30	$9.0 \times 10^{14}$	3.9	70
	ext.	16	$3.0 \times 10^{13}$	2.0	54
	ext.	3	$6.0 \times 10^{12}$	2.0	53
H ₂ CO	ext.	5	$5.6 \times 10^{13}$	3.6	57
2	ext.	$\tilde{5}$	$1.7 \times 10^{14}$	1.2	55
CCH	ext.	3	$5.0 \times 10^{14}$	2.0	60
	ext.	3	$3.7 \times 10^{14}$	2.1	47
CN	ext.	3	$7.9 \times 10^{13}$	12.2	87
011	ext.	3	$8.8 \times 10^{13}$	11.5	75
	ext.	3	$8.9 \times 10^{13}$	12.3	64
	ext.	3	$6.1 \times 10^{13}$	8.0	56
	ext.	3	$8.2 \times 10^{13}$	8.9	44
	ext.	3	$6.1 \times 10^{13}$	8.9	34
	ext.	3	$6.2 \times 10^{13}$	8.1	0
	ext.	3	$2.0 \times 10^{13}$	8.1	-15
	ext.	3	$3.3 \times 10^{13}$	8.0	-28
	evt	3	$2.0 \times 10^{13}$	4.2	-45
SiS	evt	35	$1.2 \times 10^{15}$	2.6	59
515	evt	22	$7.2 \times 10^{13}$	2.0	46
$SO^+$	ext.	3	$2.2 \times 10^{17}$	9.3	-10 60
SO	evt	17	$3.1 \times 10^{15}$	4 Q	57
50	evt	11 99	$1.2 \times 10^{14}$	<i>5</i>	47
CO	evt	3	$4.6 \times 10^{15}$	14	131
00	evt	3	$3.1 \times 10^{14}$	1.4	46
	evt	3	$3.0 \times 10^{14}$	0.5	110
	ovt	ง ว	$6.7 \times 10^{14}$	1.0	111
	ext.	ม จ	$1.7 \times 10^{16}$	1.0	06
	ext.	ა ვ	$75 \times 10^{15}$	9.0 1 0	90 89
	ext.	ა ვ	$7.0 \times 10^{10}$	1.9	04 68
	ext.	ა ი	$1.2 \times 10^{-5}$	1.1	59
	ext.	ა ი	$4.2 \times 10^{10}$	∠.0 2.0	03 46
	ext.	ა ი	$3.4 \times 10^{-5}$	2.9 2.5	40
	ext.	ა ი	$3.1 \times 10^{10}$	2.0	34 25
	ext.	చ ా	$1.2 \times 10^{13}$	1.2	35
	ext.	<u>ა</u>	$4.7 \times 10^{14}$	1.0	-び 19
	ext.	3	$1.2 \times 10^{10}$	1.1	13
	ext.	3	$5.9 \times 10^{14}$	0.8	8

		(C	Continued)			_			(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$	_	Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$	_		('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$({\rm km  s^{-1}})$
	ext.	3	$2.6 \times 10^{16}$	1.0	1			ext.	3	$2.1 \times 10^{14}$	2.6	-50
	ext.	3	$1.4 \times 10^{15}$	1.0	-8			ext.	3	$6.1 \times 10^{14}$	1.9	-56
	ext.	3	$6.9 \times 10^{15}$	1.5	-20			ext.	3	$2.4 \times 10^{14}$	0.1	-111
	ext.	3	$3.5 \times 10^{15}$	2.9	-28		a33a	ext.	3	$5.0 \times 10^{14}$	6.1	-157
	ext.	3	$1.6 \times 10^{15}$	1.3	-40		CosS	ext.	3	$9.9 \times 10^{15}$	2.5	-175
	ext.	ა ე	$1.7 \times 10^{10}$	2.6	-40			ext.	ა ე	$7.1 \times 10^{10}$	13.8	-101
	ext.	ა ე	$9.8 \times 10^{11}$	1.2	-80			ext.	ა ე	$3.2 \times 10^{11}$	0.1 14 F	-133
	ext.	ა ი	$4.2 \times 10^{15}$	1.7	-98 116			ext.	ა ი	$3.0 \times 10^{-3}$ 7.4 × 10 ¹³	14.5	-101 70
	ext.	3 2	$1.1 \times 10$ $4.3 \times 10^{14}$	2.0	-110			ext.	3 3	$7.4 \times 10$ 6.5 × 10 ¹⁴	2.5	-12
	ext.	3 3	$4.3 \times 10$ $3.4 \times 10^{14}$	1.0	-116			ext.	3 3	$6.1 \times 10^{14}$	8.0 2.4	-04
	evt	3	$3.4 \times 10^{14}$	1.1	-155			ext	3	$2.0 \times 10^{15}$	67	-47
$^{13}CO$	ext.	3	$1.1 \times 10^{15}$	1.1	95			ext.	3	$7.1 \times 10^{14}$	2.5	-28
00	ext.	3	$1.5 \times 10^{15}$	0.8	87			ext.	3	$7.1 \times 10^{13}$	2.5	-20
	ext.	3	$1.7 \times 10^{15}$	2.1	23			ext.	3	$5.6 \times 10^{14}$	2.5	5
	ext.	3	$2.7 \times 10^{14}$	1.4	-43			ext.	3	$7.6 \times 10^{14}$	2.5	47
	ext.	3	$1.1 \times 10^{15}$	1.6	-88			ext.	3	$5.9 \times 10^{15}$	7.9	57
	ext.	3	$6.8 \times 10^{14}$	1.1	-127			ext.	3	$5.0 \times 10^{14}$	6.1	89
	ext.	3	$1.4 \times 10^{15}$	2.7	-164			ext.	3	$2.1 \times 10^{15}$	3.5	106
$C^{17}O$	ext.	3	$3.2 \times 10^{14}$	2.3	-167			ext.	3	$2.4 \times 10^{14}$	2.5	126
	ext.	3	$1.0 \times 10^{14}$	2.7	-160			ext.	3	$1.4 \times 10^{15}$	3.7	125
	ext.	3	$3.3 \times 10^{14}$	2.1	-151			ext.	3	$7.5 \times 10^{14}$	3.1	138
	ext.	3	$1.0 \times 10^{15}$	3.1	-146			ext.	3	$1.3 \times 10^{14}$	3.1	147
	ext.	3	$9.2 \times 10^{14}$	3.2	-116		2.4	ext.	3	$4.9 \times 10^{14}$	2.7	153
	ext.	3	$3.2 \times 10^{14}$	2.8	-103		$C^{34}S$	ext.	3	$2.5 \times 10^{15}$	2.8	-166
	ext.	3	$3.3 \times 10^{14}$	2.7	-98			ext.	3	$5.0 \times 10^{14}$	2.1	5
	ext.	3	$1.3 \times 10^{13}$	6.3	-84			ext.	3	$9.3 \times 10^{14}$	2.0	13
	ext.	3	$7.2 \times 10^{14}$	1.2	-35			ext.	3	$2.9 \times 10^{15}$	3.7	45
	ext.	3	$3.2 \times 10^{14}$	2.5	-26			ext.	3	$1.2 \times 10^{10}$	7.3	57
	ext.	3	$8.0 \times 10^{14}$	3.8	-20			ext.	3	$8.4 \times 10^{14}$	2.6	94
	ext.	3	$3.8 \times 10^{14}$	2.7	-4			ext.	3	$5.7 \times 10^{14}$	2.9	131
	ext.	ა ე	$9.4 \times 10^{11}$	4.8	20		UCN	ext.	ა ე	$1.4 \times 10^{10}$	14.0	148
	ext.	ა ე	$1.3 \times 10^{17}$	2.4	57 76		HCN	ext.	ა ე	$5.0 \times 10^{12}$	1.2	144
	ext.	3	$2.2 \times 10^{-3}$ 7 7 × 10 ¹⁴	4.2	70 84			ext.	3	$1.0 \times 10^{-5}$ 2.3 × 10^{12}	2.7	119
	ext.	3	$3.3 \times 10^{14}$	2.1	80			ext.	3	$2.5 \times 10^{13}$	0.5	102
	evt	3	$3.5 \times 10^{14}$	2.1 2.7	95			ext	3	$2.0 \times 10^{13}$ 2.6 × 10 ¹³	3.0	93
	ext.	3	$2.2 \times 10^{15}$	6.5	105			ext.	3	$6.6 \times 10^{12}$	1.0	88
	ext.	3	$3.4 \times 10^{14}$	2.7	121			ext.	3	$7.1 \times 10^{13}$	4.5	82
	ext.	3	$1.0 \times 10^{14}$	8.1	145			ext.	3	$2.0 \times 10^{13}$	6.0	71
$C^{18}O$	ext.	3	$2.3 \times 10^{15}$	4.6	-176			ext.	3	$2.9 \times 10^{13}$	4.4	65
	ext.	3	$1.0 \times 10^{15}$	4.3	-156			ext.	3	$1.0 \times 10^{13}$	1.6	58
	ext.	3	$1.2 \times 10^{14}$	2.7	-145			ext.	3	$4.8 \times 10^{13}$	3.9	53
	ext.	3	$1.0 \times 10^{15}$	4.1	-137			ext.	3	$3.1 \times 10^{13}$	3.3	46
	ext.	3	$3.8 \times 10^{14}$	1.6	-131			ext.	3	$2.9 \times 10^{12}$	0.7	24
	ext.	3	$2.1 \times 10^{15}$	11.0	-94			ext.	3	$1.6 \times 10^{13}$	2.3	19
	ext.	3	$8.4 \times 10^{14}$	2.7	-71			ext.	3	$2.8 \times 10^{12}$	0.9	4
	ext.	3	$9.8 \times 10^{14}$	7.5	-58			ext.	3	$1.0 \times 10^{13}$	1.6	-37
	ext.	3	$5.2 \times 10^{14}$	3.0	-52			ext.	3	$1.1 \times 10^{13}$	2.3	-101
	ext.	3	$6.8 \times 10^{14}$	3.1	-33			ext.	3	$3.0 \times 10^{12}$	0.8	-106
	ext.	3	$2.1 \times 10^{15}$	4.1	-22			ext.	3	$7.4 \times 10^{12}$	3.0	-111
	ext.	3	$1.5 \times 10^{15}$	9.0	-14			ext.	3	$3.0 \times 10^{12}$	0.9	-115
	ext.	3	$6.1 \times 10^{14}$	2.7	2		H ¹³ CN	ext.	3	$1.0 \times 10^{12}$	1.6	134
	ext.	3	$1.5 \times 10^{13}$	8.7	21			ext.	3	$2.6 \times 10^{14}$	17.1	135
	ext.	3	$6.3 \times 10^{15}$	3.5	57			ext.	3	$3.2 \times 10^{13}$	4.9	118
	ext.	3	$2.3 \times 10^{15}$	7.9	86			ext.	3	$1.3 \times 10^{13}$	0.8	92
	ext.	3	$1.8 \times 10^{15}$	5.4	94			ext.	3	$2.0 \times 10^{10}$	1.9	87
	ext.	ა ი	$1.2 \times 10^{10}$	3.0	110			ext.	3	$3.4 \times 10^{13}$	0.5	00 62
	ext.	ა ი	$1.0 \times 10^{-5}$	2.2	117			ext.	ა ი	$1.0 \times 10^{-2}$	0.3	03 57
	ext.	3 2	$1.3 \times 10^{15}$	8.J 5.0	146			ext.	3 3	$4.0 \times 10$ 1.5 $\times 10^{13}$	21.7	37
CS	ext.	3 2	$1.3 \times 10^{-1}$	10.1	88			ext.	3 3	$1.5 \times 10^{-1}$ $1.4 \times 10^{13}$	0.4	44 6
05	ext.	3	$7.0 \times 10^{14}$	0.2	83			ext.	3	$3.4 \times 10^{13}$	2.0	-0
	ext	્ય	$7.5 \times 10^{15}$	2.5	67			ext	3	$1.4 \times 10^{13}$	1 9	-48
	ext	્ય	$9.0 \times 10^{15}$	2.0 0.6	59			ext	3	$2.1 \times 10^{12}$	1.5	-149
	ext.	3	$1.1 \times 10^{17}$	2.6	55			ext.	3	$1.0 \times 10^{13}$	2.1	-150
	ext	3	$2.7 \times 10^{16}$	8.1	45			ext	3	$4.4 \times 10^{12}$	1.1	-159
	ext.	3	$1.9 \times 10^{15}$	1.9	-23		HNC	ext.	3	$7.4 \times 10^{12}$	2.7	117
	ext.	3	$5.9 \times 10^{14}$	1.0	-29			ext.	3	$1.2 \times 10^{12}$	1.3	113
	ext.	3	$4.4 \times 10^{14}$	1.0	-66			ext.	3	$4.8 \times 10^{12}$	3.4	89
$^{13}CS$	ext.	3	$1.2 \times 10^{16}$	11.3	58			ext.	3	$2.3 \times 10^{13}$	3.0	54
	ext.	3	$1.5 \times 10^{15}$	6.0	46			ext.	3	$1.4 \times 10^{12}$	1.0	1
						=						

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 204

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{-1})$				
	ext.	3	$1.1 \times 10^{12}$	2.0	-6				
$\rm H^{13}CO^+$	ext.	3	$1.2 \times 10^{13}$	2.1	58				
$\rm HO^{13}C^+$	ext.	3	$3.6 \times 10^{12}$	2.3	164				
	ext.	3	$8.8 \times 10^{12}$	2.3	151				
	ext.	3	$6.7 \times 10^{12}$	2.8	144				
	ext.	3	$2.8 \times 10^{12}$	0.1	136				
	ext.	3	$5.0 \times 10^{12}$	3.0	119				
	ext.	3	$2.1 \times 10^{12}$	1.0	73				
	ext.	3	$7.0 \times 10^{12}$	2.6	49				
	ext.	3	$1.3 \times 10^{13}$	7.0	24				
	ext.	3	$1.6 \times 10^{12}$	1.1	-2				
	ext.	3	$6.1 \times 10^{12}$	1.8	-42				
	ext.	3	$2.2 \times 10^{13}$	1.7	-50				
	ext.	3	$7.9 \times 10^{12}$	1.8	-59				
	ext.	3	$1.9 \times 10^{12}$	1.0	-86				
	ext.	3	$1.6 \times 10^{12}$	1.0	-90				
	ext.	3	$6.7 \times 10^{12}$	3.2	-114				
	ext.	3	$1.6 \times 10^{13}$	4.0	-146				
	ext.	3	$4.6 \times 10^{12}$	1.0	-154				
	ext.	3	$2.7 \times 10^{12}$	1.1	-165				
	ext.	3	$1.3 \times 10^{13}$	2.3	-173				

Table L.45: LTE Parameters for the full LTE model (Core Components) for source A23 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	('')	(K)	$(cm^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
SiO	1.1	203	$1.5 \times 10^{14}$	4.3	59
	1.1	180	$4.8 \times 10^{13}$	2.0	45
	1.1	200	$2.6 \times 10^{13}$	3.0	41
OCS	1.1	69	$2.0 \times 10^{15}$	0.2	62
	1.1	65	$1.2 \times 10^{15}$	2.0	47
$HCS^+$	1.1	200	$10.0 \times 10^{13}$	1.9	75
	1.1	200	$2.1 \times 10^{14}$	3.0	50
$CH_3CN$	1.1	199	$3.4 \times 10^{13}$	2.0	64
$H_2CCO$	1.1	221	$9.2 \times 10^{14}$	5.0	63
HNCO	1.1	200	$1.9 \times 10^{14}$	2.1	66
CN	1.1	177	$5.1 \times 10^{12}$	3.0	-99
HCN, $v_2=1$	1.1	667	$6.0 \times 10^{15}$	6.6	53
$H_2^{34}S$	1.1	53	$1.5 \times 10^{15}$	5.6	61
	1.1	52	$3.6 \times 10^{15}$	1.0	50
$PH_3$	1.1	148	$4.2 \times 10^{16}$	8.1	55
$H_2CS$	1.1	79	$7.3 \times 10^{14}$	0.8	48
$CH_3OH$	1.1	106	$6.7 \times 10^{12}$	1.1	79
CO	1.1	200	$1.8 \times 10^{16}$	2.9	137
	1.1	200	$4.3 \times 10^{16}$	1.0	72
	1.1	200	$2.8 \times 10^{16}$	1.2	27
	1.1	200	$1.5 \times 10^{16}$	1.3	-5
	1.1	200	$2.4 \times 10^{16}$	1.3	-128
	1.1	200	$5.9 \times 10^{15}$	1.0	-169
$^{13}CO$	1.1	200	$2.4 \times 10^{16}$	2.7	116
	1.1	200	$1.7 \times 10^{17}$	1.0	45
	1.1	200	$1.2 \times 10^{16}$	1.0	20
	1.1	200	$10.0 \times 10^{15}$	1.0	-42
	1.1	200	$2.1 \times 10^{16}$	1.0	-52
	1.1	200	$2.1 \times 10^{16}$	1.1	-94
	1.1	200	$2.6 \times 10^{16}$	2.0	-107
	1.1	200	$5.1 \times 10^{16}$	6.2	-137
$C^{17}O$	1.1	200	$1.0 \times 10^{16}$	2.7	-170
	1.1	200	$1.0 \times 10^{16}$	5.5	-111
	1.1	200	$3.2 \times 10^{15}$	2.7	-86
	1.1	200	$3.2 \times 10^{15}$	2.7	-79
	1.1	200	$5.0 \times 10^{15}$	0.8	-58
	1.1	200	$1.0 \times 10^{16}$	2.7	-52
	1.1	200	$10.0 \times 10^{15}$	2.7	-31

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$				
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$				
	1.1	200	$3.2 \times 10^{15}$	2.7	12				
	1.1	200	$3.2 \times 10^{15}$	2.7	36				
	1.1	200	$2.6 \times 10^{17}$	5.7	49				
	1.1	200	$1.0 \times 10^{15}$	2.7	103				
	1.1	200	$1.0 \times 10^{15}$	2.7	108				
	1.1	200	$1.0 \times 10^{15}$	2.7	108				
	1.1	200	$3.6 \times 10^{15}$	2.7	134				
	1.1	200	$1.6 \times 10^{16}$	2.7	161				
$C^{18}O$	1.1	200	$7.5 \times 10^{16}$	9.4	-176				
	1.1	200	$1.0 \times 10^{16}$	2.7	-171				
	1.1	200	$1.2 \times 10^{16}$	2.5	-167				
	1.1	200	$1.1 \times 10^{16}$	2.8	-156				
	1.1	200	$3.4 \times 10^{15}$	2.7	-142				
	1.1	200	$9.8 \times 10^{15}$	2.9	-134				
	1.1	200	$1.0 \times 10^{15}$	2.7	-107				
	1.1	200	$1.2 \times 10^{15}$	2.7	-80				
	1.1	200	$2.4 \times 10^{16}$	3.4	-71				
	1.1	200	$1.2 \times 10^{16}$	6.7	-66				
	1.1	200	$4.2 \times 10^{15}$	2.7	-11				
	1.1	200	$2.3 \times 10^{16}$	2.9	8				
	1.1	200	$3.1 \times 10^{17}$	8.7	46				
	1.1	200	$2.1 \times 10^{16}$	2.7	73				
	1.1	200	$4.1 \times 10^{16}$	5.9	104				
	1.1	200	$1.4 \times 10^{16}$	2.4	112				
	1.1	200	$2.7 \times 10^{16}$	4.2	136				
	1.1	200	$1.5 \times 10^{16}$	2.1	142				
	1.1	200	$1.3 \times 10^{16}$	2.7	155				
$\mathbf{CS}$	1.1	200	$2.8 \times 10^{13}$	1.5	157				
0.0	1.1	200	$2.6 \times 10^{13}$	1.0	147				
	1.1	200	$7.1 \times 10^{13}$	2.4	134				
	1.1	200	$4.2 \times 10^{12}$	0.4	-169				
	1.1	200	$6.6 \times 10^{13}$	8.1	125				
	1.1	200	$3.6 \times 10^{13}$	1.3	118				
	1.1	200	$6.5 \times 10^{13}$	2.1	102				
	1.1	200	$2.9 \times 10^{13}$	0.5	81				
	1.1	200	$1.5 \times 10^{14}$	1.1	42				
	1.1	200	$3.0 \times 10^{13}$	1.0	37				
	1.1	200	$6.3 \times 10^{13}$	2.5	30				
	1.1	200	$5.2 \times 10^{13}$	1.7	21				
	1.1	200	$6.3 \times 10^{13}$	2.4	-43				
	1.1	200	$8.7 \times 10^{13}$	2.1	-49				
	1.1	200	$2.7 \times 10^{13}$	0.9	-66				
	1.1	200	$6.9 \times 10^{13}$	3.4	-80				
	1.1	200	$3.9 \times 10^{13}$	2.4	-86				
	1.1	200	$6.9 \times 10^{13}$	2.4	-121				
	1.1	200	$1.8 \times 10^{14}$	5.2	-133				
	1.1	200	$5.2 \times 10^{13}$	2.4	-143				
	1.1	200	$3.3 \times 10^{13}$	0.3	-151				
	1.1	200	$1.0 \times 10^{14}$	2.9	-158				
$^{13}CS$	1.1	200	$5.9 \times 10^{13}$	0.8	66				
	1.1	200	$2.3 \times 10^{15}$	7.6	47				
	1.1	200	$2.5 \times 10^{13}$	0.8	19				
	1.1	200	$6.2 \times 10^{13}$	1.9	-8				
	1.1	200	$1.9 \times 10^{13}$	3.3	-27				
	1.1	200	$2.4 \times 10^{12}$	0.2	-57				
	1.1	200	$1.6 \times 10^{12}$	0.9	-72				
	1.1	200	$2.1 \times 10^{13}$	3.9	-83				
$C^{33}S$	1.1	200	$1.4 \times 10^{14}$	4.9	-169				
	1.1	200	$1.3 \times 10^{14}$	4.6	-112				
	1.1	200	$1.0 \times 10^{14}$	3.2	-94				
	1.1	200	$2.3 \times 10^{14}$	6.5	-59				
	1.1	200	$1.1~\times 10^{14}$	5.7	-20				
	1.1	200	$8.9 \times 10^{13}$	7.3	2				
	1.1	200	$6.5 \times 10^{13}$	6.1	10				
	1.1	200	$4.3 \times 10^{13}$	6.1	32				
	1.1	200	$1.8 \times 10^{15}$	6.5	49				
	1.1	200	$3.8 \times 10^{14}$	5.6	62				
	1.1	200	$6.2 \times 10^{13}$	6.1	77				
	1.1	200	$7.0~\times 10^{13}$	7.1	116				
	1.1	200	$2.0~\times 10^{14}$	14.0	130				
	1.1	200	$9.7 \times 10^{13}$	7.5	144				
$C^{34}S$	1.1	200	$1.0 \times 10^{14}$	8.0	-102				

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 205

		(C	Continued)			Table L.46:	LTE	Parame
Molecule	$ extsf{\theta}^{m,c}$ $('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\operatorname{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${ m v}_{ m LSR}^{m,c}\ ({ m kms}^{-1})$	(Envelope C	ompor	nents) for
	1.1	200	$6.0 \times 10^{13}$	6.2	-87	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$
	1.1	200	$5.7 \times 10^{13}$	7.2	-64		('')	(K)
	1.1	200	$7.9 \times 10^{15}$	9.6	-42			
	1.1	200	$1.5 \times 10^{-1}$ 8.3 × 10 ¹³	9.1	40 139	SiO	ext.	20
HCN	1.1	200	$1.9 \times 10^{13}$	5.5 29	154		ext.	8
11010	1.1	200	$1.2 \times 10^{13}$	0.8	135		ext.	13
	1.1	200	$5.6 \times 10^{13}$	2.4	120	OIL NIL	ext.	3
	1.1	200	$9.6 \times 10^{11}$	0.1	111	$CH_2NH$	ext.	7
	1.1	200	$1.2 \times 10^{14}$	3.1	80		ext.	3 8
	1.1	200	$9.1 \times 10^{13}$	4.9	32		ext.	8
	1.1	200	$1.6 \times 10^{13}$	0.8	26		ext.	12
	1.1	200	$3.8 \times 10^{13}$	0.9	19	OCS	ext.	17
	1.1	200	$4.1 \times 10^{13}$	0.1	16		ext.	6
	1.1	200	$1.8 \times 10^{12}$	0.3	-6	$H_2CNH$	ext.	4
	1.1	200	$3.5 \times 10^{13}$	4.0	-10 76		ext.	8
	1.1	200	$1.0 \times 10^{-1}$ $3.4 \times 10^{12}$	5.1 0.7	-173		ext.	8
	1.1	200	$7.5 \times 10^{13}$	3.2	-110	$HCS^+$	ext.	3
	1.1	200	$4.2 \times 10^{12}$	0.7	-110	$CH_3CN$	ext.	15
	1.1	200	$1.9 \times 10^{12}$	1.3	-111		ext.	14
	1.1	200	$3.6 \times 10^{12}$	1.0	-129		ext.	27
	1.1	200	$1.1 \times 10^{13}$	0.9	-162	H-CCO	ext.	10
	1.1	200	$1.4 \times 10^{12}$	0.8	-138	112000	ext.	11
$\rm H^{13}CN$	1.1	200	$6.8 \times 10^{13}$	1.2	144	HNCO	ext	12
	1.1	200	$4.4 \times 10^{13}$	1.1	130	millio	ext.	4
	1.1	200	$2.2 \times 10^{14}$	13.8	122	CN	ext.	3
	1.1	200	$1.1 \times 10^{13}$	1.1	114		ext.	16
	1.1	200	$5.6 \times 10^{13}$	0.9	105		ext.	32
	1.1	200	$1.9 \times 10^{13}$	1.9	101		ext.	15
	1.1	200	$1.3 \times 10^{11}$	10.5	35		ext.	16
	1.1	200	$2.2 \times 10^{-12}$	3.0 0.8	21 16		ext.	12
	1.1	200	$5.3 \times 10^{13}$	2.0	-4		ext.	16
	1.1	200	$3.1 \times 10^{13}$	1.3	-11		ext.	19
	1.1	200	$2.7 \times 10^{13}$	2.1	-34		ext.	15
	1.1	200	$3.6 \times 10^{13}$	4.8	-75	ССЧ	ext.	21 5
	1.1	200	$3.7 \times 10^{13}$	1.4	-85	COII	ext.	5
	1.1	200	$3.8 \times 10^{12}$	0.8	-91		ext.	3
	1.1	200	$2.2 \times 10^{13}$	1.1	-98		ext.	22
	1.1	200	$3.7 \times 10^{13}$	2.4	-108	HCCCN	ext.	32
	1.1	200	$4.1 \times 10^{12}$	0.9	-114		ext.	25
	1.1	200	$2.5 \times 10^{12}$	0.9	-101		ext.	10
	1.1	200	$5.8 \times 10^{12}$	1.3	-127	SO	ext.	7
	1.1	200	$1.4 \times 10^{13}$	1.0	-135		ext.	5
	1.1	200	$1.1 \times 10^{12}$	4.5	-140		ext.	24
	1.1	200	$3.0 \times 10^{12}$	0.9	-173	$H_2CO$	ext.	10
	1.1	200	$4.3 \times 10^{13}$	1.8	-170		ext.	10
HNC	1.1	200	$1.6 \times 10^{13}$	2.2	95	ц.34с	ext.	11 Q
	1.1	200	$7.4 \times 10^{12}$	1.0	41	112 5	ext.	0 5
	1.1	200	$3.0 \times 10^{13}$	2.1	43	SOa	ext.	27
10 /	1.1	200	$1.0 \times 10^{13}$	1.4	-135	002	ext.	23
$HO^{13}C^+$	1.1	200	$1.0 \times 10^{13}$	2.4	92		ext.	22
	1.1	200	$7.6 \times 10^{12}$	0.9	80		ext.	16
	1.1	200	$1.0 \times 10^{12}$	1.9	75	$H_2CS$	ext.	24
	1.1	200	$1.1 \times 10^{12}$ 1.0 × 10 ¹²	1.1	88 62		ext.	3
	1.1 1 1	200 200	$1.0 \times 10^{-2}$ $1.8 \times 10^{12}$	2.7	00 50		ext.	14
	1.1 1 1	200 200	$2.3 \times 10^{13}$	0.0 1 3	13 43	$CH_3OH$	ext.	31
	1.1	200	$2.2 \times 10^{13}$	1.8	39		ext.	18
	1.1	200	$3.0 \times 10^{12}$	2.0	32		ext.	13
	$1.1^{-}$	200	$1.7 \times 10^{12}$	0.8	12		ext.	23
	1.1	200	$9.0~\times 10^{12}$	4.0	4		ext.	0 5
	1.1	200	$2.4 \times 10^{12}$	1.6	-22		ext.	5 15
	1.1	200	$1.5~\times 10^{12}$	1.1	-29	CO	ext.	3
	1.1	200	$8.6 \times 10^{12}$	4.1	-39	00	ext.	3
	1.1	200	$7.8 \times 10^{12}$	1.0	-44		ext.	3
	1.1	200	$5.1 \times 10^{12}$	1.5	-67		ext.	3
	1.1	200	$5.5 \times 10^{12}$	0.8	-78		ext.	3
-	1.1	200	2.0 ×10 ⁺²	1.0	-87			

eters for the full LTE model r source A23 in Sgr B2(M).

 $\frac{\mathbf{N}_{\mathrm{tot}}^{m,c}}{(\mathrm{cm}^{-2})}$ 

 $1.1~\times 10^{12}$ 

 $2.2\ \times 10^{13}$ 

 $7.1 \times 10^{12}$ 

 $1.8~{\times}10^{14}$ 

 $1.0~\times 10^{12}$ 

 $8.2~\times10^{12}$ 

 $1.2\ \times 10^{12}$ 

 $1.1~{\times}10^{12}$ 

 $1.2~\times 10^{14}$ 

 $2.7~{\times}10^{16}$ 

 $2.0~\times 10^{17}$ 

 $2.6~\times10^{12}$ 

 $7.8\ \times 10^{12}$ 

 $3.0~\times 10^{12}$ 

 $3.5~\times 10^{14}$ 

 $8.8~{\times}10^{13}$ 

 $6.8 \times 10^{12}$ 

 $5.3~\times10^{12}$ 

 $3.0~\times 10^{14}$ 

 $8.0~{\times}10^{14}$ 

 $5.1~\times 10^{14}$ 

 $4.5~\times 10^{17}$ 

 $1.4~\times 10^{18}$ 

 $2.6~\times10^{13}$ 

 $1.8~{\times}10^{14}$ 

 $1.2 \times 10^{17}$ 

 $4.1~{\times}10^{13}$ 

 $3.1~{\times}10^{13}$ 

 $3.2~{\times}10^{13}$ 

 $5.3~\times10^{12}$ 

 $1.2~\times 10^{14}$ 

 $1.6 \times 10^{12}$ 

 $2.7~\times10^{12}$ 

 $6.1~{\times}10^{13}$ 

 $1.7~{\times}10^{13}$ 

 $1.4~\times 10^{14}$ 

 $9.6~\times 10^{14}$ 

 $5.3~{\times}10^{12}$ 

 $1.3~{\times}10^{15}$ 

 $1.4~\times 10^{17}$ 

 $3.7~{\times}10^{14}$ 

 $8.2~{\times}10^{14}$ 

 $1.2~\times 10^{15}$ 

 $1.4~\times 10^{13}$ 

 $3.7~{\times}10^{14}$ 

 $9.2~\times 10^{13}$ 

 $2.8~{\times}10^{15}$ 

 $1.6~\times 10^{18}$ 

 $4.1~\times 10^{14}$ 

 $4.4~{\times}10^{14}$ 

 $2.9 \times 10^{15}$ 

 $2.0~\times 10^{14}$ 

 $1.5~\times 10^{12}$ 

 $3.3~{\times}10^{15}$ 

 $2.0~{\times}10^{14}$ 

 $9.3 \times 10^{14}$ 

 $2.2~\times10^{15}$ 

 $7.5~\times10^{12}$ 

 $4.3~{\times}10^{15}$ 

 $1.4~\times 10^{13}$ 

 $1.0~\times 10^{14}$ 

 $1.3 \ \times 10^{14}$ 

 $3.1~{\times}10^{14}$ 

 $4.0~\times 10^{14}$ 

 $1.4~\times 10^{17}$ 

 $1.3~{\times}10^{17}$ 

 $1.5~\times 10^{15}$ 

 $\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km}\,\mathrm{s}^{-1})}$ 

67

59

52

50

67

67

64

56

55

54

54

69

63

54

56

70

66

64

54

71

55

60

53

74

64

53

9

0

-32

-59

-151

-92

-93

54

59

55

58

61

56

54

76

71

54

72

64

50

71

54

62

58

54

47

62

55

54

47

64

60

56

19

7

-35

164

132

97

96

77

 $\Delta \mathbf{v}^{m,c}$  $({\rm km} {\rm s}^{-1})$ 

4.0

3.7

2.4

1.7

2.0

10.8

2.0

2.0

8.5

2.1

2.7

4.0

4.5

4.0

4.0

2.2

4.2

4.1

5.5

1.6

2.0

2.0

4.0

4.4

14.2

4.2

4.9

1.7

22.6

4.7

13.5

22.2

30.2

1.8

0.5

6.2

17.6

1.7

1.0

2.4

4.3

1.9

2.0

1.1

25.3

1.3

3.8

1.8

3.0

2.3

8.3

3.2

1.5

1.8

2.1

2.1

14.8

3.2

6.9

0.7

0.8

0.6

1.0

1.0

0.8

11.5

0.8

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 206

		(C	Continued)						(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$		Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{\text{LSR}}^{m,c}$
	ext.	3	$\frac{(cm)}{4.9 \times 10^{15}}$	4.2	(KIII S ) 67			ext.	3	$\frac{(cm)}{2.3 \times 10^{14}}$	1.6	-55
	ext.	3	$3.5 \times 10^{16}$	0.2	60			ext.	3	$1.4 \times 10^{15}$	3.9	-44
	ext.	3	$1.2 \times 10^{10}$	2.1	53			ext.	3	$7.8 \times 10^{14}$	2.5	-35
	ext.	3 3	$2.3 \times 10^{13}$ $4.0 \times 10^{15}$	1.0 1.8	41 32			ext.	3 3	$1.1 \times 10^{13}$ 6.7 × 10 ¹⁴	3.0 3.6	-28 -17
	ext.	3	$2.4 \times 10^{15}$	1.8	25			ext.	3	$1.8 \times 10^{15}$	14.4	0
	ext.	3	$1.3 \times 10^{15}$	1.0	20			ext.	3	$1.2 \times 10^{15}$	4.9	27
	ext.	3	$4.2 \times 10^{15}$	3.5	12			ext.	3	$9.1 \times 10^{14}$	3.2	33
	ext.	3	$2.0 \times 10^{13}$	2.5	3			ext.	3	$8.9 \times 10^{13}$ $8.7 \times 10^{15}$	4.7	54 76
	ext.	3	$6.9 \times 10^{14}$	0.5	-11			ext.	3	$2.3 \times 10^{15}$	9.9	93
	ext.	3	$8.9~{\times}10^{15}$	15.8	-26			ext.	3	$2.8 \times 10^{14}$	2.7	126
	ext.	3	$8.4 \times 10^{14}$	3.6	-31			ext.	3	$1.4 \times 10^{15}$	8.4	150
	ext.	3	$5.2 \times 10^{13}$	7.6	-46 60		C C C	ext.	3	$1.0 \times 10^{14}$ 5.1 × 10 ¹⁴	0.5	161
	ext.	3	$2.5 \times 10^{15}$	2.6	-67		05	ext.	3	$5.1 \times 10$ $5.8 \times 10^{15}$	0.8 3.3	98 88
	ext.	3	$2.8 \times 10^{15}$	1.9	-77			ext.	3	$3.1 \times 10^{15}$	2.9	81
	ext.	3	$3.5 \times 10^{14}$	0.4	-84			ext.	3	$4.4 \times 10^{15}$	1.1	71
	ext.	3	$2.2 \times 10^{15}$	3.1	-93			ext.	3	$7.7 \times 10^{14}$	0.1	66 50
	ext.	3	$3.3 \times 10^{15}$ 1 1 × 10 ¹⁵	4.4 1.0	-105			ext.	3 3	$1.3 \times 10^{10}$ 5.2 × 10 ¹⁶	$1.4 \\ 4.0$	59 50
	ext.	3	$1.2 \times 10^{15}$	0.6	-117			ext.	3	$7.8 \times 10^{14}$	2.4	-18
	ext.	3	$3.8 \times 10^{14}$	1.0	-123			ext.	3	$1.1 \times 10^{15}$	3.9	-30
13 00	ext.	3	$4.2 \times 10^{14}$	2.6	-183		a33a	ext.	3	$2.4 \times 10^{15}$	2.1	-175
13CO	ext.	3	$4.3 \times 10^{14}$ $3.4 \times 10^{14}$	2.0	154 147	(	Caas	ext.	3	$4.2 \times 10^{15}$ $1.3 \times 10^{15}$	7.4 6.1	-160 147
	ext.	3	$4.3 \times 10^{14}$	$\frac{2.0}{2.7}$	147			ext.	3	$1.3 \times 10$ $2.5 \times 10^{15}$	6.1	-147
	ext.	3	$1.1 \times 10^{16}$	7.3	95			ext.	3	$3.7 \times 10^{14}$	1.1	-80
	ext.	3	$1.4 \times 10^{15}$	2.0	88			ext.	3	$2.8 \times 10^{15}$	7.5	-48
	ext.	3	$2.1 \times 10^{15}$	2.0	84 79			ext.	3	$1.1 \times 10^{13}$	3.2	-32
	ext.	э 3	$2.8 \times 10^{15}$	3.2 2.0	70 70			ext.	э 3	$2.8 \times 10$ $2.3 \times 10^{14}$	$\frac{2.5}{2.5}$	27 84
	ext.	3	$1.1 \times 10^{16}$	2.0	55			ext.	3	$8.5 \times 10^{12}$	2.5	91
	ext.	3	$1.7 \times 10^{16}$	1.3	50			ext.	3	$3.7 \times 10^{15}$	8.9	104
	ext.	3	$3.7 \times 10^{15}$	6.9	34			ext.	3	$2.1 \times 10^{15}$	6.1	122
	ext.	3	$4.3 \times 10^{11}$ 1 7 × 10 ¹⁵	2.0 3.6	24 13		$C^{34}S$	ext.	3 3	$8.3 \times 10^{14}$ 9.8 × 10 ¹⁴	3.7 4.2	139 -167
	ext.	3	$1.3 \times 10^{15}$	2.0	2		0 0	ext.	3	$9.1 \times 10^{14}$	2.7	-155
	ext.	3	$3.9 \times 10^{15}$	2.7	-36			ext.	3	$9.7 \times 10^{14}$	5.9	-147
	ext.	3	$2.3 \times 10^{15}$	3.1	-43			ext.	3	$5.5 \times 10^{14}$	2.9	-136
$C^{17}O$	ext.	3 3	$8.6 \times 10^{14}$ 3.1 × 10 ¹⁴	1.2 5.2	-89 -148			ext.	3 3	$3.3 \times 10^{14}$ $3.2 \times 10^{14}$	2.1 2.5	-129 -119
0 0	ext.	3	$8.5 \times 10^{14}$	7.2	-130			ext.	3	$5.2 \times 10^{14}$ $5.9 \times 10^{14}$	2.5 2.5	-84
	ext.	3	$3.1 \times 10^{14}$	7.1	-122			ext.	3	$1.1 \times 10^{14}$	2.5	-75
	ext.	3	$3.0 \times 10^{14}$	2.7	-116			ext.	3	$1.0 \times 10^{14}$	2.5	-30
	ext.	33	$3.0 \times 10^{14}$ $3.1 \times 10^{14}$	2.7 2.7	-106 -76			ext.	3	$1.0 \times 10^{14}$ $4.9 \times 10^{14}$	2.5	-10 60
	ext.	3	$3.1 \times 10^{14}$ $3.1 \times 10^{14}$	2.7 2.7	-55			ext.	3	$3.5 \times 10^{15}$	6.3	69
	ext.	3	$4.3 \times 10^{14}$	3.4	-40			ext.	3	$4.7 \times 10^{14}$	17.2	82
	ext.	3	$1.0 \times 10^{14}$	2.6	-23			ext.	3	$3.5 \times 10^{14}$	2.7	87
	ext.	33	$3.5 \times 10^{14}$ 3.0 × 10 ¹⁴	3.3	-15 0			ext.	3	$3.3 \times 10^{14}$ 1.5 × 10 ¹⁴	2.5 2.5	110 134
	ext.	3	$3.0 \times 10$ $3.1 \times 10^{14}$	3.7	17			ext.	3	$2.9 \times 10^{14}$	2.5 2.5	$134 \\ 124$
	ext.	3	$3.5 \times 10^{14}$	2.7	23			ext.	3	$7.7 \times 10^{15}$	14.7	144
	ext.	3	$5.1 \times 10^{15}$	8.9	54			ext.	3	$2.9 \times 10^{15}$	6.3	162
	ext.	3	$6.9 \times 10^{14}$	2.6	65 71		HCN	ext.	3	$3.6 \times 10^{13}$	6.9 1 4	68 60
	ext.	3	$1.0 \times 10$ $1.0 \times 10^{15}$	4.9	89			ext.	3	$9.0 \times 10^{13}$	$5.2^{1.4}$	49
	ext.	3	$3.1 \times 10^{14}$	3.2	98			ext.	3	$1.9 \times 10^{13}$	0.9	39
	ext.	3	$3.0 \times 10^{14}$	2.7	105			ext.	3	$1.5 \times 10^{13}$	3.0	1
	ext.	3	$1.7 \times 10^{14}$	3.2	111	]	H ¹³ CN	ext.	3	$5.1 \times 10^{12}$	1.8	161
	ext. ext	ა 3	$7.4 \times 10^{14}$	1.1 5.4	$121 \\ 127$			ext.	ა 3	$1.3 \times 10^{13}$ $1.3 \times 10^{13}$	1.9 3.8	$149 \\ 136$
	ext.	3	$3.1 \times 10^{14}$	2.1	141			ext.	3	$6.9 \times 10^{12}$	2.2	109
	ext.	3	$1.7~\times10^{15}$	10.7	153			ext.	3	$4.1~\times 10^{12}$	0.6	97
$C^{18}O$	ext.	3	$3.1 \times 10^{14}$	2.7	-153			ext.	3	$1.3 \times 10^{13}$	1.6	88
	ext.	3 २	$7.5 \times 10^{14}$ 3.2 $\times 10^{14}$	2.7 2.7	-145 _130			ext.	3 2	$9.9 \times 10^{12}$ 1.9 $\times 10^{14}$	1.1 20.0	72 68
	ext.	3	$1.5 \times 10^{15}$	4.4	-127			ext.	3	$6.2 \times 10^{12}$	0.5	66
	ext.	3	$8.7 \times 10^{14}$	3.4	-110			ext.	3	$4.6 \times 10^{13}$	5.2	61
	ext.	3	$1.5 \times 10^{15}$	4.4	-99			ext.	3	$1.1 \times 10^{14}$	7.8	52
	ext.	3	$3.3 \times 10^{13}$	2.7	-77	=		ext.	3	$2.5 \times 10^{12}$	1.3	-177

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 207

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$				
HNC	ext.	3	$1.2 \times 10^{13}$	2.7	120				
	ext.	3	$4.6 \times 10^{12}$	1.3	113				
	ext.	3	$6.6 \times 10^{12}$	3.3	90				
	ext.	3	$8.6 \times 10^{13}$	3.4	51				
	ext.	3	$6.6 \times 10^{12}$	1.0	-1				
	ext.	3	$4.8 \times 10^{12}$	2.0	-12				
$\rm HN^{13}C$	ext.	3	$2.1 \times 10^{13}$	13.7	55				
$\rm H^{13}CO^+$	ext.	3	$6.9 \times 10^{12}$	3.5	54				
	ext.	3	$1.0 \times 10^{12}$	1.0	47				
$\rm HO^{13}C^+$	ext.	3	$1.0 \times 10^{12}$	2.3	160				
	ext.	3	$1.0 \times 10^{12}$	2.3	152				
	ext.	3	$2.3 \times 10^{12}$	2.8	145				
	ext.	3	$1.8 \times 10^{12}$	0.8	141				
	ext.	3	$1.0 \times 10^{12}$	14.3	118				
	ext.	3	$1.0 \times 10^{12}$	1.0	94				
	ext.	3	$1.0 \times 10^{12}$	2.6	50				
	ext.	3	$1.5 \times 10^{12}$	7.2	27				
	ext.	3	$5.3 \times 10^{12}$	1.1	2				
	ext.	3	$2.7 \times 10^{12}$	1.9	-44				
	ext.	3	$1.0 \times 10^{12}$	1.7	-50				
	ext.	3	$1.7 \times 10^{12}$	1.9	-56				
	ext.	3	$2.4 \times 10^{12}$	1.0	-83				
	ext.	3	$1.4 \times 10^{12}$	1.0	-87				
	ext.	3	$2.1 \times 10^{12}$	3.2	-115				

Table L.47: LTE Parameters for the full LTE model (Core Components) for source A24 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISP
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\rm km  s^{-1})$
		. ,			. ,
RRL-H	0.5	15214	$3.4 \times 10^{9}$	18.1	61
$CH_3CN$	0.5	149	$1.8 \times 10^{16}$	5.5	63
$H_2CS$	0.5	152	$3.5 \times 10^{15}$	1.2	65
	0.5	96	$6.0 \times 10^{15}$	2.2	62
$H_2CNH$	0.5	200	$5.8 \times 10^{16}$	8.8	64
	0.5	96	$2.9 \times 10^{16}$	17.3	60
HNCO	0.5	137	$3.5 \times 10^{13}$	3.0	64
	0.5	110	$3.8 \times 10^{16}$	6.3	64
$HC(O)NH_2$	0.5	150	$5.3 \times 10^{16}$	9.4	61
	0.5	152	$1.2 \times 10^{16}$	3.5	62
NO	0.5	188	$3.8 \times 10^{16}$	0.9	68
$SO_2$	0.5	225	$1.2 \times 10^{17}$	1.9	67
	0.5	238	$3.9 \times 10^{17}$	4.5	65
HCCCN	0.5	199	$4.8 \times 10^{14}$	3.0	65
	0.5	159	$5.4 \times 10^{15}$	6.4	65
SO	0.5	213	$1.7 \times 10^{17}$	2.4	67
CN	0.5	273	$2.1 \times 10^{15}$	3.0	76
$CH_3CHO$	0.5	135	$5.5 \times 10^{16}$	6.8	65
$H_2CCO$	0.5	192	$6.9 \times 10^{14}$	10.3	64
	0.5	247	$1.3 \times 10^{16}$	4.6	64
$CH_3OH$	0.5	149	$7.8 \times 10^{17}$	7.0	64
	0.5	100	$5.0 \times 10^{13}$	2.4	64
SiO	0.5	218	$1.4 \times 10^{13}$	2.1	69
	0.5	217	$1.6 \times 10^{12}$	1.1	58
$H_2CO$	0.5	146	$2.8 \times 10^{17}$	4.0	67
OCS	0.5	246	$3.6 \times 10^{17}$	6.2	65
	0.5	221	$1.4 \times 10^{13}$	2.0	64
$NH_2CN$	0.5	143	$1.0 \times 10^{14}$	8.1	61
$CH_3OCHO$	0.5	209	$4.0 \times 10^{16}$	6.0	66
HCN, $v_2=1$	0.5	787	$9.4 \times 10^{14}$	5.9	55
CO	0.5	200	$6.9 \times 10^{17}$	1.6	136
	0.5	200	$8.1 \times 10^{17}$	1.5	113
	0.5	200	$8.1 \times 10^{16}$	0.9	98
	0.5	200	$4.9 \times 10^{16}$	0.9	75
	0.5	200	$1.1 \times 10^{17}$	0.6	-11

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$				
	(")	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$				
	0.5	200	$2.1 \times 10^{16}$	0.9	-63				
	0.5	200	$4.9 \times 10^{15}$	0.7	-71				
	0.5	200	$1.9 \times 10^{16}$	1.0	-37				
	0.5	200	$2.8 \times 10^{17}$	2.0	-85				
	0.5	200	$9.3 \times 10^{15}$	2.4	-123				
	0.5	200	$6.0 \times 10^{14}$	1.4	-160				
	0.5	200	$5.1 \times 10^{14}$	2.4	-178				
10	0.5	200	$2.2 \times 10^{15}$	2.1	-184				
$^{13}CO$	0.5	200	$4.1 \times 10^{13}$	1.0	158				
	0.5	200	$8.1 \times 10^{14}$	0.9	145				
	0.5	200	$1.5 \times 10^{17}$	1.8	138				
	0.5	200	$3.2 \times 10^{17}$	9.0	122				
	0.5	200	$1.8 \times 10^{17}$	2.2	113				
	0.5	200	$2.5 \times 10^{10}$	0.8	123				
	0.5	200	$1.7 \times 10^{-7}$	2.0	62				
	0.5	200	$1.2 \times 10^{14}$	1.1	00 50				
	0.5	200	$1.3 \times 10^{17}$	1.0	02 94				
	0.5	200	$1.6 \times 10^{16}$	0.7	_1				
$C^{17}O$	0.5	200	$10.0 \times 10^{15}$	2.7	-178				
0 0	0.5	200	$10.0 \times 10^{15}$	3.8	-164				
	0.5	200	$10.0 \times 10^{15}$	5.0	-130				
	0.5	200	$10.0 \times 10^{15}$	2.3	-98				
	0.5	200	$10.0 \times 10^{15}$	2.8	-92				
	0.5	200	$3.2 \times 10^{16}$	4.2	-68				
	0.5	200	$10.0 \times 10^{14}$	2.7	-55				
	0.5	200	$10.0 \times 10^{15}$	2.7	-42				
	0.5	200	$3.2 \times 10^{16}$	2.6	-36				
	0.5	200	$3.2 \times 10^{16}$	2.3	-27				
	0.5	200	$10.0 \times 10^{15}$	2.7	4				
	0.5	200	$3.2 \times 10^{15}$	2.7	12				
	0.5	200	$10.0 \times 10^{15}$	2.7	20				
	0.5	200	$10.0 \times 10^{15}$	2.7	65				
	0.5	200	$3.4 \times 10^{16}$	3.3	86				
	0.5	200	$10.0 \times 10^{15}$	2.7	92				
	0.5	200	$3.2 \times 10^{16}$	10.4	100				
	0.5	200	$10.0 \times 10^{15}$	3.3	116				
	0.5	200	$10.0 \times 10^{15}$	2.5	132				
$C^{18}O$	0.5	200	$4.1 \times 10^{10}$	7.5	-170				
	0.5	200	$1.3 \times 10^{17}$	3.2	-162				
	0.5	200	$1.3 \times 10^{17}$	3.4	-153				
	0.5	200	$4.1 \times 10^{10}$	2.8	-126				
	0.5	200	$4.2 \times 10^{17}$	11.6	-121				
	0.5	200	$4.1 \times 10^{10}$	3.0	-110				
	0.5	200	$1.3 \times 10^{10}$	4.1	-88				
	0.5	200	$9.1 \times 10^{15}$	2.0	-122				
	0.5	200	$7.1 \times 10^{-17}$	2.0	-01				
	0.5	200	$1.6 \times 10^{16}$	23	-47				
	0.5	200	$1.0 \times 10^{17}$ $1.1 \times 10^{17}$	2.5 5.6	-30				
	0.5	200	$9.8 \times 10^{16}$	7.5	-22				
	0.5	200	$3.1 \times 10^{16}$	2.4	5				
	0.5	200	$2.0 \times 10^{17}$	14.9	19				
	0.5	200	$3.9 \times 10^{16}$	2.8	27				
	0.5	200	$1.5 \times 10^{17}$	4.3	32				
	0.5	200	$1.1 \times 10^{17}$	3.4	58				
	0.5	200	$6.0 \times 10^{15}$	2.8	-7				
	0.5	200	$1.6 \times 10^{17}$	7.4	99				
	0.5	200	$1.5 \times 10^{16}$	2.8	106				
	0.5	200	$2.5 \times 10^{16}$	3.9	123				
	0.5	200	$7.8 \times 10^{16}$	5.2	133				
	0.5	200	$4.7 \times 10^{16}$	4.6	142				
	0.5	200	$3.3 \times 10^{16}$	6.3	158				
$\mathbf{CS}$	0.5	200	$7.1 \times 10^{13}$	2.5	138				
	0.5	200	$8.0 \times 10^{14}$	5.6	122				
	0.5	200	$1.4 \times 10^{13}$	1.4	103				
	0.5	200	$9.2 \times 10^{13}$	1.0	83				
	0.5	200	$2.5 \times 10^{13}$	0.9	-9				
	0.5	200	$1.4 \times 10^{13}$	1.0	-36				
	0.5	200	$1.3 \times 10^{14}$	2.4	-42				
13~~	0.5	200	$2.2 \times 10^{13}$	1.0	-68				
¹³ CS	0.5	200	$2.8 \times 10^{14}$	1.0	129				

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online Material	n 208
1. Moner et un morecular mie survey of not cores,	O TOUTING INITAUCT DUU	$p \approx 00$

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{-1})$
	0.5	200	$1.1 \times 10^{13}$	1.0	118
	0.5	200	$2.7 \times 10^{12}$	2.6	151
	0.5	200	$2.7 \times 10^{12}$	24.9	64
	0.5	200	$2.8 \times 10^{13}$	1.7	98
	0.5	200	$2.5 \times 10^{13}$	1.3	143
	0.5	200	$9.0 \times 10^{13}$	1.7	46
	0.5	200	$4.7 \times 10^{13}$	0.5	39
	0.5	200	$2.2 \times 10^{13}$	4.8	34
	0.5	200	$9.0 \times 10^{13}$	0.9	14
	0.5	200	$1.6 \times 10^{14}$	17	1
	0.5	200	$2.5 \times 10^{14}$	4.0	-11
	0.5	200	$1.3 \times 10^{13}$	0.8	-4
	0.5	200	$1.0 \times 10^{13}$	39.0	-37
	0.5	200	$6.8 \times 10^{13}$	1.4	-57
	0.5	200	$0.0 \times 10$ 2.3 × 10 ¹⁴	1.4	-51
	0.5	200	$2.3 \times 10^{13}$	6.2	-03
	0.5	200	$9.3 \times 10^{-3}$	0.5	-70
	0.5	200	$3.1 \times 10^{-3}$	0.9	-94
	0.5	200	$1.0 \times 10^{12}$	0.7	-98
	0.5	200	$8.5 \times 10^{13}$	1.1	-105
	0.5	200	$2.9 \times 10^{13}$	0.9	-110
	0.5	200	$1.5 \times 10^{14}$	8.0	-123
	0.5	200	$6.4 \times 10^{13}$	6.3	-127
	0.5	200	$8.9 \times 10^{12}$	2.2	-137
	0.5	200	$7.1 \times 10^{12}$	0.9	-146
	0.5	200	$6.5 \times 10^{12}$	1.0	-135
	0.5	200	$5.9 \times 10^{12}$	3.1	-158
	0.5	200	$1.9 \times 10^{13}$	2.7	-173
	0.5	200	$4.5 \times 10^{12}$	1.0	-181
$C^{33}S$	0.5	200	$3.3 \times 10^{14}$	3.6	-148
	0.5	200	$1.1 \times 10^{14}$	2.9	-89
	0.5	200	$9.6 \times 10^{13}$	2.9	-35
	0.5	200	$9.1 \times 10^{13}$	0.8	-30
	0.5	200	$3.8 \times 10^{14}$	12.8	-17
	0.5	200	$2.1 \times 10^{14}$	7.3	17
	0.5	200	$6.7 \times 10^{13}$	33	29
	0.5	200	$2.3 \times 10^{14}$	6.3	37
	0.5	200	$5.6 \times 10^{13}$	0.0	44
	0.5	200	$1.0 \times 10^{-10}$	2.3	44 62
	0.5	200	$4.2 \times 10$ 2.1 × 10 ¹⁴	4.9	02
	0.5	200	$3.1 \times 10^{14}$	10.3	89
	0.5	200	$2.4 \times 10^{14}$	7.5	120
G34G	0.5	200	$1.2 \times 10^{14}$	7.2	128
C34S	0.5	200	$1.7 \times 10^{13}$	12.7	-178
	0.5	200	$5.2 \times 10^{14}$	2.9	-167
	0.5	200	$5.2 \times 10^{14}$	3.4	-159
	0.5	200	$5.2 \times 10^{14}$	6.4	-147
	0.5	200	$2.6 \times 10^{12}$	2.4	-142
	0.5	200	$1.6 \times 10^{14}$	2.1	-137
	0.5	200	$5.2 \times 10^{14}$	7.1	-122
	0.5	200	$1.6 \times 10^{14}$	6.3	-114
	0.5	200	$6.0 \times 10^{13}$	6.9	-85
	0.5	200	$1.0 \times 10^{14}$	44.5	-7
	0.5	200	$2.2 \times 10^{14}$	3.1	7
	0.5	200	$7.7 \times 10^{13}$	6.3	45
	0.5	200	$9.0 \times 10^{13}$	9.4	100
	0.5	200	$5.2 \times 10^{14}$	7.9	128
	0.5	200	$9.6 \times 10^{13}$	2.1	135
	0.5	200	$5.1 \times 10^{15}$	4 4	156
HCN	0.5	200	$2.0 \times 10^{12}$		136
11011	0.5	200	$2.0 \times 10^{12}$ 2.2 × 10 ¹²	05	106
	0.5	200 200	$2.2 \times 10^{-1}$	0.0	103
	0.0	200	$1.1 \times 10^{\circ}$ $1.1 \times 10^{14}$	⊿.⊥ ว.ว	105
	0.0	<u>∠00</u>	$1.1 \times 10^{14}$	2.2	90 75
	0.5	200	$0.3 \times 10^{14}$	1.5	() 70
	0.5	200	$1.3 \times 10^{14}$	3.7	70
	0.5	200	$4.3 \times 10^{14}$	7.3	62
	0.5	200	$1.8 \times 10^{15}$	1.2	48
	0.5	200	$3.1 \times 10^{13}$	0.9	40
	0.5	200	$3.3 \times 10^{13}$	1.3	35
	0.5	200	$5.1 \times 10^{13}$	2.2	30
	0.5	200	$3.8 \times 10^{14}$	4.0	-1
	0.5	200	$6.2 \times 10^{12}$	1.1	-79
	0.5	200	$4.7 \times 10^{13}$	2.2	-88
	0.5	200	$5.5 \times 10^{13}$	2.9	-137

		(0	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ov}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL GD
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km  s^{-1}})$
$H^{13}CN$	0.5	200	$\frac{(cm)}{1.7 \times 10^{14}}$	5.6	116
II ON	0.5	200	$1.7 \times 10^{12}$	20.7	110
	0.5	200	$2.0 \times 10^{13}$	1.0	112
	0.5	200	$4.2 \times 10^{-12}$	1.2	107
	0.5	200	$5.3 \times 10^{12}$	1.0	97
	0.5	200	$4.1 \times 10^{12}$	1.0	62
	0.5	200	$1.1 \times 10^{14}$	2.0	55
	0.5	200	$4.4 \times 10^{14}$	4.8	51
	0.5	200	$4.5 \times 10^{13}$	0.9	43
	0.5	200	$5.7 \times 10^{12}$	0.7	41
	0.5	200	$2.2 \times 10^{13}$	1.7	36
	0.5	200	$1.7 \times 10^{14}$	1.6	29
	0.5	200	$6.3 \times 10^{13}$	2.2	22
	0.5	200	$7.6 \times 10^{13}$	2.3	-27
	0.5	200	$7.0 \times 10^{13}$	2.3	-51
	0.5	200	$6.6 \times 10^{12}$	1.1	-61
	0.5	200	$5.9 \times 10^{13}$	1.0	-78
	0.5	200	$1.0 \times 10^{13}$	2.6	-86
	0.5	200	$1.0 \times 10$ 1 1 × 1013	2.0	-00
	0.5	200	1.1 × 10 ⁻¹	2.4	-09
	0.5	200	$3.2 \times 10^{13}$	3.3	-138
INC	0.5	200	$1.3 \times 10^{13}$	1.0	-176
HNC	0.5	200	$3.2 \times 10^{13}$	2.1	66
	0.5	200	$3.7 \times 10^{14}$	3.9	0
	0.5	200	$1.2 \times 10^{13}$	2.0	-38
	0.5	200	$2.5 \times 10^{12}$	3.0	-62
	0.5	200	$1.5 \times 10^{13}$	1.6	-64
	0.5	200	$2.0 \times 10^{13}$	2.2	-80
	0.5	200	$7.1 \times 10^{12}$	1.0	-84
	0.5	200	$1.6 \times 10^{13}$	2.2	-90
	0.5	200	$1.1 \times 10^{13}$	2.2	-109
	0.5	200	$7.3 \times 10^{13}$	2.9	-125
	0.5	200	$5.0 \times 10^{12}$	1.0	-145
	0.5	200	$2.6 \times 10^{13}$	1.2	-157
$HN^{13}C$	0.5	200	$5.3 \times 10^{12}$	15.7	-133
1111 0	0.5	200	$9.3 \times 10^{14}$	8.5	-12
	0.5	200	$5.9 \times 10^{13}$	2.5	62
	0.5	200	$5.0 \times 10^{13}$	2.0	60
	0.5	200	$3.0 \times 10^{13}$	0.0	119
UO13C+	0.5	200	$2.6 \times 10^{-3}$	2.0	112
HO-°C	0.5	200	$1.4 \times 10^{-3}$	2.2	143
	0.5	200	$0.3 \times 10^{-2}$	1.0	100
	0.5	200	$8.8 \times 10^{12}$	1.3	133
	0.5	200	$6.0 \times 10^{13}$	3.7	125
	0.5	200	$3.9 \times 10^{12}$	0.9	119
	0.5	200	$1.9 \times 10^{13}$	0.9	109
	0.5	200	$9.4 \times 10^{12}$	14.7	104
	0.5	200	$7.3 \times 10^{15}$	0.6	160
	0.5	200	$4.5 \times 10^{12}$	2.2	90
	0.5	200	$3.0 \times 10^{13}$	3.0	84
	0.5	200	$1.6 \times 10^{14}$	1.4	74
	0.5	200	$1.8 \times 10^{12}$	1.3	59
	0.5	200	$7.4 \times 10^{12}$	1.0	35
	0.5	200	$5.6 \times 10^{12}$	25.9	18
	0.5	200	$5.9 \times 10^{12}$	1.2	8
	0.5	200	$2.4 \times 10^{12}$	0.7	3
	0.5	200	$1.6 \times 10^{13}$	1.0	-4
	0.5	200	$2.0 \times 10^{12}$	1.0	
	0.5	200	$4.4 \times 10^{12}$	1.0	-18
	0.5	200	$4.4 \times 10^{-12}$	0.8	-10
	0.0	200	0.0 × 10	4.4	-20

Table L.48: LTE Parameters for the full LTE model (Envelope Components) for source A24 in Sgr B2(M).

Molecule	$ extstyle  heta^{m,c} \ ('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\stackrel{\mathrm{N}^{m,c}_{\mathrm{tot}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
CH ₂ NH	ext.	20	$6.5 \times 10^{12}$	3.0	68

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 209

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			(0	Continued)					(C	ontinued)		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ $(cm^{-2})$	$\Delta v^{m,c}$ $(\mathrm{km}  \mathrm{s}^{-1})$	$\frac{\mathbf{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm ⁻² )	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$\frac{v_{LSR}^{m,c}}{(km s^{-1})}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$SO_2$	ext.	4	$8.9 \times 10^{13}$	3.6	75		ext.	3	$4.1 \times 10^{15}$	17.7	-96
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	41	$6.6 \times 10^{16}$	4.8	53		ext.	3	$4.1 \times 10^{14}$	2.7	-85
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	SO	ext.	10	$1.1 \times 10^{14}$	2.0	74		ext.	3	$1.7 \times 10^{14}$	2.6	-69
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	<b>C</b> 11	ext.	16	$3.3 \times 10^{14}$	6.4	51		ext.	3	$5.0 \times 10^{16}$	5.5	57
ext. 3 1 $1 \times 10^{12}$ 2.3 $10^{10}$ ext. 3 $3^{17} \times 10^{14}$ 2.8 SIS ext. 11 3 2.2 $\times 10^{15}$ 4.7 58 ext. 3 3.7 $\times 10^{14}$ 1.2 SIG ext. 19 10 $\times 10^{13}$ 5.6 62 ext. 3 3.7 $\times 10^{14}$ 1.2 SIG ext. 10 2.2 $\times 10^{15}$ 4.7 57 ext. 3 1.2 $\times 10^{14}$ 1.6 SIG ext. 10 2.2 $\times 10^{15}$ 4.7 57 ext. 3 3.0 $\times 10^{15}$ 7.7 57 ext. 10 2.2 $\times 10^{14}$ 1.6 SIG ext. 10 2.2 $\times 10^{14}$ 1.6 SIG ext. 10 2.2 $\times 10^{14}$ 1.5 SIG ext. 13 2.2 $\times 10^{14}$ 1.6 SIG ext. 3 2.4 $\times 10^{13}$ 3.0 CCH ext. 3 2.4 $\times 10^{14}$ 1.1 ext. 3 6.2 $\times 10^{14}$ 1.3 CCH ext. 3 4.4 $\times 10^{15}$ 1.0 ext. 3 4.4 $\times 10^{15}$ 1.1 ext. 3 4.4 $\times 10^{15}$ 1.0 ext. 3 4.4 $\times 10^{15}$ 1.0 ext. 3 4.4 $\times 10^{16}$ 1.0 ext. 3 2.4 $\times 10^{15}$ 1.1 ext. 3 4.3 $\times 10^{14}$ 1.2 1.3 ext. 3 2.2 $\times 10^{15}$ 4.0 ext. 3 1.2 $\times 10^{16}$ 1.1 ext. 3 2.2 $\times 10^{15}$ 4.0 ext. 3 2.2 $\times 10^{15}$ 4.0 ext. 3 1.2 $\times 10^{16}$ 1.1 ext. 3 1.2 $\times 10^{16}$ 1.1 ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 2.2 $\times 10^{15}$ 1.1 ext. 3 2.2 $\times 10^{15}$ 1.1 ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 2.2 $\times 10^{16}$ 1.1 ext. 3 3.2 $\times 10^{16}$ 1.2 ext. 3 3.2 $\times 10^{16}$ 1.2 ext. 3 3.2 $\times 10^{16}$ 1.2 ext. 3 3.2	CN	ext.	7	$2.1 \times 10^{12}$	2.5	54 70		ext.	3	$1.7 \times 10^{15}$	4.2	73
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	5 11	$7.0 \times 10^{12}$ 5.4 × 10^{12}	2.3	70 54		ext.	3 3	$1.9 \times 10^{10}$ $3.7 \times 10^{14}$	3.9 28	80 104
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	SiS	ext.	11	$2.4 \times 10^{15}$	2.0	54 58		ext.	3	$5.7 \times 10^{14}$	2.0 7.5	104
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	515	ext.	19	$1.0 \times 10^{15}$	5.7	51	$\mathbf{CS}$	ext.	3	$3.7 \times 10^{14}$	1.2	147
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	SiO	ext.	10	$2.9 \times 10^{13}$	6.6	62	0.0	ext.	3	$1.9 \times 10^{14}$	1.0	130
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$PH_3$	ext.	3	$4.1 \times 10^{13}$	5.6	65		ext.	3	$3.6 \times 10^{14}$	1.0	93
ext. 51 8.1 $\times 10^{10}$ 3.0 65 . ext. 3 1.1 $\times 10^{13}$ 2.7 CCH ext. 12 1.2 $\times 10^{14}$ 1.5 64 . ext. 3 7.4 $\times 10^{15}$ 3.4 ext. 3 6.2 $\times 10^{14}$ 1.8 55 . ext. 3 1.4 $\times 10^{15}$ 1.1 ext. 3 6.2 $\times 10^{14}$ 1.8 55 . ext. 3 1.4 $\times 10^{15}$ 0.1 ext. 3 6.2 $\times 10^{14}$ 1.8 55 . ext. 3 1.4 $\times 10^{15}$ 0.1 ext. 3 1.4 $\times 10^{15}$ 10.3 157 . ext. 3 8.0 $\times 10^{15}$ 7.9 ext. 3 1.4 $\times 10^{15}$ 10.3 157 . ext. 3 8.0 $\times 10^{15}$ 7.9 ext. 3 2.3 $\times 10^{14}$ 1.3 121 . ext. 3 2.8 $\times 10^{14}$ 0.9 ext. 3 2.3 $\times 10^{14}$ 1.3 121 . ext. 3 3.2 $\times 10^{14}$ 0.9 ext. 3 2.4 $\times 10^{15}$ 6.9 81 . ext. 3 3.2 $\times 10^{15}$ 0.3 ext. 3 2.4 $\times 10^{15}$ 6.9 81 . ext. 3 3.3 $\times 10^{14}$ 0.9 ext. 3 2.4 $\times 10^{15}$ 1.1 62 . ext. 3 1.6 $\times 10^{15}$ 7.3 ext. 3 2.4 $\times 10^{15}$ 1.8 30 . ext. 3 1.6 $\times 10^{16}$ 7.8 ext. 3 2.8 $\times 10^{15}$ 1.8 30 . ext. 3 1.6 $\times 10^{14}$ 0.8 ext. 3 2.7 $\times 10^{15}$ 1.8 30 . ext. 3 2.8 $\times 10^{14}$ 1.1 ext. 3 4.4 $\times 10^{16}$ 1.1 8 10 . ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 1.7 $\times 10^{14}$ 0.8 82 12 CS ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 2.9 $\times 10^{14}$ 1.2 -1 . ext. 3 2.5 $\times 10^{14}$ 1.0 ext. 3 2.9 $\times 10^{14}$ 1.2 -1 ext. 3 2.5 $\times 10^{14}$ 1.0 ext. 3 2.9 $\times 10^{14}$ 1.3 -22 ext. 3 1.2 $\times 10^{15}$ 1.1 ext. 3 2.9 $\times 10^{14}$ 1.3 -22 ext. 3 1.8 $\times 10^{14}$ 1.0 ext. 3 2.5 $\times 10^{15}$ 1.1.4 8 ext. 3 1.8 $\times 10^{14}$ 1.0 21 ext. 3 2.5 $\times 10^{15}$ 1.1.4 8 ext. 3 1.8 $\times 10^{14}$ 1.0 21 ext. 3 1.8 $\times 10^{14}$ 1.0 21 ext. 3 1.8 $\times 10^{14}$ 1.0 21 ext. 3 1.8 $\times 10^{14}$ 1.1 -16 ext. 3 1.8 $\times 10^{14}$ 1.0 ext. 3 1.8 $\times 10^{14}$ 1.2 -1 ext. 3 1.8 $\times 10^{16}$ 1.1 1.8 9.9 ext. 3 1.1 $\times 10^{16}$ 1.1 1.8 9.9 ext. 3 1.1 $\times 10^{16}$ 1.1 1.8 9.9 ext. 3 1.1 $\times 10^{16}$ 1.1 1.9 ext. 3 1.1 $\times 10^{16}$ 1.2 10 ext. 3 1.1 $\times 10^{16}$	$H_2CO$	ext.	10	$1.8 \times 10^{13}$	0.9	70		ext.	3	$3.0 \times 10^{15}$	7.0	84
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	51	$8.1 \times 10^{15}$	3.0	65		ext.	3	$1.1 \times 10^{15}$	2.7	76
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	COLL	ext.	19	$1.1 \times 10^{14}$	5.5	52		ext.	3	$7.4 \times 10^{15}$	3.4	68
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CCH	ext.	12	$1.2 \times 10^{14}$	1.5	64 50		ext.	び 9	$1.4 \times 10^{10}$	1.1	64 57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	$6.2 \times 10^{14}$	1.0	55		ext.	3	$1.4 \times 10^{16}$	2.8	51
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CO	ext.	3	$4.2 \times 10^{13}$	1.1	162		ext.	3	$1.4 \times 10^{15}$ 8.0 × 10 ¹⁵	7.9	46
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	00	ext.	3	$1.4 \times 10^{15}$	10.3	157		ext.	3	$6.6 \times 10^{14}$	1.1	37
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.3 \times 10^{14}$	1.3	121		ext.	3	$2.8 \times 10^{14}$	1.7	17
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.3 \times 10^{14}$	1.2	103		ext.	3	$1.7~\times10^{14}$	0.9	123
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.8 \times 10^{15}$	6.9	81		ext.	3	$3.2 \times 10^{15}$	23.2	-8
ext. 3 $2.4 \times 10^{14}$ 1.1 $62$ ext. 3 $1.9 \times 10^{14}$ 0.8 ext. 3 $2.8 \times 10^{15}$ 1.1 51 ext. 3 $1.6 \times 10^{14}$ 0.8 ext. 3 $2.8 \times 10^{15}$ 1.1 51 ext. 3 $1.6 \times 10^{14}$ 0.8 ext. 3 $2.8 \times 10^{15}$ 1.1 51 ext. 3 $1.5 \times 10^{14}$ 1.7 ext. 3 $2.8 \times 10^{14}$ 1.7 20 ext. 3 $2.5 \times 10^{14}$ 1.1 ext. 3 $4.4 \times 10^{14}$ 1.7 20 ext. 3 $2.5 \times 10^{14}$ 1.0 ext. 3 $2.5 \times 10^{14}$ 0.8 8 $82$ $^{13}CS$ ext. 3 $1.2 \times 10^{15}$ 1.1 ext. 3 $2.9 \times 10^{14}$ 0.8 $82$ $^{13}CS$ ext. 3 $1.2 \times 10^{15}$ 1.1 ext. 3 $2.9 \times 10^{14}$ 0.8 $^{-1}$ ext. 3 $6.5 \times 10^{14}$ 1.0 ext. 3 $2.9 \times 10^{14}$ 0.8 $^{-1}$ ext. 3 $6.5 \times 10^{14}$ 1.0 ext. 3 $2.9 \times 10^{14}$ 1.1 $^{-16}$ ext. 3 $1.8 \times 10^{13}$ 0.2 ext. 3 $2.5 \times 10^{14}$ 1.1 $^{-16}$ ext. 3 $1.8 \times 10^{13}$ 0.2 ext. 3 $5.2 \times 10^{14}$ 1.3 $^{-22}$ ext. 3 $8.8 \times 10^{14}$ 0.5 ext. 3 $5.2 \times 10^{14}$ 1.3 $^{-22}$ ext. 3 $8.8 \times 10^{14}$ 0.5 ext. 3 $3.0 \times 10^{15}$ 6.6 $^{-50}$ ext. 3 $4.8 \times 10^{15}$ 8.6 ext. 3 $3.0 \times 10^{14}$ 1.2 $^{-61}$ ext. 3 $3.2 \times 10^{14}$ 1.0 ext. 3 $3.4 \times 10^{14}$ 1.2 $^{-61}$ ext. 3 $3.2 \times 10^{14}$ 1.0 ext. 3 $1.6 \times 10^{14}$ 0.9 $^{-50}$ ext. 3 $3.2 \times 10^{14}$ 1.0 ext. 3 $1.3 \times 10^{14}$ 1.2 $^{-91}$ C ³³ S ext. 3 $3.2 \times 10^{14}$ 2.6 ext. 3 $1.3 \times 10^{14}$ 1.2 $^{-91}$ C ³³ S ext. 3 $3.3 \times 10^{14}$ 2.1 ext. 3 $8.9 \times 10^{13}$ 0.9 $^{-99}$ ext. 3 $3.3 \times 10^{14}$ 2.1 ext. 3 $1.5 \times 10^{14}$ 1.3 $^{-108}$ ext. 3 $2.1 \times 10^{15}$ 8.4 ext. 3 $1.5 \times 10^{14}$ 1.3 $^{-108}$ ext. 3 $2.1 \times 10^{15}$ 8.4 ext. 3 $1.5 \times 10^{14}$ 2.6 $^{-78}$ ext. 3 $1.1 \times 10^{16}$ 13.0 ext. 3 $1.2 \times 10^{14}$ 2.4 $^{-151}$ ext. 3 $4.3 \times 10^{14}$ 2.5 ext. 3 $1.4 \times 10^{14}$ 0.9 $^{-90}$ ext. 3 $3.9 \times 10^{14}$ 3.0 ext. 3 $1.5 \times 10^{17}$ 3.7 $^{-56}$ ext. 3 $6.5 \times 10^{14}$ 3.3 ext. 3 $3.5 \times 10^{14}$ 3.5 $4$ $^{-77}$ $^{-79}$ ext. 3 $4.3 \times 10^{14}$ 2.5 ext. 3 $4.5 \times 10^{14}$ 3.5 $4$ $^{-7}$ $^{-108}$ ext. 3 $4.3 \times 10^{14}$ 2.5 ext. 3 $4.5 \times 10^{14}$ 3.5 $4$ $^{-7}$ $^{-108}$ ext. 3 $4.5 \times 10^{14}$ 3.5 ext. 3 $4.5 \times 10^{14}$ 3.5 $4$ $^{-7}$ $^{-79}$ ext. 3 $5.5 \times 10^{14}$ 3.5 ext. 3 $3.2 \times 10^{14}$ 3.5 $4$ $^{-7}$ $^{-7}$		ext.	3	$2.2 \times 10^{15}$	4.0	69		ext.	3	$3.9 \times 10^{14}$	2.9	-16
ext. 3 7.6 × 10 ⁻¹³ 0.8 57 ext. 3 1.6 × 10 ⁻⁴ 0.8 ext. 3 2.8 × 10 ¹⁵ 1.1 51 ext. 3 2.8 × 10 ¹⁴ 1.7 20 ext. 3 2.8 × 10 ¹⁴ 1.1 ext. 3 4.4 × 10 ¹⁴ 0.8 82 ¹³ CS ext. 3 2.5 × 10 ¹⁴ 1.0 ext. 3 2.9 × 10 ¹⁴ 0.8 82 ¹³ CS ext. 3 1.2 × 10 ¹⁵ 1.1 ext. 3 2.9 × 10 ¹⁴ 0.8 8.2 ¹³ CS ext. 3 1.2 × 10 ¹⁵ 1.1 ext. 3 2.9 × 10 ¹⁴ 0.8 8.2 ¹³ CS ext. 3 1.2 × 10 ¹⁵ 1.1 ext. 3 2.9 × 10 ¹⁴ 1.2 -1 ext. 3 6.6 × 10 ¹⁴ 1.0 ext. 3 1.9 × 10 ¹⁴ 1.1 -16 ext. 3 6.6 × 10 ¹⁴ 1.0 ext. 3 5.5 × 10 ¹⁴ 1.3 -22 ext. 3 8.9 × 10 ¹⁴ 0.5 ext. 3 5.5 × 10 ¹⁴ 1.3 -22 ext. 3 8.9 × 10 ¹⁴ 0.5 ext. 3 5.5 × 10 ¹⁴ 1.3 -42 ext. 3 8.9 × 10 ¹⁴ 0.5 ext. 3 5.5 × 10 ¹⁴ 1.3 -42 ext. 3 8.8 × 10 ¹⁵ 8.6 ext. 3 3.6 × 10 ¹⁴ 1.0 ext. 3 5.5 × 10 ¹⁴ 1.2 -61 ext. 3 5.8 × 10 ¹⁴ 1.0 ext. 3 5.8 × 10 ¹⁴ 1.2 -61 ext. 3 5.8 × 10 ¹⁴ 1.0 ext. 3 5.8 × 10 ¹⁴ 1.2 -61 ext. 3 5.8 × 10 ¹⁴ 1.0 ext. 3 1.4 × 10 ¹⁵ 1.2 ext. 3 1.4 × 10 ¹⁴ 2.5 -80 ext. 3 3.2 × 10 ¹⁴ 2.6 ext. 3 3.2 × 10 ¹⁴ 2.1 ext. 3 1.1 × 10 ¹⁴ 1.3 -108 ext. 3 1.1 × 10 ¹⁶ 11.1 ext. 3 1.1 × 10 ¹⁶ 1.3 0 ext. 3 1.4 × 10 ¹⁵ 1.2 ext. 3 1.4 × 10 ¹⁵ 1.2 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.1 × 10 ¹⁶ 13.0 ext. 3 1.2 × 10 ¹⁴ 2.5 -76 ext. 3 3.3 × 10 ¹⁴ 3.0 ext. 3 1.2 × 10 ¹⁴ 2.5 -80 ext. 3 3.3 × 10 ¹⁴ 3.0 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.1 × 10 ¹⁶ 13.0 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.1 × 10 ¹⁶ 13.0 ext. 3 1.4 × 10 ¹⁵ 1.2 ext. 3 1.4 × 10 ¹⁵ 1.2 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.1 × 10 ¹⁶ 13.0 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.4 × 10 ¹⁵ 8.4 ext. 3 1.4 × 10 ¹⁴ 1.6 -131 ext. 3 1.1 × 10 ¹⁶ 1.1 ext. 3 1		ext.	3	$2.4 \times 10^{14}$	1.1	62		ext.	3	$1.9 \times 10^{14}$	0.8	-34
ext. 3 2.8 × 10 ¹⁴ 1.1 0.1 ext. 3 1.3 × 10 ¹⁵ 7.3 ext. 3 4.4 × 10 ¹⁴ 1.7 20 ext. 3 2.8 × 10 ¹⁴ 1.0 ext. 3 4.5 × 10 ¹⁵ 1.1.1 8 ext. 3 2.5 × 10 ¹⁴ 1.0 ext. 3 4.5 × 10 ¹⁵ 11.1 8 ext. 3 7.0 × 10 ¹² 5.5 ext. 3 2.9 × 10 ¹⁴ 0.8 82 ¹³ CS ext. 3 7.0 × 10 ¹² 5.5 ext. 3 2.9 × 10 ¹⁴ 0.8 -1 ext. 3 6.6 × 10 ¹⁴ 1.0 ext. 3 1.9 × 10 ¹⁴ 1.2 -1 ext. 3 1.9 × 10 ¹⁴ 1.1 -16 ext. 3 6.6 × 10 ¹⁴ 1.0 ext. 3 5.2 × 10 ¹⁵ 21.4 -28 ext. 3 8.7 × 10 ¹⁴ 8.9 ext. 3 5.2 × 10 ¹⁵ 21.4 -28 ext. 3 8.7 × 10 ¹⁴ 8.9 ext. 3 5.2 × 10 ¹⁵ 6.6 -50 ext. 3 8.7 × 10 ¹⁴ 8.9 ext. 3 3.4 × 10 ¹⁴ 1.2 -61 ext. 3 2.1 × 10 ¹⁴ 1.0 ext. 3 1.6 × 10 ¹⁴ 0.9 -50 ext. 3 3.3 × 10 ¹⁴ 1.0 ext. 3 1.3 × 10 ¹⁴ 1.2 -61 ext. 3 3.3 × 10 ¹⁴ 1.0 ext. 3 1.3 × 10 ¹⁴ 1.2 -91 C ³³ S ext. 3 3.3 × 10 ¹³ 1.0 ext. 3 1.3 × 10 ¹⁴ 1.3 -108 ext. 3 1.1 × 10 ¹⁶ 1.1 ext. 3 1.3 × 10 ¹⁴ 1.2 -91 C ³³ S ext. 3 3.2 × 10 ¹⁴ 2.6 ext. 3 1.1 × 10 ¹⁴ 2.5 -80 ext. 3 3.1 × 10 ¹⁴ 1.0 ext. 3 1.3 × 10 ¹⁴ 1.2 -91 C ³³ S ext. 3 3.2 × 10 ¹⁴ 2.6 ext. 3 1.1 × 10 ¹⁵ 4.0 -96 ext. 3 1.1 × 10 ¹⁶ 1.1 ext. 3 1.5 × 10 ¹⁴ 1.3 -108 ext. 3 1.1 × 10 ¹⁶ 1.0 ext. 3 1.5 × 10 ¹⁴ 2.5 160 ext. 3 3.1 × 10 ¹⁴ 2.1 ext. 3 1.5 × 10 ¹⁴ 1.3 -108 ext. 3 1.1 × 10 ¹⁶ 1.0 ext. 3 1.5 × 10 ¹⁴ 2.5 160 ext. 3 3.1 × 10 ¹⁴ 2.6 ext. 3 1.5 × 10 ¹⁴ 1.3 -108 ext. 3 1.1 × 10 ¹⁶ 13.0 ext. 3 1.5 × 10 ¹⁴ 2.5 160 ext. 3 3.1 × 10 ¹⁵ 1.4 ext. 3 1.5 × 10 ¹⁴ 3.2 99 ext. 3 3.1 × 10 ¹⁵ 1.8 ext. 3 1.5 × 10 ¹⁴ 3.2 99 ext. 3 3.1 × 10 ¹⁶ 13.0 ext. 3 1.5 × 10 ¹⁴ 3.1 2 60 ext. 3 3.1 × 10 ¹⁶ 8.3 ext. 3 1.2 × 10 ¹⁴ 2.4 -151 ext. 3 4.0 × 10 ¹⁴ 2.7 ext. 3 4.6 × 10 ¹² 0.7 106 ext. 3 9.8 × 10 ¹⁴ 3.3 ext. 3 1.5 × 10 ¹⁴ 3.2 39 ext. 3 9.8 × 10 ¹⁴ 4.5 ext. 3 9.4 × 10 ¹⁴ 3.5 4 ext. 3 9.4 × 10 ¹⁴ 3.5 ext. 3 9.4		ext.	3	$7.6 \times 10^{13}$	0.8	57		ext.	3	$1.6 \times 10^{14}$	0.8	-25
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.8 \times 10^{15}$	1.1	51		ext.	3	$1.3 \times 10^{13}$	7.3	-30
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 2	$2.7 \times 10^{-3}$	1.8	30 20		ext.	3 3	$2.8 \times 10^{-1}$ $2.5 \times 10^{14}$	1.1	-00 120
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	$1.7 \times 10^{14}$	1.7	20 82	$^{13}CS$	ext.	3	$1.2 \times 10^{15}$	1.0	-120
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.5 \times 10^{15}$	11.1	8	05	ext.	3	$7.0 \times 10^{12}$	5.5	143
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.9 \times 10^{14}$	0.8	-1		ext.	3	$6.5 \times 10^{14}$	6.2	142
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.1 \times 10^{14}$	1.2	-1		ext.	3	$6.6 \times 10^{14}$	1.0	129
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.9 \times 10^{14}$	1.1	-16		ext.	3	$1.8 \times 10^{13}$	0.2	11
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$2.5 \times 10^{14}$	1.3	-22		ext.	3	$8.9 \times 10^{14}$	0.5	83
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.2 \times 10^{15}$	21.4	-28		ext.	3	$8.7 \times 10^{14}$	8.9	76
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$5.5 \times 10^{14}$	1.3	-42		ext.	3	$4.8 \times 10^{15}$	8.6	55
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.0 \times 10^{13}$	6.6	-50		ext.	3	$2.1 \times 10^{14}$	1.0	46
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	$3.4 \times 10^{11}$	1.2	-01		ext.	ა ი	$3.8 \times 10^{-1}$	1.0	-104 152
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	$1.0 \times 10^{14}$	0.9	-30		ext.	ა ვ	$1.4 \times 10^{-1}$ $3.3 \times 10^{13}$	1.2	-155
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.3 \times 10^{14}$	1.2	-91	$C^{33}S$	ext.	3	$3.2 \times 10^{14}$	2.6	-175
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.1 \times 10^{15}$	4.0	-96	0 0	ext.	3	$1.1 \times 10^{16}$	11.1	-159
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.9 \times 10^{13}$	0.9	-99		ext.	3	$1.1 \times 10^{14}$	2.1	-136
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.5 \times 10^{14}$	1.3	-108		ext.	3	$3.3 \times 10^{14}$	3.0	-121
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{14}$	1.6	-131		ext.	3	$1.1 \times 10^{16}$	13.0	-101
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12	ext.	3	$1.2 \times 10^{14}$	2.4	-151		ext.	3	$2.1 \times 10^{15}$	8.4	-74
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	¹³ CO	ext.	3	$5.0 \times 10^{14}$	2.5	160		ext.	3	$7.8 \times 10^{14}$	2.5	-49
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.1 \times 10^{12}$	0.7	106		ext.	3	$8.1 \times 10^{13}$	11.8	-44
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	$4.6 \times 10^{-2}$	0.9	100		ext.	ა ი	$4.0 \times 10^{-1}$	2.1	(4 102
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3 3	$4.3 \times 10^{14}$	2.6	78		ext.	3	$6.6 \times 10^{15}$	7.5	105
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.2 \times 10^{15}$	5.7	76	$C^{34}S$	ext.	3	$1.1 \times 10^{15}$	8.5	-72
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$1.4 \times 10^{16}$	31.2	60	0 0	ext.	3	$3.9 \times 10^{14}$	3.3	-50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.5 \times 10^{17}$	3.7	56		ext.	3	$5.4 \times 10^{14}$	2.8	-42
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$3.5 \times 10^{14}$	3.2	39		ext.	3	$9.4 \times 10^{14}$	5.6	-32
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$4.1 \times 10^{12}$	17.0	13		ext.	3	$4.3 \times 10^{14}$	2.5	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$9.4 \times 10^{13}$	6.5	8		ext.	3	$9.8 \times 10^{14}$	6.7	27
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	017.0	ext.	3	$4.9 \times 10^{14}$	3.5	4		ext.	3	$6.5 \times 10^{14}$	3.3	40
ext.       3 $3.2 \times 10^{14}$ $3.2$ $-138$ ext. $3$ $9.9 \times 10^{14}$ $3.1$ ext.       3 $3.2 \times 10^{14}$ $2.7$ $-108$ ext. $3$ $3.7 \times 10^{15}$ $6.6$ ext.       3 $3.2 \times 10^{14}$ $2.7$ $-44$ ext. $3$ $1.0 \times 10^{15}$ $5.6$ ext.       3 $10.0 \times 10^{13}$ $2.7$ $-39$ ext. $3$ $5.1 \times 10^{14}$ $2.5$ ext.       3 $2.7$ $2$ ext. $3$ $1.6 \times 10^{14}$ $2.5$	$C^{1}O$	ext.	3	$3.2 \times 10^{15}$	18.2	-144		ext.	3	$1.2 \times 10^{16}$	5.2	52
ext.       3 $3.2 \times 10^{1-2}$ $2.7$ $-108$ ext. $3$ $3.7 \times 10^{15}$ $6.6$ ext.       3 $3.2 \times 10^{14}$ $2.7$ $-44$ ext. $3$ $1.0 \times 10^{15}$ $5.6$ ext.       3 $10.0 \times 10^{13}$ $2.7$ $-39$ ext. $3$ $5.1 \times 10^{14}$ $2.5$ ext.       3 $2.7 \times 10^{14}$ $2.7$ $2$ ext. $3$ $1.6 \times 10^{14}$ $2.5$		ext.	3	$3.2 \times 10^{14}$	3.2	-138		ext.	3	$9.9 \times 10^{14}$	3.1	62 70
ext.       3 $5.2 \times 10^{-2}$ $2.7$ $-44$ ext. $3$ $1.0 \times 10^{10^{-5}}$ $5.6$ ext. $3$ $10.0 \times 10^{14}$ $2.7$ $-39$ ext. $3$ $5.1 \times 10^{14}$ $2.5$ ext. $3$ $2.0 \times 10^{14}$ $2.7$ $2$ ext. $3$ $5.1 \times 10^{14}$ $2.5$		ext.	3	$3.2 \times 10^{14}$	2.7	-108		ext.	პ ი	$3.7 \times 10^{15}$ 1.0 $\times 10^{15}$	0.0 5.6	70 09
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	$3.2 \times 10^{-1}$ 10.0 $\times 10^{13}$	$\frac{2.1}{2.7}$	-44 _20		ext.	ა ვ	$5.0 \times 10^{10}$	0.0 9.5	00 05
		ext.	3	$3.2 \times 10^{14}$	2.7	-39		ext.	3	$1.6 \times 10^{14}$	$\frac{2.5}{2.5}$	90 109
ext. 3 $10.0 \times 10^{13}$ 2.7 36 ext. 3 $9.8 \times 10^{14}$ 6.7		ext.	3	$10.0 \times 10^{13}$	2.7	$\frac{-2}{36}$		ext.	3	$9.8 \times 10^{14}$	6.7	114
ext. $3  3.2 \times 10^{15}  8.8  49$ ext. $3  1.1 \times 10^{16}  5.9$		ext.	3	$3.2 \times 10^{15}$	8.8	49		ext.	3	$1.1 \times 10^{16}$	5.9	144
ext. 3 $3.0 \times 10^{16}$ 4.4 55 HCN ext. 3 $4.1 \times 10^{12}$ 2.2		ext.	3	$3.0 \times 10^{16}$	4.4	55	HCN	ext.	3	$4.1 \times 10^{12}$	2.2	147
ext. 3 $3.2 \times 10^{15}$ 12.2 73 ext. 3 $3.8 \times 10^{12}$ 2.6		ext.	3	$3.2 \times 10^{15}$	12.2	73		ext.	3	$3.8 \times 10^{12}$	2.6	136
ext. 3 $10.0 \times 10^{13}$ 2.7 86 ext. 3 $1.0 \times 10^{13}$ 3.6		ext.	3	$10.0~\times10^{13}$	2.7	86		ext.	3	$1.0~\times 10^{13}$	3.6	117
ext. 3 $10.0 \times 10^{14}$ 6.8 126 ext. 3 $4.6 \times 10^{12}$ 2.1		ext.	3	$10.0 \times 10^{14}$	6.8	126		ext.	3	$4.6 \times 10^{12}$	2.1	100
ext. 3 $10.0 \times 10^{14}$ 11.9 151 ext. 3 $2.2 \times 10^{14}$ 7.1	c19 c	ext.	3	$10.0 \times 10^{14}$	11.9	151		ext.	3	$2.2 \times 10^{14}$	7.1	86
C ¹⁰ O       ext.       3 $4.1 \times 10^{10}$ $14.2$ $-142$ ext.       3 $1.2 \times 10^{14}$ $0.3$	C180	ext.	3	$4.1 \times 10^{15}$	14.2	-142		ext.	3	$1.2 \times 10^{14}$	0.3	79

T. Möller <i>et al.</i> : Full molecular line survey of hot cores	5. Online Material p 210
1. Moner et au. 1 un morecular mile survey of not core.	s, one much u p are

		(C	ontinued)					(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	(**) evt	(K) 3	$\frac{(\text{cm}^{-})}{4.6 \times 10^{12}}$	(km s ⁻¹ )	$\frac{(\text{km s}^{-1})}{42}$	H_34S	$\frac{(^{(n)})}{0.7}$	(K) 149	$\frac{(\text{cm}^2)}{1.2 \times 10^{16}}$	(km s ⁻¹ )	(km s ⁻¹ )
	ext.	3	$2.4 \times 10^{13}$	2.5	16	CN	0.7	70	$9.3 \times 10^{13}$	2.0	-57
	ext.	3	$1.1 \times 10^{13}$	3.0	9		0.7	80	$5.3 \times 10^{12}$	2.9	-102
	ext.	3	$6.3 \times 10^{12}$	1.3	-13	CCH	0.7	180	$1.5 \times 10^{16}$	2.9	55
	ext.	3	$4.7 \times 10^{12}$	2.1	-27	HCCCN	0.7	46	$1.1 \times 10^{15}$	3.1	55
	ext.	3	$4.2 \times 10^{12}$	2.2	-43		0.7	41	$1.8 \times 10^{15}$	3.4	53
	ext.	3	$1.1 \times 10^{13}$	1.0	-66	CH ₃ OH	0.7	255	$4.9 \times 10^{15}$	1.6	55
	ext.	3	$7.1 \times 10^{12}$	6.0	-74	$SO_2$	0.7	200	$1.4 \times 10^{12}$	3.0	60
	ext.	ა ა	$1.0 \times 10^{-2}$	0.2	-()	510	0.7	70 69	$1.3 \times 10^{-2}$ 2.5 × 10 ¹⁴	3.0 6.0	00 55
	ext.	२ २	$4.2 \times 10^{12}$	1.4	-105	NHaD	0.7	08 79	$2.5 \times 10$ 1.9 × 10 ¹³	0.2	55
$\rm H^{13}CN$	ext.	3	$1.4 \times 10^{13}$	3.6	157	HNCO	0.7	259	$2.3 \times 10^{12}$	7.7	63
-	ext.	3	$9.2 \times 10^{12}$	3.1	129	$H_2CCN$	0.7	205	$2.4 \times 10^{14}$	4.0	64
	ext.	3	$8.1 \times 10^{12}$	2.3	93	ĊŌ	0.7	200	$2.2 \times 10^{16}$	0.4	156
	ext.	3	$3.5 \times 10^{12}$	0.9	82		0.7	200	$2.1 \times 10^{16}$	2.6	123
	ext.	3	$2.2 \times 10^{13}$	2.8	77		0.7	200	$1.3 \times 10^{16}$	1.6	133
	ext.	3	$2.6 \times 10^{12}$	1.0	71		0.7	200	$2.9 \times 10^{17}$	2.8	105
	ext.	3	$2.3 \times 10^{13}$	1.8	65		0.7	200	$2.3 \times 10^{17}$	1.3	80
	ext.	3	$3.1 \times 10^{12}$	2.3	57		0.7	200	$3.2 \times 10^{15}$	1.0	-16
	ext.	3	$1.4 \times 10^{12}$	0.8	4		0.7	200	$1.4 \times 10^{10}$ 7.2 × 10 ¹³	1.0	28
	ext.	3 2	$1.1 \times 10^{10}$ $2.5 \times 10^{12}$	2.0 1.1	-1 18		0.7	200	$7.2 \times 10^{10}$ $2.7 \times 10^{16}$	1.0	41 110
	ext.	3 3	$4.1 \times 10^{16}$	0.1	-10	$^{13}CO$	0.7	200	$2.7 \times 10^{-15}$ 9.8 × 10 ¹⁵	2.0	-119
	ext.	3	$1.1 \times 10^{13}$	4.6	-37	00	0.7	200	$6.4 \times 10^{15}$	3.4	142
	ext.	3	$5.9 \times 10^{12}$	1.1	-43		0.7	200	$1.6 \times 10^{16}$	1.5	135
	ext.	3	$3.7 \times 10^{12}$	1.1	-57		0.7	200	$5.2 \times 10^{15}$	1.1	37
	ext.	3	$3.9 \times 10^{12}$	2.1	-120		0.7	200	$6.1 \times 10^{16}$	2.8	105
	ext.	3	$4.3 \times 10^{12}$	1.4	-147		0.7	200	$6.4 \times 10^{17}$	2.8	89
	ext.	3	$2.0 \times 10^{12}$	1.3	-152		0.7	200	$7.0 \times 10^{17}$	2.8	83
	ext.	3	$3.4 \times 10^{12}$	2.2	-171		0.7	200	$3.4 \times 10^{17}$	1.0	56
IING	ext.	3	$2.7 \times 10^{12}$	0.7	-181		0.7	200	$2.7 \times 10^{18}$	1.0	51
HNC	ext.	3	$8.4 \times 10^{12}$	1.2	135		0.7	200	$4.0 \times 10^{10}$	0.8	14
	ext.	3 2	$3.6 \times 10^{-2}$ $7.4 \times 10^{12}$	2.3	127		0.7	200	$2.0 \times 10^{-5}$	1.3	8 5
	ext.	3	$5.3 \times 10^{12}$	2.0	114	$C^{17}O$	0.7	200	$9.9 \times 10^{14}$	2.7	-180
	ext.	3	$6.2 \times 10^{12}$	5.0	109	0 0	0.7	200	$3.2 \times 10^{15}$	2.9	-164
	ext.	3	$1.5 \times 10^{13}$	5.1	95		0.7	200	$1.0 \times 10^{16}$	3.8	-156
	ext.	3	$1.5 \times 10^{13}$	3.7	86		0.7	200	$3.2 \times 10^{15}$	2.7	-148
	ext.	3	$2.5 \times 10^{12}$	0.9	74		0.7	200	$3.1 \times 10^{15}$	2.7	-130
	ext.	3	$2.7 \times 10^{12}$	0.2	57		0.7	200	$10.0 \times 10^{15}$	7.1	-122
	ext.	3	$4.4 \times 10^{13}$	1.3	52		0.7	200	$10.0 \times 10^{15}$	3.5	-98
	ext.	3	$3.7 \times 10^{13}$	5.9	46		0.7	200	$3.1 \times 10^{15}$	2.7	-84
	ext.	3	$2.7 \times 10^{12}$	0.7	37		0.7	200	$1.1 \times 10^{10}$	2.8	-47
	ext.	ა ე	$3.7 \times 10^{12}$	2.0	27		0.7	200	$3.2 \times 10^{10}$	1.7	-30 02
	ext.	3 3	$9.8 \times 10$ $3.7 \times 10^{12}$	1.1	17		0.7	200	$1.0 \times 10^{16}$	0.1	-23
	ext.	3	$1.9 \times 10^{12}$	0.2	7		0.7	200	$3.1 \times 10^{15}$	2.7	9
	ext.	3	$4.2 \times 10^{12}$	1.5	-151		0.7	200	$9.9 \times 10^{15}$	10.2	107
	ext.	3	$1.2 \times 10^{12}$	1.3	-149		0.7	200	$5.2 \times 10^{17}$	3.3	54
	ext.	3	$3.5 \times 10^{12}$	1.2	-169		0.7	200	$3.3 \times 10^{16}$	6.6	86
$\rm HN^{13}C$	ext.	3	$2.8 \times 10^{13}$	34.8	7		0.7	200	$1.0 \times 10^{16}$	7.1	97
10	ext.	3	$3.1 \times 10^{13}$	4.7	55		0.7	200	$1.0 \times 10^{16}$	7.1	105
$H^{13}CO^+$	ext.	3	$8.2 \times 10^{12}$	1.4	63		0.7	200	$7.5 \times 10^{15}$	2.7	134
uo13a±	ext.	3	$3.0 \times 10^{13}$	3.5	55		0.7	200	$3.2 \times 10^{13}$	2.2	145
HOPOCT	ext.	3	$5.6 \times 10^{12}$	4.6	47	$C^{18}O$	0.7	200	$1.0 \times 10^{10}$	3.1	150
	ext.	3 2	$1.1 \times 10^{-2}$ 2.3 × 10^{13}	0.4	43	00	0.7	200	$2.2 \times 10^{-5}$ 2.2 × 10 ¹⁵	2.1	-104 150
	ext.	5	2.3 × 10	2.0	25		0.7	200	$2.2 \times 10^{15}$ 8.5 × 10 ¹⁵	2.1 2.7	-109
							0.7	200	$8.0 \times 10^{15}$	2.7	-44
							0.7	200	$4.9 \times 10^{15}$	1.1	-30
blo T 40. 1	ת ידידיו	nomat	ma for the	ալլու	and Carr		0.7	200	$8.8~{\times}10^{14}$	2.7	-4
але 1.49: 1	ыты Ра ) far i		of in Court	uii LIE ll の(M)	iodei (Core		0.7	200	$6.8~{\times}10^{14}$	2.7	-20
omponents	) for so	ource A	20 m Sgr E	$\mathcal{D}_{2}(\mathbb{N}_{1}).$			0.7	200	$1.1 \times 10^{16}$	3.4	-14
							0.7	200	$7.1 \times 10^{15}$	2.3	-6
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{\overline{m,c}}$	v _{LSR}		0.7	200	$1.8 \times 10^{15}$	2.7	30
	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$		0.7	200	$1.9 \times 10^{18}$	3.9	54

200

200

200

200

200

200

 $\begin{array}{c} 1.9 \times 10^{18} \\ 8.1 \times 10^{16} \\ 1.5 \times 10^{17} \\ 8.5 \times 10^{15} \\ 8.2 \times 10^{15} \\ 1.6 \times 10^{16} \\ 1.4 \times 10^{15} \end{array}$ 

0.7

0.7

0.7

0.7

 $0.7 \\ 0.7$ 

3.1

3.0

4.2

2.7

7.3

2.7

82

89

98

106

121

164

Table L.49: LTE Parameters for the full LTE model (Core Components) for source A25 in Sgr B2(M).

Molecule	$ extstyle  heta^{m,c} \ ('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$\stackrel{\mathrm{N}^{m,c}_{\mathrm{tot}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta  \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
$H_2CS$	0.7	77	$1.2 \times 10^{16}$	5.5	54

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 211

(Continued)							
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{o}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}		
~~~	('')	(K)	$(cm^{-2})$	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$		
CS	0.7	200	1.5×10^{13}	32.5	114		
	0.7	200	1.3×10 5.0 × 10 ¹³	0.8	105		
	0.7	200	3.1×10^{14}	0.9	50 61		
	0.7	200	7.5×10^{14}	1.1	56		
	0.7	200	1.1×10^{15}	8.9	48		
	0.7	200	2.3×10^{14}	4.6	24		
	0.7	200	1.8×10^{13}	0.3	17		
	0.7	200	1.2×10^{14}	2.4	14		
	0.7	200	6.5×10^{13}	1.4	8		
	0.7	200	1.3×10 4.2×10^{14}	4.2	-0 -16		
	0.7	200	5.7×10^{13}	2.4	-38		
	0.7	200	2.0×10^{13}	0.6	-44		
	0.7	200	1.9×10^{14}	4.2	-51		
	0.7	200	3.9×10^{14}	11.2	-65		
	0.7	200	3.8×10^{13}	1.5	-77		
	0.7	200	2.3×10^{13}	0.8	-80		
	0.7	200	4.1×10^{14}	4.3	-88		
	0.7	200	1.0×10^{-5} 8.0 × 10^{12}	0.5	-95 -08		
	0.7	200	1.2×10^{15}	0.9	-101		
	0.7	200	2.1×10^{13}	1.0	-112		
	0.7	200	4.2×10^{12}	0.7	-110		
	0.7	200	4.1×10^{14}	2.9	-118		
	0.7	200	2.9×10^{14}	2.3	-126		
	0.7	200	1.7×10^{13}	0.9	-20		
	0.7	200	4.9×10^{13}	1.3	-136		
	0.7	200	2.5×10^{-5} 2.2×10^{13}	1.2	-142 140		
^{13}CS	0.7	200	1.4×10^{13}	8.2	156		
05	0.7	200	1.0×10^{12}	1.0	$150 \\ 153$		
	0.7	200	4.9×10^{12}	1.0	146		
	0.7	200	1.1×10^{12}	2.6	136		
	0.7	200	2.0×10^{13}	1.0	123		
	0.7	200	1.4×10^{14}	1.3	115		
	0.7	200	9.4×10^{12}	2.6	106		
	0.7	200	8.3×10^{13} 1 1 $\times 10^{14}$	4.4	80 76		
	0.7	$\frac{200}{200}$	3.0×10^{15}	5.8	70 54		
	0.7	200	7.8×10^{13}	4.2	25		
	0.7	200	6.0×10^{13}	3.2	11		
	0.7	200	4.4×10^{13}	1.0	-12		
	0.7	200	2.6×10^{14}	1.0	-21		
	0.7	200	1.7×10^{14}	1.1	-26		
	0.7	200	1.3×10^{13}	2.6	-33		
	0.7	200	6.0×10^{13}	2.7	-39		
	0.7	200	1.5×10^{14}	2.3	-69		
	0.7	200	6.5×10^{13}	1.0	-74		
	0.7	200	5.7×10^{13}	31.9	-79		
	0.7	200	8.9×10^{13}	2.3	-88		
	0.7	200	3.4×10^{13}	1.0	-103		
	0.7	200	1.7×10^{14}	1.1	-113		
	0.7	200	6.2×10^{13}	1.1	-126		
	0.7	200	8.0×10^{-2}	2.0	-142		
	0.7	$\frac{200}{200}$	7.7×10^{13}	1.1	-143		
	0.7	200	1.7×10^{13}	1.6	-168		
	0.7	200	5.6×10^{12}	0.9	-178		
	0.7	200	6.1×10^{12}	2.3	-181		
HCN	0.7	200	2.7×10^{14}	11.2	61		
	0.7	200	1.1×10^{14}	4.0	35		
	0.7	200	6.1×10^{13}	0.5	29 17		
	0.7	200	2.1×10^{13} 1.8 $\times 10^{12}$	2.0	17 6		
	0.7	$200 \\ 200$	2.5×10^{12}	4.4	4		
	0.7	200	1.6×10^{12}	1.4	-1		
	0.7	200	5.4×10^{12}	2.4	-43		
10	0.7	200	2.8×10^{12}	1.3	-88		
$\rm H^{13}CN$	0.7	200	2.9×10^{14}	7.3	59		
	0.7	200	4.0×10^{12}	5.6	67		

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL GD
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	0.7	200	1.7×10^{12}	4.4	27
	0.7	200	1.3×10^{12}	2.8	21
	0.7	200	6.4×10^{12}	0.5	12
	0.7	200	1.4×10^{12}	1.3	-42
	0.7	200	6.1×10^{12}	4.1	-13
	0.7	200	1.8×10^{12}	0.2	-26
	0.7	200	2.6×10^{12}	2.1	-31
	0.7	200	3.0×10^{12}	1.7	-70
	0.7	200	1.4×10^{12}	2.0	-82
	0.7	200	1.0×10^{12}	2.2	-152
	0.7	200	1.5×10^{12}	1.5	-98
	0.7	200	1.9×10^{12}	0.9	-105
	0.7	200	1.9×10^{12}	0.4	-109
	0.7	200	1.1×10^{12}	1.1	-129
HNC	0.7	200	7.1×10^{13}	2.1	90
	0.7	200	2.4×10^{12}	26.3	41
	0.7	200	2.3×10^{14}	1.7	34
	0.7	200	2.6×10^{13}	2.2	13
	0.7	200	1.4×10^{13}	1.1	6
	0.7	200	2.1×10^{13}	2.1	0
	0.7	200	4.1×10^{12}	1.2	-31
	0.7	200	1.4×10^{13}	1.2	-60
	0.7	200	1.0×10^{12}	1.0	-90
	0.7	200	9.1×10^{13}	1.0	-145
	0.7	200	7.7×10^{12}	1.5	-160
	0.7	200	4.0×10^{12}	0.7	-164
$\rm HN^{13}C$	0.7	200	7.2×10^{13}	2.8	-173
	0.7	200	9.1×10^{13}	2.6	-168
	0.7	200	1.6×10^{14}	6.5	-146
	0.7	200	6.8×10^{13}	3.2	-120
	0.7	200	7.1×10^{13}	2.7	-103
	0.7	200	9.0×10^{13}	3.2	-89
	0.7	200	4.1×10^{13}	7.0	-67
	0.7	200	5.8×10^{13}	4.0	-58
	0.7	200	4.4×10^{13}	5.5	-32
	0.7	200	1.2×10^{14}	5.8	-21
	0.7	200	1.0×10^{14}	6.9	11
	0.7	200	1.9×10^{13}	5.3	20
	0.7	200	2.2×10^{14}	4.7	53
	0.7	200	1.9×10^{14}	5.8	78
	0.7	200	5.2×10^{13}	3.1	87
	0.7	200	7.4×10^{13}	5.4	96
	0.7	200	3.4×10^{13}	5.3	105
	0.7	200	1.9×10^{14}	16.7	155
H ¹³ CO ⁺	0.7	200	3.3×10^{14}	5.0	55

Table L.50: LTE Parameters for the full LTE model (Envelope Components) for source A25 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
PH_3	ext.	10	1.6×10^{14}	3.0	54
$HC(O)NH_2$	ext.	19	7.7×10^{16}	6.7	60
CN	ext.	3	1.3×10^{13}	1.8	133
	ext.	3	6.6×10^{13}	2.3	77
	ext.	3	2.1×10^{13}	1.6	64
	ext.	8	1.0×10^{13}	2.0	-78
	ext.	9	2.7×10^{12}	0.2	-92
SO	ext.	17	1.9×10^{17}	4.4	64
	ext.	15	1.3×10^{13}	1.1	64
CH_2NH	ext.	4	7.6×10^{12}	2.2	75
	ext.	3	3.1×10^{12}	1.3	61
HCCCN	ext.	17	1.5×10^{18}	5.9	62
CH ₃ OH	ext.	11	7.8×10^{14}	1.3	49

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	p 212
1. Moner et al. I un morecular mic survey of not cores,	OTHERE	111 0001 0000	p 212

		(C	ontinued)					(C	ontinued)		
Molecule	$\theta^{m,c}$ (")	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$\begin{array}{c} \mathrm{N}_{\mathrm{tot}}^{m,c} \ (\mathrm{cm}^{-2}) \end{array}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$rac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecul	e $\theta^{m,c}$ (")	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\begin{array}{c} \mathrm{N}_{\mathrm{tot}}^{m,c} \\ (\mathrm{cm}^{-2}) \end{array}$	$\frac{\Delta \mathrm{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
	ext.	11	2.8×10^{15}	3.4	46		ext.	3	7.1×10^{13}	2.7	-162
SO_2	ext.	19	2.2×10^{18}	3.4	66		ext.	3	2.0×10^{15}	8.3	-146
	ext.	20	1.4×10^{19}	2.2	62 54		ext.	3	6.8×10^{14}	6.2	-137
HCS '	ext.	27	2.5×10^{13} 6.4 $\times 10^{13}$	2.7	54 65		ext.	ა ვ	2.2×10^{11} 6.8 × 10 ¹⁴	2.9	-110 102
510	ext.	6	2.4×10^{14}	0.8 6.5	43		ext.	3	2.6×10^{14}	2.0	-102
CH ₃ CN	ext.	18	3.8×10^{16}	3.8	40 67		ext.	3	2.8×10^{15}	12.5	-71
01-9 01-1	ext.	10	1.3×10^{12}	2.0	62		ext.	3	1.5×10^{14}	2.7	-34
	ext.	19	4.0×10^{17}	3.9	62		ext.	3	4.4×10^{13}	0.8	-36
H_2CO	ext.	24	3.5×10^{16}	2.2	54		ext.	3	1.7×10^{14}	2.7	-22
	ext.	4	6.4×10^{13}	4.3	67		ext.	3	2.2×10^{14}	2.7	2
UNCO	ext.	8	4.5×10^{14}	3.0	46		ext.	3	2.0×10^{14}	2.7	10
HNCO U. CCN	ext.	10	1.2×10^{13}	4.0	58		ext.	3	9.6×10^{15}	3.2	24
$H_2 CUN$	ext.	10	0.3×10^{-1}	$\frac{4.0}{7.0}$	64		ext.	ა ვ	1.3×10^{-5} 0.3 × 10 ¹⁴	3.0 3.4	30 46
011311112	ext.	8	3.6×10^{14}	8.1	61		ext	3	1.5×10^{16}	12.3	40 65
СО	ext.	3	5.7×10^{14}	2.3	162		ext.	3	1.2×10^{15}	3.2	75
	ext.	3	1.6×10^{15}	2.8	136		ext.	3	2.3×10^{15}	17.9	103
	ext.	3	4.8×10^{15}	1.2	96		ext.	3	1.5×10^{15}	6.4	139
	ext.	3	5.4×10^{15}	8.5	92		ext.	3	3.6×10^{14}	2.2	145
	ext.	3	7.4×10^{15}	2.6	77		ext.	3	8.9×10^{13}	2.7	163
	ext.	3	3.3×10^{15}	1.9	59	\mathbf{CS}	ext.	3	4.2×10^{15}	7.0	99
	ext.	3	8.5×10^{15}	2.1	53		ext.	3	4.4×10^{13}	3.0	93
	ext.	ა ე	2.0×10^{10}	3.1	43		ext.	ა ე	1.9×10^{11}	5.3 6 1	80 70
	ext.	3 3	1.8×10^{15}	0.5	-05 -05		ext.	ა ვ	2.4×10 3.4×10^{14}	0.1	14 66
	ext.	3	8.7×10^{15}	6.6	19		ext.	3	1.8×10^{16}	3.6	45
	ext.	3	1.4×10^{15}	0.9	7		ext.	3	1.8×10^{15}	1.1	38
	ext.	3	8.4×10^{14}	0.9	2		ext.	3	9.6×10^{14}	1.0	-71
	ext.	3	9.0×10^{14}	1.1	6		ext.	3	5.0×10^{15}	3.8	-170
	ext.	3	2.0×10^{15}	1.3	-8	10	ext.	3	3.5×10^{14}	0.6	-174
	ext.	3	5.8×10^{15}	3.2	-23	^{13}CS	ext.	3	8.7×10^{14}	1.1	144
	ext.	3	9.0×10^{14}	1.3	-26		ext.	3	8.7×10^{14}	1.0	140
	ext.	3	4.9×10^{10}	4.4	-45 15		ext.	3	7.1×10^{14}	1.4	128
	ext.	3 3	1.2×10^{-5} 2.3 × 10 ¹⁵	1.1	-15 -71		ext.	ა ვ	2.3×10^{-5} 6.2 × 10 ¹⁵	1.0	65
	ext.	3	4.3×10^{15}	2.6	-71		ext.	3	3.4×10^{15}	2.6	46
	ext.	3	4.9×10^{14}	1.0	-86		ext.	3	4.1×10^{14}	1.0	37
	ext.	3	2.5×10^{14}	0.6	-101		ext.	3	1.3×10^{15}	2.5	26
	ext.	3	5.4×10^{15}	1.9	-96		ext.	3	7.1×10^{14}	17.3	-5
	ext.	3	1.2×10^{15}	1.1	-105		ext.	3	4.5×10^{14}	6.2	-47
	ext.	3	4.9×10^{15}	2.6	-113		ext.	3	7.3×10^{14}	1.3	-51
	ext.	3	4.2×10^{15}	2.6	-127		ext.	3	2.5×10^{13}	1.1	-96
	ext.	- ろ - 9	1.4×10^{15} 1.0 × 10 ¹⁵	2.6	-150 171		ext.	ა ა	5.5×10^{14}	0.8	-100 124
	ext.	3 3	2.8×10^{14}	1.1	-171		ext.	3	1.1×10^{-11} 1.4×10^{15}	1.1	-134
^{13}CO	ext.	3	6.1×10^{15}	2.7	75		ext.	3	2.3×10^{15}	1.0	-158
	ext.	3	4.7×10^{15}	3.2	65	HCN	ext.	3	2.8×10^{13}	5.0	119
	ext.	3	3.3×10^{14}	1.0	60		ext.	3	5.8×10^{13}	5.0	100
	ext.	3	2.5×10^{12}	3.1	55		ext.	3	2.1×10^{13}	2.7	92
	ext.	3	2.6×10^{15}	2.4	51		ext.	3	2.6×10^{12}	0.8	89
	ext.	3	1.3×10^{13}	2.0	35		ext.	3	4.9×10^{13}	2.0	77
	ext.	3	2.6×10^{10}	2.0	164		ext.	3	6.1×10^{12}	14.0	72
$C^{17}O$	ext.	3 3	4.7×10 3.1×10^{14}	$1.0 \\ 2.7$	-178		ext.	ა ვ	4.0×10^{-12}	2.0	03 58
0 0	ext.	3	9.9×10^{13}	2.7	-167		ext.	3	1.0×10^{12}	3.4	54
	ext.	3	9.9×10^{13}	2.7	-134		ext.	3	4.6×10^{13}	1.9	49
	ext.	3	3.1×10^{14}	3.6	-135		ext.	3	1.2×10^{12}	3.0	59
	ext.	3	3.1×10^{14}	3.6	-106		ext.	3	1.8×10^{12}	0.7	23
	ext.	3	9.9×10^{13}	19.1	-87		ext.	3	4.5×10^{12}	2.3	22
	ext.	3	9.5×10^{14}	4.3	-68		ext.	3	8.0×10^{12}	0.8	4
	ext.	3	3.1×10^{14}	2.7	-55		ext.	3	6.2×10^{12}	1.6	-36
	ext.	3	9.3×10^{14}	7.1	-42		ext.	3	9.1 $\times 10^{13}$	26.2 15.7	-107
	ext.	ა ვ	3.2×10^{13} 9.6 $\times 10^{14}$	2.9 7 7	-34 -15		ext.	ა ვ	3.0×10^{12}	10.1 14	-107 -110
	ext.	3 3	1.1×10^{15}	2.8	-15 30		ext.	3 3	3.2×10^{12}	1.4	-110
	ext.	3	2.5×10^{15}	6.0	44	$\rm H^{13}CN$	ext.	3	1.2×10^{12}	0.6	136
	ext.	3	4.1×10^{15}	5.5	68		ext.	3	1.5×10^{14}	23.0	139
	ext.	3	3.2×10^{14}	2.8	92		ext.	3	5.1×10^{12}	5.0	117
	ext.	3	3.1×10^{14}	2.9	116		ext.	3	6.5×10^{12}	0.8	93
1.0	ext.	3	9.6×10^{14}	5.7	129		ext.	3	4.4×10^{13}	7.0	74
C ¹⁸ O	ext.	3	7.3×10^{14}	3.4	-178		ext.	3	1.2×10^{12}	0.5	113

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 213

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
	ext.	3	1.3×10^{12}	0.3	59				
	ext.	3	2.0×10^{12}	22.0	56				
	ext.	3	3.4×10^{13}	0.5	43				
	ext.	3	4.4×10^{12}	2.0	-18				
	ext.	3	1.2×10^{13}	1.5	-11				
	ext.	3	6.0×10^{12}	1.1	-41				
	ext.	3	1.9×10^{12}	1.1	-133				
	ext.	3	1.8×10^{12}	2.2	-152				
	ext.	3	2.6×10^{13}	1.1	-161				
HNC	ext.	3	3.0×10^{12}	0.8	123				
	ext.	3	3.3×10^{13}	4.2	118				
	ext.	3	1.7×10^{13}	1.0	112				
	ext.	3	3.8×10^{12}	1.3	97				
	ext.	3	7.2×10^{13}	1.6	74				
	ext.	3	3.4×10^{13}	2.6	73				
	ext.	3	4.7×10^{13}	2.5	66				
	ext.	3	4.9×10^{13}	2.0	49				
	ext.	3	2.5×10^{13}	0.1	46				
	ext.	3	1.3×10^{13}	10.1	-114				
	ext.	3	6.3×10^{12}	2.3	-125				
$\rm HN^{13}C$	ext.	3	2.2×10^{13}	6.8	62				
	ext.	3	2.7×10^{13}	5.3	66				
$\rm H^{13}CO^+$	ext.	3	3.1×10^{13}	3.3	67				
	ext.	3	5.5×10^{13}	3.5	47				

Table L.51: LTE Parameters	for the full LTE model (Core
Components) for source A26	in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$(\mathrm{kms}^{\mathrm{LSR}})$
					<u>, , , , , , , , , , , , , , , , , , , </u>
H_2CO	1.0	47	5.2×10^{14}	1.9	76
	1.0	80	1.3×10^{17}	5.5	61
SiO	1.0	200	3.0×10^{14}	6.0	60
HCS^+	1.0	98	6.9×10^{14}	4.4	60
CN	1.0	169	1.0×10^{12}	2.9	64
CO^+	1.0	97	3.6×10^{13}	3.8	78
$H_2^{34}S$	1.0	49	1.3×10^{15}	1.1	61
	1.0	49	6.1×10^{14}	1.0	49
H_2CS	1.0	168	1.5×10^{16}	4.5	60
HNC, $v_2=1$	1.0	973	4.5×10^{14}	1.0	70
H_2CCO	1.0	159	1.0×10^{16}	4.7	60
SO	1.0	208	5.0×10^{16}	5.2	62
	1.0	160	2.9×10^{17}	3.9	59
CH_3OH	1.0	98	2.5×10^{16}	10.8	64
	1.0	104	2.2×10^{17}	5.1	60
SO_2	1.0	103	2.7×10^{16}	3.1	64
	1.0	129	7.2×10^{16}	3.9	59
CH ₃ CN	1.0	149	1.2×10^{16}	5.5	59
HCCCN	1.0	147	2.3×10^{15}	4.6	60
OCS	1.0	167	8.5×10^{16}	4.8	59
CH_3CHO	1.0	212	6.6×10^{15}	10.0	61
CH_3OCHO	1.0	265	2.7×10^{16}	6.3	60
CO	1.0	200	1.1×10^{16}	2.7	160
	1.0	200	5.0×10^{16}	4.1	110
	1.0	200	5.0×10^{16}	1.6	97
	1.0	200	1.3×10^{16}	1.3	75
	1.0	200	7.0×10^{15}	1.0	57
	1.0	200	2.4×10^{16}	1.2	25
	1.0	200	4.4×10^{16}	1.0	-3
	1.0	200	3.9×10^{15}	1.1	-37
	1.0	200	1.8×10^{16}	5.6	-63
	1.0	200	1.7×10^{16}	2.0	-67
^{13}CO	1.0	200	9.0×10^{12}	1.0	76
	1.0	200	2.6×10^{12}	1.1	55
	1.0	200	5.4×10^{14}	36.3	18

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$\mathbf{N}_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$V_{\rm LCD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.0	200	8.1×10^{15}	1.0	-5
	1.0	200	1.4×10^{16}	1.0	-106
	1.0	200	4.6×10^{16}	2.6	-145
$C^{17}O$	1.0	200	3.1×10^{15}	2.3	-180
0 0	1.0	200	9.7×10^{15}	2.0	-172
	1.0	200	9.7×10^{15}	7 1	-162
	1.0	200	9.7×10^{15} 9.7×10^{15}	2.0	-151
	1.0	200	9.7×10^{15}	2.9	-101
	1.0	200	9.7×10^{15}	3.1	-140
	1.0	200	3.1×10^{15}	3.0	-132
	1.0	200	9.7×10^{-5}	(.1	-127
	1.0	200	3.1×10^{15}	2.7	-103
	1.0	200	3.1×10^{15}	2.7	-98
	1.0	200	7.7×10^{13}	0.5	-63
	1.0	200	1.3×10^{10}	2.7	-58
	1.0	200	2.0×10^{10}	2.8	-52
	1.0	200	1.0×10^{16}	3.2	-36
	1.0	200	3.3×10^{16}	9.4	-23
	1.0	200	1.6×10^{14}	2.7	-2
	1.0	200	3.8×10^{15}	7.1	4
	1.0	200	1.8×10^{16}	6.6	12
	1.0	200	4.0×10^{15}	2.8	20
	1.0	200	9.1×10^{15}	2.5	28
	1.0	200	1.4×10^{18}	5.3	60
	1.0	200	5.6×10^{16}	4.6	74
	1.0	200	1.1×10^{16}	2.7	88
	1.0	200	2.2×10^{16}	2.7	109
	1.0	200	1.1×10^{12}	3.8	118
	1.0	200	1.1×10^{16} 1.4×10^{16}	2.5	125
	1.0	200	1.4×10^{15}	2.0	120
	1.0	200	9.5×10^{14}	2.5	159
	1.0	200	2.3×10^{15}	5.0	160
C180	1.0	200	9.0×10^{-1}	0.2	100
Croo	1.0	200	3.3×10^{15}	2.7	-145
	1.0	200	3.3×10^{16}	2.7	-129
	1.0	200	1.0×10^{10}	10.5	-80
	1.0	200	3.2×10^{15}	2.8	-63
	1.0	200	3.2×10^{13}	2.7	-41
	1.0	200	2.9×10^{13}	2.7	-33
	1.0	200	2.8×10^{15}	2.2	-22
	1.0	200	3.1×10^{16}	22.8	-9
	1.0	200	3.3×10^{14}	2.7	8
	1.0	200	1.1×10^{16}	4.1	22
	1.0	200	9.0×10^{15}	3.3	30
	1.0	200	1.6×10^{18}	5.3	60
	1.0	200	9.0×10^{16}	3.6	74
	1.0	200	3.0×10^{15}	2.7	99
	1.0	200	8.4×10^{15}	3.0	106
	1.0	200	9.1×10^{15}	3.5	134
	1.0	200	8.9×10^{15}	4.0	145
\mathbf{CS}	1.0	200	8.1×10^{14}	40.0	144
0.5	1.0	200	3.6×10^{13}	20.7	123
	1.0	200	3.9×10^{12}	1.0	114
	1.0	200	5.0×10^{13}	1.0	03
	1.0	200	1.0×10^{12}	0.1	95 28
	1.0	200	1.0×10 4.7×10^{13}	0.1	28 19
	1.0	200	4.7×10^{-2}	2.0	12
	1.0	200	2.0×10^{-3}	1.0	0
	1.0	200	2.4×10^{12}	2.3	-8
	1.0	200	2.2×10^{12}	0.9	-42
	1.0	200	1.0×10^{12}	0.9	-125
	1.0	200	1.8×10^{13}	3.2	-47
	1.0	200	8.4×10^{13}	2.8	-57
	1.0	200	9.8×10^{13}	15.4	-77
	1.0	200	1.8×10^{12}	1.0	-81
	1.0	200	1.2×10^{12}	1.3	-117
	1.0	200	1.0×10^{12}	1.2	-126
	1.0	200	1.0×10^{12}	0.9	-130
^{13}CS	1.0	200	3.3×10^{15}	5.1	61
	1.0	200	1.2×10^{14}	1.0	49
	1.0	200	1.8×10^{13}	1.0	28
	1.0	200	1.9×10^{14}	1.0	-11
	1.0	200	1.7×10^{13}	2.9	-18
	1.0	200	4.2×10^{15}	6.3	-85
	1.0	200	5.3×10^{13}	1.2	-93
		~ ~		-	

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 214

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$			
	(")	(K) 200	$\frac{(\text{cm}^{-2})}{1.8 \times 10^{13}}$	$\frac{(\text{km s}^{-1})}{1.1}$	$\frac{(\text{km s}^{-1})}{105}$			
HCN	1.0	200	1.0×10^{12} 1.0×10^{12}	1.9	10			
$\rm H^{13}CN$	1.0	200	1.3×10^{15}	0.8	56			
	1.0	200	4.0×10^{13}	4.2	9			
	1.0	200	3.0×10^{13}	1.0	1			
	1.0 1.0	200	2.5×10^{13} 1.3 × 10 ¹³	$\frac{4.4}{2.0}$	-24 -47			
	$1.0 \\ 1.0$	200	2.3×10^{12}	0.3	-54			
	1.0	200	$1.7~\times10^{12}$	1.0	-61			
	1.0	200	1.0×10^{12}	3.2	-82			
	1.0	200	1.1×10^{13}	3.9	-91			
	1.0	$\frac{200}{200}$	2.2×10^{12}	0.9	-120			
	1.0	200	4.3×10^{13}	12.9	-120			
	1.0	200	5.8×10^{13}	1.2	-138			
	1.0	200	3.2×10^{13}	1.1	-150			
	1.0 1.0	200	2.6×10^{12} 4.1×10^{12}	0.9	-157 -181			
HNC	$1.0 \\ 1.0$	$200 \\ 200$	6.8×10^{14}	33.2	165			
-	1.0	200	$1.0~\times 10^{12}$	0.8	164			
	1.0	200	1.0×10^{12}	0.7	146			
	1.0	200	7.8×10^{13}	4.8	19			
	1.0 1.0	200	4.3×10^{13} 3.4×10^{13}	3.2	11 6			
	$1.0 \\ 1.0$	$\frac{200}{200}$	1.1×10^{14}	2.3 4.7	2			
	1.0	200	1.0×10^{14}	5.7	-7			
	1.0	200	4.5×10^{12}	0.8	-12			
	1.0	200	5.2×10^{12}	0.7	-16			
	1.0 1.0	200	8.5×10^{10} 1.6 $\times 10^{12}$	4.1	-25 -25			
	$1.0 \\ 1.0$	$\frac{200}{200}$	1.0×10 8.3×10^{12}	0.8	-25 -41			
	1.0	200	1.2×10^{12}	0.9	-53			
	1.0	200	4.3×10^{14}	39.6	-70			
	1.0	200	1.0×10^{12}	0.4	-66			
	1.0	200	4.6×10^{13} 1.9 × 10 ¹³	0.0 3.6	-05 -79			
	1.0	200	1.6×10^{12}	0.7	-89			
	1.0	200	$2.3~{\times}10^{12}$	0.9	-93			
	1.0	200	8.1×10^{12}	0.9	-102			
	1.0	200	1.0×10^{14}	1.6	-109			
	1.0 1.0	200	2.8×10^{14}	2.0 11.8	-117			
	1.0	200	3.3×10^{13}	2.2	-134			
	1.0	200	$2.8~{\times}10^{12}$	8.5	-144			
	1.0	200	5.8×10^{12}	1.1	-147			
	1.0	200	2.3×10^{12}	0.7	-51			
	1.0 1.0	200	1.0×10 4 7 × 10 ¹³	$1.4 \\ 3.0$	-138			
	1.0	200	1.0×10^{12}	0.3	-185			
	1.0	200	4.4×10^{12}	1.0	-182			
$H^{13}CO^+$	1.0	200	8.4×10^{13}	2.2	64			
HO ¹³ C ⁺	1.0	200	3.8×10^{12}	1.7 7.8	145			
	1.0 1.0	$200 \\ 200$	4.3×10^{-12} 4.1×10^{12}	1.0	129			
	1.0	200	7.2×10^{12}	1.9	94			
	1.0	200	6.3×10^{12}	1.9	89			
	1.0	200	2.4×10^{13}	4.8	81			
	1.0 1.0	200	3.5×10^{13} 5.9 $\times 10^{13}$	1.1 5.5	72			
	$1.0 \\ 1.0$	$\frac{200}{200}$	2.0×10^{13}	2.1	34			
	1.0	200	2.7×10^{13}	3.4	23			
	1.0	200	2.1×10^{13}	29.1	9			
	1.0	200	1.8×10^{12}	1.0	5			
	1.0	200 200	2.2×10^{12} 2 4 $\times 10^{13}$	1.0 1 0	-1 -19			
	1.0 1.0	200	1.7×10^{13}	2.1	-12			
	1.0	200	1.2×10^{12}	0.8^{-1}	-32			
	1.0	200	2.2×10^{12}	1.0	-32			
	1.0	200	2.8×10^{12}	0.8	-48			
	1.0 1.0	200 200	1.3×10^{12} 1.3×10^{13}	10.0 4 7	-10 -82			
	1.0	200	4.0×10^{12}	1.0	-81			
		. •		-				

(Continued)									
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
	1.0	200	3.8×10^{13}	2.8	-87				
	1.0	200	8.6×10^{11}	0.2	-92				
	1.0	200	1.1×10^{12}	0.1	-97				
	1.0	200	2.1×10^{12}	0.8	-100				
	1.0	200	2.5×10^{12}	0.9	-107				
	1.0	200	1.3×10^{13}	7.7	-112				
	1.0	200	1.7×10^{12}	1.0	-156				
	1.0	200	1.6×10^{12}	0.8	-169				

Table L.52: LTE Parameters for the full LTE model (Envelope Components) for source A26 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL GD
	(")	(K)	(cm^{-2})	$(km s^{-1})$	(kms^{-1})
	()	(11)	(0111)	((
H_2CO	ext.	3	3.3×10^{13}	0.8	72
-	ext.	3	1.7×10^{14}	0.9	60
	ext.	12	6.0×10^{14}	17.7	61
SiO	ext.	28	1.8×10^{12}	3.1	60
	ext.	13	1.0×10^{13}	2.0	52
	ext.	5	1.0×10^{14}	7.0	72
	ext.	$\tilde{5}$	5.2×10^{13}	4.0	49
CCH	ext.	10	2.0×10^{14}	3.4	67
	ext.	3	1.0×10^{12}	2.0	164
	ext.	3	1.0×10^{12}	2.0	47
CH ₂ NH	ext.	21	6.3×10^{12}	5.6	60
01121111	ext.	3	4.8×10^{12}	5.0	60
	ext	7	2.3×10^{13}	7.0	70
	ext.	3	2.6×10^{12}	7.4	63
HCS^{+}	ovt	10	0.3×10^{12}	2.0	53
DH.	ovt	5	3.5×10^{13}	2.3	65
1 113	ext.	5	2.0×10^{13}	0.9	54
CN	ext.	9	2.0×10 7.8 × 10 ¹³	9.9	95
UN	ext.	10	1.0×10^{-1}	0.1	60
	ext.	10	4.5×10^{-3}	4.1	09
	ext.	3	1.1×10^{12}	2.5	00
	ext.	び 10	1.6×10^{10}	2.3	-47
	ext.	12	9.2×10^{13}	7.5	62
	ext.	4	4.7×10^{10}	8.0	33
** 340	ext.	3	5.0×10^{10}	12.0	5
$H_2^{34}S$	ext.	8	1.0×10^{17}	4.1	68
~~	ext.	5	1.1×10^{10}	2.8	55
SO	ext.	9	1.4×10^{14}	0.5	61
	ext.	22	6.6×10^{14}	1.3	55
	ext.	14	1.1×10^{15}	4.4	52
SO_2	ext.	36	2.2×10^{17}	5.2	50
NO	ext.	4	2.8×10^{15}	1.9	64
	ext.	3	5.1×10^{15}	2.2	52
CO	ext.	3	5.9×10^{14}	2.0	152
	ext.	3	8.2×10^{15}	7.6	84
	ext.	3	7.9×10^{13}	1.7	135
	ext.	3	8.8×10^{16}	0.6	102
	ext.	3	8.7×10^{15}	2.6	82
	ext.	3	5.0×10^{15}	4.2	70
	ext.	3	1.7×10^{15}	1.0	60
	ext.	3	2.3×10^{14}	3.3	54
	ext.	3	6.3×10^{15}	4.6	48
	ext.	3	6.8×10^{14}	0.8	41
	ext.	3	1.0×10^{15}	0.8	36
	ext.	3	3.0×10^{13}	1.0	23
	ext.	3	4.9×10^{14}	1.4	17
	ext.	3	8.1×10^{15}	34.9	1
	ext.	3	1.3×10^{15}	1.1	-1
	ext.	3	8.7×10^{14}	1.0	-17
	ext.	3	1.2×10^{15}	1.8	-22
	ext.	3	1.5×10^{15}	3.4	-31
	ext. ext.	$\frac{3}{3}$	1.5×10^{15} 1.1×10^{15}	$3.4 \\ 2.7$	-31 -41

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online Material p 215
1. Moner et will i un molecular mic survey of not cores,	Change matching p 210

		(0	Continued)				
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{t-1}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$	Molecule	θ^m
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$		("
	ext.	3	1.2×10^{15}	4.7	-53		ex
	ext.	3	2.4×10^{14}	1.0	-61		ex
	ext.	3	4.4×10^{14}	1.0	-103		ex
	ext.	3	3.0×10^{14}	39.9	-91		ex
	ext.	3	3.1×10^{15}	15.7	-92	\mathbf{CS}	ex
	ext.	3	4.0×10^{14}	1.2	-99		ex
	ext.	3	4.0×10^{14}	1.3	-104		ex
	ext.	3	5.2×10^{14}	5.3	-109		ex
	ext	3	3.8×10^{13}	0.4	-110		ex
	ext.	3	1.4×10^{13}	0.1	-117		ex
	evt	3	1.4×10^{14}	0.1	-125		ev
13CO	ovt	3	6.0×10^{14}	0.3	-120		OV
00	ovt	2	8.3×10^{13}	1.0	101	1305	01
	ext.	5 9	3.3×10^{16}	1.9	127 91	05	EA OT
	ext.	2	3.3×10^{14}	4.2	71		EA OV
	ext.	ວ າ	2.6×10	0.2	11 66		ex
	ext.	ა ი	1.0×10^{-1}	1.7	50		ex
	ext.	ა ი	4.2×10^{-5}	2.1 12.7	30 45		ex
	ext.	ა ე	1.4×10^{-3}	15.7	40		ex
	ext.	3	2.5×10^{10}	0.8	20		ex
	ext.	3	2.3×10^{14}	0.8	12	HOM	ex
	ext.	3	4.8×10^{14}	4.1	9	HCN	ex
	ext.	3	1.4×10^{10}	5.0	2		ex
	ext.	3	8.5×10^{13}	9.8	-40		ex
	ext.	3	6.7×10^{14}	1.0	-43		ex
	ext.	3	2.9×10^{13}	2.7	-50		ex
	ext.	3	4.6×10^{14}	2.0	-65		ex
	ext.	3	2.1×10^{14}	2.7	-72		ex
	ext.	3	8.5×10^{15}	40.0	-87		ex
	ext.	3	4.0×10^{14}	0.8	-88		ex
	ext.	3	7.3×10^{14}	2.0	-100		ex
	ext.	3	5.2×10^{14}	2.9	-112		ex
	ext.	3	5.2×10^{15}	9.9	-131		ex
	ext.	3	3.8×10^{14}	1.0	-123	$\rm H^{13}CN$	ex
	ext.	3	6.0×10^{14}	0.8	-154		ex
	ext.	3	2.2×10^{14}	2.6	-160		ex
	ext.	3	4.4×10^{14}	1.0	-166		ex
	ext.	3	2.1×10^{15}	1.1	-183		ex
$C^{17}O$	ext.	3	3.1×10^{14}	2.7	-146		ex
0 0	ext.	3	3.1×10^{14}	7.1	-108	HNC	ex
	evt	3	3.1×10^{14}	27	-100	III.(O	ev
	ovt	3	9.7×10^{14}	2.1	-100		ov
	ovt	3	2.7×10^{15}	14.0	-76		ov
	ovt	2	5.3×10^{14}	25	-10		01
	ovt	2	3.3×10^{14}	2.0	-00		01
	ext.	5 9	3.3×10^{12}	125	-00		EA OT
	ext.	ວ າ	4.1×10 1 8 $\times 10^{15}$	13.5	-00		ex
	ext.	ა ი	1.6×10^{-1}	0.5	-41		ex
	ext.	3	1.1×10^{-3}	2.5	-20		ex
	ext.	3	1.0×10^{-3}	2.1	1	$u^{13}c^{0}$	ex
	ext.	ა ი	3.0×10^{15}	2.1	1	H="UU"	ex
	ext.	ა ი	2.9×10^{10}	9.3	20 4.4		ex
	ext.	ა ი	9.7×10^{10}	10.0	44	IIO130±	ex
	ext.	ა ე	0.2×10^{10}	10.3	82	HOTOCT	ex
	ext.	3	2.1×10^{14}	2.4	94		ex
	ext.	3	1.1×10^{15}	49.7	101		ex
	ext.	3	4.1×10^{13}	14.2	109		
c1º c	ext.	3	2.1×10^{12}	2.7	133		
$C_{10}O$	ext.	3	3.2×10^{14}	0.5	-181		
	ext.	3	3.3×10^{15}	7.4	-175	Table L 53 1	LTF
	ext.	3	1.0×10^{15}	2.6	-164	Components	$\int f_{0}$
	ext.	3	3.3×10^{15}	10.2	-156	Components	, 10
	ext.	3	1.0×10^{16}	10.8	-140		
	ext.	3	3.2×10^{15}	7.7	-110	Molecule	θ
	ext.	3	3.3×10^{14}	2.7	-104		
	ext.	3	1.1×10^{16}	10.7	-93		
	ext.	3	1.2×10^{15}	3.9	-74	CH_3CN	
	ext.	3	6.6×10^{14}	2.6	-69	CN	
	ext.	3	$2.9~\times10^{12}$	2.7	-30	SiO	
	ext.	3	2.7×10^{15}	14.2	0	HCN. $v_2=2$. (
	ext.	3	3.2×10^{14}	2.5	5		
	ext.	3	3.2×10^{14}	2.9	11		
	ext.	3	3.1×10^{14}	2.7	27		
	ext.	3	2.3×10^{16}	8.4	83		

(Continued)									
Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda \mathbf{v}^{m,c}$	v ^{m,c}				
molecule	(")	(K)	(cm^{-2})	$(km s^{-1})$	$(km s^{-1})$				
	()	(IX)	1 0 v 1015		110				
	ext.	3	1.0×10^{-3}	3.3	118				
	ext.	3	7.1×10^{14}	2.8	123				
	ext.	3	7.8×10^{14}	3.5	155				
	ext.	3	9.3×10^{14}	2.7	162				
CS	ext.	3	3.4×10^{15}	4.0	80				
	ext.	3	3.3×10^{15}	2.0	72				
	ext.	3	3.6×10^{16}	27.1	67				
	ext.	3	1.0×10^{15}	31.5	60				
	ext	3	1.8×10^{16}	3.9	50				
	evt	š	6.8×10^{15}	0.6	43				
	evt	3	2.6×10^{16}	13.0	43				
	ovt	2	4.5×10^{14}	10	-45				
13.00	ext.		4.0×10^{-14}	1.0	24 71				
05	ext.	ა ი	9.5×10^{-1}	1.0	71				
	ext.	3	3.7×10^{14}	2.5	34				
	ext.	3	3.7×10^{14}	3.2	4				
	ext.	3	4.1×10^{14}	0.8	-39				
	ext.	3	4.2×10^{14}	3.9	-45				
	ext.	3	3.2×10^{14}	1.6	-53				
	ext.	3	1.7×10^{14}	0.8	-73				
	ext.	3	2.3×10^{16}	7.8	-85				
HCN	ext.	3	8.6×10^{13}	14.9	36				
-	ext	3	2.0×10^{13}	3.0	104				
	evt	3	1.7×10^{13}	3.0	98				
	ovt	2	6.2×10^{13}	22.1	83				
	ext.	5 9	0.2×10^{13}	22.1	70				
	ext.	ა ე	2.2×10^{-1}	ა.ა ი ი	70				
	ext.	3	2.1×10^{-3}	3.2	60				
	ext.	3	2.5×10^{13}	3.1	50				
	ext.	3	3.0×10^{13}	2.9	40				
	ext.	3	1.2×10^{13}	4.0	12				
	ext.	3	6.4×10^{12}	2.4	0				
	ext.	3	2.9×10^{12}	1.1	-13				
	ext.	3	7.4×10^{12}	2.1	-112				
$\rm H^{13}CN$	ext.	3	1.3×10^{13}	3.9	153				
	ext.	3	1.0×10^{12}	1.7	128				
	ext.	3	3.2×10^{12}	1.0	83				
	ext.	3	2.6×10^{13}	2.3	72				
	ext	3	7.2×10^{12}	2.1	62				
	evt	š	2.6×10^{13}	5.5	51				
HNC	ovt	3	4.0×10^{13}	8.0	116				
IIII	ovt	2	4.3×10^{12}	0.9	104				
	ext.		2.1×10 $4 = \times 10^{13}$	0.8	01				
	ext.	ა ე	4.0×10^{-3}	4.0	01 74				
	ext.	3	0.8×10^{13}	4.5	74				
	ext.	3	1.5×10^{13}	0.6	68				
	ext.	3	7.2×10^{13}	6.3	62				
	ext.	3	2.3×10^{14}	3.8	51				
	ext.	3	1.4×10^{14}	3.6	47				
	ext.	3	6.2×10^{13}	3.4	42				
	ext.	3	3.5×10^{12}	4.4	-32				
$\rm H^{13}CO^+$	ext.	3	1.0×10^{13}	1.0	67				
	ext.	3	1.0×10^{12}	0.1	60				
	ext.	3	3.7×10^{12}	2.1	53				
$HO^{13}C^+$	evt	3	1.7×10^{13}	34.1	38				
	ovt	2	1.1×10^{12}	04.1	-146				
	CAU.	ა 9	$\frac{4.0 \times 10}{2.0 \times 10^{12}}$	0.0	-140 189				
	ext.	ა	2.0 × 10	1.2	-109				

Table L.53: LTE Parameters for the full LTE model (Core Components) for source A27 in Sgr B2(M).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
			14		
CH_3CN	0.7	113	2.6×10^{14}	6.3	83
CN	0.7	144	2.4×10^{12}	2.8	-86
SiO	0.7	36	1.9×10^{14}	8.0	40
HCN, $v_2=2$	0.7	807	6.3×10^{15}	8.1	54

		((Continued)			_			(C	(ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$	_	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})			(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
CH ₂ OH	0.7	98	3.5×10^{15}	1.9	52	_		0.7	200	9.7×10^{13}	2.4	55
SO	0.7	234	1.3×10^{15}	4.9	72			0.7	200	3.0×10^{14}	8.0	34
H-CO	0.7	194	1.3×10^{14}	4. <i>3</i> 5.0	74			0.7	200	1.1×10^{13}	0.4	107
11_{2} CO	0.7	104	2.4×10	0.0	14			0.7	200	1.1×10 7.7 × 10 ¹³	0.4	-107
CO	0.7	200	6.6×10^{10}	2.6	110			0.7	200	7.7×10^{10}	1.1	-160
	0.7	200	9.7×10^{13}	0.2	104		10	0.7	200	1.4×10^{14}	1.9	-179
	0.7	200	1.0×10^{17}	1.0	77		^{13}CS	0.7	200	1.9×10^{14}	3.9	-167
	0.7	200	1.9×10^{15}	4.4	30			0.7	200	1.6×10^{14}	3.5	-157
	0.7	200	1.6×10^{16}	1.2	28			0.7	200	3.5×10^{14}	6.8	-148
	0.7	200	1.2×10^{16}	1.2	18			0.7	200	1.7×10^{14}	2.7	-134
	0.7	200	2.3×10^{16}	17	7			0.7	200	1.3×10^{14}	2.6	-119
	0.7	200	2.0×10^{16} 3.7 × 10 ¹⁶	2.6	-15			0.7	200	1.0×10^{14}	2.0	-119
	0.7	200	1.1×10^{17}	2.0	-10			0.7	200	1.3×10 2.0 × 1014	9.1	106
	0.7	200	1.1×10^{16}	1.0	-30			0.7	200	5.0×10^{12}	5.1	-100
	0.7	200	1.4×10^{10}	1.0	-58			0.7	200	7.0×10^{12}	0.1	-93
	0.7	200	1.2×10^{17}	1.5	-67			0.7	200	2.9×10^{14}	3.1	-51
	0.7	200	5.4×10^{15}	1.0	-105			0.7	200	4.6×10^{14}	7.5	-45
	0.7	200	1.1×10^{16}	1.0	-109			0.7	200	7.6×10^{14}	8.6	-24
	0.7	200	4.7×10^{16}	2.0	-121			0.7	200	2.4×10^{14}	3.3	-7
	0.7	200	4.2×10^{16}	2.6	-155			0.7	200	4.9×10^{14}	5.7	3
^{13}CO	0.7	200	9.0×10^{16}	1.9	157			0.7	200	1.6×10^{14}	3.3	16
	0.7	200	2.1×10^{16}	1.0	137			0.7	200	4.9×10^{14}	3.6	24
	0.7	200	2.1×10^{16}	0.5	193			0.7	200	2.5×10^{14}	2.4	32
	0.7	200	5.0×10^{16}	1.1	120			0.7	200	2.0×10^{14}	4.1	42
	0.7	200	0.7×10^{-5}	1.1	121			0.7	200	0.9×10^{-1}	4.1	42
	0.7	200	2.7×10^{10}	0.9	109			0.7	200	2.0×10^{14}	2.5	50
	0.7	200	1.7×10^{10}	1.0	107			0.7	200	9.8×10^{14}	8.8	77
	0.7	200	4.7×10^{16}	1.4	98			0.7	200	3.8×10^{14}	7.0	102
	0.7	200	1.8×10^{16}	1.1	27			0.7	200	4.6×10^{14}	8.0	118
	0.7	200	2.0×10^{16}	1.0	11			0.7	200	9.4×10^{14}	10.8	142
	0.7	200	4.5×10^{16}	1.2	5			0.7	200	1.4×10^{14}	2.4	157
$C^{17}O$	0.7	200	1.1×10^{16}	71	-172			0.7	200	9.4×10^{13}	2.2	161
0 0	0.7	200	1.2×10^{16}	27	-164		$C^{33}S$	0.7	200	1.0×10^{14}	47	-173
	0.7	200	1.2×10^{15}	2.1	-104		0 5	0.7	200	1.0×10 1.0 × 10 ¹⁴	4.1 E.C	-175
	0.7	200	3.4×10^{-5}	2.7	-130			0.7	200	1.2×10^{-1}	5.0	-121
	0.7	200	1.0×10^{10}	2.7	-130			0.7	200	1.4×10^{14}	3.8	-15
	0.7	200	1.0×10^{13}	2.7	-124			0.7	200	1.1×10^{14}	12.7	126
	0.7	200	1.6×10^{16}	2.7	-119		$C^{34}S$	0.7	200	8.2×10^{13}	6.2	-165
	0.7	200	1.0×10^{15}	2.7	-114			0.7	200	1.0×10^{14}	3.2	-142
	0.7	200	6.3×10^{15}	2.5	-66			0.7	200	7.2×10^{13}	6.4	-37
	0.7	200	4.8×10^{15}	2.6	-39			0.7	200	10.0×10^{13}	3.7	160
	0.7	200	3.3×10^{15}	5.2	-18		HCN	0.7	200	3.7×10^{13}	3.2	37
	0.7	200	0.6×10^{15}	3.2	10		11011	0.7	200	1.0×10^{14}	2.0	30
	0.7	200	5.0×10^{15}	0.4	-+ 			0.7	200	1.0×10 2.8×10^{13}	2.5	26
	0.7	200	0.2×10^{-6}	2.4	41			0.7	200	2.0×10^{13}	2.0	20
	0.7	200	3.1×10^{10}	2.7	41			0.7	200	2.9×10^{10}	2.0	17
	0.7	200	2.8×10^{17}	3.2	52		10	0.7	200	1.1×10^{13}	2.0	-3
	0.7	200	5.0×10^{13}	2.7	79		$H^{13}CN$	0.7	200	1.6×10^{14}	4.7	125
	0.7	200	4.0×10^{16}	2.7	83			0.7	200	6.5×10^{13}	2.2	72
	0.7	200	3.7×10^{16}	7.2	126			0.7	200	4.1×10^{13}	2.8	-56
$C^{18}O$	0.7	200	3.8×10^{16}	7.5	-168			0.7	200	9.3×10^{13}	0.9	-60
	0.7	200	1.2×10^{16}	2.7	-159			0.7	200	1.8×10^{13}	1.5	-65
	0.7	200	1.2×10^{17}	9.9	-130			0.7	200	3.6×10^{13}	2.3	-73
	0.7	200	3.2×10^{15}	23	-112			0.7	200	4.1×10^{13}	17	-101
	0.7	200	3.2×10^{16}	0.2	107			0.7	200	1.1×10^{13}	1.7	100
	0.7	200	0.6×10^{16}	9.2	-107			0.7	200	1.1×10 $2 = \times 10^{13}$	1.4	-109
	0.7	200	9.0×10^{-5}	0.0	-65			0.7	200	3.3×10^{-1}	2.5	-139
	0.7	200	3.2×10^{10}	2.8	-77		INC	0.7	200	4.1×10^{-2}	1.0	-179
	0.7	200	1.2×10^{10}	3.0	-61		HNC	0.7	200	2.4×10^{13}	3.0	85
	0.7	200	4.3×10^{10}	8.0	-52			0.7	200	8.7×10^{13}	2.2	74
	0.7	200	1.0×10^{15}	10.8	-36			0.7	200	3.0×10^{12}	0.1	70
	0.7	200	3.3×10^{15}	2.7	-25			0.7	200	2.7×10^{13}	1.2	66
	0.7	200	1.3×10^{16}	3.4	-14			0.7	200	5.6×10^{13}	2.3	58
	0.7	200	3.7×10^{16}	3.5	-4			0.7	200	7.7×10^{12}	14	6
	0.7	200	1.1×10^{16}	0.0 2 S	5			0.7	200	6.8×10^{13}	2.1	Ő
	0.7	200	20×10^{15}	2.0	10			0.7	200	4.0×10^{12}	1.0	160
	0.7	200	2.9×10^{15}	0.6	19		113 CO+	0.7	200	4.0×10^{12}	1.0	-160
	0.7	200	3.3×10^{13}	2.7	27		H ¹³ CO ⁺	0.7	200	2.3×10^{13}	2.1	56
	0.7	200	3.2×10^{16}	3.9	38		$HO_{13}C_{+}$	0.7	200	5.0×10^{12}	0.8	161
	0.7	200	4.3×10^{16}	2.9	43			0.7	200	1.4×10^{13}	2.0	139
	0.7	200	1.1×10^{17}	2.7	52			0.7	200	3.7×10^{12}	1.3	129
	0.7	200	3.9×10^{16}	3.7	87			0.7	200	5.6×10^{12}	1.0	80
	0.7	200	1.1×10^{16}	3.4	109			0.7	200	5.1×10^{12}	1.1	50
	07	200	1.2×10^{16}	97	192			0.7	200	6.0×10^{12}	1 1	28
	0.7	200	$1.2 \land 10^{-1}$ $2.7 \lor 1016$	4.1 9.9	100			0.7	200	5.0 × 10 5.4 × 1012	1.1	- JO - A
	0.7	200	3.1×10^{10}	2.8	128			0.7	200	0.4 X 10 ¹²	1.2	-2
G G	0.7	200	1.5×10^{10}	2.7	139			0.7	200	5.0×10^{12}	2.0	-69
CS	0.7	200	1.7×10^{13}	1.1	147			0.7	200	9.9×10^{12}	0.3	-75
	0.7	200	9.7×10^{13}	3.7	132			0.7	200	3.1×10^{12}	1.0	-143
	0.7	200	1.3×10^{14}	1.0	74	=						

Molecule

(Continued)

 $\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km\,s}^{-1})}$

61

-50

-60 -76

-83

-88 -98

-112

93

86

10

68 63

57

5347

38

-167

-152

-147

-140

-132

-127

-121

-117

-108

-102

-61

-55

-47

-42

-34

-28 -23

15

3847

60

72

80

85

94

115

126

140

149

-150

-122

-69

-33

-20

-9

8

30

57

62

71

82106

117

125

134

144

152

161

86 85

81

66

44

-118

-170

Table L.54: LTE Parameters for the full LTE model (Envelope Components) for source A27 in Sgr B2(M).

Envelope C	ompon	ents) fo	or source A:	27 in Sgr l	B2(M).	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$
Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda \mathbf{v}^{m,c}$	V ^m ,c		ext.	3	9.5×10^{14}	2.2
molecule	(″′)	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\rm km s^{-1})$		ext.	3	3.6×10^{14}	1.5
	()	()					ext.	3	3.7×10^{14}	1.0
$\rm CH_3CN$	ext.	11	9.9×10^{14}	5.0	114		ext.	3	9.9×10^{14} 1.5 × 10 ¹⁵	1.2
	ext.	11	9.6×10^{14}	4.1	84		ext.	3 3	1.5×10^{-4}	1.0
CDI	ext.	13	5.1×10^{14}	6.6	64		ext.	3	2.0×10^{15}	1.8
CN	ext.	3	2.5×10^{12}	6.1	66 C1		ext.	3	3.0×10^{14}	1.0
	ext.	54 19	$1.7 \times 10^{}$ 1.3×10^{13}	20.4	01	$^{13}\mathrm{CO}$	ext.	3	3.4×10^{15}	4.8
	ext.	23	1.3×10^{13} 1.8 × 10 ¹³	9.0 15 1	10		ext.	3	1.5×10^{15}	2.6
	ext.	20 9	4.5×10^{12}	6.9	6		ext.	3	2.8×10^{14}	0.6
	ext.	10	5.5×10^{12}	3.7	-33		ext.	3	3.4×10^{15}	5.5
	ext.	24	3.6×10^{13}	2.1	-34		ext.	3	9.6×10^{14}	1.3
	ext.	76	1.1×10^{12}	4.8	-60		ext.	3	1.7×10^{15} 2.7 × 10 ¹⁵	4.1
	ext.	8	1.3×10^{13}	14.0	-115		ext.	3 3	3.7×10^{-5}	1.4
	ext.	11	4.5×10^{13}	9.0	-147		ext.	3	3.2×10^{13}	0.1
CH_2NH	ext.	3	2.2×10^{12}	3.6	67	$C^{17}O$	ext.	3	1.0×10^{14}	2.7
HCCCN	ext.	28	1.3×10^{13}	3.0	54		ext.	3	1.2×10^{15}	7.1
н.349	ext.	5	9.6×10^{18}	2.4	60		ext.	3	3.0×10^{14}	2.3
112^{-5}	ext.	5	2.4×10^{19}	4.0 9.1	57		ext.	3	3.0×10^{14}	3.3
SiO	ext.	11	2.4×10^{13} 2.0×10^{13}	3.5	56		ext.	3	3.3×10^{14}	2.7
SO ₂	ext.	20	1.2×10^{13}	7.2	57		ext.	3	2.7×10^{14}	2.7
	ext.	25	1.7×10^{17}	9.0	57		ext.	3	2.9×10^{14}	2.7
	ext.	20	3.6×10^{14}	7.2	55		ext.	3	3.0×10^{14}	2.7
	ext.	20	2.1×10^{13}	7.3	53		ext.	ა ე	7.4×10^{11}	3.7 2.2
	ext.	20	2.1×10^{13}	7.3	53		ext.	ა ვ	1.6×10^{14}	ა.ა ვვ
	ext.	20	2.6×10^{13}	5.6	84		ext.	3	4.3×10^{14}	5.6
	ext.	3	2.6×10^{13}	11.1	56		ext.	3	5.2×10^{14}	2.2
	ext.	ა ე	9.3×10^{12}	14.4	58 E 4		ext.	3	1.2×10^{14}	2.6
	ext.	3 3	4.5×10 1.0 × 10 ¹⁴	4.0	04 60		ext.	3	6.0×10^{14}	2.8
	ext.	3	1.0×10 1.4 × 10 ¹⁴	4.0	51		ext.	3	1.8×10^{14}	2.5
	ext.	3	5.3×10^{12}	2.8	51		ext.	3	1.3×10^{15}	8.2
	ext.	3	1.8×10^{12}	6.3	48		ext.	3	1.8×10^{15}	7.1
	ext.	3	1.5×10^{14}	3.4	47		ext.	3	2.9×10^{12}	3.2
	ext.	3	1.1×10^{12}	12.3	44		ext.	3 3	4.9×10^{-5} 5.6 × 10 ¹⁵	9.0
CH_3OH	ext.	16	6.3×10^{14}	2.8	68		ext.	3	1.4×10^{15}	0.8 3.5
	ext.	17	4.4×10^{14}	2.1	64		ext.	3	4.1×10^{14}	2.7
CCH	ext.	13	4.3×10^{14}	2.6	45		ext.	3	1.4×10^{15}	2.9
ССП	ext.	4	9.9×10^{-3} 1.2 × 10 ¹⁴	1.4	03 50		ext.	3	6.8×10^{14}	6.0
SO	ext.	+ 12	3.2×10^{14}	6.1	55		ext.	3	2.0×10^{13}	2.6
H ₂ CO	ext.	25	4.5×10^{15}	2.2	65		ext.	3	7.7×10^{14}	2.6
-	ext.	10	5.5×10^{12}	1.0	64		ext.	3	1.9×10^{14}	2.3
	ext.	9	3.5×10^{13}	1.7	55	0180	ext.	3	7.6×10^{14}	5.8
	ext.	6	1.6×10^{13}	3.2	56	Croo	ext.	ა ე	2.8×10^{11}	2.8
HCS^+	ext.	3	1.1×10^{14}	1.0	64		ext.	ა ვ	3.2×10^{14}	$\frac{3.2}{2.7}$
a.a	ext.	3	4.6×10^{14}	2.3	59		ext.	3	7.8×10^{14}	7.5
SIS CIL NIL	ext.	36	1.5×10^{14}	1.7	56 64		ext.	3	3.0×10^{14}	2.8
OH_3NH_2	ext.	10	2.3×10^{13}	7.0	04 61		ext.	3	1.3×10^{14}	2.7
CO	ext.	3	1.0×10^{15}	0.7	164		ext.	3	3.0×10^{14}	2.7
00	ext.	3	4.6×10^{14}	1.1	132		ext.	3	2.6×10^{14}	2.7
	ext.	3	7.0×10^{14}	1.0	124		ext.	3	1.5×10^{15}	2.5
	ext.	3	1.1×10^{15}	2.6	118		ext.	3	3.7×10^{15}	6.3
	ext.	3	9.6×10^{17}	1.9	93		ext.	3	1.9×10^{19}	7.5
	ext.	3	7.0×10^{15}	2.9	82		ext.	ა ი	3.2×10^{11}	3.3 9.7
	ext.	3	6.0×10^{15}	1.5	71		ext.	3	1.5×10^{14} 8.0 × 10 ¹⁴	2.1 8.2
	ext.	3	4.8×10^{15}	3.4	57		ext.	3	2.9×10^{14}	2.7
	ext.	3	2.6×10^{13} 1.1 × 10 ¹⁷	0.6	-15		ext.	3	5.3×10^{14}	5.5
	ext.	3 3	1.1×10^{-7} 6.4 × 10 ¹⁴	2.4	44		ext.	3	3.0×10^{14}	2.9
	ext.	3	3.0×10^{15}	2.6	25		ext.	3	9.7×10^{13}	2.6
	ext.	3	6.4×10^{14}	1.0	16		ext.	3	$2.7~\times10^{14}$	3.1
	ext.	3	8.7×10^{14}	1.0	10	\mathbf{CS}	ext.	3	3.5×10^{14}	0.5
	ext.	3	8.6×10^{15}	6.4	-3		ext.	3	2.4×10^{15}	3.4
	ext.	3	$1.5~\times 10^{15}$	1.2	-19		ext.	3	4.5×10^{15}	1.8
	ext.	3	1.7×10^{15}	3.7	-23		ext.	პ ი	4.8×10^{13} 1 1 $\times 10^{16}$	5.4 1 F
	ext.	3	5.3×10^{14}	1.1	-31		ext.	১ ৭	6.2×10^{14}	1.0 1.0
							ext	3	1.7×10^{15}	2.4

T. Möller <i>et al.</i> : Full molecular line survey of ho	t cores. Online Material n 218
1. Monet et will i un molecular mie survey of no	cores, one match at p 210

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL CD
morecure	(")	-ex (K)	(cm^{-2})	$(km e^{-1})$	(km s^{-1})
13.00	()	(IX)	(CIII)		
¹⁰ CS	ext.	3	6.5×10^{14}	2.6	-116
	ext.	3	6.5×10^{14}	2.3	-64
	ext.	3	5.1×10^{15}	13.5	-49
	ext.	3	4.8×10^{15}	7.5	-18
	ort.	2	1.0×10^{14}	2.5	11
	ext.	3	1.0×10	2.0	11
	ext.	3	8.8×10^{14}	2.6	47
	ext.	3	2.4×10^{16}	9.8	60
	ext.	3	5.5×10^{14}	2.6	106
$C^{33}S$	ovt	ş	2.1×10^{15}	2.0	-164
0 5	ext.		2.1 × 10	2.0	-104
	ext.	3	1.7×10^{10}	11.8	-157
	ext.	3	8.4×10^{14}	2.5	-117
	ext.	3	1.1×10^{16}	10.5	-100
	ext.	3	7.3×10^{14}	2.5	-86
	ovt	3	1.1×10^{15}	2.5	ຮົ້
	CAU.	0	7.01014	2.5	-02
	ext.	3	7.0×10^{14}	2.5	-74
	ext.	3	1.0×10^{14}	2.5	-69
	ext.	3	4.9×10^{15}	10.1	-46
	evt	3	7.2×10^{14}	2.2	_30
	CAU.	0	F F v 1014	2.2 F 9	-00
	ext.	3	3.5×10^{-1}	5.3	-30
	ext.	3	3.3×10^{14}	2.5	-20
	ext.	3	1.5×10^{15}	7.7	7
	ext	3	1.6×10^{15}	6.1	20
	ort.	9	11×10^{16}	76	60
	ext.	3	1.1×10^{-5}	1.0	02
	ext.	3	4.4×10^{14}	2.5	84
	ext.	3	1.1×10^{15}	2.5	89
	ext.	3	8.6×10^{14}	2.1	101
	ovt	3	1.0×10^{16}	10.0	107
	ext.		1.0×10	10.0	107
	ext.	3	8.1×10^{-1}	2.7	135
	ext.	3	2.1×10^{15}	3.0	156
$C^{34}S$	ext.	3	1.1×10^{14}	2.5	-154
	ext.	3	3.2×10^{14}	2.5	-150
	out	2	0.1×10^{14}	5.0	120
	ext.	3	9.1×10	5.8	-132
	ext.	3	3.2×10^{14}	2.5	-122
	ext.	3	8.2×10^{14}	3.0	-108
	ext.	3	8.5×10^{14}	6.2	-102
	ext	3	1.9×10^{15}	69	-92
	CAU.	2	2.0×10^{14}	1.0	-92
	ext.	3	3.0×10^{-1}	1.9	-84
	ext.	3	1.4×10^{13}	2.9	-75
	ext.	3	6.7×10^{14}	2.9	-65
	ext.	3	3.4×10^{14}	2.6	-47
	evt	3	3.4×10^{14}	25	-42
	CAU.	2	1.0×10^{15}	2.0	-12
	ext.	3	1.0×10^{10}	0.2	-32
	ext.	3	1.0×10^{14}	2.5	-17
	ext.	3	1.0×10^{14}	2.5	-7
	ext.	3	4.7×10^{14}	2.5	0
	evt	3	6.8×10^{14}	6.2	13
	ort.	9	58 01014	0.2	10
	ext.	3	3.6×10^{-1}	2.0	20
	ext.	3	7.7×10^{14}	3.4	25
	ext.	3	5.7×10^{15}	5.8	47
	ext.	3	4.1×10^{15}	5.2	55
	evt	3	4.3×10^{15}	6.2	60
	CAU.		$-1.0 \land 10$ $-0.5 \lor 1015$	6.4	75
	ext.	3	2.0×10^{-3}	0.4	61
	ext.	3	9.7×10^{14}	2.6	92
	ext.	3	1.8×10^{14}	2.5	127
	ext	3	7.6×10^{14}	2.5	132
	ovt	ą	7.0×10^{14}	2.0	140
	CAU.	ე	7.0 × 10	∠.J 1≝ 9	147
	ext.	3	$(.8 \times 10^{10})$	15.3	147
HCN	ext.	3	3.3×10^{13}	9.2	105
	ext.	3	9.2×10^{12}	2.5	98
	ext	3	1.2×10^{13}	2.0	84
	ort.	9	1.2×10^{13}	2.0	70
	ext.	3	1.2×10^{10}	3.0	19
	ext.	3	3.0×10^{13}	5.4	68
	ext.	3	2.1×10^{13}	3.5	60
	ext	3	1.1×10^{13}	2.0	54
	ort.	9 9	5 9 0 1013	76	40
	ext.	3	0.2×10^{-9}	1.0	49
	ext.	3	1.2×10^{13}	3.0	42
	ext.	3	2.4×10^{13}	2.6	5
	ext.	3	6.3×10^{12}	2.0	-155
$H^{13}CN$	ovt	2	3.8×10^{13}	40 0	154
11 011	CAU.		1.0×10^{13}	40.0	159
	ext.	3	1.9×10^{10}	2.1	103
	ext.	3	9.1×10^{13}	27.0	151
	ext.	3	1.2×10^{13}	0.8	146

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	4.0×10^{14}	15.4	136
	ext.	3	1.4×10^{13}	0.7	94
	ext.	3	4.1×10^{13}	0.7	91
	ext.	3	7.5×10^{13}	9.7	84
	ext.	3	6.8×10^{12}	0.7	76
	ext.	3	3.7×10^{13}	3.3	66
	ext.	3	4.4×10^{13}	1.7	59
	ext.	3	1.0×10^{14}	5.3	50
	ext.	3	9.2×10^{12}	0.8	41
	ext.	3	1.7×10^{13}	4.2	27
	ext.	3	1.3×10^{13}	3.3	17
	ext.	3	2.0×10^{13}	1.6	3
	ext.	3	8.5×10^{12}	1.0	-14
	ext.	3	1.7×10^{13}	1.4	-27
	ext.	3	3.2×10^{12}	1.1	-105
	ext.	3	3.5×10^{12}	1.0	-162
HNC	ext.	3	1.8×10^{13}	3.6	156
	ext.	3	3.7×10^{12}	0.7	152
	ext.	3	1.3×10^{13}	2.2	91
	ext.	3	8.9×10^{12}	2.1	79
	ext.	3	3.1×10^{13}	2.2	52
	ext.	3	4.3×10^{12}	0.2	44
	ext.	3	8.4×10^{13}	1.7	40
	ext.	3	7.6×10^{12}	1.1	30
	ext.	3	7.0×10^{12}	2.4	-7
$\rm H^{13}CO^+$	ext.	3	5.9×10^{12}	2.4	49
	ext.	3	5.3×10^{12}	4.0	72
$\rm HO^{13}C^+$	ext.	3	2.2×10^{12}	1.4	73
	ext.	3	5.0×10^{12}	2.3	9
	ext.	3	5.7×10^{12}	2.8	-20
	ext.	3	3.0×10^{12}	1.0	-32
	ext.	3	3.3×10^{12}	1.0	-117
	ext.	3	6.3×10^{12}	2.3	-145
	ext.	3	4.8×10^{12}	1.2	-151
	ext.	3	1.1×10^{13}	3.6	-170

L.2. Sgr B2(N)

Table L.55: LTE Parameters for the full LTE model (Core Components) for source A01 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{ISP}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
RRL-H	4.6	9882	3.7×10^{8}	16.3	57
NO	4.6	129	5.7×10^{18}	11.4	62
NH_2D	4.6	199	1.7×10^{18}	10.7	52
$C_2H_5CN, v_{20}=1$	4.6	276	2.3×10^{18}	10.7	61
NS	4.6	275	9.1×10^{16}	6.0	60
	4.6	359	9.3×10^{12}	5.1	69
CH_3OCHO	4.6	299	1.1×10^{18}	6.2	62
CH_3CHO	4.6	265	5.1×10^{17}	6.9	61
C_2H_5OH	4.6	318	1.8×10^{18}	7.3	62
H_2CNH	4.6	254	6.9×10^{17}	6.8	61
SO	4.6	500	8.0×10^{16}	5.1	78
	4.6	501	1.3×10^{17}	11.1	46
HNC, $v_2=1$	4.6	547	2.0×10^{17}	17.6	62
CH ₃ CN	4.6	283	1.2×10^{18}	6.5	62
	4.6	215	7.2×10^{17}	16.5	59
CH_3NH_2	4.6	331	2.3×10^{18}	16.8	65
$HC(O)NH_2$	4.6	341	9.3×10^{17}	8.0	62
HCĊĆN	4.6	269	1.7×10^{18}	21.0	64
	4.6	188	1.3×10^{12}	6.1	57
HCCCN, v ₇ =2	4.6	471	$4.2~\times10^{17}$	20.0	61

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 219

		(Con	tinued)					(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda \mathbf{v}^{m,c}$	v ^{m,c}	Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda v^{m,c}$	$v_{m,c}^{m,c}$
monocure	(")	(\mathbf{K})	(cm^{-2})	$(lrm c^{-1})$	(km s^{-1})	monocuro	(//)	-ex (K)	(cm^{-2})	$(lm e^{-1})$	(km s^{-1})
0.00	()	(A)	(cm)	(KIIIS)	(KIIIS)		()	(K)	(cm)	(KIIIS)	
ocs	4.6	264	7.3×10^{17}	23.5	60		4.6	200	1.3×10^{12}	0.1	16
	4.6	261	4.1×10^{18}	5.1	61		4.6	200	2.4×10^{10}	10.3	-46
OCS, $v_2=1$	4.6	260	9.6×10^{16}	23.4	60		4.6	200	1.3×10^{12}	6.1	-92
	4.6	244	1.2×10^{18}	5.1	61		4.6	200	1.2×10^{12}	6.4	-118
C ₂ H ₂ CN	4.6	289	8.5×10^{17}	13.3	62		4.6	200	1.3×10^{12}	1.9	-184
C_2H_3CN $v_{10}=1$	4.6	260	1.1×10^{18}	11.2	64	^{13}CS	4.6	200	6.5×10^{13}	67	-137
$C_{2113}C_{13}C_{13}, v_{10}=1$	4.0	200	1.1×10	11.2	04	CD	4.0	200	1.0×10^{15}	0.1	-107
C_2H_5CN	4.0	292	2.3×10^{-5}	11.1	01		4.0	200	1.9×10^{-3}	0.0	-137
$H_2^{33}S$	4.6	297	2.5×10^{10}	35.1	69		4.6	200	8.1×10^{13}	35.6	-122
	4.6	219	2.7×10^{18}	3.0	60		4.6	200	2.4×10^{14}	13.9	-97
H_2CCO	4.6	309	3.7×10^{17}	7.9	61		4.6	200	7.6×10^{14}	8.3	-125
	4.6	128	1.3×10^{14}	11.5	73		4.6	200	6.2×10^{16}	15.1	-55
SO_2	4.6	267	3.2×10^{18}	22.9	62		4.6	200	5.4×10^{15}	2.2	-37
SO_2 $v_2=1$	4.6	654	1.2×10^{18}	22.0	62		4.6	200	3.7×10^{16}	10.0	-16
CO^{\pm}	4.0	200	1.2×10^{10}	40.0	62		4.6	200	6.1×10^{15}	6.4	-10
UNCO	4.0	490	1.0×10^{-1}	40.0	05		4.0	200	0.4×10^{17}	0.4	-0
HNCO	4.0	430	1.0×10^{10}	13.7	60		4.0	200	1.3×10^{17}	7.4	33
PN	4.6	200	1.3×10^{12}	0.1	84		4.6	200	1.5×10^{17}	13.7	47
	4.6	200	2.0×10^{12}	1.1	86		4.6	200	5.4×10^{13}	4.5	63
	4.6	200	1.3×10^{12}	6.3	79		4.6	200	6.1×10^{14}	23.3	99
	4.6	200	4.9×10^{15}	6.2	66		4.6	200	2.7×10^{15}	7.3	127
	4.6	200	1.3×10^{12}	0.4	13		4.6	200	2.8×10^{15}	8.3	139
	4.6	200	4.9×10^{15}	7.5	-8		4.6	200	1.0×10^{15}	11.3	156
	-1.0 1 C	200	1 2 1012	1.0	-0	C33g	-1.0 A C	200	1.5×10^{14}	11.0 00 0	145
	4.0	200	1.0 X10 ⁺	4.4	-40	05	4.0	200	1.0 X10 ⁺⁺	44.0	-140
	4.6	200	1.3×10^{12}	1.4	-91		4.6	200	3.8×10^{10}	11.1	-121
	4.6	200	1.4×10^{12}	1.9	-186		4.6	200	1.3×10^{15}	6.5	-93
HCN, $v_2=1$	4.6	481	9.5×10^{17}	19.7	62		4.6	200	4.3×10^{14}	19.8	-65
CH ₃ OH	4.6	8	1.2×10^{17}	18.0	69		4.6	200	2.9×10^{15}	11.3	-65
	4.6	296	1.6×10^{19}	7.6	61		4.6	200	2.6×10^{16}	8.4	-45
HaCS	4.6	200	3.5×10^{16}	3.0	38		4.6	200	9.6×10^{15}	16.3	-14
CO	1.0	200	2.7×10^{18}	0.8	35		4.6	200	3.7×10^{14}	3.0	8
1300	4.0	200	2.7×10^{18}	0.8	17		4.0	200	3.7×10^{15}	0.0	-0
100	4.0	200	0.7×10^{-6}	7.5	17		4.0	200	4.5×10^{-4}	9.9	0
	4.6	200	2.8×10^{10}	10.5	47		4.6	200	1.8×10^{14}	44.1	18
	4.6	200	2.4×10^{10}	5.4	90		4.6	200	1.0×10^{10}	17.9	37
	4.6	200	4.9×10^{16}	2.6	102		4.6	200	8.1×10^{15}	4.2	76
	4.6	200	5.7×10^{18}	18.8	110		4.6	200	9.4×10^{15}	17.0	79
	4.6	200	2.1×10^{17}	1.8	121		4.6	200	6.8×10^{13}	14.4	101
	4.6	200	2.0×10^{18}	7.9	134		4.6	200	7.4×10^{14}	7.0	104
	4.6	200	9.7×10^{16}	87	148		4.6	200	5.4×10^{16}	15.0	151
$C^{17}O$	1.0	200	6.2×10^{12}	53	178	$C^{34}S$	4.6	200	2.4×10^{15}	20.0	186
0 0	4.0	200	0.2×10 1.1 × 1019	5.5	-176	0 5	4.0	200	2.4×10 1 1 × 1014	20.9	-160
	4.0	200	1.1×10^{-3}	7.9	-1/4		4.0	200	1.1×10^{-1}	3.3	-102
	4.6	200	6.2×10^{12}	11.4	-131		4.6	200	2.8×10^{13}	1.6	-149
	4.6	200	7.7×10^{12}	15.2	-104		4.6	200	4.7×10^{12}	12.4	-115
	4.6	200	4.1×10^{15}	2.0	-83		4.6	200	4.7×10^{15}	8.7	-102
	4.6	200	2.0×10^{13}	10.5	-62		4.6	200	1.5×10^{15}	7.7	-83
	4.6	200	3.0×10^{16}	1.7	-47		4.6	200	5.8×10^{13}	12.0	-65
	46	200	8.2×10^{18}	39.7	-22		46	200	7.0×10^{14}	21.1	-94
	1.0	200	1.7×10^{18}	51	12		4.6	200	2.0×10^{15}	13 4	0
	4.0	200	1.7×10	J.I 15 0	-15		4.0	200	2.9 × 10	13.4	-9
	4.0	200	5.3×10^{-1}	15.8	23		4.0	200	0.0×10^{-1}	4.3	3
	4.6	200	2.2×10^{10}	18.9	46		4.6	200	2.3×10^{10}	22.4	38
	4.6	200	2.9×10^{10}	8.4	81		4.6	200	1.1×10^{12}	0.7	45
	4.6	200	2.5×10^{18}	7.5	104		4.6	200	1.1×10^{16}	20.1	82
	4.6	200	10.0×10^{18}	47.5	139		4.6	200	5.0×10^{14}	5.8	129
	4.6	200	1.1×10^{19}	22.9	145		4.6	200	8.3×10^{12}	1.2	153
$C^{18}O$	4.6	200	10.0×10^{18}	7.5	-184		4.6	200	1.2×10^{15}	44.5	145
0 0	4.6	200	1.2×10^{18}	3.1	-158	HCN	4.6	200	1.0×10^{12}	0.5	107
	4.0	200	1.2×10^{17}	20.6	155	11011	4.6	200	1.0×10^{12}	11.0	106
	4.0	200	1.0×10	20.0	-155		4.0	200	1.3×10 1.0 10 ¹³	11.9	100
	4.0	200	0.9×10^{-5}	1.0	-95		4.0	200	1.2×10^{10}	30.9	93
	4.6	200	8.1×10^{10}	4.5	-92		4.6	200	1.3×10^{12}	2.6	35
	4.6	200	9.9×10^{10}	2.7	-67		4.6	200	1.3×10^{12}	2.5	7
	4.6	200	4.7×10^{16}	11.8	-68		4.6	200	1.3×10^{12}	0.7	-5
	4.6	200	1.4×10^{16}	7.8	-33		4.6	200	2.1×10^{15}	7.4	-10
	4.6	200	9.4×10^{17}	12.8	-16		4.6	200	1.3×10^{12}	0.1	23
	4.6	200	5.8×10^{17}	3.9	5		4.6	200	1.6×10^{14}	3.5	129
	4.6	200	6.0×10^{15}	17.5	15		4.6	200	1.3×10^{12}	0.1	-80
	-1.0 1 C	200	4 1 \(\cold 10\)	70	10 95		-1.0 A C	200	1.0×10^{12}	11.0	101
	4.0	200	4.1×10^{10}	1.9	30 50		4.0	200	1.0×10^{12}	11.9	-101
	4.6	200	4.6×10^{17}	8.6	52	TT10	4.6	200	1.3×10^{12}	0.5	-77
	4.6	200	7.9×10^{17}	14.3	89	$H^{13}CN$	4.6	200	2.8×10^{10}	8.4	-175
	4.6	200	1.1×10^{19}	11.8	135		4.6	200	6.0×10^{18}	2.9	-141
CS	4.6	200	3.2×10^{15}	2.8	121		4.6	200	4.0×10^{14}	6.3	-140
	4.6	200	7.5×10^{17}	13.6	77		4.6	200	2.3×10^{15}	4.6	-117
	4.6	200	3.3×10^{17}	5.0	81		4.6	200	1.8×10^{13}	49.9	-80
	4.6	200	1.1×10^{18}	2.6	68		4.6	200	5.9×10^{13}	84	-68
	1.0	200	20×10^{17}	0.9	40		1.0	200	10×10^{18}	0.4	_59
	4.0	200	2.0 \ 10	9.0	40		4.0	200	4.0 × 10	0.0	-00

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 220
1. Moner et un morecular mie survey of not cores,	OTOUTIUC	111 0001 000	p 220

		(C	ontinued)			
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL CD	_
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	(kms^{-1})	
-	4.6	200	4.3×10^{15}	15.0	-33	
	4.6	200	1.1×10^{12}	20.8	-12	
	4.6	200	5.2×10^{14}	8.8	-6	
	4.6	200	6.4×10^{15}	10.5	28	
	4.6	200	2.1×10^{16}	12.8	45	
	4.6	200	3.6×10^{15}	7.3	93	5
	4.6	200	5.0×10^{14}	5.7	117	
	4.6	200	2.0×10^{16}	29.1	162	1
	4.6	200	2.2×10^{14}	1.4	156	
HNC	4.6	200	8.1×10^{14}	12.6	109	
	4.6	200	7.1×10^{12}	1.4	126	(
	4.6	200	8.6×10^{14}	0.5	90	
	4.6	200	2.0×10^{16}	11.7	42	
	4.6	200	5.1×10^{12}	0.4	15	1
	4.6	200	9.0×10^{14}	4.7	-30	
	4.6	200	1.1×10^{16}	8.0	-37	
	4.6	200	6.9×10^{14}	4.4	-60	
	4.6	200	1.3×10^{12}	3.3	-79	
	4.6	200	1.0×10^{12}	0.4	-90	
	4.6	200	3.2×10^{16}	10.5	-129	
	4.6	200	1.6×10^{15}	3.0	-96	
	4.6	200	1.2×10^{12}	1.1	-151	
	4.6	200	7.5×10^{13}	4.2	-179	
$\rm HN^{13}C$	4.6	200	2.7×10^{16}	32.1	67	
	4.6	200	2.4×10^{15}	6.0	82	
	4.6	200	1.0×10^{14}	13.5	-176	
	4.6	200	8.9×10^{14}	7.2	-85	
$\rm HO^{13}C^+$	4.6	200	5.0×10^{13}	7.1	-161	
	4.6	200	3.0×10^{13}	43.8	-140	
	4.6	200	2.1×10^{13}	18.2	-117	
	4.6	200	4.7×10^{13}	31.3	-91	
	4.6	200	1.3×10^{14}	33.8	-84	
	4.6	200	1.2×10^{14}	2.9	-75	
	4.6	200	6.8×10^{13}	10.8	-67	
	4.6	200	3.0×10^{13}	7.1	-60	
	4.6	200	4.9×10^{15}	10.6	-43	
	4.6	200	1.1×10^{15}	6.4	-27	
	4.6	200	7.0×10^{13}	6.5	-8	
	4.6	200	3.1×10^{14}	2.8	-1	
	4.6	200	7.1×10^{13}	25.3	17	
	4.6	200	8.0×10^{12}	1.6	27	(
	4.6	200	1.0×10^{15}	19.6	-128	(
	4.6	200	4.4×10^{14}	8.5	90	
	4.6	200	5.3×10^{13}	5.8	104	
	4.6	200	1.2×10^{13}	2.7	118	
	4.6	200	2.3×10^{13}	28.7	155	
	4.6	200	4.8×10^{13}	23.1	147	

Table L.56: LTE Parameters for the full LTE model (Envelope Components) for source A01 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
CCH	ext.	3	1.0×10^{16}	14.3	75
0011	ext.	$\tilde{5}$	4.2×10^{15}	12.3	64
$H_2C^{33}S$	ext.	10	2.6×10^{14}	8.6	65
H_2CNH	ext.	3	2.9×10^{14}	13.2	61
	ext.	7	2.8×10^{12}	7.1	164
CN	ext.	26	7.7×10^{16}	18.2	67
	ext.	14	8.3×10^{15}	5.4	61
	ext.	54	1.3×10^{12}	6.9	8
	ext.	55	1.3×10^{16}	14.6	30
	ext.	55	1.5×10^{13}	6.8	-35
	ext.	29	7.9×10^{15}	12.5	4

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
	ext.	69	1.6×10^{16}	8.5	-26
	ext.	23	1.5×10^{15}	4.1	-43
	ext.	93	2.2×10^{17}	8.8	-53
	ext.	38	9.0×10^{15}	1.0	-82
	ext.	3	9.7×10^{14}	0.1	-109
SiO	ext.	9	1.7×10^{14}	6.6	70
	ext.	51	1.3×10^{15}	9.5	59
$_{\rm PN}$	ext.	3	3.1×10^{15}	9.3	54
	ext.	3	3.5×10^{15}	10.9	41
	ext.	3	3.0×10^{15}	9.5	9
CH_2NH	ext.	60	1.9×10^{15}	6.2	71
	ext.	4	2.4×10^{14}	15.8	76
	ext.	8	1.1×10^{12}	6.8	63
H_2CO	ext.	34	5.7×10^{15}	5.9	82
	ext.	33	1.5×10^{16}	9.8	71
	ext.	14	1.1×10^{15}	9.1	58
CO	ext.	3	1.3×10^{12}	0.1	80
	ext.	3	1.3×10^{12}	18.1	76
	ext.	3	3.8×10^{17}	11.9	77
	ext.	3	1.7×10^{17}	11.2	59
	ext.	3	2.1×10^{14}	0.1	43
	ext.	3	1.1×10^{12}	0.6	49
	ext.	3	1.8×10^{15}	0.7	24
	ext.	3	4.0×10^{17}	25.1	10
	ext.	3	1.3×10^{12}	0.5	-56
	ext.	3	2.0×10^{17}	8.0	-45
	ext.	3	1.3×10^{12}	0.1	-87
	ext.	3	1.9×10^{17}	8.9	-25
	ext.	3	1.3×10^{12}	1.7	-53
	ext.	3	1.3×10^{12}	1.4	-77
	ext.	3	1.9×10^{17}	36.1	-82
	ext.	3	1.0×10^{12}	1.4	-113
	ext.	3	1.3×10^{12}	1.4	-59
	ext.	3	4.9×10^{14}	0.9	-130
	ext.	3	2.5×10^{17}	3.9	-108
	ext.	3	2.3×10^{16}	1.3	-122
^{13}CO	ext.	3	1.1×10^{15}	1.7	0
	ext.	3	7.5×10^{16}	21.3	7
	ext.	3	4.3×10^{15}	2.2	31
	ext.	3	2.1×10^{17}	22.3	68
$C^{18}O$	ext.	3	4.0×10^{16}	13.6	65
CS	ext.	3	4.6×10^{17}	19.2	69
	ext.	3	1.3×10^{12}	0.8	64
	ext.	3	2.7×10^{14}	0.3	59
	ext.	3	1.3×10^{12}	3.5	-171
^{13}CS	ext.	3	1.4×10^{16}	13.2	-164
	ext.	3	3.8×10^{12}	24.8	9
	ext.	3	9.3×10^{15}	2.8	56
	ext.	3	9.9×10^{15}	6.6	70
$C^{33}S$	ext.	3	1.1×10^{16}	8.7	-173
$C^{34}S$	ext.	3	5.3×10^{15}	6.8	-25
	ext.	3	1.4×10^{16}	8.1	23
	ext.	3	2.1×10^{16}	10.5	57
	ext.	3	1.9×10^{16}	7.1	70
	ext.	3	1.3×10^{16}	13.8	112
HCN	ext.	3	3.4×10^{17}	15.5	67
	ext.	3	1.3×10^{12}	0.8	66
	ext.	3	1.3×10^{12}	0.8	62
	ext.	3	1.3×10^{12}	0.3	55
	ext.	3	1.3×10^{12}	0.2	47
	ext.	3	1.2×10^{15}	18.0	7
	ext.	3	3.7×10^{13}	4.8	-23
	ext.	3	3.2×10^{14}	5.5	-75
	ext.	3	1.0×10^{12}	13.1	-134
	ext.	3	2.0×10^{12}	0.4	-28
$\rm H^{13}CN$	ext.	3	2.2×10^{14}	24.6	-111
-	ext.	3	2.5×10^{15}	22.1	66
	ext.	3	1.8×10^{12}	5.7	74
HNC	ext.	3	1.6×10^{15}	6.1	83
	ext.	3	7.1×10^{15}	12.4	68
	ext.	3	1.3×10^{12}	0.1	70
	ext	3	1.2×10^{12}	17.9	63
		2			

(Continued)

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 221

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
	ext.	3	4.0×10^{15}	3.8	54				
	ext.	3	1.3×10^{14}	11.1	-76				
	ext.	3	1.2×10^{12}	0.5	-128				
	ext.	3	1.3×10^{12}	0.6	-115				
	ext.	3	1.4×10^{12}	0.8	-145				
$\rm HN^{13}C$	ext.	3	2.6×10^{14}	11.8	65				
	ext.	3	1.6×10^{14}	35.0	-85				
$\rm H^{13}CO^+$	ext.	3	3.0×10^{14}	16.2	69				
	ext.	3	1.8×10^{14}	12.7	64				

Table L.57: LTE Parameters for the full LTE model (Core Components) for source A02 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$\overline{\mathbf{v}_{\mathbf{L},\mathbf{GD}}^{m,c}}$
	(")	(K)	(cm^{-2})	$(km s^{-1})$	(kms^{-1})
	()	(11)	(0111)	(1111.5)	(1111 5)
CH ₃ NH ₂	1.7	138	6.9×10^{17}	6.9	71
C_2H_3CN	1.7	190	1.2×10^{17}	5.8	72
$C_{2}H_{3}CN, v_{10}=1$	1.7	396	9.5×10^{16}	9.0	72
SO ₂	1.7	400	1.3×10^{17}	7.0	71
CH ₃ CHO	1.7	184	4.1×10^{17}	5.0	72
$H_2C^{33}S$	1.7	200	1.3×10^{16}	6.7	66
C ₂ H₅OH	1.7	173	2.1×10^{18}	4.6	72
HCCCN	1.7	217	3.5×10^{17}	3.8	71
HCCCN, $v_7=2$	1.7	228	1.2×10^{17}	5.2	71
NO	1.7	47	2.6×10^{18}	30.0	65
NH ₂ D	1.7	195	2.8×10^{17}	10.8	69
PN	1.7	200	1.2×10^{15}	1.0	126
110	17	200	1.5×10^{16}	3.2	139
	1.7	200	9.2×10^{16}	1.5	99
	17	200	1.1×10^{12}	20.0	82
	1.7	200	4.1×10^{15}	3.8	76
	1.7	200	1.1×10^{12}	0.7	69
	1.7	200	2.1×10^{14}	1.3	46
	1.7	200	2.3×10 1 1 $\times 10^{15}$	1.5	40 34
	1.7	200	1.1×10^{-1}	3.J 26.4	19
	1.7	200	1.1×10 5.0 × 1015	20.4	10 21
	1.7	200	5.0×10^{15}	0.9	31
	1.7	200	1.0×10^{15}	5.2	5 11
	1.7	200	1.2×10^{-1}	5.0	-11
UNC - 1	1.7	200	$1.1 \times 10^{}$	0.7	-37
HNC, $v_2=1$	1.7	1128	7.5×10^{10}	15.9	80
CH ₃ OH	1.7	205	2.6×10^{10}	2.8	71
co+	1.7	179	1.6×10^{10}	2.2	74
CO -	1.7	148	1.2×10^{17}	3.8	79
CH_3OCH_3	1.7	193	3.1×10^{10}	3.9	72
C_2H_5CN	1.7	253	1.1×10^{12}	3.5	-159
	1.7	216	3.9×10^{10}	3.5	71
$C_2H_5CN, v_{20}=1$	1.7	207	2.1×10^{18}	4.2	71
H_2CS	1.7	179	1.8×10^{17}	3.9	72
NS	1.7	174	1.1×10^{12}	2.6	80
	1.7	300	3.5×10^{10}	3.7	71
HNCO	1.7	586	2.0×10^{17}	7.6	72
CH ₃ OCHO	1.7	215	1.4×10^{18}	4.4	72
HCN, $v_2=1$	1.7	266	1.1×10^{18}	4.7	72
SO	1.7	127	2.5×10^{16}	3.5	70
$HC(O)NH_2$	1.7	154	8.5×10^{17}	4.1	72
H_2CCO	1.7	209	2.5×10^{17}	4.8	72
OCS	1.7	209	5.6×10^{18}	3.9	72
OCS, $v_2=1$	1.7	201	1.2×10^{18}	4.0	71
${\rm H_{2}^{33}S}$	1.7	186	5.0×10^{17}	2.6	71
	1.7	168	1.4×10^{15}	3.4	74
CH_3CN	1.7	179	1.0×10^{12}	4.1	70
	1.7	199	1.7×10^{18}	4.1	71
CO	1.7	200	9.1×10^{18}	2.4	137
	1.7	200	1.1×10^{12}	0.6	97
	1.7	200	2.4×10^{19}	4.4	71
	1.7	200	1.1×10^{12}	0.6	-186

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			(C	ontinued)		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda v^{m,c}$	$v_{a}^{m,c}$
$C^{17} O = 1, (4, 10)^{12} O = 1, (3, 11)^{12} O = 1, (3, 11)^{12} O = 1, (3, 11)^{12} O = 1, (3, 11)^{13} O = 1, (3, 11)^{14} O = 1, (3, 11)^{1$	morecure	(")	-ex (K)	(cm^{-2})	$(lm e^{-1})$	$(lm e^{-1})$
$C^{17} 0 = 1.4 \times 10^{-12} 0.7 - 1.22 = 1.7 - 200 - 1.1 \times 10^{12} 0.7 - 1.22 = 1.7 - 200 - 1.1 \times 10^{12} 0.4 - 106 = 1.7 - 200 - 1.1 \times 10^{12} 2.2 - 1.86 = 1.7 - 200 - 1.1 \times 10^{12} 2.2 - 1.86 = 1.7 - 200 - 1.1 \times 10^{12} 2.2 - 1.86 = 1.7 - 200 - 1.1 \times 10^{12} 2.4 - 106 = 1.7 - 200 - 1.1 \times 10^{12} 2.4 - 106 = 1.7 - 200 - 1.1 \times 10^{12} 2.4 - 81 = 1.7 - 200 - 1.1 \times 10^{12} 1.4 - 32 = 1.7 - 200 - 6.4 \times 10^{15} 0.3 - 4.2 = 1.7 - 200 - 6.4 \times 10^{15} 0.3 - 4.2 = 1.7 - 200 - 6.4 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 = 1.7 - 200 - 2.6 \times 10^{18} - 1.2 - 1.65 = 1.7 - 200 - 2.6 \times 10^{18} - 1.2 - 1.65 = 1.7 - 200 - 2.6 \times 10^{18} - 1.2 - 1.65 = 1.7 - 200 - 2.6 \times 10^{18} - 1.2 - 1.65 = 1.7 - 200 - 2.6 \times 10^{18} - 1.4 \times 10^{12} - 4.4 - 7.4 = 1.7 - 200 - 2.6 \times 10^{18} - 1.4 \times 10^{12} - 4.4 - 7.4 = 1.7 - 200 - 2.6 \times 10^{18} - 1.6 - 1.22 = 1.7 - 200 - 5.9 \times 10^{17} - 5.1 - 5.2 = 1.7 - 200 - 1.7 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.4 \times 10^{12} - 4.4 - 7.4 = 1.7 - 200 - 1.7 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.4 \times 10^{12} - 1.6 - 3.3 = 1.7 - 200 - 1.0 \times 10^{18} - 1.2 - 2 = 1.7 - 200 - 1.0 \times 10^{18} - 1.2 - 2 = 1.7 - 200 - 1.0 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.0 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.0 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.0 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 91 = 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 3.3 = 1.7 - 200 - 1.1 \times 10^{18} - 1.2 - 1.5 = 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.1 - 1.7 - 200 - 1.1 \times 10^{18} - 1.6 - 1.1 - 1.2 - $		()	(IX)	(cm) 1.41012		(KIIIS)
$C^{17}O = 1.1 × 10^{15} 0.6 - 1.34 1.7 200 1.1 × 10^{15} 0.6 - 1.34 1.7 200 1.1 × 10^{12} 3.1 -169 1.7 200 1.1 × 10^{12} 2.2 - 1.86 1.7 200 1.1 × 10^{12} 1.9 - 1.86 1.7 200 1.1 × 10^{12} 1.9 - 1.86 1.7 200 1.1 × 10^{12} 1.9 - 1.86 1.7 200 1.1 × 10^{12} 1.4 32 1.7 200 1.1 × 10^{12} 1.4 32 1.7 200 4.6 × 10^{12} 3.4 -67 1.7 200 4.6 × 10^{12} 3.4 -67 1.7 200 6.3 × 10^{12} 2.6 - 1.84 1.7 200 6.2 × 10^{12} 0.7 -1.85 1.7 200 6.2 × 10^{12} 0.7 -1.85 1.7 200 5.9 × 10^{12} 1.6 -122 1.7 200 1.6 × 10^{18} 8.1 -1.2 1.7 200 1.6 × 10^{18} 8.6 -124 1.7 200 1.6 × 10^{18} 8.6 -124 1.7 200 1.6 × 10^{18} 8.6 -124 1.7 200 1.6 × 10^{18} 8.6 -124 1.7 200 1.6 × 10^{18} 8.6 -124 1.7 200 3.7 × 10^{16} 10.1 -95 1.7 200 3.7 × 10^{16} 10.1 -95 1.7 200 3.7 × 10^{16} 10.1 -95 1.7 200 3.7 × 10^{16} 10.1 -95 1.7 200 1.4 × 10^{17} 5.0 -29 1.7 200 8.4 × 10^{17} 5.0 -29 1.7 200 8.4 × 10^{17} 5.0 -29 1.7 200 8.4 × 10^{17} 5.0 -29 1.7 200 1.0 × 10^{18} 7.6 23 1.7 200 1.0 × 10^{18} 7.6 23 1.7 200 1.0 × 10^{18} 7.6 23 1.7 200 1.0 × 10^{18} 7.6 23 1.7 200 1.0 × 10^{18} 5.5 91 1.7 200 1.0 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 91 1.7 200 1.6 × 10^{18} 5.5 133 1.7 200 1.6 × 10^{18} 5.5 133 1.7 200 1.5 × 10^{17} 6.7 -144 1.7 200 1.5 × 10^{17} 6.7 -144 1.7 200 1.5 × 10^{17} 6.7 -144 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.5 × 10^{17} 7.4 -61 1.7 200 1.6 × 10^{18} 4.4 -71 1.7 200 1.6 × 10^{18} 4.4 -71 1.7 200 1.6 × 10^{18} 4.4 -71 1.7 200 1.6 × 10^{18} 4.4 -71 1.7 200 1.6 × 10^{17} 4.6 27 1.7$		1.7	200	1.4×10^{12}	0.7	-111
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10^{12}	0.7	-122
$ C^{18} O = 1, 1 + 10^{12} 0, 1, 1 + 10^{12} 0, 1, 1 + 10^{12} 0, 1, 1 + 10^{12} 1, 9 - 186 1, 7 - 200 1, 1 + 10^{12} 1, 9 - 186 1, 7 - 200 1, 1 + 10^{12} 1, 9 - 186 1, 7 - 200 1, 1 + 10^{12} 1, 9 - 186 1, 17 - 200 1, 1 + 10^{12} 1, 4 - 32 1, 7 - 200 1, 4 + 10^{12} 1, 4 - 32 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 32 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 43 2, 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 4 - 67 1, 7 - 200 4, 6 + 10^{12} 1, 7 - 108 1, 7 - 200 6, 2 + 10^{12} 0, 7 - 185 1, 7 - 200 6, 2 + 10^{12} 0, 7 - 185 1, 7 - 200 3, 9 + 10^{13} 1, 1, 2 - 165 1, 7 - 200 3, 9 + 10^{14} 3, 7 - 1009 1, 7 - 200 3, 9 + 10^{17} 3, 7 - 1009 1, 7 - 200 5, 9 + 10^{17} 5, 7 - 109 1, 7 - 200 5, 9 + 10^{17} 5, 7 - 109 1, 7 - 200 5, 9 + 10^{17} 5, 0 - 39 1, 7 - 200 5, 9 + 10^{17} 5, 0 - 39 1, 7 - 200 5, 9 + 10^{17} 5, 0 - 39 1, 7 - 200 3, 0 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 2, 6 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 2, 6 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 7 + 10^{18} 12, 8 - 16 1, 7 - 200 1, 0 + 10^{18} 6, 7 - 55 1, 7 - 200 1, 7 + 10^{18} 10, 2 - 115 1, 7 - 200 1, 0 + 10^{18} 6, 7 - 55 1, 7 - 200 1, 0 + 10^{18} 6, 7 - 114 1, 7 - 200 1, 0 + 10^{18} 6, 7 - 114 1, 7 - 200 1, 0 + 10^{18} 6, 7 - 114 1, 7 - 200 1, 1 - 10^{18} 1, 0 - 2 - 115 1, 7 - 200 1, 1 - 10^{18} 1, 0 - 2 - 115 1, 7 - 200 1, 1 - 10^{18} 1, 0 - 2 - 115 1, 7 - 200 1, 1 - 10^{18} 1, 0 - 1 - 10^{17} 1, 7 - 200 1, 1 - 10^{18} 1, 0 - 1 - 10^{17} 1, 7 - 200 1, 1 - 10^{17} 1, 7 - 207 1, 1 - 10^{17} 1, 9 - 7 0 1, 1 - 10^{17} 1, 7 - 207 1, 1 - 10^{17} 1, 9 - 7 0 - 116 1, 10^{18} 1, 1 - 10^{17} 1, 1 - 10^{17} 1, 1 - 10^{17} 1, 1 - 10^{17$		1.7	200	1.1×10^{15}	0.6	-134
$C^{18}O = \begin{bmatrix} 1.7 & 200 & 1.1 \times 10^{12} & 2.2 & -186 \\ 1.7 & 200 & 1.1 \times 10^{12} & 2.2 & -186 \\ 1.7 & 200 & 1.1 \times 10^{12} & 2.4 & 81 \\ 1.7 & 200 & 1.1 \times 10^{12} & 2.4 & 81 \\ 1.7 & 200 & 1.1 \times 10^{12} & 1.4 & 32 \\ 1.7 & 200 & 6.4 \times 10^{15} & 0.3 & -42 \\ 1.7 & 200 & 6.4 \times 10^{12} & 3.4 & -67 \\ 1.7 & 200 & 6.4 \times 10^{12} & 3.4 & -67 \\ 1.7 & 200 & 6.3 \times 10^{12} & 1.6 & -122 \\ 1.7 & 200 & 6.3 \times 10^{12} & 26.1 & -84 \\ 1.7 & 200 & 6.2 \times 10^{12} & 0.7 & -185 \\ 1.7 & 200 & 2.6 \times 10^{18} & 11.2 & -166 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.6 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 2.6 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 2.6 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 2.1 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 2.1 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 3.7 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 3.7 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 1.0 \times 10^{18} & 6.7 & 55 \\ 1.7 & 200 & 1.0 \times 10^{18} & 6.7 & 55 \\ 1.7 & 200 & 1.0 \times 10^{18} & 6.7 & 55 \\ 1.7 & 200 & 1.0 \times 10^{18} & 5.5 & -91 \\ 1.7 & 200 & 1.0 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{17} & 1.9 & 70 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.6 \times 10^{18} & 7.5 & -127 \\ 1.$		1.7	200	1.1×10^{12}	3.1	-169
$C^{17} = 200 = 1.1 \times 10^{12} = 2.2 = -186 \\ 1.7 = 200 = 1.1 \times 10^{12} = 1.9 = -186 \\ 1.7 = 200 = 6.6 \times 10^{19} = 0.1 = 111 \\ 1.7 = 200 = 1.1 \times 10^{12} = 2.4 = 81 \\ 1.7 = 200 = 1.1 \times 10^{12} = 2.4 = 81 \\ 1.7 = 200 = 1.1 \times 10^{12} = 1.4 = 32 \\ 1.7 = 200 = 6.4 \times 10^{12} = 3.4 = 67 \\ 1.7 = 200 = 4.6 \times 10^{12} = 3.4 = 67 \\ 1.7 = 200 = 6.3 \times 10^{12} = 1.6 = -122 \\ 1.7 = 200 = 6.3 \times 10^{12} = 2.6 = -122 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 2.6 \times 10^{12} = 0.7 = -188 \\ 1.7 = 200 = 3.9 \times 10^{12} = 3.7 = -161 \\ 1.7 = 200 = 3.9 \times 10^{17} = 3.7 = -109 \\ 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 \\ 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 \\ 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 \\ 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 \\ 1.7 = 200 = 3.0 \times 10^{17} = 5.0 = -39 \\ 1.7 = 200 = 1.7 \times 10^{18} = 12.5 = -2 \\ 1.7 = 200 = 1.7 \times 10^{18} = 12.5 = -2 \\ 1.7 = 200 = 1.7 \times 10^{18} = 12.5 = -2 \\ 1.7 = 200 = 1.7 \times 10^{18} = 12.5 = -2 \\ 1.7 = 200 = 1.7 \times 10^{18} = 12.5 = -2 \\ 1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115 \\ 1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115 \\ 1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 133 \\ 1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 133 \\ 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = 163 \\ 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = 163 \\ 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = 163 \\ 1.7 = 200 = 1.6 \times 10^{18} = 7.5 = 127 \\ 1.7 = 200 = 1.6 \times 10^{18} = 7.5 = 127 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6 \\ 1.7 = 200 = 1.6 \times 10^{18} = 1.6$		17	200	1.1×10^{12}	0.4	-106
$C^{17} = 200 - 1.1 \times 10^{12} - 1.9 - 1.86 \\ 1.7 - 200 - 1.1 \times 10^{12} - 1.9 - 1.86 \\ 1.7 - 200 - 1.1 \times 10^{12} - 1.4 - 32 \\ 1.7 - 200 - 7.3 \times 10^{13} - 1.3 - 45 \\ 1.7 - 200 - 6.4 \times 10^{12} - 1.4 - 32 \\ 1.7 - 200 - 6.4 \times 10^{12} - 1.4 - 32 \\ 1.7 - 200 - 6.4 \times 10^{12} - 1.4 - 32 \\ 1.7 - 200 - 6.4 \times 10^{12} - 1.4 - 32 \\ 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 \\ 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 \\ 1.7 - 200 - 6.3 \times 10^{12} - 1.6 - 1.22 \\ 1.7 - 200 - 3.9 \times 10^{14} - 1.1 - 1.65 \\ 1.7 - 200 - 2.6 \times 10^{18} - 2.3 - 1.61 \\ 1.7 - 200 - 2.6 \times 10^{18} - 2.3 - 1.61 \\ 1.7 - 200 - 2.6 \times 10^{18} - 3.3 - 1.61 \\ 1.7 - 200 - 2.6 \times 10^{18} - 3.3 - 1.61 \\ 1.7 - 200 - 2.6 \times 10^{18} - 3.3 - 1.61 \\ 1.7 - 200 - 3.7 \times 10^{16} - 10.1 - 95 \\ 1.7 - 200 - 3.7 \times 10^{16} - 10.1 - 95 \\ 1.7 - 200 - 3.7 \times 10^{16} - 10.1 - 95 \\ 1.7 - 200 - 3.7 \times 10^{16} - 10.1 - 95 \\ 1.7 - 200 - 3.7 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 3.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 3.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 3.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 1.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 1.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 1.7 \times 10^{18} - 7.6 - 23 \\ 1.7 - 200 - 1.7 \times 10^{18} - 7.5 - 5 \\ 1.7 - 200 - 1.0 \times 10^{17} - 5.0 - 33 \\ 1.7 - 200 - 1.0 \times 10^{17} - 5.5 - 91 \\ 1.7 - 200 - 1.0 \times 10^{17} - 5.5 - 91 \\ 1.7 - 200 - 1.0 \times 10^{18} - 5.5 - 91 \\ 1.7 - 200 - 1.0 \times 10^{18} - 5.5 - 91 \\ 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 91 \\ 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 123 \\ 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 123 \\ 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 123 \\ 1.7 - 200 - 1.1 \times 10^{18} - 5.5 - 123 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{17} - 7.4 - 61 \\ 1.7 - 200 - 1.5 \times 10^{1$		1.7	200	1.1×10^{12}	0.4	-100
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10	2.2	-180
	10	1.7	200	1.1×10^{12}	1.9	-186
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$	^{13}CO	1.7	200	6.6×10^{19}	0.1	111
$C^{17}O = \begin{bmatrix} 1.7 & 200 & 7.3 \times 10^{13} & 1.3 & 45 \\ 1.7 & 200 & 1.1 \times 10^{12} & 1.4 & 32 \\ 1.7 & 200 & 4.5 \times 10^{12} & 1.7 & 0 \\ 1.7 & 200 & 4.5 \times 10^{12} & 1.6 & -122 \\ 1.7 & 200 & 6.3 \times 10^{12} & 26.1 & -84 \\ 1.7 & 200 & 6.2 \times 10^{12} & 0.7 & -185 \\ 1.7 & 200 & 3.9 \times 10^{18} & 11.2 & -165 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.6 \times 10^{18} & 6.9 & -148 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 1.0 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.5 \times 10^{18} & 5.5 & 163 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 7.4 & -161 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.4 \times 10^{17} & 3.9 & 96 \\ 1.7 & 200 & 4.4 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 4.7 \times 10^{17} & 1.8 & 1.11 \\ 1.7 & 200 & 4.7 \times 10^{17} & 1.3 & 136 \\ 1.7 & 200 & 1.1 \times 10^{18} & 3.6 & 94 \\ 1.7 & 200 & 1.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 1.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 1.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 1.2 \times 10^{14} & 2.8 & 24 \\ 1.7 & 200 & 1.1 \times 10^{12} & 0.4 & 6 \\ 1.7 & 200 & 1.1 \times 10^{12} & 0.4 & 6 \\ 1.7 & 200 & 1.1 \times 10^{12} & 0.4 & 6$		1.7	200	1.1×10^{12}	2.4	81
$C^{17}O = 1.7 + 200 + 1.7 + 10^{12} + 1.4 + 32 + 1.7 + 200 + 6.4 \times 10^{15} + 0.3 + 42 + 1.7 + 0 + 1.7 + 200 + 4.6 \times 10^{12} + 1.7 + 0 + 1.7 + 200 + 4.6 \times 10^{12} + 1.7 + 0 + 1.7 + 200 + 4.6 \times 10^{12} + 2.6 + 1 + 8.4 + 1.7 + 200 + 6.2 \times 10^{12} + 1.6 + 122 + 1.7 + 200 + 6.2 \times 10^{12} + 1.6 + 122 + 1.7 + 200 + 6.2 \times 10^{12} + 1.7 + 100 + 1.7 + 200 + 6.2 \times 10^{18} + 1.2 + 1.65 + 1.7 + 200 + 2.1 \times 10^{18} + 6.9 + 1.48 + 1.7 + 200 + 2.1 \times 10^{18} + 6.9 + 1.48 + 1.7 + 200 + 2.1 \times 10^{16} + 10.1 + 95 + 1.7 + 200 + 3.7 \times 10^{16} + 10.1 + 95 + 1.7 + 200 + 3.7 \times 10^{16} + 10.1 + 95 + 1.7 + 200 + 3.7 \times 10^{16} + 10.1 + 95 + 1.7 + 200 + 3.7 \times 10^{16} + 10.1 + 95 + 1.7 + 200 + 3.7 \times 10^{17} + 5.0 + 39 + 10^{17} + 5.1 + 52 + 1.7 + 200 + 3.7 \times 10^{17} + 5.0 + 39 + 1.7 + 200 + 3.7 \times 10^{18} + 12.8 + 1.6 + 1.7 + 200 + 3.7 \times 10^{18} + 12.8 + 1.6 + 1.7 + 200 + 1.7 \times 10^{18} + 12.8 + 1.6 + 1.7 + 200 + 1.7 \times 10^{17} + 1.9 + 70 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 12.5 + -2 + 1.7 + 200 + 1.6 \times 10^{18} + 10.2 + 115 + 1.7 + 200 + 1.6 \times 10^{18} + 10.2 + 115 + 1.7 + 200 + 1.6 \times 10^{18} + 5.5 + 133 + 1.7 + 200 + 1.6 \times 10^{18} + 5.5 + 133 + 1.7 + 200 + 1.6 \times 10^{18} + 5.5 + 127 + 1.7 + 200 + 1.6 \times 10^{18} + 5.5 + 127 + 1.7 + 200 + 1.6 \times 10^{18} + 5.5 + 127 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{18} + 3.5 + 1.63 + 1.7 + 200 + 1.6 \times 10^{17} + 3.6 + 1.1 + 1.7 + 200 + 1.6 \times 10^{17} + 3.6 + 1.1 + 1.7 + 200 + 1.6 \times 10^{17} + 3.6 + 1.1 + 1.7 + 200 + 1.6 \times 10^{17} + 3.6 + 1.1 + 1.7 + 200 + 1.6 \times 10^{18} + 3.6 + 94 + 1.7 + 200 + 1.6 \times 10^{18} + 3.6 + 94 + 1.7 + 200 + 1.6 \times 10^{18} + 3.6 + 94 + 1.7 + 200 + 1.6 \times 10^{18} + 3.6 + 94 $		17	200	7.3×10^{13}	1.3	45
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10^{12}	1.0	30
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	1.1×10	1.4	10
$C^{17}O = 1.7 = 200 = 4.5 \times 10^{12} = 1.7 = 0 = 1.7 = 200 = 9.5 \times 10^{12} = 1.6 = -122 = 1.7 = 200 = 6.3 \times 10^{12} = 26.1 = -84 = 1.7 = 200 = 3.9 \times 10^{18} = 0.7 = -185 = 1.7 = 200 = 2.6 \times 10^{18} = 2.3 = -161 = 1.7 = 200 = 2.6 \times 10^{18} = 2.3 = -161 = 1.7 = 200 = 2.6 \times 10^{18} = 6.9 = -148 = 1.7 = 200 = 2.1 \times 10^{18} = 6.9 = -148 = 1.7 = 200 = 2.1 \times 10^{18} = 6.9 = -148 = 1.7 = 200 = 2.1 \times 10^{18} = 6.9 = -148 = 1.7 = 200 = 2.1 \times 10^{18} = 6.9 = -148 = 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 = 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 = 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 = 1.7 = 200 = 3.7 \times 10^{16} = 10.1 = -95 = 1.7 = 200 = 3.7 \times 10^{17} = 5.1 = -52 = 1.7 = 200 = 3.0 \times 10^{17} = 5.1 = -52 = 1.7 = 200 = 3.0 \times 10^{18} = 12.8 = -16 = 1.7 = 200 = 3.0 \times 10^{18} = 12.8 = -16 = 1.7 = 200 = 3.0 \times 10^{18} = 12.8 = -16 = 1.7 = 200 = 3.0 \times 10^{17} = 6.0 = 38 = 1.7 = 200 = 1.0 \times 10^{18} = 1.6 = 2.3 = 1.7 = 200 = 5.0 \times 10^{18} = 1.6 = 2.3 = 1.7 = 200 = 5.0 \times 10^{18} = 5.5 = 91 = 1.7 = 200 = 5.0 \times 10^{18} = 5.5 = 91 = 1.7 = 200 = 4.6 \times 10^{18} = 1.5 = -22 = 1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 133 = 1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 133 = 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = -163 = 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = -163 = 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = -163 = 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = -163 = 1.7 = 200 = 1.5 \times 10^{18} = 7.5 = -127 = 1.7 = 200 = 1.6 \times 10^{18} = 3.5 = -163 = 1.7 = 200 = 1.5 \times 10^{17} = 6.7 = -144 = 1.7 = 200 = 1.5 \times 10^{17} = 6.7 = -144 = 1.7 = 200 = 1.5 \times 10^{17} = 5.3 = -99 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 119 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 119 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 1.1 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 1.1 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 1.1 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 1.1 = 1.7 = 200 = 4.7 \times 10^{17} = 1.9 = 1.1 = 1.7 = 200 = 1.6 \times 10^{18} = 3.6 = 1.4 = 1.7 = 200 = 1.6 \times 10^{18} = 3.6 = 1.4 = 1.7 = 200 = 1.6 \times 10^{18} = 3.6 = 1.4 = 1.7 = 200 = 1.6 \times 10^{18} = 3.6 = 1.4 = 1.7 = 200 = 1.6 \times 10^{17} = 3.9 = 1.1 = 1.7 = 200 = 1.6 \times 10^{18} = 3.6 = 1.4 = 1.7 = 200 = 1.$		1.7	200	6.4×10^{13}	0.3	-42
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	4.5×10^{12}	1.7	0
$C^{17}O = \begin{bmatrix} 1.7 & 200 & 9.5 \times 10^{12} & 1.6 & -122 \\ 1.7 & 200 & 6.3 \times 10^{12} & 26.1 & -84 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.6 \times 10^{18} & 6.9 & -148 \\ 1.7 & 200 & 2.1 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.2 \times 10^{15} & 5.4 & 79 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 5.3 & -99 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.6 & 27 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.6 & 27 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 16 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & 71 \\ 1.7 & 200 & 1.6 \times 10^{18} & 4.4 & $		1.7	200	4.6×10^{12}	3.4	-67
$C^{17}O = \begin{bmatrix} 1.7 & 200 & 6.3 \times 10^{12} & 26.1 & -84 \\ 1.7 & 200 & 6.2 \times 10^{12} & 0.7 & -185 \\ 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 2.1 \times 10^{18} & 6.9 & -148 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 9.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 9.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 1.7 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.1 \times 10^{18} & 6.9 & 141 \\ 1.7 & 200 & 1.2 \times 10^{18} & 4.8 & 152 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 5.3 & -99 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -85 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -85 \\ 1.7 & 200 & 4.3 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.3 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.3 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.3 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 4.3 \times 10^{17} & 3.6 & 11 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.1 \times 10^{12} & 3.0 & 105 \\ 1.7 & 200 & 1.1 \times 10^{12} & 3.0 & 105 \\ 1.7 & 200 & 1.1 \times 10^{12} & 3.0 & 105 \\ 1.7 & 200 & 1.1 \times 10^{12} & 3.0 $		1.7	200	9.5×10^{12}	1.6	-122
$C^{17}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		17	200	6.3×10^{12}	26.1	-84
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	0.3×10^{12}	20.1	-04
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	c17.c	1.7	200	0.2×10^{12}	0.7	-185
$C^{18}O = \begin{bmatrix} 1.7 & 200 & 2.6 \times 10^{18} & 2.3 & -161 \\ 1.7 & 200 & 1.6 \times 10^{18} & 6.9 & -148 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 1.4 \times 10^{12} & 4.4 & -74 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 9.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 8.4 \times 10^{17} & 5.0 & -29 \\ 1.7 & 200 & 8.4 \times 10^{17} & 5.0 & -29 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 2.6 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 1.7 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 1.0 \times 10^{18} & 6.7 & 55 \\ 1.7 & 200 & 1.0 \times 10^{18} & 6.7 & 55 \\ 1.7 & 200 & 5.0 \times 10^{17} & 5.4 & 79 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.4 \times 10^{17} & 2.2 & 122 \\ 1.7 & 200 & 1.4 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.4 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.4 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -127 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 5.3 & -99 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 61 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 61 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 61 \\ 1.7 & 200 & 2.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.2 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7$	$C^{1}O$	1.7	200	3.9×10^{10}	11.2	-165
$C^{18}O = \begin{bmatrix} 1.7 & 200 & 1.6 \times 10^{18} & 6.9 & -148 \\ 1.7 & 200 & 2.1 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 3.7 \times 10^{16} & 10.1 & -95 \\ 1.7 & 200 & 1.4 \times 10^{12} & 4.4 & -74 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 5.2 \times 10^{15} & 5.4 & 79 \\ 1.7 & 200 & 5.2 \times 10^{15} & 5.4 & 79 \\ 1.7 & 200 & 1.6 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.7 \times 10^{17} & 19.8 & -11 \\ 1.7 & 200 & 5.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.6 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 16 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 16 \\ 1.7 & 200 & 2.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 2.3 \times 10^{18} & 5.7 & 146 \\ 1.7 & 200 & 1.6 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 2.3 \times 10^{18} & 5.7 & 146 \\ 1.7 & 200 & 1.6 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 2.3 \times 10^{18} & 5.7 & 146 \\ 1.7 & 200 & 2.3 \times 10^{18} & 5.7 & 146 \\ 1.7 & 200 & 1.1 \times 10^{12} & 3.0 & 105 \\ 1.7 & 200 & 2.5 \times 10^{15} & 1.7 & 43 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 &$		1.7	200	2.6×10^{18}	2.3	-161
$C^{18}O = \begin{bmatrix} 1.7 & 200 & 2.1 \times 10^{18} & 8.6 & -122 \\ 1.7 & 200 & 5.9 \times 10^{17} & 3.7 & -109 \\ 1.7 & 200 & 1.4 \times 10^{12} & 4.4 & -74 \\ 1.7 & 200 & 5.9 \times 10^{17} & 5.1 & -52 \\ 1.7 & 200 & 9.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 8.4 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 2.6 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 2.6 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 1.7 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 5.0 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 5.2 \times 10^{15} & 5.4 & 79 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.7 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & 123 \\ 1.7 & 200 & 1.6 \times 10^{18} & 5.5 & -163 \\ 1.7 & 200 & 1.2 \times 10^{18} & 4.8 & 152 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -123 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -123 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -123 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -123 \\ 1.7 & 200 & 1.5 \times 10^{18} & 7.5 & -123 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 7.4 & -61 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.7 \times 10^{17} & 19.8 & -11 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -27 \\ 1.7 & 200 & 4.3 \times 10^{17} & 7.6 & 16 \\ 1.7 & 200 & 2.1 \times 10^{17} & 3.6 & 41 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.8 \times 10^{17} & 3.9 & 46 \\ 1.7 & 200 & 1.2 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.2 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.2 \times 10^{12} & 3.0 & 105 \\ 1.7 & 200 & 5.6 \times 10^{14} & 7.8 & 433 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.2 \times 10^{12} & 1.0 & 108 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 $		1.7	200	1.6×10^{18}	6.9	-148
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		17	200	2.1×10^{18}	8.6	-122
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	5.1×10^{17}	2.7	100
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	0.7 X10 ⁻¹	0.1 10.1	-109
$C^{18}O = \begin{bmatrix} 1.7 & 200 & 1.4 \times 10^{12} & 5.1 & -74 \\ 1.7 & 200 & 9.9 \times 10^{17} & 5.0 & -39 \\ 1.7 & 200 & 8.4 \times 10^{17} & 5.0 & -29 \\ 1.7 & 200 & 3.0 \times 10^{18} & 12.8 & -16 \\ 1.7 & 200 & 2.6 \times 10^{18} & 12.5 & -2 \\ 1.7 & 200 & 1.7 \times 10^{18} & 7.6 & 23 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 5.0 \times 10^{17} & 6.0 & 38 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 6.5 \times 10^{18} & 5.5 & 91 \\ 1.7 & 200 & 1.6 \times 10^{18} & 10.2 & 115 \\ 1.7 & 200 & 1.6 \times 10^{18} & 8.5 & 51 \\ 1.7 & 200 & 1.6 \times 10^{18} & 8.5 & 51 \\ 1.7 & 200 & 1.6 \times 10^{18} & 8.5 & 133 \\ 1.7 & 200 & 1.6 \times 10^{18} & 2.1 & 164 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.6 \times 10^{18} & 3.5 & -163 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 6.7 & -144 \\ 1.7 & 200 & 1.5 \times 10^{17} & 5.3 & -99 \\ 1.7 & 200 & 4.4 \times 10^{17} & 2.9 & -119 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -85 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -85 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.7 & -85 \\ 1.7 & 200 & 4.3 \times 10^{17} & 4.6 & 27 \\ 1.7 & 200 & 2.8 \times 10^{17} & 7.6 & 16 \\ 1.7 & 200 & 2.1 \times 10^{17} & 8.6 & 41 \\ 1.7 & 200 & 1.6 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.6 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.6 \times 10^{18} & 13.6 & 94 \\ 1.7 & 200 & 1.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 2.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 2.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 2.2 \times 10^{17} & 3.3 & 136 \\ 1.7 & 200 & 2.5 \times 10^{14} & 2.0 & 28 \\ 1.7 & 200 & 1.1 \times 10^{12} & 0.0 & 105 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times 10^{12} & 5.0 & 4 \\ 1.7 & 200 & 1.1 \times$		1.7	200	3.7×10^{10}	10.1	-95
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.4×10^{12}	4.4	-74
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	5.9×10^{17}	5.1	-52
$C^{18}O = 1.7, 200 = 8.4 \times 10^{17} = 5.0 = .29$ $1.7 = 200 = 3.0 \times 10^{18} = 12.8 = .16$ $1.7 = 200 = 1.7 \times 10^{18} = 7.6 = 23$ $1.7 = 200 = 5.0 \times 10^{17} = 6.0 = 38$ $1.7 = 200 = 5.0 \times 10^{17} = 6.0 = 38$ $1.7 = 200 = 5.0 \times 10^{17} = 5.4 = 79$ $1.7 = 200 = 5.2 \times 10^{15} = 5.4 = 79$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.7 \times 10^{18} = 10.2 = 115$ $1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 91$ $1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 91$ $1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 91$ $1.7 = 200 = 1.6 \times 10^{18} = 5.5 = 133$ $1.7 = 200 = 1.2 \times 10^{18} = 4.8 = 152$ $1.7 = 200 = 1.6 \times 10^{18} = 22.1 = 164$ $C^{18}O = 1.7 = 200 = 1.5 \times 10^{17} = 6.7 = -144$ $1.7 = 200 = 1.5 \times 10^{17} = 6.7 = -144$ $1.7 = 200 = 1.5 \times 10^{17} = 6.7 = -144$ $1.7 = 200 = 1.5 \times 10^{17} = 7.4 = 61$ $1.7 = 200 = 1.5 \times 10^{17} = 4.7 = -85$ $1.7 = 200 = 4.3 \times 10^{17} = 4.7 = -27$ $1.7 = 200 = 4.3 \times 10^{17} = 4.7 = -27$ $1.7 = 200 = 4.3 \times 10^{17} = 4.7 = -27$ $1.7 = 200 = 2.8 \times 10^{17} = 7.6 = 16$ $1.7 = 200 = 2.8 \times 10^{17} = 7.6 = 16$ $1.7 = 200 = 2.8 \times 10^{17} = 7.6 = 16$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 13.6 = 94$ $1.7 = 200 = 1.6 \times 10^{18} = 1.7 = 30 = 105$ $1.7 = 200 = 1.6 \times 10^{18} = 1.7 = 30 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 3.0 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 3.0 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 3.0 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 3.0 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 3.0 = 105$ $1.7 = 200 = 1.1 \times 10^{12} = 5.0 = 4$ $1.7 = 200 = 1.1 \times 10^{12} = 5.0 = 4$ $1.7 = 200 = 1.1 \times 10^{12} = 5.0 = 4$ $1.7 = 200 = 1.1 \times 10^{12} = 5.0 = 4$ $1.7 = 200 = 1.1 \times 10^{12$		1.7	200	9.9×10^{17}	5.0	-39
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1 7	200	8.4×10^{17}	5.0	20
$C^{18}O = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.7	200	2.4×10^{18}	10.0	-23
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	3.0×10^{10}	12.8	-16
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	2.6×10^{10}	12.5	-2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.7×10^{18}	7.6	23
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	5.0×10^{17}	6.0	38
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		17	200	1.0×10^{18}	67	55
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	6.6×10^{17}	1.0	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	0.0 × 10	1.9	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	5.2×10^{10}	5.4	79
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	6.5×10^{18}	5.5	91
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.7×10^{18}	10.2	115
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	4.4×10^{17}	2.2	122
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		17	200	1.6×10^{18}	5 5	133
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10 1.1 × 1018	6.0	141
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.1×10^{10}	6.9	141
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.2×10^{10}	4.8	152
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	6.6×10^{18}	22.1	164
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$C^{18}O$	1.7	200	1.6×10^{18}	3.5	-163
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.1×10^{14}	2.4	-153
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1 7	200	1.5×10^{17}	67	144
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.5×10^{18}	0.7	-144
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.5×10^{10}	7.5	-127
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	4.4×10^{17}	2.9	-119
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	4.2×10^{17}	5.3	-99
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	2.6×10^{17}	4.7	-85
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	5.6×10^{17}	7.4	-61
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		17	200	4.3×10^{17}	47	-27
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10^{17}	10.9	11
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	4.7×10^{-14}	19.0	-11
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	6.2×10^{14}	2.2	-3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	2.8×10^{17}	7.6	16
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	6.3×10^{17}	4.6	27
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	2.1×10^{17}	8.6	41
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		17	200	1.8×10^{17}	3.0	46
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10^{18}	5.5	40
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.0×10^{-5}	4.4	11
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.6×10^{10}	13.6	94
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	2.2×10^{17}	3.3	136
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	5.6×10^{14}	7.8	143
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	2.3×10^{18}	5.7	146
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CS	17	200	1.1×10^{12}	3.0	105
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	17	200	20 × 1014	0.0	104
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	0.U X 1U ⁻¹	2.0	104
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.2×10^{12}	1.0	108
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	2.5×10^{15}	1.7	43
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	4.7×10^{14}	2.0	28
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	5.1×10^{14}	0.8	24
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		17	200	1.1×10^{12}	5.0	4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		17	200	1.1×10^{12}	0.4	-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10^{-2}	0.4	U
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.3×10^{12}	0.1	-21
$1.7 200 3.0 \times 10^{15} 4.0 -60$		1.7	200	1.1×10^{10}	9.6	-36
		1.7	200	3.0×10^{15}	4.0	-60

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	. Online Material p 22	2
1. Monor of an Indicound mic bar (of the cores,	, contract $p \approx 2$	\sim

		(C	continued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL GD
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$(\rm km s^{-1})$	$(km s^{-1})$
	17	000	2 C x 1012		
	1.7	200	3.6×10^{12}	3.6	-86
	1.7	200	1.1×10^{15}	3.0	-184
	1.7	200	1.3×10^{16}	6.4	-119
	1.7	200	6.3×10^{12}	0.2	-42
	1.7	200	2.2×10^{15}	4.5	-133
^{13}CS	17	200	8.6×10^{15}	30.0	64
05	1.7	200	1.5×10^{16}	76	45
	1.1	200	1.5×10^{-1}	7.0	40
	1.7	200	4.5×10^{13}	21.3	-103
$C^{33}S$	1.7	200	1.6×10^{15}	6.0	-138
	1.7	200	5.7×10^{15}	8.4	-104
	1.7	200	1.4×10^{15}	6.7	-83
	17	200	3.6×10^{15}	57	-61
	1 7	200	5.8×10^{15}	8.9	51
	1.7	200	7.0×10^{15}	10.0	-01
	1.1	200	7.0×10^{15}	10.0	-33
	1.7	200	3.7×10^{15}	6.4	-9
	1.7	200	3.5×10^{15}	20.4	3
	1.7	200	5.5×10^{14}	2.7	20
	1.7	200	2.1×10^{15}	33.4	27
	17	200	1.1×10^{16}	8.0	49
	1.7	200	1.1×10^{15}	0.0	40
	1.1	200	1.0×10^{15}	4.9	02
	1.7	200	4.6×10^{13}	6.1	71
	1.7	200	1.0×10^{15}	6.2	81
	1.7	200	4.6×10^{15}	7.3	92
	1.7	200	5.9×10^{14}	5.7	107
	17	200	4.6×10^{15}	5.8	124
C^{34} S	17	200	1.0×10^{12}	0.0 0.1	-166
0 5	1.7	200	1.4×10 1.4 \log 10 ¹ 2	2.1	-100
	1.7	200	1.4×10^{12}	1.8	-149
	1.7	200	1.5×10^{13}	1.1	-141
	1.7	200	3.1×10^{12}	5.7	-132
	1.7	200	1.5×10^{13}	5.6	-107
	1.7	200	4.2×10^{12}	1.8	-94
	1.7	200	3.0×10^{15}	13.4	-77
	17	200	8.2×10^{14}	2.7	-70
	1.7	200	2.2×10^{15}	22.1	56
	1.7	200	2.0×10^{15}	10.0	-00
	1.7	200	4.4×10^{-3}	12.8	-20
	1.7	200	2.2×10^{12}	0.6	-10
	1.7	200	7.2×10^{13}	4.5	-3
	1.7	200	8.0×10^{15}	5.1	3
	1.7	200	2.8×10^{15}	5.4	13
	1.7	200	1.1×10^{15}	19.0	20
	1 7	200	3.3×10^{15}	14.9	40
	1.7	200	7.2×10^{14}	35	55
	1.7	200	7.2 ×10 5 0 × 1015	0.0	00
	1.1	200	5.8×10^{16}	3.0	69
	1.7	200	7.7×10^{10}	0.7	76
	1.7	200	6.3×10^{15}	13.2	96
	1.7	200	3.2×10^{15}	7.8	110
	1.7	200	1.4×10^{16}	6.5	140
	1.7	200	4.3×10^{15}	50.0	163
HCN	17	200	1.0×10^{12}	41	104
	17	200	1.3×10^{15}	9 1	02
	17	200	1.9 1.014	07	52 97
	1.(200	1.0×10^{-1}	0.7	ئ 10
	1.7	200	1.1×10^{12}	3.0	10
	1.7	200	1.3×10^{12}	2.1	-9
	1.7	200	5.9×10^{15}	1.3	-25
	1.7	200	1.1×10^{12}	3.1	40
$\rm H^{13}CN$	1.7	200	2.4×10^{13}	0.1	104
	17	200	1.6×10^{16}	83	95
	1.7	200	3.3×10^{17}	0.0	46
	17	200	0.0 × 1013	0.1	20
	1.1	200	0.9 X 10 ¹⁰	0.5	59 10
	1.7	200	1.1×10^{12}	3.7	19
	1.7	200	1.0×10^{12}	0.6	29
	1.7	200	1.1×10^{14}	1.1	27
	1.7	200	4.9×10^{15}	1.5	20
	1.7	200	3.5×10^{16}	1.9	5
	1.7	200	3.7×10^{16}	22.7	25
	17	200	7.7×10^{14}	3.6	_18
	17	200	0.6×10^{16}	9.0 9.1	-10
	1.1	200	9.0 X 10 ¹⁰	3.1 9.1	-00
	1.7	200	$(.5 \times 10^{10})$	2.4	-04
	1.7	200	5.3×10^{15}	0.3	-82
	1.7	200	2.2×10^{14}	18.2	-135
HNC	1.7	200	1.1×10^{12}	4.5	120
	1.7	200	2.1×10^{16}	24.9	66

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$\mathbf{N}_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LGD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.7	200	2.3×10^{14}	0.3	63
	1.7	200	2.1×10^{15}	8.3	30
	1.7	200	9.0×10^{13}	0.3	24
	1.7	200	2.6×10^{16}	24.1	-4
	1.7	200	1.1×10^{12}	5.0	-36
	1.7	200	9.8×10^{14}	3.7	-28
	1.7	200	3.9×10^{14}	2.5	-47
	17	200	3.1×10^{14}	12	-57
	17	200	1.1×10^{12}	2.1	-114
	17	200	1.3×10^{15}	3.5	-85
	17	200	3.1×10^{14}	47	-124
	17	200	1.1×10^{12}	0.5	96
	17	200	1.2×10^{15}	27	-114
	17	200	4.2×10^{17}	0.1	-146
	1.7	200	1.1×10^{12}	0.1	-140
	1.7	200	1.1×10^{12}	0.5	-142
	1.7	200	1.1×10^{12}	2.0	-199
$HN^{13}C$	1.7	200	3.7×10^{14}	2.0	-122
int o	1.7	200	5.6×10^{14}	8.1	-147
	1.7	200	1.6×10^{15}	11.5	-118
	1.7	200	5.3×10^{16}	28	-115
	1.7	200	7.5×10^{15}	2.0	-110
	1.7	200	6.1×10^{13}	4.0	-114
	1.7	200	1.2×10^{14}	83	-31
	1.7	200	1.2×10^{14} 1.2×10^{14}	4.0	-71
	1.7	200	1.2×10^{14} 1.4×10^{14}	91 A	-46
	1.7	200	1.4×10^{12} 1.2×10^{12}	21.4	-40
	1.7	200	1.2×10^{14}	4.9	-41
	1.7	200	3.4×10^{14}	3.0	-55
	1.7	200	1.2×10^{15}	5.0 7.0	-10
	1.7	200	1.2×10^{14}	1.3 5 7	-5 18
	1.7	200	1.3×10^{15}	0.1	16
	1.7	200	1.3×10^{14}	9.1 1 9	40 67
	1.7	200	2.4×10^{15}	1.5	01
	1.7	200	2.4×10^{13}	9.5 1.0	91
	1.7	200	2.0×10^{14}	6.2	191
	1.7	200	1.1×10^{15}	6.7	121
	1.7	200	1.1×10^{14}	0.8	150
	1.7	200	1.3×10 7 3 × 10 ¹⁴	36.9	164
$H^{13}CO^+$	1.7	200	7.5×10^{14}	03	51
$HO^{13}C^{+}$	17	200	5.4×10^{16}	0.5	82
110 0	1.7	200	1.1×10^{12}	4.4	86
	17	200	7.5×10^{14}	3.9	42
	17	200	1.0×10^{12}	7.6	0
	1.1	200	1.1 / 10	1.0	

Table L.58: LTE Parameters for the full LTE model (Envelope Components) for source A02 in Sgr B2(N).

Moloculo	$\Delta m, c$	$T^{m,c}$	$N^{m,c}$	Λ m,c	$u^{m,c}$
Molecule		I_{ex}	(¹ tot	(1 - 1)	(^{VLSR} 1)
	('')	(K)	(cm 2)	(km s ⁻¹)	(km s ⁻¹)
$_{\rm CN}$	ext.	17	1.5×10^{16}	12.6	76
	ext.	21	5.8×10^{16}	8.7	61
	ext.	3	3.5×10^{14}	5.5	13
	ext.	3	3.1×10^{14}	6.5	26
	ext.	3	1.9×10^{14}	2.8	-28
	ext.	3	1.0×10^{15}	9.6	2
	ext.	3	8.4×10^{13}	7.7	-16
	ext.	3	2.1×10^{14}	3.2	-42
	ext.	8	3.3×10^{14}	7.2	-80
	ext.	3	1.4×10^{14}	4.4	-49
	ext.	3	4.9×10^{14}	10.4	-109
PH_3	ext.	8	2.8×10^{14}	8.2	67
CCH	ext.	4	4.3×10^{15}	3.0	73
	ext.	4	6.4×10^{15}	13.4	61

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 223
1. Moner et un morecular mie survey of not cores,	Chevenec	111 0001 0000	p 220

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$				
$H_{2}C^{33}S$	(") ext	(K) 82	$\frac{(\text{cm}^{-2})}{2.1 \times 10^{16}}$	$\frac{(\text{km s}^{-1})}{6.9}$	$\frac{(\text{km s}^{-1})}{56}$				
PN S	ext.	3	6.1×10^{15}	0.8	107				
	ext.	3	2.5×10^{15}	7.7	64				
	ext.	3	2.8×10^{10} 4.5×10^{12}	2.4 0.5	53 5				
	ext.	3	10.0×10^{15}	8.2	-87				
$\mathrm{CH}_{2}\mathrm{NH}$	ext.	9	5.2×10^{14}	4.1	63				
H ₂ CNH	ext. ext.	3 4	2.0×10^{11} 1.2×10^{14}	$15.1 \\ 5.6$	71 83				
112 01 111	ext.	9	3.5×10^{12}	6.9	-157				
U CO	ext.	5	3.4×10^{14}	6.3	57 60				
H_2CO SiO	ext.	9	3.6×10^{14}	24.7 6.6	09 70				
	ext.	51	2.6×10^{14}	9.5	59				
CO	ext.	3	3.2×10^{16}	13.8	107				
	ext. ext.	3 3	4.9×10^{11} 1.1×10^{12}	0.7 0.6	82 78				
	ext.	3	4.0×10^{17}	30.2	68				
	ext.	3	6.5×10^{13}	1.6	65 50				
	ext.	3 3	1.3×10^{12} 2.6×10^{17}	0.7	59 50				
	ext.	3	6.5×10^{16}	6.2	28				
	ext.	3	5.0×10^{16}	5.3	17				
	ext.	3	5.8×10^{10} 6.0 $\times 10^{16}$	6.9 6.4	8 -1				
	ext.	3	1.3×10^{17}	13.6	-17				
	ext.	3	4.2×10^{16}	3.7	-28				
	ext.	3	1.6×10^{14} 1.6 × 10^{17}	12.6	-56 45				
	ext.	3	6.9×10^{15}	2.8	-40 -60				
	ext.	3	2.3×10^{16}	1.8	-69				
	ext.	3	2.6×10^{12}	1.8	-87				
	ext.	э 3	2.1×10^{-10} 8.4 ×10 ¹⁶	2.5	-77 -93				
	ext.	3	1.4×10^{17}	9.9	-107				
1300	ext.	3	8.4×10^{15}	3.4	-126				
1000	ext.	3 3	5.9×10^{10} 1.1×10^{17}	11.8 12.0	78 62				
	ext.	3	2.7×10^{13}	0.8	30				
	ext.	3	1.6×10^{16}	7.3	-82				
	ext.	3	1.5×10^{13} 1.1×10^{12}	0.7	-80 -146				
$C^{17}O$	ext.	3	7.3×10^{14}	2.6	-177				
$C^{18}O$	ext.	3	2.8×10^{16}	7.9	62				
	ext.	3	1.6×10^{10} 2.2 × 10^{15}	8.7 11.0	78 112				
CS	ext.	3	2.2×10^{15} 2.9×10^{15}	11.9	112				
	ext.	3	5.5×10^{16}	6.9	78				
	ext.	3	5.9×10^{16}	6.3	71 61				
	ext.	э 3	1.4×10^{17}	0.1 11.1	58				
	ext.	3	4.5×10^{12}	0.8	30				
	ext.	3	5.6×10^{15}	2.2	-1				
	ext.	3 3	2.3×10^{10} 1.8×10^{12}	14.4 0.9	-104 139				
^{13}CS	ext.	3	5.9×10^{15}	6.0	30				
C33C	ext.	3	1.1×10^{12}	19.1	99				
Coss	ext.	3	1.6×10^{10} 1.3×10^{14}	8.3 2.5	-156 -126				
	ext.	3	4.8×10^{15}	4.5	-118				
	ext.	3	2.3×10^{15}	3.5	-71				
	ext.	3 2	1.2×10^{15} 9.0 $\times 10^{14}$	3.5 2.5	-17 134				
$C^{34}S$	ext.	3	3.0×10^{16} 3.0×10^{16}	$\frac{2.3}{7.3}$	33				
	ext.	3	1.7×10^{16}	5.8	62				
HCN	ext.	3	3.4×10^{13}	1.1	99 01				
	ext.	э З	$1.1 \times 10^{}$ 10.0×10^{14}	10.5	91 86				
	ext.	3	1.2×10^{15}	0.4	79				
	ext.	3	6.7×10^{13}	0.4	75				
	ext.	э 3	1.1×10^{12}	$^{24.2}_{0.9}$	60				

		((continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	5.0×10^{13}	0.1	54
	ext.	3	1.2×10^{15}	1.6	48
	ext.	3	2.4×10^{14}	4.6	26
	ext.	3	2.1×10^{14}	1.5	12
	ext.	3	1.2×10^{15}	18.7	5
	ext.	3	4.2×10^{13}	0.2	-8
	ext.	3	3.7×10^{13}	0.7	-37
	ext.	3	8.7×10^{13}	2.0	-69
	ext.	3	9.2×10^{13}	2.4	-92
	ext.	3	3.6×10^{13}	0.9	-105
	ext.	3	1.7×10^{12}	0.8	-111
$\rm H^{13}CN$	ext.	3	1.2×10^{12}	0.4	104
	ext.	3	2.2×10^{15}	30.0	79
	ext.	3	7.4×10^{14}	9.9	59
	ext.	3	1.1×10^{12}	0.1	56
	ext.	3	1.2×10^{15}	25.1	21
	ext.	3	1.6×10^{14}	18.1	-60
	ext.	3	3.6×10^{13}	1.1	-97
	ext.	3	1.0×10^{12}	3.9	-126
HNC	ext.	3	4.0×10^{14}	10.3	149
	ext.	3	1.9×10^{16}	10.3	77
	ext.	3	4.3×10^{12}	0.5	76
	ext.	3	2.8×10^{12}	3.5	72
	ext.	3	2.0×10^{15}	2.1	63
	ext.	3	1.6×10^{16}	9.1	59
	ext.	3	3.0×10^{14}	0.5	43
	ext.	3	10.0×10^{14}	14.5	-9
	ext.	3	3.5×10^{13}	1.6	-41
	ext.	3	1.1×10^{12}	0.6	-115
	ext.	3	2.2×10^{13}	1.9	-92
	ext.	3	1.1×10^{12}	0.6	-160
	ext.	3	1.1×10^{12}	0.3	-185
	ext.	3	8.9×10^{13}	4.0	-186
$\rm HN^{13}C$	ext.	3	7.0×10^{13}	5.7	-86
	ext.	3	5.4×10^{13}	5.3	-21
	ext.	3	1.6×10^{14}	11.4	37
	ext.	3	2.9×10^{14}	7.3	77
$\rm H^{13}CO^+$	ext.	3	3.5×10^{14}	4.3	72
	ext.	3	4.0×10^{14}	28.5	64
$\rm HO^{13}C^+$	ext.	3	1.2×10^{14}	0.6	49
	ext.	3	3.1×10^{13}	0.7	2

Table L.59: LTE Parameters for the full LTE model (Core Components) for source A03 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
CH ₂ NH ₂	16	181	7.8×10^{17}	73	72
$H_{2}^{33}S$	1.6	200	1.6×10^{16}	7.6	71
2	1.6	52	2.4×10^{13}	0.4	88
$\rm NH_2D$	1.6	149	3.2×10^{18}	6.8	66
CH ₃ OCHO	1.6	226	1.3×10^{18}	5.6	72
CH ₃ CHO	1.6	201	5.0×10^{17}	5.7	72
C_2H_5OH	1.6	188	2.2×10^{18}	5.1	72
H ₂ CNH	1.6	185	6.0×10^{17}	5.3	71
CH ₃ CN	1.6	157	5.7×10^{16}	1.8	76
	1.6	196	1.2×10^{18}	4.9	71
OCS	1.6	222	5.1×10^{18}	4.8	72
OCS, $v_2=1$	1.6	215	1.2×10^{18}	4.8	72
HNC, $v_2=1$	1.6	1075	7.7×10^{16}	11.6	73
HCCCN	1.6	482	4.2×10^{18}	0.1	75
	1.6	232	4.0×10^{17}	4.9	71
HCCCN, $v_7=2$	1.6	234	2.1×10^{17}	7.0	71
CO^+	1.6	350	2.2×10^{16}	14.3	77

T. Möller et al.: Full molecular line survey of hot cores, Online Material p224

		(Cont	inued)					(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda v^{m,c}$	$v^{m,c}$	Molecule	$\theta^{m,c}$	$T^{m,c}$	$N^{m,c}$	$\Lambda v^{m,c}$	$v^{m,c}$
moloculo	(")	-ex (K)	(am^{-2})	$(\lim_{n \to \infty} a^{-1})$	$(\operatorname{Irm} a^{-1})$	molecule	(//)	-ex	(am^{-2})	$(1 \text{ m} \text{ s}^{-1})$	$(lrm a^{-1})$
~~	()	(K)	(cm)	(kms)	(KIIIS)		()	(K)	(cm)	(kms)	(KIIIS)
SO_2	1.6	496	2.2×10^{17}	5.4	72		1.6	200	9.3×10^{17}	8.6	91
	1.6	499	1.8×10^{17}	6.0	70		1.6	200	6.6×10^{17}	4.2	99
CH ₃ OH	1.6	188	1.0×10^{12}	3.2	70		1.6	200	3.6×10^{17}	9.3	127
- 0 -	16	207	3.6×10^{19}	44	72		1.6	200	5.3×10^{18}	64	146
NO	1.0	201 E0	0.0×10^{-10}	7.0	67		1.0	200	6.7×10^{17}	11.0	151
NO G U CN	1.0	00	2.1 × 10	1.9	07	00	1.0	200	0.7×10^{-12}	11.2	151
C_2H_5CN	1.6	239	2.1×10^{10}	4.8	71	\mathbf{CS}	1.6	200	1.0×10^{12}	3.9	94
$C_2H_5CN, v_{20}=1$	1.6	212	1.4×10^{18}	5.8	72		1.6	200	1.0×10^{12}	1.6	87
C_2H_3CN	1.6	211	2.2×10^{17}	6.8	71		1.6	200	1.5×10^{15}	4.7	94
C_2H_2CN , $v_{10}=1$	1.6	240	1.7×10^{17}	30.6	63		1.6	200	1.0×10^{12}	1.7	80
DN	1.6	200	2.2×10^{12}	22.0	08		1.6	200	1.1×10^{16}	8.9	45
1 10	1.0	200	2.2×10 1.0 × 1012	22.0	119		1.0	200	1.1×10^{15}	0.2	40
	1.0	200	1.0 × 10	5.0	115		1.0	200	1.1×10^{-5}	2.2	21
	1.6	200	3.4×10^{13}	1.7	76		1.6	200	1.0×10^{12}	5.9	-9
	1.6	200	1.3×10^{15}	4.1	7		1.6	200	1.0×10^{16}	7.9	-36
	1.6	200	2.9×10^{15}	4.4	2	^{13}CS	1.6	200	1.1×10^{13}	0.3	64
	1.6	200	6.9×10^{14}	4.1	-43		1.6	200	1.0×10^{12}	0.4	100
HCN $w_0 = 1$	1.6	278	1.1×10^{18}	6.4	79		1.6	200	5.8×10^{14}	2.0	86
11013, 72=1	1.0	151	1.1×10	0.4	70		1.0	200	0.0×10^{-10}	2.3	71
SO	1.6	151	4.7×10^{10}	7.3	72		1.6	200	3.1×10^{10}	5.1	71
$HC(O)NH_2$	1.6	221	1.1×10^{18}	4.0	72		1.6	200	1.8×10^{15}	6.4	48
HNCO	1.6	175	8.9×10^{17}	3.9	72		1.6	200	2.0×10^{16}	0.6	38
H ₂ CCO	1.6	206	2.5×10^{17}	5.5	72	$C^{33}S$	1.6	200	3.6×10^{15}	10.5	-138
NS	16	155	1.0×10^{12}	39	77		1.6	200	1.3×10^{16}	8.6	-103
CH-OCH-	1.0	107	2.6×10^{18}	5.0	79		1.6	200	1.0×10^{15}	6.7	00
	1.0	197	2.0×10^{-3}	0.2	14		1.0	200	4.4×10^{-5}	0.7	-00
H_2CS	1.6	202	2.4×10^{17}	4.9	72		1.6	200	1.4×10^{10}	4.8	-61
CO	1.6	200	7.7×10^{18}	4.7	156		1.6	200	1.2×10^{18}	2.6	-49
	1.6	200	9.8×10^{19}	2.3	137		1.6	200	7.4×10^{15}	12.3	-32
	16	200	1.0×10^{12}	41	104		16	200	3.6×10^{15}	79	-7
	1.0	200	1.0×10^{12}	0.0	\$9 \$9		1.6	200	4.6×10^{15}	15.9	17
	1.0	200	1.0 × 10	0.9	05		1.0	200	4.0×10	10.2	17
	1.6	200	4.7×10^{10}	3.7	-65		1.6	200	8.8×10^{14}	6.4	27
	1.6	200	1.3×10^{19}	2.4	-87		1.6	200	9.5×10^{15}	9.2	48
^{13}CO	1.6	200	1.0×10^{12}	0.5	88		1.6	200	9.0×10^{15}	7.1	71
	1.6	200	1.0×10^{12}	0.6	57		1.6	200	6.5×10^{15}	7.9	93
	1.6	200	1.0×10^{12}	0.1	10		1.6	200	0.2×10^{14}	6.1	107
	1.0	200	1.0×10^{12}	1.5	13		1.0	200	7.2×10^{15}	6.1	107
	1.0	200	1.0×10	1.5	-0		1.0	200	7.0×10^{-1}	0.4	124
	1.6	200	1.4×10^{12}	1.2	-33		1.6	200	6.5×10^{14}	2.5	146
	1.6	200	1.0×10^{12}	2.6	-82	$C^{34}S$	1.6	200	2.2×10^{12}	2.1	-167
	1.6	200	2.3×10^{13}	0.9	-164		1.6	200	2.5×10^{16}	68.1	-157
	1.6	200	1.0×10^{12}	16.3	-101		1.6	200	2.2×10^{12}	4.6	-147
	1.6	200	1.0×10^{12}	0.1	-110		1.6	200	1.2×10^{14}	1 3	_130
	1.0	200	1.0×10^{12}	7.0	-110		1.0	200	1.2×10^{12}	1.5	-105
	1.0	200	1.0×10^{12}	7.9	-114		1.0	200	2.2×10^{12}	5.5	-132
	1.6	200	1.0×10^{12}	7.3	-129		1.6	200	4.6×10^{13}	4.2	-114
	1.6	200	1.0×10^{12}	8.1	-135		1.6	200	4.1×10^{13}	12.4	-107
	1.6	200	1.0×10^{12}	1.1	-148		1.6	200	1.5×10^{12}	6.5	-92
$C^{17}O$	1.6	200	3.0×10^{17}	15.7	-169		1.6	200	1.9×10^{15}	5.4	-72
0 0	1.6	200	2.8×10^{17}	0.7	1/8		1.6	200	0.5×10^{14}	0.2	57
	1.0	200	2.0 ×10	9.1	-140		1.0	200	9.0 × 10	9.4	-07
	1.6	200	6.5×10^{10}	9.6	-124		1.6	200	4.5×10^{10}	48.6	-13
	1.6	200	2.7×10^{17}	3.7	-108		1.6	200	5.0×10^{14}	6.4	-27
	1.6	200	1.5×10^{17}	9.3	-100		1.6	200	7.2×10^{15}	10.6	2
	1.6	200	3.1×10^{18}	1.4	-73		1.6	200	1.6×10^{15}	4.7	13
	16	200	4.8×10^{17}	5.0	-53		1.6	200	4.2×10^{15}	16.5	40
	1.6	200	3.0×10^{17}	4.2	30		1.6	200	2.4×10^{14}	1.6	55
	1.0	200	10 1017	- <u>+</u> .2	-00		1.0	200	61 01015	1.0	60
	1.0	200	4.6 × 10 ⁻¹	3.9	-28		1.0	200	0.1×10^{10}	4.4	09
	1.6	200	1.5×10^{10}	21.8	-17		1.6	200	3.8×10^{13}	2.6	75
	1.6	200	1.1×10^{18}	9.9	-2		1.6	200	5.0×10^{15}	13.7	96
	1.6	200	7.5×10^{17}	9.1	23		1.6	200	5.0×10^{15}	8.7	110
	16	200	4.2×10^{17}	54	38		1.6	200	5.6×10^{16}	47	141
	1.0	200	2.0×10^{18}	0.1	55		1.6	200	6.8×10^{15}	49.5	164
	1.0	200	3.0×10	0.0	55	HOM	1.0	200	0.8×10	42.0	104
	1.6	200	4.9×10^{17}	11.8	71	HCN	1.6	200	6.2×10^{10}	1.8	85
	1.6	200	7.6×10^{18}	4.4	91		1.6	200	1.6×10^{10}	2.3	83
	1.6	200	8.8×10^{17}	10.0	116		1.6	200	7.4×10^{16}	35.9	15
	1.6	200	8.6×10^{17}	8.8	133		1.6	200	1.0×10^{12}	0.3	-20
	16	200	3.9×10^{18}	19.8	163		16	200	9.8×10^{18}	5.8	_1
$C^{18}O$	1.0	200	$1.1 \vee 10^{18}$	21.0	-167	$H^{13}CN$	1.6	200	1.0×10^{12}	0.4	74
0.0	1.0	200	1.1×10^{10}	51.2	-107	nON	1.0	200	1.0 X 10 ⁻²	0.4	14
	1.6	200	5.4×10^{17}	7.9	-147		1.6	200	1.7×10^{10}	6.9	123
	1.6	200	8.7×10^{17}	14.3	-129		1.6	200	1.7×10^{16}	9.2	99
	1.6	200	7.9×10^{17}	3.2	-85		1.6	200	1.0×10^{12}	5.9	139
	1.6	200	1.7×10^{18}	7.4	-60		1.6	200	1.2×10^{12}	5.7	34
	1.6	200	4.2×10^{17}	5.6	-26		1.6	200	7.6×10^{15}	8.1	42
	1.0	200	70 1017	0.0	11		1.0	200	1.0×10^{12}	10.1	-14
	1.0	200	1.0×10^{17}	20.5	-11		1.0	200	1.0 X 10 ⁺²	10.4	9
	1.6	200	4.8×10^{17}	6.3	16		1.6	200	1.0×10^{12}	0.3	5
	1.6	200	5.5×10^{17}	5.9	27		1.6	200	1.7×10^{15}	26.4	-24
	1.6	200	4.4×10^{17}	11.4	43		1.6	200	1.0×10^{12}	5.5	-19
	1.6	200	1.6×10^{18}	5.2	71		1.6	200	1.0×10^{12}	19.2	-182

T Möller <i>et al</i> \cdot Fi	ill molecular line si	urvev of hot cores (Online Material	n 225
1. 10101101 00 0000 10	in molecular mic se	urvey or not cores, t		$p \sim \sim 0$

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI SD
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.6	200	1.0×10^{12}	4.1	-35
	1.6	200	1.0×10^{12}	27.0	-65
	1.6	200	2.0×10^{16}	4.9	-48
	1.6	200	6.2×10^{16}	5.4	-58
HNC	1.6	200	5.6×10^{16}	3.2	92
	1.6	200	3.5×10^{14}	0.1	63
	1.6	200	3.2×10^{16}	6.0	51
	1.6	200	3.1×10^{15}	7.4	30
	1.6	200	3.1×10^{15}	9.1	11
	1.6	200	1.0×10^{12}	0.6	64
	1.6	200	1.0×10^{12}	0.7	-65
	1.6	200	1.7×10^{15}	9.0	-27
$\rm HN^{13}C$	1.6	200	1.1×10^{14}	10.3	-71
	1.6	200	1.2×10^{14}	5.2	-55
	1.6	200	1.9×10^{14}	4.9	-46
	1.6	200	3.6×10^{14}	4.8	-35
	1.6	200	1.7×10^{18}	2.7	-2
	1.6	200	9.3×10^{14}	7.6	18
	1.6	200	2.3×10^{15}	7.6	46
	1.6	200	2.7×10^{14}	1.9	66
	1.6	200	5.9×10^{15}	9.3	91
	1.6	200	4.7×10^{14}	6.5	122
	1.6	200	1.9×10^{15}	6.8	138
	1.6	200	4.6×10^{14}	39.1	156
$\rm HO^{13}C^+$	1.6	200	2.3×10^{15}	7.7	103
	1.6	200	1.2×10^{13}	2.4	81
	1.6	200	1.0×10^{12}	5.7	63
	1.6	200	7.1×10^{14}	0.5	38
	1.6	200	4.5×10^{15}	4.0	29
	1.6	200	1.0×10^{12}	6.2	1
	1.6	200	1.6×10^{13}	0.6	116
	1.6	200	1.3×10^{15}	1.7	-16
	1.6	200	4.6×10^{13}	5.5	19
	1.6	200	1.0×10^{12}	4.0	65
	1.6	200	1.8×10^{14}	0.7	-35

Table L.60: LTE Parameters for the full LTE model (Envelope Components) for source A03 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSD} ^{m,c}
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
CN	ext.	8	4.7×10^{15}	15.8	73
	ext.	18	4.1×10^{16}	9.5	60
	ext.	3	3.3×10^{14}	6.9	12
	ext.	3	3.1×10^{14}	5.9	25
	ext.	4	1.1×10^{14}	4.2	-28
	ext.	3	1.5×10^{15}	8.8	2
	ext.	3	5.1×10^{13}	6.1	-24
	ext.	7	4.5×10^{14}	9.6	-47
	ext.	9	2.8×10^{13}	6.0	-14
	ext.	10	1.0×10^{12}	1.5	-36
	ext.	3	6.8×10^{14}	9.8	-109
SiO	ext.	12	2.7×10^{14}	6.1	73
CH_2NH	ext.	5	2.2×10^{14}	8.2	82
	ext.	7	8.6×10^{14}	10.0	69
	ext.	8	7.2×10^{14}	7.3	59
CCH	ext.	3	3.7×10^{15}	3.0	72
	ext.	3	2.5×10^{16}	23.4	65
$H_2C^{33}S$	ext.	9	2.2×10^{14}	4.8	66
PH_3	ext.	9	2.7×10^{14}	9.0	64
PN	ext.	3	7.2×10^{15}	13.4	58
	ext.	3	5.5×10^{15}	2.6	-88
H_2CO	ext.	40	3.7×10^{15}	0.5	119
	ext.	12	2.8×10^{15}	27.0	68
CO	ext.	3	2.6×10^{16}	11.1	107

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	ext.	3	8.2×10^{16}	3.8	85
	ext.	3	1.0×10^{12}	3.1	70
	ext.	3	2.2×10^{17}	34.3	68
	ext.	3	2.5×10^{16}	3.6	64
	ext.	3	1.0×10^{12}	3.1	59
	ext.	3	7.6×10^{10}	8.6	54
	ext.	3	4.0×10^{10}	5.5	29
	ext.	3	1.0×10^{12}	2.0	-3
	ext.	ა ა	1.6×10^{-1}	25.2	(01
	ext.	ა ვ	2.8×10^{-16}	13.4	-21
	ext.	3	2.3×10^{16}	2.9	-20
	ext.	3	1.2×10^{16}	2.3	-69
	ext.	3	1.0×10^{17}	8.6	-45
	ext.	3	6.0×10^{12}	2.3	-73
	ext.	3	1.0×10^{12}	2.3	-97
	ext.	3	1.0×10^{15}	2.4	-77
	ext.	3	1.0×10^{12}	2.3	-110
	ext.	3	1.6×10^{17}	26.7	-78
	ext.	3	1.0×10^{12}	2.0	-138
	ext.	3	1.2×10^{17}	8.7	-107
	ext.	3	4.8×10^{15}	2.5	-124
19	ext.	3	1.8×10^{15}	3.2	-172
¹³ CO	ext.	3	1.0×10^{12}	9.1	141
	ext.	3	1.8×10^{17}	25.5	67
	ext.	3	3.9×10^{10}	15.0	8
	ext.	ა ე	3.8×10^{10}	9.3	-45 157
	ext.	3 3	1.4×10 1.3×10^{16}	0.0	-107
	ext.	ა ვ	1.3×10 5.2 × 10 ¹⁴	2.2	-05
	ext.	3	4.5×10^{16}	40.0	-110
$C^{17}O$	ext.	3	2.6×10^{15}	2.7	-178
0 0	ext.	3	2.5×10^{14}	2.5	-63
$C^{18}O$	ext.	3	2.9×10^{15}	2.7	-107
	ext.	3	3.4×10^{15}	1.7	-41
	ext.	3	3.7×10^{16}	14.4	62
	ext.	3	9.1×10^{14}	4.6	74
	ext.	3	6.2×10^{14}	4.1	113
CS	ext.	3	1.4×10^{15}	1.5	72
	ext.	3	1.0×10^{12}	5.1	61
	ext.	3	2.8×10^{17}	26.4	61
	ext.	3	3.4×10^{15}	5.3	27
	ext.	3	8.1×10^{15}	5.3	0
13.00	ext.	3	9.7×10^{10}	5.7	-100
05	ext.	ა ა	1.0×10^{12} 1.0 × 10^{12}	12.5	113 99
	ext.	ა ვ	1.0×10^{12}	1.5	02 1
	ext.	3 3	1.0×10^{12}	15.8	-88
	ext.	3	1.0×10^{12} 1.0×10^{12}	16	-173
$C^{33}S$	ext.	3	3.9×10^{15}	7.5	-155
	ext.	3	4.1×10^{15}	16.7	-121
	ext.	3	1.0×10^{13}	3.3	-72
	ext.	3	1.5×10^{15}	2.5	35
$C^{34}S$	ext.	3	3.5×10^{15}	1.3	-15
	ext.	3	2.9×10^{16}	7.7	30
	ext.	3	4.2×10^{13}	18.0	156
HCN	ext.	3	1.9×10^{12}	0.6	153
	ext.	3	1.0×10^{15}	8.5	84
	ext.	3	3.6×10^{15}	28.6	58
	ext.	3	1.0×10^{12}	0.7	-56
	ext.	3	5.9×10^{14}	0.3	49
	ext.	3	4.5×10^{14}	6.1	25
	ext.	3	1.0×10^{14}	2.9	12
	owt	ა	2.2×10^{10}	∠0.8 0.2	1 70
	ext.	9	-10000	11.5	/ U
	ext.	3	1.0×10^{12}	0.5	190
H13CN	ext. ext. ext.	3 3 9	1.0×10^{12} 1.0×10^{12} 1.3×10^{14}	0.4	-120
H ¹³ CN	ext. ext. ext.	3 3 3 3	$1.0 \times 10^{12} \\ 1.0 \times 10^{12} \\ 1.3 \times 10^{14} \\ 9.3 \times 10^{14}$	0.3 0.4 8.7 18.0	-120 142 122
H ¹³ CN	ext. ext. ext. ext. ext.	3 3 3 3 3	$1.0 \times 10^{12} \\ 1.0 \times 10^{12} \\ 1.3 \times 10^{14} \\ 9.3 \times 10^{14} \\ 1.1 \times 10^{14}$	0.3 0.4 8.7 18.0 3.6	-120 142 122 81
H ¹³ CN	ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3	$\begin{array}{c} 1.0 \times 10^{12} \\ 1.0 \times 10^{12} \\ 1.3 \times 10^{14} \\ 9.3 \times 10^{14} \\ 1.1 \times 10^{14} \\ 2.8 \times 10^{15} \end{array}$	0.4 8.7 18.0 3.6 39.6	-120 142 122 81 72
H ¹³ CN	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3	$\begin{array}{c} 1.0 \times 10^{12} \\ 1.0 \times 10^{12} \\ 1.3 \times 10^{14} \\ 9.3 \times 10^{14} \\ 1.1 \times 10^{14} \\ 2.8 \times 10^{15} \\ 2.2 \times 10^{12} \end{array}$	$\begin{array}{c} 0.3 \\ 0.4 \\ 8.7 \\ 18.0 \\ 3.6 \\ 39.6 \\ 0.7 \end{array}$	-120 142 122 81 72 60

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 226

(Continued)							
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VISD		
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$		
	ext.	3	6.7×10^{13}	4.1	-77		
	ext.	3	4.7×10^{14}	12.1	-53		
	ext.	3	3.4×10^{12}	0.4	-23		
	ext.	3	1.0×10^{12}	1.1	-103		
HNC	ext.	3	5.5×10^{13}	3.6	149		
	ext.	3	4.3×10^{14}	29.4	110		
	ext.	3	1.4×10^{13}	0.2	93		
	ext.	3	3.8×10^{17}	1.0	79		
	ext.	3	5.8×10^{14}	1.5	69		
	ext.	3	1.0×10^{12}	0.1	67		
	ext.	3	1.4×10^{16}	22.6	68		
	ext.	3	1.0×10^{12}	1.6	56		
	ext.	3	1.0×10^{12}	0.9	52		
	ext.	3	1.1×10^{12}	4.9	5		
	ext.	3	4.2×10^{12}	1.6	-14		
	ext.	3	1.2×10^{14}	2.7	1		
	ext.	3	1.0×10^{12}	2.0	-56		
$\rm HN^{13}C$	ext.	3	2.8×10^{13}	7.8	-87		
	ext.	3	5.1×10^{13}	6.1	-21		
	ext.	3	1.5×10^{14}	11.3	37		
$H^{13}CO^+$	ext.	3	1.1×10^{12}	1.9	62		
	ext.	3	6.1×10^{14}	18.3	69		
$\rm HO^{13}C^+$	ext.	3	3.7×10^{13}	4.9	54		
	ext.	3	1.0×10^{12}	0.7	-137		

Table L.61: LTE Parameters for the full LTE model (Core Components) for source A04 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$	
	('')	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$({\rm km s^{-1}})$	
	. /	. ,	. ,	· · · · ·		^{13}CO
$H_2^{34}S$	1.5	399	1.5×10^{18}	11.3	70	
H_2CNH	1.5	189	3.9×10^{17}	5.0	62	
HNC, $v_2=1$	1.5	872	1.3×10^{16}	8.6	63	
$HC(O)NH_2$	1.5	245	5.5×10^{16}	8.6	63	
C_2H_3CN	1.5	164	4.5×10^{16}	8.9	63	
$C_2H_3CN, v_{10}=1$	1.5	254	1.6×10^{16}	11.1	64	
C_2H_5CN	1.5	236	3.8×10^{17}	4.3	62	
	1.5	189	2.6×10^{17}	11.6	64	
$C_2H_5CN, v_{20}=1$	1.5	161	6.5×10^{17}	6.7	63	
NS	1.5	195	1.2×10^{12}	7.4	65	
CH_3CHO	1.5	164	1.9×10^{17}	6.3	62	
C_2H_5OH	1.5	186	2.3×10^{18}	4.9	62	
HNCO	1.5	328	1.2×10^{17}	9.9	63	
H_2CO	1.5	207	5.1×10^{18}	5.1	62	
	1.5	205	1.8×10^{15}	4.2	56	
H_2CCO	1.5	189	1.3×10^{17}	5.4	62	
	1.5	53	5.1×10^{19}	0.1	49	$C^{17}O$
CH_3NH_2	1.5	160	1.2×10^{18}	5.2	63	
SO_2	1.5	125	3.2×10^{17}	30.0	86	
	1.5	159	3.4×10^{17}	8.6	62	
H_2CS	1.5	195	1.1×10^{17}	4.9	62	
CH_3OCHO	1.5	126	1.1×10^{12}	1.4	59	
	1.5	222	2.3×10^{18}	4.5	62	
PN	1.5	200	4.4×10^{15}	35.8	137	
	1.5	200	1.1×10^{12}	0.3	98	
	1.5	200	1.1×10^{12}	1.1	101	
	1.5	200	1.1×10^{12}	0.9	98	
	1.5	200	1.5×10^{15}	6.3	87	
	1.5	200	2.4×10^{15}	6.3	66	
	1.5	200	1.1×10^{12}	1.6	40	
	1.5	200	1.1×10^{12}	0.4	37	
	1.5	200	2.6×10^{15}	0.2	3	
	1.5	200	1.5×10^{14}	1.5	14	
	1.5	200	1.1×10^{12}	0.6	-32	$C^{18}O$
	1.5	200	4.8×10^{15}	10.7	-7	

=

		(Cont	inued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	(")	(K) 200	$\frac{(\text{cm}^{-2})}{4.4 \times 10^{14}}$	$({\rm km s^{-1}})$	$\frac{(\text{km s}^{-1})}{10}$
	$1.5 \\ 1.5$	200	4.4×10^{-10} 6.6×10^{14}	3.4	-19
	1.5	200	6.8×10^{14}	2.8	-35
	1.5	200	3.0×10^{15}	0.7	-58
SO	1.5 1.5	200 66	4.9×10^{14} 1.2 × 10 ¹²	1.1	-71 106
50	$1.5 \\ 1.5$	147	1.2×10^{17} 1.5×10^{17}	27.1	64
CH_3OCH_3	1.5	194	2.6×10^{18}	4.4	62
HCN, $v_2=1$	1.5	264	8.9×10^{17}	8.2	64
UCS	$1.5 \\ 1.5$	$\frac{208}{216}$	2.1×10^{19} 3.2×10^{18}	24.2 5.5	68 62
OCS, $v_2=1$	1.5	208	4.1×10^{17}	24.0	68
	1.5	203	5.1×10^{17}	5.7	62
NO	1.5	30	6.1×10^{17}	40.0	63 63
$CH_{2}CN$	$1.0 \\ 1.5$	112	1.1×10^{12} 7.9 × 10 ¹⁶	$\frac{2.4}{13.4}$	62 67
0113011	1.5	192	6.9×10^{17}	6.0	62
HCCCN	1.5	462	6.1×10^{16}	22.5	79
HOCON A	1.5	175	7.6×10^{16}	7.3	64
HCCCN, $v_7=2$ CH ₂ OH	1.5 1.5	$177 \\ 173$	1.2×10^{10} 1.1 × 10 ¹²	9.8 1.0	64 63
0113011	1.5	201	3.8×10^{19}	4.5	62
CO	1.5	200	1.3×10^{18}	6.8	147
	1.5	200	1.9×10^{15}	5.8	153
	$1.5 \\ 1.5$	200 200	1.1×10^{12} 2.5 × 10 ¹⁹	1.8 22.1	103 79
	1.5	200	1.1×10^{12}	0.2	82
	1.5	200	9.8×10^{13}	0.8	86
	1.5	200	1.1×10^{12}	0.4	-61
	$1.5 \\ 1.5$	$200 \\ 200$	1.1×10 1.1×10^{12}	1.4	-185 -185
	1.5	200	1.1×10^{12}	1.6	-185
12 0 0	1.5	200	1.1×10^{12}	1.8	-185
¹³ CO	1.5 1.5	$200 \\ 200$	1.1×10^{12} 1.1×10^{12}	5.4 0.2	107 89
	$1.5 \\ 1.5$	200	1.1×10^{12} 1.1×10^{12}	0.2	96
	1.5	200	8.4×10^{18}	39.6	108
	1.5	200	1.2×10^{15}	0.3	66 50
	$1.5 \\ 1.5$	$200 \\ 200$	1.3×10^{12} 1.1×10^{12}	0.1	35 35
	1.5	200	1.1×10^{12}	0.5	-50
	1.5	200	1.1×10^{12}	5.0	-41
	1.5	200	1.1×10^{12} 1.1 × 10^{12}	0.8	-173
	$1.5 \\ 1.5$	$\frac{200}{200}$	1.1×10 1.1×10^{12}	1.7 1.7	-109
	1.5	200	1.1×10^{12}	3.5	-125
	1.5	200	1.7×10^{13}	0.6	-86
	1.5 1.5	200	1.1×10^{12} 1.1×10^{12}	1.2	-137
	$1.5 \\ 1.5$	200	6.9×10^{12}	0.5	-158
$C^{17}O$	1.5	200	1.6×10^{12}	3.2	-177
	1.5	200	3.6×10^{12}	5.9	-155
	1.5 1.5	200	1.8×10^{12} 1.6 $\times 10^{12}$	4.4 5 7	-134 -110
	1.5	200	2.6×10^{17}	7.2	-85
	1.5	200	2.9×10^{17}	5.1	-60
	1.5	200	1.1×10^{17} 1.0 × 10^{17}	5.0 6.3	-47 37
	$1.5 \\ 1.5$	$\frac{200}{200}$	4.7×10^{16}	1.7	-37 -25
	1.5	200	$1.6~\times 10^{18}$	13.2	-14
	1.5	200	1.7×10^{17}	7.3	9
	$^{1.5}_{1.5}$	200	3.3 ×10 ¹⁷ 3.3 ×10 ¹⁷	0.3 3.2	27
	1.5	200	2.9×10^{18}	6.1	80
	1.5	200	3.5×10^{17}	6.3	105
	1.5 1 F	200	2.9×10^{17}	4.8	121
$C^{18}O$	$1.5 \\ 1.5$	200 200	4.5×10^{16}	$\frac{50.4}{11.9}$	-176
~ ~	1.5	200	8.3×10^{16}	4.6	-145
	1.5	200	5.2×10^{16}	8.5	-137
	1.5 1 5	200 200	5.2×10^{10} 5.3 $\times 10^{16}$	4.9	-123 -110
	1.0	200	0.0 \ 10	0.1	-110

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	. Online Material p 22	27
1. Moner et un norecular nue sarvey et net cores,	, one of the first of the particular parti	~ .

$ \begin{split} & \text{Molecule} \begin{array}{c} 0^{n+s} & T_{0s}^{n+s} & N_{1s}^{n+s} & \Delta_{1s}^{n+s} & V_{1s}^{n+s} & $			((Continued)			_			(C	ontinued)		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	N ^{m,c}	$\Delta \mathbf{v}^{m,c}$	V ^{m,c} LSR 1	_	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	N ^{m,c}	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}
$ \begin{array}{c} 13 & 400 & 1.4 \times 10^{17} & 477 & -37 & -37 \\ 1.5 & 200 & 5.4 \times 10^{19} & 2.9 & -48 & 1.5 & 200 & 2.8 \times 10^{16} & 1.6 & 40 \\ 1.5 & 200 & 1.5 \times 10^{17} & 1.2 & -35 & 1.5 & 200 & 1.8 \times 10^{15} & 5.7 & 39 \\ 1.5 & 200 & 1.5 \times 10^{17} & 5.5 & 8 & 1.5 & 200 & 1.4 \times 10^{12} & 22.7 & -26 \\ 1.5 & 200 & 1.5 \times 10^{17} & 6.1 & 30 & 1.5 & 200 & 1.2 \times 10^{14} & 1.2 & -43 \\ 1.5 & 200 & 1.2 \times 10^{17} & 1.6 & 1.3 & 1.5 & 200 & 1.2 \times 10^{14} & 1.2 & -43 \\ 1.5 & 200 & 1.2 \times 10^{17} & 1.6 & 1.3 & 1.5 & 200 & 1.1 \times 10^{12} & 22.7 & -26 \\ 1.5 & 200 & 1.2 \times 10^{17} & 10.8 & 86 & 1.5 & 200 & 1.1 \times 10^{12} & 1.3 & 49 \\ 1.5 & 200 & 1.2 \times 10^{17} & 10.8 & 86 & 1.5 & 200 & 1.1 \times 10^{12} & 1.3 & 49 \\ 1.5 & 200 & 1.2 \times 10^{17} & 10.8 & 86 & 1.5 & 200 & 1.1 \times 10^{12} & 1.3 & 49 \\ 1.5 & 200 & 1.2 \times 10^{17} & 4.4 & 163 & 1.5 & 200 & 1.1 \times 10^{12} & 1.3 & 49 \\ 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & -1.3 & 10^{11} & 1.5 & 200 & 1.1 \times 10^{12} & 1.3 & 49 \\ 1.5 & 200 & 1.2 \times 10^{14} & 2.4 & 163 & 1.5 & 200 & 1.2 \times 10^{14} & 3.1 & 28 \\ 1.5 & 200 & 1.2 \times 10^{14} & 2.4 & 10^{12} & 1.5 & 200 & 1.2 \times 10^{14} & 3.1 & 28 \\ 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & -1.3 & 10^{12} & 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -4 \\ 1.5 & 200 & 1.2 \times 10^{12} & 1.2 & 33 & 10^{16} & 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -4 \\ 1.5 & 200 & 1.2 \times 10^{12} & 1.2 & -33 & 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -4 \\ 1.5 & 200 & 1.2 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{114} & 1.5 & 200 & 1.3 \times 10^{13} & 3.7 & -87 \\ 1.5 & 200 & 1.4 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 200 & 1.3 \times 10^{13} & 1.14 & -37 \\ 1.5 & 200 & 1.4 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 200 & 1.4 \times 10^{13} & 3.7 & -87 \\ 1.5 & 200 & 1.4 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 1.0 & 1.5 & 200 & 1.3 \times 10^{13} & 3.7 & -87 \\ 1.5 & 200 & 1.4 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 1.0 & 1.0 & 1.3 \times 10^{13} & 3.7 & -87 \\ 1.5 & 200 & 1.4 \times 10^{12} & 1.0 & -17 & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^{113} & 11^$		('')	(K)	$\frac{(\text{cm}^{-2})}{1.1 \times 10^{14}}$	$\frac{(\text{km s}^{-1})}{7.0}$	$\frac{(\text{km s}^{-1})}{2}$	_		(")	(K)	$\frac{(\text{cm}^{-2})}{2.0 \times 10^{15}}$	(km s^{-1})	$\frac{(\text{km s}^{-1})}{150}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{14}	7.9	-93 71		UCN	1.5	200	3.0×10^{10}	9.4	159
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.4×10^{-10}	13.7	-11		HUN	1.0	200	2.3×10^{-14}	5.5 1.6	95
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	5.0×10^{17}	2.9	-40			1.5	200	2.9×10^{15}	1.0 5.7	40 30
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.5×10^{17}	9.3	-22			1.5	200	8.8×10^{14}	6.6	28
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.5×10^{17}	5.5	8			1.5	200	1.1×10^{12}	22.7	-26
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		1.5	200	2.1×10^{17}	6.6	19			1.5	200	1.1×10^{12}	0.2	-120
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		1.5	200	1.0×10^{17}	6.1	30			1.5	200	3.2×10^{14}	2.3	-10
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.5	200	7.7×10^{16}	1.8	35			1.5	200	1.1×10^{12}	1.0	-43
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		1.5	200	1.5×10^{17}	13.3	52			1.5	200	1.5×10^{15}	5.0	-30
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	8.1×10^{17}	10.8	86			1.5	200	1.1×10^{16}	3.3	-91
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.2×10^{16}	6.0	102		**12 co *	1.5	200	2.7×10^{14}	3.7	-68
CS 1.3 200 9.2×10^{-1} 34.3 163 153 153 200 6.7×10^{-1} 3.1 228 157 1.5 200 1.1×10^{-1} 3.1 28 157 1.5 200 1.1×10^{-1} 3.1 28 157 1.5 200 1.1×10^{-1} 3.1 3.3 155 200 1.1×10^{-1} 3.1 15 200 1.1×10^{-1} 3.3 15 200 1.1×10^{-1} 3.1 15 200 1.1×10^{-1} 3.3 15 200 1.1×10^{-1} 3.4 49 15 200 1.1×10^{-1} 3.4 49 15 200 1.1×10^{-1} 3.3 15 200 1.1×10^{-1} 3.3 15 200 1.1×10^{-1} 3.4 49 15 200 1.1×10^{-1} 3.5 3.7 -160 1.5 200 1.1×10^{-1} 2.1 -173 1.5 200 1.1×10^{-1} 3.7 -160 1.5 200 1.1×10^{-1} 3.7 -173 1.5 200 1.3×10^{-1} 3.0 -174 1.5 200 1.3×10^{-1} 1.5 -133 1.5 200 1.3×10^{-1} 1.5 $1.$		1.5	200	1.4×10^{18}	7.1	137		H ¹³ CN	1.5	200	1.1×10^{12}	1.3	49
CS 1.3 200 1.2 × 10 ¹² 3.5.0 122 1.5 200 1.4 × 10 ¹⁴ 1.0 3 43 1.5 200 1.2 × 10 ¹² 0.1 126 1.5 200 1.4 × 10 ¹⁴ 0.2 33 1.5 200 1.2 × 10 ¹² 4.4 120 1.5 200 1.2 × 10 ¹² 4.4 120 1.5 200 1.2 × 10 ¹³ 4.3 100 HNC 1.5 200 1.2 × 10 ¹⁵ 3.3 48 1.5 200 1.2 × 10 ¹² 4.3 100 HNC 1.5 200 1.2 × 10 ¹⁵ 3.4 37 1.5 200 1.2 × 10 ¹² 4.3 100 HNC 1.5 200 1.2 × 10 ¹⁵ 3.4 37 1.5 200 1.2 × 10 ¹² 4.3 100 HNC 1.5 200 1.2 × 10 ¹⁵ 3.4 37 1.5 200 1.2 × 10 ¹² 4.1 1.5 15 2.00 1.4 × 10 ¹⁵ 0.2 × 10 ¹³ 3.4 4.1 20 1.5 200 1.2 × 10 ¹² 2.1 1.17 1.5 200 1.2 × 10 ¹² 1.7 1.7 HN ¹³ C 1.5 200 3.8 × 10 ¹³ 3.0 .714 1.5 200 1.2 × 10 ¹² 2.1 1.17 1.5 200 1.2 × 10 ¹² 2.1 1.17 1.5 200 1.2 × 10 ¹² 1.7 1.7 HN ¹³ C 1.5 200 3.8 × 10 ¹³ 3.0 .714 1.5 200 1.2 × 10 ¹² 2.1 .114 1.5 200 1.3 × 10 ¹³ 3.746 1.5 200 1.3 × 10 ¹⁴ 3.0 .714 1.5 200 1.3 × 10 ¹⁴ 3.1 .114 1.5 200 1.3 × 10 ¹⁴ 3.1 .114 1.5 200 1.3 × 10 ¹⁴ 1.5 .103 1.5 200 1.3 × 10 ¹⁴ 1.5 .133 1.5 200 1.3 × 10 ¹⁴ 1.5 .133 1.5 200 1.3 × 10 ¹⁴ 1.5 .13 1.5 200 1.3 × 10 ¹⁴ 1.5 .13 1.5 200 1.3 × 10 ¹⁴ 1.5 .13 1.5 200 1.4 × 10 ¹⁴ 3.1 .114 1.5 200 1.4 × 10 ¹⁴ 3.1 .164 1.5 200 1	aa	1.5	200	9.2×10^{17}	48.4	163			1.5	200	6.7×10^{14}	3.1	28
$ \begin{array}{ccc} 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & 10^{5} & 10^{$	05	1.5	200	1.1×10^{12} 1.2 × 10 ¹²	38.0	102 157			1.5	200	1.1×10^{12} 1.4 × 10 ¹⁵	10.0	-4 22
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.2×10 1.1×10^{12}	2.0	107			1.5	200	1.4×10^{-1}	10.2	55 71
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{12}	0.1 4 4	120			1.5	200	4.2×10^{15}	33	48
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.0×10^{15}	4.3	100		HNC	1.5	200	4.8×10^{15}	7.4	94
$C^{34}S = \begin{bmatrix} 1.5 & 200 & 2.6 \times 10^{15} & 1.2 & 3.6 \\ 1.5 & 200 & 1.6 \times 10^{14} & 1.6 & 1.3 \\ 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & -1.23 \\ 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & -1.23 \\ 1.5 & 200 & 1.2 \times 10^{12} & 2.0 & -1.23 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{12} & 0.4 & -44 \\ 1.5 & 200 & 1.2 \times 10^{13} & 0.7 & -713 \\ 1.5 & 200 & 1.2 \times 10^{13} & 2.7 & -713 \\ 1.5 & 200 & 1.2 \times 10^{13} & 2.7 & -713 \\ 1.5 & 200 & 1.2 \times 10^{13} & 2.7 & -713 \\ 1.5 & 200 & 1.3 \times 10^{14} & 1.2 & -714 \\ 1.5 & 200 & 1.4 \times 10^{13} & 7.5 & -69 \\ 1.5 & 200 & 1.4 \times 10^{13} & 7.5 & -69 \\ 1.5 & 200 & 1.4 \times 10^{13} & 7.5 & -69 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.6 & -714 \\ 1.5 & 200 & 4.5 \times 10^{14} & 1.0 & 3 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{15} & 5.7 & -114 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -164 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -174 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -174 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -174 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -174 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.7 & -174 \\ 1.5 & 200 & 2.4 \times 10^{15} & 7.7 & -163 \\ 1.5 & 200 & 2.4 \times 10^{15} & 7.7 & -163 \\ 1.5 & 200 & 2$		1.5	200	8.2×10^{15}	8.4	91			1.5	200	5.5×10^{16}	15.4	52
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.6×10^{15}	1.2	46			1.5	200	2.2×10^{13}	5.9	37
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.3×10^{15}	1.2	33			1.5	200	1.2×10^{12}	0.4	-2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.6×10^{14}	1.6	13			1.5	200	6.4×10^{15}	6.4	-6
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.2×10^{12}	2.1	-17			1.5	200	1.3×10^{15}	9.2	19
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.2×10^{12}	2.0	-123		$HN^{13}C$	1.5	200	3.8×10^{13}	3.0	-174
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.2×10^{12}	16.7	-17			1.5	200	4.3×10^{13}	3.7	-160
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{12}	0.4	-44			1.5	200	1.3×10^{13}	1.5	-133
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.6×10^{13}	1.9	-45			1.5	200	3.6×10^{13}	9.3	-114
		1.5	200	5.2×10^{14}	3.8	-68			1.5	200	3.3×10^{13}	3.7	-87
C3 1.3 200 2.3 k_{10}^{-1} 2.3 31 C33 1.5 200 1.2 k_{10}^{-1} 2.3 31 1.5 200 3.8 k_{10}^{-14} 1.2 6 1.5 200 3.8 k_{10}^{-14} 1.2 7 1.5 200 4.3 k_{10}^{-15} 1.2 1 1.5 200 1.1 k_{10}^{-15} 7.5 -69 1.5 200 1.1 k_{10}^{-15} 6.6 -39 1.5 200 1.0 k_{10}^{-14} 4.1 12 1.5 200 1.	1300	1.5	200	$1.1 \times 10^{}$	1.7	127 62			1.5	200	1.3×10^{-1}	1.9	-07 45
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	C5	1.5	200	2.3×10 1 1 × 10 ¹²	0.4	02 31			1.5	200	4.1×10 9.8 × 10 ¹⁴	3.2 7.5	-40
$C^{34}S = \begin{bmatrix} 1,5 & 200 & 4,3 \times 10^{14} & 12,6 & -148 & 1,5 & 200 & 4,7 \times 10^{14} & 7,1 & 37 \\ 1,5 & 200 & 4,3 \times 10^{15} & 12,1 & -114 & 1,5 & 200 & 6,3 \times 10^{14} & 7,5 & 33 \\ 1,5 & 200 & 1,1 \times 10^{15} & 7,5 & -69 & 1,5 & 200 & 5,8 \times 10^{14} & 15,1 & 103 \\ 1,5 & 200 & 1,8 \times 10^{15} & 6,7 & -59 & 1,5 & 200 & 1,3 \times 10^{14} & 6,9 & 128 \\ 1,5 & 200 & 1,8 \times 10^{15} & 5,6 & -39 & 1,5 & 200 & 1,3 \times 10^{14} & 6,9 & 128 \\ 1,5 & 200 & 1,6 \times 10^{14} & 1,9 & -7 & H^{13}CO^{+} & 1,5 & 200 & 1,3 \times 10^{14} & 6,9 & 128 \\ 1,5 & 200 & 4,6 \times 10^{15} & 37,8 & 5 & HO^{13}C^{+} & 1,5 & 200 & 1,4 \times 10^{15} & 1,3,6 & -174 \\ 1,5 & 200 & 4,6 \times 10^{15} & 5,6 & 84 & 1,5 & 200 & 1,4 \times 10^{15} & 1,6 & -121 \\ 1,5 & 200 & 5,0 \times 10^{15} & 5,6 & 84 & 1,5 & 200 & 1,4 \times 10^{15} & 1,6 & -121 \\ 1,5 & 200 & 5,0 \times 10^{15} & 5,6 & 84 & 1,5 & 200 & 1,4 \times 10^{15} & 1,6 & -121 \\ 1,5 & 200 & 5,0 \times 10^{15} & 5,6 & 84 & 1,5 & 200 & 5,3 \times 10^{14} & 7,7 & -93 \\ 1,5 & 200 & 2,4 \times 10^{15} & 37,8 & 164 & 1,5 & 200 & 5,3 \times 10^{14} & 7,7 & -93 \\ 1,5 & 200 & 2,4 \times 10^{15} & 37,8 & 164 & 1,5 & 200 & 5,3 \times 10^{14} & 4,6 & -24 \\ 1,5 & 200 & 2,4 \times 10^{15} & 37,8 & 164 & 1,5 & 200 & 3,0 \times 10^{14} & 4,6 & -24 \\ 1,5 & 200 & 2,5 \times 10^{17} & 5,9 & -163 & 1,5 & 200 & 2,6 \times 10^{18} & 2,2 & 17 \\ 1,5 & 200 & 2,2 \times 10^{15} & 17,6 & -124 & 1,5 & 200 & 2,1 \times 10^{15} & 1,7 & 104 \\ 1,5 & 200 & 3,2 \times 10^{14} & 4,3 & -73 & 1,5 & 200 & 2,1 \times 10^{15} & 1,7 & 104 \\ 1,5 & 200 & 3,2 \times 10^{14} & 2,3 & -73 & 1,5 & 200 & 2,1 \times 10^{15} & 1,7 & 104 \\ 1,5 & 200 & 3,2 \times 10^{14} & 2,3 & -73 & 1,5 & 200 & 2,2 \times 10^{15} & 5,9 & -116 \\ 1,5 & 200 & 3,2 \times 10^{14} & 4,2 & -54 & 1,5 & 200 & 3,2 \times 10^{13} & 1,9 & 158 \\ 1,5 & 200 & 1,4 \times 10^{14} & 2,0 & -5 & 1,5 & 200 & 3,2 \times 10^{14} & 3,9 & 3 \\ 1,5 & 200 & 3,2 \times 10^{14} & 3,6 & -34 & 0 & -5 & 0,5$	$C^{33}S$	1.5	$\frac{200}{200}$	1.1×10^{15} 1.2×10^{15}	$\frac{2.5}{2.7}$	-173			1.5	200	3.6×10^{14}	6.8	-12
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0	1.5	200	9.3×10^{14}	12.6	-148			1.5	200	4.7×10^{14}	7.1	37
$C^{34}S = \begin{bmatrix} 1.5 & 200 & 1.1 \times 10^{15} & 0.6 & -94 \\ 1.5 & 200 & 1.1 \times 10^{15} & 7.5 & -69 \\ 1.5 & 200 & 1.1 \times 10^{15} & 5.6 & -39 \\ 1.5 & 200 & 1.4 \times 10^{14} & 3.1 & -19 \\ 1.5 & 200 & 1.6 \times 10^{14} & 3.1 & -19 \\ 1.5 & 200 & 2.4 \times 10^{14} & 3.1 & -19 \\ 1.5 & 200 & 4.6 \times 10^{15} & 37.8 & 5 \\ 1.5 & 200 & 4.6 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 4.6 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 4.6 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 7.4 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 7.4 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 7.4 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 7.4 \times 10^{15} & 10.3 & 39 \\ 1.5 & 200 & 7.4 \times 10^{15} & 11.4 & 115 \\ 1.5 & 200 & 7.4 \times 10^{15} & 5.6 & 84 \\ 1.5 & 200 & 7.4 \times 10^{15} & 5.6 & 84 \\ 1.5 & 200 & 7.4 \times 10^{15} & 5.6 & 84 \\ 1.5 & 200 & 7.4 \times 10^{15} & 5.7 & -164 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.1.2 & -164 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.1.2 & -164 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.1.2 & -164 \\ 1.5 & 200 & 2.4 \times 10^{15} & 5.1.2 & -164 \\ 1.5 & 200 & 3.4 \times 10^{16} & 5.9 & -116 \\ 1.5 & 200 & 3.4 \times 10^{16} & 5.9 & -163 \\ 1.5 & 200 & 2.2 \times 10^{15} & 5.9 & -163 \\ 1.5 & 200 & 7.9 \times 10^{14} & 6.0 & -82 \\ 1.5 & 200 & 7.9 \times 10^{14} & 6.0 & -82 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 43.2 & -64 \\ 1.5 & 200 & 7.9 \times 10^{14} & 2.3 & 10 \\ 1.5 & 200 & 3.2 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 19.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^{15} \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^{15} \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^{15} \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^{15} \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 2 \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^{15} \\ 1.5 & 200 & 3.4 \times 10^{15} & 10.3 & 10^$		1.5	200	4.3×10^{15}	12.1	-114			1.5	200	6.3×10^{14}	7.5	53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{18}	0.6	-94			1.5	200	5.8×10^{14}	15.1	85
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{15}	7.5	-69			1.5	200	4.5×10^{13}	1.5	103
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.8×10^{15}	6.7	-59			1.5	200	5.1×10^{14}	6.4	112
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.1×10^{15}	5.6	-39			1.5	200	1.3×10^{14}	6.9	128
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.4×10^{14}	3.1	-19		112 go	1.5	200	7.4×10^{14}	31.1	164
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.6×10^{14}	1.9	-7		$H^{13}CO^{+}$	1.5	200	1.0×10^{15}	4.8	51
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	4.0×10^{15}	37.8	0 20		HOTOUT	1.0	200	1.4×10^{10}	13.0	-174
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	4.0×10^{-5} 0.3 $\times 10^{15}$	10.5	39 62			1.0	200	9.8×10^{-5} 1.2 × 10 ¹⁷	0.0 10.7	-121
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	5.0×10^{15}	5.6	84			1.5	200	5.3×10^{14}	13.1	-112
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	7.2×10^{15}	4.1	115			1.5	200	1.1×10^{15}	4.9	-85
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.8×10^{14}	0.8	78			1.5	200	5.1×10^{15}	14.4	-58
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.4×10^{15}	37.8	164			1.5	200	8.0×10^{14}	4.6	-24
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm C^{34}S$	1.5	200	6.2×10^{15}	51.2	-164			1.5	200	7.5×10^{14}	8.4	-12
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.5×10^{17}	5.9	-163			1.5	200	4.1×10^{14}	3.9	3
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	3.0×10^{17}	5.9	-149			1.5	200	2.6×10^{18}	2.2	17
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	3.4×10^{16}	4.1	-143			1.5	200	2.2×10^{15}	5.5	29
1.5200 2.8×10^{-5} 5.9 -116 1.5 200 1.7×10^{15} 5.7 71 1.5 200 9.7×10^{14} 6.0 -87 1.5 200 1.2×10^{15} 9.8 88 1.5 200 6.5×10^{14} 9.0 -82 1.5 200 2.1×10^{15} 9.8 88 1.5 200 3.2×10^{14} 2.3 -73 1.5 200 2.1×10^{15} 1.7×10^4 1.5 200 7.9×10^{14} 43.2 -64 1.5 200 8.8×10^{13} 5.9 119 1.5 200 7.9×10^{14} 9.7 -46 1.5 200 8.2×10^{13} 9.7 141 1.5 200 7.0×10^{14} 2.4 -10 1.5 200 8.2×10^{13} 1.9 158 1.5 200 1.4×10^{14} 2.0 -5 1.5 200 8.9×10^{15} 19.3 2 1.5 200 4.5×10^{14} 7.4 30 1.5 200 8.9×10^{15} 7.6 60 1.5 200 8.9×10^{15} 8.6 84 $('')$ (K) (cm^{-2}) $(km s^{-1})$ 1.5 200 1.3×10^{15} 10.9 100 145 145 1.5 200 1.3×10^{15} 10.3 145 1.5 200 1.3×10^{15} 10.3 145		1.5	200	2.9×10^{10}	17.6	-124			1.5	200	1.3×10^{14}	8.6	57
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.8×10^{10}	5.9 6 0	-116			1.5	200	1.7×10^{10} 1.0 $\times 10^{15}$	5.7	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0 1 K	200 200	9.7×10^{-1}	0.0	-01			1.0 1 5	200 200	1.4×10^{10} 2.1×10^{15}	9.8 1.7	88 104
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0 1.5	200	3.0×10^{14}	9.0 9.2	-04			1.0 1.5	200 200	2.1×10^{-2} 8.8 $\times 10^{13}$	1.7 5 0	104
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	7.9×10^{14}	43.2	-64			1.5	200	7.5×10^{13}	9.7	141
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.5	200	5.9×10^{14}	9.7	-46			1.5	200	8.2×10^{13}	1.9	158
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	2.2×10^{14}	5.9	-37	=		-			-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	$7.0~\times 10^{14}$	2.4	-10							
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	$1.4~\times 10^{14}$	2.0	-5							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	6.0×10^{15}	19.3	2	Tab	le I.62	LTE	Param	eters for	the full 1	LTE mod
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.5	200	3.9×10^{14}	2.3	10	1aD (17	volone C		i ai diff	CUCIS IOI	01 in Car	DIE 11100 R9(NI)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.5	200	4.5×10^{14}	7.4	30	(En	velope Co	mpone	ents) IC	n source A	o4 m Sgr	$\mathbf{D}_{2}(\mathbf{N}).$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.5	200	1.5×10^{14}	2.2	47							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	8.1×10^{15}	7.6	60		Molecule	$\theta^{\overline{m,c}}$	$T_{ex}^{\overline{m,c}}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{\rm LSR}^{m,c}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	8.9×10^{10}	8.6	84			(")	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$({\rm km s^{-1}})$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.5	200	1.3×10^{13}	2.0	93 100							
$1.5 - 200 - 1.2 \times 10^{15} - 10.3 - 145$		1.0 1.5	200 200	2.3×10^{10} 1 1 $\times 10^{16}$	10.9 6.4	100							
		1.5	200 200	1.1×10^{-5} 1.9×10^{15}	0.4 10.2	145							

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 228

		(C	ontinued)		
Molecule	$ extstyle heta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$\operatorname{N_{tot}^{m,c}}_{(\mathrm{cm}^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
IL CIVIL			1.11012	7.0	69
H ₂ CNH CN	ext.	4 22	1.1×10^{12}	7.0	62 77
UN	ext.	22 21	4.1×10^{16}	9.4	63
	ext.	3	4.7×10^{13}	4.7	-39
	ext.	3	3.4×10^{14}	9.9	31
	ext.	3	8.5×10^{14}	15.4	5
	ext.	3	1.0×10^{14}	8.6	-25
	ext.	3	1.7×10^{14}	2.5	-42
	ext.	3	4.0×10^{14}	24.1	-50
	ext.	3	3.6×10^{14}	0.5	-82
SiO	ext.	10	2.9×10^{14}	5.6 5.5	-109
CCH	ext.	3	1.0×10^{16}	10.7	73
	ext.	3	1.0×10^{16}	10.1	64
$H_2C^{33}S$	ext.	9	1.1×10^{12}	4.5	67
CH_2NH	ext.	3	4.4×10^{14}	18.9	67
	ext.	48	1.1×10^{12}	0.8	51
H_2CO	ext.	3	1.5×10^{14}	0.2	68
CO	ext.	28	2.0×10^{10} 1 7 $\times 10^{10}$	19.7 23 K	68 114
00	ext.	3 3	2.9×10^{10}	⊿ə.ə 27 7	114 70
	ext.	3	3.3×10^{12}	29.8	68
	ext.	3	2.4×10^{16}	38.8	68
	ext.	3	2.1×10^{17}	0.4	54
	ext.	3	1.1×10^{12}	0.3	34
	ext.	3	1.1×10^{12}	0.5	27
	ext.	3	2.3×10^{10}	5.2 25.2	30
	ext.	3	1.1×10^{12}	0.5 0.6	-25
	ext.	3	8.0×10^{15}	1.5	-3
	ext.	3	1.1×10^{12}	0.6	-37
	ext.	3	1.1×10^{12}	0.5	-88
	ext.	3	8.1×10^{16}	11.6	-24
	ext.	3	1.1×10^{12} 1.1 × 10^{12}	15.9	-98
	ext.	3	1.1×10^{17} 1.3 × 10 ¹⁷	0.1 22.2	-93 -46
	ext.	3	1.0×10^{12} 1.1×10^{12}	0.7	-56
	ext.	3	$1.2~\times 10^{17}$	13.4	-77
	ext.	3	1.1×10^{12}	0.7	-132
	ext.	3	3.0×10^{16}	4.1	-94
	ext.	3	1.5×10^{17}	7.7	-107
13CO	ext.	3 3	2.1×10^{-5} 1 3 × 10 ¹⁷	3.0 18.7	-125 64
00	ext.	3	3.4×10^{16}	15.6	6
	ext.	3	4.0×10^{16}	4.9	-42
	ext.	3	1.1×10^{12}	17.4	-78
	ext.	3	1.1×10^{12}	0.4	-55
	ext.	3	1.1×10^{12}	6.0	-161
	ext.	3 3	1.5×10^{10} 1.0 $\times 10^{17}$	11.0	-70 -86
	ext.	3	1.3×10^{15} 1.7×10^{15}	37.6	-30
	ext.	3	1.8×10^{16}	1.3	-107
$C^{17}O$	ext.	3	6.7×10^{15}	2.7	-73
$C^{18}O$	ext.	3	8.8×10^{16}	1.1	63
\mathbf{CS}	ext.	3	1.1×10^{12}	0.5	83
	ext.	3	2.3×10^{17}	28.1	68
	ext.	3 3	1.1×10^{12} 1.3 × 10 ¹⁶	5.4 2.6	64 58
	ext.	3	1.1×10^{13}	2.0	88
	ext.	3	2.6×10^{12}	13.0	15
	ext.	3	$3.0~\times 10^{16}$	15.2	-111
^{13}CS	ext.	3	1.6×10^{16}	11.9	67
C33C	ext.	3	1.1×10^{12}	0.6	-70
USS	ext.	3	2.9×10^{10}	11.2	-171 22
		3	4.0×10^{10} 1 1 $\times 10^{13}$	0.0 0.6	22 79
HCN	ext.	3	1.1 × 111 *		
HCN	ext. ext.	3 3	1.1×10^{-12} 1.1×10^{12}	0.0 7.7	67
HCN	ext. ext. ext.	3 3 3	$\begin{array}{c} 1.1 \times 10^{12} \\ 1.1 \times 10^{12} \\ 4.4 \times 10^{15} \end{array}$	7.7 31.3	67 64
HCN	ext. ext. ext. ext.	3 3 3 3	$ \begin{array}{c} 1.1 \times 10^{-1} \\ 1.1 \times 10^{12} \\ 4.4 \times 10^{15} \\ 1.1 \times 10^{12} \end{array} $	7.7 31.3 21.2	67 64 55
HCN	ext. ext. ext. ext. ext. ext.	3 3 3 3 3	$\begin{array}{c} 1.1 \times 10^{-1} \\ 1.1 \times 10^{12} \\ 4.4 \times 10^{15} \\ 1.1 \times 10^{12} \\ 2.8 \times 10^{14} \\ \hline \end{array}$	$ \begin{array}{c} 0.0 \\ 7.7 \\ 31.3 \\ 21.2 \\ 1.1 \\ 1.4 \\ \end{array} $	

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	ext.	3	1.1×10^{12}	0.2	-17
	ext.	3	5.1×10^{13}	1.1	-39
	ext.	3	9.7×10^{13}	1.4	-42
$\rm H^{13}CN$	ext.	3	3.9×10^{15}	16.9	76
	ext.	3	1.3×10^{15}	14.5	55
	ext.	3	1.1×10^{12}	2.5	69
HNC	ext.	3	1.1×10^{12}	0.1	-133
	ext.	3	1.9×10^{12}	0.4	74
	ext.	3	6.1×10^{15}	4.6	72
	ext.	3	5.9×10^{15}	31.5	64
	ext.	3	4.8×10^{16}	0.1	51
	ext.	3	5.9×10^{13}	0.9	47
	ext.	3	2.2×10^{12}	0.2	-63
$H^{13}CO^+$	ext.	3	4.9×10^{14}	19.8	69

Table L.63: LTE Parameters for the full LTE model (Core Components) for source A05 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$({\rm km s^{-1}})$
CH_3NH_2	1.5	89	3.0×10^{17}	5.6	63
$HC(O)NH_2$	1.5	203	5.3×10^{14}	4.9	65
SO_2	1.5	134	3.8×10^{16}	8.6	60
CH_2NH	1.5	151	2.5×10^{16}	3.8	63
NO	1.5	188	3.5×10^{17}	6.2	62
NH_2D	1.5	91	3.6×10^{16}	5.7	62
$C_{2}H_{5}CN, v_{20}=1$	1.5	156	7.3×10^{16}	5.7	63
NS	1.5	192	1.0×10^{16}	2.8	64
	1.5	385	7.8×10^{13}	5.5	70
C₂H₌OH	1.5	141	3.7×10^{17}	5.5	63
SO	1.5	234	9.4×10^{17}	0.2	61
50	1.5	122	3.4×10^{16}	9.1	60
$CH_{2}CN$	1.5	140	2.5×10^{17}	4.4	62
011301	1.5	103	4.7×10^{16}	13.0	64
DH.	1.5	101	4.7×10^{13}	27	67
	1.5	165	1.1×10 2.1 × 1018	2.1	62
	1.0	100	2.1×10^{-5} 7.2×10^{15}	0.0 9.9	50
$H_2 C C O$	1.0	101	7.2×10^{-6}	0.0 9 F	09 62
0.00	1.0	140	0.2×10^{-3}	3.0	05
UCS	1.0	192	2.2×10^{-3}	1.9	61
0.00 1	1.5	153	1.1×10^{13}	5.2	62
$OCS, v_2=1$	1.5	192	2.2×10^{13}	1.9	61
TIGGON	1.5	152	5.6×10^{17}	5.2	62
HCCCN	1.5	84	1.4×10^{10}	18.7	71
	1.5	66	9.4×10^{17}	0.2	71
HCCCN, $v_7=2$	1.5	1100	1.6×10^{15}	8.8	84
HCN, $v_2=1$	1.5	957	2.8×10^{13}	3.1	64
CH_3OCH_3	1.5	140	1.4×10^{18}	3.8	62
$H_{2}^{33}S$	1.5	176	1.6×10^{15}	4.1	71
PN	1.5	200	3.5×10^{14}	2.9	131
	1.5	200	4.1×10^{14}	1.7	119
	1.5	200	5.0×10^{14}	1.7	109
	1.5	200	4.4×10^{16}	0.4	86
	1.5	200	4.1×10^{14}	2.0	82
	1.5	200	2.7×10^{14}	0.7	67
	1.5	200	1.8×10^{14}	1.4	63
	1.5	200	1.4×10^{14}	0.9	51
	1.5	200	4.9×10^{12}	1.4	46
	1.5	200	9.5×10^{14}	4.3	28
	1.5	200	1.0×10^{15}	33.8	-1
	1.5	200	9.7×10^{13}	1.0	1
	1.5	200	6.8×10^{14}	3.4	-8
	1.5	200	2.0×10^{15}	33.8	-64
	1.5	200	5.6×10^{14}	3.2	-28
	1.5	200	7.0×10^{14}	1.3	-34
C_2H_5CN	1.5	342	1.5×10^{12}	1.2	64

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 229

 $\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km\,s}^{-1})}$

-23

-3

8

19

30

 $\frac{38}{52}$

88

105

127

138

154

77

33

30

15

-13

-40

12

132

125

163

103

100

86

78

61

45

39

32

30

-133

3

-10

-152

-36

-175

-145

-137

-109

-92

-77

-69

-58

-38

-22

-5

5

12

17

39

62

85

100

115

149

155

-171

-162

-140

-124

-114

-99

-83

-69

-62

-45

-32

-17

-10

-3

5

 $\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\,\mathrm{s}^{-1})}$ 4.9

7.0

2.9

3.0

3.4

41.5

 $\begin{array}{c} 4.8\\11.8\end{array}$

 $\begin{array}{c} 7.8 \\ 1.3 \end{array}$

9.6

23.6

30.7

2.1

1.8

30.5

5.4

1.6

2.3

1.9

12.9

1.9

2.7

3.9

13.8

1.6

5.1

1.9

1.9

1.9

4.1

1.9

6.0

9.1

1.9

1.0

3.6

21.2

6.3

10.3

5.3

2.5

3.2

5.6

5.0

3.2

6.1

27.1

3.5

2.7

5.2

 $\begin{array}{c} 6.9 \\ 4.5 \end{array}$

2.5

4.6

1.2

4.6

39.3

8.7

4.5

0.8

6.2

2.2

1.8

2.2

3.6

10.4

9.4

2.9

4.3

11.7

6.1

		(Co	ntinued)					(0	Continued)
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$
	(")	(K) 104	$\frac{(\text{cm}^{-2})}{1.0 \times 10^{17}}$	(km s^{-1})	$\frac{(\text{km s}^{-1})}{62}$		(")	(K) 200	$\frac{(\text{cm}^{-2})}{1.4 \times 10^{17}}$
HNC, $v_2=1$	$1.5 \\ 1.5$	104 953	1.0×10 1.2×10^{15}	4.4 1.3	03 76		$1.5 \\ 1.5$	200	1.4×10^{17} 2.0 × 10 ¹⁷
11110, 12 1	1.5	949	1.1×10^{12}	5.1	61		1.5	200	1.1×10^{17}
	1.5	949	1.1×10^{12}	2.6	52		1.5	200	1.7×10^{17}
H_2CNH	1.5	301	7.5×10^{16}	5.0	62		1.5	200	1.2×10^{17}
H_2CS	$1.5 \\ 1.5$	124 187	5.3×10^{10} 3.1×10^{13}	3.7	62 62		1.5 1.5	200	2.3×10^{17} 1.0 $\times 10^{17}$
0113011	$1.5 \\ 1.5$	129	2.2×10^{19}	3.7	62 62		$1.5 \\ 1.5$	200	4.3×10^{17}
CO	1.5	200	3.5×10^{12}	0.9	153		1.5	200	7.2×10^{16}
	1.5	200	3.3×10^{13}	1.7	-3		1.5	200	3.6×10^{17}
	$1.5 \\ 1.5$	200	2.2×10^{13} 2.8×10^{12}	8.7	$95 \\ 74$		1.5 1.5	200	9.8×10^{17} 1.3 $\times 10^{17}$
	$1.5 \\ 1.5$	200	8.6×10^{14}	3.5	-38	\mathbf{CS}	$1.5 \\ 1.5$	200	3.8×10^{16}
	1.5	200	$2.8~{\times}10^{12}$	0.8	-122		1.5	200	5.8×10^{14}
	1.5	200	1.1×10^{12}	0.8	-130		1.5	200	2.1×10^{13}
	1.5	200	2.7×10^{12}	1.0	-139		1.5	200	1.1×10^{12}
	$1.0 \\ 1.5$	200	1.2×10^{-1} 6.5 × 10^{12}	$\frac{10.2}{2.0}$	-142 -159		$1.0 \\ 1.5$	200	3.1×10^{-1} 1.1×10^{12}
	1.5	200	1.1×10^{12}	0.8	-176		1.5	200	1.1×10^{12} 1.1×10^{12}
	1.5	200	6.9×10^{12}	1.3	-171	^{13}CS	1.5	200	1.1×10^{12}
13 00	1.5	200	1.1×10^{12}	0.6	-186		1.5	200	1.2×10^{15}
1000	$1.5 \\ 1.5$	200	1.2×10^{17} 2.0 × 10 ¹⁸	0.9 40.0	110		1.5 1.5	200	9.3×10^{12} 1.1 × 10 ¹²
	$1.5 \\ 1.5$	200	8.8×10^{17}	4.8	88		$1.5 \\ 1.5$	200	4.1×10^{12}
	1.5	200	2.2×10^{14}	1.1	47		1.5	200	3.3×10^{15}
	1.5	200	1.7×10^{15}	2.2	67		1.5	200	3.7×10^{14}
	1.5	200	5.0×10^{13} 2.7×10^{17}	0.7	22 18		1.5	200	5.7×10^{13} 1 1 × 10^{12}
	1.5 1.5	200	2.7×10 2.3×10^{13}	1.0	18		1.5 1.5	200	3.2×10^{12}
	1.5	200	1.7×10^{13}	0.5	-22		1.5	200	4.3×10^{13}
	1.5	200	7.2×10^{16}	6.7	-55		1.5	200	1.1×10^{12}
	1.5	200	5.5×10^{10}	2.7	-56		1.5	200	1.1×10^{12}
	$1.5 \\ 1.5$	200	3.7×10^{14}	31.2 2.6	-94		$1.5 \\ 1.5$	200	5.1×10^{-1} 8.1 × 10 ¹⁴
	1.5	200	3.3×10^{14}	1.0	-133		1.5	200	1.1×10^{12}
	1.5	200	4.3×10^{17}	1.2	-130		1.5	200	2.3×10^{14}
	1.5	200	1.1×10^{17}	2.1	-145	$C^{33}S$	1.5	200	4.0×10^{14}
	$1.5 \\ 1.5$	200	2.7×10^{14} 1.1 × 10 ¹⁸	2.6	-155 -157		1.5 1.5	200	6.5×10^{14} 4 3 × 10 ¹⁴
	$1.5 \\ 1.5$	200	4.0×10^{16}	1.7	-178		$1.5 \\ 1.5$	200	4.3×10^{14} 8.3×10^{14}
$C^{17}O$	1.5	200	2.5×10^{17}	4.6	-178		1.5	200	2.4×10^{14}
	1.5	200	2.3×10^{17}	3.1	-169		1.5	200	1.4×10^{14}
	1.5 1.5	200	1.9×10^{17} 1.2×10^{17}	7.3 2.5	-155 147		1.5 1.5	200	4.0×10^{14} 4.7×10^{14}
	$1.5 \\ 1.5$	200	6.3×10^{16}	$\frac{2.5}{2.1}$	-147		$1.5 \\ 1.5$	200	$4.7 \times 10^{-4.9} \times 10^{-14}$
	1.5	200	1.9×10^{17}	15.0	-129		1.5	200	2.0×10^{14}
	1.5	200	5.9×10^{16}	2.9	-107		1.5	200	2.5×10^{14}
	1.5	200	2.4×10^{17}	13.8	-99		1.5	200	4.2×10^{14}
	1.5 1.5	200	5.6×10^{15}	1.0 5.4	-63 -68		1.5 1.5	200	3.0×10^{13} 9.9×10^{13}
	1.5	200	3.7×10^{17}	8.1	-59		1.5	200	5.7×10^{14}
	1.5	200	5.2×10^{16}	7.1	-47		1.5	200	5.8×10^{15}
	1.5	200	1.2×10^{17}	3.9	-36		1.5	200	4.9×10^{15}
	$1.5 \\ 1.5$	200	2.8×10^{16} 9.0×10^{16}	3.9	-12 9		$1.5 \\ 1.5$	200	1.0×10 4.9×10^{15}
	1.5	200	1.7×10^{16}	2.3	17		1.5	200	1.4×10^{14}
	1.5	200	2.3×10^{17}	6.3	28	0.4	1.5	200	5.0×10^{14}
	1.5	200	1.2×10^{17}	4.4	49	$C^{34}S$	1.5	200	2.3×10^{15}
	$1.0 \\ 1.5$	200	2.7×10^{17} 6.2 × 10 ¹⁷	2.8 5.0	63 82		$1.0 \\ 1.5$	200	4.6×10^{10} 1.7×10^{15}
	1.5 1.5	200	2.2×10^{17}	8.6	106		1.5	200	1.5×10^{15}
	1.5	200	1.7×10^{17}	5.0	123		1.5	200	1.1×10^{15}
C18C	1.5	200	6.7×10^{16}	5.4	137		1.5	200	7.4×10^{13}
C100	1.5 1 5	200 200	2.9×10^{17} 6.0 $\times 10^{18}$	44.1 2.6	-170 -157		1.5 1 5	200 200	8.2×10^{14} 2.1 $\times 10^{14}$
	$1.5 \\ 1.5$	200	1.9×10^{17}	8.8	-146		1.5 1.5	200	4.8×10^{14}
	1.5	200	2.1×10^{17}	10.9	-135		1.5	200	6.3×10^{14}
	1.5	200	1.5×10^{17}	8.7	-123		1.5	200	2.5×10^{14}
	1.5	200	6.3×10^{12}	9.2	-90 74		1.5 1 F	200	3.0×10^{14}
	$1.0 \\ 1.5$	200	1.0×10^{17}	5.0	-74 -58		$1.0 \\ 1.5$	$200 \\ 200$	5.3×10^{14}
	1.5	200	1.4×10^{17}	34.2	-49		1.5	200	6.5×10^{14}

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 230

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}			
	(")	(K)	$\frac{(\text{cm}^{-2})}{7.8 \times 10^{14}}$	$({\rm km s^{-1}})$	$({\rm km s^{-1}})$			
	1.5	200	7.8×10^{14}	0.8	13			
	1.5 1.5	$\frac{200}{200}$	4.5×10^{14}	4.5	30			
	1.5	200	1.9×10^{14}	2.5	37			
	1.5	200	4.7×10^{15}	5.8	60			
	1.5	200	4.3×10^{15}	13.2	84			
	1.5	200	5.6×10^{14}	2.2	94			
	1.5	200	1.1×10^{13}	6.1 1.2	101			
	$1.0 \\ 1.5$	200	4.0×10 2.8 × 10 ¹⁵	1.2 6.1	111			
	$1.5 \\ 1.5$	200	5.8×10^{14}	4.5	146			
	1.5	200	1.1×10^{15}	11.3	162			
HCN	1.5	200	1.2×10^{15}	8.4	103			
	1.5	200	1.1×10^{12}	1.0	99			
	1.5	200	3.8×10^{13}	8.7	95 91			
	$1.0 \\ 1.5$	200	1.9×10^{12} 1.1 × 10^{12}	0.9	21			
	1.5	200	1.4×10^{14}	4.6	-10			
	1.5	200	4.8×10^{13}	3.7	-16			
	1.5	200	4.9×10^{12}	8.9	-43			
	1.5	200	4.9×10^{12}	0.2	-54			
	1.5	200	1.1×10^{12}	2.8	-73			
	1.5 1.5	200	6.7×10^{13}	$1.6 \\ 7.7$	-74			
	1.5 1.5	$\frac{200}{200}$	2.7×10^{13}	4.8	-93			
$\rm H^{13}CN$	1.5	200	6.6×10^{14}	0.8	91			
	1.5	200	2.9×10^{15}	2.0	74			
	1.5	200	1.9×10^{15}	1.8	49			
	1.5	200	5.0×10^{14}	0.8	33			
	1.5	200	1.9×10^{14}	1.7	28			
	$1.0 \\ 1.5$	$200 \\ 200$	1.4×10 1.7×10^{14}	0.5	-9 -39			
	1.5	200	1.2×10^{13}	29.6	-30			
HNC	1.5	200	1.4×10^{12}	1.4	129			
	1.5	200	1.1×10^{12}	2.0	125			
	1.5	200	4.8×10^{13}	0.3	110			
	1.5	200	3.0×10^{13}	26.5	88			
	$1.0 \\ 1.5$	200	$1.8 \times 10^{}$ 8.2 × 10^{13}	0.0 2.8	30 21			
	1.5	200	1.1×10^{12}	11.5	19			
	1.5	200	$8.7~\times10^{12}$	1.0	19			
	1.5	200	1.0×10^{13}	5.9	16			
	1.5	200	3.3×10^{13}	0.7	-37			
	1.5	200	4.7×10^{12}	2.1	-37			
	$1.0 \\ 1.5$	200	1.1×10^{12} 1 1 × 10^{12}	2.5	-40 -53			
	1.5	200	3.2×10^{12}	1.2	-66			
	1.5	200	1.8×10^{12}	1.3	-79			
	1.5	200	6.5×10^{13}	1.9	-92			
$HN^{13}C$	1.5	200	5.7×10^{13}	4.2	-80			
	1.5	200	5.7×10^{13}	3.6	-55			
	$1.0 \\ 1.5$	200	1.3×10 3.0 × 10 ¹⁴	4.9	-44 -22			
	1.5	200	2.2×10^{14}	5.3	-10			
	1.5	200	2.3×10^{14}	7.3	9			
	1.5	200	2.0×10^{14}	36.6	36			
	1.5	200	1.1×10^{14}	4.1	53			
	1.5	200	2.9×10^{14}	0.5 2 5	81			
	$1.5 \\ 1.5$	$\frac{200}{200}$	1.2×10 1.5 × 10 ¹⁴	3.3	90 103			
	1.5	200	2.7×10^{14}	5.6	113			
	1.5	200	1.0×10^{14}	6.1	128			
	1.5	200	1.2×10^{14}	4.5	148			
$H^{13}CO^+$	1.5	200	6.9×10^{14}	5.6	64			
HO ¹³ C ⁺	1.5	200	2.9×10^{13}	0.6 1.6	121			
	$1.0 \\ 1.5$	200 200	2.7×10^{10}	4.0 10.6	×12 81			
	1.5	200	9.9×10^{13}	6.1	70			
	1.5	200	5.0×10^{13}	0.3	56			
	1.5	200	4.0×10^{14}	4.2	30			
	1.5	200	1.1×10^{12}	4.8	17			
	1.5	200	1.2 ×10 ⁺⁺	4.1	0			

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})				
	1.5	200	1.1×10^{14}	4.1	-3				
	1.5	200	2.6×10^{14}	3.8	-23				
	1.5	200	1.4×10^{13}	0.4	-19				
	1.5	200	1.3×10^{14}	2.6	-45				
	1.5	200	1.2×10^{14}	12.1	-42				
	1.5	200	6.9×10^{13}	1.7	-80				
	1.5	200	1.4×10^{14}	1.4	-84				
	1.5	200	3.1×10^{14}	1.2	-92				

Table L.64: LTE Parameters for the full LTE model (Envelope Components) for source A05 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	()			
CN	ext	24	6.9×10^{16}	15.0	72
011	evt	24 21	2.6×10^{16}	4.8	62
	ovt	21	4.4×10^{13}	11	-89
	ovt	3	4.4×10^{14}	16.0	-05
	ext.	0 9	4.0×10 2.2 × 10 ¹³	10.9	
	ext.	ა ე	3.3×10^{-4}	0.5	-22
	ext.	3	5.8×10^{-1}	10.5	4
	ext.	3	1.9×10^{11}	9.5	-32
	ext.	3	2.5×10^{14}	3.1	-43
	ext.	3	8.5×10^{13}	5.5	-59
	ext.	3	1.7×10^{14}	3.0	-80
	ext.	3	2.0×10^{14}	3.1	-108
CH_2NH	ext.	3	1.7×10^{14}	8.7	62
	ext.	3	7.2×10^{13}	5.9	73
	ext.	3	8.2×10^{13}	6.1	81
CCH	ext.	3	1.2×10^{16}	8.3	74
	ext.	3	7.1×10^{15}	7.9	64
$H_2C^{33}S$	ext.	10	1.0×10^{12}	4.7	66
SiO	ext.	12	2.3×10^{14}	4.8	72
PH ₃	ext.	36	1.2×10^{16}	5.6	62
HaCO	ext	10	1.3×10^{15}	16.7	64
11200	evt	10	1.0×10^{16}	89	79
	ovt	13	8.0×10^{14}	6.0	52
CO	ovt	3	2.5×10^{12}	24.1	122
0	ext.	ა ი	2.3×10^{16}	24.1	122
	ext.	ა ე	2.5×10^{-1}	3.9	80 74
	ext.	3	1.1×10^{12}	0.4	(4
	ext.	3	1.5×10^{17}	16.3	64
	ext.	3	3.1×10^{12}	0.2	52
	ext.	3	1.6×10^{10}	6.3	45
	ext.	3	1.1×10^{10}	0.6	39
	ext.	3	2.2×10^{10}	4.9	29
	ext.	3	2.6×10^{12}	0.1	-144
	ext.	3	1.6×10^{17}	31.6	12
	ext.	3	3.6×10^{16}	11.3	-3
	ext.	3	7.3×10^{16}	11.7	-21
	ext.	3	8.5×10^{14}	0.9	-26
	ext.	3	2.0×10^{16}	5.4	-30
	ext.	3	1.2×10^{17}	18.4	-44
	ext.	3	2.6×10^{15}	3.0	-48
	ext.	3	3.2×10^{16}	2.4	-59
	ext.	3	1.1×10^{17}	13.8	-76
	ext	3	9.6×10^{15}	5.0	-83
	evt	3	2.7×10^{16}	33	-94
	ovt	3	5.4×10^{14}	0.7	-100
	ovt	3	7.4×10^{16}	0.1	107
	ext.	ა ი	$1.5 \times 10^{\circ}$ 1.7×10^{14}	3.1 3.6	196
	ext.	ა ე	1.7×10^{-1}	3.0	-120
1300	ext.	3	2.6×10^{10}	2.2	-124
100	ext.	3	0.0×10^{17}	12.1	70
	ext.	3	1.2×10^{17}	1.6	61
	ext.	3	6.0×10^{10}	39.5	43
	ext.	3	7.0×10^{15}	1.2	14
	ext.	3	9.9×10^{15}	2.3	5
	ext.	3	1.3×10^{16}	2.4	-40

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 231

		(C	Continued)			Table L.65: LTE	Paran	neters f	for the full l	LTE mode	el (Core
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	v _{LSR} ^{m,c}	Components) for	source	e A06 i	n Sgr B2(N	·).	Ì
	('')	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km s^{-1}})$	$({\rm km s^{-1}})$						
	ext.	3 3	1.4×10^{16}	$\frac{3.0}{2.6}$	-43 -50	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v ^{m,c} _{LSR}
	ext.	3	2.1×10^{15}	10.7	-65		('')	(K)	(cm^{-2})	$({\rm km s^{-1}})$	$(\rm kms^{-1}$
	ext.	3	3.4×10^{15}	3.2	-70	HaCNH	17	69	5.6×10^{16}	6.1	70
$C^{17}O$	ext.	3	4.0×10^{15}	3.9	-65	SO	1.7	139	6.9×10^{16}	6.7	69
	ext.	3	8.9×10^{14}	2.8	-49	C_2H_3CN	1.7	107	1.1×10^{16}	7.1	71
	ext.	3	1.2×10^{13}	2.8	-41	$C_2H_3CN, v_{10}=1$	1.7	259	5.2×10^{14}	11.3	64
	ext.	3 3	7.8×10 3.0 × 10 ¹⁴	2.0	-20	C_2H_5CN	1.7	118	1.7×10^{17}	5.3	69
	ext.	3	5.4×10^{15}	5.7	66	C II CN 1	1.7	86	1.1×10^{17}	2.4	73
	ext.	3	1.5×10^{15}	7.4	128	$C_2H_5CN, v_{20}=1$	1.7 1.7	109	4.0×10^{11} 4.3×10^{16}	7.2	71 60
$C^{18}O$	ext.	3	2.9×10^{16}	3.6	-157	HNCO	1.7 17	361	3.0×10^{16}	6.8	09 72
	ext.	3	1.5×10^{15}	5.0	-82	CH ₂ NH	1.7	175	9.4×10^{16}	5.9	69
	ext.	3	4.5×10^{15}	1.2	-42	NS	1.7	357	2.1×10^{16}	6.4	68
	ext.	ა ვ	7.9×10^{10} 1 4 $\times 10^{15}$	4.4 2.1	67 76	C_2H_5OH	1.7	146	3.9×10^{17}	7.6	70
	ext.	3	9.5×10^{14}	3.0	112	CH_3OCH_3	1.7	123	7.4×10^{17}	7.2	70
CS	ext.	3	2.4×10^{16}	3.1	83	CH_3OCHO	1.7	109	3.7×10^{17}	7.5	69 79
	ext.	3	3.3×10^{17}	22.6	69	$HC(O)NH_2$	1.7	71 140	4.9×10^{10}	3.5 6.0	72 71
	ext.	3	9.6×10^{15}	2.0	72	50_{2}	1.7 1.7	97	4.0×10^{13}	3.4	31
	ext.	3	3.8×10^{16}	2.7	50	CH ₃ NH ₂	1.7	175	2.3×10^{17}	7.7	70
	ext.	3	1.2×10^{16}	7.6	40	HCCCN	1.7	152	3.9×10^{16}	7.8	71
	ext.	3	5.6×10^{14}	1.9	28	HCCCN, v ₇ =2	1.7	217	1.2×10^{16}	7.4	70
13CS	ext.	3 2	0.0×10^{-1} 1.3 × 10 ¹⁶	7.5 4.1	22 71	HNC, $v_2=1$	1.7	691	5.3×10^{15}	7.6	71
$C^{33}S$	ext.	3	1.5×10^{15} 1.5×10^{15}	1.6	-79	PN	1.7	200	4.6×10^{14}	8.1	75
0 0	ext.	3	7.6×10^{15}	4.8	69		1.7	200	1.7×10^{14}	6.0	33
	ext.	3	1.6×10^{15}	2.8	134		1.7 1.7	200	1.2×10^{10} 3.5×10^{14}	17.9	24
	ext.	3	7.3×10^{15}	5.9	141		1.7 1.7	200	3.5×10^{13} 8.4 × 10 ¹³	2.0	0 5
9.4	ext.	3	8.0×10^{14}	12.9	152		1.7	200	4.7×10^{14}	17.9	-2
$C^{34}S$	ext.	3	1.9×10^{10}	2.2	70		1.7	200	4.8×10^{12}	3.1	-17
HCN	ext.	3	1.1×10^{12}	1.6	86		1.7	200	1.1×10^{14}	1.0	-24
	ext.	3 3	1.1×10^{-1} 1.1×10^{12}	10.5	00 91		1.7	200	5.2×10^{13}	1.5	-32
	ext.	3	1.1×10^{12} 1.1×10^{12}	2.6	65		1.7	200	1.6×10^{14}	2.0	-47
	ext.	3	2.5×10^{15}	29.4	63		1.7	200	1.3×10^{14}	5.8	-55 77
	ext.	3	$1.1~\times 10^{12}$	10.5	60	OCS	1.7 1.7	200 94	0.9×10 2.1 × 10 ¹⁷	8.0 2.6	-11 74
	ext.	3	4.4×10^{14}	3.9	46	005	1.7	164	6.4×10^{17}	5.5	69
	ext.	3	3.2×10^{12}	22.8	17	OCS, $v_2=1$	1.7	95	2.4×10^{17}	2.6	74
	ext.	3	5.6×10^{13}	1.8	23		1.7	163	3.4×10^{17}	5.5	69
	ext.	3 3	1.4×10^{14}	1.5	0	CH_3CN	1.7	99	8.4×10^{12}	2.0	68
	ext.	3	5.4×10^{14}	13.4	7	NO	1.7	114	3.7×10^{17}	5.5	69 70
	ext.	3	6.8×10^{12}	18.4	-41	NO H-CS	1.7	201	1.3×10^{17}	3.9 6 5	70 60
	ext.	3	2.6×10^{13}	1.0	-42	$\Pi_2 \cup S$ CH ₂ CHO	1.7 1.7	121	0.8×10^{-5} 7.1 × 10 ¹⁶	0.5 7.6	09 71
	ext.	3	2.3×10^{14}	20.1	-54	HCN, $v_2=1$	1.7	286	8.8×10^{16}	7.2	71
	ext.	3	1.6×10^{13}	2.1	-69	CH ₃ OH	1.7	128	9.7×10^{18}	6.1	69
113 CM	ext.	3	2.7×10^{13}	1.9	-80	, , , , , , , , , , , , , , , , , , ,	1.7	13	$2.4~\times10^{17}$	17.4	68
H ¹⁰ CN	ext.	3 3	2.5×10^{11} 1.7×10^{15}	0.9	83 73	$H_{2}^{33}S$	1.7	124	1.5×10^{16}	4.3	69
	ext.	3	1.7×10^{14} 1.2×10^{14}	3.8	73 60	$\rm NH_2D$	1.7	65	4.1×10^{17}	8.1	65
	ext.	3	2.4×10^{14}	30.5	47	CO	1.7	200	5.4×10^{12}	4.2	133
	ext.	3	3.5×10^{14}	3.1	50		1.7	200	1.1×10^{-2} 2.4 × 10^{12}	3.2	132
HNC	ext.	3	1.2×10^{15}	4.4	86		1.7 1.7	200	2.4×10 2.3 × 10 ¹²	1.5	-95 -106
	ext.	3	1.6×10^{12}	18.3	75		1.7	200	4.2×10^{16}	2.8	-133
	ext.	3	8.7×10^{15}	11.3	71	$^{13}\mathrm{CO}$	1.7	200	9.5×10^{13}	3.4	47
	ext.	3	4.9×10^{14}	2.5	58 52		1.7	200	6.7×10^{14}	2.0	26
	ext.	১ ২	0.9×10^{-4} 2.8 $\times 10^{13}$	0.4 6.2	0∠ 29		1.7	200	1.6×10^{12}	3.4	16
	ext.	3	6.0×10^{13}	1.7	6		1.7	200	3.3×10^{12}	2.0	-29
	ext.	3	2.2×10^{13}	2.1	-41		1.7	200	3.9×10^{12}	10.8	-47
	ext.	3	1.1×10^{12}	1.1	-75		$1.7 \\ 1.7$	200	2.4×10^{-1} 2.2 $\times 10^{12}$	2.0	-54 _80
	ext.	3	$1.2~\times 10^{12}$	0.9	-98		1.7	200	2.2×10^{12} 2.2×10^{12}	2.0	-09 -95
	ext.	3	1.1×10^{12}	0.9	-111	$C^{17}O$	1.7	200	2.6×10^{16}	2.0 9.9	-168
UN130	ext.	3	2.3×10^{13}	3.6	-144		1.7	200	$2.4~\times10^{16}$	9.7	-146
$HN^{13}C$ $H^{13}CO^+$	ext.	3	3.2×10^{14}	14.5	69 62		1.7	200	$4.1~\times10^{15}$	9.2	-127
11-2001	ext.	১ ৭	3.0×10^{10} 4.0 $\times 10^{14}$	1.75	02 70		1.7	200	4.9×10^{14}	1.9	-105
	GAU.	J	1.0 \ 10	±1.0	10		1.7	200	7.2×10^{15}	8.8	-95
							1.7	200	7.8×10^{17}	11.9 19 1	-73 56
							1.(200	LU X (U ⁻²	1.0.4	()

$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Mologulo	Am.c	$T^{m,c}$	$N^{m,c}$	$\Lambda_{u}m,c$. <i>m</i> ,c
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	(")	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{km s^{-1}})$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		()	(11)	(ciii)	(1115)	(KIII 5)
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	H ₂ CNH	1.7	69	5.6×10^{16}	6.1	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	sõ	1.7	139	6.9×10^{16}	6.7	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_3CN	1.7	107	1.1×10^{16}	7.1	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$C_2H_3CN, v_{10}=1$	1.7	259	5.2×10^{14}	11.3	64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_5CN	1.7	118	1.7×10^{17}	5.3	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	86	1.1×10^{17}	2.4	73
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$C_2H_5CN, v_{20}=1$	1.7	109	4.0×10^{17}	7.2	71
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H_2CCO	1.7	134	4.3×10^{16}	7.9	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HNCO	1.7	361	3.0×10^{16}	6.8	72
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH_2NH	1.7	175	9.4×10^{16}	5.9	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	NS	1.7	357	2.1×10^{16}	6.4	68
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_5OH	1.7	146	3.9×10^{17}	7.6	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH_3OCH_3	1.7	123	7.4×10^{17}	7.2	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH ₃ OCHO	1.7	109	3.7×10^{17}	7.5	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$HC(O)NH_2$	1.7	71	4.9×10^{10}	3.5	72
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SO_2	1.7	140	2.4×10^{10}	6.0	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	97	4.0×10^{13}	3.4	31
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH_3NH_2	1.7	175	2.3×10^{17}	7.7	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCCCN	1.7	152	3.9×10^{10}	7.8	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCCCN, $v_7=2$	1.7	217	1.2×10^{10}	7.4	70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC, $v_2=1$	1.7	691	5.3×10^{19}	7.6	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	PN	1.7	200	4.6×10^{14}	8.1	75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.7×10^{14}	6.0 17.0	33
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	1.2×10^{13}	17.9	24
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	3.3×10^{13}	34.3 2.0	0 5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	4.7×10^{14}	2.0	ວ ຈ
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7 1.7	200	4.7×10^{12}	3.1	-2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7 17	200	1.1×10^{14}	1.0	-17
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	5.2×10^{13}	1.5	-32
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.6×10^{14}	2.0	-47
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.3×10^{14}	5.8	-55
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	6.9×10^{14}	8.6	-77
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	OCS	1.7	94	2.1×10^{17}	2.6	74
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	164	6.4×10^{17}	5.5	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	OCS, $v_2=1$	1.7	95	2.4×10^{17}	2.6	74
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	163	3.4×10^{17}	5.5	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH_3CN	1.7	99	8.4×10^{12}	2.0	68
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	114	3.7×10^{17}	5.5	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	NO	1.7	201	1.3×10^{17}	3.9	70
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H_2CS	1.7	121	6.8×10^{16}	6.5	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH_3CHO	1.7	158	7.1×10^{16}	7.6	71
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	HCN, $v_2=1$	1.7	286	8.8×10^{10}	7.2	71
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH_3OH	1.7	128	9.7×10^{18}	6.1	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	TT 22 C	1.7	13	2.4×10^{17}	17.4	68
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$H_{2}^{33}S$	1.7	124	1.5×10^{10}	4.3	69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	NH_2D	1.7	65	4.1×10^{-1}	8.1	05
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	00	1.7	200	5.4×10^{-2}	4.2	133
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.1×10^{-2} 2.4×10^{12}	3.2 0.6	132
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1. <i>(</i> 1.7	200 200	2.4×10^{-2}	0.0	-90 106
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200 200	2.5×10 4.2×10^{16}	1.0 9.8	-100
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	^{13}CO	1.1 1.7	200 200	4.2×10^{13} 9.5 $\times 10^{13}$	2.0	-155 47
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	00	1.7	200	6.7×10^{14}	2.0	26
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	1.6×10^{12}	3.4	16
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.7	200	3.3×10^{12}	2.0	-29
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	3.9×10^{12}	10.8	-47
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	2.4×10^{17}	2.0	-54
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	2.2×10^{12}	2.0	-89
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	$2.2~{\times}10^{12}$	2.0	-95
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$C^{17}O$	1.7	200	2.6×10^{16}	9.9	-168
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	$2.4~{\times}10^{16}$	9.7	-146
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	4.1×10^{15}	9.2	-127
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	$4.9~{\times}10^{14}$	1.9	-105
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.7	200	7.2×10^{15}	8.8	-95
$1.7 200 1.3 \times 10^{18} 13.4 -56$		1.7	200	7.8×10^{17}	11.9	-73
		1.7	200	1.3×10^{18}	13.4	-56

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online Material p 232
1. Monor of an I an morecular mic sarvey of not cores,	Church in accinate p 202

		(C	ontinued)				
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$	Molec	cul
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})		
	1.7	200	1.2×10^{17}	20.0	-28		
	1.7	200	1.9×10^{17}	12.3	-4		
	1.7	200	7.7×10^{10}	19.6	17		
	1.7	200	1.2×10^{-5}	10.8	33 55		
	1.7 1.7	200	4.1×10 2.4 × 10 ¹⁷	7.5	55 71		
	1.7	200	1.1×10^{17}	10.2	88		
	1.7	200	8.7×10^{16}	8.2	112		
	1.7	200	8.0×10^{16}	9.7	129		
10	1.7	200	3.5×10^{13}	2.5	146		
$C_{18}O$	1.7	200	9.0×10^{16}	10.7	-162		
	1.7	200	2.0×10^{15}	15.7	-127		
	1.7	200	9.2×10^{10}	48.8	-118		
	1.7 1.7	200	4.8×10^{-4} 4.2×10^{16}	2.0 5.8	-98 -84		
	1.7	200	4.2×10^{16} 4.8×10^{16}	7.7	-60		
	1.7	200	7.1×10^{16}	9.1	-25	HCN	
	1.7	200	6.9×10^{16}	10.3	-14		
	1.7	200	1.7×10^{16}	2.4	0		
	1.7	200	7.4×10^{15}	20.5	27		
	1.7	200	2.2×10^{16}	3.5	41		
	1.7	200	3.0×10^{17}	4.2	70		
	1.7	200	8.8×10^{10}	5.4	96 112		
	1.7	200	1.0×10^{-10} 2.3 × 10 ¹⁶	2.9	115		
	1.7	200	1.5×10^{17}	2.1	144		
\mathbf{CS}	1.7	200	1.0×10^{12} 1.0×10^{12}	7.4	124	$H^{13}C$	Ν
	1.7	200	1.1×10^{12}	0.2	104		
	1.7	200	1.2×10^{12}	25.1	102		
	1.7	200	1.1×10^{12}	0.5	79		
	1.7	200	2.4×10^{12}	0.5	67		
	1.7	200	1.1×10^{12}	2.5	43		
	1.7	200	2.6×10^{13}	0.2	14		
	1.7 1.7	200	4.3×10 1 1 × 10 ¹²	13.0 9.1	17		
	1.7	200	1.3×10^{15}	16.2	-37		
	1.7	200	1.1×10^{12}	3.3	-64	HNC	
	1.7	200	4.2×10^{13}	6.3	-74		
	1.7	200	3.8×10^{14}	29.5	-83		
	1.7	200	1.1×10^{12}	0.1	-95		
	1.7	200	6.0×10^{14}	0.9	-118		
	1.7	200	3.0×10^{12} 1.7 × 10 ¹²	0.3	-120 150		
	1.7 17	200	4.6×10^{12}	4.0	-154		
	1.7	200	1.2×10^{12}	4.5	-183		
^{13}CS	1.7	200	4.9×10^{13}	1.4	113		
	1.7	200	3.4×10^{14}	1.9	119		
	1.7	200	1.2×10^{16}	6.9	69		
	1.7	200	3.4×10^{12}	0.3	53		
	1.7	200	1.3×10^{14}	8.1	42	113	a
	1.7	200	4.3×10^{13} 1.2 × 10 ¹⁴	1.6	23 15	HN	C
	1.7 1.7	200	1.3×10^{15} 3.4×10^{15}	20.0	10		
	1.7	200	1.0×10^{15}	6.5	-28		
	1.7	200	1.1×10^{16}	9.8	-47		
	1.7	200	5.1×10^{15}	39.6	-98		
$C^{33}S$	1.7	200	3.2×10^{13}	2.8	-165		
	1.7	200	9.6×10^{13}	1.9	-143		
	1.7	200	2.9×10^{14}	11.2	-137		
	1.7	200	1.1×10^{15}	9.2	-104		
	1.7	200 200	1.2×10^{10} 6 7 $\times 10^{14}$	11.1 10.0	-81 -60		
	1.7	200 200	3.4×10^{14}	5.3	-00 -51	$H^{13}C$	0.
	1.7	200	7.1×10^{14}	8.5	-31	HO^{13}	Č.
	1.7	200	3.3×10^{14}	4.7	-12		-
	1.7	200	1.2×10^{15}	21.7	12		
	1.7	200	$1.4~\times 10^{15}$	9.1	47		
	1.7	200	4.0×10^{15}	7.8	69		
	1.7	200	1.1×10^{15}	9.4	91		
C34C	1.7	200	1.2×10^{15}	9.9	123		_
0-18	1.7	200	0.8 $\times 10^{10}$ 1 3 $\times 10^{15}$	0.2 42.0	-167		
	1.1	200	1.0 × 10	44.9	-104		

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$\frac{(cm^{-2})}{1}$	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$
	1.7	200	1.7×10^{15}	2.0	-147 127
	1.7 1.7	$200 \\ 200$	7.0×10^{13}	36.7	-137
	1.7	200	2.8×10^{14}	7.6	-93
	1.7	200	2.6×10^{14}	1.9	-86
	1.7	200	6.5×10^{14}	10.3	-74
	1.7	200	4.1×10^{14}	16.0	-55
	1.7 1.7	200	0.0×10^{11} 1.2 × 10 ¹⁴	15.1 2.5	-34 22
	1.7 1.7	200	1.2×10 1.7×10^{15}	$\frac{2.5}{16.5}$	-22
	1.7	200	1.4×10^{13}	6.3	8
	1.7	200	1.1×10^{15}	13.3	13
	1.7	200	5.7×10^{14}	13.8	40
	1.7	200	5.6×10^{15}	8.9	67 104
	1.7 1.7	$200 \\ 200$	1.5×10^{-13} 8.9 × 10 ¹³	20.9	139
HCN	1.7	200	1.3×10^{12}	0.4	147
	1.7	200	$1.0~\times 10^{12}$	21.0	118
	1.7	200	1.2×10^{12}	0.7	109
	1.7	200	6.1×10^{12}	6.9	105
	1.7	200	5.2×10^{13}	1.8	34 16
	1.7 1.7	$200 \\ 200$	1.9×10^{14}	8.1	-22
	1.7	200	1.9×10^{12}	0.3	-29
	1.7	200	6.6×10^{12}	2.2	-40
	1.7	200	2.9×10^{12}	12.5	-51
$H^{13}CN$	1.7	200	3.3×10^{14}	11.8	99
	1.7	200	2.9×10^{14} 2.5 × 10 ¹²	0.4 13-3	48
	1.7	200	7.6×10^{13}	0.9	33 22
	1.7	200	2.2×10^{14}	8.0	8
	1.7	200	1.1×10^{12}	0.1	-3
	1.7	200	2.0×10^{12}	0.7	-69
	1.7	200	2.5×10^{14}	5.6	-46
	1.7 17	200	2.3×10^{12} 6.4 × 10^{13}	0.8	-37 -50
HNC	1.7 1.7	200	8.3×10^{13}	3.6	126
	1.7	200	3.8×10^{12}	2.3	102
	1.7	200	1.7×10^{14}	1.7	91
	1.7	200	1.1×10^{12}	1.9	74
	1.7	200	5.2×10^{13}	11.0	49 22
	1.7 1.7	$200 \\ 200$	2.3×10^{15}	28.1	-4
	1.7	200	1.7×10^{15}	6.5	4
	1.7	200	2.8×10^{12}	1.9	-7
	1.7	200	1.7×10^{12}	2.0	-18
	1.7	200	6.4×10^{13}	6.2	-28
	1.7	200	1.6×10^{13} 2.8 × 10^{13}	0.9	-39 -43
	1.7	200	2.0×10^{13} 2.1×10^{13}	1.9	-48
$\rm HN^{13}C$	1.7	200	9.2×10^{13}	8.9	-178
	1.7	200	1.7×10^{14}	1.4	-125
	1.7	200	1.4×10^{14}	8.2	-109
	1.7	200	6.1×10^{10} 1.4×10^{14}	5.6 8.8	-48 36
	1.7 1.7	$200 \\ 200$	7.2×10^{14}	0.0 8.6	-30 -3
	1.7	200	2.5×10^{14}	9.3	18
	1.7	200	1.1×10^{14}	8.6	46
	1.7	200	5.5×10^{14}	15.8	87
	1.7	200	5.7×10^{13}	6.8 7 °	120
	1.7 17	200	2.1×10^{11} 1 1 × 10 ¹⁴	7.8 14.5	138 156
$\rm H^{13}CO^+$	1.7	200	1.1×10^{12} 1.1×10^{12}	3.9	53
$HO^{13}C^+$	1.7	200	1.4×10^{14}	7.5	76
	1.7	200	5.1×10^{13}	2.4	59
	1.7	200	1.4×10^{14}	1.7	39
	1.7	200	3.2×10^{14} 1 7 × 10 ¹²	9.0 1.6	28 11
	1.7	200 200	2.4×10^{12}	1.0 6.8	-10
	$1.7 \\ 1.7$	200	3.8×10^{12}	0.6	-21
			· · · ·	-	

Molecule

(Continued)

Table L.66: LTE Parameters for the full LTE model (Envelope Components) for source A06 in Sgr B2(N).

	nvelope C	ompon	ents) fo	or source A	06 in Sgr	B2(N).	Mol	ecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
		0		a = 100 C	A				(°) evt	(K) 3	$\frac{(\text{cm}^{-})}{2.7 \times 10^{16}}$	(km s -) 0.5	(Km s -)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LSR}^{m,e}$			ext.	3	1.1×10^{12}	0.7	-99
Hz CN11 ext. 3 0.0 × 10 ³³ 6.2 8.3 ext. 3 4.8 × 10 ¹⁴ 0.6 7.17 ext. 3 0.1 × 10 ¹⁴ 4.6 7.1 0.77 0.3 1.1 × 10 ¹² 0.7 0.3 1.1 × 10 ¹² 0.7 1.13 CN ext. 3 0.1 × 10 ¹⁴ 5.3 2.14 6.6 0.1 3.1 × 10 ¹⁴ 5.3 2.13 CN ext. 3 1.0 × 10 ¹⁴ 5.3 1.1 6.1 2.3 1.13 2.4 1.3 3.3 2.4 1.3 3.3 2.4 1.3 3.3 3.3 3.3 3.3		(")	(K)	(cm^{-2})	$(\mathrm{kms^{-1}})$	$(\mathrm{kms^{-1}})$			ext.	3	1.1×10^{12}	0.9	-115
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HaCNH	evt	3	9.6 $\times 10^{13}$	6.2	83			ext.	3	4.8×10^{14}	0.9	-131
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11201011	ext.	3	3.1×10^{14}	14.6	71	1.		ext.	3	1.1×10^{12}	0.7	-171
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{14}	8.4	58	C^{17}	0	ext.	3	7.8×10^{15}	6.5	-182
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	SO	ext.	10	3.6×10^{15}	20.0	69			ext.	3	2.0×10^{13}	4.9	-113
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CN	ext.	20	4.0×10^{16}	21.4	66			ext.	3	6.5×10^{10}	30.2	-62
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	19	3.5×10^{16}	7.1	61			ext.	3	1.5×10^{12}	2.5	-41
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.8×10^{14}	8.3	12			ext.	3 2	1.8×10^{-5} 7.0 $\times 10^{15}$	2.3	-20
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.3×10^{14}	5.8	26			ext.	3	6.0×10^{15}	5.0 6.6	80
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	8.9×10^{13}	7.0	-30			ext.	3	8.9×10^{14}	2.4	120
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	5	5.9×10^{14}	10.5	0			ext.	3	2.3×10^{12}	2.4	-3
		ext.	4	2.7×10^{13}	0.∠ 2.1	-23			ext.	3	9.3×10^{15}	8.5	146
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	7.5×10^{13}	5.1 5.4	-43 -52	C^{18}	0	ext.	3	4.9×10^{14}	2.8	-156
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.4×10^{17}	0.2	-77			ext.	3	3.5×10^{14}	2.9	-107
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.6×10^{14}	3.5	-108			ext.	3	1.4×10^{15}	6.7	-71
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	SiO	ext.	12	1.2×10^{14}	6.0	75			ext.	3	2.4×10^{15}	2.8	-41
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	CH_2NH	ext.	3	1.1×10^{12}	10.8	79			ext.	3	3.8×10^{15}	3.6	57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.9×10^{12}	14.1	64			ext.	ა ე	8.1×10^{10}	4.1	62 159
		ext.	3	1.0×10^{12}	7.5	59	CS		ext.	ა ე	1.2×10^{10} 1.1×10^{12}	30.1	103
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$H_2C^{33}S$	ext.	138	1.5×10^{15}	6.2	68	Co		ext.	3 3	1.1×10^{12}	0.9	76
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HCCCN	ext.	30	1.2×10^{16}	10.1	57			ext.	3	5.6×10^{12}	0.1	70
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	aau	ext.	38	1.8×10^{10}	8.8	79 72			ext.	3	1.5×10^{17}	20.9	70
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CCH	ext.	3	9.4×10^{15}	9.4	76			ext.	3	1.2×10^{16}	6.0	64
$ \begin{array}{ccccccccccccccccccccccccccccccccccc$	H-CO	ext.	ა 20	5.0×10^{15}	10.4	04 91			ext.	3	5.4×10^{16}	7.8	54
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11_{2} CO	ext.	20 12	3.9×10^{15}	0.9 97 7	64			ext.	3	2.9×10^{15}	5.2	31
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CS	ext.	10	1.2×10^{12}	2.0	60	10		ext.	3	3.3×10^{13}	26.1	8
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	PH_3	ext.	33	3.6×10^{17}	3.3	65	^{13}C	\mathbf{S}	ext.	3	1.1×10^{12}	2.5	84
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CO	ext.	3	6.0×10^{16}	39.5	106	~33	a	ext.	3	9.8×10^{12}	0.9	12
ext. 3 1.4 × 10 ¹⁶ 5.6 84 ext. 3 90 × 10 ¹⁷ 9.3 - 1.718 ext. 3 8.6 × 10 ¹⁵ 1.3 74 ext. 3 3.1 × 10 ¹⁶ 12.2 -76 ext. 3 8.6 × 10 ¹⁵ 1.7 66 ext. 3 5.8 × 10 ¹⁵ 3.1 112 ext. 3 6.2 × 10 ¹⁶ 20.4 52 ext. 3 4.7 × 10 ¹⁵ 3.1 130 ext. 3 3.5 × 10 ¹² 0.4 56 ext. 3 4.7 × 10 ¹⁵ 3.1 130 ext. 3 9.2 × 10 ¹⁶ 20.4 52 ext. 3 4.9 × 10 ¹⁵ 2.8 141 ext. 3 9.2 × 10 ¹⁵ 7.0 28 C ³⁴ S ext. 3 2.9 × 10 ¹⁶ 8.3 57 ext. 3 1.1 × 10 ¹² 2.9 18 HCN ext. 3 9.1 × 10 ¹² 0.6 -24 ext. 3 2.2 × 10 ¹⁹ 0.3 16 ext. 3 9.1 × 10 ¹² 0.6 -24 ext. 3 3.2.5 × 10 ¹⁶ 23.1 9 ext. 3 2.9 × 10 ¹³ 1.2 98 ext. 3 3.2.5 × 10 ¹⁶ 23.1 9 ext. 3 3.1 × 10 ¹² 0.6 -24 ext. 3 3.3 × 10 ¹⁵ 5.3 0 ext. 3 1.1 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 22.1 -22 ext. 3 1.1 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 2.2.1 -22 ext. 3 1.1 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 2.2.1 -22 ext. 3 1.1 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 2.2.1 -22 ext. 3 1.1 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 2.3 -14 ext. 3 9.9 × 10 ¹³ 1.2 98 ext. 3 1.6 × 10 ¹⁶ 9.3 -14 ext. 3 1.2 × 10 ¹⁵ 40.0 65 ext. 3 1.6 × 10 ¹⁶ 2.3 -71 ext. 3 1.1 × 10 ¹² 1.0 34 ext. 3 1.6 × 10 ¹³ 2.6 -59 ext. 3 1.2 × 10 ¹⁴ 1.0 44 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.2 × 10 ¹⁴ 1.0 47 ext. 3 1.5 × 10 ¹³ 0.2 -104 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.5 × 10 ¹³ 0.2 -104 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.5 × 10 ¹³ 0.2 -104 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.5 × 10 ¹⁴ 1.2.6 1 ext. 3 5.5 × 10 ¹⁶ 7.9 -93 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.5 × 10 ¹³ 0.2 -104 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.5 × 10 ¹⁴ 1.2.7 -7 ext. 3 5.5 × 10 ¹⁶ 15.2 59 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.1 × 10 ¹² 2.0 45 ext. 3 1.1 × 10 ¹² 1.3 -6 ext. 3 1.1 × 10 ¹² 2.0 45 ext. 3 1.1 × 10 ¹² 1.0 -113 ext. 3 4.6 × 10 ¹⁶ 1.8.2 80 H ¹³ CN ext. 3 1.1 × 10 ¹² 1.0 -115 ext. 3 5.5 × 10 ¹⁶ 1.5.2 59 ext. 3 1.1 × 10 ¹² 1.0 -115 ext. 3 5.5 × 10 ¹⁶ 1.5.2 59 ext. 3 1.1 × 10 ¹² 2.7 79 ext. 3 1.1 × 10 ¹² 2.0 45 ext. 3 1.1 × 10 ¹² 2.0 61 ext. 3 5.5 × 10 ¹⁴ 1.0 -40 ext. 3 5.5 × 10 ¹⁴ 1.0 -73 ext. 3 1.1 × 10 ¹² 2.0 61 ext. 3 5.5 × 10 ¹⁶ 1.5.2 59 ext. 3 1.1 × 10 ¹²		ext.	3	1.1×10^{12}	26.4	95	C22	S	ext.	3	9.3×10^{14}	7.8	-153
ext. 3 4.7 × 10 ¹⁵ 1.3 74 ext. 3 5.1 × 10 ¹⁵ 1.2 12.2 170 ext. 3 6.0×10^{15} 1.7 66 ext. 3 5.8×10^{15} 3.1 112 ext. 3 1.1×10^{12} 0.4 56 ext. 3 4.7×10^{15} 3.1 130 ext. 3 6.2×10^{16} 20.4 52 ext. 3 4.7×10^{15} 3.1 130 ext. 3 5.5×10^{12} 0.5 47 C^{34} S ext. 3 4.9×10^{15} 4.9 9 132 ext. 3 1.1×10^{12} 2.9 18 HCN ext. 3 9.1×10^{12} 0.6 -24 ext. 3 2.2×10^{19} 0.3 16 ext. 3 2.2×10^{19} 0.3 16 ext. 3 2.2×10^{19} 0.3 16 ext. 3 2.2×10^{16} 23.1 9 ext. 3 2.2×10^{13} 1.2 98 ext. 3 3.3×10^{15} 5.3 0 ext. 3 2.2×10^{13} 1.2 98 ext. 3 3.3×10^{15} 5.3 0 ext. 3 2.2×10^{13} 1.2 98 ext. 3 1.1×10^{12} 0.5 -13 ext. 3 9.9×10^{13} 1.2 98 ext. 3 1.6×10^{16} 9.3 -43 ext. 3 1.1×10^{12} 1.0 34 ext. 3 1.6×10^{16} 9.3 -43 ext. 3 1.1×10^{12} 1.0 34 ext. 3 1.6×10^{16} 9.3 -43 ext. 3 1.1×10^{12} 1.0 34 ext. 3 1.6×10^{16} 2.7 -82 ext. 3 1.1×10^{12} 1.0 34 ext. 3 3.8×10^{15} 2.6 -59 ext. 3 1.1×10^{15} 3.0 -7 49 ext. 3 1.6×10^{13} 2.8 -71 ext. 3 1.6×10^{14} 4.7 28 ext. 3 1.6×10^{13} 2.8 -71 ext. 3 1.6×10^{14} 4.7 28 ext. 3 1.5×10^{13} 0.2 -104 ext. 3 2.8×10^{13} 0.9 -6 ext. 3 5.3×10^{14} 1.0 -113 ext. 3 1.5×10^{13} 0.2 -104 ext. 3 1.2×10^{14} 1.0 -40 ext. 3 5.5×10^{16} 7.9 -105 ext. 3 1.1×10^{12} 1.3 -6 ext. 3 3.6×10^{16} 7.9 -105 ext. 3 1.1×10^{12} 1.3 -6 ext. 3 3.6×10^{16} 7.9 -105 ext. 3 1.1×10^{12} 1.0 -40 ext. 3 3.6×10^{16} 1.5 2.59 ext. 3 1.1×10^{12} 2.7 -79 ext. 3 3.6×10^{16} 1.5 2.59 ext. 3 1.1×10^{12} 2.7 79 ext. 3 3.6×10^{16} 1.5 2.59 ext. 3 5.3×10^{14} 1.0 -113 ext. 3 1.1×10^{15} 0.5 -73 ext. 3 1.1×10^{12} 2.7 79 ext. 3 3.6×10^{16} 1.5 -73 ext. 3 1.1×10^{12} 2.7 79 ext. 3 3.6×10^{14} 1.2 2.9×57 79 ext. 3 3.6×10^{14} 1.2 2.9×57 79 ext. 3 3.6×10^{14} 1.2 -95 ext. 3 3.5×10^{14}		ext.	3	1.4×10^{16}	5.6	84			ext.	3 2	9.6×10^{-1} 3.1 $\times 10^{16}$	9.3	-118 76
ext. 3 8.6 × 10 ⁻³ 1.7 6.66 ext. 3 4.7 × 10 ¹⁵ 3.1 130 ext. 3 6.2 × 10 ¹⁶ 20.4 52 ext. 3 3.5 × 10 ¹² 0.5 47 ext. 3 9.2 × 10 ¹⁵ 7.0 28 HCN ext. 3 4.9 × 10 ¹⁵ 49.9 132 ext. 3 9.2 × 10 ¹⁵ 7.0 28 HCN ext. 3 9.1 × 10 ¹² 0.6 -24 ext. 3 1.1 × 10 ¹² 2.9 18 HCN ext. 3 6.2 × 10 ¹³ 2.6 118 ext. 3 2.5 × 10 ¹⁶ 23.1 9 ext. 3 6.2 × 10 ¹³ 2.6 118 ext. 3 3.3 × 10 ¹⁵ 5.3 0 ext. 3 6.2 × 10 ¹³ 2.6 118 ext. 3 3.3 × 10 ¹⁵ 5.3 0 ext. 3 9.9 × 10 ¹² 0.7 77 ext. 3 4.0 × 10 ¹⁶ 9.3 -43 ext. 3 9.9 × 10 ¹² 2 0.7 77 ext. 3 4.0 × 10 ¹⁶ 9.3 -43 ext. 3 9.9 × 10 ¹² 0.7 74 ext. 3 1.6 × 10 ¹³ 2.6 -59 ext. 3 1.2 × 10 ¹⁵ 40.0 65 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹⁴ 4.7 28 ext. 3 1.6 × 10 ¹³ 2.8 -71 ext. 3 1.6 × 10 ¹⁴ 4.7 28 ext. 3 1.7 × 10 ¹⁴ 7.9 -93 ext. 3 1.5 × 10 ¹³ 0.2 -104 ext. 3 1.2 × 10 ¹⁴ 4.7 28 ext. 3 1.7 × 10 ¹⁴ 7.9 -93 ext. 3 1.7 × 10 ¹⁴ 7.9 -105 ext. 3 1.7 × 10 ¹⁴ 7.9 -93 ext. 3 1.7 × 10 ¹⁴ 7.9 -105 ext. 3 1.7 × 10 ¹⁴ 7.9 -93 ext. 3 1.7 × 10 ¹⁵ 7.7 -1 ext. 3 1.7 × 10 ¹⁴ 7.9 -93 ext. 3 1.7 × 10 ¹² 2.0 45 ext. 3 1.1 × 10 ¹² 2.5 -69 ext. 3 1.1 × 10 ¹² 2.5 -7 79 ext. 3 1.1 × 10 ¹² 2.0 45 ext. 3 1.1 × 10 ¹³ 3.0 -113 ext. 3 1.1 × 10 ¹⁴ 7.9 -9		ext.	3	4.7×10^{15}	1.3	74			ext.	3	5.1×10^{15} 5.8 × 10 ¹⁵	3.1	-70
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	8.6×10^{15}	1.7	66			ext.	3	4.7×10^{15}	3.1	130
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{12}	0.4	56			ext.	3	4.9×10^{15}	49.9	132
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ა	6.2×10^{10}	20.4	52 47			ext.	3	1.5×10^{15}	2.8	141
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	3.3×10^{15}	7.0	41 28	C^{34}	\mathbf{S}	ext.	3	2.9×10^{16}	8.3	57
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{12}	2.9	18	HCI	N	ext.	3	9.1×10^{12}	0.6	-24
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.2×10^{19}	0.3	16			ext.	3	6.2×10^{13}	2.6	118
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.5×10^{16}	23.1	9			ext.	3	2.9×10^{13}	1.2	98
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	3.3×10^{15}	5.3	0			ext.	3	3.3×10^{14}	8.3	86
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{12}	0.5	-13			ext.	3	9.9×10^{12}	0.7	77
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.0×10^{16}	22.1	-22			ext.	3 3	1.1×10 1.2×10^{15}	1.0	54 65
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{16}	9.3	-43			ext.	3	1.2×10^{15}	30.9	59
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.3×10^{15}	3.1	-49			ext.	3	7.5×10^{13}	0.7	49
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.8×10^{10}	2.6	-59			ext.	3	1.6×10^{14}	4.7	28
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ი	2.5×10^{13}	10.1	-73 71			ext.	3	5.0×10^{14}	18.4	13
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3 3	6.3×10^{15}	2.8 2.7	-71			ext.	3	5.3×10^{14}	12.6	1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.7×10^{14}	7.9	-93			ext.	3	2.8×10^{13}	0.9	-6
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.5×10^{13}	0.2	-104			ext.	3	1.1×10^{12}	1.3	-6
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	6.9×10^{15}	8.4	-115			ext.	3	1.2×10^{14}	1.0	-40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.5×10^{16}	7.9	-105			ext.	3	4.2×10^{13}	2.5	-69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	^{13}CO	ext.	3	5.7×10^{13}	22.4	88			ext.	- ゴ - 9	6.0×10^{12}	1.0	-115 112
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.7×10^{12}	2.0	85			ext.	3	3.5×10^{13}	2.6	-115
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	4.6×10^{10}	18.2	80	H^{13}	CN	ext.	3	1.1×10^{12}	25.7	79
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	3.6×10^{10}	7.3	65 50		011	ext.	3	1.1×10^{12}	4.9	77
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	ა ა	5.5×10^{10}	15.2	59 45			ext.	3	5.7×10^{14}	9.7	57
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	ა ვ	1.1×10^{-2} 1.3×10^{12}	2.0 2.0	40 91			ext.	3	$2.4~{\times}10^{14}$	7.6	84
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	છ ૧	1.5×10^{-10} 1 1 × 10 ¹⁶	2.0 8.7	21 10			ext.	3	$5.3 imes 10^{14}$	10.9	77
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	8.1×10^{15}	7.0	1			ext.	3	7.5×10^{13}	6.9	67
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	5.0×10^{12}	0.5	-24	HN	С	ext.	3	6.3×10^{13}	4.5	113
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	6.2×10^{15}	4.0	-42			ext.	3	6.8×10^{15}	1.4	79
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	$1.0~\times 10^{13}$	0.5	-73			ext.	3	1.0×10^{12}	1.0	64
$\underbrace{\text{ext.} 3 4.7 \times 10^{16} 27.4 -46}_{\text{ext.} 3 1.9 \times 10^{13} 1.7 19}_{\text{ext.} 3 9.3 \times 10^{14} 21.9 -5}$		ext.	3	2.8×10^{14}	0.5	-54			ext.	ა ვ	4.1×10^{10} 4.4×10^{14}	34.2 2.2	01 51
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.7×10^{16}	27.4	-46			ext	ы З	1.9×10^{13}	$\frac{2.2}{1.7}$	19
									ext.	3	9.3×10^{14}	21.9	-5
T. Möller et al.: Full molecular line survey of hot cores, Online Material p 234

(Continued)										
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$					
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})					
•	ext.	3	1.4×10^{13}	1.0	-80					
	ext.	3	1.1×10^{12}	0.9	-126					
$\rm HN^{13}C$	ext.	3	3.2×10^{14}	8.4	76					
$\rm H^{13}CO^+$	ext.	3	2.8×10^{14}	12.2	74					
	ext.	3	6.7×10^{13}	4.0	69					
	ext.	3	1.5×10^{14}	8.0	60					
$\rm HO^{13}C^+$	ext.	3	8.4×10^{12}	2.0	137					

Table L.67: LTE Parameters for the full LTE model (Core Components) for source A07 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$\mathbf{N}_{\star}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$	
	(")	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$(\mathrm{kms^{-1}})$	
	()	()	()	()	()	
HCN, $v_2=1$	1.1	509	1.0×10^{12}	21.2	62	
NS	1.1	59	1.5×10^{17}	19.5	64	
OCS	1.1	182	4.7×10^{17}	3.5	62	
NO	1.1	268	3.9×10^{17}	3.1	65	
SO ₂	1.1	215	5.3×10^{12}	2.2	64	
502	1.1	110	2.2×10^{17}	5.4	64	
CH ₂ OH	1 1	155	3.4×10^{18}	2.1	62	
0113011	1 1	144	2.4×10^{18}	3.1	64	
HaCS	1 1	112	3.2×10^{16}	3.5	63	
CHoNH	1 1	93	6.1×10^{16}	3.8	63	C^{18}
CH ₂ CN	1.1	177	7.5×10^{15}	0.5	62	-
011301	1.1	166	8.5×10^{16}	5.0	62	
C ₂ H ₂ OH	1.1	130	8.0×10^{16}	3.0	64	
C ₂ H ₅ OH	1.1	100	4.1×10^{16}	3.5	62	
CH ₂ OCHO	1.1	150	$\frac{4.1}{5.4} \times 10^{-6}$	0.0 3.3	61	
SO	1.1	109	5.4×10^{-1} 5.1 $\times 10^{15}$	5.5 0 5	62	
50	1.1	204	5.1×10^{-3}	0.0	62	
C. H. CN 1	1.1	304 979	0.0×10^{-1}	0.1 10 C	03 61	
$C_2 \pi_5 C_1 v_{20} = 1$	1.1	272 192	0.1×10^{13}	10.0	60	
UH_3UUH_3	1.1	123	0.1×10^{-1}	3.5 E 4	02 64	
H_2CCO	1.1	105	2.4×10^{15}	5.4	64	
NH_2D	1.1	75	6.5×10^{13}	7.8	59	
$HC(O)NH_2$	1.1	202	1.0×10^{12}	6.5	61	
CH ₃ NH ₂	1.1	103	1.3×10^{17}	3.9	63	
HCCCN	1.1	430	2.2×10^{13}	0.7	61	
OCS, $v_2=1$	1.1	173	4.2×10^{17}	3.9	62	
HNC, $v_2=1$	1.1	908	1.1×10^{13}	2.9	77	
PN	1.1	200	8.7×10^{13}	3.5	132	
	1.1	200	3.6×10^{13}	1.1	123	
	1.1	200	1.6×10^{14}	1.9	119	
	1.1	200	2.0×10^{14}	1.6	107	
	1.1	200	2.4×10^{14}	2.0	91	99
	1.1	200	3.2×10^{14}	5.1	85	\mathbf{CS}
	1.1	200	1.2×10^{14}	3.5	65	
	1.1	200	1.9×10^{13}	1.0	62	
	1.1	200	4.8×10^{14}	40.0	41	
	1.1	200	8.2×10^{13}	2.3	26	
	1.1	200	8.4×10^{13}	4.0	16	
	1.1	200	1.3×10^{13}	1.6	5	
	1.1	200	9.6×10^{13}	3.9	-10	
	1.1	200	1.5×10^{14}	2.5	-29	
	1.1	200	3.3×10^{14}	1.4	-34	
CO	1.1	200	1.0×10^{17}	3.2	59	
	1.1	200	2.7×10^{17}	2.0	-54	
	1.1	200	$1.0~\times 10^{12}$	2.0	154	
	1.1	200	1.3×10^{12}	2.0	-113	
	1.1	200	7.0×10^{16}	2.0	152	
	1.1	200	1.3×10^{12}	1.9	-134	
	1.1	200	1.3×10^{12}	1.0	-145	
	1.1	200	1.3×10^{12}	1.9	-172	
	1 1	200	1.0×10^{12}	1 1	-130	
^{13}CO	1 1	200	1.0×10^{17}	2.1	135	
00	1 1	200	1.1×10^{17}	63	112	
	1.1	200	2.4×10^{17}	50	82	
	1.1	200	2.2 ×10	5.9	04	

		(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
-	1.1	200	5.2×10^{17}	3.6	51
	1.1	200	6.6×10^{15}	1.2	36
	1.1	200	4.5×10^{16}	4.5	21
	1.1	200	2.7×10^{17}	3.8	-8
	1.1	200	5.0×10^{17}	1.9	-15
	1.1	200	7.6×10^{16}	1.1	-58
$C^{17}O$	1.1	200	1.2×10^{17}	5.0	-178
	1.1	200	1.7×10^{17}	4.1	-157
	1.1	200	1.1×10^{17}	7.7	-134
	1.1	200	3.8×10^{16}	8.2	-119
	1.1	200	1.2×10^{16}	2.9	-103
	1.1	200	3.7×10^{15}	2.1	-97
	1.1	200	2.2×10^{17}	9.3	-83
	1.1	200	2.0×10^{16}	3.4	-68
	1.1	200	1.4×10^{17}	7.5	-61
	1.1	200	1.1×10^{17}	7.8	-36
	1.1	200	9.0×10^{16}	7.6	-10
	1.1	200	1.3×10^{17}	8.6	7
	1.1	200	1.2×10^{15}	2.7	17
	1.1	200	1.6×10^{17}	7.3	28
	1.1	200	2.1×10^{17}	4.8	47
	1.1	200	8.8×10^{16}	1.0	63
	1.1	200	1.6×10^{17}	27.5	82
	1.1	200	2.2×10^{17}	7.3	106
	1.1	200	3.8×10^{16}	5.8	122
	1.1	200	6.4×10^{17}	6.8	163
$C^{18}O$	1.1	200	1.0×10^{16}	2.7	-180
	1.1	200	3.3×10^{16}	5.3	-150
	1.1	200	7.5×10^{16}	3.5	-139
	1.1	200	6.3×10^{16}	38.7	-123
	1.1	200	3.2×10^{16}	8.3	-112
	1.1	200	1.0×10^{16}	3.2	-104
	1.1	200	5.8×10^{16}	7.5	-74
	1.1	200	4.6×10^{16}	6.4	-36
	1.1	200	7.1×10^{16}	5.4	-25
	1.1	200	2.8×10^{16}	5.1	-3
	1.1	200	2.8×10^{16}	2.9	11
	1.1	200	1.0×10^{17}	7.3	19
	1.1	200	2.1×10^{16}	2.4	30
	1.1	200	4.7×10^{16}	6.2	35
	1.1	200	1.0×10^{16}	9.9	41
	1.1	200	9.8×10^{16}	7.5	52
	1.1	200	3.9×10^{16}	2.7	72
	1.1	200	2.5×10^{17}	5.3	81
	1.1	200	5.6×10^{16}	7.1	106
	1.1	200	2.5×10^{16}	2.5	114
	1.1	200	5.6×10^{16}	2.4	125
	1.1	200	1.5×10^{18}	9.5	141
\mathbf{CS}	1.1	200	3.0×10^{14}	1.0	136
	1.1	200	1.6×10^{14}	0.9	131
	1.1	200	8.4×10^{13}	2.3	119
	1.1	200	1.2×10^{14}	0.7	98
	1.1	200	1.1×10^{14}	2.9	94
	1.1	200	3.2×10^{14}	5.9	31
	1.1	200	1.9×10^{13}	1.3	-49
	1.1	200	7.8×10^{13}	1.2	10
	1.1	200	3.1×10^{13}	1.1	1
	1.1	200	1.7×10^{14}	1.3	-15
	1.1	200	1.4×10^{14}	1.9	-23
	1.1	200	3.8×10^{14}	3.7	-33
	1.1	200	$2.7~\times10^{13}$	0.9	-41
	1.1	200	9.0×10^{13}	1.6	-45
	1.1	200	8.4×10^{13}	1.8	-55
	1.1	200	2.0×10^{12}	0.5	-62
	1.1	200	2.2×10^{12}	1.6	-66
	1.1	200	9.2×10^{12}	1.1	-81
	1.1	200	4.3×10^{13}	2.4	-83
	1.1	200	1.4×10^{14}	2.4	-94
	1.1	200	1.4×10^{14}	3.8	-101
	1.1	200	7.7×10^{12}	0.6	-112
	1.1	200	1.8×10^{13}	1.4	-125
	1.1	200	5.9×10^{13}	0.9	-123

		a
T. Möller <i>et al.</i> : Full molecular	line survey of hot cores,	Online Material p 235

		(C	Continued)			
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm^{-2})	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s ⁻¹)	Molecule
	1.1	200	1.4×10^{14}	2.5	-128	
	1.1	200	4.8×10^{13} 3.0 × 10^{13}	1.9	-142 138	
	1.1	200	1.6×10^{12}	2.6	-138	
10	1.1	200	6.8×10^{13}	2.3	-181	
^{13}CS	1.1	200	2.4×10^{14}	0.7	120	
	$1.1 \\ 1.1$	$200 \\ 200$	2.0×10^{14}	1.7 1.3	95 89	
	1.1	200	4.4×10^{14}	3.7	80	
	1.1	200	2.1×10^{15}	4.2	62 21	
	$1.1 \\ 1.1$	$200 \\ 200$	1.0×10^{-1} 1.1×10^{14}	$\frac{1.2}{2.6}$	51 14	
	1.1	200	8.3×10^{13}	1.0	8	
	1.1	200	3.6×10^{14}	2.9	1	UNC
	$1.1 \\ 1.1$	$200 \\ 200$	4.0×10^{15} 4.0×10^{15}	2.5 0.6	-31 -81	HNC
	1.1	200	1.2×10^{12}	1.9	-97	
	1.1	200	3.8×10^{13}	2.8	-70	
$C^{33}S$	1.1	$\frac{200}{200}$	1.2×10^{14} 3.2×10^{14}	1.3 10.4	-111 -175	
0 0	1.1	200	2.6×10^{12}	10.5	-148	
	1.1	200	1.0×10^{14}	7.1	-131	
	1.1	200	4.0×10^{14} 4.6×10^{14}	5.7 2.9	-111 -101	
	1.1	200	7.9×10^{14}	9.4	-93	
	1.1	200	1.1×10^{14}	2.1	-72	
	1.1 1.1	$200 \\ 200$	3.1×10^{14} 1.0 × 10 ¹⁴	$\frac{3.1}{46.7}$	-67 -62	
	1.1	200	3.1×10^{14}	3.4	-40	
	1.1	200	3.3×10^{14}	10.7	-21	
	1.1 1.1	$200 \\ 200$	3.6×10^{14} 5.5 × 10 ¹⁴	5.0 6.3	-8 -1	
	1.1	200	8.3×10^{13}	7.2	15	
	1.1	200	7.7×10^{13}	7.3	22	
	1.1	$200 \\ 200$	1.3×10^{14} 2.6 × 10 ¹⁴	$\frac{2.5}{2.8}$	$\frac{32}{39}$	$HN^{13}C$
	1.1	200	1.6×10^{14}	2.7	54	
	1.1	200	1.1×10^{15}	3.1	82	
	1.1 1.1	$200 \\ 200$	1.1×10^{14} 1.4×10^{15}	$\frac{3.2}{2.0}$	$101 \\ 113$	
	1.1	200	8.2×10^{14}	4.4	155	
$C^{34}S$	1.1	200	1.3×10^{16}	9.1	-173	
	1.1 1.1	$200 \\ 200$	9.7×10^{14}	0.0 3.4	-101 -148	
	1.1	200	3.2×10^{15}	6.0	-140	
	1.1	200	6.5×10^{14} 1.2 × 10^{15}	5.7 6.0	-125 116	
	$1.1 \\ 1.1$	$200 \\ 200$	$1.2 \times 10^{1.2}$ 1.3×10^{14}	3.1	-110 -72	
	1.1	200	3.2×10^{14}	3.8	-65	
	1.1	200	1.2×10^{14} 1.4 × 10^{15}	2.7 41.6	-50 25	
	$1.1 \\ 1.1$	$200 \\ 200$	5.7×10^{14}	14.0	-25 -5	$\rm H^{13}CO^+$
	1.1	200	7.1×10^{14}	7.1	10	
	1.1	200	4.6×10^{14}	5.8	20 20	
	$1.1 \\ 1.1$	$200 \\ 200$	3.8×10^{14} 2.9×10^{14}	1.5	$30 \\ 37$	
	1.1	200	2.8×10^{15}	4.0	62	
	1.1	200	2.3×10^{14}	4.4	84 04	
	1.1	200	1.1×10^{15}	4.7	94 100	
	1.1	200	3.8×10^{14}	4.0	110	
	1.1	200	2.6×10^{15} 1.1 × 10^{15}	5.2	131 155	
HCN	$1.1 \\ 1.1$	200	3.8×10^{13}	0.9	$133 \\ 124$	
	1.1	200	8.9×10^{12}	0.9	-25	$\rm HO^{13}C^+$
H13CM	1.1	200	7.7×10^{12}	0.9	-97 191	
II ~UN	1.1 1.1	$200 \\ 200$	3.7×10^{12} 3.0×10^{14}	0.9	131 126	
	1.1	200	3.0×10^{13}	2.0	119	
	1.1	200	4.8×10^{13}	2.1	114	
	1.1 1.1	$200 \\ 200$	2.1×10^{-3} 2.2×10^{13}	5.5 1.8	103	
				~		

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			(0	Continued)		
(") (K) (cm ⁻²) (km s ⁻¹) (km s ⁻¹) 1.1 200 2.2 × 10 ¹² 16.4 47 1.1 200 1.3 × 10 ¹⁴ 4.5 27 1.1 200 1.1 × 10 ¹³ 1.7 10 1.1 200 2.9 × 10 ¹² 1.5 -23 1.1 200 3.5 × 10 ¹² 2.0 -26 1.1 200 3.5 × 10 ¹³ 1.7 -108 1.1 200 3.5 × 10 ¹³ 1.7 -108 1.1 200 1.5 × 10 ¹³ 1.7 -108 1.1 200 1.5 × 10 ¹³ 1.7 -108 1.1 200 1.5 × 10 ¹² 1.3 115 1.1 200 1.5 × 10 ¹³ 1.7 -138 1.1 200 1.5 × 10 ¹³ 1.3 100 1.1 200 3.5 × 10 ¹³ 1.3 115 1.1 200 3.5 × 10 ¹³ 1.3 15 1.1	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
$ \begin{split} & \begin{array}{ccccccccccccccccccccccccccccccccccc$		(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
1.1 200 1.7 1.01 3.8 3.4 1.1 200 1.3 ×1013 1.7 10 1.1 200 1.7 ×1012 2.1 0 1.1 200 3.5 ×1012 2.0 -26 1.11 200 3.2 ×1017 0.1 -54 1.11 200 3.2 ×1014 4.0 -70 1.1 200 3.8 ×1013 1.7 -108 1.11 200 3.8 ×1013 1.7 -108 1.11 200 1.6 ×1013 1.7 -108 1.11 200 1.6 ×1013 1.7 -136 1.11 200 1.6 ×1013 1.3 100 1.11 200 3.5 ×1013 1.3 -151 1.11 200 3.5 ×1013 1.3 -152 1.11 200 1.7 ×1013 2.3		1.1	200	2.2×10^{12}	16.4	47
1.1 200 1.3 × 10 ¹⁴ 4.5 27 1.1 200 1.7 × 10 ¹² 2.1 0 1.1 200 3.5 × 10 ¹² 2.0 -26 1.1 200 3.5 × 10 ¹² 2.0 -26 1.1 200 3.2 × 10 ¹⁴ 4.0 -70 1.1 200 3.8 × 10 ¹⁴ 1.4 -83 1.1 200 3.8 × 10 ¹⁴ 1.4 -83 1.1 200 5.1 × 10 ¹³ 1.9 -115 1.1 200 1.5 × 10 ¹² 1.0 136 1.1 200 1.5 × 10 ¹³ 1.9 -115 1.1 200 1.5 × 10 ¹³ 1.3 100 1.1 200 1.6 × 10 ¹³ 0.7 145 1.1 200 1.6 × 10 ¹³ 0.7 145 1.1 200 1.6 × 10 ¹³ 1.3 15 1.1 200 1.6 × 10 ¹³ 1.3 15 1.1 200		1.1	200	7.7×10^{13}	1.8	34
$ {\rm HNC} \left(\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.3×10^{14}	4.5	27
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10^{13}	1.7	10
$ {\rm HN}^{1.1} = 200 = 2.9 \times 10^{12} = 1.5 = -23 \\ 1.1 = 200 = 3.2 \times 10^{17} = 0.1 = 5.4 \\ 1.1 = 200 = 3.2 \times 10^{14} = 4.4 = 8.3 \\ 1.1 = 200 = 1.5 \times 10^{13} = 1.4 = 8.8 \\ 1.1 = 200 = 5.1 \times 10^{13} = 1.9 = 1.15 \\ 1.1 = 200 = 5.1 \times 10^{13} = 0.1 = 1.15 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.8 = 1.24 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.8 = 1.24 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.1 = 1.15 \\ 1.1 = 200 = 1.6 \times 10^{12} = 1.0 = 1.36 \\ 1.1 = 200 = 4.1 \times 10^{12} = 1.3 = 1.15 \\ 1.1 = 200 = 4.1 \times 10^{13} = 1.3 = 1.10 \\ 1.1 = 200 = 4.1 \times 10^{13} = 1.3 = 1.10 \\ 1.1 = 200 = 4.2 \times 10^{13} = 0.2 = 22 \\ 1.1 = 200 = 4.2 \times 10^{13} = 0.2 = 22 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = 1.15 \\ 1.1 = 200 = 2.4 \times 10^{13} = 1.0 = -2.22 \\ 1.1 = 200 = 2.4 \times 10^{13} = 1.0 = -2.22 \\ 1.1 = 200 = 2.4 \times 10^{13} = 1.7 = -3.7 \\ 1.1 = 200 = 2.4 \times 10^{13} = 1.7 = -3.7 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 8.8 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 1.3 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.1 = 1.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.4 = 2.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.4 = 2.4 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.4 = 2.4 \\ 1.1 = 200 = 1.5$		1.1	200	1.7×10^{12}	2.1	0
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.9×10^{12}	1.5	-23
1.1 200 3.2 × 10 ¹⁷ 0.1 -54 1.1 200 1.5 × 10 ¹⁴ 4.0 -70 1.1 200 3.8 × 10 ¹⁴ 1.4 -83 1.1 200 8.7 × 10 ¹³ 1.7 -108 1.1 200 2.3 × 10 ¹³ 0.8 -124 1.1 200 1.5 × 10 ¹² 1.0 136 1.1 200 1.5 × 10 ¹² 1.0 136 1.1 200 4.1 × 10 ¹² 1.3 100 1.1 200 5.0 × 10 ¹⁴ 2.3 87 1.1 200 4.2 × 10 ¹³ 0.2 22 1.1 200 9.0 × 10 ¹⁴ 5.8 -6 1.1 200 9.0 × 10 ¹³ 1.9 -19 1.1 200 9.0 × 10 ¹³ 1.9 -19 1.1 200 1.0 × 10 ¹³ 1.9 -62 1.1 200 1.0 × 10 ¹³ 1.9 -62 1.1 200		1.1	200	3.5×10^{12}	2.0	-26
$ {\rm HN}^{1.1} = 200 = 2.2 \times 10^{14} = 4.0 - 70 \\ 1.1 = 200 = 3.8 \times 10^{14} = 1.4 - 83 \\ 1.1 = 200 = 8.7 \times 10^{13} = 1.7 - 108 \\ 1.1 = 200 = 5.1 \times 10^{13} = 1.9 - 115 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.7 - 145 \\ 1.1 = 200 = 1.6 \times 10^{12} = 1.0 = 136 \\ 1.1 = 200 = 1.6 \times 10^{12} = 1.0 = 136 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.7 = 145 \\ 1.1 = 200 = 1.6 \times 10^{13} = 0.7 = 145 \\ 1.1 = 200 = 4.1 \times 10^{13} = 1.3 = 100 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.2 = 39 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.2 = 39 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.2 = 39 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 2.7 \times 10^{13} = 1.9 = -25 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = 88 \\ 1.1 = 200 = 1.7 \times 10^{13} = 5.3 = 160 \\ 1.1 = 200 = 1.4 \times 10^{13} = 1.9 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -32 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -32 \\ 1.1 = 200 = 1.5 \times 10^{14} = 1.8 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 131 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 131 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 131 \\ 1.1 = 200 = 1.5 \times 10^{13} = 5.1 = 147 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 91 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 91 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 91 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 91 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = -31 \\ 1.1 = 200 = 1.5 \times 10^$		1.1	200	3.2×10^{17}	0.1	-54
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.2×10^{14}	4.0	-70
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.5×10^{14}	1.4	-83
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.8×10^{14}	14.8	-88
$ {\rm HNC} = \left[\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	8.7×10^{13}	1.7	-108
$ \begin{split} \text{HNC} & \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	5.1×10^{13}	1.9	-115
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.3×10^{13}	0.8	-124
$ HN^{13}C + H^{11} = 200 + 1.5 \times 10^{12} + 1.0 + 136 + 116 + 117 + 113 + 115 + 117$	HNC	1.1	200	1.6×10^{13}	0.7	145
$ HN^{13}C + H^{13}C + H^$		1.1	200	1.5×10^{12}	1.0	136
$ H^{11} C^{11} = 100 = 4.1 \times 10^{13} = 1.3 = 100 \\ 1.1 = 200 = 5.0 \times 10^{14} = 2.3 = 87 \\ 1.1 = 200 = 9.0 \times 10^{14} = 5.8 = -6 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.5 \times 10^{13} = 1.3 = -15 \\ 1.1 = 200 = 3.1 \times 10^{13} = 1.9 = -25 \\ 1.1 = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 2.4 \times 10^{13} = 1.9 = -25 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.5 = -67 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -81 \\ 1.1 = 200 = 1.7 \times 10^{14} = 2.5 = -160 \\ 1.1 = 200 = 1.7 \times 10^{14} = 2.5 = -160 \\ 1.1 = 200 = 3.4 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 3.4 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 3.4 \times 10^{14} = 8.7 = -33 \\ 1.1 = 200 = 3.4 \times 10^{14} = 8.7 = -33 \\ 1.1 = 200 = 7.5 \times 10^{14} = 8.7 = -33 \\ 1.1 = 200 = 1.4 \times 10^{14} = 8.7 = -33 \\ 1.1 = 200 = 1.4 \times 10^{14} = 4.5 = -9 \\ 1.1 = 200 = 1.4 \times 10^{14} = 4.5 = -9 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 13 \\ 1.1 = 200 = 1.5 \times 10^{13} = 3.4 = -2 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 8 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 8 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = 43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200 = 1.0 \times 10^{12} = 0.7 = -43 \\ 1.1 = 200$		1.1	200	1.4×10^{12}	1.3	115
$ HN^{13}C + \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	4.1×10^{13}	1.3	100
$ HN^{13}C + \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	5.0×10^{14}	2.3	87
$ H^{11} = 200 + 4.2 \times 10^{13} & 0.2 + 22 \\ 1.1 + 200 + 3.5 \times 10^{14} + 5.8 + -6 \\ 1.1 + 200 + 3.5 \times 10^{13} + 1.3 + -15 \\ 1.1 + 200 + 9.0 \times 10^{12} + 1.9 + -25 \\ 1.1 + 200 + 2.4 \times 10^{13} + 2.0 + -32 \\ 1.1 + 200 + 2.4 \times 10^{13} + 1.7 + -37 \\ 1.1 + 200 + 2.4 \times 10^{13} + 1.9 + -49 \\ 1.1 + 200 + 2.7 \times 10^{13} + 1.9 + -62 \\ 1.1 + 200 + 2.7 \times 10^{14} + 0.5 + -67 \\ 1.1 + 200 + 1.7 \times 10^{14} + 0.8 + -88 \\ 1.1 + 200 + 1.7 \times 10^{14} + 0.8 + -88 \\ 1.1 + 200 + 1.7 \times 10^{14} + 0.8 + -88 \\ 1.1 + 200 + 1.7 \times 10^{13} + 2.1 + -94 \\ 1.1 + 200 + 1.7 \times 10^{13} + 2.1 + -94 \\ 1.1 + 200 + 1.7 \times 10^{13} + 2.1 + -94 \\ 1.1 + 200 + 1.7 \times 10^{13} + 2.5 + -160 \\ 1.1 + 200 + 1.7 \times 10^{13} + 2.5 + -160 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -160 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -160 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -160 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -160 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -36 \\ 1.1 + 200 + 3.4 \times 10^{13} + 3.5 + -36 \\ 1.1 + 200 + 1.4 \times 10^{13} + 5.3 + -33 \\ 1.1 + 200 + 1.4 \times 10^{13} + 3.5 + -36 \\ 1.1 + 200 + 1.4 \times 10^{14} + 8.7 + -23 \\ 1.1 + 200 + 1.4 \times 10^{14} + 8.7 + -23 \\ 1.1 + 200 + 1.5 \times 10^{14} + 4.5 + -9 \\ 1.1 + 200 + 1.5 \times 10^{13} + 3.1 + 53 \\ 1.1 + 200 + 1.5 \times 10^{13} + 3.1 + 53 \\ 1.1 + 200 + 1.5 \times 10^{13} + 3.1 + 53 \\ 1.1 + 200 + 1.5 \times 10^{13} + 5.3 + 113 \\ 1.1 + 200 + 1.5 \times 10^{13} + 5.3 + 113 \\ 1.1 + 200 + 1.5 \times 10^{13} + 5.3 + 113 \\ 1.1 + 200 + 1.5 \times 10^{13} + 5.3 + 113 \\ 1.1 + 200 + 1.2 \times 10^{13} + 2.4 + 2.2 \\ 1.1 + 200 + 1.4 \times 10^{12} + 3.3 + 2.4 \\ 1.1 + 200 + 1.4 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.4 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + -2 \\ 1.1 + 200 + 1.5 \times 10^{13} + 4.2 + 7 \\ 1.1 + 200 + 3.5 \times 10^{14} + 2.7 + 3 \\ 1.1 + 200 + 3.5 $		1.1	200	3.5×10^{13}	2.2	39
$ HN^{13}CO^+ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	4.2×10^{13}	0.2	22
$ H^{13}CO^+ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	9.0×10^{14}	5.8	-6
$ H^{11} = 200 = 3.1 \times 10^{13} = 1.9 = -19 \\ 1.1 = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 2.8 \times 10^{13} = 1.7 = -37 \\ 1.1 = 200 = 1.0 \times 10^{13} = 1.9 = -62 \\ 1.1 = 200 = 2.7 \times 10^{13} = 1.9 = -62 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.5 = -67 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -88 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.5 = -160 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 3.4 \times 10^{13} = 5.5 = -160 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 7.5 \times 10^{13} = 7.5 = -44 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 5.3 = 113 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.9 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 9.5 = 96 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 51 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 51 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 51 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 51 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 51 \\ 1.1 = 200 = 1.0 \times 10^{12} = 3.7 = 8 \\ 1.1 = 200 = 1.0 \times 10^{12} = 3.7 = 8 \\ 1.1 = 200 = 1.0 \times 10^{12} = 3.7 = 8 \\ 1.1 = 200 = 1.0 \times 10^{12} = 7.1 = 49 \\ 1.1 = 200 = 0.0 \times 10^{12} = 7.1 = 49 \\ 1.1 = 200 = 0.0 \times 10^{13} = 4.2 = 24 \\ 1.1 = 200 = 0.5 \times 10^{13} = 4.2 = 24 \\ 1.1 = 200 = 0.5 \times 10^{13} = 4.2 = 24 \\ 1.1 = 200 = 0.5 \times 10^{13} = 4.2 = 24 \\ 1.1 = 200 = 0.5 \times 10^{13} $		1.1	200	3.5×10^{13}	1.3	-15
$ H^{13}CO^+ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.1×10^{13}	1.9	-19
$ H^{11} = 200 = 2.4 \times 10^{13} = 2.0 = -32 \\ 1.1 = 200 = 1.0 \times 10^{13} = 4.9 = -49 \\ 1.1 = 200 = 1.0 \times 10^{14} = 0.5 = -67 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.5 = -67 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -88 \\ 1.1 = 200 = 1.7 \times 10^{14} = 0.8 = -88 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.1 = -94 \\ 1.1 = 200 = 1.7 \times 10^{14} = 20.7 = -174 \\ 1.1 = 200 = 1.7 \times 10^{13} = 2.5 = -160 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 5.5 \times 10^{14} = 8.1 = -135 \\ 1.1 = 200 = 7.5 \times 10^{13} = 7.5 = -44 \\ 1.1 = 200 = 1.4 \times 10^{13} = 5.3 = -53 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 8.7 = -23 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{14} = 18.0 = 37 \\ 1.1 = 200 = 1.5 \times 10^{13} = 5.1 = 147 \\ 1.1 = 200 = 1.5 \times 10^{13} = 5.1 = 147 \\ 1.1 = 200 = 1.5 \times 10^{13} = 5.1 = 147 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 5.1 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 5.1 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 5.1 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 5.1 \\ 1.1 = 200 = 1.5 \times 10^{13} = 0.4 = 5.1 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 200 = 1.5 \times 10^{13} = 4.4 = -2 \\ 1.1 = 20$		1.1	200	9.0×10^{12}	1.9	-25
$ H^{13}CO^+ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.4×10^{13}	2.0	-32
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.8×10^{13}	1.7	-37
$ H^{13}CO^+ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	10.0×10^{13}	4.9	-49
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.7×10^{13}	1.9	-62
$ H^{13}CO^{+} = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	1.0×10^{14}	0.5	-67
$ H^{13}CO^{+} = \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10^{14}	4.7	-74
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.7×10^{14}	0.8	-81
$ H^{13}C + \begin{array}{ccccccccccccccccccccccccccccccccccc$		1.1	200	1.8×10^{14}	0.8	-88
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.7×10^{13}	2.1	-94
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.4×10^{12}	31.1	-107
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$	$HN^{13}C$	1.1	200	1.7×10^{14}	20.7	-174
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	9.1×10^{13}	2.5	-160
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	5.5×10^{14}	8.1	-135
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.4×10^{13}	10.9	-88
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.3×10^{14}	42.0	-71
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10^{13}	5.3	-53
$ H^{13}CO^{+} \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	7.5×10^{13}	7.5	-44
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.4×10^{14}	8.7	-23
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.2×10^{14}	4.5	-9
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	7.1×10^{13}	6.9	9
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.5×10^{14}	18.0	37
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	6.3×10^{13}	3.1	53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	5.8×10^{13}	6.0	80
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.2×10^{13}	9.5	96
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.5×10^{14}	5.3	113
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	u13go+	1.1	200	5.6×10^{10}	5.1	147
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	H ¹⁰ CO ⁺	1.1	200	2.2×10^{12}	2.3	51
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	5.0×10^{13}	0.4	21
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.1×10 4.2×10^{12}	2.0 5.2	-04
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	4.3×10 1 1 × 10 ¹²	0.5 0.7	24 10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.1×10 1.0×10^{12}	0.7	19
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.0×10 1.2 × 1013	3.1 9.4	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.2×10 3.5×10^{12}	2.4	-2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.3×10^{13}	4.2	-1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.4×10^{13}	4.2	-24
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.4×10^{12}	4.5	-43
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		11	200	1.0×10^{12}	71	_49
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.5×10^{13}	3.8	-62
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\mathrm{HO^{13}C^{+}}$	1.1	200	6.0×10^{13}	4.0	125
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	1.6×10^{12}	2.1	108
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.9×10^{14}	4.2	70
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.5×10^{14}	7.1	56
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	2.2×10^{13}	4.9	44
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	8.7×10^{13}	2.4	27
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.1	200	3.1×10^{14}	2.0	17
		1.1	200	1.1×10^{14}	2.7	3

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 236

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	1.1	200	2.6×10^{14}	5.4	-11
	1.1	200	2.4×10^{14}	2.4	-24
	1.1	200	1.2×10^{12}	1.9	-28
	1.1	200	4.1×10^{13}	2.2	-82
	1.1	200	6.6×10^{14}	4.4	-94

Table L.68: LTE Parameters for the full LTE model (Envelope Components) for source A07 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta v^{m,c}$	$V_{\rm LCD}^{m,c}$
	('')	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
	()	()	(****)	()	(
CN	ext.	4	4.0×10^{14}	4.4	81
	ext.	22	1.2×10^{17}	22.2	68
	ext.	3	6.2×10^{14}	5.3	61
	ext.	10	2.6×10^{14}	10.4	38
	ext.	21	6.7×10^{15}	2.0	11
	ext.	10	2.5×10^{14}	1.7	6
	ext.	26	1.3×10^{16}	7.1	2
	ext.	30	3.2×10^{17}	1.7	-49
	ext.	76	2.1×10^{12}	4.4	-52
	ext.	26	9.4×10^{15}	13.0	-76
	ext.	26	9.7×10^{15}	10.7	-114
OCS	evt	20	6.4×10^{17}	2.2	71
005	ovt	25	8.6×10^{15}	1.8	55
PH_{2}	ovt	20	8.0×10^{13}	0.2	63
н 113 Н 335	ext.	26	2.3×10^{15}	5.2 5.2	81
SO ₂	evt	31	3.0×10^{16}	2.4	69
CCH	ext.	3	4.0×10^{15}	2.4 5.6	73
0011	ext.	ა ვ	4.0×10^{-5}	5.0 11 4	65
HaCS	ext.	ა ვე	1.5×10^{18}	11	50
11205	ext.	- კე ი	1.0×10^{-5}	1.1	50 70
II 0330	ext.	29	1.2×10^{-3}	0.0	70
$H_2C^{00}S$	ext.	10	1.0×10^{12}	5.1	66
OIL NIL	ext.	10	1.1×10^{12}	2.8	-87
CH_2NH	ext.	3	4.1×10^{13}	9.2	76
	ext.	8	8.6×10^{14}	12.2	63
HNCO	ext.	22	1.2×10^{10}	8.1	76
	ext.	23	5.4×10^{15}	2.2	69
	ext.	20	2.3×10^{16}	17.1	49
C_2H_5CN	ext.	27	7.7×10^{16}	9.3	76
SO	ext.	17	7.4×10^{15}	17.2	68
H_2CO	ext.	14	1.6×10^{12}	8.8	86
	ext.	22	8.6×10^{16}	9.8	78
	ext.	7	4.6×10^{13}	4.0	64
	ext.	11	8.9×10^{14}	12.9	55
SiO	ext.	11	5.6×10^{12}	0.4	17
	ext.	9	3.7×10^{14}	11.3	71
H_2CNH	ext.	3	4.2×10^{13}	9.0	77
	ext.	3	3.7×10^{12}	8.2	69
	ext.	17	7.4×10^{14}	9.3	55
PN	ext.	3	$7.9~{\times}10^{14}$	1.1	138
	ext.	3	1.6×10^{15}	3.7	117
	ext.	3	5.2×10^{14}	1.3	101
	ext.	3	$2.0~\times 10^{14}$	3.6	-44
CO	ext.	3	1.0×10^{12}	2.0	158
	ext.	3	9.3×10^{15}	13.2	148
	ext.	3	1.0×10^{12}	7.1	129
	ext.	3	2.5×10^{16}	13.3	129
	ext	3	1.0×10^{12}	11.3	111
	ext	3	1.0×10^{12}	2.9	118
	evt	3	1.2×10^{17}	28.9	104
	evt	3	1.5×10^{16}	20.9	90
	ext.	3	1.5×10^{16}	2.0	33 88
	ovt	ວ ຈ	1.0×10 1.1×10^{16}	1.1 / 1	75
	ovt	ວ ຈ	1.1×10^{10}	5.1	68
	ext.	ა ი	5.3 × 10 ¹⁵	1.0	62
	ext.	ა ი	3.5×10^{10}	1.9 6 1	52
	ext.	ა	3.0 X10 ¹⁰	0.1	92

		(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	ext.	3	6.7×10^{16}	16.4	44
	ext.	3	1.2×10^{16}	4.9	28
	ext.	3	2.4×10^{16}	7.8	16
	ext.	3	8.2×10^{15}	2.0	8
	ext.	3	1.1×10^{16}	2.0	1
	ext.	3	4.1×10^{15}	1.9	-10
	ext.	3	1.0×10^{17}	40.0	-20
	ext.	3	4.6×10^{15}	1.8	-17
	ext.	3	1.2×10^{13}	2.0	-35
	ext.	3	5.5×10^{12}	2.0	-39
	ext.	3	2.6×10^{16}	17.5	-45
	ext.	3	3.6×10^{15}	1.9	-49
	ext.	3	6.7×10^{15}	3.1	-61
	ext.	3	1.5×10^{16}	4.1	-70
	ext.	3	1.4×10^{16}	1.9	-83
	ext.	3	2.6×10^{16}	9.1	-76
	ext.	3	1.6×10^{16}	1.9	-93
	ext.	3	2.9×10^{17}	1.7	-101
	ext.	3	9.4×10^{15}	2.0	-106
	ext.	3	1.0×10^{16}	1.3	-121
^{13}CO	ext.	3	1.1×10^{16}	1.1	91
~ ~	ext.	3	8.3×10^{15}	5.3	75
	ext.	3	7.4×10^{16}	11.7	58
	ext.	3	2.5×10^{15}	3.5	27
	evt	3	2.0×10^{15}	23	14
	evt	3	1.0×10^{16}	8.9	6
	evt	3	3.9×10^{15}	29	-8
	evt	3	7.8×10^{15}	47	-41
	evt	3	6.7×10^{15}	2.1	-43
	ovt	3	3.3×10^{16}	2.2	-40
	ovt	3	5.5×10^{12}	20.0	-42
	ovt	3	1.2×10^{15}	1.2	-73
	ovt	3	1.2×10^{14}	0.2	-71
	ovt	3	2.0×10^{15}	1.0	-70
	ext.	3 3	1.7×10^{13}	2.0	-80
	ovt	3	1.7×10^{14} 1.7×10^{14}	0.9	-80
	ext.	3	1.7×10 8.0 × 10 ¹⁵	0.9 7.8	-80
$C^{17}O$	ext.	3	0.3×10 1 1 $\times 10^{15}$	2.4	-103
0 0	ext.	3	1.1×10 3.7×10^{15}	5.4	-107
	ext.	ა ი	3.7×10^{15}	0.7 9.7	-140
	ext.	ა ი	1.2×10^{-1}	2.1	-109
	ext.	ა ი	6.0×10^{-4}	2.2	-30
	ext.	ა ი	6.0×10^{-14}	2.0	-44 02
	ext.	ა ი	1.4×10^{14}	0.0	-23
	ext.	ა ე	1.4×10^{-1}	2.9	-1
	ext.	3	2.8×10^{11}	29.9	20
	ext.	3	2.5×10^{15}	2.0	08
	ext.	3	3.9×10^{14}	1.1	93
	ext.	3	7.9×10^{-2}	3.9	133
C180	ext.	3	1.3×10^{-2}	2.8	148
00	ext.	3	3.0×10^{15}	(.5	-109
	ext.	3	1.0×10^{13}	20.0	-128
	ext.	3	1.0×10^{-1}	2.(-107
	ext.	3	3.3×10^{-3}	11.8	-90
	ext.	3	1.1×10^{-1}	1.9	-00
	ext.	3	1.0×10^{-1}	2.1	-00
	ext.	3	1.1×10^{-5}	1.5	-41
	ext.	3	6.3×10^{15}	3.6	57
	ext.	3	5.1×10^{13}	1.9	08 76
	ext.	ა ი	0.0×10^{10}	2.1 6.6	/0 149
CC	ext.	3	1.4×10^{10}	0.0	142
US	ext.	ა ი	3.0×10^{13}	0.8	159
	ext.	ა ი	3.3×10^{10}	2.1	104
	ext.	3	2.4×10^{10}	0.2	88
	ext.	3	1.7×10^{10}	1.0	83
	ext.	3	1.0×10^{17}	29.1	74
	ext.	3	9.0×10^{14}	0.5	31
	ext.	3	4.8×10^{10}	17.7	56
	ext.	3	5.8×10^{14}	1.1	18
	ext.	3	1.2×10^{14}	1.0	-5
	ext.	3	2.5×10^{14}	1.0	-25
	ext.	3	1.0×10^{14}	1.0	-146
	ext.	3	1.5×10^{10}	7.2	-164

T. Möller <i>et al.</i> : Ful	l molecular	line survey	of hot	cores,	Online	Material p	237
		U				1	

		(C	Continued)		80 C			(C	Continued)		20 6
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{LSR}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$	$\Delta v^{m,c}$ (km s ⁻¹)	$v_{LSR}^{m,c}$
	ext.	3	$\frac{(cm)}{7.8 \times 10^{14}}$	1.4	-169		ext.	3	$\frac{(cm)}{1.1 \times 10^{12}}$	0.7	-176
^{13}CS	ext.	3	2.0×10^{15}	2.7	140		ext.	3	1.0×10^{12}	0.8	-185
	ext.	3	1.1×10^{13}	2.0	136	$\rm H^{13}CN$	ext.	3	2.6×10^{13}	14.4	131
	ext.	3	4.3×10^{14}	2.5	107		ext.	3	2.7×10^{12}	1.8	107
	ext.	3	2.1×10^{13}	3.0	103		ext.	3	2.4×10^{13}	2.0	85
	ext.	3	2.8×10^{15}	11.5	90		ext.	3	1.2×10^{15}	20.1	77
	ext.	3	2.7×10^{16}	12.9	68		ext.	3	1.1×10^{12}	25.4	64
	ext.	3	2.1×10^{16}	10.2	54		ext.	3	2.1×10^{14}	4.7	56
	ext.	3	5.8×10^{15}	6.4	43		ext.	3	2.9×10^{14}	5.2	43
	ext.	3	3.1×10^{13}	2.4	160		ext.	3	8.3×10^{12}	1.9	23
	ext.	ა ი	1.3×10^{10}	1.9	-33		ext.	ა ი	1.2×10^{11}	2.2	-3
	ext.	3 3	9.8×10 1 1 $\times 10^{13}$	2.0	-37		ext.	3 3	2.9×10 2.0 × 10 ¹⁴	2.1	-10
	ext.	3	9.8×10^{15}	6.4	-51		ext.	3	9.8×10^{13}	1.9	-33
	ext.	3	5.4×10^{13}	2.5	-53		ext.	3	3.7×10^{12}	1.3	-87
	ext.	3	1.5×10^{13}	2.0	-130		ext.	3	2.8×10^{12}	2.0	-83
	ext.	3	3.7×10^{16}	0.9	-81	HNC	ext.	3	6.4×10^{12}	1.9	151
$C^{33}S$	ext.	3	3.2×10^{14}	2.5	-141		ext.	3	5.8×10^{13}	3.8	132
	ext.	3	3.1×10^{15}	2.5	-136		ext.	3	1.4×10^{14}	10.5	122
	ext.	3	8.6×10^{15}	8.8	-77		ext.	3	1.2×10^{12}	2.0	121
	ext.	3	9.8×10^{15}	9.2	-47		ext.	3	5.4×10^{13}	3.6	112
	ext.	3	4.5×10^{15}	2.7	0		ext.	3	6.0×10^{14}	7.3	87
	ext.	3	2.4×10^{15}	2.9	9		ext.	3	8.0×10^{13}	4.1	76
	ext.	3	6.0×10^{14}	1.3	48		ext.	3	9.9×10^{14}	29.3	66
	ext.	3	1.4×10^{10}	6.4	72		ext.	3	7.4×10^{12}	2.0	64
C34C	ext.	3	1.7×10^{15}	37.9	140		ext.	3	8.9×10^{10}	4.6	56
CS	ext.	ა ე	1.1×10^{-3} 2.4 × 10^{14}	0.8	-102		ext.	ა ე	2.0×10^{-2}	2.2	01 20
	ext.	3 3	1.7×10^{15}	3.0 2.4	-94 -49		ext.	3 3	3.8×10^{13}	2.8	$\frac{32}{27}$
	ext.	3	1.7×10^{12} 1.3×10^{12}	2.4	25		ext.	3	9.2×10^{13}	3.9	15
	ext.	3	3.7×10^{16}	24.1	42		ext.	3	1.1×10^{14}	1.2	5
	ext.	3	1.3×10^{16}	3.7	55		ext.	3	4.2×10^{13}	2.0	ĩ
	ext.	3	3.3×10^{16}	9.7	68		ext.	3	2.4×10^{12}	1.0	-29
	ext.	3	1.1×10^{15}	2.4	90		ext.	3	2.1×10^{13}	2.2	-43
	ext.	3	1.1×10^{13}	2.5	138		ext.	3	1.2×10^{13}	1.0	-59
HCN	ext.	3	1.0×10^{14}	20.7	128		ext.	3	1.4×10^{12}	39.8	-84
	ext.	3	1.1×10^{12}	2.5	131		ext.	3	2.5×10^{13}	2.2	-100
	ext.	3	2.5×10^{14}	12.8	111		ext.	3	6.2×10^{13}	1.5	-113
	ext.	3	2.3×10^{12}	11.1	108		ext.	3	3.3×10^{13}	1.0	-123
	ext.	3	3.8×10^{13}	2.1	106		ext.	3	5.7×10^{12}	1.0	-111
	ext.	3	1.0×10^{12}	0.5	100		ext.	3	1.9×10^{13}	1.1	-126
	ext.	ა ე	4.1×10^{12}	0.8	94 01		ext.	ა ე	4.0×10^{12}	1.1	-172
	ext.	3 2	4.3×10^{14}	10.5	91 80		ext.	3 2	1.0×10 1.3 × 10 ¹³	1.0	-140 162
	ext.	3	1.5×10^{13}	1.7	71		ext.	3	4.6×10^{12}	1.0	-102
	ext.	3	1.0×10^{12}	0.8	63	$HN^{13}C$	ext.	3	3.6×10^{14}	10.7	71
	ext.	3	1.0×10^{15}	35.0	61	$H^{13}CO^+$	ext.	3	4.1×10^{13}	6.5	59
	ext.	3	4.2×10^{13}	2.0	48		ext.	3	3.6×10^{13}	0.9	141
	ext.	3	3.7×10^{19}	0.2	34		ext.	3	1.5×10^{13}	7.5	111
	ext.	3	2.7×10^{14}	12.2	31		ext.	3	1.1×10^{12}	0.5	104
	ext.	3	1.9×10^{12}	0.8	19		ext.	3	1.0×10^{12}	2.1	98
	ext.	3	3.8×10^{13}	0.8	12		ext.	3	1.8×10^{13}	0.5	73
	ext.	3	3.1×10^{13}	2.8	8		ext.	3	3.0×10^{14}	18.6	69
	ext.	3	4.7×10^{14}	20.1	10		ext.	3	1.8×10^{12}	1.0	-47
	ext.	3	1.4×10^{12}	0.5	-5		ext.	3	6.3×10^{12}	1.7	-64
	ext.	3	4.4×10^{12}	0.8	-18		ext.	3	8.0×10^{12}	6.6	-72
	ext.	3	1.1×10^{14}	7.4	-23		ext.	3	1.1×10^{13}	0.7	-115
	ext.	ა ი	2.0×10^{10}	0.9	-34		ext.	ა ი	7.0×10^{12}	1.1	-140 177
	ext.	ა ვ	1.1×10^{-5} 3.5×10^{14}	2.4	-30 57	$HO^{13}C^+$	ext.	3 3	5.0×10^{-2}	2.3 2.0	-177
	ext.	3 2	5.0×10^{13}	10.9	-67	110 0	ext.	3 2	2.1×10^{13}	2.0	148
	ext.	3	4.3×10^{13}	1.7	-76		ext.	3	7.9×10^{12}	2.2	142
	ext.	3	7.6×10^{13}	1.5	-83		ext.	3	2.3×10^{12}	1.7	134
	ext.	3	1.0×10^{12}	0.8	-102		ext.	3	2.8×10^{12}	1.5	125
	ext.	3	4.3×10^{14}	19.8	-113		ext.	3	1.6×10^{13}	3.9	98
	ext.	3	5.2×10^{13}	3.9	-124		ext.	3	1.8×10^{13}	2.1	79
	ext.	3	7.4×10^{13}	1.3	-130		ext.	3	3.3×10^{13}	10.4	63
	ext.	3	$5.9~\times10^{13}$	1.2	-135		ext.	3	5.2×10^{13}	0.7	23
	ext.	3	2.6×10^{12}	2.0	-144		ext.	3	$2.5~\times 10^{13}$	1.2	-3
	ext.	3	5.0×10^{14}	25.8	-151		ext.	3	2.9×10^{13}	1.1	-36
	ext.	3	1.1×10^{12}	0.5	-176		ext.	3	1.1×10^{12}	9.5	-41
									1.0		

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 238

		(Co	ntinued)		
Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\stackrel{\mathrm{N}^{m,c}_{\mathrm{tot}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\stackrel{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$

Table L.69: LTE Parameters for the full LTE model (Core Components) for source A08 in Sgr B2(N).

(") (K) (cm^{-2}) $(km s^{-1})$ $(km s^{-1})$ $(km s^{-1})$ $(km s^{-1})$ HNC, v2=1 1.3 704 9.8 × 10 ¹⁴ 6.2 74 CH ₃ NH ₂ 1.3 176 1.1 × 10 ¹⁷ 6.0 73 SO ₂ 1.3 213 27. × 10 ¹⁵ 4.1 56 H ₂ CO 1.3 185 6.5 × 10 ¹⁶ 5.5 72 (C ₃ CH) 1.3 209 3.9 × 10 ¹⁴ 5.0 80 C ₄ G(H) 1.3 108 9.6 × 10 ¹⁶ 5.0 73 H ₂ CS 1.3 101 6.6 × 10 ¹⁴ 2.1 73 OCS 1.3 105 2.2 × 10 ¹⁷ 2.2 84 CH ₂ NH 1.3 105 2.3 × 10 ¹⁷ 2.2 84 HNCO 1.3 300 2.0 × 10 ¹⁶ 7.2 72 NH ₂ D 1.3 91 6.1 × 10 ¹⁵ 5.0 72 CH ₂ ON 1.3 120 1.4 × 10 ¹⁶	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	WL CD	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		(″)	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$	$^{13}\mathrm{CO}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC = -1	19	704	0.8×1014	6 9	74	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$HNC, V_2=1$ CH2NH2	1.3 1.3	104 176	9.8×10^{-1} 1 1 × 10 ¹⁷	0.2 6.0	74 73	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	SO ₂	1.3	213	2.7×10^{15}	4.1	56	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	H_2CO	1.3	185	6.5×10^{16}	3.5	72	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	NS	1.3	234	9.4×10^{14}	5.8	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	209	3.9×10^{14}	5.0	80	
	CH_3CHO	1.3	178	3.1×10^{16}	5.5	72	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_5OH	1.3	108	9.6×10^{16}	5.0	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CS	1.3	84	1.1×10^{10}	3.4	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	OCS	1.3	102	6.6×10^{14}	2.1	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	OCS = 1	1.3	105	2.2×10^{-1}	2.2	(Z 73	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$005, v_2 = 1$	1.5	102	2.0×10^{17}	2.1	73 84	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH2NH	1.3	201	1.7×10^{16}	0.2	72^{-10}	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HNCO	1.3	305	9.6×10^{12}	2.0	74	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	311	2.4×10^{16}	7.2	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$HC(O)NH_2$	1.3	300	2.0×10^{16}	7.5	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm NH_2D$	1.3	91	6.1×10^{15}	5.0	70	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH_3CN	1.3	426	3.5×10^{15}	0.9	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	526	4.1×10^{16}	6.5	73	c17.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH ₃ OCH ₃	1.3	120	1.8×10^{17}	4.0	72	CriO
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_3CN	1.3	189	5.9×10^{10}	5.0	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C II CN1	1.3	47	1.6×10^{10}	8.5	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$U_2 H_3 CN, V_{10} = 1$	1.0	68	2.7×10^{-5}	0.2 5 1	70 70	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	112000	1.3	263	6.9×10^{15}	2.6	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CH ₂ OCHO	1.3	144	2.3×10^{17}	3.9	73	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$H_{2}^{33}S$	1.3	198	2.9×10^{15}	1.9	71	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	H_2CNH	1.3	300	1.6×10^{16}	3.0	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	C_2H_5CN	1.3	359	3.4×10^{16}	6.1	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	64	4.9×10^{16}	2.7	72	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$C_2H_5CN, v_{20}=1$	1.3	109	1.0×10^{17}	4.3	72	
$\begin{array}{c ccccc} 1.3 & 400 & 1.0 \times 10^{10} & 8.1 & 73 \\ 1.3 & 200 & 9.1 \times 10^{15} & 7.9 & 72 \\ 1.3 & 200 & 9.2 \times 10^{13} & 2.2 & 129 \\ 1.3 & 200 & 2.6 \times 10^{13} & 2.6 & 126 & C^{18}O \\ 1.3 & 200 & 2.1 \times 10^{14} & 3.9 & -181 \\ 1.3 & 200 & 7.5 \times 10^{14} & 5.3 & 77 \\ 1.3 & 200 & 5.5 \times 10^{13} & 2.2 & 62 \\ 1.3 & 200 & 3.4 \times 10^{12} & 1.0 & 56 \\ 1.3 & 200 & 3.5 \times 10^{13} & 2.0 & 48 \\ 1.3 & 200 & 3.5 \times 10^{13} & 2.7 & 12 \\ 1.3 & 200 & 2.0 \times 10^{14} & 2.8 & 32 \\ 1.3 & 200 & 2.0 \times 10^{14} & 2.8 & 32 \\ 1.3 & 200 & 2.0 \times 10^{14} & 2.8 & 32 \\ 1.3 & 200 & 2.0 \times 10^{14} & 4.1 & 2 \\ 1.3 & 200 & 2.0 \times 10^{14} & 4.1 & 2 \\ 1.3 & 200 & 2.0 \times 10^{14} & 4.1 & 2 \\ 1.3 & 200 & 3.0 \times 10^{14} & 4.1 & 2 \\ 1.3 & 200 & 3.0 \times 10^{14} & 5.3 & -15 \\ 1.3 & 200 & 3.0 \times 10^{14} & 2.1 & -47 \\ 1.3 & 200 & 3.0 \times 10^{14} & 2.1 & -47 \\ 1.3 & 200 & 5.0 \times 10^{14} & 2.1 & -47 \\ HCN, v_2=1 & 1.3 & 604 & 1.5 \times 10^{16} & 6.3 & 72 \\ CH_3OH & 1.3 & 344 & 6.0 \times 10^{17} & 5.7 & 72 \\ 1.3 & 167 & 3.0 \times 10^{15} & 4.3 & 74 \\ CO & 1.3 & 200 & 1.4 \times 10^{17} & 5.8 & 137 \\ 1.3 & 200 & 1.4 \times 10^{17} & 5.8 & 137 \\ 1.3 & 200 & 1.0 \times 10^{15} & 0.7 & 115 \\ 1.3 & 200 & 9.5 \times 10^{17} & 14.7 & 106 \\ \end{array} $	HCCCN	1.3	124	2.3×10^{15}	0.5	71	
HCCCN, $v_7=2$ 1.3 300 5.7 × 10 ¹³ 7.9 72 PN 1.3 200 9.1 × 10 ¹³ 2.2 129 1.3 200 2.6 × 10 ¹³ 2.6 126 C ¹⁸ O 1.3 200 2.1 × 10 ¹⁴ 3.9 -181 1.3 200 2.1 × 10 ¹⁴ 3.9 -181 1.3 200 3.4 × 10 ¹² 1.0 56 1.3 2.0 4.8 1.3 200 3.4 × 10 ¹² 1.0 56 1.3 2.0 4.8 1.3 200 2.3 × 10 ¹³ 2.7 12 1.3 200 2.9 × 10 ¹⁴ 4.1 2 1.3 200 2.9 × 10 ¹⁴ 4.1 2 1.3 200 2.0 × 10 ¹⁴ 2.7 -24 1.3 200 3.0 × 10 ¹⁴ 2.7 -24 1.3 200 3.8 × 10 ¹³ 2.0 -31 1.3 200 3.8 × 10 ¹³ 2.0 -31 1.3 200 3.8 × 10 ¹⁴ 2.7 -24 1.3 200 3.8 × 10 ¹⁴ 2.1 -47 HCN, $v_2=1$ 1.3 604 1.5 × 10 ¹⁶ 6.3 72 CH ₃ OH 1.3 86 3.9 × 10 ¹⁸ 1.8 72 SO 1.3 112 8.5 × 10 ¹⁶ 0.3 72 SO 1.3 112 8.5 × 10 ¹⁶ 0.3 72 CH 30 1.3 200 1.4 × 10 ¹⁷ 5.8 137 1.3 200 CS	HOGON A	1.3	400	1.0×10^{10}	8.1	73	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCCCN, $v_7=2$	1.3	300	5.7×10^{13}	7.9	72	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	PN	1.3	200	9.1×10^{10}	2.2	129	$C^{18}O$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.0	200	2.0×10^{-13}	2.0	120	0 0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	2.1×10^{14}	2.0	-181	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	7.5×10^{14}	5.3	77	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	5.5×10^{13}	2.2	62	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	3.4×10^{12}	1.0	56	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	8.5×10^{13}	2.0	48	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	4.8×10^{13}	1.6	42	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.0×10^{14}	2.8	32	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.3×10^{13}	2.7	12	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	1.7×10^{13}	2.0	10	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.9×10^{14}	4.1	2	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	3.0×10^{11}	$\frac{0.3}{0.7}$	-10	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	2.0×10^{13} 3.8 × 10 ¹³	2.1	-24 -31	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	5.0×10^{14}	2.0	-47	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	HCN, $v_2=1$	1.3	604	1.5×10^{16}	6.3	72	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CH ₃ OH	1.3	344	6.0×10^{17}	5.7	72	
SO 1.3 112 8.5×10^{16} 0.3 72 1.3 167 3.0×10^{15} 4.3 74 CO 1.3 200 1.4×10^{17} 5.8 137 1.3 200 10.0×10^{15} 0.7 115 1.3 200 9.5×10^{17} 14.7 106	~	1.3	86	3.9×10^{18}	1.8	72	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SO	1.3	112	8.5×10^{16}	0.3	72	
CO 1.3 200 1.4×10^{17} 5.8 137 1.3 200 10.0×10^{15} 0.7 115 1.3 200 9.5×10^{17} 14.7 106 CS		1.3	167	3.0×10^{15}	4.3	74	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CO	1.3	200	1.4×10^{17}	5.8	137	
$1.3 200 9.5 \times 10^{14} 14.7 106 \qquad \text{CS}$		1.3	200	10.0×10^{15}	0.7	115	CS
		1.3	200	9.5 ×10 ¹ ′	14.7	106	60

$\begin{array}{c c c c c c c c c c c c c c c c c c c $		(Continued)								
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\mathbf{N}_{\mathrm{tot}_{-}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$				
$C^{17}O = \begin{bmatrix} 1.3 & 200 & 1.3 \times 10^{16} & 1.5 & 42 \\ 1.3 & 200 & 2.1 \times 10^{16} & 1.3 & -67 \\ 1.3 & 200 & 7.7 \times 10^{15} & 0.8 & -129 \\ 1.3 & 200 & 1.5 \times 10^{15} & 3.0 & -139 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{16} & 10.7 & 152 \\ 1.3 & 200 & 2.2 \times 10^{16} & 10.7 & 152 \\ 1.3 & 200 & 2.2 \times 10^{16} & 10.7 & 152 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.6 & 144 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.6 & 144 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 3.7 \times 10^{17} & 4.4 & 114 \\ 1.3 & 200 & 3.7 \times 10^{17} & 4.4 & 114 \\ 1.3 & 200 & 3.1 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 1.3 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 2.9 \times 10^{17} & 2.2 & -120 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 2.9 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 2.9 \times 10^{16} & 7.1 & -168 \\ 1.3 & 200 & 2.9 \times 10^{16} & 7.1 & -168 \\ 1.3 & 200 & 1.4 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 1.4 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 1.4 \times 10^{17} & 5.7 & -337 \\ 1.3 & 200 & 1.4 \times 10^{17} & 5.8 & -49 \\ 1.3 & 200 & 1.4 \times 10^{16} & 2.7 & -137 \\ 1.3 & 200 & 1.4 \times 10^{16} & 7.7 & -737 \\ 1.3 & 200 & 1.4 \times 10^{16} & 7.7 & -737 \\ 1.3 & 200 & 1.5 \times 10^{17} & 5.0 & -25 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 7.4 & 747 \\ 1.4 & 1.3 & 200 & 7.5 \times 10^{17} & 5.5 & 135 \\ 1.5 & 135 & 200 & 7.5 \times 10^{17} & 5.5 & 135 \\ 1.5 & 135 &$		('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{km}\mathrm{s}^{-1})$				
$C^{170} = \begin{bmatrix} 1.3 & 200 & 67. \times 10^{14} & 2.2 & -96 \\ 1.3 & 200 & 7.7 \times 10^{15} & 0.8 & -129 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -141 \\ 1.3 & 200 & 7.2 \times 10^{16} & 1.3 & 131 \\ 1.3 & 200 & 7.2 \times 10^{16} & 1.3 & 131 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.4 \times 10^{16} & 0.9 & -14 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.0 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.0 \times 10^{16} & 1.8 & -44 \\ 1.3 & 200 & 1.3 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 2.0 \times 10^{16} & 1.2 & -103 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 2.9 \times 10^{17} & 2.2 & -120 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.2 & -179 \\ 1.3 & 200 & 2.0 \times 10^{17} & 0.6 & -164 \\ 1.3 & 200 & 2.9 \times 10^{17} & 7.1 & -168 \\ 1.3 & 200 & 2.9 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{15} & 2.7 & -137 \\ 1.3 & 200 & 1.2 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{15} & 2.7 & -137 \\ 1.3 & 200 & 1.4 \times 10^{15} & 2.7 & -26 \\ 1.3 & 200 & 1.4 \times 10^{15} & 2.7 & -26 \\ 1.3 & 200 & 1.2 \times 10^{16} & 7.9 & -74 \\ 1.3 & 200 & 5.6 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.6 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.6 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 1.1 \times 10^{17} & 6.1 & -2 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -77 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -77 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.0 & 92 \\ 1.3 & 200 & 7.7 \times 10^{16} & 2.7 & -49 \\ 1.3 & 200 & 7.7 \times 10^{17} & 4.7 & -104 \\ 1.3 & 200 & 7.7 \times 10^{17} & 4.7 & -124 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.0 & -27 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.2 & -25 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 7.5 \times 10^{17} & 7.5 & -25 \\ 1.3 & 200 & 7.5 \times 10^{$		1.3	200	1.3×10^{17}	1.5	42				
$C^{17}O = \begin{bmatrix} 1.3 \\ 1.3 \\ 200 \\ 1.5 \times 10^{15} \\ 3.0 \\ 1.5 \times 10^{15} \\ 3.0 \\ 1.5 \times 10^{13} \\ 3.0 \\ 1.5 \times 10^{13} \\ 1.6 \\ 1.3 \\ 200 \\ 1.5 \times 10^{13} \\ 1.6 \\ 1.3 \\ 200 \\ 1.8 \times 10^{17} \\ 1.6 \\ 1.3 \\ 200 \\ 1.8 \times 10^{17} \\ 1.6 \\ 1.3 \\ 1.3 \\ 200 \\ 2.2 \times 10^{16} \\ 1.6 \\ 1.1 \\ 1.3 \\ 200 \\ 2.2 \times 10^{16} \\ 1.6 \\ 1.1 \\ 1.3 \\ 200 \\ 2.2 \times 10^{17} \\ 1.3 \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 200 \\ 3.7 \times 10^{17} \\ 1.3 \\ 200 \\ 3.7 \times 10^{16} \\ 1.6 \\ 1.3 \\ 200 \\ 1.2 \times 10^{17} \\ 1.3 \\ 200 \\ 2.9 \times 10^{16} \\ 1.6 \\ 1.7 \\ 1.3 \\ 200 \\ 1.2 \times 10^{17} \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.4 \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.4 \\ 1.3 \\ 200 \\ 1.5 \times 10^{16} \\ 1.1 \\ 1.7 \\ 1.5 \\ 1.3 \\ 200 \\ 1.5 \times 10^{16} \\ 1.1 \\ 1.7 \\ 1.5 \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.5 \\ 1.5 \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.5 \\ 1.5 \\ 1.3 \\ 200 \\ 1.5 \times 10^{17} \\ 1.5 \\ $		1.3	200	2.1×10^{10}	1.3	-67				
$C^{17}O = \begin{bmatrix} 1.7 \\ 1.3 \\ 200 \\ 1.5 \times 10^{15} \\ 1.4 \\ 1.3 \\ 200 \\ 1.5 \times 10^{15} \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.4 \\ 1.3 \\ 200 \\ 1.4 \\ 1.$		1.3	200	0.7×10^{15} 7.7 × 10 ¹⁵	2.2	-90 -120				
$C^{17}O = \begin{bmatrix} 1.3 & 200 & 7.2 \times 10^{13} & 1.6 & -148 \\ 1.3 & 200 & 7.2 \times 10^{13} & 0.9 & -175 \\ 1.3 & 200 & 2.2 \times 10^{16} & 10.7 & 152 \\ 1.3 & 200 & 7.2 \times 10^{16} & 1.3 & 131 \\ 1.3 & 200 & 7.2 \times 10^{16} & 1.3 & 131 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.4 \times 10^{18} & 0.8 & 73 \\ 1.3 & 200 & 3.1 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 3.1 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.4 \times 10^{15} & 2.8 & -30 \\ 1.3 & 200 & 1.0 \times 10^{17} & 4.8 & -44 \\ 1.3 & 200 & 1.0 \times 10^{17} & 4.8 & -44 \\ 1.3 & 200 & 1.0 \times 10^{17} & 4.8 & -44 \\ 1.3 & 200 & 1.0 \times 10^{17} & 2.2 & -120 \\ 1.3 & 200 & 2.9 \times 10^{17} & 2.2 & -120 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.2 & -179 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.2 & -179 \\ 1.3 & 200 & 1.2 \times 10^{17} & 7.1 & -168 \\ 1.3 & 200 & 2.9 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 1.4 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{16} & 2.2.3 & -100 \\ 1.3 & 200 & 9.9 \times 10^{16} & 2.2.3 & -100 \\ 1.3 & 200 & 1.4 \times 10^{17} & 5.1 & -126 \\ 1.3 & 200 & 3.4 \times 10^{15} & 2.7 & -337 \\ 1.3 & 200 & 1.4 \times 10^{17} & 5.1 & -126 \\ 1.3 & 200 & 3.4 \times 10^{15} & 2.7 & -26 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 1.5 \times 10^{17} & 5.0 & 92 \\ 1.3 & 200 & 1.5 \times 10^{17} & 5.0 & 92 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.7 \times 10^{14} & 2.7 & -104 \\ 1.3 & 200 & 5.7 \times 10^{14} & 2.7 & -104 \\ 1.3 & 200 & 5.7 \times 10^{14} & 2.7 & -104 \\ 1.3 & 200 & 5.7 \times 10^{14} & 2.7 & -104 \\ 1.3 & 200 & 5.7 \times 10^{16} & 2.6 & 49 \\ 1.3 & 200 & 5.7 \times 10^{16} & 2.6 & 49 \\ 1.3 & 200 & 5.7 \times 10^{16} & 2.6 & 46 \\ 1.3 & 200 & 7.7 \times 10^{17} & 5.3 & 27 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 135 \\ 1.3 & 200 & 3.1 \times 10^{17}$		1.3	200	1.7×10^{15} 1.5 × 10 ¹⁵	3.0	-129				
$C^{17}O = \begin{bmatrix} 1.3 & 200 & 4.4 \times 10^{14} & 2.2 & -162 \\ 1.3 & 200 & 7.0 \times 10^{13} & 0.9 & -175 \\ 1.3 & 200 & 2.2 \times 10^{16} & 1.0.7 & 152 \\ 1.3 & 200 & 2.8 \times 10^{17} & 1.6 & 144 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.8 \times 10^{18} & 0.8 & 73 \\ 1.3 & 200 & 8.1 \times 10^{16} & 3.6 & 51 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 2.9 \times 10^{16} & 0.9 & -14 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 1.3 \times 10^{17} & 0.8 & -14 \\ 1.3 & 200 & 1.3 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.2 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 2.9 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 1.2 \times 10^{17} & 7.1 & -168 \\ 1.3 & 200 & 1.2 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 9.9 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 9.9 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 9.9 \times 10^{16} & 7.7 & -137 \\ 1.3 & 200 & 1.6 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{16} & 5.7 & -137 \\ 1.3 & 200 & 5.5 \times 10^{16} & 8.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 8.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 8.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 577 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.6 & -125 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.6 & -145 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.6 & -145 \\ 1.3 & 200 & 5.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 5.3 & 277 \\ 1.3 & 200 & 7.5 \times 10^{17} & 7.6 & 73 \\ 1.3 & 200 & 7.5 \times 10^{17} & 7.6 & 73 \\ 1.3 & 200 & 7.5 \times 10^{1$		1.3	200	7.2×10^{13}	1.6	-148				
$ C^{17}O = \begin{bmatrix} 1.3 & 200 & 7.0 \times 10^{13} & 0.9 & -175 \\ 1.3 & 200 & 1.8 \times 10^{17} & 1.6 & 144 \\ 1.3 & 200 & 7.2 \times 10^{16} & 1.3 & 131 \\ 1.3 & 200 & 3.7 \times 10^{17} & 4.4 & 114 \\ 1.3 & 200 & 2.8 \times 10^{18} & 0.8 & 73 \\ 1.3 & 200 & 8.1 \times 10^{16} & 3.6 & 51 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 1.9 \times 10^{16} & 0.9 & 15 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 2.9 \times 10^{16} & 1.6 & 7 \\ 1.3 & 200 & 4.8 \times 10^{15} & 2.8 & -30 \\ 1.3 & 200 & 4.8 \times 10^{15} & 2.8 & -30 \\ 1.3 & 200 & 1.0 \times 10^{17} & 4.8 & -44 \\ 1.3 & 200 & 1.3 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 1.0 \times 10^{17} & 2.2 & -120 \\ 1.3 & 200 & 1.0 \times 10^{17} & 0.6 & -164 \\ 1.3 & 200 & 2.9 \times 10^{17} & 7.1 & -168 \\ 1.3 & 200 & 2.0 \times 10^{16} & 7.1 & -166 \\ 1.3 & 200 & 2.9 \times 10^{16} & 7.1 & -166 \\ 1.3 & 200 & 9.9 \times 10^{15} & 2.7 & -137 \\ 1.3 & 200 & 1.4 \times 10^{14} & 3.7 & -124 \\ 1.3 & 200 & 1.4 \times 10^{16} & 2.7 & 39 \\ 1.3 & 200 & 1.1 \times 10^{16} & 2.7 & 39 \\ 1.3 & 200 & 1.5 \times 10^{17} & 5.0 & 92 \\ 1.3 & 200 & 1.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.5 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 1.5 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{16} & 5.4 & -126 \\ 1.3 & 200 & 5.5 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 3.0 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 3.0 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 7.5 \times 10^{16} & 5.5 & -135 \\ 1.3 & 200 & 7.5 \times 10^{16} &$		1.3	200	4.4×10^{14}	2.2	-162				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	7.0×10^{13}	0.9	-175				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	^{13}CO	1.3	200	2.2×10^{16}	10.7	152				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.8×10^{17}	1.6	144				
$C^{17}O = \begin{bmatrix} 1.3 & 200 & 2.4 \times 10^{17} & 1.3 & 123 \\ 1.3 & 200 & 2.8 \times 10^{18} & 0.8 & 73 \\ 1.3 & 200 & 1.2 \times 10^{17} & 2.0 & 37 \\ 1.3 & 200 & 1.9 \times 10^{16} & 0.9 & 34 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & 14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 2.1 \times 10^{17} & 0.9 & -14 \\ 1.3 & 200 & 1.0 \times 10^{17} & 4.8 & -44 \\ 1.3 & 200 & 1.3 \times 10^{16} & 1.1 & -75 \\ 1.3 & 200 & 2.4 \times 10^{16} & 2.8 & -103 \\ 1.3 & 200 & 2.4 \times 10^{16} & 2.8 & -103 \\ 1.3 & 200 & 2.4 \times 10^{16} & 2.8 & -103 \\ 1.3 & 200 & 1.5 \times 10^{16} & 1.0 & -105 \\ 1.3 & 200 & 2.4 \times 10^{17} & 1.5 & -116 \\ 1.3 & 200 & 2.0 \times 10^{16} & 0.2 & -179 \\ 1.3 & 200 & 2.0 \times 10^{16} & 0.2 & -179 \\ 1.3 & 200 & 1.2 \times 10^{17} & 7.1 & -168 \\ 1.3 & 200 & 2.0 \times 10^{16} & 7.1 & -161 \\ 1.3 & 200 & 1.6 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{16} & 2.3 & -154 \\ 1.3 & 200 & 1.6 \times 10^{17} & 8.1 & -146 \\ 1.3 & 200 & 9.9 \times 10^{16} & 2.7 & -137 \\ 1.3 & 200 & 5.3 \times 10^{16} & 2.3 & -100 \\ 1.3 & 200 & 9.2 \times 10^{16} & 7.9 & -74 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -145 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -145 \\ 1.3 & 200 & 5.3 \times 10^{16} & 5.8 & -145 \\ 1.3 & 200 & 5.7 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 5.7 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 7.7 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 7.7 \times 10^{17} & 5.4 & -126 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & -49 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & -49 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & -49 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & -46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.5 & 46 \\ 1.3 & 200 & 7.5 \times 10^{1$		1.3	200	7.2×10^{10}	1.3	131				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	2.4×10^{17} 2.7×10^{17}	1.3	123				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.0	200	2.7×10^{18}	4.4	73				
$ C^{17}O = \begin{bmatrix} 1,3 & 200 & 1,2 \times 10^{17} & 2,0 & 37 \\ 1,3 & 200 & 1,9 \times 10^{16} & 0,9 & 34 \\ 1,3 & 200 & 1,9 \times 10^{16} & 0,9 & 15 \\ 1,3 & 200 & 2,1 \times 10^{17} & 0,9 & -14 \\ 1,3 & 200 & 4.8 \times 10^{15} & 2.8 & -30 \\ 1,3 & 200 & 1,3 \times 10^{16} & 1,1 & -75 \\ 1,3 & 200 & 2,4 \times 10^{16} & 2.8 & -103 \\ 1,3 & 200 & 2,4 \times 10^{16} & 2.8 & -103 \\ 1,3 & 200 & 2,9 \times 10^{17} & 2.2 & -120 \\ 1,3 & 200 & 2,9 \times 10^{17} & 2.2 & -120 \\ 1,3 & 200 & 3,0 \times 10^{16} & 0,2 & -179 \\ 1,3 & 200 & 3,0 \times 10^{16} & 0,2 & -179 \\ 1,3 & 200 & 2,0 \times 10^{16} & 0,2 & -179 \\ 1,3 & 200 & 1,2 \times 10^{17} & 7,1 & -168 \\ 1,3 & 200 & 2,0 \times 10^{16} & 7,1 & -161 \\ 1,3 & 200 & 1,2 \times 10^{17} & 7,1 & -168 \\ 1,3 & 200 & 1,2 \times 10^{17} & 8,1 & -146 \\ 1,3 & 200 & 9,9 \times 10^{16} & 2,7 & -137 \\ 1,3 & 200 & 1,6 \times 10^{17} & 8,1 & -146 \\ 1,3 & 200 & 9,9 \times 10^{15} & 2,7 & -137 \\ 1,3 & 200 & 3,4 \times 10^{15} & 2,7 & -26 \\ 1,3 & 200 & 1,1 \times 10^{17} & 6,1 & -2 \\ 1,3 & 200 & 3,4 \times 10^{15} & 2,7 & -26 \\ 1,3 & 200 & 1,1 \times 10^{16} & 8,0 & 20 \\ 1,3 & 200 & 5,3 \times 10^{16} & 8,4 & 57 \\ 1,3 & 200 & 5,3 \times 10^{16} & 8,4 & 57 \\ 1,3 & 200 & 5,3 \times 10^{16} & 3,4 & 57 \\ 1,3 & 200 & 5,3 \times 10^{16} & 3,4 & 57 \\ 1,3 & 200 & 5,3 \times 10^{16} & 3,4 & 57 \\ 1,3 & 200 & 5,3 \times 10^{16} & 3,4 & -112 \\ 1,3 & 200 & 5,3 \times 10^{16} & 3,4 & -112 \\ 1,3 & 200 & 5,3 \times 10^{16} & 9,5 & -167 \\ 1,3 & 200 & 5,3 \times 10^{16} & 9,5 & -167 \\ 1,3 & 200 & 5,3 \times 10^{16} & 9,5 & -167 \\ 1,3 & 200 & 5,3 \times 10^{16} & 9,5 & -167 \\ 1,3 & 200 & 5,3 \times 10^{16} & 2,5 & -49 \\ 1,3 & 200 & 1,5 \times 10^{17} & 5,4 & -126 \\ 1,3 & 200 & 1,5 \times 10^{17} & 5,4 & -126 \\ 1,3 & 200 & 1,7 \times 10^{16} & 2,5 & -49 \\ 1,3 & 200 & 1,7 \times 10^{16} & 2,5 & -49 \\ 1,3 & 200 & 1,7 \times 10^{16} & 2,5 & -49 \\ 1,3 & 200 & 1,3 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 10^{17} & 7,3 & -61 \\ 1,3 & 200 & 3,0 \times 1$		1.3	200	8.1×10^{16}	3.6	51				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.2×10^{17}	2.0	37				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	3.1×10^{16}	0.9	34				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	1.9×10^{16}	0.9	15				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.9×10^{16}	1.6	7				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.1×10^{17}	0.9	-14				
$C^{11}O = 1.0 \times 10^{10} + 4.8 - 44$ $1.3 = 200 = 1.0 \times 10^{16} = 1.1 = -75$ $1.3 = 200 = 2.4 \times 10^{16} = 2.8 - 103$ $1.3 = 200 = 1.5 \times 10^{16} = 1.0 = -105$ $1.3 = 200 = 3.0 \times 10^{17} = 1.5 = -116$ $1.3 = 200 = 3.0 \times 10^{17} = 1.5 = -116$ $1.3 = 200 = 4.0 \times 10^{17} = 1.5 = -116$ $1.3 = 200 = 4.0 \times 10^{17} = 0.6 = -164$ $1.3 = 200 = 1.2 \times 10^{17} = 7.1 = -168$ $1.3 = 200 = 1.2 \times 10^{17} = 7.1 = -161$ $1.3 = 200 = 1.2 \times 10^{17} = 7.1 = -161$ $1.3 = 200 = 1.2 \times 10^{17} = 7.1 = -161$ $1.3 = 200 = 1.4 \times 10^{14} = 3.7 = -124$ $1.3 = 200 = 1.4 \times 10^{14} = 3.7 = -124$ $1.3 = 200 = 1.4 \times 10^{14} = 3.7 = -124$ $1.3 = 200 = 1.4 \times 10^{15} = 2.7 = -26$ $1.3 = 200 = 1.4 \times 10^{15} = 2.7 = -26$ $1.3 = 200 = 1.4 \times 10^{15} = 2.7 = -26$ $1.3 = 200 = 1.4 \times 10^{15} = 2.7 = -26$ $1.3 = 200 = 1.4 \times 10^{15} = 2.7 = -26$ $1.3 = 200 = 1.4 \times 10^{16} = 2.7 = 39$ $1.3 = 200 = 1.5 \times 10^{16} = 3.4 = 57$ $1.3 = 200 = 1.5 \times 10^{16} = 3.4 = 57$ $1.3 = 200 = 1.5 \times 10^{17} = 5.0 = 92$ $1.3 = 200 = 4.0 \times 10^{16} = 2.6 = 115$ $C^{18}O = 1.3 = 200 = 5.5 \times 10^{16} = 3.4 = -57$ $1.3 = 200 = 5.5 \times 10^{17} = 12.0 = -167$ $1.3 = 200 = 5.5 \times 10^{17} = 12.0 = -167$ $1.3 = 200 = 5.5 \times 10^{17} = 12.0 = -167$ $1.3 = 200 = 5.5 \times 10^{17} = 5.0 = 92$ $1.3 = 200 = 1.7 \times 10^{17} = 5.4 = -126$ $1.3 = 200 = 1.7 \times 10^{17} = 5.4 = -126$ $1.3 = 200 = 1.7 \times 10^{17} = 5.4 = -126$ $1.3 = 200 = 1.7 \times 10^{17} = 5.4 = -126$ $1.3 = 200 = 1.5 \times 10^{17} = 6.1 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.1 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.1 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.4 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.4 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.4 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.4 = -11$ $1.3 = 200 = 1.5 \times 10^{17} = 6.8 = 41$ $1.3 = 200 = 1.5 \times 10^{17} = 6.6 = 60$ $1.3 = 200 = 1.3 \times 10^{17} = 7.3 = 216$ $1.3 = 200 = 1.3 \times 10^{17} = 5.3 = 27$ $1.3 = 200 = 4.3 \times 10^{17} = 13.6 = 60$ $1.3 = 200 = 1.3 \times 10^{17} = 5.3 = 27$ $1.3 = 200 = 4.7 \times 10^{17} = 2.4 = 72$ $1.3 = 200 = 4.7 \times 10^{17} = 4.7 = 72$ $1.3 = 200 = 4.7 \times 10^{17} = 4.7 = 72$ $1.3 = 200 = 4.7 \times 10^{17} =$		1.3	200	4.8×10^{15}	2.8	-30				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.0×10^{17}	4.8	-44				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	1.3×10^{10}	1.1	-70 103				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.0	200	1.5×10^{16}	2.8	-105				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.9×10^{17}	2.2	-120				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	1.1×10^{17}	1.5	-116				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	3.0×10^{16}	2.3	-154				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	4.0×10^{17}	0.6	-164				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	c17 c	1.3	200	2.0×10^{16}	0.2	-179				
$C^{18}O = 1.3 200 1.6 \times 10^{17} 8.1 -146 \\ 1.3 200 1.6 \times 10^{17} 8.1 -146 \\ 1.3 200 9.9 \times 10^{15} 2.7 -137 \\ 1.3 200 8.9 \times 10^{16} 22.3 -100 \\ 1.3 200 9.2 \times 10^{16} 7.9 -74 \\ 1.3 200 5.6 \times 10^{16} 5.8 -49 \\ 1.3 200 1.1 \times 10^{17} 6.1 -2 \\ 1.3 200 1.1 \times 10^{17} 6.1 -2 \\ 1.3 200 1.1 \times 10^{17} 6.1 -2 \\ 1.3 200 1.1 \times 10^{16} 2.7 39 \\ 1.3 200 2.6 \times 10^{16} 3.4 57 \\ 1.3 200 2.9 \times 10^{17} 7.0 73 \\ 1.3 200 4.0 \times 10^{16} 2.6 115 \\ C^{18}O = 1.3 200 5.5 \times 10^{16} 9.5 -145 \\ 1.3 200 5.3 \times 10^{16} 9.5 -145 \\ 1.3 200 5.7 \times 10^{17} 5.4 -126 \\ 1.3 200 5.7 \times 10^{17} 5.4 -126 \\ 1.3 200 5.7 \times 10^{16} 3.4 -112 \\ 1.3 200 5.7 \times 10^{16} 1.4 -17 \\ 1.3 200 1.8 \times 10^{17} 1.7 -84 \\ 1.3 200 1.8 \times 10^{17} 1.7 -84 \\ 1.3 200 1.5 \times 10^{17} 6.0 -11 \\ 1.3 200 1.5 \times 10^{17} 5.3 27 \\ 1.3 200 1.5 \times 10^{16} 9.2 0 \\ 1.3 200 -1.3 \times 10^{17} 5.3 27 \\ 1.3 200 -1.3 \times 10^{17} 13.6 96 \\ 1.3 200 -7.5 \times 10^{16} 2.6 60 \\ 1.3 200 -7.5 \times 10^{16} 2.5 46 \\ 1.3 200 -7.5 \times 10^{16} 2.6 60 \\ 1.3 200 -7.5 \times 10^{16} 2.5 46 \\ $	$C^{1}O$	1.3	200	1.2×10^{17}	7.1	-168				
$C^{180} = \begin{bmatrix} 1.3 & 200 & 1.0 \times 10 & 5.1 & -140 \\ 1.3 & 200 & 9.9 \times 10^{15} & 2.7 & -137 \\ 1.3 & 200 & 8.9 \times 10^{16} & 22.3 & -100 \\ 1.3 & 200 & 9.2 \times 10^{16} & 7.9 & -74 \\ 1.3 & 200 & 5.6 \times 10^{16} & 5.8 & -49 \\ 1.3 & 200 & 3.4 \times 10^{15} & 2.7 & -26 \\ 1.3 & 200 & 1.1 \times 10^{17} & 6.1 & -2 \\ 1.3 & 200 & 2.6 \times 10^{16} & 8.0 & 20 \\ 1.3 & 200 & 1.1 \times 10^{16} & 2.7 & 39 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 5.3 \times 10^{16} & 3.4 & 57 \\ 1.3 & 200 & 4.0 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.9 \times 10^{17} & 7.0 & 73 \\ 1.3 & 200 & 5.9 \times 10^{17} & 12.0 & -167 \\ 1.3 & 200 & 5.9 \times 10^{17} & 12.0 & -167 \\ 1.3 & 200 & 5.7 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.7 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.7 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.7 \times 10^{16} & 3.4 & -112 \\ 1.3 & 200 & 5.7 \times 10^{16} & 2.5 & -49 \\ 1.3 & 200 & 1.8 \times 10^{17} & 11.7 & -84 \\ 1.3 & 200 & 1.4 \times 10^{17} & 7.3 & -61 \\ 1.3 & 200 & 1.4 \times 10^{17} & 7.5 & -25 \\ 1.3 & 200 & 1.5 \times 10^{16} & 2.1 & -38 \\ 1.3 & 200 & 1.3 \times 10^{17} & 5.3 & 27 \\ 1.3 & 200 & 1.3 \times 10^{17} & 5.3 & 27 \\ 1.3 & 200 & 7.0 \times 10^{16} & 4.1 & 5 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.6 & 60 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.6 & 60 \\ 1.3 & 200 & 7.5 \times 10^{16} & 2.6 & 60 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.7 \times 10^{17} & 2.4 & 72 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.7 \times 10^{17} & 2.4 & 72 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 4.7 \times 10^{17} & 2.4 & 72 \\ 1.3 & 200 & 4.3 \times 10^{17} & 13.6 & 96 \\ 1.3 & 200 & 3.1 \times 10^{16} & 4.1 & 7 & 141 \\ 1.3 & 200 & 3.1 \times 10^{14} & 1.7 & 141 \\ 1.3 & 200 & 7.5 \times 10^{12} & 5.5 & 135 \\ \end{bmatrix}$		1.3	200	2.9×10^{10}	7.1	-101 146				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.0	200	1.0×10^{-10}	$\frac{6.1}{2.7}$	-140 -137				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.4×10^{14}	3.7	-124				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	8.9×10^{16}	22.3	-100				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	9.2×10^{16}	7.9	-74				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	5.6×10^{16}	5.8	-49				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	3.4×10^{15}	2.7	-26				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.1×10^{17}	6.1	-2				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	2.6×10^{10} 1 1 × 10 ¹⁶	8.0	20				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	5.3×10^{16}	3.4	59 57				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.3	200	2.9×10^{17}	7.0	73				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.5×10^{17}	5.0	92				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	4.0×10^{16}	2.6	115				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$C^{18}O$	1.3	200	5.9×10^{17}	12.0	-167				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	5.3×10^{16}	9.5	-145				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.7×10^{17}	5.4	-126				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	5.5×10^{10} 5.7 × 10 ¹⁴	3.4	-112				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.0	200	1.8×10^{17}	2.7 11.7	-104				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	3.0×10^{17}	73	-61				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	7.7×10^{16}	2.5	-49				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	4.0×10^{16}	2.1	-38				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.4×10^{17}	7.5	-25				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	1.5×10^{17}	6.0	-11				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	3.9×10^{16}	9.2	0				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	7.0×10^{10}	4.1	5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3 1.3	200 200	2.1×10^{-1} 1.3 $\times 10^{17}$	0.4 5.3	10 97				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	2.2×10^{17}	6.8	41				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	6.4×10^{16}	2.5	46				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	$7.5~\times10^{16}$	2.6	60				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	4.7×10^{17}	2.4	72				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	4.3×10^{17}	13.6	96				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3	200	3.6×10^{10}	8.2	120				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.3 1.2	200	4.1×10^{10} 7 7 $\vee 10^{17}$	40.8 17	129 147				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	\mathbf{CS}	1.3	200	8.4×10^{12}	1.0	144				
$1.3 200 7.5 \times 10^{12} 5.5 135$		1.3	200	3.1×10^{14}	1.7	141				
		1.3	200	7.5×10^{12}	5.5	135				

T. Möller et al.: Full molecular line survey of hot cores	, Online Material p 239
---	-------------------------

 $\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km\,s}^{-1})}$

-51

-71

-117

-53 -122

159

139

123

104

95

82

44

39

3

4

-168

-18

-24

-38 -45

-58 -68

-87

99 93

45

11

5-1

-19 -37

-46

-52

-56

-79

-92

-90

-96

-53

-46 -34

0

1848

6273

89

106

114

123

136

163

-87

-74

-56

-47

-40

-12

6

18

41

48

71

85106

111

132

146

160149

130

114

 $(\mathrm{km}\,\mathrm{s}^{-1})$

		(C	Continued)			(Continued)				
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$
	(")	(K)	$\frac{(\text{cm}^{-2})}{2}$	$({\rm km s^{-1}})$	$\frac{(\text{km s}^{-1})}{100}$		(")	(K)	$\frac{(\text{cm}^{-2})}{1100}$	$({\rm km s^{-1}})$
	1.3	200	8.8×10^{12}	4.1	122		1.3	200	1.1×10^{12} 1.6 × 10^{14}	6.0
	1.3	$\frac{200}{200}$	9.4×10^{14}	1.0 5.0	82		1.3	$\frac{200}{200}$	1.6×10^{12}	9.2 1.6
	1.3	200	5.3×10^{14}	5.7	42		1.3	200	4.2×10^{12}	0.5
	1.3	200	9.6×10^{13}	1.6	28		1.3	200	1.0×10^{12}	3.0
	1.3	200	5.6×10^{13}	1.0	12	$\rm H^{13}CN$	1.3	200	3.2×10^{14}	7.2
	1.3	200	2.0×10^{13}	0.4	9		1.3	200	3.3×10^{13}	2.3
	1.3	200	1.9×10^{14}	4.6	-5		1.3	200	2.8×10^{14}	0.6
	1.5 1.3	200	2.5×10^{-12}	1.1 0.7	-11 -22		1.5	200	1.0×10 6.3 × 10 ¹²	$\frac{4.0}{2.4}$
	1.3	200	4.8×10^{14}	11.1	-30		1.3	200	1.1×10^{14}	0.9
	1.3	200	$1.2~{\times}10^{14}$	4.1	-39		1.3	200	2.6×10^{13}	11.3
	1.3	200	4.9×10^{13}	6.3	-61		1.3	200	2.3×10^{12}	0.8
	1.3	200	2.0×10^{13}	1.3	-75		1.3	200	2.1×10^{14}	0.4
	1.3	200	4.0×10^{13} 1 4 × 10^{13}	1.7	-85		1.3	200	1.0×10^{12} 1.0 × 10^{12}	11.0 25.7
^{13}CS	1.3 1.3	200	1.4×10^{-4} 1.3 × 10 ¹⁴	0.8	-93 123		1.3 1.3	200	1.0×10 2.9 × 10 ¹³	0.7
00	1.3	200	4.8×10^{12}	2.8	115		1.3	200	1.1×10^{12}	2.0
	1.3	200	2.6×10^{14}	7.4	112		1.3	200	2.2×10^{14}	0.6
	1.3	200	4.2×10^{15}	3.9	72		1.3	200	7.9×10^{13}	4.2
	1.3	200	4.9×10^{14}	5.3	48		1.3	200	9.3×10^{13}	3.7
	1.3	200	1.0×10^{14}	3.3	40		1.3	200	2.7×10^{13}	6.4
	1.3 1.3	200	2.7×10^{12} 1.7 × 10 ¹²	0.9	20 18	HNC	1.3	200	2.0×10^{-3} 1.3 × 10^{13}	2.4 1.8
	1.3	$200 \\ 200$	1.7×10^{16} 1.7×10^{16}	0.2	-10	IIIVO	1.3	$200 \\ 200$	1.3×10^{14} 1.3×10^{14}	5.1
	1.3	200	1.1×10^{14}	2.7	-26		1.3	200	1.3×10^{13}	1.5
$C^{33}S$	1.3	200	3.4×10^{14}	1.8	-181		1.3	200	1.5×10^{14}	8.9
	1.3	200	3.2×10^{14}	3.4	-165		1.3	200	6.9×10^{14}	3.8
	1.3	200	1.7×10^{14}	6.8	-138		1.3	200	8.1×10^{12}	1.8
	1.3 1.3	200	1.3×10^{10} 5.1 × 10 ¹⁴	13.7	-105		1.3	200	7.8×10^{13}	2.1
	1.3	$\frac{200}{200}$	2.4×10^{14}	9.2 4.5	-62		1.3	$\frac{200}{200}$	5.4×10^{13}	1.9
	1.3	200	4.9×10^{14}	6.2	-52		1.3	200	2.7×10^{13}	2.0
	1.3	200	5.2×10^{14}	8.5	-30		1.3	200	7.2×10^{13}	2.9
	1.3	200	4.3×10^{13}	2.6	-10		1.3	200	3.1×10^{13}	1.0
	1.3	200	8.4×10^{14}	21.8	10		1.3	200	3.8×10^{13}	1.5
	1.3 1.3	200	1.8×10^{10} 3.3 × 10 ¹⁴	2.7	15 40		1.3 1.3	200	8.9×10^{12} 3.6 $\times 10^{13}$	2.0
	1.3	$200 \\ 200$	1.4×10^{15}	4.7	43 72	$\mathrm{HN^{13}C}$	1.3	$200 \\ 200$	6.8×10^{13}	12.6
	1.3	200	6.3×10^{14}	22.5	94		1.3	200	2.8×10^{13}	3.1
	1.3	200	5.1×10^{14}	4.9	125		1.3	200	8.6×10^{13}	3.1
$C^{34}S$	1.3	200	2.4×10^{15}	35.7	-163		1.3	200	1.8×10^{14}	21.9
	1.3	200	1.0×10^{13}	6.1	-152		1.3	200	9.5×10^{13}	8.0
	1.3 1.3	200	6.6×10^{14} 5.5 × 10 ¹⁴	4.5	-134 115		1.3	200	1.9×10^{14} 5.2 × 10 ¹³	8.9 5.7
	1.3	$\frac{200}{200}$	8.2×10^{14}	5.2 5.7	-115		1.3	$\frac{200}{200}$	7.8×10^{13}	5.7 1.1
	1.3	200	7.2×10^{14}	14.2	-72		1.3	200	1.5×10^{13}	12.8
	1.3	200	8.4×10^{13}	3.6	-55		1.3	200	2.8×10^{13}	5.5
	1.3	200	2.6×10^{14}	6.6	-35		1.3	200	3.9×10^{13}	1.6
	1.3	200	1.1×10^{14}	3.3	-27		1.3	200	9.0×10^{13}	4.4
	1.3 1.3	200	7.0×10^{13} 7.2×10^{14}	1.5 6.1	-2 15		1.3	200	4.5×10^{-5} 3.1×10^{14}	4.2 28.2
	1.3	$200 \\ 200$	1.2×10^{14} 1.5×10^{14}	2.0	22	$H^{13}CO^+$	1.3	$200 \\ 200$	6.4×10^{13}	4.3
	1.3	200	3.2×10^{14}	3.3	40		1.3	200	2.8×10^{12}	1.6
	1.3	200	5.7×10^{14}	4.4	47		1.3	200	3.4×10^{13}	7.1
	1.3	200	4.3×10^{15}	4.4	72		1.3	200	3.5×10^{13}	2.4
	1.3	200	5.5×10^{14}	4.6	94		1.3	200	3.7×10^{13}	5.0
	1.3 1.3	200	1.6×10^{-1} 8.2 × 10 ¹⁴	1.9 5.6	104		1.3	200	7.6×10^{10} 6.5×10^{12}	0.0
	1.3	$200 \\ 200$	1.3×10^{15}	5.0 6.1	140		1.3	$200 \\ 200$	1.2×10^{14}	12.5
	1.3	200	7.6×10^{14}	7.9	154		1.3	200	1.2×10^{12}	2.4
HCN	1.3	200	$9.0~\times 10^{13}$	6.4	162		1.3	200	$3.8~{\times}10^{13}$	6.5
	1.3	200	7.4×10^{13}	0.6	120		1.3	200	9.4×10^{13}	3.7
	1.3	200	7.7×10^{13}	7.5	107		1.3	200	6.9×10^{13}	5.9
	1.3 1 9	200	4.0×10^{13} 1.0 $\times 10^{12}$	3.8 7.9	46 194		1.3 1.2	200	2.2×10^{14} 7 2 $\times 10^{13}$	16.5 4 G
	$1.3 \\ 1.3$	200 200	$1.0 \times 10^{}$ 1.0×10^{12}	7.0 5.4	134 22		1.3 1.3	200 200	3.8×10^{15}	4.0 0.7
	1.3	200	2.0×10^{13}	4.6	3		1.3	200	1.1×10^{14}	8.5
	1.3	200	8.5×10^{13}	5.0	-21	$\rm HO^{13}C^+$	1.3	200	1.6×10^{12}	2.0
	1.3	200	2.3×10^{13}	3.1	-38		1.3	200	1.0×10^{13}	1.1
	1.3	200	2.4×10^{13}	1.2	-44		1.3	200	1.1×10^{13}	1.7
	1.3	200	2.0 ×10 ¹²	0.1	-37		1.3	200	2.0 × 10 ⁻¹	0.1

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 240

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	1.3	200	7.0×10^{13}	6.3	102
	1.3	200	1.0×10^{12}	7.4	65
	1.3	200	2.9×10^{12}	5.0	-14
	1.3	200	3.1×10^{14}	7.5	39
	1.3	200	1.5×10^{14}	4.2	28
	1.3	200	1.1×10^{13}	4.2	12
	1.3	200	1.4×10^{12}	4.8	-5
	1.3	200	1.3×10^{14}	3.5	-14
	1.3	200	2.2×10^{12}	2.0	-23
	1.3	200	2.4×10^{13}	2.0	-31
	1.3	200	5.5×10^{13}	1.7	-34
	1.3	200	1.5×10^{14}	5.3	-53
	1.3	200	7.9×10^{13}	2.5	-55
	1.3	200	1.1×10^{14}	1.7	-75
	1.3	200	3.3×10^{14}	4.2	-83
	1.3	200	6.4×10^{12}	2.0	-85
	1.3	200	4.2×10^{14}	5.4	-101

Table L.70: LTE Parameters for the full LTE model (Envelope Components) for source A08 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	$({\rm cm}^{-2})$	$(\mathrm{km}\mathrm{s}^{-1})$	$(\rm kms^{-1}$
CN	out	5	2.6×10^{14}	20.7	69
ON	ext.	3	1.0×10^{12}	30.7 7.4	62
	ext.	4	1.0×10 7.2×10^{12}	10.7	43
	ext.	4	5.0×10^{13}	18.0	40
	ext.	4	1.0×10^{12}	0.7	-104
	ext.	4	1.3×10^{12}	13.0	-104
	ext.	4	1.5×10^{12} 2.5 × 10 ¹²	10.6	15
	ext.	4	7.8×10^{12}	10.0	-47
	ext.	4	1.0×10^{12} 1.2×10^{12}	3.0	-41
	ext.	4	1.2×10 1.0×10^{12}	5.9 1.4	-20
	ext.	4	1.9×10 1 1 × 10 ¹²	1.4	109
e:O	ext.	4 1 /	1.1×10 1 G × 10 ¹⁴	0.2	-102
	ext.	14	1.0×10^{-1}	0.9	70
H_2CO	ext.	18	1.7×10^{13}	8.0	12
COLL	ext.	10	1.1×10^{-1}	8.1	04
CCH	ext.	3	2.6×10^{11}	4.0	69
II 0330	ext.	3	1.0×10^{15}	4.1	57
$H_2C^{00}S$	ext.	131	1.8×10^{10}	5.7	65
PN	ext.	3	1.4×10^{14}	1.2	-33
	ext.	3	3.1×10^{14}	1.2	91
	ext.	3	1.4×10^{15}	3.7	68
	ext.	3	1.7×10^{13}	0.9	-55
	ext.	3	5.8×10^{17}	1.4	-84
	ext.	3	3.8×10^{13}	2.0	-84
PH_3	ext.	10	1.9×10^{14}	7.2	64
CO	ext.	3	2.2×10^{15}	1.5	126
	ext.	3	7.5×10^{16}	33.9	88
	ext.	3	4.0×10^{16}	2.7	80
	ext.	3	3.0×10^{16}	10.9	56
	ext.	3	1.9×10^{16}	12.4	26
	ext.	3	1.9×10^{14}	2.7	20
	ext.	3	4.1×10^{16}	18.2	4
	ext.	3	3.1×10^{16}	16.2	-24
	ext.	3	3.0×10^{15}	0.5	-40
	ext.	3	2.1×10^{16}	11.2	-47
	ext.	3	1.0×10^{15}	1.0	-50
	ext.	3	1.4×10^{16}	6.6	-74
	ext.	3	9.6×10^{15}	5.1	-80
	ext.	3	4.6×10^{15}	3.9	-88
	ext.	3	6.1×10^{15}	3.5	-94
	ext.	3	2.5×10^{16}	9.4	-108
	ext.	3	6.6×10^{15}	5.4	-118
	ext.	3	1.3×10^{15}	1.9	-127

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
^{-13}CO	evt	3	2.7×10^{15}	1.8	91
00	ext.	5 9	2.7×10^{14}	1.0	31 70
	ext.	ა ი	4.9×10^{-16}	2.2	79
	ext.	3	8.2×10^{-5}	19.5	70
	ext.	3	2.4×10^{13}	1.5	58
	ext.	3	2.4×10^{12}	1.1	20
	ext.	3	2.7×10^{15}	2.0	1
	ext.	3	9.4×10^{15}	2.6	-42
	ext.	3	8.9×10^{14}	1.1	-51
	ext	3	2.6×10^{15}	6.2	-56
	ort.	2	1.0×10^{15}	0.2	-00
	ext.		1.0×10^{15}	2.0	-02
	ext.	3	1.2×10^{-1}	1.0	-105
	ext.	3	3.5×10^{13}	2.9	-129
	ext.	3	7.9×10^{13}	1.0	-152
$C^{1}O$	ext.	3	1.0×10^{15}	2.8	-180
	ext.	3	1.0×10^{15}	7.9	-105
	ext.	3	1.5×10^{15}	3.9	-81
	ext.	3	1.2×10^{15}	5.1	-63
	ext	3	3.1×10^{15}	14.0	-33
	ovt	ž	3.4×10^{14}	3 1	-20
	CAU.		1.1×10^{15}	0.1 4 C	-20
	ext.	ა ი	1.1×10^{-5}	4.0	-12
	ext.	3	1.3×10^{10}	4.2	12
	ext.	3	1.4×10^{15}	4.8	28
	ext.	3	2.7×10^{15}	20.5	47
	ext.	3	1.0×10^{14}	2.7	63
	ext.	3	6.7×10^{15}	4.0	77
	ext.	3	1.3×10^{15}	8.8	105
	ext	3	3.6×10^{14}	2.5	121
	ovt	3	1.0×10^{15}	3.6	121
	CAU.		1.0×10^{14}	0.0	127
	ext.	ა ი	9.4×10	0.0 0.1	137
	ext.	3	2.6×10^{-1}	2.1	142
10	ext.	3	1.7×10^{13}	3.8	158
$C^{18}O$	ext.	3	6.9×10^{14}	7.5	-90
	ext.	3	3.5×10^{15}	8.1	-71
	ext.	3	5.3×10^{15}	7.9	65
	ext.	3	2.2×10^{14}	34.2	131
	ext.	3	7.6×10^{14}	2.7	139
CS	evt	3 3	1.4×10^{15}	4.2	93
05	ovt.	3	1.4×10^{16}	5.6	76
	ext.	ວ າ	1.7 × 10 ⁻⁴	0.0	70
	ext.	3	5.2×10^{15}	29.2	64 50
	ext.	3	5.3×10^{15}	4.5	56
	ext.	3	1.0×10^{15}	0.1	-25
	ext.	3	2.7×10^{15}	1.3	-45
^{13}CS	ext.	3	6.9×10^{13}	29.7	93
	ext.	3	3.5×10^{15}	1.1	63
	ext	3	1.7×10^{13}	0.9	7
	ovt	ž	3.2×10^{14}	2.6	-57
	ort.	2	5.2×10^{13}	2.0	-07
C33 C	EXU.	0	1.0×10^{16}	2.0	-97
C**5	ext.	3	1.2×10^{-5}	0.4	-149
	ext.	3	4.5×10^{10}	2.0	-118
	ext.	3	2.5×10^{10}	6.4	-111
	ext.	3	9.9×10^{12}	6.4	-91
	ext.	3	1.8×10^{16}	10.8	-71
	ext.	3	3.5×10^{15}	3.8	-42
	ext.	3	4.3×10^{15}	6.9	-20
	ext	3	6.2×10^{15}	7.4	35
	evt	3	1.3×10^{15}	2.5	59
	ovt	2	2.0×10^{15}	2.0	116
	ext.		4.2×10^{15}	2.0	124
	ext.	ე ი	4.0 × 10-~	4.4 0.2	1.04
	ext.	3	4.4×10^{14}	2.3	145
a24~	ext.	3	1.1×10^{10}	5.8	148
$C^{34}S$	ext.	3	2.6×10^{15}	2.4	-179
	ext.	3	2.4×10^{15}	2.6	-97
	ext.	3	2.0×10^{15}	3.2	-12
	ext.	3	4.7×10^{16}	16.4	65
	ext	3	6.5×10^{15}	4.5	129
HCN	evt	3	6.6×10^{12}	1.6	119
11010	CAU.	5 9	0.0×10^{10}	1.0	00
	ext.	3	9.0 X 10 ⁺⁻	0.0	90
	ext.	3	4.1×10^{14}	29.8	85
	ext.	3	1.5×10^{12}	0.8	72
	ext.	3	1.2×10^{13}	28.1	67
	ext.	3	2.6×10^{14}	7.3	60
	ext.	3	1.6×10^{14}	4.4	50

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$				
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})				
	ext.	3	2.9×10^{13}	0.8	38				
	ext.	3	6.2×10^{13}	4.7	-5				
	ext.	3	5.0×10^{12}	0.7	-26				
	ext.	3	1.2×10^{14}	18.0	-37				
	ext.	3	1.2×10^{14}	6.7	-69				
	ext.	3	2.6×10^{13}	38.6	-89				
	ext.	3	8.6×10^{12}	0.9	-91				
	ext.	3	4.0×10^{13}	14.1	-161				
	ext.	3	1.9×10^{12}	0.1	-161				
$\rm H^{13}CN$	ext.	3	8.1×10^{13}	13.8	149				
	ext.	3	2.2×10^{15}	0.4	78				
	ext.	3	2.3×10^{14}	26.9	68				
	ext.	3	5.2×10^{14}	21.3	64				
	ext.	3	1.4×10^{12}	1.0	-112				
HNC	ext.	3	1.0×10^{12}	33.3	124				
	ext.	3	1.9×10^{13}	1.8	118				
	ext.	3	2.2×10^{13}	2.0	112				
	ext.	3	5.3×10^{13}	1.6	86				
	ext.	3	3.3×10^{13}	2.0	78				
	ext.	3	8.7×10^{14}	25.7	72				
	ext.	3	5.9×10^{13}	4.1	63				
	ext.	3	6.0×10^{13}	2.1	55				
	ext.	3	1.0×10^{14}	11.9	58				
	ext.	3	1.5×10^{14}	5.7	41				
	ext.	3	4.9×10^{13}	3.2	19				
	ext.	3	1.3×10^{14}	10.2	-7				
	ext.	3	2.1×10^{13}	2.7	-65				
	ext.	3	1.0×10^{13}	2.0	-72				
	ext.	3	1.4×10^{13}	1.0	-76				
	ext.	3	1.3×10^{13}	1.0	-82				
	ext.	3	3.4×10^{12}	1.0	-107				
$H^{13}CO^+$	ext.	3	1.2×10^{16}	3.1	66				
10	ext.	3	1.8×10^{12}	2.4	114				
$\rm HO^{13}C^+$	ext.	3	1.7×10^{13}	3.2	54				
	ext.	3	1.1×10^{13}	2.0	-10				
	ext.	3	1.2×10^{14}	1.1	-92				
	ext.	3	5.0×10^{13}	6.2	-122				

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 241

Table L.71: LTE Parameters for the full LTE model (Core Components) for source A09 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
SiO	1.6	193	1.3×10^{13}	5.1	105
$H_2^{33}S$	1.6	166	1.0×10^{12}	2.8	72
H_2CS	1.6	45	1.7×10^{15}	2.7	59
NO	1.6	87	1.0×10^{16}	3.9	86
NS	1.6	189	6.5×10^{12}	2.8	44
CCH	1.6	27	6.1×10^{15}	2.4	60
PN	1.6	200	4.1×10^{13}	2.7	107
	1.6	200	8.5×10^{12}	1.1	56
	1.6	200	3.7×10^{13}	5.5	39
	1.6	200	2.6×10^{13}	2.4	17
	1.6	200	1.8×10^{13}	1.4	10
	1.6	200	2.7×10^{13}	1.9	-14
	1.6	200	2.0×10^{13}	1.9	-18
	1.6	200	3.8×10^{13}	1.9	-24
	1.6	200	7.9×10^{13}	9.3	-31
CO	1.6	200	3.2×10^{12}	1.9	134
	1.6	200	1.8×10^{17}	6.4	104
	1.6	200	8.1×10^{16}	2.3	-16
	1.6	200	2.9×10^{12}	1.9	-127
	1.6	200	1.0×10^{12}	1.9	-140
^{13}CO	1.6	200	4.3×10^{13}	0.8	34
	1.6	200	7.1×10^{15}	4.6	-10

(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}				
	(")	(K)	$\frac{(\text{cm}^{-2})}{8.0 \times 10^{17}}$	(km s^{-1})	$\frac{(\text{km s}^{-1})}{74}$				
	1.0 1.6	$200 \\ 200$	8.0×10^{-1} 6.5×10^{14}	1.0	-14				
	1.6	200	2.8×10^{16}	1.2	-102				
$C^{17}O$	1.6	200	6.8×10^{12}	2.2	-167				
	1.6	200	4.6×10^{13}	4.1	-146				
	1.6	200	1.8×10^{13}	4.5	-127				
	1.0 1.6	200	1.8×10^{13}	14.0 3.6	-108				
	1.6	200	1.8×10^{13}	1.9	-92				
	1.6	200	4.3×10^{16}	5.8	-73				
	1.6	200	9.2×10^{15}	3.1	-52				
	1.6 1.6	200	1.7×10^{10}	4.5	-47				
	1.6	$\frac{200}{200}$	1.2×10^{16}	0.0 3.9	-39 -28				
	1.6	200	6.9×10^{15}	2.9	-22				
	1.6	200	2.9×10^{16}	6.6	-4				
	1.6	200	4.2×10^{15}	1.9	1				
	1.6	200	4.2×10^{10}	7.4	17				
	1.0 1.6	200	1.3×10^{17}	7.0 3.3	33 60				
	1.6	200	1.6×10^{17}	9.3	91				
	1.6	200	4.3×10^{16}	17.7	112				
10	1.6	200	1.3×10^{16}	5.0	130				
$C^{18}O$	1.6	200	1.0×10^{10}	5.7	-156				
	1.6 1.6	200	10.0×10^{11} 1.0×10^{16}	2.7	-148 -106				
	$1.0 \\ 1.6$	$200 \\ 200$	1.0×10^{16} 1.0×10^{16}	5.0 7.5	-77				
	1.6	200	9.9×10^{14}	45.5	-63				
	1.6	200	8.9×10^{15}	2.5	-47				
	1.6	200	1.0×10^{16}	11.3	-36				
	1.6 1.6	200	3.2×10^{15} 3.3×10^{15}	$\frac{3.2}{2.7}$	-25 11				
	1.0 1.6	200	3.2×10^{15}	6.2	16				
	1.6	200	1.0×10^{16}	7.2	35				
	1.6	200	1.3×10^{17}	2.8	60				
	1.6	200	4.0×10^{16}	13.0	98				
	1.0 1.6	200	2.0×10^{10} 1.0 $\times 10^{15}$	$7.0 \\ 2.7$	114 125				
	$1.0 \\ 1.6$	200	1.0×10^{15} 1.0×10^{15}	2.7 2.7	$125 \\ 155$				
	1.6	200	$10.0~\times 10^{14}$	2.7	161				
\mathbf{CS}	1.6	200	5.5×10^{13}	5.5	84				
	1.6	200	2.3×10^{14}	1.9	68				
	1.6 1.6	200	3.3×10^{14} 1.5 × 10 ¹⁴	2.3	58 25				
	$1.0 \\ 1.6$	200	1.9×10^{13}	1.9	23 14				
	1.6	200	9.0×10^{12}	1.8	-27				
	1.6	200	5.9×10^{13}	2.0	-72				
	1.6	200	4.5×10^{13}	0.5	-79				
	1.6 1.6	200	3.6×10^{13} 6.7 × 10^{13}	1.5	-84 -98				
	1.6	200	2.9×10^{13}	4.3	-143				
^{13}CS	1.6	200	1.3×10^{14}	16.0	107				
	1.6	200	1.7×10^{13}	1.0	84				
	1.6	200	1.0×10^{12}	1.1	58				
	1.0 1.6	200	1.0×10^{-2} 3.0 × 10^{13}	1.0	-21				
	1.6	200	5.0×10^{13}	2.7	-177				
$\rm C^{33}S$	1.6	200	7.3×10^{12}	1.7	-173				
	1.6	200	2.4×10^{13}	4.0	-161				
	1.6	200	7.1×10^{12}	3.0	-145				
	1.0 1.6	200 200	2.4×10^{10} 2.7×10^{14}	5.3 20.8	-128 -22				
	1.6	200	9.3×10^{13}	14.9	-17				
	1.6	200	4.1×10^{13}	2.3	-3				
	1.6	200	4.6×10^{14}	18.6	25				
	1.6	200	1.9×10^{14}	9.5	101				
	1.6 1.6	200 200	2.2×10^{14} 5 7 $\times 10^{13}$	20.0 3.5	132 155				
$C^{34}S$	1.6	200	7.7×10^{13}	6.8	-97				
	1.6	200	6.4×10^{12}	3.5	-87				
	1.6	200	2.9×10^{13}	3.0	-75				
	1.6	200	1.3×10^{13}	2.7	-65				

T. Mölle	er <i>et al</i> .: Ful	l molecular li	ine survey o	of hot cores,	Online	Material p	242

		(0	Continued)			(Continued)					
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$({\rm km s^{-1}})$		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	1.6	200	10.0×10^{14}	48.0	-50		ext.	3	3.9×10^{13}	2.1	-42
	1.6	200	4.3×10^{13}	3.1	-22		ext.	3	3.2×10^{13}	9.4	-48
	1.6	200	2.4×10^{14}	12.2	18		ext.	3	3.4×10^{13}	5.3	-82
	1.6	200	1.1×10^{14}	11.7	118		ext.	3	6.7×10^{13}	5.7	-108
$\rm H^{13}CN$	1.6	200	2.0×10^{14}	19.7	125	HCCCN	ext.	19	10.0×10^{18}	20.0	64
	1.6	200	1.7×10^{12}	1.0	99	OCS	ext.	19	10.0×10^{18}	11.0	64
	1.6	200	4.7×10^{13}	5.5	17	H_2CCO	ext.	19	2.1×10^{17}	15.0	64
	1.6	200	4.1×10^{13}	1.7	-4	CH_3CN	ext.	16	1.7×10^{15}	13.3	50
	1.6	200	6.1×10^{13}	10.2	-19		ext.	19	8.3×10^{16}	0.7	61
	1.6	200	1.0×10^{12}	0.4	-33		ext.	18	7.5×10^{16}	7.7	68
	1.6	200	9.3×10^{13}	12.1	-33		ext.	9	4.8×10^{13}	14.2	64
	1.6	200	1.0×10^{12}	0.8	-32		ext.	19	2.0×10^{17}	19.7	106
	1.6	200	7.6×10^{12}	1.7	-49	HNCO	ext.	19	5.7×10^{17}	9.7	55
	1.6	200	2.0×10^{13}	2.2	-96		ext.	15	2.0×10^{16}	1.8	64
	1.6	200	3.0×10^{13}	3.4	-102		ext.	20	7.5×10^{17}	8.8	75
	1.6	200	1.9×10^{13}	1.3	-111	H_2CO	ext.	19	3.0×10^{17}	3.0	73
	1.6	200	2.2×10^{13}	2.3	-120		ext.	15	1.2×10^{15}	0.8	62
	1.6	200	2.8×10^{13}	4.5	-126	CH_3NH_2	ext.	21	1.7×10^{18}	8.8	64
	1.6	200	1.7×10^{13}	2.2	-138	CH_2NH	ext.	20	1.8×10^{17}	13.9	70
	1.6	200	5.8×10^{13}	5.8	-146		ext.	5	1.0×10^{12}	3.8	58
	1.6	200	2.8×10^{13}	4.8	-164	SO_2	ext.	20	3.9×10^{17}	25.6	60
	1.6	200	2.0×10^{13}	0.5	-154	$HC(O)NH_2$	ext.	18	9.4×10^{15}	13.9	62
	1.6	200	2.9×10^{13}	2.0	-170	$H_2C^{33}S$	ext.	7	5.2×10^{16}	7.2	63
HNC	1.6	200	1.0×10^{13}	1.3	151		ext.	11	3.1×10^{15}	3.1	58
	1.6	200	1.5×10^{13}	1.3	146	CH_3OH	ext.	19	1.6×10^{18}	6.5	71
	1.6	200	8.6×10^{12}	18.2	113		ext.	19	5.3×10^{18}	3.0	64
	1.6	200	1.6×10^{13}	1.3	102		ext.	20	5.2×10^{17}	4.1	53
	1.6	200	7.9×10^{12}	2.7	91		ext.	20	1.1×10^{17}	0.3	48
	1.6	200	2.1×10^{13}	1.9	51	CH_3OCH_3	ext.	20	1.2×10^{19}	2.7	63
	1.6	200	4.6×10^{12}	1.9	37	1	ext.	4	1.5×10^{15}	5.7	54
	1.6	200	9.5×10^{12}	3.6	-17	NO^+	ext.	3	2.2×10^{14}	3.4	77
	1.6	200	1.5×10^{13}	2.3	-25		ext.	4	2.1×10^{14}	1.1	68
	1.6	200	2.1×10^{14}	1.2	-40		ext.	3	7.3×10^{13}	1.0	54
	1.6	200	2.0×10^{12}	1.9	-44	H_2CNH	ext.	3	2.5×10^{14}	8.2	74
	1.0	200	4.0×10^{14}	1.4	-47	0.0	ext.	3	5.1×10^{14}	6.9	63
	1.0	200	1.8×10^{12}	1.3	-54	50	ext.	0	9.3×10^{11}	1.5	() ()
	1.0	200	$1.6 \times 10^{}$	1.9	-10		ext.	19	8.1×10^{-3}	10.2	50 E 4
	1.0	200	1.3×10 2.7×10^{13}	39.2	-33		ext.	4 20	8.0×10^{18}	2.2 6.0	54 64
	1.0	200	2.7×10^{-1}	0.4 0.1	-74		ext.	20	7.2×10^{13}	0.9	65
	1.0	200	1.4×10^{-1}	2.1	-90	PN	ext.	3	7.8×10^{-4} 7.2×10^{14}	4.0	162
	1.0	200	1.4×10^{13}	0.0	-96	1 11	ext.	3 3	7.2×10^{13} 3.7×10^{13}	2.4	102
	1.0	200	1.5×10^{13}	1.9 5.4	-101		ext.	3 3	1.0×10^{14}	2.4	120
	1.0	200	2.0×10^{12}	1.1	-101		ovt	3	1.0×10^{10} 0.7×10^{14}	2.1	118
$HN^{13}C$	1.0	200	1.5×10^{12}	3.6	-153		ovt	3	1.3×10^{15}	1.0	97
	1.0	200	1.3×10^{12}	4.8	-115		ext.	3	7.6×10^{14}	1.0	92
	1.0	200	1.5×10^{14}	48 7	01		ext.	3	2.5×10^{16}	61	88
	1.0	200	4.8×10^{13}	17.8	-26		ext.	3	9.4×10^{14}	1.5	64
$H^{13}CO^+$	1.6	3	1.6×10^{12}	1.4	58		ext.	3	3.7×10^{15}	2.4	-54
$HO^{13}C^+$	1.6	200	1.3×10^{13}	16.4	142		ext.	3	2.7×10^{16}	8.1	-81
	1.6	200	1.1×10^{13}	0.7	139		ext.	3	6.3×10^{13}	1.9	-88
	1.0	-00		.			ext.	3	1.3×10^{15}	1.9	-93
								-			

Table L.72: LTE Parameters for the full LTE model (Envelope Components) for source A09 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
			10		
$_{\rm CN}$	ext.	15	1.8×10^{16}	19.1	69
	ext.	15	8.3×10^{15}	7.4	62
	ext.	3	4.9×10^{13}	0.4	-2
	ext.	3	1.6×10^{14}	25.4	32
	ext.	3	1.0×10^{13}	1.9	-28
	ext.	3	1.8×10^{14}	13.4	6
	ext.	3	2.0×10^{13}	5.6	-22

CH_2NH	ext.	20	1.8×10^{17}	13.9	70
	ext.	5	1.0×10^{12}	3.8	58
SO_2	ext.	20	3.9×10^{17}	25.6	60
$HC(O)NH_2$	ext.	18	9.4×10^{15}	13.9	62
$H_2 C^{33} S$	ext.	7	5.2×10^{16}	7.2	63
	ext.	11	3.1×10^{15}	3.1	58
CH_3OH	ext.	19	1.6×10^{18}	6.5	71
	ext.	19	5.3×10^{18}	3.0	64
	ext.	20	5.2×10^{17}	4.1	53
	ext.	20	1.1×10^{17}	0.3	48
CH ₃ OCH ₃	ext.	20	1.2×10^{19}	2.7	63
- 0 0	ext.	4	1.5×10^{15}	5.7	54
NO^+	ext.	3	2.2×10^{14}	3.4	77
-	ext.	4	2.1×10^{14}	1.1	68
	ext.	3	7.3×10^{13}	1.0	54
H ₂ CNH	ext.	3	2.5×10^{14}	8.2	74
112 01 111	ext.	3	5.1×10^{14}	6.9	63
SO	ext.	6	9.3×10^{14}	1.5	75
50	ext	19	8.1×10^{16}	16.2	66
	ext.	4	8.6×10^{14}	2.2	54
CH2OCHO	ext.	20	8.2×10^{18}	6.9	64
PH ₂	evt	9	7.8×10^{13}	4.8	65
PN	ovt	3	7.0×10^{14}	1.0	162
1 10	ovt	3	7.2×10^{13}	2.4	135
	ext.	2	1.0×10^{14}	2.4	190
	ext.	2	1.0×10 0.7 × 10 ¹⁴	2.1	149
	ext.	5 9	9.7×10 1 2 $\times 10^{15}$	2.1	07
	ext.	5 9	7.5×10^{14}	1.0	91 02
	ext.	2	7.0×10 2.5 × 10 ¹⁶	6.1	92
	ext.	ວ ໑	2.3×10^{14}	0.1	00 64
	ext.	ວ ໑	9.4×10 2.7×10^{15}	1.0	54
	ext.	ວ າ	3.7×10^{16}	2.4	-04
	ext.	ა ი	2.7×10^{13}	0.1	-01
	ext.	ა ი	0.3×10^{-1}	1.9	-00
	ext.	ა ე	1.3×10^{-1}	1.9	-95
	ext.	ა ე	2.1×10^{-14}	1.0	-100
CO	ext.	3	5.0×10^{-1}	1.2	-120
CO	ext.	3	5.4×10^{-1}	1.9	103
	ext.	3	0.4×10^{15}	(.8	133
	ext.	3	2.5×10^{15}	1.9	110
	ext.	ა ე	7.9×10^{15}	4.2	117
	ext.	3	2.9×10^{10}	1.3	90 70
	ext.	3	1.3×10^{17}	40.0	78
	ext.	3	4.8×10^{16}	12.7	101
	ext.	3	2.8×10^{16}	1.8	-121
	ext.	3	2.2×10^{10}	6.2	-107
	ext.	3	1.1×10^{10}	1.7	51
	ext.	3	1.4×10^{10}	4.0	-95
	ext.	3	7.2×10^{15}	0.5	45
	ext.	3	9.7×10^{15}	3.0	41
	ext.	3	5.7×10^{15}	0.7	33
	ext.	3	5.3×10^{16}	10.3	25
	ext.	3	1.3×10^{16}	0.8	16
	ext.	3	2.5×10^{16}	4.9	10
	ext.	3	4.3×10^{16}	6.5	-1

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 243

		(0	Continued)					(C	continued)		
Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$\operatorname{N_{tot}^{m,c}}_{(\mathrm{cm}^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s ⁻¹)	Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$N_{tot}^{m,c}$ (cm ⁻²)	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$v_{\text{LSR}}^{m,c}$ (km s ⁻¹)
	ext.	3	1.3×10^{15}	0.8	-11	^{13}CS	ext.	3	3.6×10^{15}	4.2	63
	ext.	3	4.1×10^{16}	13.3	-24		ext.	3	2.9×10^{13}	4.4	-18
	ext.	3	2.1×10^{13}	28.6	157		ext.	3	2.6×10^{12}	4.5	-63
	ext.	3	5.7×10^{10}	16.9	-46	C33c	ext.	3	4.8×10^{12}	2.8	124
	ext.	3 3	1.9×10^{-5} 3.2×10^{15}	0.5 1.0	-12 -60	02	ext.	3 3	1.6×10^{12}	1.2	-114 _91
	ext.	3	4.2×10^{16}	10.6	-77		ext.	3	1.0×10 1.4×10^{15}	4.4	-77
	ext.	3	3.1×10^{13}	0.6	-80		ext.	3	2.1×10^{14}	0.6	-142
	ext.	3	2.8×10^{12}	2.5	-105		ext.	3	3.3×10^{15}	4.7	-63
	ext.	3	1.0×10^{12}	19.5	-119		ext.	3	1.7×10^{14}	0.6	-57
	ext.	3 3	1.0×10^{12} 3.6 × 10^{12}	0.1	-122 144		ext.	ა ვ	5.8×10^{14} 5.0 $\times 10^{15}$	0.6	-40 30
^{13}CO	ext.	3	1.1×10^{12}	0.7	109		ext.	3	2.4×10^{15}	3.4	$50 \\ 52$
	ext.	3	3.8×10^{15}	5.1	106		ext.	3	4.1×10^{14}	0.6	57
	ext.	3	1.3×10^{15}	4.0	91		ext.	3	1.5×10^{16}	7.6	64
	ext.	3	6.9×10^{16}	4.9	79 79		ext.	3	9.8×10^{15}	10.2	79
	ext.	3	6.2×10^{10} 1.3 × 10 ¹⁶	5.0 7.6	72 64	$C^{34}S$	ext.	3	1.8×10^{15} 3.3×10^{15}	3.0 9.1	114
	ext.	3	1.3×10^{15} 8.6 × 10 ¹⁵	4.6	54	0 5	ext.	3	3.2×10^{16}	2.1 20.5	-165
	ext.	3	1.1×10^{15}	2.3	20		ext.	3	1.1×10^{15}	2.3	-146
	ext.	3	1.6×10^{15}	1.1	8		ext.	3	4.1×10^{15}	3.6	-142
	ext.	3	1.8×10^{15}	1.4	-37		ext.	3	8.8×10^{13}	2.5	-104
	ext.	3	5.4×10^{13}	3.7	-43		ext.	3	8.8×10^{13}	2.5	-92
	ext.	3 3	3.4×10^{16}	1.2 1.5	-48 -74		ext.	э 3	3.1×10^{-1} 2.9 × 10 ¹⁵	0.0 6.1	33 45
	ext.	3	2.2×10^{14}	1.4	-114		ext.	3	2.6×10^{15}	3.1	40 52
	ext.	3	1.9×10^{14}	0.8	-117		ext.	3	9.8×10^{14}	2.0	60
	ext.	3	2.6×10^{15}	7.6	-129		ext.	3	3.4×10^{16}	23.1	66
	ext.	3	2.7×10^{15}	1.1	-137		ext.	3	6.5×10^{14}	2.0	77
	ext.	3	1.0×10^{14} 2.2 × 10 ¹⁴	1.1	-147 165		ext.	3	2.8×10^{10} 5.1 × 10 ¹⁵	3.0 6.1	83
	ext.	3	1.7×10^{16}	0.9 4.6	-176		ext.	3	3.1×10^{15}	3.6	90 97
	ext.	3	1.7×10^{13}	0.1	-181		ext.	3	4.9×10^{15}	6.0	105
$C^{17}O$	ext.	3	1.8×10^{13}	6.7	-178		ext.	3	1.9×10^{16}	14.0	133
	ext.	3	1.0×10^{12}	2.2	-159		ext.	3	3.7×10^{15}	4.6	147
	ext.	3	3.5×10^{13}	2.2	-18		ext.	3	3.1×10^{15} 6.0 × 10 ¹⁵	2.6	152 157
	ext.	3	2.3×10^{14}	13.6	43 67		ext.	3	5.2×10^{15}	2.3 2.1	163
	ext.	3	2.4×10^{16}	26.2	79	HCN	ext.	3	1.0×10^{12}	0.9	134
	ext.	3	1.5×10^{14}	2.2	132		ext.	3	3.0×10^{13}	2.1	116
	ext.	3	2.1×10^{15}	6.0	141		ext.	3	6.2×10^{13}	5.5	105
$C^{18}O$	ext.	3	1.4×10^{10}	16.5 7.5	163 176		ext.	3	4.3×10^{13} 1.0 × 10 ¹²	1.9	91
0 0	ext.	3	3.2×10^{14}	2.9	-167		ext.	3	1.0×10 8.8 × 10 ¹²	0.8	30 72
	ext.	3	9.9×10^{13}	2.7	-151		ext.	3	2.8×10^{13}	3.4	63
	ext.	3	3.1×10^{14}	2.7	-143		ext.	3	1.6×10^{13}	2.9	45
	ext.	3	3.2×10^{15}	17.9	-134		ext.	3	4.7×10^{13}	6.4	39
	ext.	3	3.2×10^{14}	2.3	-121		ext.	3	1.5×10^{13} 2.7 × 10^{13}	2.8	34
	ext.	3	3.2×10^{14}	2.9	-00 -69		ext.	3	4.0×10^{13}	5.7 1.4	10
	ext.	3	10.0×10^{13}	2.7	-55		ext.	3	5.3×10^{13}	3.4	3
	ext.	3	3.6×10^{14}	2.8	-41		ext.	3	6.1×10^{12}	0.5	-3
	ext.	3	4.5×10^{14}	3.0	-17		ext.	3	1.9×10^{13}	4.4	-33
	ext.	3	3.1×10^{14}	3.4	-6 12		ext.	3	8.0×10^{13} 1.0 × 10^{12}	6.6	-63 71
	ext.	3	3.1×10^{14}	$\frac{2.7}{2.7}$	13 19		ext.	3	4.8×10^{13}	0.5	-71 -90
	ext.	3	9.8×10^{13}	2.7	27		ext.	3	2.6×10^{13}	2.1	-105
	ext.	3	6.9×10^{14}	7.5	52		ext.	3	9.7×10^{12}	1.2	-120
	ext.	3	1.5×10^{15}	3.8	54	**12 co *	ext.	3	3.4×10^{13}	3.1	-126
	ext.	3	1.8×10^{10}	15.3	73	H ¹³ CN	ext.	3	3.3×10^{13}	4.2	160
	ext.	3 3	2.8×10^{11} 1 1 × 10 ¹⁶	3.1 16.0	$122 \\ 137$		ext.	3 3	1.7×10^{14} 1.4×10^{14}	8.8 8.1	$149 \\ 144$
	ext.	3	9.8×10^{13}	2.7	158		ext.	3	3.8×10^{13}	4.1	88
\mathbf{CS}	ext.	3	5.5×10^{14}	6.7	126		ext.	3	2.4×10^{14}	11.9	75
	ext.	3	3.2×10^{15}	2.2	90		ext.	3	1.0×10^{12}	0.3	74
	ext.	3	1.1×10^{16}	7.8	76		ext.	3	1.3×10^{14}	6.8	63
	ext.	3	3.9×10^{13} 2.2 $\times 10^{15}$	1.0	63 . 40		ext.	3 2	3.7×10^{13} 5.5 $\times 10^{12}$	0.5 0.6	54 12
	ext.	о 3	1.9×10^{14}	1.9 3.2	-40 -45		ext.	ა ვ	1.3×10^{-2}	0.0 8.1	40 34
	ext.	3	2.8×10^{13}	0.5	-177		ext.	3	1.3×10^{12}	0.5	22
	ext.	3	2.6×10^{15}	3.8	-180		ext.	3	2.0×10^{13}	0.9	8
	ext.	3	2.9×10^{13}	1.1	-183		ext.	3	1.0×10^{12}	0.5	-56

T. Möller	et al.:	Full	molecular	line	survey	of hot	cores.	Online	Material	p	244
1. 10101101	<i>ce au</i>	r un	morecular	m	bui voj	01 1100	00100,	01000000	111 0001 0000	P	~44

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI SD
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{1.5}\mathrm{n}^{-1})$
-	ext.	3	2.6×10^{13}	2.1	-57
	ext.	3	3.7×10^{13}	6.3	-70
	ext.	3	3.1×10^{13}	4.0	-77
	ext.	3	2.6×10^{13}	3.7	-84
HNC	ext.	3	5.3×10^{13}	7.5	82
	ext.	3	1.1×10^{13}	1.9	72
	ext.	3	6.2×10^{13}	7.4	66
	ext.	3	5.4×10^{13}	4.7	57
	ext.	3	5.0×10^{13}	4.5	4
$\rm HN^{13}C$	ext.	3	1.3×10^{12}	13.2	-131
	ext.	3	3.8×10^{13}	13.4	-10
	ext.	3	2.5×10^{13}	8.3	41
	ext.	3	2.7×10^{14}	27.7	71
	ext.	3	5.0×10^{13}	10.4	85
$H^{13}CO^+$	ext.	3	1.5×10^{14}	12.5	78
$\rm HO^{13}C^+$	ext.	3	2.0×10^{13}	6.5	112
	ext.	3	5.1×10^{12}	0.8	98
	ext.	3	1.2×10^{13}	1.5	93
	ext.	3	2.3×10^{12}	28.6	147
	ext.	3	3.8×10^{13}	5.1	77
	ext.	3	7.1×10^{12}	3.4	66
	ext.	3	1.3×10^{13}	0.5	32
	ext.	3	6.5×10^{13}	22.4	24
	ext.	3	1.2×10^{13}	5.7	13
	ext.	3	1.1×10^{13}	0.8	-3
	ext.	3	1.0×10^{12}	0.7	-3
	ext.	3	5.3×10^{13}	13.0	-6
	ext.	3	7.5×10^{12}	1.9	-19
	ext.	3	3.2×10^{12}	1.4	-50
	ext.	3	1.1×10^{14}	17.2	-55
	ext.	3	2.6×10^{12}	0.8	-33
	ext.	3	1.0×10^{12}	0.7	-70
	ext.	3	4.2×10^{12}	2.2	-87
	ext.	3	2.9×10^{12}	1.9	-102
	ext.	3	2.2×10^{13}	0.7	-104
	ext.	3	1.0×10^{12}	0.1	-113
	ext.	3	5.2×10^{13}	9.5	-116
	ext.	3	1.8×10^{14}	0.2	-117
	ext.	3	1.0×10^{12}	0.7	-22

Table L.73: LTE Parameters for the full LTE model (Core Components) for source A10 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI SP
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
$H_2^{33}S$	1.0	166	1.2×10^{14}	2.7	62
H_2CCO	1.0	149	9.4×10^{16}	6.1	61
CH_2NH	1.0	195	3.5×10^{15}	5.7	61
NS	1.0	266	1.5×10^{16}	5.7	61
CH_3CHO	1.0	144	6.6×10^{16}	5.7	61
$H_2C^{33}S$	1.0	200	5.0×10^{15}	7.7	56
H_2CS	1.0	165	2.2×10^{16}	4.0	60
	1.0	138	5.0×10^{16}	7.5	61
CH_3NH_2	1.0	235	3.5×10^{17}	10.9	61
	1.0	127	4.4×10^{17}	4.0	62
C_2H_5CN	1.0	179	3.9×10^{16}	2.1	61
	1.0	153	8.6×10^{16}	4.9	61
$C_2H_5CN, v_{20}=1$	1.0	262	5.8×10^{16}	9.7	61
HCN, $v_2=1$	1.0	510	1.9×10^{16}	3.6	61
HNCO	1.0	191	1.3×10^{13}	2.9	-147
	1.0	171	5.6×10^{16}	6.4	60
CH ₃ CN	1.0	213	3.7×10^{15}	1.2	60
	1.0	157	1.5×10^{17}	5.3	60
OCS	1.0	97	3.9×10^{13}	1.9	-186

		(Co	ntinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	1.0	203	7.8×10^{17}	5.7	60
OCS, $v_2=1$	1.0	97	3.9×10^{13}	1.9	-186
SOa	1.0	200	1.6×10^{-1} 4.5×10^{12}	0.7 3.0	60 54
502	1.0	155	3.0×10^{17}	6.5	60
CH ₃ OCH ₃	1.0	148	1.0×10^{18}	3.8	61
CH_3OCHO	1.0	170	1.1×10^{18}	5.1	61
PN	1.0	200	1.5×10^{14}	1.2	107
	1.0	200	1.5×10^{14}	3.4	104
	1.0	200	8.1×10^{13} 2.1 × 10 ¹⁴	0.3	89 81
	1.0	200	3.9×10^{13}	0.1	62
	1.0	200	4.2×10^{14}	14.0	56
	1.0	200	$2.4~\times10^{12}$	0.9	101
	1.0	200	1.2×10^{14}	6.8	34
H GO	1.0	200	6.5×10^{14}	1.8	25
H_2CO	1.0	163	1.8×10^{13} 1.2×10^{17}	4.1	61 55
HaCNH	1.0	202 312	1.2×10^{-1} 1.8 × 10 ¹⁷	4.2 6.9	55 60
11201111	1.0	280	3.6×10^{16}	2.5	61
$HC(O)NH_2$	1.0	182	5.3×10^{15}	6.9	60
C_2H_5OH	1.0	150	1.3×10^{16}	3.5	83
	1.0	129	6.7×10^{17}	3.9	61
50	1.0	228 104	1.4×10^{10}	3.0 5.4	49 60
50	1.0	194 89	2.1×10^{-16} 8.6 × 10 ¹⁶	5.4 6.5	63
CH ₃ OH	1.0	186	8.0×10^{18}	2.8	61
- 0 -	1.0	174	7.5×10^{18}	5.9	61
HNC, $v_2=1$	1.0	940	7.1×10^{15}	4.5	61
HCCCN	1.0	267	1.5×10^{16}	0.5	58
CO	1.0	374	4.1×10^{10}	7.8	61 197
CO	1.0	200	2.2×10^{-1} 9.4 $\times 10^{14}$	0.8	127
	1.0	200	4.5×10^{14}	1.9	38
	1.0	200	3.9×10^{12}	1.5	-124
^{13}CO	1.0	200	1.1×10^{12}	0.8	149
	1.0	200	1.7×10^{16}	0.8	143
	1.0	200	1.4×10^{13}	0.8	143
	1.0	200	4.0×10^{-1} 1.9 × 10 ¹²	0.1	130
	1.0	200	2.5×10^{17}	1.0	120
	1.0	200	9.7×10^{17}	1.9	111
	1.0	200	5.4×10^{17}	5.6	103
	1.0	200	1.1×10^{17}	0.7	89
	1.0	200	7.5×10^{14}	10.1	56 47
	1.0	200	1.3×10^{16} 1.4 × 10 ¹⁶	0.7	47 148
	1.0	200	7.0×10^{15}	0.9	23
	1.0	200	1.6×10^{17}	2.1	15
	1.0	200	1.3×10^{17}	2.1	-6
	1.0	200	9.5×10^{13}	0.9	-52
	1.0	200	2.2×10^{10} 2.3 × 10 ¹⁷	1.0 3.7	-60 -57
	1.0	200	8.3×10^{12}	0.9	-77
	1.0	200	1.3×10^{16}	3.6	-84
	1.0	200	3.0×10^{15}	21.4	-109
	1.0	200	1.7×10^{16}	1.2	-60
	1.0	200	2.3×10^{18}	1.9	-131 176
	1.0	$\frac{200}{200}$	5.0×10^{15}	1.2	-170
	1.0	200	3.8×10^{17}	1.7	-164
$C^{17}O$	1.0	200	$2.3~\times10^{17}$	7.2	-180
	1.0	200	7.8×10^{16}	36.1	-164
	1.0	200	2.1×10^{17}	7.2	-158
	1.0	200	0.7×10^{10} 4.7×10^{10}	3.U २.२	-152 _137
	1.0	200 200	1.6×10^{16}	5.0 2.1	-137 -129
	1.0	200	1.7×10^{16}	2.6	-121
	1.0	200	$3.2~\times10^{16}$	3.2	-109
	1.0	200	1.2×10^{17}	8.3	-102
	1.0	200	4.0×10^{17}	1.4	-88
	1.0	200	1.8 ×10-'	8.5	-00

T. Möller <i>et al.</i> : Full molecular line survey of hot of	cores. Online Material p 245
1. Moner et al. I un molecular fine survey of not	corcs, one matching p 240

		(C	continued)						(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	N ^{m,c} _{tot}	$\Delta \mathbf{v}^{m,c}$	v _{LSR}	=	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	N ^{m,c} _{tot}	$\Delta \mathbf{v}^{m,c}$	V ^{m,c} _{LSR 1}
	('')	(K) 200	$\frac{(\text{cm}^{-2})}{1.1 \times 10^{17}}$	$\frac{(\text{km s}^{-1})}{41.0}$	$\frac{(\text{km s}^{-1})}{-39}$	_		(")	(K) 200	$\frac{(\text{cm}^{-2})}{1.1 \times 10^{12}}$	$\frac{(\text{km s}^{-1})}{20.4}$	$\frac{(\text{km s}^{-1})}{46}$
	1.0	200	2.7×10^{17}	6.0	-15			1.0	200	1.1×10^{12} 1.1×10^{12}	1.9	36
	1.0	200	1.1×10^{16}	2.6	-4			1.0	200	1.1×10^{12}	16.7	30
	1.0	200	2.0×10^{17}	31.6	4			1.0	200	1.5×10^{14}	1.5	10
	1.0 1.0	200	1.1×10^{17} 1.7×10^{17}	4.3 3.9	28 47			1.0	200	1.5×10^{14} 1.4×10^{14}	1.8	-1 -34
	1.0	$\frac{200}{200}$	1.7×10 8.8×10^{16}	$\frac{3.2}{2.9}$	60			1.0	200	7.3×10^{13}	$2.0^{1.2}$	-103
	1.0	200	5.0×10^{16}	2.5	65			1.0	200	3.3×10^{14}	0.9	-106
	1.0	200	2.1×10^{17}	5.0	80			1.0	200	3.6×10^{14}	3.2	-117
	1.0	200	1.9×10^{17}	7.7	104		C335	1.0	200	2.4×10^{14}	1.8	-123 170
	1.0	$\frac{200}{200}$	1.0×10 2.0×10^{17}	39.5	$121 \\ 159$		0.5	1.0	200	4.4×10^{14}	$\frac{2.3}{4.9}$	-179 -170
	1.0	200	$2.3~\times 10^{17}$	2.9	161			1.0	200	1.8×10^{14}	2.2	-164
$C^{18}O$	1.0	200	2.3×10^{17}	7.6	-184			1.0	200	7.0×10^{14}	7.9	-157
	1.0	200	1.5×10^{17}	11.2	-152 128			1.0	200	2.0×10^{14} 1.7 × 10 ¹⁴	2.5	-137 120
	1.0	$\frac{200}{200}$	2.5×10^{-1} 9.6 × 10 ¹⁶	4.1	-138 -123			1.0	200	1.7×10^{-2} 4.4×10^{14}	$\frac{2.4}{6.2}$	-129 -123
	1.0	200	5.0×10^{16}	9.8	-112			1.0	200	7.1×10^{14}	5.2	-114
	1.0	200	1.5×10^{17}	4.2	-96			1.0	200	5.2×10^{14}	6.2	-95
	1.0	200	8.2×10^{16}	6.9	-76			1.0	200	4.9×10^{14}	2.8	-72
	1.0	200	6.0×10^{10} 8.7 × 10 ¹⁶	2.9 2.6	-60 -52			1.0	200	4.5×10^{14} 4.6×10^{14}	5.7 4 3	-59 _39
	1.0	200	1.1×10^{17}	2.0 7.7	-36			1.0	200	2.5×10^{14}	4.5 3.5	-22
	1.0	200	1.3×10^{17}	4.6	-25			1.0	200	2.6×10^{14}	6.9	-10
	1.0	200	1.6×10^{17}	5.2	-6			1.0	200	2.9×10^{14}	0.9	-1
	1.0	200	7.3×10^{10} 2.4 $\times 10^{17}$	$\frac{2.7}{7.7}$	4			1.0	200	2.8×10^{14} 3.2×10^{14}	5.5	3 19
	1.0	$200 \\ 200$	1.0×10^{17}	5.2	$\frac{10}{27}$			1.0	200	7.9×10^{13}	7.8 3.6	$\frac{13}{22}$
	1.0	200	8.1×10^{16}	2.7	35			1.0	200	6.3×10^{15}	8.3	61
	1.0	200	1.8×10^{17}	7.8	49			1.0	200	1.1×10^{15}	5.9	83
	1.0	200	1.4×10^{18}	7.6	75			1.0	200	3.0×10^{15}	5.1	114
	1.0	200	1.0×10^{-1} 9.3 × 10 ¹⁶	$\frac{3.5}{2.7}$	85 124			1.0 1.0	200	3.8×10^{-2} 2.0 × 10 ¹⁴	8.5 4.6	129
	1.0	200	2.9×10^{18}	5.0	135			1.0	200	3.0×10^{14}	2.6	153
	1.0	200	8.2×10^{16}	4.0	153		$C^{34}S$	1.0	200	7.2×10^{18}	6.5	-173
\mathbf{CS}	1.0	200	1.6×10^{15}	7.7	156			1.0	200	8.2×10^{18}	11.7	-159
	1.0	200	3.9×10^{14} 3.8 $\times 10^{13}$	3.1 1.9	$140 \\ 142$			1.0	200	3.6×10^{17} 2.1 $\times 10^{15}$	2.8 5.9	-152 -125
	1.0	200	1.0×10^{13}	1.9	135			1.0	200	8.8×10^{15}	2.5	-117
	1.0	200	5.2×10^{14}	1.9	129			1.0	200	1.1×10^{14}	2.0	-95
	1.0	200	6.3×10^{15}	3.9	121			1.0	200	1.2×10^{15}	10.1	-86
	1.0 1.0	200	2.9×10^{14} 2.5 $\times 10^{15}$	1.0 1.5	108			1.0	200	1.2×10^{14} 3.4×10^{14}	2.6 5.3	-79 -64
	1.0	200	4.8×10^{14}	1.9	83			1.0	200	2.9×10^{14}	4.8	-47
	1.0	200	2.8×10^{15}	1.7	57			1.0	200	1.6×10^{14}	2.4	-40
	1.0	200	3.1×10^{14}	1.3	46			1.0	200	2.7×10^{14}	6.2	-32
	1.0	200	7.4×10^{14}	4.1	31 26			1.0	200	1.1×10^{14} 5.4 × 10 ¹⁴	2.9	-27 19
	1.0	200	2.2×10^{13}	7.2	-83			1.0	200	2.5×10^{15}	0.7	-12 -6
	1.0	200	2.5×10^{13}	1.9	5			1.0	200	1.6×10^{15}	4.3	2
	1.0	200	1.3×10^{14}	1.2	0			1.0	200	7.3×10^{14}	2.9	10
	1.0	200	7.6×10^{13}	1.9	-7 15			1.0	200	2.2×10^{14} 6.5 × 10 ¹⁵	4.2	27 60
	1.0	$\frac{200}{200}$	9.1×10^{14}	1.9 3.5	-23			1.0	$200 \\ 200$	2.0×10^{15}	5.9	00 77
	1.0	200	1.6×10^{15}	4.9	-47			1.0	200	1.4×10^{15}	7.1	82
	1.0	200	2.0×10^{14}	2.9	-69			1.0	200	2.5×10^{15}	4.7	100
	1.0	200	4.7×10^{14}	5.3	-87 66			1.0	$200 \\ 200$	9.7×10^{13}	2.0	108
	1.0	$200 \\ 200$	1.2×10^{13}	1.0	-149			1.0	200	1.4×10^{15}	$\frac{0.3}{2.3}$	129 157
	1.0	200	9.8×10^{14}	3.8	-128		HCN	1.0	200	1.4×10^{12}	1.1	162
	1.0	200	4.0×10^{12}	1.1	-139			1.0	200	1.1×10^{12}	16.2	143
	1.0	200	1.3×10^{12}	1.9	-154			1.0	200	8.5×10^{13}	1.9	96
	1.0	200 200	8.5×10^{14} 2.8×10^{16}	3.7 5.3	-157 -173			1.0 1.0	200 200	1.2×10^{12} 6.9×10^{12}	1.1 1 0	90 42
^{13}CS	1.0	200	1.1×10^{12}	1.1	136			1.0	200	1.8×10^{14}	4.0	17
	1.0	200	4.0×10^{14}	1.6	126			1.0	200	2.7×10^{13}	2.6	6
	1.0	200	3.7×10^{15}	0.6	129			1.0	200	1.2×10^{12}	20.3	-1
	1.0 1.0	200	3.7×10^{13} 2.2 × 10 ¹⁴	25.9 2.7	115 103			1.U 1.0	200	1.1×10^{12} 1.5×10^{12}	31.U 1.2	-26 59
	1.0	200	9.3×10^{13}	1.8	93			1.0	200	1.0×10^{12} 1.1×10^{12}	4.2	-175
	1.0	200	6.8×10^{14}	2.4	76			1.0	200	1.1×10^{12}	1.9	-46
	1.0	200	6.8×10^{15}	7.5	60	=		1.0	200	1.2×10^{12}	2.1	-92

T. Möller <i>et al.</i> : Ful	l molecular	line survey	of hot	cores.	Online	Material	n	246
1. Moner <i>ce uu</i> 1 ui	molecular	mic survey	01 1100	cores,	Onunic	mattater	P	240

		(0	Continued)						(Co	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	V _{LCD}	Mole	cule θ^r	n,c T_{t}^{n}	m,c	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\rm kms^{-1})$		(*	") (Ì	K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
H ¹³ CN	1.0	200	1.1×10^{12}	0.7	120		ez	ct.	3	4.5×10^{13}	3.6	-43
	1.0	200	9.6×10^{13}	4.0	112		ez	ct.	3	4.2×10^{13}	7.8	-50
	1.0	200	3.0×10^{12}	8.6	-88		ez	ct.	3	3.7×10^{13}	1.5	-81
	1.0	200	1.0×10^{14}	0.8	92		ez	ct.	3	6.8×10^{13}	2.4	-107
	1.0	200	1.6×10^{15}	1.1	56	SiO	e	ct. 4	17	2.3×10^{16}	3.0	74
	1.0	200	1.1×10^{12}	1.3	42	CH_2	NH ez	ct.	3	3.6×10^{13}	8.9	74
	1.0	200	1.2×10^{14}	0.1	33		ez	ct.	3	5.9×10^{13}	15.2	63
HNC	1.0	200	8.4×10^{13}	6.8	155	CCH	ez	ct.	3	6.9×10^{14}	2.6	74
	1.0	200	5.3×10^{12}	1.2	153		ez	ct.	3	1.0×10^{13}	7.9	65
	1.0	200	2.7×10^{13}	1.2	143	$_{\rm PN}$	ez	ct.	3	5.9×10^{14}	1.2	97
	1.0	200	7.7×10^{13}	2.8	36		ez	ct.	3	4.9×10^{14}	1.2	74
	1.0	200	1.0×10^{14}	4.0	3		ez	ct.	3	3.3×10^{15}	7.5	99
	1.0	200	2.2×10^{13}	2.2	-43	H_2C0	O ez	ct. 3	33	1.6×10^{16}	7.1	64
	1.0	200	5.1×10^{13}	1.9	-59		ez	ct. 2	28	1.8×10^{15}	6.5	81
	1.0	200	5.3×10^{13}	1.9	-63		ez	ct. 3	39	8.5×10^{15}	3.6	52
	1.0	200	1.9×10^{13}	1.2	-82		ez	ct. 3	30	1.0×10^{16}	5.5	75
10	1.0	200	5.6×10^{13}	2.6	-85	CO	ez	ct.	3	1.1×10^{12}	1.5	139
$HN^{13}C$	1.0	200	1.3×10^{14}	7.9	-176		ez	ct.	3	1.2×10^{16}	10.1	113
	1.0	200	1.4×10^{14}	12.4	-163		e	ct.	3	1.1×10^{12}	1.9	88
	1.0	200	9.3×10^{14}	8.8	-135		e	ct.	3	4.1×10^{17}	1.9	78
	1.0	200	2.2×10^{14}	11.0	-117		e	ct.	3	1.2×10^{17}	27.0	77
	1.0	200	8.8×10^{13}	3.2	-89		ez	ct.	3	1.1×10^{12}	1.3	-50
	1.0	200	9.0×10^{13}	2.1	-57		ez	ct.	3	5.8×10^{18}	1.5	54
	1.0	200	2.2×10^{14}	1.6	-45		ez	ct.	3	2.0×10^{10}	1.0	30
	1.0	200	6.3×10^{14}	6.9	-14		ez	ct.	3	3.2×10^{14}	1.9	25
	1.0	200	2.4×10^{14}	8.1	8		e	ct.	3	1.6×10^{12}	1.9	18
	1.0	200	2.3×10^{14}	6.6	36		ez	ct.	3	1.2×10^{17}	32.3	12
	1.0	200	1.9×10^{13}	11.5	59		ez	ct.	კ ი	8.0×10^{13}	4.6	-3
	1.0	200	2.8×10^{11}	0.5	78		ez	ct.	კ ი	1.1×10^{12}	1.9	-15
	1.0	200	3.7×10^{-3}	2.9	93		ez	ςτ. -4	ა ი	1.0×10^{-5}	1.9	-20
	1.0	200	3.9×10^{14}	3.J 6.2	101		ez	ει. -+	ა ე	5.2×10^{16}	16.7	-20
	1.0	200	4.2×10 1.6 × 10 ¹⁴	0.2 5.0	112		ez	ει. -+	ა ე	3.7×10^{14}	10.7	-40
	1.0	200	1.0×10 7.0 × 10 ¹³	0.9 8 0	147		62	st.	ე ვ	4.0×10 4.8×10^{16}	1.9	-03
	1.0	200	9.2×10^{13}	1.9	164		61		3	2.4×10^{14}	19.1	-78
$H^{13}CO^+$	1.0	200	2.9×10^{14}	4.8	77		e.	rt.	3	1.7×10^{16}	1.9	-95
11 00	1.0	200	1.4×10^{15}	3.0	69		e.	rt.	3	3.0×10^{16}	6.6	-108
	1.0	200	2.9×10^{12}	1.9	48		e	ct.	3	8.7×10^{14}	1.1	-129
	1.0	200	1.3×10^{12}	1.1	-159	^{13}CC) ez	ct.	3	9.0×10^{13}	6.2	78
$HO^{13}C^+$	1.0	200	1.1×10^{12}	0.7	162		ez	ct.	3	9.4×10^{16}	26.8	65
	1.0	200	2.5×10^{13}	0.5	90		ez	ct.	3	2.5×10^{12}	0.6	13
	1.0	200	1.1×10^{12}	7.0	87		ez	ct.	3	7.6×10^{15}	6.0	9
	1.0	200	1.1×10^{12}	3.0	69		ez	ct.	3	1.1×10^{12}	9.8	-17
	1.0	200	1.1×10^{12}	7.9	54		ez	ct.	3	3.4×10^{15}	1.0	-39
	1.0	200	1.7×10^{14}	4.9	31		ez	ct.	3	$1.0~\times 10^{14}$	1.0	-50
	1.0	200	1.1×10^{12}	2.4	17		ez	ct.	3	4.9×10^{15}	0.9	-55
	1.0	200	1.1×10^{12}	1.9	-1		ez	ct.	3	1.4×10^{16}	1.1	-72
	1.0	200	1.8×10^{13}	0.2	-25		e	ct.	3	1.3×10^{14}	1.5	-95
	1.0	200	1.1×10^{12}	4.6	-59		e	ct.	3	2.5×10^{15}	3.1	-107
	1.0	200	1.1×10^{12}	0.5	-48		ez	ct.	3	1.9×10^{12}	1.0	-145
	1.0	200	1.1×10^{14}	2.6	-45		ez	ct.	3	1.3×10^{14}	0.9	-152
						$C^{17}C$) ez	ct.	3	5.4×10^{14}	2.7	-115

Table L.74: LTE Parameters for the full LTE model (Envelope Components) for source A10 in Sgr B2(N).

Molecule	$ extsf{ heta}^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{\left(\mathrm{kms^{-1}} ight)}$
CN	ext. ext. ext. ext. ext. ext.	4 4 3 3 3 3 3	$\begin{array}{c} 7.6 \times 10^{14} \\ 2.4 \times 10^{14} \\ 1.6 \times 10^{12} \\ 1.1 \times 10^{14} \\ 2.5 \times 10^{13} \\ 1.6 \times 10^{14} \\ 5.5 \times 10^{13} \end{array}$	$29.5 \\ 4.8 \\ 8.4 \\ 19.9 \\ 7.9 \\ 11.9 \\ 8.7$	68 62 19 33 -30 4

510	ext.	47	2.3×10^{10}	3.0	$^{\prime 4}$
CH_2NH	ext.	3	3.6×10^{13}	8.9	74
-	ext	3	5.9×10^{13}	15.2	63
CCH	ovt	3	6.0×10^{14}	26	74
COII	EXU.	0	1.0×10^{13}	2.0	14
	ext.	3	1.0×10^{10}	7.9	65
PN	ext.	3	5.9×10^{14}	1.2	97
	ext.	3	4.9×10^{14}	1.2	74
	ext.	3	3.3×10^{15}	7.5	99
HaCO	ovt	33	1.6×10^{16}	71	64
11200	CAU.	10	1.0×10^{15}	6 E	01
	ext.	28	1.8×10^{10}	6.5	81
	ext.	39	8.5×10^{15}	3.6	52
	ext.	30	1.0×10^{16}	5.5	75
CO	ext	3	1.1×10^{12}	15	139
00	ort.	2	1.2×10^{16}	10.1	119
	ext.	3	1.2×10^{-1}	10.1	113
	ext.	3	1.1×10^{12}	1.9	88
	ext.	3	4.1×10^{17}	1.9	78
	ext.	3	1.2×10^{17}	27.0	77
	evt	3	1.1×10^{12}	13	-50
	CAU.	2	$= 0 \times 10^{18}$	1.5	= 30
	ext.	3	5.8×10^{10}	1.5	54
	ext.	3	2.0×10^{10}	1.0	30
	ext.	3	3.2×10^{14}	1.9	25
	ext.	3	1.6×10^{12}	1.9	18
	ovt	3	1.0×10^{17}	30.3	10
	ext.	3	1.2×10	32.3	12
	ext.	3	8.0×10^{10}	4.6	-3
	ext.	3	1.1×10^{12}	1.9	-15
	ext.	3	1.0×10^{16}	1.9	-20
	ovt	ž	3.2×10^{16}	10.6	-26
	CAU.	0 9	5.2×10^{16}	16.7	-20
	ext.	3	5.7×10^{10}	16.7	-46
	ext.	3	4.6×10^{14}	1.9	-63
	ext.	3	4.8×10^{16}	14.1	-78
	ext.	3	2.4×10^{14}	1.9	-81
	ovt	3	1.7×10^{16}	1.0	05
	ext.		1.7×10^{16}	1.9	-90
	ext.	3	3.0×10^{10}	6.6	-108
	ext.	3	8.7×10^{14}	1.1	-129
^{13}CO	ext.	3	9.0×10^{13}	6.2	78
	ext.	3	9.4×10^{16}	26.8	65
	ort.	2	2.5×10^{12}	20.0	12
	ext.	3	2.3 × 10	0.0	15
	ext.	3	7.6×10^{13}	6.0	9
	ext.	3	1.1×10^{12}	9.8	-17
	ext.	3	3.4×10^{15}	1.0	-39
	evt	3	1.0×10^{14}	1.0	-50
	CAU.	0	1.0×10^{15}	1.0	-00
	ext.	3	4.9×10^{-3}	0.9	-99
	ext.	3	1.4×10^{10}	1.1	-72
	ext.	3	1.3×10^{14}	1.5	-95
	ext	3	2.5×10^{15}	3.1	-107
	ort.	2	1.0×10^{12}	1.0	145
	ext.	3	1.9 X 10	1.0	-140
17	ext.	3	1.3×10^{14}	0.9	-152
$C^{1}O$	ext.	3	5.4×10^{14}	2.7	-115
	ext.	3	6.7×10^{14}	2.7	-73
	ext	3	5.0×10^{14}	20.9	-52
	0.440.	2	6 8 1014	20.0	26
	ext.	3	0.0×10	3.2	50
	ext.	3	8.8×10^{14}	2.7	55
		0	1.8×10^{15}	7.2	122
	ext.	3	1.0 \ 10		170
$C^{18}O$	ext. ext.	3	9.8×10^{15}	9.7	-179
$C^{18}O$	ext. ext.	3 3 3	9.8×10^{15} 2.1×10^{15}	$9.7 \\ 6.7$	-179 -85
$C^{18}O$	ext. ext. ext.	3 3 3 3	9.8×10^{15} 2.1×10^{15} 1.6×10^{15}	$9.7 \\ 6.7 \\ 7.3$	-179 -85 -14
$C^{18}O$	ext. ext. ext.	3 3 3 3	$\begin{array}{c} 1.6 \times 10 \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \end{array}$	9.7 6.7 7.3	-179 -85 -14
$C^{18}O$	ext. ext. ext. ext. ext.	3 3 3 3 3	$\begin{array}{c} 1.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \end{array}$	9.7 6.7 7.3 2.7	-179 -85 -14 11
C ¹⁸ O	ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1$	-179 -85 -14 11 72
C ¹⁸ O	ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3	$\begin{array}{c} 1.6 \times 10 \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8$	-179 -85 -14 11 72 109
C ¹⁸ O	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\$	-179 -85 -14 11 72 109 144
C ¹⁸ O	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 2	$\begin{array}{c} 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 7.5 \\ 2.8 \\ 3.8 \\ 1.5 \\ 3.8$	-179 -85 -14 11 72 109 144 159
C ¹⁸ O	ext. ext. ext. ext. ext. ext. ext. ext.	33333333	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.1 \times 10^{15} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.8 \\ 0.2$	-179 -85 -14 11 72 109 144 158
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2$	-179 -85 -14 11 72 109 144 158 85
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9$	-179 -85 -14 11 72 109 144 158 85 71
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \\ 1.1 \times 10^{14} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9 \\ 2.1$	-179 -85 -14 11 72 109 144 158 85 71 66
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \\ 1.1 \times 10^{14} \\ 5.2 \times 10^{15} \end{array}$	$9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9 \\ 2.1 \\ 1.0 \\ 1.$	-179 -85 -14 11 72 109 144 158 85 71 66 53
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \\ 1.1 \times 10^{14} \\ 5.2 \times 10^{15} \\ 2.0 \times 10^{15} \end{array}$	$\begin{array}{c} 9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9 \\ 2.1 \\ 1.0 \\ 2.0 \end{array}$	-179 -85 -14 11 72 109 144 158 85 71 66 53
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \\ 1.1 \times 10^{14} \\ 5.2 \times 10^{15} \\ 3.9 \times 10^{15} \end{array}$	$\begin{array}{c} 9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9 \\ 2.1 \\ 1.0 \\ 2.0 \\ 0.0 \end{array}$	-179 -85 -14 11 72 109 144 158 85 71 66 53 41
C ¹⁸ O CS	ext. ext. ext. ext. ext. ext. ext. ext.	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 9.8 \times 10^{15} \\ 9.8 \times 10^{15} \\ 2.1 \times 10^{15} \\ 1.6 \times 10^{15} \\ 1.8 \times 10^{15} \\ 2.0 \times 10^{16} \\ 1.8 \times 10^{14} \\ 2.3 \times 10^{15} \\ 2.1 \times 10^{14} \\ 2.6 \times 10^{15} \\ 1.0 \times 10^{17} \\ 1.1 \times 10^{14} \\ 5.2 \times 10^{15} \\ 3.9 \times 10^{15} \\ 8.5 \times 10^{12} \end{array}$	$\begin{array}{c} 9.7 \\ 6.7 \\ 7.3 \\ 2.7 \\ 12.1 \\ 2.8 \\ 7.5 \\ 2.8 \\ 2.2 \\ 21.9 \\ 2.1 \\ 1.0 \\ 2.0 \\ 3.5 \end{array}$	-179 -85 -14 11 72 109 144 158 85 71 66 53 41 -44

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	(")	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	5.8×10^{15}	2.1	-77
	ext.	3	4.5×10^{15}	1.0	-116
^{13}CS	ext.	3	2.1×10^{15}	2.4	140
	ext.	3	1.1×10^{12}	1.9	121
	ext.	3	1.6×10^{12}	1.2	67
	ext.	3	3.1×10^{13}	1.9	-28
	ext.	3	5.1×10^{13}	1.0	-53
	ext.	3	1.1×10^{14}	30.8	-67
	ext.	3	1.6×10^{13}	1.9	-110
	ext.	3	1.3×10^{16}	0.9	-83
$C^{33}S$	ext.	3	4.6×10^{15}	2.5	-135
	ext.	3	2.2×10^{15}	2.5	-121
	ext.	3	2.8×10^{15}	3.1	-52
	ext.	3	3.4×10^{15}	19.2	-47
	ext.	3	3.0×10^{14}	2.5	14
	ext.	3	1.2×10^{15}	2.5	47
	ext.	3	1.3×10^{15}	5.8	72
	ext.	3	7.7×10^{15}	17.6	137
	ext.	3	2.1×10^{15}	2.5	142
$C^{34}S$	ext.	3	9.1×10^{15}	5.8	41
HCN	ext.	3	1.7×10^{13}	1.9	87
	ext.	3	3.1×10^{14}	5.8	79
	ext.	3	6.2×10^{12}	2.4	63
	ext.	3	1.0×10^{14}	8.1	50
	ext.	3	4.8×10^{13}	6.9	35
	ext.	3	5.8×10^{13}	4.7	30
	ext.	3	2.6×10^{12}	1.1	17
	ext.	3	5.2×10^{13}	5.4	-9
	ext.	3	1.1×10^{12}	1.9	61
	ext.	3	4.1×10^{13}	2.2	-69
	ext.	3	1.1×10^{14}	1.6	-76
	ext.	3	1.8×10^{13}	1.2	-106
	ext.	3	1.3×10^{12}	0.9	-146
	ext.	3	1.5×10^{12}	1.1	-178
$\rm H^{13}CN$	ext.	3	1.0×10^{12}	27.6	132
	ext.	3	2.0×10^{14}	3.1	102
	ext.	3	1.1×10^{12}	0.1	79
	ext.	3	2.3×10^{14}	10.0	75
	ext.	3	1.6×10^{14}	4.1	70
	ext.	3	4.4×10^{14}	0.1	68
	ext.	3	1.5×10^{14}	3.2	64
	ext.	3	1.1×10^{14}	2.3	47
	ext.	3	3.9×10^{13}	1.3	-2
HNC	ext.	3	8.5×10^{14}	21.4	113
	ext.	3	2.4×10^{13}	2.2	53
	ext.	3	1.7×10^{12}	2.6	30
	ext.	3	6.2×10^{12}	1.9	-72

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 247

Table L.75: LTE Parameters for the full LTE model (Core Components) for source A11 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
			10		
HCCCN	1.2	188	1.1×10^{12}	2.7	64
OCS	1.2	172	5.1×10^{15}	2.3	65
SiO	1.2	199	1.8×10^{13}	1.6	58
HNC, $v_2=1$	1.2	955	7.8×10^{15}	40.0	61
NO	1.2	166	1.1×10^{17}	2.0	59
CO	1.2	200	5.1×10^{17}	4.3	79
	1.2	200	8.9×10^{16}	3.3	55
	1.2	200	4.6×10^{17}	1.9	52
	1.2	200	8.7×10^{18}	8.0	28
	1.2	200	3.5×10^{17}	1.2	12

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{LSR}^{m,c}$,
	('')	(K)	(cm^{-2})	$({\rm km s^{-1}})$	$({\rm km s^{-1}})$
	1.2	200	1.6×10^{14}	1.9	3
	1.2	200	2.0×10^{10}	1.3	-37
	1.2	200	2.7×10^{11}	1.9	-120
	1.2	200	2.5×10^{-5}	1.9	-100 120
	1.2	200	4.1×10^{-4}	2.5	-152 113
	1.2	200	1.0×10^{16}	1.9	-110
13CO	1.2	200	7.4×10^{16}	1.9	-139 60
00	1.2	200	3.5×10^{16}	1.1	32
	1.2	200	2.5×10^{16}	2.6	18
	1.2	200	6.7×10^{16}	3.3	10
	1.2	200	2.3×10^{16}	1.3	-3
$C^{17}O$	1.2	200	7.6×10^{14}	2.6	-130
	1.2	200	7.6×10^{14}	3.0	-95
	1.2	200	2.4×10^{15}	2.7	-90
	1.2	200	8.5×10^{15}	2.4	-82
	1.2	200	1.4×10^{16}	2.5	-76
	1.2	200	5.6×10^{15}	2.5	-47
	1.2	200	4.2×10^{15}	2.3	-7
	1.2	200	1.1×10^{16}	6.8	4
	1.2	200	8.0×10^{15}	6.1	25
	1.2	200	8.2×10^{10}	3.1	65
	1.2	200	3.7×10^{15}	2.4	98
c180	1.2	200	3.6×10^{10}	2.5	109
00	1.2	200	2.7×10^{15}	2.4	-115 107
	1.2	200	1.5×10^{16}	8.J 7.4	-107
	1.2	200	1.5×10^{15} 4.5×10^{15}	27	-11
	1.2 1 2	200	4.0×10^{14} 8.4 × 10 ¹⁴	2.1	-20
	1.2	200	1.4×10^{16}	7.4	0
	1.2	200	7.9×10^{14}	2.4	$\tilde{5}$
	1.2	200	1.2×10^{16}	3.0	10
	1.2	200	4.7×10^{15}	3.3	21
	1.2	200	4.5×10^{16}	8.4	39
	1.2	200	2.8×10^{14}	2.7	54
	1.2	200	1.8×10^{17}	2.9	65
	1.2	200	1.5×10^{16}	7.4	105
	1.2	200	7.1×10^{15}	2.0	129
CS	1.2	200	6.3×10^{13}	2.3	129
	1.2	200	4.8×10^{13}	1.9	113
	1.2	200	1.1×10^{14}	1.9	31
	1.2	200	1.4×10^{14}	3.5	25
	1.2	200	9.9×10^{13}	2.4	19
	1.2	200	1.2×10^{-1}	3.1 2.7	ა ი
	1.2	200	1.3×10^{13}	2.7	-3 _20
	1.2	200	3.5×10^{13}	1.0	-20 -24
	1.2	200	4.7×10^{13}	1.9	-29
	1.2	200	1.6×10^{14}	2.1	-42
	1.2	200	9.3×10^{13}	1.9	-52
	1.2	200	2.3×10^{14}	8.1	-60
	1.2	200	1.3×10^{14}	1.7	-69
	1.2	200	1.0×10^{12}	1.9	-109
	1.2	200	4.4×10^{14}	13.8	-101
	1.2	200	1.1×10^{12}	1.9	-122
	1.2	200	1.8×10^{13}	1.1	-112
^{13}CS	1.2	200	1.0×10^{12}	1.2	141
	1.2	200	6.0×10^{13}	3.4	120
~??~	1.2	200	8.6×10^{13}	4.5	114
Coos	1.2	200	4.2×10^{14}	19.1	-171
	1.2	200	1.3×10^{14}	4.5	-162
	1.2	200	4.3×10^{14}	10.0	-128
	1.2	200 200	2.3×10^{13} 1 4 $\times 10^{14}$	11.1 0 0	-3U 20
	1.2	200 200	1.4×10^{13} 5 8 $\times 10^{13}$	8.2 1.6	20
	1.2	200 200	2.6×10^{10} 2.4×10^{14}	4.0 0.5	20 100
	1.2 1.9	200 200	2.4×10^{-1} 9.8 $\times 10^{13}$	9.0 1 Q	120
$C^{34}S$	1.2	200	1.0×10^{14}	6.2	-108
	1.2	200	1.0×10^{14} 1.1×10^{14}	6.2	-97
	1.2	200	2.5×10^{14}	5.1	-89
	1.2^{-1}	200	3.3×10^{13}	2.8	-75
	1.2	200	1.4×10^{15}	34.0	-62
	1.4	200	1.1 / 10	51.0	

T. Möller et al.: Full molecular line	survey of hot cores, Online Material p 248
(Continued)	(Continued)

		(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	1.2	200	2.5×10^{13}	2.3	-42
	1.2	200	1.3×10^{15}	26.8	-25
	1.2	200	1.0×10^{14}	3.2	-5
	12	200	2.0×10^{13}	2.9	4
	1.2	200	$\frac{2.6 \times 10}{8.6 \times 10^{14}}$	20.6	18
	1.2	200	3.0×10^{13}	20.0	20
	1.2	200	3.2×10^{14}	2.1	3U 119
	1.2	200	2.5×10	0.0	115
HON	1.2	200	1.7×10^{-1}	4.1	120
HCN	1.2	200	2.9×10^{13}	2.4	79
	1.2	200	2.0×10^{10}	3.0	39
	1.2	200	2.2×10^{12}	2.0	33
	1.2	200	4.8×10^{12}	0.9	-148
	1.2	200	2.6×10^{13}	1.3	-3
	1.2	200	1.2×10^{14}	2.7	-74
10	1.2	200	8.8×10^{12}	1.1	-109
$\rm H^{13}CN$	1.2	200	1.3×10^{14}	1.1	130
	1.2	200	1.3×10^{14}	7.2	120
	1.2	200	4.8×10^{14}	15.5	109
	1.2	200	1.7×10^{13}	1.2	100
	1.2	200	1.7×10^{13}	1.0	64
	1.2	200	3.8×10^{13}	1.6	57
	1.2	200	2.1×10^{13}	1.1	16
	1.2	200	4.5×10^{14}	18.1	8
	1.2	200	1.2×10^{12}	1.9	-39
	1.2	200	7.1×10^{13}	1.8	-6
	1.2	200	1.4×10^{14}	6.2	-16
	1.2	200	1.3×10^{14}	4.8	-25
	12	200	1.3×10^{14}	4 2	-32
	1.2	200	2.6×10^{13}	3.1	-41
	1.2	200	2.6×10^{14}	12.7	-41
	1.2	200	4.0×10^{13}	1.8	-50
	1.2	200	6.4×10^{13}	4.1	-65
	1.2	200	4.6×10^{13}	10	-69
	1.2	200	5.1×10^{13}	1.9	-03
	1.2	200	6.3×10^{12}	2.0	-96
	1.2	200	7.5×10^{14}	2.0	-101
	1.2	200	1.0×10^{12} 1.2×10^{12}	1.9	-147
	1.2	200	1.2×10^{12}	1.2	-131
	1.2	200	5.4×10^{13}	1.3 9 1	-194
	1.2	200	6.0×10^{13}	1.6	-124
	1.2	200	1.8×10^{13}	1.0	-151
	1.2	200	3.0×10^{13}	1.3	-115
	1.2	200	1.1×10^{15}	2.8	-140
	1.2	200	1.1×10 3.3×10^{13}	40.0	-150
	1.2	200	1.0×10^{12}	2.0	-105
	1.2	200	1.0×10^{12}	1.9	-107
	1.2	200	1.5×10^{13}	2.1	-107
IINC	1.2	200	2.5×10^{14}	1.9	-171
IIINO	1.2	200	1.2×10^{13}	0.8	140
	1.2	200	9.0×10	0.4	140
	1.2	200	3.3×10^{13}	0.9	142
	1.2	200	1.0×10^{12}	0.7	109
	1.2	200	1.0×10 1.0 × 10 ¹²	1.1	131
	1.2	200	1.2×10 1.0 × 10 ¹²	0.9	-17 191
	1.2	200	1.0×10	0.7	151
	1.2	200	1.8×10^{-1}	8.0	100
	1.2	200	2.9×10^{-3}	2.2	38
	1.2	200	1.0×10^{-1}	ə.7	18
	1.2	200	1.1×10^{-2}	0.9	-40
	1.2	200	9.1×10^{13}	1.0	-1
	1.2	200	3.7×10^{13}	2.2	-12
	1.2	200	5.4×10^{10}	1.0	-19
	1.2	200	2.2×10^{14}	18.4	-19
	1.2	200	2.2×10^{13}	1.5	-23
	1.2	200	2.4×10^{14}	10.8	-39
	1.2	200	5.5×10^{12}	23.1	-44
	1.2	200	2.1×10^{14}	1.0	-50
	1.2	200	0.1×10^{13}	4.0	-56
	1.2	200	1.6×10^{12}	2.9	-9
	1.2	200	4.3×10^{14}	25.8	-80
	1.2	200	1.5×10^{13}	0.5	-60
	1.2	200	3.6×10^{12}	5.3	-94
	1.2	200	1.4×10^{12}	0.7	-107

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			(C	ontinued)		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.6×10^{12}	0.1	-159
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	7.4×10^{13}	2.4	-99
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.8×10^{13}	1.7	-105
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.1×10^{12}	1.0	-121
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{12}	1.0	-130
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.2×10^{12}	1.2	-101
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.4×10^{12}	0.6	-162
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.2×10^{14}	1.0	-149
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.2×10^{13}	2.1	-154
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.8×10^{13}	3.8	-162
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.7×10^{13}	2.1	-167
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.2×10^{14}	0.1	-173
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.2	200	6.5×10^{13}	2.1	-178
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HN^{13}C$	1.2	200	2.0×10^{12}	2.2	-166
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.7×10^{13}	2.3	-97
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.5×10^{14}	29.3	-77
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	6.6×10^{13}	7.1	-53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.5×10^{13}	5.2	-42
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.3×10^{13}	1.8	-34
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.6×10^{13}	9.6	140
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	5.5×10^{13}	15.1	155
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm H^{13}CO^+$	1.2	200	1.8×10^{14}	2.8	64
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HO^{13}C^+$	1.2	200	1.8×10^{14}	24.3	135
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.1×10^{13}	2.2	107
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.6×10^{14}	0.8	90
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	2.1×10^{13}	2.5	69
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	3.0×10^{13}	1.2	60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.5×10^{13}	3.3	40
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.2×10^{12}	3.8	-9
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	4.4×10^{12}	0.9	5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.2	200	1.1×10^{12}	2.3	3
$1.2 200 1.9 \times 10^{13} 2.5 -31$		1.2	200	4.0×10^{13}	3.5	-22
		1.2	200	1.9×10^{13}	2.5	-31
1.2 200 1.9×10^{13} 2.2 -40		1.2	200	1.9×10^{13}	2.2	-40
1.2 200 3.9×10^{13} 8.4 -68		1.2	200	3.9×10^{13}	8.4	-68
$\underbrace{1.2 200 2.8 \times 10^{13} 2.2 -91}_{}$		1.2	200	2.8×10^{13}	2.2	-91

-124									
-131	T 11	T 70	TUDE		c	.1	C 11	TOD	1 1
112	Table	L.(0:	L1E	Parameters	IOT	tne	rull	L1E	model
-115	(Enrol	long C	mnon	(onta) for goin	naal	111;	n Con	D9/N	T)
-148	(Enver	tope Co	Jinpon	ients) for sou	rce A	1111	n ogi	DZ(P	v).

			200 - C	•	200 0
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$({\rm km s^{-1}})$
CH_3NH_2	ext.	5	7.2×10^{14}	5.3	62
	ext.	3	3.2×10^{14}	4.2	50
CN	ext.	3	8.3×10^{13}	40.0	68
	ext.	3	1.0×10^{12}	3.1	62
	ext.	3	1.0×10^{12}	6.5	9
	ext.	3	1.0×10^{12}	17.7	39
	ext.	5	1.2×10^{13}	6.3	-35
	ext.	3	1.0×10^{12}	6.8	9
	ext.	19	3.0×10^{16}	7.7	-29
	ext.	3	2.1×10^{13}	2.2	-42
	ext.	4	1.0×10^{12}	5.2	-55
	ext.	3	1.7×10^{13}	1.2	-81
	ext.	3	2.4×10^{13}	1.6	-106
HCCCN	ext.	14	7.2×10^{18}	8.4	67
OCS	ext.	15	1.5×10^{18}	17.3	64
SiO	ext.	8	8.2×10^{14}	22.9	75
C_2H_5CN	ext.	14	1.8×10^{16}	10.3	64
$H_2^{33}S$	ext.	15	1.6×10^{15}	4.0	72
H_2CCO	ext.	15	3.8×10^{16}	13.0	64
H_2CS	ext.	13	2.0×10^{15}	5.1	59
CH_2NH	ext.	3	5.2×10^{12}	3.9	73
	ext.	3	2.4×10^{13}	13.0	75
	ext.	12	3.5×10^{14}	5.1	62

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 249

	0.000 0	(Co	ontinued)	•	mc		0.000	(C	Continued)	A	mc
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\binom{N_{tot}^{m,c}}{(cm^{-2})}$	$\Delta v^{m,c}$ (km s ⁻¹)	$v_{LSR}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{\rm LSR}^{m,c}$
CH ₃ OCH ₃	ext.	12	7.4×10^{16}	2.2	<u>62</u>		ext.	3	$\frac{(cm)}{4.0 \times 10^{15}}$	9.6	60
CCH	ext.	3	4.3×10^{15}	8.3	76		ext.	3	8.5×10^{15}	13.9	71
	ext.	3	3.1×10^{15}	9.7	64		ext.	3	3.0×10^{15}	7.4	88
CH_3CN	ext.	12	2.2×10^{16}	25.8	71		ext.	3	6.6×10^{14}	4.0	112
	ext.	23	3.8×10^{14}	0.7	54 67		ext.	3	1.6×10^{15}	4.1	123
CH ₃ OH	ext.	17	9.8×10^{10}	3.3	67		ext.	3	3.8×10^{15}	9.3	146
	ext.	17	1.7×10^{17}	10.4	61		ext.	3 3	1.8×10^{-10}	5.0 4.6	155
$H_2C^{33}S$	ext.	11	2.6×10^{14}	3.5	59		ext.	3	2.8×10^{15}	2.9	162
2	ext.	10	3.0×10^{14}	3.0	65	$C^{18}O$	ext.	3	2.8×10^{15}	9.2	-178
NO	ext.	3	2.0×10^{16}	2.6	72		ext.	3	4.7×10^{15}	8.1	-167
H_2CO	ext.	9	4.4×10^{13}	3.8	84		ext.	3	8.4×10^{14}	6.5	-153
	ext.	6	5.7×10^{14}	29.9	79		ext.	3	2.7×10^{14}	2.5	-148
	ext.	5	5.4×10^{13}	2.7	71 59		ext.	3	3.1×10^{15}	7.4	-137
	ext.	(2	4.4×10^{11} 7.0 × 10 ¹⁴	11.8	02 52		ext.	3 2	2.8×10^{10}	0.8	-128
SO	ext.	12	1.4×10^{16}	33.6	69 69		ext.	3	4.2×10^{15}	15.0	-88
SO_2	ext.	18	3.3×10^{15}	12.7	64		ext.	3	4.2×10^{15}	8.5	-60
HNCO	ext.	3	1.9×10^{19}	2.4	71		ext.	3	6.3×10^{14}	3.1	-39
	ext.	3	6.2×10^{18}	2.4	68		ext.	3	9.6×10^{14}	4.2	-25
	ext.	3	8.1×10^{18}	2.5	64		ext.	3	9.3×10^{14}	4.0	-14
$HC(O)NH_2$	ext.	13	5.3×10^{15}	12.2	64		ext.	3	1.5×10^{15}	4.0	49
CO	ext.	3	3.4×10^{14}	0.7	132		ext.	3	8.7×10^{15}	9.3	70
	ext.	3	6.1×10^{15}	7.4	128		ext.	3	1.1×10^{15}	2.4	79
	ext.	3	1.3×10^{10}	1.9	102		ext.	3	6.1×10^{14}	2.5	89
	ext.	- ゴ - シ	3.4×10^{10}	7.1	96		ext.	- ゴ - シ	1.0×10^{15}	5.3 19.5	120
	ext.	3 3	5.8×10^{15}	4.4	00 83		ext.	3 3	9.8×10 2.4 × 10 ¹⁴	12.0	144
	ext.	3	2.8×10^{15}	1.8	70	\mathbf{CS}	ext.	3	4.7×10^{15}	1.2	122
	ext.	3	9.4×10^{16}	2.4	62	00	ext.	3	4.4×10^{16}	10.6	82
	ext.	3	1.1×10^{14}	1.9	52		ext.	3	2.5×10^{16}	5.1	71
	ext.	3	4.4×10^{16}	13.4	49		ext.	3	9.0×10^{14}	1.2	59
	ext.	3	1.2×10^{17}	11.8	29	10	ext.	3	5.6×10^{16}	16.2	54
	ext.	3	1.0×10^{16}	1.9	22	^{13}CS	ext.	3	1.5×10^{16}	10.6	70
	ext.	3	1.3×10^{12}	1.2	112		ext.	3	2.9×10^{15}	2.8	61 50
	ext.	3 2	9.1×10^{10}	9.3	-2		ext.	3 2	2.5×10^{15} 7.3 × 10 ¹⁵	2.9	20 51
	ext.	3 3	6.0×10^{15}	3.1 1 9	-10		ext.	3 3	4.0×10^{13}	19.8	33
	ext.	3	1.1×10^{16}	5.6	-29		ext.	3	1.8×10^{12}	4.7	25
	ext.	3	1.3×10^{16}	11.9	-46		ext.	3	2.8×10^{12}	1.9	-8
	ext.	3	3.2×10^{15}	1.9	-53		ext.	3	7.0×10^{12}	9.3	-15
	ext.	3	1.7×10^{15}	1.1	-60		ext.	3	3.0×10^{12}	3.8	-57
	ext.	3	5.3×10^{15}	4.3	-69		ext.	3	1.0×10^{13}	1.1	-38
	ext.	3	7.5×10^{15}	7.1	-78		ext.	3	2.2×10^{13}	0.6	-83
	ext.	3	1.1×10^{15}	1.9	-75		ext.	3	6.5×10^{12}	4.1	-83
	ext.	3 3	2.5×10^{-13}	2.4	-95 -101	$C^{33}S$	ext.	3 3	2.3×10^{-5}	4.1 6.1	-119
	ext.	3	7.0×10^{15}	1.9	-101	0 5	ext.	3	4.5×10^{15}	2.5	-136
	ext.	3	3.5×10^{14}	1.1	-123		ext.	3	1.3×10^{16}	8.8	-118
	ext.	3	1.2×10^{13}	1.1	-147		ext.	3	2.0×10^{15}	2.6	-110
^{13}CO	ext.	3	9.4×10^{17}	0.7	162		ext.	3	6.7×10^{15}	4.2	-94
	ext.	3	6.1×10^{15}	1.0	132		ext.	3	1.5×10^{15}	0.6	-87
	ext.	3	2.3×10^{15}	3.0	113		ext.	3	3.7×10^{15}	2.2	-81
	ext.	3	2.1×10^{15}	2.5	100		ext.	3	6.3×10^{15}	1.7	-77
	ext.	3	1.1×10^{10}	1.2	86		ext.	3	7.0×10^{15}	5.9	-64
	ext.	- ゴ - シ	4.0×10^{10} 2.4 × 10 ¹⁵	1.9	72		ext.	- ゴ - シ	2.7×10^{15}	1.6	-41 27
	ext.	3 3	2.4×10^{14} 8.5 × 10 ¹⁴	1.9	59 54		ext.	3 3	2.0×10 2.7 × 10 ¹⁵	4.5	-37
	ext.	3	7.0×10^{15}	6.6	48		ext.	3	2.5×10^{15}	2.0	37
$C^{17}O$	ext.	3	2.4×10^{15}	36.5	-172		ext.	3	1.1×10^{16}	10.5	$52 \\ 52$
	ext.	3	1.0×10^{15}	3.4	-148		ext.	3	2.4×10^{15}	2.2	66
	ext.	3	$8.4~\times10^{13}$	2.6	-127		ext.	3	$1.3~{\times}10^{15}$	1.6	71
	ext.	3	2.5×10^{14}	8.0	-111		ext.	3	1.3×10^{16}	9.8	82
	ext.	3	2.8×10^{13}	2.3	-103		ext.	3	1.0×10^{16}	10.9	114
	ext.	3	6.0×10^{14}	3.1	-66		ext.	3	3.6×10^{15}	7.4	136
	ext.	3	3.9×10^{14}	2.3	-60		ext.	3	5.9×10^{15}	6.8	154
	ext.	3	4.1×10^{14} 3.0×10^{15}	2.3	-55 26	$C^{34}C$	ext.	3	3.5×10^{15}	3.9 6 0	150
		5	3 U X 1U*9	14.5	-20	0-15	ext.	3	9.8 XI0.2	0.2	-1(U
	ext.	ર	10.0×10^{14}	83	-17		ovt	ર	6.6×10^{15}	6.2	_160
	ext. ext.	3	10.0×10^{14} 4.4×10^{14}	8.3	-17 -2		ext.	3 3	6.6×10^{15} 3.4×10^{15}	6.2 3.0	-160 -153
	ext. ext. ext. ext.	3 3 3	$\begin{array}{c} 10.0 \times 10^{14} \\ 4.4 \times 10^{14} \\ 5.2 \times 10^{14} \end{array}$	$8.3 \\ 4.3 \\ 7.0$	-17 -2 15		ext. ext. ext.	3 3 3	$\begin{array}{c} 6.6 \times 10^{15} \\ 3.4 \times 10^{15} \\ 1.4 \times 10^{16} \end{array}$	6.2 3.0 11.9	-160 -153 -141

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 250

	(Continued)							
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot_{c}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$			
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$			
	ext.	3	1.4×10^{15}	3.0	43			
	ext.	び 9	6.5×10^{10}	9.3	57 72			
	ext.	ა ვ	5.5×10^{-14}	30.9 31	13 77			
	ext.	3	1.4×10^{15}	6.1	83			
	ext.	3	3.0×10^{14}	2.5	107			
	ext.	3	7.8×10^{15}	8.3	136			
	ext.	3	4.2×10^{13}	2.0	164			
	ext.	3	9.2×10^{15}	10.7	149			
	ext.	3	1.7×10^{15}	1.9	157			
	ext.	3	1.6×10^{15}	2.2	161			
HCN	ext.	3	1.0×10^{12}	0.7	153			
	ext.	3	2.0×10^{13}	1.5	145			
	ext.	3	5.6×10^{12}	0.8	122			
	ext.	3	2.5×10^{13}	4.4	107			
	ext.	3	4.2×10^{12}	0.8	101			
	ext.	ა ი	4.0×10^{13}	1.8	89 46			
	ext.	ა ა	2.0×10^{-3}	2.0	40			
	ext.	ა ვ	1.8×10^{-1} 1.1×10^{13}	2.0	21 13			
	ext.	3	2.7×10^{13}	2.3	5			
	ext.	3	1.6×10^{13}	1.1	-13			
	ext.	3	4.8×10^{12}	0.9	-15			
	ext.	3	1.8×10^{13}	1.5	-24			
	ext.	3	1.0×10^{12}	0.7	-41			
	ext.	3	1.4×10^{12}	1.0	-37			
	ext.	3	1.5×10^{13}	1.4	-53			
	ext.	3	1.5×10^{13}	2.2	-58			
	ext.	3	2.9×10^{12}	1.0	-66			
	ext.	3	1.3×10^{13}	2.7	-83			
	ext.	3	3.4×10^{12}	1.1	-91			
	ext.	3	1.5×10^{13}	3.0	-116			
	ext.	3	2.2×10^{13}	1.3	-137			
	ext.	3	1.6×10^{13}	1.5	-142			
ul3cm	ext.	ა ე	2.7×10^{12}	1.0	-151			
HIGCN	ext.	ა ი	5.3×10^{10}	8.1	147			
	ext.	3 3	1.2×10^{-2}	1.9	137			
	ext.	3	5.6×10^{12}	1.0	86			
	ext.	3	2.0×10^{14}	12.8	81			
	ext.	3	5.0×10^{13}	2.8	70			
	ext.	3	4.9×10^{13}	1.0	61			
	ext.	3	8.7×10^{13}	2.7	52			
	ext.	3	4.0×10^{12}	0.7	48			
	ext.	3	8.2×10^{12}	0.9	46			
	ext.	3	2.4×10^{13}	0.5	26			
HNC	ext.	3	2.6×10^{13}	0.8	120			
	ext.	3	4.6×10^{13}	1.5	118			
	ext.	3	7.6×10^{13}	1.5	87			
	ext.	3	7.4×10^{14}	29.8	70			
	ext.	ა ი	1.0×10^{12}	0.0 ეე	00 56			
	ext.	3 3	1.6×10^{14}	2.2	50 50			
	ext.	3	1.0×10^{12}	0.5	20			
	ext.	3	8.5×10^{12}	1.4	34			
	ext.	3	7.5×10^{12}	2.0	28			
	ext.	3	2.8×10^{13}	2.0	3			
	ext.	3	1.0×10^{12}	1.3	-128			
$\rm HN^{13}C$	ext.	3	2.1×10^{12}	8.5	-136			
	ext.	3	4.5×10^{13}	6.5	-11			
	ext.	3	2.5×10^{14}	22.9	62			
	ext.	3	7.2×10^{12}	0.9	68			
	ext.	3	1.6×10^{14}	15.7	82			
112 ac. 1	ext.	3	2.0×10^{13}	5.8	110			
H ₁ ₉ CO+	ext.	3	2.7×10^{13}	6.4	103			
	ext.	3	4.0×10^{13}	4.9	70			
	ext.	చ ా	8.0×10^{13}	4.0	02 77			
$HO^{13}C^{+}$	ext.	ა ვ	1.9×10^{-1} 1 4 $\checkmark 10^{13}$	54.0 67	11 80			
110 0	ext.	3	1.4×10^{-1} 1.9 × 10 ¹³	49	26			
	ext.	3	1.3×10^{13}	1.5	-3			
	ext.	3	1.3×10^{12}	0.8	-41			
		~		0.0				

(Continued)								
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})			
	ext.	3	5.8×10^{13}	10.9	-56			
	ext.	3	1.5×10^{13}	2.5	-82			

Table L.77: LTE Parameters for the full LTE model (Core Components) for source A12 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	WL GD
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
	. /	. ,	. ,		
HCCCN	1.7	152	1.1×10^{14}	4.7	64
H_2CCO	1.7	201	1.4×10^{13}	5.0	15
HNCO	1.7	207	1.1×10^{13}	3.9	107
H_2CS	1.7	193	2.1×10^{14}	3.8	64
NS	1.7	214	2.0×10^{15}	9.6	47
CH ₃ CN	1.7	324	1.0×10^{12}	5.4	65
NO ⁺	1.7	201	2.0×10^{15}	2.6	75
PN	1.7	200	1.1×10^{14}	7.0	132
	1.7	200	1.5×10^{13}	1.1	125
	1.7	200	3.9×10^{13}	3.1	107
	1.7	200	8.2×10^{13}	5.5	90
	1.7	200	4.8×10^{13}	4.4	81
	1.7	200	6.8×10^{12}	0.9	74
	1.7	200	7.0×10^{12}	1.3	80
	1.7	200	1.9×10^{13}	1.9	02 56
	1.7	200	1.4×10^{-1}	3.U 1.9	30 40
	1.7 1.7	200	1.5×10 4.9×10^{13}	1.2 3.7	49 43
	1.7	200	4.3×10^{13}	2.5	35
	1.7	200	9.9×10^{12}	1.3	23
	1.7	200	2.2×10^{13}	3.4	19
	1.7	200	1.1×10^{14}	21.3	157
	1.7	200	2.0×10^{12}	0.2	-6
	1.7	200	1.8×10^{13}	5.2	-9
	1.7	200	1.8×10^{14}	22.7	-11
	1.7	200	6.2×10^{12}	0.9	-25
	1.7	200	3.0×10^{13}	1.4	-31
	1.7	200	6.0×10^{12}	0.8	-35
	1.7	200	1.2×10^{13}	1.2	-45
	1.7	200	8.8×10^{12}	0.9	-51
	1.7	200	5.0×10^{13}	3.7	-57
	1.7	200	5.5×10^{13}	5.1	-66
	1.7	200	2.0×10^{13}	1.2	-74
	1.7	200	8.9×10^{13}	8.4	-80
	1.7	200	1.0×10^{12}	0.2	-87
000	1.7	200	4.3×10^{-5}	3.2	-90
SiO	1.7 1.7	400	3.7×10^{14}	11.0	04 86
510	1.7 1.7	400	2.0×10^{13}	2.2	80 70
CO	1.7	200	5.0×10^{16} 5.9 × 10 ¹⁶	4.5	100
00	1.7	200	4.3×10^{16}	1.9	89
	1.7	200	1.0×10^{16}	0.4	76
	1.7	200	8.5×10^{15}	1.0	74
	1.7	200	1.8×10^{16}	1.2	51
	1.7	200	7.6×10^{15}	0.7	46
	1.7	200	6.0×10^{15}	0.9	33
	1.7	200	1.8×10^{12}	0.9	133
	1.7	200	7.0×10^{15}	0.4	-6
	1.7	200	9.3×10^{15}	0.9	-86
	1.7	200	7.8×10^{13}	1.0	-75
10	1.7	200	2.0×10^{16}	2.5	-116
^{13}CO	1.7	200	2.1×10^{16}	2.0	154
	1.7	200	1.9×10^{16}	3.1	129
	1.7	200	2.2×10^{10}	2.0	23
	1.7	200	2.4×10^{10}	4.4	-137
	1.7	200	1.4×10^{10}	2.5	-167
$C^{17}O$	1.7	200	0.5×10^{15}	1.5	-1() 164
0-0	1.7	200	9.0×10^{10}	2.1	-104

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 251

(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v ^{m,c} _{LSR 1}	
	('')	(K)	$\frac{(\text{cm}^{-2})}{1.2 \times 10^{16}}$	$({\rm km s^{-1}})$	$({\rm km s^{-1}})$	
	1.7	200	1.2×10^{15} 9.5 $\times 10^{15}$	3.3 9.3	-109 -143	
	1.7	$200 \\ 200$	3.0×10^{16}	$\frac{2.5}{11.5}$	-138	
	1.7	200	9.5×10^{15}	2.2	-119	
	1.7	200	3.0×10^{16}	10.5	-111	
	1.7	200	2.7×10^{16}	9.6	-82	
	1.7	200	4.2×10^{10}	13.2	-60	
	1.7 1.7	200	1.9×10^{10} 5.5 × 10 ¹⁶	5.6 14.6	-47	
	1.7	$\frac{200}{200}$	7.5×10^{15}	7.1	-34 -18	
	1.7	200	5.1×10^{16}	9.4	-12	
	1.7	200	3.1×10^{15}	2.2	-4	
	1.7	200	2.8×10^{16}	5.3	14	
	1.7	200	6.8×10^{16}	16.7	33	
	1.7	200	9.9×10^{13}	3.0	47	
	1.7	200	1.9×10^{10} 7.3 × 10 ¹⁶	0.∠ 13.4	03 106	
	1.7	$200 \\ 200$	2.9×10^{16}	6.3	134	
	1.7	200	1.6×10^{16}	2.7	145	
$C^{18}O$	1.7	200	3.2×10^{16}	10.7	-175	
	1.7	200	1.0×10^{16}	3.1	-148	
	1.7	200	1.0×10^{17}	15.2	-143	
	1.7	200	1.0×10^{10}	9.4	-118	
	1.7	200	1.0×10^{10}	2.4 7.5	-107	
	1.7	$200 \\ 200$	3.2×10^{15} 3.2×10^{15}	2.7	-90	
	1.7	200	3.2×10^{15}	2.6	-80	
	1.7	200	1.0×10^{16}	3.6	-74	
	1.7	200	5.8×10^{15}	2.1	-66	
	1.7	200	1.0×10^{15}	2.4	-55	
	1.7	200	3.2×10^{15}	3.1	-50	
	1.7 1.7	200	3.2×10^{15} 3.2×10^{15}	2.4	-44 30	
	1.7	$\frac{200}{200}$	1.4×10^{16}	2.4 6.4	-39	
	1.7	200	1.0×10^{16}	3.0	-19	
	1.7	200	$3.2~\times10^{15}$	7.5	-14	
	1.7	200	1.0×10^{16}	7.5	5	
	1.7	200	1.0×10^{16}	5.7	13	
	1.7	200	4.6×10^{15}	2.0	19	
	1.7	200	3.2×10^{10}	9.0	32 43	
	1.7	$200 \\ 200$	1.0×10^{17} 1.0×10^{17}	5.6	40 62	
	1.7	200	3.2×10^{16}	6.8	82	
	1.7	200	$8.0~\times10^{15}$	2.5	90	
	1.7	200	3.2×10^{16}	7.5	103	
	1.7	200	3.2×10^{10}	6.0	109	
	1.7	200	3.2×10^{16}	2.4	131	
\mathbf{CS}	1.7 17	$200 \\ 200$	2.5×10^{14}	6.2	83	
65	1.7	200	5.6×10^{13}	2.5	14	
^{13}CS	1.7	200	6.3×10^{13}	7.5	81	
	1.7	200	2.8×10^{13}	3.8	64	
	1.7	200	1.9×10^{12}	11.5	32	
	1.7	200	6.5×10^{12}	0.7	6 16	
	1.7	200	4.3×10 5.8 × 10 ¹³	14.4	-10	
	1.7	200	3.3×10^{12}	0.2	-47	
	1.7	200	6.2×10^{13}	6.4	-51	
	1.7	200	1.3×10^{13}	2.5	-76	
$C^{33}S$	1.7	200	8.9×10^{13}	6.1	-173	
	1.7	200	1.2×10^{14}	6.1	-163	
	1.7	200	8.9×10^{13}	2.5	-138	
	1.7	200	3.9×10^{13} 3.4×10^{14}	0.1	-126	
	1.7	200	8.3×10^{13}	6.2	-12	
	1.7	200	2.0×10^{14}	10.0	17^{-}	
	1.7	200	$1.2~\times 10^{14}$	8.2	92	
	1.7	200	1.0×10^{14}	5.1	104	
C34C	1.7	200	1.4×10^{14}	9.0	123	
Co.S	1.7	200	9.9×10^{13} 8.0 $\times 10^{13}$	9.3 0.5	-77	
	1.7	200 200	1.7×10^{14}	9.0 16.3	-51	
	1.1	200	111 / 10	10.0	. 1 1	

	(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$		
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})		
	1.7	200	6.3×10^{13}	9.4	-7		
	1.7	200	1.8×10^{14}	13.4	17		
HCN	1.7	200	4.4×10^{13}	5.8	44		
	1.7	200	2.0×10^{13}	2.4	33		
	1.7	200	4.5×10^{12}	1.1	26		
	1.7	200	1.4×10^{13}	4.2	-18		
	1.7	200	4.7×10^{13}	8.1	-73		
	1.7	200	1.2×10^{13}	0.2	-83		
$\rm H^{13}CN$	1.7	200	2.4×10^{13}	3.9	103		
	1.7	200	4.0×10^{13}	1.6	80		
	1.7	200	2.3×10^{13}	1.4	-50		
	1.7	200	8.7×10^{12}	1.6	-63		
	1.7	200	2.3×10^{13}	1.4	-106		
	1.7	200	2.1×10^{13}	1.2	-113		
	1.7	200	1.6×10^{13}	3.0	-143		
	1.7	200	1.5×10^{13}	2.1	-150		
HNC	1.7	200	1.2×10^{13}	0.9	151		
	1.7	200	2.0×10^{13}	0.7	103		
	1.7	200	4.8×10^{13}	6.6	96		
	1.7	200	5.2×10^{13}	3.2	51		
	1.7	200	3.4×10^{13}	5.9	-49		
$\rm HN^{13}C$	1.7	200	1.0×10^{13}	3.5	64		
$\rm H^{13}CO^+$	1.7	200	3.7×10^{13}	3.2	62		
$\rm HO^{13}C^+$	1.7	200	1.1×10^{13}	1.5	132		
	1.7	200	2.9×10^{12}	0.9	126		
	1.7	200	1.2×10^{13}	2.8	123		
	1.7	200	1.1×10^{13}	4.1	116		
	1.7	200	3.6×10^{12}	0.4	53		
	1.7	200	2.4×10^{13}	10.4	48		

Table L.78: LTE Parameters for the full LTE model (Envelope Components) for source A12 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VI SD
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	()	. ,	. ,	
H_2CNH	ext.	3	4.2×10^{13}	20.0	62
CN	ext.	4	1.2×10^{14}	12.0	80
	ext.	19	1.1×10^{16}	12.1	64
	ext.	4	5.5×10^{13}	9.6	8
	ext.	3	1.2×10^{14}	24.5	40
	ext.	3	4.0×10^{13}	7.8	0
	ext.	3	7.0×10^{12}	6.1	-28
	ext.	7	2.1×10^{13}	7.4	-45
	ext.	10	3.1×10^{12}	6.4	-23
	ext.	11	1.5×10^{13}	2.0	-42
	ext.	10	6.5×10^{13}	14.5	-84
	ext.	3	2.5×10^{13}	3.4	-108
CH_2NH	ext.	5	6.3×10^{12}	13.8	64
CCH	ext.	3	1.1×10^{14}	3.0	68
	ext.	3	3.3×10^{14}	2.0	57
CH_3CN	ext.	14	3.9×10^{14}	3.5	95
	ext.	15	3.1×10^{14}	4.4	56
	ext.	13	5.7×10^{14}	6.7	74
CH_3OH	ext.	14	3.5×10^{15}	12.4	49
	ext.	16	1.5×10^{15}	5.4	93
H_2CO	ext.	15	2.2×10^{13}	7.6	77
	ext.	16	6.9×10^{13}	13.2	75
	ext.	16	5.0×10^{14}	40.0	59
NO^+	ext.	3	2.0×10^{14}	1.2	65
	ext.	6	1.6×10^{14}	1.8	57
PN	ext.	3	4.0×10^{14}	1.9	118
$HC(O)NH_2$	ext.	17	6.3×10^{14}	6.9	61
NO	ext.	3	3.9×10^{16}	4.7	72
	ext.	4	3.4×10^{15}	0.9	53
$H_2^{33}S$	ext.	3	8.0×10^{12}	5.0	50

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 252

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$\binom{\mathrm{N}_{\mathrm{tot}}^{m,c}}{(\mathrm{cm}^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$\binom{N_{tot}^{m,c}}{(cm^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$\frac{v_{LSR}^{m,c}}{(km s^{-1})}$
SO	ext.	13	2.2×10^{14}	6.6	41		ext.	3	5.7×10^{15}	5.7	-62
	ext.	10	1.0×10^{14}	4.6	75		ext.	3	1.1×10^{16}	10.9	-40
CO	ext.	7	6.5×10^{10}	2.9	68 120		ext.	3	9.7×10^{10}	2.5 6.1	-17
00	ext.	3	2.8×10^{15}	4.5	129		ext.	3	4.3×10^{15}	6.1	30
	ext.	3	2.9×10^{15}	2.5	81		ext.	3	2.9×10^{15}	2.4	42
	ext.	3	5.5×10^{15}	3.8	58		ext.	3	7.4×10^{15}	6.9	53
	ext.	3	1.7×10^{15}	2.4	43		ext.	3	6.7×10^{15}	3.8	62
	ext.	3	5.7×10^{15}	1.4	38		ext.	3	4.3×10^{15}	6.3	74
	ext.	3	2.7×10^{10} 7.4×10^{15}	6.1	29		ext.	3	4.4×10^{10} 7.0 $\times 10^{15}$	5.1 5.5	82 110
	ext.	3	5.9×10^{14}	12.5	2		ext.	3	3.9×10^{15}	5.4	136
	ext.	3	2.3×10^{13}	0.1	-7		ext.	3	6.3×10^{15}	7.9	146
	ext.	3	1.8×10^{15}	2.3	-15		ext.	3	$3.8~{\times}10^{15}$	5.9	155
	ext.	3	2.4×10^{15}	7.5	-37		ext.	3	2.1×10^{15}	2.1	161
	ext.	3	3.7×10^{14}	1.1	-43	$C^{34}S$	ext.	3	9.8×10^{14}	2.0	-177
	ext.	ა ვ	2.5×10^{14} 2.7×10^{14}	0.8	-63 60		ext.	ა ვ	3.1×10^{15} 0.8 $\times 10^{15}$	3.1 13.0	-159 147
	ext.	3	4.5×10^{14}	8.0	-0 <i>9</i> -71		ext.	3	3.1×10^{15}	6.2	-147
	ext.	3	5.0×10^{15}	40.0	-92		ext.	3	3.1×10^{15}	6.3	-132
	ext.	3	1.4×10^{14}	1.0	-101		ext.	3	3.1×10^{15}	6.8	-117
	ext.	3	8.9×10^{13}	1.0	-114		ext.	3	3.1×10^{15}	3.5	-103
13.00	ext.	3	3.4×10^{12}	0.9	-31		ext.	3	9.8×10^{14}	2.6	-92
1000	ext.	3	4.8×10^{14} 7.1 × 10 ¹⁴	0.2	113		ext.	3	7.7×10^{14}	2.5	-82 45
	ext.	3	6.4×10^{15}	8.3	00 78		ext.	3	9.5×10^{14}	49.2 2.5	-45 27
	ext.	3	6.4×10^{14}	0.1	68		ext.	3	7.1×10^{15}	8.1	37
	ext.	3	1.4×10^{15}	2.8	63		ext.	3	2.5×10^{15}	2.9	45
	ext.	3	10.0×10^{15}	0.1	60		ext.	3	1.0×10^{16}	8.5	55
	ext.	3	7.6×10^{15}	8.9	54		ext.	3	3.0×10^{15}	6.2	67
	ext.	3	2.2×10^{14}	0.9	11 6		ext.	3	4.9×10^{15}	9.3	92 105
	ext.	3 3	7.5×10 2.1 × 10 ¹⁴	1.0	-24		ext.	3 3	5.3×10^{-5} 5.2×10^{15}	0.0 6.6	100
	ext.	3	7.7×10^{15}	12.4	-43		ext.	3	6.6×10^{14}	2.1	139
	ext.	3	1.5×10^{14}	0.8	-59		ext.	3	3.4×10^{15}	6.1	145
	ext.	3	4.0×10^{14}	1.3	-76		ext.	3	9.4×10^{14}	2.1	151
	ext.	3	4.4×10^{14}	1.3	-81		ext.	3	2.1×10^{15}	2.2	156
	ext.	3	7.2×10^{13}	1.2	-120	UCN	ext.	3	3.5×10^{14}	2.0	162
$C^{17}O$	ext.	3 3	1.7×10^{-5} 3.0×10^{15}	3.4 10.1	-125 -172	HUN	ext.	3 3	4.1×10^{13}	12.0 8.1	99
0 0	ext.	3	4.2×10^{14}	2.7	-55		ext.	3	1.9×10^{13}	1.7	93
	ext.	3	1.5×10^{14}	2.7	44		ext.	3	$1.2~{\times}10^{14}$	17.2	79
	ext.	3	9.2×10^{14}	6.1	92		ext.	3	1.8×10^{13}	4.0	71
	ext.	3	3.5×10^{14}	2.7	116		ext.	3	6.3×10^{12}	1.0	60
	ext.	3	8.7×10^{14}	2.2	157		ext.	3	1.4×10^{14}	27.0	54
$C^{18}O$	ext.	ა ვ	1.3×10^{-3} 5.3 × 10 ¹⁴	3.1 7.5	-164		ext.	3 3	1.2×10^{-2}	0.3	∂7 _1
0 0	ext.	3	3.2×10^{14}	7.5 3.7	-104 -129		ext.	3	4.0×10^{-13} 4.1×10^{13}	1.4	-33
	ext.	3	1.0×10^{14}	1.4	-9		ext.	3	1.1×10^{14}	11.1	-64
	ext.	3	3.2×10^{15}	7.8	54		ext.	3	$1.0~\times 10^{12}$	6.1	-72
	ext.	3	1.0×10^{15}	3.1	73		ext.	3	3.3×10^{13}	1.9	-89
	ext.	3	2.6×10^{14}	2.7	87		ext.	3	1.0×10^{12}	1.8	-110
	ext.	3	1.0×10^{14}	2.9	125		ext.	3	1.0×10^{12}	0.7	-103
	ext.	3 3	1.0×10 1.0×10^{15}	$\frac{2.5}{6.7}$	130		ext.	э 3	2.4×10 2.6 × 10 ¹³	1.2	-120 -128
CS	ext.	3	2.3×10^{14}	0.4	76		ext.	3	1.0×10^{12}	0.9	-149
	ext.	3	4.3×10^{16}	28.6	65		ext.	3	1.8×10^{13}	1.9	-159
	ext.	3	2.3×10^{15}	2.0	67		ext.	3	4.7×10^{13}	8.2	-165
	ext.	3	8.9×10^{14}	0.8	56	$\rm H^{13}CN$	ext.	3	5.5×10^{13}	8.3	141
13.00	ext.	3	1.5×10^{14}	0.4	52		ext.	3	6.5×10^{13}	15.2	125
¹³ CS	ext.	3	4.2×10^{15}	40.0	150		ext.	3	1.2×10^{13}	2.6	116
	ext.	২	0.2×10^{10} 1.0 $\times 10^{15}$	17.U 6.0	43 -65		ext.	১ ৭	1.4×10^{13} 7.0 × 10 ¹²	1.2	112 73
	ext.	3	1.0×10^{12} 1.0×10^{12}	2.5	-46		ext.	3	1.0×10^{13}	1.6	66
$C^{33}S$	ext.	3	8.8×10^{15}	7.8	-151		ext.	3	2.0×10^{14}	34.4	56 - 56
	ext.	3	3.1×10^{15}	2.5	-141		ext.	3	1.2×10^{13}	1.9	60
	ext.	3	8.9×10^{14}	2.5	-136		ext.	3	1.5×10^{13}	5.0	41
	ext.	3	10.0×10^{15}	8.3	-111	11110	ext.	3	1.8×10^{13}	3.0	31
	ext.	3	2.8×10^{14}	2.5	-107 07	HNC	ext.	3	1.0×10^{12} 1.7 × 10 ¹⁴	0.9	151 199
	ext.	ა 3	2.0×10^{-5} 7.1 × 10 ¹⁵	ა.ა 6 1	-07 -81		ext.	3 3	1.7×10^{-1} 1.0×10^{12}	11.0 0.1	123 114
	ext.	3	5.7×10^{15}	3.8	-72		ext.	3	4.5×10^{13}	2.5	89
		0	J., A10	0.0			0110.		1.0 // 10	2.0	00

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 253

$\begin{array}{c c c c c c c c c c c c c c c c c c c $			(C	ontinued)		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	ext.	3	6.2×10^{13}	5.2	83
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.9×10^{13}	1.8	78
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.5×10^{14}	0.7	71
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	7.9×10^{12}	0.3	63
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.5×10^{13}	1.9	60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{14}	2.0	53
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	4.6×10^{12}	4.2	44
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	7.5×10^{14}	36.0	63
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	7.5×10^{13}	7.3	-4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{12}	1.1	-61
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HN^{13}C$	ext.	3	3.0×10^{13}	11.0	72
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.8×10^{13}	7.0	53
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\rm H^{13}CO^+$	ext.	3	5.0×10^{13}	11.6	59
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\rm HO^{13}C^+$	ext.	3	9.6×10^{12}	0.7	106
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.3×10^{13}	3.1	94
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	2.3×10^{13}	0.6	90
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	7.4×10^{12}	1.3	81
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{13}	0.9	41
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{13}	2.2	35
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.1×10^{13}	14.8	-9
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.7×10^{13}	8.9	-52
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{12}	0.6	-80
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.5×10^{13}	13.2	-79
ext. 3 1.3×10^{13} 4.2 -89		ext.	3	1.0×10^{12}	0.5	-85
		ext.	3	1.3×10^{13}	4.2	-89

Table L.79: LTE Parameters for the full LTE model (Core Components) for source A13 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
$HC(O)NH_2$	2.7	391	2.6×10^{15}	18.7	65
OCS	2.7	200	7.9×10^{14}	3.1	63
SiO	2.7	215	3.8×10^{14}	19.9	34
CH_2NH	2.7	195	1.5×10^{15}	9.4	69
NS	2.7	300	6.1×10^{14}	5.8	73
CH_3OH	2.7	265	4.7×10^{12}	0.1	127
	2.7	188	1.1×10^{16}	4.4	64
	2.7	172	1.8×10^{16}	9.0	63
HCCCN	2.7	26	1.6×10^{15}	1.1	62
CCH	2.7	200	1.0×10^{15}	3.0	81
	2.7	200	7.6×10^{14}	3.0	52
	2.7	200	7.0×10^{14}	3.0	48
CH_3OCH_3	2.7	211	1.8×10^{16}	5.0	59
HCN, $v_2=1$	2.7	942	8.0×10^{13}	3.9	64
$H_2^{33}S$	2.7	200	1.0×10^{12}	3.8	110
CH_3CN	2.7	118	1.2×10^{14}	5.6	64
	2.7	55	3.1×10^{13}	6.7	33
PN	2.7	200	1.6×10^{13}	3.9	59
	2.7	200	1.3×10^{13}	2.9	67
CO	2.7	200	3.3×10^{15}	0.4	149
	2.7	200	1.6×10^{16}	6.9	146
	2.7	200	1.9×10^{17}	17.1	122
	2.7	200	5.3×10^{15}	0.9	119
	2.7	200	1.4×10^{17}	6.5	112
	2.7	200	1.1×10^{17}	6.7	93
	2.7	200	9.2×10^{15}	0.7	49
	2.7	200	8.1×10^{16}	1.2	40
	2.7	200	1.5×10^{12}	1.1	-23
	2.7	200	8.1×10^{15}	1.4	-102
	2.7	200	5.8×10^{15}	1.0	-115
	2.7	200	4.7×10^{15}	15.3	-170
	2.7	200	1.4×10^{15}	0.8	-178
	2.7	200	9.3×10^{16}	40.0	-186
^{13}CO	2.7	200	1.3×10^{15}	0.8	145

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	2.7	200	7.3×10^{13}	1.0	133
	2.7	200	2.6×10^{15}	1.2	131
	2.7	200	6.2×10^{15}	4.8	123
	2.7	200	1.5×10^{17}	39.6	113
	2.7	200	2.8×10^{16}	3.5	103
	2.7	200	2.0×10^{16}	5.0	95
	2.7	200	9.8×10^{15}	0.5	94
	2.7	200	1.8×10^{16}	2.8	71
	2.7	200	6.7×10^{16}	7.2	39
	2.7	200	8.0×10^{15}	1.1	11
	2.7	200	1.4×10^{16}	2.6	-118
$C^{17}O$	2.7	200	2.7×10^{15}	2.6	-148
0 0	2.7	200	3.3×10^{15}	6.1	-138
	2.7	200	3.1×10^{15}	7 1	-111
	$\frac{2.1}{2.7}$	200	3.1×10^{15}	37	-95
	2.1	200	3.1×10^{14}	2.1	-90
	2.1	200	3.1×10^{15}	2.1	-84
	2.1	200	3.1×10 2.7×10^{14}	2.5	-04
	2.1	200	2.7×10^{15}	2.1	-11
	2.1	200	1.0×10^{15}	7.1	-70
	2.1	200	1.9×10^{-5}	2.1	-05
	2.1	200	1.1×10^{15}	0.1	-42
	2.7	200	8.3×10^{15}	15.0	-31
	2.7	200	6.9×10^{15}	7.1	-10
	2.7	200	3.8×10^{13}	3.2	-2
	2.7	200	9.9×10^{14}	2.7	4
	2.7	200	9.6×10^{14}	2.7	14
	2.7	200	1.4×10^{15}	2.8	30
	2.7	200	1.2×10^{15}	2.7	54
	2.7	200	2.8×10^{15}	2.7	60
	2.7	200	7.4×10^{16}	7.9	71
	2.7	200	7.9×10^{14}	2.7	108
	2.7	200	7.5×10^{14}	2.7	113
	2.7	200	4.3×10^{15}	7.1	119
	2.7	200	1.4×10^{15}	5.3	134
$C^{18}O$	2.7	200	5.0×10^{16}	12.6	-163
	2.7	200	9.2×10^{15}	7.7	-148
	2.7	200	6.1×10^{16}	11.7	-121
	2.7	200	2.2×10^{16}	6.0	-59
	2.7	200	2.5×10^{15}	3.5	-47
	2.7	200	6.6×10^{15}	7.4	-28
	$\frac{2.1}{2.7}$	200	2.8×10^{16}	7.4	-22
	$\frac{2.1}{2.7}$	200	1.1×10^{16}	3.6	8
	2.1	200	6.2×10^{16}	12.0	41
	2.1	200	1.6×10^{17}	12.0	68
	2.1	200	1.0×10 1.3 × 10 ¹⁶	2.0	84
	2.1	200	1.3×10^{15}	0.1	80
	2.1	200	1.6×10^{16}	2.2	89 06
	2.1	200	1.0×10^{-1}	5.1 4 E	90
	2.1	200	1.1×10^{-5}	4.5	108
CC	2.1	200	6.0×10^{13}	2.1	101
CS	2.1	200	0.5×10^{13}	1.0	141
	2.7	200	2.5×10^{13}	1.3	108
	2.7	200	2.1×10^{14}	11.8	90
	2.7	200	1.4×10^{14}	11.1	32
	2.7	200	2.6×10^{14}	11.9	45
	2.7	200	8.5×10^{12}	0.9	34
	2.7	200	4.0×10^{12}	0.8	23
	2.7	200	3.4×10^{12}	0.8	-4
	2.7	200	5.9×10^{13}	4.5	-24
	2.7	200	1.3×10^{13}	1.1	-34
	2.7	200	5.7×10^{13}	2.8	-40
	2.7	200	4.5×10^{13}	3.8	-46
	2.7	200	$2.0~\times10^{12}$	0.7	-76
	2.7	200	$7.9~{\times}10^{13}$	4.4	-85
^{13}CS	2.7	200	5.2×10^{14}	27.8	155
	2.7	200	$1.0~\times 10^{12}$	2.2	148
	2.7	200	5.1×10^{12}	1.6	138
	2.7	200	2.4×10^{13}	0.8	123
	2.7	200	6.7×10^{13}	2.0	111
	2.7	200	1.0×10^{12}	1.7	138
	$\frac{2.7}{2.7}$	200	1.1×10^{12}	2.1	101
	$\frac{2.7}{2.7}$	200	4.2×10^{14}	26.9	79
	2.1	200	1.2×10^{13}	1 4	71
	4.1	200	1.0 / 10	1.7	11

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 254

		(C	ontinued)			
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	
	$\frac{('')}{2.7}$	(K) 200	$\frac{(\text{cm}^2)}{1.1 \times 10^{14}}$	(km s ⁻¹) 3.6	$\frac{(\text{km s}^{-1})}{62}$	
	2.7	200	1.0×10^{12}	12.0	45	
	2.7	200	4.5×10^{14}	23.0	27	
	2.7	200	7.3×10^{12}	2.7	21	
	2.7 2.7	200	4.4×10^{13}	1.1	-3 -21	
	2.7	200	6.8×10^{13}	4.5	-35	
	2.7	200	2.5×10^{14}	3.7	-57	
	2.7 2.7	200 200	1.6×10^{14} 3.2 $\times 10^{13}$	4.4 2.1	-79 _99	
	2.7 2.7	200	3.5×10^{13}	5.0	-106	r
	2.7	200	1.8×10^{13}	2.0	-117	
	2.7	200	2.2×10^{13}	1.2	-124	
	$\frac{2.7}{2.7}$	$200 \\ 200$	2.6×10^{13}	$\frac{1.0}{2.8}$	-155 -143	
	2.7	200	9.3×10^{12}	1.5	-153	
	2.7	200	9.3×10^{13}	10.7	-152	
	2.7	200	7.5×10^{12}	0.5	-170 179	
	$\frac{2.7}{2.7}$	$200 \\ 200$	4.3×10^{-3} 2.9×10^{13}	0.7 2.4	-172 -184	
$\rm C^{33}S$	2.7	200	7.3×10^{13}	5.4	-176	
	2.7	200	8.3×10^{13}	8.3	-162	
	2.7	200	4.7×10^{13} 1.3×10^{14}	5.3	-52 60	
	2.7 2.7	200	9.7×10^{13}	6.1	03 91	
	2.7	200	8.3×10^{13}	5.1	120	
$C^{34}S$	2.7	200	1.0×10^{14}	10.7	-171	
	2.7 2.7	200	4.0×10^{13} 1.1 × 10 ¹⁴	6.2 11.3	-145 -110	
	2.7	200	7.3×10^{13}	9.7	-70	
	2.7	200	9.4×10^{13}	7.4	72	
	2.7	200	6.3×10^{13} 5.2 × 10^{13}	6.2 10.8	111	
	2.7 2.7	$200 \\ 200$	7.8×10^{13}	9.2	$156 \\ 156$	
HCN	2.7	200	1.4×10^{13}	2.3	48	
	2.7	200	1.5×10^{13}	4.3	25	
	2.7	200	1.3×10^{13}	1.9 3.1	-9	
	2.7	200	1.8×10^{13}	6.1	-48	
	2.7	200	1.4×10^{13}	3.9	-81	
$H^{13}CN$	2.7 2.7	200 200	5.1×10^{12} 2.7 × 10^{13}	$\frac{3.6}{7.5}$	-94 117	
II ON	2.7 2.7	200	5.4×10^{13}	21.9	101	
	2.7	200	1.5×10^{14}	9.6	90	
	2.7	200	3.5×10^{13}	6.0	51	
	2.7	200	$9.3 \times 10^{}$ 1 7 × 10 ¹⁴	2.1 17 1	33 26	
	2.7	200	3.1×10^{12}	0.7	12	
	2.7	200	2.1×10^{14}	23.9	-9	
	2.7	200	1.7×10^{14}	33.9	-37	
	$\frac{2.7}{2.7}$	$\frac{200}{200}$	1.0×10 1.0×10^{12}	$0.4^{1.2}$	-38 -68	
	2.7	200	3.0×10^{12}	2.5	-40	
	2.7	200	9.3×10^{13}	12.8	-57	
	$\frac{2.7}{2.7}$	$200 \\ 200$	1.4×10^{14} 4.2×10^{13}	10.3 2.6	-74 -85	
	2.7 2.7	200	4.7×10^{12}	1.0	-102	
	2.7	200	1.6×10^{13}	0.8	-116	
UN13C	2.7	200	5.3×10^{14}	40.0	-184 150	
	2.7 2.7	$200 \\ 200$	1.4×10^{14}	20.8	-135 -135	
	2.7	200	8.1×10^{12}	5.6	-116	
	2.7	200	3.7×10^{13}	22.5	-72	
	$\frac{2.1}{2.7}$	$200 \\ 200$	1.4×10^{10}	54.3 14.3	-ə1 -14	
	2.7	200	2.7×10^{13}	8.5	8	
	2.7	200	1.3×10^{14}	23.8	39	
	$\frac{2.7}{2.7}$	200	3.0×10^{13} 6.5×10^{13}	4.3 12.1	57 80	
	2.7	200	8.5×10^{13}	13.4	110	
	2.7	200	3.1×10^{13}	6.9	127	
	2.7	200	1.1 ×10 ¹⁴	30.4	160	

(Continued)							
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$		
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$		
$\rm HO^{13}C^+$	2.7	200	4.5×10^{13}	15.9	105		
	2.7	200	1.5×10^{13}	1.3	81		
	2.7	200	1.1×10^{13}	2.8	76		
	2.7	200	4.5×10^{13}	0.8	55		
	2.7	200	1.7×10^{13}	2.9	-3		
	2.7	200	5.7×10^{13}	19.1	-49		
	2.7	200	1.4×10^{13}	4.0	-111		

Table L.80: LTE Parameters for the full LTE model (Envelope Components) for source A13 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$
					,
H_2CNH	ext.	3	4.9×10^{12}	7.0	72
	ext.	4	7.2×10^{12}	6.8	63
CN	ext.	4	5.0×10^{13}	7.8	81
	ext.	18	1.8×10^{16}	13.6	64
	ext.	28	6.9×10^{12}	5.1	37
	ext.	4	2.6×10^{13}	5.9	7
	ext.	4	1.3×10^{13}	5.0	-1
	ext.	4	1.0×10^{12}	9.5	-3
	ext.	4	1.0×10^{12}	9.3	-20
	ext.	4	1.2×10^{12}	7.3	-25
	ext.	4	1.0×10^{13}	2.4	-42
	ext.	4	1.0×10^{12}	6.8	-82
	ext.	5	5.6×10^{13}	0.2	-108
SiO	ext.	10	6.1×10^{13}	8.9	57
CH_2NH	ext.	4	1.6×10^{13}	11.0	69
C_2H_5CN	ext.	8	8.4×10^{14}	5.2	71
SO	ext.	19	2.0×10^{15}	3.1	58
CH_3OH	ext.	16	8.7×10^{15}	6.8	64
	ext.	14	1.8×10^{15}	5.7	57
	ext.	11	1.0×10^{13}	4.0	-24
CCH	ext.	3	1.5×10^{15}	3.0	62
H_2CO	ext.	20	6.2×10^{14}	7.3	77
	ext.	11	6.0×10^{14}	11.4	76
	ext.	8	2.3×10^{14}	14.3	61
NO ⁺	ext.	3	1.3×10^{14}	2.0	68
	ext.	3	1.7×10^{14}	1.9	62
	ext.	3	1.8×10^{14}	2.5	55
HNCO	ext.	4	6.5×10^{10}	4.0	65
	ext.	4	7.0×10^{17}	6.2	57
CH_3CN	ext.	19	1.4×10^{15}	4.2	57
	ext.	20	9.8×10^{14}	3.2	95
PN	ext.	3	1.1×10^{12}	1.9	90
CO	ext.	3	3.4×10^{15}	1.2	155
	ext.	3	6.8×10^{13}	6.4	102
	ext.	3	2.7×10^{10}	3.1	85
	ext.	3	2.2×10^{15}	2.3	74
	ext.	3	2.0×10^{10}	8.6	61
	ext.	3	1.7×10^{10}	1.5	32
	ext.	3	4.1×10^{10}	21.2	17
	ext.	3	3.5×10^{12}	0.8	15
	ext.	3	3.0×10^{14}	0.9	14
	ext.	3	2.0×10^{10}	13.4	5
	ext.	3	7.4×10^{12}	0.1	-185
	ext.	3	10.0×10^{12}	0.7	-7
	ext.	3	1.2×10^{12}	0.2	-5
	ext.	3	1.0×10^{10}	5.6	-22
	ext.	3	8.1×10^{15}	4.2	-28
	ext.	3	1.8×10^{10}	9.8	-44
	ext.	3	8.3×10^{14}	0.9	-50
	ext.	3	4.1×10^{10}	3.0	-60
	ext.	3	1.9×10^{15}	1.0	-76
	ext.	3	1.8×10^{10}	8.2	-82
	ext.	3	7.3×10^{10}	1.4	-95

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 255
1. Moner et au. 1 un morecular mile survey of not cores	Onutine	maicriai	p ~200

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	('')	(K) 3	$\frac{(\text{cm}^{-2})}{9.6 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{2.6}$	(km s^{-1})
	ext.	3	3.6×10^{15}	2.8	-119
$^{13}\mathrm{CO}$	ext.	3	1.6×10^{15}	2.6	83
	ext.	3	5.5×10^{15}	3.7	67 50
	ext.	3 3	1.2×10^{15} 1.2×10^{15}	10.3	56 6
	ext.	3	1.2×10^{15} 1.7×10^{15}	3.1	1
	ext.	3	2.1×10^{14}	1.0	-6
	ext.	3	6.4×10^{15}	6.3	-34
	ext. ext.	3	1.4×10^{-5} 1.7×10^{15}	$\frac{2.6}{3.2}$	-44 -83
	ext.	3	2.5×10^{15}	2.1	-110
	ext.	3	8.8×10^{13}	1.0	-117
$C^{17}O$	ext.	3	6.5×10^{13} 1.8 $\times 10^{15}$	1.0	-130 175
0.0	ext.	3	2.9×10^{14}	$\frac{4.4}{5.7}$	-175
	ext.	3	9.8×10^{13}	4.6	-119
	ext.	3	9.0×10^{13}	2.7	-79
	ext.	3	2.6×10^{14}	8.3	-52
	ext.	3 3	1.1×10^{-1} 2.2×10^{14}	2.7 7.1	12 36
	ext.	3	6.1×10^{14}	2.3	44
	ext.	3	1.3×10^{15}	4.6	49
	ext.	3	1.4×10^{14}	2.7	57
	ext.	3	2.1×10^{14} 1.2×10^{14}	2.6 2.7	84 100
	ext.	3	9.8×10^{13}	2.7 2.7	116
	ext.	3	2.0×10^{15}	3.7	155
$C^{18}O$	ext.	3	9.0×10^{13}	2.7	-154
	ext.	3	3.0×10^{14}	2.7	-140
	ext.	3 3	9.9×10^{14}	5.∠ 6.2	-99 -91
	ext.	3	5.2×10^{14}	3.0	-80
	ext.	3	2.3×10^{15}	15.2	-71
	ext.	3	1.3×10^{15}	7.5	-41
	ext.	3 3	4.5×10^{14} 6.9 × 10 ¹⁴	2.4 1.9	-36 -25
	ext.	3	1.0×10^{14}	2.7	-1
	ext.	3	9.9×10^{13}	3.7	13
	ext.	3	4.7×10^{15}	10.6	57
	ext.	3	1.6×10^{15} 3.0 $\times 10^{15}$	7.4 12.3	134 141
	ext.	3	2.6×10^{14}	2.5	$141 \\ 147$
	ext.	3	$2.8~{\times}10^{14}$	2.6	155
CS	ext.	3	1.5×10^{16}	8.1	72
	ext.	3	9.4×10^{14}	$\frac{1.9}{7.2}$	66 60
^{13}CS	ext.	3	9.1×10^{13}	2.4	69
0.0	ext.	3	1.3×10^{15}	7.0	53
	ext.	3	1.9×10^{14}	3.2	8
	ext.	3	5.2×10^{12}	4.1	146
	ext.	3 3	3.8×10^{-1} 9.0 × 10 ¹⁴	0.5 1.7	-ə -9
	ext.	3	1.2×10^{14}	3.9	-28
	ext.	3	2.8×10^{15}	4.7	-47
C33C	ext.	3	4.8×10^{13}	2.8	-68
Coos	ext.	3	3.4×10^{13} 5.4 $\times 10^{14}$	$\frac{6.1}{2.5}$	-153 -135
	ext.	3	2.9×10^{15}	2.6 9.6	-117
	ext.	3	3.1×10^{14}	2.5	-102
	ext.	3	2.4×10^{15}	7.2	-93
	ext.	3	5.1×10^{10} 1 1 $\times 10^{15}$	7.5 27	-79 -70
	ext.	3	1.6×10^{15}	2.6	-64
	ext.	3	3.8×10^{15}	5.6	7
	ext.	3	3.2×10^{15}	5.7	32
	ext.	3	6.1×10^{14}	2.4	42 57
	ext.	ა 3	3.7×10^{13}	$\frac{0.0}{2.5}$	อ <i>า</i> 81
	ext.	3	7.4×10^{15}	15.4	139
	ext.	3	3.5×10^{14}	2.2	141
	ext.	3	8.4×10^{14}	0.8	147

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km} {\rm s}^{-1})$	(kms^{-1})
	ext.	3	6.9×10^{14}	2.0	159
$C^{34}S$	ext.	3	3.1×10^{15}	6.2	-104
	ext.	3	9.1×10^{14}	2.5	-92
	ext.	3	9.4×10^{13}	2.5	-47
	ext.	3	9.3×10^{13}	2.5	-18
	ext.	3	3.2×10^{15}	17.6	45
	ext.	3	3.0×10^{15}	9.3	52
	ext.	3	6.4×10^{14}	2.1	92
	ext.	3	4.9×10^{14}	2.5	97
	ext.	3	9.3×10^{14}	2.6	122
	ext.	3	4.6×10^{14}	2.5	162
HCN	ext.	3	1.0×10^{14}	10.7	82
	ext.	3	1.6×10^{13}	1.1	73
	ext.	3	1.0×10^{12}	1.9	70
	ext.	3	4.5×10^{13}	5.6	69
	ext.	3	8.3×10^{12}	1.9	65
	ext.	3	5.9×10^{12}	10.3	61
	ext.	3	9.7×10^{13}	11.3	57
	ext.	3	9.0×10^{12}	2.3	51
	ext.	3	3.0×10^{13}	2.9	0
	ext.	3	4.4×10^{13}	10.0	-61
	ext.	3	1.1×10^{13}	1.1	-119
	ext.	3	1.8×10^{13}	1.1	-125
$\rm H^{13}CN$	ext.	3	1.6×10^{13}	2.0	73
	ext.	3	3.1×10^{14}	24.8	70
	ext.	3	6.3×10^{13}	11.6	62
HNC	ext.	3	9.2×10^{12}	2.9	89
	ext.	3	1.3×10^{14}	35.7	74
	ext.	3	2.3×10^{13}	3.6	54
	ext.	3	4.4×10^{12}	2.9	24
10	ext.	3	1.2×10^{12}	1.7	-1
$H^{13}CO^+$	ext.	3	2.7×10^{13}	3.5	71
	ext.	3	2.4×10^{13}	4.5	64

Table L.81: LTE Parameters for the full LTE model (Core Components) for source A14 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
H_2CNH	1.9	187	1.2×10^{15}	5.2	67
$HC(O)NH_2$	1.9	239	8.1×10^{14}	9.4	62
OCS	1.9	168	1.0×10^{12}	3.9	63
SiO	1.9	201	1.2×10^{14}	11.2	73
$H_2^{33}S$	1.9	169	2.7×10^{14}	2.8	59
HNCO	1.9	200	5.8×10^{14}	5.3	69
H_2CO	1.9	236	1.5×10^{12}	8.0	70
CH_3OH	1.9	48	8.2×10^{14}	1.8	75
	1.9	87	4.3×10^{15}	3.9	72
	1.9	249	3.4×10^{15}	1.5	69
	1.9	94	2.6×10^{15}	1.8	66
	1.9	89	1.5×10^{15}	1.2	63
HCN, $v_2=1$	1.9	730	2.4×10^{15}	4.8	60
H_2CCO	1.9	200	3.0×10^{14}	3.0	67
CO	1.9	200	7.5×10^{16}	7.1	128
	1.9	200	5.6×10^{13}	2.0	112
	1.9	200	9.7×10^{16}	4.6	103
	1.9	200	3.8×10^{17}	4.3	48
	1.9	200	2.6×10^{17}	2.0	17
	1.9	200	4.8×10^{13}	2.0	41
^{13}CO	1.9	200	9.6×10^{15}	1.6	90
	1.9	200	3.9×10^{16}	3.2	81
	1.9	200	7.5×10^{15}	3.1	46
	1.9	200	2.1×10^{16}	2.6	-42
	1.9	200	1.1×10^{16}	3.5	-49
$C^{17}O$	1.9	200	$3.0~\times 10^{15}$	4.0	-175

T. Möller <i>et al.</i> : Full molec	ular line survey of hot	cores. Online	Material p 256
	ular mic burvey or not	cores, oneenec	matter and p 200

		(0	Continued)					
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$	Molecule	$\theta^{m,c}$	T_e^n
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})		('')	(ŀ
	1.9	200	9.9×10^{14}	2.7	-159		1.9	20
	1.9	200	3.1×10^{14}	2.7	-127		1.9	20
	1.9	200	8.0×10^{15}	11.4	-92		1.9	20
	1.9	200	2.7×10^{13}	2.7	-87		1.9	20
	1.9	200	3.1×10^{14}	2.7	-48		1.9	20
	1.9	200	9.4×10^{14}	2.7	12	C33 C	1.9	20
	1.9	200	3.0×10^{15}	2.1	33	Coss	1.9	20
	1.9	200	0.8×10^{-4}	4.7	44 62	$C^{34}S$	1.9	20
	1.9	200	2.3×10^{16}	7.1	68	0 5	1.9	20
	1.9	200	9.9×10^{14}	2.7	84		1.9	20
	1.9	200	3.3×10^{15}	2.7	100		1.9	20
	1.9	200	4.9×10^{15}	3.3	140		1.9	20
	1.9	200	3.0×10^{14}	2.7	156		1.9	20
$C^{18}O$	1.9	200	2.8×10^{15}	2.1	-178		1.9	20
	1.9	200	5.6×10^{15}	8.9	-165	HCN	1.9	20
	1.9	200	1.1×10^{10}	6.3	-142		1.9	20
	1.9	200	3.0×10^{13}	3.8	-105		1.9	20
	1.9	200	1.3×10^{10}	27.9	-88		1.9	20
	1.9	200	1.6×10^{-5}	9.7	-12		1.9	20
	1.9	200	6.8×10^{15}	1.9 3.7	-49		1.9	20
	1.9	200	3.6×10^{15}	2.8	-39		1.9	20
	1.9	200	1.7×10^{15}	25.9	-33		1.9	20
	1.9	200	5.7×10^{15}	7.6	-17		1.9	20
	1.9	200	2.3×10^{15}	2.4	-11		1.9	20
	1.9	200	1.5×10^{15}	2.7	-6		1.9	20
	1.9	200	2.5×10^{15}	2.2	0		1.9	20
	1.9	200	2.9×10^{15}	30.4	8		1.9	20
	1.9	200	1.5×10^{15}	2.6	19		1.9	20
	1.9	200	2.7×10^{10}	14.0	38		1.9	20
	1.9	200	1.7×10^{15}	3.9	40 60		1.9	20
	1.9	200	1.3×10^{17}	2.1	73		1.9	20
	1.9	200	10.0×10^{15}	5.1	86		1.9	20
	1.9	200	6.4×10^{14}	6.1	118		1.9	20
	1.9	200	8.6×10^{15}	3.7	129		1.9	20
	1.9	200	6.0×10^{15}	4.2	137		1.9	20
	1.9	200	5.3×10^{15}	3.1	151		1.9	20
CC	1.9	200	7.4×10^{13}	5.4	159		1.9	20
CS	1.9	200	1.2×10^{-1} 1.4×10^{13}	7.0	147		1.9	20
	1.9	200	5.1×10^{13}	4.3	119		1.9	20
	1.9	200	1.3×10^{13}	2.0	117		1.9	20
	1.9	200	2.7×10^{14}	11.7	93		1.9	20
	1.9	200	1.1×10^{14}	3.4	46		1.9	20
	1.9	200	6.7×10^{13}	2.0	41		1.9	20
	1.9	200	6.4×10^{13}	6.0	36		1.9	20
	1.9	200	3.4×10^{13}	2.0	19		1.9	20
	1.9	200	5.3×10^{13}	4.2	-16		1.9	20
	1.9	200	1.1×10^{14}	9.6	-39		1.9	20
	1.9	200	5.2×10^{13}	4.0	-07 76		1.9	20
	1.9	200	4.8×10^{13}	5.0 4 0	-70	$\rm H^{13}CN$	1.9 1.9	20
^{13}CS	1.9	200	1.1×10^{12}	7.3	161		1.9	20
0.0	1.9	200	3.6×10^{12}	1.2	148		1.9	20
	1.9	200	1.2×10^{13}	1.1	138		1.9	20
	1.9	200	1.0×10^{12}	2.7	126		1.9	20
	1.9	200	7.5×10^{12}	0.8	113		1.9	20
	1.9	200	1.0×10^{12}	4.2	91	10	1.9	20
	1.9	200	2.7×10^{13}	2.4	74	$\rm HN^{13}C$	1.9	20
	1.9	200	3.7×10^{14}	5.6	46		1.9	20
	1.9	200	1.0×10^{12}	0.3	36		1.9	20
	1.9	200	0.2×10^{12} 1 7 $\times 10^{13}$	2.7	22		1.9	20
	1.9	200 200	1.7×10^{10} 2.5 $\times 10^{13}$	1.2 1 0	11 2		1.9	20 90
	19	200	1.1×10^{12}	2.7	-15		19	20
	1.9	200	2.1×10^{13}	2.2	-39	$\rm HO^{13}C^+$	1.9	20
	1.9	200	1.2×10^{14}	7.8	-54			
	1.9	200	1.6×10^{13}	3.3	-80			
	1.9	200	3.7×10^{12}	0.1	-98			
	1.9	200	9.9×10^{12}	2.5	-108			

(Continued)					
Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	(")	(K)	$\frac{(\text{cm}^{-2})}{1.0 \times 10^{12}}$	$({\rm km s^{-1}})$	$({\rm kms^{-1}})$
	1.9 1.9	$200 \\ 200$	1.0×10 1.0×10^{12}	1.5	-118
	1.9	200	$1.0~\times 10^{12}$	4.1	-134
	1.9	200	1.1×10^{12}	2.7	-164
	1.9	200	2.2×10^{12}	2.7	-150
$C^{33}S$	1.9 1.9	200	1.1×10^{13} 5.1 × 10^{13}	0.8 9.4	-183 -30
0 0	1.9	200	5.7×10^{13}	7.1	69
$C^{34}S$	1.9	200	3.7×10^{13}	7.9	-64
	1.9	200	5.2×10^{13}	17.2	-30
	1.9	200	5.3×10^{13}	7.8	17 50
	1.9	$\frac{200}{200}$	1.4×10^{14}	0.2 3.6	50 65
	1.9	200	9.1×10^{13}	6.2	72
	1.9	200	1.8×10^{14}	8.9	114
HCN	1.9	200	6.4×10^{12}	1.0	158
	1.9	200	2.7×10^{12}	0.8	151
	1.9 1.9	200	3.1×10^{12} 4.0×10^{13}	0.8	153 141
	1.9	200	3.9×10^{13}	3.4	131
	1.9	200	1.2×10^{13}	1.1	125
	1.9	200	4.2×10^{12}	0.8	119
	1.9	200	7.7×10^{13}	5.0	109
	1.9	200	3.3×10^{12}	0.3	106
	1.9	200	1.7×10^{13}	5.5 4.3	101
	1.9	200	1.5×10^{13}	4.4	-11
	1.9	200	2.6×10^{12}	1.6	-16
	1.9	200	5.9×10^{13}	6.4	-24
	1.9	200	3.6×10^{13}	3.6	-31
	1.9	200	1.4×10^{13} 3.1×10^{12}	4.1	-36 48
	1.9	$200 \\ 200$	2.1×10^{13}	$\frac{0.5}{3.7}$	-40 -56
	1.9	200	2.8×10^{12}	0.8	-61
	1.9	200	2.3×10^{12}	3.0	-41
	1.9	200	2.5×10^{12}	0.5	-73
	1.9	200	2.5×10^{13}	4.5	-85
	1.9	$\frac{200}{200}$	1.1×10^{13}	0.8	-93 -98
	1.9	200	1.0×10^{12}	0.6	-103
	1.9	200	$1.1~\times 10^{14}$	0.8	-112
	1.9	200	2.3×10^{12}	0.3	-115
	1.9	200	4.3×10^{13}	3.3	-121
	1.9 1.9	200	8.4×10^{12} 1.2 × 10 ¹³	0.6	-131 -156
	1.9	200	8.4×10^{13}	5.2	-136
	1.9	200	1.3×10^{13}	1.0	-145
	1.9	200	1.0×10^{13}	0.9	-112
	1.9	200	5.7×10^{13}	1.4	-155
	1.9 1 0	200 200	1.7×10^{12} 4.4×10^{13}	5.U 9.9	-169 -164
	1.9	$200 \\ 200$	3.8×10^{13}	1.1	-175
	1.9	200	9.4×10^{12}	2.2	-184
$\rm H^{13}CN$	1.9	200	6.8×10^{13}	7.5	128
	1.9	200	1.4×10^{14}	9.4	41
	1.9	200	7.9×10^{13} 1.7 × 10^{13}	13.2	17
	1.9 1.9	$200 \\ 200$	2.2×10^{13}	4.0 3.6	-21 -48
	1.9	200	1.6×10^{13}	3.2	-64
	1.9	200	2.6×10^{13}	3.6	-108
$\rm HN^{13}C$	1.9	200	1.7×10^{13}	2.0	-135
	1.9	200	1.5×10^{13}	13.7	-91
	1.9 1 0	200 200	3.2×10^{13} 1 3 $\times 10^{13}$	18.4 11 0	-69 -20
	1.9	200	3.8×10^{13}	41.0	27
	1.9	200	2.4×10^{13}	7.1	46
	1.9	200	3.7×10^{13}	13.5	117
$HO^{13}C^+$	1.9	200	6.3×10^{12}	3.8	50

(Continued)

Table L.82: LTE Parameters for the full LTE model (Envelope Components) for source A14 in Sgr B2(N).

nvelope Compose Molecule $\theta^{m,c}$ ('') CN ext. ext. ext. ext. ext. ext. ext. ext. ext. ext. ext. ext. SiO ext. H ₂ CO ext. SO ₂ ext. SO ₂ ext. CCH ext. CCH ext. e	pon ,c	ents) for $\overline{T_{ex}^{m,c}}$	or source A	14 in Sgr I	B2(N).	Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$\frac{N_{tot}^{m,c}}{(cm^{-2})}$	$\Delta v^{m,c}$ $(km s^{-1})$	$v_{\text{LSR}}^{m,c}$
Molecule $\theta^{m,c}$ (")CNext. ext. ext. ext. ext. ext. ext. ext. ext. ext. stol SO2ext. ext. ext. ext. stol ext. e	<i>m,c</i> ('')	$T^{m,c}_{ev}$					('')	(K)	(cm^{-2})	$(km s^{-1})$	(1 - 1)
Molecule $\theta^{m,c}$ ('')CNext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.ext.SO2ext.ext.SO2ext.	m,c ['')	$T^{m,c}_{ex}$						<u>`</u>	1 2 1 2 1 5	(KIII 5)	(Km s ⁺)
$('')$ $CN = ext. SiO = ext. H_2CO = ext. ext. SO_2 = ext. ext. SO = ext. ext. CCH = ext. ex$	")	CA.	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$		ext.	3	1.3×10^{15}	8.4	121
$\begin{array}{cccc} {\rm CN} & {\rm ext.} & {\rm $		(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$		ext.	ა ვ	1.4×10^{10}	10.6	132 153
$\begin{array}{llllllllllllllllllllllllllllllllllll$			12			$C^{18}O$	ext.	3	3.4×10^{14}	3.1	-124
ext. ext. ext. ext. ext. ext. ext. ext. ext. ext. SiO ext. H_2CO ext. SO_2 ext. CCH ext. CCH ext. ext. ext. ext. ext. ext. ext. ext. CCH ext. ex	xt.	4	6.3×10^{13}	13.2	72 50	0 0	ext.	3	3.5×10^{14}	2.9	-96
ext. ext. ext. ext. ext. ext. ext. ext. ext. SiO ext. H_2CO ext. ext. SO_2 ext. ext. SO_2 ext. ext. CCH ext. CO ext. ex	xt.	4	1.5×10^{13}	4.6	56		ext.	3	3.9×10^{14}	2.7	-28
$\begin{array}{c} \mathrm{ext.}\\ ext$	xt.	4	8.4×10^{-2}	11.2 8.4	04 31		ext.	3	1.5×10^{14}	2.7	-3
$\begin{array}{c} \mathrm{ext.}\\ ext$	xt. vt	4	2.4×10 3.2×10^{13}	0.4 13.9	9		ext.	3	1.4×10^{14}	2.6	16
$\begin{array}{c} \operatorname{ext.}\\ ext$	xt.	4	7.3×10^{12}	5.9	-4		ext.	3	5.4×10^{14}	3.2	30
$\begin{array}{c} {\rm ext.}\\ {\rm SO}_2 \qquad {\rm ext.}\\ {\rm ext.}$	xt.	3	1.0×10^{12}	8.9	-16		ext.	3	5.2×10^{15}	24.4	51
$\begin{array}{c} \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{SO}_2 & \text{ext.}\\ \text{ext.}\\ \text{SO}_2 & \text{ext.}\\ e$	xt.	4	8.1×10^{12}	9.1	-61		ext.	3	2.7×10^{14}	2.1	92
$\begin{array}{c} \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{I}_2\text{CO} & \text{ext.}\\ \text{ext.}\\ \text{SO}_2 & \text{ext.}\\ \text{ext.}\\ \text{SO}_2 & \text{ext.}\\ \text{ext.}$	xt.	4	7.8×10^{12}	3.8	-43	CS	ext.	- ゴ - シ	5.8×10^{14}	2.5	145 70
$\begin{array}{c} \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{SiO} & \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{SO}_2 & \mathrm{ext.}\\ ex$	xt.	4	1.4×10^{13}	11.2	-53	CS	ext.	3	1.2×10^{-1} 8.7 × 10 ¹⁵	7.2	70 60
$\begin{array}{cccc} & \text{ext.} & \text{ext.} \\ \text{SiO} & \text{ext.} & \text{ext.} \\ & \text{ext.} \\ \text{SO}_2 & \text{ext.} \\ \text{CO} & \text{ext.} \\ & \text$	xt.	4	1.2×10^{13}	1.4	-84		ext.	3	7.7×10^{15}	2.0	56
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	xt.	20	8.1×10^{13}	2.1	-91 57	^{13}CS	ext.	3	1.1×10^{14}	37.0	118
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	xt.	11	3.6×10^{13} 5.4 × 10^{13}	8.1	07 82		ext.	3	1.8×10^{15}	3.9	82
$SO_{2} = ext.$ $ext.$	xt. vt	5	1.3×10^{14}	4.2 12.2	82 71		ext.	3	7.1×10^{15}	2.9	62
$SO_{2} = ext.$ $ext.$ $ext.$ $ext.$ $SO = ext.$ $ext.$ $CCH = ext.$ $ext.$ e	xt.	4	7.6×10^{13}	8.0	58		ext.	3	4.3×10^{15}	5.6	8
$\begin{array}{c} \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{CCH} & \mathrm{ext.}\\ ext$	xt.	3	3.1×10^{12}	1.6	86		ext.	3	7.9×10^{14}	3.6	-23
$\begin{array}{c} \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{CCH}\\ \mathrm{ext.}\\ ext.$	xt.	14	2.5×10^{14}	1.6	78		ext.	3	1.3×10^{16}	7.6	-47
$\begin{array}{c} \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{ext.}\\ \mathrm{CCH}\\ \mathrm{ext.}\\ ext.$	xt.	16	5.5×10^{14}	6.2	67		ext.	3	4.2×10^{13}	4.5	-66
$\begin{array}{c} \text{ext.}\\ \text{SO} & \text{ext.}\\ \text{CCH} & \text{ext.}\\ \text{CO} & \text{ext.}\\ \text{ext.}$	xt.	10	1.3×10^{13}	1.8	68		ext.	3	3.3×10^{10}	0.1	-67
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	xt.	11	1.7×10^{14}	4.1	48		ext.	3	$1.2 \times 10^{}$ 7.3 × 10 ¹⁴	0.8	-87 86
$\begin{array}{cccc} {\rm CCH} & {\rm ext.} \\ {\rm CO} & {\rm ext.} \\ {\rm e$	xt.	19	2.1×10^{15}	7.2	58	$C^{33}S$	ext.	3	7.3×10 2.9 × 10 ¹⁵	1.1 6.1	-00
$\begin{array}{cccc} CO & ext. \\ e$	xt.	3	5.7×10^{15}	11.6	63	0 0	ext.	3	1.0×10^{14}	2.5	-136
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	3.3×10^{13}	2.0	113		ext.	3	4.0×10^{14}	2.5	-123
ext. ext.	xt.	ა ე	1.4×10^{-5} 1.5×10^{15}	2.0	144		ext.	3	1.7×10^{15}	4.6	-86
ext. ext. ext. ext. ext. ext. ext. ext.	xt. vt	3 3	1.3×10^{16}	1.0	00 72		ext.	3	4.2×10^{14}	2.5	-74
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	7.9×10^{15}	2.2	62		ext.	3	1.5×10^{15}	2.8	-67
$\begin{array}{c} \text{ext.}\\ \xx.}\\ xx.\\ xx.}\\ xx.\\ xx.\\ xx.\\ xx.\\ xx.$	xt.	3	1.5×10^{16}	6.1	31		ext.	3	1.2×10^{15}	2.8	-58
$\begin{array}{c} \text{ext.}\\ \xt.}\\ xx. \\ x$	xt.	3	2.1×10^{16}	5.7	16		ext.	3	3.9×10^{14}	2.5	-44
$\begin{array}{c} \text{ext.}\\ \xt.}\\ xx. \\ x$	xt.	3	3.0×10^{16}	16.1	3		ext.	3	1.0×10^{14}	2.5	-18
$\begin{array}{c} \text{ext.}\\ \x.}\\ \text{ext.}\\ x\\ x\\ x\\ x\\ x\\ x\\$	xt.	3	5.8×10^{12}	0.6	-10		ext.	- ゴ - シ	1.0×10^{14}	2.5	15
$\begin{array}{c} \text{ext.}\\ \x.}\\ \text{ext.}\\ x\\ x\\ x\\ x\\ x\\ x\\$	xt.	3	2.3×10^{12}	0.6	-93		ext.	3 3	1.0×10^{-1} 9.5×10^{14}	2.0	04 113
$\begin{array}{c} \text{ext.}\\ \x.}\\ \x.}\\ \x.\\ x.\\ x.\\ x.\\ x.\\$	xt.	3	1.9×10^{16}	11.5	-24		ext.	3	1.0×10^{14}	3.0	118
$\begin{array}{c} \text{ext.}\\ \xx.}\\ x\\ x\\$	xt.	3	1.2×10^{12}	0.1	-12		ext.	3	1.6×10^{15}	3.5	137
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	ა ე	1.9×10^{13} 1.0 × 10 ¹²	11.0	-42		ext.	3	1.0×10^{14}	2.5	142
$\begin{array}{c} \mathrm{ext.}\\ ext$	xt. vt	3 3	1.0×10 1.8 × 10 ¹⁵	20.1	-40		ext.	3	1.0×10^{14}	2.5	148
$\begin{array}{c} \mathrm{ext.}\\ ext$	xt.	3	4.1×10^{14}	0.8	-49		ext.	3	3.9×10^{14}	3.3	155
$\begin{array}{c} \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{ext.}\\ \text{c}^{17}\text{O} \text{ext.}\\ \xx.}\\ xx. \\ xx.}\\ xx. \\ xx.$	xt.	3	2.3×10^{16}	10.8	-80	$C^{34}S$	ext.	3	3.7×10^{14}	2.5	-172
$\begin{array}{c} \text{ext.}\\ \xt.}\\ xx. \\ xx. $	xt.	3	4.0×10^{15}	2.0	-93		ext.	3	1.4×10^{15}	2.7	-155
$\begin{array}{c} & \text{ext.} \\ ^{13}\text{CO} & \text{ext.} \\ & \text{ext.} \\ \text{ext.} \\ \text{C}^{17}\text{O} & \text{ext.} \\ $	xt.	3	1.1×10^{16}	5.7	-109		ext.	3	1.2×10^{15}	2.5	-147
¹³ CO ext. ext. C ¹⁷ O ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	2.7×10^{15}	3.0	-123		ext.	ა ი	4.8×10^{-5} 5.1 × 10 ¹⁵	0.2 5.5	-140 197
ext. ext. C ¹⁷ O ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	7.1×10^{15}	0.7	92		ext.	ა ვ	2.1×10^{15}	0.0 8 2	-127
ext. C ¹⁷ O ext.	xt.	3	8.2×10^{14}	1.5	65		ext.	3	3.6×10^{15}	4.3	-102
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	1.7×10^{13}	1.2	-139		ext.	3	1.4×10^{15}	2.5	-92
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	ა ე	1.0×10^{11} 1.5×10^{15}	2.2	-180		ext.	3	3.5×10^{14}	2.7	-87
ext. ext. ext. ext. ext. ext. ext. ext.	xt. vt	3 3	1.5×10^{-5} 5.9 × 10 ¹⁵	4.4 24.5	-108		ext.	3	3.3×10^{15}	4.7	0
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	1.1×10^{15}	4.0	-140		ext.	3	1.0×10^{15}	2.3	27
ext. ext. ext. ext. ext. ext. ext. ext.	xt.	3	1.2×10^{15}	7.1	-108		ext.	3	3.7×10^{15}	3.6	33
ext. ext. ext. ext. ext. ext.	xt.	3	1.0×10^{14}	2.7	-82		ext.	3	4.2×10^{15}	6.2	40
ext. ext. ext. ext. ext.	xt.	3	1.1×10^{15}	8.3	-74		ext.	3	4.3×10^{14}	2.5	52
ext. ext. ext.	xt.	3	1.1×10^{14}	2.5	-66		ext.	3	7.7×10^{14}	3.0	93
ext. ext.	xt.	3	1.1×10^{15}	7.1	-58		ext.	ა ე	2.4×10^{10}	45.4	102
ext. ext.	xt.	3	3.5×10^{14}	3.4	-52		ext.	3 3	3.1×10^{-5} 1 1 $\times 10^{15}$	0.2	125
ext.	xt.	3	3.8×10^{14}	9.2	-41		ext.	3	3.1×10^{14}	2.4	136
	xt.	3	1.5×10^{15}	13.9	-23		ext.	3	6.7×10^{15}	12.3	148
ext.	xt.	3	1.7×10^{13}	9.9	-12		ext.	3	1.8×10^{15}	2.6	157
ext.	xt.	び 9	3.3×10^{14}	$\frac{2.0}{2.7}$	-4		ext.	3	1.5×10^{15}	2.3	163
ext.	ль. vt	ა ვ	1.0×10^{11} 1.0×10^{14}	4.1 2.7	9 14	HCN	ext.	3	$9.8~{\times}10^{12}$	0.9	85
ext.	лı. xt	3	3.6×10^{14}	4.1 9.2	25		ext.	3	$3.9~{\times}10^{14}$	18.3	77
ext.	xt.	3	8.1×10^{14}	3.2	60		ext.	3	3.5×10^{13}	3.8	69
ext.	xt.	3	3.3×10^{14}	2.7	81		ext.	3	1.2×10^{14}	6.4	61
ext.	xt.	3	3.1×10^{15}	9.8	92		ext.	3	1.8×10^{13}	1.0	49
ext.	xt.	3	1.0×10^{14}	2.3	109		ext.	3	1.6×10^{14}	7.2	54 42
	-						ext.	ა ი	1.2×10^{11} 7.0 $\times 10^{12}$	1.9	43 20

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 258

(Continued)							
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$		
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})		
	ext.	3	6.8×10^{12}	0.9	41		
	ext.	3	1.3×10^{14}	7.3	2		
	ext.	3	7.4×10^{12}	1.0	-41		
	ext.	3	3.9×10^{12}	1.0	-101		
$\rm H^{13}CN$	ext.	3	1.9×10^{13}	2.0	140		
	ext.	3	2.0×10^{13}	3.3	96		
	ext.	3	4.2×10^{13}	2.0	82		
	ext.	3	1.1×10^{14}	7.0	73		
	ext.	3	3.2×10^{14}	17.2	59		
	ext.	3	1.5×10^{13}	2.0	-20		
HNC	ext.	3	1.1×10^{12}	37.3	91		
	ext.	3	2.1×10^{14}	31.7	69		
	ext.	3	1.5×10^{13}	4.3	55		
	ext.	3	1.0×10^{12}	0.5	21		
	ext.	3	1.6×10^{14}	34.9	5		
$\rm HN^{13}C$	ext.	3	9.3×10^{13}	20.0	64		
$\rm H^{13}CO^+$	ext.	3	3.2×10^{13}	2.7	70		
	ext.	3	6.0×10^{13}	8.2	61		
$\rm HO^{13}C^+$	ext.	3	3.5×10^{12}	3.0	-2		
	ext.	3	2.9×10^{13}	11.6	-7		
	ext.	3	8.0×10^{12}	5.1	-37		

Table L.83: LTE Parameters for the full LTE model (Core Components) for source A15 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,CD}^{m,c}$
	('')	(K)	(cm^{-2})	$({\rm km \ s^{-1}})$	$(km s^{-1})$
	()	. ,	. ,	. ,	(/
H_2CNH	1.1	184	1.8×10^{13}	4.0	59
OCS, $v_2=1$	1.1	186	2.2×10^{16}	7.7	64
$H_2^{33}S$	1.1	171	1.7×10^{13}	2.8	53
H_2CS	1.1	158	1.2×10^{15}	2.1	68
NH_2D	1.1	185	1.4×10^{15}	7.5	70
HNC, $v_2=1$	1.1	694	2.3×10^{14}	2.0	47
NO	1.1	317	7.8×10^{16}	2.1	79
	1.1	61	1.3×10^{16}	1.1	74
PN	1.1	200	2.6×10^{13}	5.3	146
	1.1	200	3.1×10^{13}	2.0	137
	1.1	200	8.2×10^{12}	1.0	113
	1.1	200	2.0×10^{13}	2.6	52
	1.1	200	3.6×10^{13}	2.8	35
	1.1	200	2.7×10^{13}	2.0	20
	1.1	200	2.5×10^{13}	4.0	12
	1.1	200	4.0×10^{12}	0.7	8
	1.1	200	2.3×10^{13}	2.7	-3
	1.1	200	3.9×10^{13}	4.1	-14
	1.1	200	6.1×10^{12}	3.0	-20
	1.1	200	7.6×10^{12}	1.0	-23
	1.1	200	3.5×10^{13}	4.9	-42
	1.1	200	4.3×10^{12}	0.8	-51
	1.1	200	1.7×10^{13}	1.0	-111
	1.1	200	6.1×10^{13}	5.0	-118
	1.1	200	1.8×10^{13}	2.5	-147
CO	1.1	200	2.7×10^{16}	1.1	108
	1.1	200	1.2×10^{17}	2.5	79
	1.1	200	4.1×10^{16}	0.9	67
	1.1	200	2.2×10^{16}	0.7	13
	1.1	200	1.0×10^{16}	0.2	-37
	1.1	200	4.8×10^{15}	1.0	-22
	1.1	200	4.0×10^{15}	1.0	-128
^{13}CO	1.1	200	3.4×10^{15}	1.0	109
	1.1	200	2.9×10^{16}	5.4	117
	1.1	200	3.8×10^{16}	2.6	94
	1.1	200	4.4×10^{15}	0.9	-11
	1.1	200	1.5×10^{16}	1.3	11
	1.1	200	1.8×10^{16}	1.2	11

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	1.1	200	1.8×10^{16}	1.1	3
	1.1	200	4.3×10^{16}	2.7	-6
	1.1	200	1.4×10^{16}	2.7	-53
	1.1	200	9.0×10^{12}	1.0	-62
	1.1	200	2.4×10^{15}	0.9	-28
	1.1	200	9.0×10^{16}	3.6	-75
	1.1	200	6.7×10^{15}	1.4	-150
$C^{17}O$	1.1	200	1.1×10^{16}	5.0	-143
	1.1	200	1.2×10^{16}	3.7	-123
	1.1	200	3.4×10^{16}	7.3	-92
	1.1	200	2.5×10^{15}	2.1	-74
	1.1	200	3.5×10^{15}	2.8	-58
	1.1	200	5.8×10^{15}	2.7	-47
	1.1	200	1.1×10^{15}	2.7	-36
	1.1	200	4.9×10^{15}	2.7	-4
	1.1	200	8.0×10^{15}	2.7	1
	1.1	200	1.2×10^{15}	2.7	9
	1.1	200	1.4×10^{16}	17.5	23
	1.1	200	5.2×10^{15}	2.7	54
	1.1	200	1.4×10^{17}	7.0	62
	1.1	200	8.9×10^{16}	2.5	68
	1.1	200	7.6×10^{14}	2.7	95
	1.1	200	3.1×10^{16}	2.7	153
$C^{18}O$	1.1	200	3.2×10^{15}	2.7	-156
	1.1	200	1.0×10^{15}	2.7	-93
	1.1	200	3.8×10^{16}	7.5	-46
	1.1	200	1.0×10^{15}	2.7	-33
	1.1	200	3.2×10^{15}	2.4	-25
	1.1	200	3.6×10^{16}	8.3	-3
	1.1	200	3.6×10^{16}	5.0	19
	1.1	200	1.2×10^{16}	3.1	24
	1.1	200	4.4×10^{16}	7.5	54
	1.1	200	1.3×10^{17}	4.0	62
	1.1	200	2.5×10^{17}	2.7	68
	1.1	200	1.0×10^{15}	2.7	137
	1.1	200	3.2×10^{15}	2.7	117
	1.1	200	8.8×10^{14}	2.7	142
\mathbf{CS}	1.1	200	1.5×10^{14}	7.3	135
	1.1	200	2.7×10^{13}	1.0	110
	1.1	200	1.9×10^{14}	4.4	72
	1.1	200	2.3×10^{13}	2.4	21
	1.1	200	4.8×10^{14}	35.9	1
	1.1	200	4.0×10^{13}	4.8	-7
	1.1	200	2.5×10^{12}	0.1	-11
	1.1	200	7.9×10^{13}	1.5	-20
	1.1	200	1.6×10^{13}	1.3	-31
	1.1	200	1.4×10^{13}	1.0	-41
	1.1	200	1.3×10^{13}	0.8	-56
	1.1	200	7.3×10^{13}	4.7	-61
	1.1	200	6.4×10^{13}	2.4	-70
	1.1	200	1.3×10^{13}	1.0	-63
	1.1	200	6.5×10^{13}	5.7	-83
	1.1	200	7.8×10^{13}	6.3	-100
19	1.1	200	1.3×10^{14}	3.7	-109
^{13}CS	1.1	200	1.3×10^{13}	34.5	146
	1.1	200	9.4×10^{13}	0.7	153
	1.1	200	5.8×10^{13}	3.0	-64
	1.1	200	1.3×10^{13}	3.1	-96
	1.1	200	1.0×10^{12}	2.5	-159
C33C	1.1	200	2.9×10^{12}	1.2	-171
Coos	1.1	200	8.8×10^{13}	2.5	-170
	1.1	200	1.5×10^{14}	5.6	-131
	1.1	200	7.5×10^{13}	2.4	-124
	1.1	200	1.1×10^{14}	3.4	-106
	1.1	200	9.7×10^{13}	1.4	-41
	1.1	200	1.0×10^{10}	28.5	-9
	1.1	200	3.4×10^{14}	10.9	10
	1.1	200	4.4×10^{14}	4.9	3U 107
	1.1	200	3.3×10^{14}	0.2	107
	1.1	200	1.0×10^{14}	う.う 10 つ	132
	1.1	200	0.1×10^{14}	10.2 C 1	144
	1.1	200	3.0 × 10**	0.1	152

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 259

(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}	
C34g	(")	(K) 200	$\frac{(\text{cm}^{-2})}{2.7 \times 10^{12}}$	$\frac{(\text{km s}^{-1})}{5.6}$	$\frac{(\text{km s}^{-1})}{100}$	
0-3	1.1	$200 \\ 200$	3.7×10 8.2×10^{13}	5.6 4.6	-109 -87	
	1.1	200	1.3×10^{14}	7.7	-76	
	1.1	200	7.3×10^{14}	30.8	-56	
	1.1	200	1.2×10^{13}	25.3	-50	
	1.1 1.1	200	5.8×10^{13} 1.6 $\times 10^{14}$	2.7 5.2	-40 -27	
	1.1	200	1.5×10^{14}	5.9	-20	
	1.1	200	3.8×10^{13}	3.9	-15	
	1.1	200	2.4×10^{14}	11.6	-10	
	1.1 1.1	200	1.2×10^{13} 4.0×10^{14}	$\frac{2.6}{12.5}$	12 17	
	1.1	200	7.3×10^{13}	6.8	117	
HCN	1.1	200	8.8×10^{13}	6.0	-74	
$\rm H^{13}CN$	1.1	200	9.4×10^{12}	4.9	-141	
	1.1	200	1.6×10^{14} 0.8 × 10^{12}	12.5	-122	
	1.1	$200 \\ 200$	1.2×10^{13}	$\frac{4.9}{7.1}$	-103	
	1.1	200	1.2×10^{13}	4.9	-94	
	1.1	200	9.5×10^{13}	9.2	-48	
	1.1	200	9.6×10^{13}	7.1	-38	
	1.1	$200 \\ 200$	1.7×10^{13} 5.7 × 10 ¹³	10.3 17	17 73	
	1.1	200	3.3×10^{14}	20.3	112	
HNC	1.1	200	5.3×10^{13}	0.9	142	
	1.1	200	1.1×10^{13}	3.2	111	
	1.1	200	3.4×10^{13} 5.1 × 10^{13}	5.8 1.6	103	
	1.1	$200 \\ 200$	1.1×10^{13}	0.1	53	
	1.1	200	1.7×10^{12}	1.0	-7	
	1.1	200	9.0×10^{13}	0.9	-26	
	1.1	200	3.6×10^{13}	1.4	-30	
	1.1	$\frac{200}{200}$	1.4×10^{-1} 1.0×10^{12}	0.8	-39 -17	
	1.1	200	3.1×10^{13}	1.2	-48	
	1.1	200	4.9×10^{12}	1.4	-65	
	1.1	200	1.3×10^{13}	3.3	-69	
	1.1	$\frac{200}{200}$	1.6×10^{14}	1.0 39.7	-83 -73	
	1.1	200	1.3×10^{14}	0.9	-96	
10	1.1	200	1.1×10^{13}	2.1	-112	
$HN^{13}C$	1.1	200	7.6×10^{13}	9.2	-169	
	1.1 1.1	200	8.9×10^{13} 4.5×10^{13}	10.9 5-3	-155 -144	
	1.1	200	8.6×10^{13}	10.5	-115	
	1.1	200	2.2×10^{14}	38.4	-86	
	1.1	200	1.2×10^{13}	4.0	-73	
	1.1 1.1	200	4.9×10^{13} 5.3 × 10^{13}	8.2 7 7	-34	
	1.1	200	7.2×10^{13}	10.3	27	
	1.1	200	1.4×10^{14}	48.6	122	
rr13.co.⊥	1.1	200	2.6×10^{13}	3.6	139	
$H_{12}CO_{\perp}$	1.1	200	7.3×10^{12} 7.7 × 10^{12}	1.3	70 63	
	1.1	$200 \\ 200$	5.0×10^{13}	1.0	33	
$\rm HO^{13}C^+$	1.1	200	1.8×10^{13}	40.0	154	
	1.1	200	1.5×10^{13}	5.7	146	
	1.1	200	8.5×10^{12} 1.5 × 10 ¹⁴	2.5 16.1	137	
	1.1	$200 \\ 200$	1.3×10^{12} 1.3×10^{12}	0.4	124	
	1.1	200	1.4×10^{12}	0.3	61	
	1.1	200	7.4×10^{13}	1.3	67	
	1.1	200	9.5×10^{12} 5.8 $\times 10^{12}$	2.6	15	
	1.1 1.1	200 200	3.4×10^{12}	0.3	-18 -22	
	1.1	200	3.7×10^{13}	13.6	-33	
	1.1	200	3.8×10^{12}	2.9	-35	
	1.1	200	1.7×10^{13}	3.4	-68	
	1.1 11	200 200	3.9×10^{13} 3.4×10^{12}	1.4 1.3	-96 -126	
	1.1	200	1.4×10^{12}	6.2	-18	
	1.1	200	$1.1~\times 10^{12}$	0.8	-156	

	(Continued)							
-	Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$		
		('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})		
		1.1	200	1.0×10^{12}	0.1	-153		
		1.1	200	2.0×10^{12}	1.2	-175		

Table L.84: LTE Parameters for the full LTE model (Envelope Components) for source A15 in Sgr B2(N).

Molecule	$\Delta m, c$	$T^{m,c}$	$N^{m,c}$	Δ	m,c
Molecule	(")	(K)	(cm^{-2})	$\Delta V^{(km e^{-1})}$	$(km s^{-1})$
	()	(11)	(cm)	(KIII 5)	
H ₂ CNH	ext.	13	2.1×10^{14}	8.9	64
CN	ext.	4	1.2×10^{14}	32.9	68
	ext.	3	3.6×10^{13}	4.8	88
	ext.	3	1.4×10^{12}	5.2	-44
	ext.	3	5.3×10^{13}	11.5	44
	ext.	19	1.4×10^{12}	8.5	-177
	ext.	3	1.8×10^{13}	6.1	0
	ext.	3	5.6×10^{12}	5.7	5
	ext.	3	1.4×10^{12}	2.4	-48
	ext.	3	1.0×10^{12}	4.3	-33
	ext.	3	1.1×10^{13}	1.2	-81
	ext.	8	1.0×10^{12}	0.1	-108
HCCCN	ext.	19	8.7×10^{15}	2.0	59
	ext.	21	8.0×10^{15}	1.9	67
OCS	ext.	19	1.1×10^{17}	7.8	64
SiO	ext.	7	3.8×10^{13}	4.5	76
HNCO	ext.	9	2.4×10^{15}	4.4	64
PH_3	ext.	10	3.1×10^{13}	6.0	68
TT 0220	ext.	9	2.6×10^{13}	6.0	62
$H_2C^{33}S$	ext.	10	2.8×10^{14}	4.9	66 50
C II CN	ext.	11	1.2×10^{14}	2.9	58
C_2H_5CN	ext.	12	1.1×10^{13}	3.4	61
NO	ext.	í c	3.1×10^{13}	2.5	01 EC
CH. OH	ext.	2	1.6×10^{14}	1.1	
0113011	ext.	31 31	3.1×10^{18}	1.0	65
	ovt	23	1.6×10^{13}	2.0	54
SO	ext.	13	2.6×10^{13}	18.3	68
50	ext.	11	8.3×10^{13}	10.5	74
	ext.	11	1.1×10^{15}	0.2	65
	ext.	3	1.2×10^{16}	0.1	59
	ext.	23	5.5×10^{15}	30.0	68
	ext.	18	1.7×10^{12}	27.5	30
CH_3CN	ext.	13	7.9×10^{14}	9.4	115
	ext.	9	4.0×10^{14}	1.0	85
	ext.	4	1.7×10^{17}	1.1	64
	ext.	15	1.5×10^{15}	28.9	73
CCH	ext.	3	4.3×10^{14}	1.5	75
SO_2	ext.	10	3.7×10^{13}	2.0	88
	ext.	10	5.8×10^{13}	2.0	78
	ext.	23	2.6×10^{15}	7.7	66
	ext.	10	2.6×10^{12}	2.0	64
NO	ext.	12	2.0×10^{14}	4.4	45
NO	ext.	3	2.8×10^{15}	1.5	57
	ext.	4	1.1×10^{10}	1.1	60 E E
H.CO	ext.	ა 19	2.3×10^{-3}	1.0	33 76
$11_{2}CO$	ext.	10	3.4×10^{-3}	1.9	60
	ext.	17	3.3×10 2.7×10^{13}	1.9	59
	ext.	8	2.8×10^{13}	3.3	55
PN	ext	3	3.4×10^{14}	1.0	127
± ± •	ext.	3	5.1×10^{14}	1.1	118
	ext.	3	4.6×10^{14}	2.5	109
	ext.	3	2.2×10^{14}	2.8	87
	ext.	3	6.3×10^{14}	2.5	78
	ext.	3	$8.0~\times10^{14}$	2.9	71
	ext.	3	1.9×10^{13}	0.1	67
	ext.	3	8.0×10^{14}	1.5	-77

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 260

		(0	Continued)					(0	Continued)		
Molecule	$ extsf{ heta}^{m,c}$ $('')$	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\operatorname{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$ extsf{ heta}^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	${\operatorname{N_{tot}^{m,c}}\atop (\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	${\operatorname{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
00	ext.	3	4.4×10^{14}	1.5	-81		ext.	3	7.9×10^{14}	3.2	-145
CO	ext.	3	8.1×10^{14} 1.1 × 10 ¹⁵	1.1	158		ext.	3	10.0×10^{13}	2.6	-137
	ext.	3	9.9×10^{14}	4.5 2.5	136		ext.	3	1.7×10^{15}	14.1	-125
	ext.	3	4.9×10^{14}	1.9	115		ext.	3	3.2×10^{14}	2.8	-108
	ext.	3	1.4×10^{15}	6.0	97		ext.	3	2.2×10^{15}	9.9	-94
	ext.	3	1.5×10^{18}	1.7	85		ext.	3	8.2×10^{14}	3.4	-83
	ext.	3	8.3×10^{14}	40.0	75		ext.	3	2.0×10^{15}	7.9	-75
	ext.	3	1.9×10^{10}	38.8	68 59		ext.	3	6.6×10^{14}	2.5	-64
	ext.	3 3	2.5×10^{-15} 3.8 × 10 ¹⁵	$\frac{2.0}{2.0}$	08 48		ext.	3 3	1.4×10^{-4} 3.2×10^{14}	4.7	-37 -17
	ext.	3	4.9×10^{15}	1.6	37		ext.	3	6.0×10^{14}	2.7	38
	ext.	3	3.9×10^{15}	2.0	30		ext.	3	$1.0~\times 10^{14}$	2.7	49
	ext.	3	1.3×10^{15}	1.0	21		ext.	3	1.0×10^{14}	2.7	57
	ext.	3	2.6×10^{15}	1.9	16		ext.	3	2.0×10^{14}	2.7	20
	ext.	3	2.8×10^{15}	1.3	-1		ext.	3	1.7×10^{15}	7.7	125
	ext.	3 3	2.4×10^{10} 4.9×10^{15}	2.9 11.1	-ə _10		ext.	ა ვ	1.8×10^{10} 7 1 × 10 ¹⁴	8.3 3.9	149 156
	ext.	3	1.6×10^{14}	0.9	-19 -24	\mathbf{CS}	ext.	3	1.7×10^{15}	4.5	122
	ext.	3	2.9×10^{15}	6.2	-29	0.0	ext.	3	1.1×10^{15}	1.2	88
	ext.	3	2.2×10^{15}	2.6	-40		ext.	3	5.8×10^{15}	7.0	79
	ext.	3	1.6×10^{15}	3.0	-44		ext.	3	1.7×10^{15}	1.5	69
	ext.	3	1.8×10^{15}	3.0	-49		ext.	3	7.6×10^{14}	0.9	62
	ext.	3	1.3×10^{15} 7.6 × 10 ¹⁵	3.0	-54 76		ext.	3	4.2×10^{15} 7.1 × 10 ¹⁵	3.8	53
	ext.	3 3	1.5×10^{16}	11.5	-70		ext.	ა ვ	1.1×10^{15}	0.0 38.0	40 43
	ext.	3	1.9×10^{15} 1.9×10^{15}	2.7	-96	^{13}CS	ext.	3	6.2×10^{15}	11.9	75
	ext.	3	3.0×10^{15}	5.1	-110		ext.	3	1.7×10^{15}	5.0	63
10	ext.	3	8.9×10^{14}	4.1	-122		ext.	3	2.7×10^{14}	0.8	58
^{13}CO	ext.	3	1.3×10^{14}	1.3	148		ext.	3	1.0×10^{14}	0.5	6
	ext.	3	9.4×10^{14}	6.3	147		ext.	3	6.6×10^{13}	36.1	-17
	ext.	ა ვ	2.6×10^{10}	0.9	108		ext.	3 2	1.7×10^{13} 2.7×10^{13}	12.3	156 52
	ext.	3	1.0×10^{16}	5.0 6.4	82	$C^{33}S$	ext.	3	3.3×10^{14}	$\frac{4.4}{2.5}$	-135
	ext.	3	1.2×10^{16}	5.7	70	0 0	ext.	3	2.8×10^{15}	5.3	-89
	ext.	3	3.3×10^{15}	6.3	60		ext.	3	1.3×10^{15}	2.5	-81
	ext.	3	1.0×10^{15}	1.5	55		ext.	3	7.6×10^{14}	2.5	-76
	ext.	3	3.5×10^{15}	8.1	49		ext.	3	7.1×10^{14}	2.5	-60
	ext.	3 3	2.4×10^{13} 2.0 × 10 ¹⁴	8.3 1.2	-39 -46		ext.	ა ვ	7.2×10^{10} 2.6 $\times 10^{15}$	0.7	-40 6
	ext.	3	1.9×10^{15}	1.6	-113		ext.	3	7.8×10^{14}	2.5 2.5	42
	ext.	3	2.0×10^{15}	4.6	-125		ext.	3	7.5×10^{15}	22.0	62
	ext.	3	1.0×10^{15}	2.0	-137		ext.	3	1.1×10^{15}	6.1	69
	ext.	3	1.9×10^{15}	1.0	-161		ext.	3	9.7×10^{14}	2.6	77
c170	ext.	3	2.3×10^{15}	6.2	-171		ext.	3	2.6×10^{15}	6.1 7.0	84
0-0	ext.	3 3	1.2×10^{-5} 2.3 × 10 ¹⁵	$\frac{8.4}{7.4}$	-170		ext.	ა ვ	3.3×10^{-5} 2.1 $\times 10^{15}$	1.0	$110 \\ 157$
	ext.	3	1.0×10^{15}	6.7	-135	$C^{34}S$	ext.	3	3.2×10^{14}	5.0	-164
	ext.	3	6.8×10^{14}	3.4	-106	0 0	ext.	3	2.2×10^{15}	3.0	-153
	ext.	3	3.4×10^{14}	2.1	-100		ext.	3	2.8×10^{14}	7.1	-137
	ext.	3	5.2×10^{14}	7.1	-83		ext.	3	8.7×10^{13}	5.6	-122
	ext.	3	2.3×10^{14}	2.7	-50		ext.	3	8.9×10^{13}	2.8	-104
	ext.	3	3.3×10^{14}	3.3	-39		ext.	3	3.0×10^{13}	2.2	-92 27
	ext.	3 3	2.0×10^{-1} 2.3 × 10 ¹⁴	2.1	-34 -26		ext.	ა ვ	1.0×10^{-5} 2.5 × 10 ¹⁵	2.3 5.6	37 45
	ext.	3	6.5×10^{14}	2.7	-20 -20		ext.	3	6.1×10^{14}	2.7	40 52
	ext.	3	7.4×10^{14}	7.1	-9		ext.	3	3.8×10^{15}	8.6	59
	ext.	3	$2.8~\times10^{14}$	2.7	-2		ext.	3	1.8×10^{15}	3.4	69
	ext.	3	1.2×10^{15}	3.2	44		ext.	3	2.7×10^{15}	4.5	75
	ext.	3	8.3×10^{14}	3.5	49		ext.	3	2.6×10^{15}	6.1	83
	ext.	3	8.4×10^{14}	2.7	58		ext.	3	2.1×10^{15}	4.7	97
	ext.	ঠ ২	2.0×10^{10} 1 4 $\times 10^{15}$	2.7 3.7	64 84		ext.	ა ვ	2.0×10^{10} 1.2 $\times 10^{15}$	3.4 1 0	105 191
	ext.	ა 3	1.4×10^{-5} 1.2×10^{15}	$\frac{5.4}{7.5}$	04 110		ext.	ы З	5.1×10^{15}	13.2	121 134
	ext.	3	2.1×10^{14}	3.1	123		ext.	3	3.7×10^{15}	9.4	157
	ext.	3	2.5×10^{13}	7.1	131	HCN	ext.	3	3.5×10^{13}	7.1	-162
	ext.	3	$3.6~\times 10^{14}$	3.4	139		ext.	3	$4.2~{\times}10^{13}$	7.2	3
	ext.	3	8.5×10^{14}	10.1	149		ext.	3	3.3×10^{13}	6.2	14
a18a	ext.	3	1.2×10^{16}	49.0	163		ext.	3	1.6×10^{14}	46.5	70
C100	ext.	3	1.3×10^{15}	4.2	-172	1113 CN	ext.	3	2.3×10^{13}	3.3	90 E F
	ext.	ঠ ২	10.0×10^{14} 3.0 $\times 10^{14}$	3.5 マウ	-100 _151	H-*CN	ext.	ঠ ২	4.9×10^{13} 4.7×10^{13}	0.4 18 /	00 159
	ext.	ა	0.0 × 10	J.2	-101		ext.	ა	4.7 X 10	10.4	100

T. Möller et al.: Full molecular lin	e survey of hot	cores, Online	Material p 261
(Continued)			(Continued)

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-1}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\rm LCD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\rm kms^{-1})$
HNC	ext.	3	2.9×10^{13}	8.5	133
	ext.	3	4.9×10^{12}	1.5	123
	ext.	3	6.9×10^{13}	5.6	88
	ext.	3	5.2×10^{13}	4.5	71
	ext.	3	2.5×10^{13}	2.8	61
	ext.	3	6.1×10^{12}	1.6	55
	ext.	3	5.5×10^{13}	1.2	47
	ext.	3	1.1×10^{13}	4.0	31
	ext.	3	1.0×10^{13}	2.4	20
	ext.	3	3.8×10^{12}	0.9	13
	ext.	3	1.4×10^{13}	0.6	8
	ext.	3	6.7×10^{13}	10.6	0
	ext.	3	1.0×10^{12}	0.2	1
	ext.	3	1.3×10^{13}	2.2	-19
$\rm HN^{13}C$	ext.	3	4.5×10^{13}	35.8	-133
	ext.	3	3.1×10^{13}	9.4	-9
	ext.	3	2.4×10^{13}	9.1	84
$\rm H^{13}CO^+$	ext.	3	5.0×10^{12}	6.3	78
	ext.	3	1.0×10^{12}	0.7	72
	ext.	3	2.2×10^{12}	1.0	66
$\rm HO^{13}C^+$	ext.	3	1.0×10^{12}	3.0	105
	ext.	3	5.2×10^{12}	28.1	91
	ext.	3	1.3×10^{12}	38.5	87
	ext.	3	2.4×10^{13}	11.7	78
	ext.	3	1.9×10^{13}	4.1	57
	ext.	3	2.2×10^{12}	0.7	35
	ext.	3	2.2×10^{13}	10.3	27
	ext.	3	1.6×10^{12}	1.1	5
	ext.	3	2.0×10^{12}	1.4	-4
	ext.	3	1.5×10^{13}	0.4	-8
	ext.	3	6.7×10^{12}	2.4	-14
	ext.	3	5.2×10^{12}	2.9	-49
	ext.	3	2.7×10^{13}	7.1	-56
	ext.	3	4.6×10^{12}	2.3	-78
	ext.	3	3.9×10^{12}	1.1	-83
	ext.	3	2.2×10^{12}	1.2	-109
	ext.	3	2.7×10^{13}	7.3	-114
	ext.	3	1.0×10^{12}	0.1	-119
	ext.	3	1.2×10^{12}	0.9	-135
	ext.	3	1.0×10^{12}	0.5	-159
	ext.	3	2.7×10^{13}	8.1	-168

Table L.85: LTE Parameters for the full LTE model (Core Components) for source A16 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
-					
RRL-H	1.8	10320	1.0×10^{8}	18.1	61
OCS	1.8	187	1.1×10^{15}	3.2	67
$H_2^{33}S$	1.8	169	1.5×10^{14}	2.9	59
$H_2^{34}S$	1.8	183	2.1×10^{16}	19.7	72
HNC, $v_2=1$	1.8	17	3.0×10^{13}	1.1	82
	1.8	287	9.9×10^{13}	2.1	82
	1.8	258	3.8×10^{13}	1.3	68
CCH	1.8	421	5.4×10^{15}	1.7	57
PN	1.8	200	1.4×10^{13}	2.5	46
	1.8	200	3.4×10^{13}	13.5	7
	1.8	200	2.9×10^{13}	9.0	4
	1.8	200	2.1×10^{13}	1.9	-56
SO	1.8	433	5.3×10^{14}	11.1	65
CO	1.8	200	6.9×10^{16}	11.3	154
	1.8	200	1.8×10^{15}	1.0	18
	1.8	200	3.2×10^{16}	3.5	136
	1.8	200	6.7×10^{16}	4.8	123

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR}
	('')	(K)	$\frac{(\text{cm}^{-2})}{54\times 10^{16}}$	(km s^{-1})	(km s^{-1})
	1.8	$200 \\ 200$	3.4×10^{16} 2.0 × 10 ¹⁶	1.0 1.3	90 67
	1.8	200	1.9×10^{16}	1.0	41
	1.8	200	4.0×10^{16}	1.0	33
	1.8	200	2.7×10^{16}	3.6	27
	1.8	200	2.9×10^{15}	1.0	68
	1.8	200	2.4×10^{15}	0.7	-95
	1.0	200	9.8×10^{-6}	1.1 2.2	-129 -121
	1.8	200	2.5×10^{15}	0.2	-132
	1.8	200	$7.0~\times10^{15}$	0.9	-129
	1.8	200	7.7×10^{16}	8.5	-139
	1.8	200	3.8×10^{15}	1.1	-146
	1.8	200	1.7×10^{10}	2.6	-160
	1.0	200	4.0×10^{-5} 1.2×10^{17}	10.1	-170
	1.8	200	3.1×10^{14}	2.5	-177
$^{13}\mathrm{CO}$	1.8	200	1.6×10^{12}	0.9	73
	1.8	200	1.3×10^{16}	1.4	66
	1.8	200	2.4×10^{16}	2.8	56
	1.8	200	6.9×10^{14}	0.4	41
	1.8	200	3.1×10^{10}	2.4	32
	1.8	200	1.5×10^{16}	2.9 4.5	2
	1.8	200	3.7×10^{15}	2.3	-38
	1.8	200	$2.0~\times 10^{15}$	1.6	-73
$C^{17}O$	1.8	200	2.8×10^{15}	4.6	-143
	1.8	200	2.8×10^{15}	5.1	-127
	1.8	200	7.3×10^{14}	2.7	-117
	1.8 1.8	200	7.3×10^{13} 3.0 × 10 ¹⁴	14.7	-93 -79
	1.8	200	2.8×10^{14}	2.7	-50
	1.8	200	1.7×10^{15}	2.7	-44
	1.8	200	3.2×10^{15}	7.1	-4
	1.8	200	2.0×10^{15}	2.7	4
	1.8	200	9.3×10^{14}	0.6	17 72
	1.8 1.8	200	1.2×10^{15} 1.7 × 10 ¹⁵	3.7 2.9	73 116
$C^{18}O$	1.8	200	3.9×10^{15}	2.3	-159
	1.8	200	1.7×10^{16}	5.6	-150
	1.8	200	2.0×10^{16}	11.2	-110
	1.8	200	8.4×10^{15}	3.2	-50
	1.8	200	3.7×10^{15}	2.6	-44
	1.8	200	5.9×10^{10} 1 1 $\times 10^{16}$	7.5 7.5	-33 9
	1.8	$200 \\ 200$	5.1×10^{14}	2.8	8
	1.8	200	1.2×10^{16}	2.8	43
	1.8	200	9.9×10^{12}	2.8	57
	1.8	200	6.0×10^{16}	7.1	75
	1.8	200	3.7×10^{15}	2.8	104
	1.8	200	2.1×10^{15} 7.7 × 10 ¹⁵	$\frac{2.7}{2.7}$	111 191
\mathbf{CS}	1.8	200	5.8×10^{13}	$\frac{2.1}{5.0}$	$121 \\ 135$
	1.8	200	3.5×10^{13}	1.9	107
	1.8	200	3.9×10^{13}	0.7	66
	1.8	200	8.2×10^{13}	1.3	56
	1.8	200	1.1×10^{12} 1.1 × 10 ¹³	0.6	-13
	1.8	200	9.5×10^{12}	1.0	-83
^{13}CS	1.8	200	1.2×10^{12}	1.5	152
	1.8	200	$1.9~{\times}10^{12}$	1.6	128
	1.8	200	4.9×10^{12}	9.8	115
	1.8	200	1.9×10^{12}	6.1	102
	1.8	200	2.2×10^{12}	0.2	74
	1.8 1.8	200 200	1.4×10^{14} 7 4 $\times 10^{14}$	2.1 10.6	08 55
	1.8	200	2.3×10^{12}	0.3	43
	1.8	200	1.3×10^{12}	6.4	37
	1.8	200	2.2×10^{13}	0.7	34
	1.8	200	7.7×10^{14}	14.2	-8
	1.8	200	3.1×10^{13}	7.1	-28
	1.8	200	9.9 ×10-2	0.3	-01

тΝ	[öller	et al \cdot	Full	molecular	line survey	of hot	cores	Online	Material	n	262
I • IV.	ioner	<i>ci ui</i>	1 un	molecular	mic survey	01 1100	cores,	Onunic	maicriai	P	202

		(0	Continued)				(Continued)					
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$V_{LCD}^{m,c}$	Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tat}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$	
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$		(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$	
$C^{33}S$	1.8	200	5.4×10^{13}	7.3	-103		ext.	3	2.6×10^{13}	9.3	2	
	1.8	200	4.5×10^{13}	9.9	-31		ext.	3	2.4×10^{12}	6.5	-20	
	1.8	200	4.9×10^{13}	6.1	89		ext.	7	3.0×10^{13}	7.2	-43	
	1.8	200	7.7×10^{13}	6.8	121		ext.	10	5.3×10^{12}	6.4	-12	
$C^{34}S$	1.8	200	5.1×10^{13}	12.0	-55		ext.	11	1.0×10^{12}	1.6	-36	
	1.8	200	7.4×10^{13}	17.5	-25		ext.	3	1.8×10^{13}	8.3	-103	
	1.8	200	5.1×10^{13}	15.2	20	SO_2	ext.	20	1.7×10^{12}	2.1	64	
	1.8	200	4.0×10^{13}	1.4	57	_	ext.	14	6.5×10^{14}	1.6	58	
HCN	1.8	200	1.5×10^{12}	0.8	84		ext.	14	3.4×10^{14}	3.2	50	
	1.8	200	2.2×10^{12}	1.1	-89	H_2CO	ext.	19	8.0×10^{14}	4.4	72	
$\rm H^{13}CN$	1.8	200	5.3×10^{12}	0.2	120		ext.	19	2.4×10^{14}	5.3	61	
	1.8	200	5.9×10^{12}	8.2	51	NO	ext.	3	2.8×10^{15}	0.8	76	
	1.8	200	1.3×10^{12}	0.1	49		ext.	4	1.8×10^{15}	1.7	72	
	1.8	200	1.1×10^{13}	0.4	44		ext.	16	1.9×10^{17}	0.3	68	
	1.8	200	4.2×10^{13}	11.0	12		ext.	3	3.1×10^{15}	1.5	63	
	1.8	200	1.3×10^{13}	2.3	-53	HNCO	ext.	3	1.4×10^{19}	2.3	65	
	1.8	200	2.3×10^{13}	4.3	-59		ext.	3	1.1×10^{19}	2.5	60	
	1.8	200	4.5×10^{12}	1.1	-79	NO^+	ext.	3	1.1×10^{14}	1.0	69	
	1.8	200	5.2×10^{12}	29.8	-88		ext.	3	1.2×10^{14}	1.0	63	
	1.8	200	1.1×10^{13}	0.4	-86		ext.	7	4.1×10^{13}	1.2	57	
	1.8	200	3.5×10^{12}	1.8	-102		ext.	3	7.9×10^{13}	1.3	-33	
	1.8	200	8.9×10^{12}	1.2	-108	$HC(O)NH_2$	ext.	11	1.3×10^{13}	2.0	58	
	1.8	200	10.0×10^{11}	8.7	-120	$_{\rm PN}$	ext.	3	1.5×10^{15}	5.0	86	
	1.8	200	3.1×10^{12}	1.2	-124		ext.	3	2.8×10^{15}	32.6	123	
	1.8	200	3.5×10^{13}	7.0	-127		ext.	3	1.1×10^{15}	3.3	92	
	1.8	200	2.1×10^{12}	0.9	-155		ext.	3	5.7×10^{14}	2.0	65	
	1.8	200	1.3×10^{13}	3.3	-149	CO	ext.	3	5.3×10^{15}	3.6	103	
HNC	1.8	200	7.0×10^{12}	29.8	147		ext.	3	2.0×10^{16}	5.4	83	
	1.8	200	2.6×10^{13}	9.0	141		ext.	3	9.4×10^{15}	2.7	74	
	1.8	200	2.7×10^{13}	29.4	130		ext.	3	2.0×10^{16}	3.9	58	
	1.8	200	2.4×10^{13}	5.9	128		ext.	3	2.5×10^{15}	1.2	46	
	1.8	200	1.1×10^{12}	0.7	76		ext.	3	1.1×10^{15}	1.2	37	
	1.8	200	1.2×10^{12}	0.7	103		ext.	3	3.6×10^{15}	1.0	32	
	1.8	200	4.6×10^{13}	10.6	98		ext.	3	9.4×10^{15}	6.4	19	
	1.8	200	1.1×10^{13}	2.1	92		ext.	3	1.2×10^{15}	5.5	12	
	1.8	200	1.8×10^{12}	0.8	-69		ext.	3	6.1×10^{15}	1.1	8	
	1.8	200	7.4×10^{12}	24.1	-76		ext.	3	7.2×10^{15}	5.1	2	
	1.8	200	1.6×10^{12}	0.9	-91		ext.	3	6.8×10^{15}	2.4	-7	
	1.8	200	2.2×10^{12}	1.4	-91		ext.	3	2.3×10^{13}	0.5	-14	
	1.8	200	1.2×10^{12}	0.5	-115		ext.	3	1.6×10^{16}	8.9	-25	
	1.8	200	1.6×10^{12}	1.2	-115		ext.	3	1.3×10^{16}	6.2	-45	
	1.8	200	9.9×10^{12}	0.7	-150		ext.	3	8.2×10^{13}	0.1	-51	
	1.8	200	1.3×10^{12}	0.8	-152		ext.	3	1.1×10^{15}	0.8	-57	
	1.8	200	1.2×10^{13}	0.7	-156		ext.	3	9.6×10^{15}	1.3	-74	
	1.8	200	3.0×10^{12}	2.9	-159		ext.	3	1.1×10^{16}	6.7	-81	
10	1.8	200	3.3×10^{12}	2.6	-175		ext.	3	1.7×10^{15}	3.5	-93	
$HN^{13}C$	1.8	200	1.6×10^{13}	4.0	58		ext.	3	2.4×10^{14}	0.8	-150	
10	1.8	200	1.5×10^{13}	5.0	74	10	ext.	3	3.9×10^{15}	2.6	-106	
$H^{13}CO^+$	1.8	200	4.5×10^{12}	5.0	60	^{13}CO	ext.	3	2.0×10^{15}	2.8	71	
$HO_{13}C_{+}$	1.8	200	3.8×10^{12}	0.5	130		ext.	3	6.0×10^{14}	1.0	60	
						- 17	ext.	3	9.6×10^{14}	2.8	50	
						$C^{17}O$	ext.	3	1.6×10^{15}	3.4	-179	
							ext.	3	1.4×10^{15}	3.4	-170	

 2.0×10^{15}

 4.1×10^{14}

 3.1×10^{14}

 3.0×10^{14}

 $3.0~\times 10^{14}$

 $6.9~\times 10^{14}$

 7.7×10^{13}

 1.1×10^{15} 1.3×10^{15}

 1.3×10^{15}

 $1.7\ \times 10^{15}$

 $4.3~{\times}10^{14}$

 $8.0~\times 10^{13}$

 $\begin{array}{c} 2.2 \times 10^{13} \\ 8.1 \times 10^{15} \end{array}$

 $1.2~\times 10^{15}$

 9.1×10^{14}

 $\begin{array}{c} 5.1 \times 10 \\ 1.5 \times 10^{15} \\ 6.4 \times 10^{14} \end{array}$

7.6

2.1

7.1

2.7

7.1

5.0

2.7

4.9

5.3

6.2

9.8

4.3

2.4

2.5

35.3

3.1

7.8

7.2

8.0

-161

-156

-133

-114

-108

-85

-77

-63

-37

-28

-15

12

20

38

46

82

92

103

122

3

3

3

3

3

3

3

3

3

3

3

3

3

3

3

3

3

3

3

ext.

 ${\rm ext.}$

ext.

 $\operatorname{ext.}$

 $\operatorname{ext.}$

 $\operatorname{ext.}$

ext.

 ${\rm ext.}$

ext.

ext.

 $\operatorname{ext.}$

 $\operatorname{ext.}$

ext.

 $\operatorname{ext.}$

ext.

 $\operatorname{ext.}$

ext.

 $\operatorname{ext.}$

ext.

-

Table L.86: LTE Parameters for the full LTE model (Envelope Components) for source A16 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
HOGON		90	0.7.1014	4.1	
HUUUN	ext.	30	8.7 ×1011	4.1	07 G
SiO	ext.	55	1.9×10^{13}	8.5	59
CH_3OH	ext.	13	3.5×10^{15}	10.2	52
CN	ext.	10	2.4×10^{14}	16.8	73
	ext.	14	2.3×10^{14}	9.0	58
	ext.	3	8.1×10^{12}	7.4	20
	ext.	3	3.1×10^{12}	6.6	27
	ext.	4	3.2×10^{12}	4.6	-35

T. Möller <i>et al.</i> : Full molecular line survey of hot cores.	Online	Material	n 2	63
1. Moner et un. i un morecular mie survey of not cores,	Onunic	maicriai	$P \approx$	00

		(0	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})		('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	$(\mathrm{kms^{-1}})$
	ext.	3	1.2×10^{15}	4.5	144		ext.	3	1.5×10^{15}	2.7	45
	ext.	3	1.5×10^{15}	3.4	151		ext.	3	4.0×10^{15}	4.6	52
10	ext.	3	1.0×10^{16}	18.9	163		ext.	3	3.0×10^{15}	6.2	65
$C^{18}O$	ext.	3	7.7×10^{14}	3.0	-182		ext.	3	1.1×10^{15}	2.1	82
	ext.	3	1.5×10^{15}	6.2	-171		ext.	3	1.0×10^{15}	3.0	87
	ext.	3	2.5×10^{15}	10.4	-130		ext.	3	4.5×10^{15}	8.9	97
	ext.	3	1.3×10^{14}	2.7	-121		ext.	3	8.1×10^{14}	0.9	107
	ext.	3	3.3×10^{15}	12.5	-87		ext.	3	9.6×10^{15}	13.2	129
	ext.	3	2.5×10^{15}	9.8	-61		ext.	3	6.5×10^{14}	2.0	135
	ext.	3	1.5×10^{14}	2.7	-47		ext.	3	1.0×10^{15}	2.0	144
	ext.	3	1.8×10^{14}	2.8	-39		ext.	3	1.1×10^{16}	13.8	156
	ext.	3	3.7×10^{14}	2.7	-28	HCN	ext.	3	2.8×10^{13}	4.9	119
	ext.	3	7.7×10^{14}	10.1	-11		ext.	3	2.9×10^{13}	4.2	112
	ext.	3	2.8×10^{14}	2.7	5		ext.	3	9.2×10^{13}	10.1	95
	ext.	3	1.8×10^{14}	2.8	10		ext.	3	1.1×10^{12}	0.5	91
	ext.	3	2.1×10^{14}	2.7	30		ext.	3	8.0×10^{13}	6.0	86
	ext.	3	4.6×10^{14}	1.2	51		ext.	3	1.9×10^{13}	0.1	84
	ext.	3	8.5×10^{14}	5.9	100		ext.	3	5.0×10^{13}	19.0	70
	ext.	3	6.1×10^{13}	2.7	109		ext.	3	3.9×10^{13}	1.2	57
	ext.	3	8.8×10^{14}	7.9	122		ext.	3	1.4×10^{13}	0.5	41
	ext.	3	3.9×10^{14}	2.4	139		ext.	3	1.8×10^{14}	22.9	18
	ext.	3	1.5×10^{15}	5.6	146		ext.	3	4.2×10^{13}	2.9	1
	ext.	3	2.7×10^{14}	1.8	162		ext.	3	7.5×10^{13}	10.4	-34
CS	ext.	3	7.9×10^{15}	1.0	72		ext.	3	1.4×10^{13}	1.2	-55
	ext.	3	1.2×10^{16}	4.5	60		ext.	3	3.0×10^{13}	5.7	-67
	ext.	3	3.4×10^{15}	1.6	50		ext.	3	4.2×10^{13}	3.7	-89
	ext.	3	8.2×10^{14}	40.0	24		ext.	3	2.9×10^{13}	1.3	-114
	ext.	3	3.6×10^{15}	4.9	2		ext.	3	6.9×10^{13}	4.2	-121
	ext.	3	2.0×10^{15}	2.5	-89		ext.	3	2.8×10^{12}	0.6	-134
^{13}CS	ext.	3	9.7×10^{14}	1.5	159		ext.	3	2.3×10^{13}	1.7	-144
	ext.	3	1.9×10^{15}	1.0	-54		ext.	3	2.8×10^{12}	0.7	-18
$C^{33}S$	ext.	3	2.5×10^{13}	2.5	-173		ext.	3	1.4×10^{14}	13.1	-154
	ext.	3	2.9×10^{14}	2.5	-168		ext.	3	2.7×10^{13}	0.8	-164
	ext.	3	3.2×10^{14}	2.9	-161	$\rm H^{13}CN$	ext.	3	1.0×10^{14}	29.2	153
	ext.	3	2.1×10^{15}	2.5	-153		ext.	3	5.5×10^{13}	12.9	96
	ext.	3	1.4×10^{15}	2.5	-148		ext.	3	2.7×10^{13}	5.4	80
	ext.	3	1.2×10^{15}	6.1	-142		ext.	3	1.1×10^{14}	8.3	71
	ext.	3	3.3×10^{14}	2.5	-131		ext.	3	4.2×10^{16}	0.1	64
	ext.	3	1.3×10^{15}	6.0	-111		ext.	3	2.8×10^{13}	3.4	60
	ext.	3	1.5×10^{15}	2.6	-74		ext.	3	1.0×10^{14}	32.9	-8
	ext.	3	9.5×10^{13}	2.1	-55	HNC	ext.	3	5.9×10^{13}	8.5	116
	ext.	3	2.5×10^{15}	9.0	-40		ext.	3	8.6×10^{13}	0.3	80
	ext.	3	1.7×10^{15}	4.0	-23		ext.	3	1.3×10^{14}	19.7	78
	ext.	3	3.4×10^{14}	2.2	-15		ext.	3	5.5×10^{12}	0.9	66
	ext.	3	3.1×10^{14}	2.5	-10		ext.	3	6.9×10^{12}	0.6	61
	ext.	3	3.2×10^{14}	0.5	-5		ext.	3	3.1×10^{12}	0.9	63
	ext.	3	1.2×10^{15}	4.0	17		ext.	3	2.7×10^{14}	31.1	51
	ext.	3	1.2×10^{15}	2.5	32		ext.	3	3.0×10^{12}	0.8	44
	ext.	3	3.3×10^{14}	2.5	37		ext.	3	2.6×10^{13}	0.5	3
	ext.	3	3.4×10^{14}	2.5	42		ext.	3	1.6×10^{14}	12.3	-5
	ext.	3	3.0×10^{14}	0.7	47	$H^{13}CO^+$	ext.	3	9.2×10^{12}	2.0	70
	ext.	3	5.8×10^{14}	2.5	54	$\rm HO^{13}C^+$	ext.	3	7.7×10^{12}	0.9	95
	ext.	3	9.8×10^{14}	1.9	71		ext.	3	9.0×10^{12}	0.9	67
	ext.	3	1.1×10^{15}	2.3	79		ext.	3	3.6×10^{13}	13.0	25
	ext.	3	1.7×10^{15}	3.1	84		ext.	3	4.3×10^{13}	16.1	-13
	ext.	3	2.1×10^{15}	2.5	113		ext.	3	2.2×10^{13}	10.9	-52
	ext.	3	2.8×10^{15}	6.3	136		ext.	3	9.3×10^{13}	39.6	-88
	ext.	3	1.1×10^{15}	2.5	143		ext.	3	1.1×10^{12}	0.6	-99
	ext.	3	3.5×10^{14}	2.5	148		ext.	3	3.5×10^{13}	7.8	-114
	ext.	3	1.1×10^{15}	2.9	160		ext.	3	1.2×10^{13}	2.9	-141
$C^{34}S$	ext.	3	3.8×10^{15}	3.9	-180		ext.	3	2.3×10^{13}	4.2	-167
	ext.	3	6.0×10^{15}	6.2	-168						
	ext.	3	9.2×10^{15}	8.6	-146						
	ext.	3	2.5×10^{15}	3.0	-138						
	ext.	3	3.4×10^{15}	3.0	-131	Table I 97. I	тр р	aramot	ors for the f		nodal (Corre
	ext.	3	4.4×10^{15}	5.5	-120		ыты Ца) с.	aramet(un LTE II o(N)	nouer (Core
	ext.	3	3.0×10^{15}	4.6	-103	Components) for so	ource A	11 in Sgr B	$\mathbb{Z}(\mathbb{N}).$	
	ext.	3	9.1×10^{14}	2.7	-92						
	ext.	3	10.0×10^{13}	2.7	-85						
	ext.	3	2.2×10^{15}	2.9	1						
	ext.	3	3.6×10^{14}	6.1	27						
	ext.	3	1.7×10^{15}	5.6	35						

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 264

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL CD			(C	Continued)		
	(")	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot_2}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
CHaNHa	0.7	130	1.1×10^{17}	41	61		$\frac{('')}{0.7}$	(K) 200	$\frac{(\text{cm}^2)}{1.4 \times 10^{17}}$	(km s ⁻¹) 3 3	(km s ⁻¹) 95
$HC(O)NH_2$	0.7 0.7	103	2.5×10^{15}	4.1	65		$0.7 \\ 0.7$	$200 \\ 200$	2.5×10^{16}	0.2	95 91
H_2CCO	0.7	114	5.2×10^{16}	5.6	62		0.7	200	4.3×10^{17}	2.6	82
HNCO	0.7	227	9.7×10^{15}	5.7	62		0.7	200	3.2×10^{16}	0.9	72
$\rm NH_2D$	0.7	122	8.5×10^{14}	4.6	60		0.7	200	1.2×10^{16}	1.0	65
NS	0.7	214	1.4×10^{16}	5.0	62		0.7	200	7.1×10^{16}	1.0	59
CH_3CHO	0.7	171	3.0×10^{10}	6.1	64		0.7	200	5.4×10^{10}	2.6	32
$H_2C^{00}S$	0.7	205	9.2×10^{10}	5.2	58 69		0.7	200	4.7×10^{10}	2.4	24
$U_2\Pi_5 O\Pi$ HCN vo-1	0.7 0.7	95 807	9.5×10^{-15}	0.0 20	02 62		0.7 0.7	200	1.2×10^{-1}	2.0	-3
$H_{2}CS$	0.7	144	4.3×10^{16}	$\frac{2.3}{4.7}$	61		0.7	200	2.7×10^{15}	0.6	-46
$H_2^{34}S$	0.7	233	7.0×10^{16}	0.7	71		0.7	200	2.2×10^{16}	2.6	-54
	0.7	200	4.1×10^{17}	8.2	66		0.7	200	1.1×10^{16}	1.1	-60
PN	0.7	200	1.4×10^{13}	2.0	122		0.7	200	8.6×10^{12}	1.0	-82
	0.7	200	2.3×10^{14}	19.1	131		0.7	200	3.5×10^{15}	2.6	-81
	0.7	200	7.0×10^{13}	15.4	123		0.7	200	2.8×10^{15}	1.0	-98
	0.7	200	3.3×10^{13} 7.4 × 10 ¹²	0.9	113		0.7	200	2.9×10^{10}	1.4	-107
	0.7 0.7	200	$7.4 \times 10^{}$ 3.1 × 10^{13}	1.2	108	13CO	0.7 0.7	200	2.1×10^{-5} 1.9 × 10 ¹²	$1.3 \\ 7.5$	-120 158
	0.7	200	3.0×10^{14}	3.7	90	00	0.7	200	1.3×10^{19} 1.3×10^{19}	0.7	158
	0.7	200	1.4×10^{14}	2.5	83		0.7	200	6.0×10^{16}	1.9	154
	0.7	200	9.1×10^{17}	0.2	67		0.7	200	1.7×10^{17}	3.6	133
	0.7	200	1.5×10^{14}	1.7	61		0.7	200	7.7×10^{16}	0.9	122
	0.7	200	1.5×10^{12}	1.0	162		0.7	200	1.3×10^{17}	1.2	112
	0.7	200	1.7×10^{12}	0.5	36		0.7	200	1.9×10^{17}	7.2	107
	0.7	200	5.2×10^{13}	0.4	26		0.7	200	3.8×10^{17}	6.6	83
	0.7	200	4.1×10^{12}	2.4	15		0.7	200	3.2×10^{17}	1.2	75 40
	0.7 0.7	200	4.9×10^{-4}	1.4	-2 -10		0.7 0.7	200	1.0×10^{-10} 7.1 × 10 ¹⁶	23.0 1.4	49
	0.7	200	7.9×10^{13}	3.7	-27		0.7	200	1.1×10^{17}	4.3	22
	0.7	200	9.7×10^{13}	2.0	-30		0.7	200	1.6×10^{15}	0.8	0
	0.7	200	2.1×10^{14}	4.2	-34		0.7	200	1.3×10^{17}	5.1	-9
	0.7	200	7.6×10^{13}	4.0	-64		0.7	200	9.4×10^{15}	1.0	-48
	0.7	200	4.5×10^{13}	5.9	-72		0.7	200	6.9×10^{15}	1.1	-61
	0.7	200	8.1×10^{14}	37.3	-109		0.7	200	1.2×10^{15}	18.8	-67
	0.7	200	4.0×10^{12} 1.3 × 10 ¹⁴	4.1	-103		0.7	200	3.7×10^{10} 1.7×10^{17}	1.2	-73
	0.7	200	6.6×10^{13}	1.2	-103		0.7	200	1.7×10^{17} 1.5×10^{17}	2.3	-90
	0.7	200	5.2×10^{13}	4.7	-135		0.7	200	2.4×10^{16}	1.0	-95
	0.7	200	1.9×10^{13}	2.2	-135		0.7	200	3.4×10^{18}	1.8	-131
	0.7	200	$7.9~{\times}10^{12}$	0.2	-151		0.7	200	4.8×10^{15}	1.0	-138
	0.7	200	7.1×10^{15}	0.8	-154		0.7	200	2.7×10^{16}	1.0	-157
	0.7	200	3.6×10^{13}	1.5	-165	- 17 -	0.7	200	7.8×10^{17}	3.4	-174
	0.7	200	1.9×10^{13}	0.8	-163	$C^{1}O$	0.7	200	2.4×10^{14}	2.7	-170
U.CO	0.7	200	5.1×10^{12}	32.3	-184		0.7	200	6.4×10^{10}	2.7	-156 127
$H_{2}CO$	0.7	117	1.0×10^{-1} 1.4×10^{17}	3.8 2.0	02 58		0.7	200	1.8×10^{17}	2.1	-157
C₂H₌CN	0.7	39 180	1.4×10^{17}	2.0 3.4	58 62		0.7	200	4.2×10^{16}	4.4	-85
CH ₂ NH	0.7	263	9.4×10^{16}	0.9	61		0.7	200	3.7×10^{16}	3.0	20
- 2	0.7	231	2.5×10^{16}	3.4	64		0.7	200	5.2×10^{16}	6.9	28
	0.7	252	5.6×10^{15}	0.3	57		0.7	200	1.1×10^{17}	2.4	47
OCS	0.7	251	8.5×10^{17}	5.5	63		0.7	200	2.4×10^{17}	3.5	81
CH_3OH	0.7	129	1.1×10^{13}	4.0	63		0.7	200	5.3×10^{16}	2.7	103
ILCCOL	0.7	236	6.6×10^{18}	5.6	62	c18 c	0.7	200	6.4×10^{12}	1.1	163
HCCCN	0.7	439	2.3×10^{10}	5.9	62 62	C100	0.7	200	2.2×10^{17}	6.0	-178
CH ₃ CN	0.7	200	3.4×10^{17}	0.7	02 62		0.7	200	3.8×10^{-1} 2.2×10^{17}	3.7 5.6	-138
CH ₂ OCH ₂	0.7	200 156	1.1×10^{18}	4.0	62		0.7	200	1.3×10^{17}	8.0	-125
SO_2	0.7	187	8.4×10^{12}	3.9	34		0.7	200	1.9×10^{17}	9.4	-22
-	0.7	168	4.0×10^{17}	6.5	64		0.7	200	2.4×10^{17}	8.0	-3
SiO	0.7	408	5.8×10^{14}	1.8	59		0.7	200	4.7×10^{16}	2.7	5
	0.7	420	6.1×10^{12}	0.6	13		0.7	200	2.8×10^{16}	3.4	19
CH ₃ OCHO	0.7	151	5.4×10^{17}	4.5	62		0.7	200	5.9×10^{17}	31.6	30
NO ⁺	0.7	26	8.2×10^{13}	1.9	76		0.7	200	2.2×10^{14}	44.0	35
50	0.7	205	1.9×10^{14} 0.5 $\times 10^{17}$	3.2 5.2	64 62		0.7	200	3.2×10^{17}	3.3 ° c	60 75
CO	0.7	201	9.0×10^{-1} 1 0 $\times 10^{16}$	$\frac{0.2}{1.7}$	05 147		0.7	200 200	6.3×10^{-1}	0.U 8 3	70 100
	0.7	200	1.9×10^{15}	2.0	146		0.7	200	6.2×10^{16}	2.6	114
		-00					0.7	200	9.0×10^{17}	5.0	135
						\mathbf{CS}	0.7	200	1.8×10^{13}	1.1	138
							0.7	200	1.5×10^{13}	0.8	135
							0.7	200	7.7×10^{13}	3.7	123

=

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 265

		(0	Continued)						(C	continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	-	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	0.7	200	$\frac{(cm)}{3.4 \times 10^{14}}$	<u>(kiii s</u>) 6.1	97			0.7	200	$\frac{(cm)}{6.3 \times 10^{12}}$	0.9	-36
	0.7	200	2.8×10^{14}	1.0	49			0.7	200	1.2×10^{12}	1.1	11
	0.7	200	3.7×10^{14}	2.6	34			0.7	200	2.4×10^{12}	2.8	-42
	0.7	200	9.5×10^{12}	2.2	22			0.7	200	3.3×10^{13}	1.4	-72
	0.7	200	2.3×10^{13} 1.0 × 10 ¹³	1.0	15			0.7	200	0.3×10^{12}	1.1	-76
	0.7	200	1.3×10^{14} 1.4×10^{14}	2.1	-2			0.7	$200 \\ 200$	2.4×10^{12}	1.0	-107
	0.7	200	6.3×10^{13}	4.4	-11			0.7	200	9.1×10^{13}	2.2	-141
	0.7	200	1.2×10^{13}	1.0	28			0.7	200	2.0×10^{13}	1.1	-163
	0.7	200	2.6×10^{14}	2.7	-25			0.7	200	6.8×10^{12}	1.0	-175
	0.7	200	9.2×10^{13}	2.4	-34		1113CN	0.7	200	8.0×10^{12}	0.9	-183
	0.7	200	9.1×10^{13} 3.0 × 10^{13}	$\frac{4.0}{2.4}$	-40 -54		H-SON	0.7	200	1.2×10^{12}	2.1 1.1	145 49
	0.7	200	7.7×10^{12}	0.7	-60			0.7	200	1.2×10^{12} 1.0×10^{12}	0.9	35
	0.7	200	1.5×10^{14}	4.6	-71			0.7	200	1.5×10^{12}	3.8	25
	0.7	200	8.4×10^{12}	2.0	-83			0.7	200	3.7×10^{13}	1.7	-28
	0.7	200	3.8×10^{13}	1.8	-102			0.7	200	9.8×10^{13}	1.0	-55
13.00	0.7	200	5.2×10^{12}	0.1	-110			0.7	200	5.3×10^{14}	0.3	-73
C5	0.7	200	$3.9 \times 10^{}$ 3.2×10^{14}	0.8 14 9	90 75			0.7	200	1.2×10^{-2} 6.4 × 10^{13}	1.2	-95 -95
	0.7	200	3.4×10^{15}	4.2	63			0.7	200	1.7×10^{13}	1.6	-111
$C^{33}S$	0.7	200	8.2×10^{14}	9.1	-175			0.7	200	6.7×10^{12}	1.0	-118
	0.7	200	4.9×10^{14}	2.1	-164			0.7	200	7.5×10^{13}	1.0	-148
	0.7	200	6.8×10^{14}	6.6	-159		HNC	0.7	200	2.1×10^{12}	0.9	114
	0.7	200	1.1×10^{13}	8.0	-149			0.7	200	2.0×10^{12}	28.0	110
	0.7	200	4.6×10^{-2} 7 3 × 10 ¹⁴	2.3 4.0	-94 -89			0.7	200	1.5×10^{-3} 1.1 × 10 ¹⁴	0.8 4 7	98 92
	0.7	200	9.9×10^{13}	2.3	-39			0.7	$200 \\ 200$	5.7×10^{12}	4.7 0.9	32 47
	0.7	200	2.3×10^{14}	3.2	-34			0.7	200	2.6×10^{12}	4.1	36
	0.7	200	7.4×10^{13}	7.1	17			0.7	200	2.7×10^{14}	3.0	21
	0.7	200	1.3×10^{13}	1.9	39			0.7	200	3.8×10^{14}	0.3	5
	0.7	200	2.7×10^{13}	3.7	62			0.7	200	2.6×10^{13}	6.4	-6
	0.7	200	10.0×10^{-5} 4.3 × 10 ¹⁴	$\frac{2.3}{7.7}$	84 84			0.7	200	1.4×10^{-2} 2.4 × 10^{13}	4.0 0.6	-34 -38
	0.7	200	4.3×10^{14} 8.3 ×10 ¹⁴	23.3	105			0.7	$200 \\ 200$	3.4×10^{12}	0.0	-49
	0.7	200	1.0×10^{15}	2.9	114			0.7	200	4.9×10^{12}	2.8	-49
	0.7	200	3.5×10^{14}	3.8	130			0.7	200	3.7×10^{12}	2.5	-57
$C^{34}S$	0.7	200	6.8×10^{16}	31.9	-161			0.7	200	9.7×10^{12}	0.8	-62
	0.7	200	1.3×10^{18}	7.4	-162 146			0.7	200	9.2×10^{12}	3.6	-71
	0.7	200	4.1×10^{-1} 7 9 × 10 ¹⁷	$\frac{2.3}{2.7}$	-140 -144			0.7	$200 \\ 200$	1.9×10^{-2} 1 4 × 10^{13}	$0.4 \\ 1.4$	-00 -77
	0.7	200	3.6×10^{15}	5.0	-126			0.7	200	1.6×10^{13}	0.8	-83
	0.7	200	3.2×10^{15}	4.8	-117			0.7	200	$2.5~\times10^{12}$	0.1	-88
	0.7	200	1.8×10^{14}	2.5	-95			0.7	200	2.0×10^{12}	1.7	-93
	0.7	200	1.7×10^{14}	8.5	-87			0.7	200	7.7×10^{12}	1.0	-98
	0.7	200	1.6×10^{11} 1.7×10^{15}	2.0 35.4	-74 70		$HN^{13}C$	0.7	200	2.5×10^{13} 7.5 $\times 10^{13}$	2.2	-106 174
	0.7	200	3.0×10^{14}	6.6	-70 -64		inv C	0.7	$\frac{200}{200}$	7.5×10^{13} 8.0 × 10 ¹³	3.3	-161
	0.7	200	7.2×10^{13}	4.7	-45			0.7	200	3.8×10^{14}	8.9	-134
	0.7	200	9.6×10^{14}	8.8	-23			0.7	200	8.9×10^{13}	2.8	-117
	0.7	200	4.2×10^{14}	3.7	-12			0.7	200	1.0×10^{14}	6.3	-101
	0.7	200	1.3×10^{15}	34.1	-5			0.7	200	9.2×10^{13}	3.5	-88
	0.7	200 200	2.0×10^{-5} 3.5×10^{14}	14.1 5.8	0 27			0.7	200 200	4.3×10^{-3} 4.3×10^{13}	0.4 2.5	-00 -58
	0.7	200	2.1×10^{14}	2.5	37			0.7	200	1.7×10^{14}	$\frac{2.0}{7.9}$	-44
	0.7	200	6.2×10^{15}	4.8	62			0.7	200	1.7×10^{14}	8.0	-23
	0.7	200	1.1×10^{15}	3.0	75			0.7	200	4.0×10^{14}	6.0	-10
	0.7	200	6.2×10^{14}	3.5	84			0.7	200	1.5×10^{14}	7.5	9
	0.7	200	1.2×10^{10}	1.9 5.0	94 100			0.7	200	2.0×10^{14} 2.6 × 10 ¹⁴	8.8 5.3	30 53
	0.7	200	4.3×10^{14} 6.9×10^{14}	2.3	110			0.7	$\frac{200}{200}$	1.2×10^{14}	3.6	59
	0.7	200	8.3×10^{13}	3.0	116			0.7	200	2.7×10^{14}	12.6	76
	0.7	200	2.5×10^{16}	4.3	131			0.7	200	$2.7~\times10^{13}$	2.2	104
	0.7	200	4.6×10^{15}	6.3	155			0.7	200	1.4×10^{14}	5.6	112
HCN	0.7	200	3.1×10^{12}	1.3	124			0.7	200	1.0×10^{14}	6.5	127
	0.7	200	1.2×10^{14} 2.2 × 10 ¹²	0.3 0.0	00 100		$H^{13}CO^{+}$	0.7	200	4.0×10^{13} 7.8 $\times 10^{13}$	4.0	147 47
	0.7	$200 \\ 200$	4.1×10^{13}	1.0	92 45		$HO^{13}C^+$	0.7	$200 \\ 200$	1.0×10^{12} 1.0×10^{12}	4.0 1.7	164
	0.7	200	9.0×10^{12}	1.4	10			0.7	200	2.1×10^{12}	1.1	72
	0.7	200	4.7×10^{13}	2.2	1			0.7	200	1.4×10^{12}	15.6	117
	0.7	200	1.8×10^{12}	1.0	-17			0.7	200	1.0×10^{12}	2.9	103
	0.7	200	5.8 ×10-2	2.3	-30	:		0.7	200	1.1 ×10 ¹⁴	0.7	89

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 266

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	0.7	200	2.5×10^{14}	3.0	86
	0.7	200	1.0×10^{15}	4.7	69
	0.7	200	1.7×10^{14}	5.5	53
	0.7	200	4.9×10^{13}	3.4	33
	0.7	200	1.3×10^{12}	2.3	26
	0.7	200	2.4×10^{12}	4.5	18
	0.7	200	3.8×10^{12}	1.1	9
	0.7	200	7.1×10^{14}	7.0	-13
	0.7	200	3.1×10^{14}	2.0	-24
	0.7	200	2.0×10^{12}	0.7	-31
	0.7	200	$2.9~\times 10^{13}$	1.6	-44

Table L.88: LTE Parameters for the full LTE model (Envelope Components) for source A17 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$\mathrm{N}_{\mathrm{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
CCH	ort	9	0.6×10^{12}	8.0	70
COII	ext.	3	9.0×10 3.3×10^{15}	8.0 7.8	65
DN	ext.	3	5.3×10^{13}	1.0	156
1 11	ext.	3	3.3×10^{15}	0.0 1.5	100
	ext.	ა ი	2.7×10^{14}	1.0	90 70
	ext.	ა ი	7.9 × 10 8 4 × 10 ¹⁴	1.0	145
	ext.	3 10	0.4×10	1.0	-140
H_2CO	ext.	10	3.3×10^{15}	33.3	04 52
CII NII	ext.	11	2.9×10^{-3}	1.0	03 70
$U_{12}NH$	ext.	4	1.4×10^{-1}	1.0	70 65
$n_2 \cup nn$	ext.	0 17	3.4×10^{-5}	2.0 97.6	00 69
UN	ext.	17	1.4×10^{10}	27.0	03
	ext.	23	2.2×10^{15}	3.2	22
	ext.	14	2.5×10^{13}	11.8	5
	ext.	1	2.5×10^{14}	1.0	-3
	ext.	45	2.7×10^{14}	8.4	-35
	ext.	3	6.4×10^{13}	9.1	-42
	ext.	19	2.6×10^{18}	3.5	-55
	ext.	24	6.6×10^{14}	7.2	-94
	ext.	8	6.7×10^{14}	8.6	-112
SiO	ext.	4	7.9×10^{13}	2.3	69
NO^+	ext.	7	9.9×10^{14}	3.0	48
CO	ext.	3	1.5×10^{16}	8.6	139
	ext.	3	1.3×10^{14}	34.7	129
	ext.	3	1.0×10^{15}	0.8	122
	ext.	3	3.5×10^{16}	6.4	105
	ext.	3	1.1×10^{15}	1.4	67
	ext.	3	1.4×10^{15}	2.5	62
	ext.	3	1.7×10^{16}	0.9	54
	ext.	3	5.9×10^{16}	1.6	45
	ext.	3	4.8×10^{15}	0.6	39
	ext.	3	3.3×10^{15}	1.3	12
	ext.	3	3.3×10^{14}	21.7	-150
	ext.	3	4.5×10^{15}	4.3	-10
	ext.	3	6.0×10^{15}	3.1	-17
	ext.	3	1.3×10^{15}	6.6	-27
	ext.	3	6.1×10^{15}	3.2	-33
	ext.	3	8.7×10^{14}	1.1	-68
	ext.	3	9.1×10^{14}	1.0	-73
	ext.	3	5.1×10^{14}	1.0	-78
	ext.	3	3.3×10^{15}	1.0	-84
	ext.	3	1.1×10^{15}	1.0	-94
	ext.	3	6.8×10^{15}	3.0	-101
	ext.	3	5.7×10^{14}	35.2	-121
^{13}CO	ext.	3	2.7×10^{15}	2.6	149
	ext.	3	6.4×10^{15}	2.6	87
	ext.	3	9.0×10^{16}	9.3	57
	ext.	3	4.4×10^{14}	2.4	74
	ext.	3	2.6×10^{15}	2.9	31
				~	

		(C	Continued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$\mathbf{N}_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$V_{LCD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	ext.	3	1.1×10^{15}	22.0	6
	ext.	3	2.2×10^{14}	0.8	1
	ext	3	4.4×10^{16}	6.3	-42
	evt	3	1.7×10^{15}	0.8	-43
	evt	3	1.0×10^{16}	27	-50
	ovt	3	5.0×10^{15}	1.0	-30
	ext.	5 9	3.3×10^{15}	1.0	-11
	ext.	ა ი	3.7×10^{-14}	2.1	-104
	ext.	ა ე	1.1×10	0.0	150
	ext.	3	3.1×10^{-1}	17.3	-154
	ext.	3	4.6×10^{-1}	1.0	-155
	ext.	3	4.6×10^{14}	0.6	-162
C17.0	ext.	3	7.7×10^{15}	0.1	-183
$C^{1}O$	ext.	3	5.6×10^{15}	7.2	-171
	ext.	3	6.1×10^{15}	3.0	-167
	ext.	3	1.0×10^{16}	7.2	-162
	ext.	3	4.0×10^{16}	13.9	-146
	ext.	3	1.7×10^{16}	14.4	-129
	ext.	3	1.8×10^{15}	2.1	-124
	ext.	3	1.8×10^{15}	2.5	-119
	ext.	3	2.3×10^{16}	9.2	-109
	ext.	3	4.2×10^{15}	4.2	-63
	ext.	3	6.6×10^{15}	3.7	-55
	ext.	3	5.0×10^{15}	3.2	-44
	ext.	3	2.8×10^{16}	10.8	-26
	ext.	3	2.0×10^{15}	4.7	-20
	ext.	3	1.7×10^{15}	3.1	12
	ext.	3	1.2×10^{15}	2.7	23
	evt	3	2.0×10^{16}	10.2	44
	ext.	3 3	1.5×10^{16}	10.2	55
	ext.	3	1.3×10^{15}	4.0	55 67
	ext.	ა ი	9.3×10^{16}	5.4 6.7	07
	ext.	ა ე	3.4×10^{-1}	0.7	91
	ext.	3	3.2×10^{15}	2.6	99
	ext.	3	2.6×10^{13}	9.4	109
	ext.	3	7.4×10^{10}	3.3	118
	ext.	3	2.6×10^{16}	11.2	142
c19 c	ext.	3	4.1×10^{10}	23.9	122
C100	ext.	3	1.7×10^{10}	7.8	-157
	ext.	3	4.2×10^{13}	7.8	-147
	ext.	3	1.1×10^{10}	7.5	-104
	ext.	3	3.0×10^{16}	13.0	-98
	ext.	3	3.9×10^{15}	3.8	-93
	ext.	3	2.3×10^{15}	7.4	-82
	ext.	3	5.6×10^{15}	12.1	-71
	ext.	3	1.3×10^{15}	1.9	-58
	ext.	3	1.0×10^{15}	2.7	-39
	ext.	3	8.8×10^{15}	4.5	68
	ext.	3	8.1×10^{15}	2.8	112
	ext.	3	1.5×10^{14}	1.4	116
	ext.	3	5.0×10^{15}	9.0	150
CS	ext.	3	2.7×10^{15}	1.6	158
	ext.	3	1.6×10^{15}	1.3	86
	ext	3	3.6×10^{15}	1.0	81
	ext	3	6.8×10^{14}	0.9	76
	evt	3	1.6×10^{15}	0.6	162
	CAU.	2	1.0×10 1.3 $\vee 10^{17}$	387	65
	ext.	ა ი	1.5×10^{-1}	JO.1 19	57
	ext.	ა ი	4.0×10^{-1}	1.0 K 1	07 79
13 CC	ext.	ა ი	4.1×10^{-5} 1.6 $\times 10^{16}$	0.1 5 7	40 164
- Co	ext.	ა ი	1.0×10^{-3}	0.7	104
	ext.	3	$9.0 \times 10^{}$	2.2	149
	ext.	3	4.4×10^{15}	2.2	81
	ext.	3	4.3×10^{10}	2.9	04
	ext.	3	3.5×10^{10}	11.3	46
	ext.	3	6.8×10^{10}	2.1	33
	ext.	3	1.1×10^{13}	0.8	18
	ext.	3	2.0×10^{13}	4.8	-33
	ext.	3	1.5×10^{15}	2.6	-40
	ext.	3	3.2×10^{13}	1.9	-83
	ext.	3	1.4×10^{13}	1.4	-186
$C^{33}S$	ext.	3	9.2×10^{16}	2.7	-136
	ext.	3	6.3×10^{14}	2.0	-74
	ext.	3	1.8×10^{16}	11.9	-69
	ext.	3	5.3×10^{15}	7.5	-57

T. Möller <i>et al.</i> : Fi	ull molecular line surve	v of hot cores.	Online Material p 267

			(C	continued)			Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N_{i}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LCD}^{m,c}$
	Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSB} ^{m,c}		(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
ext. 3 3.4×10^{10} 2.43 -47 OCS 1.6 195 2.9 $\times 10^{13}$ 2.8 59 ext. 3 7.4×10^{15} 2.6 37 H^{258} 1.6 170 2.2 $\times 10^{13}$ 2.8 59 ext. 3 5.0×10^{15} 2.6 37 H^{258} 1.6 170 2.2 $\times 10^{13}$ 2.8 59 ext. 3 5.0×10^{15} 3.0 -7 CO 1.6 210 6.4 $\times 10^{15}$ 4.2 40 76 ext. 3 1.4×10^{16} 6.0 32 NO 1.6 310 77 $\times 10^{14}$ 4.0 76 ext. 3 1.8×10^{16} 6.0 32 NO 1.6 310 7.0 $\times 10^{12}$ 1.9 58 ext. 3 1.8×10^{16} 6.0 122 1.6 3 6.3 $\times 10^{14}$ 1.9 58 ext. 3 1.8×10^{16} 6.0 122 1.6 100 6.0 $\times 10^{12}$ 1.9 58 ext. 3 1.8×10^{16} 6.0 122 1.6 100 6.0 10^{12} 4.9 96 59 ext. 3 1.8×10^{16} 3.4 157 CFaCN 1.6 110 5.2 $\times 10^{14}$ 9.0 52 ext. 3 1.2×10^{16} 3.4 157 CFaCN 1.6 110 5.2 $\times 10^{14}$ 1.1 35 50 ext. 3 1.2×10^{16} 3.4 157 CFaCN 1.6 110 5.2 $\times 10^{14}$ 1.1 35 50 ext. 3 1.2×10^{16} 3.4 157 CFaCN 1.6 110 1.0 $\times 10^{14}$ 1.1 57 ext. 3 1.2×10^{16} 3.3 72 1.6 100 6.0 $\times 10^{14}$ 1.1 157 ext. 3 1.2×10^{16} 3.3 72 1.6 100 6.0 $\times 10^{12}$ 1.0 10^{1} 1.1 64 11CN ext. 3 1.2×10^{14} 2.2 66 3.0 16^{10} 4.0 $\times 10^{12}$ 1.0 51 ext. 3 1.2×10^{14} 2.2 66 3.0 16^{10} 6.0 10^{12} 1.0 16^{1} 5.1 ext. 3 1.2×10^{14} 2.2 66 3.0 16^{10} 6.0 132^{10} 4.1 16^{10} 6.0 10^{12} 4.1 16^{10} 5.1 ext. 3 1.2×10^{14} 2.2 66 3.0 16^{10} 6.0 130^{12} 4.1 16^{10} 5.1 ext. 3 1.2×10^{14} 2.2 66^{1} CO 1.6 200 3.8×10^{14} 1.0 51 ext. 3 1.4×10^{14} 1.0 -7 1.6 200 3.8×10^{14} 4.1 90^{16} 7.1 ext. 3 1.4×10^{14} 1.2 -38 -16^{10} 2.0 1.1×10^{16} 1.1 -6^{10} ext. 3 1.4×10^{14} 1.2 -38 -16^{10} 2.0 1.1×10^{16} 1.1 -6^{10} ext. 3 1.4×10^{14} 1.2 -38 -16^{10} 2.0 1.3×10^{14} 1.1 -51 ext. 3 1.4×10^{14} 1.2 -38 -16^{10} 2.0 1.3×10^{14} 1.1 -51 ext. 3 1.4×10^{14} 1.2 -38 -16^{10} 2.0 1.3×10^{14} 1.2 -38 ext. 3 1.4×10^{14} 1.1 -154 -16^{10} 2.0 1.3×10^{16} 1.1 -5^{10} -16^{1		('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$						<i>, ,</i>
ext. 3 4 4×10^{-5} 2.5 -37 He ^{4S} 1.6 170 2 2×10^{-2} 2.8 59 ext. 3 74 $\times 10^{-5}$ 3.0 -17 He ^{4S} 1.6 210 6 $\times 10^{-2}$ 4.6 $\times 10^{-2}$ 4.0 61 ext. 3 50 $\times 10^{-5}$ 3.0 -10 H ₂ (S 1.6 20 6 $\times 10^{-2}$ 4.0 61 ext. 3 10 $\times 10^{-5}$ 4.0 -7 (SO 1.6 197 $\times 10^{-5}$ 4.0 -7 (SO 1.6 10 -7×10^{-5} 4.0 -7×10^{-5} 4.1 -5×10^{-5} 4.1 -10×10^{-5} 4.1 $-$		ext.	3	3.4×10^{15}	2.6	-47	OCS	1.6	198	7.9×10^{13}	4.0	67
ext. 3 $3 3 \times 10^{10}$ 6.1 3.7 -17 HNCO 1.6 210 6.4×10^{10} 4.0 76 ext. 3 $3 3 \times 10^{10}$ 6.1 0 -10 11_{CS} 1.6 201 4×10^{10} 4.0 71 ext. 3 $3 3 \times 10^{10}$ 6.1 0 -7 CR 1.6 108 5.3×10^{10} 4.0 71 ext. 3 $3 3 \times 10^{10}$ 6.0 32 NO 1.6 10 6.5×10^{13} 1.4 53 ext. 3 $3 3 \times 10^{10}$ 6.0 122 NO 1.6 100 6.5×10^{13} 1.4 53 ext. 3 $3 3 \times 10^{10}$ 6.0 122 NO 1.6 100 6.5×10^{13} 9.6 59 ext. 3 6.5×10^{10} 3.4 157 CH_5CN 1.6 100 2.4×10^{10} 9.6 59 ext. 3 6.5×10^{15} 2.5 138 H ₂ CO 1.6 100 2.4 $\times 10^{13}$ 1.3 65 ext. 3 6.5×10^{15} 2.5 138 H ₂ CO 1.6 110 2.4 $\times 10^{13}$ 1.3 65 ext. 3 3.2×10^{10} 5.1 -104 IIIC, v_{2} 1.1 6 200 8.2×10^{13} 1.3 65 ext. 3 1.2×10^{14} 1.0 4 1.0 42 ext. 3 1.2×10^{14} 1.0 40 2.2 -10 IIIC, v_{2} 1.1 6 200 8.2×10^{13} 1.1 64 IICN ext. 3 1.4×10^{14} 1.2 6.5 6.3 -16.8×10^{12} 9.1 10 64 ext. 3 1.2×10^{14} 1.2 6.6 132 -104 IIIC, v_{2} 1.6 100 2.4×10^{14} 1.6 56 ext. 3 1.2×10^{14} 1.2 6.6 63 23×10^{14} 1.4 6.5 ext. 3 1.2×10^{14} 1.2 6.6 31 6.2×10^{14} 1.0 6.5 ext. 3 1.2×10^{14} 1.2 6.6 63 23×10^{14} 1.4 6.5 50 ext. 3 1.2×10^{14} 1.2 2.2 56 CO 1.6 200 8.3×10^{14} 1.6 50 ext. 3 3.4×10^{14} 1.2 2.2 57 1.6 988 5.3×10^{14} 1.6 50 ext. 3 3.4×10^{14} 1.2 -26 1.6 200 3.8×10^{14} 1.6 50 ext. 3 3.4×10^{14} 1.2 -26 1.6 200 3.8×10^{14} 1.4 -53 ext. 3 3.4×10^{14} 1.2 -468 1^{12} -16 200 3.8×10^{14} 1.6 50 ext. 3 3.4×10^{14} 1.2 -468 1^{12} -16 200 3.8×10^{14} 1.6 50 ext. 3 3.4×10^{14} 1.2 -468 1^{12} -16 200 3.8×10^{14} 1.4 -66 ext. 3 3.4×10^{14} 1.2 -468 1^{12} -16 102 3.8×10^{14} 1.4 -16 50 ext. 3 3.4×10^{14} 1.2 -12 10 -7 1.6 200 3.8×10^{14} 1.4 -16 10 10 -13 ext. 3 3.4×10^{14} 1.1 -154 1.6 200 3.8×10^{14} 1.1 -51		ext.	3	4.6×10^{15}	2.5	-37	$H_2^{33}S$	1.6	170	2.0×10^{12}	2.8	59
ext. 3 3 3 0 HCS 1.6 100 CN 1.6 100 4.0 667 ext. 3 2.4× 1015 6.7 SO 1.6 107 3.7× 1015 1.7× ext. 3 1.4× 1016 1.0× SO 1.6 107 3.7× 1.0× 1.3× 1.4× 1.0× 1.3× 1.4× 1.0× 1.3× 1.4× 1.0× 1.3× 1.4× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.3× 1.0× 1.1× 1.3× 1.0× 1.1× 1.1× 1.1× 1.1× 1.1× 1.1× 1.1× 1.1× 1.1× 1.1× <th1.1×< th=""> 1.1× 1.1× <t< td=""><td></td><td>ext.</td><td>3</td><td>7.4×10^{14}</td><td>3.7</td><td>-17</td><td>HNCO</td><td>1.6</td><td>210</td><td>6.4×10^{12}</td><td>4.0</td><td>76</td></t<></th1.1×<>		ext.	3	7.4×10^{14}	3.7	-17	HNCO	1.6	210	6.4×10^{12}	4.0	76
ext. 3 $3 = 23 \times 10^{10}$ 6.1 0 CN 1.6 $198 = 53 \times 10^{10}$ 4.0 74 ext. 3 1.4×10^{10} 6.0 32 NO 1.6 $197 = 53 \times 10^{10}$ 1.9 85 ext. 3 3.14×10^{10} 6.0 32 NO 1.6 $31 = 40 \times 10^{11}$ 1.9 85 ext. 3 3.14×10^{10} 6.0 132 NO 1.6 $31 = 40 \times 10^{11}$ 1.9 65 ext. 3 3.17×10^{10} 6.0 132 NO 1.6 $31 = 40 \times 10^{11}$ 1.9 65 ext. 3 5.5×10^{15} 2.7 17 ext. 3 5.5×10^{15} 2.5 138 H 4;CO 1.6 $31 = 24 \times 10^{13}$ 1.3 65 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{1}=1$ 1.6 92 4.0×10^{11} 1.1 79 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{2}=1$ 1.6 928 4.0×10^{11} 1.1 79 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{2}=1$ 1.6 928 4.0×10^{11} 1.1 64 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{2}=1$ 1.6 928 4.0×10^{14} 1.1 79 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{2}=1$ 1.6 928 4.0×10^{14} 1.1 79 ext. 3 3.2×10^{15} 2.5 -40 HNC, $v_{2}=1$ 1.6 928 4.0×10^{14} 1.1 79 ext. 3 3.2×10^{14} 1.2 0 ext. 3 3.3×10^{14} 1.2 8 60 ext. 3 3.5×10^{14} 1.2 16 61 ext. 3 3.4×10^{14} 2.2 60 ext. 3 3.4×10^{14} 2.2 16 ext. 3 4.5×10^{14} 2.2 16 ext. 3		ext.	3	3.6×10^{15}	3.0	-10	H_2CS	1.6	201	4.9×10^{13}	4.0	66
ext. 3 $4 + 30^{-1} + 10^$		ext.	3	2.3×10^{10}	6.1	0	CN	1.6	198	5.3×10^{13}	4.0	74
ext. 3 1.4 × 10 ¹⁰ 0.0 32 NO 1.6 3 4.0 × 10 ¹⁰ 1.9 58 ext. 3 1.8 × 10 ¹⁰ 4.0 71 42 10 6.0 6.0 × 10 ¹⁰ 50 62 ext. 3 1.5 × 10 ¹⁰ 4.0 71 42 10 6.0 6.0 × 10 ¹⁰ 50 62 ext. 3 1.5 × 10 ¹⁰ 3.4 157 ClipCN 1.6 18 19 × 2010 ¹³ 0.1 53 ext. 3 3.2 × 10 ¹⁰ 2.5 -4.0 HNC, $v_2=1$ 1.6 92 4.0 × 10 ¹⁴ 1.1 79 ext. 3 1.2 × 10 ¹⁶ 2.5 -4.0 HNC, $v_2=1$ 1.6 92 4.0 × 10 ¹⁴ 1.1 79 ext. 3 1.2 × 10 ¹⁶ 2.1 0 1.6 2.2 × 10 ¹⁴ 0.1 63 ext. 3 1.2 × 10 ¹⁶ 2.1 0 1.6 2.2 × 10 ¹⁴ 0.1 63 ext. 3 1.2 × 10 ¹⁶ 2.5 -4.0 HNC, $v_2=1$ 1.6 92 4.0 × 10 ¹⁴ 1.1 79 ext. 3 1.2 × 10 ¹⁶ 2.1 0 1.6 2.2 × 10 ¹⁴ 0.1 63 ext. 3 1.7 × 10 ¹⁴ 1.9 89 1.6 98 4.0 × 10 ¹⁷ 1.1 64 HCN ext. 3 1.7 × 10 ¹⁴ 1.9 89 1.6 98 4.0 × 10 ¹⁴ 1.4 53 ext. 3 1.2 × 10 ¹⁴ 2.2 68 1.6 2.0 2.4 × 10 ¹⁴ 0.1 6.6 20 ext. 3 1.2 × 10 ¹⁴ 2.2 68 1.6 2.0 1.4 × 10 ¹⁴ 0.9 6.7 ext. 3 1.2 × 10 ¹⁴ 2.2 16 1.6 200 1.3 × 10 ¹⁴ 0.4 6.9 ext. 3 1.2 × 10 ¹⁴ 2.2 16 1.6 200 1.3 × 10 ¹⁴ 0.9 67 ext. 3 1.4 × 10 ¹³ 1.2 2.7 7 1.6 42 00 1.3 × 10 ¹⁴ 0.9 67 ext. 3 1.5 × 10 ¹⁴ 4.7 -122 1.6 1.6 200 1.3 × 10 ¹⁴ 0.9 67 ext. 3 1.5 × 10 ¹⁴ 4.7 -122 1.6 1.6 200 1.3 × 10 ¹⁴ 0.9 9.7 ext. 3 1.5 × 10 ¹⁴ 4.7 -122 1.6 1.6 200 1.3 × 10 ¹⁶ 1.1 -6 20 ext. 3 1.5 × 10 ¹⁴ 4.7 -122 1.6 1.6 200 1.3 × 10 ¹⁶ 1.1 -2 -112 ext. 3 1.5 × 10 ¹⁴ 4.7 -122 1.6 1.6 200 1.3 × 10 ¹⁶ 1.1 -2 -112 ext. 3 1.5 × 10 ¹⁴ 1.1 -56 1.6 200 1.1 × 10 ¹⁶ 1.2 -112 ext. 3 1.5 × 10 ¹⁴ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -3 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 1.2 -12 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 2.7 1.57 86 ext. 3 1.5 × 10 ¹³ 1.1 -156 1.6 200 1.1 × 10 ¹⁶ 2.7 1.57 86 1.6 200 1.1 × 10 ¹⁶		ext.	3	5.0×10^{15}	3.0	7	SO	1.6	197	3.7×10^{14}	4.2	60
ext. 3 3, 30, $\times 10^{10}$ 2.7 42 16 16 3 6.3 $\times 10^{10}$ 1.4 53 ext. 3 1.7 $\times 10^{10}$ 6.0 132 16 100 2.4 $\times 10^{10}$ 9.0 52 ext. 3 6, 2 $\times 10^{15}$ 2.4 135 11/20 1.6 100 2.4 $\times 10^{13}$ 9.6 39 ext. 3 5, 2 $\times 10^{15}$ 2.4 135 11/20 1.6 100 2.4 $\times 10^{13}$ 1.0 33 ext. 3 5, 2 $\times 10^{15}$ 2.4 04 16 16 200 2.5 $\times 10^{13}$ 1.1 73 ext. 3 1, 2 $\times 10^{15}$ 2.1 40 17 11.6 16 200 2.5 $\times 10^{13}$ 1.1 73 ext. 3 1, 2 $\times 10^{15}$ 2.1 40 17 1.1 79 ext. 3 1, 2 $\times 10^{15}$ 2.1 6 100 42 1.6 989 0.1 $\times 10^{13}$ 1.1 6 56 ext. 3 1, 1 $\times 10^{14}$ 1.0 9 89 1.6 324 1.0 $\times 10^{14}$ 1.6 56 ext. 3 1, 2 $\times 10^{14}$ 2.6 116 16 16 989 0.1 $\times 10^{14}$ 1.6 56 ext. 3 1, 2 $\times 10^{13}$ 0.5 63 ext. 3 1, 2 $\times 10^{13}$ 0.5 63 ext. 3 1, 2 $\times 10^{14}$ 1.3 42 16 1.6 200 1.3 $\times 10^{14}$ 1.6 56 ext. 3 1, 2 $\times 10^{14}$ 1.3 42 16 1.6 200 1.3 $\times 10^{14}$ 1.6 56 ext. 3 1, 2 $\times 10^{14}$ 2.2 16 1.6 200 1.3 $\times 10^{14}$ 1.6 50 ext. 3 1, 2 $\times 10^{14}$ 2.2 16 1.6 200 1.3 $\times 10^{14}$ 1.0 6 30 ext. 3 1, 2 $\times 10^{14}$ 2.2 16 1.6 200 1.3 $\times 10^{14}$ 0.0 6 50 ext. 3 1, 4 $\times 10^{14}$ 2.2 16 1.6 200 1.3 $\times 10^{14}$ 0.0 6 70 ext. 3 1, 4 $\times 10^{14}$ 2.2 16 1.6 200 1.3 $\times 10^{14}$ 0.9 67 ext. 3 1, 4 $\times 10^{14}$ 3.0 -58 ext. 3 1, 4 $\times 10^{14}$ 3.0 -58 ext. 3 1, 4 $\times 10^{14}$ 3.0 -58 ext. 3 1, 4 $\times 10^{14}$ 3.0 -58 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{14}$ ext. 3 1, 4 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.0 73 ext. 3 1, 4 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.0 73 ext. 3 1, 4 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.0 73 ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.0 73 ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext. 3 1, 1 $\times 10^{14}$ 1.2 -48 1.6 200 1.3 $\times 10^{15}$ 1.1 $\times 10^{16}$ ext.		ext.	3	1.4×10^{10}	6.0	32	NO	1.6	3	4.0×10^{12}	1.9	58
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.0×10^{13}	2.7	42	<i>a</i> . a	1.6	3	6.3×10^{13}	1.4	53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.8×10^{10}	4.0	71	SiO	1.6	100	6.0×10^{13}	9.0	52
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.7×10^{10}	6.0	132	TL CO	1.6	100	2.4×10^{14}	9.6	59
		ext.	3	6.2×10^{15}	2.5	138	H_2CO	1.6	31	9.2×10^{13}	2.4	54
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	a34a	ext.	3	5.5×10^{10}	3.4	157	CH_3CN	1.6	18	1.9×10^{13}	1.3	65
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	C34S	ext.	3	2.2×10^{10}	5.4	-104	UNC 1	1.6	200	8.2×10^{13}	0.1	53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.2×10^{15}	2.5	-40	HNC, $v_2=1$	1.6	992	4.0×10^{14}	1.1	79
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{16}	2.1	0		1.0	989	6.1×10^{12}	2.1	104
HCN ext. 3 1.0 × 10 ⁻⁵ 2.0 110 1.0 1.0 389 1.6 324 1.0 × 10 ¹² 1.0 34 ext. 3 1.2 × 10 ¹⁴ 5.3 72 1.6 988 1.6 988 1.0 × 10 ¹² 1.0 34 ext. 3 1.2 × 10 ¹⁵ 5.5 6.3 1.6 988 6.3 × 10 ¹⁴ 2.4 33 ext. 3 1.5 × 10 ¹⁵ 2.2 56 CO 1.6 200 2.9 × 10 ¹⁶ 0.3 67 ext. 3 1.7 × 10 ¹⁶ 1.2 2.2 77 1.6 200 2.9 × 10 ¹⁶ 0.3 67 ext. 3 1.7 × 10 ¹⁶ 2.2 2.7 1.6 200 2.4 × 10 ¹⁷ 9.1 4.8 ext. 3 1.2 × 10 ¹⁴ 2.2 16 1.6 200 2.4 × 10 ¹⁵ 1.1 -6 ext. 3 1.4 × 10 ¹⁴ 2.2 16 1.6 200 2.4 × 10 ¹⁵ 1.1 -6 ext. 3 1.4 × 10 ¹⁴ 3.0 -58 1.6 200 3.8 × 10 ¹⁶ 1.6 2.7 ext. 3 1.5 × 10 ¹⁴ 4.7 -132 1.6 200 3.8 × 10 ¹⁶ 1.6 2.7 ext. 3 1.5 × 10 ¹⁴ 4.7 -132 1.6 200 1.8 × 10 ¹⁶ 1.2 -112 ext. 3 1.5 × 10 ¹⁴ 4.7 -132 1.6 200 1.8 × 10 ¹⁶ 1.2 -112 ext. 3 1.5 × 10 ¹⁴ 4.4 -7 -132 1.6 200 1.1 × 10 ¹⁶ 1.2 -112 ext. 3 1.5 × 10 ¹⁴ 4.4 -7 -132 1.6 200 1.6 × 10 ¹⁵ 1.0 9 e ext. 3 1.5 × 10 ¹⁴ 4.2 e -123 1.6 200 1.1 × 10 ¹⁶ 1.9 -123 ext. 3 4.0 × 10 ¹³ 1.2 -68 1 ¹³ CO 1.6 200 5.0 × 10 ¹⁴ 0.9 -38 ext. 3 1.5 × 10 ¹⁴ 3.4 -113 1.6 200 1.1 × 10 ¹⁶ 1.6 9.6 90 ext. 3 1.1 × 10 ¹⁴ 2.4 -148 1.6 200 1.1 × 10 ¹⁶ 1.6 9.6 90 ext. 3 1.1 × 10 ¹⁴ 2.4 -148 1.6 200 1.1 × 10 ¹⁶ 1.6 1.6 286 ext. 3 1.7 × 10 ¹³ 1.1 -154 1.6 200 1.3 × 10 ¹⁵ 1.0 73 ext. 3 6.9 × 10 ¹³ 1.0 125 1.6 200 3.2 × 10 ¹⁶ 5.0 49 ext. 3 1.9 × 10 ¹³ 1.1 -154 1.6 200 1.2 × 10 ¹⁶ 1.8 200 1.4 × 10 ¹⁶ 1.6 55 ext. 3 1.9 × 10 ¹³ 1.1 -154 1.6 200 1.2 × 10 ¹⁶ 1.6 1.5 9.8 ext. 3 1.9 × 10 ¹³ 1.2 1.2 ext. 3 1.6 200 1.2 × 10 ¹⁶ 5.0 49 ext. 3 1.8 × 10 ¹⁴ 0.9 87 1.6 200 3.2 × 10 ¹⁵ 5.9 8.7 ext. 3 1.8 × 10 ¹⁴ 0.9 87 1.6 200 1.2 × 10 ¹⁵ 2.7 1.6 60 ext. 3 1.8 × 10 ¹⁴ 0.9 87 1.6 200 1.1 × 10 ¹⁶ 1.2 -3 ext. 3 1.9 × 10 ¹³ 1.8 121 C ¹⁷ O 1.6 200 3.2 × 10 ¹⁵ 5.9 8.7 ext. 3 1.8 × 10 ¹⁴ 0.6 1.1 15 1.6 200 3.2 × 10 ¹⁵ 5.9 8.7 ext. 3 1.8 × 10 ¹⁴ 0.6 1.1 15 1.6 200 3.2 × 10 ¹⁵ 5.9 8.7 1.6 200 1.1 × 10 ¹⁵ 5.9 8.7 1.	HON	ext.	3	4.1×10^{10}	10.0	42		1.0	62	3.7×10^{14}	1.1	64 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HCN	ext.	3	1.0×10^{14}	2.6	116		1.0	989	4.0×10^{14}	1.6	56
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.7×10^{14}	1.9	89		1.0	324	1.0×10^{12}	1.0	54
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.2×10^{14}	5.3	(2		1.0	988	5.3×10^{14}	2.4	53
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.1×10^{13}	0.5	63	00	1.0	865	7.8×10^{14}	0.6	50
ext. 3 1.7×10^{13} 1.2 1.3 1.2 1.6 1.6 2.00 1.3×10^{14} 0.9 67 ext. 3 1.2×10^{14} 2.2 16 1.6 200 1.3×10^{14} 0.9 67 ext. 3 1.2×10^{14} 2.2 16 1.6 200 1.3×10^{15} 1.1 -6 ext. 3 1.4×10^{14} 3.0 -7 1.6 200 3.8×10^{16} 1.6 27 ext. 3 1.4×10^{14} 3.0 -58 1.6 200 3.8×10^{16} 1.2 -112 ext. 3 1.4×10^{14} 3.0 -58 1.6 200 0.1×10^{15} 0.9 -38 ext. 3 1.4×10^{14} 3.0 -58 1.6 200 1.1×10^{16} 1.2 -112 ext. 3 4.0×10^{13} 1.2 -68 1^{13} CO 1.6 200 4.0×10^{15} 0.9 -123 ext. 3 1.4×10^{14} 3.4 -113 1.6 200 1.1×10^{16} 0.6 90 ext. 3 1.1×10^{14} 2.6 -123 1.6 200 1.3×10^{17} 1.0 73 ext. 3 1.1×10^{14} 2.6 -123 1.6 200 1.3×10^{17} 1.0 73 ext. 3 1.9×10^{13} 1.1 -156 1.6 200 1.3×10^{16} 1.6 49 ext. 3 1.9×10^{13} 1.1 -156 1.6 200 1.2×10^{16} 0.8 29 H ¹³ CN ext. 3 9.4×10^{13} 1.2 1.2 C^{17O} 1.6 200 1.7×10^{16} 5.9 8 H ¹³ CN ext. 3 9.4×10^{13} 1.8 121 C^{17O} 1.6 200 1.7×10^{16} 5.9 8 H ¹³ CN ext. 3 1.8×10^{14} 0.9 87 ext. 3 1.4×10^{14} 0.9 1.7 1.66 200 0.2×10^{16} 5.7 -164 ext. 3 1.1×10^{14} 1.9 42 ext. 3 2.6×10^{12} 1.7 1.66 200 3.1×10^{15} 5.7 -166 ext. 3 1.1×10^{14} 1.9 42 ext. 3 2.4×10^{13} 1.8 1.1 1.6 2.00 3.1×10^{15} 5.7 -164 1.6 200 3.1×10^{15} 5.7 -164 1.6 200 1.0×10^{15} 2.7 -174 1.6 200 3.0×10^{15} 2.7 -164 1.6 200 3.0×10^{15} 2.7 -165 1.6 200 1.1×10^{16} 2.8 1.73 1.1×10^{14} 1.8 1.1 1.6 1.16 200 3.2×10^{15} 2.7 1.05 1.1×10^{16} 2.8×173 1.1×10^{14} 1.8×11 1.6 2.00 3.1×10^{15} 2.7 1.05 1.6 200 3.1×10		ext.	3	5.5×10^{10}	2.2	50	CO	1.0	200	8.3×10^{10}	4.6	99
ext. 3 $4, 7 \times 10^{-1}$ 2.2 27 1.6 1.6 200 1.3×10^{-1} 0.9 1.4 48 ext. 3 9.4×10^{13} 2.2 5 1.6 200 1.3×10^{13} 1.1 -6 ext. 3 1.5×10^{14} 4.7 -1.32 1.6 200 1.3×10^{13} 1.1 -6 ext. 3 1.5×10^{14} 4.7 -1.32 1.6 200 5.0×10^{14} 0.9 -38 ext. 3 1.4×10^{14} 3.0 -58 1.6 200 1.1×10^{16} 1.2 -112 ext. 3 1.5×10^{12} 0.8 -127 1.6 200 4.0×10^{15} 0.9 -123 ext. 3 1.5×10^{14} 3.4 -113 1.6 200 1.1×10^{16} 0.6 90 ext. 3 1.5×10^{14} 3.4 -113 1.6 200 1.1×10^{16} 0.6 90 ext. 3 1.1×10^{14} 2.6 -123 1.6 200 1.3×10^{17} 1.0 -73 ext. 3 1.1×10^{14} 3.4 -143 1.6 200 1.3×10^{17} 1.0 73 ext. 3 1.5×10^{13} 1.2 -68 $1^{13}CO$ 1.6 200 4.0×10^{15} 0.9 -123 ext. 3 1.5×10^{13} 1.1 -154 1.6 200 1.3×10^{17} 1.0 73 ext. 3 1.9×10^{13} 1.1 -156 1.6 200 5.6×10^{15} 0.9 29 ext. 3 6.9×10^{13} 1.1 -156 1.6 200 4.0×10^{16} 5.0 49 ext. 3 4.9×10^{13} 1.1 -156 1.6 200 3.2×10^{16} 5.0 49 ext. 3 4.9×10^{13} 1.7 128 1.6 200 1.4×10^{16} 1.2 -3 H ¹³ CN ext. 3 4.8×10^{14} 0.9 87 1.6 200 3.2×10^{16} 1.2 -3 ext. 3 1.8×10^{14} 0.9 87 1.6 200 3.2×10^{16} 1.2 -3 ext. 3 1.4×10^{14} 1.9 82 1.6 200 3.3×10^{13} 3.1 -68 ext. 3 3.5×10^{13} 0.7 -186 1.6 200 3.3×10^{13} 3.1 -68 ext. 3 3.5×10^{13} 0.7 -186 1.6 200 3.3×10^{13} 3.1 -68 ext. 3 3.0×10^{13} 0.7 -186 1.6 200 3.3×10^{15} 2.7 -132 ext. 3 3.5×10^{14} 1.9 42 1.6 200 3.2×10^{16} 7.9 -132 ext. 3 3.8×10^{14} 1.9 42 1.6 200 3.2×10^{15} 2.7 -132 ext. 3 3.8×10^{14} 1.4 1.7 67 1.6 200 3.2×10^{15} 2.7 -132 HN ¹³ C ext. 3 3.8×10^{14} 1.7 67 1.6 200 3.2×10^{15} 2.7 -132 HN ¹³ C ext. 3 3.8×10^{14} 1.7 67 1.6 200 3.2×10^{15} 2.7 -132 HN ¹³ C ext. 3 3.8×10^{14} 1.7 67 1.6 200 3.2×10^{15} 2.7 -132 HN ¹³ C ext. 3 3.8×10^{14} 1.7 67 1.6 200 3.2×10^{15} 2.7 -132 HN ¹³ C		ext.	3	7.9×10^{12}	1.3	42		1.0	200	2.9×10^{10}	0.3	67
ext. 3 9.4×10^{-3} 2.2 10 1.6 200 2.4×10^{-5} 9.1 48 ext. 3 3.4×10^{10} 1.2 2.2 5 1.6 200 3.8×10^{10} 1.1 -6 ext. 3 1.5×10^{14} 4.7 -132 1.6 200 3.8×10^{16} 1.6 27 ext. 3 1.4×10^{14} 3.0 -58 1.6 200 1.1×10^{16} 1.2 -112 ext. 3 8.7×10^{12} 0.8 -127 1.6 200 $1.6 200 8.6 \times 10^{15} 1.0 9 -123ext. 3 1.5 \times 10^{14} 3.4 -133 1.6 200 1.6 200 5.0 \times 10^{14} 0.9 -38ext. 3 1.5 \times 10^{14} 3.4 -133 1.6 200 1.6 200 5.0 \times 10^{14} 0.6 99ext. 3 1.5 \times 10^{14} 3.4 -133 1.6 200 1.4 \times 10^{16} 1.0 96ext. 3 1.5 \times 10^{14} 3.4 -133 1.6 200 1.4 \times 10^{16} 1.6 90ext. 3 1.7 \times 10^{13} 1.1 -154 1.6 200 1.4 \times 10^{16} 1.6 65ext. 3 1.7 \times 10^{13} 1.1 -156 1.6 200 1.4 \times 10^{16} 1.6 65ext. 3 1.9 \times 10^{13} 1.1 -156 1.6 200 2.2 \times 10^{16} 9.8 29ext. 3 6.9 \times 10^{13} 1.0 125 1.6 200 5.0 \times 10^{14} 0.9 8H13CN ext. 3 8.4 \times 10^{13} 1.8 121 C17O 1.6 200 3.2 \times 10^{15} 0.9 8H13CN ext. 3 9.4 \times 10^{13} 1.8 121 C17O 1.6 200 3.2 \times 10^{15} 0.7 -166ext. 3 1.4 \times 10^{14} 1.9 82 1.6 200 1.7 \times 10^{16} 3.0 -159ext. 3 9.4 \times 10^{13} 1.8 121 C17O 1.6 200 3.2 \times 10^{15} 0.7 -166ext. 3 1.4 \times 10^{14} 1.9 82 1.6 200 1.7 \times 10^{16} 3.0 -159ext. 3 2.6 \times 10^{13} 0.7 -186 1.6 200 3.1 \times 10^{15} 5.9 -87ext. 3 2.6 \times 10^{13} 0.7 -186 1.6 200 3.1 \times 10^{15} 5.9 -87ext. 3 1.4 \times 10^{14} 1.9 42 1.6 200 3.1 \times 10^{15} 5.1 68ext. 3 1.9 \times 10^{13} 0.7 -186 1.6 200 3.2 \times 10^{15} 2.7 -105HNC ext. 3 2.8 \times 10^{13} 0.4 72 C15O 1.6 200 3.2 \times 10^{15} 2.7 -172ext. 3 2.6 \times 10^{13} 1.4 157 6.7 1.6 200 3.2 \times 10^{15} 2.7 -172HN13C ext. 3 3.8 \times 10^{13} 0.7 -186 1.6 200 3.2 \times 10^{15} 2.7 -172ext. 3 1.9 \times 10^{14} 2.1 87 1.6 200 3.2 \times 10^{15} 2.7 -173ext. 3 1.9 \times 10^{13} 1.2 162 1.6 200 3.2 \times 10^{15} 2.7 -173HN13C ext. 3 3.8 \times 10^{13} 1.0 -155 1.6 200 3.2 \times 10^{15} 2.7 -173ext. $		ext.	3	4.7×10^{10}	2.2	27		1.0	200	1.3×10^{17}	0.9	67
ext. 3 9.4×10^{-5} 2.2 3 100 -7 1.6 200 1.3×10^{-5} 1.1 -6 ext. 3 1.5×10^{14} 4.7 -1.32 1.6 200 5.0×10^{14} 0.9 -38 ext. 3 1.4×10^{14} 4.7 -1.32 1.6 200 5.0×10^{14} 0.9 -38 ext. 3 8.7×10^{12} 0.8 -127 1.6 200 4.0×10^{15} 0.9 -123 ext. 3 4.0×10^{13} 1.2 -68 ^{13}CO 1.6 200 4.0×10^{15} 0.9 -123 ext. 3 1.5×10^{14} 3.4 -113 1.6 200 5.0×10^{16} 0.5 86 ext. 3 1.5×10^{14} 3.4 -113 1.6 200 1.1×10^{16} 0.6 90 ext. 3 1.5×10^{14} 3.2 -183 1.6 200 1.1×10^{16} 0.6 90 ext. 3 1.5×10^{13} 2.3 -137 1.6 200 1.4×10^{16} 0.5 86 ext. 3 1.9×10^{13} 1.1 -154 1.6 200 1.4×10^{16} 1.6 65 ext. 3 0.9×10^{13} 1.1 -154 1.6 200 2.2×10^{16} 9.8 29 ext. 3 0.9×10^{13} 1.1 -154 1.6 200 2.2×10^{16} 9.8 29 ext. 3 0.9×10^{13} 1.1 -154 1.6 200 1.4×10^{16} 1.2 -3 ext. 3 0.9×10^{13} 1.1 1.25 1.6 200 2.2×10^{16} 9.9 8 8 H ¹³ CN ext. 3 0.9×10^{13} 1.8 121 $C^{17}O$ 1.6 200 2.2×10^{16} 0.9 8 8 H ¹³ CN ext. 3 1.4×10^{14} 1.9 87 1.6 200 1.0×10^{15} 2.7 -166 ext. 3 1.4×10^{14} 1.9 82 1.6 200 1.0×10^{15} 2.7 -164 ext. 3 1.4×10^{14} 1.9 82 1.6 200 1.0×10^{15} 2.7 -124 ext. 3 2.1×10^{14} 1.9 42 1.6 200 3.1×10^{15} 5.9 -87 HNC ext. 3 4.8×10^{14} 1.1 87 1.6 200 3.1×10^{15} 2.7 105 ext. 3 1.2×10^{14} 1.1 87 1.6 200 2.5×10^{16} 4.9 133 ext. 3 3.0×10^{13} 0.7 -186 1.6 200 3.2×10^{15} 2.7 132 ext. 3 1.2×10^{14} 3.8 81 10 1.6 200 3.2×10^{15} 2.7 132 ext. 3 1.2×10^{14} 3.8 81 10 1.6 200 3.2×10^{15} 2.7 132 ext. 3 1.2×10^{13} 0.4 72 $C^{18}O$ 1.6 200 3.2×10^{15} 2.7 132 ext. 3 1.0×10^{13} 2.7 $2^{16}O$ 1.6 200 3.2×10^{15} 2.7 132 ext. 3 1.0×10^{13} 2.7 12 $C^{18}O$ 1.6 200 3.2×10^{15} 2.7 132 ext. 3 $1.0 \times$		ext.	3	1.2×10^{11}	2.2	16		1.0	200	2.4×10^{17}	9.1	48
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	9.4×10^{13}	2.2	5		1.0	200	1.3×10^{10}	1.1	-0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	3.4×10^{12}	1.0	-7		1.0	200	3.8×10^{10}	1.6	27
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	1.5×10^{11}	4.7	-132		1.0	200	5.0×10^{11}	0.9	-38
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ე	1.4×10^{11}	3.0	-58		1.0	200	1.1×10^{10}	1.2	-112
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	$8.7 \times 10^{}$	0.8	-127	1300	1.0	200	4.0×10^{15}	0.9	-123
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ი	4.0×10^{-4}	1.4	-08	-00	1.0	200	0.0×10^{-1}	1.0	90
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ი	1.5×10^{-1}	3.4	-113		1.0	200	1.1×10^{-5}	0.0	90
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ი	1.1×10 2.1 × 10 ¹³	2.0	-123		1.0	200	3.0×10^{-1}	5.0 1.0	80 72
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	ა ი	5.1×10^{-13}	2.0	-137		1.0	200	1.3×10 1.4 × 10 ¹⁶	1.0	75 65
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	0.4×10^{-1}	2.4	-140		1.0	200	1.4×10^{-1}	1.0	00 40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.3×10^{13}	1.1	-154		1.0	200	4.0×10 2.2 × 10 ¹⁶	0.8	49
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	6.0×10^{13}	1.1	-130		1.0	200	2.2×10 5.6 × 10 ¹⁵	9.8	29
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$H^{13}CN$	ext.	2	0.3×10^{13}	1.0	120		1.0	200	1.4×10^{16}	0.9	3
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	II OIV	evt	3	9.4×10^{13}	1.7	120	$C^{17}O$	1.0	200	3.2×10^{16}	6.9	-174
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		evt	3	4.9×10^{13}	43	103	0 0	1.0	200	8.2×10^{15}	27	-166
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		evt	3	1.8×10^{14}	0.9	87		1.0	200	1.7×10^{16}	3.0	-159
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.0×10^{14} 1.4 × 10 ¹⁴	19	82		1.0	200	1.0×10^{15}	2.7	-124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	9.5×10^{13}	6.6	102		1.6	200	3.1×10^{15}	5.9	-87
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.6×10^{12}	17.2	64		1.6	200	3.3×10^{15}	3.1	68
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	1.1×10^{14}	2.7	56		1.0	200	9.9×10^{15}	2.8	77
$ \begin{array}{c} \operatorname{ext.} & 3 & 3.0 \times 10^{13} & 1.7 & 1.26 & 1.6 & 200 & 5.4 \times 10^{15} & 2.7 & 100 \\ \operatorname{ext.} & 3 & 4.8 \times 10^{14} & 6.1 & 115 & 1.6 & 200 & 3.3 \times 10^{15} & 2.7 & 105 \\ \operatorname{ext.} & 3 & 1.9 \times 10^{14} & 2.1 & 87 & 1.6 & 200 & 1.0 \times 10^{15} & 2.7 & 105 \\ \operatorname{ext.} & 3 & 1.1 \times 10^{12} & 22.0 & 80 & 1.6 & 200 & 2.9 \times 10^{16} & 4.9 & 143 \\ \operatorname{ext.} & 3 & 6.5 \times 10^{14} & 3.8 & 81 & 1.6 & 200 & 2.5 \times 10^{16} & 4.1 & 156 \\ \operatorname{ext.} & 3 & 2.8 \times 10^{13} & 0.4 & 72 & C^{18}O & 1.6 & 200 & 3.4 \times 10^{15} & 2.8 & -173 \\ \operatorname{ext.} & 3 & 6.9 \times 10^{13} & 2.1 & 59 & 1.6 & 200 & 3.2 \times 10^{15} & 2.8 & -173 \\ \operatorname{ext.} & 3 & 6.9 \times 10^{13} & 2.1 & 59 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -134 \\ \operatorname{ext.} & 3 & 2.0 \times 10^{14} & 6.4 & 55 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -134 \\ \operatorname{ext.} & 3 & 5.9 \times 10^{13} & 2.5 & 28 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -112 \\ \operatorname{ext.} & 3 & 5.9 \times 10^{13} & 1.8 & 5 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -112 \\ \operatorname{HN}^{13}\mathrm{CO}^+ & \operatorname{ext.} & 3 & 3.9 \times 10^{14} & 7.1 & 69 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -112 \\ \operatorname{HO}^{13}\mathrm{C}^+ & \operatorname{ext.} & 3 & 1.1 \times 10^{13} & 1.2 & 162 & 1.6 & 200 & 3.2 \times 10^{15} & 2.7 & -112 \\ \operatorname{ext.} & 3 & 1.6 \times 10^{12} & 1.0 & -133 & 1.6 & 200 & 1.3 \times 10^{16} & 8.3 & -69 \\ \operatorname{ext.} & 3 & 1.6 \times 10^{12} & 1.0 & -133 & 1.6 & 200 & 1.4 \times 10^{16} & 8.4 & -3 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 8.4 & -3 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 10^{13} & 1.9 & -185 & 1.6 & 200 & 1.4 \times 10^{16} & 5.9 & 27 \\ \operatorname{ext.} & 3 & 1.5 \times 1$		ext.	3	2.1×10^{14}	19	42		1.6	200	3.1×10^{16}	7.8	84
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.0×10^{13}	0.7	-186		1.6	200	5.4×10^{15}	2.7	100
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	HNC	ext.	3	4.8×10^{14}	6.1	115		1.6	200	3.3×10^{15}	2.7	105
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	111.0	ext.	3	1.9×10^{14}	2.1	87		1.6	200	1.0×10^{15}	2.7	132
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.0×10^{12} 1.1×10^{12}	22.0	80		1.6	200	2.9×10^{16}	49	143
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	6.5×10^{14}	3.8	81		1.6	200	2.5×10^{16}	4.1	156
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	2.8×10^{13}	0.4	72	$C^{18}O$	1.6	200	1.1×10^{16}	2.9	-180
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	3.8×10^{13}	1.0	64	0 0	1.6	200	3.4×10^{15}	2.8	-173
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	6.9×10^{13}	2.1	59		1.6	200	9.1×10^{15}	2.5	-165
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		evt	3	2.0×10^{14}	6.4	55		1.0	200	3.1×10^{15}	$2.0 \\ 2.7$	-134
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		evt	3	1.5×10^{13}	2.5	28		1.0	200	3.2×10^{15}	3.2	-197
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ext.	3	5.9×10^{13}	1.8	5		1.6	200	3.0×10^{15}	2.7	-112
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\rm HN^{13}C$	ext.	3	3.8×10^{14}	7.1	69		1.6	200	2.2×10^{15}	2.7	-107
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$H^{13}CO^{+}$	ext.	3	3.9×10^{14}	15 7	67		1.0	200	3.2×10^{14}	2.7	-85
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$HO^{13}C^{+}$	ext.	3	1.1×10^{13}	1.2	162		1.6	200	1.3×10^{16}	8.3	-69
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	2.0×10^{12}	0.8	-6		1.0	200	2.9×10^{15}	10.2	-28
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{12}	1.0	-133		1.0	200	1.4×10^{16}	8.4	-3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext.	3	1.6×10^{13}	1.0	-155		1.6	200	1.1×10^{15}	2.7	8
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ext	3	1.5×10^{13}	1.9	-185		1.6	200	1.4×10^{16}	5.9	27
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		UAU.	0	1.0 / 10	1.0	100		1.6	200	2.8×10^{16}	6.5	46
$\begin{array}{cccccccccccccccccccccccccccccccccccc$								1.0	200	8.8×10^{15}	0.5	65
								1.0	200	7.0×10^{16}	5.2	71
								1.0	200	1.5×10^{10}	4.0	80

_

Table L.89: LTE Parameters for the full LTE model (Core Components) for source A18 in Sgr B2(N).

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 268

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	('')	(K) 200	$\frac{(\text{cm}^{-2})}{6.5 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{21}$	(km s^{-1})
	$1.0 \\ 1.6$	$200 \\ 200$	6.4×10^{16}	$\frac{2.1}{13.1}$	$119 \\ 132$
	1.6	200	1.8×10^{16}	8.2	149
CS	1.6	200	1.3×10^{13}	0.7	137
	1.6	200	8.1×10^{13}	7.6	111
	1.6 1.6	200	1.2×10^{13} 3.7×10^{13}	0.4	105 04
	1.6	200	1.5×10^{13}	1.0	81
	1.6	200	8.1×10^{13}	1.0	54
	1.6	200	4.4×10^{13}	5.9	-11
	1.6 1.6	200	6.1×10^{13} 8.1 × 10^{12}	2.8	-37 60
	$1.0 \\ 1.6$	$200 \\ 200$	4.1×10^{13}	3.0	-03 -62
	1.6	200	6.2×10^{13}	4.4	-78
	1.6	200	2.8×10^{13}	2.4	-98
	1.6	200	2.0×10^{13}	0.8	-107
	1.0 1.6	$200 \\ 200$	4.8×10^{13} 1 4 × 10 ¹³	2.7	-111 -117
	1.6	200	1.5×10^{13}	0.8	-122
10	1.6	200	6.5×10^{13}	4.0	-127
^{13}CS	1.6	200	3.0×10^{13}	0.8	73
	1.6	200	1.8×10^{14}	3.9	68 62
	1.6	$200 \\ 200$	2.0×10^{14}	0.7 3.5	56 56
	1.6	200	2.8×10^{12}	6.9	6
	1.6	200	9.1×10^{12}	2.6	-4
	1.6	200	1.1×10^{14}	5.1	-14
	1.0 1.6	200	4.9×10^{13} 1.5 $\times 10^{13}$	1.0	-23 -123
$C^{33}S$	$1.0 \\ 1.6$	200	1.3×10^{14} 1.2×10^{14}	9.1	-174
	1.6	200	2.8×10^{14}	10.7	-135
	1.6	200	4.5×10^{13}	3.6	-52
	1.6	200	5.6×10^{13}	6.0 12.1	-30
	$1.0 \\ 1.6$	$200 \\ 200$	5.8×10^{13}	12.1 1.9	-13 64
	1.6	200	7.6×10^{13}	3.2	88
	1.6	200	8.0×10^{13}	7.0	104
	1.6	200	8.6×10^{13}	$\frac{3.8}{7.9}$	119
HCN	1.0 1.6	200	1.3×10^{14} 1.3 × 10 ¹³	7.2	$133 \\ 156$
non	1.6	200	2.2×10^{13}	5.0	141
	1.6	200	6.3×10^{12}	1.3	126
	1.6	200	1.6×10^{13}	4.3	112
	1.6 1.6	200	2.6×10^{12} 1 7 × 10 ¹³	1.5	-48 -72
	1.6	200	6.9×10^{12}	2.0	-99
$\rm H^{13}CN$	1.6	200	3.4×10^{12}	0.7	131
	1.6	200	1.5×10^{13}	0.9	55
	1.6 1.6	200	4.0×10^{13} 1.2×10^{13}	4.3	46 31
	$1.0 \\ 1.6$	200	1.2×10^{12} 1.0×10^{12}	11.4	16
	1.6	200	4.1×10^{12}	2.3	-49
	1.6	200	1.6×10^{12}	1.7	-52
	1.6	200	1.0×10^{12}	1.3	-59
HNC	1.6	$200 \\ 200$	2.1×10^{14}	1.2 32.5	-05 157
111.00	1.6	200	4.7×10^{13}	5.2	147
	1.6	200	1.3×10^{13}	0.8	138
	1.6	200	4.7×10^{13}	1.5	131
	1.0 1.6	200	1.1×10^{12} 1.1×10^{12}	2.7	122 122
	1.6	200	2.4×10^{13}	0.4	120
	1.6	200	$2.8\ \times 10^{13}$	1.7	107
	1.6	200	1.0×10^{12}	0.2	101
	1.6	200	4.5×10^{12} 1.0 × 10 ¹²	1.3	98 40
	1.0 1.6	200 200	2.0×10^{-2} 2.0×10^{13}	1.5	40 36
	1.6	200	2.8×10^{13}	0.9	27
	1.6	200	5.6×10^{12}	0.9	22
	1.6	200	2.9×10^{12}	0.9	-16
	1.0 1.6	200 200	2.1×10^{10} 2.1×10^{12}	э.ठ 13.6	-35 -43

		(C	ontinued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{1,cD}^{m,c}$
	(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	(kms^{-1})
	1.6	200	1.8×10^{13}	0.2	-44
	1.6	200	4.0×10^{13}	3.3	-52
	1.6	200	6.5×10^{13}	6.1	-64
	1.6	200	3.1×10^{13}	3.1	-70
	1.6	200	3.1×10^{13}	1.1	-81
	1.6	200	1.7×10^{13}	1.1	-90
	1.6	200	3.0×10^{13}	1.3	-94
	1.6	200	4.6×10^{13}	3.1	-105
	1.6	200	1.3×10^{13}	0.9	-110
	1.6	200	4.4×10^{12}	1.2	-129
	1.6	200	7.5×10^{12}	0.3	-123
	1.6	200	5.2×10^{13}	4.5	-137
	1.6	200	2.0×10^{12}	0.6	-132
	1.6	200	3.8×10^{14}	40.0	-186
	1.6	200	7.7×10^{13}	0.4	-152
	1.6	200	3.3×10^{13}	3.3	-160
	1.6	200	8.3×10^{12}	0.8	-173
	1.6	200	1.5×10^{13}	1.7	-178
$\rm HN^{13}C$	1.6	200	1.4×10^{12}	10.0	-108
	1.6	200	1.7×10^{14}	41.8	-66
	1.6	200	4.5×10^{13}	18.5	-21
	1.6	200	2.9×10^{13}	2.5	59
	1.6	200	1.2×10^{14}	50.0	133
$\rm H^{13}CO^+$	1.6	200	3.7×10^{13}	7.1	61
$\rm HO^{13}C^+$	1.6	200	1.2×10^{13}	8.3	155
	1.6	200	4.1×10^{12}	1.5	139
	1.6	200	1.1×10^{13}	20.5	134
	1.6	200	2.4×10^{12}	1.5	126
	1.6	200	1.2×10^{12}	0.5	119
	1.6	200	1.4×10^{12}	0.4	59
	1.6	200	9.1×10^{12}	7.8	54
	1.6	200	3.2×10^{12}	1.3	5
	1.6	200	8.8×10^{12}	1.4	-26
	1.6	200	4.5×10^{12}	1.8	-137
	1.6	200	1.0×10^{12}	0.4	86
	1.6	200	9.9×10^{12}	2.5	-152

Table L.90: LTE Parameters for the full LTE model (Envelope Components) for source A18 in Sgr B2(N).

0m.c	$T^{m,c}$	N^m, c	Am.c	m,c
0,.	I_{ex}	(^{IN} tot	$\Delta v^{\dots,e}$	VLSR 1
('')	(K)	(cm 2)	(km s ⁻¹)	(km s ⁻¹)
		2 2 4 2 1 4		-
ext.	3	2.8×10^{14}	7.9	72
ext.	11	3.6×10^{14}	4.0	64
ext.	18	2.1×10^{19}	7.1	61
ext.	13	2.3×10^{14}	3.0	69
ext.	12	3.1×10^{13}	3.0	52
ext.	17	2.2×10^{16}	16.0	68
ext.	18	1.8×10^{15}	5.0	30
ext.	16	3.5×10^{14}	6.6	1
ext.	9	6.4×10^{13}	2.0	75
ext.	54	5.6×10^{13}	10.5	-18
ext.	4	1.7×10^{13}	10.6	-37
ext.	11	1.5×10^{13}	2.0	98
ext.	92	3.0×10^{13}	3.7	-65
ext.	18	5.5×10^{15}	9.6	-95
ext.	11	3.1×10^{13}	4.6	-108
ext.	10	3.6×10^{12}	4.9	93
ext.	10	1.0×10^{12}	4.0	51
ext.	4	5.6×10^{15}	1.7	69
ext.	3	5.6×10^{15}	1.1	61
ext.	3	5.0×10^{15}	1.3	56
ext.	13	9.9×10^{13}	6.2	57
ext.	2	8.4×10^{15}	4.8	60
ext.	18	1.3×10^{19}	1.4	54
	$\begin{array}{c} \theta^{m,c} \\ ('') \\ \text{ext.} \\ \ \ \text{ext.} \\ \ \ \text{ext.} \\ \ \ \ \text{ext.} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	$\begin{array}{c c} \theta^{m,c} & {\rm T}^{m,c}_{\rm ex} \\ ('') & ({\rm K}) \\ \\ ext. & 3 \\ ext. & 11 \\ ext. & 18 \\ ext. & 11 \\ ext. & 18 \\ ext. & 12 \\ ext. & 12 \\ ext. & 12 \\ ext. & 13 \\ ext. & 12 \\ ext. & 17 \\ ext. & 17 \\ ext. & 18 \\ ext. & 16 \\ ext. & 9 \\ ext. & 54 \\ ext. & 4 \\ ext. & 11 \\ ext. & 92 \\ ext. & 18 \\ ext. & 11 \\ ext. & 10 \\ ext. & 10 \\ ext. & 10 \\ ext. & 10 \\ ext. & 3 \\ ext. & 3 \\ ext. & 3 \\ ext. & 3 \\ ext. & 13 \\ ext. & 2 \\ ext. & 18 \\ \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 269

		(C	Continued)					(C	Continued)		
Molecule	$\theta^{m,c}$ (")	$T_{ex}^{m,c}$ (K)	$\binom{N_{tot}^{m,c}}{(cm^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km}\mathrm{s}^{-1})$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$T_{ex}^{m,c}$ (K)	$\binom{N_{tot}^{m,c}}{(cm^{-2})}$	$\Delta v^{m,c}$ $(\mathrm{km} \mathrm{s}^{-1})$	$(\mathrm{kms}^{m,c}\mathrm{s}^{m,c})$
СО	ext.	3	2.3×10^{15}	4.9	141		ext.	3	1.1×10^{15}	1.4	37
	ext.	3	2.3×10^{15}	2.7	131		ext.	3	1.9×10^{15}	0.8	42
	ext.	3	7.3×10^{15}	8.3	106		ext.	3	6.5×10^{14}	1.8	67
	ext.	3	5.4×10^{15}	2.6	87		ext.	3	1.1×10^{10}	14.2	81
	ext.	- び - 9	1.0×10^{10} 2.7×10^{15}	1.2	82		ext.	- ゴ - シ	1.1×10^{15} 7.5 × 10 ¹⁵	2.5	84 110
	ext.	3	1.1×10^{16}	$\frac{2.3}{7.8}$	74 57		ext.	3 3	1.3×10^{16}	4.5	135
	ext.	3	1.1×10^{15} 1.6 × 10 ¹⁵	2.4	8		ext.	3	9.8×10^{13}	2.9	164
	ext.	3	6.2×10^{14}	1.1	$\frac{1}{2}$		ext.	3	1.5×10^{16}	13.0	160
	ext.	3	2.5×10^{15}	1.6	-10	$C^{34}S$	ext.	3	1.4×10^{15}	2.0	-180
	ext.	3	2.0×10^{15}	2.8	-22		ext.	3	1.1×10^{15}	7.1	-168
	ext.	3	2.1×10^{14}	0.8	-13		ext.	3	3.5×10^{14}	2.2	-159
	ext.	3	1.2×10^{16}	40.0	-56		ext.	3	1.1×10^{15}	3.3	-155
	ext.	3	1.4×10^{15}	3.5	-57		ext.	3	3.3×10^{15}	7.6	-146
	ext.	3	2.2×10^{13}	1.4	-74		ext.	3	6.9×10^{13}	11.3	-130
13CO	ext.	3	1.4×10^{11} 1.4×10^{14}	1.0	-185 71		ext.	3 2	9.9×10^{11} 2.3 × 10 ¹⁵	2.0	-124 118
$C^{17}O$	ext.	3	1.4×10^{15} 1.2 × 10 ¹⁵	1.4 7 4	-143		ext.	3 3	4.4×10^{15}	03	-118
0 0	ext.	3	3.1×10^{14}	2.7	-127		ext.	3	1.2×10^{15}	2.5	-92
	ext.	3	3.3×10^{15}	13.1	-116		ext.	3	6.0×10^{14}	3.1	-62
	ext.	3	3.4×10^{14}	2.8	-104		ext.	3	6.3×10^{14}	8.6	-45
	ext.	3	3.5×10^{14}	2.9	-98		ext.	3	1.8×10^{15}	6.1	0
	ext.	3	9.2×10^{14}	3.5	-71		ext.	3	9.7×10^{13}	2.5	12
	ext.	3	1.1×10^{15}	7.1	-42		ext.	3	4.7×10^{15}	17.5	35
	ext.	3	5.9×10^{14}	7.1	-34		ext.	3	4.6×10^{13}	12.0	42
	ext.	3	1.1×10^{13}	7.1	-28		ext.	3	9.3×10^{14}	1.9	77
	ext.	- び - 9	1.0×10^{11} 1.0 × 10 ¹⁵	2.2	-10		ext.	- ゴ - 9	2.9×10^{10}	3.3 19.4	82
	ext.	ა ვ	1.0×10 3.4×10^{14}	3.7 2.8	-4 14		ext.	3 3	1.1×10 4.6×10^{15}	12.4 7 3	99 194
	ext.	3	9.5×10^{14}	2.8 3.6	20		ext.	3	1.1×10^{15}	6.2	146
	ext.	3	9.9×10^{13}	2.7	53		ext.	3	2.8×10^{15}	13.7	152
	ext.	3	3.5×10^{14}	2.7	62		ext.	3	1.4×10^{15}	2.5	162
	ext.	3	3.3×10^{15}	11.0	94	HCN	ext.	3	1.0×10^{12}	0.4	106
	ext.	3	1.1×10^{15}	8.3	112		ext.	3	5.3×10^{13}	5.3	101
	ext.	3	3.7×10^{14}	2.3	121		ext.	3	5.0×10^{12}	1.0	83
C18 C	ext.	3	3.4×10^{14}	3.3	127		ext.	3	6.3×10^{14}	40.0	75
CiaO	ext.	3	8.9×10^{14}	7.5	-148		ext.	3	1.0×10^{12} 7.5 × 10 ¹²	7.6	68
	ext.	ა ვ	9.0×10^{-5} 3.2×10^{14}	4.0 3.0	-140 -121		ext.	3 3	$7.5 \times 10^{}$ 3.4 × 10^{13}	2.1	00 53
	ext.	3	9.7×10^{13}	$\frac{5.9}{2.7}$	-121		ext.	3	7.2×10^{13}	4.0 6.0	38
	ext.	3	3.1×10^{14}	3.2	-102		ext.	3	2.9×10^{13}	4.6	$\frac{30}{21}$
	ext.	3	5.4×10^{14}	6.5	-88		ext.	3	1.0×10^{12}	1.1	8
	ext.	3	6.3×10^{13}	19.7	-82		ext.	3	2.3×10^{14}	24.1	4
	ext.	3	4.0×10^{14}	7.4	-63		ext.	3	1.0×10^{12}	0.7	-13
	ext.	3	9.6×10^{13}	2.7	-52		ext.	3	7.2×10^{13}	6.5	-33
	ext.	3	9.5×10^{14}	8.0	-41		ext.	3	6.3×10^{13}	4.5	-64
	ext.	3	9.5×10^{13}	3.0	5		ext.	3	5.6×10^{13}	3.6	-90
	ext.	ა ი	7.4×10^{11}	26.7	13		ext.	ა ე	6.1×10^{12}	0.6	-110 112
	ext.	ა ვ	0.3×10^{-4}	2.7	19		ext.	3 3	1.0×10^{-1} 2.7 × 10 ¹⁴	1.0	-115
	ext.	3	1.3×10^{15}	4.3	98		ext.	3	1.0×10^{12}	0.9	-130
	ext.	3	6.7×10^{14}	3.4	109		ext.	3	1.4×10^{13}	1.1	-138
CS	ext.	3	1.2×10^{16}	2.4	73		ext.	3	2.4×10^{13}	1.1	-147
	ext.	3	9.0×10^{15}	5.3	61		ext.	3	3.8×10^{12}	0.9	-142
	ext.	3	2.9×10^{15}	2.0	49		ext.	3	5.3×10^{13}	2.4	-159
^{13}CS	ext.	3	4.4×10^{15}	40.0	157	10	ext.	3	4.6×10^{13}	2.2	-166
	ext.	3	1.4×10^{15}	3.8	108	$H^{13}CN$	ext.	3	3.5×10^{13}	4.4	92
	ext.	3	1.9×10^{13}	1.1	-54		ext.	3	2.4×10^{12}	0.5	87
C33C	ext.	3	5.5×10^{14}	1.1	-59		ext.	3	1.8×10^{14}	16.0	75 66
Coos	ext.	- び - 9	5.2×10^{15} 2.1 × 10 ¹⁵	3.5 9.7	-154		ext.	- ゴ - シ	1.0×10^{14} 0.7 × 10 ¹²	11.2	6
	ext.	ა ვ	3.1×10^{-5} 4.0×10^{15}	2.1	-148	HNC	ext.	3 3	$9.7 \times 10^{}$ 1 4 × 10 ¹⁴	1.0 7.1	-0 88
	ext.	3	7.4×10^{15}	2.8	-136	11110	ext.	3	8.4×10^{13}	3.7	80
	ext.	3	5.4×10^{15}	6.8	-112		ext.	3	2.8×10^{14}	8.8	73
	ext.	3	5.9×10^{14}	7.2	-92		ext.	3	2.9×10^{14}	11.1	59
	ext.	3	5.2×10^{14}	1.6	-67		ext.	3	7.9×10^{12}	0.9	48
	ext.	3	$4.4~{\times}10^{15}$	2.8	-61		ext.	3	$1.1~\times 10^{14}$	14.5	-2
	ext.	3	$8.4~\times10^{14}$	2.0	-20		ext.	3	$3.9~{\times}10^{13}$	4.8	-5
		2	4 9 4 9 1 5	1 7	-5	$H^{13}CO^+$	ext.	3	2.5×10^{13}	10.9	68
	ext.	3	1.3×10^{13}	1.7	-0		01101	0	10 /110	10.5	00
	ext. ext.	3	1.3×10^{15} 7.3×10^{15}	4.1	1	$\mathrm{HO}^{13}\mathrm{C}^+$	ext.	3	1.3×10^{13}	2.3	76
	ext. ext. ext.	3 3	$ \begin{array}{c} 1.3 \times 10^{15} \\ 7.3 \times 10^{15} \\ 1.9 \times 10^{15} \\ 5 4 \times 10^{15} \end{array} $	4.1 1.4	1 10	$HO^{13}C^+$	ext. ext.	3	$ \begin{array}{c} 1.3 \times 10^{13} \\ 5.8 \times 10^{12} \\ 1.0 \\ 1.0 \end{array} $	2.3 1.4	76 70
T. Möller et al.: Full molecular line survey of hot cores, Online Material p 270

(Continued)								
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})			
	ext.	3	3.9×10^{12}	0.8	19			
	ext.	3	5.6×10^{12}	0.9	-4			
	ext.	3	3.4×10^{13}	6.7	-13			
	ext.	3	7.1×10^{13}	0.2	-46			
	ext.	3	1.0×10^{12}	0.1	-51			
	ext.	3	6.6×10^{13}	14.4	-56			
	ext.	3	1.5×10^{13}	2.9	-87			
	ext.	3	3.9×10^{13}	7.8	-107			
	ext.	3	5.9×10^{12}	0.9	-116			
	ext.	3	4.3×10^{12}	1.0	-165			
	ext.	3	3.3×10^{13}	4.2	-170			

Table L.91: LTE Parameters for the full LTE model (Core Components) for source A19 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{t-t}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$V_{LCD}^{m,c}$
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms}^{\mathrm{LSR}})$
	()	()	(****)	()	()
H ₂ CNH	0.9	185	5.8×10^{13}	7.0	65
SiO	0.9	96	2.4×10^{14}	12.1	73
$H_2^{33}S$	0.9	162	1.5×10^{12}	2.9	50
HNCO	0.9	212	4.3×10^{13}	2.9	57
HaCS	0.9	74	2.2×10^{15}	4 1	72
CH ₂ OH	0.9	74	4.6×10^{13}	0.6	53
PN	0.0	200	8.1×10^{12}	13	108
110	0.0	200	2.1×10^{13}	4.7	47
	0.0	200	2.5×10^{13} 2.8 × 10 ¹³	34	-16
	0.0	200	9.4×10^{12}	67	-10
	0.9	200	0.4×10^{12}	1.8	117
	0.9	200	1.0×10^{13}	2.0	150
	0.9	200	1.3×10 2.2×1013	0.0 9 E	-105
CCII	0.9	200	2.3×10^{-5}	3.J	-107
ССП	0.9	200	1.5×10^{-3}	0.1	70 71
	0.9	00	8.0×10^{-1}	4.5	/ 1 71
	0.9	200	1.0×10^{15}	1.7	/1 07
	0.9	200	1.3×10^{10}	3.0	60 70
$HC(O)NH_2$	0.9	301	6.3×10^{14}	4.0	72
	0.9	303	9.8×10^{14}	4.2	65
ma i	0.9	301	9.1×10^{14}	4.2	58
HNC, $v_2=1$	0.9	980	3.4×10^{13}	3.0	56
	0.9	358	1.1×10^{12}	1.9	61
SO	0.9	203	2.2×10^{13}	4.6	73
HCN, $v_2=1$	0.9	958	2.3×10^{14}	2.1	51
HCCCN	0.9	29	6.2×10^{15}	3.2	72
CO	0.9	200	2.2×10^{16}	1.8	160
	0.9	200	2.1×10^{13}	1.1	138
	0.9	200	3.5×10^{17}	29.8	131
	0.9	200	2.2×10^{16}	0.2	131
	0.9	200	6.2×10^{16}	1.1	125
	0.9	200	1.9×10^{17}	6.5	114
	0.9	200	1.9×10^{16}	0.9	98
	0.9	200	1.3×10^{17}	1.2	90
	0.9	200	9.1×10^{13}	2.8	-183
	0.9	200	1.6×10^{18}	11.4	46
	0.9	200	1.6×10^{17}	1.6	38
	0.9	200	1.7×10^{17}	3.0	-84
	0.9	200	1.8×10^{14}	0.9	-123
	0.9	200	1.7×10^{14}	1.0	-78
	0.9	200	2.3×10^{15}	1.0	-133
	0.9	200	6.1×10^{12}	1.5	-102
	0.9	200	1.2×10^{14}	0.7	-172
	0.9	200	7.1×10^{15}	1.1	-186
	0.9	200	3.2×10^{13}	17.7	-185
^{13}CO	0.9	200	1.3×10^{17}	8.9	163
00	0.9	200	1.8×10^{12}	0.6	142
	0.9	200	1.7×10^{17}	5.2	45
	0.9	200	1.2×10^{12}	0.5	19
$C^{17}O$	0.9	200	7.4×10^{15}	9.5	-142
	0.0	_00		0.0	

	(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$		
	<u>(″)</u> 0.9	(K) 200	$\frac{(\text{cm}^2)}{2.9 \times 10^{15}}$	$\frac{(\text{km s}^{-1})}{2.7}$	(km s ⁻¹)		
	0.9	200	8.4×10^{15}	3.5	-90		
	0.9	200	3.1×10^{14}	2.7	-44		
	0.9	200	9.5×10^{14} 8.3 × 10 ¹⁵	1.7	-34 7		
	0.9	200	3.3×10^{15}	7.3	17		
	0.9	200	9.5×10^{14}	2.7	28		
	0.9	200	2.1×10^{13}	2.7	33		
	0.9	200 200	2.9×10^{13} 1.3 × 10 ¹⁷	2.3 7.1	$\frac{38}{73}$		
	0.9	200	3.1×10^{14}	2.7	89		
	0.9	200	8.5×10^{15}	3.1	94		
$C^{18}O$	0.9	200	4.7×10^{16}	3.3	-158		
	0.9	$\frac{200}{200}$	1.0×10^{16}	0.7 2.2	-142 -112		
	0.9	200	4.7×10^{16}	4.2	-104		
	0.9	200	7.1×10^{16}	4.3	-95		
	0.9	200	1.0×10^{16}	2.7	-88		
	0.9	200	2.2×10^{17} 2.6 × 10^{16}	10.2 7.5	-71 -45		
	0.9	200	7.7×10^{16}	6.5	-36		
	0.9	200	5.1×10^{16}	13.3	-11		
	0.9	200	1.2×10^{17}	10.9	11		
	0.9	200	9.4×10^{10} 2.2×10^{16}	2.7	21 35		
	0.9 0.9	200	4.5×10^{16}	5.1	49		
	0.9	200	1.3×10^{17}	2.9	68		
	0.9	200	1.9×10^{17}	3.8	73		
	0.9	200	8.5×10^{10} 2.5 $\times 10^{16}$	7.5 3.1	92 108		
	0.9 0.9	200	2.5×10^{17} 2.6×10^{17}	20.8	$103 \\ 123$		
	0.9	200	3.4×10^{16}	2.6	132		
~~	0.9	200	5.1×10^{16}	7.5	161		
CS	0.9	200	6.4×10^{13} 1 4 × 10^{13}	3.6	$160 \\ 154$		
	0.9 0.9	200	3.8×10^{14}	31.2	$154 \\ 150$		
	0.9	200	$3.1~\times10^{12}$	0.9	164		
	0.9	200	2.6×10^{13}	5.1	124		
	0.9	200	3.5×10^{13} 4.0×10^{13}	0.9	115 108		
	0.9	200	1.0×10^{14}	5.3	103		
	0.9	200	$1.2~{\times}10^{14}$	1.2	97		
	0.9	200	7.9×10^{13}	2.9	41		
	0.9	200 200	1.7×10^{13} 2.0 × 10^{14}	0.8 3.5	35 28		
	0.9	200	5.3×10^{13}	1.8	$\frac{20}{21}$		
	0.9	200	5.8×10^{13}	2.1	14		
	0.9	200	2.0×10^{13}	2.0	10		
	0.9	200 200	7.6×10^{13} 1.3 × 10 ¹³	2.3 2.0	4		
	0.9	200	1.0×10^{12} 1.4×10^{12}	37.2	-11		
	0.9	200	3.0×10^{13}	1.1	-27		
	0.9	200	1.7×10^{12}	0.4	-41		
	0.9	200	8.5×10^{12} 6.7 × 10^{13}	16.3 24	-46 -53		
	0.9	200	1.2×10^{14}	5.7	-69		
	0.9	200	6.4×10^{12}	1.0	-61		
	0.9	200	3.0×10^{13}	1.8	-87		
	0.9	$200 \\ 200$	4.9×10^{13} 4.9×10^{13}	1.2	-92 -98		
	0.9	200	8.9×10^{13}	5.4	-108		
	0.9	200	3.8×10^{13}	2.2	-112		
	0.9	200	1.7×10^{14}	3.3	-131		
	0.9 0.9	200 200	9.9×10^{12} 1.4×10^{14}	0.5 1.2	-148 -143		
	0.9	200	3.0×10^{12}	0.3	-148		
	0.9	200	4.0×10^{13}	1.2	-168		
	0.9	200	4.6×10^{13}	2.3	-174		
^{13}CS	0.9 0 9	200 200	1.0×10^{13} 7 7 $\times 10^{13}$	1.0 0.7	-179 81		
00	0.9	200	7.1×10^{14}	4.9	73		
	0.9	200	$3.0~\times 10^{14}$	0.3	58		

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 271

	(Continued)						
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	v _{LSR} ^{m,c}		
	('')	(K)	$\frac{(\text{cm}^{-2})}{1.5 \times 10^{14}}$	(km s^{-1})	$\frac{(\text{km s}^{-1})}{56}$		
	0.9	$200 \\ 200$	1.5×10^{-1} 3.9 × 10 ¹⁴	$\frac{1.0}{2.8}$	$\frac{30}{46}$		
	0.9	200	7.7×10^{13}	1.8	37		
	0.9	200	3.4×10^{14}	4.9	29		
	0.9	200	3.2×10^{14}	4.1	21		
	0.9	200	2.0×10^{14}	0.3	1		
	0.9	200	2.2×10^{11} 3.0×10^{14}	2.5 1.8	-3 -16		
	0.9	200	5.0×10^{12} 5.4×10^{12}	1.4	11		
	0.9	200	5.6×10^{14}	10.9	-27		
	0.9	200	8.5×10^{13}	0.9	-43		
	0.9	200	1.4×10^{13}	0.7	-51		
	0.9	$\frac{200}{200}$	3.9×10^{-4} 3.9×10^{14}	$\frac{5.1}{1.0}$	-59 -69		
	0.9	200	3.7×10^{14}	2.6	-76		
	0.9	200	$1.4~\times 10^{14}$	5.3	-82		
	0.9	200	1.6×10^{14}	1.0	-99		
	0.9	200	2.2×10^{13}	1.1	-109		
	0.9	200	1.2×10^{12} 1.3 × 10^{13}	1.0 3.6	24 _138		
	0.9	$200 \\ 200$	3.2×10^{13}	1.1	-144		
	0.9	200	2.1×10^{13}	0.1	-152		
	0.9	200	8.5×10^{12}	0.2	-166		
	0.9	200	2.2×10^{12}	0.9	-168		
	0.9	200	1.9×10^{13}	0.8	-175 170		
$C^{33}S$	0.9	$\frac{200}{200}$	1.4×10^{14}	4.1	-179		
0 0	0.9	200	9.6×10^{13}	3.7	-163		
	0.9	200	6.7×10^{13}	4.1	-51		
	0.9	200	9.2×10^{13}	4.3	-27		
	0.9	200	1.8×10^{14}	7.2	14		
	0.9	200	0.3×10^{13} 2.3 × 10 ¹⁴	2.0 3.5	20 81		
	0.9	200	1.1×10^{14}	6.1	97		
	0.9	200	$1.1~\times 10^{14}$	1.8	105		
	0.9	200	1.9×10^{14}	3.8	112		
C34C	0.9	200	1.1×10^{14}	4.6	128		
CoAS	0.9	200	4.6×10^{13} 8.2 × 10^{13}	2.5	-139 -111		
	0.9	200	2.4×10^{13}	6.5	-85		
	0.9	200	$8.1~\times10^{13}$	3.3	-70		
	0.9	200	7.7×10^{13}	8.3	-57		
	0.9	200	7.4×10^{13}	2.9	-18		
	0.9	200	9.5×10^{13} 7.4 × 10^{13}	0.2 3.4	-0 30		
	0.9	$200 \\ 200$	1.3×10^{14}	2.0	$\frac{50}{72}$		
	0.9	200	1.5×10^{14}	4.7	114		
	0.9	200	1.7×10^{14}	3.4	126		
	0.9	200	1.7×10^{14}	4.3	135		
HCN	0.9	200	5.2×10^{13} 1 1 × 10 ¹³	1.7	144 126		
11011	0.9	200	3.4×10^{13}	4.2	36		
	0.9	200	2.6×10^{13}	2.4	30		
	0.9	200	1.3×10^{13}	3.5	2		
	0.9	200	2.2×10^{13}	4.2	-23		
	0.9	200	8.0×10^{12} 1.7 × 10^{13}	3.0 3.4	-39		
	0.9 0.9	$200 \\ 200$	5.1×10^{12}	0.9	-44 -51		
	0.9	200	7.2×10^{13}	4.1	-75		
$\rm H^{13}CN$	0.9	200	1.5×10^{14}	4.1	144		
	0.9	200	6.9×10^{13}	1.0	137		
	0.9	200	1.2×10^{13} 2.4 × 10 ¹²	0.8	131 195		
	0.9	$200 \\ 200$	1.9×10^{13}	4.8	120]18		
	0.9	200	1.4×10^{13}	2.2	95		
	0.9	200	$3.0~\times 10^{13}$	0.7	87		
	0.9	200	6.0×10^{13}	1.4	84		
	0.9	200	1.0×10^{13} 1.4 \times 10^{13}	1.0	52 20		
	0.9	200 200	2.9×10^{12}	4.0 1.0	5∠ 6		
	0.9	200	7.3×10^{12}	2.0	-59		
	0.9	200	3.8×10^{13}	3.5	-75		

(Continued)								
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$			
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})			
	0.9	200	1.7×10^{13}	1.3	-97			
	0.9	200	9.2×10^{12}	5.1	-171			
	0.9	200	1.1×10^{14}	0.8	-178			
	0.9	200	1.9×10^{12}	1.0	-182			
	0.9	200	6.3×10^{12}	0.8	-182			
HNC	0.9	200	1.4×10^{13}	5.8	103			
	0.9	200	1.5×10^{13}	3.6	52			
	0.9	200	3.2×10^{13}	20.5	7			
	0.9	200	5.5×10^{13}	8.0	-2			
	0.9	200	2.0×10^{13}	0.5	-8			
$\rm HN^{13}C$	0.9	200	2.0×10^{13}	6.4	-167			
	0.9	200	3.5×10^{13}	3.3	-136			
	0.9	200	2.1×10^{13}	5.9	-81			
	0.9	200	5.5×10^{13}	14.7	-45			
	0.9	200	7.8×10^{13}	48.8	9			
	0.9	200	5.1×10^{13}	3.1	64			
	0.9	200	6.4×10^{13}	1.5	72			
	0.9	200	2.9×10^{13}	2.9	78			
	0.9	200	5.8×10^{13}	15.6	104			
$\rm H^{13}CO^+$	0.9	200	2.5×10^{14}	40.0	72			
$\rm HO^{13}C^+$	0.9	200	1.5×10^{12}	1.1	89			
	0.9	200	1.2×10^{13}	3.6	80			
	0.9	200	3.4×10^{12}	5.1	73			
	0.9	200	1.2×10^{12}	2.7	50			

Table L.92: LTE Parameters for the full LTE model (Envelope Components) for source A19 in Sgr B2(N).

Molecule	$\Delta m, c$	$T^{m,c}$	$N^{m,c}$	Δ	m,c
Molecule	(//)	(\mathbf{I}_{c})	(am^{-2})	Δv^{-1}	$^{\rm v}$ LSR ($^{\rm lrm o}$ -1)
	()	(N)	(cm)	(kiiis)	(kiiis)
HaCNH	evt	4	4.3×10^{13}	14.6	66
OCS	evt	15	6.6×10^{17}	4.6	67
$H_2C^{33}S$	ext.	10	5.7×10^{14}	6.0	71
CH ₂ OH	ext.	15	2.7×10^{15}	3.4	56
0113011	ext.	9	9.9×10^{14}	2.0	75
	evt	q	2.9×10^{15}	2.0	64
SOa	evt	19	7.5×10^{15}	3.9	64
502	evt	12	1.0×10^{12} 1.2 × 10 ¹²	3.0	52
CN	ovt	18	1.2×10^{17}	21.6	63
011	evt	20	3.5×10^{16}	21.0	27
	ovt	15	3.0×10^{14} 8.2 × 10 ¹⁴	13.3	0
	ovt	8	1.1×10^{13}	1 1	-4
	ovt	46	5.2×10^{13}	85	-4
	ovt	5	2.2×10^{13}	4.8	-43
	ovt	21	2.0×10^{19}	3.7	-40
	ext.	21 78	3.0×10^{13}	5.2	-00
	ext.	10	1.6×10^{16}	5.0	-30
	ext.	19	1.0×10^{13}	0.9	-05
PN	ext.	3	3.0×10 1.5 $\times 10^{15}$	1.1	-109
110	ovt	3	1.0×10 4.2×10^{14}	1.1	105
	ovt	3	4.2×10^{-14}	1.2	118
	ext.	3	4.2×10^{15}	1.0	86
	ext.	3	1.3×10 3.5×10^{14}	2.2	64
	ext.	3	5.5×10^{14}	1.4	53
	ext.	3	0.7×10^{15}	6.5	-55
	ext.	3	2.3×10^{15}	0.0	-11
CCH	ext.	10	1.2×10 2.0 × 1016	1.0	-108
CH-CN	ext.	19	2.9×10^{-4}	1.5	114
011301	ext.	10	1.1×10^{15}	4.0	114
	ext.	9 10	1.4×10^{-4}	2.9	92
	ext.	3 10	2.2×10^{-2} 1 0 $\times 10^{15}$	0.0	40
DU.	ext.	ა ა	1.9×10 7 8 × 10 ¹³	27.0	49
г п ₃ 50	ext.	ა ი	1.0×10^{10}	U.O 19 1	00 65
50	ext.	0 10	0.2×10^{-2}	13.1	00 52
IL CO	ext.	10	3.0×10^{14}	(.ð 11.9	03 76
H_2CO	ext.	14	8.6×10^{14}	11.2	76

T. Möller <i>et al.</i> : Full molecula	r line survey of hot c	ores, Online Material p 272
(Continued)		(Continued)

	(Continued)				(Continued)						
Molecule	$\theta^{m,c}$ (")	$\begin{array}{c} \mathrm{T}^{m,c}_{\mathrm{ex}} \\ \mathrm{(K)} \end{array}$	$\frac{\mathrm{N_{tot}^{m,c}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$\frac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$	Molecule	$\theta^{m,c}$ $('')$	$\begin{array}{c} \mathbf{T}_{\mathrm{ex}}^{m,c} \\ (\mathbf{K}) \end{array}$	$\frac{\mathrm{N_{tot}^{m,c}}}{(\mathrm{cm}^{-2})}$	$\frac{\Delta \mathbf{v}^{m,c}}{(\mathrm{km}\mathrm{s}^{-1})}$	$rac{\mathrm{v}_{\mathrm{LSR}}^{m,c}}{(\mathrm{kms}^{-1})}$
	ext.	16	1.1×10^{16}	5.7	62	^{13}CS	ext.	3	1.0×10^{13}	0.4	162
HCCCN	ext.	17	2.7×10^{17}	4.0	63		ext.	3	1.1×10^{13}	2.7	129
CO	ext.	3	8.7×10^{13}	8.9	106		ext.	3	8.5×10^{14}	5.3	59
	ext.	ა ვ	1.3×10^{12} 5.7 × 10 ¹⁴	4.3	94 84	C ³³ S	ext.	ა ვ	4.4×10^{12} 7.6 $\times 10^{15}$	1.9	-14 150
	ext.	3	3.7×10^{16}	4.0	79	0 5	ext.	3	4.0×10^{15}	4.9 2.5	-140
	ext.	3	5.3×10^{16}	30.3	71		ext.	3	3.8×10^{15}	2.5	-135
	ext.	3	1.8×10^{14}	1.1	62		ext.	3	5.2×10^{15}	2.5	-118
	ext.	3	1.6×10^{16}	3.5	53		ext.	3	6.3×10^{15}	3.7	-111
	ext.	3	1.5×10^{16}	16.7	21		ext.	3	6.3×10^{15}	3.6	-96
	ext.	3	2.5×10^{13}	0.1	18		ext.	3	5.2×10^{15}	2.3	-90 79
	ext.	ა ვ	0.7×10^{10} 2.5 × 10 ¹⁶	0.1 12.8	19		ext.	ა ვ	8.8×10^{15} 1.6 $\times 10^{15}$	0.5 9.1	-78 71
	ext.	3	1.1×10^{13}	0.1	-11		ext.	3	3.2×10^{15}	$\frac{2.1}{2.3}$	-67
	ext.	3	3.5×10^{15}	3.6	-29		ext.	3	4.4×10^{15}	2.8	-62
	ext.	3	$1.2~\times 10^{16}$	7.6	-22		ext.	3	2.8×10^{15}	2.5	-56
	ext.	3	2.2×10^{16}	15.0	-47		ext.	3	5.3×10^{15}	3.4	-46
	ext.	3	4.3×10^{14}	0.8	-26		ext.	3	5.6×10^{15}	3.6	-7
	ext.	3	2.5×10^{15}	0.5	-74		ext.	3	7.8×10^{15}	5.1	2
	ext.	3	2.0×10^{10}	10.7	-80		ext.	3	9.7×10^{15}	6.0 2.0	9
	ext.	3 3	$2.2 \times 10^{}$ 8 7 × 10 ¹³	1.2 0.2	-80		ext.	3 3	1.4×10^{-5} 4.3×10^{15}	5.9 2.5	32 42
	ext.	3	2.0×10^{16}	8.0	-108		ext.	3	1.0×10^{14}	2.5 2.5	42
^{13}CO	ext.	3	5.7×10^{15}	16.1	115		ext.	3	2.9×10^{15}	3.3	54
	ext.	3	5.1×10^{13}	0.5	111		ext.	3	4.8×10^{15}	3.2	64
	ext.	3	3.2×10^{15}	4.7	104		ext.	3	2.0×10^{15}	2.1	69
	ext.	3	1.0×10^{16}	2.0	75	~24 ~	ext.	3	7.2×10^{15}	4.1	74
	ext.	3	5.7×10^{10}	25.4	72	$C^{34}S$	ext.	3	3.1×10^{15}	2.6	-177
	ext.	ა ვ	9.0×10^{11}	2.5 1 7	57 20		ext.	ა ვ	2.0×10^{15} 7.0×10^{15}	3.2 4.0	-170
	ext.	3	1.1×10^{16}	13.0	29		ext.	3	1.0×10^{16}	4.0 7.8	-149
	ext.	3	1.0×10^{12}	0.5	-21		ext.	3	6.7×10^{15}	3.7	-133
	ext.	3	3.0×10^{12}	2.5	-33		ext.	3	7.4×10^{15}	6.2	-126
$C^{17}O$	ext.	3	3.4×10^{15}	3.4	-175		ext.	3	3.3×10^{14}	2.5	-119
	ext.	3	1.7×10^{15}	2.8	-168		ext.	3	8.6×10^{15}	7.8	-103
	ext.	3	3.6×10^{15}	5.6	-159		ext.	3	3.1×10^{14}	2.5	-47
	ext.	3	1.5×10^{13}	7.1	-134		ext.	3	1.5×10^{12}	2.5	-40
	ext.	3 3	1.0×10 8.4 × 10 ¹⁴	$\frac{2.1}{2.0}$	-111 -66		ext.	3	1.2×10^{15}	$\frac{2.5}{2.7}$	20
	ext.	3	4.2×10^{14}	2.5 2.7	-55		ext.	3	3.8×10^{14}	2.5	32
	ext.	3	3.7×10^{14}	7.1	-36		ext.	3	8.2×10^{15}	6.2	55
	ext.	3	$1.0~\times 10^{14}$	2.7	-4		ext.	3	1.1×10^{16}	3.2	60
	ext.	3	4.0×10^{14}	2.7	12		ext.	3	2.2×10^{15}	2.5	77
	ext.	3	3.8×10^{13}	2.7	36		ext.	3	3.9×10^{15}	3.4	89
	ext.	3	1.7×10^{13}	3.3	44		ext.	3	7.9×10^{15}	6.2	98 105
	ext.	3 3	4.8×10^{-14}	2.3 2.6	49 57		ext.	3 3	3.7×10^{15}	0.4 2.5	100
	ext.	3	5.4×10^{15}	11.5	82		ext.	3	1.5×10^{15}	$\frac{2.5}{2.5}$	157
	ext.	3	2.2×10^{15}	5.2	102	HCN	ext.	3	2.7×10^{13}	4.1	116
	ext.	3	3.7×10^{14}	3.3	113		ext.	3	1.3×10^{13}	0.1	100
	ext.	3	1.3×10^{15}	7.8	121		ext.	3	2.3×10^{13}	3.6	98
	ext.	3	8.5×10^{13}	2.3	126		ext.	3	2.3×10^{14}	29.8	77
	ext.	3	1.0×10^{14}	2.7	134		ext.	3	3.2×10^{12}	36.8	79 75
$C^{18}O$	ext.	3 3	3.7×10^{15}	5.7 5.6	-175		ext.	3 3	1.2×10^{13} 3.0 $\times 10^{13}$	$1.0 \\ 7.0$	70 66
0 0	ext.	3	3.6×10^{15}	5.0 6.8	-167		ext.	3	1.6×10^{13}	0.1	61
	ext.	3	1.5×10^{15}	4.1	-121		ext.	3	9.4×10^{13}	1.0	53
	ext.	3	7.0×10^{14}	2.7	-49		ext.	3	1.4×10^{13}	0.9	13
	ext.	3	4.4×10^{14}	2.7	-22		ext.	3	3.3×10^{13}	2.5	-33
	ext.	3	2.7×10^{14}	2.7	-3		ext.	3	3.7×10^{13}	1.4	-58
	ext.	3	1.8×10^{13}	7.5	29		ext.	3	2.6×10^{13}	1.9	-65
	ext.	ა ა	1.0×10^{14} 7 7 $\checkmark 10^{15}$	2.7 7 4	38 69		ext.	ა გ	1.9×10^{13} 1.0×10^{13}	2.1	-90 -114
	ext.	ર ૨	1.1×10^{10} 1.0 $\times 10^{15}$	1.4 97	02 81		ext.	ა ვ	4.0×10^{10} 3.3 $\times 10^{13}$	ა.ე ეე	-114 -150
	ext.	3	1.6×10^{15}	2.7	98		ext.	3	2.8×10^{13}	2.2	-161
	ext.	$\ddot{3}$	1.2×10^{16}	16.9	142		ext.	3	2.3×10^{13}	5.5	-167
\mathbf{CS}	ext.	3	$4.7~\times10^{15}$	4.5	88	$\rm H^{13}CN$	ext.	3	$7.5~\times10^{12}$	2.1	108
	ext.	3	2.9×10^{16}	10.7	72		ext.	3	5.5×10^{12}	0.5	80
	ext.	3	4.9×10^{15}	1.5	65		ext.	3	3.5×10^{13}	2.4	76
	ext.	3	1.6×10^{10}	2.1	56 40		ext.	3	1.5×10^{14}	5.9	71
	ext.	ა ა	0.0×10^{10} 5.0 $\times 10^{14}$	U.8 1 1	49		ext.	ა გ	1.3×10^{13} 6.8 $\times 10^{12}$	9.0 0.7	02 55
	CAL.	J	0.0 × 10	1.1	-01		CAU.	J	0.0 \ 10	0.1	

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 273

	(Continued)									
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$					
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})					
	ext.	3	1.8×10^{13}	0.1	51					
	ext.	3	4.7×10^{13}	3.0	47					
	ext.	3	2.6×10^{13}	1.0	3					
	ext.	3	3.6×10^{13}	7.1	-3					
	ext.	3	1.3×10^{13}	1.3	-14					
	ext.	3	1.8×10^{13}	3.3	-29					
	ext.	3	1.6×10^{13}	3.6	-34					
	ext.	3	1.2×10^{13}	1.5	-45					
	ext.	3	1.6×10^{12}	1.0	-112					
$\rm H^{13}CO^+$	ext.	3	6.8×10^{13}	9.9	59					
$\rm HO^{13}C^+$	ext.	3	6.3×10^{12}	0.2	87					

Table L.93: LTE Parameters for the full LTE model (Core Components) for source A20 in Sgr B2(N).

Molecule	$\theta^{m,c}$	$T^{m,c}_{ox}$	$N^{m,c}$	$\Delta \mathbf{v}^{m,c}$	VL GD
	(")	(K)	$(\mathrm{cm}^{\mathrm{tot}}2)$	$({\rm km}{\rm s}^{-1})$	$(\mathrm{km s^{-1}})$
	()	(11)	(0111)	((1111 5)
H ₂ CNH	0.6	178	2.6×10^{15}	3.9	55
SO	0.6	185	3.9×10^{15}	1.9	56
	0.6	197	2.1×10^{13}	3.9	67
CN	0.6	192	2.9×10^{14}	3.9	64
011	0.0	122	3.4×10^{14}	5.2	61
	0.0	107	1.4×10^{15}	2.0	52
	0.0	100	2.1×10^{15}	2.0	6
	0.0	100	1.7×10^{15}	5.5 4 1	36
	0.0	192	1.7×10 1.0 × 10 ¹³	3.0	-26
	0.0	195	1.3×10^{15}	3.0	-20
	0.0	107	3.0×10 2.1×1014	5.9	12
	0.0	195	2.1×10	3.0	-40
	0.0	195	0.7×10^{13}	1.0	-02
	0.6	193	4.0×10^{12}	1.7	-181
HOCON	0.6	195	4.6×10^{14}	3.8	-113
HCCCN	0.6	148	1.4×10^{10}	4.1	57
UCS	0.6	272	1.7×10^{17}	2.9	57
H_2CCO	0.6	123	9.4×10^{13}	2.9	56
H_2CS	0.6	144	1.7×10^{10}	3.0	56
$H_{2}^{34}S$	0.6	173	1.1×10^{17}	6.5	59
$_{\rm PN}$	0.6	200	2.5×10^{13}	1.4	56
	0.6	200	5.1×10^{12}	1.3	30
	0.6	200	1.1×10^{13}	1.0	-18
	0.6	200	8.8×10^{12}	1.4	2
	0.6	200	5.9×10^{13}	4.6	-43
H_2CO	0.6	138	1.2×10^{17}	3.0	56
CH_3OCHO	0.6	168	1.8×10^{17}	3.0	57
	0.6	163	1.7×10^{16}	0.6	58
HCN, $v_2=1$	0.6	986	1.9×10^{15}	2.5	74
CH_3OH	0.6	115	2.3×10^{17}	3.2	56
CH ₃ CN	0.6	223	1.5×10^{16}	3.5	56
CO	0.6	200	2.1×10^{17}	6.4	136
	0.6	200	7.8×10^{17}	2.9	44
^{13}CO	0.6	200	2.1×10^{16}	2.3	153
	0.6	200	6.7×10^{15}	0.9	142
	0.6	200	9.9×10^{16}	0.4	99
	0.6	200	2.4×10^{16}	1.0	71
	0.6	200	8.6×10^{19}	0.9	56
	0.6	200	4.4×10^{17}	4.1	11
	0.6	200	5.9×10^{16}	0.8	6
	0.6	200	8.7×10^{16}	1.0	-6
	0.6	200	1.5×10^{17}	12.3	-11
	0.6	200	6.2×10^{16}	1.5	-38
	0.0	200	6.7×10^{15}	1.0	-73
	0.0	200	1.0×10^{17}	2.1	-77
	0.0	200	7.3×10^{15}	2.1	-11
	0.0	200	3.4×10^{17}	0.9 7 1	442 00
$C^{17}O$	0.0	200	4.1×10^{14}	1.1	-99 116
0.0	0.0	200	4.1×10^{-1}	2.9 0.4	-110
	0.0	200	0.4×10^{10}	2.4	-103
	0.0	200	1.2 ×10 ⁻³	4.0	-92

		(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{\text{tot}}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	0.6	(K) 200	$\frac{(\text{cm}^2)}{4.9 \times 10^{16}}$	$\frac{(\text{km s}^{-1})}{10.5}$	(km s ⁻¹)
	0.6	200	4.4×10^{16}	15.2	-60
	0.6	200	5.5×10^{14}	2.5	-55
	0.6	200	3.5×10^{15}	2.2	-39
	0.6	200	1.1×10^{10} 8.2 × 10 ¹⁵	2.4	-23
	$0.0 \\ 0.6$	$200 \\ 200$	1.3×10^{17}	$\frac{2.0}{17.1}$	-4 1
	0.6	200	4.3×10^{16}	3.1	17
	0.6	200	5.9×10^{15}	2.1	31
	0.6	200	1.4×10^{17}	2.5	57
$C^{18}O$	0.0	200 200	1.0×10^{-1} 1.0×10^{15}	$\frac{0.8}{2.7}$	100 -121
0 0	0.6	200	1.3×10^{17}	19.8	-44
	0.6	200	3.8×10^{16}	5.6	-6
	0.6	200	2.4×10^{16}	2.7	0
	0.6	200	3.0×10^{10}	1.0	13
	$0.0 \\ 0.6$	$200 \\ 200$	3.8×10^{-4} 8.4×10^{16}	4.4 8.1	$\frac{24}{35}$
	0.6	200	3.2×10^{16}	7.5	41
	0.6	200	2.0×10^{18}	3.5	57
	0.6	200	1.4×10^{17}	0.9	98
	0.6	200	3.2×10^{10} 2.5 $\times 10^{16}$	2.7	98 103
\mathbf{CS}	0.0 0.6	200	7.6×10^{13}	1.3	103
	0.6	200	3.5×10^{13}	0.4	141
	0.6	200	5.9×10^{13}	7.1	133
	0.6	200	1.4×10^{14}	1.1	106
	0.6	200	6.6×10^{12}	2.4	95 82
	0.0 0.6	$200 \\ 200$	9.6×10^{15}	2.4 4.2	56
	0.6	200	5.1×10^{13}	1.1	22
	0.6	200	1.5×10^{14}	1.4	-28
	0.6	200	3.3×10^{13}	2.4	-70
	0.6	200	1.2×10^{11} 6.0 × 10^{13}	3.5 0.1	-100
	0.6	200	2.2×10^{15}	3.0	-177
^{13}CS	0.6	200	$1.1~\times 10^{12}$	0.7	136
	0.6	200	1.4×10^{12}	33.8	130
	0.6	200	7.4×10^{13}	5.0	115
	0.6	$200 \\ 200$	4.3×10^{-14} 8.2 × 10 ¹⁴	2.7 3.6	90 56
	0.6	200	2.6×10^{13}	1.1	23
	0.6	200	8.6×10^{13}	2.3	9
	0.6	200	3.7×10^{13}	0.9	-7
	0.6	200	2.2×10^{13} 1.5 × 10 ¹⁴	1.9	-30
	0.0 0.6	$200 \\ 200$	1.3×10^{14} 1.4×10^{14}	2.5	-31 -45
	0.6	200	3.9×10^{14}	20.4	-121
	0.6	200	3.5×10^{12}	1.9	-71
	0.6	200	4.6×10^{12}	1.3	-85
	0.6	200	$3.4 \times 10^{}$ 8.0 × 10^{13}	0.8 1.7	-91 -98
$C^{33}S$	0.6	200	3.2×10^{14}	6.1	-178
	0.6	200	1.0×10^{14}	2.1	-170
	0.6	200	1.0×10^{14}	2.3	-165
	0.6	200	1.0×10^{14} 3.2×10^{14}	2.5	-151 116
	$0.0 \\ 0.6$	$200 \\ 200$	1.0×10^{14}	$\frac{2.7}{2.5}$	-96
	0.6	200	1.0×10^{14}	2.5	-84
	0.6	200	1.0×10^{14}	2.5	-79
	0.6	200	1.0×10^{14}	2.5	-47
	0.6	200	1.0×10^{13} 3.2 × 10 ¹⁴	$\frac{1.7}{3.5}$	-42 -32
	0.6	200	1.0×10^{14}	2.0	-27
	0.6	200	1.0×10^{14}	3.7	10
	0.6	200	1.0×10^{14}	2.9	17
	0.6	200	1.0×10^{14}	0.9	42
	0.6 0.6	200 200	10.0×10^{14} 1.0×10^{14}	2.8 2.9	80 94
	0.6	200	1.0×10^{15}	2.9	109
	0.6	200	1.1×10^{14}	2.2	116
$C^{34}S$	0.6	200	1.0×10^{14}	2.5	-177

T. Möller	et al.:	Full	molecular	line surve	v of hot	cores.	Online	Material	p	274
1. 10101101	<i>ce au</i>	r un	morecular	mic built	<i>y</i> or not	\cos	01000100	111 0001 000	P	~ 14

		(C	Continued)						(Co	ntinued)		
Molecule	$\theta^{m,c}$	$T^{m,c}_{ex}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$		Molecule	$\theta^{m,c}$	$\mathbf{T}_{\mathrm{ex}}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$
	('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})			('')	(K)	(cm^{-2})	$(\mathrm{km}\mathrm{s}^{-1})$	(kms^{-1})
	0.6	200	3.2×10^{14}	6.0	-97			(")	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$({\rm km}{\rm s}^{-1})$
	0.6	200	3.2×10^{14}	6.2	-75					· · · · ·		
	0.6	200	3.2×10^{14}	5.8	-62		H_2CNH	ext.	4	1.1×10^{13}	6.9	69
	0.6	200	1.0×10^{14}	3.1	-45		SO	ext.	13	3.0×10^{14}	30.0	63
	0.6	200	1.0×10^{14}	3.5	-35		HNCO	ext.	33	1.1×10^{15}	4.5	73
	0.6	200	3.2×10^{14}	3.3	-30			ext.	21	1.0×10^{12}	10.9	64
	0.6	200	3.2×10^{14}	4.1	-17		CCH	ext.	3	5.0×10^{14}	5.9	64
	0.6	200	1.0×10^{14}	2.0	-12		$H_2C^{33}S$	ext.	10	7.2×10^{13}	3.7	55
	0.6	200	1.0×10^{14}	4.0	-7		PN	ext.	3	6.3×10^{13}	0.6	71
	0.6	200	1.0×10^{14}	2.8	5			ext.	3	1.1×10^{14}	5.7	74
	0.6	200	1.0×10^{14}	2.9	17			ext.	3	6.8×10^{14}	1.8	64
	0.6	200	1.0×10^{15}	3.1	55			ext.	3	1.2×10^{14}	1.0	36
	0.6	200	1.0×10^{14}	2.5	75			ext.	3	5.7×10^{14}	1.3	28
	0.6	200	9.5×10^{14}	6.2	97			ext.	3	7.5×10^{13}	1.0	5
	0.6	200	1.0×10^{14}	6.2	114			ext.	3	5.5×10^{14}	3.4	1
	0.6	200	1.0×10^{14}	3.0	120			ext.	3	2.4×10^{15}	1.7	-8
	0.6	200	3.2×10^{14}	4.1	124		H_2CO	ext.	36	2.8×10^{15}	2.0	80
HCN	0.6	200	1.1×10^{13}	0.9	78			ext.	26	3.4×10^{14}	3.4	76
	0.6	200	8.2×10^{13}	2.6	71			ext.	26	4.2×10^{14}	4.4	71
	0.6	200	2.7×10^{13}	1.1	65			ext.	36	2.2×10^{16}	5.5	65
	0.6	200	1.0×10^{13}	0.6	58		$HC(O)NH_2$	ext.	30	2.6×10^{15}	15.0	62
	0.6	200	7.7×10^{13}	2.2	53			ext.	15	2.2×10^{13}	0.3	53
	0.6	200	1.8×10^{13}	1.2	11			ext.	8	9.5×10^{13}	1.1	39
	0.6	200	1.3×10^{14}	3.7	-74		SiO	ext.	3	1.0×10^{14}	0.8	77
$\rm H^{13}CN$	0.6	200	1.1×10^{13}	0.9	113			ext.	3	1.7×10^{15}	5.2	71
	0.6	200	1.0×10^{14}	6.4	99			ext.	11	2.2×10^{13}	2.8	62
	0.6	200	2.9×10^{13}	2.1	94		SO_2	ext.	24	4.0×10^{15}	3.7	64
	0.6	200	1.5×10^{13}	0.8	90			ext.	15	5.0×10^{14}	1.7	58
	0.6	200	3.2×10^{14}	4.4	84			ext.	24	1.0×10^{13}	0.8	55
HNC	0.6	200	1.3×10^{14}	3.9	103			ext.	3	6.1×10^{14}	1.1	53
	0.6	200	2.7×10^{14}	5.3	85			ext.	7	2.8×10^{13}	0.4	49
	0.6	200	2.0×10^{14}	8.0	72			ext.	15	1.6×10^{14}	1.5	47
	0.6	200	6.9×10^{12}	0.4	66		CH ₃ OH	ext.	28	6.0×10^{16}	3.5	64
	0.6	200	6.4×10^{14}	36.8	47		CO	ext.	3	1.3×10^{14}	0.9	46
	0.6	200	4.9×10^{14}	3.8	54			ext.	3	1.1×10^{16}	3.0	77
	0.6	200	2.7×10^{12}	0.9	42			ext.	3	1.8×10^{16}	11.8	112
	0.6	200	3.6×10^{12}	0.3	-20			ext.	3	7.3×10^{12}	12.0	-12
	0.6	200	9.4×10^{12}	1.0	-53			ext.	3	1.7×10^{16}	1.3	95
	0.6	200	1.3×10^{14}	4.1	-63			ext.	3	7.3×10^{14}	1.1	82
	0.6	200	2.2×10^{14}	1.4	-74			ext.	3	6.8×10^{16}	39.7	75
	0.6	200	5.3×10^{12}	1.0	-91			ext.	3	1.9×10^{14}	0.9	65
	0.6	200	9.2×10^{12}	1.0	-109			ext.	3	4.4×10^{15}	5.1	55
	0.6	200	5.6×10^{13}	1.6	-138			ext.	3	1.6×10^{14}	0.2	50
	0.6	200	7.3×10^{14}	40.0	-144			ext.	3	2.3×10^{12}	0.8	30
	0.6	200	1.2×10^{14}	1.4	-149			ext.	3	2.5×10^{13}	0.1	41
	0.6	200	1.0×10^{12}	1.0	-169			ext.	3	4.7×10^{16}	34.0	32
$\rm HN^{13}C$	0.6	200	7.2×10^{13}	7.9	-166			ext.	3	2.1×10^{15}	14.8	87
	0.6	200	7.2×10^{13}	5.6	-152			ext.	3	5.6×10^{15}	4.3	8
	0.6	200	7.0×10^{14}	6.1	-140			ext.	3	5.9×10^{15}	5.5	0
	0.6	200	7.2×10^{13}	3.1	-94			ext.	3	3.3×10^{16}	40.0	-3
	0.6	200	1.2×10^{14}	19.9	-78			ext.	3	1.1×10^{16}	9.3	-23
	0.6	200	3.5×10^{13}	6.0	-62			ext.	3	4.4×10^{16}	34.0	-49
	0.6	200	5.5×10^{13}	9.7	-32			ext.	3	2.3×10^{15}	5.0	-48
	0.6	200	2.9×10^{13}	6.1	23			ext.	3	1.6×10^{14}	0.8	-58
	0.6	200	6.5×10^{14}	4.3	57			ext.	3	6.5×10^{15}	3.1	-74
$H^{13}CO^+$	0.6	200	3.8×10^{14}	2.9	57			ext.	3	4.2×10^{15}	2.9	-79
$HO^{13}C^{+}$	0.6	200	1.1×10^{12}	0.9	78			ext.	3	8.0×10^{15}	5.5	-83
	0.6	200	1.1×10^{13}	1.4	50			ext.	3	7.9×10^{15}	5.6	-95
	0.6	200	1.2×10^{12}	1.0	11			ext.	3	1.5×10^{15}	2.9	-105
	0.6	200	2.9×10^{12}	1.0	-31			ext.	3	1.7×10^{16}	9.9	-109
	0.0	-00	10 //10	110				ext.	3	5.6×10^{15}	3.2	-122
							^{13}CO	ext	3	4.9×10^{14}	0.8	154
							~~	ext.	3	6.2×10^{14}	6.7	132
		Ð		1 0	-			ext.	3	1.7×10^{15}	1.0	123
able $L.94$:	LTE	Param	eters for t	he full l	JTE mode	el		ext	3	6.6×10^{14}	1.3	114
Invelope Co	ompon	ents) fo	or source A:	20 in Sgr	B2(N).			ext	3	1.7×10^{15}	7.5	108
-	-	/		Ŭ	~ /			ext	3	2.2×10^{15}	0.9	87
Molearl	ο Δ <i>m</i> .	c T ^m	c N ^{m,c}	$\Lambda_{w}m,c$	w ^{m,c}			ext	3	1.8×10^{16}	1 4	81
	е <i>0</i> ,	1 _{ex}	tot	<u> </u>	^v LSR			evt	२ २	1.0×10 1.1×10^{16}	2.4 2.0	75
								ext.	२	1.1×10^{11} 1 0 $\times 10^{15}$	2.0 2.6	68
								ext.	२	4.7×10^{14}	2.0 1 0	66
								CAU.	ม ว	39 ~1015	1.0 9.7	51
								ext.	3	0.4 × 10-5	2.1	16

Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSR}^{m,c}$

			0.1.		
T. Möller <i>et al.</i> : Full	l molecular line s	survey of hot cores	, Online	Material	p 275

		(0	Continued)					(0	Continued)		
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$	Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{\text{LSR}}^{m,c}$
	(*) ext.	<u>(K)</u> 3	$\frac{(\text{cm}^{-})}{1.2 \times 10^{14}}$	2.8	(Km s) 42		ext.	(K) 3	$\frac{(\text{cm}^{-})}{4.9 \times 10^{15}}$	(Km s) 13.6	(km s) 76
	ext.	3	4.7×10^{14}	2.7	37		ext.	3	5.5×10^{15}	6.3	63
	ext.	3	1.1×10^{14}	1.0	19		ext.	3	7.0×10^{15}	14.2	42
	ext.	3	9.6×10^{13} 2.4 $\times 10^{15}$	0.7	3		ext.	3	7.9×10^{14} 8.4 $\times 10^{14}$	2.3	32
	ext.	3	7.8×10^{13}	$\frac{2.8}{1.0}$	-40 -53		ext.	3	1.5×10^{14}	$2.3 \\ 2.4$	-4 -15
	ext.	3	1.2×10^{15}	1.2	-58		ext.	3	6.7×10^{15}	1.0	-26
	ext.	3	8.8×10^{14}	1.1	-107		ext.	3	1.2×10^{15}	25.2	-40
	ext.	3	4.7×10^{13}	5.3	-123		ext.	3	2.1×10^{13}	5.3	-52
	ext.	3 3	1.5×10^{14}	2.7 38.6	-148 -112		ext.	3 3	1.3×10^{15}	2.5 4.0	-81
	ext.	3	1.2×10^{15}	2.7	-164		ext.	3	4.6×10^{14}	1.0	-117
	ext.	3	1.0×10^{12}	2.5	-172		ext.	3	1.6×10^{15}	0.7	-121
C170	ext.	3	2.5×10^{10}	40.0	-186		ext.	3	2.3×10^{15}	4.4	-127
0.0	ext.	3 3	3.2×10^{13} 1.9 × 10 ¹³	0.3 2.8	-178 -167	$C^{33}S$	ext.	3	1.5×10^{11} 10.0×10^{15}	0.8 3.7	-134 -156
	ext.	3	5.4×10^{13}	6.5	-156	0 0	ext.	3	10.0×10^{15} 10.0×10^{15}	2.9	-136
	ext.	3	7.0×10^{12}	4.0	-135		ext.	3	3.2×10^{15}	2.6	-126
	ext.	3	7.0×10^{12}	3.2	-108		ext.	3	3.2×10^{15}	4.2	-121
	ext.	3	3.2×10^{14} 1.2 × 10 ¹⁵	2.4 7.8	-100		ext.	3	3.2×10^{13} 1.0 $\times 10^{16}$	2.5	-111
	ext.	3	1.2×10^{-1} 1.8×10^{14}	2.3	-62 -63		ext.	3	1.0×10^{-10} 1.0×10^{15}	$9.4 \\ 2.5$	-94 -89
	ext.	3	6.1×10^{13}	2.6	-47		ext.	3	3.2×10^{16}	6.7	-74
	ext.	3	4.0×10^{14}	7.4	-33		ext.	3	10.0×10^{14}	0.6	-69
	ext.	3	9.7×10^{13}	6.2	-18		ext.	3	1.0×10^{15}	2.5	-44
	ext.	3	3.6×10^{10} 3.2×10^{14}	19.5 2.0	-12 30		ext.	3	3.2×10^{15} 3.2×10^{15}	2.5 6.1	-39
	ext.	3	4.5×10^{15}	10.2	49		ext.	3	1.0×10^{15}	2.6	-15
	ext.	3	1.8×10^{15}	5.8	63		ext.	3	3.2×10^{15}	5.1	-7
	ext.	3	5.9×10^{15}	13.9	84		ext.	3	1.0×10^{15}	2.5	5
	ext.	3	1.2×10^{13} 1.2 × 10 ¹⁴	7.5	109		ext.	3	1.0×10^{10} 2.2 × 10 ¹⁵	4.8	35
	ext.	3 3	1.5×10 1.6×10^{15}	2.0 23.6	117		ext.	3 3	3.2×10^{15}	5.5 2.5	51 59
	ext.	3	1.7×10^{16}	22.8	161		ext.	3	10.0×10^{15}	1.3	138
$C^{18}O$	ext.	3	1.0×10^{16}	7.3	-175		ext.	3	1.0×10^{15}	2.5	143
	ext.	3	3.2×10^{15}	9.9	-162	$C^{34}S$	ext.	3	3.2×10^{15}	2.5	-179
	ext.	3 3	1.0×10^{10} 1.0 × 10 ¹⁵	22.6	-140 _99		ext.	3 3	1.0×10^{10} 1.0×10^{16}	4.0 5.3	-172 -159
	ext.	3	3.0×10^{15}	11.5	-93		ext.	3	3.2×10^{15}	2.5	-152
	ext.	3	2.7×10^{14}	2.2	-82		ext.	3	10.0×10^{15}	6.1	-127
	ext.	3	5.9×10^{15}	11.3	-71		ext.	3	1.0×10^{16}	7.3	-119
	ext.	3	1.0×10^{15} 1.1 × 10 ¹⁵	4.0 5.1	-57 36		ext.	3	3.2×10^{14} 1.0 $\times 10^{15}$	2.5	-112 87
	ext.	3	2.2×10^{15}	11.3	-22		ext.	3	3.2×10^{14}	2.5	-51
	ext.	3	3.0×10^{14}	2.7	8		ext.	3	9.8×10^{15}	8.3	40
	ext.	3	6.8×10^{15}	5.5	62		ext.	3	3.2×10^{15}	2.0	45
	ext.	3	9.0×10^{13}	14.9	79 101		ext.	3	3.2×10^{10}	4.6	$65 \\ 77$
	ext.	3 3	9.8×10^{15}	2.7 15.6	139		ext.	3 3	5.2×10^{15} 5.2×10^{15}	2.5 3.6	105
	ext.	3	5.5×10^{14}	2.3	153		ext.	3	1.0×10^{16}	8.3	134
\mathbf{CS}	ext.	3	3.4×10^{15}	2.4	158		ext.	3	1.0×10^{16}	6.1	157
	ext.	3	3.8×10^{14}	1.1	125	HON	ext.	3	3.2×10^{15}	0.8	162
	ext.	ა ვ	1.3×10^{15}	1.0	74	HUN	ext.	3 3	4.0×10 8.4 × 10 ¹²	0.5 4.5	49 45
	ext.	3	4.5×10^{15}	2.7	67		ext.	3	2.6×10^{13}	2.4	32
	ext.	3	1.5×10^{15}	3.4	120		ext.	3	1.1×10^{13}	0.8	24
	ext.	3	4.3×10^{15}	4.1	47		ext.	3	1.1×10^{13}	1.9	21
	ext.	3	5.2×10^{14} 3.5×10^{15}	1.5 10.0	37 93		ext.	3	2.1×10^{13} 1.4×10^{13}	0.3	6
	ext.	3	1.3×10^{15}	2.4	-23 -38		ext.	3	4.0×10^{13}	0.7 3.6	-2
	ext.	3	2.2×10^{15}	3.8	-47		ext.	3	5.9×10^{12}	1.9	-13
	ext.	3	2.0×10^{15}	2.3	-118		ext.	3	1.7×10^{12}	1.7	-35
	ext.	3	2.5×10^{15}	3.2	-125		ext.	3	1.7×10^{13}	5.9	-52
	ext.	3 २	1.8×10^{10} 5.2 $\times 10^{15}$	2.2 1.5	-138 -158		ext.	3 २	7.1×10^{12} 5.7 × 10 ¹²	1.0	-71
	ext.	3	1.8×10^{14}	21.4	-153	$\rm H^{13}CN$	ext.	3	8.4×10^{13}	1.3	-55
$^{13}\mathrm{CS}$	ext.	$\tilde{3}$	4.0×10^{14}	1.2	-171		ext.	3	3.8×10^{13}	4.8	70
	ext.	3	2.3×10^{15}	1.5	158		ext.	3	6.5×10^{13}	4.5	65
	ext.	3	3.6×10^{14}	1.0	151		ext.	3	4.5×10^{13}	7.1	44
	ext.	ა ვ	1.5×10^{10} 6.7×10^{14}	0.7 1.2	104		ext.	ა ვ	2.7×10^{13}	10.6 11.6	37 27
	ext.	3	8.9×10^{14}	2.5	86	HNC	ext.	3	1.5×10^{12}	7.9	134

T. Möller et al.: Full molecular line survey of hot cores, Online Material p 276

		(C	ontinued)			
Molecule	$\theta^{m,c}$	$T_{ex}^{m,c}$	$N_{tot}^{m,c}$	$\Delta \mathbf{v}^{m,c}$	$v_{LSB}^{m,c}$	
	('')	(K)	(cm^{-2})	$({\rm km}{\rm s}^{-1})$	$(\mathrm{kms^{-1}})$	
	ext.	3	1.3×10^{13}	1.2	21	
	ext.	3	1.0×10^{12}	0.1	0	
	ext.	3	4.0×10^{13}	12.6	-2	
	ext.	3	1.0×10^{12}	0.5	-22	
	ext.	3	2.2×10^{12}	1.2	-126	
	ext.	3	1.0×10^{12}	0.4	-147	
	ext.	3	1.0×10^{12}	31.2	-172	
	ext.	3	7.4×10^{12}	1.1	-182	
$\rm HN^{13}C$	ext.	3	2.0×10^{13}	16.7	-12	
	ext.	3	3.0×10^{13}	5.2	18	
	ext.	3	1.4×10^{13}	5.5	43	
	ext.	3	9.2×10^{13}	16.2	50	
	ext.	3	3.0×10^{13}	10.6	80	
	ext.	3	7.4×10^{13}	14.1	92	
	ext.	3	6.1×10^{13}	11.1	115	
	ext.	3	2.6×10^{13}	7.0	135	
$\rm H^{13}CO^+$	ext.	3	8.0×10^{13}	3.7	62	
$\rm HO^{13}C^+$	ext.	3	2.5×10^{12}	7.5	113	
	ext.	3	1.1×10^{13}	1.6	93	
	ext.	3	1.0×10^{12}	0.1	118	
	ext.	3	1.0×10^{13}	2.3	72	
	ext.	3	1.9×10^{13}	3.3	66	
	ext.	3	8.5×10^{12}	4.3	59	
	ext.	3	3.8×10^{12}	0.4	40	
	ext.	3	2.9×10^{12}	0.5	35	
	ext.	3	7.4×10^{12}	1.0	28	
	ext.	3	5.2×10^{13}	8.1	12	
	ext.	3	2.3×10^{12}	2.3	3	
	ext.	3	1.6×10^{13}	5.3	-12	
	ext.	3	1.0×10^{12}	21.1	-16	
	ext.	3	2.0×10^{12}	1.0	-32	
	ext.	3	1.0×10^{12}	0.5	-43	
	ext.	3	1.8×10^{14}	21.2	-62	