DO LARGE LANGUAGE MODELS DEFEND INFERENTIALIST SEMANTICS?

ON THE LOGICAL EXPRESSIVISM AND ANTI-REPRESENTATIONALISM OF LLMS

A PREPRINT

Yuzuki Arai¹ and Sho Tsugawa²

¹College of Media Arts, Science and Technology, School of Informatics, University of Tsukuba* ²Institute of Systems and Information Engineering, University of Tsukuba[†]

ABSTRACT

The philosophy of language, which has historically been developed through an anthropocentric lens, is now being forced to move towards post-anthropocentrism due to the advent of large language models (LLMs) like ChatGPT (OpenAI), Claude (Anthropic), which are considered to possess linguistic abilities comparable to those of humans. Traditionally, LLMs have been explained through distributional semantics as their foundational semantics. However, recent research is exploring alternative foundational semantics beyond distributional semantics for LLMs, specifically focusing on the issue of linguistic representationalism within this post-anthropocentric trend. Here, we show that the anti-representationalism and logical expressivism of inferential semantics, as well as quasi-compositionality, are useful in interpreting the characteristics and behaviors of LLMs. Further, we propose a *consensus theory of truths* for LLMs. This paper argues that the characteristics of LLMs challenge mainstream assumptions in philosophy of language, such as semantic externalism and compositionality. We believe the argument in this paper leads to a re-evaluation of anti-representationalist views of language, potentially leading to new developments in the philosophy of language.

Keywords large language models · philosophy of language · inferentialism

1 Introduction

The philosophy of language, which has historically been developed through an anthropocentric lens, is now being forced to move towards post-anthropocentrism due to the advent of large language models (LLMs) like ChatGPT (OpenAI)³, Claude (Anthropic)⁴, Gemini (Google)⁵, and Microsoft Copilot (Microsoft)⁶, which are considered to possess linguistic abilities comparable to those of humans (Cappelen and Dever 2021; Millière and Buckner 2024). Traditionally, LLMs have been explained through distributional semantics as their foundational semantics (Enyan et al. 2024; Grindrod 2024; Lenci and Sahlgren 2023). However, recent research is exploring alternative foundational semantics beyond distributional semantics (Grindrod 2024; Mallory 2023). This paper proposes Robert Brandom's inferentialist semantics (Brandom 1994) as an suitable foundational semantics for LLMs, specifically focusing on the issue of linguistic representationalism within this post-anthropocentric trend.

In philosophical inquiry concerning the nature of language and the process of meaning formation, truth-conditional semantics and inferentialist semantics have stood as two major opposing approaches (Brandom 2010, chap.5.2). The former aligns with representationalism, while the latter champions anti-representationalism. This debate represents a

^{*}y-arai@snlab.cs.tsukuba.ac.jp

[†]s-tugawa@cs.tsukuba.ac.jp

³https://openai.com/index/chatgpt/

⁴https://claude.ai

⁵https://gemini.google.com

⁶https://copilot.microsoft.com/

fundamental conflict within the philosophy of language and epistemology, offering fundamentally different views on the relationship between language and the world.

Representationalism views language as a mirror that reflects truths about the world. Truth-conditional semantics, a leading representationalist approach, defines the meaning of a sentence by its truth conditions—that is, the necessary and sufficient conditions under which it is true (Heim and Kratzer 1998). A key example of this is Montague semantics, which is a formal semantics grounded in logic, assuming compositionality in meaning. Montague semantics is also model-theoretic, offering an externalist semantics that defines meaning through models of possible worlds, entities, and universals (Partee 2016).

In contrast, anti-representationalism rejects external representations from the outset to avoid the skepticism towards meaning that representationalist semantics can lead to (Kripke 1982). Its roots can be traced back to Richard Rorty's *Philosophy and the Mirror of Nature* (Rorty 1979). One form of anti-representationalist semantics is the inferentialist semantics proposed by Brandom (2010), which grounds meaning not in external representations but in the norms and inferential roles among language users.

This paper highlights the anti-representational nature of LLMs and argues that Robert Brandom's inferentialist semantics (Brandom 1994) is more effective in explaining the functions and characteristics of LLMs than distributional semantics or the widely accepted truth-conditional semantics in contemporary philosophy of language.

The structure of the paper is as follows. First, we provide a brief explanation of LLMs and the paradigm they belong to (Section 2). Next, we argue for the suitability of inferentialist semantics over distributional semantics as the foundational semantics for LLMs (Section 3). We then outline the philosophical debate between representationalism and anti-representationalism and discuss how inferentialist semantics falls within the latter category (Section 4). Following this, we explain the core concepts of the ISA approach and linguistic idealism within inferentialist semantics (Section 5). We further analyze the nature of LLMs through the three components of the ISA approach: inference, substitution, and anaphora, demonstrating that inferentialism's anti-representationalism aligns with the characteristics of LLMs (Sections 6 and 7). Finally, we propose a consensus theory of truth for LLMs (Section 8).

This paper argues that the properties of LLMs challenge mainstream assumptions in philosophy of language, such as semantic externalism and compositionality. We believe the argument in this paper leads to a re-evaluation of anti-representationalist views of language, potentially leading to new developments in the philosophy of language.

2 Large Language Models

LLMs such as OpenAI's GPT-4, Anthropic's Claude, Meta's Llama 3^7 , and InstructGPT (Ouyang et al. 2022) are based on an architecture called Transformer, proposed by Vaswani et al. (2017)⁸. In particular, Transformers with multiple heads and layers are referred to as multi-head, multi-layer Transformers⁹. The multi-head, multi-layer Transformer, a central component of LLMs, retains information separated across subspaces corresponding to each head, allowing the model to represent syntactic structures, categorical hierarchies, and concepts (Voita et al. 2019)¹⁰. The Transformer takes as input the sum of embedding vectors (words or characters) and positional vectors ($v_i + p_i$), and computes self-attention through the QKV mechanism within the Transformer. In this process, the relationships between elements of the input sequence are captured. The vectors flowing through the residual stream undergo linear transformations in the attention mechanism, producing three vectors: queries (Q), keys (K), and values (V)¹¹. Equations (1) to (3) are the mathematical representation of a typical multi-head Transformer architecture. Equation (1) shows that the geometric

⁷https://ai.meta.com/blog/meta-llama-3/

⁸The arguments regarding LLMs in this paper also apply to small language models (SLMs) (Lu et al. 2024; Nguyen et al. 2024). Small language models refer to language models designed to achieve performance comparable to LLMs while utilizing fewer parameters and less computational resources.

⁹For a detailed mathematical explanation of the Transformer architecture, see Elhage et al. (2021).

¹⁰From the perspective of retaining information separately, the empirical property that embedding vectors and positional vectors are orthogonal is also significant. The vectors input into a Transformer are a weighted sum of word embeddings and positional embeddings. If these vectors belong to the same subspace, the sum operation could cause their information to mix. However, according to Maeda et al. (2024), the embedding vectors and positional embedding vectors in most input vectors are orthogonal. Thus, each vector retains its distinct information, and the combined vector can flow through the residual stream. The direct sum property of subspaces prevents information mixing.

¹¹In Equation (1), the concatenation operator (||) joins given vectors or matrices sequentially. This operation corresponds to the direct sum of vector spaces. Conversely, splitting vectors (for example, splitting a 4-dimensional vector (x, y, z, w) into two 2-dimensional vectors (x, y) and (z, w)) corresponds to the direct sum decomposition of vector spaces. Both are operations between subspaces that are mutually orthogonal complements, enabling the multi-head Transformer architecture to retain information independently.

function of multi-head attention lies in the direct sum of multiple subspaces. Equation (2) indicates that the core of the self-attention mechanism (QKV mechanism) is the dot product between the query vector (Q) and the key vector (K). Equation (3) shows that the self-attention operation is performed for each head.

$$MultiHead(Q, K, V) = \iint_{a}^{n} H_{i}W^{O}$$
(1)

$$\operatorname{Attn}(Q, K, V) = \operatorname{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right) V \tag{2}$$

$$H_i = \operatorname{Attn}(QW_i^Q, KW_i^K, VW_i^V) \tag{3}$$

The orthogonality of subspaces defined by the weight matrices (W) performing linear transformations enables information to be retained separately within each layer and each head of the model. This multi-layer, multi-head structure allows the model to acquire hierarchical and distributed representations, enabling it to capture complex linguistic phenomena. The Transformer architecture can address the intricate syntactic properties of language by capturing word-level features in shallow layers and abstract concepts or context in deeper layers.

The multi-head, multi-layer Transformers combine properties of classical symbolicism and classical connectionism. Symbolicism (computationalism) views human thought as a chain of discrete symbolic representations. In contrast, connectionism assumes representations are distributed within neural networks¹². Traditional AI before LLMs, known as GOFAI (Good Old-Fashioned Artificial Intelligence), belonged to the symbolicism paradigm, aiming to process natural language through discrete symbol manipulation. In contrast, LLMs are based on artificial neural network architectures, belonging to the connectionist paradigm while also exhibiting symbolic behavior in higher layers, such as syntax and coreference resolution¹³. Chalmers (2023) argues that the properties of LLMs fall under 'subsymbolism' (Smolensky 1987).

3 Foundational Semantics of Large Language Models

In the philosophy of language, *semantics* is divided into foundational semantics and descriptive semantics (Stalnaker 1997, p.535)¹⁴. Foundational semantics is a theory that explains the very meaning of meaning itself and includes truth-conditional semantics, verificationist semantics (Dummett 1975), inferentialist semantics (Brandom 1994), and teleosemantics (Millikan 1984). In contrast, descriptive semantics refers to theories that assign semantic value to sentences within a given semantic framework. Descriptive semantics is similar to the semantics described in the division of linguistic inquiry into pragmatics, semantics, and syntax by Charles Morris (Posner 1987).

Currently, the foundational semantics most often attributed to LLMs is distributional semantics, constructed within the American structuralist linguistic tradition by Firth (1957) and Harris (1954) (Grindrod 2024). Distributional semantics is the theory that the meaning of a lexical item is determined by the distribution of its surrounding contexts (Grindrod 2023). Modern LLMs and distributional semantics models (DSMs) adopt this distributional semantics as their underlying theory of meaning, relying on statistical co-occurrence probabilities of linguistic elements, such as word co-occurrence frequencies in texts. For example, the *de facto standard* for count-based word embeddings, known as the 'standard model' (Lenci and Sahlgren 2023, chap.4.1), represents word embeddings as column vectors of matrices produced by applying singular value decomposition (SVD) to a word-document co-occurrence matrix weighted with positive pointwise mutual information (PPMI)¹⁵. The embedding vectors produced by this standard model are unique to a given document. Modern Transformer-based LLMs take these sequences of embedding vectors as input and return sequences of embedding vectors as output¹⁶. Regarding whether distributional semantics can encompass LLMs, Grindrod states:

¹²The difference between symbolicism and connectionism can also be seen in the tools they use: the former relies on logic, while the latter employs linear algebra, calculus, and topology.

¹³For a comparison between GOFAI and LLMs, see Gubelmann (2023).

¹⁴Foundational semantics is also called meta-semantics, while descriptive semantics is sometimes referred to simply as semantics (Kaplan 1989, p.573–4).

¹⁵The pointwise mutual information PMI(x, y) extends the notion of self-information SI(x), i.e., SI(x) = PMI(x, x) (where x is an observed value of a random variable). Also, according to Lenci and Sahlgren (2023, chap.4.1), there are two versions of the standard model: PPMI-SVD and PPMI-iSVD, where PPMI-iSVD uses a Laplace-Carson-p transformed SVD instead of standard SVD. PPMI-SVD was used as an example here.

¹⁶Some state-of-the-art models use Byte-Level BPE (Byte Pair Encoding) (Wang, Cho, and Gu 2020) for embeddings. This method operates at the byte level rather than the character, word, or sentence levels by repeatedly merging frequent pairs of characters

The crucial linguistic point to note about transformers is that the architecture does not depart from the basic distributional approach insofar as they take the word embeddings that are at the heart of the distributional approach and then modify them on the basis of their contexts, where the context itself is only represented in distributional terms. (Grindrod 2024)

However, distributional semantics is considered insufficient for explaining the behavior of LLMs. For instance, Enyan et al. (2024), based on their research in computational linguistics, argue that distributional semantics needs further refinement to explain the behavior of LLMs. Additionally, the linear representation hypothesis (Mikolov, Yih, and Zweig 2013; Park et al. 2024) suggests that subspaces within LLMs represent concepts, implying a need to extend distributional semantics, which typically does not account for such conceptual structures.

To explain the nature of LLMs, we aim not to refine distributional semantics but to adopt alternative foundational semantics. In other words, we propose to interpret LLMs through meta-semantics other than distributional semantics. Restricting the semantics of LLMs to distributional semantics is analogous to interpreting human linguistic phenomena through a single meta-semantics. In reality, multiple semantic theories exist for human language (e.g., truth-conditional semantics and teleosemantics), and dismissing the possibility of a pluralistic foundational semantics for LLMs lacks justification and is anthropocentric. Limiting foundational semantics to distributional semantics goes hand-in-hand with a reductionist view that Transformers merely perform (non-)linear transformations of vectors. This risks undervaluing the significance of LLMs (leading to "underclaiming" (Bowman 2022) or the "Redescription Fallacy" (Millière and Buckner 2024, chap.3)) and undermining appropriate analyses.

This paper examines how adopting inferentialist semantics, rather than distributional semantics, as the foundational semantics for LLMs succeeds or fails in explaining their behavior and properties. Of course, other foundational semantics could also be used to interpret LLMs. For example, truth-conditional semantics is a viable option. However, truth in LLMs is relative to the training data, suggesting that these models generate and interpret sentences independently of the truth conditions defined as *meaning* in truth-conditional semantics¹⁷. If truth-conditional semantics were adopted, we would conclude that LLMs generate language without *meaning*, which seems counterintuitive. Therefore, truth-conditional semantics should be rejected for analyzing LLMs¹⁸.

When applying anthropocentric meta-semantics (Cappelen and Dever 2021) to LLMs, the primary concern is whether concepts like intention can be ascribed to them. For example, applying intention-based pragmatics like that of Grice (1957) requires addressing whether LLMs possess intentions or minds that support such intentions. However, inferentialist semantics does not rely on the intentions of the speaker¹⁹. Therefore, applying inferentialist semantics to LLMs, which intuitively lack psychological intentions, should be unproblematic.

4 Representationalism and Anti-Representationalism

This section provides an overview of the two opposing positions in the philosophy of language: representationalism and anti-representationalism. The inferentialism adopted in this paper as a framework for interpreting LLMs aligns with anti-representationalism.

4.1 Representationalism

Representationalism is the view that language is a mirror reflecting the truth of the world. Since ancient Greek philosophy, the dominant perspective has been that our language and beliefs should be understood in relation to the truth of the world.

or strings and treating them as new tokens. The implications of this embedding method for the metaphysics of meaning remain an open question.

¹⁷Shanahan (2024, chap.5) states: "The model itself has no notion of truth or falsehood because it lacks the means to exercise these concepts in anything like the way we do."

¹⁸The validity of this argument depends on the theory of truth underlying the truth conditions. For example, if the truth in truth conditions is defined by anti-realist truth theories like the consensus theory (see Section 8) or the coherence theory, one might argue that large language model outputs are based on truth conditions. Here, we are considering truth conditions concerning truths about the world external to LLMs. Additionally, since many truth theories rely on propositional beliefs, it remains unclear whether LLMs maintain beliefs in propositional form. Further philosophical insight is needed to understand the relationship between LLMs and truth.

¹⁹Intuitively, LLMs do not possess psychological intentions. For attempts to attribute intentions, beliefs, or attitudes to LLMs from the interpretivist perspective in the philosophy of mind, see Lederman and Mahowald (2024). For arguments claiming that LLMs exhibit Kantian cognitive autonomy, see Gubelmann (2024).

As Aristotle states in *Metaphysics* (1011b25), "to say of what is that it is not, or of what is not that it is, is false, while to say of what is that it is, and of what is not that it is not, is true" — a proposition that represents the correspondence theory of truth, which holds that a sentence or proposition is true if it corresponds to a fact in the world.

Tarski's definition of truth formalizes Aristotle's correspondence theory and is known as the Convention T: "The sentence 'P' is true if and only if P" (Tarski 1944). This biconditional links language and metaphysical ontology within truth-conditional semantics.

The transcendental linguistic theory presented in the early Wittgenstein's *Tractatus Logico-Philosophicus*, which brought about the linguistic turn, asserts the correspondence between language and the logical form of the world ("die logische Form"). This theory equates the limits of language with the limits of the world. The early Wittgenstein's theory is known as the 'picture theory', best expressed by the following proposition:

A proposition is a picture of reality. A proposition is a model of reality as we imagine it. (Wittgenstein 2014, Proposition 4.01)

The linguistic turn refers to a shift in philosophy that asserts philosophical problems arise from language and that resolving these problems requires analyzing language (Rorty 1967). Logical positivism, analytic philosophy, and the truth-conditional semantics dominant in contemporary philosophy of language inherit this representationalist relationship between language and the world. According to Soames (1989, p.575), "the central semantic fact about language is that it carries information about the world."

This representationalist view of language is highly compatible with the formal languages of science and engineering, such as equations of motion or chemical reaction formulas, but is generally considered difficult to apply to everyday language. Nevertheless, Wittgenstein (2014) and early Donald Davidson (Davidson 1967) attempted to apply representationalist views to everyday language. For example, Proposition 5.5563 in *Tractatus Logico-Philosophicus* expresses a representationalist view of everyday language: "All the propositions of our everyday language, just as they stand, are in perfect logical order."

The idea that everyday language is a picture of the world and shares its logical form continues in theories like Donald Davidson's truth-conditional semantics and Richard Montague's semantics (formal semantics). Montague (1975) stated, there is no "contention that an important theoretical difference exists between formal and natural languages."

4.2 Anti-Representationalism

Anti-representationalism opposes representationalism's view that language mirrors the truth of the world. This position was advocated by Rorty in his book *Philosophy and the Mirror of Nature* published in 1979. Rorty's anti-representationalism builds on Sellars' critique of the "myth of the given," which argues that epistemic justification occurs within the "space of reasons" (Sellars 1997, §36) and that epistemic linguistic practices are normative. In this view, epistemology and semantics are inseparable, and pure, unmediated knowledge of the world is impossible. Facts and values are thus inseparable. This view of truth rejects the dualism that separates epistemology from ontology. Given that truth-conditional semantics relies on this dualism, the contrast between representationalist truth-conditional semantics and anti-representationalist inferentialism becomes clear.

Inferentialism, as described by Brandom, is influenced by the later Wittgenstein's use theory of meaning. The use theory of meaning is encapsulated by the following proposition:

The meaning of a word is its use in the language. (Wittgenstein 1953, §43)

According to Wittgenstein, language is one of many games, and entering the linguistic space is equivalent to participating in a language game²⁰.

According to the functional linguist Harder (1995), "semantics is frozen pragmatics." The meaning of linguistic elements is solidified through their recursive use. Zellig Harris, a leading figure in distributionalism, states that "[1]inguistic elements are identified by the distributions of the contexts in which they appear" (Lenci and Sahlgren 2023, chap.1.1.1).

Leonard Bloomfield, another structural linguist, similarly notes:

²⁰Wittgenstein concludes that language use is "bare" and that scientific investigations into meaning are impossible (Wittgenstein 1953, §109, §126). However, considering computational linguistic paradigms like BERTology (Rogers, Kovaleva, and Rumshisky 2020), mechanistic interpretability (Kästner and Crook 2024), and explainable AI (XAI) (Arrieta et al. 2020), it is debatable whether strict nihilism about meaning is appropriate. Millière (2024, sect.3) categorizes computational linguistics methods into behavioral studies, probing studies, and interventional studies. The latter two investigate causal relationships between input and output by decoding or intervening in neurons, which seems to conflict with Wittgenstein's view.

There is nothing in the structure of morphemes like *wolf*, *fox*, and *dog* to tell us the relation between their meanings; this [the meaning of words] is a problem for the zoölogist. The zoölogist's definition of these meanings is welcome to us as a practical help, but it cannot be confirmed or rejected on the basis of our science. (Bloomfield 1933, p.162)

Here, meaning is defined pragmatically and considered inappropriate for scientific inquiry. This structuralist tradition is sometimes labeled "anti-semantic" by analytic philosophers (Murphy 2003).

This stance on meaning aligns with the later Wittgenstein's philosophy, which emphasizes description over analysis. Proponents of the Augustinian view that words name and refer to objects are called 'nomenclaturists', while those with anti-representationalist views like the later Wittgenstein and structuralists are called 'anti-nomenclaturists'. The conflict between early and later Wittgenstein reflects the broader conflict between nomenclaturism and anti-nomenclaturism, and between representationalism and anti-representationalism. This theoretical divide manifests as the opposition between formal semantics and structural linguistics. Brandom captures this divide succinctly:

I actually think that the division of pre-Kantian philosophers into representationalists and inferentialists cuts according to deeper principles of their thought than does the nearly coextensional division of them into empiricists and rationalists. (Brandom 2000, chap.1.2)

5 Inferentialism

Inferentialism is an anti-representationalist theory in the philosophy of language, proposed by Robert Brandom in his book *Making It Explicit*. It primarily consists of inferential semantics and normative pragmatics. In this section, we will discuss the components of inferentialism, focusing particularly on the ISA approach within inferential semantics, its anti-representationalist nature, and its linguistic idealism. These elements of inferentialism will serve as a framework for interpreting the mechanisms and behaviors of LLMs in Section 6.

5.1 Inferential Semantics

Brandom distinguishes between three forms of inferentialism: 'weak inferentialism', 'strong inferentialism,' and 'hyperinferentialism' (Brandom 1994, pp.131–2). He adopts strong inferentialism for his own theory. Strong inferentialism recognizes not only inferences between conceptual contents but also the situations and consequences related to them, considering inferential articulation sufficient for determining meaning. Inferential articulation refers to making explicit the role that words or sentences play within inference²¹.

Inference itself is called 'material inference.' In contrast to formal inference, as seen in model-theoretic truth-conditional semantics, material inference reflects our actual inferential practices. For example, consider the proposition "p" ("I have twenty dollars") and the inference to "s" ("I can buy a paperback priced at twenty dollars"). In classical logic, this inference is invalid because, for "s" to be true, other propositions like "q" ("There is a bookstore that sells paperbacks") and propositions regarding proximity to the bookstore or transportation means must also be true. Formally, this is expressed by the invalid entailment " $p \land q \land \cdots \implies s \vdash p \implies s$." Material inference, however, allows us to treat such inferences as valid, reflecting our inferential practices. This view, which considers formal inference as a derivative of language use, is called 'logical expressivism.'

Brandom's inferentialism introduces the concepts of substitutable expressions and anaphoric expressions. In truthconditional semantics, concepts like *truth* and *reference* are central. Inferentialism treats these as substitutable expressions and anaphors, respectively. For instance, the concept of truth is treated as an anaphor in statements like "'P' is true," where "true" anaphorically refers to the expression "'P'." Similarly, reference is treated as an anaphor referring to designators within a sentence.

Singular terms and predicates, which plays key roles in representing individuals and universals in Fregean semantics, are given as follows. In inferentialism, these are defined as follows: If the inference from "Qa" to "Qb" is valid, and the inference from "Qb" to "Qa" is also valid, then "a" and "b" are singular terms. Conversely, if the inference from "Qa" to "Qb" is valid, then "a" and "b" are singular terms. For example, the inference from "The Morgenstern is a planet composed primarily of carbon dioxide" to "The Abendstern is a planet composed

²¹The difference between hyper-inferentialism and strong inferentialism lies in the former's exclusion of perceptual experiences from inference, whereas the latter can include them. Purely linguistic LLMs, which rely solely on linguistic data, may align with hyper-inferentialism but not with strong inferentialism. In contrast, multimodal language models (MLLMs) can potentially align with strong inferentialism. Although this study focuses on pure LLMs, the discussion can extend to multimodal models. Therefore, the difference between strong and hyper-inferentialism does not pose a problem for this analysis.

primarily of carbon dioxide" is valid, and the reverse inference is also valid²². Therefore, *Morgenstern* and *Abendstern* are singular terms referring to the same object. Such substitutional inferences determine whether elements are singular terms (if symmetric) or predicates (if asymmetric).

In inferentialist semantics, demonstratives like "this book" and "that", which were considered as true proper names in the final stage of Russell's theory (Russell 1940), are treated as anaphors. For instance, in the sentence "I am reading *Introduction to Inferentialism*, and that book is already out of stock," "that book" anaphorically refers to "*Introduction to Inferentialism*."

Brandom refers to this inferential semantic approach as the ISA approach, derived from the initials of *Inference*, *Substitution*, and *Anaphora*. The ISA approach can be seen as translating representationalist semantic concepts into anti-representationalist semantics. Through the ISA approach, sentences and words connect to the external world, thereby acquiring representationality.

5.2 Linguistic Idealism

Inferentialism is sometimes characterized as linguistic idealism. Linguistic idealism is the view that the world constructed by language is all that exists. In inferentialist semantics, the meanings of words are determined solely by their roles in inference. Therefore, meaning is confined within language, and sentences do not structurally correspond to the world²³.

Inferentialism has been criticized as a relativist theory that "loses the world," making it unable to describe scientific progress as outlined by Thomas Kuhn (Brandom 1994, p.330-331) (Bernstein 2010; McDowell 1996; Rorty 1997). In response, Brandom argues that introducing the distinction between normative attitudes and normative statuses can avoid relativism (Brandom 1994, p.54-55, 597). Additionally, in Brandom (2019), he incorporates conceptual realism to account for world-responsiveness within inferentialism. Conceptual realism holds that the world has a conceptual structure that exists independently of us.

6 Large Language Models and the ISA Approach

In this section, we will discuss LLMs and their connection to the inferentialist ISA approach, showing how the characteristics of LLMs support the logical expressivism and quasi-compositional, anti-representational principles of inferentialism.

6.1 Inference

In classical symbolist approaches, formal inference constituted inference itself, with its syntax and semantics described by logic. In contrast, the Transformer architecture performs inference not through formal logic, but by using statistical rules captured by the heads in higher layers. In other words, LLMs acquire inferential abilities from patterns of language use contained in the training data, without being explicitly given logical inference rules. This feature aligns well with the concept of material inference and is less compatible with truth-conditional semantics dependent on formal inference.²⁴

Sellars (1953) defends the indispensability of material inference (MI) to our linguistic practices, exemplified by the inference "A is an apple \implies A is a fruit." Proponents who emphasize formal inference consider this inference as an enthymematic form of a syllogism and do not accept it in its raw form. They regard inference MI as an abbreviated form of the following syllogism:

Premise 1: A is an apple **Premise 2**: For all X, if X is an apple, then X is a fruit **Conclusion**: A is a fruit

²²Both *Morgenstern* and *Abendstern* refer to Venus. This example is commonly used to illustrate Frege's distinction between "reference (Bedeutung)" and "sense (Sinn)." Note that substitution inference does not require actual reference to entities.

²³Compare with (Wittgenstein 2014, Proposition 5.5562), regarding the relationship between ordinary language and the world.

²⁴Buder-Gröndahl (2023) question the generative-linguistics-based Structural Descriptions (SD) interpretation in BERTology (Rogers, Kovaleva, and Rumshisky 2020), and propose a paradigm shift in linguistics. Recognizing the essentially connectionist nature of LLMs, they highlight the limitations of evaluating these models within a rule-based symbolic framework. From this perspective, they advocate for what they call a "LLM-first linguistics," an approach that abandons the theoretical premises of generative linguistics and takes the behavior of LLMs as a direct object of study. Furthermore, they point out that the concept of *representation* is becoming theoretically unclear and increasingly difficult to defend. This viewpoint potentially strengthens the anti-representationalist stance that representation should be eliminated from linguistic theory.

The inference ability of LLMs is trained through the material use of inference rules embedded in their training data. It is then stored in the weight matrices of the higher layers of the model and expressed when these weight matrices operate during token output. Language models are not performing inference by some indirect means such as analyzing shortened syllogisms (enthymemes) in formal inference. The material inferences advocated by Sellars (1953) are directly derived from statistical patterns whenever such emergently sufficient inference rules are included in the training data. Thus, it is appropriate to consider the inference in LLMs as material rather than formal inference.

In addition to the fact that language model inference is material inference, it is also important that the formal logical relations that appear in LLMs are not directly coded into them. In pre-LLM symbolist GOFAI, logical operators were embedded into the language processing system, making it difficult to represent everyday material relations. In contrast, LLMs acquire the material logical relations that exist between sentences from massive training data, and they mimic and output the logical relationships that emerge therein. The logical inference in a language model is not coded into the model; rather, it is an attendant property arising from the neural network's weights. It does not perfectly achieve classical logical inference. For instance, researchers continue to face challenges improving text entailment recognition tasks (Putra, Siahaan, and Saikhu 2024), which ask whether a logical entailment relation exists between sentences. In other words, the logic in LLMs is acquired bottom-up from massive training data, rather than top-down from formal logic implementation. In this sense, the subsymbolism (Chalmers 2023) of LLMs aligns with the logical expressivism of inferentialism.

Next, we will show that Transformers do not strictly support the principle of compositionality, and that the quasicompositional nature of LLMs aligns with Brandom's quasi-compositionalism.

In the Transformer architecture, relationships with other tokens are realized through an attention mechanism, where vectors known as attention play a crucial role. Attention vectors take as arguments the matrix representing the input sequence and the vector of the target token itself, forming a probability simplex²⁵ that represents how strongly a given token depends on other tokens. By this attention mechanism, the contextual principle that "the meaning of a word must be questioned in the context of a sentence" (Frege 1884/1950) is maintained.

However, it is not clear whether the principle of compositionality, i.e., that "The meaning of a complex expression is determined by its structure and the meanings of its constituents" (Szabó 2024), holds for this architecture. Indeed, some argue that the inductive biases and meta-learning of LLMs can give rise to compositionality (Russin et al. 2024), or attempt to preserve compositionality within the domain of distributional semantics through compositional distributional semantics (Baroni, Bernardi, Zamparelli, et al. 2014; Coecke, Sadrzadeh, and Clark 2010; Smolensky 1990), or study 'compositional generalization' in computer vision (Fu et al. 2024; Li et al. 2019). However, the principle of compositionality generally is not guaranteed in connectionist systems, unlike in symbolic systems. The same applies to LLMs.²⁶ Similarly, inferentialism does not adhere to the principle of semantic compositionality. Fodor and Lepore (1991) criticizes inferentialism for deviating from compositional principles of meaning. For example, inferentialist semantics would also admit the inference "brown cows are dangerous" as valid. But from a perspective that regards compositionality as essential to semantics, the meaning "dangerous" should be derived compositionally from the meanings of "brown" and "cow." Since neither "brown" nor "cow" can yield the meaning "dangerous," inferentialist semantics is considered inadequate as a semantics. As Fodor puts it, "'brown cows are dangerous' is contingently true, true in virtue of the facts about brown cows, not in virtue of the facts about me" (ibid., p.24). In response, inferentialism, which takes material inference as meaning, can accept such "accidentally true" meaning within its semantic framework. Rabovsky and McClelland (2020) notes that natural language is 'quasi-compositional'. The quasi-compositional nature of LLMs, the skepticism towards the principle of compositionality (Pelletier 2016), and the quasi-compositionality of natural language all align with the quasi-compositional stance of inferentialism that "[i]t is important not to treat languages as more compositional than they are." (Brandom 2007, p.177).²⁷

6.2 Substitution

In inferentialism, singular terms and predicates are defined by means of inferential substitutions. However, LLMs do not introduce linguistic categories such as singular terms or predicates by design. These categories are acquired

²⁵A probability simplex is also known as a probability vector.

²⁶The attention mechanism given to token sequences might be seen as corresponding to 'radical contextualism' (Searle 1980). A similar argument can be found in Nefdt (2023). However, it is not clear whether the property of LLMs aligns with the context-sensitive form of compositionality (C_{OCC}) described in Szabó (2024). First, it is not clear what counts as a language L in a language model. Second, it is not clear what counts as *meaning* in a language model.

²⁷Peregrin (2009, chap.9) takes the principle of compositionality not as describing an act of composition, but merely as a methodological principle for decomposing the meaning of the whole into the meanings of the parts.

automatically and verified post hoc.²⁸ LLMs do not extract singular terms by means such as "if $Qa \implies Qb$ and $Qb \implies Qa$, then a and b have the same meaning as singular terms." The same applies to predicates. Thus, there is a mismatch between the inferentialist approach of extracting singular terms and predicates via substitutional inference and the way singular terms and predicates are handled within LLMs.

However, there might be a connection between the role of substitutability in generating meaning or content (Adriaans 2024) and the process by which LLMs produce tokens according to induction heads (Olsson et al. 2022) and suppress heads (McDougall et al. 2024). Induction heads and suppress heads refer back to previous tokens and replicate or suppress them. On the other hand, inferentialism focuses on normative linguistic practices based on non-commutativity, such as the 'material incompatibility' that one cannot simultaneously commit oneself to both "this apple is green" and "this apple is red" (Brandom 1994; Sellars 1953). The role of heads dealing with substitutability, such as induction or suppression heads, may be key to explaining normativity in LLMs in a way that does not fall into dispositionalism, which inferentialism criticizes. Their properties might be crucial to a non-dispositional account of normativity that inferentialism seeks.

6.3 Anaphora

The inferentialist way of resolving concepts like deictics and reference through anaphora treats the meaning of demonstratives not by their relation to the world but rather internally within language. This approach aligns with the anti-representational nature of LLMs. In inferentialism, the connection to the world is ultimately given, and demonstratives are given by substitutional inference that involves anaphora of terms within sentences. Non-multimodal LLMs, which take no input other than linguistic data, cannot connect to the world through non-linguistic media, and so concepts like deixis and reference remain enclosed within language.

In Transformers, anaphora can be considered to be realized by the attention mechanism or by special attention heads known as 'induction heads.' ²⁹ Attention represents a probability simplex indicating how much one token depends on other tokens. Figure 1 visualizes the attention paid by the demonstrative "it" in the sentence "That pig is grunting, so it must be happy" within BERT, one of the Transformer encoder models³⁰. As seen in the figure, "it" has a large inner product (similarity) with "that" and "pig" respectively, indicating that BERT is performing anaphora resolution of the demonstrative.

Layer: 8 v Head: 10 v					
	Query q	Key k	$q \times k$ (elementwise)	q·k	Softmax
[CLS]					[CLS]
that					that
pig					pig
is					is
grunt					grunt
##ing					##ing
,					
SO					SO
😑 it					it
must					must
be					be
happy					happy
[SEP]					[SEP]

Figure 1: Neuron View by BertViz. The inner product between "that" and "pig" is large respectively, showing anaphora resolution of a demonstrative. The color and brightness of each neuron represent the sign (blue for positive, red for negative) and magnitude of the inner product value of each neuron, respectively.

Induction heads are circuits that, given a sequence "[A][B]...[A]," choose "[B]" as the next token to complete the pattern by copying previously occurring sequences (Elhage et al. 2021; Olsson et al. 2022). For example, given a token

²⁸In contrast, in formal semantics such as Montague grammar, singular terms and predicates are given a priori as entirely different linguistic categories.

²⁹Masked attention is used to prevent backward references in Transformers. The encoder model BERT (Devlin et al. 2019) uses self-attention that allows backward references, whereas the decoder model GPT (Yenduri et al. 2023) uses masked attention that does not allow backward references.

³⁰This figure was created using BertViz (Vig 2019), displaying Neuron View on the bert-base-uncased pretrained model. The figure shows the attention in layer 8, head 10.

sequence "That pig is grunting ... it", and with attention linking the demonstrative and its referent, the induction heads would have a higher probability of choosing the word "grunts" next.

By means of attention and induction heads, demonstratives are associated with their referents, and the surrounding context is also linked. Since the language model can only imagine the world through the linguistic information given, the meaning of demonstratives like "this pig" or "it" is not obtained by pointing to the world, but through forward anaphora resolved by attention.

7 The Anti-Representationalism and Semantic Internalism of Large Language Models

In this section, we point out the anti-representationalist and linguistically idealist characteristics of LLMs and, on that basis, discuss their semantic properties and affinity with semantic internalism.

7.1 The Anti-Representationalism of Large Language Models

LLMs exhibit strongly anti-representationalist characteristics in their learning processes and functionalities. The only points at which one might consider LLMs to be *connected* to the world are: (1) weight adjustments through training data, (2) reinforce learning through human feedback (RLHF), and (3) in-context learning that occurs during interaction between models and humans. Weight adjustments are made based on large-scale corpus data, RLHF is a reinforcement learning-based method that uses human evaluations of the model's responses to adjust internal parameters (Kaufmann et al. 2024; Ouyang et al. 2022), and in-context learning refers to parameter shifts during ongoing interaction with the model (Dong et al. 2024). The corpus data and human evaluations used for RLHF, as well as the interactive inputs for in-context learning, can all be freely altered by humans. Thus, there is no principled guarantee that the system maintains a representational relation with the world. For example, consider replacing every instance of the sentence "Apples are red" in the training data with "Apples are rainbow-colored." In this scenario, the LLM would likely come to *believe* that "apples are rainbow-colored," which should not be controversial. Likewise, if model's ethical responses are consistently rated poorly during RLHF, the model is likely to start producing unethical responses. In this way, LLMs are *only* open to truths of the world via the humans involved in providing training data and RLHF, and these truths can be easily distorted by humans. This allows us to say that LLMs are anti-representationalist³¹. Moreover, non-multimodal, purely linguistic LLMs can be said to be linguistically idealist, in the sense that they lack any perceptual experience.

The meaning acquisition process in LLMs is based on the distributional hypothesis, whereby the meaning of a word is learned from its context of occurrence. This indicates that the LLM's nature aligns with an anti-representationalist position, which holds that meaning exists within language use itself. Such semantic internalism stands in contrast to the semantic externalism of early Wittgenstein, who, in the *Tractatus Logico-Philosophicus*, postulated a logical form in which everyday language corresponds to the world. LLMs do not presuppose such syntactic correspondences between language and the world.

Furthermore, these models do not generate sentences compositionally from their constituent parts; instead, they use context-dependent mechanisms (such as giving attention to all tokens in a sequence). This non-compositional approach contrasts with representationalist approaches like truth-conditional semantics. Truth-conditional semantics mainly focuses on declarative sentences, and it is well-known that it struggles to handle other sentence types like interrogatives or imperatives. On the other hand, LLMs can handle dynamic, context-dependent language processing regardless of sentence type. This feature is closer to Brandom's inferentialist approach, which does not rely on the concept of sentence type. Additionally, in these models, notions like truth or reference are not ontological concepts existing outside language, but rather are treated internally to language. This aligns with anti-representationalist and deflationary semantic positions that view truth and reference as language-internal roles.³²

Moreover, the intrinsic nature of concepts in the linear representation hypothesis in LLMs (Mikolov, Yih, and Zweig 2013; Park et al. 2024) seems to align with the anti-representationalist nature of inferentialism. According to Park et al. (2024), in LLMs, categorical hierarchies are represented as subspaces in a linear space. In the linear representation hypothesis, the vector representing *animal* is said to exist in a distinct subspace that does not intersect with the subspace

³¹Maruyama (2019) states: "Compositional symbolic semantics is usually referential, and presupposes reality outside language, [...] and it may be seen as realism. Contextual distributional semantics does not presuppose anything outside language, deriving meaning vectors just from contexts within language. It may thus be seen as antirealism." His anti-realist perspective seems to conflict with the conceptually realist view of inferentialism. While LLMs are indeed anti-realist, this does not imply the nonexistence of the external world. To mitigate the anti-realist nature of LLMs, inferentialist considerations are necessary.

³²Mandelkern and Linzen (2024) argue that adopting an externalist, causal theory enables LLMs to achieve reference. However, this does not contradict our argument. Considering the social externalism in inferentialism, the anti-representationalist notion of reference and the causal theoretic notion of reference can coexist without difficulty.

containing the vectors representing *dog* or *cat*. In contrast, in model-theoretic semantics, the validity of the asymmetric inference about the predicates mentioned earlier is derived from the asymmetric inclusion relationships between the sets corresponding to these predicates. For example, the inference "If an individual is a dog, then that individual is an animal" is valid, whereas the reverse inference "If an individual is an animal, then that individual is a dog" is not, because the set of individuals that are *dogs* is included within the set of individuals that are *animals*, but the reverse does not hold.

The relationship between superordinate and subordinate concepts is described in terms of set inclusion in modeltheoretic semantics, whereas it is described as orthogonal relationships between subspaces in the linear representation hypothesis. For instance, the relationship between the antecedent and consequent in the proposition "If an individual is a dog, then that individual is an animal" is interpreted as follows in each framework (see Table 1).

Theory	Representation
Model-theoretic Semantics	Set of dogs \subset Set of animals
Linear Representation Hypothesis	$\overrightarrow{\mathrm{dog}} \perp \overrightarrow{\mathrm{animal}}$

Table 1: Comparison of Model-theoretic Semantics and Linear Representation Hypothesis

In this way, while relationships are described using first-order predicate logic in model-theoretic semantics, categorical hierarchies are represented by the geometric properties of the embedding linear space in the linear representation hypothesis³³. If such categorical hierarchies emerge in the representational space within LLMs, it might become possible to explain concepts like *universals* and *individuals* not as metaphysical categories but in an anti-representationalist manner as psychologistic concepts³⁴. Through research on the explainability of LLMs, such as BERTology (Rogers, Kovaleva, and Rumshisky 2020) and probing techniques (Arrieta et al. 2020), it is expected that the manner in which concepts such as individuals and properties are represented internally in LLMs will become increasingly clear.

7.2 The Semantic Internalism of Large Language Models

The anti-representationalist stance of LLMs supports a form of semantic internalism. A semantic internalist, Collins, states:

Why can't we speak of arrivals having duration? After all, every worldly event takes some time. There seems to be nothing in the world precluding an arrival being stretched out over time. In a sense, though, the very idea of an arrival having duration is absurd, for arrivals just are terminations, which are aspects of how we view the world, not aspects of the world which we reflect. (Collins 2015, pp.66–67)

From this passage, it can be inferred that he regards language as capturing the way we see the world. Such a semantic internalist understanding of meaning clearly applies to LLMs. This is because the *world model* that the LLM references as its coordinate system when generating sentences is *not* the world itself, but the internal representation learned from its training data. The language model generates output through its internally represented world model, and that output reflects *how it sees the world*.

Additionally, LLMs partially align with Heidegger's philosophy of language. Heidegger (1959, p.259) remarks that language is spoken by language itself, and its imitative quality is so strong that it deprives the speaker of subjectivity ("die Sprache spricht"). This observation about the imitative nature of language is exactly on target for LLMs, whose generated texts are derived from existing linguistic data. Since a large language model is given its language by the linguistic training data, it cannot escape that language. Thus, in LLMs, language indeed *speaks itself*.

8 A Theory of Truth for Large Language Models

Which theory of truth might LLMs fit into? First, their connection with numerous external subjects through RLHF can be interpreted as supporting a *consensus theory of truth*. The consensus theory of truth is a semantic stance taken

³³Set inclusion (\bigcirc) is asymmetric, whereas orthogonality between vectors (\bot) is symmetric. In other words, orthogonal relationships lack information about which vector represents the superordinate (or subordinate) concept.

³⁴Regarding whether the linear representation hypothesis is anti-representationalist, one might argue that linear representations in the hypothesis are representationalist in that they represent the structure of the world. In response, it could be countered that linear representations in LLMs are extracted from linguistic training data and are unrelated to the truth or falsity of the real world, thereby being anti-representationalist.

by inferentialists and by Habermas, holding that the agreement of all cognitive subjects serves as the criterion for truth (Tugendhat and Wolf 1989). RLHF is a reinforcement learning method that improves a model's performance by having multiple humans evaluate the correctness and appropriateness of its outputs (Kaufmann et al. 2024; Ouyang et al. 2022). This means that truth in a language model is given according to the consensus theory of truth. The truth within the language model does not necessarily align with the truth of our world, since the truth in the language model is based solely on the training data and the evaluations provided through RLHF. RLHF is performed by multiple human cognitive subjects, and the set of their *beliefs* becomes the model's *beliefs*. In other words, truth within the language model is nothing other than the consensus of the cognitive subjects who provide feedback.

This consideration is not limited to LLMs alone. There are no strong grounds for positing a significant epistemic difference between a language model with perceptual modalities and humans in context of idealism. These reflections also relate to the general issue of the attainability of truth for humans, not just for LLMs.

9 Conclusion

In this paper, we have attempted to interpret and describe the behavior of current Transformer-based LLMs through Robert Brandom's inferentialist semantics, which is representative of the pragmatist tradition.

The main points of this study can be summarized in the following two points:

First, we have argued that LLMs are essentially anti-representationalist and linguistically idealist. LLMs learn solely from linguistic data, have no direct contact with the external world, and the sentences they produce do not syntactically correspond to the world. This is consistent with the anti-representationalist linguistic view (linguistic idealism), according to which language encompasses the world.

Second, we have demonstrated that inferentialist semantics is more suitable than truth-conditional semantics and distributional semantics for interpreting LLMs. LLMs adopt a non-compositional approach that relies on understanding the entire context, in contrast to representationalist approaches such as truth-conditional semantics. While it remains unclear how LLMs might express the normativity at the core of inferentialist normative pragmatics, inferentialist logical expressivism and quasi-compositional principles present strong explanatory potential for LLMs. Furthermore, although we argued that truth-conditional semantics is not an appropriate semantic framework for interpreting LLMs, we also noted that the suitability of truth-conditional semantics depends on the theory of truth that provides the definition of *truth* in truth conditions. It remains possible that, given future research on theories of truth, truth-conditional semantics could become a valid semantic approach.

However, this paper did not address the relationship between the normative pragmatics—an important pillar of inferentialism—and the characteristics of LLMs. While we have not been able to indicate a possible interpretation of normativity in LLMs, we hope that future philosophical research on artificial intelligence and work on mechanical interpretability will offer new insights into this issue.

This paper represents one philosophical attempt to interpret rapidly evolving AI technologies, especially LLMs. Future challenges include empirically testing the theoretical framework presented here and exploring new philosophical problems that may arise as LLMs continue to evolve. We also anticipate that the findings of this study will provide new perspectives on AI ethics and the coordination between humans and AI.

References

- Adriaans, Pieter (2024). "Information". In: *The Stanford Encyclopedia of Philosophy*. Ed. by Edward N. Zalta and Uri Nodelman. Summer 2024. Metaphysics Research Lab, Stanford University.
- Arrieta, Alejandro Barredo et al. (2020). "Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI". In: *Information Fusion* 58, pp. 82–115. ISSN: 1566-2535. DOI: https: //doi.org/10.1016/j.inffus.2019.12.012. URL: https://www.sciencedirect.com/science/ article/pii/S1566253519308103.

Baroni, Marco, Raffaella Bernardi, Roberto Zamparelli, et al. (2014). "Frege in space: A program for compositional distributional semantics". In: *Linguistic Issues in language technology* 9, pp. 241–346.

Bernstein, Richard J. (2010). The Pragmatic Turn. Malden, MA: Polity Press. Chap. 5.

Bloomfield, Leonard (1933). Language. Holt, Rinehard and Winston.

Bowman, Samuel (May 2022). "The Dangers of Underclaiming: Reasons for Caution When Reporting How NLP Systems Fail". In: *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*. Ed. by Smaranda Muresan, Preslav Nakov, and Aline Villavicencio. Dublin, Ireland:

Association for Computational Linguistics, pp. 7484–7499. DOI: 10.18653/v1/2022.acl-long.516. URL: https://aclanthology.org/2022.acl-long.516.

- Brandom, Robert (1994). *Making It Explicit. Reasoning, Representing, and Discursive Commitment.* Cambridge, Mass.: Harvard University Press.
- (2000). Articulating Reasons. An Introduction to Inferentialism. Harvard University Press.
- (2007). "Inferentialism and Some of Its Challenges". In: *Philosophy and Phenomenological Research* 74.3, pp. 651-676. ISSN: 00318205. URL: http://www.jstor.org/stable/40041073 (visited on 07/04/2024).
- (2010). "Reply to Jerry Fodor and Ernest Lepore's "Brandom Beleaguered"". In: *Reading Brandom*. Ed. by Bernhard Weiss and Jeremy Wanderer. 1st ed. Accessed July 4, 2024. Routledge. Chap. 27. URL: https://www.perlego.com/book/1609062.
- (2019). A Spirit of Trust: A Reading of Hegel?s Phenomenology. Cambridge, Massachusetts: Harvard University Press.
- Buder-Gröndahl, Tommi (Dec. 2023). "The ambiguity of BERTology: what do large language models represent?" In: *Synthese* 203.1, p. 15. ISSN: 1573-0964. DOI: 10.1007/s11229-023-04435-5. URL: https://doi.org/10.1007/s11229-023-04435-5.
- Cappelen, Herman and Josh Dever (2021). *Making Ai Intelligible: Philosophical Foundations*. New York, USA: Oxford University Press.
- Chalmers, David J. (2023). "The Computational and the Representational Language-of-Thought Hypotheses". In: *Behavioral and Brain Sciences* 46, e269. DOI: 10.1017/s0140525x23001796.
- Coecke, Bob, Mehrnoosh Sadrzadeh, and Stephen Clark (2010). *Mathematical Foundations for a Compositional Distributional Model of Meaning*. arXiv: 1003.4394 [cs.CL]. URL: https://arxiv.org/abs/1003.4394.
- Collins, John (Aug. 2015). "II—John Collins: Methodology, Not Metaphysics: Against Semantic Externalism". In: *Aristotelian Society Supplementary Volume* 83.1, pp. 53–69. ISSN: 0309-7013. DOI: 10.1111/j.1467-8349.2009. 00172.x. eprint: https://academic.oup.com/aristoteliansupp/article-pdf/83/1/53/5023737/ aristoteliansup83-0053.pdf. URL: https://doi.org/10.1111/j.1467-8349.2009.00172.x.
- Davidson, Donald (1967). "Truth and Meaning". In: Synthese 17.1, pp. 304–323. DOI: 10.1007/bf00485035.
- Devlin, Jacob et al. (June 2019). "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding". In: Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers). Ed. by Jill Burstein, Christy Doran, and Thamar Solorio. Minneapolis, Minnesota: Association for Computational Linguistics, pp. 4171–4186. DOI: 10.18653/v1/N19-1423. URL: https://aclanthology.org/N19-1423.
- Dong, Qingxiu et al. (Nov. 2024). "A Survey on In-context Learning". In: *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*. Ed. by Yaser Al-Onaizan, Mohit Bansal, and Yun-Nung Chen. Miami, Florida, USA: Association for Computational Linguistics, pp. 1107–1128. DOI: 10.18653/v1/2024.emnlp-main.64. URL: https://aclanthology.org/2024.emnlp-main.64.
- Dummett, Michael (1975). "?What is a Theory of Meaning?(I)? In: Guttenplan, S". In: *Mind and language*. Ed. by Samuel D. Guttenplan. Clarendon Press.
- Elhage, Nelson et al. (2021). "A Mathematical Framework for Transformer Circuits". In: *Transformer Circuits Thread*. https://transformer-circuits.pub/2021/framework/index.html.
- Enyan, Zhang et al. (2024). Are LLMs Models of Distributional Semantics? A Case Study on Quantifiers. arXiv: 2410.13984 [cs.CL]. URL: https://arxiv.org/abs/2410.13984.
- Firth, J. R. (1957). "A Synopsis of Linguistic Theory". In: Studies in Linguistic Analysis. Blackwell, pp. 1–32.
- Fodor, Jerry and Ernest Lepore (1991). "Why Meaning (Probably) Isn't Conceptual Role". In: *Mind and Language* 6.4, pp. 328–43. DOI: 10.1111/j.1468-0017.1991.tb00260.x.
- Frege, Gottlob (1884/1950). The Foundations of Arithmetic. Evanston, Ill., Northwestern University Press, p. x.
- Fu, Jingwen et al. (2024). A General Theory for Compositional Generalization. arXiv: 2405.11743 [cs.LG]. URL: https://arxiv.org/abs/2405.11743.
- Grice, Herbert Paul (1957). "Meaning". In: Philosophical Review 66.3, pp. 377–388. DOI: 10.2307/2182440.
- Grindrod, Jumbly (2023). "Distributional Theories of Meaning: Experimental Philosophy of Language". In: *Experimental Philosophy of Language: Perspectives, Methods, and Prospects*. Ed. by David Bordonaba-Plou. Springer Verlag, pp. 75–99.
- (2024). "Large language models and linguistic intentionality". In: Synthese 204.2, p. 71. ISSN: 1573-0964. DOI: 10.1007/s11229-024-04723-8. URL: https://doi.org/10.1007/s11229-024-04723-8.
- Gubelmann, Reto (2023). "A Loosely Wittgensteinian Conception of the Linguistic Understanding of Large Language Models Like Bert, Gpt-3, and Chatgpt". In: *Grazer Philosophische Studien* 99.4, pp. 485–523. DOI: 10.1163/18756735-00000182.
- (2024). "Large Language Models, Agency, and Why Speech Acts Are Beyond Them (for Now)? a Kantian-Cum-Pragmatist Case". In: *Philosophy and Technology* 37.1, pp. 1–24. DOI: 10.1007/s13347-024-00696-1.

- Harder, Peter (1995). *Functional Semantics. A Theory of Meaning, Structure and Tense in English.* Trends in Linguistics. Studies and Monographs 87. De Gruyter Mouton. Chap. 5.1. ISBN: 978-4-326-10282-2.
- Harris, Zellig S. (1954). "Distributional Structure". In: *WORD* 10.2-3, pp. 146–162. DOI: 10.1080/00437956.1954. 11659520. eprint: https://doi.org/10.1080/00437956.1954.11659520. URL: https://doi.org/10.1080/00437956.1954.11659520.
- Heidegger, Martin (1959). Unterwegs Zur Sprache. Pfullingen: Neske.
- Heim, Irene and Angelika Kratzer (1998). *Semantics in Generative Grammar*. Ed. by Angelika Kratzer. Malden, MA: Blackwell. Chap. 1.1.
- Kaplan, David (1989). "Afterthoughts". In: *Themes From Kaplan*. Ed. by Joseph Almog, John Perry, and Howard Wettstein. Oxford University Press, pp. 565–614.
- Kästner, Lena and Barnaby Crook (Oct. 2024). "Explaining AI through mechanistic interpretability". In: *European Journal for Philosophy of Science* 14.4, p. 52. ISSN: 1879-4920. DOI: 10.1007/s13194-024-00614-4. URL: https://doi.org/10.1007/s13194-024-00614-4.
- Kaufmann, Timo et al. (2024). A Survey of Reinforcement Learning from Human Feedback. arXiv: 2312.14925 [cs.LG]. URL: https://arxiv.org/abs/2312.14925.
- Kripke, Saul A. (1982). *Wittgenstein on Rules and Private Language: An Elementary Exposition*. Cambridge: Harvard University Press.
- Lederman, Harvey and Kyle Mahowald (Sept. 2024). "Are Language Models More Like Libraries or Like Librarians? Bibliotechnism, the Novel Reference Problem, and the Attitudes of LLMs". In: *Transactions of the Association for Computational Linguistics* 12, pp. 1087–1103. ISSN: 2307-387X. DOI: 10.1162/tacl_a_00690.eprint: https://direct.mit.edu/tacl/article-pdf/doi/10.1162/tacl_a_00690/2468644/tacl_a_00690.pdf. URL: https://doi.org/10.1162/tacl%5C_a%5C_00690.
- Lenci, Alessandro and Magnus Sahlgren (2023). *Distributional Semantics*. Studies in Natural Language Processing. Cambridge University Press.
- Li, Yuanpeng et al. (Nov. 2019). "Compositional Generalization for Primitive Substitutions". In: Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP). Ed. by Kentaro Inui et al. Hong Kong, China: Association for Computational Linguistics, pp. 4293–4302. DOI: 10.18653/v1/D19-1438. URL: https://aclanthology.org/D19-1438.
- Lu, Zhenyan et al. (2024). Small Language Models: Survey, Measurements, and Insights. arXiv: 2409.15790 [cs.CL]. URL: https://arxiv.org/abs/2409.15790.
- Maeda, Akihiro et al. (Mar. 2024). "Feature Extraction in Transformer Attention Heads Inspired by the Subspace Method (in Japanese)". Japanese. In: *Proceedings of the 30th Annual Meeting of the Association for Natural Language Processing*. Web Only. The Association for Natural Language Processing, ROMBUNNO.A10-6. URL: https://www.anlp.jp/proceedings/annual_meeting/2024/pdf_dir/A10-6.pdf.
- Mallory, Fintan (Nov. 2023). "Fictionalism about Chatbots". In: *Ergo an Open Access Journal of Philosophy* 10.0. ISSN: 2330-4014. DOI: 10.3998/ergo.4668.
- Mandelkern, Matthew and Tal Linzen (June 2024). "Do Language Models' Words Refer?" In: *Computational Linguistics*, pp. 1–10. ISSN: 0891-2017. DOI: 10.1162/coli_a_00522.eprint: https://direct.mit.edu/coli/article-pdf/doi/10.1162/coli_a_00522/2378688/coli_a_00522.pdf. URL: https://doi.org/10.1162/coli%5C_a%5C_00522.
- Maruyama, Yoshihiro (2019). "Compositionality and Contextuality: The Symbolic and Statistical Theories of Meaning". In: *Modeling and Using Context*. Ed. by Gábor Bella and Paolo Bouquet. Cham: Springer International Publishing, pp. 161–174. ISBN: 978-3-030-34974-5.
- McDougall, Callum Stuart et al. (Nov. 2024). "Copy Suppression: Comprehensively Understanding a Motif in Language Model Attention Heads". In: *Proceedings of the 7th BlackboxNLP Workshop: Analyzing and Interpreting Neural Networks for NLP*. Ed. by Yonatan Belinkov et al. Miami, Florida, US: Association for Computational Linguistics, pp. 337–363. DOI: 10.18653/v1/2024.blackboxnlp-1.22. URL: https://aclanthology.org/2024. blackboxnlp-1.22.
- McDowell, John (1996). "Reply to Gibson, Byrne, and Brandom". In: *Philosophical Issues* 7, pp. 283–300. ISSN: 15336077, 17582237. URL: http://www.jstor.org/stable/1522913 (visited on 08/06/2024).
- Mikolov, Tomas, Wen-tau Yih, and Geoffrey Zweig (June 2013). "Linguistic Regularities in Continuous Space Word Representations". In: *Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. Ed. by Lucy Vanderwende, Hal Daumé III, and Katrin Kirchhoff. Atlanta, Georgia: Association for Computational Linguistics, pp. 746–751. URL: https://aclanthology.org/N13-1090.
- Millière, Raphaël (2024). Language Models as Models of Language. arXiv: 2408.07144 [cs.CL]. URL: https://arxiv.org/abs/2408.07144.

Millière, Raphaël and Cameron Buckner (2024). A Philosophical Introduction to Language Models – Part I: Continuity With Classic Debates. arXiv: 2401.03910 [cs.CL]. URL: https://arxiv.org/abs/2401.03910.

Millikan, Ruth Garrett (1984). "Language, Thought, and Other Biological Categories". In: Behaviorism 14.1, pp. 51–56.

- Montague, Richard (1975). "ENGLISH AS A FORMAL LANGUAGE". In: *A book of readings*. Ed. by J. M. E. Moravcsik. Berlin, Boston: De Gruyter Mouton, pp. 94–121. ISBN: 9783111546216. DOI: doi:10.1515/9783111546216-007. URL: https://doi.org/10.1515/9783111546216-007.
- Murphy, M. Lynne (2003). Semantic Relations and the Lexicon: Antonymy, Synonymy and other Paradigms. Cambridge University Press.
- Nefdt, Ryan M. (2023). "Are machines radically contextualist?" In: *Mind & Language* 38.3, pp. 750–771. DOI: https://doi.org/10.1111/mila.12429.eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1111/mila.12429. URL: https://onlinelibrary.wiley.com/doi/abs/10.1111/mila.12429.
- Nguyen, Chien Van et al. (2024). A Survey of Small Language Models. arXiv: 2410.20011 [cs.CL]. URL: https://arxiv.org/abs/2410.20011.
- Olsson, Catherine et al. (2022). "In-context Learning and Induction Heads". In: *Transformer Circuits Thread*. https://transformer-circuits.pub/2022/in-context-learning-and-induction-heads/index.html.
- Ouyang, Long et al. (2022). *Training language models to follow instructions with human feedback*. arXiv: 2203.02155 [cs.CL]. URL: https://arxiv.org/abs/2203.02155.
- Park, Kiho et al. (2024). The Geometry of Categorical and Hierarchical Concepts in Large Language Models. arXiv: 2406.01506 [cs.CL]. URL: https://arxiv.org/abs/2406.01506.
- Partee, Barbara H. (2016). "Formal semantics". In: *The Cambridge Handbook of Formal Semantics*. Ed. by Maria Aloni and PaulEditors Dekker. Cambridge Handbooks in Language and Linguistics. Cambridge University Press, pp. 3–32.
- Pelletier, Francis Jeffry (July 2016). Semantic Compositionality. DOI: 10.1093/acrefore/9780199384655.013.42. URL: https://oxfordre.com/linguistics/view/10.1093/acrefore/9780199384655.001.0001/ acrefore-9780199384655-e-42.
- Peregrin, Jaroslav (2009). "Inferentialism and the Compositionality of Meaning". In: *International Review of Pragmatics* 1.1, pp. 154–181. DOI: 10.1163/187731009X455875. URL: https://brill.com/view/journals/irp/1/1/article-p154_7.xml.
- Posner, Roland (1987). "Charles Morris and the Behavioral Foundations of Semiotics". In: *Classics of Semiotics*. Ed. by Martin Krampen et al. Boston, MA: Springer US, pp. 23–57. ISBN: 978-1-4757-9700-8. DOI: 10.1007/978-1-4757-9700-8_2. URL: https://doi.org/10.1007/978-1-4757-9700-8_2.
- Putra, I Made Suwija, Daniel Siahaan, and Ahmad Saikhu (2024). "Recognizing textual entailment: A review of resources, approaches, applications, and challenges". In: *ICT Express* 10.1, pp. 132–155. ISSN: 2405-9595. DOI: https://doi.org/10.1016/j.icte.2023.08.012. URL: https://www.sciencedirect.com/science/article/pii/S2405959523001145.
- Rabovsky, Milena and James L. McClelland (2020). "Quasi-compositional mapping from form to meaning: a neural network-based approach to capturing neural responses during human language comprehension". In: *Philosophical Transactions: Biological Sciences* 375.1791, pp. 1–9. ISSN: 09628436, 14712970. URL: https://www.jstor.org/stable/26865269 (visited on 12/09/2024).
- Rogers, Anna, Olga Kovaleva, and Anna Rumshisky (Dec. 2020). "A Primer in BERTology: What We Know About How BERT Works". In: *Transactions of the Association for Computational Linguistics* 8, pp. 842–866. ISSN: 2307-387X. DOI: 10.1162/tacl_a_00349. URL: http://dx.doi.org/10.1162/tacl_a_00349.
- Rorty, Richard, ed. (1967). *The Linguistic Turn: Essays in Philosophical Method*. Chicago: University of Chicago Press. (1979). *Philosophy and the Mirror of Nature*. Princeton University Press.
- (1997). "What Do You Do When They Call You a 'Relativist'?" In: *Philosophy and Phenomenological Research* 57.1, pp. 173–177. ISSN: 00318205. URL: http://www.jstor.org/stable/2953787 (visited on 08/06/2024).
- Russell, Bertrand, ed. (1940). The Philosophy of Logical Atomism. Routledge.
- Russin, Jacob et al. (2024). From Frege to chatGPT: Compositionality in language, cognition, and deep neural networks. arXiv: 2405.15164 [cs.NE]. URL: https://arxiv.org/abs/2405.15164.
- Searle, John R. (1980). "The Background of Meaning". In: *Speech Act Theory and Pragmatics*. Ed. by John R. Searle, Ferenc Kiefer, and Manfred Bierwisch. Dordrecht: Springer Netherlands, pp. 221–232. ISBN: 978-94-009-8964-1. DOI: 10.1007/978-94-009-8964-1_10. URL: https://doi.org/10.1007/978-94-009-8964-1_10.
- Sellars, Wilfrid (1953). "Inference and Meaning". In: *Mind* 62.247, pp. 313–338. ISSN: 00264423, 14602113. URL: http://www.jstor.org/stable/2251271 (visited on 12/11/2024).
- (1997). *Empiricism and the Philosophy of Mind*. Ed. by Richard Rorty and Robert Brandom. Cambridge: Harvard University Press.
- Shanahan, Murray (Jan. 2024). "Talking about Large Language Models". In: *Commun. ACM* 67.2, pp. 68–79. ISSN: 0001-0782. DOI: 10.1145/3624724. URL: https://doi.org/10.1145/3624724.
- Smolensky, Paul (June 1987). "Connectionist AI, symbolic AI, and the brain". In: *Artif. Intell. Rev.* 1.2, pp. 95–109. ISSN: 1573-7462. DOI: 10.1007/BF00130011.

- Smolensky, Paul (1990). "Tensor Product Variable Binding and the Representation of Symbolic Structures in Connectionist Systems". In: Artificial Intelligence 46.1-2, pp. 159–216. DOI: 10.1016/0004-3702(90)90007-m.
- Soames, Scott (1989). "Semantics and Semantic Competence". In: *Philosophical Perspectives* 3, pp. 575–596. ISSN: 15208583, 17582245. URL: http://www.jstor.org/stable/2214282 (visited on 12/06/2024).
- Stalnaker, Robert (1997). "Reference and Necessity". In: A Companion to the Philosophy of Language. Ed. by Bob Hale, Crispin Wright, and Alexander Miller. Wiley-Blackwell, pp. 902–919.
- Szabó, Zoltán Gendler (2024). "Compositionality". In: *The Stanford Encyclopedia of Philosophy*. Ed. by Edward N. Zalta and Uri Nodelman. Fall 2024. Metaphysics Research Lab, Stanford University.
- Tarski, Alfred (1944). "The Semantic Conception of Truth: and the Foundations of Semantics". In: *Philosophy and Phenomenological Research* 4.3, pp. 341–376. ISSN: 00318205. URL: http://www.jstor.org/stable/2102968 (visited on 12/15/2024).
- Tugendhat, Ernst and Ursula Wolf (Jan. 1989). Logisch semantische Propaedeutik. Reclam Philipp Jun. ISBN: 978-3-15008206-5.
- Vaswani, Ashish et al. (2017). "Attention is All you Need". In: Advances in Neural Information Processing Systems. Ed. by I. Guyon et al. Vol. 30. Curran Associates, Inc. URL: https://proceedings.neurips.cc/paper_files/ paper/2017/file/3f5ee243547dee91fbd053c1c4a845aa-Paper.pdf.
- Vig, Jesse (July 2019). "A Multiscale Visualization of Attention in the Transformer Model". In: Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics: System Demonstrations. Florence, Italy: Association for Computational Linguistics, pp. 37–42. DOI: 10.18653/v1/P19-3007. URL: https://www.aclweb.org/anthology/P19-3007.
- Voita, Elena et al. (July 2019). "Analyzing Multi-Head Self-Attention: Specialized Heads Do the Heavy Lifting, the Rest Can Be Pruned". In: *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*. Ed. by Anna Korhonen, David Traum, and Lluís Màrquez. Florence, Italy: Association for Computational Linguistics, pp. 5797–5808. DOI: 10.18653/v1/P19-1580. URL: https://aclanthology.org/P19-1580.
- Wang, Changhan, Kyunghyun Cho, and Jiatao Gu (Apr. 2020). "Neural Machine Translation with Byte-Level Subwords". In: *Proceedings of the AAAI Conference on Artificial Intelligence* 34.05, pp. 9154–9160. DOI: 10.1609/aaai.v34i05.6451. URL: https://ojs.aaai.org/index.php/AAAI/article/view/6451.
- Wittgenstein, Ludwig (1953). *Philosophical Investigations*. Ed. by G. E. M. Anscombe. New York, NY, USA: Wiley-Blackwell.

- (2014). Tractatus Logico-Philosophicus. New York: Routledge.

Yenduri, Gokul et al. (2023). Generative Pre-trained Transformer: A Comprehensive Review on Enabling Technologies, Potential Applications, Emerging Challenges, and Future Directions. arXiv: 2305.10435 [cs.CL]. URL: https: //arxiv.org/abs/2305.10435.