Web Privacy based on Contextual Integrity: Measuring the Collapse of Online Contexts

Ido Sivan-Sevilla The University of Maryland College Park, Maryland, USA sevilla@umd.edu Parthav Poudel The University of Maryland College Park, Maryland, USA ppoudel1@umd.edu

ABSTRACT

The collapse of social contexts has been amplified by digital infrastructures but surprisingly received insufficient attention from Web privacy scholars. Users are persistently identified within and across distinct web contexts, in varying degrees, through and by different websites and trackers, losing the ability to maintain a fragmented identity. To systematically evaluate this structural privacy harm we operationalize the theory of Privacy as Contextual Integrity and measure persistent user identification within and between distinct Web contexts. We crawl the top-700 popular websites across the contexts of health, finance, news & media, LGBTQ, eCommerce, adult, and education websites, for 27 days, to learn how persistent browser identification via third-party cookies and JavaScript fingerprinting is diffused within and between web contexts. Past work measured Web tracking in bulk, highlighting the volume of trackers and tracking techniques. These measurements miss a crucial privacy implication of Web tracking - the collapse of online contexts. Our findings reveal how persistent browser identification varies between and within contexts, diffusing user IDs to different distances, contrasting known tracking distributions across websites, and conducted as a joint or separate effort via cookie IDs and JS fingerprinting. Our network analysis can inform the construction of browsers' storage containers to protect users against real-time context collapse. This is a first modest step in measuring Web privacy as contextual integrity, opening new avenues for contextual web privacy research.

KEYWORDS

Web Privacy, Contextual Integrity, Online Context Collapse, Persistent User Identification

1 INTRODUCTION

Digital infrastructures have increased the scope and frequency of the collapse of social contexts [13]. It is now almost impossible for data subjects to maintain a fragmented identity online. This is especially evident on the Web, where ubiquitous tracking has been an inevitable part of the Web's structure, fueling the 225 billion dollar online advertising industry [16]. Surprisingly, even though the intentional collapse of multiple contexts into one has been so pervasive for Web users, it has not received sufficient scholarly attention. We lack a systematic measure of online context collapse on the Web.

Past empirical work studied web tracking in bulk, indirectly addressing context collapse. Scholars provided an essential window into the widespread uses of tracking practices but had not provided a nuanced comparative understanding of context collapse. Scholars highlighted the prevalence of certain trackers and the centralized nature of the advertising industry. Comparative findings on tracking across websites are sparse, mainly revealing invasive tracking by news websites along with lower amounts of tracking on public websites, based on different incentives to monetize content.

We argue, in contrast, that users' engagement with websites should not be regarded as one, all-encompassing, 'informationseeking' context. Users' interactions with health, LGBTQ, adult, or educational websites for instance, should not be regarded as one context, but as distinct contexts in which the user wears separate identities. The collapse of these contexts into one is a fundamental breach of users' privacy and there are no notice and consent mechanisms that are effective enough in explaining and allowing users to protect themselves, leaving individuals exposed to pervasive context collapse when engaging on the Web.

To fill this gap, we operationalize the theory of Privacy as Contextual Integrity (CI). According to CI, profiling users based on information gleaned across social contexts, fails to respect contextual informational norms, and in so doing, violates people' privacy expectations. Accordingly, we examine how persistent browser identification by stateful and stateless mechanisms is happening by third-party trackers, both within and between different online contexts. This enables to assess when and by whom the norms of the original context are being violated and context collapse is taking place.

We collected stateful and stateless browser identification patterns across top 700 popular websites for 27 days, in seven different online contexts – Health, Finance, Education, LGBTQ, Adult, News & Media, e-Commerce. We offer a close empirical examination, based on client-side interactions with websites, of the extent that trackers use persistent identifiers for users across and within social contexts. We assume, based on previous works [4, 30], that once a user ID is linked by trackers across different contexts, browsing history can be used to infer sensitive attributes about a person – health condition, desire to quit a job, political orientation, and etc. Even though we cannot observe how advertisers use data to decide on the best targeting method per user, we know that there is a natural incentive in this ecosystem to aggregate data in order to learn large fraction of user's history and potential future behavior for targeting purposes [1, 5, 27].

We show which online contexts are more vulnerable to single and multiple context collapse. We detail how the amount of tracking and participating websites varies between multiple and single context collapse, how the distribution of trackers across websites differs from the known, long tail distribution of trackers on the Web, and how far user IDs travel between online contexts. We also reveal the extent of overlap between the usage of cookie IDs and JS

fingerprinting for context collapse. We then visualize the collapse of contexts via network graphs and calculate the associated chromatic numbers to inform the construction of browser's containers and prevent real-time context collapse for users.

Specifically, the paper makes the following contributions:

- Develops novel Web privacy measurement: We designed a robust method to identify persistent browser identification and the collapse of single and multiple contexts on the Web, offering a novel measurement of Web privacy through the operationalization of the theory of privacy as Contextual Integrity, which rarely gets attention from Web privacy scholars.
- Reveals the structural features context collapse on the Web: We show, for the first time, how persistent browser identification varies within and between web contexts, highlighting the structural features that determine the level of real-time context collapse on the Web.
- Informs browsers' storage containers: We continuously monitor persistent identification patterns of the top popular websites across contexts and use network analysis techniques to inform the development of browsers' containers that split cookies' storage to prevent context collapse.

In the next section we motivate our research by explaining our argument on how online contexts collapse on the Web and why related work has yet to systematically evaluate and assess this privacy violation. We then turn to operationalize Web privacy based on CI, discuss our measurement framework, data collection, analysis, limitations, results, contribution, and suggestions. We conclude with future research avenues and open questions on the contextual measurement of Web privacy.

2 THE COLLAPSE OF ONLINE CONTEXTS ON THE WEB

Digital infrastructures have been amplifying the collapse of social contexts [13]. Infrastructures such as social media platforms and the Web itself constantly blur and merge social contexts into one, lacking spatial, social, and temporal boundaries, making it difficult to maintain distinct social contexts when engaging online [7].

We follow Davis and Jurgenson (2014) to define context in terms of role identities and their related networks. Context, then, refers to the identity meanings activated through interaction within a particular network of actors. Users are made up of multiple identities, each of which exists within a network of others and hold certain expectations that inform appropriate – and inappropriate – lines of action and identity performance. In these terms, context collapse refers to the overlapping of role identities through the intermingling of distinct networks [8].

The collapse of online contexts has been mostly studied by social media and platform researchers, who demonstrated how these infrastructures blur public and the private, make content available beyond the temporal moment of its creation, and obscure the viewership and unlimited audience for online content [7, 39, 40]. Surprisingly, context collapse on the Web and its associated privacy implications has not received sufficient scholarly attention and yet to be measured systematically.

The intentional online collapse of multiple contexts into one audience regularly happens on the Web. As opposed to our offline interactions, where we barely take information out of its original context and would not imagine, for example, reading private messages over the shoulder of a stranger [3], our online interactions, and specifically our interactions with websites, are full of intentional context collapse. Users' Web history and site behavior seeps beyond the target website itself to external trackers for marketing purposes. Such context collision is accessible to marketers, often against users' expectations [25], happening both within- and between- different web contexts, and enabling trackers to stitch together sensitive information about users' queries and site interests from different web contexts. The majority of users are 'not comfortable' with such tracking and profiling, and do not want their data to be used for purposes other than proving the service they requested [26]. They are especially uncomfortable with actors navigating their data between different contexts to get a better understanding of what users might be interested in [17]. Notice and consent mechanisms fail to properly protect users [2, 24], leaving them exposed to constant collapse of their distinct online contexts.

Empirical Web privacy researchers have been studying trackers in bulk, inspecting interactions between users' browsers and thousands of websites, with little sensitivity to the different contexts for users on the Web or to degrees of context collapse by the actors involved. Millions of third-party requests were examined by researchers to highlight the centralized nature of the advertising ecosystem and the significant presence of 'top-trackers' (e.g. Google, Meta, X) across the majority of measured traffic. The distribution of third-parties across the Web was found to have a long tail, with the majority of trackers operate on less than 1 percent of the Web. [4, 9, 19, 21-23, 32, 33, 42]. Users' web history collected by third-party trackers was found to be unique to users and useful for extracting insights about users [30]. Researchers showed how users can be re-identified via their web history, with the dominant trackers - Google & Meta - unsurprisingly enjoying a privileged position in the ability to do so [4].

Scholars who did consider different categories of websites in their results show variance in the amount of tracking within categories. An overarching finding from these efforts is that news websites enable more third-party tracking than other types of websites, as opposed to public websites that demonstrate less presence of trackers [9, 19, 21, 23, 38, 42]. The difference in the amount of tracking for each category is usually associated with the incentives for publishers to include third-party trackers. Different business models and funding resources across websites are hypothesized as a possible explanation for the observed variance of tracking amount across website categories [9].

Hu et al. (2020) conducted research that is the closest we could find to a direct assessment of online contexts collapse on the Web [14]. They examined how first-party websites are connected based on the common third-parties they use. They found that selectively removing the largest trackers is a very effective way of decreasing the interconnectedness of websites. Another important, albeit indirect assessment of context collapse was conducted by Sorensen and Kosta (2019), who examined the shift in third-party typology on the Web for the course of eight months, before and after the GDPR [34]. They found similarities with earlier works showing the dominance of giant tech companies as third-parties and a long tail distribution of third parties across the Web, highlighting how public websites have far fewer third-parties than private ones.

Empirically, we diverge from existing research by pivoting our observations of website interconnectedness based on distinct contexts and spot patterns of persistent identification that go beyond common presence of a third-party among first-party websites, since not all third-party trackers are participating in persistent user identification.

Theoretically, past works leave us with many questions on context collapse on the Web. Existing studies do not distinguish persistent browser identification patterns within and between Web contexts and the extent to which they enable the collapse of online contexts. Which third-parties contribute to the collapse of online contexts? Who is responsible for context collapse beyond the 'usual suspects' of advertising giants? What are the websites that are more or less vulnerable to online context collapse? We lack a comparative understanding across popular web contexts of how using persistent user identifiers differs among contexts. For example, do users' interactions with popular healthcare websites are more/less commonly linked to users' browsing behavior in other popular web contexts? To what extent the fact that users browse to consume adult content can serve advertisers when the same users engage in e-commerce, seek financial advice, or look for health support? We aim to conduct a context-sensitive analysis of persistent browser identification across the Web and gain a better understanding of how and by whom trackers collapse users' online contexts.

Alarmingly, context collapse has become a pervasive feature of our online lives, shaping what is known about us in the world and forms our epistemic practices, habits, and opportunities [13]. The tendency to collapse online contexts risks a main feature enabled by privacy - the ability of individuals to hold multiple identities in different social contexts. Identity is by nature fragmented: we present ourselves as different people in different contexts [3]. The collapse of online contexts, however, leads to overlapping individual identities through the intermingling of distinct networks.

To measure the collapse of online contexts on the Web, and systematically understand how the third-party structure of the Web has been enabling these privacy harms, we turn to the theory of privacy as CI and develop a novel measurement of Web privacy.

2.1 Web Privacy as Contextual Integrity

Nissenbaum (2004) argues that our expectations of privacy are contextual. Different social contexts are characterized by different norms of what information it is appropriate to reveal within that context and how information should be transferred from one party to another [29]. Privacy is violated, according to CI, when the norms of the context are violated and observed information flows do not advance the purpose for the context to exist in the first place. In the Web example, user queries in healthcare websites, LGBTQ websites, or eCommerce websites are differently tagged to a context, and hold different purposes for the user. We search healthcare websites when we seek a health advice and improve our health condition. We tour LGBTQ websites to learn and engage with communities based on gender interests. And we shop online on e-commerce websites to acquire products and services we would like to consume.

Data, therefore, is never just data. Depending on the context, data can be healthcare data, educational data, or financial data, and each type of data should advance the purpose of its context. Healthcare data exist to improve health outcomes. Financial data flows should facilitate efficient allocation of capital. Gender-related data should promote gender interest and knowledge of data subjects. Each of these contexts has distinct guiding values and purposes.

Based on the category of websites, we can assess their context and evaluate the purpose of user engagement, tagging users' web history and site interactions to a context. It is a violation of privacy to share information outside original web contexts in ways that do not advance the purpose for which these contexts exist for users. Notice and consent choices are unable to capture the ways users' web history and site interaction data lead to the collapse of online contexts because actual data flows on the Web are beyond individual cognitive capacity [2, 24].

In times, violating contextual norms is virtuous since it advances a greater socially desired goal. Cases of whistleblowing, or the sharing of health information to mitigate a global pandemic can all be desired collapses of online contexts. But the collapse of contexts for user targeting and marketing purposes goes against users' expectations and does not respect the norms in the original Web context users chose to engage in. According to past surveys, users and consumers expect their online information flows to maintain the integrity of the context in which they operate [25].

Contextual Integrity flags violation of contextual norms in two distinct browsing scenarios: (1) within a web context, when, for example users seek health advice across an array healthcare websites, persistent user identification by third-party trackers enables the construction of rich user profiles based on users' Web history across sites from the same context. These users' site histories are revealing a great deal of users' health concerns, and collecting them by an external third-party tracker for marketing purposes is collapsing the online context for users interacting with this array of healthcare sites. We refer to this as 'single context collapse. (2) Between contexts, persistent browser identification further changes the meaning of sensitive information. It enables trackers to bring together users' web history and interests from different online contexts, collapsing not just one, but two or more online contexts for the sake of marketing and advertising. For example, when users' browsers are persistently identified during subsequent visits to healthcare and LGBTQ websites, users experience context collapse in both, allowing trackers and marketers to build user profiles based on user engagement in both contexts, without advancing the original purpose of these contexts. We refer to this as 'multiple contexts collapse.'

We seek to reach a better understanding of how and by whom online contexts collapse on the Web. Notably, CI does not flag specific types of data for special protection without specifying relevant contextual factors. It disagrees with privacy approaches that circumscribe particular categories of information for restrictive or laxer treatment without consideration of contextual factors. Contextual factors are characterized by five parameters of an information flow: data subject, sender, and recipient (collectively referred to as the actors), information type (or attribute), and transmission principles (the conditions that constrain data flow from senders to recipients).

We use CI's contextual factors to map and label the information flows we wish to assess, as detailed in figure 1. To measure multiple contexts collapse we inspect information flows in which: (1) the sender of the information is the user's browser; (2) the recipient of the information is tracker A in context Y; (3) the information type is the assigned user ID by tracker A in context X; (4) the transmission principle is notice & consent; and (5) the data subject is the individual who interacts with the website through the browser.

To measure within-context, or single context collapse we inspect information flows in which: (1) the sender of the information is the user's browser; (2) the recipient of the information is tracker A in Website 2 within context X; (3) the information type is the assigned user ID by tracker A in Website 1 within context X; (4) the transmission principle is notice & consent; and (5) the data subject is the individual who interacts with the website through the browser.




Figure 1: Information flows that capture multiple (between) context collapse and single (within) context collapse

We argue that these information flows represent a collapse of online contexts within or across Web Contexts. These flows provide the opportunity for tracker A to conflate contexts Y & X, or for tracker A to conflate context X. To make this more concrete, we do not want our interactions with healthcare websites to be coupled with our interactions with LGBTQ or ecommerce websites for example, by actors who cannot support our health condition and for purposes that are beyond medical advice.

3 MEASUREMENT FRAMEWORK

Our measurement framework is based on spotting persistent browser identification within and across online contexts. We use instances of persistent browser identification by trackers as a proxy to the collapse of online contexts, either within or between different contexts. We then carefully pick website categories that constitute distinct contexts and crawl the top popular 700 websites across seven distinct categories (100 websites per category) to identify and analyze the trackers across sites that enable context collapse through the sharing of cookie IDs or recurring JS fingerprinting scripts within or between contexts.

3.1 Persistent User Identification on the Web

There are two distinct approaches to generate unique identifiers for users on the Web. One is 'stateful,' where the client's browser saves identities locally, as a long string, usually via HTTP cookies or JavaScript APIs, and later retrieve these unique IDs to identify the same users across websites. The second type of ID generation is 'stateless,' and is based on information about the browser and/or network to create a unique 'snapshot' fingerprint of the user in a given moment based on browser's type, canvas/font, web traffic, audio settings, and battery levels. These identifiers are not saved locally by clients' browsers but are observed and probably saved by trackers [6, 9, 19, 42].

We pivot our empirical observations around both third-party identification cookies and JavaScript fingerprinting functions that assign a dynamic 'advertising identifier' to users as they browse the Web. Those 'advertising Identifiers' are a key prerequisite for the industry to address a user for personalized/targeted advertising since all user-centric data is associated with it [10]. Despite the default block of third-party cookies by several browsers, Google, that operates the browser with the largest market share [36], has recently announced that third-party cookies are here to stay, making the collapse on online contexts via cookie IDs a viable object of study [35].

3.2 Case Selection

We test persistent browser identification trends across the top 100 popular websites in seven distinct online contexts (700 websites overall) - News & Media, Health, Education, Finance, LGBTQ, eCommerce, and Adult. Each context is constructed based on different purposes and values, carry different weights and identities for users and can be uniquely tagged to a distinct context: User interactions with news & media websites are based on the willingness to consume updated information or knowledge. Healthcare websites provide users with medical advice and serve as a space for users to advance their health. Educational websites signal users' interest and educational aspirations. Users' interactions with financial websites facilitate knowledge on efficient allocation of capital. Gender-related websites promote users' gender interests and knowledge. eCommerce websites enable users to acquire products and services they would like to consume, and adult websites signal users' sexual desires. These distinct contexts should not be exposed to trackers (=collapse within context) and should not be linked to other contexts from the same user (=collapse between contexts).

Following our selection of categories, we selected the top 100 popular websites from each of the seven categories (700 websites overall) based on the Similarweb.com list of popular websites. This provided a comprehensive cross-section list of widely visited sites across different contexts. Table 1 below indicates the average number of visitors from the top 100 websites in each context category. The Appendix section provides the full list of websites crawled for each context. We chose websites based on their popularity to learn about context collapse in the commercial Web, where we already know that other tracking patterns pervasively take place.

Website Context	Average Monthly Visits
News & Media	46,128,960
Health	13,716,310
Education	3,246,934
Finance	18,016,110
LGBTQ	219,651
eCommerce	44,260,900
Adult	47,391,330

 Table 1: Average unique monthly visits across top-100 Popular Websites in each context (from similarweb.com)

4 DATA COLLECTION

Through an open-source instrumented Firefox browser implementation via OpenWPM, that simulates browser activity and records website responses, metadata, cookies used, and scripts executed [9], we studied the top 700 popular websites across seven online contexts that were crawled on a daily basis. We ran seven crawls per day for the 700 websites, starting with a different context every time to learn how user identification is further diffused by trackers from the first context to other contexts. Each context was a priority context and crawled first, followed by the other categories in a random order. We ran seven crawls of the selected 700 websites per day, for 28 days, From Oct 26 - November 28, from an AWS server located at Ashburn, Virginia, USA.

We studied stateful and stateless tracking practices via HTTP & JavaScript cookies and JavaScript APIs. For each experiment, we are matching cookie IDs among contexts to realize which trackers and from which websites the user IDs is diffused across contexts. As opposed to previous studies, we do not assume that the presence of trackers in two different contexts means that they persistently identify users across those contexts [15]. Instead, we looked for a valid evidence, i.e. the usage of the same cookie-id across contexts, to assume persistent user identification. This leaves us only with trackers who engaged in uniquely identifying users' browsers.

To improve the accuracy of our data collection efforts and ensure that the crawled websites are revealing their 'true' behavior rather than minimizing their tracking practices due to recognition of our bot crawler, we implemented several recommended modifications to OpenWPM from Krumnow et al. (2022) [20]:

- Stealth JavaScript Instrumentation: By default, many websites can detect OpenWPM and similar tools, which might result in them adjusting their behavior. To counter this, we enabled a stealth mode for the JavaScript instrumentation, allowing our automated browser to be less detectable.
- Navigator Webdriver Override: Selenium, the underlying framework of OpenWPM, sets the navigator.webdriver property to true, making the tool identifiable as an automated browser. We changed this value to false to further mask the bot-like characteristics of the crawling tool.
- Native Display Mode: Instead of using the more common "headless" browser mode (where the browser runs without a graphical interface), we opted for a "native" display mode with a full graphical user interface. This approach makes

the browsing session appear more like a real user and decreases the likelihood of detection.

- **Dynamic Window Resolutions**: We randomized window and screen resolutions across different browsing sessions, emulating the diverse range of devices used by actual users. This technique added another layer of trust to the browsing behavior of our bot, making it harder for websites to detect automation.
- Bot Detection Mitigation: Natively, OpenWPM includes a bot mitigation feature designed to mimic human interaction with websites (random scrolling, clicking, and resizing of the page). This feature prevents sites from blocking our crawlers based on automated behaviors.

To allow for complete page load and the setting of all cookies, we configured each crawl to "sleep" for 10 seconds after visiting a page. This sleep time ensured that all page resources were fully loaded before moving to crawl the next website.

4.1 Collecting Patterns of Persistent Browser Identification and Context Collapse

During the seven crawling experiments per day, we collected both stateful and stateless browser identification patterns. For stateful browser identification via cookies, we collected two types of cookies: (1) HTTP Cookies - these are traditional cookies set by servers through HTTP headers using the Set-Cookie directive. These cookies are typically stored in the browser and sent with every subsequent HTTP request to the same domain; (2) JavaScript Cookies - these cookies are set or manipulated directly by a JavaScript on the client side, typically via the document.cookie API. Unlike HTTP cookies, JS cookies can be fully controlled by the website's JavaScript, enabling dynamic interactions with the user session. Based on previous studies, we identified an ID cookie by the following four elements [1, 9, 42]:

- **Cookie lifetime**: The cookie has a lifetime longer than 90 days.
- **Parameter-Value length**: The length of the parameter-value string is greater than 7 but less than 101.
- Parameter-Value remains similar within an crawl.
- **Parameter-Value varies between crawls**: Utilizing the Ratcliff-Obershelp algorithm, we selected cookies for which the parameter-value is less than 66% similar among experiments conducted on the same website in different days.

Each cookie that was recognized based on these requirements was then manually checked in the tracker's privacy policy to validate that it is indeed an ID cookie used by this tracker to uniquely identify the user's browser. These steps ensured that we have one ID cookie per each tracker observed in our data.

To collect stateless browser identification patterns, we used existing work [18] to spot JavaScript API keywords that are likely to be related to fingerprinting scripts. A tracker that applies the same JavaScript fingerprinting scripts in two websites can link user records from both, persistently identifying the user's browser within or across contexts. To recognize JS fingerprinting scripts, We followed the criteria on Iqbal et al. (2021), according to which frequently used JavaScript API keywords in fingerprinting scripts have to appear in three websites and should be at least 16 times more

likely to be used in fingerprinting rather than non-fingerprinting scripts [18]. Importantly, despite being a stateless browser identifier, applying fingerprinting scripts on subsequent browsing experiences is likely to produce the same unique fingerprint from the same combination of browser and device configurations.

Both stateful and stateless browser identifiers were collected from the first crawled context, and then examined across subsequent crawls in other contexts. The crawl of 700 websites, seven times a day, was conducted over the period of 28 days to test the validity of our findings and tests whether differences between contexts are statistically significant. The data collection and analysis processes are visualized in figure 2.




Figure 2: Data Collection Workflow

5 LIMITATIONS

Due to various limitations, our results should be considered as a lower bound for persistent browser identification patterns and context collapse within a single or across multiple contexts on the Web. The following list details our limitations and areas for future engagement.

- **Crawling only homepages**: We only crawled the homepages of selected websites to avoid bot detection. It is known that most tracking is happening on inner rather than homepages of websites [9, 38], but at the same time, previous work found that crawling inner pages increases the chances of OpenWPM discovery by the crawled website [20].
- Studying clear-text ID cookie values: We are aware that cookie values can be encoded or encrypted when used by the same tracker in different websites [12]. For our study, we considered only identical ID cookie values observed during our crawls. We could not decrypt or find in our data cookie IDs that could be easily decoded.
- Not considering cookie-syncing practices: In our study of stateful user identifiers, we have not examined how trackers share user IDs via cookie syncing practices. User ID sharing between trackers is another information flow that leads to context collapse. Even if different user IDs are assigned for different websites, in different contexts, the

linkage of IDs can be observed via HTTP requests in the browsing session [31]. We did not include such inspection in our data analysis at the moment and plan to do so in a follow-up study.

- Tracking pixels currently not under study: We have not studied the usage of tracking pixels across websites by trackers. Tracking pixels were found to be responsible for cookie syncing or for the purpose of learning about an already existing user identifier [12]. As part of our efforts to include cookie syncing practices to learn about context collapse, we plan to study cookie syncing through invisible pixels.
- Single geolocation for the crawling: We repeatedly crawled our selected websites from a single geolocation in Virginia, USA. Previous studies showed how crawling from different geolocations might produce different results [34]. Our results, therefore, mimic the browsing experience from North America and should be only regarded as such.
- Crawling top-popular websites: We chose to crawl toppopular websites, with tens of millions of user visits per website per month, to learn how context collapse happens in the popular Web. At the same time, we are not measuring context collapse based on users' real browsing behavior. This requires a dedicated browser extension and agreement from users to share their data. We aim to develop this in future research efforts.

6 **RESULTS**

We examined the interconnectedness of a context within and across other contexts. For each context, we crawl the context's top-100 popular websites first, before moving to other sets of contexts in the same crawl. We examine how and by whom browser identification travels from the first context to other contexts (=multiple context collapse), as well as how websites are connected to one another within the same context (=single context collapse). For each context we had 28 different observations from 28 days of crawl. The tables below present the average values across all days of crawling. The visualized instances of context collapse are based on one crawl that had the closest-to-average number of participating websites in persistent browser identification across all days.

6.1 Multiple context collapse: Persistent user identification between contexts

Table 2 presents average statistics of multiple context collapse across different context origin. The first row, for example, describes the crawl of top 700 popular websites when the top-100 popular adult websites were crawled first. On average, 285.76 unique thirdparties appeared in the adult context, and an average number of 461.8 cookies were dropped on the browser. 56.8 third-parties (19.88 percent of all third-parties in the adult context) were labeled as 'persistent identifiers' because they persistently identified the browser from the adult context to one or more of the following contexts in that crawl. 9.04 percent of all crawled adult websites, on average, enabled persistent browser identification from their websites to other contexts. Differences between the mean of persistent identifiers from each context and participating websites from each context

were found to be statistically significant based on single-factor Anova tests as detailed in the appendix.

Unsurprisingly, and consistent with previous findings, the total number of third-parties and cookies vary between contexts, with News & Media websites hold the highest number for both. We see different numbers of persistent identifiers and participating websites across contexts. 56.88 percent of popular News & Media websites carry user IDs to other contexts, with only 9.04 percent of Adult websites and 39.01 percent of Health websites do so, on average, for their contexts. News & Media websites embed the highest number of persistent identifiers in their websites and enable persistent identification through the majority of websites crawled. Financial websites are not very far behind, and then health, eCommerce, and LGBTQ websites. Education is second to last, and adult websites embed the lowest number of persistent identifiers and participating websites.

Interestingly, eCommerce, health, and LGBTQ websites have similar numbers of persistent identifiers (130-147 on average). Health websites have close to 40 percent of websites that enable context collapse from their sites to subsequent contexts. The percentage of trackers that are 'persistent identifiers' between contexts is similar across contexts and range from 18.5 to 24.27 percent of the total third parties in that context. Similar portions of third parties in each context are labeled as persistent identifiers, showing surprising similarity in this tracking pattern across contexts.

Table 3 describes how persistent browser identification travels from the first context to other contexts in the crawl. It shows how far user identifiers diffuse to subsequent contexts, providing an assessment of how persistent those persistent identifiers are. Interestingly, the distance that persistent identifiers travel from their original context varies between contexts. Originating from the adult context, the majority of persistent identifiers (56.36 percent) travel, on average, all the way to the last context in the crawl. Education is next, for which 34.1 percent of persistent identifiers originated in the education context travel all the way. For health and LGBTQ contexts, the highest portion of persistent identifiers stops after five contexts. In absolute numbers, however, 30-40 persistent identifiers from each and every context, on average, travel all the way from the original context to the last context in the crawl.

Figures 3 & 4, from different crawls that started from a different context illustrate this difference. In the visualized crawl in figure 3, from Oct 26, 2024, 60.49 percent of persistent identifiers originated from the adult context traveled all the way to the last context - LGBTQ. 18.52 percent of the identifiers stopped after six contexts (including the original one). The rest of the identifiers (less than 20 percent in total) diffused to three or less subsequent contexts. For persistent identifiers originated in LGBTQ websites, however, illustrated in figure 4, the diffusion is more even, making the figure more colorful. 20.78 percent traveled all the way to the finance context. The majority of identifiers (27.7 percent) traveled through six contexts (including the origin), 21.05 percent of the identifiers traveled through five contexts (including the origin). The rest 30 percent of identifiers stopped after 3 contexts or less.

We now move to inspect the coverage of websites by the trackers that act as persistent identifiers. Previous work found a long-tail distribution for third-parties across the Web, with the vast majority Conference,




Figure 3: The Travel of Persistent Identifiers from the Adult Context on Oct 26, 2024




Figure 4: The Travel of Persistent Identifiers from the LGBTQ Context on Oct 26, 2024

of third-parties cover less than one percent of the websites that were studied [9, 34]. In contrast, we found that persistent identifiers coverage is a short tail distribution across the websites they connect between contexts. Figure 5 shows the different distribution for each context, based on different context of origin. From six contexts, the highest percentage of websites covered by one tracker is 20 percent, while the rest of the trackers cover 0-10 percent of the websites across contexts. The adult context is an outlier, with a few trackers cover 30-45 percent of the connected websites from this context. This finding shows that persistent identification across multiple contexts does not follow known tracking trends that were found to be more centralized and dominated by a few trackers.

For each context, there are a few dominant trackers and notable connected websites worth highlighting. Figure 6 visualizes multiple context collapse from the finance context. Trackers that are

First Context	Average unique	Average number of	Average of Persistent	Percentage of Persistent	Participating Websites in
	third-parties	cookies	Identifiers	Identifiers	Context
					Collapse
Adult	285.76	461.8	56.8	19.88%	9.04%
eCommerce	597.2	1276	137.28	22.99%	28.57%
Education	431.92	681.44	100.52	23.27%	23.52%
Finance	767.88	1969.96	186.4	24.27%	43.31%
Health	669.32	1323.64	147.08	21.97%	39.01%
LGBTQ	601.64	1077.36	130.8	21.74%	30.42%
News &	995.8	2811.92	184.44	18.52%	56.88%
Media					

Table 2: Average statistics of between-context collapse based on ID cookies across 25 days of crawl

First	Average	One	Two	Three	Four	Five	Diffusion
Context	Number of	Context	Contexts	Contexts	Contexts	Contexts	across all
	Persistent	Diffusion	Diffusion	Diffusion	Diffusion	Diffusion	contexts
	Identifiers						
Adult	56.5	3.88%	4.79%	7.37%	9.40%	18.20%	56.36%
eCommerce	136	7.67%	9.73%	12.42%	16.05%	25.30%	28.83%
Education	100	4.95%	7.32%	10.83%	13.93%	28.88%	34.10%
Finance	186	10.19%	13.55%	16.61%	15.23%	20.43%	23.99%
Health	146	6.76%	9.42%	14.81%	17.83%	26.02%	25.15%
LGBTQ	130	7.28%	10.66%	13.68%	16.17%	26.29%	25.93%
News &	184	12.85%	14.68%	16.23%	16.30%	19.64%	20.29%
Media							

Table 3: Distance traveled, on average, by Cookie IDs from the original to subsequent contexts




Figure 5: Distribution of Persistent Identifiers Betweencontexts Across Websites

labeled as persistent identifiers are in the middle, connecting colored nodes that represent websites. The size of the nodes change based on their in- and out-degree. The crawling took place clockwise, with the 12 o'clock context crawled first. We can see how

persistent identification takes place by many actors (187) and connecting more websites between contexts (120), relative to those numbers in other contexts. Specifically, (foxbusiness.com), (economictimes.com), (xe.com), and (toyokeizai.net) are the financial websites that mostly connect browser identification to other contexts. They are notably connected to (ratemyprofessors.com) in the education context, (ssg.com) and (slickdeals.net) from the eCommerce context, (businessinsider.com) and (oneindia.com) in the News & Media context, (autostraddle.com) and (queerty.com) in the LGBTO context, and (chemistwarehouse.com.au) in the health context. These sites are key participants in the collapse of online contexts for users originating from the finance context. The dominant trackers, in the middle of the figure, that are linking websites from the finance context to other contexts are (bing.com) that links 13 websites, (taboola.com) that links 13 websites, (demdex.net) that links 12 websites, and (rubiconproject.com) that links 12 websites. As shown in the distribution of persistent identifiers across websites (figure 5), the 187 persistent identifiers from the finance context almost evenly distributed across the websites they connect.

Surprisingly, a few spotted persistent identifiers serve as firstparty websites in our top-700 popular websites list, significantly increasing their visibility on users. The list of those websites, their




Figure 6: Trackers originate from the finance context connecting to websites from other contexts

first-party web context, and their third-party tracking contexts is in the appendix.

6.2 Single Context Collapse: Persistent user identification within-contexts

Table 4 presents average statistics of within-context collapse by trackers per context over 25 days of collected data. The second row, for example, describes average results from all crawls of top 700 popular websites when the top-100 popular eCommerce websites were crawled first. 597 unique third-parties appeared in the eCommerce context on average, and an average number of 1276 cookies were dropped on the browser. 102 third-parties (17.1 percent of all third-parties in the eCommerce context) were labeled as 'persistent identifiers' because they persistently identified the browser across sites within the eCommerce context. 58.4 percent of all crawled eCommerce websites, on average, enabled persistent browser identification to other websites within that context.

As opposed to persistent identification between-contexts, we found that much less third-parties are persistently identifying the browser within the same context. The number of persistent identifiers within-context decreases by 20-50 percent for six contexts, and for News & Media by less than 10 percent. The percentage of persistent identifiers within-context out of the total number of third-parties is lower as well, ranging from 10.55 percent in the adult context to 18.36 percent within the eCommerce context. The number of websites that participate in within-context collapse, however, has doubled, and sometimes even tripled, in comparison to between-context collapse. With 81.2 percent of News & Media sites and 74.8 percent of finance sites on average are linked within their contexts. Differences between the mean for persistent identifiers

within each context and for participating websites in each context are statistically significant, as shown in the single-factor Anova tests in the appendix.

Figure 7 shows the distribution of persistent identifiers within contexts across the websites they connect. Results are different from what was found in the analysis of multiple context collapse. Within contexts, we found a long tail distribution of trackers - a few trackers connect most of the websites within the same context. The adult context, which had a longer tail distribution in the between-contexts analysis, is now an outlier, having a shorter tail distribution. The leading persistent identifiers within contexts are the 'usual suspects' from the advertising industry - (doubleclick.net) is the leading tracker within all contexts, with more or close to 50 percent visibility of websites within the contexts. (adnxs.com), and (criteo.com) are also popular within the News & Media and LGBTQ contexts. In the health context we see (adsrvr.org) as another leading context collapse initiator. In finance it is also (bing.com), in education we also see (facebook.com) and (linkedin.com), and in adult websites (yandex.ru) and (tsyndicate.com) persistently identify browsers across 10 and 7 percent of the websites.




Figure 7: Distribution of Persistent Identifiers within-context Across Websites

Figure 8 shows persistent browser identification within the education context. 71 percent of websites within this context have an out-degree in the network that is greater than one - meaning that the browser is persistently identified between those websites and other websites in that context. The leading websites with the highest out-degree are (asu.edu - 66), (colorado.edu - 64), and (tophat.com -61). These websites are linking more than 60 percent of the websites crawled in this context. On the other end, the three websites with the highest in-degree are (gmu.edu - 64), (sydney.edu.au - 63), and (purdue.edu - 62). These are websites that are get connected from more than 60 percent of the websites in the education context.

The trackers that frequently connect websites within the education context are the leading, well-known trackers from the advertising industry. Figure 9 visualizes their work, as the size of the nodes is determined by their degree. The four largest nodes are (doubleclick.net - connecting 57 sites), (facebook.com - connecting 34 sites), (linkedin.com - connecting 32 sites), and (youtube.com connecting 27 sites).

Context	Average unique third-parties	Average number of cookies	Average of Persistent Identifiers	Percentage of Persistent Identifiers	Participating Websites in Context Collapse
Adult	285.76	461.8	30.16	10.56%	32.44%
eCommerce	597.2	1276	102.36	17.14%	58.4%
Education	431.92	681.44	55.36	12.82%	67.48%
Finance	767.88	1969.96	140.96	18.36%	74.84%
Health	669.32	1323.64	109.72	16.4%	62.96%
LGBTQ	601.64	1077.36	102.48	17%	57%
News & Media	995.8	2811.92	169.88	17.1%	81.2%

Table 4: Average statistics of within-context collapse based on ID cookies across 25 days of crawl




Figure 8: Within context connectivity in the education context

6.3 JS fingerprinting between- and within-contexts

Next, we examined the use of JS fingerprinting by trackers to identify browsers between and within contexts. Given the increased user awareness and browsers' default actions against third-party cookies, we wanted to see to what extent JS fingerprinting is used by persistent identifiers as either 'backup plans' in case third-party cookies are not available or as a tracking instrument that breaks new grounds of context collapse. Those JS-based fingerprints remain consistent as long as users' system configuration stays the same, which can make them even more persistent than cookie IDs. We looked at crawls from specific dates to compare cookie ID and JS fingerprinting context collapse.




Figure 9: Persistent Identifiers connecting education websites

The usage of JS fingerprinting by trackers to persistently identify multiple or single context collapse was 5-10 times lower than the usage of cookie IDs, across all contexts under study. The number of participating websites connected via JS fingerprinting was 2-3 times lower than their number connected via cookie IDs. When inspecting overlap between cookie ID and JS fingerprinting usage by actors for multiple context collapse, we found 13 different trackers that use both cookie IDs and JS fingerprinting. They originated from six out of our seven studied contexts (none was found in the adult context), and their applied JS fingerprinting scripts usually travel to fewer contexts than the cookie IDs they use. On average, 259 persistent identifiers use cookie IDs exclusively to collapse multiple contexts, and 24 persistent identifiers appear in our data for the first time as they exclusively use JS for multiple context collapse. Interestingly, 62 new websites, can be now tagged as participating websites in context collapse using JS fingerprinting. These websites cover sites from all contexts, distributed almost evenly among contexts.

For single context collapse (within context analysis), we found 13 different trackers that use both tracking methods, with 11 of them overlapping with the JS trackers found in the between-context analysis. 250 persistent identifiers exclusively use cookie IDs for single context collapse, and 26 persistent identifiers appear for the first time as trackers that initiate within-context collapse. 24 new websites, evenly distributed across six contexts but News & Media sites, are new participating websites in within-context collapse.

Figure 10 visualizes multiple context collapse from the eCommerce content on Nov 3, 2024. Grey nodes and edges represent context collapse that is exclusviely happening via cookie IDs. Orange nodes and edges represent user ID diffusion by both cookie IDs and JS fingerprinting. Nodes and edges in light blue are places where there has been an exclusive use of JS fingerprinting for multiple context collapse. Ten new edges and eighteen new nodes are exclusively connected via JS fingerprinting functions in this crawl.




Figure 10: Multiple context collapse from the eCommerce context on Nov 3, 2024 by both cookie IDs and JS fingerprinting

7 DISCUSSION & SUGGESTIONS

Our results reveal the varying structural connections of online contexts on the Web and show the extent of single and multiple context collapse, for tens of millions of users per month, on the top-700 popular websites across seven distinct contexts. The amount and portion of trackers that engage in persistent browser identification and the participating websites that embed those trackers vary between contexts. Single context collapse, the linkage of websites from the same context, tends to behave like traditional Web tracking, with many websites within a context are connected via the dominant trackers from the advertising industry, and a few trackers cover most of the websites within each context. Multiple context collapse, however, is enabled by a fewer number of websites in each context, but by more trackers on significant portions of the enabling websites. From each context, the same percentage of third parties link user IDs further to other contexts, with most user identifiers travel to six and seven contexts.

Our between-contexts analysis shows the collapse of multiple contexts, highlighting variations based on the context of origin. The number of persistent identifiers and participating websites vary between the contexts, but at least 30-40 third-party trackers are persistent identifiers, and most of them diffuse user IDs to more than five other contexts. Our within-context analysis shows the collapse of a single context for users, that varies based on context of origin but mostly follows common tracking trends found before. The distribution of trackers across websites vary as well, with multiple context collapse suggests a short tail distribution, while single context collapse shows a long tail distribution for trackers across websites.

We found that the amount of trackers that use JS fingerprinting for real time persistent identification of browsers is 5-10 times lower than the number of persistent identifiers that use cookie IDs. Still, JS fingerprinting is used to boost and sometimes create exclusive connections between websites that were not connected via cookie IDs. The scale of that is low, but this is a context collapse trend worth following in the future.

Results show how prevalent single and multiple context collapse is, and how it changes based on context and type of context collapse on the popular Web. There are many possible hypotheses for why context collapse varies, and how it can be linked to the Web personas users [28], persona of websites' owners [37], and business models of websites [9, 34]. We have not collected data to explain where various patterns of context collapse come from as it goes beyond the scope of this paper and requires a mixed-methods approach.

Our contextual measurement of Web privacy can be used to inform Mozilla's continuous efforts to advance contextual identities for users on the Web through separating browser's cookie and local storage to different containers [11]. Assigning first-party websites to different storage containers prevents trackers from accessing data associated with both, practically preventing the cookie IDbased persistent identification patterns found in this paper. Mozilla previously suggested a set of contexts for users based on their (1) personal; (2) work; (3) banking; and (4) shopping [41]. Instead, we call for a set of site-specific containers, per context, based on our dynamic analysis of persistent browser identification within- and between-contexts.

Per context, our results can be used to realize the required number of containers and the first-party websites to include in each container in order to prevent context collapse. We build on Hu and Sastry (2020) and further develop their 'Tangle Factor' to realize how first-party websites are connected, within and between distinct online contexts [14]. We would like to open our data analysis outputs and inform the design of browsers' cookie storage containers by finding the vertex chromatic number and list of colored nodes of our between- and within-context network graphs. Per context, the number of colors needed for nodes such that neighboring nodes which share an edge are colored differently provides the number of required containers. The list of nodes in each color provides the list of first-party websites to include in each container. Per context, the number of required containers and the list of first-party websites

to include in each container can guide browser developers on how to break users' browser experience into storage containers and prevent the collapse of that context for the user.

We demonstrate the applicability of this approach through the two figures. In figure 11 we can see the connected websites within the LGBTQ context. The vertex chromatic number of the graph is 53, meaning that we need 53 different containers to ensure that users are not being persistently identified within the top-100 popular LGBTQ websites. The list of first-party websites to include under each container is provided in the appendix.




Figure 11: Within-context connections of LGBTQ websites, each vertex is colored based on the calculated chromatic number of the graph.

In figure 12 we can see the connected websites from multiple contexts, based on user identifiers created in the LGBTQ context. The graph shows that in order to prevent multiple contexts collapse, we need to have eight containers and include first-party websites according to their color, as shown in the list provided in the appendix.

Overall, to prevent single or multiple context collapse from the LGBTQ context, we need 61 different containers and split first-party websites across those containers based on the lists provided in the appendix. These lists and number of containers should be regularly updated to capture the dynamic nature of web tracking in order to effectively prevent context collapse for users crawling the top-100 popular LGBTQ websites.

We calculated the average number of colors (=containers) required to prevent persistent identification within each of the studied contexts. The vertex chromatic numbers for within context collapse in each context is the average number across all within context graph networks created in 28 days of data collection for each context. Our results are: *Adult* - 13; *eCommerce* - 40; *Education* - 52; The web is an essential part of our lives, constructed by an array of contexts, and serves as an enormous source for tracking individuals across their interactions in different contexts. Context collapse on the Web was found pervasive both within and across contexts, albeit to different degrees, making it impossible to maintain a fragmented identity without proper protections or meaningful regulation. This is a violation of privacy according to the theory of contextual integrity. Our study aims to empirically assess context collapse by developing a new measurement for Web privacy - the degree of within- and between-context collapse.

A key driving factor of persistent identification patterns in our analysis are third-party cookie IDs. Even though they get blocked by default across various browsers, Google, holding 65 percent of

Sivan-Sevilla & Poudel




Figure 12: Between-context websites connection, originated from LGBTQ websites. Each vertex is colored based on the calculated chromatic number of the graph.

Finance - 56; *Health* - 48; *LGBTQ* - 47; and *News & Media* 67. This is the number of containers, on average, required to prevent single context collapse within each context. We will need eight additional containers to prevent multiple context collapse from this context to other contexts in the study.

Importantly, splitting browser's storage into containers will not prevent persistent identification by stateless identifiers, that take a snapshot of users' devices and browser configurations and behavior. The JS fingerprinting methods that were studied do not store any data on users' browsers and cannot be blocked by splitting browser's storage to separate containers. Still, our results on JS fingerprinting can increase user awareness of the websites that are vulnerable to persistent identification through this method and render them in a more restrictive way.

8

CONCLUSION

the browsers' market share as of August 2024 [36], has recently declared that third-party cookies are here to stay [35]. We believe our analysis can inform Chrome users, show how another popular persistent identification method - JS fingerprinting - complements cookie IDs, and help users, who are often not privacy tech experts, maintain a fragmented identity on the Web. We have provided a first glimpse on how tracking differs between and within contexts, and among different contexts, removing the curtain a little bit between individuals and websites for a better understanding of the 'invisible contracts' we currently have with our digital service providers and ensuring they do not undermine our natural right to privacy.

We do not declare that this is an end of our contextual investigation journey of the Web. This is just a beginning and a first modest step to empirically analyze the behavior of trackers across online contexts based on the theory of privacy as contextual integrity. Looking ahead, we plan to inspect how pervasive cookie-syncing practices and the usage of tracking pixels contribute to context collapse and how different geolocations of browsing and real-user browsing habits differently experience context collapse on the Web.

REFERENCES

- [1] Gunes Acar, Christian Eubank, Steven Englehardt, Marc Juarez, Arvind Narayanan, and Claudia Diaz. 2014. The Web Never Forgets: Persistent Tracking Mechanisms in the Wild. In Proceedings of the 2014 ACM SIGSAC Conference on Computer and Communications Security (Scottsdale, Arizona, USA) (CCS '14). Association for Computing Machinery, New York, NY, USA, 674–689. https://doi.org/10.1145/2660267.2660347
- [2] Solon Barocas and Helen Nissenbaum. 2014. Big Data's End Run around Anonymity and Consent. Book of Anonymity (2014). https://api.semanticscholar. org/CorpusID:152939392
- [3] Robin Berjon. 2021. Pushing Back Against Privacy Infringement On The Web. https: //www.smashingmagazine.com/2021/08/against-privacy-infringement-web/
- [4] Sarah Bird, Ilana Segall, and Martin Lopatka. 2020. Replication: Why We Still Can't Browse in Peace: On the Uniqueness and Reidentifiability of Web Browsing Histories. In Sixteenth Symposium on Usable Privacy and Security (SOUPS 2020). USENIX Association, 489–503. https://www.usenix.org/conference/soups2020/ presentation/bird
- [5] Sarah Bird, Ilana Segall, and Martin Lopatka. 2020. Replication: Why We Still Can't Browse in Peace: On the Uniqueness and Reidentifiability of Web Browsing Histories. In Sixteenth Symposium on Usable Privacy and Security (SOUPS 2020). USENIX Association, 489–503. https://www.usenix.org/conference/soups2020/ presentation/bird
- [6] Aaron Cahn, Scott Alfeld, Paul Barford, and S. Muthukrishnan. 2016. An Empirical Study of Web Cookies. In Proceedings of the 25th International Conference on World Wide Web (Montréal, Québec, Canada) (WWW '16). International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, CHE, 891–901. https://doi.org/10.1145/2872427.2882991
- [7] danah boyd. 2012. Taken Out of Context: American Teen Sociality in Networked Publics. University of California-Berkeley.
- [8] Jenny L Davis and Nathan Jurgenson. 2014. Context collapse: theorizing context collusions and collisions. *Information, Communication & Society* 17, 4 (2014), 476–485. https://doi.org/10.1080/1369118X.2014.888458
- [9] Steven Englehardt and Arvind Narayanan. 2016. Online Tracking: A 1-millionsite Measurement and Analysis. In Proceedings of the 2016 ACM SIGSAC Conference on Computer and Communications Security (Vienna, Austria) (CCS '16). Association for Computing Machinery, New York, NY, USA, 1388–1401. https://doi.org/10.1145/2976749.2978313
- [10] IAB Europe. 2020. Guide to the Post Third-Party Cookie Era. https://iab.hu/ wp-content/uploads/2020/05/Post-Cookie-Era.pdf
- Mozilla Firefox. 2024. Multi-Account Containers. https://support.mozilla.org/ en-US/kb/containers
- [12] Imane Fouad, Nataliia Bielova, Arnaud Legout, and Natasa Sarafijanovic-Djukic. 2020. Missed by Filter Lists: Detecting Unknown Third-Party Trackers with Invisible Pixels. Proceedings on Privacy Enhancing Technologies 2020 (04 2020), 499–518. https://doi.org/10.2478/popets-2020-0038
- [13] Karen Frost-Årnold. 2021. The Epistemic Dangers of Context Collapse Online. In Applied Epistemology. Oxford University Press. https://doi.org/10.1093/oso/ 9780198833659.003.0018
- [14] Xuehui Hu and Nishanth Sastry. 2020. What a Tangled Web We Weave: Understanding the Interconnectedness of the Third Party Cookie Ecosystem. In

Proceedings of the 12th ACM Conference on Web Science (Southampton, United Kingdom) (WebSci '20). Association for Computing Machinery, New York, NY, USA, 76–85. https://doi.org/10.1145/3394231.3397897

- [15] Xuehui Hu and Nishanth Sastry. 2020. What a Tangled Web We Weave: Understanding the Interconnectedness of the Third Party Cookie Ecosystem. In Proceedings of the 12th ACM Conference on Web Science (Southampton, United Kingdom) (WebSci '20). Association for Computing Machinery, New York, NY, USA, 76–85. https://doi.org/10.1145/3394231.3397897
- [16] IAB. 2024. 2023 U.S. Digital Advertising Industry Hits New Record, According to IAB's Annual Internet Advertising Revenue Report.
- [17] inmoment. 2018. What Brands Should Know About Creating Memorable Experiences. Technical Report. inmoment.com. https://inmoment.com/resource/ 2018-cx-trends-report/
- [18] Umar Iqbal, Steven Englehardt, and Zubair Shafiq. 2021. Fingerprinting the Fingerprinters: Learning to Detect Browser Fingerprinting Behaviors. In 2021 IEEE Symposium on Security and Privacy (SP). 1143–1161. https://doi.org/10. 1109/SP40001.2021.00017
- [19] Arjaldo Karaj, Sam Macbeth, Rémi Berson, and Josep M. Pujol. 2018. Who-Tracks.Me: Monitoring the online tracking landscape at scale. ArXiv abs/1804.08959 (2018). https://api.semanticscholar.org/CorpusID:13748203
- [20] Benjamin Krumnow, Hugo Jonker, and Stefan Karsch. 2022. How gullible are web measurement tools? A case study analysing and strengthening Open-WPM's reliability. In Proc. 18th International Conference on emerging Networking EXperiments and Technologies (CoNEXT '22). ACM, New York, NY, USA, 16. https://doi.org/10.1145/3555050.3569131
- [21] Ada Lerner, Anna Kornfeld Simpson, Tadayoshi Kohno, and Franziska Roesner. 2016. Internet Jones and the Raiders of the Lost Trackers: An Archaeological Study of Web Tracking from 1996 to 2016. In 25th USENIX Security Symposium (USENIX Security 16). USENIX Association, Austin, TX. https://www.usenix.org/ conference/usenixsecurity16/technical-sessions/presentation/lerner
- [22] Timothy Libert. 2015. Exposing the Hidden Web: An Analysis of Third-Party HTTP Requests on 1 Million Websites. arXiv:1511.00619 [cs.CR] https://arxiv. org/abs/1511.00619
- [23] Timothy Libert and Reuben Binns. 2019. Good News for People Who Love Bad News: Centralization, Privacy, and Transparency on US News Sites. In Proceedings of the 10th ACM Conference on Web Science (Boston, Massachusetts, USA) (WebSci '19). Association for Computing Machinery, New York, NY, USA, 155–164. https://doi.org/10.1145/3292522.3326019
- [24] Kirsten Martin. 2015. Privacy Notices as Tabula Rasa: An Empirical Investigation into how Complying with a Privacy Notice is Related to Meeting Privacy Expectations Online. *Journal of Public Policy & Marketing* 34, 2 (2015), 210–227. https://doi.org/10.1509/jppm.14.139
- [25] Colleen McClain, Michelle Faverio, Monica Anderson, and Eugenie Park. 2023. How Americans View Data Privacy. https://www.pewresearch.org/internet/2023/ 10/18/how-americans-view-data-privacy/
- [26] Aleecia M. McDonald and Lorrie Faith Cranor. 2010. Americans' attitudes about internet behavioral advertising practices. In Proceedings of the 9th Annual ACM Workshop on Privacy in the Electronic Society (Chicago, Illinois, USA) (WPES '10). Association for Computing Machinery, New York, NY, USA, 63–72. https: //doi.org/10.1145/1866919.1866929
- [27] Lee J. McGuigan. 2019. Automating the audience commodity: The unacknowledged ancestry of programmatic advertising. New Media & Society 11-12 (2019), 2366–2385. Issue 21. https://doi.org/10.1177/1461444819846449
- [28] Tea Mijač, Mario Jadrić, and Maja Ćukušić. 2018. The potential and issues in data-driven development of web personas. In 2018 41st International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO). 1237–1242. https://doi.org/10.23919/MIPRO.2018.8400224
- [29] Helen Nissenbaum. 2004. Privacy as Contextual Integrity. Washington Law Review 79, 1 (2004), 119–157. https://digitalcommons.law.uw.edu/wlr/vol79/iss1/10
- [30] Lukasz Olejnik, Claude Castelluccia, and Artur Janc. 2012. Why Johnny Can't Browse in Peace: On the Uniqueness of Web Browsing History Patterns. In International Symposium on Privacy Enhancing Technologies. https: //api.semanticscholar.org/CorpusID:14783622
- [31] Panagiotis Papadopoulos, Nicolas Kourtellis, and Evangelos Markatos. 2019. Cookie Synchronization: Everything You Always Wanted to Know But Were Afraid to Ask. In *The World Wide Web Conference (WWW '19)*. ACM, 1432–1442. https://doi.org/10.1145/3308558.3313542
- [32] Aaaron Sankin and Surya Mattu. 2020. The High Privacy Cost of a "Free" Website. https://themarkup.org/blacklight/2020/09/22/ blacklight-tracking-advertisers-digital-privacy-sensitive-websites
- [33] Konstantinos Solomos, Panagiotis Ilia, Sotiris Ioannidis, and Nicolas Kourtellis. 2020. Clash of the Trackers: Measuring the Evolution of the Online Tracking Ecosystem. arXiv:1907.12860 [cs.CR] https://arxiv.org/abs/1907.12860
- [34] Jannick Sørensen and Sokol Kosta. 2019. Before and After GDPR: The Changes in Third Party Presence at Public and Private European Websites. In *The World Wide Web Conference* (San Francisco, CA, USA) (WWW '19). Association for Computing Machinery, New York, NY, USA, 1590–1600. https://doi.org/10.1145/

	3308558.3	313524									
[35]	Anthony	Spadafora.	2024.		Google	has	scrapped	its	plan	to	
	remove	third-party	cookies	in	Chror	ne -	 here's 	wh	at's	go-	
	ing on		https:/	/wv	vw.tomsg	guide.	com/compu	ting/	brows	ers/	
	google-ju	st-abandoned-	its-plan-t	o-ph	ase-out-	third-	party-cooki	es-w	hat-it-	means-	-for-

- [36] Statista. 2024. Global market share held by leading internet browsers from January 2012 to August 2024. https://www.statista.com/statistics/268254/ market-share-of-internet-browsers-worldwide-since-2009/
- [37] Alina Stöver, Nina Gerber, Henning Pridöhl, Max Maass, Sebastian Bretthauer, Indra Spiecker gen. Döhmann, Matthias Hollick, and Dominik Herrmann. 2023. How Website Owners Face Privacy Issues: Thematic Analysis of Responses from a Covert Notification Study Reveals Diverse Circumstances and Challenges. *Proceedings on Privacy Enhancing Technologies (PoPETs)* 2023, 2 (2023), 251–264. https://doi.org/10.56553/popets-2023-0051
- [38] Tobias Urban, Martin Degeling, Thorsten Holz, and Norbert Pohlmann. 2020. Beyond the Front Page:Measuring Third Party Dynamics in the Field. In Proceedings of The Web Conference 2020 (Taipei, Taiwan) (WWW '20). Association for Computing Machinery, New York, NY, USA, 1275–1286. https: //doi.org/10.1145/3366423.3380203
- [39] Jessica Vitak. 2012. The Impact of Context Collapse and Privacy on Social Network Site Disclosures. Journal of Broadcasting & Electronic Media 56, 4 (2012), 451–470. https://doi.org/10.1080/08838151.2012.732140
- [40] Michael Wesch. 2009. YouTube and You Experiences of Self-Awareness in the Context Collapse of the Recording Webcam. *Explorations in Media Ecology* 8 (06 2009). https://doi.org/10.1386/eme.8.2.99_1
- [41] Mozilla Wiki. 2022. Security/Contextual Identity Project/Containers. https://wiki. mozilla.org/Security/Contextual_Identity_Project/Containers
- [42] Zhiju Yang and Chuan Yue. 2020. A Comparative Measurement Study of Web Tracking on Mobile and Desktop Environments. Proceedings on Privacy Enhancing Technologies 2020 (04 2020), 24–44. https://doi.org/10.2478/popets-2020-0016

A STATISTICAL TESTS FOR DIFFERENCES BETWEEN CONTEXTS

A.1 Between-Context Persistent Identifiers

The difference between the mean numbers of persistent identifiers from each contexts were found to be statistically significant according to the one-sided Anova test below. The figure describes all the observations of this value across contexts over time.





Figure 13: Persistent Identifiers Over Time Originating From Different Contexts

A.2 Between-Context Participating Websites

The difference between the mean numbers of participating websites from each contexts were found to be statistically significant according to the one-sided Anova test below. he figure describes all the observations of this value across contexts over time.

Anova: Single Facto	r					
SUMMARY						
Groups	Count	Sum	Average	Variance		
eCommerce	26	3569.28	137.28	115.8016		
Education	26	2613.52	100.52	70.3296		
Finance	26	4846.4	186.4	56.8		
Health	26	3824.08	147.08	155.1936		
LGBTQ	26	3400.8	130.8	48.4		
News & Media	26	4795.44	184.44	58.8864		
Adult	26	1476.8	56.8	21.6		
ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	326527.386	6	54421.23	722.8473	1.1792E-120	2.15071317
Within Groups	13175.28	175	75.28731			
Total	339702.666	181				
	SUMMARY Groups eCommerce Education Finance Health LGBTO News & Media Aduit ANOVA Source of Variation Between Groups Within Groups	SUMMARY Count Groups Count eCommerce 26 Education 26 Finance 26 LGBTO 26 LGBTO 26 Adult 26 Source of Variation SS Between Groups 326527.386 Within Groups 13175.28	SUMMARY Sum Groups Count Sum eCommerce 26 3569,28 Education 26 2613,52 Finance 26 4464, Health 26 3824,08 LGBTQ 26 3400,8 News & Media 26 4795,44 Audut 26 1476,4 Source of Variation SS df Between Groups 326527,386 6 Within Groups 13175,28 175	SUMMARY Average Groups Count Sum Average eCommerce 26 3659.28 137.28 Education 26 2613.52 100.52 Finance 26 4846.4 186.4 Health 26 3420.8 147.06 LGBTO 26 3400.8 130.8 News & Media 26 4795.44 184.44 Adult 26 1476.8 56.8 ANOVA Source of Variation SS df MS Between Groups 326527.386 6 54421.23 175 75.28731	SUMMARY Average Variance Groups Count Sum Average Variance eCommerce 26 3569.28 137.28 115.8016 Education 26 2613.52 100.52 70.3296 Finance 26 4846.4 186.4 56.8 Health 26 3420.8 147.08 155.1936 LGBTO 26 3400.8 130.8 48.4 News & Media 26 4795.44 184.44 58.864 Adult 26 1476.8 56.8 21.6 ANOVA Source of Variation SS of MS F Between Groups 326527.386 6 5421.23 72.84731 Vithin Groups 13175.28 178 75.28731	SUMMARY Average Variance Groups Count Sum Average Variance eCommerce 26 3569.28 137.28 115.8016 Education 26 261.52 100.52 70.3296 Finance 26 4846.4 186.4 56.8 Health 26 3420.8 147.08 156.1936 LGBTO 26 3400.8 130.8 48.4 News & Media 26 4795.44 184.44 58.8864 Adult 26 1476.8 56.8 21.6 AnOVA Source of Variation SS of MS P.value Between Groups 326527.386 6 5421.23 722.8473 1.1792E-120 Within Groups 13175.28 178 75.28731 10.752.8473






Figure 15: Participating Websites Over Time Originating From Different Contexts

Anova: Single Facto	r					
SUMMARY						
Groups	Count	Sum	Average	Variance		
Adult	26	234	9	3.28		
eCommerce	26	728	28	11.6		
Education	26	611.52	23.52	4.0896		
Finance	26	1114.88	42.88	27.7056		
Health	26	983.84	37.84	4.8544		
LGBTQ	26	783.12	30.12	5.0656		
News & Media	26	1477.84	56.84	21.4944		
ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	36073.1904	6	6012.198	538.9372	5.2E-110	2.150713
Within Groups	1952.24	175	11.15566			
Total	38025,4304	181				

Figure 16: One-sided Anova Test Results for Differences Between Means of Participating Websites From Each Context

A.3 Within-context persistent identifiers

The difference between the mean numbers of persistent identifiers from each contexts were found to be statistically significant according to the one-sided Anova test below. The figure describes all the observations of this value across contexts over time.




Figure 17: Persistent Identifiers Over Time Originating From Different Contexts for the single context collapse analysis

Anova: Single Factor						
SUMMARY						
Groups	Count	Sum	Average	Variance		
Adult	26	784.16	30.16	22.2144		
eCommerce	26	2661.36	102.36	69.3504		
Education	26	1439.36	55.36	28.0704		
Finance	26	3664.96	140.96	59.7184		
Health	26	2852.72	109.72	98.6016		
LGBTQ	26	2664.48	102.48	30.0096		
News & Media	26	4416.88	169.88	54.7456		
ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	351531.8	6	58588.64	1130.71	4.1E-137	2.150713
Within Groups	9067.76	175	51.81577			
Total	360599.6	181				

Figure 18: One-sided Anova Test Results for Differences Between Means of Persistent Identifiers From Each Context in the single context collapse analysis

A.4 Within-context participating websites

The difference between the mean numbers of participating websites from each contexts were found to be statistically significant according to the one-sided Anova test below. The figure describes all the observations of this value across contexts over time.

B APPENDIX TABLES




Figure 19: Participating Websites Over Time Originating From Different Contexts for the single context collapse analysis

Anova: Single Fac	ctor					
SUMMARY						
Groups	Count	Sum	Average	Variance		
Adult	26	843.44	32.44	64.4864		
eCommerce	26	1518.4	58.4	11.76		
Education	26	1754.48	67.48	2.3296		
Finance	26	1945.84	74.84	3.7344		
Health	26	1636.96	62.96	2.7584		
LGBTQ	26	1482	57	2		
News & Media	26	2111.2	81.2	1.6		
ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	38381.11	6	6396.852	505.0025	1.1E-107	2.150713
Within Groups	2216.72	175	12.66697			
Total	40597.83	181				

Figure 20: One-sided Anova Test Results for Differences Between Means of Participating Websites From Each Context

Conference, ,

Sivan-Sevilla & Poudel

Health	LGBTQ	E-Commerce	Finance	News & Media	Adult	Education
nih.gov	fabguys.com	amazon.com	paypal.com	yahoo.com	pornhub.com	cambridge.org
healthline.com	appnebula.co	temu.com	tradingview.com	yahoo.co.jp	xvideos.com	mit.edu
mayoclinic.org	g4guys.com	ebay.com	chase.com	naver.com	xhamster.com	harvard.edu
clevelandclinic.org	mensnet.jp	amazon.co.jp	capitalone.com	news.yahoo.co.jp	xnxx.com	studentaid.gov
cvs.com	thepinknews.com	aliexpress.com	investing.com	globo.com	rqr.one	iyf.tv
webmd.com	gays-cruising.com	rakuten.co.jp	moneycontrol.com	msn.com	stripchat.com	utoronto.ca
medicalnewstoday.com	bullchat.com	amazon.in	coinmaster.com	cnn.com	chaturbate.com	cuny.edu
walgreens.com	datalounge.com	walmart.com	economictimes.com	bbc.co.uk	eporner.com	joinhandshake.com
1mg.com	queerty.com	amazon.de	citi.com	nytimes.com	spankbang.com	stanford.edu
nhs.uk	advocate.com	etsy.com	bankofamerica.com	qq.com	mnaspm.com	usg.edu
doctolib.fr	joemygod.com	ozon.ru	intuit.com	bbc.com	xnxx.health	ubc.ca
kisskh.co	out.com	amazon.co.uk	americanexpress.com	uol.com.br	faphouse.com	cornell.edu
altibbi.com	autostraddle.com	wildberries.ru	wellsfargo.com	news.google.com	xhamster.desi	shaalaa.com
msdmanuals.com	lgbtqnation.com	avito.ru	hdfcbank.com	theguardian.com	missav.com	purdue.edu
aarp.org	queer.de	flipkart.com	poste.it	foxnews.com	blurbreimbursetrombone.com	elluciancloud.com
medlineplus.gov	hrc.org	coupang.com	fidelity.com	infobae.com	onlyfans.com	berkeley.edu
alodokter.com	pride.com	mercadolivre.com.br	zerodha.com	onet.pl	livejasmin.com	scribbr.com
athenahealth.com	ourtruecolors.org	ebay.co.uk	adp.com	dailymail.co.uk	magsrv.com	umich.edu
tuasaude.com	daleenelarcojuana.com.ar	amazon.it	schwab.com	wp.pl	xvv1deos.com	asu.edu
iherb.com	gay.it	amazon.ca	exness.com	douyin.com	dmm.co.jp	columbia.edu
nhathuoclongchau.com.vn	xl-gaytube.com	amazon.fr	finance.yahoo.co.jp	news18.com	xhamsterlive.com	byu.edu
cdc.gov	gaysir.no	allegro.pl	coinmarketcap.com	news.naver.com	holahupa.com	illinois.edu
halodoc.com	gaybodyblog.com	taobao.com	caixa.gov.br	livedoor.jp	xnxx.es	unsw.edu.au
psychologytoday.com	iboys.cz	shopee.vn	rakuten-sec.co.jp	finance.yahoo.com	txnhh.com	umn.edu
verywellhealth.com	queer.pl	amazon.com.br	trustpilot.com	detik.com bild.de	ixxx.com	colorado.edu ufl.edu
abczdrowie.pl drugs com	kmhesaplama.com xtasis.org	target.com	sbisec.co.jp tinkoff.ru	news.yahoo.com	cityheaven.net	
drugs.com	gaycities.com	mercari.com		,	noodlemagazine.com xham.live	unisa.ac.za
my-personaltrainer.it doctoralia.com.br	gaycities.com vt5s.is	craigslist.org market.yandex.ru	klarna.com binance.com	people.com usatoday.com	xham.live pornhub.org	panopto.com utexas.edu
v2i8b.com	easygaychat.com	shopping.yahoo.co.jp	groww.in	auone.jp	youporn.com	upenn.edu
vidal.ru	nakluky.cz	ebay.de	alipay.com	forbes.com	clobberprocurertightwad.com	tamu.edu
goodrx.com	glaad.org	leboncoin.fr	marketwatch.com	163.com	erome.com	wisc.edu
apteka.ru	adriel.com	rakuten.com	discover.com	indiatimes.com	stripchatgirls.com	estacio.br
prodoctorov.ru	milfswipes.com	shopee.co.id	experian.com	aajtak.in	tnaflix.com	commonapp.org
phreesia.net	gay.blog.br	shopee.com.br	icicibank.com	nypost.com	qorno.com	nyu.edu
health.clevelandclinic.org	erunet.co.jp	kleinanzeigen.de	alfabank.ru	t-online.de	dood.li	anhanguera.com
athena.io	dgdgdg.com	amazon.es	bancoestado.cl	interia.pl	love4porn.com	uba.ar
vinmec.com	gayboy.at	trendyol.com	sberbank.ru	vnexpress.net	xgroovy.com	gptzero.me
sprosivracha.com	gruiser.com	ticketmaster.com	businesstoday.in	india.com	rule34.xxx	mcgill.ca
analdin.xxx	cruisinggays.com	sahibinden.com	wise.com	n-tv.de	4kporn.xxx	uwaterloo.ca
janeapp.com	lesbicanarias.es	shopee.co.th	synchrony.com	hindustantimes.com	iporntv.net	ucla.edu
medonet.pl	instinctmagazine.com	dmm.com	creditkarma.com	sohu.com	xvideos.es	sydney.edu.au
suckhoedoisong.vn	taimi.com	mercadolibre.com.ar	td.com	livehindustan.com	bongacams.com	rutgers.edu
webteb.com	tgcomics.com	olx.pl	money.pl	rambler.ru	mat6tube.com	fgv.br
menshealth.com	club21.org	costco.com	toyokeizai.net	washingtonpost.com	hetapus.com	psu.edu
tabletki.ua	xtramagazine.com	shopping.naver.com	kontur.ru	elpais.com	redtube.com	wgu.edu
who.int	lesarion.com	shope.ee	etoro.com	corriere.it	pornzog.com	desire2learn.com
womenshealthmag.com	kobiety-kobietom.com	mercadolibre.com.mx	login.gov	repubblica.it	dlsite.com	unimelb.edu.au
imss.gob.mx	transequality.org	amazon.com.mx	rakuten-card.co.jp	rbc.ru	pornhat.one	ratemyprofessors.com
eapteka.ru	equaldex.com	jd.com	syf.com	fmkorea.com	xhamster2.com	hku.hk
babycenter.com	gaydar.net	wayfair.com	nspk.ru	tribunnews.com	xnxx2.com	openstax.org
memorial.com.tr	allout.org	olx.com.br	vtb.ru	newsweek.com	sxyprn.com	yale.edu
hopkinsmedicine.org	erininthemorning.com	kakaku.com	eastmoney.com	cnbc.com	nhentai.net	uh.edu
invitro.ru	washingtonblade.com	slickdeals.net	foxbusiness.com	elmundo.es	sex-studentki.link	ignou.ac.in
rlsnet.ru	qx.se	aliexpress.ru	credit-agricole.fr	nbcnews.com	crazyporn.xxx	liberty.edu
shop-apotheke.com	dnamagazine.com.au tslove.net	alibaba.com	mufg.jp	independent.co.uk	crazyvideotodownload.com	unicesumar.edu.br
drogaraia.com.br ecwcloud.com		hepsiburada.com tokopedia.com	investopedia.com	livedoor.com	smkezc.com	suny.edu ucf.edu
ecwcloud.com chemistwarehouse.com.au	pinknews.co.uk bakala.org	tokopedia.com bol.com	moneyforward.com mercadopago.com.ar	apnews.com goo.ne.ip	youjizz.com brazzersnetwork.com	uct.edu uq.edu.au
simplepractice.com	cromosomax.com	dns-shop.ru	ft.com	indianexpress.com	pornpics.com	libgen.li
questdiagnostics.com	b-gay.com	tmall.com	fortune.com	businessinsider.com	twinrdsyte.com	ucsd.edu
practo.com	primarius.app	amazon.com.au	ideal.nl	ndtv.com	hdtube.porn	osu.edu
wlgrn.com	stonewall.org.uk	magazineluiza.com.br	adyen.com	ukr.net	hot-sex-tube.com	utah.edu
medscape.com	portugalgay.pt	indiamart.com	cafef.vn	cbsnews.com	theporndude.com	monash.edu
apollopharmacy.in	gayua.com	olx.ua	bajajfinserv.in	lenta.ru	xnxxcom.xyz	snhu.edu
drogasil.com.br	sissykiss.com	shopee.tw	xe.com	eenadu.net	hqporner.com	ucdavis.edu
health.com	bi.org	shopee.com.my	goodreturns.in	lefigaro.fr	cambaddies.cc	moe.edu.tw
labcorp.com	gaychat.nl	shopee.ph	sberbank.com	abplive.com	xxxvideo.link	usc.edu
aamc.org	queermajority.com	subito.it	ilsole24ore.com	oneindia.com	hitomi.la	ox.ac.uk
uptodate.com	fridae.asia	my-best.com	progressive.com	lanacion.com.ar	sexvid.pro	duke.edu
parenting.pl	thenewcivilrightsmovement.com	otto.de	mitid.dk	novinky.cz	jable.tv	virginia.edu
uworld.com	lifeout.com	eventbrite.com	coinbase.com	francetvinfo.fr	fuq.com	ncsu.edu
doctolib.de	gay-szene.net	kohls.com	banki.ru	o2.pl	erothots1.com	msu.edu
health.mail.ru	gayromeo.com	amzn.to	check24.de	news.mail.ru	porno365.scot	unc.edu
medlatec.vn	rainbownet.jp	amazon.sa	nguoiquansat.vn	terra.com.br	fapello.com	gmu.edu
naxadrug.com	rainbowrailroad.org	alibaba-inc.com	nerdwallet.com	indiatoday.in	eroterest.net	niche.com
rxinform.org	ciciful.com	poshmark.com	screener.in	ria.ru	xnxx.tv	pak-mcqs.net
babyblog.ru	domsubliving.com	idealo.de	forexfactory.com	nikkei.com	2526june2024.com	nus.edu.sg
athomedaily.com	manhunt.com	rozetka.com.ua	short.gy	kompas.com	thisvid.com	jhu.edu
consultaremedios.com.br	ilga.org	gmarket.co.kr	kaiserpermanente.org	hurriyet.com.tr	fetlife.com	admissions.nic.in
	towleroad.com	otomoto.pl	usbank.com	reuters.com	doorblog.jp	kuleuven.be
uteka.ru						iu.edu
uteka.ru znanylekarz.pl	coat.co.jp	argos.co.uk	nikkei225jp.com	vg.no	getallmylinks.com	Iu.euu
	coat.co.jp byren.cn	argos.co.uk samsclub.com	robinhood.com	lemonde.fr	a64x.com	anthropic.com
znanylekarz.pl		0				

Conference, ,

Health	LGBTQ	E-Commerce	Finance	News & Media	Adult	Education
racunn.com	hayunalesbianaenmisopa.com	capitaloneshopping.com	business-standard.com	buzzfeed.com	txxx.com	ualberta.ca
fda.gov	jackd.com	shp.ee	pse.com.co	kp.ru	boyfriendtv.com	umd.edu
healthgrades.com	genxy-net.com	11st.co.kr	razorpay.com	substack.com	cam4.com	yorku.ca
whattoexpect.com	burnettfoundation.org.nz	megamarket.ru	serasa.com.br	clarin.com	xnxx-arabic.com	uchicago.edu
hesaplama.net	thaiboyslove.com	ssg.com	royalbank.com	wsj.com	xvideos2.com	libgen.rs
doctoralia.com.mx	l-mag.de	akakce.com	citibankonline.com	iltalehti.fi	4chan.org	utn.edu.ar
ubie.app	daddyhunt.com	1688.com	dpbossss.services	welt.de	rtbbtech.com	du.ac.in
gsuplementos.com.br	deadwildroses.com	lazada.co.th	altin.in	yomiuri.co.jp	simpcity.su	pitt.edu
lww.com	awrymenswear.com	ebay.com.au	smbc-card.com	ouest-france.fr	aznude.com	washington.edu
krasotaimedicina.ru	transgendermap.com	amazon.com.tr	moneysavingexpert.com	dailyhunt.in	supjav.com	tophat.com
pharmeasy.in	heckinunicorn.com	mercadolibre.com.co	pnc.com	ynet.co.il	best-video-app.com	sena.edu.co
mp.pl	susans.org	markt.de	cnbctv18.com	sozcu.com.tr	xv-ru.com	vt.edu
doz.pl	games.mashable.com	meesho.com	ing.nl	spiegel.de	movie.eroterest.net	cuhk.edu.hk
lybrate.com	emptyclosets.com	valuecommerce.com	benzinga.com	edition.cnn.com	xnxx.com.se	rochester.edu
doxy.me	readyforpolyamory.com	stubhub.com	finviz.com	amarujala.com	dinotube.com	thestudentro

Table 5: SimilarWeb Websites Used for Data Collection

Color	First-party websites
0	[daddyhunt.com, fridae.asia]
1	[cruisinggays.com]
2	[gayit]
3	[instinctmagazine.com]
4	[thenewcivilrightsmovement.com]
5	[joemygod.com]
6	[qruiser.com]
7	[b-gay.com]
8	[rainbownet.jp, transgendermap.com]
9	[gaychat.nl]
10	[transequality.org, erunet.co.jp]
11	[rainbowrailroad.org]
12	[deadwildroses.com]
13	[querty.com]
15	[genty-net.com]
15	[surve network] [havunalesbianaenmisopa.com]
15	[nay unak source and a ministration]
10	[portigaiga;pt] [advocate.com]
17	
18	[hrc.org] [xtramagazine.com]
20	[nakluky.cz]
21	[cromosoma.com]
22	[thepinknews.com]
23	[pinknews.co.uk]
24	[lesbicanarias.es]
25	[l-mag.de]
26	[awrymenswear.com]
27	[thaiboyslove.com]
28	[ilga.org]
29	[iboys.cz]
30	[queer.pl]
31	[kmhesaplama.com]
32	[domsubliving.com]
33	[autostraddle.com]
34	[byren.cn]
35	[pride.com]
36	[burnettfoundation.org.nz]
37	[washingtonblade.com]
38	[gaydar.net]
39	[dnamagazine.com.au]
40	[out.com]
41	[biorg]
42	[adriel.com, gay.blog.br]
43	[arkiteon, gy, society]
44	[heenhaldourge.com]
45	[uataroungccoin] [gaycities.com]
45	[allout.org, stonewall.org.uk]
40	[anoncols, soliewan of g.us] [manhun.com]
48	[crininthemorning.com]
49	[glaad.org]
50	[towleroad.com]
51	[Jgbtqation.com]
52	[ciciful.com]
53	[fabguys.com, appnebula.co, g4guys.com, mensnet.jp, gays-cruising.com, bullchat.com, queer.de, ourtruecolors.org, daleenelarcojuana.com.ar, xl-gaytube.com, gaysir.
	gaybodyblog.com, xtasis.org, yt5s.is, easygaychat.com, milfswipes.com, dgdgdg.com, gayboy.at, taimi.com, tgcomics.com, club21.org, lesarion.com,
	kobiety-kobietom.com, equaldex.com, qx.se, tslove.net, bakala.org, primarius.app, gayua.com, sissykiss.com, queermajority.com, gay-szene.net, gayromeo.com, coat.co.
	locuragay.com, crossdresserheaven.com, jackd.com, susans.org, games.mashable.com, emptyclosets.com, readyforpolyamory.com]

 kobiety-kobietom.com, equaldex.com, qx.se, tslove.net, bakala.org, primarius.app, gayua.com, sissykiss.com, queermajority.com, gay-szene.net, gayromeo.com, coat.co.jp, locuragay.com, crossdresserheaven.com, jackd.com, susans.org, games.mashable.com, emptyclosets.com, readyforpolyamory.com]

 Table 6: Container assignment based on graph coloring scheme to prevent single context collapse within top-100 popular LGBTQ websites

Color	First-party websites
1	[ciciful.com, lgbtqnation.com, towleroad.com, glaad.org, allout.org, gaycities.com, adriel.com, out.com,
	gaydar.net, washingtonblade.com, pride.com, autostraddle.com, iboys.cz, thaiboyslove.com, l-mag.de,
	lesbicanarias.es, cromosomax.com, nakluky.cz, xtramagazine.com, hrc.org, advocate.com, genxy-net.com,
	queerty.com, rainbownet.jp, b-gay.com, joemygod.com, thenewcivilrightsmovement.com, instinctmagazine.com, cruisinggays.com, fridae.asia]
2	[aarp.org, 1mg.com, consultaremedios.com.br, memorial.com.tr, whattoexpect.com, verywellhealth.com,
	suckhoedoisong.vn, athomedaily.com, medscape.com, athenahealth.com, apollopharmacy.in,
	gsuplementos.com.br, pharmeasy.in, womenshealthmag.com, health.com, babycenter.com, drugs.com,
	tuasaude.com, invitro.ru, altibbi.com, chemistwarehouse.com.au, hesaplama.net]
3	[dmm.co.jp, tktube.com, livejasmin.com, doorblog.jp, iporntv.net, dlsite.com, erothots1.com]
4	[amazon.fr, flipkart.com, target.com, mercari.com, walmart.com, tokopedia.com, gmarket.co.kr, amazon.in,
	ssg.com, marktplaats.nl, 11st.co.kr, kakaku.com, dmm.com, rakuten.co.jp, olx.com.br, slickdeals.net, rakuten.com,
	wayfair.com, aliexpress.ru, kohls.com, rozetka.com.ua]
5	[medonet.pl, elpais.com, o2.pl, forbes.com, auone.jp, ukr.net, eenadu.net, apnews.com, theguardian.com,
	yomiuri.co.jp, vnexpress.net, lanacion.com.ar, usatoday.com, businessinsider.com, foxnews.com, ndtv.com,
	cnn.com, buzzfeed.com, nbcnews.com, www.edition.cnn.com, india.com, detik.com, cnbc.com, cbsnews.com,
	ria.ru, ynet.co.il, kp.ru, independent.co.uk, msn.com, hurriyet.com.tr]
6	[uh.edu, ucdavis.edu, mcgill.ca, ratemyprofessors.com, asu.edu, unicesumar.edu.br, snhu.edu, jhu.edu, wgu.edu,
	estacio.br, joinhandshake.com, nyu.edu, rutgers.edu]
7	[serasa.com.br, discover.com, intuit.com, benzinga.com, bajajfinserv.in, nguoiquansat.vn, investopedia.com,
	xe.com, moneyforward.com, banki.ru, foxbusiness.com, experian.com, moneycontrol.com, smbc-card.com,
	marketwatch.com, goodreturns.in, sbisec.co.jp, finviz.com, fortune.com, economictimes.com, businesstoday.in,
	business-standard.com, mercadopago.com.ar, ilsole24ore.com, adyen.com]
L	

Table 7: Container assignment based on graph coloring scheme to prevent multiple contexts collapse from the top-100 popular LGBTQ websites

Website that is also a Persistent Identifier	Category of Website	Categories Found Tracking on	Tracking Instrument: Cookie ID, Javascript Fingerprinting, or Both
market.yandex.ru	E-Commerce	{Adult, E-Commerce, Finance, LGBTQ, Education, News & Media, Health}	Cookie
news.google.com	News & Media	{Adult, E-Commerce, Finance, LGBTQ, Education, News & Media, Health}	Both
magsrv.com	Adult	{Adult, LGBTQ}	Cookie
mail.ru	{Health, News & Media}	{Adult, E-Commerce, Finance, LGBTQ, News & Media, Health}	Both
paypal.com	Finance	{E-Commerce, Health}	Cookie
mercadolibre.com	E-Commerce	{E-Commerce, Finance}	Cookie

Table 8: Top Level URLs Found as Persistent Identifiers