

Towards Global AI Inclusivity: A Large-Scale Multilingual Terminology Dataset

Jiarui Liu,^{1*} Iman Ouzzani,^{1*} Wenkai Li,^{1*} Lechen Zhang,² Tianyue Ou,¹
Houda Bouamor,¹ Zhijing Jin,³ Mona Diab¹

¹Carnegie Mellon University,

²University of Michigan, ³University of Toronto

{jiaru15, iouzzani, wenkail}@andrew.cmu.edu,
zjin@cs.toronto.edu, mdiab@andrew.cmu.edu

Abstract

The field of machine translation has achieved significant advancements, yet domain-specific terminology translation, particularly in AI, remains challenging. We introduced GIST, a large-scale multilingual AI terminology dataset containing 5K terms extracted from top AI conference papers spanning 2000 to 2023. The terms were translated into Arabic, Chinese, French, Japanese, and Russian using a hybrid framework that combines LLMs for extraction with human expertise for translation. The dataset's quality was benchmarked against existing resources, demonstrating superior translation accuracy through crowdsourced evaluation. GIST was integrated into translation workflows using post-translation refinement methods that required no retraining, where LLM prompting consistently improved BLEU and COMET scores. A web demonstration on the ACL Anthology platform highlights its practical application, showcasing improved accessibility for non-English speakers. This work aims to address critical gaps in AI terminology resources and fosters global inclusivity and collaboration in AI research.

1 Introduction

The field of machine translation has made significant progress, with state-of-the-art models excelling across diverse tasks (Brown et al., 1990; Wu et al., 2016; Goyal et al., 2022; Haddow et al., 2022) and demonstrating effectiveness in translating between high-resource and low-resource languages (Yao and Wan, 2020; Costa-jussà et al., 2022; Ranathunga et al., 2023). Despite these successes, translating domain-specific scientific texts remains a persistent challenge, particularly for terminology translation (Cabré, 2010; Shuttleworth, 2014; Naveen and Trojovský, 2024). General-purpose translation systems often falter in accurately translating terminologies, leading to loss of critical




Figure 1: Direct translations of AI research papers and model cards using Google Translate generally offer fair quality but often fail to accurately translate AI-specific terminologies, potentially causing confusion or misinterpretation for readers. Our work addresses this issue by providing high-quality translations for a wide range of such terms, which can be efficiently integrated post-hoc to enhance the initial translations.

details (Dagan and Church, 1994; Haque et al., 2020a), or lead to misinterpretations (Chmutina et al., 2021; Yue et al., 2024).

In the field of AI, terms such as “Coreference Resolution” or “Explain-Away Effect,” are frequently translated incorrectly or inconsistently, undermining comprehension for global researchers and practitioners (Khwaileh and Khwaileh, 2011; Tehseen et al., 2018), as illustrated in Figure 1. For non-English readers, who comprise a substantial portion of the global population and AI community (Ammon, 2003; Ding et al., 2023), such inaccuracies in AI research paper and blog translation hinder access to essential knowledge, stifling research innovation and collaboration across linguistic boundaries (Amano et al., 2023; Bahji et al., 2023). The implications extend to AI resources doc-

*Equal contribution.




Figure 2: Overview of GIST creation. AI terminologies were extracted from awarded papers using an LLM and combined with existing terminology dictionaries. After data cleansing, translations into five languages were generated via crowdsourcing, and an LLM was used to select the best candidate translation. Dataset quality was evaluated against two baselines: majority-vote-selected translations and translations from the 60-60 evaluation set, demonstrating the superior quality of GIST.

umentation, such as model and data cards hosted on platforms like Hugging Face,¹ where errors in translated terminologies can lead to misunderstandings or incorrect usage of models and datasets. This highlights the urgent need for precise and standardized multilingual AI terminology resources to support equitable access to AI knowledge (Ahuja et al., 2023; Liu et al., 2024).

Existing efforts to address this gap have relied heavily on manual curation of terminologies by domain experts, a process that is time-consuming, resource-intensive, and difficult to scale (Wang et al., 2013; Freitag et al., 2021). Meanwhile, large language models (LLMs) have shown promise in automated terminology translation (Feng et al., 2024), while their outputs often misalign with human expert standards (Zhang et al., 2024), and different models often yield inconsistent translations (Banik et al., 2019; Prieto Ramos, 2021). The ACL 60-60 initiative in 2022 curated and translated AI-specific terms, and showcased potential for multilingual scientific communication and AI inclusivity (Salesky et al., 2023).² However, its small scale, narrow scope, and translation quality limitations underscore the need for a more comprehensive multilingual AI terminology resource.

To address this, we introduce **Glossary of Multilingual AI Scientific Terminology (GIST)**, the first large-scale multilingual AI terminology

dataset, compiling 5K AI-specific terms from award-winning papers at 18 top-tier AI conferences (2000–2023). Using a hybrid approach combining LLMs for extraction and verification with human expertise for translation, we provide high-quality translations into Arabic, Chinese, French, Japanese, and Russian (Abel and Meyer, 2013).

To enhance accessibility of our work, we integrate the curated terminologies into machine translation pipelines without requiring model retraining. We evaluate three post-translation refinement methods: prompting, word alignment and replacement, and constrained decoding. Our experiments reveal that the prompting method effectively integrates the curated dictionary, consistently improving translation quality as measured by BLEU and COMET scores. Additionally, we develop a website demonstration that incorporates our dataset into translations of ACL Anthology research papers, showcasing its practical applications for non-English speakers in the AI field.

The contributions of this work are summarized as follows:

- We created GIST, the first large-scale multilingual AI terminology dataset, with 5K terms from 879 awarded top AI conference papers (2000–2023) and a broad domain coverage.³
- We developed an effective and efficient translation framework combining LLMs and hu-

¹huggingface.co/docs/hub/en/model-cards, huggingface.co/docs/hub/en/datasets-cards

²2022.aclweb.org/dispecialinitiative.html

³Our code and data is available at <https://github.com/jiarui-liu/MultilingualAITerminology>.

man expertise to translate English terms into five languages, achieving high-quality results validated by automatic and human evaluations.

- To enhance accessibility, we explored three approaches to integrate the curated terminologies into machine translation pipelines without retraining, and developed a website to showcase its practical use for AI paper translation.

By addressing the critical gap in multilingual AI terminology resources, this work contributes a robust solution to support equitable access to AI knowledge, fostering inclusivity and collaboration in the global research community.

2 Related Works

Multilingual Terminology Datasets The ACL 60-60 evaluation sets represent an important effort in translating multilingual terminology from AI presentations, but are limited to just over 250 terms (Salesky et al., 2023).

Scientific terminology datasets are typically built using two approaches. The first approach relies on human multilingual experts for extracting and translating terminologies (Awadh, 2024; Kim et al., 2024). In cases of limited expert availability, human crowdsourcing with aggregation techniques has shown excellent results (Zaidan and Callison-Burch, 2011; Chan et al., 2023). The second approach uses ML and machine translation tools for automatic collection and translation, including log-likelihood comparisons (Haque et al., 2018), machine translation-based data synthesis (Haque et al., 2020b; Fernando et al., 2020; Manzini et al., 2022; Moslem et al., 2023), platform-based terminology linkers (Arcan et al., 2014), classifier training (Jin et al., 2013; Schumann and Martínez Alonso, 2018), and prompting LLMs (Nishio et al., 2024; Shamsabadi et al., 2024).

However, fully human-driven approaches can be costly for large-scale multilingual datasets, while fully automated ones often lack accuracy (Giguere, 2023). To address this, our framework integrates LLM-based extraction, human filtering, human translation, LLM validation, and merging with existing dictionaries, efficiently and effectively expanding existing terminology datasets.

Integrating Domain Terminology into Machine Translation

Integrating newly collected domain

terminology into machine translation systems has led to a variety of research efforts. One common approach involves training methods, such as augmenting training data with input-output pairs that include terminologies for supervised fine-tuning (Dinu et al., 2019; Niehues, 2021), or modifying model architectures to enhance terminology awareness (Dinu et al., 2019; Conia et al., 2024). However, these training-based approaches are inefficient for adapting to new terminologies, limiting their real-world applicability.

To tackle this, terminology-aware decoding methods have emerged as a more flexible alternative. These methods, which include variants of constrained beam search (Anderson et al., 2016; Hokamp and Liu, 2017; Chatterjee et al., 2017; Hasler et al., 2018; Post and Vilar, 2018), slightly compromise translation accuracy for greater adaptability. Another strategy is post-hoc editing of generated translations, which typically employs word alignment techniques to identify and replace term translations in the output (Zenkel et al., 2019; Chen et al., 2020; Ferrando et al., 2022). Recently, LLMs have been leveraged to integrate expected terminology directly into the translations (Bogoychev and Chen, 2023). Our work explores multiple terminology integration approaches, including constrained beam search, decoding logits adjustment, word alignment and replacement, and refinement through prompting.

3 GIST Dataset Construction

We constructed GIST, a dataset comprising around 5K English AI terminologies and their translations into Arabic, Chinese, French, Japanese, and Russian. The basic lexical statistics of the dataset are presented in Table 1. We detail our terminology collection process in Section 3.1 and the translation procedure in Section 3.2.

3.1 Terminology Collection

Our dataset follows the 60-60 initiative that aims to collect scientific terminologies in the AI field. We source AI terminology from two primary channels: AI research papers published online and existing AI terminology dictionaries. For the research papers, our objective is to compile a substantial number of terms from high-quality AI papers spanning a long time frame. To identify representative papers, a natural approach would be to crawl the most cited papers using online search engines or platforms.

	Arabic	Chinese	French	Japanese	Russian
# Terms	4,844	6,426	6,527	4,770	5,167
Unique En Words	2,470	3,244	3,470	2,424	2,615
Unique Tgt Words	3,161	2,838	4,036	2,050	4,210
En Words/Term	2.02	2.05	2.07	2.02	2.01
Tgt Words/Term	2.36	2.26	2.68	2.53	2.16
En Chars/Term	16.99	17.26	17.44	16.96	16.94
Tgt Chars/Term	15.22	4.66	21.27	6.89	20.20

Table 1: Lexical statistics of the dataset across languages. “En” denotes English, and “Tgt” denotes the target language. Terms are tokenized into words using `nltk.word_tokenize` for English, Arabic, French, and Russian, `jieba` for Chinese, and `MeCab` `Owakati` for Japanese. Statistics with standard deviations are presented in Table 3.

However, no tools or APIs currently enable this. Instead, we focused on awarded papers announced on the websites of top AI conferences. Specifically, we collected all awarded papers, spanning awards such as Best Paper, Outstanding Paper, and other recognitions from the venues listed in Table 4, and covering the years 2000 to 2023. This approach ensures comprehensive coverage of recognized research work. In total, we collected 879 paper PDFs from arXiv and other online repositories and processed them into text files using SciPDF.⁴ As we analyze later in Section 5, this collection strategy provides broad terminology and domain coverage of AI terminologies.

As supported by previous research (Xu et al., 2024; Dagdelen et al., 2024; Shamsabadi et al., 2024), recent LLMs such as LLaMA 3 (Dubey et al., 2024) have demonstrated strong capabilities in scientific terminology extraction tasks. While the definition of “AI” lacks a clear and universally agreed boundary, LLMs are trained on vast datasets that reflect human knowledge, enabling them to classify terms as AI-related based on their contextual relevance. Leveraging this, we utilized LLaMA-3-70B-Instruct to extract AI terminologies from award-winning papers, providing specific instructions to guide the extraction process.

To define AI-specific terminology, we imposed the following criteria: (1) the term must be a noun or noun phrase, (2) it should be specialized to AI, encompassing core concepts, methods, models, algorithms, or systems, and (3) it should have either no meaning or a distinct meaning outside the AI domain. We processed the text in sentence chunks of up to 64 words to stay within LLaMA’s optimal

context-handling capabilities. Additionally, for each unique term, we recorded up to three different contexts during extraction to ensure sufficient contextual diversity.

After extraction, we performed multiple quality assurance steps. We removed terms that appeared in only one paper to ensure representativeness, excluded abbreviations and terms starting with special characters, and filtered out non-noun phrases. Duplicates were eliminated, and GPT-4o (Hurst et al., 2024) was employed to further refine the list by filtering out non-AI terms based on the same criteria. Finally, three AI domain experts reviewed the terms to remove any remaining unqualified entries. To enhance the dataset, we also integrated terminologies from external sources, including the 60-60 initiative dataset, government websites, Wikipedia, and other online resources. Full details of the terminology collection process are provided in Appendix A.2.

3.2 Terminology Translation

To evaluate whether state-of-the-art LLMs can effectively perform terminology translation as a generation task, we initially experimented with two advanced LLMs and one API available at the time, including Claude 3 Sonnet (Anthropic, 2024), GPT-3.5-Turbo (OpenAI, 2023), and Google Translate API (Wu et al., 2016). The procedure and the prompt used for these translations is presented in Appendix A.3. We measured the agreement among the three methods using exact match. However, as shown in Table 5, the three-model agreement ratio was only around 15% for most languages except Chinese, and the two-model agreement ratio was only about 40%. These results reveal significant inconsistencies in the translations produced by these systems, and highlight the need for human inputs to ensure reliable translations.

Given these findings, we opted for human annotation to ensure translation accuracy. To achieve this, we utilized Amazon Mechanical Turk (MTurk) for crowdsourced annotations. A demonstration of the MTurk task is shown in Figure 6. We instructed participants to take on the task only if they specialized in AI and were fluent in both English and one of the target languages. Annotators were tasked with generating accurate translations for each AI terminology, with relevant contexts provided and the terminology highlighted in yellow in contexts. To maintain quality, we implemented a rigorous qualification process. Annotators were first tested

⁴https://github.com/titipata/scipdf_parser

on a toy set of 10 carefully selected AI terms, and only those who performed well were allowed to proceed with the full task. Additionally, we monitored submissions daily and filtered out participants who provided random or low-quality translations during the annotation process. For each term, we collected 10 annotations per target language. The total cost is around \$1000.

Finally, we used GPT-4o to select the best translation from the annotators’ submissions for each term, ensuring high-quality results for our final dataset. As analyzed in Section 4.1, leveraging GPT-4o was crucial for maintaining the quality of the translations.

4 Dataset Quality Assessments

To thoroughly evaluate the translation quality in GIST, we conducted two additional crowdsourced rating tasks: (1) In Section 4.1, we investigated whether using GPT-4o was necessary to select the best translation candidate; (2) In Section 4.2, we compared the quality of our dataset with the evaluation set from the 60-60 initiative.

4.1 Task 1: Is Our LLM + Human Framework Necessary?

To ensure the selection of the best candidate from the annotators’ generations, we explored two methods for candidate selection. The first method only uses GPT-4o to select the best translation candidate among 10 annotations for all terms. The second method relies on majority voting among the 10 annotators: a translation candidate is selected if it appears in more than 5 out of 10 annotations. In cases where no majority is reached, GPT-4o is prompted to select the best translation candidate.

To evaluate these approaches, we conducted a separate MTurk task, involving a different group of participants, to compare the two methods on a randomly sampled subset of 200 terms per language. Participants were asked to choose one of four options: (A) Both translations are good; (B) Method 1 translation is better; (C) Method 2 translation is better; (D) Both translations are bad. For each language, we collected 5 annotations per term. As shown in Table 6, GPT-4o’s candidate selection consistently outperformed majority voting across all five languages. These results highlight the necessity of GPT-4o in achieving high-quality translations for crowdsourced annotations.

However, human involvement remains indispens-

able. As discussed in Section 3.2, state-of-the-art LLMs and machine translation systems fail to provide consistent answers, rendering automatic translation through agreement across multiple models infeasible. Thus, by combining the expertise of LLMs as verifiers with humans as input sources, we achieve efficient, accurate, and reliable translations.

4.2 Task 2: Is Our Dataset Translation Better than 60-60?

The 60-60 initiative dataset also focuses on AI terminology translations and includes the five languages we considered. This overlap allows us to intersect the English terms in our dataset with those in the 60-60 evaluation dataset and compare their respective translations. We retrieved the translations from both datasets and conducted a comparative assessment through a crowdsourced evaluation, same as the process detailed in Section 4.1.

The results presented in Table 7 show that the translations in our dataset consistently and significantly outperform those from the 60-60 dataset across all five languages. Additionally, as shown in Table 8, annotators demonstrated fair agreement when rating the Arabic translations, and moderate agreement, with Fleiss’ Kappa values ranging from 0.4 to 0.5, for translations in the other four languages. These findings underscore the superior quality of translations in our dataset compared to the 60-60 dataset.

5 Dataset Coverage Assessments

Domain Coverage We first investigate the AI domains covered by the collected terms in GIST and their distributions. We use GPT-4o-mini (Hurst et al., 2024) to identify the specific AI domains for each term, following the taxonomy proposed by Ding et al. (2023), which clusters the research domains of AI scholars. Figure 8 shows the distribution of the top six AI domains in GIST, with terms most frequently categorized into statistics, mathematics, computer science (CS), natural language processing (NLP), data science (DS), and computer vision (CV). We further embed all AI terminologies in GIST using the all-MiniLM-L6-v2 model (Reimers and Gurevych, 2019) and apply Uniform Manifold Approximation and Projection (UMAP) (McInnes et al., 2018) for dimensionality reduction to a two-dimensional space. The visualization in Figure 9 reveals that terms in domains

such as NLP, CV, statistics, and mathematics form distinct clusters, while terms in CS and DS are more dispersed.

Terminology Coverage We claim that our awarded paper dataset provides essential coverage of the terms in our terminology dictionary, where many terms are actually repeatedly extracted multiple times from different awarded papers. We present the rarefaction curve in Figure 10, which visually demonstrates the relationship between the number of extracted terms and the dataset size.

To statistically validate our claim, we conducted a one-sided one-sample t-test to compare the mean coverage ratio of the terminology dictionary. Specifically, we tested whether the mean coverage ratio of randomly sampled subsets, constituting 60% of the terminology dictionary, is significantly above 80%. The null hypothesis (H_0) assumes that the mean coverage ratio of these subsets is less than or equal to 80%, while the alternative hypothesis (H_a) assumes that the mean coverage ratio exceeds 80%. Using 1,000 random samples, the analysis yielded a t-statistic of 64.78 and a p-value of 0, rejecting the null hypothesis. These results provide statistical evidence supporting the sufficiency of our dataset in covering the terminology dictionary.

6 Experiments

We explore terminology integration approaches that do not need model retraining. We quantitatively evaluate two methods: terminology refinement via post-hoc LLM prompting and terminology substitution guided by word alignment. Additionally, we conduct a qualitative evaluation of traditional decoding techniques, including constrained beam search and token-level logits adjustment.

6.1 Methods

Terminology Refinement: LLM Prompting With the recent advancements in multilingual and instruction-following capabilities of LLMs, it is now possible to leverage these models to refine translations. Specifically, we prompt the LLMs to revise the initial translation produced by a machine translation model, incorporating relevant term translations from our terminology dictionary within the provided context. For this refinement, we employ GPT-4o-mini and use the prompt illustrated in Figure 11.

Terminology Substitution: Word Alignment We apply the word alignment approach introduced

by Dou and Neubig (2021) to identify and substitute term translations within the output. We use the multilingual BERT base model (Devlin et al., 2018) to tokenize both source and target sentences, and then processes these inputs through its hidden layers to produce contextualized embeddings. We determine alignments by computing dot-product similarities between source and target token embeddings. High-confidence alignments are then filtered using a threshold of 1e-4, and subword alignments are aggregated to generate word-level mappings. Lastly, we directly replace identified term translations with those from GIST.

Terminology-Aware Decoding Approaches For constrained beam search, we use the Hugging Face implementation, which enforces the inclusion of term translations from GIST in the output.⁵ For token-level adjustment, we first identify AI terminologies and their corresponding expected translations from GIST. We then modify the output logits of these tokens by increasing them by factors of 10/7, 10/8, and 10/9 to prioritize their selection during decoding.

6.2 Experiment Setup

Evaluation Set We conducted experiments on two evaluation sets: the **60-60 Evaluation Set** and the **AI Papers and Model Cards Evaluation Set**. The first evaluation set is from the 60-60 initiative, providing terminology translations into five target languages. Based on our analysis in Section 4.2, which indicates that our dataset offers higher quality than the 60-60 set, we enhanced their labels by replacing AI terminologies in their translations with GPT-4o while maintaining grammatical correctness and ensuring no loss in translation quality. This process generated updated ground truth labels for the evaluation.

The second evaluation set was manually created by combining text from two sources: 50 held-out AI research papers and 50 model cards generated by (Liu et al., 2024). From this set, we randomly sampled 500 English text chunks from it for evaluation. To create ground truth labels for this set, we used Google Translate, a state-of-the-art machine translation model (Zhu et al., 2023; Santosa et al., 2024), to produce initial translations. We then prompted GPT-4o to refine these translations by updating AI terminology. This evaluation set

⁵<https://huggingface.co/blog/constrained-beam-search>

Eval Set	Model	Metric	Arabic	Chinese	French	Japanese	Russian
60-60	aya-expanse-8B	BLEU	20.11 + 1.23 + 0.18	27.31 + 1.33 + 0.24	33.05 + 2.46 + 0.20	14.59 + 0.61 + 0.32	16.59 + 1.59 - 0.05
		COMET	81.96 + 0.71 - 0.52	83.43 + 1.57 + 0.08	81.83 + 1.06 - 0.11	88.54 + 0.32 - 0.01	82.27 + 0.69 - 2.02
	aya-23-8B	BLEU	19.98 + 0.54 - 0.21	26.08 + 0.47 + 0.39	33.85 + 2.28 - 0.11	15.06 + 0.87 + 0.36	15.77 + 1.05 + 0.37
		COMET	84.02 + 0.81 - 0.24	85.12 + 0.58 + 0.38	82.40 + 0.94 - 0.15	87.92 + 0.50 + 0.09	81.91 + 0.40 - 2.26
	gpt-4o-mini	BLEU	23.58 + 1.07 - 0.00	32.64 + 1.60 + 0.66	40.80 + 3.08 + 0.50	21.46 + 0.64 + 0.19	17.25 + 1.07 - 0.13
		COMET	85.77 + 0.69 - 0.44	87.30 + 0.48 + 0.26	84.56 + 0.68 - 0.04	89.96 + 0.14 + 0.01	83.68 + 0.38 - 2.29
	nllb	BLEU	22.38 + 1.37 + 0.64	17.29 + 1.92 + 1.02	34.93 + 2.86 + 0.21	6.19 + 2.42 + 0.53	17.30 + 1.54 + 1.07
		COMET	83.52 + 0.83 - 0.45	78.22 + 2.95 + 0.73	82.83 + 1.00 - 0.19	77.82 + 3.80 + 0.39	81.41 + 0.97 - 1.54
	seamless	BLEU	23.13 + 1.16 - 0.03	26.26 + 0.97 + 0.80	40.04 + 2.08 - 0.57	14.56 + 0.74 + 0.05	17.18 + 1.71 + 1.17
		COMET	84.07 + 0.94 - 0.38	83.44 + 1.48 + 0.50	83.86 + 0.78 - 0.07	85.05 + 1.06 + 0.16	82.33 + 0.56 - 1.87
AI Papers & Model Cards	aya-expanse-8B	BLEU	11.47 + 0.37 + 0.10	12.04 + 0.94 + 0.17	18.84 + 1.71 - 0.85	8.11 - 0.03 + 0.04	13.84 + 0.21 + 0.32
		COMET	80.98 + 0.46 - 0.51	82.42 + 0.56 - 0.01	81.16 + 0.36 - 0.79	85.48 + 0.34 + 0.07	82.76 + 0.47 - 2.10
	aya-23-8B	BLEU	14.28 + 0.81 + 0.28	14.50 + 0.39 + 0.19	24.49 + 2.36 + 0.08	9.22 + 0.23 + 0.35	16.39 + 1.36 + 0.61
		COMET	81.55 + 1.03 - 0.62	83.88 + 0.68 + 0.04	82.55 + 1.22 - 0.70	84.42 + 0.81 + 0.02	82.72 + 1.14 - 2.08
	gpt-4o-mini	BLEU	14.37 + 0.53 - 0.42	17.21 + 1.22 + 1.39	24.45 + 4.38 + 1.28	10.55 + 0.05 + 0.03	18.02 + 1.52 + 0.40
		COMET	83.56 + 0.86 - 0.19	86.08 + 0.25 - 0.13	84.75 + 0.33 - 1.03	87.91 + 0.16 - 0.01	84.92 + 0.44 - 2.02
	nllb	BLEU	15.42 - 0.31 - 0.77	10.24 + 2.19 + 2.07	22.68 + 2.73 + 0.90	8.24 + 1.08 + 0.88	19.18 - 0.10 - 0.24
		COMET	81.23 + 1.28 - 0.50	80.19 + 1.61 + 0.38	78.70 + 3.81 - 1.59	83.05 + 1.71 + 0.70	80.46 + 2.80 - 2.38
	seamless	BLEU	15.38 + 1.09 + 0.45	13.67 + 1.10 + 0.73	24.34 + 5.21 + 1.49	9.42 + 0.56 + 0.42	18.43 + 0.95 + 0.35
		COMET	81.96 + 1.18 - 0.39	80.70 + 2.18 + 0.16	83.76 + 0.97 - 0.94	83.70 + 0.88 + 0.10	83.12 + 1.50 - 1.79

Table 2: Experiment results on two evaluation sets across five models and five languages using BLEU and COMET. The first value represents the scores for direct translation using the models. The second value indicates the improvement or decline when applying the prompting-powered refinement method compared to direct translation. The third value indicates the improvement or decline when using the word alignment method compared to direct translation.

was designed to explore the application of our AI terminology dictionary in two major domains: AI research papers and model cards.

Models We evaluated the following models: gpt-4o-mini (Hurst et al., 2024), hf-seamless-m4t-large (Barrault et al., 2023), nllb-200-3.3B (Costa-jussà et al., 2022), aya-23-8B (Aryabumi et al., 2024), and aya-expanse-8B (Dang et al., 2024). While the prompting method applies to all models, the word alignment and decoding methods are not applicable to gpt-4o-mini, as it does not provide access to its model weights.

Evaluation Metrics We adopt BLEU (Papineni et al., 2002) and COMET metrics (Rei et al., 2020) for the quantitative evaluation for translation quality, following the methodology of Salesky et al. (2023). We utilize the wmt22-comet-da model (Rei et al., 2022).

6.3 Experiment Results

Table 2 presents the quantitative evaluation results under the experimental settings described earlier. We draw several key observations:

First, the results across the two evaluation sets show consistency, indicating the robustness of the findings. Among the models, gpt-4o-mini achieves the best overall translation performance. Among the remaining four models, differences in performance are less pronounced.

Several trends emerge when comparing different terminology integration approaches. The prompting-powered refinement method consistently outperforms direct translation across nearly all languages, models, and evaluation metrics, which highlights its effectiveness in effectively incorporating AI-specific terminology into translations.

The word alignment method demonstrates mixed performance, showing improvements for Chinese and Japanese translations but leading to declines for Arabic, French, and Russian. This discrepancy is likely due to linguistic differences: Chinese and Japanese exhibit minimal morphological changes, allowing straightforward substitution of terminology without disrupting surrounding syntax; In contrast, languages like Arabic often require agreement in gender, number, and syntactic roles, making noun replacement more challenging and prone to errors.

We also conducted a qualitative manual evaluation of the generation results produced by constrained beam search and logit adjustment methods. Unfortunately, both approaches exhibited extremely slow performance, running approximately 100 times slower than post-hoc methods. Furthermore, forcing specific word ids to appear in the output did not perform well, suffering from similar issues as the word alignment method in disrupting syntactical dependencies. During manual inspection, we observed that constrained beam search

Leveraging Generative Large Language Models with Visual Instruction and Demonstration Retrieval for Multimodal Sarcasm Detection

Binghao Tang, Boda Lin, Haolong Yan, Si Li

Seamless

يهدف الكشف عن السخرية متعددة الوسائط إلى تحديد السخرية في أزواج الصورة والنص المعاونة وله تطبيقات واسعة في المجالات متعددة الوسائط. تعمل الأعمال السابقة في القام الأول على تصميم هيكل الشبكة المقيدة لمحاج ميزات نصوص والنص للتصنيف. ومع ذلك ، قد تتعرض هذه الهياكل المقيدة لخطر الإفراط في التكيف على البيانات ضمن المجال ، مما يقلل من الأداء في سيناريوهات خارج التوزيع (OOD). بالإضافة إلى ذلك ، عادة ما لا تستخدم الأساليب القائمة الميزات غير الوسائط بشكل كامل ، مما يحد من أدائها على مجموعات البيانات داخل المجال. لذلك ، بناء نموذج أكثر موثوقية للكشف عن السخرية متعددة الوسائط ، نقترح نموذج السخرية متعددة الوسائط التوليدية الذي يتكون من قلب تعليمات مصمم ووحدة الاسترجاع المبنية على نموذج لغوي كبير . علاوة على ذلك ، لتقييم تعميم الأساليب الحالية ، نقدم مجموعة اختبار RedEval ، OOD. تظهر النتائج التجريبية أن طرقنا فعالة وتحقيق أداء الدولة من الفن (SOTA) على مجموعات البيانات ضمن المجال MMSD2.0 و OOD RedEval.

Prompt Refinement

يهدف الكشف عن السخرية متعددة الوسائط إلى تحديد السخرية في أزواج الصورة والنص المعاونة وله تطبيقات واسعة في المجالات متعددة الوسائط. تعمل الأعمال السابقة في القام الأول على تصميم هيكل الشبكة المقيدة لمحاج ميزات نصوص والنص للتصنيف. ومع ذلك ، قد تتعرض هذه الهياكل المقيدة لخطر الإفراط في التكيف على البيانات ضمن المجال ، مما يقلل من الأداء في سيناريوهات خارج التوزيع (OOD). بالإضافة إلى ذلك ، عادة ما لا تستخدم الأساليب القائمة الميزات غير الوسائط بشكل كامل ، مما يحد من أدائها على مجموعات البيانات ضمن المجال. لذلك ، بناء نموذج أكثر موثوقية للكشف عن السخرية متعددة الوسائط ، نقترح نموذج السخرية متعددة الوسائط التوليدية الذي يتكون من قلب تعليمات مصمم ووحدة الاسترجاع المبنية على نموذج لغوي كبير . علاوة على ذلك ، لتقييم تعميم الأساليب الحالية ، نقدم مجموعة اختبار RedEval ، OOD. تظهر النتائج التجريبية أن طرقنا فعالة وتحقيق أداء الدولة من الفن (SOTA) على مجموعات البيانات ضمن المجال MMSD2.0 و OOD RedEval.

PDF Cite Search Translate

Figure 3: The interface demonstrates a paper example from (Tang et al., 2024) and introduces a new translation feature on the ACL Anthology website. Non-English speakers can click the “Translate” button at the bottom right of the webpage and select their preferred language for translation. The page dynamically displays two translations side by side: one using direct translation from a machine translation model (e.g., seamless in the figure) and the other enhanced with prompting-powered refinement applied to the left translation. Highlighted text indicates updated terminologies integrated from GIST, showcasing improved translation performance.

behaved similarly to the logit adjustment method with a large scaling factor: the generated sentences often failed to maintain proper grammar, and terminologies were frequently repeated multiple times within the same output. Conversely, with a small scaling factor in the logit adjustment method, the terms were often omitted entirely, demonstrating little to no effect on the output. These findings highlight the limitations in these traditional decoding approaches compared to the prompting-powered refinement method, as well as the importance of tailoring terminology integration approaches to the linguistic characteristics of target languages.

7 Website Demonstration

To facilitate real-world usage of our AI terminology dictionary, we built on the 60-60 initiative by modifying the ACL Anthology website layout and introducing a new terminology translation feature,⁶ as illustrated in Figure 3. The ACL Anthology website was chosen for this demonstration due to its extensive collection of AI-related research papers, making it an ideal platform to showcase the potential impact of our work. In this demonstration, translations of key terms are refined and standardized based on the terminology dictionary we developed, providing more accurate terminology transla-

tions.⁷ This enhancement represents a step toward improving access to AI knowledge for non-English speakers by offering a consistent and reliable translation system, and broadens the accessibility of AI research to a global audience.

8 Conclusion

We present GIST, a large-scale multilingual AI terminology dataset addressing gaps in translating AI-specific terms. Combining LLM-based extraction and validation with human expertise, it includes 5K English terms with translations into Arabic, Chinese, French, Japanese, and Russian, surpassing the ACL 60-60 benchmark. LLM prompting proved effective for post-hoc terminology integration, improving translation quality across metrics like BLEU and COMET. We also provide a website demonstration to enhance the accessibility of our work for non-English speakers, supporting equitable AI knowledge access and fostering global collaboration in AI research.

Limitations

This work is subject to several limitations. First, our dataset assumes a one-to-one correspondence between English terms and their translations, which

⁶<https://acl6060.org/>

⁷Our code for the website is available at <https://github.com/ImanOu123/acl-anthology-mod>.

does not account for cases where multiple equally valid translations exist for a single term. This simplification may overlook the nuanced variations in AI terminology usage across languages.

Despite significant efforts in collecting terminologies, our coverage is not exhaustive. The field of artificial intelligence lacks a well-defined boundary, making it challenging to ensure comprehensive inclusion of all relevant AI terms. Additionally, while we provide translations for five widely used languages, this represents only a subset of the global linguistic diversity and leaves many other languages unaddressed.

The evaluation set was created using Google Translate and GPT-4, tools whose translation accuracy has not been verified in our work by human experts. This reliance might introduce potential errors in the evaluation data, affecting its reliability.

Nonetheless, we hope this work inspires the community to further advance the creation and refinement of multilingual AI terminology dictionaries, addressing these limitations and extending coverage to more languages and domains.

Ethical Considerations

We manually collected awarded papers from official conference websites. Only papers available under open-source licenses for research use were downloaded. Similarly, model card contents used in this study were sourced from openly shared materials by their respective authors.

During data processing, we ensured that no personal information, such as human names irrelevant to AI methods or metrics, was included in the dataset. Automatic and manual reviews were conducted to verify the exclusion of any sensitive or private details.

For term translation, we employed LLMs to assist with extraction and validation. While we acknowledge that LLMs may exhibit biases when selecting the best translations, manual evaluations confirmed the superior performance of LLMs in this task.

In crowdsourced experiments, we respected participant privacy by not collecting any demographic information. All contributors were fairly compensated, with the total cost for annotations amounting to approximately \$1,000. Additionally, our collected terminology dataset does not involve ethically sensitive or controversial content, focusing exclusively on technical terms relevant to AI.

Acknowledgments

We extend our gratitude to the Minister of State for Artificial Intelligence of the United Arab Emirates for making the Arabic AI terminology dictionary publicly available. We thank DataFranca for granting us access to their French AI terminology dictionary. We thank Jiqizhixin for sharing their Chinese AI terminology database. We also thank the Russian Association of Artificial Intelligence for providing access to the Russian AI terminology dictionary. For more details, please refer to Appendix A.2.

References

- Andreas Abel and Christian M. Meyer. 2013. [The dynamics outside the paper: user contributions to online dictionaries](#).
- Kabir Ahuja, Harshita Diddee, Rishav Hada, Millie Ochieng, Krithika Ramesh, Prachi Jain, Akshay Nambi, Tanuja Ganu, Sameer Segal, Maxamed Axmed, et al. 2023. [Mega: Multilingual evaluation of generative ai](#). *arXiv preprint arXiv:2303.12528*.
- Tatsuya Amano, Valeria Ramírez-Castañeda, Violeta Berdejo-Espinola, Israel Borokini, Shawan Chowdhury, Marina Golivets, Juan David González-Trujillo, Flavia Montaño-Centellas, Kumar Paudel, Rachel Louise White, et al. 2023. [The manifold costs of being a non-native english speaker in science](#). *PLoS Biology*, 21(7):e3002184.
- Ulrich Ammon. 2003. [Global english and the non-native speaker](#). In *A: tonKin, Humphrey ir eaGan, Timothy (eds.). Language in the 21st century*. Amsterdam: John Benjamins, pàg, pages 23–34.
- Peter Anderson, Basura Fernando, Mark Johnson, and Stephen Gould. 2016. [Guided open vocabulary image captioning with constrained beam search](#). *arXiv preprint arXiv:1612.00576*.
- Anthropic. 2024. [Introducing the next generation of claude](#).
- Mihael Arcan, Claudio Giuliano, Marco Turchi, and Paul Buitelaar. 2014. [Identification of bilingual terms from monolingual documents for statistical machine translation](#). In *Proceedings of the 4th International Workshop on Computational Terminology (Computerm)*, pages 22–31, Dublin, Ireland. Association for Computational Linguistics and Dublin City University.
- Viraat Aryabumi, John Dang, Dwarak Talupuru, Saurabh Dash, David Cairuz, Hangyu Lin, Bharat Venkitesh, Madeline Smith, Jon Ander Campos, Yi Chern Tan, et al. 2024. [Aya 23: Open weight releases to further multilingual progress](#). *arXiv preprint arXiv:2405.15032*.

- Awadh Nasser Munassar Awadh. 2024. Challenges and strategies of translating scientific texts: A comparative study of human translation and artificial intelligence. *Educational Administration: Theory and Practice*, 30(4):9898–9909.
- Anees Bahji, Laura Action, Anne-Marie Laslett, and Bryon Adinoff. 2023. Exclusion of the non-english-speaking world from the scientific literature: Recommendations for change for addiction journals and publishers. *Nordic Studies on Alcohol and Drugs*, 40(1):6–13.
- Debajyoti Banik, Asif Ekbal, Pushpak Bhattacharyya, and Siddhartha Bhattacharyya. 2019. Assembling translations from multi-engine machine translation outputs. *Applied Soft Computing*, 78:230–239.
- Loïc Barrault, Yu-An Chung, Mariano Coria Meglioli, David Dale, Ning Dong, Mark Duppenthaler, Paul-Ambroise Duquenne, Brian Ellis, Hady Elsahar, Justin Haaheim, et al. 2023. Seamless: Multilingual expressive and streaming speech translation. *arXiv preprint arXiv:2312.05187*.
- Nikolay Bogoychev and Pinzhen Chen. 2023. Terminology-aware translation with constrained decoding and large language model prompting. In *Proceedings of the Eighth Conference on Machine Translation*, pages 890–896, Singapore. Association for Computational Linguistics.
- Peter F Brown, John Cocke, Stephen A Della Pietra, Vincent J Della Pietra, Frederick Jelinek, John Lafferty, Robert L Mercer, and Paul S Roossin. 1990. A statistical approach to machine translation. *Computational linguistics*, 16(2):79–85.
- M Teresa Cabré. 2010. Terminology and translation. *Handbook of translation studies*, 1:356–365.
- Elsie KY Chan, John SY Lee, Chester Cheng, and Benjamin K Tsou. 2023. Post-editing of technical terms based on bilingual example sentences. In *Machine Translation Summit XIX (MT Summit 2023)*, pages 385–392.
- Rajen Chatterjee, Matteo Negri, Marco Turchi, Marcello Federico, Lucia Specia, and Frédéric Blain. 2017. Guiding neural machine translation decoding with external knowledge. In *Proceedings of the second conference on machine translation*, pages 157–168.
- Yun Chen, Yang Liu, Guanhua Chen, Xin Jiang, and Qun Liu. 2020. Accurate word alignment induction from neural machine translation. *arXiv preprint arXiv:2004.14837*.
- Ksenia Chmutina, Neil Sadler, Jason von Meding, and Amer Hamad Issa Abukhalaf. 2021. Lost (and found?) in translation: key terminology in disaster studies. *Disaster Prevention and Management: An International Journal*, 30(2):149–162.
- Simone Conia, Daniel Lee, Min Li, Umar Farooq Minhas, Saloni Potdar, and Yunyao Li. 2024. Towards cross-cultural machine translation with retrieval-augmented generation from multilingual knowledge graphs. *arXiv preprint arXiv:2410.14057*.
- Marta R Costa-jussà, James Cross, Onur Çelebi, Maha Elbayad, Kenneth Heafield, Kevin Heffernan, Elahe Kalbassi, Janice Lam, Daniel Licht, Jean Maillard, et al. 2022. No language left behind: Scaling human-centered machine translation. *arXiv preprint arXiv:2207.04672*.
- Ido Dagan and Kenneth Church. 1994. Termight: Identifying and translating technical terminology. In *Fourth Conference on Applied Natural Language Processing*, pages 34–40.
- John Dagdelen, Alexander Dunn, Sanghoon Lee, Nicholas Walker, Andrew S Rosen, Gerbrand Ceder, Kristin A Persson, and Anubhav Jain. 2024. Structured information extraction from scientific text with large language models. *Nature Communications*, 15(1):1418.
- John Dang, Shivalika Singh, Daniel D’souza, Arash Ahmadian, Alejandro Salamanca, Madeline Smith, Aidan Peppin, Sungjin Hong, Manoj Govindassamy, Terrence Zhao, et al. 2024. Aya expanse: Combining research breakthroughs for a new multilingual frontier. *arXiv preprint arXiv:2412.04261*.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. BERT: pre-training of deep bidirectional transformers for language understanding. *CoRR*, abs/1810.04805.
- Yiwen Ding, Jiarui Liu, Zhiheng Lyu, Kun Zhang, Bernhard Schoelkopf, Zhijing Jin, and Rada Mihalcea. 2023. Voices of her: Analyzing gender differences in the ai publication world. *arXiv preprint arXiv:2305.14597*.
- Georgiana Dinu, Prashant Mathur, Marcello Federico, and Yaser Al-Onaizan. 2019. Training neural machine translation to apply terminology constraints. *arXiv preprint arXiv:1906.01105*.
- Zi-Yi Dou and Graham Neubig. 2021. Word alignment by fine-tuning embeddings on parallel corpora. *arXiv preprint arXiv:2101.08231*.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. 2024. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*.
- Zhaopeng Feng, Ruizhe Chen, Yan Zhang, Zijie Meng, and Zuozhu Liu. 2024. Ladder: A model-agnostic framework boosting LLM-based machine translation to the next level. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 15377–15393, Miami, Florida, USA. Association for Computational Linguistics.

- Aloka Fernando, Surangika Ranathunga, and Gihan Dias. 2020. Data augmentation and terminology integration for domain-specific sinhala-english-tamil statistical machine translation. *arXiv preprint arXiv:2011.02821*.
- Javier Ferrando, Gerard I Gállego, Belen Alastruey, Carlos Escolano, and Marta R Costa-jussà. 2022. Towards opening the black box of neural machine translation: Source and target interpretations of the transformer. *arXiv preprint arXiv:2205.11631*.
- Markus Freitag, George Foster, David Grangier, Viresh Ratnakar, Qijun Tan, and Wolfgang Macherey. 2021. Experts, errors, and context: A large-scale study of human evaluation for machine translation. *Transactions of the Association for Computational Linguistics*, 9:1460–1474.
- Julie Giguere. 2023. Leveraging large language models to extract terminology. In *Proceedings of the First Workshop on NLP Tools and Resources for Translation and Interpreting Applications*, pages 57–60.
- Naman Goyal, Cynthia Gao, Vishrav Chaudhary, Peng-Jen Chen, Guillaume Wenzek, Da Ju, Sanjana Krishnan, Marc’Aurelio Ranzato, Francisco Guzmán, and Angela Fan. 2022. **The Flores-101 evaluation benchmark for low-resource and multilingual machine translation**. *Transactions of the Association for Computational Linguistics*, 10:522–538.
- Barry Haddow, Rachel Bawden, Antonio Valerio Miceli Barone, Jindřich Helcl, and Alexandra Birch. 2022. **Survey of low-resource machine translation**. *Computational Linguistics*, 48(3):673–732.
- Rejwanul Haque, Mohammed Hasanuzzaman, and Andy Way. 2020a. Analysing terminology translation errors in statistical and neural machine translation. *Machine Translation*, 34:149–195.
- Rejwanul Haque, Yasmin Moslem, and Andy Way. 2020b. Terminology-aware sentence mining for nmt domain adaptation: Adapt’s submission to the adap-mt 2020 english-to-hindi ai translation shared task. In *Proceedings of the 17th International Conference on Natural Language Processing (ICON): Adap-MT 2020 Shared Task*, pages 17–23.
- Rejwanul Haque, Sergio Penkale, and Andy Way. 2018. Termfinder: log-likelihood comparison and phrase-based statistical machine translation models for bilingual terminology extraction. *Language Resources and Evaluation*, 52(2):365–400.
- Eva Hasler, Adrià De Gispert, Gonzalo Iglesias, and Bill Byrne. 2018. Neural machine translation decoding with terminology constraints. *arXiv preprint arXiv:1805.03750*.
- Chris Hokamp and Qun Liu. 2017. Lexically constrained decoding for sequence generation using grid beam search. *arXiv preprint arXiv:1704.07138*.
- Aaron Hurst, Adam Lerer, Adam P Goucher, Adam Perelman, Aditya Ramesh, Aidan Clark, AJ Osztrow, Akila Welihinda, Alan Hayes, Alec Radford, et al. 2024. Gpt-4o system card. *arXiv preprint arXiv:2410.21276*.
- Yiping Jin, Min-Yen Kan, Jun-Ping Ng, and Xiangnan He. 2013. **Mining scientific terms and their definitions: A study of the ACL Anthology**. In *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, pages 780–790, Seattle, Washington, USA. Association for Computational Linguistics.
- Abdullah A Khuwaileh and Tariq Khwaileh. 2011. It terminology, translation, and semiotic levels: Cultural, lexicographic, and linguistic problems.
- JiWoo Kim, Yunsu Kim, and JinYeong Bak. 2024. **KpopMT: Translation dataset with terminology for kpop fandom**. In *Proceedings of the Seventh Workshop on Technologies for Machine Translation of Low-Resource Languages (LoResMT 2024)*, pages 37–43, Bangkok, Thailand. Association for Computational Linguistics.
- Jiarui Liu, Wenkai Li, Zhijing Jin, and Mona Diab. 2024. **Automatic generation of model and data cards: A step towards responsible AI**. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 1975–1997, Mexico City, Mexico. Association for Computational Linguistics.
- Enrico Manzini, Jon Garrido-Aguirre, Jordi Fonollosa, and Alexandre Perera-Lluna. 2022. Mapping layperson medical terminology into the human phenotype ontology using neural machine translation models. *Expert Systems with Applications*, 204:117446.
- Leland McInnes, John Healy, and James Melville. 2018. Umap: Uniform manifold approximation and projection for dimension reduction. *arXiv preprint arXiv:1802.03426*.
- Yasmin Moslem, Gianfranco Romani, Mahdi Molaei, John Kelleher, Rejwanul Haque, and Andy Way. 2023. Domain terminology integration into machine translation: Leveraging large language models. In *Proceedings of the Eighth Conference on Machine Translation*, pages 902–911.
- Palanichamy Naveen and Pavel Trojovsky. 2024. Overview and challenges of machine translation for contextually appropriate translations. *Iscience*, 27(10).
- Jan Niehues. 2021. **Continuous learning in neural machine translation using bilingual dictionaries**. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 830–840, Online. Association for Computational Linguistics.

- S Nishio, H Nonaka, N Tsuchiya, A Migita, Y Banno, T Hayashi, H Sakaji, T Sakumoto, and K Watabe. 2024. Extraction of research objectives, machine learning model names, and dataset names from academic papers and analysis of their interrelationships using llm and network analysis. *arXiv preprint arXiv:2408.12097*.
- OpenAI. 2023. *New models and developer products announced at devday*.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. *Bleu: a method for automatic evaluation of machine translation*. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, pages 311–318, Philadelphia, Pennsylvania, USA. Association for Computational Linguistics.
- Maja Popović. 2015. *chrF: character n-gram F-score for automatic MT evaluation*. In *Proceedings of the Tenth Workshop on Statistical Machine Translation*, pages 392–395, Lisbon, Portugal. Association for Computational Linguistics.
- Maja Popović. 2017. *chrF++: words helping character n-grams*. In *Proceedings of the Second Conference on Machine Translation*, pages 612–618, Copenhagen, Denmark. Association for Computational Linguistics.
- Matt Post and David Vilar. 2018. Fast lexically constrained decoding with dynamic beam allocation for neural machine translation. *arXiv preprint arXiv:1804.06609*.
- Fernando Prieto Ramos. 2021. Translating legal terminology and phraseology: between inter-systemic incongruity and multilingual harmonization.
- Surangika Ranathunga, En-Shiun Annie Lee, Marjana Prifti Skenduli, Ravi Shekhar, Mehreen Alam, and Rishemjit Kaur. 2023. Neural machine translation for low-resource languages: A survey. *ACM Computing Surveys*, 55(11):1–37.
- Ricardo Rei, José G. C. de Souza, Duarte Alves, Chrysoula Zerva, Ana C Farinha, Taisiya Glushkova, Alon Lavie, Luisa Coheur, and André F. T. Martins. 2022. *COMET-22: Unbabel-IST 2022 submission for the metrics shared task*. In *Proceedings of the Seventh Conference on Machine Translation (WMT)*, pages 578–585, Abu Dhabi, United Arab Emirates (Hybrid). Association for Computational Linguistics.
- Ricardo Rei, Craig Stewart, Ana C Farinha, and Alon Lavie. 2020. Comet: A neural framework for mt evaluation. *arXiv preprint arXiv:2009.09025*.
- Nils Reimers and Iryna Gurevych. 2019. *Sentence-bert: Sentence embeddings using siamese bert-networks*. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing*. Association for Computational Linguistics.
- Elizabeth Salesky, Kareem Darwish, Mohamed Al-Badrashiny, Mona Diab, and Jan Niehues. 2023. *Evaluating multilingual speech translation under realistic conditions with resegmentation and terminology*. In *Proceedings of the 20th International Conference on Spoken Language Translation (IWSLT 2023)*, pages 62–78, Toronto, Canada (in-person and online). Association for Computational Linguistics.
- Made Hery Santosa, Gusti Ayu Made Trisna Yanti, and Luh Diah Surya Adnyani. 2024. The integration of google translate as a machine translation aid in efl students’thesis composition. *LLT Journal: A Journal on Language and Language Teaching*, 27(1):214–229.
- Anne-Kathrin Schumann and Héctor Martínez Alonso. 2018. *Automatic annotation of semantic term types in the complete ACL Anthology reference corpus*. In *Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018)*, Miyazaki, Japan. European Language Resources Association (ELRA).
- Mahsa Shamsabadi, Jennifer D’Souza, and Sören Auer. 2024. Large language models for scientific information extraction: An empirical study for virology. *arXiv preprint arXiv:2401.10040*.
- Mark Shuttleworth. 2014. *Dictionary of translation studies*. Routledge.
- Matthew Snover, Bonnie Dorr, Rich Schwartz, Linnea Micciulla, and John Makhoul. 2006. *A study of translation edit rate with targeted human annotation*. In *Proceedings of the 7th Conference of the Association for Machine Translation in the Americas: Technical Papers*, pages 223–231, Cambridge, Massachusetts, USA. Association for Machine Translation in the Americas.
- Binghao Tang, Boda Lin, Haolong Yan, and Si Li. 2024. *Leveraging generative large language models with visual instruction and demonstration retrieval for multimodal sarcasm detection*. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 1732–1742, Mexico City, Mexico. Association for Computational Linguistics.
- Irsha Tehseen, Ghulam Rasool Tahir, Khadija Shakeel, and Mubbashir Ali. 2018. Corpus based machine translation for scientific text. In *IFIP International Conference on Artificial Intelligence Applications and Innovations*, pages 196–206. Springer.
- Aobo Wang, Cong Duy Vu Hoang, and Min-Yen Kan. 2013. Perspectives on crowdsourcing annotations for natural language processing. *Language resources and evaluation*, 47:9–31.
- Yonghui Wu, Mike Schuster, Zhifeng Chen, Quoc V Le, Mohammad Norouzi, Wolfgang Macherey, Maxim Krikun, Yuan Cao, Qin Gao, Klaus Macherey, et al. 2016. Google’s neural machine translation system:

- Bridging the gap between human and machine translation. *arXiv preprint arXiv:1609.08144*.
- Derong Xu, Wei Chen, Wenjun Peng, Chao Zhang, Tong Xu, Xiangyu Zhao, Xian Wu, Yefeng Zheng, Yang Wang, and Enhong Chen. 2024. Large language models for generative information extraction: A survey. *Frontiers of Computer Science*, 18(6):186357.
- Shaowei Yao and Xiaojun Wan. 2020. **Multimodal transformer for multimodal machine translation**. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 4346–4350, Online. Association for Computational Linguistics.
- Richard Yue, John Ortega, and Kenneth Church. 2024. **On translating technical terminology: A translation workflow for machine-translated acronyms**. In *Proceedings of the 16th Conference of the Association for Machine Translation in the Americas (Volume 1: Research Track)*, pages 48–54, Chicago, USA. Association for Machine Translation in the Americas.
- Omar Zaidan and Chris Callison-Burch. 2011. Crowd-sourcing translation: Professional quality from non-professionals. In *Proceedings of the 49th annual meeting of the association for computational linguistics: human language technologies*, pages 1220–1229.
- Thomas Zenkel, Joern Wuebker, and John DeNero. 2019. Adding interpretable attention to neural translation models improves word alignment. *arXiv preprint arXiv:1901.11359*.
- Ran Zhang, Wei Zhao, and Steffen Eger. 2024. How good are llms for literary translation, really? literary translation evaluation with humans and llms. *arXiv preprint arXiv:2410.18697*.
- Wenhao Zhu, Hongyi Liu, Qingxiu Dong, Jingjing Xu, Shujian Huang, Lingpeng Kong, Jiajun Chen, and Lei Li. 2023. Multilingual machine translation with large language models: Empirical results and analysis. *arXiv preprint arXiv:2304.04675*.
- **Number of Terms:** The dataset contains 4,844 to 6,527 terms per language, with French and Chinese having the largest repositories.
 - **Unique Words:** English terms comprise 2,400–3,400 unique words across datasets. Target languages exhibit varying lexical diversity, with French and Russian showing higher uniqueness due to linguistic richness.
 - **Words per Term:** On average, English terms consist of approximately two words (~ 2.02), while target languages show higher variability. French terms, for instance, require more words (2.68 ± 1.19), reflecting language-specific expansion during translation.
 - **Characters per Term:** English terms maintain consistent lengths (~ 17 characters), while target languages vary significantly. For example, Chinese terms are concise (4.66 ± 1.96) due to its logographic script, whereas French (21.27 ± 8.49) and Russian (20.20 ± 7.83) terms are longer, reflecting the morphology of these languages.

To tokenize terms, we utilized `nltk.word_tokenize` for English, Arabic, French, and Russian; `jieba` for Chinese; and `MeCab` `Okawati` for Japanese. These tools ensured language-specific tokenization accuracy, enabling detailed lexical analysis.

Conclusion. The statistical analysis highlights the diversity and interdisciplinary nature of the dataset. Figures 8 and 9 illustrate domain-wise distributions and semantic clusters, while Table 3 quantifies lexical variations across languages. Together, these findings provide a robust understanding of the dataset’s structure, supporting its utility for multilingual and domain-specific AI applications.

A Additional Dataset Details

A.1 Additional Dataset Statistics

To better understand the composition and characteristics of the dataset, we performed a comprehensive statistical analysis across multiple dimensions, including domain distribution, semantic clustering, and lexical structure across five languages: Arabic, Chinese, French, Japanese, and Russian. Below, we present key findings through detailed visualizations and lexical statistics.

Lexical Statistics. Table 3 summarizes the lexical characteristics of the dataset across the five languages. Key metrics include:

A.2 Terminology Collection Details

We integrate terms from the Wiki-Pedia Glossary of AI⁸, which serves as a comprehensive starting point for artificial intelligence (AI)-related terminology, ensuring alignment with globally recognized concepts and definitions. To enhance multilingual coverage and domain relevance, we also include terms from several other specialized AI terminology initiatives across different languages:

⁸en.wikipedia.org/wiki/Glossary_of_artificial_intelligence

	Arabic	Chinese	French	Japanese	Russian
# Terms	4844	6426	6527	4770	5167
Unique En Words	2470	3244	3470	2424	2615
Unique Tgt Words	3161	2838	4036	2050	4210
En Words/Term	2.02 ± 0.59	2.05 ± 0.68	2.07 ± 0.67	2.02 ± 0.58	2.01 ± 0.59
Tgt Words/Term	2.36 ± 0.83	2.26 ± 0.90	2.68 ± 1.19	2.53 ± 0.98	2.16 ± 0.80
En Chars/Term	16.99 ± 5.97	17.26 ± 6.60	17.44 ± 6.57	16.96 ± 5.91	16.94 ± 5.90
Tgt Chars/Term	15.22 ± 5.66	4.66 ± 1.96	21.27 ± 8.49	6.89 ± 3.16	20.20 ± 7.83

Table 3: Lexical statistics of the dataset across languages, including standard deviations. “En” denotes English, and “Tgt” denotes the target language. Terms are tokenized into words using `nltk.word_tokenize` for English, Arabic, French, and Russian, `jieba` for Chinese, and the `MeCab` `Wakati` tokenizer for Japanese.

Arabic AI Dictionary⁹: Published by the Arabic Government AI Office, this resource aims to elevate the status of the Arabic language in AI, standardize terminology, reduce linguistic ambiguity, and foster better integration of Arabic speakers into the global AI community. By providing accurate translations and clear definitions for English AI terms, this dictionary promotes knowledge dissemination and encourages collaboration within the Arabic-speaking AI ecosystem.

Chinese GitBook AI Term Database¹⁰: Developed by Jiqizhixin (Machine Heart), this database represents an extensive effort to document technical terms encountered during the translation of AI articles and research papers. Starting with practical usage, the project has evolved to incorporate domain-specific expansions based on authoritative textbooks and expert input, offering the Chinese AI community a unified and precise reference for both academic and industrial applications.

French AI Dictionary¹¹: The first comprehensive French reference tool for data science and AI, this dictionary addresses the needs of public service, commerce, research, and education. It aims to bridge the gap between French and English AI terminologies, ensuring accessibility and standardization for French-speaking professionals and researchers.

Russian AI Dictionary¹²: This initiative captures the interdisciplinary nature of AI by including terminology drawn from fields such as logic, psychology, linguistics, and cybernetics. Leveraging contributions from Russian and Soviet experts, this dictionary emphasizes the frequency and relevance

of terms within AI-specific contexts, providing a culturally adapted yet globally aligned resource for Russian-speaking researchers.

A.3 Terminology Translation Details

Terminology Dataset Collection In this section, we provide a detailed description of our methodology for creating the multilingual AI terminology dictionary and the associated translation experiments. The terms were extracted from papers published in the top AI conferences as shown in Table 4 across various fields including Artificial Intelligence, Computer Vision, Machine Learning, Natural Language Processing, and Web & Information Retrieval. These conferences represent the leading venues in their respective domains.

Category	Selected Conferences
AI	AAAI, IJCAI
CV	CVPR, ECCV, ICCV
ML	ICLR, ICML, NeurIPS, KDD
NLP	ACL, EMNLP, NAACL, EACL LREC, COLING, CoNLL
Web & IR	SIGIR, WWW

Table 4: Top AI conferences included in our dataset collection.

Prompt Design for Translation To ensure consistent and high-quality translations, we used carefully designed prompts for GPT-3.5-Turbo and Claude 3 Sonnet. We provided sentence contexts relevant to each AI terminology, split into a maximum of three chunks, each containing up to 64 words. As shown in Figure 5, the translation prompt asks the model to translate an AI-specific term into a target language, with context provided to clarify the meaning. If the term is an abbreviation or a technical term that should remain in its

⁹ai.gov.ae/ar/ai-dictionary/

¹⁰<https://jiqizhixin.gitbook.io/artificial-intelligence-terminology-database>

¹¹https://datafranca.org/wiki/Cat%C3%A9gorie:GRAND_LEXIQUE_FRAN%C3%A9S

¹²<https://www.raai.org/pages/UGFnZVR5cGU6MTAwMw==>

Your task is to identify AI scientific terminology from the paragraph below, based on the provided definition:

Here is the definition of AI scientific terminology:

AI scientific terminology refers to specialized nouns or noun phrases within Artificial Intelligence, encompassing essential concepts, methods, models, algorithms, and systems.

These terms must:

1. Be composed of nouns, adjectives, and occasionally prepositions.
 2. Be context-specific to AI, having either no meaning or a different meaning outside this field.
- Additionally, these terms often pose significant challenges for accurate translation by machine translation models due to their technical specificity.

Provide only the identified terms in your response, separated by commas. If no scientific terms are found, respond with "None" only. Example: transformer, batch normalization, embedding.

Here is the paragraph:

{text}

Figure 4: Prompts for extracting AI terminologies with LLaMA-3-70B-Instruct.

original form to avoid confusion, the models are instructed to retain the English term.

Translation Agreement Analysis We evaluated the consistency of translations across three models: Claude 3 Sonnet, GPT-3.5-Turbo, and Google Translate API. Table 5 summarizes the agreement ratios for five target languages: Arabic, Chinese, French, Japanese, and Russian. The results indicate significant variation in agreement ratios across languages, with Chinese achieving the highest three-model agreement (42.71%) and Arabic having the lowest (10.11%). The detailed discussion is in Section 3.2.

Human Translation via Mturk To further validate the translations, we employed human translator through the MTurk platform. Each terminology was translated by 10 independent annotators, resulting in a set of 10 translation candidates for each term. The platform layout and guidance for helping translators give these translations is shown in Figure 6.

A.4 Dataset Quality Assessment Details

To evaluate the quality of translations in our dataset, we conducted two tasks involving human annotators. Annotators were presented with pairs of translations generated by different methods and were tasked with evaluating their relative quality. The analysis of their ratings is summarized in Tables 6,

7, and 8. Below, we describe the findings in detail.

Task 1: Comparison Between GPT-4o-Selected Candidates and Majority-Voted Translations

In Task 1, annotators compared translations selected by GPT-4o (Method 1) with majority-voted translations generated by human annotators (Method 2). The choices included:

Table 6 summarizes the distribution of annotators' choices for Task 1. Across all languages, the majority of annotations fell into category A, where both translations were rated as good. Japanese showed the highest percentage of agreement in this category (56.99%), followed by Russian (54.43%) and Chinese (50.59%). Cases where Method 1 translations were rated as better (category B) ranged from 24.37% (Japanese) to 30.26% (Russian). Similarly, cases where Method 2 translations were rated as better (category C) ranged from 13.04% (Russian) to 20.37% (Arabic). The lowest percentage of responses was observed in category D, where both translations were rated as bad, accounting for less than 5% of responses across all languages.

Task 2: Comparison Between Dataset Translations and 60-60 Initiative Translations

In Task 2, annotators compared translations from our dataset (Method 1) with those in the 60-60 initiative evaluation set (Method 2). The distribution of choices is shown in Table 7. In this task, a higher

Translate the following AI scientific term directly into {tgt_lang} based on its context. If the term is an abbreviation that could reduce confusion by keeping it as is, provide the original English term. Directly provide your translated term without any explanations.

- Term: {term}
- Context: "{context}"

Figure 5: Prompts for translating AI terminologies with GPT-3.5-Turbo and Claude 3 Sonnet.

	Arabic	Chinese	French	Japanese	Russian
Three-Model Agreement Ratio	10.11%	42.71%	9.86%	16.60%	17.93%
Two-Model Agreement Ratio	30.52%	36.82%	45.15%	40.44%	38.36%

Table 5: Translation agreement ratios among three models (Claude 3 Sonnet, Google Translate API, and GPT-3.5-Turbo) for five target languages. The table shows the ratio of terms where all three models agree (*Three-Model Agreement Ratio*) and the ratio where any two models agree (*Two-Model Agreement Ratio*).

percentage of annotators preferred translations from Method 2 (category B) for most languages, especially in Chinese (43.02%), French (43.64%), and Russian (45.00%). However, Japanese translations from Method 1 had a significantly higher percentage in category A, with 57.28% of annotators agreeing that both translations were good. Instances where both translations were rated as bad (category D) remained low across all languages, ranging from 2.60% to 5.68%.

Inter-Annotator Agreement To measure inter-annotator agreement, we calculated Fleiss’ Kappa scores for each language in both tasks. Table 8 reports these values. Fleiss’ Kappa values between $0.20 \leq \kappa < 0.40$ indicate fair agreement, while values between $0.40 \leq \kappa < 0.60$ indicate moderate agreement. In Task 1, Kappa scores ranged from 0.21 (Japanese) to 0.39 (Russian), showing fair agreement across languages. In Task 2, Kappa scores improved, ranging from 0.39 (Japanese) to 0.50 (French), indicating moderate agreement for most languages.

Conclusion The results demonstrate that our dataset’s translations are of high quality, with a majority of annotators rating them as good. While inter-annotator agreement was fair in Task 1, moderate agreement was observed in Task 2, highlighting the robustness of our dataset compared to established benchmarks.

A.5 Dataset Coverage Assessment Details

Domain Distribution. The terminology in the dataset spans various AI-related domains. As shown in Figure 8, the six most frequent domains include Statistics and Probability (13.31%), Math (12.24%), Computer Science (11.74%), Natural Language Processing (11.50%), Data Science (9.98%), and Computer Vision (6.57%). The largest proportion of terms (34.65%) falls under the “Other” category, which represents interdisciplinary or less-defined concepts that do not fit neatly into any of the predefined categories. This distribution reflects the diversity and multidisciplinary nature of GIST.

Semantic Clustering. We used Uniform Manifold Approximation and Projection (UMAP) to visualize the semantic relationships between terms across domains. Figure 9 shows a low-dimensional embedding of terms, where each point represents a term, color-coded by its domain. The visualization reveals distinct clusters corresponding to each domain, indicating strong intra-domain coherence. Overlaps between clusters (e.g., Data Science and Natural Language Processing) highlight the interconnected nature of these fields, where concepts are often shared or applied across domains.

Coverage Analysis through Rarefaction. To assess the comprehensiveness of our terminology collection, we conducted a rarefaction analysis, which is visualized in Figure 10. This analysis reveals the relationship between the sample size of papers and the coverage of AI terminology. The curve

Multilingual Scientific Terminology Translation

Important: This task requires expertise in the AI field and proficiency in both English and Chinese. If you do not meet these qualifications, please refrain from proceeding. Submissions based on random selections will be automatically rejected.

Task Overview: Provide an accurate Chinese translation for AI scientific terms.

Instructions: Your task is to translate the provided scientific term into Chinese, considering its meaning and usage within the given context. Please follow these steps:

1. **Read the Term and Context Paragraph:** Carefully review the source term and the accompanying context paragraph to understand the term's meaning and how it is used.
2. **Provide a Translation:** Enter an accurate Chinese translation for the term, ensuring it aligns with the context provided.

Source Terminology (English): 10-fold cross validation

Context Paragraphs:

1: For all the methods, we used **10-fold cross validation** (i.e., each fold we have 556 training and 62 test samples) to tune free parameters, e.g., the kernel form and parameters for GPOR and LapSVM. Note that all the alternative methods stack X and Z together into a whole data matrix and ignore their heterogeneous nature.
2: Features associated one-to-one with a vertical (Clarity, ReDDE, the query likelihood given the vertical's query-log and Soft.ReDDE) were normalized across verticals before scaling. Supervised training/testing was done via **10-fold cross validation**. Parameter τ was tuned for each training fold on the same 500 query validation set used for our single feature baselines.

Please provide an accurate Chinese translation for the term:

Enter translation

Submit

Figure 6: The MTurk layout demonstration for AI terminology translation generation task.

Ranking the Quality of AI Terminology Translation from English to Russian

Task Description: In this task, you will compare the quality of translations for scientific terms generated by two different methods. The input will include:

- An English term
- Two translations in Russian

You will evaluate the quality of these translations and select one of the following options:

1. A: Both translations are good
2. B: The first translation (Method 1) is better
3. C: The second translation (Method 2) is better
4. D: Both translations are bad

Important: This task requires expertise in the AI field and proficiency in both English and Russian. If you do not meet these qualifications, please refrain from proceeding. Submissions based on random selections will be automatically rejected.

Example 1

English Term: decoder

Translation by Method 1: декодер

Translation by Method 2: дешифратор

- A: Both translations are good B: Method 1 translation is better C: Method 2 translation is better D: Both translations are bad

Notes: Please take your time to carefully evaluate each term and translation. Your responses will help improve the quality of AI-generated translations.

Submit

Figure 7: The MTurk layout demonstration for evaluating AI terminology translations. The layout is used for two tasks: (1) comparing the GPT-4o-selected candidate with the majority-voted candidate, and (2) comparing the translations in our dataset with those in the 60-60 initiative evaluation set.

demonstrates a characteristic asymptotic behavior, starting with a steep increase in coverage ratio from approximately 0.3 at 10% of papers to 0.6 at 30% of papers. As the subset size increases, the marginal gain in coverage gradually diminishes, reaching a coverage ratio of approximately 0.9 at 100% of the papers. The error bars, representing standard deviation across 50 random samples for each subset size, notably decrease as the sample size increases, indicating more stable coverage at larger sample sizes. The asymptotic nature of the curve approaching 0.9 coverage suggests that our current collection has achieved a robust representation of commonly used AI terminology, with additional papers likely to introduce increasingly specialized or niche terms at a decreasing rate. The relatively small error bars at larger sample sizes (80-100%) indicate high consistency in terminology coverage across different subsets of the literature, supporting the reliability of our collection methodology.




Figure 8: Terminology distribution of the top-6 AI domains in GIST.

A.6 Terminology Examples

To identify and show the most frequently used terms in the original set of awarded papers, we extracted and ranked the top 150 terminologies based on their occurrence frequency. Table 9 provides a comprehensive list of these terms, categorized by

	A. Both translations are good	B. Method 1 translation is better	C. Method 2 translation is better	D. Both translations are bad
Arabic	739, 45.76%	461, 28.54%	329, 20.37%	72, 4.46%
Chinese	468, 50.59%	266, 28.76%	163, 17.62%	25, 2.70%
French	438, 48.67%	274, 30.44%	170, 18.89%	17, 1.89%
Japanese	587, 56.99%	251, 24.37%	159, 15.44%	27, 2.62%
Russian	626, 54.43%	348, 30.26%	150, 13.04%	14, 1.22%

Table 6: Distribution of annotators’ choices for AI terminology ratings in Task 1, comparing the GPT-4o-selected candidate (Method 1) with the majority-voted candidate (Method 2). The table reports the total counts and corresponding ratios for each choice.

	A. Both translations are good	B. Method 1 translation is better	C. Method 2 translation is better	D. Both translations are bad
Arabic	376, 46.42%	238, 29.38%	143, 17.65%	46, 5.68%
Chinese	197, 37.17%	228, 43.02%	85, 16.04%	17, 3.21%
French	152, 39.48%	168, 43.64%	53, 13.77%	10, 2.60%
Japanese	295, 57.28%	162, 31.46%	36, 6.99%	21, 4.08%
Russian	172, 39.09%	198, 45.00%	38, 8.64%	25, 5.68%

Table 7: Distribution of annotators’ choices for AI terminology ratings in Task 2, comparing the translations in our dataset (Method 1) with those in the 60-60 initiative evaluation set (Method 2). The table reports the total counts and corresponding ratios for each choice.

	Arabic	Chinese	French	Japanese	Russian
Task 1	0.30	0.22	0.37	0.21	0.39
Task 2	0.22	0.41	0.50	0.39	0.41

Table 8: Fleiss’ Kappa scores for inter-annotator agreement among 5 annotators across each question in Task 1 and Task 2.




Figure 9: UMap visualization of terms in GIST by domain.

their rank and grouped for clarity.

B Additional Experiment Details

B.1 Terminology Refinement via Prompting Details

In this subsection, we describe the process of refining machine translation outputs by leveraging prompts tailored for terminology consistency. The objective is to ensure that specific domain-related




Figure 10: Rarefaction curve showing the mean coverage ratio of AI terminology with respect to the subset size of papers. Each subset size is sampled 50 times, and the error bars represent the standard deviation of the coverage ratios across these samples.

terms are translated accurately, adhering to predefined mappings provided in the dataset.

As illustrated in Figure 11, the prompt incorporates a term dictionary, the source language `src_lang` text, and the initial machine-translated `tgt_lang` output. The model is instructed to revise the translation by applying the specified target terms for corresponding source terms while maintaining the rest of the content unchanged. This approach ensures consistency and accuracy in translation outputs, particularly in specialized fields, by integrating domain knowledge directly into the model’s refinement process.

For the following translation into {tgt_lang}, please use the specified {tgt_lang} terms for the corresponding {src_lang} terms, while keeping the other content unchanged.

Term dictionary:
{terms}

{src_lang} text:
{src_text}

{tgt_lang} translation:
{tgt_text}

If multiple terms are nested or overlap with the context in {src_lang}, select the longest span that matches the context. Additionally, if a term has multiple meanings, only replace the term if its original context is relevant to the AI field. Provided the updated translation only.

Figure 11: Prompts for refining a machine translation model’s initial output using relevant term translations from GIST as input.

C Additional Experiment Results

We present comprehensive evaluation results using BLEU (Papineni et al., 2002), ChrF (Popović, 2015), ChrF++ (Popović, 2017), and TER (Snover et al., 2006) for translation into the five target languages across both evaluation sets.

Rank	Terminology	Rank1	Terminology (Continued)1	Rank2	Terminology (Continued)2
1	Algorithm	51	Latent space	101	Recall
2	Model	52	Node	102	Q-learning
3	Classifier	53	Transfer learning	103	Lasso
4	Transformer	54	Stochastic gradient descent	104	Transition matrix
5	Machine learning	55	Feature vector	105	Linear regression
6	Policy	56	Gibbs sampling	106	Meta-learning
7	Learning rate	57	Baseline	107	Segmentation
8	Neural network	58	Generative model	108	Fourier transform
9	Language model	59	Ontology	109	Epoch
10	Loss function	60	Attention	110	Learning algorithm
11	Reinforcement learning	61	Training set	111	Topic model
12	Encoder	62	Data mining	112	Time complexity
13	Deep learning	63	Manifold	113	Feature selection
14	Decoder	64	Discriminator	114	Knowledge distillation
15	Gradient descent	65	F1 score	115	Word embedding
16	Beam search	66	Dynamic programming	116	Euclidean distance
17	Machine translation	67	Adam optimizer	117	Covariance
18	Computer vision	68	Eigenvalue	118	Hyper-parameter
19	Dataset	69	Vector	119	Test set
20	Graph	70	State-of-the-art	120	Attention mechanism
21	Markov chain	71	Regularization	121	Oracle
22	Kernel	72	Backpropagation	122	Question answering
23	Marginal likelihood	73	Greedy algorithm	123	Point cloud
24	Objective function	74	Optical flow	124	Local minima
25	Gradient	75	Mutual information	125	N-gram
26	Reward function	76	Weight decay	126	Semi-supervised learning
27	Entropy	77	Posterior distribution	127	Batch normalization
28	Tensor	78	Bounding box	128	Homomorphism
29	Active learning	79	Disentanglement	129	Markov
30	Natural language processing	80	Convolution	130	Mini-batch
31	Perplexity	81	Semantic segmentation	131	Subgraph
32	Posterior	82	Logit	132	Bias
33	Logistic regression	83	Loss	133	Arg min
34	Covariance matrix	84	Multi-task learning	134	State space
35	Self-attention	85	Matrix	135	Dimensionality
36	Data augmentation	86	Binary classification	136	Random variable
37	Object detection	87	In-context learning	137	Gaussian distribution
38	Inference	88	Validation set	138	Optimizer
39	Cosine similarity	89	Cost function	139	Weight vector
40	Sample complexity	90	Corpus	140	Named entity recognition
41	Value function	91	Estimator	141	Kernel matrix
42	Probability distribution	92	Lemma	142	Discount factor
43	Generator	93	Parser	143	Hidden layer
44	Adam	94	Feature space	144	Domain adaptation
45	Supervised learning	95	Sentiment analysis	145	Frobenius norm
46	Dropout	96	Token	146	Positional encoding
47	Classification	97	Unsupervised learning	147	Seq2seq
48	Ground truth	98	State	148	Cross validation
49	Arg max	99	Infoset	149	Gaussian process
50	K-means	100	Precision	150	Coreference resolution

Table 9: Top 150 terms with the highest frequency in the original set of awarded papers.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	22.38	23.75	23.02
Bleu score std	24.43	25.89	24.92
Bleu 1gram precision mean	22.48	23.85	23.13
Bleu 1gram precision std	24.47	25.92	24.96
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	70.18	70.31	70.33
Bleu ref len std	35.62	35.60	35.84
Bleu pred len mean	70.08	70.24	70.17
Bleu pred len std	35.40	35.41	35.62
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	22.87	24.24	23.51
Chrf score std	24.56	26.02	25.04
Ter score mean	91.12	89.53	90.37
Ter score std	29.39	31.08	29.94
ChrF++ score mean	22.87	24.24	23.51
ChrF++ score std	24.56	26.02	25.04

Table 10: BLEU, ChrF, ChrF++, and TER results for Arabic on the 60-60 evaluation set using n11b-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	23.13	24.28	23.10
Bleu score std	24.72	25.84	24.57
Bleu 1gram precision mean	23.19	24.35	23.18
Bleu 1gram precision std	24.72	25.85	24.59
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	69.56	69.79	69.84
Bleu ref len std	35.32	35.54	35.56
Bleu pred len mean	69.64	69.89	69.83
Bleu pred len std	35.11	35.31	35.30
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	23.67	24.83	23.64
Chrf score std	24.92	26.04	24.78
Ter score mean	90.27	88.94	90.29
Ter score std	29.63	31.00	29.45
ChrF++ score mean	23.67	24.83	23.64
ChrF++ score std	24.92	26.04	24.78

Table 11: BLEU, ChrF, ChrF++, and TER results for Arabic on the 60-60 evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	23.58	24.64	23.57
Bleu score std	26.63	27.85	26.40
Bleu 1gram precision mean	23.62	24.69	23.64
Bleu 1gram precision std	26.64	27.86	26.43
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	70.40	70.59	70.67
Bleu ref len std	35.88	35.95	36.14
Bleu pred len mean	70.68	70.85	70.88
Bleu pred len std	35.92	36.00	36.14
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	24.06	25.13	24.06
Chrf score std	26.76	27.98	26.55
Ter score mean	89.66	88.49	89.54
Ter score std	32.09	33.43	31.74
ChrFpp score mean	24.06	25.13	24.06
ChrFpp score std	26.76	27.98	26.55

Table 12: BLEU, ChrF, ChrF++, and TER results for Arabic on the 60-60 evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	19.98	20.52	19.77
Bleu score std	22.35	23.49	22.14
Bleu 1gram precision mean	20.03	20.57	19.82
Bleu 1gram precision std	22.37	23.50	22.15
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	69.72	69.93	69.91
Bleu ref len std	35.74	36.02	35.93
Bleu pred len mean	69.99	70.20	70.14
Bleu pred len std	35.69	35.97	35.85
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	20.50	21.03	20.28
Chrf score std	22.54	23.65	22.34
Ter score mean	93.97	93.40	94.20
Ter score std	26.96	28.24	26.69
ChrF++ score mean	20.50	21.03	20.28
ChrF++ score std	22.54	23.65	22.34

Table 13: BLEU, ChrF, ChrF++, and TER results for Arabic on the 60-60 evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	20.11	21.34	20.29
Bleu score std	23.09	24.68	23.43
Bleu 1gram precision mean	20.20	21.43	20.38
Bleu 1gram precision std	23.14	24.73	23.49
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	71.54	71.47	71.70
Bleu ref len std	36.10	36.29	36.28
Bleu pred len mean	71.79	71.75	71.93
Bleu pred len std	36.24	36.43	36.39
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	20.62	21.85	20.80
Chrf score std	23.26	24.83	23.60
Ter score mean	93.61	92.27	93.37
Ter score std	27.75	29.58	28.12
ChrFpp score mean	20.62	21.85	20.80
ChrFpp score std	23.26	24.83	23.60

Table 14: BLEU, ChrF, ChrF++, and TER results for Arabic on the 60-60 evaluation set using aya-expanse-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	17.29	19.21	18.31
Bleu score std	22.88	24.37	24.26
Bleu 1gram precision mean	17.37	19.30	18.40
Bleu 1gram precision std	22.94	24.43	24.32
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	24.74	26.52	24.75
Bleu ref len std	12.69	13.49	12.72
Bleu pred len mean	24.59	26.35	24.60
Bleu pred len std	12.46	13.22	12.49
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	17.45	19.36	18.47
Chrf score std	23.08	24.54	24.43
Ter score mean	83.26	81.33	82.23
Ter score std	23.01	24.53	24.40
ChrFpp score mean	17.45	19.36	18.47
ChrFpp score std	23.08	24.54	24.43

Table 15: BLEU, ChrF, ChrF++, and TER results for Chinese on the 60-60 evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	26.26	27.23	27.06
Bleu score std	24.84	26.18	25.59
Bleu 1gram precision mean	26.51	27.50	27.32
Bleu 1gram precision std	24.89	26.23	25.65
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	28.70	29.35	28.76
Bleu ref len std	14.62	14.70	14.65
Bleu pred len mean	28.24	28.86	28.30
Bleu pred len std	13.91	13.97	13.96
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.03	0.03	0.03
Bleu ratio mean	0.99	0.99	0.99
Bleu ratio std	0.04	0.04	0.04
Chrf score mean	26.43	27.41	27.23
Chrf score std	24.92	26.25	25.66
Ter score mean	74.32	73.34	73.51
Ter score std	25.21	26.56	25.97
ChrF++ score mean	26.43	27.41	27.23
ChrF++ score std	24.92	26.25	25.66

Table 16: BLEU, ChrF, ChrF++, and TER results for Chinese on the 60-60 evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	32.64	34.24	33.30
Bleu score std	29.93	31.10	30.52
Bleu 1gram precision mean	32.69	34.30	33.34
Bleu 1gram precision std	29.94	31.12	30.53
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	29.97	30.02	29.94
Bleu ref len std	14.74	14.79	14.77
Bleu pred len mean	30.02	30.06	30.00
Bleu pred len std	14.73	14.74	14.77
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	32.76	34.36	33.42
Chrf score std	29.94	31.11	30.53
Ter score mean	67.79	66.19	67.13
Ter score std	30.20	31.39	30.79
ChrF++ score mean	32.76	34.36	33.42
ChrF++ score std	29.94	31.11	30.53

Table 17: BLEU, ChrF, ChrF++, and TER results for Chinese on the 60-60 evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	26.08	26.55	26.47
Bleu score std	25.69	26.49	25.63
Bleu 1gram precision mean	26.17	26.64	26.56
Bleu 1gram precision std	25.73	26.53	25.67
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	29.33	29.36	29.31
Bleu ref len std	14.47	14.48	14.52
Bleu pred len mean	29.25	29.28	29.23
Bleu pred len std	14.24	14.24	14.29
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	26.20	26.66	26.59
Chrf score std	25.72	26.52	25.66
Ter score mean	74.40	73.94	74.02
Ter score std	25.99	26.77	25.91
ChrF++ score mean	26.20	26.66	26.59
ChrF++ score std	25.72	26.52	25.66

Table 18: BLEU, ChrF, ChrF++, and TER results for Chinese on the 60-60 evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	27.31	28.63	27.55
Bleu score std	27.56	28.76	27.73
Bleu 1gram precision mean	27.47	28.75	27.71
Bleu 1gram precision std	27.61	28.80	27.78
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	30.61	30.47	30.57
Bleu ref len std	14.86	14.93	14.87
Bleu pred len mean	30.54	30.46	30.50
Bleu pred len std	14.81	14.83	14.82
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.04	0.02	0.04
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.04	0.03	0.04
Chrf score mean	27.52	28.83	27.76
Chrf score std	27.69	28.88	27.86
Ter score mean	73.47	72.14	73.22
Ter score std	27.92	29.14	28.10
Chrffpp score mean	27.52	28.83	27.76
Chrffpp score std	27.69	28.88	27.86

Table 19: BLEU, ChrF, ChrF++, and TER results for Chinese on the 60-60 evaluation set using aya-expanse-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	34.93	37.78	35.14
Bleu score std	29.70	31.33	29.69
Bleu 1gram precision mean	35.10	37.91	35.31
Bleu 1gram precision std	29.76	31.37	29.75
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	100.59	101.31	101.12
Bleu ref len std	48.91	49.80	49.06
Bleu pred len mean	100.42	101.37	100.88
Bleu pred len std	48.75	49.74	48.84
Bleu bp mean	0.99	1.00	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	35.55	38.40	35.76
Chrf score std	29.85	31.44	29.83
Ter score mean	75.21	71.97	74.95
Ter score std	34.89	36.82	34.81
ChrF++ score mean	35.55	38.40	35.76
ChrF++ score std	29.85	31.44	29.83

Table 20: BLEU, ChrF, ChrF++, and TER results for French on the 60-60 evaluation set using n11b-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	40.04	42.12	39.47
Bleu score std	31.35	32.61	31.61
Bleu 1gram precision mean	40.17	42.22	39.60
Bleu 1gram precision std	31.38	32.63	31.64
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	101.49	101.82	101.87
Bleu ref len std	50.11	50.22	50.16
Bleu pred len mean	101.56	101.99	101.88
Bleu pred len std	49.98	50.12	49.98
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	40.68	42.76	40.10
Chrf score std	31.39	32.64	31.65
Ter score mean	69.19	66.81	69.85
Ter score std	36.78	38.18	37.00
ChrF++ score mean	40.68	42.76	40.10
ChrF++ score std	31.39	32.64	31.65

Table 21: BLEU, ChrF, ChrF++, and TER results for French on the 60-60 evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	40.80	43.88	41.30
Bleu score std	32.29	33.65	32.31
Bleu 1gram precision mean	40.90	43.98	41.41
Bleu 1gram precision std	32.30	33.67	32.32
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	102.43	102.86	102.68
Bleu ref len std	49.81	50.12	49.94
Bleu pred len mean	102.54	102.98	102.72
Bleu pred len std	49.77	50.05	49.84
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	41.40	44.46	41.89
Chrf score std	32.27	33.61	32.28
Ter score mean	68.32	64.76	67.77
Ter score std	37.85	39.39	37.85
ChrFpp score mean	41.40	44.46	41.89
ChrFpp score std	32.27	33.61	32.28

Table 22: BLEU, ChrF, ChrF++, and TER results for French on the 60-60 evaluation set using `gpt-4o-mini`.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	33.85	36.13	33.74
Bleu score std	28.54	30.46	28.57
Bleu 1gram precision mean	33.98	36.23	33.87
Bleu 1gram precision std	28.57	30.48	28.60
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	100.78	101.15	101.19
Bleu ref len std	49.88	49.82	49.92
Bleu pred len mean	100.70	101.22	101.07
Bleu pred len std	49.64	49.64	49.61
Bleu bp mean	0.99	1.00	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	34.48	36.74	34.37
Chrf score std	28.63	30.53	28.66
Ter score mean	76.35	73.71	76.53
Ter score std	33.54	35.72	33.57
ChrFpp score mean	34.48	36.74	34.37
ChrFpp score std	28.63	30.53	28.66

Table 23: BLEU, ChrF, ChrF++, and TER results for French on the 60-60 evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	33.05	35.50	33.24
Bleu score std	28.46	30.64	28.72
Bleu 1gram precision mean	33.18	35.62	33.38
Bleu 1gram precision std	28.50	30.67	28.75
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	102.37	102.52	102.66
Bleu ref len std	49.92	50.07	49.96
Bleu pred len mean	102.37	102.62	102.62
Bleu pred len std	49.76	49.92	49.77
Bleu bp mean	0.99	1.00	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	33.68	36.12	33.86
Chrf score std	28.56	30.71	28.81
Ter score mean	77.43	74.65	77.20
Ter score std	33.50	36.00	33.75
ChrFpp score mean	33.68	36.12	33.86
ChrFpp score std	28.56	30.71	28.81

Table 24: BLEU, ChrF, ChrF++, and TER results for French on the 60-60 evaluation set using aya-expanse-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	6.19	8.61	6.72
Bleu score std	12.90	16.15	13.59
Bleu 1gram precision mean	6.26	8.67	6.79
Bleu 1gram precision std	12.94	16.17	13.64
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	36.22	38.30	36.51
Bleu ref len std	20.17	20.98	20.20
Bleu pred len mean	35.45	37.76	35.74
Bleu pred len std	19.73	20.62	19.75
Bleu bp mean	0.98	0.98	0.98
Bleu bp std	0.03	0.03	0.03
Bleu ratio mean	0.98	0.99	0.98
Bleu ratio std	0.04	0.04	0.04
Chrf score mean	6.22	8.64	6.75
Chrf score std	12.93	16.17	13.62
Ter score mean	94.32	91.91	93.79
Ter score std	13.12	16.39	13.81
ChrF++ score mean	6.22	8.64	6.75
ChrF++ score std	12.93	16.17	13.62

Table 25: BLEU, ChrF, ChrF++, and TER results for Japanese on the 60-60 evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	14.56	15.30	14.61
Bleu score std	20.15	20.98	19.70
Bleu 1gram precision mean	14.71	15.43	14.76
Bleu 1gram precision std	20.30	21.10	19.86
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	40.61	40.93	40.74
Bleu ref len std	19.85	20.05	19.91
Bleu pred len mean	40.24	40.66	40.37
Bleu pred len std	19.70	19.97	19.76
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	0.99	0.99	0.99
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	14.65	15.39	14.70
Chrf score std	20.22	21.05	19.77
Ter score mean	86.02	85.28	85.97
Ter score std	20.37	21.21	19.92
ChrF++ score mean	14.65	15.39	14.70
ChrF++ score std	20.22	21.05	19.77

Table 26: BLEU, ChrF, ChrF++, and TER results for Japanese on the 60-60 evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	21.46	22.11	21.66
Bleu score std	23.81	24.77	23.93
Bleu 1gram precision mean	21.47	22.11	21.66
Bleu 1gram precision std	23.81	24.77	23.93
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	43.57	43.54	43.59
Bleu ref len std	21.17	21.10	21.08
Bleu pred len mean	43.88	43.85	43.90
Bleu pred len std	21.21	21.14	21.11
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.00	0.00	0.00
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	21.59	22.24	21.79
Chrf score std	23.89	24.85	24.02
Ter score mean	79.33	78.68	79.13
Ter score std	24.23	25.20	24.36
ChrF++ score mean	21.59	22.24	21.79
ChrF++ score std	23.89	24.85	24.02

Table 27: BLEU, ChrF, ChrF++, and TER results for Japanese on the 60-60 evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	15.06	15.94	15.43
Bleu score std	18.77	19.65	18.65
Bleu 1gram precision mean	15.07	15.95	15.44
Bleu 1gram precision std	18.77	19.66	18.65
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	42.55	42.76	42.64
Bleu ref len std	21.06	21.06	21.01
Bleu pred len mean	42.81	43.01	42.90
Bleu pred len std	21.03	21.03	20.98
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.00	0.01	0.00
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	15.22	16.10	15.59
Chrf score std	19.06	19.92	18.94
Ter score mean	85.73	84.86	85.37
Ter score std	19.01	19.92	18.90
ChrF++ score mean	15.22	16.10	15.59
ChrF++ score std	19.06	19.92	18.94

Table 28: BLEU, ChrF, ChrF++, and TER results for Japanese on the 60-60 evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	14.59	15.21	14.92
Bleu score std	18.20	18.91	18.42
Bleu 1gram precision mean	14.60	15.21	14.92
Bleu 1gram precision std	18.20	18.91	18.42
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	43.77	43.84	43.86
Bleu ref len std	21.07	21.10	21.02
Bleu pred len mean	44.09	44.16	44.18
Bleu pred len std	21.07	21.09	21.02
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	14.76	15.37	15.08
Chrf score std	18.48	19.18	18.70
Ter score mean	86.42	85.81	86.10
Ter score std	18.55	19.28	18.78
Chrffpp score mean	14.76	15.37	15.08
Chrffpp score std	18.48	19.18	18.70

Table 29: BLEU, ChrF, ChrF++, and TER results for Japanese on the 60-60 evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	17.30	18.84	18.37
Bleu score std	21.32	22.75	22.14
Bleu 1gram precision mean	17.38	18.92	18.46
Bleu 1gram precision std	21.36	22.79	22.19
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	90.80	91.27	90.87
Bleu ref len std	45.14	45.83	45.23
Bleu pred len mean	90.83	91.38	90.85
Bleu pred len std	45.03	45.77	45.10
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	17.69	19.24	18.77
Chrf score std	21.48	22.89	22.31
Ter score mean	93.87	92.19	92.70
Ter score std	24.61	26.24	25.62
ChrFpp score mean	17.69	19.24	18.77
ChrFpp score std	21.48	22.89	22.31

Table 30: BLEU, ChrF, ChrF++, and TER results for Russian on the 60-60 evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	17.18	18.88	18.34
Bleu score std	19.81	21.88	21.12
Bleu 1gram precision mean	17.24	18.95	18.41
Bleu 1gram precision std	19.84	21.91	21.15
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	91.72	91.87	91.81
Bleu ref len std	46.73	47.06	46.83
Bleu pred len mean	91.96	92.12	91.98
Bleu pred len std	46.59	46.92	46.68
Bleu bp mean	1.00	1.00	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	17.61	19.33	18.79
Chrf score std	20.07	22.12	21.37
Ter score mean	94.01	92.13	92.71
Ter score std	22.88	25.28	24.39
ChrF++ score mean	17.61	19.33	18.79
ChrF++ score std	20.07	22.12	21.37

Table 31: BLEU, ChrF, ChrF++, and TER results for Russian on the 60-60 evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	17.25	18.33	17.12
Bleu score std	20.92	21.76	20.17
Bleu 1gram precision mean	17.32	18.39	17.19
Bleu 1gram precision std	20.96	21.80	20.23
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	92.78	92.61	92.73
Bleu ref len std	46.68	46.69	46.77
Bleu pred len mean	93.00	92.83	92.89
Bleu pred len std	46.56	46.58	46.62
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	17.65	18.73	17.52
Chrf score std	21.10	21.95	20.38
Ter score mean	93.90	92.73	94.05
Ter score std	24.29	25.30	23.46
ChrF++ score mean	17.65	18.73	17.52
ChrF++ score std	21.10	21.95	20.38

Table 32: BLEU, ChrF, ChrF++, and TER results for Russian on the 60-60 evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	15.77	16.83	16.14
Bleu score std	19.10	20.61	19.55
Bleu 1gram precision mean	15.84	16.90	16.22
Bleu 1gram precision std	19.13	20.64	19.59
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	91.71	91.64	91.62
Bleu ref len std	46.58	46.43	46.64
Bleu pred len mean	91.83	91.76	91.69
Bleu pred len std	46.37	46.23	46.42
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	16.17	17.23	16.54
Chrf score std	19.31	20.81	19.76
Ter score mean	95.60	94.42	95.15
Ter score std	22.20	23.92	22.73
ChrFpp score mean	16.17	17.23	16.54
ChrFpp score std	19.31	20.81	19.76

Table 33: BLEU, ChrF, ChrF++, and TER results for Russian on the 60-60 evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	16.59	18.18	16.54
Bleu score std	20.30	22.44	20.48
Bleu 1gram precision mean	16.67	18.26	16.62
Bleu 1gram precision std	20.32	22.47	20.50
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	94.17	93.52	94.01
Bleu ref len std	46.56	46.42	46.60
Bleu pred len mean	94.25	93.63	94.07
Bleu pred len std	46.48	46.33	46.54
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.02	0.02
Chrf score mean	16.99	18.57	16.92
Chrf score std	20.48	22.59	20.64
Ter score mean	94.56	92.82	94.64
Ter score std	23.46	25.92	23.68
ChrFpp score mean	16.99	18.57	16.92
ChrFpp score std	20.48	22.59	20.64

Table 34: BLEU, ChrF, ChrF++, and TER results for Russian on the 60-60 evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
nllb-200-3.3B			
Arabic	0.84	0.84	0.83
Chinese	0.78	0.81	0.79
French	0.83	0.84	0.83
Japanese	0.78	0.82	0.78
Russian	0.81	0.82	0.80
hf-seamless-m4t-large			
Arabic	0.84	0.85	0.84
Chinese	0.83	0.85	0.84
French	0.84	0.85	0.84
Japanese	0.85	0.86	0.85
Russian	0.82	0.83	0.80
gpt-4o-mini			
Arabic	0.86	0.86	0.85
Chinese	0.87	0.88	0.88
French	0.85	0.85	0.85
Japanese	0.90	0.90	0.90
Russian	0.84	0.84	0.81
aya-23-8B			
Arabic	0.84	0.85	0.84
Chinese	0.85	0.86	0.85
French	0.82	0.83	0.82
Japanese	0.88	0.88	0.88
Russian	0.82	0.82	0.80
aya-expanse-8B			
Arabic	0.82	0.83	0.81
Chinese	0.83	0.85	0.84
French	0.82	0.83	0.82
Japanese	0.89	0.89	0.89
Russian	0.82	0.83	0.80

Table 35: COMET results on the 60-60 evaluation set.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	15.42	15.12	14.66
Bleu score std	15.76	16.02	14.65
Bleu 1gram precision mean	15.54	15.21	14.76
Bleu 1gram precision std	15.83	16.06	14.68
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	169.01	177.84	176.63
Bleu ref len std	65.20	64.39	63.91
Bleu pred len mean	168.72	177.87	176.63
Bleu pred len std	64.71	64.41	64.06
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.03	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.04	0.03	0.03
Chrf score mean	15.95	15.64	15.18
Chrf score std	16.00	16.32	14.93
Ter score mean	101.29	101.47	102.00
Ter score std	20.20	20.06	18.57
ChrF++ score mean	15.95	15.64	15.18
ChrF++ score std	16.00	16.32	14.93

Table 36: BLEU, ChrF, ChrF++, and TER results for Arabic on the AI papers and model cards evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	15.38	16.48	15.83
Bleu score std	16.32	17.52	16.01
Bleu 1gram precision mean	15.50	16.58	15.93
Bleu 1gram precision std	16.40	17.58	16.06
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	173.42	180.00	179.57
Bleu ref len std	66.22	64.01	63.90
Bleu pred len mean	173.41	179.91	179.47
Bleu pred len std	66.22	64.04	63.99
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.02	0.02
ChrF score mean	15.90	17.00	16.36
ChrF score std	16.57	17.76	16.25
Ter score mean	101.34	99.86	100.57
Ter score std	21.12	21.79	19.97
ChrF++ score mean	15.90	17.00	16.36
ChrF++ score std	16.57	17.76	16.25

Table 37: BLEU, ChrF, ChrF++, and TER results for Arabic on the AI papers and model cards evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	14.37	14.90	13.95
Bleu score std	16.32	15.58	14.30
Bleu 1gram precision mean	14.42	14.95	14.00
Bleu 1gram precision std	16.32	15.59	14.32
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	174.18	181.13	181.07
Bleu ref len std	67.36	65.07	65.15
Bleu pred len mean	174.26	181.55	181.37
Bleu pred len std	67.26	65.19	65.31
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.01	0.02
Chrf score mean	14.82	15.37	14.40
Chrf score std	16.47	15.76	14.49
Ter score mean	102.33	101.29	102.58
Ter score std	20.70	19.21	17.92
ChrF++ score mean	14.82	15.37	14.40
ChrF++ score std	16.47	15.76	14.49

Table 38: BLEU, ChrF, ChrF++, and TER results for Arabic on the AI papers and model cards evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	14.28	15.08	14.55
Bleu score std	14.76	16.23	15.04
Bleu 1gram precision mean	14.34	15.15	14.63
Bleu 1gram precision std	14.82	16.29	15.11
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	177.82	179.16	178.20
Bleu ref len std	65.99	65.72	66.07
Bleu pred len mean	178.21	179.61	178.54
Bleu pred len std	66.06	65.78	66.13
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
ChrF score mean	14.77	15.59	15.05
ChrF score std	15.02	16.49	15.29
Ter score mean	102.45	101.53	102.09
Ter score std	18.88	20.35	18.95
ChrF++ score mean	14.77	15.59	15.05
ChrF++ score std	15.02	16.49	15.29

Table 39: BLEU, ChrF, ChrF++, and TER results for Arabic on the AI papers and model cards evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	11.47	11.83	11.57
Bleu score std	10.75	11.92	11.66
Bleu 1gram precision mean	11.50	11.86	11.61
Bleu 1gram precision std	10.78	11.94	11.69
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	183.01	183.18	183.27
Bleu ref len std	66.11	66.21	66.10
Bleu pred len mean	185.58	185.77	185.77
Bleu pred len std	66.51	66.57	66.44
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.02	1.02	1.02
Bleu ratio std	0.05	0.05	0.05
Chrf score mean	11.95	12.32	12.05
Chrf score std	11.00	12.15	11.88
Ter score mean	106.35	106.05	106.22
Ter score std	15.12	16.63	15.96
ChrF++ score mean	11.95	12.32	12.05
ChrF++ score std	11.00	12.15	11.88

Table 40: BLEU, ChrF, ChrF++, and TER results for Arabic on the AI papers and model cards evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	10.24	12.43	12.31
Bleu score std	11.68	14.39	13.71
Bleu 1gram precision mean	10.29	12.51	12.38
Bleu 1gram precision std	11.72	14.45	13.76
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	75.92	80.18	79.39
Bleu ref len std	31.48	32.63	32.60
Bleu pred len mean	79.72	84.07	83.38
Bleu pred len std	34.40	35.19	35.41
Bleu bp mean	0.98	0.99	0.99
Bleu bp std	0.11	0.08	0.09
Bleu ratio mean	1.04	1.05	1.05
Bleu ratio std	0.14	0.12	0.13
Chrf score mean	10.82	13.08	12.98
Chrf score std	12.05	14.82	14.16
Ter score mean	101.05	98.60	98.46
Ter score std	19.34	21.01	19.97
ChrF++ score mean	10.82	13.08	12.98
ChrF++ score std	12.05	14.82	14.16

Table 41: BLEU, ChrF, ChrF++, and TER results for Chinese on the AI papers and model cards evaluation set using `nllb-200-3.3B`.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	13.67	14.77	14.40
Bleu score std	15.29	15.79	16.04
Bleu 1gram precision mean	13.75	14.86	14.48
Bleu 1gram precision std	15.31	15.84	16.08
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	75.67	81.10	78.32
Bleu ref len std	34.88	34.04	33.85
Bleu pred len mean	78.80	84.24	81.61
Bleu pred len std	36.63	35.88	35.88
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.05	0.04	0.04
Bleu ratio mean	1.04	1.04	1.04
Bleu ratio std	0.08	0.07	0.07
Chrf score mean	14.34	15.42	15.06
Chrf score std	15.65	16.10	16.38
Ter score mean	97.26	95.50	96.19
Ter score std	22.32	21.46	22.40
ChrF++ score mean	14.34	15.42	15.06
ChrF++ score std	15.65	16.10	16.38

Table 42: BLEU, ChrF, ChrF++, and TER results for Chinese on the AI papers and model cards evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	17.21	18.44	18.60
Bleu score std	18.76	19.49	19.25
Bleu 1gram precision mean	17.35	18.54	18.70
Bleu 1gram precision std	18.95	19.62	19.38
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	83.21	85.58	85.50
Bleu ref len std	36.03	35.24	35.33
Bleu pred len mean	86.68	88.99	88.96
Bleu pred len std	37.81	37.00	37.10
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.04	1.04	1.04
Bleu ratio std	0.06	0.06	0.06
Chrf score mean	17.93	19.16	19.32
Chrf score std	19.10	19.82	19.56
Ter score mean	93.01	90.78	90.55
Ter score std	24.89	24.17	24.00
ChrF++ score mean	17.93	19.16	19.32
ChrF++ score std	19.10	19.82	19.56

Table 43: BLEU, ChrF, ChrF++, and TER results for Chinese on the AI papers and model cards evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	14.50	14.90	14.70
Bleu score std	15.36	16.07	15.52
Bleu 1gram precision mean	14.58	14.98	14.78
Bleu 1gram precision std	15.49	16.20	15.65
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	84.04	84.57	84.06
Bleu ref len std	35.54	35.28	35.58
Bleu pred len mean	87.66	88.19	87.69
Bleu pred len std	37.74	37.49	37.81
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.04	1.04	1.04
Bleu ratio std	0.06	0.06	0.06
Chrf score mean	15.12	15.52	15.32
Chrf score std	15.65	16.35	15.81
Ter score mean	95.18	94.49	94.76
Ter score std	20.33	20.54	20.07
ChrF++ score mean	15.12	15.52	15.32
ChrF++ score std	15.65	16.35	15.81

Table 44: BLEU, ChrF, ChrF++, and TER results for Chinese on the AI papers and model cards evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	12.04	12.98	12.21
Bleu score std	13.46	14.42	13.42
Bleu 1gram precision mean	12.08	13.03	12.24
Bleu 1gram precision std	13.51	14.47	13.46
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	86.46	86.23	86.48
Bleu ref len std	36.21	36.19	36.24
Bleu pred len mean	92.34	91.99	92.37
Bleu pred len std	39.90	39.68	39.94
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.02	0.01
Bleu ratio mean	1.07	1.07	1.07
Bleu ratio std	0.08	0.09	0.08
Chrf score mean	12.76	13.74	12.94
Chrf score std	13.86	14.81	13.83
Ter score mean	99.34	98.29	99.13
Ter score std	20.49	21.52	20.54
ChrF++ score mean	12.76	13.74	12.94
ChrF++ score std	13.86	14.81	13.83

Table 45: BLEU, ChrF, ChrF++, and TER results for Chinese on the AI papers and model cards evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	22.68	25.41	23.57
Bleu score std	20.79	23.06	21.92
Bleu 1gram precision mean	22.75	25.47	23.64
Bleu 1gram precision std	20.83	23.10	21.96
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	203.28	234.13	207.02
Bleu ref len std	84.53	89.52	84.94
Bleu pred len mean	204.82	235.82	208.57
Bleu pred len std	85.31	90.00	85.73
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	23.33	26.10	24.25
Chrf score std	21.07	23.29	22.15
Ter score mean	91.40	88.33	90.51
Ter score std	25.52	27.99	26.91
ChrF++ score mean	23.33	26.10	24.25
ChrF++ score std	21.07	23.29	22.15

Table 46: BLEU, ChrF, ChrF++, and TER results for French on the AI papers and model cards evaluation set using `nllb-200-3.3B`.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	24.34	29.55	25.83
Bleu score std	20.94	24.54	21.80
Bleu 1gram precision mean	24.42	29.60	25.90
Bleu 1gram precision std	20.98	24.57	21.84
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	237.17	246.51	243.30
Bleu ref len std	90.05	87.83	87.19
Bleu pred len mean	238.76	248.14	244.78
Bleu pred len std	91.05	88.54	87.84
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.03	0.02	0.02
Bleu ratio mean	1.00	1.01	1.01
Bleu ratio std	0.03	0.02	0.03
Chrf score mean	25.05	30.30	26.55
Chrf score std	21.09	24.71	22.03
Ter score mean	89.75	83.28	87.62
Ter score std	26.10	29.48	26.32
ChrFpp score mean	25.05	30.30	26.55
ChrFpp score std	21.09	24.71	22.03

Table 47: BLEU, ChrF, ChrF++, and TER results for French on the AI papers and model cards evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	24.45	28.83	25.73
Bleu score std	22.85	26.47	23.16
Bleu 1gram precision mean	24.51	28.89	25.79
Bleu 1gram precision std	22.88	26.50	23.19
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	245.51	252.04	251.56
Bleu ref len std	96.46	91.08	91.27
Bleu pred len mean	245.92	252.59	251.95
Bleu pred len std	96.66	91.19	91.33
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.03	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.02	0.02
Chrf score mean	25.04	29.44	26.35
Chrf score std	22.96	26.59	23.33
Ter score mean	89.16	83.80	87.36
Ter score std	27.90	31.46	27.52
ChrF++ score mean	25.04	29.44	26.35
ChrF++ score std	22.96	26.59	23.33

Table 48: BLEU, ChrF, ChrF++, and TER results for French on the AI papers and model cards evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	24.49	26.86	24.57
Bleu score std	21.92	23.53	22.03
Bleu 1gram precision mean	24.58	26.93	24.65
Bleu 1gram precision std	21.96	23.57	22.07
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	246.19	249.56	246.63
Bleu ref len std	93.04	90.93	93.09
Bleu pred len mean	246.42	250.05	246.80
Bleu pred len std	92.99	90.89	92.96
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.02	0.02	0.02
Chrf score mean	25.11	27.48	25.18
Chrf score std	22.11	23.67	22.24
Ter score mean	89.07	86.14	88.79
Ter score std	26.62	28.31	26.49
ChrF++ score mean	25.11	27.48	25.18
ChrF++ score std	22.11	23.67	22.24

Table 49: BLEU, ChrF, ChrF++, and TER results for French on the AI papers and model cards evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	18.84	20.56	17.99
Bleu score std	18.05	19.71	16.23
Bleu 1gram precision mean	18.89	20.60	18.04
Bleu 1gram precision std	18.10	19.75	16.27
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	252.31	252.42	252.40
Bleu ref len std	91.64	91.62	91.68
Bleu pred len mean	255.15	255.25	255.12
Bleu pred len std	91.11	91.18	91.09
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.02	1.02	1.02
Bleu ratio std	0.05	0.05	0.05
Chrf score mean	19.49	21.23	18.65
Chrf score std	18.37	20.02	16.58
Ter score mean	96.12	94.10	97.10
Ter score std	22.84	24.64	20.72
ChrF++ score mean	19.49	21.23	18.65
ChrF++ score std	18.37	20.02	16.58

Table 50: BLEU, ChrF, ChrF++, and TER results for French on the AI papers and model cards evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	8.24	9.33	9.13
Bleu score std	10.82	11.97	11.65
Bleu 1gram precision mean	8.33	9.41	9.22
Bleu 1gram precision std	10.95	12.10	11.79
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	108.20	113.09	112.40
Bleu ref len std	45.16	43.78	44.13
Bleu pred len mean	112.33	117.01	116.40
Bleu pred len std	47.46	46.19	46.72
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.07	0.05	0.05
Bleu ratio mean	1.03	1.03	1.03
Bleu ratio std	0.10	0.08	0.09
ChrF score mean	8.61	9.72	9.53
ChrF score std	11.04	12.30	11.97
TER score mean	101.41	100.10	100.54
TER score std	16.93	16.77	16.69
ChrF++ score mean	8.61	9.72	9.53
ChrF++ score std	11.04	12.30	11.97

Table 51: BLEU, ChrF, ChrF++, and TER results for Japanese on the AI papers and model cards evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	9.42	9.98	9.84
Bleu score std	11.49	12.78	12.60
Bleu 1gram precision mean	9.48	10.03	9.89
Bleu 1gram precision std	11.54	12.83	12.64
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	108.85	112.65	112.27
Bleu ref len std	45.86	43.78	44.25
Bleu pred len mean	113.57	117.39	117.19
Bleu pred len std	47.70	45.75	46.51
Bleu bp mean	0.99	1.00	0.99
Bleu bp std	0.05	0.03	0.04
Bleu ratio mean	1.05	1.04	1.04
Bleu ratio std	0.09	0.07	0.08
Chrf score mean	9.91	10.46	10.32
Chrf score std	11.91	13.19	12.99
Ter score mean	100.59	99.24	99.44
Ter score std	18.73	17.23	17.20
ChrF++ score mean	9.91	10.46	10.32
ChrF++ score std	11.91	13.19	12.99

Table 52: BLEU, ChrF, ChrF++, and TER results for Japanese on the AI papers and model cards evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	10.55	10.60	10.58
Bleu score std	12.87	12.75	12.82
Bleu 1gram precision mean	10.58	10.63	10.61
Bleu 1gram precision std	12.99	12.85	12.91
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	116.51	119.64	120.03
Bleu ref len std	46.42	44.58	44.87
Bleu pred len mean	121.10	124.69	125.10
Bleu pred len std	48.28	46.61	46.94
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.04	1.04	1.04
Bleu ratio std	0.05	0.05	0.05
ChrF score mean	10.99	11.05	11.03
ChrF score std	13.18	13.04	13.11
Ter score mean	98.39	98.32	98.27
Ter score std	18.10	17.19	17.31
ChrF++ score mean	10.99	11.05	11.03
ChrF++ score std	13.18	13.04	13.11

Table 53: BLEU, ChrF, ChrF++, and TER results for Japanese on the AI papers and model cards evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	9.22	9.45	9.57
Bleu score std	12.23	12.32	12.84
Bleu 1gram precision mean	9.25	9.48	9.60
Bleu 1gram precision std	12.35	12.44	12.95
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	114.14	115.01	114.24
Bleu ref len std	46.74	46.44	46.64
Bleu pred len mean	120.26	121.02	120.36
Bleu pred len std	49.41	48.96	49.29
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.06	1.06	1.06
Bleu ratio std	0.08	0.08	0.08
ChrF score mean	9.68	9.93	10.05
ChrF score std	12.48	12.60	13.09
TER score mean	100.30	99.87	99.72
TER score std	17.73	17.26	17.76
ChrF++ score mean	9.68	9.93	10.05
ChrF++ score std	12.48	12.60	13.09

Table 54: BLEU, ChrF, ChrF++, and TER results for Japanese on the AI papers and model cards evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	8.11	8.08	8.16
Bleu score std	10.28	10.12	9.93
Bleu 1gram precision mean	8.12	8.09	8.17
Bleu 1gram precision std	10.29	10.13	9.94
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	119.56	119.59	119.77
Bleu ref len std	46.73	46.56	46.72
Bleu pred len mean	126.61	126.63	126.85
Bleu pred len std	48.80	48.64	48.80
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.06	1.06	1.06
Bleu ratio std	0.07	0.07	0.07
ChrF score mean	8.59	8.57	8.65
ChrF score std	10.70	10.55	10.35
TER score mean	101.99	101.96	101.92
TER score std	16.22	15.81	15.79
ChrF++ score mean	8.59	8.57	8.65
ChrF++ score std	10.70	10.55	10.35

Table 55: BLEU, ChrF, ChrF++, and TER results for Japanese on the AI papers and model cards evaluation set using aya-expanses-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	19.18	19.07	18.94
Bleu score std	19.82	19.23	19.06
Bleu 1gram precision mean	19.24	19.13	19.00
Bleu 1gram precision std	19.82	19.25	19.07
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	195.84	220.60	200.93
Bleu ref len std	83.60	84.78	84.41
Bleu pred len mean	196.94	221.81	202.15
Bleu pred len std	84.71	85.63	85.45
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.03	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	19.63	19.56	19.43
Chrf score std	19.96	19.44	19.28
Ter score mean	93.26	93.54	93.63
Ter score std	24.11	23.06	22.85
ChrFpp score mean	19.63	19.56	19.43
ChrFpp score std	19.96	19.44	19.28

Table 56: BLEU, ChrF, ChrF++, and TER results for Russian on the AI papers and model cards evaluation set using nllb-200-3.3B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	18.43	19.38	18.78
Bleu score std	17.90	18.51	17.46
Bleu 1gram precision mean	18.48	19.44	18.84
Bleu 1gram precision std	17.92	18.54	17.49
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	222.40	231.72	229.59
Bleu ref len std	84.52	83.39	82.20
Bleu pred len mean	223.39	232.74	230.60
Bleu pred len std	85.50	84.23	83.10
Bleu bp mean	0.99	1.00	1.00
Bleu bp std	0.03	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
ChrF score mean	18.88	19.86	19.26
ChrF score std	18.04	18.68	17.62
TER score mean	94.15	93.12	93.77
TER score std	22.06	22.29	21.14
ChrF++ score mean	18.88	19.86	19.26
ChrF++ score std	18.04	18.68	17.62

Table 57: BLEU, ChrF, ChrF++, and TER results for Russian on the AI papers and model cards evaluation set using hf-seamless-m4t-large.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	18.02	19.54	18.43
Bleu score std	19.69	20.97	19.57
Bleu 1gram precision mean	18.13	19.62	18.51
Bleu 1gram precision std	19.72	21.00	19.60
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	230.39	236.14	236.37
Bleu ref len std	90.66	85.39	85.34
Bleu pred len mean	230.15	236.19	236.33
Bleu pred len std	90.89	85.82	85.72
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.04	0.03	0.03
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.02	0.02
Chrf score mean	18.44	19.95	18.83
Chrf score std	19.83	21.10	19.70
Ter score mean	94.40	92.58	93.89
Ter score std	23.67	24.65	23.35
ChrF++ score mean	18.44	19.95	18.83
ChrF++ score std	19.83	21.10	19.70

Table 58: BLEU, ChrF, ChrF++, and TER results for Russian on the AI papers and model cards evaluation set using gpt-4o-mini.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	16.39	17.76	17.01
Bleu score std	17.61	18.41	18.37
Bleu 1gram precision mean	16.47	17.84	17.09
Bleu 1gram precision std	17.69	18.48	18.45
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	232.81	234.38	233.02
Bleu ref len std	88.09	86.95	88.03
Bleu pred len mean	232.90	234.61	233.12
Bleu pred len std	88.38	87.21	88.27
Bleu bp mean	0.99	0.99	0.99
Bleu bp std	0.02	0.02	0.02
Bleu ratio mean	1.00	1.00	1.00
Bleu ratio std	0.03	0.03	0.03
Chrf score mean	16.78	18.16	17.40
Chrf score std	17.75	18.54	18.50
Ter score mean	96.28	94.55	95.44
Ter score std	21.39	21.92	21.93
ChrF++ score mean	16.78	18.16	17.40
ChrF++ score std	17.75	18.54	18.50

Table 59: BLEU, ChrF, ChrF++, and TER results for Russian on the AI papers and model cards evaluation set using aya-23-8B.

	Direct Translation	Prompting Refinement	Word Alignment
Bleu score mean	13.84	14.06	14.17
Bleu score std	13.57	14.08	13.26
Bleu 1gram precision mean	13.89	14.10	14.21
Bleu 1gram precision std	13.61	14.12	13.31
Bleu 2gram precision mean	0.00	0.00	0.00
Bleu 2gram precision std	0.00	0.00	0.00
Bleu 3gram precision mean	0.00	0.00	0.00
Bleu 3gram precision std	0.00	0.00	0.00
Bleu 4gram precision mean	0.00	0.00	0.00
Bleu 4gram precision std	0.00	0.00	0.00
Bleu ref len mean	238.17	238.01	238.42
Bleu ref len std	87.01	87.13	87.09
Bleu pred len mean	240.60	240.41	240.79
Bleu pred len std	86.86	87.01	86.90
Bleu bp mean	1.00	1.00	1.00
Bleu bp std	0.01	0.01	0.01
Bleu ratio mean	1.01	1.01	1.01
Bleu ratio std	0.04	0.04	0.04
ChrF score mean	14.32	14.53	14.66
ChrF score std	13.83	14.31	13.54
Ter score mean	99.77	99.58	99.37
Ter score std	17.18	17.63	16.80
ChrF++ score mean	14.32	14.53	14.66
ChrF++ score std	13.83	14.31	13.54

Table 60: BLEU, ChrF, ChrF++, and TER results for Russian on the AI papers and model cards evaluation set using aya-expanser-8B.

	Direct Translation	Prompting Refinement	Word Alignment
nllb-200-3.3B			
Arabic	0.81	0.83	0.81
Chinese	0.80	0.82	0.81
French	0.79	0.83	0.77
Japanese	0.83	0.85	0.84
Russian	0.80	0.83	0.78
hf-seamless-m4t-large			
Arabic	0.82	0.83	0.82
Chinese	0.81	0.83	0.81
French	0.84	0.85	0.83
Japanese	0.84	0.85	0.84
Russian	0.83	0.85	0.81
gpt-4o-mini			
Arabic	0.84	0.84	0.83
Chinese	0.86	0.86	0.86
French	0.85	0.85	0.84
Japanese	0.88	0.88	0.88
Russian	0.85	0.85	0.83
aya-23-8B			
Arabic	0.82	0.83	0.81
Chinese	0.84	0.85	0.84
French	0.83	0.84	0.82
Japanese	0.84	0.85	0.84
Russian	0.83	0.84	0.81
aya-expanse-8B			
Arabic	0.81	0.81	0.80
Chinese	0.82	0.83	0.82
French	0.81	0.82	0.80
Japanese	0.85	0.86	0.86
Russian	0.83	0.83	0.81

Table 61: COMET results on the AI papers and model cards evaluation set.