# Multimodal LLMs Can Reason about Aesthetics in Zero-Shot

Ruixiang Jiang, Changwen Chen The Hong Kong Polytechnic University rui-x.jiang@connect.polyu.hk, changwen.chen@polyu.edu.hk

Abstract-We present the first study on how Multimodal LLMs' (MLLMs) reasoning ability shall be elicited to evaluate the aesthetics of artworks. To facilitate this investigation, we construct MM-StyleBench, a novel high-quality dataset for benchmarking artistic stylization. We then develop a principled method for human preference modeling and perform a systematic correlation analysis between MLLMs' responses and human preference. Our experiments reveal an inherent hallucination issue of MLLMs in art evaluation, associated with response subjectivity. ArtCoT is proposed, demonstrating that art-specific task decomposition and the use of concrete language boost MLLMs' reasoning ability for aesthetics. Our findings offer valuable insights into MLLMs for art and can benefit a wide range of downstream applications, such as style transfer and artistic image generation. Code available at https://github.com/ songrise/MLLM4Art.

*Index Terms*—Art evaluation, AI alignment, Style transfer, Chain-of-Thought prompting

#### I. INTRODUCTION

Recent advancement of computer vision (CV) algorithms, particularly in style transfer [1]–[3] and image generation models [4], [5], have democratized artistic creation, allowing users to personalize artworks with minimal expertise. However, the development of quantitative and interpretable evaluation protocols on artwork aesthetics has not kept pace. Without human-aligned evaluation metrics, it is challenging to systematically refine and enhance these generation methods, thereby limiting their potential to produce truly aesthetically pleasing artworks.

Unlike most CV tasks, aesthetics evaluation is **not** welldefined with pure vision features alone. It requires higher-level assessments that consider factors such as cultural background, emotional impact, and storytelling. However, in existing aesthetic evaluation protocol, vision-feature-based metrics (e.g., Style loss [6], Aesthetic Predictor [7], and Art Score [8]) dominate the landscape. These metrics significantly undermine the complexity of aesthetics and are proven to be misaligned with human preference [8]–[10]. Determining how to evaluate aesthetic quality holistically thus remains an open question.

We draw inspiration from the "Formal Analysis" [11], [12], a practice frequently adopted by art critics for formal aesthetics assessment. It involves using concise language to describe visual elements in artwork, relating them to domain-specific knowledge such as history, cultural background, and aesthetic principles, and collectively arguing about the artwork's aesthetic quality. This technique effectively translates the underlying reasoning processes of human aesthetic perception into explicit language, facilitating more objective assessments. Intriguingly, this approach parallels the multimodal inferencetime reasoning of MLLMs [13]–[15], thereby presenting a compelling research question:

Can MLLMs reason about the aesthetic quality of artistic images in a manner aligned with human preferences?

To explore this question, we focus on the evaluation of artistic stylization and introduce **MM-StyleBench**, a largescale and densely annotated dataset with diverse content and style instances. To quantify aesthetics alignment, we model rank-based human aesthetic preferences on MM-StyleBench in a principled manner and perform a correlation study with responses from MLLMs. By prompting various MLLMs with different strategies, we identify a key challenge in aligning their outputs with human preferences: the tendency of MLLMs to produce hallucinations through the frequent use of subjective language associated with art. To address this issue, we propose **ArtCoT**, a prompting method with explicit decomposition of art evaluation to reduce hallucination and enhance the reasoning capability of MLLMs.

We implement ArtCoT across three different MLLMs, measure the models' alignment in two preference ranking settings, and observe a significant and consistent gain in aesthetic alignment. Furthermore, our empirical analysis reveals that art-specific task decomposition with clearly defined sub-tasks facilitates MLLMs' reasoning abilities, leading to a more objective thinking trace with reduced hallucination. Overall, our findings offer valuable insights into how MLLMs should be applied in art evaluation tasks. In a broader sense, the feedback signals provided aesthetics-aligned MLLMs can benefit downstream applications such as reinforcement-learningenhanced stylization or image generation [16]. We summarize our contributions as follows:

- We introduce MM-StyleBench, the first large-scale dataset for multimodal stylization with dense annotations.
- 2) We propose a principled approach for modeling human aesthetic preference.
- Our analysis provides valuable insights into reducing hallucinations in MLLMs during art evaluation.
- 4) We introduce **ArtCoT** that significantly enhances the aesthetic alignment of MLLMs for artistic evaluation.



Fig. 1. The MM-StyleBench dataset. (a) The distribution of different attributes in MM-StyleBench. the proposed dataset contains diverse images and text prompts with detailed attribute annotations. (b) Examples of content (top) and style (bottom) instances in MM-StyleBench.

#### **II. RELATED WORKS**

Aesthetic Evaluation. Early aesthetic evaluation algorithms are mainly built on heuristics [17] or established aesthetic principles [18]. Recent learning-based methods [7], [19] regress human preference scores from large-scale image collections. Metrics like ArtFID [20] and Art Score [8] approach this problem by targeting image stylization tasks, where they finetune image encoders for aesthetic prediction. These methods measure aesthetics as feature-space distance, which is insufficient for aesthetics perception that requires multimodal reasoning [9]–[11]. Recent methods [21]–[23] attempt to incorporate the strong inference capability of MLLMs to facilitate image aesthetic evaluation. Nevertheless, they usually target at general image aesthetics, which has different criteria than artwork evaluations.

Artistic Stylization. Neural stylization methods aim to map the style of content images to other styles. Early approaches [1], [24]–[26] employ pretrained image encoders to extract and merge vision features from content and reference style images. However, these methods are often limited in style fidelity and are prone to filtering artifacts, resulting in low aesthetic quality. Recent approaches [2], [3], [27] take aesthetics into model design considerations to enhance the style fidelity. Benefiting from multimodal embedding techniques, text-driven stylization methods emerge [3], [28], [29], where the style is specified through text prompts. As stylization methods evolve, evaluating these methods presents challenges, which can hinder the method's advancement. Our work offers a timely solution for human-aligned stylization assessment.

#### III. MM-STYLEBENCH

To construct a validation set for model comparison, previous stylization methods have relied on ad-hoc sampling from established datasets such as MS-COCO [30] and WikiART [31]. These samples are often limited in size and diversity, making performance measurements sensitive to instance selection and thereby challenging reproducibility and fairness [9], [10]. Additionally, the limited annotation granularity impedes a comprehensive understanding of the methods' strengths and weaknesses.

To circumvent these challenges, we construct a large-scale benchmarking dataset by harvesting from diverse sources (detailed in Appendix. A). The resulting dataset, MM-StyleBench, contains multi-modal content and style with dense attribute annotations, enabling unified stylization comparisons. Attribute distribution and examples are visualized in Fig. 1. Compared with existing benchmarks and evaluation protocols in Tab. I, MM-StyleBench offers strength in three aspects: (1) Scale it offers 1k content and styles, respectively, which is two orders of magnitude larger than existing datasets. (2) Quality MM-StyleBench contains multi-modal (image and text) and fine-grained attribute annotations, facilitating comprehensive model comparisons, and (3) Diversity Our dataset is built from diverse sources (SA-1B [32], MSCOCO [30], WikiART [31], and DiffusionDB [33]), covering a wide range of domains to eliminate potential bias. We also utilized LLMs to create variation, further enhancing the diversity.

#### IV. MODELING HUMAN PREFERENCE

**Objective.** In this step, we aim to derive a statistically robust global ranking of artists (stylization models) or artworks (stylized images) from human feedback. Formally, let C, S, M denote the sets of content, style, and stylization models, respectively. For each instance  $(c, s) \in C \times S$ , the stylization result  $y_i = m_i(c, s)$ , for  $m_i \in M$ , constitutes the



Fig. 2. **Overview of our alignment evaluation pipeline.** First, (a) we sample content and style from MM-StyleBench for stylization, and construct 2AFC comparison sets by sampling from all possible candidate comparisons. (b) Human preference data is collected and filtered with two heuristic indicators, which is finally aggregated as global rankings. (c) We propose ArtCoT, which involves three art-specific phases to reduce MLLMs' hallucinations. Finally, we calculate the correlation of rankings from MLLMs and humans as indicators of aesthetic alignment.

TABLE I Comparison of representative stylization benchmark datasets. The proposed MM-StyleBench offers significantly more content and style instance, with fine-grained multimodal annotations.

Dataset/Protocol	# Content	# Style	Multimodal	Dense Annotation
DiffStyler [2]	20	25	×	×
StyleID [34]	20	40	×	×
LAION-Aesthetics [7]	-	$\sim 50$	×	×
ArtBench [35]	-	10	×	×
StyleBench [36]	20	73	$\checkmark$	×
Ours	1000	1000	$\checkmark$	$\checkmark$

candidate outcomes  $\mathcal{Y}_{c,s} = \{y_1, \dots, y_k\}$ . Human preference is represented as a ranking:

$$y_{\pi(1)} \succ y_{\pi(2)} \succ \dots \succ y_{\pi(k)}, \tag{1}$$

where  $\pi(i)$  maps the candidate index to its global rank, and  $\succ$  means preferred over.

**Preference Modeling.** To model human aesthetics preference, previous methods [3], [7], [8] employ Likert scale or similar ordinal-valued psychometrics in preference collection. However, these metrics are suboptimal for rank-based modeling due to issues like central tendency [37]. Recent psychological study [9] further suggests multi-scale metrics can impair human perception, especially for artistic evaluation.

In response to this challenge, we design two-alternative forced choice (2AFC) task to collect preferences. Specifically, we present users with the content, style and two candidate stylization results. Users are required to choose the preferred one without the option of tie and skip. The probability of preferring  $y_i$  over  $y_i$  is modeled as:

$$P(y_i \succ y_j | c, s) = \frac{Q_i}{Q_i + Q_j},$$
(2)

where  $Q_i$  represents the latent competence of  $y_i$ , conditioned on the specific instance c, s. Sampling Strategies for 2AFC. Given the combinatorial complexity of  $C \times S \times M$ , exhaustive pairwise comparisons are infeasible. Therefore, we generate 2AFC questions by sampling. For a specific combination  $\mathcal{Y}_{c,s}$ , all possible comparisons can be modeled as a complete undirected graph G(V, E), where the node V is the candidate results and E stand for pair-wise comparison. We consider two strategies for sampling  $E' \subseteq E$ .

- Global sampling: Uniformly sample arbitrary number of edges without replacement. This approach is suitable for covering a wider range of content and style within a fixed total budget, facilitating model-level ranking.
- Per-instance sampling: Sample edges |E'| ∈ [|V| − 1, |E|] such that the sub-graph is connective with maximum node degree uniformness, meaning that each candidates shall be compared with for similar times. This is suitable for deriving instance-level ranking.

For the per-instance sampling, we solve it by designing a greedy algorithm (described in Appendix. C) that initialize from a minimum spanning tree using Kruskal's algorithm [38] and iteratively add edges with lowest node degree imbalance.

**Dealing with Subjectivity in Human Preference.** We deal with two special cases of subjectivity to enhance the consistency of preference annotation in per-instance setup:

- 1) **Pair disagreement:** We exclude pairwise comparisons where preferences tie  $(P(y_i \succ y_j | c, s) \approx 50\%)$ .
- Non-transitive relationship: To deal with cyclic preference, such as (a ≻ b, b ≻ c, c ≻ a), we apply feedback arc set (FAS) algorithm [39] to detect feedback arcs E'<sub>f</sub> and drop the instance when |E'<sub>f</sub>|/|E'| ≥ η.

**Global rank derivation.** We utilize Bradley-Terry (B-T) model [40] and Elo [41] algorithm to derive global rankings. In the B-T model,  $Q_i = \exp(\theta_i)$ , where the latent parameter  $\{\theta_i\}$  is optimized. The Elo algorithm utilize  $Q_i = 10^{R_i/400}$ , where  $R_i$  is the rating of candidate-i that is updated on-line.

#### TABLE II

QUANTITATIVE COMPARISON ON AESTHETIC ALIGNMENT. WE REPORT ALIGNMENT OF PER-METHOD OR PER-INSTANCE RANKING FROM DIFFERENT MODELS AND PROMPTING METHODS WITH THAT OF HUMAN PREFERENCE. THE PERFORMANCE IMPROVEMENT/DECLINE IS CALCULATED AS NORMALIZED CHANGES COMPARED WITH THE BASE PROMPT METHOD. OUR ARTCOT DELIVERS STRONG ALIGNMENT WITH HUMAN AESTHETIC PREFERENCE ACROSS DIFFERENT MLLMS.

		Per-Method Alignment			Per-Instance Alignment				
Model	Prompting	E	lo	Bradley	y-Terry	E	lo	Bradle	y-Terry
		$\rho\uparrow$	$p$ -value $\downarrow$	$\rho\uparrow$	$p$ -value $\downarrow$	$ ho\uparrow$	$p$ -value $\downarrow$	$ ho\uparrow$	$p$ -value $\downarrow$
Random guess	_	-0.115	0.751	0.067	0.855	0.068	0.153	0.026	0.290
Aesthetics Predictor [7]	-	0.406	0.244	0.406	0.244	0.427	$< 10^{-3}$	0.428	$< 10^{-3}$
GPT-40	Base	0.248	0.489	0.284	0.425	0.328	0.003	0.331	0.006
Gemini 1.5-flash	Base	0.467	0.173	0.552	0.09	0.479	$< 10^{-3}$	0.353	$< 10^{-3}$
Claude 3.5-sonnet	Base	-0.261	0.467	-0.321	0.365	0.312	$< 10^{-3}$	0.367	$< 10^{-3}$
GPT-40	Zero-shot CoT	0.345 +13%	0.328	0.357 +10%	0.313	0.299 -4%	0.097	0.313 -3%	0.031
Gemini 1.5-flash	Zero-shot CoT	0.018 -84%	0.962	0.236 -62%	0.511	0.376 -20%	$< 10^{-3}$	0.327 -4%	$< 10^{-3}$
Claude 3.5-sonnet	Zero-shot CoT	-0.345 -7%	0.328	-0.309 +1%	0.385	0.108 -30%	0.068	0.081 -45%	0.082
GPT-40	ArtCoT	0.576 +43%	0.08	0.721 +61%	0.001	0.591 +39%	$< 10^{-3}$	0.548 +32%	$< 10^{-3}$
Gemini 1.5-flash	ArtCoT	0.697 +43%	0.025	0.782 +51%	0.007	0.624 +28%	$< 10^{-3}$	0.577 +35%	$< 10^{-3}$
Claude 3.5-sonnet	ArtCoT	0.612 +69%	0.059	0.600 +70%	0.066	0.492 +26%	$< 10^{-3}$	0.487 +19%	$< 10^{-3}$

#### V. ZERO-SHOT REASONING ABOUT AESTHETIC QUALITY

We leverage CoT prompting [42] to elicit the reasoning ability of MLLMs during inference time. Our key finding is that explicit decomposition of art evaluation tasks and utilization of concrete language collectively reduce hallucination, as detailed in Sec. VII. Specifically, we propose **ArtCoT**, which encourages MLLMs to concretely describe visual features and reason the aesthetic quality, akin to the formal analysis in art. The ArtCoT takes the same input as other prompting techniques, but involves three specialized MLLM inferences, each tailored to an art-specific role.

In the **initial** stage, the MLLM evaluates content preservation and style fidelity by providing a detailed description of the visual features of stylized images and references. This involves identifying visual elements in images at different levels, such as color schemes, strokes, structural components, and composition. The difference with the existing feature-based aesthetic metrics [7], [8] is that we explicitly map vision features into semantics (as tokens) and link with domain knowledge to facilitate further reasoning. The response from this stage is concatenated with the original input and forwarded to the next stage.

The **second** stage, termed as the art critic phase, prompts the MLLM to re-evaluate the combined input and connect with domain knowledge, akin to the formal analysis in art. Here, the MLLM shall critically examine the previously described visual features against artistic principles and domain-specific background information such as the cultural background. Notice that instead of determining a winner, this stage aims to produce a detailed thinking trace to facilitate the final decision. In the **final** stage, the MLLM summarizes the information from the first two stages and determines the winner in this 2AFC question. The overall workflow is visualized in Fig. 2-(c).

#### VI. EXPERIMENTS

#### A. Experiment Setup

**Stylization models.** We inspect a total of 10 textdriven and image-driven with default configurations, including AdaIn [24], ArtFlow [26], ControlNet [43], DDIM [4], DiffArtist [3], DiffStyler [2], InstantStyle [28], Instructpix2pix [29], StyleID [34], and Sty-Tr2 [1].

**Preference collection.** 12 human experts with general knowledge of art are recruited for preference annotation. We collected a total of 21k responses. For per-instance sampling, we sample  $\mathcal{O}(klog(k))$  for each content/style combination. We prune uncertain preference with  $P(y_i \succ y_j | c, s) \in [0.4, 0.6]$ . Highly non-transitive instances with  $\eta > 0.15$  are removed. As a result, 24.8% of the feedbacks are filtered out due to pairwise divergence, while the remaining 18.6% are removed due to a high non-transitive preference.

Alignment Metrics. Following [3], [8], [21], we use the spearman's rank correlation [44] to quantify the alignment between human preference and responses from MLLMs. A spearman's  $\rho$  closer to 1 indicates a stronger positive linear correlation of ranking. We calculate  $\rho$  on the rank of methods for global sampling scheme, while for per-instance sampling, we rank each instance and report averaged  $\rho$  and combined p value using Fisher's method [45]. A lower p value means stronger statistical significance.

#### B. Main Result

We inspect three main-stream MLLMs, including GPT-4 [13], Gemini 1.5 [14], and Claude 3.5 [15] with different prompting methods. We also compare the result of random guess and the linear aesthetic predictor trained on LAION [7]. We compare the alignment as spearman's  $\rho$  for the two sampling strategies and report results in Tab. II.

The experimental results demonstrate the advantage of applying ArtCoT for aesthetic alignment, achieving an average improvement of 56% in the per-method setup and 29% in the

TABLE III **Response subjectivity from different prompting method.** Responses from MLLM prompted by ArtCoT are less subjective.

Method	Subjectivity $\downarrow$	Subjective word frequency (%) $\downarrow$
Zero-Shot CoT	0.44	20.15
ArtCoT	<b>0.23</b>	<b>5.51</b>

per-model setup. In contrast, zero-shot CoT degrade alignment for -22%/-18%. Overall, these findings indicate that with a properly designed prompt that suppresses hallucinations, MLLMs' aesthetic evaluation can be highly aligned with human preference.

#### VII. ANALYSIS AND DISCUSSION

#### A. Zero-shot CoT reinforces hallucination in art evaluation

In multimodal art evaluation, zero-shot CoT may adversely impact the reasoning capability of MLLMs. Our empirical findings suggest that this problem is rooted in the hallucination issue, where MLLMs tend to "feel" instead of to "reason".

Empirically, in the zero-shot CoT, MLLMs tend to adopt a subjective and less concrete language for art evaluation. Sensational (e.g., "feels" and "sense") and hedge words (e.g., "appears" and "somewhat") are frequently picked to justify their preference, which is more frequently misaligned with human preference. Moreover, the MLLMs may hallucinate "artistic interpretations" that deviate from the actual visual features present in the stylized images. Examples provided in Appendix. E demonstrate this tendency.

#### B. ArtCoT elicit the ability of formal analysis for art evaluation

Compared with base prompting and zero-shot CoT, the responses generated by ArtCoT are more concise, objective, and consistent with the input images. To quantify this improvement, we calculate the frequency of subjective words in the lemmatized responses from the MLLMs and perform lexiconbased subjectivity analysis using the TextBlob package. The result in Tab. III demonstrates the reduced subjectivity of MLLM prompted with ArtCoT. This reduction can be attributed to task decomposition, allowing the MLLMs to think in steps like an art critic.

Specifically, (1) the content/style analyzer is prompted to describe and assess the level of content preservation and style fidelity. Unlike direct artistic evaluation, these subtasks are more close-ended and relate closer to visual attributes, encouraging the use of concrete words. (2) The art critic phase enables MLLMs to re-evaluate the candidate images. The key difference from zero-shot CoT is that this critic stage can break potential self-reinforcing hallucinations, particularly when the previous responses contain factual errors. We suggest readers refer to examples in Appendix. E for a better understanding.

#### C. ArtCoT boost aesthetic alignment in all circumstances.

Leveraging the fine-grained annotations provided in **MM-StyleBench**, we conduct a comprehensive comparison of various prompting methods. For instance, in Fig. 3, we visualize



Fig. 3. Fine-grained comparison of different MLLM prompting scheme. We show the spearman's  $\rho$  for per-instance alignment, grouped by representative attribute provided by MM-StyleBench. ArtCoT elicits aesthetic reasoning for all scenarios, especially for instances with long and detailed prompts.

TABLE IV ABLATION ON COMPONENT OF ARTCOT. WE ABLATE THE CONTENT/STYLE ANALYZER AND THE ART CRITIC. THE FULL METHOD ACHIEVES THE BEST AESTHETIC ALIGNMENT.

CS-analyzer	Critic	Per-method $\rho \uparrow$	Per-instance $\rho \uparrow$
×	$\checkmark$	0.630	0.532
√	×	0.531	0.366
$\checkmark$	$\checkmark$	0.739	0.607

the alignment performance on different content complexity and style prompt categories.

The proposed ArtCoT outperforms both base and zeroshot CoT prompting in all situations. The most notable improvements are observed in stylization tasks that involve concrete instructions. This is evidenced by the significant improvement of "long prompt" and prompt specifying particular "art movement". We postulate that long and specific instructions set a more concrete objective for both stylization and evaluation. This facilitates the MLLM to more objectively describe the expected visual features in target style and link with multidisciplinary background information. Consequently, the MLLM is less likely to hallucinate.

#### D. Ablations.

**Components of ArtCoT.** We ablate the key components of ArtCoT, specifically the content/style analyzer and the art critic phase, and report the results in Tab. IV. The complete ArtCoT prompt achieves the highest aesthetic alignment. Particularly, removing the art critic phase induces the most significant decline in performance, underscoring its critical role. This can also be evidenced by the output length of art critic as in Appendix. E.

**Input to MLLM.** We study how different input modalities and image resolutions impact aesthetic alignment and report the result in Tab. V. We set the resolution to be 1/2 of the original resolution by default due to a balance in performance and the number of tokens. For input modalities, providing style information is important in per-method alignment, while including the reference image affects per-instance alignment most. For either setting, providing the MLLMs with all input modalities achieves the best alignment, meaning that both

## TABLE V**ABLATION ON IMAGE RESOLUTION AND SOURCE INFORMATION.** WEREPORT THE CORRELATION $\rho$ (AVERAGED FROM ELO ANDBRADLEY-TERRY) OF DIFFERENT INPUT SETUPS: CONTENT IMAGE, STYLEPROMPT, AND IMAGE SUB-SAMPLING FACTOR.

Content	Style	Resolution	Per-method $\rho \uparrow$	Per-instance $\rho \uparrow$
$\checkmark$	$\checkmark$	1/4	0.630 -42%	0.432 -44%
$\checkmark$	$\checkmark$	1/8	0.502 -91%	0.285 -82%
×	×	1/2 (default)	0.476 -100%	0.416 -49%
×	$\checkmark$	1/2 (default)	0.678 -23%	0.465 -36%
$\checkmark$	×	1/2 (default)	0.557 -69%	0.521 -22%
$\checkmark$	$\checkmark$	1/2 (default)	0.739	0.607

content and style information would be necessary in evaluating the artistic style transfer.

#### VIII. CONCLUSION

In this work, we present the first comprehensive analysis of how MLLMs' reasoning ability should be evoked for aesthetic evaluation of artworks. Utilizing the newly developed MM-StyleBench dataset, our extensive study reveals the significant hallucination issue within MLLMs. We demonstrate that decomposing art evaluation into specific, art-focused sub-tasks and employing concrete, precise language in prompts significantly enhance the models' ability to reason about aesthetic quality. A wide range of downstream applications could benefit from our insights, including but not limited to stylization evaluation, image generation, and reinforcement learning from AI feedback.

#### REFERENCES

- [1] Yingying Deng, Fan Tang, Weiming Dong, Chongyang Ma, Xingjia Pan, Lei Wang, and Changsheng Xu, "Stytr2: Image style transfer with transformers," in *Proceedings of the IEEE/CVF conference on computer* vision and pattern recognition, 2022, pp. 11326–11336.
- [2] Nisha Huang, Yuxin Zhang, Fan Tang, Chongyang Ma, Haibin Huang, Weiming Dong, and Changsheng Xu, "Diffstyler: Controllable dual diffusion for text-driven image stylization," *IEEE Transactions on Neural Networks and Learning Systems*, 2024.
- [3] Ruixiang Jiang and Changwen Chen, "Artist: Aesthetically controllable text-driven stylization without training," arXiv preprint arXiv:2407.15842, 2024.
- [4] Jiaming Song, Chenlin Meng, and Stefano Ermon, "Denoising diffusion implicit models," arXiv preprint arXiv:2010.02502, 2020.
- [5] Robin Rombach, Andreas Blattmann, Dominik Lorenz, Patrick Esser, and Björn Ommer, "High-resolution image synthesis with latent diffusion models," in *Proceedings of the IEEE/CVF conference on computer* vision and pattern recognition, 2022, pp. 10684–10695.
- [6] Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al., "Learning transferable visual models from natural language supervision," in *International conference on machine learning*. PMLR, 2021, pp. 8748–8763.
- [7] Christoph Schuhmann, Romain Beaumont, Richard Vencu, Cade Gordon, Ross Wightman, Mehdi Cherti, Theo Coombes, Aarush Katta, Clayton Mullis, Mitchell Wortsman, et al., "Laion-5b: An open largescale dataset for training next generation image-text models," *Advances in Neural Information Processing Systems*, vol. 35, pp. 25278–25294, 2022.
- [8] Junyu Chen, Jie An, Hanjia Lyu, Christopher Kanan, and Jiebo Luo, "Learning to evaluate the artness of ai-generated images," *IEEE Transactions on Multimedia*, 2024.

- [9] Chaehan So, "Measuring aesthetic preferences of neural style transfer: More precision with the two-alternative-forced-choice task," *International Journal of Human–Computer Interaction*, vol. 39, no. 4, pp. 755– 775, 2023.
- [10] Eleftherios Ioannou and Steve Maddock, "Evaluation in neural style transfer: A review," in *Computer Graphics Forum*. Wiley Online Library, 2024, p. e15165.
- [11] Sylvan Barnet, A short guide to writing about art, Pearson Upper Saddle River, NJ, 2015.
- [12] Diana Kim, Ahmed Elgammal, and Marian Mazzone, "Formal analysis of art: Proxy learning of visual concepts from style through language models," arXiv preprint arXiv:2201.01819, 2022.
- [13] R OpenAI, "Gpt-4 technical report. arxiv 2303.08774," View in Article, vol. 2, no. 5, 2023.
- [14] Gemini Team, Rohan Anil, Sebastian Borgeaud, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth, Katie Millican, et al., "Gemini: a family of highly capable multimodal models," arXiv preprint arXiv:2312.11805, 2023.
- [15] Anthropic, "Meet claude," https://www.anthropic.com/claude.
- [16] Kevin Black, Michael Janner, Yilun Du, Ilya Kostrikov, and Sergey Levine, "Training diffusion models with reinforcement learning," arXiv preprint arXiv:2305.13301, 2023.
- [17] Roland Clark Davis, "An evaluation and test of birkhoff's aesthetic measure formula," *The Journal of General Psychology*, vol. 15, no. 2, pp. 231–240, 1936.
- [18] Yihang Bo, Jinhui Yu, and Kang Zhang, "Computational aesthetics and applications," *Visual computing for industry, biomedicine, and art*, vol. 1, pp. 1–19, 2018.
- [19] Simon Hentschel, Konstantin Kobs, and Andreas Hotho, "Clip knows image aesthetics," *Frontiers in Artificial Intelligence*, vol. 5, pp. 976235, 2022.
- [20] Matthias Wright and Björn Ommer, "Artfid: Quantitative evaluation of neural style transfer," in DAGM German Conference on Pattern Recognition. Springer, 2022, pp. 560–576.
- [21] Xinlu Zhang, Yujie Lu, Weizhi Wang, An Yan, Jun Yan, Lianke Qin, Heng Wang, Xifeng Yan, William Yang Wang, and Linda Ruth Petzold, "Gpt-4v (ision) as a generalist evaluator for vision-language tasks," arXiv preprint arXiv:2311.01361, 2023.
- [22] Yipo Huang, Xiangfei Sheng, Zhichao Yang, Quan Yuan, Zhichao Duan, Pengfei Chen, Leida Li, Weisi Lin, and Guangming Shi, "Aesexpert: Towards multi-modality foundation model for image aesthetics perception," in *Proceedings of the 32nd ACM International Conference on Multimedia*, 2024, pp. 5911–5920.
- [23] Junjie Ke, Keren Ye, Jiahui Yu, Yonghui Wu, Peyman Milanfar, and Feng Yang, "Vila: Learning image aesthetics from user comments with visionlanguage pretraining," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2023, pp. 10041–10051.
- [24] Xun Huang and Serge Belongie, "Arbitrary style transfer in real-time with adaptive instance normalization," in *Proceedings of the IEEE* international conference on computer vision, 2017, pp. 1501–1510.
- [25] Leon A Gatys, Alexander S Ecker, and Matthias Bethge, "Image style transfer using convolutional neural networks," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2016, pp. 2414–2423.
- [26] Jie An, Siyu Huang, Yibing Song, Dejing Dou, Wei Liu, and Jiebo Luo, "Artflow: Unbiased image style transfer via reversible neural flows," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2021, pp. 862–871.
- [27] Zhizhong Wang, Zhanjie Zhang, Lei Zhao, Zhiwen Zuo, Ailin Li, Wei Xing, and Dongming Lu, "Aesust: towards aesthetic-enhanced universal style transfer," in *Proceedings of the 30th ACM International Conference on Multimedia*, 2022, pp. 1095–1106.
- [28] Haofan Wang, Matteo Spinelli, Qixun Wang, Xu Bai, Zekui Qin, and Anthony Chen, "Instantstyle: Free lunch towards style-preserving in text-to-image generation," arXiv preprint arXiv:2404.02733, 2024.
- [29] Tim Brooks, Aleksander Holynski, and Alexei A Efros, "Instructpix2pix: Learning to follow image editing instructions," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2023, pp. 18392–18402.
- [30] Tsung-Yi Lin, Michael Maire, Serge Belongie, James Hays, Pietro Perona, Deva Ramanan, Piotr Dollár, and C Lawrence Zitnick, "Microsoft coco: Common objects in context," in *Computer Vision–ECCV 2014:* 13th European Conference, Zurich, Switzerland, September 6-12, 2014, Proceedings, Part V 13. Springer, 2014, pp. 740–755.

- [31] volunteer team Wikiart, "Wikiart dataset," https://www.wikiart.org.
- [32] Alexander Kirillov, Eric Mintun, Nikhila Ravi, Hanzi Mao, Chloe Rolland, Laura Gustafson, Tete Xiao, Spencer Whitehead, Alexander C Berg, Wan-Yen Lo, et al., "Segment anything," in *Proceedings of the IEEE/CVF International Conference on Computer Vision*, 2023, pp. 4015–4026.
- [33] Zijie J Wang, Evan Montoya, David Munechika, Haoyang Yang, Benjamin Hoover, and Duen Horng Chau, "Diffusiondb: A large-scale prompt gallery dataset for text-to-image generative models," *arXiv* preprint arXiv:2210.14896, 2022.
- [34] Jiwoo Chung, Sangeek Hyun, and Jae-Pil Heo, "Style injection in diffusion: A training-free approach for adapting large-scale diffusion models for style transfer," in *Proceedings of the IEEE/CVF Conference* on Computer Vision and Pattern Recognition, 2024, pp. 8795–8805.
- [35] Peiyuan Liao, Xiuyu Li, Xihui Liu, and Kurt Keutzer, "The artbench dataset: Benchmarking generative models with artworks," arXiv preprint arXiv:2206.11404, 2022.
- [36] Junyao Gao, Yanchen Liu, Yanan Sun, Yinhao Tang, Yanhong Zeng, Kai Chen, and Cairong Zhao, "Styleshot: A snapshot on any style," arXiv preprint arXiv:2407.01414, 2024.
- [37] Gail M Sullivan and Anthony R Artino Jr, "Analyzing and interpreting data from likert-type scales," *Journal of graduate medical education*, vol. 5, no. 4, pp. 541–542, 2013.
- [38] Joseph B Kruskal, "On the shortest spanning subtree of a graph and the traveling salesman problem," *Proceedings of the American Mathematical society*, vol. 7, no. 1, pp. 48–50, 1956.
- [39] D Younger, "Minimum feedback arc sets for a directed graph," *IEEE Transactions on Circuit Theory*, vol. 10, no. 2, pp. 238–245, 1963.
- [40] Ralph Allan Bradley and Milton E Terry, "Rank analysis of incomplete block designs: I. the method of paired comparisons," *Biometrika*, vol. 39, no. 3/4, pp. 324–345, 1952.
- [41] Arpad E Elo and Sam Sloan, "The rating of chessplayers: Past and present," (*No Title*), 1978.
- [42] Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al., "Chain-of-thought prompting elicits reasoning in large language models," Advances in neural information processing systems, vol. 35, pp. 24824–24837, 2022.
- [43] Lvmin Zhang, Anyi Rao, and Maneesh Agrawala, "Adding conditional control to text-to-image diffusion models," in *Proceedings of the IEEE/CVF International Conference on Computer Vision*, 2023, pp. 3836–3847.
- [44] Charles Spearman, "The proof and measurement of association between two things," *The American journal of psychology*, vol. 100, no. 3/4, pp. 441–471, 1987.
- [45] Ronald Aylmer Fisher, "Statistical methods for research workers," in *Breakthroughs in statistics: Methodology and distribution*, pp. 66–70. Springer, 1970.

#### APPENDIX

#### A. Detail on MM-StyleBench

We construct MM-StyleBench by harvesting from existing open-source datasets with the help of MLLMs.

For the **Content** category, 50% of the content images are generated using the Ideogram-v1 text-to-image (T2I) diffusion model with diverse prompts produced by GPT-4. The remaining 50% are randomly sampled from the SA-1B [32] and MS-COCO [30] datasets, with captions generated by Gemini-v1.5 pro [14]. Images from SA-1B are downsampled by a factor of two, while those from MS-COCO retain their original resolution. Overall, all images have an average height and width of 895.7 and 811.9 pixels, respectively. The 5th percentiles for height and width are 480 and 427 pixels, respectively, and the 95th percentiles for both dimensions are 1248 pixels.

To synthesize fine-grained attribute annotations for the content images and their associated prompts, we first employ Gemini v1.5-pro to automate the annotation process based on a predefined attribute set. Each annotation is manually reviewed to ensure accuracy and correctness. The **Style** subset of MM-StyleBench is derived from WikiArt [31] and DiffusionDB [33]. The process involves two main steps:

- WikiArt Processing: We extract keywords from WikiArt, focusing on specifications such as art movement, artist, and genre. These base keywords are then expanded and combined using GPT-4 [13] to create a diverse set of style descriptors.
- 2) DiffusionDB Processing: Given the high noise level in DiffusionDB annotations, we utilize an MLLM to preprocess the text prompts within the dataset. Specifically, we extract the style descriptions from each prompt and merge those with similar style specifications. Subsequently, we subsample from these processed style prompts to ensure quality and diversity.

For both datasets, style reference images are generated using StableDiffusion [5], with all reference images standardized to a resolution of  $512 \times 512$  pixels. Similar to content annotations, we employ MLLMs to annotate the attributes of style prompts.

The actual number of sampled content and style images is summarized in Table VI. We plan to open-source MM-StyleBench to facilitate reproducibility and support future research endeavors.

TABLE VI CONTENT AND STYLE SOURCES MM-STYLEBENCH IS BUILT FROM DIVERSE SOURCES TO ELIMINATE BIAS.

		Content	Style		
Source	Generated	MS-COCO	SA-1B	WikiArt	DiffusionDB
Number	500	250	250	764	236

#### B. Stylization

We present the stylization result generated by different methods on two content and style combination in Fig. 5.



Fig. 4. User Interface for Preference Annotation. We present user with the source image (top), 2AFC (middle) and style prompt (bottom). The user is required to choose the preferred one by clicking on the "left" or "right" button.

#### C. Human preference modeling

**Preference Collection** We develop a web application to collect response from human annotators. We present the user with the 2AFC question and reference content and style. The content is presented as an image while we present style as prompt, despite some stylization methods are designed for image-driven. We do not present the user with the name of stylization model. This setup is similar as Artist [3], but we utilize 2AFC question instead of grid comparison with Likert scale. The screenshot of user interface could be found in Fig. 4.

**Sampling algorithm.** We formally describe the proposed degree-uniform sub-graph sampling algorithm in Algo. 1.

#### D. Prompt Design

We summarize the full prompt of base prompt, zero-shot CoT prompting and ArtCoT prompt in Tab. VII. Notice that we prompt the MLLMs to return in json (or python compatible) format, this is because not all MLLMs are implemented with the json mode.

#### E. Example conversations

We present several quantitative comparisons of MLLM's response generated using different prompt in the following pages. We highlight the subjective words of zero-shot CoT. Compared with zero-shot CoT, the responses from ArtCoT is much more detailed and contain less hallucination.



Fig. 5. Examples of Stylized Image. We show two uncurated examples from different stylization results, the image order are randomized. The styles are impressionist and cubism, respectively. The results covers a wide range of stylization performance, setting a realistic and challenging task for artistic evaluation.

### Algorithm 1: Sample a Connected Subgraph with Uniform Degree Distribution

```
Input: G = (V, E);
                                 // Complete graph // Number of edges, |V|-1 \leq n \leq \frac{|V|(|V|-1)}{2}
     n;
     RNG;
                                                           // Random Number Generator
Output: E' \subseteq E;
                               // Subsampled edge set forming a connected
           subgraph
1. Validate Inputs:
  if |V| < 1 or n < |V| - 1 or n > \frac{|V|(|V|-1)}{2} then

Error: Invalid input parameters.;
2. Generate Spanning Tree:
  E_T \leftarrow \text{Kruskal's MST}(G, \text{RNG});
3. Initialize Subgraph and Degrees:
  E' \leftarrow E_T;
Initialize d(v) = 0, \forall v \in V;
foreach e = (u, v) \in E_T do
      d(u) \leftarrow d(u) + 1;
      d(v) \leftarrow d(v) + 1;
4. Add Remaining Edges:
m \leftarrow n - |E_T|;
while m > 0 do
      a. Identify Best Candidate Edges:
             BestEdges \leftarrow \left\{ e \in E \setminus E' \mid \min\max\{d(u) + 1, d(v) + 1\} \right\}
           BestEdges \leftarrow \left\{ e \in BestEdges \ \bigg| \ \min \sum \{d(u) + 1, d(v) + 1\} \right\}
      b. Select and Add an Edge:

e^* \leftarrow \text{Randomly select from } BestEdges \text{ using RNG};

E' \leftarrow E' \cup \{e^*\};
      c. Update Degrees and Counter:
foreach v \in e^* do
        m \leftarrow m - 1;
return E';
```

Input	Content	Style: Art by Lois van Baarle and Loish and Ross Tran and RossDraws and Sam Yang and SamDoesArts and Artgerm and Saruei and Disney, digital art, highly detailed, intricate, sharp focus, trending on ArtStation HQ.	2AFC	Human preference: 0 (left > right)				
Response	Base: {'winner': 0} (♥ aligned) Zero-Shot CoT: {'thinking': 'Looking at the bottom images. Both stylized images depart significantly from the source image's realism. The left image (0) attempts to maintain the scene's structure but uses an overly saturated, almost psychedelic color palette that feels jarring and lacks subtlety. The right image (1), while abstract, displays a more cohesive and aesthetically pleasing color harmony. The teal and peach tones work together well, creating a sense of depth and mood despite the lack of literal representation. The right image demonstrates better artistic interpretation and skill in its execution, even if less directly tied to the original.', 'winner': 1} (★ misaligned)							
Response (ArtCoT)	CS-Analyzer: {'style_reason' demonstrates a stronger sense image on the left preserves the color palette. The right image Art Critic: { 'reflection': """ "The prompt requests an anal- digital art, high detail, intricace Let's examine the visual feature alongside Disney's digital wor * **Highly detailed rendering only environments are present * **Dynamic lighting and col areas.* **Strong sense of composition * **Stylized realism:** Althout Looking at the bottom images for the subject matter - a mound but are less successful: * **Image 1 (left):** This in are not smooth or nuanced, ar There are noticeable distortion * **Strong sense of composition in careful composition found in maintain the integrity of the out In conclusion, while the botto they fail to achieve the *high I artists and Disney. The conter are significant artifacts, distor and image 2's abstract and und Summarizer: {'winner': 0} (	: 'The image on the right better capture of movement and fluidity, aligning me basic elements of the original scene retains less of the original composition.', ysis of two stylized images at the botton y, sharp focus, and popularity on ArtStat res essential to the specified style. Artisk k, are known for several key features: :** This includes intricate textures, smo- here). for palettes:** Often vibrant and saturat n:** They use leading lines, rule of third bugh not photorealistic, they aim for a be n neither fully captures the essence of the ntain range reflected in a lake at sunset. The mage shows a significant departure from and the rendering of the mountains and we is and a lack of sharp focus. mage displays a more abstract interpretat the style guide. The forms are more striginal reflection. The color shifts are ab m images attempt to capture the *vibrar level of detail*, *sharp focus*, *intricate at of the top image is not well-preserved tions, and inharmonious color patterns clear forms. }	res the vibrant, stylized aesthetic reminiscent of hore closely with the digital art styles mentioned (mountains, water, sunset) more effectively, albei ('style_winner': 1, 'content_winner': 0} m, comparing them to the style of several artists a ion HQ. tts like Lois van Baarle, Loish, Ross Tran, Sam Ya both gradients, and fine details in both environment ed, they employ dramatic lighting to create mood ls, and other compositional techniques to create vis lievable depiction of form and light. e referenced artistic styles. The top image serves a The bottom two images are attempts to reproduce t the detail and realism. The colors are strongly sat vater lacks the fine detail and texture seen in the v ion. While it uses a vibrant color palette, it lacks th uggestive than precise, and the 'reflection' is hig rrupt and inharmonious in places. at color* and *general mood* of the source image textures*, and *realistic rendering* that define the in the specific art style due to lack of technical sl in both bottom paintings, particularly evident in i	the specified artists. It ', 'content_reason': 'The t with a heavily stylized and Disney, emphasizing ng, Artgerm, and Saruei, s and characters (though and highlight important ual impact. Is a good reference point his in the requested style, urated, but the gradients work of the listed artists. the detailed rendering and hly stylized and doesn't and the requested style, e styles of the mentioned cill and rendering. There mage 1's gradient shifts				

Input	Content       Style: Traditional Japanese Sumi-e ink wash painting, featuring delicate gradients of black and grey on rice paper to emphasize simplicity and natural beauty.       2AFC       Image: Content in the second se						
	Base: {'winner': 0} (X misaligned)						
Response	Zero-Shot CoT: {'thinking': "The goal is to determine which of the two stylized images better captures the essence of a traditional Japanese Sumi-e ink wash painting while accurately representing the source image's content. The left image (0) attempts a desaturated, washed-out effect, but it lacks the characteristic brushstrokes and ink gradations that define Sumi-e. The right image (1), although somewhat simplistic, more successfully evokes the style of Sumi-e through its use of stark black lines and subtle grey shading. It captures the essence of the scene's composition and objects with a suitable level of abstraction. The right image's use of negative space and its emphasis on line work are more consistent with the principles of Sumi-e. While neither perfectly replicates the medium, the right image comes closer to achieving the intended artistic effect.", {'winner': 1}} ( <b>C</b> aligned)						
	<b>CS-Analyzer:</b> {'style_reason': 'The image on the right more accurately captures the pointillist style of Seurat, with distinct dots of color creating the image, rather than the more impressionistic brushstrokes of the left image.', 'content_reason': 'The image on the left preserves the content of the source image more faithfully. The building and street scene are largely recognizable, even if stylized. The image on the right alters the content significantly.', 'style_winner': 1, 'content_winner': 0}						
	Art Critic: {     'reflection': "The prompt requests an evaluation of two stylized images at the bottom of the provided image, judging their adherence to the style of Traditional Japanese Sumi-e ink wash painting. Let's analyze this.						
	Essential visual features of Traditional Japanese Sumi-e include:						
e (ArtCoT)	<ul> <li>***Monochromatic palette:** Primarily using black ink (sumi) with varying shades of grey achieved through dilution and layering. This is crucial for the simplicity and atmospheric depth sought in the art form.</li> <li>***Subtle gradations:** Delicate transitions between light and dark are essential for creating a sense of movement, form, and depth. Harsh lines are avoided; soft, hazy edges are favored.</li> <li>***Emphasis on negative space:** 'Ma' or negative space is very important in Sumi-e, and it plays a vital role in balancing the composition and suggesting a sense of quiet contemplation.</li> <li>***Brushstrokes:** The visible strokes of the brush are often part of the aesthetic appeal, revealing the artist's hand and contributing to the dynamic quality of the work. They're often less about precise detail and more about suggestive forms.</li> <li>***Rice paper:** The texture and absorbency of rice paper are integral to Sumi-e's characteristic look, as the ink bleeds and softens on this type of paper.</li> </ul>						
suods	Regarding the bottom images:						
Re	The image on the left (sepia-toned photograph) attempts a stylistic transformation of the original photo to mimic a Sumi-e feel. But, it fails to fully achieve the style as it lacks the essential brushstrokes and true 'sumi' ink gradients. The desaturation creates a grayscale, but isn't the nuanced layering of ink that defines Sumi-e. It maintains too much photorealistic detail, preventing it from conveying the intended simplicity.						
	The image on the right (the actual attempt at Sumi-e) fares better in capturing the spirit of Sumi-e. It utilizes a monochromatic palette and shows some attempt at suggesting form and composition through varied shades of grey and black. It demonstrates the essential use of negative space. However, the brushstrokes lack fluidity and subtle gradations common in authentic Sumi-e. It feels rather stiff and lacks the organic movement one would expect. The detail in the bicycles also seems somewhat out of scale and not in harmony with the rest of the painting, causing a minor level of dissonance.						
	In summary: While the image on the right captures some aspects of the Sumi-e style, neither image successfully preserves the content of the original photograph in a way that harmoniously integrates with the authentic aesthetic of Sumi-e painting. The 'sumie' style attempted in the right image is a simplified and rudimentary interpretation; it lacks the technical sophistication and sensitivity to ink and brushwork present in master works. There is some inharmoniousness in the scale and detail in the right image, which distracts from the intended simplicity."						
	Summarizer: {'winner': 1} ( aligned)						

Input	Content	Style: painting by Georges Seurat, oil on canvas	2AFC		Human preference: 1 (right > left)			
	Base: {'winner': 0} (× mi	.saligned)						
Response	Zero-Shot CoT: { 'thinking': "Both stylized images attempt to capture the essence of Seurat's pointillist technique, using small dots of color to create the overall image. However, the left image (0) more effectively mimics Seurat's style and successfully translates the scene's content. The right image (1), while showing a pointillist approach, lacks the cohesiveness and nuanced color blending characteristic of Seurat's work. The color palette in the left image is more vibrant and evocative of Seurat's use of color, while the right image's colors appear somewhat muted and less expressive. The composition and perspective in the left image are also better preserved, resulting in a more recognizable and engaging scene. Therefore, the left image better captures the aesthetic qualities of Seurat's style.", 'winner': 0 } (X misaligned)							
	CS-Analyzer: {'style_reaso the image, rather than the m the source image more faitl content significantly.', 'style_ Art Critic: { 'reflection': """	n': 'The image on the right mo nore impressionistic brushstrol hfully. The building and stre _winner': 1, 'content_winner': '	ore accurately captures of the left image exect scene are large 0}	rres the pointillist style of So ge.', 'content_reason': 'The ir ly recognizable, even if sty	surat, with distinct dots of color creating nage on the left preserves the content of lized. The image on the right alters the			
	The two stylized images at analyze the key features:	the bottom attempt to emula	te the pointillist s	tyle of Georges Seurat, but	with varying degrees of success. Let's			
	***Pointillism:** Small, c distance. The dots themselv ***Optical Mixing:** The ***High level of detail:** the dots to achieve a wide sp ***Strong compositional s arrangement of shapes and f ***Muted Palette with Bri within the pointillist techniq	distinct dots of pure color app res are not blended on the canv viewer's eye blends the juxtape Although using dots, the pair pectrum of tonal variations. structure:** Seurat's works a forms. He often utilized classi- ight Accents:** Though the ue for highlights and focal poi	lied directly to the ras, but optically m osed dots of color, nting possesses a r are known for the cal approaches to c palette tends towa ints.	e canvas, creating the illusio ix in the viewer's perception creating a sense of luminosi emarkably high level of deta ir strong compositional uni- composition. Irds muted, natural tones, S	n of blended color when viewed from a y and vibrancy. il. Seurat carefully positioned and sized y, creating a balanced and harmonious eurat uses bright, pure colors sparingly			
ArtCoT)	**Comparison of Stylized In Neither image fully captures several factors detract from	nages:** s the essence of Seurat's style. a true Seurat interpretation:	The attempt is eva	dent, with the use of small c	olor patches resembling dots. However,			
Response (A	<ul> <li>***Inconsistent Dot Size and Application:** The dots are not uniform in size or evenly spaced, a key characteristic of Seura's technique.</li> <li>***Lack of Optical Mixing:** The color blending in both images appears more like digital processing than true optical mixing. The dots of appear to visually blend in the same way as Seura's paintings.</li> <li>***Color Palette:** The colors in both images often lack the subtlety and luminosity achieved through Seurat's careful selection juxtaposition of complementary colors.</li> <li>***Content Preservation:** The content of the top image is only partially well preserved. Both stylized images fail to render the subtle deta the original photograph with the level of detail associated with Seurat's work. They simplify and flatten the perspective. They present a cartoonish feel than a finely wrought painting would.</li> <li>***Artifacts and Distortions:** The left image shows evident artifacts which appear to be hallmarks of the style transfer algorithms used, § the image an unnatural look which Seurat's work avoids. Some areas lack detailed structure and look more like impressionistic washes than well-rendered dotwork. This causes disharmony in color and detail. The right image has some of the same digital flaws, though the dis less jarring.</li> <li>**Conclusion:**</li> </ul>							
	I herefore, as an expert in a They are at best, digital inter Summarizer: {'winner': 1}	rt, I would not agree with a c rpretations influenced by the b ( aligned)	naum that the botto broader aesthetic of	om images are a successful : Post-Impressionism."""}	epresentation of Seurat's painting style.			

Input	Content	Style: Pixel art retro style, digital pixel art	2AFC	Human preference: 0 (left>right)				
Response	Base: {'winner': 1} (X misaligned) Zero-Shot CoT: { 'thinking': "Both stylized images utilize a pixel art approach, but differ significantly in their aesthetic quality and effectiveness in representing the source image. The left image (0) attempts to capture the scene's details and colors, but the result is a chaotic and visually overwhelming jumble of pixels. The color palette feels jarring and lacks harmony. The right image (1), while also using pixel art, employs a more restrained and effective approach. The color palette is simpler and more cohesive, creating a more unified and visually pleasing image. Though it simplifies the scene significantly, it maintains the essential elements and composition, resulting in a more successful and aesthetically pleasing pixel art interpretation. The right image demonstrates a better understanding of pixel art principles, focusing on effective use of color and simplification to create a stronger visual impact.", 'winner': 1 } (X misaligned)							
	<b>CS-Analyzer:</b> {'style_reason': the image, rather than the more the source image more faithff content significantly.', 'style_w	'The image on the right more ac re impressionistic brushstrokes o ully. The building and street sc vinner': 1, 'content_winner': 0}	ecurately captures the pointillist style of Seurat, with of the left image.', 'content_reason': 'The image on the sene are largely recognizable, even if stylized. The	distinct dots of color creating eleft preserves the content of image on the right alters the				
Response (ArtCoT)	Art Critic: {     'reflection': "The two bottom images are attempts at recreating the top image in a pixel art retro style. However, while they capture the general composition – a person walking on a path – the execution is not entirely successful in achieving a cohesive 'pixel art retro' aesthetic.     Essential visual features of pixel art retro style include: a limited color palette, clearly defined pixel blocks, a low resolution (resulting in blockiness), and a simplified representation of forms. While both bottom images utilize a limited palette and low resolution, they lack the clean, defined pixel blocks characteristic of the style. Instead, they display a dithering effect and color blending that softens the pixel boundaries, reducing the distinctive 'pixelated' look. The resulting images appear more like low-resolution digital paintings than pixel art. The content of the top image is only partially preserved. The basic scene (person on path, vegetation) is recognizable, but many details are lost. The colors in the pixel art versions, particularly in the first example, bear little resemblance to the originals. They are overly vibrant and seem almost arbitrary in their application, lacking the intentional and often limited color choices common to retro pixel art styles.  Artifacts are present. The first image exhibits a notable amount of color banding and irregular block distribution, suggesting the conversion process was imperfect. The second image suffers less from this but still lacks the crispness and clean linework typical of pixel art. Both show a loss of detail and a lack of precision in the rendering of the subject and the path/surroundings. Inharmonious color patters are evident.							
	colour, despite lacking the oth	er aspects of a good pixel art piec	ce."					
	Summarizer: {`winner': 0} (	🖬 arignea)						

Input	Content	Style: painting by Caravaggio, oil on canvas	2AFC	Human preference: 0 (left>right)				
	Base: {'winner': 0} ( wisaligned)							
Response	Zero-Shot CoT: {'thinking': ' The goal is to determine which stylized image has better aesthetic quality. The left image attempts a Caravaggio style with some success in the dark tones and chiaroscuro. However, the background is too simplistic and doesn't possess the richness and complexity one would expect from a Caravaggio painting. The figures lack the strong anatomical detail and expressive power found in Caravaggio's work. The right image, while stylistically less coherent, offers a more textured and evocative background. The figures, though somewhat indistinct, convey a sense of weight and presence through their posture. The overall atmosphere is more in keeping with the dramatic and psychological intensity found in Caravaggio's works. Therefore, I favor the right image for its greater evocation of a Caravaggio-esque atmosphere.', 'winner': 1} (Mathematic missing the statematic							
	<b>CS-Analyzer:</b> {'style_reason': the image, rather than the mon the source image more faithfu content significantly.', 'style_w	The image on the right more ac re impressionistic brushstrokes o ully. The building and street so vinner': 1, 'content_winner': 0}	curately captures the pointillist style of Seurat, with of the left image.', 'content_reason': 'The image on the ene are largely recognizable, even if stylized. The i	listinct dots of color creating left preserves the content of mage on the right alters the				
	Art Critic: { 'reflection': As an art expert two bottom images are rendered	specializing in the style of Carav ed in the style of a 'painting by C	vaggio, I can offer an analysis of the stylized images. aravaggio, oil on canvas'. Let's examine this claim.	The prompt suggests that the				
	**Essential Visual Features of	Caravaggio's Style:** Caravagg	gio's paintings are characterized by several key feature	:s:				
	* **Tenebrism:** The drama This creates a sense of drama a * **Realism:** Although ide overall context is theatrical. * **Emotional Intensity:** H expressions, and the overall co * **Composition:** His com interplay of light, shadow, and * **Impasto:** In oil paint brushwork often shows impast	tic use of light and shadow (chia and intensity, focusing the viewer valized, his figures possess a str is works often depict intense en omposition. positions are often carefully arr. the placement of the figures. He ting, impasto involves applying to technique.	roscuro), with strong contrasts between brightly lit fi r's attention on specific points within the composition. ong sense of realism, with visible textures, and beli notional states—suffering, joy, or anger—expressed t anged to guide the viewer's eye through the scene. ' e often uses diagonals and triangles to create dynamiss paint thickly, creating texture and enhancing the	contrasts between brightly lit figures and dark backgrounds. c points within the composition. with visible textures, and believable anatomy, even if the ring, joy, or anger—expressed through the figures' postures, ewer's eye through the scene. This is achieved through the and triangles to create dynamism. ng texture and enhancing the visual interest. Caravaggio's				
CoT)	**Analysis of the Bottom Ima	ges:**						
Response (Art	Neither of the bottom images convincingly capture the essence of Caravaggio's style. They lack the key tenebrism, realistic rendering of figures, and the emotional intensity that define his work. The stylistic elements are more reminiscent of other movements or digital art filters instead of Caravaggio's realism and use of light. The figures in both images appear somewhat distorted and lack the detailed anatomy and realistic proportions common in Caravaggio's painting. The color palette is far less rich, nuanced, and natural. It is not a representation of oil on canvas. The lighting in both images is not realistically presented; it does not possess the dramatic contrast that's signature of his work.							
	**Content Preservation:**							
	The content (people sitting on a bench) is somewhat preserved, but the artistic representation fails to capture the spirit of Caravaggio. It doesn't translate the simple scene into the emotional depth or painterly quality for which Caravaggio is famous.							
	**Artifacts and Distortions:**	*						
	**Bottom Left:** Shows significant artifacts. The background is a rather crudely painted-looking setting; the characters appear flat, unlike Caravaggio's detailed portrayals. There's a jarring bright blob in the background that's completely anachronistic to the period. * **Bottom Right:** The colors are muddy and lack the vibrancy of Caravaggio's palette. The figures are distorted and lack definition, with a painterly effect that is more akin to impressionism than to Caravaggio's meticulous detail and highly refined realism. The background texture looks unnatural and digital.							
	**Conclusion:** The assertion that the bottom images are in the style of Caravaggio is incorrect. While the subject matter is somewhat similar, the artistic execution completely misses the critical elements of Caravaggio's style. The images lack the required lighting, composition, realism, and emotional intensity to be considered even remotely similar to his works."}							
	Summarizer: {'winner': 0} (	☑ aligned)						

Input	Content United States of the second s	Style: vainting by Caravaggio, oil on canvas	2AFC	Human preference: 0 (left>right)				
	Base: {'winner': 1} (X misal	Base: {'winner': 1} (X misaligned)						
Response	Zero-Shot CoT: {'thinking': "The left image attempts to render the bookstore in a style reminiscent of anime, but the execution is uneven. The lines are somewhat shaky, and the color palette lacks the vibrancy and harmony typically associated with high-quality anime. While it captures the essence of the bookstore's architecture, it doesn't achieve a cohesive or aesthetically pleasing anime style. The right image, however, is a more successful artistic interpretation. It effectively integrates the characters and landscape into a style that evokes the whimsical and vibrant aesthetic of Hayao Miyazaki's work. The color palette is bold and expressive, the character designs are charming, and the landscape adds a compelling narrative element. The overall composition is stronger and more aesthetically pleasing.", 'winner': 1} (X misaligned)							
	<b>CS-Analyzer:</b> {'style_reason': 'The image on the right more accurately captures the pointillist style of Seurat, with distinct dots of color creating the image, rather than the more impressionistic brushstrokes of the left image.', 'content_reason': 'The image on the left preserves the content of the source image more faithfully. The building and street scene are largely recognizable, even if stylized. The image on the right alters the content significantly.', 'style_winner': 1, 'content_winner': 0}							
	Art Critic: { 'reflection': "The prompt requests an evaluation of two stylized images (bottom row) based on whether they successfully emulate an 'Anime- style illustration in the style of Hayao Miyazaki, featuring whimsical characters and vibrant landscapes'.							
	Let's analyze this assertion: **Essential Visual Features of the Target Style:** Hayao Miyazaki's style is characterized by several key visual elements. These include:							
	* **Whimsical Character Design:** Rounded, expressive characters often with slightly exaggerated features. Emphasis on emotional nuance in their poses and expressions.							
	* ** Vibrant, often slightly surrea a touch of the ethereal or otherwo * **Warm Color Palettes:** M	* **Vibrant, often slightly surreal Landscapes:** Backdrops are lush and detailed, incorporating elements of fantasy and nature, sometimes with a touch of the ethereal or otherworldly.						
	contrasts. ***Detailed Backgrounds:** Environments are meticulously rendered, often showing a remarkable attention to detail. **Linework and Style:** A distinct style of line art, often softer and less rigid than some other anime styles, is used, with a balance between clean lines and a painterly quality.							
e (ArtCoT)	**Image 1 (Anime Style Bookstore):** This image shows a successful translation of the original bookstore image into an anime style. The color palette is relatively harmonious, and there's a clear stylistic choice which evokes anime. However, it falls short of capturing a true Miyazaki-esque aesthetic. While vibrant, the colors lack the slightly muted warmth often seen in his work. The whimsical element isn't as strongly present; it simply looks like an anime depiction of a bookstore rather than a Miyazaki inspired scene.							
Respons	**Image 2 (Anime Style Landscape):** This image more strongly reflects a whimsical, anime-style landscape. The color palette is certainly vibrant, leaning toward a more stylized and even slightly artificial look. The characters show a playful design. However, the landscape, while vibrant, lacks the lush detail typical of Miyazaki's backgrounds; it appears more flat in terms of depth and texture. The color choice, while intense, doesn't possess the warmth and harmony associated with Miyazaki's style, creating somewhat of an inharmonious color pattern. While the characters have the potential to be considered whimsical, the style lacks the distinctive linework and soft details observed in Miyazaki's works.							
	**Content Preservation:** The recognizable, although the anime replace the original, so this isn't	**Content Preservation:** The original image of the bookstore is relatively well-preserved in both versions. The structure and details are recognizable, although the anime rendition alters the visual feel. In the second image (landscape), the new elements (characters and landscapes) replace the original, so this isn't applicable.						
	**Artifacts, Distortions, and Inharmonious Colors:** Both stylized images exhibit some artifacts from the stylization process. Image 1 shows minor inconsistencies in linework and color blending. Image 2 displays more pronounced color choices that, while vibrant, verge on jarring and inharmonious. The landscape feels flatter than it should in a true Miyazaki-style rendering. The artifacts are largely due to the artistic choices made during stylization, not necessarily flaws in the process.							
	**Conclusion:** While both im illustration. They borrow some color blending, and depth of de requested."	nages show a successful attemp elements, like whimsical char etail that are hallmarks of Miy	ot at stylization, neither fully capture acters and vibrant palettes, but lack t azaki's art. The attempt is laudable,	is the essence of a 'Miyazaki-style' Anime he specific details of linework, harmonious but not fully realized in the specific style				
	Summarizer: {'winner': 0} (	aligned)						

Input	Content	Style: Impressionist painting, oil on canvas	2AFC	Human preference: 1 (right > left)				
	Base: {'winner': 1} ( vinner': 1)							
Response	Zero-Shot CoT: {'thinking': "The left image attempts to mimic an Impressionistic style through blurring and muted colors. However, the result lacks the vibrancy and expressive brushstrokes characteristic of Impressionism. The right image, while not perfectly replicating an oil on canvas texture, captures a more successful Impressionistic feel. The warm lighting, visible brushstrokes (though digital), and overall composition create a more cohesive and aesthetically pleasing artwork. The left image feels more like a poorly executed filter than a genuine artistic interpretation.", 'winner': 1} (V aligned)							
	<b>CS-Analyzer:</b> {'style_reason': 'The right image demonstrates a more successful emulation of Impressionist techniques, particularly in its use of color and light. The brushstrokes are more varied and expressive, creating a sense of movement and atmosphere reminiscent of Impressionist masters. The left image, while attempting a similar style, results in a more muddy and less defined application of paint.', 'content_reason': 'Both images retain the essential components of the source image - the buildings, palm trees, walkway, and kiosks. However, the right image better preserves the overall composition and spatial relationships of these elements. The left image, in its attempt to mimic the Impressionist style, sacrifices some clarity and precision in depicting the scene.', 'style_winner': 1, 'content_winner': 1}							
	Art Critic: { 'reflection': "The two stylized images at the bottom attempt to emulate the Impressionist style of oil on canvas, but with varying degrees of success. Let's analyze based on key Impressionist features:							
	**Essential Visual Features of Impressionism:** Impressionism is characterized by visible brushstrokes, a focus on light and its effects on color, capturing the fleeting moment, and often depicting everyday scenes. The use of pure, unmixed colors placed side-by-side to create optical mixing is also key. The style prioritizes capturing the sensation of a scene rather than perfect representation.							
oT)	**Content Preservation:** The content from the top image is largely preserved in both stylized versions. The main architectural elements (buildings, palm trees), the walkway, and even some smaller details like the kiosks are recognizable. However, the degree of detail varies.							
Response (ArtC	**Image 1 (left bottom):** This image shows a more muted color palette and somewhat blurry rendering. The brushstrokes are less defined and more like a soft smudge than the characteristic short, visible strokes of Impressionism. While attempting to capture the 'impression' of the scene, it lacks the vibrancy and distinct color contrasts expected in an Impressionist piece. There is a slight artifact of blurring, particularly noticeable in the trees and some building details. It might be described as more of an impressionistic filter applied to a photograph than a true artistic rendering in the style.							
	**Image 2 (right bottom):** This image fares better in capturing some essential elements of Impressionism. The use of color is richer and more varied, with visible brushstrokes, particularly in the sky and foliage, although these strokes are not uniformly 'short' as is typical. The handling of light and shadow is better demonstrated, creating a more evocative mood. However, the level of detail is still significantly simplified. Some color choices appear slightly inharmonious, specifically the unnatural, intense orange/red in the foliage, which detracts from the overall coherence. There's a visible shift in color temperature from the background to the foreground.							
	**Overall:** Neither image fully captures the essence of Impressionist oil painting. While both retain the scene's core elements, neither consistently showcases the short, distinct brushstrokes, vibrant, optically mixed color palette, nor the spontaneous feeling that defines the style. They are more digital interpretations of an Impressionist effect rather than genuine paintings done in the manner of Monet, Renoir, or Pissarro. The attempts are visible; however they fall short of a true artistic rendition in the Impressionistic style due to several artifacts and distortions of color and brushwork.							
	Summarizer: {`winner': 1} ( Valigned)							

Input	Content	Style: Romanticism rich colors and dramatic landscapes inspired by Friedrich with expressive sky tones, oil on canvas	2AFC			Human preference: 0 (left>right)				
	Base: {'winner': 1} (X mis-aligned)									
Response	Zero-Shot CoT: {'thinking': "The left image attempts a romanticized portrait style, incorporating surreal elements with the background. However, the execution feels somewhat flat and lacks the depth and emotional resonance of true Romanticism. The color palette is muted, and the overal effect is less dramatic than intended. The right image, on the other hand, is a more successful interpretation of the style. The fiery red figure against a dramatic, expressive sky evokes a strong emotional response, aligning with the core principles of Romanticism. The use of light are shadow, and the overall composition, creates a more powerful and aesthetically compelling artwork. The dramatic sky, reminiscent of Casp David Friedrich's work, adds a significant layer of depth and meaning.", 'winner': 1} (X misaligned)									
	<b>CS-Analyzer:</b> {'style_reason': 'The image on the right better captures the dramatic, expressive sky tones and landscape elements characteristic of Romanticism, particularly Friedrich's style. The clouds are more dynamic and the overall color palette is richer and more evocative.', 'content_reason': 'Both images preserve the figure's pose and clothing reasonably well. The image on the left distorts the face slightly, losing some of the likeness, while the image on the right is more faithful in its representation of the person.', 'style_winner': 1, 'content_winner': 1}									
	Art Critic: { 'reflection': "As an art expert, I would offer a nuanced assessment of the provided images and their relation to the specified artistic style. The prompt requests an analysis of the bottom two images as if they were painted in the style of Romanticism, specifically referencing Caspar David Friedrich's dramatic landscapes and expressive skies, using rich colors and oil on canvas. Let's examine this claim.									
Response (ArtCoT)	**Essential Visual Features of the Specified Style:** A painting truly embodying this style would necessitate several key features:									
	<ul> <li>***Dramatic Landscapes:** Friedrich's works often feature vast, awe-inspiring landscapes – often featuring mountains, forests, or seas – that evoke a sense of sublime power and the insignificance of humanity in the face of nature.</li> <li>***Expressive Skies:** The sky is frequently a dominant element, conveying emotional intensity through swirling clouds, dramatic lighting (often with a strong contrast between light and shadow), and intense color.</li> <li>**Rich Colors:** While not necessarily overly vibrant, the colors should be deeply saturated and evocative, contributing to the overall emotional impact of the piece. Think of deep blues, fiery oranges, and somber browns.</li> <li>**Oil on Canvas:** The medium is crucial for achieving the texture and depth of color associated with Romantic painting.</li> <li>**Sublime/Emotional Impact:** A sense of awe, mystery, or melancholy is central to Romanticism. The artwork should evoke strong emotions in the viewer.</li> <li>***Figures:** Often, figures are included but appear small within the vast landscape, emphasizing the immensity of nature.</li> </ul>									
	**Content Preservation and Artistic Style:** The top image, the photograph of the woman in a business suit, is not well-preserved in the style of Romantic painting. The bottom two images attempt to emulate the *subject matter* (the woman in a suit) in a Romantic-inspired *style*, but with varying success.									
	* **Image on the Left:** This stylized portrait attempts to create a mood, using warm lighting and a somewhat surreal, dream-like background with repeating architectural forms. However, this is more akin to Surrealism and Symbolist movements than Romanticism. The style is not entirely in line with the intended features (dramatic landscape, expressive sky). The background does suggest an attempt at something grander, but it fails to evoke the vastness and awe associated with the Romantic landscape.									
	* **Image on the Right:** This image is much closer to achieving the desired style. It incorporates dramatic cloud formations in the sky—a characteristic feature of Friedrich's works—and uses a strong contrast in lighting (red-toned subject against a relatively brighter sky). It does, however, depart slightly in using the intensely saturated red tone of the figure; this is more reminiscent of Expressionism than the more subdued palette, generally found in Romanticism. It evokes a strong emotional impact.									
	**Artifacts, Distortions, and Color Inharmonious:** Neither image displays significant artifacts or distortions. Both are digitally created or enhanced, and the level of smooth blending, and the sharp detail are likely a result of digital tools rather than inherent characteristics of oil painting. In the left image, however, there is a slight stiffness and lack of fluidity in the way light plays on the figure's clothing that might be considered inharmonious with the background. In the right image, the jarring redness of the person's face against the more naturalistic palette might feel dissonant to some viewers. The style is not entirely cohesive.									
	In summary, while the artist clearly intended to capture the essence of Romantic landscape painting in the right-hand image, it falls short of fully capturing the stylistic conventions and essential features of the described style. The left image employs elements of other stylistic movements more prominently."}									
	Summarizer: {'winner': 0} ( valigned)									
L	1									

#### TABLE VII

**TEMPLATE FOR DIFFERENT PROMPTING METHODS.** [STYLE] STANDS FOR PLACEHOLDER FOR THE STYLE PROMPT, AND [IMAGE] STANDS FOR PLACEHOLDER FOR IMAGE TOKENS.

Base Prompt	Zero-Shot CoT	C-S Analyzer	ArtCoT Art Critic	Summarizer
'[IMAGE]' You are an expert in fine art. A source im- age (top) and two different stylized images (bottom) in the style of '[STYLE]' are presented to you. Consider both the content and style, which stylized image is better in terms of overall aesthetic quality as an artwork? Re- turn your decision in a Python Dict, ['winner':int]. '0' means the left is better while '1' means the right is better. Do not answer any other things.	'[IMAGE]' {"request": "You are an expert in fine art. A source image (top) and two different stylized images (bot- tom) in the style of 'style' are presented to you. Consider both the content and style, which stylized image is better in terms of overall aesthetic quality as an artwork?". Re- turn the reason and your de- cision in short in format of a Python Dict 'thinking':str, 'winner':int. '0' means the left is better while '1' means the right is better,", "response": "{'thinking': 'Let's' think step by step,	'[IMAGE]' You are an expert in fine art. A source image (top) Two stylized images (bottom left and bottom right) in the style of '[STYLE]' are presented to you. Compare the content preservation and style fidelity of the two images, which one is better. Return your answer in a Python Dict, ['style_reason':str, 'content_reason':str, 'style_winner':int, 'content_winner':int]. '0' means the left is better while '1' means the right is better. Do not include any other string in your response.	'[IMAGE]' Take a closer look at the two stylized images at the bottom in the style of '[STYLE]'. As an expert in art, do you agree with above analysis? Compare and consider the following ques- tions. What visual features is essential for the style of '[STYLE]'? Is the content at top well-preserved in the spe- cific art style? Is there any artifact, distortion or inhar- monious color patterns in ei- ther painting? Return your an- swer in a Python Dict, [reflec- tion':str].	'[IMAGE]' Now we summa- rize. Based on above analysis and reflection, which stylized image at the bottom is better in terms of overall aesthetic quality as an **painting of the original content (top) in an- other style**? Return your an- swer in a Python Dict, ['win- ner':int]. '0' means the left is better while '1' means the right is better. Do not include any other string in your re- sponse.