

mGeNTE: A Multilingual Resource for Gender-Neutral Language and Translation

Beatrice Savoldi[◇], Eleonora Cupin[°], Manjinder Thind[°],
Anne Lauscher^{*}, Andrea Piergentili^{◇△}, Matteo Negri[◇], Luisa Bentivogli[◇]

[◇]Fondazione Bruno Kessler, Italy

[°]DIT Forlì, University of Bologna, Italy

^{*}Data Science Group, University of Hamburg

[△]University of Trento, Italy

bsavoldi@fbk.eu

Abstract

Gender-neutral language reflects societal and linguistic shifts towards greater inclusivity by avoiding the implication that one gender is the norm over others. This is particularly relevant for grammatical gender languages, which heavily encode the gender of terms for human referents and over-relies on masculine forms, even when gender is unspecified or irrelevant. Language technologies are known to mirror these inequalities, being affected by a male bias and perpetuating stereotypical associations when translating into languages with extensive gendered morphology. In such cases, gender-neutral language can help avoid undue binary assumptions. However, despite its importance for creating fairer multi- and cross-lingual technologies, inclusive language research remains scarce and insufficiently supported in current resources. To address this gap, we present the multilingual mGeNTE dataset. Derived from the bilingual GeNTE (Piergentili et al., 2023b), mGeNTE extends the original corpus to include the English-Italian/German/Spanish language pairs. Since each language pair is English-aligned with gendered and neutral sentences in the target languages, mGeNTE enables research in both automatic Gender-Neutral Translation (GNT) and language modelling for three grammatical gender languages.

 [datasets/FBK-MT/mGeNTE](#)

Note: This early preprint outlines our initial multilingual data creation and release. We are preparing a more comprehensive paper with an expanded test suite, additional analyses, and model evaluations.

1 Introduction

Amid societal and linguistic shifts, there has been a rise in the adoption of inclusive language solutions aimed at promoting gender equality in our communication practices (APA, 2020; Ashwell et al.,

2023; Silva and Soares, 2024).¹ Gender-neutral language solutions, as a form of inclusive strategy, help achieve this goal by eschewing unnecessary gendered terms and embracing unmarked forms that represent all gender identities (e.g. *chair* instead of *chairman*) (Höglund and Flinkfeldt, 2023). As also advocated by international institutions,² linguistic inclusivity is both complex and urgent in heavily gendered languages such as German, Italian, and Spanish (Papadopoulos, 2022; di Carlo, 2024; Müller-Spitzer et al., 2024), where neutral solutions need to overcome the extensive expression of (binary) masculine and feminine markings for human referents (e.g. en: *the professors*, es: *los profesores* M. vs *las profesoras* F.) (Gabriel et al., 2018; Gygax et al., 2019).

In light of these changes and demands for fairer language technologies (Dev et al., 2021; Burtscher et al., 2022), prior Natural Language Processing (NLP) work has explored the modeling of inclusive language in various tasks (Cao and Daumé III, 2020; Attanasio et al., 2021; Waldis et al., 2024) and its impact on language models (LMs) (Bartl and Leavy, 2024; Bunzeck and Zarriß, 2024).

Crucially, in cross-lingual settings, gender-neutral translation (GNT) (Piergentili et al., 2023a) has been proposed as a viable approach to also address the well-known biases of both traditional (Lardelli and Gromann, 2022; Piazzolla et al., 2023) and LM-based Machine Translation (MT) models (Lee et al., 2024). These tend to favor masculine forms, leading to stereotyping and tangible service disparities for minority gender groups (Savoldi et al., 2024a). In fact, automatic translation frequently deals with ambiguous input that does not convey gender explicitly (Saunders, 2022), and for which GNT is preferable to prevent undue

¹Gender equality is also one of the UN Sustainable Development Goals: <https://sdgs.un.org/goals/goal5>

²See for instance the EU Parliament guidelines for GNL: https://www.europarl.europa.eu/cmsdata/151780/GNL_Guidelines_EN.pdf

binary gender assignments in the target language (e.g. *the professors* → es: *el cuerpo docente* [the teaching body]).

Despite the importance of advancing support for inclusive solutions, current multilingual research remains limited. Most existing resources and studies are confined to English (Brandl et al., 2022; Hosain et al., 2023; Ovalle et al., 2023; Vanmassenhove et al., 2021; Sun et al., 2021; Gautam et al., 2024), or to isolated efforts focused on monolingual tasks (Veloso et al., 2023) or a single language pair (Savoldi et al., 2023; Lardelli et al., 2024a), likely also due to the (socio)linguistic-specific expertise needed for achieving neutrality in gendered languages.

To address the existing gap and promote cross- and multi-lingual research on gender neutrality, we introduce **mGeNTE**, a natural, manually curated multilingual dataset for English→Italian, Spanish, and German. mGeNTE expands upon the existing GeNTE corpus (Piergentili et al., 2023b) and consists of 4,500 carefully curated triplets of <source, gendered target, neutral target> aligned at the sentence level. This dataset is intended to facilitate further research on out-of-English automatic GNT, as well as neutral language modelling and rewriting for three grammatical gender languages.

We make our resource freely available at <https://huggingface.co/datasets/FBK-MT/mGeNTE> under a CC BY 4.0 license.

2 Gender-Neutral Language

Inequalities and asymmetries are reflected in language, and can negatively influence the perceptions of gender groups and identities (Stahlberg et al., 2007; Sczesny et al., 2016; Menegatti and Rubini, 2017). To counter this, gender-neutral language has emerged as a form of linguistic inclusivity that—by retooling established forms and grammar³—addresses marked forms that treat the masculine gender as the generic default (Silveira, 1980; Bailey et al., 2022). This issue is particularly evident in grammatical gender languages, where masculine forms are used for generic, unknown, or mixed-gender referents (Gygax et al., 2021). Neutralization strategies, instead, aim to include all gender identities by avoiding unnecessary gendered terms (Hord, 2016), e.g. *humankind* vs.

mankind.

Due to its limited gendered grammar, English neutralization strategies are often confined to lexical substitutions (e.g., the singular *they*) (Ackerman, 2019). However, in languages with extensive feminine/masculine markings, neutralization can range from simple word changes—like omissions or epicene alternatives (e.g. es: *feliz*)⁴—to complex reformulations involving collective nouns (es: *la presidencia*)⁵, passive or impersonal forms (es: *quien, quienes*)⁶, and relative clauses (es: *las personas que*).⁷ Since the latter can alter the sentence structure, they often imply more than local changes and must be carefully considered not to impact fluency and naturalness.

While available (monolingual) guidelines for neutralization are abundant,⁸ cross-lingual studies remain scarce. For translation scenarios, Daems (2023) and Lardelli and Gromann (2023) have explored the use of inclusive strategies—including neutralizations—and their cognitive impact on professionals. Piergentili et al. (2023a,b) reviewed English and Italian neutral strategies to create and implement GeNTE, the first natural, parallel benchmark for gender-neutral automatic translation. Building on this foundation and leveraging available monolingual guidelines for German and Spanish, we expand GeNTE into a multilingual corpus.

3 The mGeNTE Corpus

We introduce mGeNTE, the first natural, parallel, multilingual test set for evaluating gender-neutral language and translation. The mGeNTE corpus expands on the existing bilingual GeNTE resource (Piergentili et al., 2023b), which was primarily designed to assess MT models’ ability to perform GNT for en-it. Recently, GeNTE was also repurposed to test (monolingual) gender-neutral modeling and rewriting in Italian (Frenda et al., 2024; Attanasio et al., 2024). Following the design and structure of the original corpus, we expanded and expert-curated mGeNTE to include two additional language pairs: English-German and English-Spanish. Also, we enriched all data

⁴i.e., *happy* instead of *contento/a*.

⁵i.e. *the presidency*, instead of *el/la presidente/a*.

⁶i.e. *those*.

⁷i.e. *who, the people that*.

⁸They are released by several (inter)national institutions. See for instance the UN guidelines in Spanish: <https://www.un.org/es/gender-inclusive-language/guidelines.shtml>.

³Unlike other gender-inclusive type of approaches that rely on innovative, more visible non-binary linguistic forms (López, 2020). For more on this, see Section 5.

portions with new manual word-level annotations.

For each language pair, mGeNTE consists of 1,500 sentences with mentions to human referents equally distributed across two translation scenarios: i) Set-N, featuring gender ambiguous source sentences that require to be neutrally rendered in the target language;⁹ 2) Set-G, featuring gender-unambiguous source sentences, which shall be properly rendered with gendered (masculine or feminine) forms in the target.¹⁰ Together, these sets serve to test if models can distinguish scenarios where either gendered or neutral forms are required and generate them accordingly.

As described in more detail in the upcoming sections, mGeNTE is built on naturally occurring instances from the Europarl corpus (Koehn, 2005), a high-quality MT resource representing formal administrative and institutional domains, namely the contexts where gender-neutral language is traditionally used and encouraged. For each original, (gendered) sentence extracted from Europarl, we create an additional target reference featuring gender-neutral language and obtain $\langle \text{source}, \text{target gendered}, \text{target gender-neutral} \rangle$ triplets aligned at the sentence level, for a total of 4,500 entries.

3.1 Multilingual Expansion and Alignment

This section describes the extraction and selection of Europarl sentences for en-es and en-de. As for GeNTE, the mGeNTE segments are derived from the common test set 2,¹¹ a subset of the Europarl corpus aligned across multiple languages. To ensure data quality, the corpus creation process was led by experts and translation students specializing in gender-neutral language with native or C1 competence in their assigned language.¹²

Data extraction To enable multilingual comparability, our data extraction prioritizes selecting sentences from Europarl that are aligned and parallel across all language pairs. Such an approach aimed at creating a fully parallel resource representing gender-related phenomena across en-it/es/de, and can allow for further parallel expansion into other languages, too. The extraction process consisted of two main phases. First, we began by selecting sentences from the original GeNTE en-it corpus and retrieving them from Europarl common test set for

⁹e.g. *All students are required to attend morning classes.*

¹⁰*This student is my sister/brother.*

¹¹<https://www.statmt.org/europarl/archives.html>

¹²They are all authors of this paper.




Figure 1: Gender distribution in the original Europarl target sentences. We distinguish between instances containing masculine forms, feminine, or both within the same sentence.

en-de/es. Then, each sentence was checked to confirm that it contained a gender-related phenomenon; if not, we discarded it.¹³ This process yielded 1,106 sentences that are fully parallel across all three language pairs, henceforth referred to as PARALLEL-SET. To complete the corpus and reach the target of 1,500 sentences per language pair, the remaining sentences were extracted *de novo* using regular expressions. These were tailored to each subset (N or G) in mGeNTE as well as to the specific target language, e.g. to reflect grammatical gender patterns. Accordingly, for Set-G we targeted unambiguous English source sentences, i.e. containing explicit gender cues such as titles (*Mr*, *Mrs*) and marked pronouns (*him*, *her*). Vice versa, for Set-N we excluded segments with source gender information and matched expressions that—while gender ambiguous in English—correspond to either masculine or feminine forms in the target language (e.g., *citizens* → es: *ciudadanos/as*, de: *Bürger/innen*).

Sentence Revision and Editing All extracted segments underwent manual revisions and checks. Concerning revisions, three key editing interventions were carried out. First, in the original GeNTE corpus, some source sentences containing mentions of multiple referents—and which required the combination of different forms in translation (i.e. neut/masc/fem)—were edited to streamline GNT evaluation.¹⁴ Thus, to align with the original data and design, such segments with multiple referents requiring a mix of neutral, masculine, and feminine forms were edited to ensure that each sentence consistently required only one type of

¹³This is possible due to cross-linguistic differences in how different languages encode and express genders, e.g. on different parts of speech.

¹⁴In this way, each sentence pair can be handled as a whole coherent unit, thus avoiding the complexities of evaluating intricate combinations of phenomena.

	Set-G		Set-N	All
	F	M		
<i>en-it</i>	375	375	750	1,500
<i>en-es</i>	375	375	750	1,500
<i>en-de</i>	375	375	750	1,500
PARALLEL	293	295	518	1,106

Table 1: Distribution of segments in mGeNTE for each language pair and in the PARALLEL-SET with segments aligned across all three languages. We ensure a balanced number of segments from Set-N as well as (F)eminine and (M)asculine ones from Set-G.

form. Second, an intervention was performed to compensate for the under-representation of unambiguous feminine data from Set-G. In fact, and as represented in Figure 1, masculine forms are over-represented in the original target sentences,¹⁵ and we thus adjusted the corpus to achieve a balanced representation of feminine and masculine forms through lexical gender-swapping.¹⁶ Finally, other edits were made to improve the quality of the corpus (e.g. fixing typos or inaccurate translation).¹⁷ At the end of the editing process, all sentences were revised to ensure correct automatic sorting into SET-N, or as either feminine (F) or masculine (M) instances from SET-G.

For final statistics of mGeNTE and its PARALLEL-SET see Table 1.

3.2 Gendered Words Annotation

To further enrich mGeNTE, the linguists in charge of creating the corpus annotated all gendered (masculine/feminine) words in the target sentences. Then, to ensure data quality, a second annotator—with either a native or C1 competence of the assigned target language—re-annotated 200 sentences for each language pair. We calculate inter-annotator agreement (IAA) on the exact matches of the gendered words annotated on these subsets. The resulting Dice coefficients (Dice, 1945) are of 0.95 (en-de), 0.94 (en-es) and 0.95 (en-it), which are considered highly satisfactory. All disagreements were overlooked and were thus reconciled.

¹⁵This reflects the well-known under-representation of women and feminine forms in existing datasets (Vanmassenhove et al., 2018; Gaido et al., 2020).

¹⁶To ensure alignment with en-it segments, we performed 652 (en-de) and 621 (en-es) interventions, 60% of which served gender balancing.

¹⁷Such changes are applied to 16 and 59 sentences for en-es and en-de, respectively.

The total number of gendered words annotated in mGeNTE is shown in Table 2, whereas a qualitative overview of the most frequent words across mGeNTE subsets is provided in Figures 2 and 3. The counts highlight the corpus’s high natural lexical variability, with over 600 unique gendered words in each target language. Comparatively across languages, we find that gendered words occur more frequently in Italian, most likely due to the fact that, unlike German and Spanish, gender markings are also expressed on several verbal forms (Savoldi et al., 2022). Also, we note a higher incidence of gendered words in the ambiguous Set-N, consistent with findings by Saunders (2022) that Europarl contains numerous gender-ambiguous cases. As shown in Figure 2, Set-N annotated words are vastly populated with masculine, plural lexical items (e.g. *citizens*, *everyone*, *colleagues*): that is, masculine forms used generically and indiscriminately to refer to mixed or unspecified groups of referents. These cases, though originally translated with gendered (masculine) forms in the original references, are well-suited candidates for neutralization.

		Set-G	Set-N	All
<i>en-it</i>	Tokens	1974	2141	4115
	Types	391	543	802
<i>en-es</i>	Tokens	2389	1974	4363
	Types	306	429	644
<i>en-de</i>	Tokens	2646	1331	3977
	Types	303	403	613

Table 2: Counts of all and unique (normalized) mGeNTE gendered words annotated by language pair.

3.3 Gender-Neutral Reference Creation

For each German and Spanish original (gendered) target sentence in the corpus—henceforth REF-G—we create an additional gender-neutral reference (i.e. REF-N), which differs from the original one only in that it refers to human entities with neutral expressions.¹⁸ Neutralization is an open-ended task characterized by a high degree of variability in its possible solutions. To ensure this variability was appropriately reflected in the neutral references, we entrusted their creation to three professional translators for each language pair.¹⁹ The professional

¹⁸For English-Italian, neutral references were already available in GeNTE.

¹⁹Translators were paid at market rates, with hourly rates of €25 for en-es and €35 for en-de.




Figure 2: Set-N top 30 most frequent target gendered words.




Figure 3: Set-G top 30 most frequent target gendered words.

translators were selected for their demonstrated sensitivity to or experience with gender-neutral language. Each translator worked with detailed guidelines²⁰ developed by the expert linguists who created the corpus. These guidelines provided clear instructions on neutralization principles, informed by institutional best practices and adapted for the target languages. After a training session, the experts supervised and supported the translators throughout the process and finally checked the neutralizations.²¹

COMMON SET While each translator was assigned a different portion of the corpus, we also selected a common subset of 200 target gendered

references to be neutralized by all translators—henceforth COMMON-SET.²² For each language pair we obtained 200 source sentences,²³ each paired with one gendered target (i.e. REF-G) and three (post-edited) neutral target references (i.e. REF-N). In line with the original GeNTE en-it design, the creation of the COMMON-SET serves to represent and measure linguistic variability among the neutral references and neutralizations strategies, which can be put to use to test models robustness. Overall, based on an automatic analysis of the three REF-Ns, the translators produced three identical gender-neutral references in 10.2% (en-es) and 9% of the cases, whereas for en-it it was estimated to be 13.5% (Piergentili et al., 2023b).

²⁰The guidelines are available at <https://github.com/bsavoldi/mGeNTE-neutral>.

²¹The neutralization phase thus also ensured an additional quality check of the corpus by both linguists and translators.

²²100 sentences were taken from the gendered set (COMMON-SET G), and 100 from the neutral one (COMMON-SET N).

²³Of these, 164 are PARALLEL across all language pairs.

SET-N	SRC	We should not discriminate against citizens applying to join private health care schemes.	
<i>en-it</i>	REF-G	Non dobbiamo discriminare i cittadini che sottoscrivono polizze assicurative private in materia di sanità.	
	REF-N ₁	Non dobbiamo discriminare le persone _[the people] che sottoscrivono polizze assicurative private in materia di sanità.	
	REF-N ₂	Tra la cittadinanza _[Among the citizenship] , non dobbiamo discriminare coloro _[those who] che sottoscrivono polizze [...]	
	REF-N ₃	Non dobbiamo discriminare coloro _[those who] che sottoscrivono polizze assicurative private in materia di sanità.	
<i>en-es</i>	REF-G	No deberíamos discriminar a los ciudadanos que soliciten inscribirse en planes de salud privados.	
	REF-N ₁	No deberíamos discriminar a la ciudadanía _[the citizenship] que solicite inscribirse en planes de salud privados.	
	REF-N ₂	No deberíamos discriminar a la ciudadanía _[the citizenship] que solicite inscribirse en planes de salud privados.	
	REF-N ₃	No deberíamos discriminar a personas _[people] que soliciten inscribirse en planes de salud privados.	
<i>en-de</i>	REF-G	Wir sollten Bürger , die die Aufnahme in eine private Zusatzkrankenversicherung beantragen, nicht diskriminieren.	
	REF-N ₁	Wir sollten Personen _[persons] , die die Aufnahme in eine private Zusatzkrankenversicherung beantragen, [...].	
	REF-N ₂	Wir sollten Mitglieder der Bevölkerung _[members of the citizenship] , die die Aufnahme in eine private [...]	
	REF-N ₃	Wir sollten Menschen _[people] , die die Aufnahme in eine private Zusatzkrankenversicherung beantragen, [...].	
SET-G	SRC	I trust the Commissioner will promise that <u>he</u> will exercise extra vigilance.	M.
<i>en-it</i>	REF-G	Spero che il Commissario ora prometta di vigilare attentamente a tale riguardo.	
	REF-N ₁	Spero che il membro della Commissione _[the member of the board] ora prometta di vigilare attentamente a tale riguardo.	
	REF-N ₂	Spero che l'esponente della Commissione _[the representative of the board] ora prometta di vigilare attentamente a tale riguardo.	
	REF-N ₃	Spero che il membro della Commissione _[the member of the board] ora prometta di vigilare attentamente a tale riguardo.	
<i>en-es</i>	REF-G	Espero que el Comisario prometa controlar exhaustivamente esta situación.	
	REF-N ₁	Espero que la representación de la Comisión _[the representative of the board] prometa...	
	REF-N ₂	Espero que la persona de la Comisión que vaya a ocuparse de ello _[the person of the board in charge of this] prometa...	
	REF-N ₃	Espero que quien está a la cabeza de la Comisión _[who is in charge of the board] prometa...	
<i>en-de</i>	REF-G	Von dem Herrn Kommissar erwarte ich heute die Zusage, er werde mit Argusaugen darüber wachen.	
	REF-N ₁	Von dem Kommissionsmitglied _[From the board member] erwarte ich heute die Zusage, es _[they] werde mit Argusaugen...	
	REF-N ₂	Von dem Kommissionsmitglied _[From the board member] erwarte ich heute die Zusage, es _[they] werde mit Argusaugen...	
	REF-N ₃	Von dem Kommissionsmitglied _[From the board member] erwarte ich heute die Zusage, es _[they] werde mit Argusaugen...	
SET-G	SRC	It is true that <u>we women</u> are those who suffer most in war zones but we are the bearers of alternatives to war.	F.
<i>en-it</i>	REF-G	...noi donne siamo le più colpite nei luoghi di guerra ma siamo portatrici di alternative alla guerra.	
	REF-N ₁	... le persone come me sono le più colpite _[people like me] [...] ma siamo portatrici _[people bringing] di alternative...	
	REF-N ₂	... noi esseri umani più colpiti _[we human beings] [...] ma portiamo _[we bring] alternative...	
	REF-N ₃	...noi siamo la tipologia di persone più colpita _[the type of people] [...] ma portiamo con noi _[bringing with us] alternative...	
<i>en-es</i>	REF-G	... nosotras las mujeres somos las más afectadas en los lugares donde hay guerra, pero somos portadoras de alternativas...	
	REF-N ₁	... las personas de género femenino somos las más afectadas _[people of feminine gender] [...] portadoras _[people bringing] ...	
	REF-N ₂	... las personas de género femenino somos las más afectadas _[people of feminine gender] [...] portadoras _[people bringing] ...	
	REF-N ₃	... las personas más afectadas _[the people] [...] aportamos _[we bring] alternativas...	
<i>en-de</i>	REF-G	...wir Frauen am stärksten in den Kriegsgebieten zu leiden haben, sondern sind wir auch Trägerinnen von Alternativen...	
	REF-N ₁	... wir _[we_] am stärksten in den Kriegsgebieten zu leiden haben, sondern tragen wir _[we bring] auch Alternativen...	
	REF-N ₂	... wir _[we_] am stärksten in den Kriegsgebieten zu leiden haben, sondern sind wir auch Anbietende _[suppliers] von Alternativen...	
	REF-N ₃	...wir als weibliches Geschlecht _[as feminine gender] am stärksten [...], tragen wir _[we bring] zu Alternativen...	

Table 3: Parallel, multilingual mGente entries from the COMMON-SET. We provide an example entry from Set-N, and two examples (masculine and feminine) from Set-G. REF-G indicates the gendered references, REF-N_{1,2,3} highlight the neutralized expressions produced by Translator 1, 2, and 3 respectively. Within each language, identical neutralizations are shown with the same color highlight. Words in bold are mentions of human referents; underlined source words are linguistic cues informing about the referents’s gender.

Given that each translator worked independently, the percentage of identical neutralizations suggests that gender-neutral translation is feasible, though it varies across language pairs. More importantly, we obtain good variability (91-86%), which is crucial to account for in open-ended generative tasks.

Example of multilingual parallel segments from the COMMON-SET are provided in Table 3. As we can see for ambiguous Set-N entries (Table 3, top), various strategies are used to avoid relying on masculine generics in the target language—e.g. by replacing *cizitens* with synonyms (*cizitenship*), paraphrase (*members of the cizitenship*) or relative clauses (*those who*). When it comes to the gender unambiguous mGeNTE subset—for which by design GNT might not be desirable—we see that the neutralization process is more delicate. As a matter of fact, the feminine example from Set-G

(Table 3, bottom) is representative of instances where neutralization is not only unnecessary, but can rather impact the overall meaning of the sentence and translation—i.e. the utterance specifically refers to women.²⁴ Such is the key distinction between gender-ambiguous and unambiguous instances upon which mGeNTE is built.

4 Related work

Research on inclusive language and language technologies is receiving renewed attention, with work focusing on both monolingual and translation settings. Generative intralingual rewriting has been explored primarily in English (Sun et al., 2021; Vanmassenhove et al., 2021; Rarrick et al., 2024),

²⁴Indeed, entries with gendered lexical words such as "women" or "sister" were particularly challenging to neutralize and required additional support from the supervising expert.

while similar efforts in grammatical gender languages include German (Amrhein et al., 2023) and Portuguese (Veloso et al., 2023). For cross-lingual and translation settings, various works have investigated preserving and rendering neutrality when translating out of English using commercial MT models (Saunders et al., 2020; Lauscher et al., 2023; Lardelli et al., 2024b), as well as by leveraging instruction-following LMs (Savoldi et al., 2024b). However, resources for exploring and evaluating the limits and opportunities of models in this domain remain isolated and with limited language coverage. They are typically not multilingual and, at best, support a single language pair. INES (Savoldi et al., 2023) and the GenderQueer test suite (Friidhriksdóttir, 2024), targeting German-English and English-Icelandic respectively, are small-scale and synthetic resources. For research on inclusive translation in English-German, Lardelli et al. (2024a) utilized passages from Wikipedia and Europarl, aligning English gendered terms in these sentences with a community-driven lexical resource for gender-fair language in German. For English-Italian, Piergentili et al. (2024) introduced Neo-GATE, a parallel test set for English-Italian featuring the use of innovative, non-binary neomorphemes. Within this landscape, mGeNTE represents the sole natural, parallel resource for gender-neutral language and translation including four different languages, intended to support future work on fairer multi- and cross-lingual language technologies.

5 Conclusion

In this work, we introduced mGeNTE, a multilingual corpus designed to support research on gender-neutral automatic translation and language modeling. Covering English-Italian, English-German, and English-Spanish language pairs, mGeNTE addresses the lack of resources for exploring inclusive, gender-neutral solutions across grammatical gender languages and multilingual settings. In this paper we outlined its creation process and key features. By releasing mGeNTE publicly, we aim to encourage research in this domain, with plans to expand the dataset to additional languages.

Limitations

This paper represents an early report on our initial multilingual data creation and release. As such, we do not put to use and experiment with mGeNTE in

the current paper. We are preparing a more comprehensive paper with an expanded test suite, additional analyses, and model evaluations.

Ethics Statement

This paper concerns multilingual resources for gender-neutral language translation, inherently addressing ethical considerations. Specifically, it is intended to tackle language technologies that can perpetuate exclusionary language, thereby reinforcing stereotypes, promoting masculine dominance, and neglecting the representation of non-binary gender identities.²⁵ Our focus is on gender-neutralization strategies that modify existing forms and grammatical structures to eliminate unnecessary gendered language. These methods aim to avoid assumptions about gender and *equally represent* all gender identities in language (Strengers et al., 2020). By contrast, Direct Non-binary Language (Attig and López, 2020) seeks to *increase* the visibility of non-binary individuals by introducing new linguistic elements such as neologisms, neopronouns, or even neomorphemes (Lauscher et al., 2022; Ginel and Theroine, 2022).

A range of strategies can be employed to meet the demand for inclusive language (Scharrón-del Río and Aja, 2020; Comandini, 2021; Knisely, 2020). It is crucial to note that the neutralization methods used in this research are not intended to be prescriptive. Instead, they complement other approaches and expressions for achieving inclusivity in language technologies.

Acknowledgements

We thank Beatriz Riva, Begoña Martínez, Jens Wargenau, Pedro Cano Navarro, and Sylke Denfeld for their essential translation work in creating the neutral references of the mGeNTE corpus. We also thank Verdiana Crociani for their invaluable help in the annotation and IAA computation for mGeNTE en-de. Beatrice Savoldi is supported by the PNRR project FAIR - Future AI Research (PE00000013), under the NRRP MUR program funded by the NextGenerationEU. The work presented in this paper is also funded by the Horizon Europe research and innovation programme, under grant agreement No 101135798, project Meetween

²⁵The term "non-binary" is used here as an inclusive umbrella term to represent identities that exist both within and beyond the masculine/feminine binary, and are not conveyed through binary linguistic expressions.

(My Personal AI Mediator for Virtual MEETings BetWEEN People). Eleonora Cupin and Manjinder Thind's carried out their work during internships at FBK in the spring and summer of 2024. Anne Lauscher's work is funded under the excellence strategy of the German federal government and the states.

References

- Lauren Ackerman. 2019. [Syntactic and cognitive issues in investigating gendered coreference](#). *Glossa: a journal of general linguistics*, 4(1).
- Chantal Amrhein, Florian Schottmann, Rico Sennrich, and Samuel Läubli. 2023. [Exploiting biased models to de-bias text: A gender-fair rewriting model](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 4486–4506, Toronto, Canada. Association for Computational Linguistics.
- APA. 2020. *Publication Manual of the American Psychological Association*, 7th edition. American Psychological Association.
- Sabrina J. Ashwell, Patricia K. Baskin, Stacy L. Christiansen, Sara A. DiBari, and Annette Flanagan. 2023. [Three recommended inclusive language guidelines for scholarly publishing: Words matter](#). *Learned Publishing*, 36(1):94–99.
- Giuseppe Attanasio, Pieter Delobelle, Moreno La Quatra, Andrea Santilli, and Beatrice Savoldi. 2024. [Itaeval and tweetyita: A new extensive benchmark and efficiency-first language model for italian](#). In *CLiC-it 2024: Tenth Italian Conference on Computational Linguistics, Date: 2024/12/04-2024/12/06, Location: Pisa, Italy*.
- Giuseppe Attanasio, Salvatore Greco, Moreno La Quatra, Luca Cagliari, Michela Tonti, Tania Cerquitelli, and Rachele Raus. 2021. [E-mimic: Empowering multilingual inclusive communication](#). In *2021 IEEE International Conference on Big Data (Big Data)*, pages 4227–4234. IEEE.
- Remy Attig and Ártemis López. 2020. [Queer Community Input in Gender-Inclusive Translations](#). *Linguistic Society of America [Blog]*.
- April H Bailey, Adina Williams, and Andrei Cimpian. 2022. [Based on billions of words on the internet, people= men](#). *Science Advances*, 8(13):eabm2463.
- Marion Bartl and Susan Leavy. 2024. [From 'showgirls' to 'performers': Fine-tuning with gender-inclusive language for bias reduction in LLMs](#). In *Proceedings of the 5th Workshop on Gender Bias in Natural Language Processing (GeBNLP)*, pages 280–294, Bangkok, Thailand. Association for Computational Linguistics.
- Stephanie Brandl, Ruixiang Cui, and Anders Søgaard. 2022. [How conservative are language models? adapting to the introduction of gender-neutral pronouns](#). In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 3624–3630, Seattle, United States. Association for Computational Linguistics.
- Bastian Bunzeck and Sina Zarrieß. 2024. [The SlayQA benchmark of social reasoning: testing gender-inclusive generalization with neopronouns](#). In *Proceedings of the 2nd GenBench Workshop on Generalisation (Benchmarking) in NLP*, pages 42–53, Miami, Florida, USA. Association for Computational Linguistics.
- Sabrina Burtscher, Katta Spiel, Lukas Daniel Klausner, Manuel Lardelli, and Dagmar Gromann. 2022. ["Es geht um Respekt, nicht um Technologie": Erkenntnisse aus einem Interessensgruppen-übergreifenden Workshop zu genderfairer Sprache und Sprachtechnologie](#). In *Proceedings of Mensch und Computer 2022*, pages 106–118.
- Yang Trista Cao and Hal Daumé III. 2020. [Toward gender-inclusive coreference resolution](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 4568–4595, Online. Association for Computational Linguistics.
- Gloria Comandini. 2021. [Salve a tuttə, tutt*, tuttu, tuttx e tutt@: l'uso delle strategie di neutralizzazione di genere nella comunità queer online](#). *Testo e Senso*, 23:43–64.
- Joke Daems. 2023. [Gender-inclusive translation for a gender-inclusive sport: strategies and translator perceptions at the international quadball association](#). In *Proceedings of the First Workshop on Gender-Inclusive Translation Technologies*, pages 37–47, Tampere, Finland. European Association for Machine Translation.
- Sunipa Dev, Masoud Monajatipoor, Anaelia Ovalle, Arjun Subramonian, Jeff Phillips, and Kai-Wei Chang. 2021. [Harms of gender exclusivity and challenges in non-binary representation in language technologies](#). In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 1968–1994, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Giuseppina Scotto di Carlo. 2024. [Is italy ready for gender-inclusive language? an attitude and usage study among italian speakers](#). In *Inclusiveness Beyond the (Non)binary in Romance Languages*, 1st edition edition, page 21. Routledge.
- Lee R. Dice. 1945. [Measures of the Amount of Ecologic Association Between Species](#). *Ecology*, 26(3):297–302.
- Simona Frenda, Andrea Piergentili, Beatrice Savoldi, Marco Madeddu, Martina Rosola, Silvia Casola,

- Chiara Ferrando, Viviana Patti, Matteo Negri, Luisa Bentivogli, et al. 2024. Gfg-gender-fair generation: A calamita challenge. In *Proceedings of the Tenth Italian Conference on Computational Linguistics (CLiC-it 2024)*.
- Steinunn Rut Friidhriksdóttir. 2024. **The GenderQueer test suite**. In *Proceedings of the Ninth Conference on Machine Translation*, pages 327–340, Miami, Florida, USA. Association for Computational Linguistics.
- Ute Gabriel, Pascal M. Gygax, and Elisabeth A. Kuhn. 2018. Neutralising linguistic sexism: Promising but cumbersome? *Group Processes & Intergroup Relations*, 21(5):844–858.
- Marco Gaido, Beatrice Savoldi, Luisa Bentivogli, Matteo Negri, and Marco Turchi. 2020. **Breeding gender-aware direct speech translation systems**. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 3951–3964, Barcelona, Spain (Online). International Committee on Computational Linguistics.
- Vagrant Gautam, Eileen Bingert, Dawei Zhu, Anne Lauscher, and Dietrich Klakow. 2024. **Robust pronoun fidelity with english llms: Are they reasoning, repeating, or just biased?** *Transactions of the Association for Computational Linguistics*, 12:1755–1779.
- María Isabel Rivas Ginel and Sarah Theroine. 2022. Neutralising for equality: All-inclusive games machine translation. In *Proceedings of New Trends in Translation and Technology*, pages 125–133. NeTTT.
- Pascal Gygax, Sayaka Sato, Anton Öttl, and Ute Gabriel. 2021. The masculine form in grammatically gendered languages and its multiple interpretations: A challenge for our cognitive system. *Language Sciences*, 83:101328.
- Pascal M. Gygax, Daniel Elmiger, Sandrine Zufferey, Alan Garnham, Sabine Sczesny, Lisa von Stockhausen, Friederike Braun, and Jane Oakhill. 2019. **A Language Index of Grammatical Gender Dimensions to Study the Impact of Grammatical Gender on the Way We Perceive Women and Men**. *Frontiers in Psychology*, 10:1604.
- Frida Höglund and Marie Flinkfeldt. 2023. De-gendering parents: Gender inclusion and standardised language in screen-level bureaucracy. *International Journal of Social Welfare*.
- Levi C. R. Hord. 2016. **Bucking the linguistic binary: Gender neutral language in English, Swedish, French, and German**. *Western Papers in Linguistics/Cahiers linguistiques de Western*, 3(1):4.
- Tamanna Hossain, Sunipa Dev, and Sameer Singh. 2023. **MISGENDERED: Limits of large language models in understanding pronouns**. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 5352–5367, Toronto, Canada. Association for Computational Linguistics.
- Kris Aric Knisely. 2020. **Le français non-binaire: Linguistic forms used by non-binary speakers of French**. *Foreign Language Annals*, 53(4):850–876.
- Philipp Koehn. 2005. **Europarl: A Parallel Corpus for Statistical Machine Translation**. In *Proceedings of the tenth Machine Translation Summit*, pages 79–86, Phuket, TH. AAMT.
- Manuel Lardelli, Giuseppe Attanasio, and Anne Lauscher. 2024a. **Building bridges: A dataset for evaluating gender-fair machine translation into German**. In *Findings of the Association for Computational Linguistics: ACL 2024*, pages 7542–7550, Bangkok, Thailand. Association for Computational Linguistics.
- Manuel Lardelli, Timm Dill, Giuseppe Attanasio, and Anne Lauscher. 2024b. **Sparks of fairness: Preliminary evidence of commercial machine translation as English-to-German gender-fair dictionaries**. In *Proceedings of the 2nd International Workshop on Gender-Inclusive Translation Technologies*, pages 12–21, Sheffield, United Kingdom. European Association for Machine Translation (EAMT).
- Manuel Lardelli and Dagmar Gromann. 2022. Gender-fair (machine) translation. In *Proceedings of New Trends in Translation and Technology*, pages 166–177. NeTTT.
- Manuel Lardelli and Dagmar Gromann. 2023. **Gender-fair post-editing: A case study beyond the binary**. In *Proceedings of the 24th Annual Conference of the European Association for Machine Translation*, pages 251–260, Tampere, Finland. European Association for Machine Translation.
- Anne Lauscher, Archie Crowley, and Dirk Hovy. 2022. **Welcome to the modern world of pronouns: Identity-inclusive natural language processing beyond gender**. In *Proceedings of the 29th International Conference on Computational Linguistics*, pages 1221–1232, Gyeongju, Republic of Korea. International Committee on Computational Linguistics.
- Anne Lauscher, Debora Nozza, Ehm Miltersen, Archie Crowley, and Dirk Hovy. 2023. **What about “em”? how commercial machine translation fails to handle (neo-)pronouns**. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 377–392, Toronto, Canada. Association for Computational Linguistics.
- Minwoo Lee, Hyukhun Koh, Minsung Kim, and Kyomin Jung. 2024. **Fine-grained gender control in machine translation with large language models**. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 5416–5430, Mexico City, Mexico. Association for Computational Linguistics.

- Ártemis López. 2020. [Cuando el lenguaje excluye: Consideraciones sobre el lenguaje no binario indirecto](#). *Cuarenta Naipes*, 3:295–312.
- Michela Menegatti and Monica Rubini. 2017. Gender Bias and Sexism in Language. In *Oxford Research Encyclopedia of Communication vol.1*, pages 451–468. Oxford University Press, New York, USA.
- Carolin Müller-Spitzer, Samira Ochs, Alexander Koplenig, Jan Oliver Rüdiger, and Sascha Wolfer. 2024. Less than one percent of words would be affected by gender-inclusive language in german press texts. *Humanities and Social Sciences Communications*, 11(1):1–13.
- Anaelia Ovalle, Palash Goyal, Jwala Dhamala, Zachary Jagers, Kai-Wei Chang, Aram Galstyan, Richard Zemel, and Rahul Gupta. 2023. [“i’m fully who i am”](#): Towards centering transgender and non-binary voices to measure biases in open language generation. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency, FAccT ’23*, page 1246–1266, New York, NY, USA. Association for Computing Machinery.
- Ben Papadopoulos. 2022. A brief history of gender-inclusive Spanish. *Deportate, esuli, profughe*, 48(1):31–48.
- Silvia Alma Piazzolla, Beatrice Savoldi, and Luisa Bentivogli. 2023. [Good, but not always fair: An evaluation of gender bias for three commercial machine translation systems](#).
- Andrea Piergentili, Dennis Fucci, Beatrice Savoldi, Luisa Bentivogli, and Matteo Negri. 2023a. [Gender neutralization for an inclusive machine translation: from theoretical foundations to open challenges](#).
- Andrea Piergentili, Beatrice Savoldi, Dennis Fucci, Matteo Negri, and Luisa Bentivogli. 2023b. [Hi guys or hi folks? benchmarking gender-neutral machine translation with the GeNTE corpus](#). In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 14124–14140, Singapore. Association for Computational Linguistics.
- Andrea Piergentili, Beatrice Savoldi, Matteo Negri, and Luisa Bentivogli. 2024. [Enhancing gender-inclusive machine translation with neomorphemes and large language models](#). In *Proceedings of the 25th Annual Conference of the European Association for Machine Translation (Volume 1)*, pages 300–314, Sheffield, UK. European Association for Machine Translation (EAMT).
- Spencer Rarrick, Ranjita Naik, Sundar Poudel, and Vishal Chowdhary. 2024. Gate xe: A challenge set for gender-fair translations from weakly-gendered languages. *arXiv preprint arXiv:2402.14277*.
- Danielle Saunders. 2022. [Domain adaptation for neural machine translation](#). In *Proceedings of the 23rd Annual Conference of the European Association for Machine Translation*, pages 9–10, Ghent, Belgium. European Association for Machine Translation.
- Danielle Saunders, Rosie Sallis, and Bill Byrne. 2020. [Neural machine translation doesn’t translate gender coreference right unless you make it](#). In *Proceedings of the Second Workshop on Gender Bias in Natural Language Processing*, pages 35–43, Barcelona, Spain (Online). Association for Computational Linguistics.
- Beatrice Savoldi, Marco Gaido, Luisa Bentivogli, Matteo Negri, and Marco Turchi. 2022. [Under the morphosyntactic lens: A multifaceted evaluation of gender bias in speech translation](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1807–1824, Dublin, Ireland. Association for Computational Linguistics.
- Beatrice Savoldi, Marco Gaido, Matteo Negri, and Luisa Bentivogli. 2023. [Test suites task: Evaluation of gender fairness in MT with MuST-SHE and INES](#). In *Proceedings of the Eighth Conference on Machine Translation*, pages 252–262, Singapore. Association for Computational Linguistics.
- Beatrice Savoldi, Sara Papi, Matteo Negri, Ana Guerberof-Arenas, and Luisa Bentivogli. 2024a. [What the harm? quantifying the tangible impact of gender bias in machine translation with a human-centered study](#). In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 18048–18076, Miami, Florida, USA. Association for Computational Linguistics.
- Beatrice Savoldi, Andrea Piergentili, Dennis Fucci, Matteo Negri, and Luisa Bentivogli. 2024b. [A prompt response to the demand for automatic gender-neutral translation](#). In *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 256–267, St. Julian’s, Malta. Association for Computational Linguistics.
- María R Scharrón-del Río and Alan A Aja. 2020. Latinx: Inclusive language as liberation praxis. *Journal of Latinx Psychology*, 8(1):7.
- Sabine Sczesny, Magda Formanowicz, and Franziska Moser. 2016. Can gender-fair language reduce gender stereotyping and discrimination? *Frontiers in psychology*, 7:154379.
- Gláucia V. Silva and Cristiane Soares, editors. 2024. [Inclusiveness Beyond the \(Non\)binary in Romance Languages: Research and Classroom Implementation](#), 1st edition edition. Routledge.
- Jeanette Silveira. 1980. [Generic Masculine Words and Thinking](#). *Women’s Studies International Quarterly*, 3(2-3):165–178.
- Dagmar Stahlberg, Friederike Braun, Lisa Irmen, and Sabine Sczesny. 2007. [Representation of the Sexes in Language](#). *Social communication*, pages 163–187.
- Yolande Strengers, Lizhen Qu, Qiongkai Xu, and Jarrod Knibbe. 2020. [Adhering, steering, and queering: Treatment of gender in natural language generation](#).

In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*, CHI '20, page 1–14, New York, NY, USA. Association for Computing Machinery.

Tony Sun, Kellie Webster, Apu Shah, William Yang Wang, and Melvin Johnson. 2021. [They, Them, Theirs: Rewriting with Gender-Neutral English](#). *arXiv preprint arXiv:2102.06788*.

Eva Vanmassenhove, Chris Emmery, and Dimitar Shterionov. 2021. [NeuTral Rewriter: A rule-based and neutral approach to automatic rewriting into gender neutral alternatives](#). In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 8940–8948, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.

Eva Vanmassenhove, Christian Hardmeier, and Andy Way. 2018. [Getting gender right in neural machine translation](#). In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3003–3008, Brussels, Belgium. Association for Computational Linguistics.

Leonor Veloso, Luisa Coheur, and Rui Ribeiro. 2023. [A rewriting approach for gender inclusivity in Portuguese](#). In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 8747–8759, Singapore. Association for Computational Linguistics.

Andreas Waldis, Joel Birrer, Anne Lauscher, and Iryna Gurevych. 2024. [The Lou dataset - exploring the impact of gender-fair language in German text classification](#). In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 10604–10624, Miami, Florida, USA. Association for Computational Linguistics.