

# Leveraging Large Language Models to Analyze Emotional and Contextual Drivers of Teen Substance Use in Online Discussions

Jianfeng Zhu<sup>1</sup>, Ruoming Jin<sup>1</sup>, Hailong Jiang<sup>1</sup>, Yulan Wang<sup>3</sup>, Xinyu Zhang<sup>4</sup>, and Karin G. Coifman<sup>2</sup>

1 Department of Computer Science, Kent State University, Kent, OH 44224

2 Department of Psychological Sciences, Kent State University, Kent, OH 44224

3 Northeastern University Houry College of Computer Sciences, Boston, MA 02115

4 Department of Communication, Michigan State University, East Lansing, MI 48824

\*Jianfeng Zhu.

Email: [jzhu10@kent.edu](mailto:jzhu10@kent.edu)

## Abstract

**Background:** Adolescence is a critical developmental stage often associated with risky or problematic behaviors, including substance use. This behavior is particularly concerning due to its significant impact on adolescents' development and its broader public health implications. Social media has become a primary platform for adolescent self-expression; however, decoding the nuanced emotional and contextual signals embedded in these interactions remains challenging. Large Language Models (LLMs) provide a novel and effective method to analyze these signals, offering deeper insights into the emotional and contextual factors driving substance use.

**Objective:** This study leverages LLMs to monitor and analyze online discussion among adolescents, aiming to identify emotional patterns and contextual factors – such as family, peers, and school influences – associated with substance use. The goal is to inform interventions strategies by providing insights into adolescents' emotional states and the environmental factor that shape their behaviors.

**Methods:** LLMs were used to annotate social media post for emotional content (e.g., sadness, anger, joy, guilt, fear) and contextual factors influence substance use. A heatmap analysis was conducted to examine the interplay between emotions and contextual influences, and a machine learning model was applied to identify key predictors of substance use-related posts. Additionally, a prompting method was used to generate themes associated with each emotion in the context of specific factors, such as family, peer, and school influences.

**Result:** Negative emotions, including sadness, guilt, fear, and disgust, were significantly more prevalent in substance use-related posts, while joy was more common in non-substance use discussions. Guilt appeared as a protective factor, while shame increased substance use risk. Disgust and guilt showed a notable gap between substance-use and non-substance-use posts, reflecting internal conflict and regret. Peer influence emerged as the strongest contextual factor, correlating with sadness, fear, and disgust. SHAP analysis highlighted school environment, family influence, and joy as features more associated with non-substance use, whereas sadness, fear, and guilt strongly linked to substance use.

**Conclusion:** This study highlights the critical roles of family dynamics, peer influence, and school environments in shaping adolescent substance use. Sadness and anger emerged

as key emotional triggers, while peer influence was identified as the most significant contextual factor. Strengthening collaboration between families, schools, and communities, alongside programs addressing emotional vulnerabilities and contextual influences, can effectively reduce risk factors and promote healthier adolescent development.

**Keywords:** Teenager, Large Language Models, Reddit, Substance Use

## Introduction

Youth drug abuse emerged as a pressing public health issue in 2023, with at least 1-in-8 teenagers reporting the use of illicit substance in the past year. Between 2016 and 2020, substance use among 8th graders surged by 61%, and over 62% of 12th graders reported alcohol abuse [1]. Adolescence represents a critical period for initiating substance use, with tobacco and alcohol often serving as precursors to the use of illicit drugs [2]. Various factors contribute to substance use in teenagers, including peer influence, family dynamics, school performance, and emotional states [3-4].

The proliferation of social media platforms has introduced new opportunities and challenges in understanding teenage substance use. User-generated content and interactions related to drug use, such as opioid misuse, are increasingly prevalent and provide a unique window into adolescents' behaviors and experiences [5-6]. Social media big data enable researchers to observe temporal trends in problematic substance use and associated risk factors in real-time, offering insights into human behavior that traditional methods may [7-8].

Advances in artificial intelligence, particularly large language models (LLMs) like Open AI's GPT-4 and Google's Gemini, provide powerful tools for analyzing complex patterns within social media data. These models hold immense potential to enhance mental health research, address capacity limitations in the healthcare system, and expand access to personalized interventions [9]. Despite this potential, few studies have leveraged LLMs to analyze teenage substance use through social media data.

This study aims to address this gap by employing LLMs to analyze online discussions among teenagers. By examining the roles of family, peer, and school context in shaping emotional state associated with substance use, this research seeks to provide actionable insights into contextual influence driving these behaviors. The findings aim to inform the development of targeted intervention strategies and policies to reduce substance use among adolescents.

## Literature review

### LLMs and Machine Learning for Substance Use

The integration of social media data with natural language processing (NLP) and large language models (LLMs) presents a promising avenue for detecting and understanding substance-use patterns. Various studies have explored LLMs in zero-shot and few-shot classification under the universal label assumption [28]. For instance, Gilardi, Alizadeh, and Kubli found that zero-shot ChatGPT surpassed crowd workers in relevance, stance,

topic, and frame detection tasks [29]. Mellon et al. demonstrated that LLMs could code open-text survey responses with accuracy comparable to human annotators [30]. Similarly, Pangakis and Wolken conducted 14 classification tasks from recent computational social science articles and observed that LLM-generated labels perform comparably to human generated labels [31]. Atreja et al. examined tasks including toxicity, sentiment analysis, rumor stance detection, and news frame classification, concluding that performance outcomes depended heavily on prompt design elements such as prompt length, output type, and inclusion of definitions [32].

Machine learning models are increasingly employed in mental health research to predict substance-use behaviors and identify contributing factors. For example, Alice V. Chavanne and colleagues developed a regression model enhanced with SHAP visualization to predict anxiety onset in adolescents, demonstrating the potential of machine learning for feature extraction in mental health research [33]. Another study conducted a multi-view unsupervised feature learning method that combines various social media interactions such as Facebook likes and status updates, has achieved high accuracy in predicting substance use [34].

### **Substance Use Insights from Social Media Big Data**

Social media big data involve large, digitized data resources that contain naturally occurring communication phenomena observable through social media platforms, enabling scalable, data-driven insights through computational analyses. Individuals often share personal experiences, questions, and reflections on substance use issues on social media, and those facing addiction frequently seek social support from others with similar challenges through these platforms [22]. By analyzing user-generated content, researchers can derive insights valuable to both business and research contexts [23].

Social media serves as a rich source of data for understanding substance-use behaviors, especially like youth. Unlike traditional surveys, social media data provides access to real-time, large-scale information that can offer new perspectives, especially regarding hard-to-reach groups like homeless youth. This approach not only aids in understanding substance use patterns but also in developing targeted prevention and intervention strategies [24-25]. Social media conversations, when analyzed through sentiments analysis, can uncover public attitudes toward different substances. For instance, synthetic opioids like fentanyl elicit diverse emotional reactions, informing public health strategies [26]. The predominantly positive portrayal of substance use on social media can influence youth attitudes, highlighting the need for balanced prevention messaging that conveys both risks and potential impacts [27].

### **Emotional and Contextual Influence on Substance Use in Teenagers**

The relationship between emotions such as sadness, shame, anger, joy and guilt, and substance use in teenagers is complex and multifaceted. Research indicates that specific emotions, particularly sadness and shame, have a pronounced impact on substance use behaviors among teenagers [10]. Emotional distress has been observed as a key underlying mechanism in the development and maintenance of substance use disorder

[11]. A study found that sadness, rather than negative mood, generally, specifically increased addictive substance use [12]. Interventions focusing on emotional regulation and resilience-building can help reduce the reliance on substances as a coping mechanism [13-14].

Research highlights the importance of family dynamics, peer influence, and school environment in shaping adolescent substance use. Teenagers are more likely to use substances if their friends do, driven by the perception of peers' behaviors and the desire to fit in [15]. Peer pressure, along with the fear of social exclusion or rejection, can exacerbate emotional and behavioral health issues, prompting adolescents to use substances as a coping mechanism or to seek acceptance in alternative peer groups [16-17]. Family dynamics also play a significant role in adolescent substance use. Neglectful parenting and parental alcohol usage patterns correlates with higher rates of substance experimentation [15,18]. Additionally, substance use among students significantly varies across school environment. The quality of student-teacher interactions and overall satisfaction with school life, and high academic achievement contribute to substance use patterns [19-21].

### Research Questions

Building on the existing literatures that highlights the impact of emotions such as sadness and shame, as well as the roles of family dynamics, peer influence, and school environments on adolescent substance use, this study aims to explore how these factors manifest in digital social spaces, specifically on the r/teenagers subreddit. While prior research has often focused on individual factors, there is a notable gap in understanding the interplay of multiple emotions, contextual influences, and their correlations with substance use. Additionally, few studies have utilized large language models to annotate the emotional and contextual factors associated with adolescent substance use.

To address this gap, the study focuses on the following research questions:

RQ1: What are the dominant emotions in substance use posts, and how do these emotions differ from those in non-substance use posts?

RQ2: How are family influence, peer inference, and school environment associated with substance use posts, and how do these associations differ from non-substance use posts?

RQ3: What are the correlations between emotions and contextual factors within substance use posts and non-substance use posts?

RQ4: How do emotions and contextual factors impact the machine learning model's predictions for identifying substance use posts versus non-substance use posts?

This study not only deepens our understanding of digital substance-use behaviors but also provides critical insights for developing targeted intervention strategies to address adolescent substance use.

### Methods

#### Data Collection and Preprocessing

The data for this study was collected from Reddit (n.d.) [35], specifically from r/teenagers subreddit, which was founded in 2010 and primarily serves users aged 13-19. As of

November 2024, the subreddit has over 3 million members [36]. A historical archive of posts from 2018 to 2022 was obtained from a public data resource (see Data Availability). The dataset comprised substance-use-related posts alongside an equal number of non-substance-use posts, sampled evenly across the year from 2018 to 2022. This sampling approach was designed to provide a baseline for comparison broader discussion patterns associated with substance use.

Substance-use posts were identified using a curated set of keywords representing various substances. To maximize content capture, both the 'title' and 'selftext' fields of each post were combined, resulting in a dataset of 23,275 substance-related posts. During preprocessing, all text was standardized to lowercase, common English stopwords were removed, and punctuation was excluded. Posts with fewer than 10 tokens were excluded to ensure sufficient semantic context. Manual validation of 300 randomly selected posts confirmed an identification rate over 90%. Table 1 presents examples of substance-use posts along with their matched keywords.

Table 1 Sample of substance use-related posts with the matched terms

Filtered Posts	Matched Term
i'm allowed to take 1-2mg of xanax when i get a severe panic attack. but even the xanax doesn't work that well. i'm so unhappy and i can't even visit my family anymore	Xanax
Suicidal thoughts i always have em every second im awake. no amount of weed or alcohol or nicotine or other drugs help.	Weed, Alcohol
Got my first real shooting threat yesterday my school has reached peak trash. there was a fight between guy 1 and guy 2, guy 1 was sold a broken \$20 vape from guy 2, as guy 1 was being dragged off him he shouted "i got guns, too! i'll fucking prove it tomorrow!"\n\nimagine your friends being killed because someone was angry they got sold a broken \$20 vape.	Vape
Bro some people got in a fight at school so I went home early i also had like so many more cigarettes than i usually do in an entire month, holy fucking shit	cigarettes

### Emotional and Contextual Annotation with Large Language Models (LLMs)

LLMs have demonstrated remarkable capabilities in understanding human emotion and interpreting contextual information across diverse scenarios [38-39]. For this study, we utilized GPT-4 [40] prompting method to annotate each post with emotional and contextual factors. Building on a framework by Pham et al., which demonstrated that prompt-based approaches with LLMs achieve better alignment with human-labeled categories (0.74 agreement with human annotations) compared to traditional methods like LDA and BERTopic [41-43], we implemented topic-specific prompts to annotate three contextual factors for substance use posts. The

prompts were designed to identify and annotate three contextual factors—family influence, peer influence, and school environment—associated with substance use. They were structured as follows:

```
{  
  "topic": "Family Influence",  
  "prompt": f"You will receive a document related to adolescent behaviors. Identify any relevant topics that relate to family influence on substance use, such as parenting style, parental attitudes towards substances, family conflicts, or parental substance use patterns. If the document reflects family-related themes, output '[1] Family Influence' and briefly describe the relevant family-related context in the document. Otherwise, if no family influence is observed, return 'None'.\n\nDocument:\n{post_content}"}  
,  
  "topic": "Peer Influence",  
  "prompt": f"You will receive a document related to adolescent behaviors and substance use. Identify any relevant topics that indicate peer influence, such as peer pressure, social exclusion, group behavior at gatherings, or friends' substance use behaviors. If peer influence themes are present, output '[1] Peer Influence' with a brief description of the relevant peer-related context. If not, return 'None'.\n\nDocument:\n{post_content}"}  
,  
  "topic": "School Environment",  
  "prompt": f"You will receive a document related to adolescent behaviors and substance use. Identify any relevant topics associated with the school environment, including school culture, teacher-student relationships, academic pressure, and student satisfaction with school life. If school-related factors are mentioned, output '[1] School Environment' with a brief description. If not, return 'None'.\n\nDocument:\n{post_content}"}  
}
```

These prompts were further refined to exclude direct references to substance use, enabling the capture of contextual factors across both substance-related and non-substance-related posts. Once annotated, the data was analyzed using machine learning models to explore patterns and relationships between emotions, contextual factors, and substance use.

For emotional annotation, we adapted a zero-shot classification approach, inspired by a study demonstrating GPT-4's superior BERT in annotating emotions with a 74% accuracy on a seven-class dataset [44]. Using a similar methodology, GPT-4 was prompted to assign one of seven emotions- 'joy', 'guilt', 'anger', 'disgust', 'fear', 'sadness' and 'shame'- to each post, or annotated it as 'neutral' if no specific emotion was identified. The prompt used was as follows:

```
"You are an emotionally-intelligent and empathetic agent.",  
  "You will be given a piece of text, and your task is to identify all the emotions expressed",  
  "by the writer of the text.",  
  "You are only allowed to make one selection from the following emotions ('joy', 'guilt', 'anger', 'disgust', 'fear', 'sadness', 'shame') and don't use any other words.
```

### Correlation Analysis on Emotional and Contextual Features

To examine the relationship between emotional and contextual factors and substance use status, we applied a chi-squared test to assess whether the distribution of emotional states and contextual influences differed significantly between substance-use and non-substance-use posts. This analysis enabled us to evaluate associations between these variables.

Next, we employed a heatmap correlation matrix to visualize the interdependencies among emotional and contextual variables. This visualization provided an intuitive overview of complex patterns within the dataset, enabling the identification of key correlations [45].

Finally, to explore latent themes related to emotions within specific contexts, we used GPT-4 to identify common themes associated with emotional patterns across contextual, such as peer dynamic and potential triggers for substance use. Given GPT-4's length limitations, we randomly selected a sample of 80 posts, each post exceeding 100 words in length, to ensure a richer textual basis for theme extraction. The thematic prompt used was:

```
prompt = f"""  
    Here are some posts involving {emotion} with {contextual influence} in discussions  
    about substance use. Could you identify common themes or subtopics in these posts?  
    Focus on any recurring reasons for {emotion}, patterns in peer dynamics, and potential  
    triggers for substance use.  
    Posts:  
    {posts_text}  
    """
```

### Feature Importance extraction with Machine-learning model

Feature importance techniques assign a score to each input feature, reflecting its contribution to the model's predictions. A higher score indicates a stronger influence of that feature on the model's ability to predict a target variable [46]. In this study, we applied the XGBoost model [47] to classify substance use versus non-use posts, using contextual and emotional features as inputs variables. To further analyze the contributions of individual features, we employed the Shapley additive explanation (SHAP) module [48], a game-theoretic approach that evaluates the importance of each feature by considering all possible feature combinations. This method provides interpretable insights into how emotional and contextual factors influence the model's predictions.

### Ethical Considerations

This study used publicly available Reddit data that were fully de-identified to ensure privacy, with all personal identifiers, such as usernames, excluded. As the data publicly accessible and involved no interaction with human subjects, IRB review was deemed unnecessary. Furthermore, no informed consent was required due to the secondary nature of this analysis, consistent with ethical guidelines for public online data. No compensation was provided, as no participants were recruited. All materials are

presented in a way that ensures no identifiable information about individual users is disclosed.

## Results

### Substance use posts distribution

Figure 1 represents the distribution of substance use-related posts in the r/teenagers subreddit from 2018 to 2022. The trend showed a steady increase from March 2018, reaching a peak in July 2019. Subsequently, the trend declines sharply around August 2019 and continues to decrease gradually, with slight fluctuations, through the end of 2022.




Figure 1 The distribution of substance uses posts from 2018 to 2022

We conducted a Chi-square test to evaluate the seasonal distribution of substance-related posts. The test yielded a Chi-square statistic of 178.91 and a p-value smaller than 0.0001, indicating a statistically significant difference in the frequency of substance-related posts across seasons. The p-value, far below the conventional threshold of 0.05, supports rejecting the null hypothesis, suggesting that the distribution of substance-related posts is not uniform across seasons. To further illustrate this finding, a bar plot visualizing the proportion of substance-related posts by season is included in the Appendix.

### Emotional and Contextual Annotation with LLMs

Figure 2 discloses the percentage distribution of emotions within substance use posts. Among these, sadness emerged as the most dominant emotion, followed by anger, joy, fear, disgust, neutral, guilt, and shame.






Figure 2 Percentage Distribution of emotions within substance use posts

Figure 3 represents the percentage distribution of posts by emotion in the substance use and non-substance use categories. Joy, anger and neutral emotion are more prominent in non-substance use posts, while other emotions are more prevalent in substance use posts. Disgust and guilt display a large gap in substance use posts compared to nonsubstance use posts.




Figure 3 Percentage Distribution of emotion within substance use and non-substance use posts

Figure 4 represents the percentage of contextual factors in substance use posts. Peer influence accounts for the majority (~70%), followed by family influence (~20%) and school environment (~10%).




Figure 4 Contextual Frequency in Substance-related posts

Figure 5 shows that peer influence accounts for the highest percentage of posts associated with substance use, followed by family and school. In contrast, the distribution of contextual factor in non-substance posts is more balanced.




Figure 5 Percentage Distribution of Posts by contextual influence and substance use

Figure 6 illustrates the associations between emotions and contextual factors. Sadness, anger, and fear are predominantly linked to family influence, while disgust, guilt, and shame are most strongly associated with peer influence. In contrast, joy and neutral

emotions are primarily connected to the school environment.




Figure 6 Percentage Distribution of each emotion with each contextual influence

### Correlation analysis on Emotional and Contextual Features

A chi-square test revealed a highly significant association between emotion and substance use ( $p$ -value =  $1.14e-185$ ), indicating that specific emotions may be closely linked to substance use behaviors. Similarly, tests for contextual influences—Family Influence, Peer Influence, and School Environment—also showed significant associations ( $p$ -values =  $0.00e+00$ ,  $3.62e-38$ , and  $0.00e+00$  respectively). These findings indicate that both emotional and contextual factors are strongly associated with substance use, with Peer Influence showing a particularly notable effect.

Figure 7 represents the correlations between emotions and contextual factors. The x-axis symbols represent the presence or absence of specific contextual features (e.g., F:0, P:0, S:0 indicates that family, peer, and school influences). The data reveals that peer influence is strongly associated with several emotions, including sadness, joy, disgust, fear, neutral, and guilt compared to other contextual factors.




Figure 7 Emotion distribution in context-substance use posts

Figure 8 depict the correlation between emotions and contextual features in non-substance use posts. The majority of contextual factors are associated with family, peer, and school influences. Joy emerges as the strongest emotion, followed by sadness, anger, fear and neutral.




Figure 8 Emotion distribution in context – non-substance uses posts

The summary of themes highlights the associations between emotions and contextual influences in discussions about substance use among teenagers, derived through LLM-

based prompting (details provided in the Appendix). The results will be discussed in the following section.

### Feature Importance Extraction with Machine-learning model

Figure 9 represents the impact of contextual and emotion features on the model output. A high value for the school environment feature is more closely associated with non-substance use posts, while a low value is linked to substance use posts. Similar patterns are observed for family influence and the emotion of joy. In contrast, stronger emotions such as sadness, fear, and guilt are more strongly associated with substance use posts.




Figure 9 SAHP value impact on model output

## Discussion

### Principal Results

The study explored the emotional and contextual factors linked to teenagers' substance use, as reflected in social media posts. A statistically significant seasonal pattern emerged, with substance-related posts increasing during school breaks, holidays, and changes in social activities. This aligns with prior research on seasonal trends in youth mental and behavioral health conditions [49].

Teenagers often experience heightened, unpredictable emotions, and prolonged emotional distress can indicate potential substance use. Emotional analysis showed sadness and anger as the most prevalent emotions in substance-related posts, consistent with research identifying dispositional anger as a strong predictor of adolescent substance use [50–52]. Negative emotions such as disgust, fear, guilt, and shame also featured prominently, while joy was more common in non-substance-related posts. Notably, guilt tended to act as a protective factor, whereas shame increased the risk of substance use [53].

Disgust and guilt displayed a significant gap between substance-use and non-substance-use posts, with higher prevalence in substance-related discussions. Disgust often reflected internal conflict or external criticism, while guilt was linked to regret over substance use or its consequences. These emotions play a critical role in shaping

adolescents' experiences with substance use, suggesting the need for emotion-focused prevention strategies to address psychological distress and promote healthier coping mechanisms.

The SHAP analysis provided additional insights into the interplay of emotional and contextual factors. Features like school environment, family influence, and joy were more strongly associated with non-substance-use posts, while sadness, fear, and guilt were more prevalent in substance-use posts. These findings underscore the nuanced relationship between environmental contexts and emotional states in shaping substance use behaviors.

Sadness in substance-use posts often frequently reflected peer influence, family dynamics, and a longing for authentic connections. Feelings of rejection, heartbreak, and loneliness—often tied to unrequited love or social exclusion—contributed significantly to substance use as an escape mechanism. Additionally, family-related factors such as parental conflict, divorce, alcoholic parents, and a lack of support were common themes, alongside grief, self-esteem struggles, and the desire for deeper relationships in the face of superficial high school dynamics. These findings offer insights into the emotional and contextual triggers of substance use, emphasizing the importance of timely interventions by schools, parents, and healthcare professionals to address these issues effectively.

Contextual analysis revealed peer influence as the most significant factor, with approximately 70% of posts highlighting social dynamics such as fear of exclusion, peer pressure, and conformity to group norms. Emotions like fear, joy, disgust, guilt, shame, sadness, and anger were strongly shaped by peer relationships and societal expectations. Fear often stemmed from concerns about addiction, parental disapproval, or health risks. Family dynamics also played a pivotal role, with substance use tied to trust issues, negative parental role models, and familial conflict. However, strong family bonds and positive adult influences emerged as protective factors.

In schools, fear centered around consequences like suspension, expulsion, or disappointing parents, with peer pressure adding to the challenge of balancing personal values against social acceptance. Academic stress and social events such as parties were key triggers for substance use, alongside broader safety concerns like school violence. While some school environments normalized substance use (e.g., vaping in bathrooms), supportive school policies and interventions were noted as protective influences. Addressing academic pressures through stress management strategies is essential in reducing these risks [58–61].

Finally, many posts underscored the role of substance use as a coping mechanism for mental health challenges such as anxiety and depression. These findings emphasize the necessity of integrating mental health support into substance use prevention strategies, addressing both emotional triggers and social influences to mitigate the risks faced by teenagers.

### Limitations

This study has several limitations. First, the anonymous nature of Reddit prevents control over demographic variables such as age, gender, ethnicity, or location, limiting the generalizability of the findings. Additionally, it is not possible to verify that all posts were

generated by teenagers, as adults or bots may contribute to the dataset, potentially introducing bias.

Second, the use of GPT-4 for emotional and contextual annotations introduces dependency on model parameters, which are subject to inherent limitations. While manual validation was conducted, annotation accuracy relies on the prompt design and capabilities of the LLM.

Third, the dataset's comparative design involved randomly sampling non-substance-use posts, which may not fully represent broader discussion patterns. The lack of longitudinal data also restricts insights into the long-term dynamics of substance use behaviors. Future research could benefit from incorporating longitudinal studies to explore the developmental trajectory of substance use.

Lastly, the self-reported nature of the data may introduce biases, including potential exaggeration or omission of substance use behaviors, and future studies may require larger and more diverse datasets for more robust analysis.

### **Conclusions**

This study provides valuable insights into the emotional and contextual factors influencing adolescent substance use. Family dynamics, peer influence, and school environments emerged as critical contextual factors, with sadness and anger identified as the most relevant emotions in substance-use discussions. These findings reflect early vulnerabilities and emotional triggers that may predispose adolescents to substance use. Peer influence was the most significant contextual factor, emphasizing its critical role in shaping and reinforcing substance use behaviors during adolescence. The school environment, strongly associated with both substance-use and non-substance-use posts, highlights the importance of early education and prevention strategies. Programs that focus on emotional regulation, peer support, and family involvement have the potential to mitigate risk factors and reduce substance use among teenagers.

Strengthening collaboration between families, schools, and communities is essential to fostering resilience and promoting healthier adolescent development. By addressing emotional vulnerabilities and contextual influences, future interventions can more effectively target the underlying drivers of substance use, contributing to improved outcomes for youth well-being.

### **Conflicts of Interest**

None declared.

### **Data Availability**

The data used in this study are publicly available for download at the following link:

[RedditData](#).

## References

- [1] National Center for Drug Abuse Statistics. (2023). Drug use among youth: Facts & statistics. Drug Abuse Statistics. Retrieved November 12, 2024, from <https://drugabusestatistics.org/teen-drug-use/>
- [2] Degenhardt L, Stockings E, Patton G, Hall W, Lynskey M. The increasing global health priority of substance use in young people. *Lancet Psychiatry*. 2016;3 3:251-264. doi:10.1016/S2215-0366(15)00508-8
- [3] Newcomb, M. D., & Bentler, P. M. (1989). Substance use and abuse among children and teenagers. *American psychologist*, 44(2), 242.
- [3] Bahr, S. J., Hoffmann, J. P., & Yang, X. (2005). Parental and peer influences on the risk of adolescent drug use. *Journal of primary prevention*, 26, 529-551.
- [4] Tsering, D., & Pal, R. (2009). Role of family and peers in initiation and continuation of substance use. *Indian journal of psychological medicine*, 31(1), 30-34
- [5] Morgan EM, Snelson C, Elison-Bowers P. Image and video disclosure of substance use on social media websites. *Comput Hum Behav* 2010 Nov;26(6):1405-1411.
- [6] Hanson CL, Cannon B, Burton S, Giraud-Carrier C. An exploration of social circles and prescription drug abuse through Twitter. *J Med Internet Res* 2013;15(9):e189 [FREE Full text] [CrossRef] [Medline]
- [7] Daniulaityte R, Carlson R, Falck R, Cameron D, Perera S, Chen L, et al. "I just wanted to tell you that loperamide WILL WORK": a web-based study of extra-medical use of loperamide. *Drug Alcohol Depend* 2013 Jun 1;130(1-3):241-244 [FREE Full text] [CrossRef] [Medline]
- [8] Correia RB, Li L, Rocha LM. Monitoring potential drug interactions and reactions via network analysis of Instagram user timelines. *Pac Symp Biocomput* 2016;21:492-503 [FREE Full text] [Medline]
- [9] Stadel, E. C., Stirman, S. W., Ungar, L. H., Boland, C. L., Schwartz, H. A., Yaden, D. B., ... & Eichstaedt, J. C. (2024). Large language models could change the future of behavioral healthcare: a proposal for responsible development and evaluation. *NPJ Mental Health Research*, 3(1), 12.
- [10] Rahim, M., & Patton, R. (2015). The association between shame and substance use in young people: a systematic review. *PeerJ*, 3, e737.
- [11] Kang, D., Fairbairn, C. E., & Ariss, T. A. (2019). A meta-analysis of the effect of substance use interventions on emotion outcomes. *Journal of consulting and clinical psychology*, 87(12), 1106.
- [12] Dorison, C. A., Wang, K., Rees, V. W., Kawachi, I., Ericson, K. M., & Lerner, J. S. (2020). Sadness, but not all negative emotions, heightens addictive substance use. *Proceedings of the National Academy of Sciences*, 117(2), 943-949.
- [13] Akan, S., & BARIŞKIN, E. (2018). Conditions and scenarios eliciting emotions of disgust, anger, shame, sadness and happiness. *TURK PSIKOLOJİ DERGİSİ*, 33(82).
- [14] Schwarz, T. (2015). Exploring the meaning of happiness and unhappiness for adolescents between the ages of 13-15 years (Doctoral dissertation, University of Surrey).



- [15] Loke AY, Mak Y wah. Family process and peer influences on substance use by adolescents. *Int J Environ Res Public Health*. 2013;10(9):3868-3885.  
Doi:10.3390/ijerph10093868
- [16] Eisenberg ME, Toumbourou JW, Catalano RF, Hemphill SA. Social Norms in the Development of Adolescent Substance Use: A Longitudinal Analysis of the International Youth Development Study. *J Youth Adolesc*. 2014;43(9):1486-1497.  
Doi:10.1007/s10964-014-0111-1
- [17] Lynn Mulvey K, Boswell C, Zheng J. Causes and Consequences of Social Exclusion and Peer Rejection Among Children and Adolescents. *Rep Emot Behav Disord Youth*. 2017;17(3):71-75.
- [18] Muchiri BW, dos Santos MML. Family management risk and protective factors for adolescent substance use in South Africa. *Subst Abuse Treat Prev Policy*. 2018;13(1):24.  
Doi:10.1186/s13011-018-0163-4
- [19] Bisset S, Markham WA, Aveyard P. School culture as an influencing factor on youth substance use. *J Epidemiol Community Health*. 2007;61(6):485-490.  
Doi:10.1136/jech.2006.048157
- [20] Bisset S, Markham WA, Aveyard P. School culture as an influencing factor on youth substance use. *J Epidemiol Community Health*. 2007;61(6):485-490.  
Doi:10.1136/jech.2006.048157
- [21] Piko BF, Kovács E. Do parents and school matter? Protective factors for adolescent substance use. *Addict Behav*. 2010;35(1):53-56. Doi:10.1016/j.addbeh.2009.08.004
- [22] Anderson LS, Bell HG, Gilbert M, Davidson JE, Winter C, Barratt MJ, et al. Using social listening data to monitor misuse and nonmedical use of bupropion: a content analysis. *JMIR Public Health Surveill* 2017 Dec 01;3(1):e6
- [23] Zhu, J., Jin, R., Kenne, D. R., Phan, N., & Ku, W. S. (2024). User Dynamics and Thematic Exploration in r/Depression During the COVID-19 Pandemic: Insights From Overlapping r/SuicideWatch Users. *Journal of Medical Internet Research*, 26, e53968.
- [24] Deng, T., Barman-Adhikari, A., Lee, Y. J., Dewri, R., & Bender, K. (2023). Substance use and sentiment and topical tendencies: a study using social media conversations of youth experiencing homelessness. *Information Technology & People*, 36(6), 2515-2542.
- [25] Deng, T., Barman-Adhikari, A., Lee, Y. J., Dewri, R., & Bender, K. (2023). Substance use and sentiment and topical tendencies: a study using social media conversations of youth experiencing homelessness. *Information Technology & People*, 36(6), 2515-2542.
- [26] Lokala, U., Phukan, O. C., Dastidar, T. G., Lamy, F., Daniulaityte, R., & Sheth, A. (2024). Detecting substance use disorder using social media data and the dark web: time-and knowledge-aware study. *JMIRx Med*, 5, e48519.
- [27] Chen, A. T., Johnny, S., & Conway, M. (2022). Examining stigma relating to substance use and contextual factors in social media discussions. *Drug and Alcohol Dependence Reports*, 3, 100061.
- [28] Zhu, J., Jin, R., & Coifman, K. G. (2025). Investigating Large Language Models in Inferring Personality Traits from User Conversations. *arXiv preprint arXiv:2501.07532*.
- [29] Gilardi, F., Alizadeh, M., & Kubli, M. (2023). ChatGPT outperforms crowd workers for text-annotation tasks. *Proceedings of the National Academy of Sciences*, 120(30), e2305016120.

- [30] Mellon, J., Bailey, J., Scott, R., Breckwoldt, J., Miori, M., & Schmedeman, P. (2024). Do AIs know what the most important issue is? Using language models to code open-text social survey responses at scale. *Research & Politics*, 11(1), 20531680241231468.
- [31] Pangakis, N., & Wolken, S. (2024). Keeping Humans in the Loop: Human-Centered Automated Annotation with Generative AI. arXiv preprint arXiv:2409.09467.
- [32] Atreja, S., Ashkinaze, J., Li, L., Mendelsohn, J., & Hemphill, L. (2024). Prompt Design Matters for Computational Social Science Tasks but in Unpredictable Ways. arXiv preprint arXiv:2406.11980.
- [33] Chavanne, A. V., Paillère Martinot, M. L., Penttilä, J., Grimmer, Y., Conrod, P., Stringaris, A., ... & Artiges, E. (2023). Anxiety onset in adolescents: a machine-learning prediction. *Molecular Psychiatry*, 28(2), 639-646.
- [34] Ding, T., Bickel, W. K., & Pan, S. (2017, September). Multi-view unsupervised user feature embedding for social media-based substance use prediction. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing* (pp. 2275-2284).
- [35] Reddit. (n.d.). Reddit home page. Retrieved [5-2-2024], from <https://www.reddit.com/>
- [36] Reddit. (n.d.). r/teenagers [Online forum]. Retrieved [5-2-2024], from <https://www.reddit.com/r/teenagers/>
- [37] Henry Z. Lo. and Cohen, Joseph Paul "Academic Torrents: Scalable Data Distribution." *Neural Information Processing Systems Challenges in Machine Learning (CIML) Workshop, 2016*, <http://arxiv.org/abs/1603.04395>.
- [38] Zhao, W., Zhao, Y., Lu, X., Wang, S., Tong, Y., & Qin, B. (2023). Is ChatGPT equipped with emotional dialogue capabilities?. arXiv preprint arXiv:2304.09582.
- [39] Huang, J. T., Lam, M. H., Li, E. J., Ren, S., Wang, W., Jiao, W., ... & Lyu, M. R. (2023). Emotionally numb or empathetic? evaluating how llms feel using emotion bench. arXiv preprint arXiv:2308.03656.
- [40] OpenAI. (2023). GPT-4 technical report. Retrieved from <https://openai.com/research/gpt-4>
- [41] Pham, C. M., Hoyle, A., Sun, S., Resnik, P., & Iyyer, M. (2023). Topicgpt: A prompt-based topic modeling framework. arXiv preprint arXiv:2311.01449.
- [42] Jagarlamudi, J., Daumé III, H., & Udupa, R. (2012, April). Incorporating lexical priors into topic models. In *Proceedings of the 13th Conference of the European Chapter of the Association for Computational Linguistics* (pp. 204-213).
- [43] Grootendorst, M. (2022). BERTopic: Neural topic modeling with a class-based TF-IDF procedure. arXiv preprint arXiv:2203.05794.
- [44] Wallbott, H. G., & Scherer, K. R. (1986). How universal and specific is emotional experience? Evidence from 27 countries on five continents. *Social science information*, 25(4), 763-795C
- [45] Gu, Z. (2022). Complex heatmap visualization. *Imeta*, 1(3), e43.
- [46] Understanding feature importance in machine learning | built in. Accessed March 9, 2024. <https://builtin.com/data-science/feature-importance>
- [47] Chen, T., & Guestrin, C. (n.d.). XGBoost Python package documentation. Retrieved [03-04-2024], from [https://xgboost.readthedocs.io/en/stable/python/python\\_api.html](https://xgboost.readthedocs.io/en/stable/python/python_api.html)

- [48] Lundberg, S. M., & Lee, S.-I. (n.d.). SHAP (SHapley Additive exPlanations) documentation. Retrieved [04-04-2024], from <https://shap.readthedocs.io/en/latest/index.html>
- [49] Radhakrishnan L, Carey K, Pell D, et al. Seasonal Trends in Emergency Department Visits for Mental and Behavioral Health Conditions Among Children and Adolescents Aged 5–17 Years — United States, January 2018–June 2023. *MMWR Morb Mortal Wkly Rep* 2023;72:1032–1040. DOI: <http://dx.doi.org/10.15585/mmwr.mm7238a3>
- [50-1] Picoito, J., Santos, C., & Nunes, C. (2021). Emotional and behavioural pathways to adolescent substance use and antisocial behaviour: results from the UK Millennium Cohort Study. *European Child & Adolescent Psychiatry*, 30(11), 1813-1823.
- [51] Novak, S. P., & Clayton, R. R. (2001). Influence of school environment and self-regulation on transitions between stages of cigarette smoking. *Health Psychology*, 20, 196–207.
- [52] Wills, T. A., Simons, J. S., Sussman, S., & Knight, R. (2016). Emotional self-control and dysregulation: A dual-process analysis of pathways to externalizing/internalizing symptomatology and positive well-being in younger adolescents. *Drug and alcohol dependence*, 163, S37-S45.
- [53] Coifman, K. G., & Almahmoud, S. Y. (2016). Emotion flexibility and psychological risk and resilience. In *The Routledge international handbook of psychosocial resilience* (pp. 148-161). Routledge.
- [54] Oetting, E. R., & Beauvais, F. (1986). Peer cluster theory: Drugs and the adolescent. *Journal of Counseling and Development*, 65, 17-22.
- [55] Getz, J. G., & Bray, J. H. (2005). Predicting heavy alcohol use among adolescents. *American Journal of Orthopsychiatry*, 75(1), 102-116.
- [56] Maxwell, K. A. (2002). Friends: The role of peer influence across adolescent risk behaviors. *Journal of Youth and adolescence*, 31(4), 267-277.
- [57] Peterson, J. (2010). A qualitative comparison of parent and adolescent views regarding substance use. *The Journal of School Nursing*, 26(1), 53-64.
- [58] Isabella, Romano., Isabella, Romano., Karen, A., Patte., Margaret, de, Groh., Ying, Jiang., Terrance, J., Wade., Richard, E., Bélanger., Scott, T., Leatherdale. (2021). Substance-related coping behaviours among youth during the early months of the COVID-19 pandemic. *Addictive Behaviors Reports*, 14:100392-100392. doi: 10.1016/J.ABREP.2021.100392
- [59] Markham, W. A. (2015). School culture and teenage substance use: a conceptual and operational framework. *Educational Review*, 67(3), 282-299.
- [60] Bachman, J. G. (2008). *The education-drug use connection: How successes and failures in school relate to adolescent smoking, drinking, drug use, and delinquency*. Psychology Press.
- [61] Carsley, D., Mettler, J., Shapiro, A. J., Mills, D. J., Bloom, E. L., & Heath, N. L. (2017). Evaluation of an Educator-Delivered School-Based Stress Management Program for Adolescents. *LEARNing landscapes*, 10(2), 73-89.

## Appendix

### Methods


#### Data Collection and Preprocessing

**Table 1 Sample data of Non-Substance Use**

Title	Posts
I need help from girls that's really serious	I need help from girls that's really serious i accidentally touched my childhood friend's boob by accident, and even though she understood i don't know how to apologize, please help me!
Everyone's hooking up but me.	Everyone's hooking up but me. it's my senior year and everyone is finding someone. i'm happy for them but i'm still here. awkwardly sitting by myself while people are enjoying each other. even my ex is hitting it off with someone else. yes i'm complaining. just want to talk with some people going through similar stuff at this age.
I made an ahgao t shirt	I made an ahgao t shirt i cant afford that shit also i'm wearing it to school
Any tips for social media?	Any tips for social media? i know there are a lot of you out there with strict parents. any great tips that you guys used to flip parents' opinions on social media? (i already got their trust on twitter and reddit)
For April fools day we should miss flair all our posts	For April fools day we should miss flair all our posts it's stupid i know but i find it funny seeing some stupid/memey question or picture labels as serious

### Results

#### Substance use posts distribution



**Figure 1 Percentage of Substance-Related Posts by Season**

Figure 1 illustrates seasonal distribution of substance-related posts as a percentage of the total dataset. The results indicate a higher concentration of posts in Spring and Summer compared to Fall and Winter.

#### Emotional and Contextual Annotation with LLMs




Figure 2 Context Frequency in Substance-related posts

Figure 2 represent the frequency of contexts in substance related posts. Peer influence is the most prevalent contextual factor, showing a substantial gap compared to family and school environment factors.




Figure 3 Distribution of Contextual Influences by Substance Use

Figure 3 presents the distribution of contextual influences across substance use and non-substance use posts. In non-substance use posts, the three-influence factor are more evenly distributed.

#### Correlation analysis on Emotional and Contextual Features

```
[Chi-square test for 'emotion' and 'substance': p-value = 1.1412528890965852e-185]
[P-values for Family Influence, Peer Influence, and School Environment:
Intercept          0.000000e+00
Q("Family Influence")  0.000000e+00
Q("Peer Influence")    3.619837e-38
Q("School Environment") 0.000000e+00]
```

Figure 4 Chi-Square Test Results for Emotional and Contextual Factors

Figure 4 presents the results of the Chi-square test examining the relationship between emotional and contextual factors across substance use and non-substance use posts. This analysis highlights statistically significant associations between specific emotions, contextual influences, and substance use patterns.




Figure 5 Emotion distribution across Contextual Influence

Figure 5 depicts the distribution of emotions across different contextual influences. Sadness and joy are most frequently associated with peer influence, while sadness and anger are more prominent within the family context. In the school environment, sadness, joy, and anger are all prevalent.




Figure 6 Average impact on model output magnitude

Figure 6 displays the average SHAP (Shapley Additive exPlanations) value, representing the contribution of each feature on the model's output magnitude. Higher SHAP values indicate a greater influence on the model's predictions. Among contextual features, school environment and family influence exhibit the highest SHAP values. For emotional features, joy demonstrates the strongest contribution.

To further explore latent themes related to emotions within specific contexts, we prompted GPT-4 to identify recurring emotional patterns linked to contextual factors in substance use posts, including peer dynamics and potential triggers for substance use.

```

prompt = f"""
Here are some posts involving sadness with peer influence in discussions about substance use.
Could you identify common themes or subtopics in these posts? Focus on any recurring reasons for sadness,
patterns in peer dynamics, and potential triggers for substance use.

Posts:
{posts_text}
"""

# Call the OpenAI API
response = openai.chat.completions.create(
    messages=[
        {"role": "system", "content": prompt},
    ],
    model="gpt-4o", # Adjust model if necessary
    max_tokens=1000,
    temperature=0.5
)

# Extract and display the response
themes = response.choices[0].message.content.strip().lower()

```

Figure 6 Code for Extracting Themes Related to Sadness with Peer Influence in Substance Use Posts Using GPT-4 Prompt

Figure 6 displays the code used to extract themes associated with sadness in the context of peer influence within substance use posts, leveraging a tailored GPT-4 prompt.

### Textbox 1. Resulting Themes Related to Sadness with Peer Influence

Identified Themes and Subtopics:  
based on the posts provided, several common themes and subtopics can be identified regarding sadness, peer influence, and substance use:

1. **feelings of loneliness and isolation**:
  - many posts express feelings of loneliness, particularly in social situations where individuals feel disconnected from their peers or unable to engage meaningfully with others.
  - the experience of being in a crowd but still feeling alone is a recurring sentiment, highlighting the struggle with social anxiety or a lack of genuine connections.
2. **peer pressure and influence**:
  - there is a notable influence of peers on decisions around substance use, with individuals often feeling pressured to engage in behaviors such as drinking or smoking to fit in or be accepted.
  - posts reflect a desire to conform to social norms, leading to substance use as a means of coping with peer expectations.
3. **triggers for substance use**:
  - various triggers for substance use are mentioned, including stress, anxiety, and the desire to escape from negative feelings or situations.
  - the posts indicate that social gatherings, especially those involving drinking or drug use, can act as catalysts for individuals to partake in substances, even if they may not genuinely want to.
4. **coping mechanisms**:
  - substance use is often depicted as a coping mechanism for dealing with sadness, anxiety, and feelings of inadequacy.
  - many individuals turn to substances like alcohol or marijuana to numb their emotions or to feel a sense of belonging, despite recognizing the negative consequences.
5. **mental health struggles**:
  - there are mentions of mental health issues such as depression and anxiety, which contribute to feelings of sadness and influence substance use.
  - the posts illustrate a cycle where poor mental health leads to substance use, which in turn exacerbates mental health issues, creating a challenging feedback loop.
6. **desire for connection**:
  - a recurring theme is the longing for deeper connections with friends and peers, with many expressing a desire to be understood and accepted without the need for substances.
  - the struggle to maintain friendships and the fear of losing connections due to substance use is a significant concern for many.

7. **regret and reflection**:

- several posts reflect on past decisions regarding substance use, with individuals expressing regret and a desire to change their behaviors.

- there is a sense of awareness about the impact of substance use on relationships and personal well-being, leading to contemplation about healthier choices.

these themes highlight the complex interplay between peer influence, emotional struggles, and substance use, illustrating how social dynamics can significantly impact individual choices and mental health.

Textbox1 presents the themes identified in substance use posts, highlighting the nuanced emotional patterns of sadness when influenced by peer dynamics.

Textbox 2. Resulting Themes Related to Fear with Peer Influence

Themes and Subtopics for Fear:

the posts reflect a range of themes related to fear and peer influence in discussions about substance use among teenagers. here are some common themes and subtopics identified:

### 1. **fear of social exclusion**

- many posts express a fear of being left out or excluded from peer groups if they do not participate in substance use (e.g., drinking alcohol, smoking weed). there is a recurring concern that not drinking or using drugs will lead to boredom or being deemed uncool by friends.

### 2. **anxiety about parental reactions**

- several posts highlight the fear of parental disapproval or consequences if they are caught using substances. this includes fear of punishment, disappointment, or losing trust from parents, which creates a dilemma for teens who wish to experiment.

### 3. **peer pressure and dynamics**

- posts often describe the dynamics of peer pressure, where the desire to fit in leads to experimentation with drugs and alcohol. there are mentions of friends encouraging each other to try substances and the anxiety that arises from wanting to conform to group norms.

### 4. **triggers for substance use**

- various triggers for substance use are identified, including social situations (parties, gatherings), stress, and the desire for relaxation or escape from anxiety. the influence of friends who are already using substances is also a significant factor.

### 5. **fear of addiction and health consequences**

- there is a noticeable concern about the potential for addiction and negative health effects associated with substance use. some posts reflect anxiety about becoming dependent on substances like weed or nicotine.

### 6. **negative experiences with substances**

- some individuals share negative experiences related to substance use, such as heightened anxiety, panic attacks, or feeling unsafe in certain situations. these experiences contribute to their fear of using substances in the future.

### 7. **navigating relationships and trust issues**

- posts reveal fears about how substance use might impact relationships, including friendships and romantic interests. there are concerns about trust issues arising from substance use, especially when it comes to being honest with parents or partners.

### 8. **coping mechanisms and mental health**

- some posts indicate that substance use is seen as a coping mechanism for dealing with mental health issues, such as anxiety or depression. this highlights a complex relationship between mental health and substance use among teens.

### 9. **cultural and familial influences**

- the influence of family history and cultural norms regarding substance use is evident. some posts reflect on family dynamics, including parents' attitudes towards drugs and alcohol, which shape the individual's views and fears.

### 10. **concerns about future consequences**

- many posts express fears about how current substance use might affect future opportunities, such as college, jobs, and overall life trajectory. this includes concerns about legal issues, health problems, and social reputation. these themes illustrate the multifaceted nature of substance use among teenagers, emphasizing the interplay of fear, peer influence, and the desire for acceptance in social contexts.

Textbox 3. Resulting Themes Related to Joy with Peer Influence



#### Themes and Subtopics for Joy:

the posts you've shared exhibit several common themes and subtopics related to joy, peer influence, and substance use. here are the key themes identified:

##### ### 1. **peer influence and social dynamics**

- **bonding over substance use:** many posts highlight the joy of bonding with friends over shared experiences with substances like alcohol and marijuana. for instance, references to smoking weed, drinking alcohol, or playing games while under the influence suggest that these activities serve as social glue, strengthening friendships.

- **group activities:** posts often mention group activities, such as parties, card games, or hanging out, where substance use is a central theme. the collective experience of getting high or drunk seems to enhance feelings of camaraderie and shared joy.

- **peer pressure:** some posts reflect the dynamics of peer pressure, where individuals feel compelled to partake in substance use to fit in or be accepted by their friends.

##### ### 2. **joy and celebration**

- **celebratory occasions:** many posts mention specific occasions or events (e.g., 4/20, parties, holidays) that are associated with substance use, suggesting that these times are viewed as opportunities for celebration and joy.

- **personal milestones:** there are mentions of personal achievements or milestones (e.g., turning 18, quitting substances) that bring joy and a sense of freedom, often intertwined with discussions about substance use.

##### ### 3. **humor and lightheartedness**

- **playful tone:** a number of posts use humor and lighthearted language to discuss substance use, indicating that for many, these experiences are not only about the substances themselves but also about the fun and laughter that accompany them.

- **funny anecdotes:** posts often recount humorous or embarrassing stories related to being under the influence, reinforcing the idea that these experiences can be entertaining and joyful.

##### ### 4. **exploration of identity**

- **self-discovery:** some posts reflect a journey of self-discovery and personal growth, where individuals explore their identities in relation to their peers and substance use. this includes discussions about social anxiety, personal achievements, and the search for connection.

- **romantic interests:** there are mentions of romantic interactions (e.g., crushes, dating) that are often enhanced by substance use, suggesting that these experiences can serve as catalysts for deeper connections or conversations.

##### ### 5. **coping mechanisms**

- **use of substances for relief:** several posts touch on the use of substances as a way to cope with stress, anxiety, or social pressure. this is particularly evident in discussions about the benefits of marijuana for mental health.

- **awareness of consequences:** some individuals express awareness of the potential negative consequences of substance use, indicating a complex relationship with these substances that includes both joy and caution.

##### ### 6. **cultural references**

- **pop culture and trends:** posts frequently reference pop culture, memes, and current trends (e.g., tiktok, fortnite, animal crossing) that resonate with the youth culture, suggesting that these elements play a role in shaping their experiences and discussions about substance use.

##### ### 7. **substance use as a rite of passage**

- **transition to adulthood:** many posts reflect the transitional phase of adolescence into adulthood, where substance use is often framed as a rite of passage. celebrating milestones like turning 18 or experiencing firsts (e.g., first drink, first smoke) is a recurring theme.

overall, the posts illustrate a multifaceted relationship between joy, peer influence, and substance use, characterized by social bonding, humor, exploration of identity, and a blend of celebration and caution.

#### Textbox 4. Resulting Themes Related to Disgust with Peer Influence

##### Themes and Subtopics for Disgust:

based on the posts provided, several common themes and subtopics emerge regarding disgust with peer influence in discussions about substance use. here are the key points:

##### ### common themes:

###### 1. **peer pressure and influence:**

- many posts highlight the pressure teenagers feel to engage in substance use, such as drinking, vaping, or smoking weed, often to fit in with peers.

- there is a sense of disgust towards peers who flaunt their substance use, particularly when it seems like a competition or a way to gain social status.

###### 2. **disgust with substance use:**

- several posts express disgust towards the act of using substances, particularly alcohol and cigarettes, with users describing them as "disgusting" or "nasty."

- the negative experiences associated with substance use, such as vomiting or feeling unwell, contribute to this disgust.

### 3. **contradictory views on substance use:**

- some posts reflect confusion or ambivalence about substance use, where individuals acknowledge the cultural acceptance of certain drugs (like weed) while also expressing personal disdain or a desire to avoid them.

- there is a recurring theme of individuals who have tried substances but found them unappealing or harmful.

### 4. **school and social environments:**

- many comments reference school settings where substance use, particularly vaping and drinking, is prevalent. the bathrooms are often depicted as locations for secretive or risky behaviors.

- the environment of peer dynamics in schools is crucial, with some feeling the need to conform to what they perceive as the norm.

### 5. **coping mechanisms and escapism:**

- some posts touch on the idea that substance use is seen as a way to cope with stress or boredom, reflecting a societal trend where drugs are used as a form of escapism.

- there is a sense of frustration towards peers who rely on substances to navigate their lives, often leading to a cycle of dependency.

### 6. **anecdotes and personal experiences:**

- many posts include personal anecdotes that illustrate the negative consequences of substance use, whether it's through embarrassing moments or witnessing friends' poor choices.

- the sharing of these stories often serves as a cautionary tale, emphasizing the risks involved.

### ### patterns in peer dynamics:

#### - **social acceptance vs. individual disgust:**

- there is a clear divide between what is socially accepted among peers and what individuals personally find disgusting or unacceptable.

#### - **loss of respect:**

- some posts indicate a loss of respect for peers who engage in substance use, particularly when it involves irresponsible behavior or illegal activities.

#### - **judgment and critique:**

- users often critique their peers for their substance use choices, revealing a judgmental attitude towards those who partake in what they see as reckless behavior.

### ### potential triggers for substance use:

#### 1. **cultural norms:**

- the normalization of substance use in social settings, especially among teens, serves as a significant trigger.

#### 2. **curiosity and boredom:**

- a desire to experiment, coupled with boredom or a lack of engaging activities, often leads teens to try substances.

#### 3. **social events:**

- parties and gatherings are frequently cited as environments where substance use is expected, leading to individuals feeling compelled to participate.

#### 4. **influence of older individuals:**

- mentions of adults (like teachers or family members) using substances can create a perception that it is acceptable or even desirable.

in summary, the posts reveal a complex relationship between peer influence and substance use among teenagers, marked by feelings of disgust, judgment, and a struggle with societal expectations.

## Textbox 5. Resulting Themes Related to Guilt with Peer Influence

### Themes and Subtopics for Guilt:

the posts you've provided highlight several common themes and subtopics related to guilt, peer influence, and substance use. here are some key observations:

### ### common themes and subtopics

#### 1. **peer pressure and influence:**

- many posts reflect the strong influence of peers on decisions related to substance use, such as drinking and smoking. users often feel compelled to participate in drinking or drug use to fit in or be accepted by their social circles.

- there are instances where individuals express reluctance or guilt about succumbing to peer pressure, indicating an internal conflict between wanting to belong and recognizing the potential risks.

2. **regret and guilt**:

- a recurring sentiment in the posts is the feeling of regret after engaging in substance use, particularly when it leads to actions that compromise personal values or relationships (e.g., sending inappropriate messages, engaging in unwanted sexual encounters).

- users express guilt over their actions while under the influence, often reflecting on how their behavior might affect their relationships with friends, family, or romantic interests.

3. **addiction and dependency**:

- several posts touch on the theme of addiction, particularly with substances like nicotine and alcohol. users describe their struggles with dependency and the challenges of trying to quit or reduce use.

- the acknowledgment of addiction often comes with feelings of shame and helplessness, as individuals realize the negative impact these substances have on their lives.

4. **triggers for substance use**:

- posts indicate various triggers that lead to substance use, including stress, social situations, and the desire for escapism. many users turn to substances as a coping mechanism for emotional or situational challenges.

- the desire to appear "cool" or to conform to group norms is frequently mentioned as a significant motivator for using substances, particularly among younger individuals.

5. **consequences of substance use**:

- users often reflect on the negative consequences of their actions while under the influence, including health issues (e.g., hangovers, withdrawal symptoms), legal troubles, and damaged relationships.

- the fear of getting caught or facing repercussions from parents or authority figures is a common concern, leading to feelings of guilt and anxiety.

6. **exploration of identity**:

- some posts reveal a struggle with self-identity and the role that substance use plays in shaping how individuals perceive themselves and their social standing.

- there is a tension between wanting to experiment and explore new experiences and the fear of losing control or making poor choices.

7. **communication and relationships**:

- many posts highlight the impact of substance use on communication with others, particularly in romantic contexts. users often express regret over messages sent or actions taken while intoxicated that could jeopardize their relationships.

- there are also discussions about the difficulty of discussing substance use and its effects with family or friends, leading to feelings of isolation or misunderstanding.

### summary

overall, the posts illustrate a complex interplay between peer influence, guilt, addiction, and the search for identity among individuals navigating substance use. the themes of regret and the desire for acceptance are particularly pronounced, indicating the emotional turmoil that often accompanies these experiences.

## Textbox 6. Resulting Themes Related to Shame with Peer Influence

Themes and Subtopics for Shame:

based on the posts provided, several common themes and subtopics emerge regarding shame, peer influence, and substance use among teenagers. here's a breakdown of these themes:

### common themes and subtopics:

1. **peer pressure and influence**:

- many posts reflect a strong influence from peers, where individuals feel compelled to engage in substance use to fit in or be accepted by their social circles. phrases like "cool kids" and "trying to impress friends" illustrate this pressure.

- there are instances where individuals express a desire to partake in activities (like drinking or smoking) simply to feel included or to align with the behaviors of their peers.

2. **shame and regret**:

- a recurring sentiment is the feeling of shame associated with substance use. many users express regret over their actions while under the influence, such as making poor decisions or embarrassing themselves.

- posts often include reflections on how substance use has led to negative consequences, such as damaged relationships, academic struggles, or personal safety concerns, contributing to feelings of worthlessness or failure.

3. **identity and self-perception**:

- there is a struggle with identity, as many individuals grapple with how they perceive themselves versus how they believe others perceive them. this is particularly evident in discussions about being "cool" or fitting in with peers.

- the posts reveal a tension between wanting to be seen as fun or adventurous while simultaneously feeling insecure or ashamed about their choices.

4. **triggers for substance use:**

- several posts indicate that emotional distress, such as heartbreak or feelings of inadequacy, can trigger substance use as a coping mechanism. users mention turning to drugs or alcohol during difficult times or after negative experiences.

- the desire to escape from feelings of anxiety, depression, or social awkwardness is a significant motivator for seeking out substances.

5. **consequences of substance use:**

- many users recount specific incidents where substance use led to dangerous or embarrassing situations, highlighting the immediate consequences of their actions. this includes instances of blackouts, health issues, or legal troubles.

- the posts often reflect a cycle of shame and substance use, where the aftermath of drinking or drug use leads to more shame, creating a feedback loop that can be hard to break.

6. **seeking validation:**

- there is a clear desire for validation from peers, with many users discussing how their actions (like drinking or using drugs) are attempts to gain acceptance or approval from others.

- the idea of "looking cool" or being perceived as fun is a significant motivator for many, leading to risky behaviors.

7. **coping mechanisms:**

- some posts indicate that individuals use substances as a way to cope with underlying issues such as mental health struggles, family problems, or feelings of isolation.

- the acknowledgment of addiction and the desire to seek help is present in some posts, suggesting that individuals are aware of their need for change but feel trapped by their circumstances.

**conclusion:**

overall, the posts illustrate a complex interplay between peer dynamics, personal identity, and the emotional triggers that lead to substance use among teenagers. the recurring themes of shame, regret, and the desire for acceptance highlight the challenges faced by young people in navigating their social environments and personal struggles.