

My friends and my path in physics

MIRZAYUSUF MUSAKHANOV

Institute of Theoretical Physics, National University of Uzbekistan

Tashkent 100174, Uzbekistan

Received February 4, 2025

Dedication to my untimely departed friends, Dmitry Igorevich Diakonov, Viktor Yur'evich Petrov and Maxim Vladimirovich Polyakov.

1. Introduction

I have received an offer from Igor Strakovsky to participate in a special volume of *Acta Physica Polonica B* dedicated to the outstanding theoretical physicists from Leningrad (now St. Petersburg) Dmitry Igorevich Diakonov (Mitya), Viktor Yur'evich Petrov (Vitya) and Maxim Vladimirovich Polyakov, who sadly passed away and no longer with us.

I was lucky to get to know them when Mitya and Vitya began to develop intensively the ideas of QCD instanton vacuum theory. It was the time of 1980-88. At that time they had some students, whom I met later, Maxim Polyakov and Pavel Pobylytsa.

2. The time of 1980-88

At that time, I was working on the quark structure of hadrons and it was important for me to discuss my ideas (for example, the chiral bag model [1–14]) at seminars in ITEP (Moscow), JINR (Dubna), and, of course, in LINP (Leningrad), where I met Mitya and Vitya at LINP school on high energy physics. I realized that the topic of vacuum in gauge field theories is very relevant and we held special conferences in 1985 and 1987 on this topic in Tashkent, where the most outstanding Soviet experts on quantum field theory of that time, including Mitya and Vitya, were present. Their papers on QCD instanton vacuum theory of that time were a real bomb [15–18, 18–22]. I realized that they are very close to the solution of the problem about quark-gluon structure of hadrons, which, of course, are just excitations of the QCD vacuum.

3. The time of 1990-2000

It was important to find a convincing proof of the correctness of Mitya's and Vitya's ideas about the QCD vacuum, which was done in our papers on checking the fulfillment of the axial anomaly theorems in their theory [23–25]. By that time the Ruhr University (Bochum, Germany) became the Mecca of hadron physics because of works done by Mitya, Vitya, Maxim and Pavel. To discuss my results on the development and application of the instanton vacuum to hadron physics [26–35], I had arranged a seminar in Bochum with Maxim during my stay at ICTP in Trieste. After the seminar, Bochum became a frequent destination for me. I met many interesting people there, such as Klaus Goeke, Hyun-Chul Kim and others. Later, together with Klaus and other colleagues we organized a conference in Tashkent in 2003, where core topic was a QCD instantons.

4. the time of 2000-present time

In recent years, our group from the National University of Uzbekistan has been collaborating with the group of Huyn-Chul from Inha University (Korea) on the application of the instanton vacuum theory developed by Mitya and Vitya particularly to systems of heavy quarks and systems of heavy and light quarks [36–48]. The results show that the role of interactions induced by instantons is crucial in the physics of systems consisting of heavy and light quarks [49].

5. Instead of conclusion

I am happy that in my life I had scientific discussions, talks and discussions of the world around us with my wonderful friends Mitya, Vitya and Maxim. It is a sad to recognize that they left us so early.

REFERENCES

- [1] M. M. Musakhanov. CHIRAL BAG MODEL. ITEP-179-1980.
- [2] M. M. Musakhanov. Light Hadron Masses and Pion - Hadron Interactions in Chiral Invariant 'Bag' Models. ITF-80-53P, 1980.
- [3] M. M. Musakhanov. Masses of Light Hadrons and Pion Hadron Interactions in Chiral Invariant Bag Model. (In Russian). *Yad. Fiz.*, 33:810–816, 1981.
- [4] M. M. Musakhanov. SPECTRUM OF LIGHT BARYONS AND BETA DECAY AXIAL CONSTANT IN CHIRAL BAG MODEL. (IN RUSSIAN). *Yad. Fiz.*, 33:1621–1625, 1981.

- [5] M. M. Musakhanov. The Pion Baryon Interaction and Static Characteristics of Baryons in Chiral Bag Model. (In Russian). *Yad. Fiz.*, 34:1123–1129, 1981.
- [6] Z. Z. Israilov and M. M. Musakhanov. Pion - Nucleon Scattering in the Chiral Bag Model. *Phys. Lett. B*, 104:173–176, 1981.
- [7] M. M. Musakhanov. THE CHIRAL BAG MODEL AND PROPERTIES OF THE PI N DELTA SYSTEM. (TALK). *Czech. J. Phys. B*, 32:248–251, 1982.
- [8] Z. Z. Israilov and M. M. Musakhanov. ELECTROMAGNETIC PROPERTIES OF HADRONS AND PION - NUCLEON SCATTERING IN THE CHIRAL BAG. 2 1982.
- [9] M. M. Musakhanov and Z. Z. Israilov. THE ELECTRIC DIPOLE MOMENT OF THE NEUTRON IN THE CHIRAL BAG MODEL. *Phys. Lett. B*, 137:419–421, 1984.
- [10] M. M. Musakhanov and Z. Z. Israilov. P ODD ASYMMETRY OF THE p p SCATTERING IN THE COMPOUND BAG MODEL. *Z. Phys. C*, 27:501, 1985.
- [11] M. M. Musakhanov. PION BARYON INTERACTIONS IN A SOLITON CHIRAL BAG MODEL. *JETP Lett.*, 41:198–201, 1985.
- [12] M. M. Musakhanov, P. K. Choudkhuri, and V. P. Isaev. On the role of small distances in the structure of the nucleon. *Sov. J. Nucl. Phys.*, 45:491–495, 1987.
- [13] A. E. Dorokhov, Z. Kanokov, M. M. Musakhanov, and A. M. Rakhimov. PION PHOTOPRODUCTION ON NUCLEON IN CHIRAL BAG MODEL WITH TAKING INTO ACCOUNT THE EFFECTS OF RECOIL NUCLEON MOTION. *Sov. J. Nucl. Phys.*, 50:100, 1989.
- [14] M. M. Musakhanov and I. V. Musatov. Nucleon anti-nucleon annihilation in the chiral soliton model. *Phys. Lett. B*, 273:309–315, 1991.
- [15] Dmitri Diakonov, V. Yu. Petrov, and A. V. Yung. QUASICLASSICAL EXPANSION OF YANG-MILLS HEAT KERNELS AND APPROXIMATE CALCULATION OF FUNCTIONAL DETERMINANTS. *Phys. Lett. B*, 130:385–388, 1983.
- [16] Dmitri Diakonov and V. Yu. Petrov. Instanton Based Vacuum from Feynman Variational Principle. *Nucl. Phys. B*, 245:259–292, 1984.
- [17] Dmitri Diakonov, V. Yu. Petrov, and A. V. Yung. QUASICLASSICAL EXPANSION IN YANG-MILLS EXTERNAL FIELD AND APPROXIMATE CALCULATION OF FUNCTIONAL DETERMINANTS. (IN RUSSIAN). *Sov. J. Nucl. Phys.*, 39:150, 1984.
- [18] Dmitri Diakonov and V. Yu. Petrov. CHIRAL CONDENSATE IN THE INSTANTON VACUUM. *Phys. Lett. B*, 147:351–356, 1984.
- [19] Dmitri Diakonov and V. Yu. Petrov. VARIATIONAL PRINCIPLE IN PROBLEMS INVOLVING INSTANTONS. *Sov. Phys. JETP*, 59:13–20, 1984.
- [20] Dmitri Diakonov and V. Yu. Petrov. A Theory of Light Quarks in the Instanton Vacuum. *Nucl. Phys. B*, 272:457–489, 1986.
- [21] Dmitri Diakonov, V. Yu. Petrov, and P. V. Pobylitsa. A Chiral Theory of Nucleons. *Nucl. Phys. B*, 306:809, 1988.

- [22] Dmitri Diakonov, V. Yu. Petrov, and P. V. Pobylitsa. Born Diagrams in the Pion - Skyrmion Scattering. *Phys. Lett. B*, 205:372–376, 1988.
- [23] M. M. Musakhanov and F. C. Khanna. The Axial anomaly and the conversion of gluons into photons. In *11th Lake Louise Winter Institute: Topics in Electroweak Physics*, pages 472–482, 2 1996.
- [24] M. M. Musakhanov and F. C. Khanna. A Test of the instanton vacuum chiral quark model with axial anomaly low-energy theorems. *Phys. Lett. B*, 395:298–306, 1997.
- [25] M. M. Musakhanov and Hyun-Chul Kim. A Test of the instanton vacuum with low-energy theorems of the axial anomaly. *Phys. Lett. B*, 572:181–188, 2003.
- [26] M. Musakhanov. Improved effective action for light quarks beyond chiral limit. *Eur. Phys. J. C*, 9:235–243, 1999.
- [27] M. Musakhanov. Light quarks beyond chiral limit. In *2nd ICTP International Conference on Perspectives in Hadronic Physics*, pages 395–404, 5 1999.
- [28] M. Musakhanov. Current mass dependence of the quark condensate and the constituent quark mass. *AIP Conf. Proc.*, 594(1):357, 2002.
- [29] M. Musakhanov. Current mass dependence of the quark condensate in instanton vacuum. *Nucl. Phys. A*, 699:340–343, 2002.
- [30] U. T. Yakhshiev, M. M. Musakhanov, and Hyun-Chul Kim. Is there a crystalline state of nuclear matter? *Phys. Lett. B*, 628:33–39, 2005.
- [31] Hyun-Chul Kim, M. Musakhanov, and M. Siddikov. Magnetic susceptibility of the QCD vacuum. *Phys. Lett. B*, 608:95–106, 2005.
- [32] Hyun-Chul Kim, M. M. Musakhanov, and M. Siddikov. Meson-loop contributions to the quark condensate from the instanton vacuum. *Phys. Lett. B*, 633:701–709, 2006.
- [33] K. Goeke, M. M. Musakhanov, and M. Siddikov. Low energy constants of chi PT from the instanton vacuum model. *Phys. Rev. D*, 76:076007, 2007.
- [34] Klaus Goeke, Hyun-Chul Kim, M. M. Musakhanov, and Marat Siddikov. $1/N(c)$ corrections to the magnetic susceptibility of the QCD vacuum. *Phys. Rev. D*, 76:116007, 2007.
- [35] K. Goeke, M. Musakhanov, and M. Siddikov. QCD isospin breaking ChPT low-energy constants from the instanton vacuum. *Phys. Rev. D*, 81:054029, 2010.
- [36] Seung-il Nam, Hui-Young Ryu, M. M. Musakhanov, and Hyun-Chul Kim. Magnetic susceptibility of QCD vacuum at finite density. *J. Korean Phys. Soc.*, 55:429–434, 2009.
- [37] M. Musakhanov. Heavy and Light Quarks in the Instanton Vacuum. *EPJ Web Conf.*, 20:01004, 2012.
- [38] Mirzayusuf Musakhanov. Heavy-light quarks interactions in QCD vacuum. *PoS, BaldinISHEPPXXII:012*, 2015.
- [39] U. T. Yakhshiev, Hyun-Chul Kim, M. M. Musakhanov, Emiko Hiyama, and B. Turimov. Instanton effects on the heavy-quark static potential. *Chin. Phys. C*, 41(8):083102, 2017.

- [40] Mirzayusuf Musakhanov. Heavy-heavy and heavy-light quarks interactions generated by QCD vacuum. *EPJ Web Conf.*, 137:03013, 2017.
- [41] M. Musakhanov and O. Egamberdiev. Dynamical gluon mass in the instanton vacuum model. *Phys. Lett. B*, 779:206–209, 2018.
- [42] Mirzayusuf Musakhanov. Gluons, Heavy and Light Quarks in the QCD Vacuum. *EPJ Web Conf.*, 182:02092, 2018.
- [43] M. Musakhanov, Sh. Baratov, and N. Rakhimov. Dynamical gluon mass at nonzero temperature in instanton vacuum model. *Phys. Rev. D*, 99(7):074005, 2019.
- [44] M. M. Musakhanov and N. R. Rakhimov. Heavy quarkonium potential at nonzero temperature in the instanton liquid model. *Int. J. Mod. Phys. Conf. Ser.*, 49:1960003, 2019.
- [45] M. Musakhanov, N. Rakhimov, and U. T. Yakhshiev. Heavy quark correlators in an instanton liquid model with perturbative corrections. *Phys. Rev. D*, 102(7):076022, 2020.
- [46] M. Musakhanov and U. Yakhshiev. Gluons, light and heavy quarks in the instanton vacuum. *Int. J. Mod. Phys. E*, 30(11):2141005, 2021.
- [47] M. Musakhanov and N. Rakhimov. ILM gluons in perturbative QCD. 11 2021.
- [48] Mirzayusuf Musakhanov. Gluons, light and heavy quarks and their interactions in the instanton vacuum. 3 2023.
- [49] Ki-Hoon Hong, Hyun-Chul Kim, M. M. Musakhanov, and N. Rakhimov. Heavy-light quark systems from the QCD instanton vacuum: Nf=1 light flavor case. *Phys. Rev. D*, 110(11):114044, 2024.