

NaijaNLP: A Survey of Nigerian Low-Resource Languages

ISA INUWA-DUTSE, University of Huddersfield, United Kingdom

With over 500 languages in Nigeria, three languages - Hausa, Yorùbá and Igbo - spoken by over 175 million people, account for about 60% of the spoken languages. However, these languages are categorised as low-resource due to insufficient resources to support tasks in computational linguistics. Several research efforts and initiatives have been presented, however, a coherent understanding of the state of Natural Language Processing (NLP) - from grammatical formalisation to linguistic resources that support complex tasks such as language understanding and generation is lacking. This study presents the first comprehensive review of advancements in low-resource NLP (LR-NLP) research across the three major Nigerian languages (NaijaNLP). We quantitatively assess the available linguistic resources and identify key challenges. Although a growing body of literature addresses various NLP downstream tasks in Hausa, Igbo, and Yorùbá, only about 25.1% of the reviewed studies contribute new linguistic resources. This finding highlights a persistent reliance on repurposing existing data rather than generating novel, high-quality resources. Additionally, language-specific challenges, such as the accurate representation of diacritics, remain under-explored. To advance NaijaNLP and LR-NLP more broadly, we emphasise the need for intensified efforts in resource enrichment, comprehensive annotation, and the development of open collaborative initiatives.

Additional Key Words and Phrases: African Languages, Nigerian Languages, NLP, Hausa, Yorùbá, Igbo, low-resource Language, Natural Language Processing.

1 Introduction

Of the 7,164 distinct languages spoken globally [120], over 90% are classified as low-resource (LR) from a computational perspective. While there is no universal consensus on what constitutes a low-resource language [197], a language is generally considered low-resource if it suffers from insufficient parallel source-target data [238]. In other words, low-resource languages (LRLs) are languages for which statistical methods cannot be directly applied due to scarce resources [177]. Essentially, the term low-resource encompasses a broad spectrum of resource conditions and application domains [75, 112, 150, 168, 176, 183, 293]. Numerous studies have explored low-resource natural language processing (LR-NLP) across diverse domains, including misinformation detection [289], security and defence [270], neural machine translation [64, 264], cyberbullying detection [179], and sentiment analysis [136, 138, 174, 297]. A common denominator across these tasks is that LRLs suffer from a severe lack of linguistic resources, resulting in suboptimal performance in downstream NLP applications. The lack of sufficient linguistic resources affect LR-NLP within broader research topics [165]. A similar gap exists in the literature regarding NLP for Nigerian languages, particularly the three major languages (Hausa, Yorùbá, and Igbo), collectively referred to as NaijaNLP in this work. Many studies have treated low-resource languages as a homogeneous category, overlooking critical variations in data availability, linguistic resources, and computational support. The binary classification - differentiating languages as merely low-resource or high-resource - has been a dominant approach in NLP research [150, 168, 176, 183, 293]. However, we argue that this dichotomy may impede language enrichment progress, as it fails to account for the unique challenges faced by individual or regional language groups. Instead, we advocate for a more nuanced approach that examines specific linguistic and regional contexts, identifies their distinct challenges and develops tailored solutions.

Scope. This study investigates the traditional NLP landscape for NaijaNLP, with a particular focus on foundational methodologies and linguistic resources. Our primary objective is to examine classical NLP approaches, linguistic resources, and tools that have been developed to address the unique challenges faced by these three major Nigerian languages. While generative AI and similar cutting-edge technologies are transforming NLP, they fall outside the scope

of this study due to the need to first establish foundational progress in traditional NLP. Instead, we offer limited coverage of applicable embedding techniques and pre-trained models relevant to NaijaNLP. To this end, we explore the NLP landscape of Nigerian languages focusing on the three major languages - Hausa, Yorùbá, and Igbo to provide targeted recommendations that can facilitate the development and expansion of LR-NLP for these languages and beyond.

NaijaNLP. Nigeria¹, the most populous country in Africa, is home to three major languages² - Hausa, Yorùbá and Igbo - alongside numerous other languages and ethnic groups³. Hausa, a Chadic language [291], is predominantly spoken in northern Nigeria and southern Niger but is widely used across West and Central Africa, including Ghana, Cameroon, Benin, Togo, Chad, Ivory Coast, and Sudan. Ranked 19th globally in terms of number of speakers⁴, Hausa functions as a lingua franca for non-native speakers across many African countries, making it one of the most influential Chadic languages. Similarly, Yorùbá, a Niger-Congo language, is widely spoken in Nigeria and other parts of Africa, especially the Western part, with over 50 million speakers. Igbo is another major language predominant in southeastern Nigeria, spoken by over 31 million people. As a tonal language, Igbo words can differ in meaning based solely on tone, with high and low tones marked by acute and grave accents, respectively [102, 140]. Consequently, the language employs digraphs and diacritical marks for accurate phonetic transcription.

At least one of these three major languages is spoken by nearly every Nigerian citizen, and together, they serve as primary communication mediums for over 200 million people worldwide. Despite their significance, digital resources for these languages remain limited, even though they possess a substantial corpus of undigitised literature, including scholarly articles, books, newspapers, and pamphlets. While Internet use in Nigeria is increasing [194], the number of digitised linguistic resources remains insufficient. In this study, we adopt the term *NaijaNLP*⁵ to refer to NLP research activities and tasks related to the three major Nigerian languages: Hausa, Yorùbá, and Igbo. Caron [93] was our first encounter with the term *Naija* utilised in the NLP context to describe research on Nigerian Pidgin.

Research Questions. To identify the factors hindering the development of LRLs and their ability to fully benefit from advancements in NLP, we analyse existing studies, linguistic resources, and community support related to Nigeria's major three languages. To proceed with this investigation, we put forward the following key research questions:

- ① **State of affairs:** To assess the current landscape of *NaijaNLP*, we explore the following:
 - What linguistic and NLP resources are currently available for *NaijaNLP*?
 - What efforts are underway to expand and enhance these resources?
- ② **Challenges and Future Prospects:** To identify barriers and opportunities for the advancement of *NaijaNLP*, we examine:
 - What challenges prevent *NaijaNLP* from fully leveraging state-of-the-art NLP developments?
 - What strategies can be implemented to overcome these challenges and drive progress?

Contributions. Our synthesis of the aforementioned research questions has led to the following key contributions:

- ① **Comprehensive Analysis of *NaijaNLP*:** We present the first comprehensive study of NLP research on Nigeria's major languages, systematically consolidating discussions on language particularities including morphological analysis, diacritic restoration and language formalisation, which have thus far remained fragmented. Additionally,

¹ see <https://nigeria.gov.ng/> and <https://en.wikipedia.org/wiki/Nigeria>

² https://en.wikipedia.org/wiki/Hausa_language; https://en.wikipedia.org/wiki/Yoruba_language; https://en.wikipedia.org/wiki/Igbo_language

³ https://en.wikipedia.org/wiki/Demographics_of_Nigeria

⁴ https://en.wikipedia.org/wiki/List_of_languages_by_total_number_of_speakers

⁵ Derived from *Naija*, a term based on the etymon Niger, which gave its name to the river and, subsequently Nigeria.

we provide a structured review of available linguistic resources, NLP tools, and initiatives driving the growth of NaijaNLP.

- ② **Identification of Challenges and Strategic Recommendations:** Through a critical examination of NaijaNLP, we identify its limitations, challenges, and opportunities. Based on this analysis, we propose targeted recommendations to facilitate the development and expansion of these languages in the broader context of low-resource NLP.
- ③ **Development of a Tracking Resource Hub:** Finally, we establish a dedicated platform to systematically track the progress of NaijaNLP, offering researchers a structured access to recent studies, linguistic resources, and community-driven initiatives to foster collaboration and sustained development.

The remainder of this paper is structured as follows: § 2 details the methodology adopted in this study while § 3 reviews related work in NaijaNLP. Our findings and recommendations are presented in § 4. Finally, § 5 provides concluding remarks.

2 Methodology

This review systematically explores the landscape of LR-NLP research, with a specific focus on NaijaNLP to (1) examine existing NLP resources (2) identify factors affecting linguistic resource availability as well as challenges, and (3) provide recommendations for future development of NaijaNLP.

2.1 Databases and Search Strategies

Figure 1 provides an overview of the review process, including the research questions, search terms, consulted databases, and the screening process. The search strategy was conducted across several academic databases⁶, including IEEE Xplore, ACM Digital Library, Scopus/Elsevier, Springer Nature and ACL Anthology. Additionally, grey literature⁷ including preprint servers such as arXiv, and relevant articles retrieved via Google Scholar, were incorporated into the review. To further expand the literature base, we employed a snowballing search strategy, iteratively identifying relevant studies through backward snowballing (tracing references cited in key papers), and forward snowballing (identifying subsequent papers that cite the key studies).

Search Terms. To ensure a comprehensive retrieval of relevant papers, we incorporated a permutation of search terms across three key categories:

- ① **Language-related:** These terms include Hausa, Yorùbá, and Igbo languages
- ② **NLP-related:** Covers terms like low-resource languages, natural language processing (NLP), machine learning (ML), deep neural network (DNN), artificial neural network (ANN), and artificial intelligence (AI).
- ③ **Task-specific:** Encompass downstream tasks such as text classification, text summarisation, sentiment analysis, speech recognition, machine translation, POS, and NER.

A more detailed list of the integrated search terms is provided in Table 4.

Inclusion and Exclusion Criteria. The selection criteria encompass theses and relevant non-seminal publications originating locally. We surmise that excluding these sources could result in the omission of valuable resources and insights beneficial to the research community. Studies are excluded if they: (1) do not pertain to NaijaNLP, i.e. the study

⁶comprising of <https://ieeexplore.ieee.org/>, <https://dl.acm.org/>, <https://www.scopus.com/>, <https://link.springer.com/>, <https://aclanthology.org/>

⁷<https://arxiv.org/> and <https://scholar.google.com>




Fig. 1. Overview of the review process, highlighting (1) guiding questions and search keywords (2) search databases and corresponding retrieved results, and (3) the screening process. Variations in the final article counts are due to overlapping entries retrieved from Google’s search engine and other academic databases.

falls outside the three major Nigerian languages (2) focus on languages with substantial resources, unless they explicitly address the targeted languages. To ensure relevance and rigour, we perform a title and abstract screening to identify studies that align with the guiding research questions. This is further reinforced through a final review of the selected papers.

Preliminary Analysis. Our initial analysis revealed significant overlap in retrieved results, likely due to the frequent co-occurrence of these languages in research queries or studies involving at least two of them. As a result, the total number of retrieved studies may not directly reflect the number of relevant studies specifically addressing each language. Furthermore, an examination of major academic databases highlighted a scarcity or complete absence of NaijaNLP research from high-impact venues such as Nature, NeurIPS, the main tracks of ICLR, ACL, and AACL (see Figure 2b). However, the increasing volume of NaijaNLP research output in Figure 2a, particularly from 2020 onward, signals a promising rise in contributions to linguistic resources and advancements in the field.

3 Literature Review

As a communication system, natural language comprises of structured sequences of sounds, symbols, or gestures that convey meaning in spoken, written, or signed forms. From a formalisation perspective, languages are composed of structured strings of lexical categories (pre-terminals), forming well-defined sentences that facilitate statistical analysis of their structure [106, 143]. Advancements in Artificial Intelligence (AI) and Machine Learning (ML) have provided powerful tools for processing languages through NLP techniques. However, the effectiveness of NLP models depends on the availability of extensive and relevant linguistic resources, leading to a fundamental divide between high-resource and low-resource languages. High-resource languages (HRLs), such as English, French, and Spanish, benefit from abundant digital resources and large-scale initiatives like the Linguistic Data Consortium, which facilitate access to multilingual text resources in standardised and compatible formats [98, 142]. These resources, sourced from governmental bodies, international organisations, news agencies, and publishers, play a crucial role in advancing various NLP applications. Efforts to enrich and digitise LRLs, such as transducing texts [248], resource enrichment [21], and digitising indigenous poetry [281] are essential for their integration into computational frameworks.




Fig. 2. Frequency of research output and publication venues for NaijaNLP.

3.0.1 *Past Reviews.* As previously noted, advancements in NLP have predominantly benefited high-resource languages, while LR-NLP continues to face unique challenges owing to limited linguistic resources. Several past studies [19, 104, 128, 131, 250, 257, 300, 301] have examined the state of LR-NLP, highlighting these challenges to LRL development. Similarly, numerous studies have investigated NLP research involving the three major languages in Nigeria. However, these studies tend to focus on either a single language such as Hausa [298], Yorùbá [295], Igbo [182, 202, 236] or they concentrate on specific NLP tasks like machine translation [83, 146], text summarisation [113], automatic speech recognition for tonal languages [166], and sentiment analysis [249]. Other reviews adopt a broader perspective by covering various African languages [3, 28, 72, 74, 93, 118, 127, 150, 152, 203]. While these studies offer valuable insights, they provide only a fragmented perspective on the current state of NLP research in the targeted languages. Our review builds upon previous studies by incorporating a wider scope, accounting for recent advancements, open-access resources, and community-driven initiatives. Thus, we provide a comprehensive analysis of the NaijaNLP landscape, examining ongoing research efforts, available datasets, tools, language communities, and initiatives aimed at facilitating LR-NLP development. The subsequent discussions involving the three languages are organised alphabetically by language, following the order: Hausa, Igbo, Yorùbá.

3.1 Formal Grammar and Knowledge Representation

We begin our review with formal grammar and knowledge representation due to their fundamental role in developing robust NLP tools and applications. Computational grammar facilitates language enrichment through systematic analyses of syntax, semantics and linguistic structures, enabling the creation of reusable linguistic resources for LRLs [105]. In this regard, several studies have explored grammatical formalisation [4, 65, 85, 91, 105, 106], morphological analysis [115, 133], and knowledge representation [47, 48, 121, 200] for Hausa, Igbo and Yorùbá languages. Notably, Abdoulaye [4] apply the Role and Reference Grammar framework⁸ to provide new insights into Hausa sentence structure and linguistic processes. Similarly, Berthold [85] examine lexical and grammatical tone and vowel length in Hausa, utilising

⁸see Van Valin and Foley [285]

bidirectional Head-Driven Phrase Structure Grammar (HPSG) based on the Lingo Grammar Matrix [82]. This effort also incorporates a Linguistic Knowledge Builder [65] representation inspired by linguistic and computational work on Autosegmental Phonology [85]. Additionally, Crysmann [105] implement a formal grammar for Hausa, leading to the development of the HaG platform for grammatical structure generation. Beyond these studies, Blasi et al. [91] analyse the transmission of grammatical features across 48 creole and 111 non-creole languages. Further discussions on morphological analysis and diacritic restoration - particularly for Yorùbá and Igbo - are presented in § 3.2.

Noting that a key challenge in knowledge representation is maintaining logical consistency, particularly in narrative structures, Alade et al. [59] analyse issues in standardised knowledge representation for Yorùbá narrative. Their study identify challenges such as imprecise event codification and concept representation. In the context of Hausa NLP, Abubakar et al. [14] develop Hausa WordNet, a lexical resource that extracts knowledge from Kamus (Hausa dictionary). For collocational analysis, Umar [283] examine collocational patterns in Hausa, investigating their semantic significance and degree of collocability. To further advance lexicographic resources, Enguehard and Mangeot [119] propose a system for converting bilingual African language-French dictionaries (including Bambara, Hausa, Kanuri, Tamajaq, and Songhai-Zarma) from Word format to XML, following the Lexical Markup Framework.

Despite their importance, studies on formal grammar and knowledge representation remain limited for NaijaNLP. Nevertheless, they provide a crucial foundation for digital language resource development by offering structured frameworks for language processing.

3.2 Language Particularities

Languages exhibit distinct structural, phonetic, and orthographic characteristics that influence how they are written, pronounced, and processed. These particularities manifest in diverse orthographic systems, including alphabets, abjads, syllabaries, and logograms, which shape word formation and written representation. Additionally, phonetic variations - such as differences in phonemes, stress patterns, and tonal systems - impact how languages are spoken and understood. Recognising and integrating these linguistic nuances is essential for developing effective NLP tools that accurately represent the unique feature of each language [17]. Several Nigerian languages are tonal and employ characters beyond the basic Latin alphabet, making them structurally distinct from English and other high-resource languages. A failure to adequately account for these particularities often hinders the adaptation and effectiveness of existing NLP tools developed primarily for English and other HRLs in the context of LRLs. Addressing this challenge, numerous studies have explored the linguistic diversity and specific needs of Nigeria’s major languages [5, 40, 62, 243]. Furthermore, Adebara and Abdul-Mageed [17] examined key linguistic and sociopolitical challenges affecting NLP development for African languages. This section reviews existing studies on the linguistic particularities of Nigerian languages, with a focus on morphological analysis and diacritic restoration. Both morphological analysis and diacritic restoration play crucial roles in improving the accuracy and performance of NLP applications. Among Nigeria’s three major languages, Igbo and Yorùbá make extensive use of diacritical marks, further emphasising the need for language-specific NLP approaches.

3.2.1 Morphological Analysis. Morphological analysis explores word structure and formation. The languages within NaijaNLP exhibit rich morphological complexity, which has been documented in various studies. To that end, Iheanetu and Oha [159] analyse the morphological structure of Igbo language, identifying key challenges that hinder practical NLP applications. Building on this, Iheanetu and Oha [160] develop a data-driven model capable of inducing non-concatenative morphological structures, cascaded affixation, and affix labelling using a frequent pattern-based induction

approach. To uncover deeper linguistic patterns, Ochu [204] apply concordance line strategies to extract multiword expressions in Igbo. Further examining text representation strategies, Chidiebere et al. [96] investigate collocation patterns, word order, compounding, and lexical ambiguity in Igbo, offering insights into language processing challenges. Additionally, Henry et al. [151] evaluate a text-based intelligent system designed to determine the optimal operational level for Igbo NLP applications. Similar studies have been conducted for Yorùbá, further highlighting the linguistic complexities and computational challenges associated with morphological analysis in NaijaNLP. Oyinloye and Odejebi [243] develop VerbMorpher, a computational system designed for morphological analysis of standard Yorùbá verbs. This system incorporates linguistic resources that can be utilised for spell-checking, syntax analysis, and dictionary functionalities. To enhance morphological analysis efficiency, Adegbola [22] employ an unsupervised induction approach to infer morphological rules for standard Yorùbá. Unlike conventional methods that rely on word-segment frequency, their approach is pattern-based, leveraging word-pattern frequency. Although the study alluded to lexicons collected for the development of a Yorùbá speech synthesizer project, access to the data remains unavailable. Similarly, to improve data curation and quality, Adewole et al. [35] develop a token validation system for automated corpus collection from online sources. To further standardise Yorùbá linguistic resources, Oluwatoyin and Opeyemi [223] introduce YoTeX (Yoruba Text Lexicon), a repository that learns from English language corpora to enhance Yorùbá text processing. In related work, Okediya et al. [214] leverage various online resources - including books, blogs, social websites, and Yorùbá dictionaries - to construct a general - purpose lexical ontology for Yorùbá NLP applications.

Addressing the morphological and structural complexities of Yorùbá in translation, Adebara et al. [18] develop a strategy for handling language-specific morphological marking, particularly in cases where features present in English (e.g. morphological markers) are contextually inferred in Yorùbá. Motivated by the lack of machine-readable sense inventory for ambiguous Yorùbá words, Adegoke-Elijah et al. [25] design a disambiguation component for a Yorùbá-English machine translation system. Additionally, Akinwonmi [55] introduce the declarative rule-based syllabification algorithm to address syllabification errors in Yorùbá, particularly for consonant-vowel-nasal and diphthong-vowel-nasal structures. Their approach involves curating a corpus for syllabic misclassification detection, which is subsequently evaluated using ML models. A more recent study by Frohmann et al. [135] explores alternative sentence segmentation strategies, moving beyond traditional rule-based and statistical methods that rely solely on lexical features. Their approach presents novel insights into text segmentation techniques applicable to Yorùbá NLP.

3.2.2 Diacritic Restoration. Diacritic restoration involves adding or correcting diacritical marks⁹ in textual data. This process is essential for handling historical texts, user-generated content, and datasets where diacritics may have been omitted due to technical constraints. Given that many African languages utilise Latin-based scripts with diacritical marks, Scannell [262] propose a strategy and open-source package for automatic unicodification¹⁰ across multiple languages. Addressing orthographic and tonal diacritics, Ezeani et al. [122] apply n-gram models trained on the Igbo Bible corpus for word-level diacritic restoration. Recognising the role of diacritics in pronunciation, meaning differentiation, and lexical disambiguation, Ezeani et al. [123] develop a disambiguation strategy through diacritic restoration for the Igbo language. Further advancements in this domain include the use of embedding models for text similarity computation and diacritic restoration [124, 126]. For Yorùbá diacritic restoration, De Pauw et al. [108] explore various ML models to improve diacritic restoration accuracy. Túnjí and Bí [279] propose an enhanced approach that integrates tonal information into text-to-speech systems for the standard Yorùbá language. Recognising that omitting tonal information leads to

⁹Such as accents, umlauts (two dots), and tildes.

¹⁰The process of converting ASCII text into its proper Unicode form [262].

performance degradation, Adegbola and Odilinye [23] evaluate ML models for handling tone-mark representation in Yorùbá text processing. Inconsistencies in diacritic usage within electronic Yorùbá documents have been examined in Asubiaro [71], highlighting their impact on NLP applications. Additionally, Asahiah et al. [69], Orife [234], and Alabi et al. [57] investigate optimal strategies for integrating diacritics and analyse their effects on model performance for Yorùbá NLP tasks. The broader challenge of machine translation for African languages particularly Yorùbá is explored in Odoje [207]. To improve word embeddings for diacritic-sensitive languages, Orife et al. [235] and Adewumi et al. [40] examine the impact of working with undiacritised (normalised) datasets. Adewumi et al. [40] further introduce new analogy sets to aid evaluation and a rule-based framework for Elision resolution¹¹ in Yorùbá is proposed by Adewole et al. [36], while Asahiah et al. [70] develop a spell-checking and correction system that explicitly accounts for diacritic presence. Additionally, Ogheneruemu [209] leverage deep learning for diacritic restoration in tonal languages such as Yorùbá. In addressing diacritic usage and pronunciation challenges, Abdulkareem and Effiong [5] introduce the YorCALL system, which aims to enhance user proficiency in applying diacritics correctly in Yorùbá.

3.2.3 Numerical System. The challenges stemming from the lack of or limited standardised linguistic resources extend beyond textual to numerical data. A key area of interest is assessing whether NaijaNLP possesses the necessary linguistic resources, such as well-defined numerical lexicons, for developing numerical systems through published research. The earliest attempt at analysing Hausa numerals for machine processing dates back to the Automatic Text Comprehension project [266]. This project surveyed numerical systems and examined challenges related to converting spoken numerals into decimal representations, ultimately leading to the development of an automated rule-based systems. The system enabled bidirectional conversion between mathematical representations and their linguistic counterparts, i.e., numerals [266]. In a related effort, Agbeyangi et al. [44] introduce a numeral translation system for English-Yorùbá, while Mustapha et al. [193] formulate an algorithm for converting numerical figures into words in Hausa. Similarly, Rhoda [255] develop a number-text conversion system for Igbo, contributing to the broader goal of numerical processing in LRLs. Beyond numerical conversion, advancements in handwritten numerical recognition have been explored. For instance, Ajao et al. [50] develop a Yorùbá handwritten character recognition using convolutional recurrent neural networks, demonstrating the application of deep learning techniques in linguistic digitisation efforts. Despite these developments, research on numerical systems in NaijaNLP remains limited, highlighting the need for further studies and resource development to ensure accurate numerical representation and processing across languages.

3.3 LR-NLP Tools and Resources

The development of relevant tools, resources, and techniques is essential to enable various NLP downstream tasks and to facilitate wider language coverage for robust LR-NLP applications [85]. The lack of sufficient linguistic resources and pre-processing tools presents a significant challenge for LRLs, particularly when diacritic and morphological features must be considered. To address these challenges, several initiatives, resources, and tools have been developed to support LRLs. A case in point is the low-resource Human Language Technology (LoReHLT) project, which evaluates the DARPA¹² Low-Resource Languages for Emergent Incidents (LORELEI) research program [100]. The LORELEI initiative includes both Hausa and Yorùbá, providing researchers with resource packages for LRLs. These packages comprise monolingual and parallel texts, a bilingual dictionary, text annotated with part-of-speech (POS) tags, named-entity-recognition (NER), and noun-phase-chunking annotations. Furthermore, language processing tools such as

¹¹The omission of tone or syllable from a text.

¹²Defense Advanced Research Projects Agency (DARPA) - <https://www.darpa.mil/>

segmenters and morphological analysers, aimed at improving NLP capabilities for these languages have been included [100]. Another significant contribution is AfrolID, a neural language identification (LID) toolkit designed to support LR-NLP and web data mining for approximately 517 African languages [19].

In analysing the available tools and resources for NaijaNLP, we focus on relevant key research areas aligned with the LORELEI research initiative [100]. Additional research areas outside these categories will also be considered necessary to ensure a comprehensive evaluation of available LR-NLP tools and resources.

3.3.1 Linguistic Resources. Linguistic resources constitute a fundamental component in the development of robust NLP applications. Several initiatives have been introduced to support NaijaNLP. Adegbola [21] highlight key initiatives, notably the African Languages Technology Initiative (Alt-i), aimed at enhancing NLP support for major Nigerian languages. Similarly, Chiarcos et al. [95] provide tools and annotation resource to facilitate NLP downstream tasks across 25 sub-Saharan languages, including Hausa, Yorùbá and Igbo. As part of this effort, they develop ANNIS - ANnotation of Information Structure - a corpus tool that offers unified access to various linguistic annotations and data archives. To further advance lexicographic resources, Bigi et al. [89], introduce language resources and Human Language Technologies (HLT) tools for Nigerian Pidgin, consisting of a tokeniser and automatic speech system for predicting word pronunciation and segmentation. For Igbo NLP, Onyenwe et al. [230] propose POS-tagging resources including a POS tagset and a tagged subcorpus. Addressing the broader LR-NLP landscape, Costa-jussà et al. [104] explore strategies to narrow the performance gap between high-resource and low-resource languages. Their approach involves exploratory interviews with native speakers, data creation, and model development. Meanwhile, Turki et al. [280] investigate the role of text categorisation in optimising stopwords extraction, with a specific focus on African languages.

Datasets - Data serve as a fundamental building block for NLP technologies. Recognising this, researchers have developed various datasets of differing sizes and levels of diversity to support LR-NLP tasks. The following section provides a review of available datasets for NaijaNLP.

Hausa Datasets. Several efforts have been made to develop datasets for NLP applications in the Hausa language. Imam et al. [161] compile a dataset of approximately 2600 articles to support fake news detection in Hausa language and Vargas et al. [287] introduce the first expert-annotated dataset for Hausa hate speech detection, consisting of 2,000 comments extracted from Facebook. Zandam et al. [299] curate a Hausa dataset containing threatening lexicons, sourced from Twitter. Inuwa-Dutse [162] provide an expansive dataset containing both formal and informal Hausa text. For sentiment analysis, Mohammed and Prasad [188] develop a Hausa dataset comprising 14,663 instances (4,154 positive, 4,310 negative, and 6,199 neutral sentiments). The dataset was created using words and phrases from Hausa dictionary¹³ and further expanded through data augmentation techniques. Similarly, Shehu et al. [263] develop a Hausa sentiment analysis lexicon alongside a customised stemming method to enhance model performance. Awwalu et al. [76] construct the Hausa Tagset (HTS) for POS tagging, while Salifou and Naroua [260] design a spell-checking and correction tool for Hausa, which is accessible via LyTexEditor and includes an extension (add-on) for [OpenOffice.org](https://www.openoffice.org). Adam et al. [16] compile a dataset of offensive content in Hausa language, and Ibrahim and Abdulmumin [153] develop a parallel datasets closely aligned with the target languages to enhance machine translation involving Hausa.

¹³see *Kamus na Hausa zuwa Turanci* [256]

Igbo Dataset. Several studies have contributed to the development of datasets supporting NLP tasks in the Igbo language as well. Onuora et al. [226] and Ana et al. [63] curate datasets for Igbo hate speech detection. For cyberbullying detection, Okoloegbo et al. [215, 216] develop datasets covering both Igbo and Nigerian Pidgin English. Onyemaechi and Ojiako [227] present a database consisting of 158 Chi-prefixed Igbo personal names, categorised into praise, thanksgiving, testimony, prayer, and declarative groups. Chioma and Nnadozie [97] compile an Igbo thesaurus, covering a comprehensive set of words and their meanings. Nganga and Achebe [195] describe a methodology for creating a digital dialectal dictionary for Igbo, sourced from spoken-word corpora and oral traditions. Ajao et al. [51] develop an RNN-based handwritten character recognition system for Igbo using data from native speakers.

Yorùbá Datasets. Similarly, multiple datasets have been developed to support various NLP applications in Yorùbá language. Fagbolu et al. [129] introduce one of the earliest Yorùbá corpora to support machine translation and other NLP downstream tasks. Ademusire and Ninan [33] curate annotated Yorùbá data for event extraction and Akpobi [56] develop Yankari, a large-scale monolingual Yorùbá dataset. Orife [234] offer datasets and source code for various Yorùbá NLP applications. Ahia et al. [45] provide text and speech data to address dialectal discrepancies in Yorùbá. Afolabi and Wahab [43] develop an audio database for Yorùbá consonant-vowel syllables, the alphabet, and a text-to-speech system. In a related work, Iyanda [163] compile a Yorùbá corpus for speech generation, sourced from textbooks, newspapers, and online materials. Gutkin et al. [145] produce a speech synthesis dataset, comprising over four hours of 48 kHz recordings in Yorùbá, while Emmanuel [117] develop annotated prosodic read-speech syllabic data, extracted from fictional books and online scriptures.

Multilingual Datasets. To address the challenges of LRLs and mitigate reliance on costly annotation, several initiatives have contributed to multilingual datasets. Hedderich [149] propose a weak-supervision and noise-handling strategy to facilitate LRLs data expansion. To support the provision of high-quality human-annotated cross-lingual information retrieval resources for African languages, Adeyemi et al. [41] present CIRAL¹⁴, a publicly available test collection for cross-lingual retrieval, covering English queries with passages in Hausa, Somali, Swahili, and Yorùbá. Muhammad et al. [190] introduce the first large-scale human-annotated Twitter sentiment dataset, covering Hausa, Igbo, Nigerian Pidgin, and Yorùbá, with approximately 30,000 annotated tweets per language, including code-mixed examples. In a related effort, [29] introduce a large-scale, publicly available dataset for NER across ten African languages. Furthermore, [189] develop AfriHate, a multilingual corpus of annotated hate speech and abusive language data spanning 15 African languages. Aliyu et al. [61] compile datasets in Hausa, Yorùbá, and Igbo for hate speech detection and Varab and Schluter [286] develop multilingual text summarisation data consisting of 28.8 million articles from 92 languages. Adelani et al. [31] develop MasakhaNEWS, the largest dataset for news classification in 16 African languages. Varab and Schluter [286] introduce a multilingual text summarisation dataset containing 28.8 million articles across 92 languages. Ferroggiaro [132] develop hate speech lexicons for several Nigerian languages, and Ogunleye et al. [211] utilise 346,000 Nigerian banking-related tweets to develop SentiLeye, a lexicon-based sentiment analysis dataset for Nigerian Pidgin. Adelani [28] introduce large-scale human-annotated datasets for NER and machine translation across 21 African languages. Idris et al. [158] develop a multilingual electronic dictionary covering English, Hausa, Yorùbá, and Igbo, designed for handheld devices.

To support multilingual machine translation, Fan et al. [131] provide an open-source training dataset covering thousands of language pairs with parallel data. Ekpenyong et al. [114] introduce a parallel Hausa-English corpus and

¹⁴Available at <https://github.com/ciralproject/ciral>

explore initiatives for multilingual machine translation. Adewumi et al. [39] compile high-quality dialogue datasets for six African languages (Swahili, Wolof, Hausa, Nigerian Pidgin, Kinyarwanda, and Yorùbá), accessible via Hugging Face. Ajagbe [49] develop a multilingual Nigerian speech dataset (English, Yorùbá, and Pidgin) for antenatal orientation, sourced from six antenatal clinics. Amuda et al. [62] contribute the UISpeech corpus, an audio-visual dataset of Nigerian-accented English, recorded from native speakers of Hausa, Igbo, Yorùbá, Tiv, and Fulfulde. Parida et al. [244] develop HAVQA, a Hausa multimodal dataset that integrates descriptive images to enhance Hausa-English translation. Abdulmumin et al. [8] develop HaVG, a Hausa multimodal translation dataset, integrating descriptive images to enhance Hausa-English translation. Kolak and Resnik [167] propose a lexicon-free OCR post-processing method for low-density languages. Omotayo et al. [225] examine how the limited availability of computing resources and datasets constrains computer vision research in Hausa, Yorùbá, and Igbo. In a related effort, Ibrahim and Umar [157] apply CNNs to classify traditional male attire from these ethnic groups. Adewumi [38] explore cross-lingual transfer learning and provide Hugging Face model checkpoints for African LRLs. Goyal et al. [141] introduce FLORES, a benchmark dataset for evaluating multilingual NLP performance in low-resource languages. To ensure the integrity and utility of the FLORES data, Abdulmumin et al. [10] engage native speakers to identify and correct inaccurate and inconsistent cases in Hausa, Northern Sotho (Sepedi), Xitsonga, and isiZulu languages. Aremu et al. [67] develop NaijaRC, a multichoice reading comprehension dataset for Hausa, Igbo, and Yorùbá. Godslove and Nayak [139] present a trilingual model for multi-dialect conversational AI in African languages.

These datasets serve as essential resources for advancing NLP applications, including fake news and hate speech detection, machine translation, sentiment analysis, and linguistic annotation. The increasing number of multilingual resources highlights a growing trend of collaborative research and initiatives aimed at enriching NaijaNLP.

Linguistic Tools. Building on existing corpora, various linguistic tools have been developed to enrich and ensure the accurate representation of LRL. Some of these tools address the specific linguistic characteristics of individual languages, while others focus on enhancing linguistic resources more broadly. Notable examples include automatic spell checkers and correctors for Yorùbá [222] and Hausa [186, 260], an automatic Hausa stopword constructor [86], and an Igbo text analyser [78]. The following section provides a detailed examination of linguistic tools including part-of-speech (POS) tagging and named entity recognition (NER) tools within NaijaNLP.

3.3.2 Part-of-Speech Tagging and Named Entity Recognition. Each word in a text belongs to a grammatical category, such as noun, verb, adjective, or adverb, depending on its context and definition. Part-of-Speech (POS) tagging assigns words to their corresponding grammatical categories, facilitating the structural analysis of sentences. Similarly, some words in a text refer to specific entities such as people, organisations, locations, dates, and quantities. Thus, Named Entity Recognition (NER) identifies and classifies such entities accordingly. To that end, several studies have explored POS tagging and NER for NaijaNLP. Ren et al. [254] present data-driven methods for recognising entities in large-scale, domain-specific text corpora across both high- and low-resource languages. Adelani et al. [30] examine NER in Hausa and Yorùbá, while Ayodeji et al. [77] explore accent classification for Nigerian-Accented English, covering Hausa, Yorùbá, and Igbo. Oyewusi et al. [242] develop NER models for Nigerian Pidgin English, Igbo, Yorùbá, and Hausa. Tukur et al. [275] introduce a POS tagger for Kanuri¹⁵ and corresponding corpus. Adewumi [38] explore cross-lingual transfer learning to optimise Hausa and Yorùbá POS and NER tasks. Mehari et al. [185] employ semi-supervised data augmentation combined with pretrained language models to enhance NER for LRLs.

¹⁵A Nilo-Saharan language spoken in the Lake Chad Basin of West and Central Africa

Hausa POS & NER. Given the limitations of classic stemmers based on Porter’s algorithm [245], researchers have developed Hausa-specific stemming techniques [81, 90, 192]. Essentially, Bashir et al. [81] introduce an automatic Hausa word stemming system to optimise text processing. Bimba et al. [90] develop a stemming strategy using affix-stripping rules¹⁶ and reference lookup¹⁷. Recognising the importance of entity extraction in disaster response and large-scale incidents¹⁸, Lu et al. [172] present a method for learning entity priors from extensive Hausa text corpora. Zhang et al. [300] propose a low-resource POS tagging strategy aimed at minimising noise in supervised learning methods by integrating diverse linguistic sources¹⁹. To address challenges posed by the use of non-standard words (NSWs) in Hausa social media communication, Maitama et al. [180] propose a text normalisation system based on handcrafted rules for converting NSWs into standard Hausa text. Tukur et al. [276, 277, 278] explore POS tagging techniques to facilitate sentiment analysis of Hausa web content. Awwalu et al. [76] develop the Hausa Tagset (HTS) for POS tagging, while Musa et al. [192] introduce a stemming algorithm to enhance Hausa information retrieval.

Igbo POS & NER. Several linguistic tools and resources have been developed for Igbo. Onyenwe et al. [228], Onyenwe and Hepple [229] contribute to Igbo linguistic resource development. Onyenwe et al. [231, 233] and Olamma et al. [220] develop POS taggers for Igbo. Onyenwe et al. [232] propose cross-lingual and monolingual POS tag projection approaches for Igbo POS tagging. For NER in Igbo, researchers have focused on cross-lingual learning. Chukwunke et al. [101] introduce an Igbo NER system based on a cross-language projection method, leveraging parallel English-Igbo corpora and Soronadi et al. [267] develop IgboBERTa, a transformer-based model optimised for Igbo NLP tasks, including NER, text classification, and sentiment analysis.

Yorùbá POS & NER. Similarly, significant efforts have been made to advance Yorùbá POS tagging and NER. Kumolalo et al. [169] propose a rule-based approach to enhance Yorùbá syllabification, mapping words to their corresponding syllables. Adedjouma et al. [20] curate a Yorùbá corpus focused on POS tagging, and Abiola et al. [12] develop an English-to-Yorùbá translation system. Adegunlehin et al. [27] improve Yorùbá NER by incorporating contextual information such as surrounding words and POS tags. Omolaoye [224] introduce a computational approach for the representation of Yorùbá proverbs, contributing to indigenous knowledge preservation. Ugwu et al. [282] train a POS tagger using Yorùbá religious texts and dictionary entries. Toyin et al. [272] introduce a Hidden Markov Model (HMM)-based POS tagger, contributing a manually annotated dataset of 1,000 Yorùbá sentences drawn from various domains.

The development of POS tagging and NER tools for Hausa, Igbo, and Yorùbá has contributed significantly to NaijaNLP. These tools are critical in addressing language-specific challenges, enhancing computational linguistic resources, and facilitating various downstream tasks. While existing resources have proven useful, further research and dataset expansion are needed to bridge gaps and improve linguistic tool development for NaijaNLP.

3.4 Downstream Tasks

In NLP, downstream tasks such as text classification, sentiment analysis, text summarisation, machine translation, and speech recognition rely fundamentally on robust linguistic resources, including annotated datasets, computational models, and standardised frameworks. In this section, we review the existing downstream tasks and applicable resources developed for Hausa, Igbo, and Yorùbá languages.

¹⁶78 affix-stripping rules applied in 4 steps

¹⁷A database of 1,500 Hausa root words

¹⁸e.g., disease outbreaks and natural calamities

¹⁹e.g., the World Atlas of Linguistic Structure, CIA names, PanLex, and survival guides

3.4.1 Text Classification and Summarisation. Text classification (TC) involves assigning textual data to predefined classes based on similarity or dissimilarity, using a range of methodologies from rule-based approaches to machine learning, deep learning, and transformer-based models. Complementary to text classification, text summarisation (TS) aims to generate concise and coherent summaries that retain the essential information of longer texts. To that end, Asubiaro et al. [73] propose a strategy for language identification at the word-level to enhance model performance for LRLs, thereby improving the prediction of a word’s language. In a related effort, Varab and Schluter [286] develop a multilingual text summarisation framework by enriching existing resources to facilitate machine translation (MT) on a large scale. Furthermore, Olalekan et al. [219] introduce multilingual text classification models for English, Yorùbá, and Hausa, while Bashir et al. [80] present a model trained on a corpus of Hausa documents for automatic summarisation. Additional contributions include the work of Bichi et al. [87, 88], who develop an automatic summarisation strategy for Hausa text. For Igbo, Nkechi et al. [199] and Nkechi et al. [198] propose classification systems based on n-gram models and k-nearest neighbours techniques to improve text representation and classification. In parallel, Mbonu et al. [184] offer a detailed discussion about the development of the IgboSum1500 dataset, a dedicated resource for Igbo text summarisation. Meanwhile, Adegoke-Elijah et al. [26] explore models designed to compute semantic similarity between Yorùbá sentences. For text summarisation, in particular, the development of more purposive datasets and models capable of better contextual understanding, semantics, and inter-textual relationships will further enrich NaijaNLP.

3.4.2 Sentiment Analysis. Sentiment analysis (SA), a specialised form of text classification, involves the identification and extraction of subjective information from the text to determine its sentiment - typically categorised as positive, negative, or neutral. In addressing the unique linguistic characteristics of LRLs, several studies have contributed to advancing SA in NaijaNLP. For example, Shehu et al. [263] employ deep learning techniques and hierarchical attention networks to enhance sentiment analysis in Hausa. Similarly, Akande et al. [52] and Ibrahim et al. [154] develop models to detect aspect-level sentiment in tweets and Hausa movie reviews, respectively. Furthermore, multilingual sentiment analysis systems have been proposed by Raychawdhary et al. [250, 252] and Abdullahi et al. [7], which recognise the linguistic diversity inherent in LRLs such as Hausa, Yorùbá, and Igbo. In addition, Abdou et al. [1] present a framework for assessing online geopolitical news based on sentiment and public attention across multiple African countries including Kenya, Nigeria, Senegal, and South Africa. Complementary approaches include Abubakar et al. [13], who develop a multilingual sentiment analysis system for English and Hausa tweets using an enhanced feature acquisition method, and Rakhmanov and Schlippe [246], who propose a system for analysing Hausa student comments via both monolingual and cross-lingual approaches—further supported by a stemming algorithm and a training dataset comprising over 40,000 comments.

There are additional studies that focus on domain-specific challenges. For instance, Sani et al. [261] develop a system for sentiment analysis on Hausa data extracted from BBC Hausa’s Twitter handle²⁰. Mohammed and Prasad [187] build a lexicon-based sentiment analysis system tailored for LRLs, and Abdullahi et al. [6] refine sentiment analysis for abbreviated terms in Hausa using an improved dataset with resolved abbreviations and acronyms. In the Igbo context, Ogbuju and Onyesolu [208] introduce general-purpose sentiment lexicons (IgboSentilex), and Okoloegbo et al. [215] present an interactive system for detecting, monitoring, and regulating cyberbullying content in Igbo and Pidgin English. For Yorùbá, Adeniji et al. [34] propose a system for disambiguating sentiment lexicons in Yorùbá texts, supported by curated sentiment lexicons derived from diverse sources, while Abegunde et al. [11] and Shode et al. [265] explore enhancement strategies and develop datasets (e.g., YOSM) based on movie reviews to support sentiment analysis.

²⁰<https://www.bbc.com/hausa> and <https://x.com/bbchausa>

Collectively, these studies rely on traditional approaches—including lexicon-based techniques, classical machine learning, hybrid methods, and some more recent deep learning and transformer-based models to address sentiment analysis. While relevant datasets have been contributed, there is a compelling need for more high-quality annotated data to train models that are better equipped to capture complex linguistic patterns, including sarcasm, irony, and context-dependent sentiments in NaijaNLP.

3.4.3 Machine Translation. Machine Translation (MT) focuses on the automatic translation of text or speech from one language to another, and it has evolved from rule-based systems and statistical methods to neural networks and transformer-based models. Effective MT systems are heavily dependent on large volumes of parallel data to generate accurate translations. Mahata et al. [178] explore the correlation between performance improvements and the positioning of languages within transfer learning frameworks, highlighting the significance of parallel data in MT. In addressing the needs of LRLs, Akinfaderin [53] develop a translation system for English–Hausa that leverages parallel corpora. Additionally, Tresner-Kirsch et al. [274] propose a system for intent recognition in user messages directed to a chatbot (askNivi), which is designed to facilitate discussions on sexual and reproductive health topics in Hausa, Hindi, and Swahili. Responding to the need for on-demand MT, Watt et al. [290] present an approach for deploying MT on the edge, thereby enabling an embedded system for English–Hausa translation. In another useful approach, Brugnone et al. [92] leverage the wisdom of the crowd and unsupervised learning strategies to identify subpopulations based on value-laden statements extracted from Hausa narratives related to maternal and child healthcare, which are subsequently translated into English for further analysis.

A multimodal strategy is presented by Hatami et al. [148], who integrate visual (contextual) and textual information to enhance translation accuracy across language pairs including English, Hindi, Malayalam, Bengali, and Hausa, achieving superior performance compared to text-only baselines. Robertson and Díaz [257] propose strategies to improve translation accuracy for chat agents in LRLs, including Igbo, while Maryann et al. [181] and Usip et al. [284] develop MT systems for English–Igbo using both rule-based and corpus-based approaches. Additionally, Oluoba et al. [212] contribute an MT system for English–Igbo translation. For Yorùbá, Adegbola et al. [24] discuss a strategy for localising the MS Vista operating system by translating relevant English lexicons into Yorùbá terminologies. Further contributions to English–Yorùbá translation can be found in the work of Folajimi and Omonayin [134] and Odoje [206]. Safiriyu et al. [258] develop a rule-based system to address tone changes in Yorùbá verbs and Fagbolu et al. [130] design an accessible MT system for English–Yorùbá translation via mobile and web platforms. Eludiora and Odejobi [116] develop an English–Yorùbá translator and Sunday et al. [269] investigate a multi-layer hybrid approach that combines data-driven and rule-based methods. Finally, Timothy et al. [271] focus on mitigating challenges such as vanishing gradients, translation accuracy, and computational efficiency in English–Yorùbá MT systems.

Although MT is one of the most widely utilised NLP applications, its performance on LRL pairs remains suboptimal compared to that of HRL [257], primarily due to the paucity of adequate parallel data. Future research should emphasise the development of more and richer parallel data to train models that can effectively capture complex linguistic patterns, manage long-range dependencies, accommodate domain-specific terminology, and preserve cultural nuances for NaijaNLP.

3.5 Automatic Speech Recognition

Automatic speech recognition (ASR), interchangeably referred to as speech recognition, involves converting spoken language into text using pattern matching, machine learning, deep learning, and transformer-based models. However,

LRLs often suffer from an acute shortage of high-quality, annotated speech data that is critical for the development of effective ASR systems. To mitigate these challenges, several studies have proposed innovative techniques and system frameworks. Zhou et al. [301] propose a technique that leverages meta-learning by pre-training on speech data from ten languages, followed by fine-tuning on data from the target language. Gibbon et al. [137] describe an approach to develop speech technology infrastructure specifically for the Igbo language. Addressing bias in ASR, Ngueajio and Washington [196] examine and mitigate systematic biases in speech recognition systems, particularly biases related to gender, race, and disabilities. For Hausa, Luka et al. [173] develop an ASR system based on neural network pattern recognition, while Aliero et al. [60] present a text-to-speech system employing deep neural networks. Ibrahim et al. [156] propose an integrated framework for Hausa ASR that encompasses data creation, as well as the development of both acoustic and language models. Noting that the removal of diacritics can increase homography and degrade recognition accuracy, Abubakar et al. [15] develop an ASR system for Hausa that emphasises diacritised word forms. Ibrahim et al. [155] create a Hausa text-to-speech system using BERT in conjunction with digital signal processing techniques. As part of the OkwuGbé initiative—which aims to develop ASR systems for various African LRLs—Dossou and Emezue [110] present a similar system for Fon and Igbo. Odélobí [205] report on ASR for standard Yorùbá, while Aoga et al. [66] discuss the integration of Yorùbá into MaryTTS, a tool used for text-to-speech research, development, and teaching. Further contributions for Yorùbá include the development of speech-to-text recognition systems by Akintola and Ibiyemi [54] and Babatunde et al. [79], as well as a system based on concatenative methods by Afolabi et al. [42]. Additionally, Oyesanmi and Olukanmi [241] describe the implementation of a Google navigation voice system in Yorùbá.

Despite these advances, the overall progress and volume of studies in ASR for NaijaNLP remain limited. There is a pressing need for additional resources to develop models capable of managing complex acoustic and linguistic patterns, including diverse accents, diacritic preservation, and variable speech patterns. Thus, the development of more comprehensive annotated and parallel speech datasets is essential.

3.5.1 Dialogue Agent. Dialogue agents are designed to support information retrieval and respond to frequently asked questions. In this context, several initiatives have been undertaken to develop multilingual and dialect-sensitive chatbots. Mabrouk et al. [175] develop a multilingual chat agent that supports African dialects using a general-purpose neural embedding model capable of addressing a broad range of tasks [292]. Translators without Borders²¹ offer a chatbot, *Shehu*, to enhance COVID-19 understanding in Northeast Nigeria. This chatbot supports user queries in English, Hausa, or Kanuri, and provides immediate, conversational responses. Haruna et al. [147] create a Hausa-language chatbot intended to engage users in storytelling and facilitate language learning among native speakers. Olarewaju [221] explore the potential of AI-powered chatbots in supporting the learning of endangered Nigerian languages. While promising developments in dialogue agent technology have been observed, the overall progress remains modest. Continued research and linguistic resource expansion are necessary to further refine pretrained models that can adeptly handle the acoustic and linguistic complexities inherent in NaijaNLP, ultimately enabling more effective and culturally relevant dialogue systems.

4 Discussion and Findings

Our findings are organised around several key dimensions derived from our research questions (outlined in § 1), encompassing the current state of NaijaNLP, as well as the challenges and prospects for future development.

²¹<https://translatorswithoutborders.org/chatbot-release-northeast-nigeria/>

4.1 State of Affairs in NaijaNLP

This section explores the existing linguistic and NLP resources for NaijaNLP, alongside ongoing efforts to expand and enhance them. Table 1 provides an aggregated overview of the available resources and related studies across NaijaNLP languages. Additionally, Table 2 outlines specific datasets and their corresponding downstream tasks. A key takeaway from our review is the growing body of literature addressing various NLP downstream tasks for Hausa, Igbo, and Yorùbá languages. However, a significant gap remains in effectively handling language-specific particularities in both monolingual and multilingual context. Notably, about 25.1% of the reviewed studies have contributed novel resources (see Table 1), with around 70 new resources emerging from a final set of approximately 279 papers (refer to Figure 1). This suggests a disproportionate reliance on existing linguistic resources. Such over-dependence on repurposing existing data, rather than creating new, high-quality, and well-annotated datasets, underscores the need for increased efforts in linguistic resource development, comprehensive annotation, and fostering open, collaborative initiatives to advance the field.

4.1.1 State of Linguistic Resources and NLP Tools. We discuss the state of linguistic resources for NaijaNLP in relation to grammar, knowledge representation, language particularities, datasets, and downstream tasks.

Grammar and Knowledge Representation. Studies on grammar and knowledge representation are reviewed in § 3.1. Notably, formal grammar and its analysis is particularly prominent in research involving Hausa, focusing on grammatical formalisation [4, 65, 85, 91, 105, 106]. Despite their significance, research in formal grammar and knowledge representation remains limited within NaijaNLP. Nevertheless, such studies provide a critical foundation for the development of digital language resources by offering structured frameworks for language processing. Expanding research in these areas is crucial to enhancing the representation of LRLs and improving the performance of generative AI models for these languages. Although existing studies, particularly those in digital forms, remained constrained, further research and digitalisation of linguistic resources will strengthen NaijaNLP and narrow the divide between theoretical linguistics and practical applications.

Language Particularities. As previously noted, Nigerian languages often exhibit distinct orthographic, phonetic, and syntactic characteristics that set them apart from English and other high-resource languages. Inadequate consideration of these unique characteristics impeded the adaptation and performance of NLP tools developed primarily for HRLs when applied to low-resource contexts. Numerous studies have addressed the linguistic diversity and specific needs of Nigeria’s major languages [5, 40, 62, 243]. Languages within NaijaNLP, especially Igbo and Yorùbá, exhibit rich morphological structures and extensive diacritic use. Various studies have examined these challenges pertaining to Igbo [96, 151, 159, 160, 204] and Yorùbá [5, 22, 35, 214, 223, 243], with additional work by Adebara et al. [18], Adegoke-Elijah et al. [25], Akinwonmi [55], Alade et al. [59], Frohmann et al. [135], Oyekanmi et al. [240] further exploring these issues. Additionally, diacritic restoration plays a crucial role in processing historical texts, user-generated content, and datasets where diacritics may have been omitted due to technical constraints. Several studies have addressed orthographic and tonal diacritics in NaijaNLP, specifically for Igbo [122–124, 126] and Yorùbá [23, 40, 57, 69, 71, 108, 234, 279] languages. Although significant theoretical and analytical work has been undertaken, advancing research in this domain requires more comprehensive datasets and greater community involvement to ensure cultural relevance and accurate diacritic processing in NaijaNLP. For additional details on morphological analysis and diacritic restoration, refer to § 3.2.1 and § 3.2.2, respectively.

Furthermore, there has been limited research focused on enriching linguistic resources related to numerical systems in NaijaNLP. The earliest attempts at analysing Hausa numerals for machine processing date back to [266]. Subsequent efforts have explored the conversion between spoken numerals and decimal representations [44, 50, 193, 255, 266]. Overall, research on numerical systems within NaijaNLP remains sparse, underscoring the need for further studies and resource development to ensure accurate numerical representation and processing across Nigerian languages. Despite these efforts, our review reveals a paucity of comprehensive evaluation datasets and newly developed linguistic resources (see Table 1). Addressing these gaps will necessitate increased community involvement and collaborative initiatives to improve resource availability and ensure accurate diacritic processing in NaijaNLP.

Monolingual and Multilingual Data. In addition to the datasets detailed in Section 3.3.1, Table 1 presents a summary of the open resources currently identified for NaijaNLP. Numerous corpora have been curated for Hausa, Igbo and Yorùbá languages. Moreover, a range of strategies, including data augmentation techniques, have been proposed to enhance the linguistic resources critical for effective NLP applications in low-resource settings. These efforts aim to improve both the quality and quantity of digital data, thereby facilitating the development of more robust models. From Tables 1 and 2, it is evident that the majority of high-volume, high-quality data employed across various downstream tasks come from the cross-lingual category, a result of collaborative initiatives. While these efforts are commendable, a significant portion of the available datasets remains low. This shortfall underscores the urgent need for further refinement and systematic annotation to advance state-of-the-art NLP research. Enhanced linguistic support and additional initiatives, akin to those presented by [21, 41, 89], are essential to fully realising the potential of NaijaNLP.

| Language | Language Particularities | | New Datasets for Downstream Tasks | | | | | |
|--------------|--------------------------|--------------------|-----------------------------------|---------------------|------------|--------|-----------------|---|
| | MA | DA | MT/ASR | SA | POS/NER | QA | TC/TS | Misc |
| Hausa (ha) | X | ✓[15] | ✓[15, 53, 60, 153] | ✓[6, 188, 246, 261] | ✓[14] | X | X | ✓[8, 16, 161, 162, 188, 244, 287, 299] |
| Igbo (ig) | X | X | ✓[63, 226] | ✓[208] | ✓[230] | ✓[184] | X | ✓[95, 97, 227] |
| Yorùbá (yo) | ✓[214, 223] | ✓[18, 24, 36, 262] | ✓[43, 45, 117, 129, 145, 163] | ✓[33, 34, 265] | ✓[20, 272] | X | X | ✓[56, 95, 234] |
| Multilingual | X | X | ✓[28, 49, 62, 110, 114, 131, 139] | ✓[187, 190, 211] | ✓[29, 230] | ✓[67] | ✓[31, 219, 286] | ✓[32, 38, 41, 61, 68, 132, 167, 184, 189] |

Table 1. Relevant linguistic resources ($n = 70$) contributed to the development of NaijaNLP. The above acronyms refer to the following: MA - Morphological Analysis; DR - Diacritic Restoration; Misc - Miscellaneous downstream tasks. Green cells marked with ✓ indicate the downstream tasks in which the datasets have been utilised, while red cells marked with X denote tasks for which no resources are found.

State of Downstream Tasks - Substantial research has been dedicated to various NLP downstream tasks within NaijaNLP. This section synthesises key findings regarding the development of these tasks.

POS and NER. Numerous studies have explored POS tagging and NER within the context of NaijaNLP, addressing language-specific challenges and nuances. Research has been conducted in monolingual contexts for Hausa [76, 81, 90, 172, 276–278], Igbo [101, 220, 228, 229, 231–233, 267], and Yorùbá [12, 20, 27, 169, 224, 272, 282] languages, as well as in multilingual contexts [30, 38, 77, 185, 242, 254, 275, 300]. These contributions have significantly addressed language-specific challenges and enhanced the computational linguistic resources underlying various NLP applications. However, while existing resources have proven valuable, further research and extensive dataset expansion are required to advance linguistic tools for NaijaNLP.

Text Classification and Sentiment Analysis. While numerous studies have focused on text classification and summarisation [26, 80, 87, 88, 184, 198, 199, 219, 286], there remains a pressing need for linguistic resources and models

capable of effectively capturing context, semantics, and intertextual relationships. In addition to text classification, significant research has been conducted on sentiment analysis using datasets from social media and other sources (see § 3.4.2). Approaches range from traditional bag-of-words models to state-of-the-art transformer-based techniques, each addressing the nuances of sentiment expression in low-resource contexts [6, 11, 13, 34, 52, 154, 187, 208, 261, 263, 265], with some more recent deep learning and transformer-based models [1, 7, 246, 250, 252] aimed at addressing sentiment analysis in NaijaNLP. Although lexicon-based techniques, classical ML, and hybrid methods have yielded measurable progress, the implementation of pretrained models—particularly those trained on indigenous data—remains limited [189, 190]. There is a need for more linguistic data and models that can effectively capture complex linguistic phenomena, including sarcasm, irony, and context-dependent sentiments in NaijaNLP.

Machine Translation and Automatic Speech Recognition. Several studies have focused on machine translation for Hausa [53, 148, 274], Igbo [181, 212, 257, 284], and Yorùbá [24, 116, 130, 134, 206, 258, 269, 271] languages. Despite notable progress, MT systems for LRL pairs remain suboptimal, mainly due to the limited availability of parallel corpora. Future research should emphasise the development of parallel data and pretrained models specifically trained on indigenous data. These models will be better positioned to capture complex linguistic particularities and improve translation quality for NaijaNLP. Additionally, more collaborative efforts on cross-lingual work covering the major three languages in Nigeria are essential. Furthermore, research in speech technologies has explored both automatic speech recognition and text-to-speech (TTS) systems, with particular emphasis on addressing challenges such as diacritic preservation and tonal variation inherent to NaijaNLP. Various studies have been conducted involving Hausa [15, 60, 155, 156, 173], Igbo [137, 196], and Yorùbá [42, 54, 66, 79, 110, 205, 241]. There remains a need to develop more comprehensive annotated and parallel speech data to enable the development of pretrained models capable of managing complex acoustic and linguistic patterns.

Embedding and Pretrained Models. Embeddings provide numerical representations of words, sentences, or documents that capture semantic meaning in a continuous vector space, serving as the backbone of modern NLP. Pretrained models, developed on vast datasets, act as versatile starting points for fine-tuning on tasks such as text classification, machine translation, question answering, text generation, and summarisation. Together, embeddings and pretrained models underpin both language understanding and generation. However, embeddings for LRLs often suffer from an overreliance on large-scale datasets dominated by high-resource languages (HRLs), hindering effective knowledge transfer. In response, Yousuf et al. [294] propose a contrastive learning strategy to better align embeddings by optimizing semantic distances between similar and dissimilar sentences. Despite such efforts, research specifically addressing embeddings for low-resource Nigerian languages remains scarce [9, 57, 294].

4.1.2 State of Linguistic Resource Enhancement. Linguistic resources are fundamental to the development of effective NLP applications. This section reviews initiatives aimed at enhancing digital resources, tools, and collaborative efforts within NaijaNLP, particularly focusing on community-driven projects designed to advance LRLs within the NaijaNLP ecosystem. Several initiatives have been introduced to support NaijaNLP. Notably, Adegbola [21] introduce the Alt-i, which aims to enhance NLP support for Nigerian languages. Additionally, Chiarcos et al. [95] provide tools facilitating downstream tasks across 25 sub-Saharan languages. Efforts to advance lexicographic resources include a system for converting bilingual African language-French dictionaries [119], and the Human Language Technologies tools for Nigerian Pidgin, including a tokenizer and an automatic speech system for predicting word pronunciation and segmentation [89]. Various linguistic resources for NaijaNLP languages, such as POS-tagging [230] and knowledge

| Datasets and Application Areas | | | | | | | | |
|----------------------------------|----------------|--------|----|-------|---------|----|----|------|
| Dataset | Proportion (%) | MT/ASR | SA | TC/TS | POS/NER | QA | IR | Misc |
| Hausa Only | 24.7% | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hausa-Igbo-Yorùbá | 5.6% | ✓ | ✓ | ✗ | ✓ | ✓ | ✗ | ✓ |
| Hausa-Yorùbá-Others | 2.3% | ✗ | ✗ | ✗ | ✓ | ✗ | ✗ | ✓ |
| Hausa-English | 4.5% | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Hausa-Others | 5.6% | ✓ | ✗ | ✓ | ✗ | ✗ | ✗ | ✗ |
| Igbo Only | 10.1% | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✓ |
| Igbo-Yorùbá-English | 2.3% | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Igbo-Others | 3.4% | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ |
| Yorùbá Only | 14.6% | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Yorùbá-English | 3.4% | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Yorùbá-Others | 4.5% | ✓ | ✗ | ✗ | ✓ | ✗ | ✗ | ✗ |
| African Languages | 7.9% | ✓ | ✓ | ✗ | ✓ | ✗ | ✗ | ✓ |
| Hausa-Igbo-Yorùbá-English-Others | 11.2% | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Table 2. Overview of reported datasets across the languages documented in the reviewed literature. The above acronyms refer to the following: MT/ASR – Machine Translation/Automatic Speech Recognition; SA – Sentiment Analysis; TC/TS – Text Classification/Text Summarisation; POS/NER – Part-of-Speech Tagging & Named Entity Recognition; QA – Questions and Answers; IR – Information Retrieval; Misc – Miscellaneous downstream tasks. A green checkmark (✓) indicates the availability of the resource, whereas a red X (✗) signifies its absence.

extraction tools [14, 283], have also been presented. In the broader LR-NLP landscape, Costa-jussà et al. [104] explore strategies to reduce the performance gap between high-resource and low-resource languages. We discuss about additional initiatives in § 4.2.2.

4.2 Challenges and Future Prospects for NaijaNLP

This section discusses the challenges hindering NaijaNLP from fully leveraging state-of-the-art NLP advances and suggests potential mitigation strategies.

4.2.1 Challenges Affecting NaijaNLP.

Linguistic Resources – Computational Grammar and Knowledge Representation. Computational grammar and knowledge representation are foundational to digital language resources, providing structured frameworks for language processing [105]. However, research in these areas remains sparse within NaijaNLP [4, 47, 48, 65, 85, 91, 106, 121, 200].

Linguistic Diversity and Data Processing Challenges. The linguistic diversity of Nigerian languages presents significant challenges for NLP because these languages feature unique orthographic systems, pronunciation patterns, and syntactic structures, including the use of diacritics and tonal variations. Such characteristics, particularly in Igbo and Yorùbá, complicate the adaptation of NLP tools developed for high-resource languages. Inconsistent diacritic usage negatively affects text readability and performance in downstream tasks, especially in text-to-speech applications. Additionally, complex morphological structures, such as rich affixation and non-concatenative morphology, further complicate

processing. The frequent omission or misapplication of diacritics, as well as issues like mis-syllabification and elision, emphasise the need for specialised linguistic resources tailored to NaijaNLP.

Limited Digital and Standardised Resources. While NLP advancements have largely benefited HRLs, NaijaNLP faces a critical challenge due to the scarcity of digital resources for computational tasks. Despite their widespread use, Hausa, Igbo, and Yorùbá are classified as low-resource languages in NLP, primarily due to the lack of digital data. These languages collectively have fewer than 200,000 Wikipedia articles, a significant bottleneck for training NLP models. Table 3 provides a subset of the 353 languages with official Wikipedia editions. As shown in sub-tables (b) and (c) of Table 3, LRLs like Hausa, Igbo, and Yorùbá have minimal digital presence. Expanding these resources is essential for enhancing the digital footprint, research potential, and NLP capabilities of these languages.

| (a) High-Article Languages (1M+) | | | | (b) Low-Article Languages (50K-100K) | | | | (c) Very Low-Article Languages (20K-49K) | | | |
|----------------------------------|-----------|---------------|-------|--------------------------------------|-----------|---------------|-------|--|----------|---------------|-------|
| Language | #Articles | #Active Users | Ratio | Language | #Articles | #Active Users | Ratio | Language | Articles | #Active Users | Ratio |
| 1. en | 6,951,121 | 126,690 | 55 | 92. vec | 69,388 | 49 | 1.4k | 105. tl | 48,253 | 135 | 357 |
| 2. ceb | 6,116,828 | 146 | 42k | 93. lb | 64,614 | 80 | 808 | 106. glk | 48,131 | 20 | 2.4k |
| 3. de | 2,985,570 | 19,166 | 156 | 94. ba | 63,782 | 70 | 911 | 107. an | 47,819 | 67 | 714 |
| 4. fr | 2,663,233 | 18,763 | 142 | 95. su | 61,883 | 60 | 1k | 108. wuu | 44,841 | 79 | 568 |
| 5. sv | 2,603,307 | 2,203 | 1.2k | 96. ga | 61,392 | 129 | 476 | 109. diq | 42,293 | 41 | 1k |
| 6. nl | 2,179,293 | 3,896 | 560 | 97. is | 59,713 | 179 | 334 | 110. vo | 40,037 | 30 | 1.3k |
| 7. ru | 2,023,915 | 9,735 | 208 | 98. szl | 58,731 | 36 | 1.6k | 111. ig | 38,915 | 98 | 398 |
| 8. es | 2,007,615 | 14,592 | 138 | 99. cv | 57,270 | 48 | 1.2k | 112. yo | 35,067 | 58 | 605 |
| 9. it | 1,903,500 | 8,002 | 238 | 100. pa | 56,226 | 78 | 721 | 113. sco | 34,425 | 88 | 391 |
| 10. pl | 1,647,505 | 4,955 | 333 | 101. fy | 55,871 | 75 | 745 | 114. kn | 33,338 | 149 | 224 |
| 11. arz | 1,626,474 | 221 | 74k | 102. ha | 54,052 | 180 | 300 | 11.115. als | 30,848 | 93 | 332 |
| 12. zh | 1,462,403 | 7,031 | 208 | 103. io | 53,009 | 61 | 869 | 116. gu | 30,490 | 49 | 622 |
| 13. ja | 1,447,971 | 13,135 | 110 | 104. mzn | 50,406 | 41 | 1.2k | 117. avk | 29,877 | 16 | 1.9k |

Table 3. Summary of the languages with the (a) highest (b) low and (c) very low number of digital articles as tracked by Wikipedia. In sub-table *b* Hausa (ha) has just above 54K articles while both Igbo (ig) and Yorùbá (yo) in sub-table *c* have about 39K and 35k articles, respectively. These numbers are very small compared to the population size and number of Internet users. Based on the ratio of the number of articles relative to active users contributing to the number of articles, there are few users contributing to digital content for the 3 languages.

4.2.2 Mitigation Strategies and Future Prospects. This section discusses strategies to mitigate challenges facing NaijaNLP and explores future prospects for enhancing NLP tools for Nigerian languages.

Repurposing LLMs to Suit LRLs. While LLMs have achieved remarkable results on high-resource languages (HRLs), their performance on LRLs is typically restricted to few-shot learning due to their HRL-centric training data and evaluation protocols. Benchmark studies [99, 268] often overlook the complexities inherent in NaijaNLP tasks. For example, Lawal et al. [170] evaluate select LLMs (e.g., ChatGPT-3.5, Gemini, and PaLM 2) for generating contextually relevant Yorùbá content, and Orok et al. [237] examine their use in Nigerian pharmacy education, highlighting integration challenges and academic concerns. Similarly, Ojo et al. [213] demonstrate that, across six tasks in 60 African languages, LLMs generally underperform relative to HRLs. In response to limited resources, current strategies repurpose techniques from well-resourced languages—for instance, Ezeani et al. [125] use alignment-based projection to transfer pretrained English embeddings to Igbo, while Ogundepo [210] introduce AfriCLIRMatrix, a cross-lingual retrieval dataset spanning 15 African languages. Additionally, Oladipo et al. [217] assess dense retrieval models with multilingual

backbones, and Abdou Mohamed et al. [2] leverage self-supervised pretraining to address resource limitations in both monolingual and multilingual contexts. Adapting NLP models for LRLs frequently involves transfer learning and task-adaptive fine-tuning. Gururangan et al. [144] demonstrate the feasibility of customising pretrained models for domain-specific tasks—such as those in biomedical literature or computer science—enhances performance [191]. Comparative studies reveal that while some LRLs benefit significantly from transfer learning, others face challenges, partly due to script-related issues. To address out-of-distribution scenarios, Jiang et al. [164] propose a non-parametric approach that combines compression algorithms with k-nearest-neighbour classifiers, using compressor-based distance metrics [128]. In machine translation, data augmentation targeting low-frequency words has been introduced to generate synthetic parallel data. Moreover, Dossou et al. [111] present AfroLM—a multilingual language model pretrained from scratch on 23 African languages—while Remy et al. [253] propose a cross-lingual vocabulary transfer strategy, termed trans-tokenisation, to adapt LLMs for LRLs. Our discussion here focuses on repurposing and fine-tuning strategies for LLMs, with a more detailed exploration reserved for future work.

Multilingual Models. Several multilingual models have been proposed for NaijaNLP. For instance, Adewumi [37] introduce resources that enhance various NLP tasks through deep neural networks and cross-lingual transfer. Pretrained models such as RoBERTa, XLM-R, and mBERT have been applied to address code-switching in sentiment analysis between Hausa and English using tweets [296]. Additionally, Oladipo et al. [218] investigate the cross-lingual capabilities of models trained on languages like Amharic, Hausa, and Swahili, demonstrating that a shared vocabulary space benefits both zero- and few-shot settings, although gains plateau beyond a certain number of languages. In another study, Dione [109] develop a multilingual dependency parsing system for LRLs, including Yorùbá, and explore syntactic knowledge transfer using multilingual BERT’s self-attention mechanism. Recognising the computational challenges of training language-specific models—which can hinder cross-lingual transfer due to over-specialisation—Alabi et al. [58] propose a multilingual adaptive fine-tuning strategy that leverages data from 17 well-resourced African languages alongside three HRLs to mitigate performance gaps in unseen languages. Furthermore, Adelani et al. [32] present IrokoBench, a human-translated benchmark dataset encompassing 16 typologically diverse low-resource African languages, covering natural language inference (AfriXNLI), mathematical reasoning (AfriMGSM), and multiple-choice knowledge-based question answering (AfriMMLU).

While large-scale pretraining of multilingual models yields notable performance gains in cross-lingual transfer tasks [103], existing benchmarks often focus on multilingual contexts or treat LRLs as a single target group alongside HRLs. Superior performance is likely if LRLs are prioritised as primary target languages with dedicated resources for their development.

Low-Resource Languages for Evaluation. Low-resource languages are often utilised as evaluation benchmarks rather than as primary targets for dedicated resource development. For example, Hausa and related languages have been used to assess systems like the graphmax function, which leverages co-occurrence information for text alignment [171]. Moreover, although multilingual machine translation systems aim to translate between any pair of languages, they remain largely English-centric, with training data typically translated from or into English [131]. To address this shortcoming, Fan et al. [131] introduce a many-to-many multilingual translation model that directly translates among 100 languages, incorporating Hausa, Yorùbá, and Igbo for evaluation. Additionally, Wang et al. [288] propose a fine-tuning strategy for LLMs to reduce noise, an important consideration given the inherently noisy labels from complex annotation process

Shared Tasks and Workshops. Community-driven initiatives and collaborative efforts are crucial for advancing linguistic resources in NaijaNLP. Key projects, such as the African Languages Technology Initiative (Alt-i) [21], the Low-Resource Human Language Technology (LoReHLT) project [100], and AfroLID [19] play a pivotal role in this regard. High-impact conferences like ACL and ICLR²² further support these efforts by hosting workshops and shared tasks that unite researchers from academia, industry, and research laboratories to address defined NLP challenges. Notable examples include:

- **SemEval Shared Tasks:** These tasks provide a platform for in-depth exploration of language semantics, with significant contributions in semantic textual relatedness [239, 259], translation [94, 201, 273, 294], and sentiment analysis [84, 247, 251].
- **AfricaNLP Workshops:** Co-located with prominent conferences like ICLR, these workshops foster focused dialogue and collaborative research on thematic issues in low-resource African languages.

Improving Existing Linguistic Resources. In high-impact research settings, low-resource NLP is often treated as a subsidiary topic within broader themes. Major technology groups seldom prioritise the enrichment of linguistic resources for individual or regional LRLs, frequently addressing them as a homogeneous group or solely for evaluation [107, 128, 164, 191]. Consequently, large-scale digitisation initiatives, which are essential for capturing the nuanced particularities of these languages, remain critically under-explored. This limited focus constrains both the depth of linguistic investigation and the development of domain-specific datasets, prompting researchers to either collectively address LRL issues or adapt models originally trained on high-resource languages. To overcome these persistent barriers and ensure that LRLs are not marginalised in the AI revolution, innovative strategies such as comprehensive digitisation of existing resources are urgently needed. Recent global commitments, including AI for Development (AI4D) Funders Collaborative [46], underscore the importance of enhancing the representation of African languages in LLMs. Efforts to transduce texts [248], enrich resources [21], and digitise indigenous poetry [281] are essential steps toward integrating these languages into modern computational frameworks.

5 Conclusion

Low-resource NLP continues to confront enduring challenges that require targeted, innovative strategies. This study has provided a comprehensive review of the state of NLP in Nigeria, with a focus on its three major languages - Hausa, Igbo, and Yorùbá (collectively termed NaijaNLP). By examining the unique linguistic characteristics and resource constraints of these languages, our review offers actionable recommendations to advance and sustain NaijaNLP within the broader realm of low-resource NLP (LR-NLP) research. Despite the numerical predominance of LRLs, languages within NaijaNLP are often treated as a homogeneous group. We surmise that this practice obscures significant variations in resource availability and quality and may impede targeted technological development. To that effect, we argue for a more nuanced, language-specific approach to address the unique challenges faced by individual languages. The prevalent reliance on HRL-based models further highlights the need to invest in bespoke, indigenous models. Essentially, our investigation spans available linguistic resources, language particularities, computational tools, and collaborative initiatives, revealing significant progress alongside challenges. These challenges underscore the urgent need for greater investment in high-quality data, robust computational tools, and enhanced community collaboration to fully harness the potential of LRLs in NLP applications. To address these challenges, we recommend:

²²<https://www.aclweb.org/> and <https://iclr.cc/>

- ① Emphasising the critical role of formal grammar and linguistic analysis in developing reusable linguistic resources.
- ② Prioritising the collection and annotation of larger, more diverse datasets that capture language particularities such as morphological and dialectal variations.
- ③ Investing in the creation of models tailored to the unique needs of each language, including the development of large language models built from scratch using indigenous data, rather than relying solely on models repurposed from high-resource languages.
- ④ Fostering collaborative research efforts and community engagement to ensure the sustained development of NLP resources for LRLs.

In summary, advancing NaijaNLP demands dedicated efforts to overcome linguistic, resource, and sociopolitical challenges. By prioritising language-specific approaches and fostering robust collaborative research, we can pave the way for more inclusive and effective NLP solutions for low-resource languages.

References

- [1] Mohamed Naira Abdou, Imade Benelallam, and Youcef Rahmani. 2025. Monitoring african geopolitics: a multilingual sentiment and public attention framework. *Applied Intelligence* 55, 2 (2025), 1–19.
- [2] Naira Abdou Mohamed, Anass Allak, Kamel Gaanoun, Imade Benelallam, Zakarya Erraji, and Abdessalam Bahafid. 2024. Multilingual speech recognition initiative for African languages. *International Journal of Data Science and Analytics* (2024), 1–16.
- [3] Naira Abdou Mohamed, Imade Benelallam, Anass Allak, and Kamel Gaanoun. 2024. A Review on NLP Approaches for African Languages and Dialects. In *International Conference on Advanced Technologies for Humanity*. Springer, 207–213.
- [4] Mahamane Laoualy Abdoulaye. 1992. *Aspects of Hausa morphosyntax in role and reference grammar*. Ph. D. Dissertation. State Univ. of New York Buffalo.
- [5] Zainab Abdulkareem and Emmanuel E Effiong. 2016. YorCALL: Improving and Sustaining Yoruba Language through a Practical Iterative Learning Approach.. In *OcRI*. 1–5.
- [6] Habeeba Ibraheem Abdullahi, Muhammad Aminu Ahmad, and Khalid Haruna. 2024. Twitter sentiment analysis for Hausa abbreviations and acronyms. *Science World Journal* 19, 1 (2024), 101–104.
- [7] Saheed Salahudeen Abdullahi, Falalu Ibrahim Lawan, Ahmad Mustapha Wali, Amina Abubakar Imam, Aliyu Rabiu Shuaibu, Yusuf Aliyu, Nur Bala Rabiu, Musa Bello, Shamsuddeen Umar Adamu, Saminu Mohammad Aliyu, et al. 2023. HausaNLP at SemEval-2023 Task 12: Leveraging African Low Resource TweetData for Sentiment Analysis. In *4th Workshop on African Natural Language Processing*.
- [8] Idris Abdulmumin, Satya Ranjan Dash, Musa Abdullahi Dawud, Shantipriya Parida, Shamsuddeen Hassan Muhammad, Ibrahim Sa'ïd Ahmad, Subhadarshi Panda, Ondřej Bojar, Bashir Shehu Galadanci, and Bello Shehu Bello. 2022. Hausa visual genome: A dataset for multi-modal English to Hausa machine translation. *arXiv preprint arXiv:2205.01133* (2022).
- [9] Idris Abdulmumin and Bashir Shehu Galadanci. 2019. hauwe: Hausa words embedding for natural language processing. In *2019 2nd International Conference of the IEEE Nigeria Computer Chapter (NigeriaComputConf)*. IEEE, 1–6.
- [10] Idris Abdulmumin, Sthembiso Mkhwanazi, Mahlatse S Mbooi, Shamsuddeen Hassan Muhammad, Ibrahim Said Ahmad, Neo Putini, Miehleketo Mathebula, Matimba Shingange, Tajuddeen Gwadabe, and Vukosi Marivate. 2024. Correcting FLORES Evaluation Dataset for Four African Languages. *arXiv preprint arXiv:2409.00626* (2024).
- [11] O Abegunde, AR Iyanda, and DO Ninan. 2019. Design Issues in Sentiment Analysis for Yorùbá Written Text. (2019).
- [12] OB Abiola, AO Adetunmbi, AI Fasiku, and KA Olatunji. 2014. A web-based English to Yoruba noun-phrases machine translation system. *International Journal of English and Literature* 5, 3 (2014), 71–78.
- [13] Amina Imam Abubakar, Abubakar Roko, Aminu Muhammad Bui, and Ibrahim Saidu. 2021. An enhanced feature acquisition for sentiment analysis of english and hausa tweets. *International Journal of Advanced Computer Science and Applications* 12, 9 (2021).
- [14] Amina Imam Abubakar, Abubakar Roko, AB Muhammad, and Ibrahim Saidu. 2019. Hausa WordNet: An Electronic Lexical Resource. *Saudi Journal of Engineering and Technology* 4, 8 (2019), 279–285.
- [15] Abdulqahar Mukhtar Abubakar, Deepa Gupta, and Susmitha Vekkot. 2024. Development of a diacritic-aware large vocabulary automatic speech recognition for Hausa language. *International Journal of Speech Technology* 27, 3 (2024), 687–700.
- [16] Fatima Muhammad Adam, Abubakar Yakubu Zandam, and Isa Inuwa-Dutse. 2024. Detection and Analysis of Offensive Online Content in Hausa Language. *arXiv preprint arXiv:2501.08284* (2024).
- [17] Ife Adebara and Muhammad Abdul-Mageed. 2022. Towards afrocentric NLP for African languages: Where we are and where we can go. *arXiv preprint arXiv:2203.08351* (2022).

- [18] Ife Adebara, Muhammad Abdul-Mageed, and Miikka Silfverberg. 2021. Translating the unseen? yoruba-english mt in low-resource, morphologically-unmarked settings. *arXiv preprint arXiv:2103.04225* (2021).
- [19] Ife Adebara, AbdelRahim Elmadany, Muhammad Abdul-Mageed, and Alcides Alcoba Inciarte. 2022. AfroLID: A neural language identification tool for African languages. *arXiv preprint arXiv:2210.11744* (2022).
- [20] Sèmiyou A Adedjouma, John OR Aoga, and Mamoud A Igue. 2013. Part-of-speech tagging of Yoruba standard, language of niger-congo family. *Res. Journal of Computer & IT Sciences* 1, 1 (2013), 2–5.
- [21] Tunde Adegbola. 2009. Building capacities in human language technology for African languages. In *Proceedings of the First Workshop on Language Technologies for African Languages*. 53–58.
- [22] Tunde Adegbola. 2016. Pattern-based unsupervised induction of Yoruba Morphology. In *Proceedings of the 25th International conference companion on World wide web*. 599–604.
- [23] Tunde Adegbola and Lydia Uchechukwu Odilinye. 2012. Quantifying the effect of corpus size on the quality of automatic diacritization of Yorùbá texts. In *Proc. SLTU 2012*. 48–53.
- [24] Tunde Adegbola, Kola Owolabi, and Tunji Odejobi. 2011. Localising for Yoruba: Experience, challenges and future direction. In *Proceedings of conference on human language technology for development*. 3–5.
- [25] A Adegoke-Elijah, K Jimoh, and A Alabi. 2023. DEVELOPMENT OF A XML-ENCODED MACHINE-READABLE DICTIONARY FOR YORUBA WORD SENSE DISAMBIGUATION. *UNIOSUN Journal of Engineering and Environmental Sciences* (2023).
- [26] Adenike Adegoke-Elijah, Theresa Ojewumi, and Kudirat Jimoh. 2024. ESTIMATING SEMANTIC SIMILARITY IN YORUBA SENTENCES USING PATH-BASED METRICS. (2024).
- [27] EA Adegunlehin, FO Asahiah, and MT Onifade. 2019. Investigation of Feature Characteristics for Yoruba Named Entity Recognition System. In *the Proceedings of 2019 AICTRA Conference, Nigeria*.
- [28] David Ifeoluwa Adelani. 2022. Natural language processing for African languages. (2022).
- [29] David Ifeoluwa Adelani, Jade Abbott, Graham Neubig, Daniel D’souza, Julia Kreutzer, Constantine Lignos, Chester Palen-Michel, Happy Buzaaba, Shruti Rijhwani, Sebastian Ruder, et al. 2021. MasakhaNER: Named entity recognition for African languages. *Transactions of the Association for Computational Linguistics* 9 (2021), 1116–1131.
- [30] David Ifeoluwa Adelani, Michael A Hedderich, Dawei Zhu, Esther van den Berg, and Dietrich Klakow. 2020. Distant Supervision and Noisy Label Learning for Low Resource Named Entity Recognition: A Study on Hausa and Yorùbá. *arXiv preprint arXiv:2003.08370* (2020).
- [31] David Ifeoluwa Adelani, Marek Masiak, Israel Abebe Azime, Jesujoba Alabi, Atnafu Lambebo Tonja, Christine Mwase, Odunayo Ogundepo, Bonaventure FP Dossou, Akintunde Oladipo, Doreen Nixdorf, et al. 2023. Masakhanews: News topic classification for african languages. *arXiv preprint arXiv:2304.09972* (2023).
- [32] David Ifeoluwa Adelani, Jessica Ojo, Israel Abebe Azime, Jian Yun Zhuang, Jesujoba O Alabi, Xuanli He, Millicent Ochieng, Sara Hooker, Andiswa Bukula, En-Shiun Annie Lee, et al. 2024. IrokoBench: A New Benchmark for African Languages in the Age of Large Language Models. *arXiv preprint arXiv:2406.03368* (2024).
- [33] Adebisi Joseph Ademusire and Olufemi D Ninan. 2023. Development of an annotated yoruba text corpus for automatic event extraction. (2023).
- [34] Adedapo Bolaji Adeniji, Taiwo Kolajo, and Joshua Babatunde Agbogun. 2024. A Framework for Yoruba Sentiment Lexicon Disambiguation. In *2024 International Conference on Science, Engineering and Business for Driving Sustainable Development Goals (SEB4SDG)*. IEEE, 1–6.
- [35] Lawrence B Adewole, Adebayo O Adetunmbi, Boniface K Alese, and Samuel A Oluwadare. 2017. Token Validation in Automatic Corpus Gathering for Yoruba Language. *FUOYE Journal of Engineering and Technology* 2, 1 (2017), 4.
- [36] Lawrence B Adewole, Adebayo O Adetunmbi, Boniface K Alese, Samuel A Oluwadare, Oluwatoyin B Abiola, and Olaiya Folorunsho. 2020. Automatic Vowel Elision Resolution in Yorùbá Language. In *Conference of the South African Institute of Computer Scientists and Information Technologists 2020*. 126–133.
- [37] Oluwatosin Adewumi. 2022. *Vector representations of idioms in data-driven chatbots for robust assistance*. Ph. D. Dissertation. Luleå University of Technology.
- [38] Tosin Adewumi. 2022. Itakúroso: Exploiting cross-lingual transferability for natural language generation of dialogues in low-resource, african languages. In *3rd Workshop on African Natural Language Processing*.
- [39] Tosin Adewumi, Mofetoluwa Adeyemi, Aremu Anuoluwapo, Bukola Peters, Happy Buzaaba, Oyerinde Samuel, Amina Mardiyah Rufai, Benjamin Ajibade, Tajudeen Gwadabe, Mory Moussou Koulibaly Traore, et al. 2023. AfriWOZ: Corpus for Exploiting Cross-Lingual Transfer for Dialogue Generation in Low-Resource, African Languages. In *2023 International Joint Conference on Neural Networks (IJCNN)*. IEEE, 1–8.
- [40] Tosin P Adewumi, Foteini Liwicki, and Marcus Liwicki. 2020. The challenge of diacritics in yoruba embeddings. *arXiv preprint arXiv:2011.07605* (2020).
- [41] Mofetoluwa Adeyemi, Akintunde Oladipo, Xinyu Zhang, David Alfonso-Hermelo, Mehdi Rezagholizadeh, Boxing Chen, Abdul-Hakeem Omotayo, Idris Abdulmumin, Naome A Etori, Toyib Babatunde Musa, et al. 2024. CIRAL: A Test Collection for CLIR Evaluations in African Languages. In *Proceedings of the 47th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 293–302.
- [42] Akin Afolabi, Elijah Omidiora, and Tayo Arulogun. 2013. Development of text to speech system for yoruba language. In *Innovative Systems Design and Engineering—Special Issue of 2nd International Conference on Engineering and Technology Research*, Vol. 4. 1–8.
- [43] AO Afolabi and AS Wahab. 2013. Implementation of Yoruba text-to-speech E-learning system. *International Journal of Engineering Research and Technology* 2, 11 (2013), 1055–1064.

- [44] AO Agbeyangi, SI Eludiora, and OA Popoola. 2016. Web-based Yoruba numeral translation system. *IAES International Journal of Artificial Intelligence (IJ-AI)* 5, 4 (2016), 127–134.
- [45] Orevaoghene Ahia, Anuoluwapo Aremu, Diana Abagyan, Hila Gonen, David Ifeoluwa Adelani, Daud Abolade, Noah A Smith, and Yulia Tsvetkov. 2024. Voices Unheard: NLP Resources and Models for Yoruba Regional Dialects. *arXiv preprint arXiv:2406.19564* (2024).
- [46] AI for Development Funders Collaborative AI4D. 2024. Uniting with local partners to combat inequality through inclusive, responsible AI made by and for communities in the Global South. (2024).
- [47] Akindele Akanji Aina and Adeola Moyosoluwa Akinwale. 2023. Human Evaluation of Yoruba Noun Ontology. *NIU Journal of Humanities* 8, 1 (2023), 33–51.
- [48] Akindele A Aina and Oyè P Táiwò. 2021. ONTOLOGY ANNOTATION FOR NATURAL LANGUAGE DEVELOPMENT: A YORUBÁ NOUN PRELIMINARY MODEL. *Journal of West African Languages* 48, 1 (2021).
- [49] Sunday Adeola Ajagbe. 2024. Developing Nigeria Multilingual Languages Speech Datasets for Antenatal Orientation. In *International Conference on Applied Informatics*. Springer, 157–170.
- [50] Jumoke Ajao, Shakirat Yusuff, and Abdulazeez Ajao. 2022. Yoruba character recognition system using convolutional recurrent neural network. *Black Sea Journal of Engineering and Science* 5, 4 (2022), 151–157.
- [51] Jumoke F Ajao, Oluwasogo A Okunade, and Abdulazeez O Ajao. 2023. Recurrent Neural Network (RNN) for Igbo Handwritten Character Recognition. *The Pacific Journal of Science and Technology* 24 (2023).
- [52] Oluwatobi Noah Akande, Enemu Stephen Nnaemeka, Oluwakemi Christiana Abikoye, Hakeem Babalola Akande, Abdullateef Balogun, and Joyce Ayoola. 2022. TWEERIFY: a web-based sentiment analysis system using rule and deep learning techniques. In *Proceedings of International Conference on Computational Intelligence and Data Engineering: ICCIDE 2021*. Springer, 75–87.
- [53] Adewale Akinfaderin. 2020. Hausam v1.0: Towards english-hausa neural machine translation. *arXiv preprint arXiv:2006.05014* (2020).
- [54] Abimbola Akintola and Tunji Ibiyemi. 2017. Machine to Man Communication in Yoruba Language. *Annal. Comput. Sci. Ser* 15, 2 (2017).
- [55] AE Akinwonmi. 2024. Rule-Induced Misanalysis of Nasal Syllables in Yoruba Declarative Syllabification Algorithm. *Journal of Sustainable Technology* 13, 1 (2024).
- [56] Maro Akpobi. 2024. Yankari: A Monolingual Yoruba Dataset. *arXiv preprint arXiv:2412.03334* (2024).
- [57] Jesujoba Alabi, Kwabena Amponsah-Kaakyire, David Adelani, and Cristina Espana-Bonet. 2020. Massive vs. curated embeddings for low-resourced languages: the case of Yoruba and Twi. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*. 2754–2762.
- [58] Jesujoba O Alabi, David Ifeoluwa Adelani, Marius Mosbach, and Dietrich Klakow. 2022. Adapting pre-trained language models to African languages via multilingual adaptive fine-tuning. *arXiv preprint arXiv:2204.06487* (2022).
- [59] SM Alade, OD Ninan, and OA Odejebi. 2019. ISSUES IN KNOWLEDGE REPRESENTATION IN YORUBÁ NARRATIVES. *Annals. Computer Science Series* 17, 2 (2019).
- [60] Abubakar Ahmad Aliero, Dalhatu Muhammed, and Abubakar Ibrahim. 2019. Taxonomy, Review and Research Challenges Of DNN-Based Text-To-Speech System for Hausa as Under-Resourced Language. *vol* 10 (2019), 548–560.
- [61] Saminu Mohammad Aliyu, Gregory Maksha Wajiga, Muhammad Murtala, and Lukman Jibril Aliyu. 2024. Beyond English: Offensive Language Detection in Low-Resource Nigerian Languages. In *5th Workshop on African Natural Language Processing*.
- [62] Sulyman Amuda, Hynek Bofil, Abhijeet Sangwan, and John HL Hansen. 2010. Limited resource speech recognition for Nigerian English. In *2010 IEEE International Conference on Acoustics, Speech and Signal Processing*. IEEE, 5090–5093.
- [63] P Ana, GI Emereonye, AC Onuora, CC Ukaegbu, RC Aguwamba, and PC Sunday. 2024. An AI System for the Detection of Hate Speech Encoded in Igbo Native. *International Research Journal of Engineering and Technology (IRJET)* (2024).
- [64] Syed Abdul Basit Andrabi et al. 2021. A review of machine translation for south asian low resource languages. *Turkish Journal of Computer and Mathematics Education (TURCOMAT)* 12, 5 (2021), 1134–1147.
- [65] Copestake Ann. 2002. *Implementing typed feature structure grammars*. Vol. 110. CSLI publications Stanford.
- [66] John OR Aoga, Theophile K Dagba, and Codjo C Fanou. 2016. Integration of Yoruba language into MaryTTS. *International Journal of Speech Technology* 19 (2016), 151–158.
- [67] Anuoluwapo Aremu, Jesujoba Oluwadara Alabi, Daud Abolade, Nkechinyere Faith Aguobi, Shamsuddeen Hassan Muhammad, and David Ifeoluwa Adelani. 2024. NaijaRC: A Multi-choice Reading Comprehension Dataset for Nigerian Languages. In *5th Workshop on African Natural Language Processing*.
- [68] Iwara Arikpo and Iniobong Dickson. 2018. Development of an automated English-to-local-language translator using Natural Language Processing. *International Journal of Scientific and Engineering Research* 9, 7 (2018), 378–383.
- [69] Franklin Oladiipo Asahiah, Odetunji Ajadi Odejebi, and Emmanuel Rotimi Adagunodo. 2017. Restoring tone-marks in standard Yoruba electronic text: improved model. *Computer Science* 18, 3 (2017).
- [70] Franklin Oládiipò Asahiah, Mary Taiwo Onifádé, Adekemisola Olufunmilayo Asahiah, Abayomi Emmanuel Adegunlehin, and Adekemi Olawunmi Amoo. 2023. Diacritic-aware yorubá spell checker. *Computer Science* 24 (2023).
- [71] Toluwase Asubiaro. 2015. Statistical patterns of diacritized and undiacritized yoruba texts. *International Journal of Computational Linguistics Research* 6, 3 (2015), 77–84.
- [72] Toluwase Asubiaro. 2021. Evaluating the Availability of Resources, Research Hubs, and Financial Supports for Nigerian Languages Natural Language Processing Research/Évaluation de la disponibilité des ressources, des centres de recherche et du soutien financier pour la recherche sur

- le traitement du langage naturel des langues nigériennes. *Canadian Journal of Information and Library Science* 43, 3 (2021), 269–290.
- [73] Toluwase Asubiaro, Tunde Adegbola, Robert Mercer, and Isola Ajiferuke. 2018. A word-level language identification strategy for resource-scarce languages. *Proceedings of the Association for Information Science and Technology* 55, 1 (2018), 19–28.
- [74] Toluwase Victor Asubiaro and Ebelechukwu Gloria Igwe. 2021. A State-of-the-Art Review of Nigerian Languages Natural Language Processing Research. *Developing Countries and Technology Inclusion in the 21st Century Information Society* (2021), 147–167.
- [75] Hayastan Avetisyan and David Broneske. 2023. Large Language Models and Low-Resource Languages: An Examination of Armenian NLP. *Findings of the Association for Computational Linguistics: IJCNLP-AAACL 2023 (Findings)* (2023), 199–210.
- [76] Jamilu Awwalu, Saleh Elyakub Abdullahi, and Abraham Eseghe Evwiekpaefe. 2021. A corpus based transformation-based learning for Hausa text parts of speech tagging. *International Journal of Computing and Digital Systems* 10 (2021), 473–490.
- [77] Olalekan Salau Ayodeji, David Olowoyo Tilewa, and Oluwole Akintola Solomon. 2020. Accent Classification of the Three Major Nigerian Indigenous Languages Using 1D. *Advances in Computational Intelligence Techniques* (2020).
- [78] Prince C Azubuike and Innocent I Umeh. 2024. Design and implementation of an automated web-based Igbo text analyzer using natural language processing (NLP) tools. *World Journal of Advanced Research and Reviews* 23, 3 (2024), 1036–1045.
- [79] Akinbowale Nathaniel Babatunde, Ronke Seyi Babatunde, Bukola Fatimah Balogun, Emmanuel Umar, Shuaib Babatunde Mohammed, Afeez Adeshina Oke, and Kolawole Yusuf Obiwusi. 2024. Speech-to-Text Hybrid English to Yoruba SMS Translator. *Innovative Computing Review* 4, 1 (2024), 15–36.
- [80] Muazzam Bashir, Azilawati Rozaimie, and Wan Malini Wan Isa. 2017. Automatic Hausa Language Text Summarization Based on Feature Extraction using Naive Bayes Model. *World Applied Science Journal* 35, 9 (2017), 2074–2080.
- [81] Muazzam Bashir, Azilawati Binti Rozaimie, and Wan Malini Binti Wan Isa. 2015. A word stemming algorithm for Hausa language. *no. June* (2015).
- [82] Emily M Bender, Dan Flickinger, and Stephan Oepen. 2002. The grammar matrix: An open-source starter-kit for the rapid development of cross-linguistically consistent broad-coverage precision grammars. In *COLING-02: Grammar Engineering and Evaluation*.
- [83] Hermilo Benito-Santiago, Diana Margarita Córdova-Esparza, Noé Alejandro Castro-Sánchez, and Ana-Marcela Herrera-Navarro. 2022. Machine Translation of Texts from Languages with Low Digital Resources: A Systematic Review. In *Mexican International Conference on Artificial Intelligence*. Springer, 41–56.
- [84] Abdessamad Benlahbib and Achraf Boumhidi. 2023. Nlp-lisac at semeval-2023 task 12: Sentiment analysis for tweets expressed in african languages via transformer-based models. In *Proceedings of the 17th International Workshop on Semantic Evaluation (SemEval-2023)*. 199–204.
- [85] Crysmann Berthold. 2009. Autosegmental representations in an HPSG of Hausa. In *Proceedings of the 2009 workshop on grammar engineering across frameworks (geaf 2009)*. 28–36.
- [86] Abdulkadir Abubakar Bichi, Ruhaidah Samsudin, and Rohayanti Hassan. 2022. Automatic construction of generic stop words list for Hausa text. *Indonesian Journal of Electrical Engineering and Computer Science* 25, 3 (2022), 1501–1507.
- [87] Abdulkadir Abubakar Bichi, Ruhaidah Samsudin, and Rohayanti Hassan. 2024. Integrating clustering method with graph-based ranking for Hausa text multi-document summarisation. *International Journal of Society Systems Science* 15, 1 (2024), 59–72.
- [88] Abdulkadir Abubakar Bichi, Ruhaidah Samsudin, Rohayanti Hassan, Layla Rasheed Abdallah Hasan, and Abubakar Ado Rogo. 2023. Graph-based extractive text summarization method for Hausa text. *Plos one* 18, 5 (2023), e0285376.
- [89] Brigitte Bigi, Bernard Caron, and Oyelere S Abiola. 2017. Developing resources for automated speech processing of the african language naija (nigerian pidgin). In *8th Language & Technology Conference: Human Language Technologies as a Challenge for Computer Science and Linguistics*. 441–445.
- [90] Andrew Bimba, Norisma Idris, Norazlina Khamis, and Nurul Fazmidar Mohd Noor. 2016. Stemming Hausa text: using affix-stripping rules and reference look-up. *Language Resources and Evaluation* 50 (2016), 687–703.
- [91] Damián E Blasi, Susanne Maria Michaelis, and Martin Haspelmath. 2017. Grammars are robustly transmitted even during the emergence of creole languages. *Nature Human Behaviour* 1, 10 (2017), 723–729.
- [92] Nathan Brugnone, Noam Benkler, Peter Revay, Rebecca Myhre, Scott Friedman, Sonja Schmer-Galunder, Steven Gray, and James Gentile. 2024. Is from ought? A comparison of unsupervised methods for structuring values-based wisdom-of-crowds estimates. *Journal of Computational Social Science* (2024), 1–51.
- [93] Bernard Caron. 2020. Methodological and technical challenges of a corpus-based study of Naija. In *West African languages. Linguistic theory and communication*. Wydawnictwa Uniwersytetu Warszawskiego, 57–75.
- [94] Pinzhen Chen, Jindřich Helcl, Ulrich Germann, Laurie Burchell, Nikolay Bogoychev, Antonio Valerio Miceli-Barone, Jonas Waldendorf, Alexandra Birch, and Kenneth Heafield. 2021. The University of Edinburgh’s English-German and English-Hausa submissions to the WMT21 news translation task. In *Proceedings of the Sixth Conference on Machine Translation*. 104–109.
- [95] Christian Chiarcos, Ines Fiedler, Mira Grubic, Katharina Hartmann, Julia Ritz, Anne Schwarz, Amir Zeldes, and Malte Zimmermann. 2011. Information structure in African languages: corpora and tools. *Language resources and evaluation* 45 (2011), 361–374.
- [96] Ugwu Chidiebere, Adegbola Tunde, et al. 2020. Analysis and representation of Igbo text document for a text-based system. *arXiv preprint arXiv:2009.06376* (2020).
- [97] Odirichukwu Jacinta Chioma and Nnamdi Reginald Nnadozie. 2023. Web-Based Igbo Thesaurus with Real-Time Retrieval. *Journal of Computer Science Engineering and Software Testing* (2023).
- [98] Kyunghyun Cho. 2014. On the properties of neural machine translation: Encoder-decoder approaches. *arXiv preprint arXiv:1409.1259* (2014).

- [99] Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, et al. 2023. Palm: Scaling language modeling with pathways. *Journal of Machine Learning Research* 24, 240 (2023), 1–113.
- [100] Caitlin Christianson, Jason Duncan, and Boyan Onyshkevych. 2018. Overview of the DARPA LORELEI Program. *Machine Translation* 32 (2018), 3–9.
- [101] Chiamaka Ijeoma Chukwunke, Paul Rayson, Ignatius Ezeani, Mo El-Haj, Doris Chinedu Asogwa, Chidimma Lilian Okpalla, and Chinedu Emmanuel Mbonu. 2023. IGBONER 2.0: EXPANDING NAMED ENTITY RECOGNITION DATASETS VIA PROJECTION. In *4th Workshop on African Natural Language Processing*.
- [102] Mary M Clark. 2011. *The tonal system of Igbo*. Vol. 10. Walter de Gruyter.
- [103] A Conneau. 2019. Unsupervised cross-lingual representation learning at scale. *arXiv preprint arXiv:1911.02116* (2019).
- [104] Marta R Costa-jussà, James Cross, Onur Çelebi, Maha Elbayad, Kenneth Heafield, Kevin Heffernan, Elahe Kalbassi, Janice Lam, Daniel Licht, Jean Maillard, et al. 2022. No language left behind: Scaling human-centered machine translation. *arXiv preprint arXiv:2207.04672* (2022).
- [105] Berthold Crysmann. 2012. HaG: A computational grammar of Hausa. In *Selected proceedings of the 42nd annual conference on african linguistics (acal 42)*. Citeseer, 321–337.
- [106] Christopher Culy. 1996. Formal properties of natural language and linguistic theories. *Linguistics and Philosophy* (1996), 599–617.
- [107] Raj Dabre, Chenhui Chu, and Anoop Kunchukuttan. 2020. A survey of multilingual neural machine translation. *ACM Computing Surveys (CSUR)* 53, 5 (2020), 1–38.
- [108] Guy De Pauw, Peter W Wagacha, and Gilles-Maurice De Schryver. 2007. Automatic diacritic restoration for resource-scarce languages. In *Text, Speech and Dialogue: 10th International Conference, TSD 2007, Pilsen, Czech Republic, September 3-7, 2007. Proceedings 10*. Springer, 170–179.
- [109] Cheikh M Bamba Dione. 2021. Multilingual dependency parsing for low-resource African languages: Case studies on Bambara, Wolof, and Yoruba. In *Proceedings of the 17th International Conference on Parsing Technologies and the IWPT 2021 Shared Task on Parsing into Enhanced Universal Dependencies (IWPT 2021)*. 84–92.
- [110] Bonaventure FP Dossou and Chris C Emezue. 2021. OkwuGb`e: End-to-End Speech Recognition for Fon and Igbo. *arXiv preprint arXiv:2103.07762* (2021).
- [111] Bonaventure FP Dossou, Atnafu Lambebo Tonja, Oreen Yousuf, Salomey Osei, Abigail Oppong, Iyanuoluwa Shode, Oluwabusayo Olufunke Awoyomi, and Chris Chinenye Emezue. 2022. AfroLM: A self-active learning-based multilingual pretrained language model for 23 African languages. *arXiv preprint arXiv:2211.03263* (2022).
- [112] Long Duong. 2017. Natural language processing for resource-poor languages. *University of Melbourne* (2017).
- [113] Gareth Reeve Edwards and Tshephisho Joseph Sefara. 2023. Text Summarisation for Low-resourced Languages, A review. In *International Conference on Speech and Language Technologies for Low-resource Languages*. Springer, 283–296.
- [114] Moses E Ekpenyong, Aminu A Suleiman, and Murtala Salihu. 2022. Towards Massive Parallel Corpus Creation for Hausa-to-English Machine Translation. In *Current Issues in Descriptive Linguistics and Digital Humanities: A Festschrift in Honor of Professor Eno-Abasi Essien Urua*. Springer, 501–550.
- [115] Safiriyu Ijiyemi Eludiora and OR Ayemonisan. 2018. Computational Morphological Analysis of Yorùbá Language Words. *IAES International Journal of Artificial Intelligence* 7, 1 (2018), 11.
- [116] Safiriyu I Eludiora and Odetunji A Odejebi. 2016. Development of an English to Yoruba machine translator. *International Journal of Modern Education and Computer Science* 8, 11 (2016), 8.
- [117] Akinwonmi Akintoba Emmanuel. 2021. Development of a prosodic read speech syllabic corpus of the Yoruba language. *Development* 7, 36 (2021).
- [118] Chesire Emmanuel and Kipkebut Andrew. 2024. CURRENT STATE, CHALLENGES AND OPPORTUNITIES FOR NATURAL LANGUAGE PROCESSING RESEARCH AND DEVELOPMENT IN AFRICA: ASYSTEMATIC RE. (2024).
- [119] Chantal Enguehard and Mathieu Mangeot. 2014. Computerization of African languages-French dictionaries. *arXiv preprint arXiv:1405.5893* (2014).
- [120] Ethnologue. 03-02-2025. Languages of the World. (03-02-2025).
- [121] Bethrand Ejike Eze. 1997. *Aspects of language contact: A variationist perspective on codeswitching and borrowing in Igbo-English bilingual discourse*. University of Ottawa (Canada).
- [122] Ignatius Ezeani, Mark Hepple, and Ikechukwu Onyenwe. 2016. Automatic restoration of diacritics for Igbo language. In *Text, Speech, and Dialogue: 19th International Conference, TSD 2016, Brno, Czech Republic, September 12-16, 2016, Proceedings 19*. Springer, 198–205.
- [123] Ignatius Ezeani, MR Hepple, and Ikechukwu Onyenwe. 2017. Lexical disambiguation of Igbo using diacritic restoration. In *Proceedings of the 1st Workshop on Sense, Concept and Entity Representations and their Applications*. Association for Computational Linguistics, 53–60.
- [124] Ignatius Ezeani, Mark Hepple, Ikechukwu Onyenwe, and Enemouh Chioma. 2018. Igbo diacritic restoration using embedding models. In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Student Research Workshop*. 54–60.
- [125] Ignatius Ezeani, Mark Hepple, Ikechukwu Onyenwe, and Chioma Enemuo. 2018. Multi-task Projected Embedding for Igbo. In *Text, Speech, and Dialogue: 21st International Conference, TSD 2018, Brno, Czech Republic, September 11-14, 2018, Proceedings 21*. Springer, 285–294.
- [126] Ignatius Ezeani, Ikechukwu Onyenwe, and Mark Hepple. 2018. Transferred embeddings for igbo similarity, analogy, and diacritic restoration tasks. In *Proceedings of the Third Workshop on Semantic Deep Learning*. 30–38.
- [127] Absalom E Ezugwu, Olaide N Oyelade, Abiodun M Ikotun, Jeffery O Agushaka, and Yuh-Shan Ho. 2023. Machine learning research trends in Africa: a 30 years overview with bibliometric analysis review. *Archives of Computational Methods in Engineering* 30, 7 (2023), 4177–4207.

- [128] Marzieh Fadaee, Arianna Bisazza, and Christof Monz. 2017. Data augmentation for low-resource neural machine translation. *arXiv preprint arXiv:1705.00440* (2017).
- [129] Olutola Fagbolu, Akinwale Ojoawo, Kayode Ajibade, and Boniface Alese. 2015. Digital yoruba corpus. *International Journal of Innovative Science, Engineering and Technology* (2015), 2348–7968.
- [130] Olutola Olaide Fagbolu, Babatunde Sunday Obalalu, Samuel S Udoh, and Ibadan Abeokuta Uyo. 2016. Applying rough set theory to Yorubá language translation. In *International Conference on Advanced Trends in ICT and Management (ICAITM) 28th*.
- [131] Angela Fan, Shruti Bhosale, Holger Schwenk, Zhiyi Ma, Ahmed El-Kishky, Siddharth Goyal, Mandeep Baines, Onur Celebi, Guillaume Wenzek, Vishrav Chaudhary, et al. 2021. Beyond english-centric multilingual machine translation. *Journal of Machine Learning Research* 22, 107 (2021), 1–48.
- [132] W Ferroggiaro. 2018. Social media and conflict in Nigeria: A lexicon of hate speech terms.
- [133] Raphael Finkel and Odetunji Ajadi Odejebi. 2009. A computational approach to Yorubá morphology. In *Proceedings of the First Workshop on Language Technologies for African Languages*. 25–31.
- [134] Yetunde O Folajimi and Isaac Omonayin. 2012. Using Statistical Machine Translation (SMT) as a Language Translation Tool for Understanding Yoruba Language. (2012).
- [135] Markus Frohmann, Igor Sterner, Ivan Vulić, Benjamin Minixhofer, and Markus Schedl. 2024. Segment Any Text: A universal approach for robust, efficient and adaptable sentence segmentation. *arXiv preprint arXiv:2406.16678* (2024).
- [136] Abdul Ghafoor, Ali Shariq Imran, Sher Muhammad Daudpota, Zenun Kastrati, Rakhi Batra, Mudasir Ahmad Wani, et al. 2021. The impact of translating resource-rich datasets to low-resource languages through multi-lingual text processing. *IEEE Access* 9 (2021), 124478–124490.
- [137] Dafydd Gibbon, Ugonna Duruibe, and Jolanta Bachan. 2012. ‘MARKETSPEAK’IN IGBO: ASpeech SYNTHESIS TRAINING PROJECT. *Vili, Zulu, Xhosa, Afrikaans, English, Swati, Ndebele, Punu, Shona, Tswana, Sotho, Sepedi, Obamba* (2012), 339.
- [138] VR Girija, T Sudha, and Riboy Cheriyan. 2023. Analysis of Sentiments in Low Resource Languages: Challenges and Solutions. In *2023 IEEE International Conference on Recent Advances in Systems Science and Engineering (RASSE)*. IEEE, 1–6.
- [139] Julius Femi Godslove and Ajit Kumar Nayak. 2024. Trilingual conversational intent decoding for response retrieval. *Knowledge and Information Systems* 66, 1 (2024), 535–556.
- [140] JOHN Goldsmith. 1976. Autosegmental phonology. *Indiana University* (1976).
- [141] Naman Goyal, Cynthia Gao, Vishrav Chaudhary, Peng-Jen Chen, Guillaume Wenzek, Da Ju, Sanjana Krishnan, Marc’Aurelio Ranzato, Francisco Guzmán, and Angela Fan. 2022. The flores-101 evaluation benchmark for low-resource and multilingual machine translation. *Transactions of the Association for Computational Linguistics* 10 (2022), 522–538.
- [142] David Graff and Rebecca Finch. 1994. Multilingual text resources at the linguistic data consortium. In *Human Language Technology: Proceedings of a Workshop held at Plainsboro, New Jersey, March 8-11, 1994*.
- [143] Fritz Günther and Luca Rinaldi. 2022. Language statistics as a window into mental representations. *Scientific Reports* 12, 1 (2022), 8043.
- [144] Suchin Gururangan, Ana Marasović, Swabha Swayamdipta, Kyle Lo, Iz Beltagy, Doug Downey, and Noah A Smith. 2020. Don’t stop pretraining: Adapt language models to domains and tasks. *arXiv preprint arXiv:2004.10964* (2020).
- [145] Alexander Gutkin, Isin Demirsahin, Oddur Kjartansson, Clara E Rivera, and Kólá Túbósún. 2020. Developing an open-source corpus of yoruba speech. (2020).
- [146] Barry Haddow, Rachel Bawden, Antonio Valerio Miceli Barone, Jindřich Helcl, and Alexandra Birch. 2022. Survey of low-resource machine translation. *Computational Linguistics* 48, 3 (2022), 673–732.
- [147] Usman Haruna, Umar Sunusi Maitalata, Murtala Mohammed, and Jaafar Zubairu Maitama. 2021. Hausa Intelligence Chatbot System. In *Information and Communication Technology and Applications: Third International Conference, ICTA 2020, Minna, Nigeria, November 24–27, 2020, Revised Selected Papers 3*. Springer, 206–219.
- [148] Ali Hatami, Shubhanker Banerjee, Mihael Arcan, Bharathi Chakravarthi, Paul Buitelaar, and John Mccrae. 2024. English-to-low-resource translation: A multimodal approach for hindi, malayalam, bengali, and hausa. In *Proceedings of the Ninth Conference on Machine Translation*. 815–822.
- [149] Michael Aloys Hedderich. 2022. Weak supervision and label noise handling for Natural language processing in low-resource scenarios. (2022).
- [150] Michael A Hedderich, Lukas Lange, Heike Adel, Jannik Strötgen, and Dietrich Klakow. 2020. A survey on recent approaches for natural language processing in low-resource scenarios. *arXiv preprint arXiv:2010.12309* (2020).
- [151] Odikwa Henry et al. 2020. The Performance Evaluation of an Igbo Text-Based Intelligent System. *International Journal of Applied Information Systems* 12, 30 (2020), 1–5.
- [152] Songbo Hu, Abigail Oppong, Ebele Mogo, Anna Barford, Giulia Occhini, Charlotte Collins, and Anna Korhonen. 2024. Review Protocol: A Scoping Review of Natural Language Processing Technologies for Public Health in Africa. *medRxiv* (2024), 2024–07.
- [153] Rabiul Abdullahi Ibrahim and Idris Abdulmumin. 2022. NECAT-CLWE: A Simple But Efficient Parallel Data Generation Approach for Unsupervised and Semi-Supervised Neural Machine Translation. In *3rd Workshop on African Natural Language Processing*. AfricaNLP Workshop at ICLR.
- [154] Umar Ibrahim, Abubakar Yakubu Zandam, Fatima Muhammad Adam, and Aminu Musa. 2024. A Deep Convolutional Neural Network-based Model for Aspect and Polarity Classification in Hausa Movie Reviews. *arXiv preprint arXiv:2405.19575* (2024).
- [155] Umar Adam Ibrahim, Moussa Mahamat Boukar, and Muhammed Aliyu Suleiman. 2022. Graphic User Interface for Hausa Text-to-Speech System. In *2022 2nd International Conference on Computing and Machine Intelligence (ICMI)*. IEEE, 1–4.

- [156] Umar Adam Ibrahim, Moussa Boukar Mahatma, and Muhammed Aliyu Suleiman. 2022. Framework for Hausa Speech Recognition. In *2022 5th Information Technology for Education and Development (ITED)*. IEEE, 1–4.
- [157] Umar Adam Ibrahim and Rukkaya Umar. 2021. Convolutional Neural Network for Nigerian Traditional Male Attire Classification. In *2021 1st International Conference on Multidisciplinary Engineering and Applied Science (ICMEAS)*. IEEE, 1–5.
- [158] Ya'u Idris Idris, Yusuf Suberu, Ifeyinwa Madu, Agabus Aminu, Yahaya Amatullah Aliyu, Garba Lawan, Adamu Yamusa Idris, Dantata Sunusi Abdulhamid, and John Okonkwo Ogochukwo. 2022. Development of Multilingual Dictionary for English and the three popular Nigerian Languages (Hausa, Yoruba, and Igbo). *Scholar, African* (2022).
- [159] OU Iheanetu and O Oha. 2017. Some salient issues in the unsupervised learning of Igbo morphology. In *Proceedings of the World Congress on Engineering and Computer Science*, Vol. 1.
- [160] Olamma U Iheanetu and Obododimma Oha. 2019. Addressing the Challenges of Igbo Computational Morphological Studies Using Frequent Pattern-Based Induction. In *Transactions on Engineering Technologies: World Congress on Engineering and Computer Science 2017*. Springer, 143–156.
- [161] Sukairaj Hafiz Imam, Abubakar Ahmad Musa, and Ankur Choudhary. 2022. The First Corpus for Detecting Fake News in Hausa Language. In *Emerging Technologies for Computing, Communication and Smart Cities: Proceedings of ETCCS 2021*. Springer, 563–576.
- [162] Isa Inuwa-Dutse. 2021. The first large scale collection of diverse Hausa language datasets. *arXiv preprint arXiv:2102.06991* (2021).
- [163] AR Iyanda. 2015. Statistical Text Analysis for Yorùbá Speech Generation Using Zipf's Law. *Ife Journal of Technology* 23, 2 (2015), 40–44.
- [164] Zhiying Jiang, Matthew Yang, Mikhail Tsirlin, Raphael Tang, Yiqin Dai, and Jimmy Lin. 2023. "Low-resource" text classification: A parameter-free classification method with compressors. In *Findings of the Association for Computational Linguistics: ACL 2023*. 6810–6828.
- [165] Pratik Joshi, Sebastin Santy, Amar Budhiraja, Kalika Bali, and Monojit Choudhury. 2020. The state and fate of linguistic diversity and inclusion in the NLP world. *arXiv preprint arXiv:2004.09095* (2020).
- [166] Jaspreet Kaur, Amitoj Singh, and Virender Kadyan. 2021. Automatic speech recognition system for tonal languages: State-of-the-art survey. *Archives of Computational Methods in Engineering* 28 (2021), 1039–1068.
- [167] Okan Kolak and Philip Resnik. 2005. OCR post-processing for low density languages. In *Proceedings of Human Language Technology Conference and Conference on Empirical Methods in Natural Language Processing*. 867–874.
- [168] Panteleimon Krasadakis, Evangelos Sakkopoulos, and Vassilios S Verykios. 2024. A survey on challenges and advances in natural language processing with a focus on legal informatics and low-resource languages. *Electronics* 13, 3 (2024), 648.
- [169] FO Kumolalo, ER Adagunodo, and OA Odejobi. 2010. Development of a syllabicator for Yorùbá language. *Proceedings of OAU TekConf* (2010), 47–51.
- [170] Olanrewaju Israel Lawal, Olubayo Adekanmbi, and Anthony Soronnadi. 2024. Contextual Evaluation of LLM's Performance on Primary Education Science Learning Contents in the Yoruba Language. In *5th Workshop on African Natural Language Processing*.
- [171] Bin Liu and Guosheng Yin. 2023. Graphmax for Text Generation. *Journal of Artificial Intelligence Research* 78 (2023), 823–848.
- [172] Di Lu, Xiaoman Pan, Nima Pourdamghani, Shih-Fu Chang, Heng Ji, and Kevin Knight. 2016. A multi-media approach to cross-lingual entity knowledge transfer. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*. 54–65.
- [173] Matthew K Luka, F Ibikunle, and O Gregory. 2012. Neural network based Hausa language speech recognition. *(IJARAI) International Journal of Advanced Research in Artificial Intelligence* 1, 2 (2012), 39–44.
- [174] Koena Ronny Mabokela, Turgay Celik, and Mpho Raborife. 2022. Multilingual sentiment analysis for under-resourced languages: a systematic review of the landscape. *IEEE Access* 11 (2022), 15996–16020.
- [175] Aymen Ben Elhaj Mabrouk, Moez Ben Haj Hmida, Chayma Fourati, Hatem Haddad, and Abir Messaoudi. 2021. A multilingual african embedding for FAQ chatbots. *arXiv preprint arXiv:2103.09185* (2021).
- [176] Sandeep Maddu and Viziananda Row Sanapala. 2024. A survey on NLP tasks, resources and techniques for low-resource Telugu-English code-mixed text. *ACM Transactions on Asian and Low-Resource Language Information Processing* (2024).
- [177] Alexandre Magueresse, Vincent Carles, and Evan Heetderks. 2020. Low-resource languages: A review of past work and future challenges. *arXiv preprint arXiv:2006.07264* (2020).
- [178] Sainik Kumar Mahata, Subhabrata Dutta, Dipankar Das, and Sivaji Bandyopadhyay. 2020. Performance Gain in Low Resource MT with Transfer Learning: An Analysis concerning Language Families. In *Proceedings of the 12th Annual Meeting of the Forum for Information Retrieval Evaluation*. 58–61.
- [179] Tanjim Mahmud, Michal Ptaszynski, Juuso Eronen, and Fumito Masui. 2023. Cyberbullying detection for low-resource languages and dialects: Review of the state of the art. *Information Processing & Management* 60, 5 (2023), 103454.
- [180] Jaafar Zubairu Maitama, Usman Haruna, Abdullahi Ya'u Gambo, Bimba Andrew Thomas, Norisma Binti Idris, Abdulsalam Ya'u Gital, and Adamu I Abubakar. 2014. Text normalization algorithm for Facebook chats in Hausa language. In *The 5th International Conference on Information and Communication Technology for The Muslim World (ICT4M)*. IEEE, 1–4.
- [181] Orji Ifeoma Maryann, Sylvanus Okwudili Anigbogu, Ekwealor Oluchukwu Uzoamaka, and Chidi Ukamaka Betrand. 2022. Enhanced Machine Learning Algorithm for Translation of English to Igbo Language. *Machine Learning Research* 7, 1 (2022), 8–14.
- [182] Orji Ifeoma Maryann, Sylvanus Okwudili Anigbogu, Ekwelaro Oluchukwu Uzoamaka, and Asogwa Doris Chinedu. 2021. Machine Learning Translation of English into Igbo Language: A Review. *International Journal of Intelligent Information Systems* 10, 5 (2021), 104.
- [183] Hlaudi Daniel Masethe, Mosima Anna Masethe, Sunday Olusegun Ojo, Fausto Giunchiglia, and Pius Adewale Owolawi. 2024. Word Sense Disambiguation for Morphologically Rich Low-Resourced Languages: A Systematic Literature Review and Meta-Analysis. *Information* (2078-2489)

- 15, 9 (2024).
- [184] Chinedu Emmanuel Mbonu, Chiamaka Ijeoma Chukwunke, Roseline Uzoamaka Paul, Ignatius Ezeani, and Ikechukwu Onyenwe. 2022. Igbosum1500-introducing the igbo text summarization dataset. In *3rd Workshop on African Natural Language Processing*.
- [185] Yohannes Hailemariam Mehari, Steven Lynden, Toshiyuki Amagasa, and Akiyoshi Matono. 2024. Semi-supervised Named Entity Recognition for Low-Resource Languages Using Dual PLMs. In *International Conference on Applications of Natural Language to Information Systems*. Springer, 166–180.
- [186] Abdou Mijinguini. 2003. Karamin Kamus: Dictionnaire Élémentaire Hausa-Français.
- [187] Idi Mohammed and Rajesh Prasad. 2023. Building lexicon-based sentiment analysis model for low-resource languages. *MethodsX* 11 (2023), 102460.
- [188] Idi Mohammed and Rajesh Prasad. 2024. Lexicon dataset for the Hausa language. *Data in Brief* 53 (2024), 110124.
- [189] Shamsuddeen Hassan Muhammad, Idris Abdulmumin, Abinew Ali Ayele, David Ifeoluwa Adelani, Ibrahim Said Ahmad, Saminu Mohammad Aliyu, Nelson Odhiambo Onyango, Lilian DA Wanzare, Samuel Rutunda, Lukman Jibril Aliyu, et al. 2025. AfriHate: A Multilingual Collection of Hate Speech and Abusive Language Datasets for African Languages. *arXiv preprint arXiv:2501.08284* (2025).
- [190] Shamsuddeen Hassan Muhammad, David Ifeoluwa Adelani, Sebastian Ruder, Ibrahim Said Ahmad, Idris Abdulmumin, Bello Shehu Bello, Monojit Choudhury, Chris Chinenye Emezue, Saheed Salahudeen Abdullahi, Anuoluwapo Aremu, et al. 2022. Naijasenti: A nigerian twitter sentiment corpus for multilingual sentiment analysis. *arXiv preprint arXiv:2201.08277* (2022).
- [191] Benjamin Muller, Antonis Anastasopoulos, Benoît Sagot, and Djamel Seddah. 2020. When being unseen from mBERT is just the beginning: Handling new languages with multilingual language models. *arXiv preprint arXiv:2010.12858* (2020).
- [192] Sirajo Musa, GN Obunadike, and Muhammad Muntasar Yakubu. 2022. AN IMPROVED HAUSA WORD STEMMING ALGORITHM. *FUDMA JOURNAL OF SCIENCES* 6, 1 (2022), 291–295.
- [193] Rabi Mustapha, Falalu Ibrahim Lawal, and Muhammad Aminu Ahmad. 2023. Automated conversion of numeral to words in Hausa language. *Gadua Journal of Pure and Allied Sciences* 2, 2 (2023), 140–145.
- [194] National Bureau of Statistics NBS. 2024. Telecoms Data: Active Voice and Internet, Porting and Tariff Information. (2024).
- [195] Wanjiku Nganga and Ikechukwu Achebe. 2020. Spoken word corpus and dictionary definition for an African language. *Journal of Data Mining & Digital Humanities Digital humanities in languages* (2020).
- [196] Mikel K Ngueajio and Gloria Washington. 2022. Hey ASR system! Why aren't you more inclusive? Automatic speech recognition systems' bias and proposed bias mitigation techniques. A literature review. In *International Conference on Human-Computer Interaction*. Springer, 421–440.
- [197] Hellina Hailu Nigatu, Atnafu Lambebo Tonja, Benjamin Rosman, Thamar Solorio, and Monojit Choudhury. 2024. The Zeno's Paradox of Low-Resource Languages. *arXiv preprint arXiv:2410.20817* (2024).
- [198] Ifeanyi-Reuben Nkechi, Odikwa Ndubuisi, and Ugwu Chidiebere. 2021. N-Gram and K-Nearest Neighbour Based Igbo Text Classification Model. *International Journal of Innovative Science and Research Technology* (2021).
- [199] Ifeanyi-Reuben Nkechi, Chidiebere Ugwu, et al. 2020. Comparative Analysis of N-gram Text Representation on Igbo Text Document Similarity. *arXiv preprint arXiv:2004.00375* (2020).
- [200] Ifeanyi-Reuben Nkechi and Patience Usoro Usip. 2022. Semantic Representation of Igbo Text Using Knowledge Graph.. In *KGSWC Workshops*. 37–51.
- [201] Artur Nowakowski and Tomasz Dwojak. 2021. Adam mickiewicz university's english-hausa submissions to the wmt 2021 news translation task. In *Proceedings of the Sixth Conference on Machine Translation*. 167–171.
- [202] Jeremiah Anene Nwankwegu. 2021. LEVERAGING DIGITAL TECHNOLOGY FOR IGBO LANGUAGE DEVELOPMENT. *IDEAL INTERNATIONAL JOURNAL* 14, 2 (2021).
- [203] Emejulu Augustine Obiajulu, Okpala Izunna Udebuana, and Nwakanma Ifeanyi Cosmas. 2019. Digital Language Mining Platform for Nigerian Languages (DLMP). *International Journal on Data Science and Technology* (2019).
- [204] Michael Chima Ochu. 2019. A CORPUS-DRIVEN STUDY OF MULTIWORD EXPRESSIONS IN IGBO. *Journal of West African Languages* 46, 2 (2019).
- [205] Odetúnjí Àjàdí Odélobí. 2008. Recognition of tones in Yoruba speech: experiments with artificial neural networks. In *Speech, Audio, Image and Biomedical Signal Processing using Neural Networks*. Springer, 23–47.
- [206] Clement Odoje. 2014. Investigating language in the machine translation: exploring Yorùbá-English machine translation as a case study. *Language. Text. Society* 4, 1 (2014), 17–26.
- [207] Clement Odoje. 2016. The Peculiar Challenges of SMT to African Languages. *ICT, Globalisation and the Study of Languages and Linguistics in Africa* (2016), 223.
- [208] Emeka Ogbuju and Moses Onyesolu. 2020. Development of a general purpose sentiment lexicon for Igbo language. *arXiv preprint arXiv:2004.14176* (2020).
- [209] Kingsley Lucky Ogheneovo Ogheneruemu. 2022. *Development of Yoruba Diacritic Restoration for Under Dot and Diacritic Mark for Yoruba Text Using Deep Learning Model*. Master's thesis. Kwara State University (Nigeria).
- [210] Odunayo Ogundepo. 2023. *Enabling Cross-lingual Information Retrieval for African Languages*. Master's thesis. University of Waterloo.
- [211] Bayode Ogunleye, Teresa Brunson, Tonderai Maswera, Laurence Hirsch, and Jotham Gaudoin. 2023. Using Opinionated-Objective Terms to Improve Lexicon-Based Sentiment Analysis. In *International conference on soft computing for problem-solving*. Springer, 1–23.

- [212] Aadaeze Oluoba, Serge Sharoff, and Callum Walker. 2024. Quantifying the Contribution of MWEs and Polysemy in Translation Errors for English-Igbo MT. In *Proceedings of the 25th Annual Conference of the European Association for Machine Translation (Volume 1)*. 537–547.
- [213] Jessica Ojo, Kelechi Ogueji, Pontus Stenetorp, and David Ifeoluwa Adelani. 2023. How good are Large Language Models on African Languages? *arXiv preprint arXiv:2311.07978* (2023).
- [214] Theresa Okediya, Ibukun Afolabi, Olamma Iheanetu, and Sunday Ojo. 2019. Building Ontology for Yorùbá Language. In *Proceedings of the First International Workshop on NLP Solutions for Under Resourced Languages (NSURL 2019) co-located with ICNLSP 2019-Short Papers*. 124–130.
- [215] CA Okoloegbo, UF Eze, GA Chukwudebe, and OC Nwokonkwo. 2022. Multilingual Cyberbullying Detector (CD) Application for Nigerian Pidgin and Igbo Language Corpus. In *2022 5th Information Technology for Education and Development (ITED)*, 1-6.
- [216] Christiana Amaka Okoloegbo, Udoka Felista Eze, Gloria A Chukwudebe, and Obi Chukwuemeka. 2024. Multilingual Cyberbullying Detection System in Nigerian Languages. *International Journal of Computer Science and Information Security (IJCSIS)* (2024).
- [217] Akintunde Oladipo, Mofetoluwa Adeyemi, and Jimmy Lin. 2024. On Backbones and Training Regimes for Dense Retrieval in African Languages. In *Proceedings of the 47th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 2564–2568.
- [218] Akintunde Oladipo, Odunayo Ogundepo, Kelechi Ogueji, and Jimmy Lin. 2022. An exploration of vocabulary size and transfer effects in multilingual language models for African languages. In *3rd Workshop on African Natural Language Processing*.
- [219] Awoniran Olalekan, Ogundiran Daniel, Ozichi N Emuoyibofarhe, et al. 2022. MACHINE LEARNING ALGORITHMS FOR MULTILINGUAL TEXT CLASSIFICATION OF NIGERIAN LOCAL LANGUAGES. *Computer Science & Telecommunications* 62, 2 (2022).
- [220] Ihenaeu Olamma, Michael Kingsley, and Sunday Ojo. 2019. Hidden Markov-based Part-of-Speech Tagger for Igbo Resource-Scarce African Language. In *Proceedings of the First International Workshop on NLP Solutions for Under Resourced Languages (NSURL 2019) co-located with ICNLSP 2019-Short Papers*. 118–123.
- [221] Aremu Abdulahi Olarewaju. 2024. Utilising AI-powered Chatbots for Learning Endangered Nigerian Languages and Considerations for Their Development. *Journal of Communication, Language and Culture* 4, 2 (2024), 41–56.
- [222] Erinfolami Oluwaseyi, Oguntimilehin Abiodun, Bukola Badeji-Ajisafe, et al. 2024. Automatic Spelling Corrector for Yorùbá Language Using Edit Distance and N-Gram Language Models. In *2024 International Conference on Science, Engineering and Business for Driving Sustainable Development Goals (SEB4SDG)*. IEEE, 1–6.
- [223] Enikuomihin A Oluwatoyin and Adewumi O Opeyemi. 2018. A Stochastic Collocation Algorithm Method for Processing the Yoruba Language Using the Data Context Approach Based on Text, Lexicon, and Grammar. *The Pacific Journal of Science and Technology* (2018).
- [224] Victor Adelakun Omolayo. 2020. *Proverb representation using semantic technologies: a case study of Nigerian Yoruba proverbs*. Ph.D. Dissertation. Namibia University of Science and Technology.
- [225] Abdul-Hakeem Omotayo, Ashery Mbilinyi, Lukman Ismaila, Houcemeddine Turki, Mahmoud Abdien, Karim Gamal, Idriss Tondji, Yvan Pimi, Naome A Etori, Marwa M Matar, et al. 2024. The State of Computer Vision Research in Africa. *Journal of Artificial Intelligence Research* 81 (2024), 43–69.
- [226] AC Onuora, P Ana, AO Otiko, RC Aguwamba, and NE Maidoh. 2024. Machine Learning Architecture for Combating Hate Speech in Igbo Language. In *International conference 2024, March*, Vol. 27. 29.
- [227] Chinaecherem Marycynthia Onyemaechi and Chinwe Doris Ojiako. 2023. Some Linguistic Features of Chi-Prefixed Igbo Personal Names. *JOURNAL OF LINGUISTICS, LANGUAGE AND IGBO STUDIES (JoLLIS)* 4, 1 (2023).
- [228] Ikechukwu Onyenwe, Mark Hepple, Chinedu Uchechukwu, and Ignatius Ezeani. 2015. Use of transformation-based learning in annotation pipeline of igbo, an african language. In *Proceedings of the Joint Workshop on Language Technology for Closely Related Languages, Varieties and Dialects*. Association for Computational Linguistics, 24–33.
- [229] Ikechukwu E Onyenwe and Mark Hepple. 2016. Predicting morphologically-complex unknown words in Igbo. In *Text, Speech, and Dialogue: 19th International Conference, TSD 2016, Brno, Czech Republic, September 12-16, 2016, Proceedings 19*. Springer, 206–214.
- [230] Ikechukwu E Onyenwe, Mark Hepple, Uchechukwu Chinedu, and Ignatius Ezeani. 2018. A Basic Language Resource Kit Implementation for the Igbo NLP Project. *ACM Transactions on Asian and Low-Resource Language Information Processing (TALLIP)* 17, 2 (2018), 1–23.
- [231] Ikechukwu E Onyenwe, Mark Hepple, Uchechukwu Chinedu, and Ignatius Ezeani. 2019. Toward an effective igbo part-of-speech tagger. *ACM Transactions on Asian and Low-Resource Language Information Processing (TALLIP)* 18, 4 (2019), 1–26.
- [232] Ikechukwu E Onyenwe, Ebele G Onyedimma, Godwin E Aniegwu, and Ignatius M Ezeani. 2019. BOOTSTRAPPING METHOD FOR DEVELOPING PART-OF-SPEECH TAGGED CORPUS IN LOW RESOURCE LANGUAGES TAGSET-AFocus ON AN AFRICAN IGBO. *International Journal on Natural Language Computing (IJNLC)* (2019).
- [233] Ikechukwu E Onyenwe, Chinedu Uchechukwu, and Mark Hepple. 2014. Part-of-speech tagset and corpus development for igbo, an african. In *Proceedings of LAW VIII-The 8th Linguistic Annotation Workshop*. Association for Computational Linguistics and Dublin City University, 93–98.
- [234] Iroro Orife. 2018. Attentive Sequence-to-Sequence Learning for Diacritic Restoration of Yor\ub\`a Language Text. *arXiv preprint arXiv:1804.00832* (2018).
- [235] Iroro Orife, David I Adelani, Timi Fasubaa, Victor Williamson, Wuraola Fisayo Oyewusi, Olamilekan Wahab, and Kola Tubosun. 2020. Improving Yor\ub\`a Diacritic Restoration. *arXiv preprint arXiv:2003.10564* (2020).
- [236] Dereck-MA Orji and Ijeoma Jennifer Korie. 2024. The Igbo Language in an AI World: Assessing its Current Status. *OHAZURUME-Unizik Journal of Culture and Civilization* 3, 1 (2024).

- [237] Eddiong Orok, Chidera Okaramee, Bethel Egboro, Esther Egbochukwu, Khairat Bello, Samuel Etukudo, Mark-Solomon Ogologo, Precious Onyeka, Obinna Etukokwu, Mesileya Kolawole, et al. 2024. Pharmacy students' perception and knowledge of chat-based artificial intelligence tools at a Nigerian University. *BMC Medical Education* 24, 1 (2024), 1237.
- [238] John E Ortega, Richard Alexander Castro Mamani, and Jaime Rafael Montoya Samame. 2021. Love thy neighbor: combining two neighboring low-resource languages for translation. In *Proceedings of the 4th Workshop on Technologies for MT of Low Resource Languages (LoResMT2021)*. 44–51.
- [239] Nedjma Ousidhoum, Shamsuddeen Hassan Muhammad, Mohamed Abdalla, Idris Abdulmumin, Ibrahim Said Ahmad, Sanchit Ahuja, Alham Fikri Aji, Vladimir Araujo, Meriem Beloucif, Christine De Kock, Oumaima Hourrane, Manish Shrivastava, Thamar Solorio, Nirmal Surange, Krishnapriya Vishnubhotla, Seid Muhie Yimam, and Saif M. Mohammad. 2024. SemEval Task 1: Semantic Textual Relatedness for African and Asian Languages. In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, Atul Kr. Ojha, A. Seza Do˘gruoz, Harish Tayyar Madabushi, Giovanni Da San Martino, Sara Rosenthal, and Aiala Rosa (Eds.). Association for Computational Linguistics, Mexico City, Mexico, 1963–1978. doi:10.18653/v1/2024.semeval-1.272
- [240] Ezekiel Olufunmiyi Oyekanmi, Samuel Adebayo Oluwadare, and BK Alese. 2013. Intelligent system learning and understanding of Yoruba language. *International Journal of Computer and Information Technology* 2, 5 (2013), 993–997.
- [241] Fiyinfoluwa Oyesanmi and Peter Olukanmi. 2024. Towards Yoruba-Speaking Google Maps Navigation. (2024).
- [242] Wuraola Fisayo Oyewusi, Olubayo Adekanmbi, Ifeoma Okoh, Vitus Onuigwe, Mary Idera Salami, Opeyemi Osakuade, Sharon Ibejih, and Usman Abdullahi Musa. 2021. Naijaner: Comprehensive named entity recognition for 5 nigerian languages. *arXiv preprint arXiv:2105.00810* (2021).
- [243] Olufunke A Oyinloye and Odetunji A Odejobi. 2015. Issues in Computational System for Morphological Analysis of Standard Yoruba (SY) Verbs. In *Proceedings of the World Congress on Engineering*, Vol. 1.
- [244] Shantipriya Parida, Idris Abdulmumin, Shamsuddeen Hassan Muhammad, Aneesh Bose, Guneet Singh Kohli, Ibrahim Said Ahmad, Ketan Kotwal, Sayan Deb Sarkar, Ondrej Bojar, and Habeebah Adamu Kakudi. 2023. HaVQA: A Dataset for Visual Question Answering and Multimodal Research in Hausa Language. *arXiv preprint arXiv:2305.17690* (2023).
- [245] Martin F Porter. 1980. An algorithm for suffix stripping. *Program* 14, 3 (1980), 130–137.
- [246] Ochilbek Rakhmanov and Tim Schlippe. 2022. Sentiment analysis for Hausa: Classifying students' comments. In *Proceedings of the 1st Annual Meeting of the ELRA/ISCA Special Interest Group on Under-Resourced Languages*. 98–105.
- [247] Nishaanth Ramanathan, Rajalakshmi Sivanaiah, Mirmalinee Thanka Nadar Thanagathai, et al. 2023. TechSSN at SemEval-2023 Task 12: Monolingual Sentiment Classification in Hausa Tweets. In *Proceedings of the 17th International Workshop on Semantic Evaluation (SemEval-2023)*. 1190–1194.
- [248] R Randell, A Bature, and R Schuh. 1998. Hausar Baka - Gani Ya Kori Ji.
- [249] Nilanjana Raychawdhary, Amit Das, Sutanu Bhattacharya, Gerry Dozier, and Cheryl D Seals. 2024. Enhancing Monolingual Sentiment Classification: Pioneering Strategies in Tailored Language Training and Analytical Techniques. In *2024 IEEE 3rd International Conference on Computing and Machine Intelligence (ICMI)*. IEEE, 1–5.
- [250] Nilanjana Raychawdhary, Amit Das, Sutanu Bhattacharya, Gerry Dozier, and Cheryl D Seals. 2024. Optimizing Multilingual Sentiment Analysis in Low-Resource Languages with Adaptive Pretraining and Strategic Language Selection. In *2024 IEEE 3rd International Conference on Computing and Machine Intelligence (ICMI)*. IEEE, 1–5.
- [251] Nilanjana Raychawdhary, Amit Das, Gerry Dozier, and Cheryl D Seals. 2023. Seals_Lab at SemEval-2023 task 12: Sentiment analysis for low-resource African languages, Hausa and Igbo. In *Proceedings of the 17th International Workshop on Semantic Evaluation (SemEval-2023)*. 1508–1517.
- [252] Nilanjana Raychawdhary, Nathaniel Hughes, Sutanu Bhattacharya, Gerry Dozier, and Cheryl D Seals. 2023. A Transformer-Based Language Model for Sentiment Classification and Cross-Linguistic Generalization: Empowering Low-Resource African Languages. In *2023 IEEE International Conference on Artificial Intelligence, Blockchain, and Internet of Things (AIBThings)*. IEEE, 1–5.
- [253] Franois Remy, Pieter Delobelle, Hayastan Avetisyan, Alfiya Khabibullina, Miryam de Lhoneux, and Thomas Demeester. 2024. Trans-tokenization and cross-lingual vocabulary transfers: Language adaptation of LLMs for low-resource NLP. *arXiv preprint arXiv:2408.04303* (2024).
- [254] Xiang Ren, Ahmed El-Kishky, Heng Ji, and Jiawei Han. 2016. Automatic entity recognition and typing in massive text data. In *Proceedings of the 2016 International Conference on Management of Data*. 2235–2239.
- [255] Iyanda Abimbola Rhoda. 2017. Computational analysis of Igbo numerals in a number-to-text conversion system. *Journal of Computer and Education Research* 5, 10 (2017), 241–254.
- [256] J Rigdon. 2017. English/Hausa Dictionary: Kamus na Hausa Zura Turanci.
- [257] Samantha Robertson and Mark Dıaz. 2022. Understanding and Being Understood: User Strategies for Identifying and Recovering From Mis-translations in Machine Translation-Mediated Chat. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*. 2223–2238.
- [258] I Eludiora Safiriyu, O Agbeyangi Abayomi, and O I Fatusin. 2015. Development of an English to Yoruba Machine Translation System for Yoruba Verbs' Tone Changing. *International Journal Computer Application, USA* 129, 10 (2015), 12–17.
- [259] Saheed Abdullahi Salahudeen, Falalu Ibrahim Lawan, Yusuf Aliyu, Amina Abubakar, Lukman Aliyu, Nur Rabiu, Mahmoud Ahmad, Aliyu Rabiu Shuaibu, and Alamin Musa. 2024. Hausanlp at semeval-2024 task 1: Textual relatedness analysis for semantic representation of sentences. In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*. 188–192.
- [260] Lawaly Salifou and Harouna Naroua. 2014. Design of a spell corrector for Hausa language. *international Journal of computational Linguistics (IJCL)* 5, 2 (2014), 14–26.

- [261] Muhammad Sani, Abubakar Ahmad, and Hadiza S Abdulazeze. 2022. Sentiment Analysis of Hausa Language Tweet Using Machine Learning Approach. *Journal of Research in Applied Mathematics* 8, 9 (2022), 07–16.
- [262] Kevin P Scannell. 2011. Statistical unification of African languages. *Language resources and evaluation* 45, 3 (2011), 375–386.
- [263] Harisu Abdullahi Shehu, Kaloma Usman Majikumna, Aminu Bashir Suleiman, Stephen Luka, Md Haidar Sharif, Rabie A Ramadan, and Huseyin Kusetogullari. 2024. Unveiling Sentiments: A Deep Dive into Sentiment Analysis for Low-Resource Languages—A Case Study on Hausa Texts. *IEEE Access* (2024).
- [264] Shumin Shi, Xing Wu, Rihai Su, and Heyan Huang. 2022. Low-resource neural machine translation: Methods and trends. *ACM Transactions on Asian and Low-Resource Language Information Processing* 21, 5 (2022), 1–22.
- [265] Iyanuoluwa Shode, David Ifeoluwa Adelani, and Anna Feldman. 2022. yosm: A new yoruba sentiment corpus for movie reviews. *arXiv preprint arXiv:2204.09711* (2022).
- [266] Bengt Sigurd. 1980. From numbers to numerals and vice versa. In *Computational and mathematical linguistics: Proceedings of the International Conference on Computational Linguistics: Pisa, 27/viii-1/ix 1973: vol. II.-(Biblioteca dell'Archivum Romanicum. Serie II: Linguistica; 37)*. LS Olschki, 429–455.
- [267] Anthony Soronadi, Olubayo Adekanmbi, Chinazo Anebelundu, and David Ifeoluwa Adelani. 2024. Enhancing Transformer Models for Igbo Language Processing: A Critical Comparative Study. In *5th Workshop on African Natural Language Processing*.
- [268] Aarohi Srivastava, Abhinav Rastogi, Abhishek Rao, Abu Awal Md Shoeb, Abubakar Abid, Adam Fisch, Adam R Brown, Adam Santoro, Aditya Gupta, Adria Garriga-Alonso, et al. 2022. Beyond the imitation game: Quantifying and extrapolating the capabilities of language models. *arXiv preprint arXiv:2206.04615* (2022).
- [269] Adewale Olumide Sunday, Agbonifo Oluwatoyin Catherine, and Olaniyan Julius. 2020. Development of Bi-Directional English To Yoruba Translator for Real-Time Mobile Chatting. *International Journal of Computational Linguistics (IJCL)* (2020).
- [270] Vitalijs Teze and Erika Nazaruka. 2024. Future Directions in Defence NLP: Investigating Research Gaps for Low-Resource Languages. In *International Baltic Conference on Digital Business and Intelligent Systems*. Springer, 93–105.
- [271] Adeboje Olawale Timothy, Adetunmbi Olusola Adebayo, Arome Gabriel Junior, and Akinyede Raphael Olufemi. 2024. Bilingual Neural Machine Translation From English To Yoruba Using A Transformer Model. *International Journal of Innovative Science and Research Technology* (2024).
- [272] Okebule Toyin, Christianah O Akinduyite, et al. 2024. A Hidden Markov Model-Based Parts-of-Speech Tagger for Yoruba Language. In *2024 International Conference on Science, Engineering and Business for Driving Sustainable Development Goals (SEB4SDG)*. IEEE, 1–6.
- [273] Chau Tran, Shruti Bhosale, James Cross, Philipp Koehn, Sergey Edunov, and Angela Fan. 2021. Facebook ai wmt21 news translation task submission. *arXiv preprint arXiv:2108.03265* (2021).
- [274] David Tresner-Kirsch, Amanda Azari Mikkelsen, Chika Yinka-Banjo, Mary Akinyemi, and Siddhartha Goyal. 2023. Intent Recognition on Low-Resource Language Messages in a Health Marketplace Chatbot. In *2023 IEEE 11th International Conference on Healthcare Informatics (ICHI)*. IEEE, 457–459.
- [275] A Tukur, A Jibrin, and U Inuwa. 2024. TOWARDS EFFICIENT PART-OF-SPEECH TAGGING FOR THE KANURI LANGUAGE: A HIDDEN MARKOV MODEL-BASED SOLUTION. *Nigerian Journal of Engineering Science and Technology Research* 10, 2 (2024), 115–123.
- [276] Aminu Tukur, Kabir Umar, and Anas Sa'idu Muhammad. 2019. A Corpus-Based Approach to Parts-of-Speech Tagging of the Hausa-Based Texts Using Hidden Markov and Unigram Models. *Algaita* (2019).
- [277] Aminu Tukur, Kabir Umar, and Anas Saidu Muhammad. 2019. Tagging part of speech in hausa sentences. In *2019 15th International Conference on Electronics, Computer and Computation (ICECCO)*. IEEE, 1–6.
- [278] Aminu Tukur, Kabir Umar, and S Muhammad. 2020. Parts-of-speech tagging of Hausa-based texts using hidden Markov model. *Dutse Journal of Pure and Applied Sciences* 6 (2020), 303–13.
- [279] Àjàdí O dé Tùnjí and Odéjò Bì. 2011. Design of a Text Markup System for Yorùbá Text-to-Speech Synthesis Applications. *Conference on Human Language Technology for Development* (2011).
- [280] Houcemeddine Turki, Naome A Etori, Mohamed Ali Hadj Taieb, Abdul-Hakeem Omotayo, Chris Chinenye Emezue, Mohamed Ben Aouicha, Ayodele Awokoya, Falalu Ibrahim Lawan, and Doreen Nixdorf. 2024. Text Categorization Can Enhance Domain-Agnostic Stopword Extraction. *arXiv preprint arXiv:2401.13398* (2024).
- [281] UCLA. [n. d.]. Hausa Poetry and Songs - An Introduction to Hausa Poetry and Song. ([n. d.]).
- [282] Chukwuemeka Christian Ugwu, Abisola Rukayat Oyewole, Olugbemiga Solomon Popoola, Adebayo Olusola Adetunmbi, and Ayo Elebute. 2024. A part of speech tagger for Yoruba language text using deep neural network. *Franklin Open* 9 (2024), 100185.
- [283] Ali Usman Umar. 2021. Aspects of Meaning by Collocation and the Degree of Collocability in Hausa Recurrent Word Combinations. (2021).
- [284] Patience U Usip, Funebi F Ijebu, Ifiok J Udo, and Ikechukwu K Ollawa. 2023. Text-Based Emergency Alert Framework for Under-Resourced Languages in Southern Nigeria. In *Semantic AI in Knowledge Graphs*. CRC Press, 111–126.
- [285] Robert D Van Valin and William A Foley. 1980. Role and reference grammar. In *Current approaches to syntax*. Brill, 329–352.
- [286] Daniel Varab and Natalie Schluter. 2021. MassiveSumm: a very large-scale, very multilingual, news summarisation dataset. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*. 10150–10161.
- [287] Francielle Alves Vargas, Samuel Guimaraes, Shamsuddeen Hassan Muhammad, Diego Alves, Ibrahim Said Ahmad, Idris Abdulmumin, Diallo Mohamed, Thiago Alexandre Salgueiro Pardo, and Fabricio Benevenuto. 2024. HausaHate: an expert annotated corpus for hausa hate speech detection. In *Proceedings*.

- [288] Song Wang, Zhen Tan, Ruocheng Guo, and Jundong Li. 2023. Noise-robust fine-tuning of pretrained language models via external guidance. *arXiv preprint arXiv:2311.01108* (2023).
- [289] Xinyu Wang, Wenbo Zhang, and Sarah Rajtmajer. 2024. Monolingual and Multilingual Misinformation Detection for Low-Resource Languages: A Comprehensive Survey. *arXiv preprint arXiv:2410.18390* (2024).
- [290] Tess Watt, Christos Chrysoulas, and Dimitra Gkatzia. 2023. Edge NLP for Efficient Machine Translation in Low Connectivity Areas. In *2023 IEEE 9th World Forum on Internet of Things (WF-IoT)*. IEEE, 1–6.
- [291] H. Ekkehard Wolff. 2014. Chadic Languages. (2014).
- [292] Ledell Wu, Adam Fisch, Sumit Chopra, Keith Adams, Antoine Bordes, and Jason Weston. 2018. Starspace: Embed all the things!. In *Proceedings of the AAAI conference on artificial intelligence*, Vol. 32.
- [293] Bilge Kağan Yazar, Durmuş Özkan Şahin, and Erdal Kiliç. 2023. Low-resource neural machine translation: A systematic literature review. *IEEE Access* 11 (2023), 131775–131813.
- [294] Oreen Yousuf, Gongbo Tang, and Zeying Jin. 2024. Improving BERTScore for Machine Translation Evaluation Through Contrastive Learning. *IEEE Access* (2024).
- [295] Shahrul Azmi Mohd Yusof, Abdulwahab Funsho Atanda, and M Hariharan. 2013. A Review of Yorùbá Automatic Speech Recognition. In *2013 IEEE 3rd International Conference on System Engineering and Technology*. IEEE, 242–247.
- [296] Aliyu Yusuf, Aliza Sarlan, Kamaluddeen Usman Danyaro, and Abdullahi Sani BA Rahman. 2023. Fine-tuning Multilingual Transformers for Hausa-English Sentiment Analysis. In *2023 13th International Conference on Information Technology in Asia (CITA)*. IEEE, 13–18.
- [297] Aliyu Yusuf, Aliza Sarlan, Kamaluddeen Usman Danyaro, Abdullahi Sani BA Rahman, and Mujaheed Abdullahi. 2024. Sentiment Analysis in Low-Resource Settings: A Comprehensive Review of Approaches, Languages, and Data Sources. *IEEE Access* (2024).
- [298] Rufai Yusuf Zakari, Zaharaddeen Karami Lawal, and Idris Abdulmumin. 2021. A systematic literature review of hausa natural language processing. *International Journal of Computer and Information Technology (2279-0764)* 10, 4 (2021).
- [299] Abubakar Yakubu Zandam, Fatima Adam Muhammad, and Isa Inuwa-Dutse. 2023. Online threats detection in hausa language. In *4th Workshop on African Natural Language Processing*.
- [300] Boliang Zhang, Di Lu, Xiaoman Pan, Ying Lin, Halidanmu Abudukelimu, Heng Ji, and Kevin Knight. 2017. Embracing non-traditional linguistic resources for low-resource language name tagging. In *Proceedings of the Eighth International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*. 362–372.
- [301] Rui Zhou, Akinori Ito, and Takashi Nose. 2024. Character Expressions in Meta-Learning for Extremely Low Resource Language Speech Recognition. In *Proceedings of the 2024 16th International Conference on Machine Learning and Computing*. 525–529.

| Category | Search Terms |
|--------------------------------|---|
| Language-Related Terms | <ul style="list-style-type: none"> - "Hausa" OR "Hausa Language" - "Igbo" OR "Igbo Language" - "Yorùbá" OR "Yorùbá Language" |
| NLP-Related Terms | <ul style="list-style-type: none"> - "natural language processing" OR "deep learning" OR "machine learning" OR "artificial intelligence" - "low-resource language" OR "low-resource languages" OR "low-resource NLP" - "sentiment analysis" OR "machine translation" OR "part-of-speech tagging" OR "named entity recognition" - "automatic speech recognition" OR "text-to-speech" OR "speech recognition" |
| Combined Search Queries | <ul style="list-style-type: none"> - ("Hausa" OR "Hausa Language") AND ("natural language processing" OR "deep learning" OR "machine learning" OR "artificial intelligence") - ("Hausa" OR "Hausa Language") AND ("low-resource languages" OR "low-resource languages" OR "low-resource NLP") - ("Yorùbá" OR "Yoruba Language") AND ("natural language processing" OR "deep learning" OR "machine learning" OR "artificial intelligence") - ("Yorùbá" OR "Yoruba Language") AND ("low-resource languages" OR "low-resource languages" OR "low-resource NLP") - ("Igbo" OR "Igbo Language") AND ("natural language processing" OR "deep learning" OR "machine learning" OR "artificial intelligence") - ("Igbo" OR "Igbo Language") AND ("low-resource languages" OR "low-resource languages" OR "low-resource NLP") |

Table 4. An example of the systematic search strategy for NaijaNLP review. Terms were structured to address (1) language-specific terms (Hausa, Igbo, Yorùbá), (2) NLP-related, and (3) example of the combined integrated search queries.