

Revisiting poverty measures using quantile functions

N. Unnikrishnan Nair, S.M.Sunoj*

*Department of Statistics, Cochin University of Science and Technology, Cochin 682 022,
Kerala, India*

Abstract

In this article we redefine various poverty measures in literature in terms of quantile functions instead of distribution functions in the prevailing approach. This enables provision for alternative methodology for poverty measurement and analysis along with some new results that are difficult to obtain in the existing framework. Several flexible quantile function models that can enrich the existing ones are proposed and their utility is demonstrated for real data.

Keywords: Poverty measures, Sen index, quantile function, income models.

1. Introduction

Poverty, interpreted as a state or condition in which an individual or community lacks resources and other essentials for a minimum standard of living, is a widely discussed subject in socio-economic literature. As a matter of concern for alleviation of poverty through various welfare programmes, there is need to identify the poor and to understand the intensity of poverty. Towards this objective, several measures of poverty such as head count ratio, poverty (income) gap ratio, Gini index for the poor, etc., and their combinations in the form of various indices like the Sen index and the FGT index satisfying certain axioms of behaviour have been proposed in the last few decades. An essential feature of all these indices of poverty is that they are based on the income distribution of the population, despite the recent view that poverty is related to social welfare which includes other facts than income inequality. See [Yang \(2017\)](#) for a discussion on the relationship between poverty and income inequality.

The definition of poverty measures based on income distribution, uses the distribution function of incomes in specifying them. Although probability distributions can also be specified by quantile functions, as an alternative equivalent of distribution functions, the prospect of looking at poverty measures using quantile functions is a rarely visited area in econometrics. The present work is an attempt

*Corresponding author

Email address: unnikrishnannair4@gmail.com, smsunoj@cusat.ac.in (N. Unnikrishnan Nair, S.M.Sunoj)

to redefine the various poverty concepts in the framework of quantile functions and to highlight the additional advantages arising therefrom. In the first place it gives a better insight into the properties of poverty indices by obtaining new results that are difficult to achieve by employing the distribution functions. Many quantile functions do not have tractable distribution functions that limits their practical utility in the existing distribution function based framework. The fact that they are flexible to contain some of the existing income models as special cases and approximates many others satisfactorily, points out the need to accommodate them also as candidate models in practical problems. In addition to these, generally quantile functions possess properties specific to modelling problems, that are not satisfied by distribution functions. We refer to [Gilchrist \(2000\)](#) for details.

Besides providing the quantile-based definitions of the poverty (income) gap ratio, mean function, Gini index of the poor, Sen and Sen-Shorrocks indices, we show that the first four determines the income law and conditions under which they can be chosen. The relationship between Lorenz curve and the poverty measures are also found. Some highly flexible quantile function that represent the generalized lambda, Wakeby, Kappa and Govindarajulu distributions are proposed as prospective income models and their poverty measures are presented. the utility of our results are demonstrated for income data pertaining to the California state.

The paper is organized into five sections. After the present introductory section, in Sections 2 and 3 we discuss the additive separable measures and rank based measures of poverty. In Section 4 we propose some flexible quantile functions as income models. Finally, the applications of our results in analysing data on incomes of the California state are presented in Section 5.

2. Additively separable measures

Let X be a continuous non-negative random variable representing the income in a population with distribution function $F(x)$, probability density function $f(x)$ and quantile function

$$Q(u) = \inf[x \mid F(x) \geq u], \quad 0 \leq u \leq 1.$$

When $F(x)$ is continuous and strictly increasing, $F(Q(u)) = u$, so that on differentiation

$$f(Q(u)) = [q(u)]^{-1}$$

where $q(u) = \frac{dQ(u)}{du}$ is the quantile density function and $F(x) = u$ if and only if $x = Q(u)$.

We assume that $x = t$ is the poverty line so that all individuals with income below t are considered poor and that there exist a function representing the poverty of the individual. A general approach ([Atkinson \(1987\)](#)) to the definition of a poverty measure is to propose an additively separable aggregate poverty metric

$$A_F(t) = \int_0^t a(x, t) dF(x) \quad (2.1)$$

with $a(x, t)$ interpreted as a deprivation suffered with income x satisfying $a(x, t) = 0$ for $x \geq t$. Many poverty measures discussed in literature like those of [Watts \(1969\)](#), [Thon \(1979\)](#), [Clark et al. \(1981\)](#), etc., belong to this class. When expressed in terms of quantile functions (2.1) has the form

$$A_Q(u) = \int_0^u a(Q(p), Q(u)) du. \quad (2.2)$$

An important class of measures suggested by [Foster et al. \(1984\)](#) reads

$$A_F(t, \alpha) = \int_0^t \left(1 - \frac{x}{t}\right)^\alpha dF(x) \quad (2.3)$$

or equivalently

$$A_Q(Q(u), d) = A_Q(u, \alpha) = \int_0^u \left(1 - \frac{Q(p)}{Q(u)}\right)^\alpha dp. \quad (2.4)$$

When $\alpha = 0$, (2.3) reduces to $F(t)$ which is the head count ratio giving the proportion of poor in the population. Another important special case, discussed in many contexts is obtained when $\alpha = 1$,

$$A_Q(u, 1) = A_1(u) = u - \frac{1}{Q(u)} \int_0^u Q(p) dp \quad (2.5)$$

called the poverty gap ratio (PGR). It is interpreted as the shortfall of the income of the poor from the poverty line and indicates the poverty line and the average income of the poor. Some new properties of PGR and their implications to poverty analysis are presented below.

Theorem 2.1. *The income distribution is uniquely determined by $A(u)$ through the formula*

$$Q(u) = \frac{\exp \left[- \int_u^1 (p - A_1(p))^{-1} dp \right]}{u - A_1(u)}. \quad (2.6)$$

Proof. From (2.5),

$$\frac{Q(u)}{\int_0^u Q(p) dp} = (u - A_1(u))^{-1}$$

or

$$\frac{d}{du} \log \int_0^u Q(p) dp = (u - A_1(u))^{-1}$$

giving

$$\int_0^u Q(p) dp = \exp \left[- \int_u^1 (p - A_1(p))^{-1} dp \right].$$

Differentiating the last equation we have (2.6). □

Some implications of Theorem 2.1 are the following

1. Theorem 2.1 establishes a one-to-one correspondence between the PGR and the income distribution, by saying that the functional form of $A_1(u)$ determines $Q(u)$. Thus if the functional form of $A_1(u)$ is known or obtained by considering the empirical form of $A_1(u)$, then the income distribution can be found directly from (2.6)(see Section 5). The expression of $A_1(u)$ for several quantile functions are exhibited in Table 1 for easy reference to the corresponding distribution.
2. A large number of distributions prescribed in literature as models of income, were not based on a clear rationale, but simply justified by the fact they provided satisfactory goodness of fit. In modelling, it is a widely accepted fact that some distinct features of data must form the basis of selecting the model. Characterization theorems have a great role in finalising the appropriate model. Taking these into consideration by fixing appropriate PGR for the data we have a criterion to choose the model as well as to give sufficient representation for empirical features observed in the data. As in the case of parametric Lorenz curves one can fix suitable parametric PGR for the data. Since any function of t cannot be a PGR, we fix the conditions for an arbitrary function $A_1 : R \rightarrow [0, 1]$ to be a PGR.

Theorem 2.2. *A function $A_1 : R \rightarrow [0, 1]$ will be the poverty gap ratio relating to a distribution $F(x)$, if and only if it satisfies the following properties*

(a) $\lim_{t \rightarrow \infty} \frac{d}{dt} tA_1(t) = 1; \lim_{t \rightarrow 0} \frac{d}{dt} tA_1(t) \geq 0$

(b) $A_1(t)$ is increasing and differentiable

(c) $tA_1(t)$ is convex

(d) $A_1(t) = \int_0^t \frac{t-x}{t} dF(x), \quad A_1(t) = A_F(t, 1).$

Proof. Let $A_1(t)$ be as in (d). Then

$$tA_1(t) = \int_0^t (t-x)dF(x) = \int_0^t F(x)dx$$

giving

$$F(t) = \frac{d}{dt} tA_1(t)$$

It is not difficult to see that $F(x)$ satisfies all the conditions of a distribution function of which $A_1(t)$ is the PGR by definition. Conversely if $F(x)$ is the distribution function with PGR; $A_1(t)$, then properties (i) to (iv) hold as seen from the above. \square

Remark 2.1. The corresponding properties of $A_1(u)$ can be obtained as in Theorem 2.2. We require $A_1(u)$ to satisfy the conditions that

- i) $Q(u) = \frac{\exp[-\int_u^1 (p-A_1(p))^{-1} dp]}{u-A_1(u)}$
- ii) $A_1(u)$ is an increasing function for $0 < u < 1$ and
- iii) $A_1(u)$ is continuous.

Example 2.1. Let $A_1(u) = \frac{u^2}{\beta}$, $0 \leq u \leq 1$, $\beta > 1$. Then from (2.6) by direct calculation,

$$Q(u) = \frac{\beta(\beta-1)}{(\beta-u)^2}.$$

Inverting, X has distribution function

$$F(x) = \beta - \left(\frac{\beta(\beta-1)}{x} \right)^{\frac{1}{2}}, \quad \frac{\beta-1}{\beta} \leq x \leq \frac{\beta}{\beta-1}.$$

The Lorenz curve of this distribution is discussed in Rohde (2009). One can read from Table 1, the distributions specified by quantile functions that are generated by special forms of $A_1(u)$.

Sometimes, the distribution is represented by its quantile density function $q(u)$ and $Q(u)$ may not have a simple enough expression to use (2.4). We observe that

$$A_1(t) = \frac{1}{t} \int_0^t F(x) dx,$$

so that when $t = Q(u)$,

$$A_1(u) = \frac{1}{Q(u)} \int_0^u pq(p) dp. \quad (2.7)$$

A well known case is the distribution specified by

$$q(u) = ku^\alpha(1-u)^\beta, k > 0,$$

α, β real which contains the exponential, Pareto II, re-scaled beta, log logistic, Govindarajulu distributions as special cases and approximates many continuous distributions. In this case

$$A_1(u) = \frac{B_u(\alpha+2, \beta+1)}{B_u(\alpha+1, \beta+1)}, \alpha, \beta > -2.$$

where $B_u(\alpha, \beta) = \int_0^u p^{\alpha-1}(1-p)^{\beta-1} dp$, $\alpha, \beta > 0$, is the incomplete beta function. An alternative inversion formula for $Q(u)$ is

$$Q(u) = \exp \left[- \int_u^1 \frac{A_1'(p)}{p-A_1(p)} dp \right]. \quad (2.8)$$

Example 2.2. Assume x to follow power distribution $F(x) = \left(\frac{x}{\alpha}\right)^\beta$, $0 \leq x \leq 1$ or $Q(u) = \alpha u^{1/\beta}$. Then for this distribution

$$A_1(u) = \frac{u}{\beta+1},$$

proportional to the head count ratio.

A third special case of (2.3) is

$$A_2(t) = A_F(t, 2) = \int_0^t \left(1 - \frac{x}{t}\right)^2 dF(x) \quad (2.9)$$

which measures depth of poverty while $A_F(t, 1)$ indicates its severity. Corresponding to $A_F(t, 2)$, we have

$$A_2(u) = A_Q(u, 2) = \int_0^u \left(1 - \frac{Q(p)}{Q(u)}\right)^2 dp. \quad (2.10)$$

Theorem 2.3. *The function $A_2(t)$ can be determined from $A_1(t)$ as*

$$A_2(t) = \frac{2}{t^2} \int_0^t x A_1(x) dx. \quad (2.11)$$

Proof. Since $\frac{1}{t} \int_0^t F(x) dx = A_1(t)$, we have $F(t) = \frac{d}{dt} t A_1(t)$. Hence

$$\begin{aligned} t^2 A_2(t) &= \int_0^t (t-x)^2 dF(x) \\ &= 2 \int_0^t (t-x) dF(x) \\ &= 2 \int_0^t (t-x) \left(\frac{d}{dx} x A_1(x) \right) dx \\ &= 2 \int_0^t x A_1(x) dx, \end{aligned}$$

from which (2.11) follows. □

Example 2.3. For the power distribution $Q(u) = \alpha u^{1/\beta}$,

$$A_2(u) = \int_0^u \left(1 - \frac{p^{1/\beta}}{u^{1/\beta}}\right)^2 dp = \frac{2u}{(\beta+1)(\beta+2)}.$$

Also observe that

$$A_2(u) = \frac{2}{\beta+2} A_1(u).$$

Remark 2.2. We see that $A_2(u)$ and $A_1(u)$ are proportional. From (2.11) it is not difficult to show that $A_2(u) = C A_1(u)$, when C is a constant only X has power distribution.

A somewhat similar poverty index was proposed by Clark et al. (1981) as

$$C_\beta(t, \beta) = \frac{1}{\beta} \int_0^t \left[1 - \left(\frac{x}{t}\right)^\beta\right] dF(x), \beta < 1. \quad (2.12)$$

For $\beta = 0$, it reduces to the Watt's measure to be discussed below and for $\beta = 1$, it is the poverty gap ratio. The index (2.12) is the Chakravarty (1983)

metric when $\beta > 0$. We have the quantile equivalent of (2.12) as $C_\beta(u, \beta) = \frac{1}{\beta} \int_0^u \left[1 - \left(\frac{Q(p)}{Q(u)} \right)^\beta \right] dp$. When $\beta = 2$,

$$C_2(u) = C_2(u, 2) = \frac{1}{2} \int_0^u \left(1 - \left(\frac{Q(p)}{Q(u)} \right)^2 \right) du.$$

Theorem 2.4. *The function $C_2(u)$ is determined form $C_1(u) = A_1(u)$*

Proof. That $C_1(u) = A_1(u)$ is mentioned above. Now,

$$\begin{aligned} A_2(u) &= \int_0^u \left(1 - \frac{Q(p)}{Q(u)} \right)^2 dp \\ &= u - \frac{2}{Q(u)} \int_0^u Q(p) dp + \frac{1}{Q^2(u)} \int_0^u Q^2(p) dp \end{aligned}$$

giving

$$\begin{aligned} \frac{1}{Q^2(u)} \int_0^u Q^2(p) dp &= A_2(u) + \frac{2}{Q(u)} \int_0^u Q(p) dp - u \\ &= A_2(u) + 2(u - A_1(u)) - u \end{aligned}$$

Hence

$$\begin{aligned} C_2(u) &= \frac{1}{2Q^2(u)} \left[\int_0^\infty [Q^2(u) - Q^2(p)] dp \right] \\ &= \frac{u}{2} - \frac{1}{2Q^2(u)} \int_0^u Q^2(p) dp \end{aligned} \tag{2.13}$$

From (2.12) and (2.13)

$$C_2(u) = A_1(u) - \frac{1}{2}A_2(u)$$

Using Theorem 2.3, $A_2(u)$ is determined from $A_1(u)$ and $A_1(u) = C_1(u)$ and Theorem 2.4 is proved. \square

When β tends to zero we have the Watt's measure (Watts, 1969)

$$C_0(t, 0) = W_F(t) = \int_0^t (\log z - \log x) dF(x)$$

or equivalently

$$\begin{aligned} W_Q(u) &= \int_0^u [\log Q(u) - \log Q(p)] dp \\ &= u \log Q(u) - \int_0^u \log Q(p) dp. \end{aligned} \tag{2.14}$$

Like other measures $W_Q(u)$ also determines the income distribution by the inversion formula

$$Q(u) = \exp \left[- \int_u^1 \frac{W'(p)}{p} dp \right]. \tag{2.15}$$

An example of income model with interesting properties is the power distribution.

Theorem 2.5. *The Watt's measure $W_Q(u) = \frac{u}{\beta}$, if and only if X has power distribution $Q(u) = \alpha u^{\frac{1}{\beta}}$.*

Note that in this case $W(t)$ is proportional to the head count ratio.

Since poverty is to a large extent influenced by the inequalities of income in the population, it is natural that measures of inequality are linked to poverty indices. A major tool in the evaluation of income inequality in the Lorenz curve (LC)

$$L(u) = \frac{1}{\mu} \int_0^u Q(p) dp \quad (2.16)$$

where $\mu = E(X)$ is assumed to be finite. It follows that $L(u)$ determines $Q(u)$ up to a scale transformation, since

$$Q(u) = \mu \frac{dL(u)}{du}.$$

From (2.16) and (2.5)

$$A_1(u) = u - \frac{L(u)}{L'(u)}.$$

Finally, the Gini index is

$$\begin{aligned} G &= 1 - 2 \int_0^1 L(p) dp \\ &= 1 - 2 \int_0^1 \left(\exp - \int_u^1 (p - A(p))^{-1} dp \right) du, \end{aligned}$$

in terms of PGR.

Generally, the LC is estimated by interpolation or directly from the distribution function of X or through parametric forms. A large number of parametric forms of LC have been proposed in literature. Some important forms, their PGR's and their quantile functions are exhibited in Table 1 for easy reference.

As a weakness of parametric LC's it is pointed out that they provide distribution functions that are difficult to manipulate algebraically to extract distributional properties. However a glance at the above table shows that the quantile functions have quite simple forms that admit analytic treatment.

3. Rank-based poverty measures

A second category of poverty metrics called rank-based measures that use a poor person's rank within the poor or whole population as an indicator of relative deprivation have the structural form

$$P(F, t) = \int_0^t q(F, x; z) dF(x). \quad (3.1)$$

Lorenz curve	PGR	$Q(u)$
$u \exp[-\delta(1-u)]$ Kakwani and Podder (1973)	$\frac{u^2 \delta}{1+\delta u}$	$\mu(u\delta + 1)e^{-\delta}(1-u)$
$u(1 - \delta(1-u)^{\frac{1}{2}}), 0 < \delta < 1$ Kakwani (1980)	$\frac{u^2}{(1-u)^{\frac{1}{2}} + u\delta - \delta}$	$\mu[1 - \delta(1-u)^{\frac{1}{2}} + u\delta(1-u)^{-\frac{1}{2}}]$
$\frac{e^{ku}-1}{e^k-1}$ Chotikapanich (1993)	$u - \frac{1}{k}(1 - e^{-ku})$	$\frac{\mu e^{ku}}{e^k-1}$
$\frac{(1-\theta)^2 u}{(1+\theta)^2 - 4u}$ Aggarwal (1984)	$\frac{4\theta u^2}{(1+\theta)^2}$	$\frac{\mu(1-\theta^2)^2}{((1+\theta)^2 - 4\theta u)^2}$
$uT^{u-1}, T > 1$ Gupta (1984)	$\frac{u^2 \log T}{1+u \log T}$	$\mu[1 + \mu \log T]T^{u-1}$
$u[1 - (1-u)^\theta], 0 < \theta \leq 1$ Ortega et al. (1991)	$\frac{\theta u^2(1-u)}{1+u\theta(1-u)^{\theta-1} - (1-u)^\theta}$	$\mu[1 + (1-u)^{\theta-1}((\theta+1)u - 1)]$
$\frac{u(\beta-1)}{\beta-u}, \beta > 1$ Rohde (2009)	$\frac{u^2}{\beta}$	$\frac{\mu\beta(\beta-1)}{(\beta-u)^2}$

Table 1: Functions associated with parametric Lorenz curves

Before discussing them, we need some basic concepts that are constituents of (3.1). The first measure is the income gap ratio (IGR) for the poor defined as (Sen (1986))

$$I - F(t) = 1 - \frac{\int_0^t x dF(x)}{tF(t)}$$

or equivalently,

$$I_Q(u) = 1 - \frac{\int_0^u Q(p) dp}{Q(u)} = \frac{1}{uQ(u)} \int_0^u pq(p) dp. \quad (3.2)$$

It gives the average shortfall of incomes among the poor community. We also need the average income of the poor

$$\mu_F(t) = \frac{1}{F(t)} \int_0^t x dF(x) = E(x|X \leq t)$$

and its quantile form

$$\mu_Q(u) = \frac{1}{u} \int_0^u Q(p) dp = \frac{1}{u} \int_0^u pq(p) dp \quad (3.3)$$

and the Gini index of the poor

$$G_F(t) = 1 - \frac{2}{\mu_F(t)} \int_0^t x \left(1 - \frac{F(x)}{F(t)}\right) \frac{f(x)}{F(t)} dx$$

or

$$G_Q(t) = 1 - \frac{2}{u^2 \mu_Q(u)} \int_0^u (u-p) Q(p) dp$$

$$= \frac{2}{u^2 \mu_Q(u)} \int_0^u pQ(p)dp - 1. \quad (3.4)$$

Some of the properties of the functions I_Q , μ_Q and G_Q discussed in [Nair et al. \(2008\)](#) and [Nair and Vineshkumar \(2022\)](#) that are needed in the sequel are the following

(a) the function $D(u)$ determines the income distribution as

$$Q(u) = \frac{\mu}{D(u)} \exp \left[- \int_u^1 D(p)dp \right]$$

where

$$D(u) = u(1 - I_Q(u)).$$

For the power distribution $Q(u) = \alpha u^{\frac{1}{\beta}}$, $I_Q(u) = (1 + \beta)^{-1}$, a constant.

(b) $G_Q(u)$ is independent of the poverty quantile u if and only if X has power distribution, where $G_Q(u) = (1 + 2\beta)^{-1}$.

(c) The above measures satisfy the identity with Lorenz curve

$$(i) \quad L(u) = \mu^{-1} u \mu_Q(u)$$

$$(ii) \quad L(u) = \mu^{-1} D(u) Q(u), I_Q(u) = 1 - \frac{\mu L(u)}{u Q(u)}$$

$$(iii) \quad G_Q(u) = 1 - \frac{2}{u L(u)} \int_0^u L(p)dp \text{ and } L(u) = \frac{2}{u(1-G-Q)} \exp \left[- \int_0^u \frac{2dp}{p(1-G_Q(p))} \right].$$

It is often difficult to find the distribution function $F(t)$ from $G_F(t)$. An advantage of the quantile approach initiated here is that the distribution $Q(u)$ can be expressed in terms of $G_Q(u)$.

Theorem 3.1. *The income distribution specified by $Q(u)$ is given by*

$$Q(u) = B(u) \exp \left[- \int_u^1 B(p)dp \right] \quad (3.5)$$

where $B(u) = \frac{1+G_Q(u)+uG'_Q(u)}{u(G_Q(u)-1)}$.

Proof. From (3.4),

$$\frac{1 - G(u)}{2} \mu_Q(u) = \int_0^u \left(\frac{1}{u} - \frac{p}{u^2} \right) Q(p)dp.$$

Using (3.2),

$$\frac{1 - G(u)}{2} \int_0^u Q(p)dp = \int_0^u Q(p)dp - \frac{1}{u} \int_0^u pQ(p)dp$$

which simplifies to

$$\frac{1 + G(u)}{2} u \int_0^u Q(p)dp = \int_0^u pQ(p)dp$$

Differentiating with respect to u , we get after some algebra,

$$u[(G(u) + 1) - 2u]Q(u) = [uG'(u) + G(u) + 1] \int_0^u Q(p)dp$$

and

$$\frac{Q(u)}{\int_0^u Q(p)dp} = B(u)$$

or

$$\frac{d}{du} \log \left(\int_0^u Q(p)dp \right) = B(u)$$

and

$$\int_0^u Q(p)dp = \exp \left[- \int_u^1 B(p)dp \right] \quad (3.6)$$

The proof is completed by noting that (3.5) is the derivative of the last expression (3.6). \square

Corollary 3.1. *All the basic functions associated with poverty can be expressed in terms of the PGR, $A_1(u)$.*

(i) the IGR, $I(u) = \frac{A_1(u)}{u}$

(ii) mean income of the poor, $\mu_Q(u) = \frac{1-A_1(u)}{u}Q(u)$

(iii) Lorenz curve $L(u) = \mu^{-1}u(u - A_1(u))$

(iv) Gini index of the same

$$G_Q(u) = \frac{\int_0^u pD(p) \exp[-\int_p^1 D(r)dr]dp}{\int_0^u D(p) \exp[-\int_p^1 D(r)dr]dp}.$$

The basic rank-based poverty measure proposed by Sen (1976) is

$$S_F(t) = H(t) [I_F(t) + (1 - I_F(t)) G_F(t)]$$

where $H(t) = F(t)$ is the head count ratio. We can rewrite it as

$$S_Q(u) = S_F(Q(u)) = u [I_Q(u) + (1 - I_Q(u)) G_Q(u)]. \quad (3.7)$$

Since the basic formula (3.7) needs calculation of several constituents, it is useful to have a single expression for $S_Q(u)$ in terms of $Q(u)$. Substituting for I_Q ,

$$S_Q(u) = u \left[1 - \frac{\int_0^u Q(p)dp}{uQ(u)} + \frac{\int_0^u Q(p)dp}{uQ(u)} G_Q(u) \right]$$

giving

$$\begin{aligned} u - S_Q(u) &= \frac{\int_0^u Q(p)dp}{Q(u)} [1 - G_Q(u)] \\ &= 2 \frac{\int_0^u Q(p)dp}{Q(u)} \left[1 - \frac{1}{u\mu_Q^{(u)}} \int_0^u pQ(p)dp \right] \\ &= 2 \frac{\int_0^u Q(p)dp}{Q(u)} \left[1 - \frac{\int_0^u pQ(p)dp}{u \int_0^u Q(p)dp} \right] \end{aligned}$$

Thus

$$(u - S_Q(u)) u Q(u) = 2u \int_0^u Q(p) dp - \int_0^u p Q(p) dp$$

leading to the formula

$$S_Q(u) = u - \frac{2 \int_0^u Q(p) dp}{Q(u)} + \frac{2 \int_0^u p Q(p) dp}{u Q(u)}. \quad (3.8)$$

Conversely,

$$\frac{d}{du} u (u - S_Q) Q(u) = 2 \int_0^u Q(p) dp$$

giving a second order differential equation with variable coefficients

$$u(u - S_Q) \frac{d^2 y}{du^2} + (2u - S_Q - u S'_Q) \frac{dy}{du} - 2y = 0 \quad (3.9)$$

with $y = y(u) = \int_0^u Q(p) dp$. It seems that a general expression for $Q(u)$ in terms of $S_Q(u)$ is difficult to find. However it is useful in the case of some specific distributions. For example when $S(u) = Ku$, where K is a positive constant (3.9) gives $Q(u) = \alpha u^{1/\beta}$, the power distribution. There are two solutions of (3.9) of which one is the power distribution and the other is a term that cannot be a quantile function so that $S(u) = Ku$ characterizes the power distribution. Some distributions and their expressions for $S(u)$ are given below

(i) power distribution, $Q(u) = \alpha u^{1/\beta} : S(u) = \frac{3\beta+1}{(\beta+1)(2\beta+1)} u$

(ii) exponential, $Q(u) = -\frac{1}{\lambda} \log(1 - u) :$

$$S(u) = 2 - \frac{1}{u} - \frac{3u - 2}{2 \log(1 - u)}$$

(iii) Pareto I: $Q(u) = \sigma(1 - u)^{-\frac{1}{\alpha}}; F(x) = 1 - \left(\frac{\sigma}{x}\right)^\alpha, x > \sigma > 0$

$$S(u) = u + \frac{2\alpha}{1 - \alpha} (1 - u)^{\frac{1}{\alpha}} + \frac{2\alpha^2}{(1 - \alpha)(1 - 2\alpha)} u \left[(1 - u)^2 - (1 - u)^{\frac{1}{\alpha}} \right]$$

(iv) Govindarajulu: $Q(u) = \sigma [(\beta_1) u^\beta \beta_u - \beta u^{\beta+1}]$.

$$S(u) = u - \frac{2u}{\beta + 1} + 2u^2 \left(\frac{(\beta + 2)(\beta + 3) - \beta(\beta + 2)u}{(\beta + 2)(\beta + 3) - (\beta + 1 - \beta u)} \right)$$

(v) Dagum $Q(u) = b \left[u^{-\frac{1}{\beta}} - 1 \right]^{-\frac{1}{a}}; F(x) = \left[1 + \left(\frac{b}{x} \right)^a \right]^{-\beta}$

$$S(u) = u - \frac{2b}{aQ(u)} \left[B_{\left(\frac{1}{b}\right)^a} \left(\beta + \frac{1}{a}, 1 - \frac{1}{a} \right) - \frac{1}{u} B_{\left(\frac{1}{b}\right)^a} \left(2\beta + \frac{1}{a}, 1 - \frac{1}{a} \right) \right]$$




Figure 1: $S(u)$ of power, Pareto, Govindarajulu and Dagum distribution with different parameter values.

In Figure 1 the graphs of the index for the power distribution, Pareto I, Govindarajulu and Dagum distributions are shown. Based on the graph and other analysis, we see that

- (i) The index of the power distribution is proportional to the head count ratio and it is the only distribution possessing this property
- (ii) $S(u)$ can be increasing (power), decreasing (Pareto I) or initially decreasing and then increasing (Dagum) in u (head count ratio). Since $u = F(t)$ is increasing (decreasing) means t is also increasing (decreasing) and vice-versa the monotonicity of $S_Q(u)$ and $S_F(t)$ are the same.
- (iii) When an income model is chosen arbitrarily from a list of candidates to study poverty using $S_Q(u)$, it should be compatible with the monotonic nature of the Sen index.

While Sen index expressed in the general form (3.1) has $q(F, x; z) = 2 \left[1 - \frac{F(x)}{r(z)} \right] \left(1 - \frac{x}{z} \right)$, where r_z is the proportion below the poverty line, other prominent indices proposed in literature are

- (a) Takayama (1979) with $q(F, x; z) = 2(1 - F(x)) \left(1 - \frac{x}{\mu_F} \right)$ where $\mu_F = r_z \mu_p + (1 - r_z) z$ and μ_p is the mean income of the poor.
- (b) Kakwani (1980): $q(F, x; z) = (k + 1) (1 - F(x)/r_z)^k \left(1 - \frac{x}{z} \right)$ and
- (c) Thon (1983): $q(F, x; z) = \frac{2}{c-1} [c - zF(x)] \left(1 - \frac{x}{z} \right)$, $c \geq 2$

(d) [Foster et al. \(1984\)](#): $F(s) = H [I^2(t) + (1 - I)^2 C_p^2(t)]$ where H is the head count ratio and C_p is the coefficient of variation among the poor. These can also be treated similar to $S(u)$.

[Shorrocks \(1995\)](#) provided a modification of the Sen index which satisfies the properties of symmetry, replication invariance, monotonic and homogeneous of degree zero in incomes and poverty line. See [Hagenaars \(2017\)](#), [Xu \(2020\)](#) and [Chakravarty \(2019\)](#) for details. The Shorrocks-Sen index, as it is called, takes the form

$$SS_F(x) = \mu(x)[1 + G(x)]$$

where μ is the mean and G is the Gini index of $X = \frac{t-Y}{t}$ and Y is the income. In terms of $F(t)$, $I_F(t)$ and $G_F(t)$ we have,

$$SS_F(t) = (2 - F(t))F(t)I_F(t) + F^2(t)(1 - I_F(t))G_F(t).$$

It is easy to see that the quantile version is

$$SS_Q(u) = (2 - u)uI_Q(u) + u^2(1 - I_Q(u))G_Q(u). \quad (3.10)$$

The form gives properties different from the Sen poverty index, for example, In the power distribution, $SS_Q(u)$ is not proportional to the head count ratio, but

$$SS(u) = \frac{u(2 + 4\beta - (\beta + 1)u)}{(\beta + 1)(2\beta + 1)}$$

is a quadratic function. The derivative of $SS(u)$ is

$$\frac{dSS}{du} = \frac{(2 + 4\beta) - 2u(\beta + 1)}{(\beta + 1)(2\beta + 1)} > 0 \text{ for all } u.$$

In the interval $[0, 1]$, $SS(u)$ is always an increasing function of u .

A third approach to poverty measure by [Hagenaars \(1987\)](#) visualizes it in the tradition of Dalton with the aid of utility functions with the general definition

$$P_F(t) = A(t) \int_0^t [U(t) - U(x)]dF(x)$$

where $U(\cdot)$ is the individual's utility function and $A(t)$ is a normalization factor. This is equivalent to

$$P_Q(u) = P_F(Q(u)) = A_H(u) \int_0^u [g(u) - g(p)] dp$$

where $A_H(u) = A(Q(u))$ and $g(p) = U(Q(p))$. This class has some common measures like those of [Watts \(1969\)](#), [Chakravarty \(1983\)](#) and [Clark et al. \(1981\)](#) disused earlier as particular cases.

4. Income modelling by quantile functions

The statistical regularities observed in income data have prompted researchers even from the early days to promote parametric models to represent them. In many cases the data generating mechanism was satisfactorily approximated by distribution functions and the summary measures derived from them were quite useful in indicating income characteristics. However, the absence of any concrete rationale for the choice of a specific model resulted in prescribing a large number of distributions as income models for data separated by time and space. A few important distributions specified by their quantile functions that have potential as income models are given below along with the expressions of poverty measures pertaining to them.

(i) Kappa distribution introduced by [Hosking \(1994\)](#) has quantile function

$$Q_k(u) = \alpha + \frac{\beta}{\gamma} \left[1 - \left(\frac{1 - u^\delta}{\delta} \right)^\gamma \right] \quad (4.1)$$

where α is a location parameter and β is a scale parameter. Since the random variable X has to be non-negative, $Q(0) \geq 0$, giving $\alpha + \frac{\beta}{\gamma} (1 - \delta^{-\gamma}) \geq 0$ along with $\beta > 0$. The advantage of (4.1) is that it contains as special cases, the Pareto distribution for $\delta = 1$, Stoppa for $\gamma < 0, \delta > 0$ and $\beta = -\gamma(\delta)^\gamma, \alpha = \frac{\beta}{\gamma}$; Dagum, when $\gamma < 0, \delta < 0, \beta = \gamma(\delta)^\gamma$ and $\alpha = \frac{\beta}{\gamma}$, Burr type III ($\gamma < 0, \delta < 0$), Burr Type XII ($\gamma > 0, \delta < 0$), generalized Pareto ($\delta = 1$), exponential $\gamma = 1, \delta = 0$. It is also obtained as the distribution of $\frac{1}{Y}$, where Y is the generalized Weibull of [Mudholkar and Kollia \(1994\)](#). Besides the distribution (4.1) gives good approximation to other unimodal distributions $\gamma, \delta < 1$. [Tarsitano et al. \(2006\)](#) has used (4.1) to analyse the income data related to the net disposable in Italian household budget for the years 1993, 1995, 1998 and 2000. Various expressions for poverty measures are

$$\text{poverty gap ratio, } A_1(u) = u - \frac{\beta P_1(u; \gamma, \delta)}{\gamma \delta Q(u)} - \frac{\alpha u}{Q(u)}$$

$$\text{Lorenz curve, } L(u) = \frac{1}{\mu} \left[\alpha u + \frac{\beta}{\gamma \delta} P_1(u, \gamma, \delta) \right],$$

$$\text{mean income, } \mu_{Q_k}(u) = \frac{1}{u} \left[\alpha u + \frac{\beta}{\gamma \delta} P_1(u, \gamma, \delta) \right],$$

$$\text{income gap ratio, } I_{Q_k}(u) = 1^{r\delta} \frac{1}{u Q(u)} \left[\alpha u + \frac{\beta}{\gamma \delta} P_1(u, r, \delta) \right], \text{ and the}$$

Gini coefficient of the poor

$$G_{Q_k}(u) = \frac{2}{u^2 \mu_Q} \left[\frac{\alpha u^2}{2} + \frac{\beta}{\gamma \delta} P_2(u, \gamma, \delta) \right],$$

where,

$$P_1(u, \gamma, \delta) = \int (1-t)^\gamma (1-t\delta)^{\frac{1}{\delta}-1} dt$$

$$P_2(u, \gamma, \delta) = \int (1-t)^\gamma (1-t\delta)^{\frac{1}{\delta}-1}$$

with the integrals evaluated over $\left(\frac{1-u\delta}{\delta}, \frac{1}{\delta}\right)$.

- (ii) Generalized lambda distributions: The form proposed by [Ramberg and Schmeiser \(1972\)](#) has quantile function

$$Q_R(u) = \lambda_1 + \lambda_2^{-1} [u^{\lambda_3} - (1-u)^{\lambda_4}] \quad (4.2)$$

where $\lambda_2 > 0$ and $\lambda_1 - \frac{1}{\lambda_2} \geq 0$ for non-negativity. The general properties of the model and regions of validity together with conditions that approximate (4.2) to many continuous distribution functions used for income analysis are given in [Karian and Dudewicz \(2000\)](#). [Tarsitano et al. \(2004\)](#) has employed this distribution as an income model. For this model, we have

$$A_1(u) = u - \frac{1}{Q_R(u)} \lambda_1 + \lambda_2^{-1} \left(\frac{u^{\lambda_3+1}}{\lambda_3+1} + P_3(u) \right),$$

$$L(u) = \frac{1}{\mu} (\lambda_1 u + P_3(u)), \quad \mu = \lambda_1 + \lambda_2^{-1} \left(\frac{1}{\lambda_3+1} - \frac{1}{\lambda_4+1} \right),$$

$$\mu_{Q_R}(u) = \frac{1}{\mu} (\lambda_1 u + P_3(u)),$$

$$I_{Q_R}(u) = 1 - \frac{1}{u Q_R(u)} (\lambda_1 u + P_3(u)),$$

where $P_3(u) = \frac{u^{\lambda_3+1}}{\lambda_3+1} + \frac{(1-u)^{\lambda_4+1}}{\lambda_4+1}$ and

$$G_{Q_R}(u) = u^2 \frac{2}{\mu_Q(u)} \left[\frac{\lambda_1 u^2}{2} + \frac{u^{\lambda_3+2}}{\lambda_2(\lambda_3+2)} + \frac{u(1-u)^{\lambda_4+1}}{\lambda_2(\lambda_4+1)} + \frac{(1-u)^{\lambda_4+1} - 1}{\lambda_2(\lambda_4+2)} \right].$$

An alternative version proposed by [Freimer et al. \(2008\)](#) is

$$Q_F = \lambda_1 + \lambda_2^{-1} \left(\frac{u^{\lambda_3} - 1}{\lambda_3} - \frac{(1-u)^{\lambda_4} - 1}{\lambda_4} \right)$$

where $\lambda_1 - \frac{1}{\lambda_2 \lambda_3} \geq 0$. [Haridas et al. \(2008\)](#) have discussed the role of this distribution for modelling income data. It contains the power, Pareto I & II distributions and approximates the Weibull, Singh-Maddala, Dagum and Fisk distributions for different ranges of parameter values. We have

$$A_1(u) = u - \frac{1}{Q(u)} P_4(u)$$

$$L(u) = \frac{1}{\mu} (P_4(u)),$$

$$\mu_{Q_F}(u) = \frac{1}{\mu} \left(\frac{1}{\lambda_2 \lambda_4 + \lambda_1} + P_4(u) + \frac{(1-u)^{\lambda_4+1-1}}{\lambda_2 \lambda_4 (\lambda_4 + 1)} \right),$$

$$I_{Q_F}(u) = 1 - \frac{1}{u Q(u)} \left(\frac{1}{\lambda_2 \lambda_4} + P_4(u) + \frac{(1-u)^{\lambda_4+1-1}}{\lambda_2 \lambda_4 (\lambda_4 + 1)} \right),$$

where $P_4(u) = \frac{1}{\lambda_2 \lambda_4} + \lambda_1 + \frac{u}{\lambda_2 \lambda_4} + \frac{u^{\lambda_3+1}}{\lambda_2 \lambda_3 (\lambda_4+1)} + \frac{(1-u)^{\lambda_4+1-1}}{\lambda_2 \lambda_4 (\lambda_3+1)}$ and

$$G_{Q_F}(u) = \frac{2}{u^2 \mu_Q} \left[\left(\lambda_1 - \frac{1}{\lambda_2 \lambda_3} + \frac{1}{\lambda_2 \lambda_4} \right) \frac{u^2}{2} + \frac{u^{\lambda_3+2}}{\lambda_2 \lambda_3 (\lambda_3 + 2)} + \frac{u(1-u)^{\lambda_4+1}}{\lambda_4 + 1} + \frac{(1-u)^{\lambda_4+1} - 1}{(\lambda_4 + 1)(\lambda_4 + 2)} \right].$$

(iii) Wakeby distribution: Introduced by [Houghton \(1978\)](#), the quantile function is given by

$$Q_w(u) = \lambda + \theta(1-u)^{-\alpha} - \phi(1-u)^\beta \quad (4.3)$$

which has five parameters of which λ specifies location, θ and ϕ the scales and α and β the shapes. For the random variable to be non-negative we should have $\lambda + \theta - \phi \geq 0$ and $\theta, \phi > 0$. An important property of the model is that it can satisfactory represent positively skewed data like the log-normal, gamma and beta laws. It contains the Pareto I and Pareto II distributions as special cases. The poverty measures are

$$A_1(u) = u - \frac{1}{Q_w(u)} P_5(u),$$

$$L(u) = \frac{1}{\mu} P_5(u),$$

$$\mu_{Q_W}(u) = \frac{1}{u} P_5(u),$$

$$I_{Q_W} = 1 - \frac{P_5(u)}{u Q_w(u)},$$

where $P_5(u) = \lambda u + \frac{\theta(1-u)^{-\alpha+1}-1}{\alpha-1} + \phi \frac{(1-u)^{\beta+1}-1}{\beta+1}$, $\alpha > 1, \beta > -1$ and

$$G_Q(u) = \frac{2}{u^2 \mu_{Q_w}(u)} \left[\frac{\lambda u^2}{2} + \frac{\theta}{\alpha-1} \left\{ u(1-u)^{-\alpha+1} + \frac{(1-u)^{-\alpha+2} - 1}{\alpha-2} \right\} + \frac{\phi}{\beta+1} \left\{ u(1-u)^{\beta+1} + \frac{(1-u)^{\beta+2} - 1}{\beta+2} \right\} \right].$$

(iv) Govindarajulu distribution: This distribution is defined by

$$Q(u) = \sigma ((\beta + 1)u^\beta - \beta u^{\beta+1}), \sigma, \beta > 0.$$

38130	38445	39443	40447	41077	41267	41843	42043
42418	42845	43268	43471	43536	44259	45487	45742
45920	47139	47245	47245	47605	47860	48438	48841
49194	49654	51088	51131	51342	52976	53500	53505
54715	55261	55266	55910	56123	56534	59838	60513
61004	63542	63729	65094	66076	66700	68936	69898
71592	71711	72155	75717	81171	85324	11547	134107
139405	147135						

Table 2: Per capita income of 58 countries in California

Its properties and application are described in [Nair et al. \(2013\)](#). In this case

$$\begin{aligned}
A_1(u) &= \frac{\beta(\beta + 2 - \beta u - u)}{(\beta + 2)(\beta + 1 - \beta u)}, \\
L(u) &= \frac{1}{2}(\beta + 2 - \beta u)u^{\beta+1}, \\
\mu_Q(u) &= \sigma \frac{(\beta + 2 - \beta u)}{\beta + 2} u^\beta, \\
I_Q(u) &= \frac{\beta}{\beta + 1 - \beta u},
\end{aligned}$$

and

$$G_Q(u) = \frac{2(\beta + 2)}{\beta + 2 - \beta_2 u} \left(\frac{\beta + 1}{\beta + 2} - \frac{\beta u}{\beta + 3} \right).$$

Other flexible quantile functions that have a similar role to play in income analysis can be seen in [Nair et al. \(2013\)](#).

Remark 4.1. All the distributions except (i) given above do not have tractable distribution functions and hence the conventional methods cannot be applied to them.

Remark 4.2. In the above formulas setting $u = 1$ in $\mu_Q(u)$ gives the mean of the distribution and similarly $u = 1$ in $G_Q(u)$ leads to the usual Gini index.

5. Applications to data analysis

In this section we demonstrate the usefulness of the results obtained above in the analysis of poverty and income inequality based on real data. The per capita personal incomes in dollars of 58 countries in the state of California in U.S for the year 2019. The data in ascending order of magnitude is given in Table 2.

Let $x_{1:n}, x_{2:n}, \dots, x_{n:n}$ be the ordered incomes with $x_{0:n} = 0$. Then $F(x_{i:n}) = \frac{i}{n}$, $i = 1, 2, \dots, n$ and the empirical quantile function $\bar{Q}(u_i) = x_{i:n}$, $\frac{i-1}{n} \leq u_i \leq \frac{i}{n}$ with $u_0 = 0$. At the values of u in $(0, 1)$, $\bar{Q}(u)$ by linear interpolation at the plot position $\frac{i-\frac{1}{2}}{n}$, enable $\bar{Q}(u)$ to be differentiable and the derivative $\bar{q}(u) = \frac{d\bar{Q}}{du}$,

becomes $\bar{q}_i(u) = n(x_{i+1:n} - x_{i:n}), \frac{i-\frac{1}{2}}{n} < u < \frac{i+\frac{1}{2}}{n}$. Then it is known that $\bar{q}(u)$ is a consistent estimator of $q(u)$. Accordingly, we propose consistent estimators for the functions μ_Q, I_Q and $A_1(u)$ directly from the sample

(a) $\bar{\mu}_Q(u_i) = \frac{1}{i} \sum_{i=1}^{j-1} i(x_{i+1:n} - x_{i:n}), j = [nu_i]$ the greatest integer contained in nu_i . for $\mu_Q(u) = \frac{1}{u} \int_0^u pq(p)dp$.

(b) $\bar{I}_Q(u_i) = \sum_{i=1}^{j-1} \frac{i(x_{i+1:n} - x_{i:n})}{ix_{j:n}} = x_{j:n} \bar{\mu}_Q(u_i)$ for $I_Q(u) = \frac{1}{uQ(u)} \int_0^u pq(p)dp$ and

(c) $\bar{A}_1(u_i) = u_i \bar{I}_Q(u_i)$ for $A_1(u) = \frac{1}{Q(u)} \int_0^u pq(p)dp$.

Using the data on incomes in Table 2 and the above estimators, the estimates of $\mu_Q(u)$ at the data points are given in Table 3.

u	$\mu_Q(u)$	u	$\mu_Q(u)$	u	$\mu_Q(u)$
0.0345	19.7315	0.1207	1328.5588	0.2069	1911.2304
0.0577	304.2465	0.1379	1179.2204	0.2241	1876.7298
0.0690	755.8168	0.1552	1533.8510	0.2414	2206.1195
0.0862	1382.4415	0.1724	1484.0924	0.2586	2813.1330
0.1034	1495.4265	0.1897	1530.1792	0.2759	3604.7200
0.2931	4143.5181	0.5690	9230.4205	0.8276	19508.5318
0.3103	4232.9025	0.5862	9234.1131	0.8448	19630.5264
0.3276	4270.1685	0.6034	9168.6294	0.8621	20287.0419
0.3498	4130.3180	0.6207	9079.784	0.8793	22534.0065
0.3621	3985.7430	0.6379	8968.4554	0.8966	24025.0041
0.3793	4160.8242	0.6552	9622.0868	0.9138	26250.7014
0.3906	4087.9917	0.6724	12254.8224	0.9310	30938.4824
0.4138	4476.6540	0.6847	12834.8073	0.9483	58220.4540
0.4310	4732.0262	0.7069	14872.7752	0.9655	75757.0443
0.4483	4873.7952	0.7241	15707.5824		
0.4655	5675.5410	0.7414	15734.6901		
0.4828	5503.8662	0.7586	15759.2574		
0.5170	6680.2736	0.7759	15855.2400		
0.5345	7094.1000	0.7931	15774.5500		
0.5517	7665.6070	0.8103	19349.9520		

Table 3: Estimates of mean income of the poor




Figure 2: Mean income of the poor.

u	$G_Q(u)$	u	$G_Q(u)$	u	$G_Q(u)$
0.0345	0.0000000	0.1207	0.2336292	0.2069	0.8809066
0.0517	1.8720359	0.1379	1.9753794	0.2241	1.4186406
0.0690	1.8946424	0.1552	1.6473920	0.2414	1.6535262
0.0862	1.8770444	0.1724	2.0753379	0.2586	1.8274994
0.1034	1.6277299	0.1897	2.2754333	0.2759	3.1668855
0.2931	2.7828750	0.5690	2.1078872	0.8276	1.9962204
0.3103	1.8186444	0.5862	1.4990645	0.8448	1.2676027
0.3276	1.2639615	0.6034	1.3377579	0.8621	1.2150751
0.3498	1.2564311	0.6207	1.2898577	0.8793	1.5178803
0.3621	1.4415978	0.6379	1.3856341	0.8966	1.6428995
0.3793	1.7089461	0.6552	1.5809869	0.9310	1.6808132
0.3906	1.7493353	0.6724	1.6180994	0.9483	1.7363457
0.4138	1.5560488	0.6847	1.5423056	0.9655	1.8902764
0.4310	1.5361280	0.7069	1.9358923		
0.4483	2.0041658	0.7241	1.9797122		
0.4655	2.0575689	0.7414	2.0218067		
0.4828	2.1521697	0.7586	2.2553937		
0.5170	2.2471304	0.7759	2.5766037		
0.5395	2.6172275	0.7931	2.8351479		
0.5517	2.7180134	0.8103	2.7097428		

Table 4: Estimates of Gini index for the poor




Figure 3: Gini index plot for the poor

The graph of $(u, \mu_Q(u))$ exhibited in Figure 2 (after omitting the last four values being inconsistently large to represent the poverty line) gives evidence that $\mu_Q(u)$ is approximately a straight line. Hence based on this empirical fact, we take

$$\mu_Q(u) = \alpha + \beta u, \quad 0 < u < 1.$$

Hence from

$$\mu_Q(u) = \frac{1}{u} \int_0^u pq(p) dp$$

or $(\alpha + \beta u)u = \int_0^u pq(p) dp$. Differentiating and simplifying,

$$q(u) = \frac{\alpha}{u} + 2\beta$$

or

$$Q(u) = \int_0^u q(p) dp = \alpha \log u + 2\beta u + r, \quad 0 < u < 1, \quad \alpha, \beta, r > 0 \quad (5.1)$$

where we have assumed that $\log u$ is evaluated at some point u near the origin




Figure 4: Sen index for the poor

u	$S(u)$	u	$S(u)$	u	$S(u)$
0.0345	0.0005	0.0862	0.1420	0.1724	0.3087
0.0517	0.0190	0.1034	0.1775	0.1897	0.3520
0.0690	0.0552	0.1207	0.1896	0.2069	0.4829
0.1379	0.1946	0.2241	0.5064	0.2414	0.6305
0.1552	0.2704	0.2586	0.8610	0.2759	1.1775
0.2931	1.4064	0.3103	1.5215	0.3276	1.6146
0.3498	1.6397	0.3621	1.6600	0.3793	1.8039
0.3906	1.8414	0.4138	2.0930	0.4310	2.2872
0.4483	2.3850	0.4655	2.8860	0.4828	2.8944
0.5170	3.5308	0.5395	3.8454	0.5517	4.2420
0.5690	5.2297	0.5862	5.3472	0.6034	5.5143
0.6207	5.5216	0.6379	5.5930	0.6552	6.1272
0.6724	7.5776	0.6847	8.0598	0.7069	9.5082
0.7241	9.8880	0.7414	10.1229	0.7586	10.1682
0.7759	10.3200	0.7931	10.4060	0.8103	12.6900
0.8276	12.6132	0.8448	12.8874	0.8621	13.5792
0.8793	15.3027	0.8966	18.1300	0.9310	18.4926

Table 5: Estimates of Sen index

to give r . Notice that the quantile function (5.1) does not have a closed form distribution function to calculate the conventional indices necessitating the need for quantile-based poverty measures for further analysis. The other poverty measures are the income gap ratio,

$$\begin{aligned}
I_Q(u) &= \frac{1}{uQ(u)} \int_0^u pq(p)dp = \frac{\mu_Q(u)}{Q(u)} \\
&= \frac{\alpha + \beta u}{\alpha \log u + 2\beta u + r}
\end{aligned}$$

and the poverty gap ratio,

$$\begin{aligned}
A_1(u) &= \frac{1}{Q(u)} \int_0^u pq(p)dp = uI_Q(u) \\
&= \frac{u(\alpha + \beta u)}{\alpha \log u + 2\beta u + r}
\end{aligned}$$

and the Gini index for the poor, obtained from (3.8) is

$$\begin{aligned}
G_Q(u) &= u - \frac{2}{Q(u)} \int_0^u (\alpha \log p + 2\beta p + r)dp + \frac{2}{Q(u)} \int_0^u (\alpha p \log p + 2\beta p^2 + rp) dp \\
&= u - 2 \frac{\alpha u(\log u - 1) + \beta u^2 + ru}{\alpha \log u + 2\beta u + r} + \frac{2 \left(\alpha \frac{u^2}{2} - \frac{u^2}{4} + \frac{2\beta u^3}{3} + \frac{ru^2}{2} \right)}{\alpha \log u + 2\beta u + r}.
\end{aligned}$$

u	$I_Q(u)$	u	$I_Q(u)$	u	$I_Q(u)$
0.0345	0.0005	0.1207	0.0316	0.2069	0.0439
0.0517	0.0095	0.1379	0.0278	0.2241	0.0422
0.0690	0.0184	0.1552	0.0338	0.2414	0.0485
0.0862	0.0355	0.1724	0.0343	0.2586	0.0615
0.1034	0.0355	0.1897	0.0352	0.2759	0.0785
0.2931	0.0879	0.5690	0.1687	0.8276	0.2742
0.3103	0.0895	0.5862	0.1671	0.8448	0.2742
0.3276	0.0897	0.6034	0.1671	0.8621	0.2829
0.3498	0.0863	0.6207	0.1624	0.8793	0.3123
0.3621	0.0830	0.6379	0.1598	0.8966	0.3626
0.3793	0.0859	0.6552	0.1702	0.9310	0.3626
0.3906	0.0837	0.6724	0.2048		
0.4138	0.0910	0.6847	0.2121		
0.4310	0.0953	0.7069	0.2438		
0.4483	0.0954	0.7241	0.2472		
0.4655	0.1110	0.7414	0.2469		
0.4828	0.1072	0.7586	0.2421		
0.5170	0.1261	0.7759	0.2400		
0.5395	0.1326	0.7931	0.2365		
0.5517	0.1414	0.8103	0.2820		

Table 6: Estimates of income gap ratio

Similarly $G_Q(u)$ is estimated by plugging in \bar{q} and $\bar{\mu}_Q$, to get

$$G_Q(u_j) = \frac{2}{j^2 \bar{\mu}_Q} (j) \sum_{i=1}^{j-1} i^2 (X_{i+1:n} - X_{i:n}).$$

We have presented in Tables 4, 5, 6, the estimated values of IGR, Gini index and Sen index respectively based on the sample values.

Data Availability Statements

Authors can confirm that all relevant data are included in the article and/or its supplementary information files.

Conflict of interest statement

On behalf of all authors, the corresponding author states that there is no conflict of interest.

References

Aggarwal, V. (1984). On optimum aggregation of income distribution data. *Sankhyā: The Indian Journal of Statistics, Series B*, 46:343–355.

- Atkinson, A. B. (1987). On the measurement of poverty. *Econometrica: Journal of the Econometric Society*, 55:749–764.
- Chakravarty, S. R. (1983). Ethically flexible measures of poverty. *The Canadian Journal of Economics*, 16:74–85.
- Chakravarty, S. R. (2019). On Shorrocks’ reinvestigation of the Sen poverty index. *Poverty, Social Exclusion and Stochastic Dominance*, pages 27–29.
- Chotikapanich, D. (1993). A comparison of alternative functional forms for the Lorenz curve. *Economics Letters*, 41:129–138.
- Clark, S., Hemming, R., and Ulph, D. (1981). On indices for the measurement of poverty. *The Economic Journal*, 91:515–526.
- Foster, J., Greer, J., and Thorbecke, E. (1984). A class of decomposable poverty measures. *Econometrica: Journal of the Econometric Society*, 52:761–766.
- Gilchrist, W. (2000). *Statistical Modelling with Quantile Functions*. Chapman and Hall/CRC, London, UK.
- Gupta, M. R. (1984). Functional form for estimating the Lorenz curve. *Econometrica*, 52:1313–1314.
- Hagenaars, A. (1987). A class of poverty indices. *International Economic Review*, 28:583–607.
- Hagenaars, A. J. (2017). The definition and measurement of poverty. In *Economic Inequality and Poverty*, pages 134–156. Routledge.
- Haridas, H. N., Nair, N. U., and Nair, K. R. M. (2008). Modelling income using the generalised lambda distribution. *Journal of Income Distribution*, 17(2):37–51.
- Hosking, J. R. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38:251–258.
- Houghton, J. C. (1978). Birth of a parent: The wakeby distribution for modeling flood flows. *Water Resources Research*, 14:1105–1109.
- Kakwani, N. (1980). On a class of poverty measures. *Econometrica: Journal of the Econometric Society*, 48:437–446.
- Kakwani, N. C. and Podder, N. (1973). On the estimation of Lorenz curves from grouped observations. *International Economic Review*, 14:278–292.
- Karian, Z. A. and Dudewicz, E. J. (2000). *Fitting Statistical Distributions: The Generalized Lambda Distribution and Generalized Bootstrap Methods*. Chapman and Hall/CRC.
- Mudholkar, G. S. and Kollia, G. D. (1994). Generalized Weibull family: a structural analysis. *Communications in Statistics-Theory and Methods*, 23:1149–1171.

- Nair, N. U., Nair, K. M., and Haridas, H. N. (2008). Some properties of income gap ratio and truncated gini coefficient. *Calcutta Statistical Association Bulletin*, 60:245–254.
- Nair, N. U., Sankaran, P. G., and Balakrishnan, N. (2013). *Quantile-Based Reliability Analysis*. Springer, US.
- Nair, N. U. and Vineshkumar, B. (2022). Cumulative entropy and income analysis. *Stochastics and Quality Control*, 37:165–179.
- Ortega, P., Martin, G., Fernandez, A., Ladoux, M., and Garcia, A. (1991). A new functional form for estimating Lorenz curves. *Review of Income and Wealth*, 37:447–452.
- Ramberg, J. S. and Schmeiser, B. W. (1972). An approximate method for generating symmetric random variables. *Communications of the ACM*, 15:987–990.
- Rohde, N. (2009). An alternative functional form for estimating the Lorenz curve. *Economics Letters*, 41:21–29.
- Sen, A. (1976). Poverty: an ordinal approach to measurement. *Econometrica: Journal of the Econometric Society*, 44:219–231.
- Sen, P. K. (1986). The gini coefficient and poverty indices: some reconciliations. *Journal of the American Statistical Association*, 81:1050–1057.
- Shorrocks, A. F. (1995). Revisiting the Sen poverty index. *Econometrica: Journal of the Econometric Society*, 63:1225–1230.
- Takayama, N. (1979). Poverty, income inequality, and their measures: Professor Sen’s axiomatic approach reconsidered. *Econometrica: Journal of the Econometric Society*, 47:747–759.
- Tarsitano, A. et al. (2004). Fitting the generalized lambda distribution to income data. In *COMPSTAT’2004 Symposium*, pages 1861–1867. Springer.
- Tarsitano, A. et al. (2006). A new Q-Q plot and its application to income data. *Statistica & Applicazioni*, 4.
- Thon, D. (1979). On measuring poverty. *Review of Income and Wealth*, 25:429–439.
- Thon, D. (1983). A poverty measure. *The Indian Economic Journal*, 30:285–307.
- Watts, H. W. (1969). An economic definition of poverty. In *Moynitian, D Ed. On Understanding Poverty*, pages 316–329.
- Xu, K. (2020). The Sen-Shorrocks-Thon index of poverty intensity. In *Encyclopedia of Quality of Life and Well-Being Research*, pages 1–3. Springer.
- Yang, L. (2017). The relationship between poverty and inequality: Concepts and measurements. Working paper, Centre for Analysis of Social Exclusion, London School of Economics.