

Grouping Strategies on Two-Phase Methods for Bi-objective Combinatorial Optimization

Felipe O. Mota^{a,*}, Luís Paquete^a, Daniel Vanderpooten^b

^aUniversity of Coimbra, CISUC/LASI – Centre for Informatics and Systems of the University of Coimbra, Rua Sílvio Lima, Pinhal de Marrocos 3030-290, Coimbra, Portugal

^bLAMSADE, Université Paris Dauphine, Université PSL, CNRS, Pl. du Maréchal de Lattre de Tassigny 75016, Paris, France

Abstract

Two-phase methods are commonly used to solve bi-objective combinatorial optimization problems. In the first phase, all extreme supported nondominated points are generated through a dichotomic search. This phase also allows the identification of search zones that may contain other nondominated points. The second phase focuses on exploring these search zones to locate the remaining points, which typically accounts for most of the computational cost. Ranking algorithms are frequently employed to explore each zone individually, but this approach leads to redundancies, causing multiple visits to the same solutions. To mitigate these redundancies, we propose several strategies that group adjacent zones, allowing a single run of the ranking algorithm for the entire group. Additionally, we explore an implicit grouping approach based on a new concept of coverage. Our experiments on the Bi-Objective Spanning Tree Problem demonstrate the beneficial impact of these grouping strategies when combined with coverage.

Keywords: multi-objective combinatorial optimization, two-phase methods, ranking algorithms, minimum spanning tree problem

1. Introduction

Multi-Objective Optimization is the field of study concerned with solving optimization problems with two or more conflicting objectives, called Multi-objective Optimization Problems. It has applications such as in politics [11], mechanics [5, 14], economics [16], and finance [13, 25]. If solutions have a certain combinatorial structure (e.g. permutation, arrangement), we are facing a Multi-Objective Combinatorial Optimization (MOCO) problem.

In Multi-Objective Optimization problems, it is very often assumed that the Decision Maker (DM) cannot express, in advance, his preferences concerning the relative importance of the objectives. In these cases, providing the DM with a wide range of efficient solutions is important. Under the notion of Pareto optimality, a feasible solution is *efficient* if there exists no other feasible solution that provides better or equal values in all objectives, with at least one strict inequality.

*Corresponding author

Email addresses: felipemota@dei.uc.pt (Felipe O. Mota), paquete@dei.uc.pt (Luís Paquete), daniel.vanderpooten@lamsade.dauphine.fr (Daniel Vanderpooten)

Preprint submitted to Elsevier

April 10, 2025

The image of an efficient solution is a *nondominated* point in the objective space. The goal is to find the set of all the efficient solutions, called the *efficient set*, and/or its image in the objective space, called the *nondominated set*. It is common for this type of problem to have numerous efficient solutions, but it is expected that the DM can choose an option from the efficient set or the nondominated set by inspection. Finding the complete set of nondominated points (and respective efficient solutions) for a MOCO problem usually requires heavy computational effort. As a consequence, many different techniques were developed to improve exact approaches for these problems.

This work focuses on exact algorithms for Bi-Objective Combinatorial Optimization (BOCO) problems, in particular, on two-phase methods [32]. In this strategy, the first phase finds a subset of the nondominated set by solving a sequence of scalarized problems obtained by reformulating the original BOCO problem into a single-objective weighted-sum problem. The obtained *supported* points define *search zones* that are delimited by adjacent supported points and by a given upper bound – thus forming triangles in the bi-objective case – and that may contain nondominated points. The goal of the second phase is to search nondominated points inside these triangles.

Several enumeration methods have been used to find nondominated points within those triangles. A widespread approach is using *ranking strategy*, which enumerates solutions in an order defined by a given weighted sum objective function until it finds the remaining nondominated points. This two-phase method has been acknowledged as the best alternative for the multi-objective assignment problem [19, 21, 22] and the minimum spanning tree problem [30]. However, this strategy has the disadvantage of finding points outside the triangle currently explored, as well as dominated points. Moreover, as the ranking strategy is run individually in each triangle, the same point may be found several times. As a consequence, this approach leads to a waste of computational effort.

Our goal is to improve two-phase methods that use ranking strategies by grouping two or more adjacent triangles that will be explored together. This implies that fewer runs of the ranking algorithm are necessary, reducing redundancy, and we expect the efficiency of the second phase to be improved. However, grouping needs to be done carefully, as grouping a large number of triangles can also lead to an unnecessarily long run of the ranking algorithm.

We present several grouping strategies and discuss the trade-offs that can be obtained in terms of redundancy and search depth and illustrate the application of these techniques to the Bi-Objective Minimum Spanning Tree (BOMST). Assuming complete information about the nondominated set, we show how to obtain an optimal grouping by solving a shortest path problem on a complete acyclic graph where the vertices correspond to the supported points and the cost of each arc is the computational effort to explore a group of consecutive triangles. Moreover, our experimental results on the BOMST problem show that grouping pairs or triples of adjacent triangles can substantially reduce the computational effort compared to a baseline approach without any grouping. We also show that competitive results can be achieved by exploring certain geometrical properties of those triangles. Finally, we propose an improvement for the covering technique proposed in [29], which allows skipping some triangles from the two-phase exploration.

The remainder of this paper is organized as follows. Section 2 presents the basic concepts used in the paper. Section 3 contains the state of the art of two-phase methods for MOCO problems. In Section 4 we present how two triangles can be grouped. Section 5 shows how to obtain, *a posteriori*, the optimal partition of the triangles into groups. Section 6 discusses several grouping strategies that can be employed in the second phase. Section 7 reports the experimental

results for the aforementioned grouping strategies. Finally, Section 8 provides conclusions and further ideas.

2. Definitions

We introduce the following component-wise ordering in \mathbb{R}^2 : Given points z and \bar{z} in \mathbb{R}^2 , we consider the following binary relations, respectively referred to as *(Pareto) strong dominance*, *weak dominance*, and *dominance*:

$$\begin{aligned} z < \bar{z} &\iff z_j < \bar{z}_j & \forall j \in \{1, 2\} \\ z \leq \bar{z} &\iff z_j \leq \bar{z}_j & \forall j \in \{1, 2\} \\ z \leq \bar{z} &\iff \begin{cases} z \leq \bar{z} \\ z \neq \bar{z} \end{cases} \end{aligned}$$

We also introduce the following non-negative cones:

$$\begin{aligned} \mathbb{R}_{\leq}^2 &= \{z \in \mathbb{R}^2 : \mathbf{0} \leq z\} \\ \mathbb{R}_{<}^2 &= \{z \in \mathbb{R}^2 : \mathbf{0} \leq z\} = \mathbb{R}_{\leq}^2 \setminus \{\mathbf{0}\} \end{aligned}$$

We assume bi-objective optimization problems as follows

$$\min_{x \in X} f(x) = (f_1(x), f_2(x)) \quad (1)$$

where X is the set of feasible solutions. Let $Y = f(X)$ be the set of images of all solutions in X . We assume problems with linear objective functions with integer coefficients and integer, or in most cases, binary decision variables. Therefore, we assume in this paper that the objective functions take integer values, thus $Y \subset \mathbb{Z}^2$.

The weighted-sum scalarization of Problem (1) is of particular interest for our work and is formulated as follows, for a given weight vector $w = (w_1, w_2) \in \mathbb{R}_{\geq}^2$

$$\min_{x \in X} f_w(x) = w_1 f_1(x) + w_2 f_2(x). \quad (2)$$

A point $y \in Y$ is said to be *nondominated* if there is no point $y' \in Y$ such that $y' \leq y$. Let Y_N be the set of nondominated points of Problem (1). Three types of nondominated points can be distinguished: supported extreme, supported nonextreme, and unsupported points. The corresponding sets are denoted respectively as Y_{NSE} , Y_{NSN} and Y_{NU} . Let C_N denote the convex hull of $Y_N + \mathbb{R}_{\geq}^2$, where operator $+$ denotes the Minkowski sum. Let $bd(C_N)$ and $int(C_N)$ denote the boundary and the interior of C_N , respectively. Points in Y_{NSE} are vertices in C_N , points in Y_{NSN} are in $bd(C_N) \setminus Y_{NSE}$, and points in Y_{UN} are nondominated points in $int(C_N)$. We now recall the following well-known properties. Any unsupported point of Problem (1) is not optimal for Problem (2) for any weight vector w . However, there always exists a weight vector w for which a supported (extreme or nonextreme) point of Problem (1) is optimal for Problem (2).

3. Related work

The two-phase method has been widely used to solve bi-objective versions of many standard optimization problems, including shortest path [17, 23], minimum spanning tree [2, 3, 12, 30],




Figure 1: Illustration of a triangle Δ^i and its upper bound u^* (left) and the updated upper bound u^* given that point y was found in Δ^i (right)

assignment [21, 31, 32], network flows [6, 15, 24, 26], knapsack [32, 34], set covering [20], and max-ordering [7]. This method was first proposed by Ulungu and Teghem [32]. The first phase consists of solving a series of weighted-sum problems to obtain set Y_{NSE} by a general technique known as dichotomic search [4], which recursively bisects the objective space.

In the second phase, the goal is to find new nondominated points between consecutive supported extreme points found in the first phase. Let $Y_{NSE} = \{y^1, y^2, \dots, y^{m+1}\}$ be the extreme supported points ordered by increasing value of objective f_1 and decreasing value of objective f_2 . Each pair of consecutive points in Y_{NSE} , y^i and y^{i+1} , and point (y_1^{i+1}, y_2^i) define a *triangle* Δ^i , for $i \in \{1, \dots, m\}$. Assuming integrality of the feasible points, each triangle Δ^i is associated with a *local upper bound* $u^* = (y_1^{i+1} - 1, y_2^i - 1)$ delimiting the search zone where points in $Y_N \setminus Y_{NSE}$ might lie within triangle Δ^i . More precisely, any point y in $Y_N \cap \Delta^i$ is such that $y \leq u^*$. Figure 1 (left) illustrates a triangle Δ^i defined by points y^i and y^{i+1} and the location of upper bound u^* .

Some of the two-phase methods above use a ranking algorithm for the second phase [2, 7, 21, 24, 30]. The concept of ranking algorithms for single-objective optimization problems was proposed by Murty [18] for the assignment problem and has been adapted to many other applications [8]. It requires that an optimal solution for the problem is known. From that solution, by fixing variables and generating a sequence of sub-problems, it generates the k best solutions in non-decreasing order of the objective function value.

While the upper bound u^* provides a natural stopping criterion for the ranking algorithm, tighter bounds are obtained as new points are found within triangle Δ^i . Let $w^i = (w_1^i, w_2^i)$ be the weight vector with respect to Δ^i , where $w_1^i = y_2^i - y_2^{i+1}$ and $w_2^i = y_1^{i+1} - y_1^i$. We denote by $w^i(z)$ the weighted sum value of a point $z \in \mathbb{Z}^2$ with respect to weight vector w^i , that is,

$$w^i(z) = w_1^i z_1 + w_2^i z_2$$

Let $\{y^i, y^{i_1}, y^{i_2}, \dots, y^{i_r}, y^{i+1}\} \subseteq Y_N \cap \Delta^i$, such that $y_1^i < y_1^{i_1} < y_1^{i_2} < \dots < y_1^{i_r} < y_1^{i+1}$. Let U^i be the set of *local upper bounds* of this set of points defined as follows.

$$U^i = \left\{ (y_1^{i_1} - 1, y_2^i - 1), (y_1^{i_2} - 1, y_2^{i_1} - 1), \dots, (y_1^{i_{r'}} - 1, y_2^{i_{r'}} - 1) \right\} \quad (3)$$

We redefine the upper bound of Δ^i from U^i as follows

$$u^* \in \arg \max_u \{w^i(u) \mid u \in U^i\}$$

Figure 1 (right) shows an updated upper bound u^* in Δ^i given that a point $y \in Y_N$ is located inside Δ^i . In this case, $U^i = \left\{ (y_1^i - 1, y_2^i - 1), (y_1^{i+1} - 1, y_2^i - 1) \right\}$. The dashed line indicates the level set for $w^i(u^*)$.

When exploring Δ^i , the ranking algorithm may enumerate solutions (efficient or not) whose points are located in other zones. Given that those solutions are likely to be enumerated again, the successive application of the ranking algorithm leads to redundancy. The information obtained outside the currently explored triangle is oftentimes discarded after the enumeration procedure. To our knowledge, only the work by Steiner and Radzik [30] partially takes advantage of the points found outside the current zone of interest. In the following sections, we address this wasted effort and investigate the search on multiple zones simultaneously.

4. Groups and groupings

Let a sequence of consecutive triangles $\Delta^i, \Delta^{i+1}, \dots, \Delta^j$ define a *group* \mathcal{G}^{ij} . In particular, when a group consists of one triangle only Δ^i it is denoted as \mathcal{G}^i . We denote by $Y_N^{ij} \subseteq Y_N$ the set of nondominated points within group \mathcal{G}^{ij} .

In the following, we extend the previous notions with respect to a group. We now define $w^{ij} = (w_1^{ij}, w_2^{ij})$ with respect to a group \mathcal{G}^{ij} , where $w_1^{ij} = y_2^i - y_2^{j+1}$ and $w_2^{ij} = y_1^{j+1} - y_1^i$ and we denote by $w^{ij}(z)$ the weighted sum value of a point $z \in \mathbb{Z}^2$ with respect to weight vector w^{ij} .

Let $\mathcal{G} = \{\mathcal{G}^{i_1 i_2}, \mathcal{G}^{i_2+1, i_3}, \dots, \mathcal{G}^{i_h i_{h+1}}\}$ be a *grouping* where $i_1 = 1$, $i_{h+1} = m$, and $i_\ell \leq i_{\ell+1}$, $\ell = 1, \dots, h$, i.e., a partition of triangles $\Delta^1, \dots, \Delta^m$ into h consecutive groups. For each group $\mathcal{G}^{ij} \in \mathcal{G}$, we assume that points are generated by a ranking algorithm in non-decreasing order of the weighted sum $w^{ij}(y)$, starting from the solution corresponding to the following point

$$y^* \in \arg \min_y \{w^{ij}(y) \mid y \in Y_N^{ij}\} \quad (4)$$

Note that y^* corresponds to one of the extreme supported nondominated points y^i, \dots, y^{j+1} .

The upper bound u^* of a group \mathcal{G}^{ij} is now computed by taking into account the union of all local upper bounds of the triangles involved in the group, that is,

$$u^* \in \arg \max_u \{w^{ij}(u) \mid u \in U^{ij}\}. \quad (5)$$

where $U^{ij} = U^i \cup \dots \cup U^j$. Figure 2 illustrates an example of a group \mathcal{G}^{ij} , its upper bound u^* , starting solution y^* and level sets as dashed lines associated to the weighted-sum values of different points. Similar to the ranking approaches described in the previous section, the upper bound u^* can be used as a termination criterion for a ranking algorithm that explores group \mathcal{G}^{ij} .

Algorithm 1 shows a pseudo-code that returns the nondominated set by exploring groups in a given grouping \mathcal{G} . The set Y_{NSE} is obtained in the first phase. At each iteration of the outer loop, a set S^{ij} collects the nondominated points within group \mathcal{G}^{ij} . Once the outer loop terminates, S^{ij}




Figure 2: Illustration of group \mathcal{G}^{ij} , its upper bound (u^*) and starting solution (y^*).

contains the elements of Y_N^{ij} for the underlying problem to be solved. At the end of Algorithm 1, set S contains all elements in Y_N . Procedure $\text{next}(y^*, w^{ij})$ calls the ranking algorithm to return the next best feasible point using weight vector w^{ij} , and procedure $\text{updateND}(y^*, S^{ij})$ updates S^{ij} if the visited point weakly dominates u^* and is not dominated by any other point in the set. It is worth noting that once a point is inserted in S^{ij} , it is guaranteed to be in Y_N . Moreover, y^* may be found more than once if it has multiple associated solutions. Finally, method $\text{updateUB}(y^*, S^{ij})$ removes obsolete upper bounds from U^{ij} , inserts new, tighter ones, and returns the highest upper bound u^* . The while loop in Algorithm 1 terminates when $w^{ij}(y^*)$ exceeds the value $w^{ij}(u^*)$. For efficiency reasons, both S^{ij} and U^{ij} are maintained by a collection of data structures, one per each triangle Δ^ℓ within group \mathcal{G}^{ij} . In order to perform efficient update operations, each of these data structures can be implemented as a balanced binary tree.

A special type of triangle should be considered when using groups. We call Δ_i an *empty triangle* when $y_1^{i+1} - y_1^i = 1$ or $y_2^i - y_2^{i+1} = 1$. The integrality assumption about the objective function values (made in Section 2) implies that there is no unsupported or supported non-extreme point in Δ_i . Thus, running a ranking algorithm in this zone is unnecessary. Combined with the fact that empty triangles are more prone to be found in the uppermost (highest values for f_2) and rightmost (highest values for f_1) parts of the objective space, we do not use supported points in such regions for the second phase if they would form an empty triangle. For any second-phase grouping strategies defined in this paper, an empty triangle Δ_i is only considered if there are two non-empty triangles Δ_j and Δ_k such that $j < i < k$.

In the following, we discuss a particular case where grouping a set of adjacent triangles proves advantageous. Consider a set of consecutive supported points that are collinear and that define a set of adjacent triangles. Then, it is always beneficial, in terms of computational effort, to apply the ranking algorithm once to the group of these triangles rather than to apply it to each triangle separately. Actually, the computational effort required for the group corresponds to the computational effort required for *one* specific triangle of this group as stated in the next result, which clearly shows that we should regroup all these triangles rather than considering any partition of these triangles.

Algorithm 1 Algorithm for groups

Require: \mathcal{G}, Y_{NSE}

```
1:  $S \leftarrow \emptyset$ 
2: for each  $\mathcal{G}^{ij} \in \mathcal{G}$  do
3:    $S^{ij} \leftarrow \{y^i, y^{i+1}, \dots, y^j, y^{j+1}\}$ 
4:    $y^* \leftarrow \arg \min \{w^{ij}(y) \mid y \in S^{ij}\}$ 
5:    $u^* \leftarrow \text{genUB}(S^{ij})$ 
6:   while  $w^{ij}(y^*) \leq w^{ij}(u^*)$  do
7:      $y^* \leftarrow \text{next}(y^*, w^{ij})$ 
8:      $S^{ij} \leftarrow \text{updateND}(y^*, S^{ij})$ 
9:      $u^* \leftarrow \text{updateUB}(y^*, S^{ij})$ 
10:   $S \leftarrow S \cup \{S^{ij}\}$ 
11: return  $S$ 
```

Proposition 4.1. *Let y^i, \dots, y^{j+1} be $j - i + 2$ consecutive supported points that are collinear and that define $j - i + 1$ adjacent triangles $\Delta^i, \dots, \Delta^j$, $j - i > 0$. Then the computational effort required for group \mathcal{G}^{ij} coincides with the computational effort required for one of the triangles of this group.*

Proof. First observe that, due to the collinearity assumption, the weights used for the successive explorations of each triangle are the same (up to a factor) and correspond to the weight w^{ij} used for the unique exploration of group \mathcal{G}^{ij} . Consider now the exploration of each of the $j - i + 1$ adjacent triangles $\Delta^i, \dots, \Delta^j$ that lead to generate all nondominated points in each triangle. Each exploration stops when generating a point which reaches the (updated) upper bound of this triangle. Among these, let y^* be the point with the largest weighted sum using weight w^{ij} and Δ^* the triangle which was explored when generating y^* . Then exploring Δ^* , or equivalently \mathcal{G}^{ij} , covers all triangles in $\Delta^i, \dots, \Delta^j$ with the same number of enumerated solutions. \square

The result above suggests that it is beneficial to group adjacent triangles defined by supported points close to collinearity. However, grouping consecutive triangles defined by supported points that are not collinear can lead to unnecessary computational effort. This behavior is shown in Figure 3 in a hypothetical example with three adjacent triangles formed by four supported points, y_1, y_2, y_3 , and y_4 . The left plot illustrates the application of the ranking algorithm to each of the triangles. The dashed lines correspond to the highest weighted-sum level for which a point ($\bar{y}^1, \bar{y}^2, \bar{y}^3$, respectively) was found in each triangle, surpassing the respective upper bound. The right plot shows the application of the ranking algorithm on the group formed by the three triangles, which terminates at the highest of the three points, with respect to the weighted sum explored by the algorithm. Despite the redundant computations (gray) shown in the left plot, the grouping of the three triangles on the right plot leads to a much wider region to be explored by the ranking algorithm.

5. Optimal grouping

An important aspect of this work is to develop methods for constructing an *optimal* grouping that minimizes the total computational effort required for its exploration. In this section, we




Figure 3: Grouping triangles defined by supported points far from collinear may not be beneficial.

show that such an optimal grouping can efficiently be constructed if the computational cost for all possible groups is known in advance.

For a given instance, we represent all possible groupings by a valued digraph $G = (V, A)$, called *grouping graph*. Considering that the $m + 1$ points in Y_{NSE} , found in the first phase, are ordered by increasing value of f_1 , we have $V = \{1, 2, \dots, m + 1\}$ where vertex i corresponds to point $y^i \in Y_{NSE}$. Then $A = \{(i, j) \in V \times V : i < j\}$ and arc $(i, j + 1) \in A$ corresponds to group $\mathcal{G}^{i,j}$ while arc $(i, i + 1)$ corresponds to group \mathcal{G}^i . It follows that all feasible groupings are in one-to-one correspondence with the set of all paths from 1 to $m + 1$.

Let μ^{ij} be the cost associated with the exploration of group \mathcal{G}^{ij} , each arc $(i, j + 1)$ is then valued by μ^{ij} . An optimal grouping in the sense of the considered cost is then obtained by computing the shortest path from 1 to $m + 1$. Observing that, by construction, G is without cycles, naturally topologically ordered, and contains $\frac{(m+1)(m+2)}{2}$ arcs, the determination of an optimal path is performed very efficiently in $\mathcal{O}(m^2)$ time, for instance, by using the *pulling* algorithm [1]. We discuss an appropriate choice of μ^{ij} in Section 7.2.

For a given instance, this method allows us to determine the optimal grouping, offering additional insights into its structure and serving as a reference for any grouping approach.

6. Grouping strategies

In this section, we propose heuristic strategies to form a grouping for an instance of a BOCO problem. We first introduce *grouping measures* that allow making decisions on how to form groups (Section 6.1). Then, we consider two main grouping strategies: i) *a priori* strategies (Section 6.2), which define the grouping to be explored immediately after all the extreme supported points have been found in the first phase; ii) *dynamic* strategies (Section 6.3), which iteratively select the next group to be explored based on the information gathered from the current set of nondominated points found so far.




Figure 4: Example of the angle measure in groups of size 2 (left) and in the general case (right).

6.1. Grouping measures

The information obtained on the location of supported points and corresponding triangles in the objective space after completing the first phase should, in principle, be used to create more effective groupings. This section focuses on measures that allow to define groupings. We establish the relation of these measures with the main results in Section 4.

6.1.1. Group angle

Given a group \mathcal{G}^j , its angle θ^{ij} corresponds to the largest angle formed at the intersection of the lines passing through the line segments $\overline{y^i y^{i+1}}$ and $\overline{y^j y^{j+1}}$. Figure 4 shows an example of this measure in the special case of a group of size two (left plot) and in the general case (right plot).

An almost straight group angle indicates that the supported points are nearly collinear (see Proposition 4.1). Therefore, a grouping strategy should prioritize groups with the largest possible group angles.

6.1.2. Group ND bound

Due to the integrality of the objective function values, the maximum number of (unsupported or non-extreme supported) nondominated points within triangle Δ^i can be easily determined. This bound, referred to as the *ND bound* measure of a group, is defined as follows:

$$\beta^i = \min \{y_1^{i+1} - y_1^i, y_2^i - y_2^{i+1}\} - 1 \quad (6)$$

Note that when $\beta^i = 0$, triangle Δ^i is necessarily empty.

The value of this measure for a triangle Δ^i can be refined if some of the nondominated points within it are known. Let $\{y^i, y^{i_1}, y^{i_2}, \dots, y^{i_r}, y^{i+1}\} \subseteq Y_N \cap \Delta^i$, such that $y_1^i < y_1^{i_1} < y_1^{i_2} < \dots < y_1^{i_r} <$

y_1^{i+1} . We redefine the ND bound β^i as follows

$$\beta^i = \min \{y_1^{i_1} - y_1^i, y_2^{i_1} - y_2^i\} + \min \{y_1^{i+1} - y_1^{i_r}, y_2^{i+1} - y_2^{i_r}\} + \sum_{k=2}^r \min \{y_1^{i_k} - y_1^{i_{k-1}}, y_2^{i_k} - y_2^{i_{k-1}}\} - (r + 1)$$

Finally, this measure can be extended to a group of triangles \mathcal{G}^{ij} :

$$\beta^{ij} = \sum_{k: \Delta^k \in \mathcal{G}^{ij}} \beta^k$$

By definition, this measure indicates the potential of a group to contain nondominated points.

6.2. A priori strategy

We refer to *a priori* strategies as those that construct the entire grouping before exploring its groups. The following subsections outline two main a priori strategies implemented in this study. The first strategy, *merge-based grouping*, iteratively combines triangles to form groups, whereas the second strategy, *splitting-based grouping*, begins with all triangles in a single group and iteratively divides it until a specified condition is met.

6.2.1. Merge-based grouping

Within the merge-based grouping strategy, we consider two variants: *fixed size* and *greedy*. We consider m triangles, $\Delta^1, \dots, \Delta^m$, that are defined by $m + 1$ supported points found in the first phase.

Fixed-size variant. Given a parameter s that defines the size of each group, this variant forms a grouping by partitioning the set of m triangles into $\lfloor \frac{m}{s} \rfloor$ groups, each of which with s adjacent triangles. If $\frac{m}{s}$ is not integer, one of the groups is allowed to contain $s' = m - s \cdot \lfloor \frac{m}{s} \rfloor$ triangles. In our experiments, we consider the latter group to contain the s' triangles defined by the last $s' + 1$ supported points with the largest f_1 values.

Greedy variant. Given a parameter $t \geq 2$, which defines the maximum allowable group size, the greedy-based variant uses a specific group measure to iteratively merge at most t triangles greedily. The variant begins by merging t consecutive triangles that optimize the given group measure. The merging process is continued until no such set of consecutive t triangles can be found. In that case, t is decremented, and the greedy selection process is repeated. The merging continues until t reaches 1. From this point, the remaining triangles can only be isolated, forming groups of size 1 and terminating the process. The group measures to be used as the greedy criterion can be the largest group angle value or the largest ND bound value.

6.2.2. Splitting-based grouping

The splitting-based approach involves sequentially selecting supported points that serve as dividers between two adjacent groups. For the sake of explanation, we assume that all triangles $\Delta^1, \Delta^2, \dots, \Delta^m$ form initially a single group, $\mathcal{G} = \mathcal{G}^{1m}$, and that this group will be split iteratively by following the next steps:

1. Obtain the initial list of candidate split points $\zeta = \{y^2, y^3, \dots, y^m\}$.
2. Let group \mathcal{G}^{ij} be a group in \mathcal{G} with the largest number of triangles.

3. Select, based on a given measure, which supported point y^c will serve as the next splitting point, $i < c \leq j$. This point is removed from ζ .
4. Replace \mathcal{G}^{ij} with $\mathcal{G}^{i,c-1}$ and $\mathcal{G}^{c,j}$ in \mathcal{G} . This is equivalent to splitting \mathcal{G}^{ij} at point y^c .
5. If the stopping criterion is not met, go to Step 2. Otherwise, return \mathcal{G} .

In Step 3, the group angle serves as an effective criterion for splitting, where the split point y^c is chosen based on the smallest group angle. Due to the connection of this measure with collinearity (see Section 6.1.1), this approach ensures that the supported points within a group remain as close as possible to the collinear case. The approach terminates when every group in \mathcal{G} contains at most a given number of triangles or when an average group size is achieved.

6.3. Dynamic strategy

A dynamic strategy iteratively forms a new group using information gathered from previously explored groups. A key ingredient in such a strategy is to use what we call *coverage*, introduced by Steiner and Radzik [30] as a heuristic improvement. This concept, used when iteratively exploring triangles, was shown to be quite beneficial in the experiments reported by the authors. We propose an extension of this concept in two directions. The first, which is straightforward, applies coverage to groups rather than to triangles only. The second uses the covering information not only for the current exploration of the group, but throughout the whole process, leading to the coverage of more triangles and a reduced exploration cost overall.

As in the original work [30], a triangle Δ^i is covered if the ranking algorithm surpasses its upper bound, making further exploration of this triangle unnecessary. Otherwise, if the upper bound is not surpassed, Δ^i is considered *partially covered* and must be explored in subsequent steps. An example is shown in Figure 5. Consider that the complete exploration of triangle Δ^2 found all nondominated points with weighted-sum values lower than $w(\bar{y})$. Therefore, all nondominated points within triangles Δ^1 and Δ^3 are also found, and they can be ignored in further explorations. The remaining two triangles were not fully covered: Δ^4 is partially covered, while Δ^5 lies outside the search range. Both triangles would need to be further explored by the ranking algorithm.

More formally, to extend this concept to groups, let us consider a triangle Δ^i that is not part of the group \mathcal{G}^{jk} being explored. When finding, during this exploration, nondominated points belonging to Δ^i , set U^i of its local upper bounds can be updated (see relation (3)). Let v^{jk} be the value at which the ranking algorithm stopped when finishing exploring group \mathcal{G}^{jk} . If $w^{jk}(u) < v^{jk}$ for all $u \in U^i$, then all the nondominated points belonging to Δ^i have been found during the exploration.

Steiner and Radzik empirically show that this additional coverage step is useful in certain cases. However, they also note that if the condition is not met for all local upper bounds of U^i , the additional effort becomes useless, as triangle Δ^i must still be explored from scratch in a further iteration. We claim that the exploration of multiple groups nearby Δ^i , without discarding the nondominated points found within, may allow this triangle to be covered.

For this purpose, let $\bar{U}^i \subset U^i$ be the set of *active* local upper bounds such that $u \in \bar{U}^i$ if $w^{jk}(u) \geq v^{jk}$. The exploration of \mathcal{G}^{jk} guarantees that all nondominated points in Δ^i that are upper bounded by any $u \in U^i \setminus \bar{U}^i$ have been found. Therefore, nondominated points in Δ^i can only lie in the zones upper bounded by $u \in \bar{U}^i$. It is possible that, when exploring another group, say $\mathcal{G}^{\ell n}$, the coverage of Δ^i can be improved or, ideally, fully covered. This is achieved if $w^{\ell n}(u) < v^{\ell n}$ for some or all $u \in \bar{U}^i$, where $v^{\ell n}$ is the value at which the ranking algorithm is stopped when




Figure 5: Example of covered, partially covered, and uncovered triangles

finishing exploring $\mathcal{G}^{\ell n}$. Observe that \bar{U}^i is refined each time a new nondominated point is found in Δ^i while exploring $\mathcal{G}^{\ell n}$. We refer to this approach as *extended coverage*.

7. Experimental Analysis

In this section, we describe an experimental analysis of our grouping strategies on the Bi-Objective Minimum Spanning Tree (BOMST) problem. Given a graph $G = (V, E)$, and costs $(c_1(e), c_2(e)) \in \mathbb{Z}_{>}^2$ for each edge $e \in E$, the goal in the BOMST problem is to find the set Y_N of all nondominated points, each corresponding to an efficient spanning tree. While Y_N is known to have exponential size [12], the set Y_{NSE} is polynomially bounded [27]. An in-depth experimental analysis of current solution approaches to the BOMST problem can be found in [9]. The experimental results obtained by the authors indicate that the two-phase method incorporating a ranking algorithm in the second phase, as proposed in [30], is among the best-performing approaches for most of the instances.

7.1. Experimental setup

In our experimental analysis, we consider complete graphs. The generation of each edge cost follows the procedure described in [33], which allows for varying the degree of conflict between the two objectives by a certain correlation factor defined a priori. Each type of instance is then characterized by the three following parameters:

- Size (n): The number of nodes in each graph. Values for n are set to 50, 100, and 150.
- Range (r): The range of the cost of the edges. We only vary the upper limit, and we fix the lower limit to 1. The considered values of r are 10^2 , 10^3 and 10^4 .
- Correlation factor (ρ): the values of the correlation matrix as in [33], used to generate costs on the edges. The chosen values for ρ are 0.8, 0, and -0.8 reflecting increasing degrees of conflict between the two objectives.

There are 27 possible combinations for the specified values on each parameter, with 10 instances generated for each combination. Different sizes and correlation values are oftentimes considered in the literature, but the range is fixed [9, 28, 30]. However, the maximum value for edge costs seems to have a significant impact on the performance of different grouping strategies, as reported in our experimental analysis.

The first phase was performed with a dichotomic approach which solves $2 \cdot |Y_{NSE}| - 1$ instances of the single objective minimum spanning tree problem. Moreover, this phase is common to all strategies and is not considered in our performance comparisons. We used the ranking algorithm proposed by Gabow [10], which takes $O(k \cdot |E| \cdot \alpha(|E|, |V|) + |E| \log |E|)$ time to enumerate the k best spanning trees where α is the inverse Ackermann function. We consider that the number of visited solutions is an appropriate measure of the computational effort. This measure is more robust than the CPU time, since it is invariant over different machine setups and not subject to external interference. Moreover, it is strongly correlated with the running time since most of the computation time is spent on the enumeration of solutions and, for a given instance, the time to enumerate a new solution in the ranking is approximately constant.

The experiments were run in a cluster with 2 Intel Xeon Silver 4210R 2.4 GHz, 20 total cores, 2 threads each, 256 GB RAM, with operating system Debian GNU/Linux 10 6.1.0-32-amd64. The implementations were coded in C++ and compiled with g++ 9.4.0 with `-O3` compilation flag. Instances are publicly available at https://github.com/FlipM/BOMST_Benchmark.

7.2. Analysis of optimal groupings

In this section, we provide an analysis of the optimal groupings for the BOMST instances using the grouping graph introduced in Section 6. To this end, we value each arc of the grouping graph with the cost of exploring the corresponding group, which, in our case, is the number of solutions visited by the ranking algorithm in order to guarantee that all nondominated points belonging to this group have been found.

Computing these values for all arcs is very costly. We show that it is unnecessary to compute all these values to obtain the optimal grouping. For this purpose, we first create all arcs of type $(i, i + 1)$, $i = 1, \dots, m$, which correspond to all groups of size 1, and value them by applying the ranking algorithm. We then consider the generation and evaluation of all arcs of type $(i, i + 2)$, $i = 1, \dots, m - 1$. For each such arc (i, j) , we first compute the shortest path value u_{ij} using the already known and valued arcs. Then, when applying the ranking algorithm to the corresponding group $\mathcal{G}^{i,j-1}$, we create arc (i, j) , valued by v_{ij} if it enumerates $v_{ij} < u_{ij}$ solutions. Otherwise, the enumeration stops as soon as $v_{ij} = u_{ij}$, and arc (i, j) is not created. We continue similarly for arcs $(i, i + 3), \dots, (i, i + m)$.

A second simplification is to set a limit on the size of each group. Preliminary experiments reveal that, while grouping a few triangles is often quite beneficial, grouping many triangles leads to prohibitive computational efforts. It is then possible to define a maximum number τ of triangles that could belong to a group (our experiments show that the largest groups very rarely contain more than 7 triangles). This has the double advantage of defining a reduced grouping graph $G_\tau = (V, A_\tau)$ with $A_\tau = \{(i, j) \in V \times V : i < j \text{ where } j - i \leq \tau\}$ making unnecessary the evaluation of the measure on arcs from $A \setminus A_\tau$ and improving the determination of an optimal path which is performed now in $O(m)$ time.

Table 1 shows the results for the 270 instances, grouped by size, correlation, and range. The *Instances* column group refers to the instance parameters mentioned in Section 7.1 plus column #s, which shows the number of instances in which an optimal grouping was found within a 5-hour

Instances				Results					Group size							
r	ρ	n	#s	$ Y_{NSE} $	$ Y_N ^B$	$ Y_N $	Optimal	F1	1	2	3	4	5	6	7	Average
10^2	0.8	50	10	28.0	94.6	86.8	328.6	1.287	6.2	4.2	2.2	0.2	0.0	0.0	0.0	1.72
		100	10	34.7	118.4	118.0	2 229.8	1.062	18.6	2.6	0.7	0.0	0.1	0.1	0.0	1.22
		150	9	39.8	145.0	139.9	168 734.8	1.059	24.4	1.4	0.4	0.1	0.0	0.1	0.0	1.11
	0.0	50	10	100.3	762.8	648.9	2 815.4	1.639	7.8	16.8	12.4	3.3	0.4	0.0	0.0	2.30
		100	10	185.4	1 160.3	1 118.0	6 954.5	1.450	28.6	34.1	19.6	3.1	0.6	0.4	0.1	2.01
		150	10	250.7	1 499.7	1 491.4	27 398.6	1.301	78.0	35.3	22.2	2.5	0.3	0.7	0.9	1.70
	-0.8	50	10	154.5	2 690.8	2 246.9	19 491.1	1.606	14.6	27.8	17.8	5.7	0.5	0.0	0.0	2.24
		100	9	309.5	5 037.7	4 824.3	235 384.3	1.391	83.1	45.6	34.4	5.4	0.7	0.0	0.0	1.79
		150	0	425.2	7 298.6	-	-	-	-	-	-	-	-	-	-	-
10^3	0.8	50	10	37.9	934.0	247.5	1 255.7	1.673	1.9	4.8	4.4	2.0	0.6	0.1	0.0	2.63
		100	10	87.5	1 320.2	781.8	4 518.5	1.647	3.6	11.1	11.7	4.8	0.7	0.1	0.0	2.63
		150	10	132.1	1 507.8	1 218.8	7 646.6	1.597	7.6	18.9	17.4	6.0	1.1	0.2	0.0	2.51
	0.0	50	10	113.9	7 345.3	1 469.5	8 662.2	1.972	2.9	13.5	15.2	7.0	1.5	0.2	0.0	2.78
		100	10	267.1	11 840.3	5 040.2	32 257.5	1.981	5.4	29.7	40.4	15.5	3.0	0.1	0.0	2.80
		150	10	444.0	15 017.6	9 217.1	59 150.1	2.051	10.3	47.6	59.5	28.4	6.9	0.8	0.0	2.85
	-0.8	50	10	184.0	26 716.1	6 246.5	57 694.4	1.901	6.2	20.6	24.7	11.6	2.3	0.3	0.2	2.77
		100	10	445.0	50 604.4	21 836.4	239 891.8	1.921	12.4	47.8	61.4	28.4	6.4	0.5	0.2	2.81
		150	0	712.7	73 383.8	-	-	-	-	-	-	-	-	-	-	-
10^4	0.8	50	10	37.8	9 300.3	256.6	1 425.1	1.749	1.2	5.7	4.1	2.2	0.5	0.1	0.0	2.67
		100	10	95.5	13 429.3	1 443.5	10 520.8	1.841	2.3	11.7	10.8	6.3	1.9	0.2	0.0	2.83
		150	10	150.7	14 728.5	3 036.2	19 521.4	1.835	3.0	15.7	19.0	9.6	3.2	0.3	0.2	2.92
	0.0	50	10	113.6	83 511.4	1 773.5	11 398.0	2.025	2.4	11.8	15.8	7.4	1.4	0.2	0.2	2.87
		100	10	276.7	119 201.1	7 486.4	57 365.2	2.073	3.6	29.5	36.3	19.9	4.3	0.4	0.0	2.93
		150	10	453.6	148 869.5	15 893.8	134 437.2	2.101	6.2	37.6	65.9	34.6	6.9	0.0	0.0	2.99
	-0.8	50	10	183.9	269 951.9	7 845.0	77 565.7	1.929	4.4	21.3	25.0	12.5	1.9	0.2	0.0	2.80
		100	10	451.4	506 843.1	32 116.6	334 789.5	2.009	7.4	41.6	60.0	33.4	8.9	0.2	0.0	2.97
		150	0	743.7	732 904.0	-	-	-	-	-	-	-	-	-	-	-

Table 1: Results for optimal grouping.

time limit. In particular, no optimal grouping was found for any of the instances with $n = 150$ and $\rho = -0.8$. In those cases, we only report information from the first phase and ignore those instances in the subsequent experiments.

The *Results* column group reports, for each type of instance, the number of nondominated points (column $|Y_N|$) and supported extreme points (column $|Y_{NSE}|$), averaged over the solved instances. Column $|Y_N|^B$ represents the average upper bound on the number of nondominated points, considering the supported extreme points from the first phase. It is calculated as $|Y_N|^B = |Y_{NSE}| + \sum_{i=1}^m \beta^i$, where β^i is defined in Eq. (6). Column *Optimal* shows the average number of enumerated solutions by the optimal grouping.

To evaluate the performance of each strategy, we first define the *effectiveness ratio* for each instance, calculated as the ratio of the number of enumerated solutions using the grouping strategy to the number obtained with the optimal grouping. Each row of column *F1* shows the harmonic mean of the effectiveness ratios using the baseline strategy, which explores each triangle individually. Note that the harmonic mean is calculated over the solved instances for each corresponding combination of parameters. Information on the group sizes of optimal groupings is also detailed in Table 1. Each column, labeled from 1 to 7, provides the average number of groups of the corresponding size across the solved instances for each type of instance. Column *Average* shows the average group size for the optimal groupings.

Table 1 indicates that the *F1* approach generally explores nearly twice as many solutions as the optimal grouping, except when the range is small, where the ratio is significantly lower. Additionally, the optimal groupings tend to favor groups of size 2 and 3, except for instances with small ranges, where exploring single triangles appears more effective. Moreover, the performance of the *F1* approach appears largely unaffected by the instance size or the correlation between objectives.

These experimental results suggest that the range parameter significantly influences the sizes of the groups in the optimal groupings. When the range is small, there are few groups with a size of 2 or more, suggesting that grouping may have limited effectiveness. Table 1 shows that the bound $|Y_N|^B$ is very tight for instances with small ranges ($|Y_N|$ is at most 20% lower than the bound), suggesting that the number of nondominated points within each triangle Δ^i is very close to β^i . As a result, these nondominated points are likely to be concentrated near the boundary $bd(C_N)$. Consequently, the likelihood of revisiting solutions during the exploration of different triangles is lower. For such cases, grouping should be unnecessary.

Conversely, grouping can consistently reduce the computational effort by approximately half for larger ranges. In these cases, the bound $|Y_N|^B$ is less tight, indicating that nondominated points are likely to be farther away from $bd(C_N)$. This increases the likelihood of revisiting solutions when exploring different triangles, justifying the need for grouping to minimize redundancy.

This analysis is also reflected in the group size columns. Optimal groupings in small-range instances rarely require groups of size 2 or more. In instances with larger ranges, isolated triangles are less used than groups of sizes 2 and 3. Groups of size 5 or more are seldom used in optimal groupings, and groups of size 7 are nearly never used. Thus, the optimal average group size oscillates between 1 and 3, with a large majority of cases being above 2. These values will be useful to build the strategies presented in the next section.

7.3. Analysis of a priori strategies

This section reports information about the a priori strategies that performed better in our study. We divide the proposed strategies into categories based on variants presented in Section 6.2:

- F1-F4: Fixed grouping strategy with the group size corresponding to the number after ‘F’. Note that F1 corresponds to the same F1 in Table 1, that is, no grouping is considered.
- SA2.0 and SA2.5: Splitting strategies that choose the supported point with the smallest group angle as the split point (see Section 6.2.2). The suffixes 2.0 and 2.5 represent the average group size used as the stopping criterion. The values are chosen based on the *Average* column in Table 1.
- GA2/3 and GN2/3: Greedy variant as defined in Section 6.2.1, using group angle (prefix GA) and ND bound (prefix GN). In each iteration, adjacent triangles that maximize the selected measure are merged into a group of size t . The suffix (2 or 3) denotes the value of the parameter t .

The performance of each strategy over the instance benchmark is shown in Table 2. Column *Optimal* presents the average number of solutions enumerated by the ranking algorithm considering the optimal grouping (as shown in Table 1). Column *mean* shows the harmonic mean of the effectiveness ratio, while *#s* indicates the number of solved instances for the corresponding problem type. For each type of instance, the lowest mean of the effectiveness ratio is highlighted in bold.

We divide the analysis of the results in Table 2 in two parts: the first for small-range instances ($r = 10^2$), and the second for instances with $r \geq 10^3$. Recall that, for the former, the nondominated points typically lie close to the boundary of C_N , and are nearly supported (see Section 7.2). As a result, grouping may bring limited efficiency.

For small-range instances, fixed methods with a size greater than one perform poorly, with results deteriorating as the group size increases. Although generally less effective than F1 in terms of effectiveness ratio, measure-based strategies solve more instances and exhibit a higher effectiveness ratio than F2, F3, and F4. Notably, GA2 outperforms F1 in three instance types and times out on only 8 out of the 80 instances, making it the second-best grouping strategy overall. Among the strategies that allow groups of size 3, only SA2.0 performed reasonably well, with 7 timeouts.

For the remaining instances ($r \geq 10^3$), F2 and F3 are highly effective. Compared to F1, F3 can reduce the computational effort by between 9% and 40%, while F2 achieves reductions ranging from 22% to 36%. A decline in performance is noticeable with F4, which is worse than F1 in more than half of the instances and, when it does improve, it never exceeds 26%. We tested fixed-size variants with groups of larger sizes, but due to their poor performance and frequent timeouts, the corresponding results are not included in this paper.

Both splitting strategies performed well, consistently improving upon F1 from 16% to 35%. However, no clear advantage can be established between SA2.0 and SA2.5. Among the greedy strategies, GA3 achieved the best average performance in 5 instance types, and the second-best in 9 others. Its improvements over F1 range from 18% to 38%. GA2 yielded a slightly lower performance. Both GA2 and GA3 are competitive with F2 and F3 and outperform the splitting variant. In contrast, both GN2 and GN3 variants performed poorly.

7.4. Analysis of dynamic strategies

We consider two dynamic variants that apply coverage to single triangles only:

- SRKB4: The *KB4* approach proposed by Steiner and Radzik [30], which was reported by the authors to be the best-performing two-phase method using ranking algorithms. This

r	Instances		Optimal	F1		F2		F3		F4		SA2.0		SA2.5		GA2		GA3		GN2		GN3	
	ρ	n		mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s
10 ²	0.8	50	328.6	1.287	10	1.353	10	2.357	10	5.533	10	1.475	10	2.063	10	1.150	10	1.697	10	1.493	10	2.322	10
		100	2 229.8	1.062	10	3.944	10	17.343	8	157.294	6	6.005	10	20.982	9	3.012	10	12.011	9	5.872	10	58.252	8
		150	168 734.8	1.059	9	16.005	1	-	0	-	0	7.036	4	-	0	7.797	3	21.874	1	125.603	1	-	0
	0.0	50	2 815.4	1.639	10	1.248	10	1.530	10	2.547	10	1.294	10	1.429	10	1.274	10	1.328	10	1.304	10	1.673	10
		100	6 954.5	1.450	10	1.403	10	2.465	10	5.765	10	1.464	10	2.580	10	1.335	10	1.924	10	1.477	10	2.658	10
		150	27 398.6	1.301	10	2.445	10	9.164	9	-	0	1.679	10	3.410	10	1.899	10	5.594	9	2.910	10	15.848	6
	-0.8	50	19 491.1	1.606	10	1.306	10	1.731	10	3.580	10	1.369	10	1.699	10	1.274	10	1.652	10	1.389	10	2.247	10
		100	235 384.3	1.391	9	2.011	8	7.062	3	12.886	1	2.144	9	3.758	5	1.772	9	2.804	7	2.277	8	6.863	3
	10 ³	0.8	50	1 255.7	1.673	10	1.259	10	1.372	10	2.131	10	1.230	10	1.248	10	1.273	10	1.214	10	1.326	10	1.436
100			4 518.5	1.647	10	1.245	10	1.299	10	1.941	10	1.250	10	1.373	10	1.254	10	1.281	10	1.305	10	1.569	10
150			7 646.6	1.597	10	1.240	10	1.463	10	2.351	10	1.228	10	1.334	10	1.263	10	1.301	10	1.292	10	1.717	10
0.0		50	8 662.2	1.972	10	1.290	10	1.243	10	1.820	10	1.351	10	1.364	10	1.382	10	1.288	10	1.380	10	1.456	10
		100	32 257.5	1.981	10	1.315	10	1.282	10	1.644	10	1.357	10	1.361	10	1.393	10	1.289	10	1.396	10	1.441	10
		150	59 150.1	2.051	10	1.363	10	1.306	10	1.675	10	1.418	10	1.421	10	1.466	10	1.358	10	1.436	10	1.467	10
-0.8		50	57 694.4	1.901	10	1.327	10	1.336	10	1.830	10	1.318	10	1.322	10	1.362	10	1.305	10	1.384	10	1.448	10
		100	239 891.8	1.921	10	1.332	10	1.353	10	1.802	10	1.359	10	1.390	10	1.390	10	1.343	10	1.408	10	1.517	10
10 ⁴		0.8	50	1 425.1	1.749	10	1.238	10	1.323	10	1.917	10	1.213	10	1.195	10	1.252	10	1.210	10	1.298	10	1.444
	100		10 520.8	1.841	10	1.302	10	1.335	10	1.812	10	1.295	10	1.291	10	1.335	10	1.245	10	1.371	10	1.503	10
	150		19 521.4	1.835	10	1.276	10	1.302	10	1.871	10	1.252	10	1.244	10	1.303	10	1.211	10	1.374	10	1.467	10
	0.0	50	11 398.0	2.025	10	1.339	10	1.256	10	1.681	10	1.372	10	1.349	10	1.386	10	1.301	10	1.414	10	1.422	10
		100	57 365.2	2.073	10	1.320	10	1.239	10	1.542	10	1.366	10	1.339	10	1.431	10	1.287	10	1.427	10	1.402	10
		150	134 437.2	2.101	10	1.353	10	1.260	10	1.500	10	1.382	10	1.366	10	1.467	10	1.284	10	1.453	10	1.377	10
	-0.8	50	77 565.7	1.929	10	1.293	10	1.284	10	1.777	10	1.329	10	1.360	10	1.372	10	1.278	10	1.384	10	1.446	10
		100	334 789.5	2.009	10	1.326	10	1.273	10	1.643	10	1.355	10	1.347	10	1.408	10	1.298	10	1.433	10	1.454	10

Table 2: Results for the a priori strategies.

approach uses simple coverage as introduced in Section 6.3. The authors suggest selecting the next triangle based on its *size*. In our study, we prioritize the triangle with the largest ND bound.

- ECU: The *Extended Coverage* version of SRKB4, as detailed in Section 6.3. The ND bound of partially covered triangles is updated, and the exploration ordering of triangles is adjusted accordingly.

We also consider extended coverage applied to groups of triangles defined by two greedy variants (see Section 6.2.1):

- GAEC2/3, which iteratively combines variant GA2/3 with extended coverage.
- GNECU2/3, which iteratively combines variant GN2/3 with extended coverage and update of ND bounds.

The results of the dynamic strategies are shown in Table 3. Similarly to Table 2, the number of solved instances and harmonic means of effectiveness ratios with respect to the optimal grouping are presented for each dynamic variant. For reference, we also report the results for F1 and the best results obtained with the best-performing a priori strategy for each instance type (column *Best AP*).

The best results for the instance benchmark are attained with dynamic grouping approaches. In instances with $r \geq 10^3$, the best-performing dynamic grouping strategies (GGEC2, GGEC3, and GNECU2) can reduce computational cost by up to 18% compared to their non-grouping counterparts (ECU and SRKB4), and the difference can reach 40% when compared to F1. Moreover, GNECU2 improved results obtained with a priori strategies in all instance sets with $r \geq 10^3$.

However, in small-range instances, dynamic strategies do not yield favorable results. For these, GGEC2 is the best-performing strategy among the dynamic grouping strategies. Yet, it is worse than the a priori strategies in 5 of the 8 instance sets with $r = 10^2$. In this context, single-triangle dynamic strategies have a clear advantage. In fact, ECU is the leading strategy over the 8 test sets, with an improvement of 12% in two of them.

The results for single-triangle dynamic strategies show an almost systematic benefit in using extended coverage and ND bound update. ECU provides better average performance than SRKB4 in 21 out of the 24 instance sets, with only a minor difference in the remaining three. The most notable gain was 3.75% in the instance set with $r = 10^3$, $\rho = 0.0$, and $n = 150$. Meanwhile, ECU is at most 1% worse in the 3 instance sets in which SRKB4 is better.

GNECU2, whose idea is to promote coverage by exploring larger triangles first, is the winning strategy. It is best in 10 out of 24 test sets and second best in 3 of those. Moreover, it is at most 4% worse than the best strategy for instances with $r \geq 10^3$. It presents an improvement over GNECU3, which did not perform well. Regarding the angle measures, it is also true that GAEC2 is better than GAEC3, despite the latter having decent performance overall. Such results indicate that the two-sized variant of each strategy achieves the most powerful balance between grouping and coverage. These results corroborate our observations in Section 7.2 confirming that the best performance is achieved with groupings of average size two. Finally, the dynamic methods that use the ND bound as a measure perform slightly better than those using the group angle, in contrast with the findings for a priori strategies in Section 7.3.

Instance	r	ρ	n	Optimal	F1		Best AP		SRKB4		ECU		GAEC2		GAEC3		GNECU2		GNECU3		
					mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean	#s	mean
10^2	0.8	50	328.6	1.287	10	1.150	10	1.130	10	1.132	10	1.213	10	1.660	10	1.449	10	2.312	10		
		100	2 229.8	1.062	10	1.062	10	1.019	10	1.015	10	2.425	10	11.732	9	5.859	10	58.246	8		
		150	168 734.8	1.059	9	1.059	9	1.024	9	1.025	9	7.790	3	21.874	1	125.595	1	-	0		
	0.0	50	2 815.4	1.639	10	1.248	10	1.281	10	1.248	10	1.200	10	1.303	10	1.220	10	1.612	10		
		100	6 954.5	1.450	10	1.335	10	1.206	10	1.173	10	1.290	10	1.901	10	1.398	10	2.634	10		
		150	27 398.6	1.301	10	1.301	10	1.164	10	1.155	10	1.717	10	5.826	10	2.873	10	15.838	6		
	-0.8	50	19 491.1	1.606	10	1.274	10	1.301	10	1.272	10	1.197	10	1.605	10	1.278	10	2.165	10		
		100	235 384.3	1.391	9	1.391	9	1.231	9	1.217	9	1.672	9	3.257	9	2.235	8	7.389	8		
	10^3	0.8	50	1 255.7	1.673	10	1.214	10	1.221	10	1.199	10	1.155	10	1.188	10	1.195	10	1.367	10	
100			4 518.5	1.647	10	1.245	10	1.215	10	1.172	10	1.175	10	1.232	10	1.175	10	1.503	10		
150			7 646.6	1.597	10	1.228	10	1.206	10	1.180	10	1.151	10	1.270	10	1.193	10	1.678	10		
0.0		50	8 662.2	1.972	10	1.243	10	1.407	10	1.394	10	1.257	10	1.242	10	1.203	10	1.351	10		
		100	32 257.5	1.981	10	1.282	10	1.374	10	1.347	10	1.262	10	1.243	10	1.208	10	1.348	10		
		150	59 150.1	2.051	10	1.306	10	1.446	10	1.399	10	1.278	10	1.288	10	1.248	10	1.368	10		
-0.8		50	57 694.4	1.901	10	1.318	10	1.354	10	1.341	10	1.239	10	1.252	10	1.230	10	1.365	10		
		100	239 891.8	1.921	10	1.332	10	1.384	10	1.355	10	1.229	10	1.285	10	1.218	10	1.421	10		
10^4		0.8	50	1 425.1	1.749	10	1.195	10	1.241	10	1.252	10	1.155	10	1.168	10	1.176	10	1.430	10	
	100		10 520.8	1.841	10	1.245	10	1.305	10	1.290	10	1.219	10	1.189	10	1.201	10	1.407	10		
	150		19 521.4	1.835	10	1.211	10	1.298	10	1.281	10	1.193	10	1.164	10	1.208	10	1.385	10		
	0.0	50	11 398.0	2.025	10	1.256	10	1.479	10	1.465	10	1.269	10	1.253	10	1.199	10	1.359	10		
		100	57 365.2	2.073	10	1.239	10	1.454	10	1.430	10	1.276	10	1.231	10	1.225	10	1.314	10		
		150	134 437.2	2.101	10	1.260	10	1.439	10	1.409	10	1.264	10	1.214	10	1.212	10	1.263	10		
	-0.8	50	77 565.7	1.929	10	1.278	10	1.403	10	1.384	10	1.233	10	1.227	10	1.208	10	1.370	10		
		100	334 789.5	2.009	10	1.273	10	1.409	10	1.387	10	1.249	10	1.239	10	1.215	10	1.350	10		

Table 3: Results for the dynamic strategies.

8. Conclusions

In this paper, we propose grouping strategies to improve the second phase of two-phase methods based on ranking algorithms. We also present a method for obtaining an optimal grouping for a given instance. Although not applicable to large instance sizes, it provides not only a reference to assess the performance of our grouping strategies but also gives further insight into their design. For instance, for the Bi-Objective Spanning Tree problem, a group size of more than three is not required.

Our best-performing grouping strategies use information from specific group measures of the supported points identified in the first phase, as well as from previously formed groups. In particular, our extended coverage method, which is based on the work in [30], gives a significant improvement. Experimental results show that these strategies incur only a computational cost of at most 25% higher than the optimal grouping and improve over the current ranking-based two-phase methods.

This paper discusses only two measures for guiding group formation: ND bound and group angle. Although not reported here, we also considered other measures, such as the largest distance, or a fraction of it, between the supported point of a group and an upper bound, as well as the total area covered by the group. However, these approaches yielded poor results. It remains an open question whether other geometric measures could further improve our results.

A natural next step is to parallelize our approaches. Although not widely explored in the literature, two-phase methods offer a clear advantage over other approaches for solving bi-objective combinatorial optimization problems, as they are inherently parallelizable. In our case, additional challenges include how to adapt group formation based on the number of processors available and how to reduce communication costs, particularly for dynamic grouping strategies.

Notably, our methods are generalizable to other bi-objective combinatorial optimization problems, with the only requirement being the availability of a ranking algorithm. If the time budget is too constrained and if optimality is not a strong requirement, the ranking algorithm may terminate early.

Acknowledgments

This work is partially financed through national funds by FCT - Fundação para a Ciência e a Tecnologia, I.P., in the framework of the Project UIDB/00326/2025 and UIDP/00326/2025. The first author acknowledges FCT for the Ph.D. fellowship 2022.14645.BD. Part of this work was conducted by the second author as a Visiting Professor at Paris Dauphine University - PSL, and by the first author during a short-term scientific mission at the same institution. This mission was funded by the COST Action Randomised Optimisation Algorithms Research Network (ROARNET), CA22137, supported by COST (European Cooperation in Science and Technology).

References

- [1] Ahuja, R.K., Magnanti, T.L., Orlin, J.B., 1993. Network flows. Prentice Hall, Englewood Cliffs, NJ.
- [2] Amorosi, L., Puerto, J., 2022. Two-phase strategies for the bi-objective minimum spanning tree problem. *International Transactions in Operational Research* 29, 3435–3463.
- [3] Andersen, K.A., Jörnsten, K., Lind, M., 1996. On bicriterion minimal spanning trees: An approximation. *Computers & Operations Research* 23, 1171 – 1182.
- [4] Aneja, Y.P., Nair, K.P.K., 1979. Bicriteria transportation problem. *Management Science* 25, 73–78.

- [5] Deb, K., Datta, R., 2012. Hybrid evolutionary multi-objective optimization and analysis of machining operations. *Engineering Optimization* 44, 685–706.
- [6] Ehrgott, M., 1999. Integer solutions of multicriteria network flow problems. *Investigacao Operacional* 19, 229–243.
- [7] Ehrgott, M., Skriver, A.J.V., 2003. Solving biobjective combinatorial max-ordering problems by ranking methods and a two-phases approach. *European Journal of Operational Research* 147, 657–664.
- [8] Eppstein, D., 2016. *k*-best enumeration, in: *Encyclopedia of Algorithms*. Springer US, pp. 1003–1006.
- [9] Fernandes, I.F., Goldberg, E.F.G., Maia, S.M., Goldberg, M.C., 2020. Empirical study of exact algorithms for the multi-objective spanning tree. *Computational Optimization and Applications* 75, 561–605.
- [10] Gabow, H.N., 1977. Two algorithms for generating weighted spanning trees in order. *SIAM Journal on Computing* 6, 139–150.
- [11] Gunasekara, R.C., Mehrotra, K.G., Mohan, C.K., 2014. Multi-objective optimization to identify key players in social networks, in: Wu, X., Ester, M., Xu, G. (Eds.), 2014 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining, ASONAM 2014, Beijing, China, August 17–20, 2014, IEEE Computer Society, pp. 443–450.
- [12] Hamacher, H.W., Ruhe, G., 1994. On spanning tree problems with multiple objectives. *Annals of Operations Research* 52, 209–230.
- [13] Horn, J., Nafpliotis, N., Goldberg, D.E., 1994. A niched pareto genetic algorithm for multiobjective optimization, in: *Proceedings of the First IEEE Conference on Evolutionary Computation*, IEEE World Congress on Computational Intelligence, Orlando, Florida, USA, June 27–29, 1994, IEEE, pp. 82–87.
- [14] Jena, S., 2013. Multi-Objective Optimization of the Design Parameters of a Shell and Tube Type Heat Exchanger Based on Economic and Size Consideration. Ph.D. thesis. National Institute of Technology, Rourkela.
- [15] Lee, H., Pulat, P.S., 1993. Bicriteria network flow problems: Integer case. *European Journal of Operational Research* 66, 148–157.
- [16] Mardle, S.J., Pascoe, S., Tamiz, M., 2000. An investigation of genetic algorithms for the optimization of multi-objective fisheries bioeconomic models. *International Transactions in Operational Research* 7, 33–49.
- [17] Mote, J., Murthy, I., Olson, D.L., 1991. A parametric approach to solving bicriterion shortest path problems. *European Journal of Operational Research* 53, 81–92.
- [18] Murty, K.G., 1968. An algorithm for ranking all the assignments in order of increasing cost. *Operations Research* 16, 682–687.
- [19] Pedersen, C.R., Nielsen, L.R., Andersen, K.A., 2008. The bicriterion multimodal assignment problem: Introduction, analysis, and experimental results. *INFORMS Journal on Computing* 20, 400–411.
- [20] Prins, C., Prodhon, C., Calvo, R.W., 2006. Two-phase method and lagrangian relaxation to solve the bi-objective set covering problem. *Annals of Operations Research* 147, 23–41.
- [21] Przybylski, A., Gandibleux, X., Ehrgott, M., 2008. Two phase algorithms for the bi-objective assignment problem. *European Journal of Operational Research* 185, 509–533.
- [22] Przybylski, A., Gandibleux, X., Ehrgott, M., 2010. A two phase method for multi-objective integer programming and its application to the assignment problem with three objectives. *Discrete Optimization* 7, 149–165.
- [23] Raith, A., Ehrgott, M., 2009a. A comparison of solution strategies for biobjective shortest path problems. *Computers & Operations Research* 36, 1299–1331.
- [24] Raith, A., Ehrgott, M., 2009b. A two-phase algorithm for the biobjective integer minimum cost flow problem. *Computers & Operations Research* 36, 1945–1954.
- [25] Ruspini, E.H., Zwir, I.S., 1999. Automated qualitative description of measurements, in: *IMTC/99. Proceedings of the 16th IEEE Instrumentation and Measurement Technology Conference (Cat. No. 99CH36309)*, IEEE, pp. 1086–1091.
- [26] Sedeño-Noda, A., González-Martín, C., 2001. An algorithm for the biobjective integer minimum cost flow problem. *Computers & Operations Research* 28, 139–156.
- [27] Seipp, F., 2013. On Adjacency, Cardinality, and Partial Dominance in Discrete Multiple Objective Optimization. Ph.D. thesis. Technische Universität Kaiserslautern.
- [28] Sourd, F., Spanjaard, O., 2008. A multiobjective branch-and-bound framework: Application to the biobjective spanning tree problem. *INFORMS Journal on Computing* 20, 472–484.
- [29] Steiner, S., Radzik, T., 2003. Solving the biobjective minimum spanning tree problem using a *k*-best algorithm. Technical Report 03-06. Department of Computer Science, King’s College London, United Kingdom.
- [30] Steiner, S., Radzik, T., 2008. Computing all efficient solutions of the biobjective minimum spanning tree problem. *Computers & Operations Research* 35, 198–211.
- [31] Tuytens, D., Teghem, J., Fortemps, P., Nieuwenhuyze, K., 2000. Performance of the mosa method for the bicriteria assignment problem. *Journal of Heuristics* 6, 295–310.
- [32] Ulungu, E.L., Teghem, J., 1995. The two phases method: An efficient procedure to solve bi-objective combinatorial optimization problems. *Foundations of computing and decision sciences* 20, 149–165.
- [33] Verel, S., Liefvooghe, A., Jourdan, L., Dhaenens, C., 2013. On the structure of multiobjective combinatorial search

- space: Mnk-landscapes with correlated objectives. *European Journal of Operational Research* 227, 331–342.
- [34] Visée, M., Teghem, J., Pirlot, M., Ulungu, E.L., 1998. Two-phases method and branch and bound procedures to solve the bi-objective knapsack problem. *Journal of Global Optimization* 12, 139–155.