G. Wallerstein

Astronomy Department, Box 351580, University of Washington, Seattle, WA 98195

G. Gonzalez

Department of Physics and Astronomy, Iowa State University, Ames, IA 50011

M.D. Shetrone

University of Texas, McDonald Observatory, Fort Davis, Tx 79734

ABSTRACT

Radial velocities were measured for 5 potential post-AGB stars, two in the globular cluster NGC 1851 and three in the dSph galaxy Ursa Minor. All five potential PAGB stars were found to be radial velocity non-members.

Subject headings: galaxies: dwarf galaxies, individual (Ursa Minor) stars: PAGB

1. The Spectra

Eskridge & Schweitzer 2001 reported proper motion memberships for 3 stars that fall in the post-AGB region of the C-M diagram of the UMi system. In 2003 we obtained spectra during heavily overcast full moon engineering time at the Hobby-Eberly Telescope (HET) with the High Resolution Spectrograph (HRS, Tull et al. 1998). The spectra were taken in the lowest resolution mode (R = 15,000) and had signal-to-noise ratios between 10 and 20 per resolution element. The spectra where reduced with IRAF² echelle scripts. The velocities for the three Ursa Minor stars are given in Table 1. Since the velocity of the UMi galaxy is known to be -248 km/sec, it appears that these stars are not members.

In addition in 1997 the authors obtained 4-m echelle spectra of 2 likely post-AGB stars in the globular cluster NGC 1851, stars W266 and W464 (Walker 1992). Both stars showed velocities near zero and hence are very likely to also be non-members of NGC 1851.

¹Based on spectra obtained with the Hobby-Eberly Telescope, which is a joint project of the University of Texas at Austin, the Pennsylvania State University, Stanford University, Ludwig-Maximillians-Universität München, and Georg-August-Universität Göttingen.

²IRAF is distributed by the National Optical Astronomy Observatories, which are operated by the Association of Universities for Research in Astronomy, Inc., under contract to the National Science Foundation.

REFERENCES

- Eskridge, P. B. & Schwitzer, A. E., 2001, AJ, 122, 3106
- Tull, R.G., MacQueen, P.J.; Good, J., & Epps, H.W., BAAS, Vol. 30, p.1263
- Walker, A.R. 1992, PASP104, 1063

This preprint was prepared with the AAS ${\rm IAT}_{\rm E}\!{\rm X}$ macros v4.0.

Star	α	δ	V	B-V	\mathbf{P}^1	$V_r (km/s)$
746	15:08:51.6	+67:25:11	16.17	0.74	0.51	-52
783	15:07:14.5	+67:20:30	15.86	0.71	0.96	-29
1406	15:07:23.9	+67:11:05	16.09	1.05	0.67	+13:

Table 1. Results from HET+HRS

 1 The proper motion probabilities taken from Eskridge & Schweitzer 2001