

A classification of inner actions of the Dipper-Donkin quantization GL_2 on the Clifford algebra $C(1, 3)$.

Suemí Rodríguez-Romo

Centre of Theoretical Research

National University of México, Campus Cuautitlán
Apdo. Postal 95, Unidad Militar, Cuautitlán Izcalli
Estado de México, 54768 México.*

Abstract. We present all inner actions on the Clifford algebra $C(1, 3)$ of the quantum group GL_2 constructed by Dipper and Donkin [1].

Following the method already developed for studying the actions of $GL_q(2, C)$ on the Clifford algebra $C(1, 3)$ [2] we construct any possible inner action of Dipper-Donkin quantization on this Clifford algebra. We also provide with the corresponding operator algebra \mathfrak{R} (namely the image of the representation), the algebra of invariants I which is equal to the centralizer of \mathfrak{R} in $C(1, 3)$, and the *perturbation* of the representation [3]. Let φ be a representation and $c_{11}, c_{12}, c_{21}, c_{22}$, generators of GL_2 , we say that the representation φ has a *perturbation* if $\varphi(c_{12}c_{21}) \neq 0$. We define $c_{ij} \rightarrow C_{ij}$ to be a finite dimensional representation of the quantum GL_2 .

* e-mail: suemi@servidor.unam.mx

CASE 1) $d=diag(q^2, q, 1, 1)$

CASE 1.1)	$C_{12} = \alpha e_{12} + \beta e_{23} + \gamma e_{24}$ $C_{21} = 0$ $C_{11} = \mathbf{1}$ $C_{22} = q^2 e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & * & * \\ 0 & * & * & * \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 8 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 1.2)	$C_{12} = \alpha e_{12} + \beta e_{24}$ $C_{21} = 0$ $C_{11} = \mathbf{1} + e_{34}$ $C_{22} = q^2 e_{11} + q e_{22} + e_{33} + e_{44} - e_{34}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & * \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \gamma \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 1.3)	$C_{12} = 0$ $C_{21} = \alpha e_{21} + \beta e_{32}$ $C_{11} = e_{11} + q^{-1} e_{22} + q^{-2} e_{33} + \gamma e_{44}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q^2 e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & \epsilon & 0 \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \beta \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 1.4)	$C_{12} = 0$ $C_{21} = \alpha e_{21} + \beta e_{32}$ $C_{11} = e_{11} + q^{-1}e_{22} + q^{-2}e_{33} + q^{-2}e_{44} + e_{34}$ $C_{22} = q^2 \mathbf{1} - q^4 e_{34}$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \beta \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 1.5)	$C_{12} = \beta e_{23} + \gamma e_{24}$ $C_{21} = \alpha e_{21}$ $C_{11} = \text{diag}(1, q^{-1}, q^{-1}, q^{-1})$ $C_{22} = \text{diag}(q^2, q^2, q, q)$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & \varphi & -\frac{\beta\varphi}{\gamma} \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 5 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 1.6)	$C_{12} = \alpha e_{24}$ $C_{21} = \beta e_{21}$ $C_{11} = e_{11} + q^{-1}e_{22} + q^{-1}e_{33} + q^{-1}e_{44} + e_{34}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q e_{33} + q e_{44} - q^2 e_{34}$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & * \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \beta \\ 0 & 0 & \gamma & \alpha \end{pmatrix}$	Perturbation zero
CASE 1.7)	$C_{12} = \alpha e_{12}$ $C_{21} = \beta e_{32} + \gamma e_{42}$ $C_{11} = e_{11} + e_{22} + q^{-1}e_{33} + q^{-1}e_{44}$ $C_{22} = q^2 e_{11} + q e_{22} + q e_{33} + q e_{44}$	$\Re = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & \epsilon & 0 \\ 0 & * & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 1.8)	$C_{12} = \alpha e_{12}$ $C_{21} = \beta e_{32}$ $C_{11} = e_{11} + e_{22} + q^{-1}e_{33} + q^{-1}e_{44} + e_{34}$ $C_{22} = q^2 e_{11} + q e_{22} + q e_{33} + q e_{44} - q^2 e_{34}$	$\Re = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \beta \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 2) $d=diag(q^2, q, q, 1)$

CASE 2.1)	$C_{12} = 0$ $C_{21} = -\mu\delta e_{21} + \mu\gamma e_{31} + \gamma e_{42} + \delta e_{43}$ $C_{11} = e_{11} + q^{-1}e_{22} + q^{-1}e_{33} + q^{-2}e_{44}$ $C_{22} = q^2 \mathbf{1}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ \varphi & \epsilon & 0 & 0 \\ \frac{\gamma\varphi}{\delta} & 0 & 0 & 0 \\ 0 & \phi & \frac{-\gamma\phi}{\delta} & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 5	$I = \begin{pmatrix} \beta & 0 & 0 & 0 \\ 0 & \psi & \phi & 0 \\ 0 & \frac{\gamma}{\delta}(\varphi - \psi) + (\frac{\gamma}{\delta})^2 \phi & \varphi & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 2.2)	$C_{12} = qe_{13} - \mu e_{24}$ $C_{21} = -\mu e_{21} + e_{43}$ $C_{11} = e_{11} + q^{-1}e_{22} + e_{33} + q^{-1}e_{44}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q e_{33} + q e_{44} - q\mu e_{23}$	$\mathfrak{R} = \begin{pmatrix} * & * \\ 0 & * \end{pmatrix} \otimes \begin{pmatrix} * & * \\ 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 9 $\dim I$ 1	$I \cong C$	Perturbation $C_{12}C_{21} = -\mu e_{23}$
CASE 2.3)	$C_{12} = q\lambda\delta e_{13}$ $C_{21} = \delta e_{43}$ $C_{11} = e_{11} + \alpha e_{22} + e_{33} + q^{-1}e_{44}$ $C_{22} = q^2 e_{11} + q\alpha^{-1} e_{22} + q e_{33} + q e_{44}$ $\alpha \neq 1$	$\mathfrak{R} = \begin{pmatrix} * & 0 & * & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 2.4)	$C_{12} = q\lambda\delta e_{13}$ $C_{21} = \delta e_{43}$ $C_{11} = e_{11} + e_{22} + e_{33} + q^{-1}e_{44}$ $C_{22} = q^2 e_{11} + q e_{22} + q e_{33} + q e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & * & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 2.5)	$C_{12} = q\gamma e_{12} + q\delta e_{13}$ $C_{21} = \gamma e_{42} + \delta e_{43}$ $C_{11} = e_{11} + e_{22} + e_{33} + q^{-1}e_{44}$ $C_{22} = q^2 e_{11} + q e_{22} + q e_{33} + q e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & \varphi & \varphi & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & \psi & \psi & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 6	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \gamma & \delta & 0 \\ 0 & \phi & \psi & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 2.6)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \beta e_{33} + \gamma e_{44}$ $C_{22} = q^2 e_{11} + q\alpha^{-1} e_{22} + q\beta^{-1} e_{33} + \gamma^{-1} e_{44}$ $\alpha \neq \beta \neq \gamma \neq 1$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 4 $\dim I$ 4	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \gamma & 0 \\ 0 & 0 & 0 & \delta \end{pmatrix}$	Perturbation zero
CASE 2.7)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \alpha e_{33} + \gamma e_{44}$ $C_{22} = q^2 e_{11} + q\alpha^{-1} e_{22} + q\alpha^{-1} e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 3 $\dim I$ 6	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \gamma & \delta & 0 \\ 0 & \epsilon & \phi & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero

CASE 2.8)	$C_{12} = qe_{12} + \mu e_{34}$ $C_{21} = \mu e_{31} + e_{42}$ $C_{11} = e_{11} + e_{22} + q^{-1}e_{33} + q^{-1}e_{44}$ $C_{22} = q^2e_{11} + qe_{22} + q^2e_{33} + qe_{44} + q\mu e_{32}$	$\mathfrak{R} = \begin{pmatrix} * & * \\ 0 & * \end{pmatrix} \otimes \begin{pmatrix} * & 0 \\ * & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 9 \\ \dim I \\ 1 \end{matrix}$	$I \cong C$	Perturbation $C_{12}C_{21} = \mu e_{32}$
CASE 2.9)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \alpha e_{33} + \beta e_{44}$ $C_{22} = q^2e_{11} + \frac{q}{\alpha}e_{22} + \frac{q}{\alpha}e_{33} + \beta^{-1}e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 3 \\ \dim I \\ 6 \end{matrix}$	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \gamma & \delta & 0 \\ 0 & \phi & \psi & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 2.10)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \beta e_{33} + \gamma e_{44}$ $C_{22} = q^2e_{11} + \frac{q}{\alpha}e_{22} + \frac{q}{\beta}e_{33} + \gamma^{-1}e_{44}$ $\alpha \neq \beta$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 4 \\ \dim I \\ 4 \end{matrix}$	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \gamma & 0 \\ 0 & 0 & 0 & \delta \end{pmatrix}$	Perturbation zero
CASE 2.11)	$C_{12} = qe_{12} + \mu e_{34}$ $C_{21} = \mu e_{31} + e_{42}$ $C_{11} = e_{11} + e_{22} + q^{-1}e_{33} + q^{-1}e_{44}$ $C_{22} = q^2e_{11} + qe_{22} + q^2e_{33} + qe_{44} + q\mu e_{32}$	$\mathfrak{R} = \begin{pmatrix} * & * \\ 0 & * \end{pmatrix} \otimes \begin{pmatrix} * & 0 \\ * & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 9 \\ \dim I \\ 1 \end{matrix}$	$I \cong C$	Perturbation $C_{12}C_{21} = \mu e_{32}$

CASE 2.12)	$C_{12} = 0$ $C_{21} = -\mu\delta e_{21} + \delta e_{43}$ $C_{11} = e_{11} + q^{-1}e_{22} + q^{-1}e_{33} + q^{-2}e_{44} + e_{23}$ $C_{22} = q^2e_{11} + q^2e_{22} + q^2e_{33} + q^2e_{44} - q^3e_{23}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & \epsilon & * & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 2.13)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \alpha e_{33} + \beta e_{44} + e_{23}$ $C_{22} = q^2e_{11} + \frac{q}{\alpha}e_{22} + \frac{q}{\alpha}e_{33} + \frac{1}{\beta}e_{44} - \frac{q}{\alpha^2}e_{23}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & \epsilon & * & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 4 $\dim I$ 4	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \gamma & \delta & 0 \\ 0 & 0 & \gamma & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 2.14)	$C_{12} = q\lambda\delta e_{13}$ $C_{21} = \delta e_{43}$ $C_{11} = e_{11} + e_{22} + e_{33} + q^{-1}e_{44} + e_{23}$ $C_{22} = q^2e_{11} + qe_{22} + qe_{33} + qe_{44} - qe_{23}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & * & 0 \\ 0 & \epsilon & * & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & \beta & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 2.15)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = e_{11} + \alpha e_{22} + \alpha e_{33} + \beta e_{44} + e_{23}$ $C_{22} = q^2e_{11} + \frac{q}{\alpha}e_{22} + \frac{q}{\alpha}e_{33} + \frac{1}{\beta}e_{44} - \frac{q}{\alpha^2}e_{23}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & \epsilon & * & 0 \\ 0 & 0 & \epsilon & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 4 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & \gamma & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 3) $d=diag(q^2, q^2, q, 1)$

CASE 3.1)	$C_{12} = \alpha e_{13} + \beta e_{23} + \gamma e_{34}$ $C_{21} = 0$ $C_{11} = \mathbf{1}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & \phi & \varphi \\ 0 & \epsilon & \phi & \varphi \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 5	$I = \begin{pmatrix} \varphi & \beta & 0 & 0 \\ \gamma & \delta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.2)	$C_{12} = \alpha e_{13} + \gamma e_{34}$ $C_{21} = 0$ $C_{11} = \mathbf{1} + e_{12}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & * & * \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 2	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.3)	$C_{12} = 0$ $C_{21} = \alpha e_{31} + \beta e_{32} + \gamma e_{43}$ $C_{11} = q^2 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$ $C_{22} = \mathbf{1}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ \varphi & \varphi & * & 0 \\ \eta & \eta & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 5	$I = \begin{pmatrix} \beta & \gamma & 0 & 0 \\ \delta & \eta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 3.4)	$C_{12} = 0$ $C_{21} = \beta e_{32} + \gamma e_{43}$ $C_{11} = \mathbf{1} + e_{12}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q e_{33} + e_{44} - q^2 e_{12}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & 0 \\ 0 & * & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 2	$I = \begin{pmatrix} \beta & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.5)	$C_{12} = \alpha e_{13} + \beta e_{23}$ $C_{21} = \gamma e_{43}$ $C_{11} = q e_{11} + q e_{22} + q e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & \varphi & 0 \\ 0 & \epsilon & \varphi & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 5	$I = \begin{pmatrix} \beta & \gamma & 0 & 0 \\ \epsilon & \varphi & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.6)	$C_{12} = \alpha e_{13} + \beta e_{23}$ $C_{21} = \gamma e_{43}$ $C_{11} = q e_{11} + q e_{22} + q e_{33} + e_{44} + e_{12}$ $C_{22} = q e_{11} + q e_{22} + e_{33} + e_{44} - q e_{12}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & * & 0 \\ 0 & \epsilon & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 3.7)	$C_{12} = \gamma e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \beta & \gamma & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 3.8)	$C_{12} = \gamma e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = \alpha e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + q e_{22} + q e_{33} + e_{44}$ $\alpha \neq q$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 6 \\ \dim I \\ 1 \end{matrix}$	$I \cong C$	Perturbation zero
CASE 3.9)	$C_{12} = \gamma e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44} + e_{12}$ $C_{22} = q e_{11} + q e_{22} + q e_{33} + e_{44} - e_{12}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 6 \\ \dim I \\ 2 \end{matrix}$	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.10)	$C_{12} = \gamma e_{34}$ $C_{21} = \alpha e_{31}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ * & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 5 \\ \dim I \\ 3 \end{matrix}$	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ \beta & \gamma & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.11)	$C_{12} = \gamma e_{34}$ $C_{21} = \beta e_{31}$ $C_{11} = q e_{11} + \alpha e_{22} + e_{33} + e_{44}$ $C_{22} = q e_{11} + \frac{q^2}{\alpha} e_{22} + q e_{33} + e_{44}$ $\alpha \neq q$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ * & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\begin{matrix} \dim \mathfrak{R} \\ 6 \\ \dim I \\ 1 \end{matrix}$	$I \cong C$	Perturbation zero

CASE 3.12)	$C_{12} = \gamma e_{34}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \alpha e_{22} + e_{33} + e_{44} + e_{12}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q^2}{\alpha} e_{22} + q e_{33} + e_{44} - \frac{q^2}{\alpha^2} e_{12}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \beta & \gamma & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.13)	$C_{12} = \gamma e_{34}$ $C_{21} = \alpha e_{31} + \beta e_{32}$ $C_{11} = q e_{11} + e_{22} + e_{33} + e_{44}$ $C_{22} = q e_{11} + q^2 e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ * & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 3.14)	$C_{12} = \gamma e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44} + e_{12}$ $C_{22} = q e_{11} + q e_{22} + q e_{33} + e_{44} - e_{12}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 3.15)	$C_{12} = \beta e_{23}$ $C_{21} = \gamma e_{43}$ $C_{11} = q e_{11} + q e_{22} + q e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & 0 & 0 & 0 \\ 0 & \epsilon & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \epsilon & 0 & 0 & 0 \\ \varphi & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 3.16)	$C_{12} = \beta e_{23}$ $C_{21} = \gamma e_{43}$ $C_{11} = \alpha e_{11} + q e_{22} + q e_{33} + e_{44}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + q e_{22} + e_{33} + e_{44}$ $\alpha \neq q$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 3.17)	$C_{12} = 0$ $C_{21} = \gamma e_{43}$ $C_{11} = \alpha e_{11} + \alpha e_{22} + q e_{33} + e_{44} + e_{12}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q^2}{\alpha} e_{22} + e_{33} + e_{44} - \frac{q^2}{\alpha^2} e_{12}$	$\Re = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \Re$ 5 $\dim I$ 3	$I = \begin{pmatrix} \beta & \varphi & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.18)	$C_{12} = q e_{13}$ $C_{21} = \gamma e_{43}$ $C_{11} = q e_{11} + q e_{22} + q e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + e_{33} + e_{44}$	$\Re = \begin{pmatrix} \epsilon & 0 & * & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \Re$ 4 $\dim I$ 3	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \gamma & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 3.19)	$C_{12} = \alpha e_{13}$ $C_{21} = \gamma e_{43}$ $C_{11} = qe_{11} + \alpha e_{22} + qe_{33} + e_{44}$ $C_{22} = qe_{11} + \frac{q^2}{\alpha} e_{22} + e_{33} + e_{44}$ $\alpha \neq q$	$\Re = \begin{pmatrix} * & 0 & * & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 3.20)	$C_{12} = \alpha e_{13}$ $C_{21} = \gamma e_{43}$ $C_{11} = qe_{11} + qe_{22} + qe_{33} + e_{44} + e_{12}$ $C_{22} = qe_{11} + qe_{22} + e_{33} + e_{44} - e_{12}$	$\Re = \begin{pmatrix} \epsilon & * & * & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 4) $d=diag(q^3, q^2, q, 1)$

CASE 4.1)	$C_{12} = 0$ $C_{21} = \alpha e_{21} + \beta e_{32} + \gamma e_{43}$ $C_{11} = q^3 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$ $C_{22} = \mathbf{1}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 4.2)	$C_{12} = \beta e_{23}$ $C_{21} = \alpha e_{21} + \gamma e_{43}$ $C_{11} = q^2 e_{11} + q e_{22} + q e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 4.3)	$C_{12} = \alpha e_{12} + \gamma e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = q^2 e_{11} + q e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 4.4)	$C_{12} = \alpha e_{12} + \beta e_{23} + \gamma e_{34}$ $C_{21} = 0$ $C_{11} = \mathbf{1}$ $C_{22} = q^3 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 4.5)	$C_{12} = \gamma e_{34}$ $C_{21} = \alpha e_{21} + \beta e_{32}$ $C_{11} = q^2 e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = q e_{11} + q e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I = C$	Perturbation zero
CASE 4.6)	$C_{12} = \beta e_{23} + \gamma e_{34}$ $C_{21} = \alpha e_{21}$ $C_{11} = q e_{11} + e_{22} + e_{33} + e_{44}$ $C_{22} = q^2 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & * & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 4.7)	$C_{12} = \alpha e_{12}$ $C_{21} = \beta e_{32} + \gamma e_{43}$ $C_{11} = q^2 e_{11} + q^2 e_{22} + q e_{33} + e_{44}$ $C_{22} = q e_{11} + e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 4.8)	$C_{12} = \alpha e_{12} + \beta e_{23}$ $C_{21} = \gamma e_{43}$ $C_{11} = qe_{11} + qe_{22} + qe_{33} + e_{44}$ $C_{22} = q^2 e_{11} + qe_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 5) $d=diag(\alpha, q^2, q, 1)$

$$\alpha \neq 0, q^{-1}, 1, q, q^2, q^3$$

CASE 5.1)	$C_{12} = 0$ $C_{21} = \gamma e_{32} + \beta e_{43}$ $C_{11} = \delta e_{11} + q^2 e_{22} + q e_{33} + e_{44}$ $C_{22} = \frac{\alpha}{\delta} e_{11} + e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \beta & 0 & 0 & 0 \\ 0 & \gamma & 0 & 0 \\ 0 & 0 & \gamma & 0 \\ 0 & 0 & 0 & \gamma \end{pmatrix}$	Perturbation zero
CASE 5.2)	$C_{12} = \beta e_{23} + \gamma e_{34}$ $C_{21} = 0$ $C_{11} = \delta e_{11} + e_{22} + e_{33} + e_{44}$ $C_{22} = \frac{\alpha}{\delta} e_{11} + q^2 e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \gamma & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 5.3)	$C_{12} = \beta e_{34}$ $C_{21} = \gamma e_{32}$ $C_{11} = \delta e_{11} + q e_{22} + e_{33} + e_{44}$ $C_{22} = \frac{\alpha}{\delta} e_{11} + q e_{22} + q e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \gamma & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero

CASE 5.4)	$C_{12} = \gamma e_{23}$ $C_{21} = \beta e_{43}$ $C_{11} = \delta e_{11} + qe_{22} + qe_{33} + e_{44}$ $C_{22} = \frac{\alpha}{\delta} e_{11} + qe_{22} + e_{33} + e_{44}$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \gamma & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero

CASE 6) $d=diag(q^2, q^2, q, 1) + e_{12}$

CASE 6.1)	$C_{12} = 0$ $C_{21} = \alpha e_{43}$ $C_{11} = q^2 \beta e_{11} + q^2 \beta e_{22} + q \gamma e_{33} + \gamma e_{44} + \beta e_{12}$ $c_{22} = \beta^{-1} e_{11} + \beta^{-1} e_{22} + q \delta^{-1} e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \beta & \gamma & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 6.2)	$C_{12} = \alpha e_{13} + \beta e_{34}$ $C_{21} = 0$ $C_{11} = q^2 e_{11} + q^2 e_{22} + q^2 e_{33} + q^2 e_{44} + e_{12}$ $C_{22} = e_{11} + e_{22} + q^{-1} e_{33} + q^{-2} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & * & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 6.3)	$C_{12} = \alpha e_{34}$ $C_{21} = \beta e_{32}$ $C_{11} = q^2 e_{11} + q^2 e_{22} + q e_{33} + q e_{44} + e_{12}$ $C_{22} = e_{11} + e_{22} + e_{33} + q^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & * & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & \beta & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 6.4)	$C_{12} = \alpha e_{34}$ $C_{21} = 0$ $C_{11} = q^2 \beta e_{11} + q^2 \beta e_{22} + \gamma e_{33} + \gamma e_{44} + \beta e_{12}$ $C_{22} = \beta^{-1} e_{11} + \beta^{-1} e_{22} + q \gamma^{-1} e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & \gamma & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 6.5)	$C_{12} = \alpha e_{13}$ $C_{21} = 0$ $C_{11} = q^2 \beta e_{11} + q^2 \beta e_{22} + q^2 \beta e_{33} + \delta e_{44} + \beta e_{12}$ $C_{22} = \beta^{-1} e_{11} + \beta^{-1} e_{22} + q^{-1} \beta^{-1} e_{33} + \delta^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & * & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & \gamma & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 6.6)	$C_{12} = 0$ $C_{21} = \alpha e_{32}$ $C_{11} = q^2 \beta e_{11} + q^2 \beta e_{22} + q \beta e_{33} + \delta e_{44} + \beta e_{12}$ $C_{22} = \beta^{-1} e_{11} + \beta^{-1} e_{22} + \beta^{-1} e_{33} + \delta^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & * & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & \gamma & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 6.7)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = q^2 \alpha e_{11} + q^2 \alpha e_{22} + \beta e_{33} + \gamma e_{44} + \alpha e_{12}$ $C_{22} = \alpha^{-1} e_{11} + \alpha^{-1} e_{22} + q \beta^{-1} e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} \epsilon & * & 0 & 0 \\ 0 & \epsilon & 0 & 0 \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 4 $\dim I$ 4	$I = \begin{pmatrix} \gamma & \varphi & 0 & 0 \\ 0 & \gamma & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 7) $d=diag(q^2, q, 1, 1) + e_{34}$

CASE 7.1)	$C_{12} = \alpha e_{24}$ $C_{21} = \beta e_{21}$ $C_{11} = qe_{11} + e_{22} + e_{33} + e_{44} + e_{34}$ $C_{22} = qe_{11} + qe_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & * \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 7.2)	$C_{12} = \alpha e_{24}$ $C_{21} = \beta e_{21}$ $C_{11} = q\beta e_{11} + \beta e_{22} + \gamma e_{33} + \beta e_{44} + \beta e_{34}$ $C_{22} = q\delta^{-1} e_{11} + q\delta^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ $\beta \neq \gamma \neq \delta$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & * \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 7.3)	$C_{12} = 0$ $C_{21} = \alpha e_{21} + \beta e_{32}$ $C_{11} = q^2 e_{11} + qe_{22} + e_{33} + e_{44} + e_{34}$ $C_{22} = \mathbf{1}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 7.4)	$C_{12} = 0$ $C_{21} = \alpha e_{21} + \beta e_{32}$ $C_{11} = q^2 \gamma e_{11} + q\gamma e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = \gamma^{-1} e_{11} + \gamma^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ $\gamma \neq \delta$	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \Re$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 7.5)	$C_{12} = 0$ $C_{21} = \alpha e_{21}$ $C_{11} = q\beta e_{11} + \beta e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = q\beta^{-1} e_{11} + q\beta^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ <p style="text-align: center;">either $\gamma = \delta = \beta$ or $\gamma = \delta = q\beta$ or $\gamma = \delta \neq \beta$ or $\gamma = \delta \neq q\beta$</p>	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \Re$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \beta & \gamma \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 7.6)	$C_{12} = 0$ $C_{21} = \alpha e_{21}$ $C_{11} = q\beta e_{11} + \beta e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = q\beta^{-1} e_{11} + q\beta^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ <p style="text-align: center;">neither $\gamma = \delta = \beta$ nor $\gamma = \delta = q\beta$ nor $\gamma = \delta \neq \beta$ nor $\gamma = \delta \neq q\beta$</p>	$\Re = \begin{pmatrix} * & 0 & 0 & 0 \\ * & * & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \Re$ 6 $\dim I$ 2	$I = \begin{pmatrix} \beta & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \alpha & 0 \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero

CASE 7.7)	$C_{12} = \alpha e_{24} + \beta e_{12}$ $C_{21} = 0$ $C_{11} = \mathbf{1} + e_{34}$ $C_{22} = q^2 e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & * \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \alpha & \beta \\ 0 & 0 & 0 & \alpha \end{pmatrix}$	Perturbation zero
CASE 7.8)	$C_{12} = \alpha e_{24} + \beta e_{12}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \alpha e_{22} + \gamma e_{33} + \alpha e_{44} + \alpha e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\alpha} e_{22} + \gamma^{-1} e_{33} + \alpha^{-1} e_{44}$ $\alpha \neq \gamma$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & * \\ 0 & 0 & * & 0 \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 7.9)	$C_{12} = \alpha e_{12}$ $C_{21} = \beta e_{32}$ $C_{11} = q e_{11} + q e_{22} + e_{33} + e_{44} + e_{34}$ $C_{22} = q e_{11} + e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 1	$I \cong C$	Perturbation zero
CASE 7.10)	$C_{12} = \alpha e_{12}$ $C_{21} = \beta e_{32}$ $C_{11} = q\gamma e_{11} + q\gamma e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = q\gamma^{-1} e_{11} + \gamma^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ $\gamma \neq \delta$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 7 $\dim I$ 1	$I \cong C$	Perturbation zero

CASE 7.11)	$C_{12} = \beta e_{12}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \alpha e_{22} + \gamma e_{33} + \gamma e_{44} + \gamma e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\alpha} e_{22} + \gamma^{-1} e_{33} + \gamma^{-1} e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \beta & \gamma \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 7.12)	$C_{12} = \beta e_{12}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \alpha e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\alpha} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ $\gamma \neq \delta$	$\mathfrak{R} = \begin{pmatrix} * & * & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \alpha & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 7.13)	$C_{12} = \delta e_{24}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \beta e_{22} + \gamma e_{33} + \beta e_{44} + \beta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\beta} e_{22} + \gamma^{-1} e_{33} + \beta^{-1} e_{44}$ <p>either $\alpha = \beta = \gamma$ or $\gamma^{-1} = q^2 \alpha^{-1} = \beta^{-1}$</p>	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & * \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero

CASE 7.14)	$C_{12} = \delta e_{24}$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \beta e_{22} + \gamma e_{33} + \beta e_{44} + \beta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\beta} e_{22} + \gamma^{-1} e_{33} + \beta^{-1} e_{44}$ <p style="text-align: center;">neither $\alpha = \beta = \gamma$ nor $\gamma^{-1} = q^2 \alpha^{-1} = \beta^{-1}$</p>	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & * \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 7.15)	$C_{12} = 0$ $C_{21} = \beta e_{32}$ $C_{11} = \alpha e_{11} + q\gamma e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \gamma^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ <p style="text-align: center;">either $\alpha = \gamma = \delta$ or $\alpha \neq \gamma \neq \delta$</p>	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & \gamma \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero
CASE 7.16)	$C_{12} = 0$ $C_{21} = \beta e_{32}$ $C_{11} = \alpha e_{11} + q\gamma e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \gamma^{-1} e_{22} + \gamma^{-1} e_{33} + \delta^{-1} e_{44}$ <p style="text-align: center;">neither $\alpha = \gamma = \delta$ nor $\alpha \neq \gamma \neq \delta$</p>	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & * & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 6 $\dim I$ 2	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \beta & 0 \\ 0 & 0 & 0 & \beta \end{pmatrix}$	Perturbation zero

CASE 7.17)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = \mathbf{1} + e_{34}$ $C_{22} = q^2 e_{11} + q e_{22} + e_{33} + e_{44}$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & \epsilon & * \\ 0 & 0 & 0 & \epsilon \end{pmatrix}$
$\dim \mathfrak{R}$ 4 $\dim I$ 4	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \gamma & \delta \\ 0 & 0 & 0 & \gamma \end{pmatrix}$	Perturbation zero
CASE 7.18)	$C_{12} = 0$ $C_{21} = 0$ $C_{11} = \alpha e_{11} + \beta e_{22} + \gamma e_{33} + \delta e_{44} + \delta e_{34}$ $C_{22} = \frac{q^2}{\alpha} e_{11} + \frac{q}{\beta} e_{22} + \gamma^{-1} e_{33} + \epsilon^{-1} e_{44}$ $\alpha \neq \beta \neq \gamma \neq \delta \neq \epsilon$	$\mathfrak{R} = \begin{pmatrix} * & 0 & 0 & 0 \\ 0 & * & 0 & 0 \\ 0 & 0 & * & * \\ 0 & 0 & 0 & * \end{pmatrix}$
$\dim \mathfrak{R}$ 5 $\dim I$ 3	$I = \begin{pmatrix} \alpha & 0 & 0 & 0 \\ 0 & \beta & 0 & 0 \\ 0 & 0 & \gamma & 0 \\ 0 & 0 & 0 & \gamma \end{pmatrix}$	Perturbation zero

1 Acknowledgments

The author wishes to thank V. Kharchenko for helpful discussion and CONACYT-México for partial support under grant No 4336-E.

References

- [1] Dipper, R., Donkin, S.: Quantum GL_n . Proc. London Math. Soc.(3)
- [2] Vladislav Kharchenko, Jaime Keller and Suemi Rodríguez-Romo: “Actions of $GL_q(2, C)$ on $C(1, 3)$ and its four dimensional representations”, to appear in Communication in Algebra, and references therein.
- [3] Suemi Rodríguez-Romo: “Actions of the Dipper-Donkin quantization GL_2 on the Clifford algebra $C(1, 3)$, in preparation.