# Augustine of Hippo's philosophy of time meets general relativity<sup>\*</sup>

E. Minguzzi<sup>†</sup>

#### Abstract

A cosmological model is proposed which uses a causality argument to solve the homogeneity and entropy problems of cosmology. In this model a chronology violating region of spacetime causally precedes the remainder of the Universe, and a theorem establishes the existence of time functions precisely outside the chronology violating region. This model is shown to nicely reproduce Augustine of Hippo's thought on time and the beginning of the Universe. In the model the spacelike boundary representing the Big Bang is replaced by a null hypersurface at which the gravitational degrees of freedom are almost frozen while the matter and radiation content is highly homogeneous and thermalized.

### 1 Introduction

In this work I shall present a cosmological model allowed by general relativity which can be regarded as a mathematical representation of previous ideas by Augustine of Hippo (354 - 430) on time and the creation of the Universe. This model provides also some novel and natural solutions to the homogeneity and entropy problems of cosmology.

Instead of introducing the model directly, in order to clarify the correspondence with Augustine's thought, we shall first investigate whether

<sup>\*</sup>This version includes the proof of Theorem 3.4 which is not included in the version published in Kronoscope 14 (2014) 71-89. Previous title: Can God find a place in physics? St. Augustine's philosophy meets general relativity.

<sup>&</sup>lt;sup>†</sup>Dipartimento di Matematica Applicata "G. Sansone", Università degli Studi di Firenze, Via S. Marta 3, I-50139 Firenze, Italy. E-mail: ettore.minguzzi@unifi.it

and how to include a notion of God in theoretical physics. Taking into account that physics is expressed in the mathematical language we shall seek a mathematical object that could represent at least some aspects of what in common language we call God.

Of course, whatever definition of God is given it cannot be able to cover all the ideas that circulate concerning the nature of God. For this essay I shall start from a quite restrictive portion of Augustine philosophy in which statements are made that may allow us to identify a cosmological notion of God.

In order to avoid misunderstandings I stress that this paper is not concerned about the problem of the existence of God, nor does it make claims in this respect. Its main goal is to introduce some causality arguments that may prove important in cosmology, and to stress the amusing similarities with previous ideas by Augustine. Of course in order to make sense of those, one has to assume, for the sake of the argument, the existence of God, for otherwise it would be impossible to follow Augustine's philosophical thought on the origin of time and the beginning of the Universe. In particular, in this work we wish to clarify and emphasize Augustine's amazing ability to distinguish between temporality and causality, something that will find a mathematical expression only with the advent of the general theory of relativity.

The reader interested on how modern cosmology has influenced philosophers' arguments for God's existence may consult Craig and Smith's book [6] or the papers [30, 2]. Craig's [5] and Ganssle's [8] monographs give also a good account of time theories and how they relate to the idea of God, in particular they treat the question of whether God should consistently be thought as a temporal or timelessness entity, a question that we shall also meet in what follows. Nevertheless, the reader should keep in mind that those arguments may need to be modified if the picture of the beginning of the Universe proposed in these pages turns out to be correct, as the spacelike Big Bang hypersurface would be replaced by a null hypersurface that continues in a chronology violating region.

## 2 Augustine's conclusions on the nature of God

To begin we need to explore some ideas concerning the nature of God. Here I shall consider some conclusions reached by the philosopher Augustine that are largely independent of the sacred texts and which are shared by different religions. They are:

- 1. There is an entity which we call God that satisfies the following points.
- 2. God has created the world.
- 3. God cannot be wrong.

Our analysis will involve only these assumptions on the God side, while for those on the scientific side we shall take from our present knowledge of physics.

At the time of Augustine the Manichæans asked the following question "What was God doing before creating the world?". Any answer to the question seems to involve a paradox. If God created the world at one time and not at a previous time then God changed his mind concerning the possibility of creating the world, thus he was wrong in not creating it in the first place. The only conclusion is that God cannot have created the world, because whatever decision God takes he has already taken it. This is a clear conflict with point 2 that states that God has created the world, and thus that the world has not always existed. The conclusion of the argument is in fact more general: the will of God is eternal as there cannot be discontinuities in it, and so should be all the creations that follow from that will.

Augustine's famous reply can be found in the XI book of the *Con*fessions [31, 29]. This book contains one of the most fortunate studies of the concept of time especially in the chapters starting from 14 where one can find the famous sentence "What, then, is time? If no one ask me, I know; if I wish to explain to him who asks, I know not." The reply that interests us is contained in chapters 10-13 where he considers some issues relating time, creation and God.

First he states that he will not reply (Chap. 12, Par. 14)

"like the man that, they say, answered avoiding with a joke the pressure of the question: 'God was preparing the hell for those who pry into such deep mysteries'. A thing is to understand, and another thing is to jeer. I will not answer this way. I would more likely answer: 'I know not what I know not' []."

Augustine goes on clarifying that with *world* one must understand all the creations of God. He accepts the conclusion that the will of God is eternal, but denies that from that it follows the eternity of the world. According to Augustine all the times are created by God itself so that God comes "before" every time although this "before" must be understood in a causal but not in a temporal way. In fact Augustine writes (Chap. 13, Par. 16)

"It is not in time that you precedes the times. Otherwise you would not precede them all. [] You are always the same, your years never end. Your years neither come nor go; ours instead come and go, for all of them will come. Yours are all together because they are stable; they don't go because of those coming, as they do not pass. Instead these, ours, will be when all shall cease to be. Your years are one day, and your day is not daily, but today; because your today yields no tomorrow, nor it follows yesterday. Your day is the eternity []. You created all the times and before the times you were, and without a time there wouldn't be any time".

Note that Augustine deduces, as the Manichæans did, that the will of God cannot change, but he does not find in that any contradiction. For him, God does not perceive time as we do; not only is God's will in a kind of permanent state but it is its very perception of time which shares this same permanence, this same eternal state.

I regard Augustine reply to the Manichæan question as logical given the premises. Of course although I claim that Augustine reply is logical I do not claim that with these considerations we are making science. Indeed, the main difficulty relies in the quite unclear subjects and verbs entering points 1, 2 and 3. However, this problem cannot be avoided from the start. The purpose of this work is to convert in a more rigorous language the earlier sentences. For the moment let me summarize what Augustine deduced from 1, 2 and 3 in the following additional points.

- 4. The will of God is eternal.
- 5. God created all the times, in particular God precedes all the times in a causal way. Nevertheless, God does not precede the times in a temporal way as the times did not exist before their creation.
- 6. Although God is not in our time, there is a kind of God's perception of time radically different from that of humans. For God time is still, eternal, it is not perceived as a flow.

It is somewhat puzzling that Augustine used repeatedly the word 'times' in the plural form. Perhaps this is due to the fact that, although we often regard the Newtonian absolute time as the most intuitive and widespread notion of time, it wasn't so for Augustine. Another reason could be related with the concept of psychological and hence subjective time that Augustine had certainly elaborated ("Is in you, my mind, that I measure time" Chap. 28, Par. 36). We shall return on the relevance of this maybe accidental plurality later.

### 3 The chronology protection conjecture

Starting from assumptions 1, 2 and 3 we have been able to derive further facts on God's nature given by points 4, 5 and 6. Despite their somewhat vague formulations these conclusions will prove quite stringent. Indeed, as we shall see, points 3, 4 and 6 will suggest the mathematical object through which we could represent Augustine's cosmological God, while points 1, 2 and 5 will allow us to put further constraints on a Universe admitting a God. In particular these constraints will offer new solutions to some old cosmological problems.

We now need to assume some familiarity of the reader with general relativity. In short the spacetime (M, g), is a time oriented 4-dimensional manifold endowed with a Lorentzian metric of signature (-, +, +, +). The points of M are called events. A non-vanishing tangent vector  $v \in$  $TM_p$  can be spacelike, lightlike or timelike depending on the value of g(v, v) respectively, positive, zero or negative. The lightlike directions give the direction of propagation of light. The terminology extends to curves  $\gamma : I \to M$ , provided the causal characterization of the tangent vector is consistent throughout the curve. If there is a timelike curve connecting two events p and q we write  $p \ll q$  or  $q \in I^+(p)$  or  $(p,q) \in I^+$ , where  $I^+$  is the *chronology relation*. If two events are connected by a causal curve or they are the same we write  $p \leq q$  or  $q \in J^+(p)$  or  $(p,q) \in J^+$ , where  $J^+$  is the *causal relation*.

It is widely held that any reasonable spacetime should satisfy, along with Einstein's equations, some additional causality requirement [13]. One of the weakest requirements that can be imposed on spacetime is that of chronology: there are no closed timelike curves (sometimes called CTC).

The fundamental problem of justifying chronology has received less attention than deserved. It is quite easy to construct solutions of the Einstein equations that violate chronology, consider for instance Minkowski spacetime with the slices t = 0 and t = 1 identified, or think of Gödel or Kerr's spacetimes. Thus the problem is not if spacetime solutions of the Einstein equations can admit CTCs but rather if reasonable spacetimes not presenting CTCs may develop them.

S. Hawking argued that the laws of physics will always prevent a spacetime to form closed timelike curves, in fact he raised this expectation to the status of conjecture, now called *chronology protection conjecture* [32]. According to it the effects preventing the formation of CTCs may also be quantistic in nature, in fact Hawking claims that the divergence of the stress energy tensor at the chronology horizon (i.e. the boundary of the *chronology violating set*, the latter being the region over which CTCs pass) would be the principal candidate for a mechanism preventing the formation of CTCs.

Despite some work aimed at proving the chronology protection conjecture its present status remains quite unclear with some papers supporting it and other papers suggesting its failure [33, 34, 18, 19, 15]. Some people think that in order to solve the problem of the chronology protection conjecture a full theory of quantum gravity would be required [12, 11].

Apart from the technical motivations, the principal reason behind the rejection of spacetimes presenting chronology violations remains mostly a philosophical one. A closed timelike curve represents an observer which is forced to live an infinite number of times the same history (the grand-father paradox).

It is simply unacceptable that a human being, or any other entity

presenting some form of free will, be stuck into a cycle in which always the same decisions are taken. Whatever a closed timelike curve might represent there seems to be consensus that it cannot represent the concept of "observer" to which we are used in physics.

Nevertheless, whereas the usual notion of "observer" cannot be represented by a CTC worldline, Augustine's cosmological God may indeed be represented by such worldline. Indeed, we have seen that according to middle-age philosophy God has an eternal will (point 4) thus faced with the same conditions he would pass through the same decisions. It cannot change direction because he confirms the correctness of the previous decision each time he is facing it.

It is curious that despite the fact that general relativity does not model the concept of free will, the presence of CTC, by producing an obstacle to this notion, provides a contact to philosophical considerations that otherwise would be unrelated with this theory.

Now, we have to expand some more on the consideration that Augustine's cosmological God may be modeled by a CTC. First recall that the chronology violating set C is made of all the points  $p \in M$  such that  $p \ll p$ . This set splits into equivalence classes [p] by means of the equivalence relation  $p \sim q$  if  $p \ll q \ll p$ . In other words p and q belong to the same equivalence class if there is a closed timelike curve passing through both p and q. Moreover, in this case the timelike curve is entirely contained in [p]. It is possible to prove that the sets [p] are all open in the manifold topology.

If p and q belong to the same chronology violating class then they have the same chronological role, in fact as  $p \ll q$  and  $q \ll p$  it is not possible to say which one comes before. They are in a sense 'simultaneous'. Indeed, p can be connected to q also by a lightlike causal curve and the same holds in the other direction, thus it is indeed possible to move from p to q and then from q to p in zero proper time. In particular any timelike curve passing through [p] would not cross events that follow 'one after the other' but rather almost equivalent events, actually chronologically undistinguishable. This picture fits well with point 6, that is, with Augustine conclusion that "Your years are one day, and your day is not daily, but today; because your today yields no tomorrow, nor it follows yesterday. Your day is the eternity []." All that suggests to regard God not as a single CTC, in fact given one, one would get an infinite number of them in the same chronology violating class, but rather as a chronology violating class [p] itself. This class [p] has also to satisfy point 1, which we convert into the mathematical statement  $M = I^+([p])$ , namely any point of M is chronologically preceded by a point of God.

Thus we are led to the following definition

**Definition 3.1.** On a spacetime (M, g), we call *God* a chronology violating class [p] such that  $M = I^+([p])$ .

I will write this concept in italics in order to distinguish this technical notion from Augustine's notion of cosmological God that we met in the previous sections and that inspired it.

Note that given a God, then any point of God generates M in the sense that  $p \in God \Rightarrow I^+(p) = M$ , and thus generates itself  $p \ll p$ . In suggestive terms, any portion of God creates itself and the whole world.

Provided *God* exists it is unique, as the following theorem proves

**Theorem 3.2.** There is at most one chronology violating class [p] such that  $M = I^+([p])$ .

Proof. Indeed,  $M = I^+([q]) = I^+([p])$  implies  $q \in M = I^+([p]) = I^+(p)$ , and with the roles of p and q interchanged we get  $p \in I^+(q)$ , thus  $p \sim q$ and hence [p] = [q].  $\Box$ 

Since to any chronology violating class [r] not satisfying  $M = I^+([r])$  we can still apply the arguments relating it to points 4 and 6, we give the following definition

**Definition 3.3.** We call *minor God* a chronology violating class which is not a *God*.

Now, the chronology protection conjecture in its original formulation may be rephrased as follows "there are no *minor Gods*", in fact the chronology protection conjecture, roughly speaking, states that chronology violating regions cannot form but does not state that they cannot exist since the beginning of the Universe. I must say, however, that any mechanism accomplishing the chronology protection would probably exclude, once applied to the backward direction, also any chronology violating region. Probably the issue as to whether there could be a mechanism that removes *minor Gods* while keeping a *God* could be answered only by showing the details of the chronology protection mechanism. Let us assume for simplicity that there are no *minor Gods* and let us show in which way the definition of *God* satisfies point 5. Recall that a *time function* is a continuous function  $t : M \to \mathbb{R}$  such that  $x < y \Rightarrow t(x) < t(y)$ , namely a function that increases over every causal curve. For instance any observer in Minkowski spacetime has its own time function.

Clearly, no time function can exist in the presence of a CTC, because if  $p \ll q \ll p$  then t(p) < t(q) < t(p), which is impossible. Indeed, the presence of a time function is equivalent to *stable causality* (i.e. causality is stable under sufficiently small perturbations of the metric) which is a much stronger causality property than chronology. Given one time function one has that a multitude of time functions exist.

Nevertheless, although M does not admit a time function, the spacetime  $M \setminus \overline{C}$  with the induced metric may indeed admit a time function and hence many of them. In other words, the part of spacetime not containing *God* (or better its closure) may admit time functions. In this sense *God* precedes the region of the Universe were time makes sense, but in a causal rather that a temporal way as those time functions are not defined in the region of *God*. This is exactly Augustine's conclusion summarized by point 5.

The nice fact is that not only  $M \setminus \overline{C}$  may admit a time function, but that it must admit a time function, provided null geodesic completeness and other reasonable physical conditions are satisfied. For more details on these conditions see [25, 13].

**Theorem 3.4.** Let (M, g) be a spacetime which admits no chronology violating class but possibly for the one, denoted [r], which generates the whole universe, i.e.  $I^+([r]) = M$ . Assume that the spacetime satisfies the null convergence condition and the null genericity condition on the lightlike inextendible geodesics which are entirely contained in  $M \setminus [r]$ , and suppose that these lightlike geodesics are complete. Then the spacetime  $M \setminus [r]$  is stably causal and hence admits a time function.

(For the proof see the appendix.)

The fact that the assumption of null geodesic completeness may be actually compatible with the singularity theorems is discussed in [25].

In conclusions we have given a definition of God that satisfies some technical properties which represent pretty well points 2-6. The figure 1 summarizes the picture of a spacetime admitting a *God*. There are in fact solutions of the Einstein equations admitting a similar causal structure. The most important is the Taub-NUT metric, which so far has not been considered as a serious candidate for a cosmological solution. Here I would like to suggest that if not the metric structure, at least the causal structure of the Taub-NUT solution could indeed be similar to that of our Universe. In fact sometimes causal structures like Taub-NUT are dismissed on the ground that they have no 'Big Bag', no initial singularity, a fact which would contradict Hawking's singularity theorem and observations.

This conclusion is incorrect: Hawking's (1967) singularity theorem states that, given an expanding cosmological flow and some other conditions, there should be some past incomplete timelike geodesic. However, this timelike geodesic may well be totally imprisoned in a compact set. In this case it may spiral towards the boundary of the chronology violating set without reaching it. In this picture the 'Big Bang' is replaced by the boundary of the chronology violating region, exactly that slice that separates God from the rest of the Universe. Finally, its hot nature seems to fit well with the said divergence of the stress energy tensor that is expected according to the chronology protection conjecture. In fact there is also the possibility that the matching between the chronology violating set and the rest of the universe be accomplished up to a singular scale transformation. In this case the causal structure would be perfectly meaningful as a whole but the metric would not as it could not be continued through the boundary. For more details on these extension techniques see [20].

I conclude that it is possible to conceive a reasonable Universe whose causal structure has features analogous to Taub-NUT (Misner) and that then, after an initial phase, has the light cones tilted to match an expanding FLRW Universe. Spacetimes presenting some of these elements are for instance the  $\lambda$ -Taub-NUT spacetimes.

Similar models have already appeared in the literature. An important article that anticipated some ideas considered in this work is [11]. However, while in that article the authors focused on the problem of quantum field theory in spacetime with CTCs, here I shall consider mainly the problems of homogeneity and entropy and their relation with causality. In particular, I will introduce the idea of the rigidity at the boundary of the chronology violating region (see next section). R. Penrose [28] has also advocated the possibility that the Big Bang could be only a layer separating our observed Universe from a previous stage. An essential difference with this proposal is the fact that he keeps a spacelike Big Bang boundary, while as I shall explain, the null boundary allows us to solve the homogeneity and entropy problems in a much more natural way. Moreover, while he has to work with a cyclic cosmology in order to satisfy the Weyl tensor hypothesis, we do not need such constraint since we can justify Weyl tensor hypothesis using the null character of the Big Bang.



Figure 1: A Universe with  $S^1$  section which gives an idea of the cosmological picture presented in this work. The region that admits time functions is causally preceded by the chronology violating set (*God*) as in Augustine's conclusions.

### 4 The homogeneity and entropy problems

The cosmic microwave background (CMB) formed when, after a sufficient expansion of the Universe, the density of matter decreased to a level that light decoupled from it (the mean free path of light became infinite). The set of events of departure of those photons form an ideal last scattering hypersurface. Today we observe just a portion of that hypersurface, namely the intersection of it with our past light cone. Since we observe that the CMB radiation has the same spectra (temperature) independently of the direction of observation, there is the problem of justifying such isotropy on the night sky. In fact the regions that emitted that radiation were so far apart that, according to the FLRW scenario, they didnt have any past point in common. This is the isotropy or homogeneity problem depending on whether one refers to the isotropy of temperature on the night sky or on the equivalent homogeneity of temperature on the last scattering hypersurface.

It is often claimed that inflation solves this problem. The idea is that if a patch of space expands so much, in the initial phase of the Universe, to include the whole surface we see today, then it should be natural to observe homogeneity. This argument works only if homogeneity is assumed at a different scale, actually at a much smaller scale, prior to inflation, namely if the initial patch is considered homogeneous.

Indeed, if we look closer and closer at, say, a crystal of salt, although apparently homogeneous it will show atomic inhomogeneities when zoomed sufficiently, that is, expansion produces homogeneity only if homogeneity is already present at a much smaller scale.

This criticism has been moved to inflation by several authors, as rather than solving the problem of homogeneity, inflation seems to replace a type homogeneity assumption with another [3, 9, 4, 27]. R. Penrose argues that inflation may well prove to be correct but not for the initial arguments moved in its favor [27].

Instead, the assumption that there is a chronology violating region generating the whole Universe explains rather easily the homogeneity of the CMB radiation. Indeed, the explanation has nothing to do with the expansion of the Universe (namely to the conformal scale factor) but rather to its causal structure. In our model any point p in the last scattering hypersurface contains, in its own past, the chronology violating region [r], namely  $[r] \subset I^-(p)$  and in fact its boundary. Thus the chronological pasts of the points in the last scattering hypersurface share many points on spacetime, and thus it is reasonable that they have similar temperatures.

Let us now make a few comments that will be useful in the discussion

of the entropy problem. We have justified the isotropy of the CMB radiation showing that the points in the last scattering hypersurface have chronological pasts which share the boundary of the chronology violating region (the new proposal for Big Bang). Instead, in the inflationary picture it was assumed that the homogeneous temperature at the last scattering hypersurface was attained through a process called thermalization according to which causally disconnected regions at the Big Bang came into contact reaching a common temperature before decoupling between matter and radiation (last scattering hypersurface). R. Penrose [26, 27] has pointed out that the thermalization mechanism cannot be considered a satisfactory explanation for homogeneity as it conflicts with the so called entropy problem to which we shall return in a moment.

Our solution to the isotropy problem of the CMB radiation does not require thermalization because the almost constant temperature on the last scattering hypersurface comes from the fact that these points share most of their chronological past independent of whether the events on their past have the same temperature. Moreover, it seems likely that, according to our proposal of causal structure, the universe would be already at a very homogeneous state at the boundary of the chronology violating region (Big Bang). Indeed, some mathematical results, connected with the concept of compactly generated Cauchy horizon and imprisoned curves [17, 22], suggest that this boundary must be generated by lightlike geodesics whose closure is exactly the boundary (as it happens in figure 1). A well known open conjecture states that the compact Cauchy horizons under positivity of energy (e.g., null energy condition) are differentiable, where the generators do not escape the boundary neither in the future nor in the past direction. The existence of the generators implies that these horizons admit global vector fields, a fact that constrains their topology (for instance, in 2+1 dimension it must be a torus while in 3+1dimensions there are more possibilities). These results are also expected to hold for the compact boundaries of chronology violating sets since their mathematical properties are similar to those of Cauchy horizons.

Given any two points on the boundary p, q one would have  $q \in \overline{I^+(p)}$ and  $p \in \overline{I^+(q)}$ , thus in practice they could be considered as causally related. As they can communicate through the boundary, this boundary is expected to attain an homogeneous temperature prior to any subsequent expansion. Since the development of Quantum Field Theory under CTC is at a early state of development, this claim is only a speculation. The analogy is that of a quantum field over a torus where the closed geodesic generators of the torus are replaced by the generators of the Cauchy horizon. The boundary conditions allow us to expand it in the Fourier modes, and the most relevant one is that of lower excitation for which the field is constant, namely homogeneous.

Of course this mechanism may be followed by that of inflation, but we point out that it does not seem to be necessary. Indeed, the main accomplishment of inflation seems to be its ability to predict the correct density inhomogeneities over the homogeneous background. Hollands and Wald [14] have recently argued not only that inflation does not satisfactorily solve the homogeneity problem but also that the desired scale free spectra of the perturbations can be obtained even in the absence of inflation. They therefore claim that the main problem is that of homogeneity/isotropy as they could not find any dynamical mechanism for it. We argued that such a mechanism exists, the solution lies in assuming the existence of a chronology violating region from which the Universe develops: a *God* in our terminology.

# 4.1 The entropy problem and the rigidity of achronal hypersurfaces

Let us come to the entropy problem. This difficulty of standard cosmology arises when considering the huge difference between the entropy of the Universe today with that at the time of the Big Bang. R. Penrose by taking into account also the gravitational entropy, has argued that the Universe at its beginning had probably to be thermalized, to account for the homogeneity problem, but nevertheless it had to be special as the calculation of the entropy shows that it was much smaller than today.

Penrose concludes that the gravitational degrees of freedom had to be in a very special state. In his view the Universe could increase in entropy despite its initial thermalization because in the beginning the gravitational degrees of freedom were almost frozen.

By the way, Penrose reaches this conclusion clarifying a common misconception that attributes the initial small entropy of the Universe to its size. Penrose shows that this position is untenable by considering potentially recontracting universes.

He also notes that when matter is left to the action of gravity it tends to clump, passing from an homogeneous state to an inhomogeneous one. The Weyl tensor increases because of this clumping, and therefore this tensor may quantify in some sense the amount of entropy contained in the gravitational degrees of freedoms. Thus Penrose ends suggesting that in the beginning of the universe the Weyl tensor had to be very small, and possibly zero. This is Penrose's Weyl tensor hypothesis [26, 10]. We note that the important point is not that the Weyl tensor be zero but rather that its components be fixed as this seems to be enough to guarantee that the gravitational degrees of freedom were initially frozen.

In order to avoid misunderstandings we stress that the isotropy of the CMB radiation does not provide evidence for a vanishing Weyl tensor since decoupling, since this homogeneity is observed at a large cosmological scale and hence holds only for the averaged metric. The real Weyl tensor is non-zero at a local scale due to clumping, and its cumulated effects over a space section is non-vanishing. The Penroses Weyl tensor hypothesis states that this local cumulated contribution is zero at the Big Bang while it is far from zero at the present epoch and at decoupling.

The picture of the beginning of the Universe presented in this work is likely to satisfy the Penrose's Weyl tensor hypothesis. Indeed, as I mentioned, the boundary of the chronology violating region would be generated by lightlike geodesics (which are moreover achronal). Now, there is a *rigidity result* [1] which states that an asymptotically simple vacuum spacetimes is isometric to Minkwoski spacetime in a neighborhood of every achronal lightlike geodesic (Galloway's null splitting theorem [7]). I expect that analogous results should hold for the case considered in this work, that is, I expect the spacetime near the boundary of the chronology violating region to be isometric to some highly symmetric spacetime. This rigidity would clearly fix the Weyl tensor and thus send to zero the degrees of freedom contained in it.

In order to grasp why an achronal boundary generated by lightlike geodesics is able to fix the geometry by constraining the Weyl tensor, consider the equations for the expansion  $\theta$  (measuring the divergence of the transverse section to the flow) and for the shear  $\sigma_{mn}$  (measuring the deformation) of the geodesics running on such hypersurface [13, Sect.

$$\frac{\mathrm{d}\theta}{\mathrm{d}v} = -R_{ab}K^{a}K^{b} - 2\sigma^{2} - \frac{1}{2}\theta^{2},$$
$$\frac{\mathrm{d}\sigma_{mn}}{\mathrm{d}v} = -C_{m4n4} - \theta\sigma_{mn} - \sigma_{mp}\sigma_{pn} + \delta_{mn}\sigma^{2}. \qquad (\text{sum over p})$$

where  $m, n = 1, 2, K^a$  is the tangent vector to the null congruence,  $R_{ab}$ is the Ricci tensor,  $C_{abcd}$  is the Weyl tensor, v is the affine parameter and a base adapted to the congruence has been chosen. Under future null completeness the first equation implies the presence of a focusing point if  $R_{ab}K^aK^b + 2\sigma^2 > 0$  at some point of the null hypersurface. However, the presence of a focusing point would contradict achronality thus  $\sigma_{mn} = 0$  everywhere and from the second equation one gets that  $C_{m4n4} = 0$  all over the null hypersurface, a fact which may be regarded as a partial confirmation of Penrose's Weyl tensor hypothesis. Actually one can dispense with the assumption of future null geodesic completeness on the null hypersurface provided this hypersurface is compact. The idea is that if it would not hold then by adapting Prop. 6.4.4 of [13] to the almost closed case one could infer the presence of a closed timelike curve in the future of the null hypersurface contradicting the assumption that this hypersurface bounds the only chronology violating class.

In short we have given an argument that supports the Weyl tensor conjecture and a solution to the entropy problem compatible with the arguments originally proposed by Penrose.

Clearly, a full proof will require further study since it necessary to show that the degrees of freedom of the Weyl tensor transverse to the Big Bang null hypersurface vanish. Still the mechanism proposed in this work is particularly effective in sending some components to zero, a fact that might indeed point to the validity of our physical assumption: that the Big Bang hypersurface is lightlike rather than spacelike.

We end by observing that the null genericity condition would not hold for geodesics lying on the boundary of the chronology violating region. Fortunately we do not need it in theorem 3.4, hence its consequences are consistent with the rigidity of the boundary.

4.2]

### 5 Conclusions

In this work I presented a picture for the beginning of the Universe which seems to be able to solve the isotropy and entropy problems. In essence the Big Bang has to be replaced with a null hypersurface such that all the points on it have the same chronological future (i.e. future distinction is violated). As a consequence, the points in the last scattering (spacelike) hypersurface have chronological pasts that contain one and hence all points of this null hypersurface, a fact that clarifies the observed temperature homogeneity.

While the solution of the isotropy problem is rather straightforward under this assumption, the solution to the entropy problem relies on some conjectures and speculations. In part, this is unavoidable since we follow Penroses idea, which relates the entropy of the universe with the Weyl tensor. The existence of such relation is itself a strong speculation though supported by physical arguments. Using this idea, and assuming that compact Cauchy horizons are differentiable, we were able to infer the result that the Big Bang, interpreted as a past Cauchy horizon, is generated by inextendible lightlike geodesics and hence that some components of the Weyl tensor vanish there, thus supporting Penroses strategy of solution to the entropy problem.

If proved necessary, the just mentioned beginning of the Universe may be followed by a period of inflation, so that it is indeed possible to join the good accomplishments of inflation with the solution of the homogeneity and entropy problems given by the above idea.

By a stability argument, the spacetime once continued through the null hypersurface must develop closed timelike curves. Indeed, a spacetime in which the cones tilt in the opposite sense would have a null hypersurface (and hence a failure of distinction) that disappears under a small perturbation of the metric (see figure 2 or figure 37 of [13]).

With the aim of solving the homogeneity and entropy problem one is therefore naturally led to the idea of a chronology violating region from which the whole Universe has developed [11].

I showed that this picture for a Universe fits well with some conclusions reached by Augustine while he was answering some questions raised by the Manichæans. To appreciate the correspondence it is necessary to identify God with the chronology violating set that precedes the whole Universe.



Figure 2: The presence of the closed null hypersurface in place of the spacelike Big Bang hypersurface allows us to give a causality solution to the entropy and homogeneity problems of cosmology. A stability argument shows that below the null hypersurface there must be a chronology violating region. Indeed, in case (A) by a small perturbation of the metric near its boundary the null hypersurface moves up or down but does not disappear, hence the argument holds true even after a small perturbation. Instead, in case (B) in which there is no chronology violation, a small tilting of the light cones in the forward direction near the hypersurface destroys the null hypersurface. It must be noted that it is meaningless to make (quantum) perturbation theory near the boundary, because any perturbation pass to a perturbation of the metric and thus moves the boundary itself.

I must say that I was developing the physical content of this work before discovering Augustine thought in the *Confessions*. Nevertheless, I was so puzzled by the correspondence that decided to present them in conjunction so as to stress the similarities. While doing so I discovered some unexpected results like theorem 3.4 which I missed in previous analysis of similar problems, a fact which to my mind made the correspondence even more interesting.

One may ask how it happened that Augustine went so close to the model of Universe presented in these pages, given that he certainly ignored general relativity. My own opinion is that while one is thinking about a subject there are many ways of coming to trivial or incorrect conclusions, whereas only a few paths can lead to correct or at least interestingly structured thoughts. It is therefore not an accident that Augustine deep reflections on time, creation and God can find today a correspondence in general relativity. It should suffice to consider that the latter is the most advanced theory we have ever had on the dynamics of time.

### Acknowledgments

Work presented at the 5th Iberian Cosmology Meeting held in Porto, March 29-31, 2010. I would like to thank the colleagues who have encouraged me in pursuing the investigation of this alternative model for the beginning of the Universe. This work has been partially supported by GNFM of INDAM and by FQXi.

### Appendix: Proof of Theorem 3.4.

Recall that a future lightlike ray is a future inextendible achronal causal curve, in particular it is a lightlike geodesic. Past lightlike rays are defined analogously. A lightlike line is an achronal inextendible causal curve. In particular a lightlike line is a lightlike geodesic without conjugate points. The boundary of a set is denoted with a dot.

For the proof of the next lemma see [16, Prop. 2], or the proof of [23, Theorem 12].

**Lemma 5.1.** Let [r] be a chronology violating class. If  $p \in [r]$  then through p passes a future lightlike ray contained in [r] or a past lightlike ray contained in [r] (and possibly both).

**Lemma 5.2.** Let [r] be a chronology violating class such that  $I^+([r]) = M$  then [r], is generated by future lightlike rays contained in [r] and  $J^-(\overline{[r]}) = \overline{[r]}$ .

Proof. Let  $p \in [r]$  then since  $p \in M = I^+([r])$  it cannot be  $p \in I^-([r])$ otherwise  $p \ll r \ll p$ , i.e.  $p \in [r]$ , a contradiction. As  $p \in [r] \setminus I^-([r])$ , there is a sequence  $p_n \in [r], p_n \to p$ . Since  $p_n \in [r]$  there are timelike curves  $\sigma_n$  entirely contained in [r] which connect  $p_n$  to r. By the limit curve theorem [21] there is either (a) a limit continuous causal curve connecting p to r, in which case as [r] is open,  $p \in I^-([r])$ , a contradiction, or (b) a limit future inextendible continuous causal curve  $\sigma$  starting from p and contained in [r]. Actually  $\sigma$  is contained in [r] otherwise  $p \in I^-([r])$ , a contradiction. Moreover,  $\sigma$  is a future lightlike ray, otherwise there would be  $q \in [r] \cap \sigma$ ,  $p \ll q$  and as  $I^+$  is open  $p \in I^-([r])$ , a contradiction.

For the last equality, assume by contradiction,  $q \in J^{-}(\overline{[r]}) \setminus \overline{[r]}$ . Since  $q \in M = I^{+}(r)$  there is a timelike curve joining r to q and a causal curve joining q to  $\overline{[r]}$ . By making a small variation starting near q we get a timelike curve from r to  $\overline{[r]}$ , and hence equivalently, from r to r passing arbitrarily close to q, thus  $q \in \overline{[r]}$ , a contradiction.  $\Box$ 

Here I give the proof of theorem 3.4. It is a non-trivial generalization over the main theorem contained in [23].

*Proof.* Consider the spacetime  $N = M \setminus \overline{[r]}$  with the induced metric, and denote by  $J_N^+$  its causal relation. This spacetime is clearly chronological and in fact strongly causal. Indeed, if strong causality would fail at  $p \in N$  then there would be sequences  $p_n, q_n \to p$ , and causal curves  $\sigma_n$ of endpoints  $p_n, q_n$ , entirely contained in N, but all escaping and reentering some neighborhood of p. By an application of the limit curve theorem [21, 1] on the spacetime M there would be an inextendible continuous causal curve  $\sigma$  passing through p and contained in N to which a reparametrized subsequence  $\sigma_n$  converges uniformly on compact subsets ( $\sigma$  can possibly be closed). The curve  $\sigma$  must be achronal otherwise one would easily construct a closed timelike curve intersecting N (a piece of this curve would be a segment of some  $\sigma_n$  thus intersecting N). Thus  $\sigma$  is a lightlike line. If the line is entirely contained in N then it is inextendible in the spacetime  $(N, g_N)$  and being complete by assumption, since null genericity and null convergence hold, there would be two conjugate points, a fact which contradicts the achronality of  $\sigma$ .

The possibility that  $\sigma$  intersects N = [r] leads also to a contradiction because  $\sigma$  cannot intersect [r] in the causal future of p as  $J^{-}(\overline{[r]}) = \overline{[r]}$ . But if it intersects [r] in the causal past of  $p, \sigma$  cannot be tangent to the generators of [r] otherwise by Lemma 5.2  $p \in [r]$ , a contradiction, thus after the intersection with [r] (again by Lemma 5.2)  $\sigma$  remains in [r]. This fact implies that  $\sigma$  is not achronal, as it has a corner, a contradiction. We conclude that strong causality holds on N. The next step is to prove that  $\overline{J_N^+}$  is transitive. In this case N would be causally easy [24] and hence stably causal (thus admitting time functions). The transitivity of  $\overline{J_N^+}$  is proved as done in [23, Theorem 5], the only difference is that the argument allows us only to prove that if,  $x, y, z \in N$ ,  $(x, y) \in \overline{J_N^+}$  and  $(y, z) \in \overline{J_N^+}$  then  $(y, z) \in \overline{J^+} (= \overline{I^+})$  as the limit causal curve passing through y may intersect N. However, there are neighborhoods U and V such that any timelike curve connecting  $U \ni x$ ,  $U \subset N$  to  $V \ni z, V \subset N$  must stay in N, because otherwise there would be some  $w \in [\overline{r}]$  such that  $x' \leq w$ , with  $x' \in U$ . This is impossible because by proposition 5.2,  $J^-([\overline{r}]) \subset [\overline{r}]$ .  $\Box$ 

### References

- [1] Beem, J. K., Ehrlich, P. E., and Easley, K. L.: *Global Lorentzian Geometry*. New York: Marcel Dekker Inc. (1996)
- [2] Cahoone, L.: Arguments from nothing: God and quantum cosmology. Zygon 44, 777–796 (2009)
- [3] Calzetta, E. and Sakellariadou, M.: Inflation in inhomogeneous cosmology. Phys. Rev. D 45, 2802–2805 (1992)
- [4] Cornish, N. J., Spergel, D. N., and Starkman, G. D.: Does chaotic mixing facilitate  $\Omega < 1$  inflation? Phys. Rev. Lett. **77**, 215–218 (1996)
- [5] Craig, W. L.: *Time and eternity: Exploring God's relationship to time*. Wheaton, Illinois: Crossway Books (2001)
- [6] Craig, W. L. and Smith, Q.: Theism, Atheism and Big Bang Cosmology. Oxford: Oxford University Press (1993)
- [7] Galloway, G. J.: Maximum principles for null hypersurfaces and null splitting theorems. Ann. Henri Poincaré 1, 543–567 (2000)
- [8] Ganssle, G. E.: God & Time: 4 Views. Downers Grove: InterVarsity Press (2001)

- [9] Goldwirth, D. S. and Piran, T.: Initial conditions for inflation. Phys. Rep. 214, 223–292 (1992)
- [10] Goode, S. W.: Isotropic singularities and the Penrose-Weyl tensor hypothesis. Class. Quantum Grav. 8, L1–L6 (1991)
- [11] Gott III, J. R. and Li, L.-X.: Can the universe create itself? Phys. Rev. D 58, 023501 (1998)
- [12] Hawking, S. W.: Chronology protection conjecture. Phys. Rev. D 46, 603–611 (1992)
- [13] Hawking, S. W. and Ellis, G. F. R.: The Large Scale Structure of Space-Time. Cambridge: Cambridge University Press (1973)
- [14] Hollands, S. and Wald, R. M.: An alternative to inflation. Gen. Relativ. Gravit. 34, 2043–2055 (2002)
- [15] Krasnikov, S.: No time machines in classical general relativity. Class. Quantum Grav. 19, 41094129 (2002)
- [16] Kriele, M.: The structure of chronology violating sets with compact closure. Class. Quantum Grav. 6, 1607–1611 (1989)
- [17] Królak, A.: Cosmic censorship hypothesis. Contemporary Mathematics 359, 51–64 (2004)
- [18] Li, L.-X.: Must time machine be unstable against vacuum fluctuations? Class. Quantum Grav. 13, 2563–2568 (1996)
- [19] Li, L.-X. and Gott III, J. R.: Self-consistent vacuum for Misner space and the chronology protection conjecture. Phys. Rev. Lett. 80, 2980–2983 (1998)
- [20] Lübbe, C. and Tod, P.: An extension theorem of conformal gauge singularities (2007). arXiv:0710.5552v2
- [21] Minguzzi, E.: Limit curve theorems in Lorentzian geometry. J. Math. Phys. 49, 092501 (2008)
- [22] Minguzzi, E.: Non-imprisonment conditions on spacetime. J. Math. Phys. 49, 062503 (2008)

- [23] Minguzzi, E.: Chronological spacetimes without lightlike lines are stably causal. Commun. Math. Phys. 288, 801–819 (2009)
- [24] Minguzzi, E.: K-causality coincides with stable causality. Commun. Math. Phys. 290, 239–248 (2009)
- [25] Minguzzi, E.: On the global existence of time. Int. J. Mod. Phys. D 18, 2135–2144 (2009). Third juried prize at the FQXi contest on the 'Nature of Time'.
- [26] Penrose, R.: Singularities and time-asymmetry, Cambridge: Cambridge University Press, vol. General relativity: An Einstein centenary survey, pages 581–638 (1979)
- [27] Penrose, R.: The road to reality: A complete guide to the laws of the Universe. New York: A. A. Knopf (2005)
- [28] Penrose, R.: Causality, quantum theory and cosmology, Cambridge: Cambridge University Press, vol. On space and time, pages 141–195 (2008)
- [29] Sant'Agostino: *Il tempo*. Piccola Biblioteca Agostiniana. Roma: Città Nuova (2007). A cura di G. Catapano
- [30] Smith, Q.: Why Stephen Hawking's cosmology precludes a creator. Philo: A Journal of Philosophy 1, 75–93 (1998)
- [31] St. Augustine: Confessions. World's Classics. Oxford: Oxford University Press (1992). Translated by H. Chadwick
- [32] Thorne, K.: Closed Timelike Curves, Bristol, England: Institute of Physics Publishing, vol. General Relativity and Gravitation, pages 295–315 (1993)
- [33] Tipler, F. J.: Singularities and causality violation. Ann. Phys. 108, 1–36 (1977)
- [34] Visser, M.: Lorentzian Wormholes. New York: Springer-Verlag (1996)