## The blistering of a viscoelastic filament of a droplet of saliva

Christian Wagner<sup>1</sup>, Rainer Sattler<sup>1</sup>, and <sup>2</sup>Jens Eggers

<sup>1</sup>Technical Physics, Saarland University, 66123 Saarbruecken, Germany

<sup>2</sup>School of Mathematics, University of Bristol, University Walk, Bristol BS8 1TW United Kingdom

November 2, 2021

## Abstract

A fluid dynamics video of the break up of a droplet of saliva is shown. First a viscoelastic filament is formed and than the blistering of this filament is shown. Finally, a flow induced phase separation takes place nanometer sized solid fiber remains that consist out of the biopolymers.

## 1 Introduction

The video shows the shadowgraph of a break-up of a capillary bridge of a droplet of saliva from a healthy donor. The droplet is placed between two steel plates that are gently drawn apart until the capillary bridge becomes unstable. The videos are rotated 90° to the right. In the first part, an overview is given of the formation of the elastic filament that blisters finally into a series of beads. The formation of the filament is related to the high elongational viscosity of saliva that originates from the polymeric biopolymers [1]. Second, it is shown that on the highly stretched filament a Rayleigh-Plateau like instability can grow [2]. The third part shows the final rupture of the filament. Apparently, the thin filaments that connect the remaining beads have a very high bending modulus. If they are captured on a metallic carrier it is possible tho show that they consist out of polymers only, which is shown in the fourth part of the movie.

- 1. E. Zussman, A.L. Yarin, R.M. Nagler, J. Dental Res. 86, 281 (2007)
- 2. R. Sattler, C. Wagner, J. Eggers, Phys. Rev. Lett. **100**, 164502 (2008).