

To be, or not to be...  
-instabilities on a liquid jet penetrated into a  
flowing bath-

Kaoru Hattori<sup>1</sup>, Ichiro Ueno<sup>2</sup>

<sup>1</sup>Undergraduate, Department of Mechanical Engineering, Tokyo University of Science,  
2641 Yamazaki, Noda, Chiba 278-8510, JAPAN

<sup>2</sup>Department of Mechanical Engineering, Tokyo University of Science, Noda, JAPAN

July 2, 2022

**Abstract**

Dynamic behaviors of the penetrated jet and the departure of the bubble of wrapping gas at the tip of the collapsing jet observed by use of a high-speed camera are included in this fluid dynamics video.

**1 Introduction**

We conduct a series of experiments with a special interest on a penetration process and instabilities arisen on a liquid jet impinged to a liquid of the same kind flowing in a channel. The impinged jet penetrates into the flowing bath accompanying with entrainment of the ambient immiscible gas, which results in the impinged jet wrapped by the entrained gas as a 'sheath.' This sheath formation enables the impinged jet to survive in the fluid in the channel without coalescing until the entrained-air sheath breaks down. Occasionally a 'cap' of the entrained air is formed at the tip of the penetrated jet, and the jet elongates like a long balloon.