

Programs in C^{++} for matrix computations in min plus algebra

Mihai Ivan and Gheorghe Ivan

Abstract. The main purpose of this paper is to propose six programs in C^{++} for matrix computations and solving recurrent equations systems with entries in min plus algebra.¹

1 Introduction

Idempotent mathematics is based on replacing the usual arithmetic operations with a new set of basic operations, that is on replacing numerical fields by idempotent semirings. Exotic semirings such as the max plus algebra \mathbf{R}_{max} and min plus algebra \mathbf{R}_{min} have been introduced in connection with various fields: graph theory, Markov decision processes, discrete event systems theory, see [1, 5, 7, 6, 3].

In min plus algebra (resp., max plus algebra), the arithmetic addition of the conventional algebra is replaced by the point-wise minimization (resp., maximization), denoted here by the symbol \oplus and the arithmetic multiplication is replaced by the point-wise addition, represented by the symbol \otimes .

Several results in min plus algebra can be successfully applied to a number of problems in networking, see [2].

The paper is organized as follows. The semiring of matrices with entries in min plus algebra is presented in Section 2. In Section 3 we give six programs in language C^{++} for matrix computations in min plus algebra.

2 Semirings. Matrices over min plus algebra

We start this section by recalling of some necessary backgrounds on semirings for our purposes (see [1, 7, 8] and references therein for more details).

Let S be a nonempty set endowed with two binary operations, *addition* (denoted with \oplus) and *multiplication* (denoted with \otimes). The algebraic structure $(S, \oplus, \otimes, \varepsilon, e)$ is a *semiring*, if it fulfills the following conditions:

- (1) (S, \oplus, ε) is a commutative monoid with ε as the neutral element for \oplus ;
- (2) (S, \otimes, e) is a monoid with e as the identity element for \otimes ;
- (3) \otimes distributes over \oplus ;
- (4) ε is an absorbing element for \otimes , that is $a \otimes \varepsilon = \varepsilon \otimes a = \varepsilon$, $\forall a \in S$.

A semiring where addition is idempotent (that is, $a \oplus a = a$, $\forall a \in S$) is called an *idempotent semiring*. If \otimes is commutative, we say that S is a *commutative semiring*.

Let $(S, \oplus, \otimes, \varepsilon, e)$ be an (idempotent) semiring. For each pair of positive integer (m, n) , let $M_{m \times n}(S)$ be denote the set of $m \times n$ matrices with entries in S . The operations \oplus

¹AMS classification: 15A80, 68-04.

Key words and phrases: idempotent semiring, min plus algebra.

and \otimes on S induce corresponding operations on $M_{m \times n}(S)$ in the obvious way. Indeed, if $A = (A_{ij}), B = (B_{ij}) \in M_{m \times n}(S)$ then we have:

$$A \oplus B = ((A \oplus B)_{ij}) \quad \text{where} \quad (A \oplus B)_{ij} := A_{ij} \oplus B_{ij}. \quad (2.1)$$

If $A = (A_{ij}) \in M_{m \times n}(S)$ and $B = (B_{jk}) \in M_{n \times p}(S)$ then we have:

$$A \otimes B = ((A \otimes B)_{ik}), \quad i = \overline{1, m}, \quad k = \overline{1, p} \quad \text{where} \quad (A \otimes B)_{ik} := \bigoplus_{j=1}^n A_{ij} \otimes B_{jk}. \quad (2.2)$$

The product of a matrix $A = (A_{ij}) \in M_{m \times n}(S)$ with a scalar $\alpha \in S$ is given by:

$$\alpha \otimes A = ((\alpha \otimes A)_{ij}) \quad \text{where} \quad (\alpha \otimes A)_{ij} := \alpha \otimes A_{ij}. \quad (2.3)$$

The set $M_{n \times n}(S)$ contains two special matrices with entries in S , namely the zero matrix $O_{\oplus n}$, which has all its entries equal to ε , and the identity matrix $I_{\otimes n}$, which has the diagonal entries equal to e and the other entries equal to ε .

It is easy to check that the following proposition holds.

Proposition 2.1. $(M_{n \times n}(S), \oplus, \otimes, O_{\oplus n}, I_{\otimes n})$ is an idempotent semiring, where the operations \oplus and \otimes are given in (2.1) and (2.2). \square

We call $(M_{n \times n}(S), \oplus, \otimes, O_{\oplus n}, I_{\otimes n})$ the *semiring of $n \times n$ matrices with entries in S* . In particular, if $S := \mathbf{R}_{min} = (\mathbf{R} \cup \{+\infty\}, \oplus := min, \otimes := +, \varepsilon := +\infty, e := 0)$ is called the *semiring of $n \times n$ matrices over \mathbf{R}_{min}* .

When $S = \mathbf{R}_{min}$, the operations \oplus and \otimes given in (2.1) and (2.2), becomes:

$$(A \oplus B)_{ij} := min\{A_{ij}, B_{ij}\} \quad \text{and} \quad (A \otimes B)_{ik} := min_{1 \leq k \leq n} \{A_{ij} + B_{jk}\}. \quad (2.4)$$

The operation \otimes on $M_{m \times n}(\mathbf{R}_{min})$ given in (2.3) becomes:

$$\alpha \otimes A = ((\alpha \otimes A)_{ij}) \quad \text{where} \quad (\alpha \otimes A)_{ij} := \alpha + A_{ij}. \quad (2.5)$$

In conventional algebra we know that for a matrix $A = (A_{ij}) \in M_{n \times n}(\mathbf{R})$, the determinant $\det(A)$ is given by

$$\det(A) = \sum_{\sigma \in P_n} sgn(\sigma) \prod_{i=1}^n A_{i\sigma(i)},$$

where P_n is the set of all permutations of the set $\{1, 2, \dots, n\}$ and $sgn(\sigma)$ is the signature of the permutation σ .

In min plus algebra (resp., max plus algebra) the determinant has no direct analogue because of the absence of addition inverses. The concept of permanent of a matrix partially play the role of determinant. It is defined similarly of the determinant but with the $sgn(\sigma)$ simply omitted, see [8].

For $A = (A_{ij}) \in M_{n \times n}(S)$, the *permanent* of A , denoted by $perm(A)$ is defined by

$$perm(A) = \bigoplus_{\sigma \in P_n} \bigotimes_{i=1}^n A_{i\sigma(i)}.$$

Let P_n^e (resp., P_n^o) be the set of even (resp., odd) permutations of the set $\{1, 2, \dots, n\}$. The *bideterminant* of $A = (A_{ij}) \in M_{n \times n}(S)$ is the pair $(\Delta_1(A), \Delta_2(A))$, where

$$\Delta_1(A) = \bigoplus_{\sigma \in P_n^e} \bigotimes_{i=1}^n A_{i\sigma(i)} \quad \text{and} \quad \Delta_2(A) = \bigoplus_{\sigma \in P_n^o} \bigotimes_{i=1}^n A_{i\sigma(i)}. \quad (2.6)$$

The element $\Delta_1(A)$ (resp., $\Delta_2(A)$) is called *plus-determinant* (resp., *minus-determinant*) of A and is denoted with $\Delta_1(A) := \det_{\oplus}^+(A)$ (resp., $\Delta_2(A) := \det_{\oplus}^-(A)$).

Note that $\text{perm}(A) = \Delta_1(A) \oplus \Delta_2(A)$.

When $S = \mathbf{R}_{min}$, the bideterminant of A given in (2.6), becomes:

$$\Delta_1(A) = \min_{\sigma \in P_n^e} \sum_{i=1}^n A_{i\sigma(i)} \quad \text{and} \quad \Delta_2(A) = \min_{\sigma \in P_n^o} \sum_{i=1}^n A_{i\sigma(i)}. \quad (2.7)$$

3 Programs in C^{++}

In this section we give programs written in the language C^{++} for the basic operations with matrices over \mathbf{R}_{min} and for solving a recurrent linear system, and namely:

1. the sum of two matrices $A, B \in M_{m \times n}(\mathbf{R}_{min})$;
2. the product of two matrices $A \in M_{m \times n}(\mathbf{R}_{min})$ and $B \in M_{n \times p}(\mathbf{R}_{min})$;
3. the product of a scalar $\alpha \in \mathbf{R}_{min}$ with a matrix $A \in M_{m \times n}(\mathbf{R}_{min})$;
4. the power of a matrix $A \in M_{n \times n}(\mathbf{R}_{min})$;
5. $\Delta_1(A)$ and $\Delta_2(A)$ for $A \in M_{n \times n}(\mathbf{R}_{min})$ when $n = 2$ and $n = 3$;
6. the solving a linear system of the form:

$$X(k+1) = A \otimes X(k), \quad k \geq 0,$$

where $A \in M_{n \times n}(\mathbf{R}_{min})$ and $X(k) \in M(n, 1; \mathbf{R}_{min})$.

Remark 3.1. In [4] are given five programs in C^{++} for matrix computations in \mathbf{R}_{max} . \square

- We first give the Form1 Designer of program.

name space Operations_with_matrices_in_min_plus_algebra

{

```
partial class Form1
{
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;

    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
```

```
/// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
protected override void Dispose(bool disposing)
{
    if (disposing && (components != null))
    {
        components.Dispose();
    }
    base.Dispose(disposing);
}

#region Windows Form Designer generated code

/// <summary>
/// Required method for Designer support-do not modify
/// the contents of this method with the code editor.
/// </summary>
private void InitializeComponent()
{
    System.ComponentModel.ComponentResourceManager resources = new System.
    ComponentModel.ComponentResourceManager(typeof(Form1));
    this.tabControl1 = new System.Windows.Forms.TabControl();
    this.tabAddition = new System.Windows.Forms.TabPage();
    this.btReset = new System.Windows.Forms.Button();
    this.btComputationSum = new System.Windows.Forms.Button();
    this.btGenerating = new System.Windows.Forms.Button();
    this.label6 = new System.Windows.Forms.Label();
    this.pictureBox1 = new System.Windows.Forms.PictureBox();
    this.panel1 = new System.Windows.Forms.Panel();
    this.pictureBox2 = new System.Windows.Forms.PictureBox();
    this.dataGridResAddition = new System.Windows.Forms.DataGridView();
    this.panel2 = new System.Windows.Forms.Panel();
    this.label4 = new System.Windows.Forms.Label();
    this.label1 = new System.Windows.Forms.Label();
    this.dataGridB = new System.Windows.Forms.DataGridView();
    this.dataGridA = new System.Windows.Forms.DataGridView();
    this.textColumn = new System.Windows.Forms.TextBox();
    this.textLine = new System.Windows.Forms.TextBox();
    this.label3 = new System.Windows.Forms.Label();
    this.label2 = new System.Windows.Forms.Label();
    this.tabMultiplication = new System.Windows.Forms.TabPage();
    this.pictureBox3 = new System.Windows.Forms.PictureBox();
    this.btResetMultiplication = new System.Windows.Forms.Button();
    this.btComputingProduct = new System.Windows.Forms.Button();
}
```

```
this.btGenerating2 = new System.Windows.Forms.Button();
this.label5 = new System.Windows.Forms.Label();
this.label13 = new System.Windows.Forms.Label();
this.textcolumnB2 = new System.Windows.Forms.TextBox();
this.textLineB2 = new System.Windows.Forms.TextBox();
this.label11 = new System.Windows.Forms.Label();
this.label12 = new System.Windows.Forms.Label();
this.panel3 = new System.Windows.Forms.Panel();
this.pictureBox4 = new System.Windows.Forms.PictureBox();
this.dataGridProduct = new System.Windows.Forms.DataGridView();
this.panel4 = new System.Windows.Forms.Panel();
this.label7 = new System.Windows.Forms.Label();
this.label8 = new System.Windows.Forms.Label();
this.dataGridB2 = new System.Windows.Forms.DataGridView();
this.dataGridA2 = new System.Windows.Forms.DataGridView();
this.textColumnA2 = new System.Windows.Forms.TextBox();
this.textLineA2 = new System.Windows.Forms.TextBox();
this.label9 = new System.Windows.Forms.Label();
this.label10 = new System.Windows.Forms.Label();
this.tabMultiplication_scalar = new System.Windows.Forms.TabPage();
this.pictureBox6 = new System.Windows.Forms.PictureBox();
this.btReset_Product_Scalar = new System.Windows.Forms.Button();
this.btProductScalar = new System.Windows.Forms.Button();
this.butonsGenerating3 = new System.Windows.Forms.Button();
this.label28 = new System.Windows.Forms.Label();
this.textScalar = new System.Windows.Forms.TextBox();
this.label16 = new System.Windows.Forms.Label();
this.panel6 = new System.Windows.Forms.Panel();
this.pictureBox5 = new System.Windows.Forms.PictureBox();
this.dataGridProductScalar = new System.Windows.Forms.DataGridView();
this.panel5 = new System.Windows.Forms.Panel();
this.label17 = new System.Windows.Forms.Label();
this.dataGridA3 = new System.Windows.Forms.DataGridView();
this.textcolumnA3 = new System.Windows.Forms.TextBox();
this.textLineA3 = new System.Windows.Forms.TextBox();
this.label14 = new System.Windows.Forms.Label();
this.label15 = new System.Windows.Forms.Label();
this.tabLifting_at_power = new System.Windows.Forms.TabPage();
this.pictureBox9 = new System.Windows.Forms.PictureBox();
this.btReset_lifting_at_power = new System.Windows.Forms.Button();
this.btComputPower = new System.Windows.Forms.Button();
this.btGeneratingA4 = new System.Windows.Forms.Button();
this.label29 = new System.Windows.Forms.Label();
```

```
this.label21 = new System.Windows.Forms.Label();
this.panel7 = new System.Windows.Forms.Panel();
this.label27 = new System.Windows.Forms.Label();
this.label25 = new System.Windows.Forms.Label();
this.label26 = new System.Windows.Forms.Label();
this.labelPower = new System.Windows.Forms.Label();
this.label24 = new System.Windows.Forms.Label();
this.dataGridMatrix_at_power_n = new System.Windows.Forms.DataGridView();
this.panel8 = new System.Windows.Forms.Panel();
this.label20 = new System.Windows.Forms.Label();
this.dataGridA4 = new System.Windows.Forms.DataGridView();
this.textPower = new System.Windows.Forms.TextBox();
this.textlineA4 = new System.Windows.Forms.TextBox();
this.label18 = new System.Windows.Forms.Label();
this.label19 = new System.Windows.Forms.Label();
this.tabComputDet = new System.Windows.Forms.TabPage();
this.pictureBox10 = new System.Windows.Forms.PictureBox();
this.bt_Reset_values_det = new System.Windows.Forms.Button();
this.btComputingDeterminant = new System.Windows.Forms.Button();
this.btGeneratingA5 = new System.Windows.Forms.Button();
this.label30 = new System.Windows.Forms.Label();
this.pictureBox8 = new System.Windows.Forms.PictureBox();
this.pictureBox7 = new System.Windows.Forms.PictureBox();
this.textDet_minus = new System.Windows.Forms.TextBox();
this.textDet_plus = new System.Windows.Forms.TextBox();
this.panel10 = new System.Windows.Forms.Panel();
this.label23 = new System.Windows.Forms.Label();
this.dataGridA5 = new System.Windows.Forms.DataGridView();
this.textlineA5 = new System.Windows.Forms.TextBox();
this.label22 = new System.Windows.Forms.Label();
this.tabPage1 = new System.Windows.Forms.TabPage();
this.panel12 = new System.Windows.Forms.Panel();
this.label41 = new System.Windows.Forms.Label();
this.dataGridX0 = new System.Windows.Forms.DataGridView();
this.panel9 = new System.Windows.Forms.Panel();
this.label_k = new System.Windows.Forms.Label();
this.label32 = new System.Windows.Forms.Label();
this.label33 = new System.Windows.Forms.Label();
this.label37 = new System.Windows.Forms.Label();
this.dataGridSolutionXk = new System.Windows.Forms.DataGridView();
this.panel11 = new System.Windows.Forms.Panel();
this.label38 = new System.Windows.Forms.Label();
this.dataGridA6 = new System.Windows.Forms.DataGridView();
```

```

this.textk = new System.Windows.Forms.TextBox();
this.textlineA6 = new System.Windows.Forms.TextBox();
this.label39 = new System.Windows.Forms.Label();
this.label40 = new System.Windows.Forms.Label();
this.btResetSystem = new System.Windows.Forms.Button();
this.btComputSystem = new System.Windows.Forms.Button();
this.btGeneratingMatrices = new System.Windows.Forms.Button();
this.tabControl1.SuspendLayout();
this.tabAddition.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
    this.panel1.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridRezAddition)).BeginInit();
    this.panel2.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridB)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridA)).BeginInit();
    this.tabMultiplication.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).BeginInit();
    this.panel3.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridProduct)).BeginInit();
    this.panel4.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridB2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridA2)).BeginInit();
    this.tabMultiplication_scalar.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox6)).BeginInit();
    this.panel6.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridProductScalar)).BeginInit();
    this.panel5.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridA3)).BeginInit();
    this.tabLifting_at_power.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox9)).BeginInit();
    this.panel7.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridMatrix_at_power_n)).BeginInit();
    this.panel8.SuspendLayout();

```

```
((System.ComponentModel.ISupportInitialize)(this.dataGridA4)).BeginInit();
    this.tabComputDet.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.pictureBox10)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox8)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox7)).BeginInit();
    this.panel10.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridA5)).BeginInit();
    this.tabPage1.SuspendLayout();
    this.panel12.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridX0)).BeginInit();
    this.panel9.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridSolutionXk)).BeginInit();
    this.panel11.SuspendLayout();

((System.ComponentModel.ISupportInitialize)(this.dataGridA6)).BeginInit();
    this.SuspendLayout();
    //
    // tabControl1
    //
    this.tabControl1.Controls.Add(this.tabAddition);
    this.tabControl1.Controls.Add(this.tabIMultiplication);
    this.tabControl1.Controls.Add(this.tabMultiplication_scalar);
    this.tabControl1.Controls.Add(this.tabLifting_at_power);
    this.tabControl1.Controls.Add(this.tabComputDet);
    this.tabControl1.Controls.Add(this.tabPage1);
    this.tabControl1.Location = new System.Drawing.Point(12, 5);
    this.tabControl1.Name = "tabControl1";
    this.tabControl1.SelectedIndex = 0;
    this.tabControl1.Size = new System.Drawing.Size(1000, 696);
    this.tabControl1.TabIndex = 0;
    this.tabControl1.TabIndex = 0;
    //
    // tabAddition
    //
    this.tabAddition.BackColor = System.Drawing.Color.FromArgb(((int)(((byte)(192)))), ((int)(((byte)(255)))), ((int)((byte)(192)))));
    this.tabAddition.Controls.Add(this.btReset);
    this.tabAddition.Controls.Add(this.btComputingSum);
    this.tabAddition.Controls.Add(this.btGenerating);
    this.tabAddition.Controls.Add(this.label6);
    this.tabAddition.Controls.Add(this.pictureBox1);
    this.tabAddition.Controls.Add(this.panel1);
```

```
this.tabAddition.Controls.Add(this.panel2);
this.tabAddition.Controls.Add(this.textColumn);
this.tabAddition.Controls.Add(this.textLine);
this.tabAddition.Controls.Add(this.label3);
this.tabAddition.Controls.Add(this.label2);
this.tabAddition.Location = new System.Drawing.Point(4, 25);
this.tabAddition.Name = "tabAddition";
this.tabAddition.Padding = new System.Windows.Forms.Padding(3);
this.tabAddition.Size = new System.Drawing.Size(992, 667);
this.tabAddition.TabIndex = 0;
this.tabAddition.Text = "Addition";
//
// btReset
//
this.btReset.BackColor = System.Drawing.Color.Pink;
this.btReset.ForeColor = System.Drawing.Color.Black;
this.btReset.Location = new System.Drawing.Point(546, 296);
this.btReset.Name = "btReset";
this.btReset.Size = new System.Drawing.Size(125, 65);
this.btReset.TabIndex = 38;
this.btReset.Text = "Reset values";
this.btReset.UseVisualStyleBackColor = false;
this.btReset.Click += new System.EventHandler(this.btReset_Click);
//
// btComputingSum
//
this.btComputingSum.BackColor = System.Drawing.Color.PowderBlue;
this.btComputingSum.ForeColor = System.Drawing.Color.Black;
this.btComputingSum.Location = new System.Drawing.Point(546, 178);
this.btComputingSum.Name = "btComputingSum";
this.btComputingSum.Size = new System.Drawing.Size(125, 65);
this.btComputingSum.TabIndex = 37;
this.btComputingSum.Text = "Computing Matrix";
this.btComputingSum.UseVisualStyleBackColor = false;
this.btComputingSum.Click += new System.EventHandler(this.btComputingSum_Click);
//
// btGenerating
//
this.btGenerating.BackColor = System.Drawing.Color.PowderBlue;
this.btGenerating.ForeColor = System.Drawing.Color.Black;
this.btGenerating.Location = new System.Drawing.Point(546, 24);
this.btGenerating.Name = "btGenerating";
this.btGenerating.Size = new System.Drawing.Size(125, 65);
```

```
this.btGenerating.TabIndex = 36;
this.btGenerating.Text = "Generating matrix";
this.btGenerating.UseVisualStyleBackColor = false;
this.btGenerating.Click += new System.EventHandler(this.btGenerating_Click);
//
// label6
//
this.label6.AutoSize = true;
this.label6.Font = new System.Drawing.Font("Microsoft Sans Serif", 9.75F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point,((byte)(0)));
this.label6.ForeColor = System.Drawing.Color.Red;
this.label6.Location = new System.Drawing.Point(25, 132);
this.label6.Name = "label6";
this.label6.Size = new System.Drawing.Size(39, 16);
this.label6.TabIndex = 35;
this.label6.Text = "Rem:";
//
// pictureBox1
//
this.pictureBox1.Image =
((System.Drawing.Image)(resources.GetObject("pictureBox1.Image")));
this.pictureBox1.Location = new System.Drawing.Point(74, 128);
this.pictureBox1.Name = "pictureBox1";
this.pictureBox1.Size = new System.Drawing.Size(56, 27);
this.pictureBox1.TabIndex = 34;
this.pictureBox1.TabStop = false;
//
// panel1
//
this.panel1.Controls.Add(this.pictureBox2);
this.panel1.Controls.Add(this.dataGridResAddition);
this.panel1.Location = new System.Drawing.Point(698, 178);
this.panel1.Name = "panel1";
this.panel1.Size = new System.Drawing.Size(257, 297);
this.panel1.TabIndex = 11;
//
// pictureBox2
//
this.pictureBox2.BackColor = System.Drawing.Color.Red;
this.pictureBox2.Image = global::Operations_with_matrices.Properties.Resources.a_b;
this.pictureBox2.Location = new System.Drawing.Point(17, 10);
this.pictureBox2.Name = "pictureBox2";
this.pictureBox2.Size = new System.Drawing.Size(115, 33);
```

```
this.pictureBox2.TabIndex = 13;
this.pictureBox2.TabStop = false;
//
// dataGridResAddition
//
this.dataGridResAddition.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridResAddition.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridResAddition.Location = new System.Drawing.Point(17, 49);
this.dataGridResAddition.Name = "dataGridResAddition";
this.dataGridResAddition.Size = new System.Drawing.Size(223, 227);
this.dataGridResAddition.TabIndex = 8
//
// panel2
//
this.panel2.Controls.Add(this.label4);
this.panel2.Controls.Add(this.label1);
this.panel2.Controls.Add(this.dataGridB);
this.panel2.Controls.Add(this.dataGridA);
this.panel2.Location = new System.Drawing.Point(16, 178);
this.panel2.Name = "panel2";
this.panel2.Size = new System.Drawing.Size(497, 297);
this.panel2.TabIndex = 8;
//
// label4
//
this.label4.AutoSize = true;
this.label4.ForeColor = System.Drawing.Color.MidnightBlue;
this.label4.Location = new System.Drawing.Point(266, 16);
this.label4.Name = "label4";
this.label4.Size = new System.Drawing.Size(72, 16);
this.label4.TabIndex = 11;
this.label4.Text = "Matrix B";
//
// label1
//
this.label1.AutoSize = true;
this.label1.ForeColor = System.Drawing.Color.MidnightBlue;
this.label1.Location = new System.Drawing.Point(27, 16);
this.label1.Name = "label1";
this.label1.Size = new System.Drawing.Size(72, 16);
this.label1.TabIndex = 10;
this.label1.Text = "Matrix A";
```

```
//  
// dataGridB  
//  
this.dataGridB.BackgroundColor = System.Drawing.Color.WhiteSmoke;  
this.dataGridB.ColumnHeadersHeightSizeMode = System.Windows.Forms.  
DataGridViewColumnHeadersHeightSizeMode.AutoSize;  
this.dataGridB.Location = new System.Drawing.Point(257, 49);  
this.dataGridB.Name = "dataGridB";  
this.dataGridB.Size = new System.Drawing.Size(223, 227);  
this.dataGridB.TabIndex = 6;  
//  
// dataGridA  
//  
this.dataGridA.BackgroundColor = System.Drawing.Color.WhiteSmoke;  
this.dataGridA.ColumnHeadersHeightSizeMode = System.Windows.Forms.  
DataGridViewColumnHeadersHeightSizeMode.AutoSize;  
this.dataGridA.Location = new System.Drawing.Point(12, 49);  
this.dataGridA.Name = "dataGridA";  
this.dataGridA.Size = new System.Drawing.Size(223, 227);  
this.dataGridA.TabIndex = 0;  
//  
// textColumn  
//  
this.textColumn.Location = new System.Drawing.Point(253, 70);  
this.textColoumn.Name = "textColumn";  
this.textColumn.Size = new System.Drawing.Size(41, 22);  
this.textColumn.TabIndex = 7;  
//  
// textLine  
//  
this.textLine.Location = new System.Drawing.Point(253, 21);  
this.textLine.Name = "textLine";  
this.textLine.Size = new System.Drawing.Size(41, 22);  
this.textLine.TabIndex = 6;  
//  
// label3  
//  
this.label3.Anchor = ((System.Windows.Forms.AnchorStyles)((System.  
Windows. Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles. Bottom)|  
System. Windows. Forms.AnchorStyles.Left)));  
this.label3.AutoSize = true;  
this.label3.Location = new System.Drawing.Point(25, 73);  
this.label3.Name = "label3";
```

```

this.label3.Size = new System.Drawing.Size(196, 16);
this.label3.TabIndex = 5;
this.label3.Text = "Introduce number of columns !";
//
// label2
//
this.label2.Anchor = ((System.Windows.Forms.AnchorStyles)((System.
Windows.Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom)|
System.Windows.Forms.AnchorStyles.Left)));
this.label2.AutoSize = true;
this.label2.Location = new System.Drawing.Point(22, 24);
this.label2.Name = "label2";
this.label2.Size = new System.Drawing.Size(166, 16);
this.label2.TabIndex = 4;
this.label2.Text = "Introduce number of lines !";
//
// tabMultiplication
//
this.tabMultiplication.BackColor = System.Drawing.Color.FromArgb(((int)((byte)(192))),((int)((byte)(255))), ((int)((byte)(192))));;
this.tabMultiplication.Controls.Add(this.pictureBox3);
this.tabMultiplication.Controls.Add(this.btResetMultiplication);
this.tabMultiplication.Controls.Add(this.btComputingProduct);
this.tabMultiplication.Controls.Add(this.btGenerating2);
this.tabMultiplication.Controls.Add(this.label5);
this.tabMultiplication.Controls.Add(this.label13);
this.tabMultiplication.Controls.Add(this.textcolumnB2);
this.tabMultiplication.Controls.Add(this.textLineB2);
this.tabMultiplication.Controls.Add(this.label11);
this.tabMultiplication.Controls.Add(this.label12);
this.tabMultiplication.Controls.Add(this.panel3);
this.tabMultiplication.Controls.Add(this.panel4);
this.tabMultiplication.Controls.Add(this.textColumnA2);
this.tabMultiplication.Controls.Add(this.textLineA2);
this.tabMultiplication.Controls.Add(this.label9);
this.tabMultiplication.Controls.Add(this.label10);
this.tabMultiplication.Location = new System.Drawing.Point(4, 25);
this.tabMultiplication.Name = "tabMultiplication";
this.tabMultiplication.Padding = new System.Windows.Forms.Padding(3);
this.tabMultiplication.Size = new System.Drawing.Size(992, 667);
this.tabMultiplication.TabIndex = 1;
this.tabMultiplication.Text = "Multiplication";
//

```

```

// pictureBox3
//
this.pictureBox3.Image =((System.Drawing.Image)(resources.GetObject
("pictureBox3.Image")));
this.pictureBox3.Location = new System.Drawing.Point(70, 220);
this.pictureBox3.Name = "pictureBox3";
this.pictureBox3.Size = new System.Drawing.Size(56, 27);
this.pictureBox3.TabIndex = 40;
this.pictureBox3.TabStop = false;
//
// btResetMultiplication
//
this.btResetMultiplication.BackColor = System.Drawing.Color.Pink;
this.btResetMultiplication.ForeColor = System.Drawing.Color.Black;
this.btResetMultiplication.Location = new System.Drawing.Point(548, 356);
this.btResetMultiplication.Name = "btResetMultiplication";
this.btResetMultiplication.Size = new System.Drawing.Size(125, 65);
this.btResetMultiplication.TabIndex = 39;
this.btResetMultiplication.Text = "Reset values";
this.btResetMultiplication.UseVisualStyleBackColor = false;
this.btResetMultiplication.Click += new System.EventHandler(this.
btResetMultiplication_Click);
//
// btComputingProduct
//
this.btComputingProduct.BackColor = System.Drawing.Color.PowderBlue;
this.btCalculareProdus.ForeColor = System.Drawing.SystemColors.ControlText;
this.btComputingProduct.Location = new System.Drawing.Point(548, 253);
this.btComputingProduct.Name = "btComputingProduct";
this.btComputingProduct.Size = new System.Drawing.Size(125, 65);
this.btComputingProduct.TabIndex = 38;
this.btComputingProduct.Text = "Computing Matrix";
this.btComputingProduct.UseVisualStyleBackColor = false;
this.btComputingProduct.Click += new System.EventHandler(this.
btComputingProduct_Click);
//
// btGenerating2
//
this.btGenerating2.BackColor = System.Drawing.Color.PowderBlue;
this.btGenerating2.ForeColor = System.Drawing.Color.Black;
this.btGenerating2.Location = new System.Drawing.Point(548, 145);
this.btGenerating2.Name = "btGenerating2";
this.btGenerating2.Size = new System.Drawing.Size(125, 65);

```

```
this.btGenerating2.TabIndex = 37;
this.btGenerating2.Text = "Generating matrix";
this.btGenerating2.UseVisualStyleBackColor = false;
this.btGenerating2.Click += new System.EventHandler(this.btGenerating2_Click);
//
// label5
//
this.label5.AutoSize = true;
this.label5.ForeColor = System.Drawing.Color.Red;
this.label5.Location = new System.Drawing.Point(25, 224);
this.label5.Name = "label5";
this.label5.Size = new System.Drawing.Size(39, 16);
this.label5.TabIndex = 35;
this.label5.Text = "Rem:";
//
// label13
//
this.label13.AutoSize = true;
this.label13.ForeColor = System.Drawing.Color.Red;
this.label13.Location = new System.Drawing.Point(14, 103);
this.label13.Name = "label13";
this.label13.Size = new System.Drawing.Size(808, 16);
this.label13.TabIndex = 28;
this.label13.Text = "Rem: Matrix A can by multiply with matrix B, only if number of columns of " + "matrix A is equal with number of lines of matrix B!";
//
// textcolumnB2
//
this.textcolumnB2.Location = new System.Drawing.Point(344, 191);
this.textcolumnB2.Name = "textcolumnB2";
this.textcolumnB2.Size = new System.Drawing.Size(41, 22);
this.textcolumnB2.TabIndex = 27;
//
// textLineB2
//
this.textLineB2.Enabled = false;
this.textLineB2.Location = new System.Drawing.Point(344, 145);
this.textLineB2.Name = "textLineB2";
this.textLineB2.Size = new System.Drawing.Size(41, 22);
this.textLineB2.TabIndex = 26;
//
// label11
//
```

```

this.label11.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label11.AutoSize = true;
this.label11.Location = new System.Drawing.Point(22, 194);
this.label11.Name = "label11";
this.label11.Size = new System.Drawing.Size(303, 16);
this.label11.TabIndex = 25;
this.label11.Text = "Introduce number of columns of matrix B !";
//
// label12
//
his.label12.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label12.AutoSize = true;
this.label12.Location = new System.Drawing.Point(22, 148);
this.label12.Name = "label12";
this.label12.Size = new System.Drawing.Size(273, 16);
this.label12.TabIndex = 24;
this.label12.Text = "Introduce number of lines of matrix B !";
//
// panel3
//
this.panel3.Controls.Add(this.pictureBox4);
this.panel3.Controls.Add(this.dataGridProduct);
this.panel3.Location = new System.Drawing.Point(698, 253);
this.panel3.Name = "panel3";
this.panel3.Size = new System.Drawing.Size(257, 297);
this.panel3.TabIndex = 21;
//
// pictureBox4
//
this.pictureBox4.Image = global::Operations_with_matrices.Properties.Resources.AB;
this.pictureBox4.Location = new System.Drawing.Point(17, 14);
this.pictureBox4.Name = "pictureBox4";
this.pictureBox4.Size = new System.Drawing.Size(126, 29);
this.pictureBox4.TabIndex = 9;
this.pictureBox4.TabStop = false;
//
// dataGridProduct
//
this.dataGridProduct.BackgroundColor = System.Drawing.Color.WhiteSmoke;

```

```
this.dataGridProduct.ColumnHeadersHeightSizeMode = System.Windows.Forms.  
DataGridViewColumnHeadersHeightSizeMode.AutoSize;  
this.dataGridProduct.Location = new System.Drawing.Point(17, 49);  
this.dataGridProduct.Name = "dataGridProduct";  
this.dataGridProduct.Size = new System.Drawing.Size(223, 227);  
this.dataGridProduct.TabIndex = 8;  
//  
// panel4  
//  
this.panel4.Controls.Add(this.label7);  
this.panel4.Controls.Add(this.label8);  
this.panel4.Controls.Add(this.dataGridB2);  
this.panel4.Controls.Add(this.dataGridA2);  
this.panel4.Location = new System.Drawing.Point(16, 253);  
this.panel4.Name = "panel4";  
this.panel4.Size = new System.Drawing.Size(497, 297);  
this.panel4.TabIndex = 18;  
//  
// label7  
//  
this.label7.AutoSize = true;  
this.label7.ForeColor = System.Drawing.Color.MidnightBlue;  
this.label7.Location = new System.Drawing.Point(266, 16);  
this.label7.Name = "label7";  
this.label7.Size = new System.Drawing.Size(72, 16);  
this.label7.TabIndex = 11;  
this.label7.Text = "Matrix B";  
//  
// label8  
//  
this.label8.AutoSize = true;  
this.label8.ForeColor = System.Drawing.Color.MidnightBlue;  
this.label8.Location = new System.Drawing.Point(27, 16);  
this.label8.Name = "label8";  
this.label8.Size = new System.Drawing.Size(72, 16);  
this.label8.TabIndex = 10;  
this.label8.Text = "Matrix A";  
//  
// dataGridB2  
//  
this.dataGridB2.BackgroundColor = System.Drawing.Color.WhiteSmoke;  
this.dataGridB2.ColumnHeadersHeightSizeMode = System.Windows.Forms.  
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
```

```

this.dataGridB2.Location = new System.Drawing.Point(257, 49);
this.dataGridB2.Name = "dataGridB2";
this.dataGridB2.Size = new System.Drawing.Size(223, 227);
this.dataGridB2.TabIndex = 6;
//
// dataGridA2
//
this.dataGridA2.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridA2.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridA2.Location = new System.Drawing.Point(12, 49);
this.dataGridA2.Name = "dataGridA2";
this.dataGridA2.Size = new System.Drawing.Size(223, 227);
this.dataGridA2.TabIndex = 0;
//
// textColumnA2
//
this.textColumnA2.Location = new System.Drawing.Point(344, 63);
this.textColumnA2.Name = "textColumnA2";
this.textColumnA2.Size = new System.Drawing.Size(41, 22);
this.textColumnA2.TabIndex = 17;
this.textColumnA2.Leave += new System.EventHandler(this.textColumnA2_Leave);
//
// textLineA2
//
this.textLineA2.Location = new System.Drawing.Point(344, 17);
this.textLineA2.Name = "textLineA2";
this.textLineA2.Size = new System.Drawing.Size(41, 22);
this.textLineA2.TabIndex = 16;
//
// label9
//
this.label9.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label9.AutoSize = true;
this.label9.ForeColor = System.Drawing.Color.Black;
this.label9.Location = new System.Drawing.Point(22, 66);
this.label9.Name = "label9";
this.label9.Size = new System.Drawing.Size(303, 16);
this.label9.TabIndex = 15;
this.label9.Text = "Introduce number of columns of matrix A !";
//

```

```

// label10
//
this.label10.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label10.AutoSize = true;
this.label10.Location = new System.Drawing.Point(22, 17);
this.label10.Name = "label10";
this.label10.Size = new System.Drawing.Size(273, 16);
this.label10.TabIndex = 14;
this.label10.Text = "Introduce number of lines of matrix A !";
//
// tabMultiplication_scalar
//
this.tabMultiplication_scalar.BackColor = System.Drawing.Color.FromArgb
(((int)((byte)(192))),((int)((byte)(255))), ((int)((byte)(192)))); 
this.tabMultiplication_scalar.Controls.Add(this.pictureBox6);
this.tabMultiplication_scalar.Controls.Add(this.btReset_Product_Scalar);
this.tabMultiplication_scalar.Controls.Add(this.btProductScalar);
this.tabMultiplication_scalar.Controls.Add(this.butonsGenerating3);
this.tabMultiplication_scalar.Controls.Add(this.label28);
this.tabMultiplication_scalar.Controls.Add(this.textScalar);
this.tabMultiplication_scalar.Controls.Add(this.label16);
this.tabMultiplication_scalar.Controls.Add(this.panel6);
this.tabMultiplication_scalar.Controls.Add(this.panel5);
this.tabMultiplication_scalar.Controls.Add(this.textcolumnA3);
this.tabMultiplication_scalar.Controls.Add(this.textLineA3);
this.tabMultiplication_scalar.Controls.Add(this.label14);
this.tabMultiplication_scalar.Controls.Add(this.label15);
this.tabMultiplication_scalar.Location = new System.Drawing.Point(4, 25);
this.tabMultiplication_scalar.Name = "tabMultiplication_scalar";
this.tabMultiplication_scalar.Padding = new System.Windows.Forms.Padding(3);
this.tabMultiplication_scalar.Size = new System.Drawing.Size(992, 667);
this.tabMultiplication_scalar.TabIndex = 2;
this.tabMultiplication_scalar.Text = "Multiplication with a scalar";
//
// pictureBox6
//
this.pictureBox6.Image = ((System.Drawing.Image)(resources.GetObject
("pictureBox6.Image")));
this.pictureBox6.Location = new System.Drawing.Point(56, 162);
this.pictureBox6.Name = "pictureBox6";
this.pictureBox6.Size = new System.Drawing.Size(56, 27);

```

```

this.pictureBox6.TabIndex = 43;
this.pictureBox6.TabStop = false;
//
// btReset_Product_Scalar
//
this.btReset_Product_Scalar.BackColor = System.Drawing.Color.Pink;
this.btReset_Product_Scalar.ForeColor = System.Drawing.Color.Black;
this.btReset_Product_Scalar.Location = new System.Drawing.Point(316, 421);
this.btReset_Product_Scalar.Name = "btReset_Product_Scalar";
this.btReset_Product_Scalar.Size = new System.Drawing.Size(125, 65);
this.btReset_Product_Scalar.TabIndex = 42;
this.btReset_Product_Scalar.Text = "Reset values";
this.btReset_Product_Scalar.UseVisualStyleBackColor = false;
this.btReset_Product_Scalar.Click += new System.EventHandler(this.
btReset_Product_Scalar_Click);
//
// btProductScalar
//
this.btProductScalar.BackColor = System.Drawing.Color.PowderBlue;
this.btProductScalar.ForeColor = System.Drawing.SystemColors.ControlText;
this.btProductScalar.Location = new System.Drawing.Point(316, 318);
this.btProductScalar.Name = "btProductScalar";
this.btProductScalar.Size = new System.Drawing.Size(125, 65);
this.btProductScalar.TabIndex = 41;
this.btProductScalar.Text = "Computing Matrix";
this.btProductScalar.UseVisualStyleBackColor = false;
this.btProductScalar.Click += new System.EventHandler(this.btProductScalar_Click);
//
// butonsGenerating3
//
this.butonsGenerating3.BackColor = System.Drawing.Color.PowderBlue;
this.butonsGenerating3.ForeColor = System.Drawing.SystemColors.ControlText;
this.butonsGenerating3.Location = new System.Drawing.Point(316, 210);
this.butonsGenerating3.Name = "butonsGenerating3";
this.butonsGenerating3.Size = new System.Drawing.Size(125, 65);
this.butonsGenerating3.TabIndex = 40;
this.butonsGenerating3.Text = "Generating of matrix";
this.butonsGenerating3.UseVisualStyleBackColor = false;
this.butonsGenerating3.Click += new System.EventHandler(this.butonsGenerating3_Click);
//
// label28
//
this.label28.AutoSize = true;

```

```
this.label28.ForeColor = System.Drawing.Color.Red;
this.label28.Location = new System.Drawing.Point(12, 169);
this.label28.Name = "label28";
this.label28.Size = new System.Drawing.Size(39, 16);
this.label28.TabIndex = 35;
this.label28.Text = "Rem:";
//
// textScalar
//
this.textScalar.Location = new System.Drawing.Point(143, 121);
this.textScalar.Name = "textScalar";
this.textScalar.Size = new System.Drawing.Size(41, 22);
this.textScalar.TabIndex = 19;
//
// label16
//
this.label16.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left));
this.label16.AutoSize = true;
this.label16.Location = new System.Drawing.Point(12, 127);
this.label16.Name = "label16";
this.label16.Size = new System.Drawing.Size(125, 16);
this.label16.TabIndex = 18;
this.label16.Text = "Introduce the scalar !";
//
// panel6
//
this.panel6.Controls.Add(this.pictureBox5);
this.panel6.Controls.Add(this.dataGridProductScalar);
this.panel6.Location = new System.Drawing.Point(498, 201);
this.panel6.Name = "panel6";
this.panel6.Size = new System.Drawing.Size(257, 297);
this.panel6.TabIndex = 17;
//
// pictureBox5
//
this.pictureBox5.BackColor = System.Drawing.Color.Red;
this.pictureBox5.Image = global::Operations_with_matrices.Properties.Resources.scalar;
this.pictureBox5.Location = new System.Drawing.Point(17, 10);
this.pictureBox5.Name = "pictureBox5";
this.pictureBox5.Size = new System.Drawing.Size(147, 31);
this.pictureBox5.TabIndex = 13;
```

```
this.pictureBox5.TabStop = false;
// 
// dataGridProductScalar
// 
this.dataGridProductScalar.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridProductScalar.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridProductScalar.Location = new System.Drawing.Point(17, 49);
this.dataGridProductScalar.Name = "dataGridProductScalar";
this.dataGridProductScalar.Size = new System.Drawing.Size(223, 227);
this.dataGridProductScalar.TabIndex = 8;
// 
// panel5
// 
this.panel5.Controls.Add(this.label17);
this.panel5.Controls.Add(this.dataGridA3);
this.panel5.Location = new System.Drawing.Point(13, 210);
this.panel5.Name = "panel5";
this.panel5.Size = new System.Drawing.Size(269, 297);
this.panel5.TabIndex = 15;
// 
// label17
// 
this.label17.AutoSize = true;
this.label17.ForeColor = System.Drawing.Color.MidnightBlue;
this.label17.Location = new System.Drawing.Point(27, 16);
this.label17.Name = "label17";
this.label17.Size = new System.Drawing.Size(72, 16);
this.label17.TabIndex = 10;
this.label17.Text = "Matrix A";
// 
// dataGridA3
// 
this.dataGridA3.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridA3.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridA3.Location = new System.Drawing.Point(12, 49);
this.dataGridA3.Name = "dataGridA3";
this.dataGridA3.Size = new System.Drawing.Size(223, 227);
this.dataGridA3.TabIndex = 0;
// 
// textcolumnA3
// 
```

```

this.textcolumnA3.Location = new System.Drawing.Point(318, 68);
this.textcolumnA3.Name = "textcolumnA3";
this.textcolumnA3.Size = new System.Drawing.Size(41, 22);
this.textcolumnA3.TabIndex = 13;
//
// textLineA3
//
this.textLineA3.Location = new System.Drawing.Point(318, 19);
this.textLineA3.Name = "textLineA3";
this.textLineA3.Size = new System.Drawing.Size(41, 22);
this.textLineA3.TabIndex = 12;
//
// label14
//
this.label14.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label14.AutoSize = true;
this.label14.Location = new System.Drawing.Point(12, 71);
this.label14.Name = "label14";
this.label14.Size = new System.Drawing.Size(300, 16);
this.label14.TabIndex = 11;
this.label14.Text = "Introduce number of columns of matrix A!";
//
// label15
//
this.label15.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom)| System.Windows.
Forms.AnchorStyles.Left)));
this.label15.AutoSize = true;
this.label15.Location = new System.Drawing.Point(12, 22);
this.label15.Name = "label15";
this.label15.Size = new System.Drawing.Size(273, 16);
this.label15.TabIndex = 10;
this.label15.Text = "Introduce number of lines of matrix A !";
//
// tabLifting_at_power
//
this.tabLifting_at_power.BackColor = System.Drawing.Color.FromArgb(((int)
(((byte)(192)))),((int)((byte)(255))),((int)((byte)(192)))));

this.tabLifting_at_power.Controls.Add(this.pictureBox9);
this.tabLifting_at_power.Controls.Add(this.btReset_lifting_at_power);
this.tabLifting_at_power.Controls.Add(this.btComputPower);

```

```

this.tabLifting_at_power.Controls.Add(this.btGeneratingA4);
this.tabLifting_at_power.Controls.Add(this.label29);
this.tabLifting_at_power.Controls.Add(this.label21);
this.tabLifting_at_power.Controls.Add(this.panel7);
this.tabLifting_at_power.Controls.Add(this.panel8);
this.tabLifting_at_power.Controls.Add(this.textPower);
this.tabLifting_at_power.Controls.Add(this.textlineA4);
this.tabLifting_at_power.Controls.Add(this.label18);
this.tabLifting_at_power.Controls.Add(this.label19);
this.tabLifting_at_power.Location = new System.Drawing.Point(4, 25);
this.tabLifting_at_power.Name = "tabLifting_at_power";
this.tabLifting_at_power.Padding = new System.Windows.Forms.Padding(3);
this.tabLifting_at_power.Size = new System.Drawing.Size(992, 667);
this.tabLifting_at_power.TabIndex = 3;
this.tabLifting_at_power.Text = "Lifting at power";
// 
// pictureBox9
// 
this.pictureBox9.Image = ((System.Drawing.Image)(resources.GetObject
("pictureBox9.Image")));
this.pictureBox9.Location = new System.Drawing.Point(59, 155);
this.pictureBox9.Name = "pictureBox9";
this.pictureBox9.Size = new System.Drawing.Size(56, 27);
this.pictureBox9.TabIndex = 46;
this.pictureBox9.TabStop = false;
// 
//btReset_lifting_at_power
// 
this.btReset_lifting_at_power.BackColor = System.Drawing.Color.Pink;
this.btReset_lifting_at_power.ForeColor = System.Drawing.Color.Black;
this.btReset_lifting_at_power.Location = new System.Drawing.Point(319, 420);
this.btReset_lifting_at_power.Name = "btReset_lifting_at_power";
this.btReset_lifting_at_power.Size = new System.Drawing.Size(125, 65);
this.btReset_lifting_at_power.TabIndex = 45;
this.btReset_lifting_at_power.Text = "Reset values";
this.btReset_lifting_at_power.UseVisualStyleBackColor = false;
this.btReset_lifting_at_power.Click += new System.EventHandler(this.
btReset_lifting_at_power_Click);
// 
// btComputPower
// 
this.btComputPower.BackColor = System.Drawing.Color.PowderBlue;
this.btComputPower.ForeColor = System.Drawing.SystemColors.ControlText;

```

```
this.btComputPower.Location = new System.Drawing.Point(319, 317);
this.btComputPower.Name = "btComputPower";
this.btComputPower.Size = new System.Drawing.Size(125, 65);
this.btComputPower.TabIndex = 44;
this.btComputPower.Text = "Comput Matrix";
this.btComputPower.UseVisualStyleBackColor = false;
this.btComputPower.Click += new System.EventHandler(this.btComputPower_Click);
//
// btGeneratingA4
//
this.btGeneratingA4.BackColor = System.Drawing.Color.PowderBlue;
this.btGeneratingA4.ForeColor = System.Drawing.SystemColors.ControlText;
this.btGeneratingA4.Location = new System.Drawing.Point(319, 209);
this.btGeneratingA4.Name = "btGeneratingA4";
this.btGeneratingA4.Size = new System.Drawing.Size(125, 65);
this.btGeneratingA4.TabIndex = 43;
this.btGeneratingA4.Text = "Generating matrix";
this.btGeneratingA4.UseVisualStyleBackColor = false;
this.btGeneratingA4.Click += new System.EventHandler(this.btGeneratingA4_Click);
//
// label29
//
this.label29.AutoSize = true;
this.label29.ForeColor = System.Drawing.Color.Red;
this.label29.Location = new System.Drawing.Point(19, 160);
this.label29.Name = "label29";
this.label29.Size = new System.Drawing.Size(39, 16);
this.label29.TabIndex = 33;
this.label29.Text = "Rem:";
//
// label21
//
this.label21.AutoSize = true;
this.label21.ForeColor = System.Drawing.Color.Red;
this.label21.Location = new System.Drawing.Point(21, 127);
this.label21.Name = "label21";
this.label21.Size = new System.Drawing.Size(314, 16);
this.label21.TabIndex = 23;
this.label21.Text = "Rem: Can be lifting at power only quadratic matrices";
//
// panel7
//
this.panel7.Controls.Add(this.label27);
```

```
this.panel7.Controls.Add(this.label25);
this.panel7.Controls.Add(this.label26);
this.panel7.Controls.Add(this.labelPower);
this.panel7.Controls.Add(this.label24);
this.panel7.Controls.Add(this.dataGridMatrix_at_power_n);
this.panel7.Location = new System.Drawing.Point(501, 200);
this.panel7.Name = "panel7";
this.panel7.Size = new System.Drawing.Size(257, 297);
this.panel7.TabIndex = 22;
// 
// label27
//
this.label27.AutoSize = true;
this.label27.ForeColor = System.Drawing.Color.Navy;
this.label27.Location = new System.Drawing.Point(34, 25);
this.label27.Name = "label27";
this.label27.Size = new System.Drawing.Size(60, 16);
this.label27.TabIndex = 18;
this.label27.Text = "Matrix";
// 
// label25
//
this.label25.AutoSize = true;
this.label25.Font = new System.Drawing.Font("Microsoft Sans Serif", 8.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
this.label25.ForeColor = System.Drawing.Color.Navy;
this.label25.Location = new System.Drawing.Point(128, 13);
this.label25.Name = "label25";
this.label25.Size = new System.Drawing.Size(10, 13);
this.label25.TabIndex = 17;
this.label25.Text = ")";
// 
// label26
//
this.label26.AutoSize = true;
this.label26.Font = new System.Drawing.Font("Microsoft Sans Serif", 8.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
this.label26.ForeColor = System.Drawing.Color.Navy;
this.label26.Location = new System.Drawing.Point(107, 13);
this.label26.Name = "label26";
this.label26.Size = new System.Drawing.Size(10, 13);
this.label26.TabIndex = 16;
this.label26.Text = "(";
```

```

//  

// labelPower  

//  

this.labelPower.AutoSize = true;  

this.labelPower.Font = new System.Drawing.Font("Microsoft Sans Serif", 8.25F,  

System.Drawing.FontStyle. Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));  

this.labelPower.ForeColor = System.Drawing.Color.Navy;  

this.labelPower.Location = new System.Drawing.Point(114, 13);  

this.labelPower.Name = "labelPower";  

this.labelPower.Size = new System.Drawing.Size(13, 13);  

this.labelPower.TabIndex = 15;  

this.labelPower.Text = "1";  

//  

// label24  

//  

this.label24.AutoSize = true;  

this.label24.ForeColor = System.Drawing.Color.Navy;  

this.label24.Location = new System.Drawing.Point(100, 25);  

this.label24.Name = "label24";  

this.label24.Size = new System.Drawing.Size(17, 16);  

this.label24.TabIndex = 14;  

this.label24.Text = "A";  

//  

// dataGridMatrix_at_power_n  

//  

this.dataGridMatrix_at_power_n.BackgroundColor = System.Drawing.Color.WhiteSmoke;  

this.dataGridMatrix_at_power_n.ColumnHeadersHeightSizeMode =  

System.Windows.Forms.DataGridViewColumnHeadersHeightSizeMode.AutoSize;  

this.dataGridMatrix_at_power_n.Location = new System.Drawing.Point(17, 49);  

this.dataGridMatrix_at_power_n.Name = "dataGridMatrix_at_power_n";  

this.dataGridMatrix_at_power_n.Size = new System.Drawing.Size(223, 227);  

this.dataGridMatrix_at_power_n.TabIndex = 8;  

//  

// panel8  

//  

this.panel8.Controls.Add(this.label20);  

this.panel8.Controls.Add(this.dataGridA4);  

this.panel8.Location = new System.Drawing.Point(16, 209);  

this.panel8.Name = "panel8";  

this.panel8.Size = new System.Drawing.Size(269, 297);  

this.panel8.TabIndex = 20;  

//  

// label20

```

```
//  
this.label20.AutoSize = true;  
this.label20.ForeColor = System.Drawing.Color.MidnightBlue;  
this.label20.Location = new System.Drawing.Point(27, 16);  
this.label20.Name = "label20";  
this.label20.Size = new System.Drawing.Size(72, 16);  
this.label20.TabIndex = 10;  
this.label20.Text = "Matrix A";  
//  
// dataGridA4  
//  
this.dataGridA4.BackgroundColor = System.Drawing.Color.WhiteSmoke;  
this.dataGridA4.ColumnHeadersHeightSizeMode = System.Windows.Forms.  
DataGridViewColumnHeadersHeightSizeMode.AutoSize;  
this.dataGridA4.Location = new System.Drawing.Point(12, 49);  
this.dataGridA4.Name = "dataGridA4";  
this.dataGridA4.Size = new System.Drawing.Size(223, 227);  
this.dataGridA4.TabIndex = 0;  
//  
// textPower  
//  
this.textPower.Location = new System.Drawing.Point(311, 76);  
this.textPower.Name = "textPower";  
this.textPower.Size = new System.Drawing.Size(41, 22);  
this.textPower.TabIndex = 18;  
//  
// textlineA4  
//  
this.textlineA4.Location = new System.Drawing.Point(382, 24);  
this.textlineA4.Name = "textlineA4";  
this.textlineA4.Size = new System.Drawing.Size(41, 22);  
this.textlineA4.TabIndex = 17;  
//  
// label18  
//  
this.label18.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.  
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.  
Forms.AnchorStyles.Left));  
this.label18.AutoSize = true;  
this.label18.Location = new System.Drawing.Point(19, 76);  
this.label18.Name = "label18";  
this.label18.Size = new System.Drawing.Size(286, 16);  
this.label18.TabIndex = 16;
```

```

this.label18.Text = "Introduce power of lifting for matrix A!";
//
// label19
//
this.label19.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left)));
this.label19.AutoSize = true;
this.label19.Location = new System.Drawing.Point(19, 27);
this.label19.Name = "label19";
this.label19.Size = new System.Drawing.Size(357, 16);
this.label19.TabIndex = 15;
this.label19.Text = "Introduce number of lines and columns for matrix A !";
//
// tabComputDet
//
this.tabComputDet.BackColor = System.Drawing.Color.FromArgb(((int)
(((byte)(192)))), ((int)((byte)(255))),((int)((byte)(192)))); 
this.tabComputDet.Controls.Add(this.pictureBox10);
this.tabComputDet.Controls.Add(this.bt_Reset_values_det);
this.tabComputDet.Controls.Add(this.btComputingDeterminant);
this.tabComputDet.Controls.Add(this.btGeneratingA5);
this.tabComputDet.Controls.Add(this.label30);
this.tabComputDet.Controls.Add(this.pictureBox8);
this.tabComputDet.Controls.Add(this.pictureBox7);
this.tabComputDet.Controls.Add(this.textDet_minus);
this.tabComputDet.Controls.Add(this.textDet_plus);
this.tabComputDet.Controls.Add(this.panel10);
this.tabComputDet.Controls.Add(this.textlineA5);
this.tabComputDet.Controls.Add(this.label22);
this.tabComputDet.Location = new System.Drawing.Point(4, 25);
this.tabComputDet.Name = "tabComputDet";
this.tabComputDet.Padding = new System.Windows.Forms.Padding(3);
this.tabComputDet.Size = new System.Drawing.Size(992, 667);
this.tabComputDet.TabIndex = 4;
this.tabComputDet.Text = "Computing of determinant";
//
// pictureBox10
//
this.pictureBox10.Image = ((System.Drawing.Image)(resources.GetObject
("pictureBox10.Image")));
this.pictureBox10.Location = new System.Drawing.Point(53, 82);
this.pictureBox10.Name = "pictureBox10";

```

```
this.pictureBox10.Size = new System.Drawing.Size(56, 27);
this.pictureBox10.TabIndex = 49;
this.pictureBox10.TabStop = false;
//
// bt_Reset_values_det
//
this.bt_Reset_values_det.BackColor = System.Drawing.Color.Pink;
this.bt_Reset_values_det.ForeColor = System.Drawing.Color.Black;
this.bt_Reset_values_det.Location = new System.Drawing.Point(328, 369);
this.bt_Reset_values_det.Name = "bt_Reset_values_det";
this.bt_Reset_values_det.Size = new System.Drawing.Size(125, 65);
this.bt_Reset_values_det.TabIndex = 48;
this.bt_Reset_values_det.Text = "Reset values";
this.bt_Reset_values_det.UseVisualStyleBackColor = false;
this.bt_Reset_values_det.Click += new System.EventHandler(this.
bt_Reset_values_det_Click);
//
// btComputingDeterminant
//
this.btComputingDeterminant.BackColor = System.Drawing.Color.PowderBlue;
this.btComputingDeterminant.ForeColor = System.Drawing.SystemColors.ControlText;
this.btComputingDeterminant.Location = new System.Drawing.Point(328, 266);
this.btComputingDeterminant.Name = "btComputingDeterminant";
this.btComputingDeterminant.Size = new System.Drawing.Size(125, 65);
this.btComputingDeterminant.TabIndex = 47;
this.btComputingDeterminant.Text = "Computing determinant";
this.btComputingDeterminant.UseVisualStyleBackColor = false;
this.btComputingDeterminant.Click += new System.EventHandler(this.
btComputingDeterminant_Click);
//
// btGeneratingA5
//
this.btGeneratingA5.BackColor = System.Drawing.Color.PowderBlue;
this.btGeneratingA5.ForeColor = System.Drawing.SystemColors.ControlText;
this.btGeneratingA5.Location = new System.Drawing.Point(328, 158);
this.btGeneratingA5.Name = "btGeneratingA5";
this.btGeneratingA5.Size = new System.Drawing.Size(125, 65);
this.btGeneratingA5.TabIndex = 46;
this.btGeneratingA5.Text = "Generating matrix";
this.btGeneratingA5.UseVisualStyleBackColor = false;
this.btGeneratingA5.Click += new System.EventHandler(this.btGeneratingA5_Click);
//
// label30
```

```

//  

this.label30.AutoSize = true;  

this.label30.ForeColor = System.Drawing.Color.Red;  

this.label30.Location = new System.Drawing.Point(8, 88);  

this.label30.Name = "label30";  

this.label30.Size = new System.Drawing.Size(39, 16);  

this.label30.TabIndex = 35;  

this.label30.Text = "Rem:";  

//  

// pictureBox8  

//  

this.pictureBox8.BackColor = System.Drawing.Color.White;  

this.pictureBox8.Image = ((System.Drawing.Image)(resources.GetObject  

("pictureBox8.Image")));  

this.pictureBox8.Location = new System.Drawing.Point(547, 271);  

this.pictureBox8.Name = "pictureBox8";  

this.pictureBox8.Size = new System.Drawing.Size(83, 31);  

this.pictureBox8.TabIndex = 28;  

this.pictureBox8.TabStop = false;  

//  

// pictureBox7  

//  

this.pictureBox7.BackColor = System.Drawing.Color.White;  

this.pictureBox7.Image = ((System.Drawing.Image)(resources.GetObject  

("pictureBox7.Image")));  

this.pictureBox7.Location = new System.Drawing.Point(547, 197);  

this.pictureBox7.Name = "pictureBox7";  

this.pictureBox7.Size = new System.Drawing.Size(83, 33);  

this.pictureBox7.TabIndex = 27;  

this.pictureBox7.TabStop = false;  

//  

// textDet_minus  

//  

this.textDet_minus.Location = new System.Drawing.Point(636, 275);  

this.textDet_minus.Name = "textDet_minus";  

this.textDet_minus.Size = new System.Drawing.Size(71, 22);  

this.textDet_minus.TabIndex = 26;  

this.textDet_minus.TextAlign = System.Windows.Forms.HorizontalAlignment.Right;  

//  

// textDet_plus  

//  

this.textDet_plus.Location = new System.Drawing.Point(636, 202);  

this.textDet_plus.Name = "textDet_plus";

```

```
this.textDet_plus.Size = new System.Drawing.Size(71, 22);
this.textDet_plus.TabIndex = 25;
this.textDet_plus.TextAlign = System.Windows.Forms.HorizontalAlignment.Right;
// 
// panel10
// 
this.panel10.Controls.Add(this.label23);
this.panel10.Controls.Add(this.dataGridA5);
this.panel10.Location = new System.Drawing.Point(25, 158);
this.panel10.Name = "panel10";
this.panel10.Size = new System.Drawing.Size(269, 297);
this.panel10.TabIndex = 23;
// 
// label23
// 
this.label23.AutoSize = true;
this.label23.ForeColor = System.Drawing.Color.MidnightBlue;
this.label23.Location = new System.Drawing.Point(27, 16);
this.label23.Name = "label23";
this.label23.Size = new System.Drawing.Size(72, 16);
this.label23.TabIndex = 10;
this.label23.Text = "Matrix A";
// 
// dataGridA5
// 
this.dataGridA5.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridA5.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridA5.Location = new System.Drawing.Point(12, 49);
this.dataGridA5.Name = "dataGridA5";
this.dataGridA5.Size = new System.Drawing.Size(223, 227);
this.dataGridA5.TabIndex = 0;
// 
// textlineA5
// 
this.textlineA5.Location = new System.Drawing.Point(371, 27);
this.textlineA5.Name = "textlineA5";
this.textlineA5.Size = new System.Drawing.Size(41, 22);
this.textlineA5.TabIndex = 21;
// 
// label22
// 
this.label22.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
```

```

Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom) | System.Windows.
Forms.AnchorStyles.Left));
    this.label22.AutoSize = true;
    this.label22.Location = new System.Drawing.Point(8, 30);
    this.label22.Name = "label22";
    this.label22.Size = new System.Drawing.Size(357, 16);
    this.label22.TabIndex = 20;
    this.label22.Text = "Introduce number of lines and columns of matrix A !";
    //
    // tabPage1
    //
    this.tabPage1.BackColor = System.Drawing.Color.FromArgb(((int)
((byte)(192))), ((int)((byte)(255))),((int)((byte)(192))));  

    this.tabPage1.Controls.Add(this.btResetSystem);
    this.tabPage1.Controls.Add(this.btComputSystem);
    this.tabPage1.Controls.Add(this.btGeneratingMatrices);
    this.tabPage1.Controls.Add(this.panel12);
    this.tabPage1.Controls.Add(this.panel9);
    this.tabPage1.Controls.Add(this.panel11);
    this.tabPage1.Controls.Add(this.textk);
    this.tabPage1.Controls.Add(this.textlineA6);
    this.tabPage1.Controls.Add(this.label39);
    this.tabPage1.Controls.Add(this.label40);
    this.tabPage1.Location = new System.Drawing.Point(4, 25);
    this.tabPage1.Name = "tabPage1";
    this.tabPage1.Padding = new System.Windows.Forms.Padding(3);
    this.tabPage1.Size = new System.Drawing.Size(992, 667);
    this.tabPage1.TabIndex = 5;
    this.tabPage1.Text = "Solving of system";
    //
    // panel12
    //
    this.panel12.Controls.Add(this.label41);
    this.panel12.Controls.Add(this.dataGridX0);
    this.panel12.Location = new System.Drawing.Point(293, 103);
    this.panel12.Name = "panel12";
    this.panel12.Size = new System.Drawing.Size(126, 282);
    this.panel12.TabIndex = 64;
    //
    // label41
    //
    this.label41.AutoSize = true;
    this.label41.ForeColor = System.Drawing.Color.MidnightBlue;

```

```
this.label41.Location = new System.Drawing.Point(27, 16);
this.label41.Name = "label41";
this.label41.Size = new System.Drawing.Size(84, 16);
this.label41.TabIndex = 10;
this.label41.Text = "Matrix x(0)";
//
// dataGridX0
//
this.dataGridX0.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridX0.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridX0.Location = new System.Drawing.Point(30, 49);
this.dataGridX0.Name = "dataGridX0";
this.dataGridX0.Size = new System.Drawing.Size(67, 227);
this.dataGridX0.TabIndex = 0;
//
// panel9
//
this.panel9.Controls.Add(this.label_k);
this.panel9.Controls.Add(this.label32);
this.panel9.Controls.Add(this.label33);
this.panel9.Controls.Add(this.label37);
this.panel9.Controls.Add(this.dataGridSolutionXk);
this.panel9.Location = new System.Drawing.Point(630, 103);
this.panel9.Name = "panel9";
this.panel9.Size = new System.Drawing.Size(257, 282);
this.panel9.TabIndex = 62;
//
// label_k
//
this.label_k.ForeColor = System.Drawing.Color.Navy;
this.label_k.Location = new System.Drawing.Point(112, 25);
this.label_k.Name = "label_k";
this.label_k.Size = new System.Drawing.Size(19, 18);
this.label_k.TabIndex = 20;
this.label_k.Text = "k";
//
// label32
//
this.label32.AutoSize = true;
this.label32.Font = new System.Drawing.Font("Microsoft Sans Serif", 9.75F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
this.label32.ForeColor = System.Drawing.Color.Navy;
```

```
this.label32.Location = new System.Drawing.Point(129, 25);
this.label32.Name = "label32";
this.label32.Size = new System.Drawing.Size(12, 16);
this.label32.TabIndex = 19;
this.label32.Text = ")";
//
// label33
//
this.label33.AutoSize = true;
this.label33.ForeColor = System.Drawing.Color.Navy;
this.label33.Location = new System.Drawing.Point(34, 25);
this.label33.Name = "label33";
this.label33.Size = new System.Drawing.Size(60, 16);
this.label33.TabIndex = 18;
this.label33.Text = "Matrix";
//
// label37
//
this.label37.AutoSize = true;
this.label37.ForeColor = System.Drawing.Color.Navy;
this.label37.Location = new System.Drawing.Point(100, 25);
this.label37.Name = "label37";
this.label37.Size = new System.Drawing.Size(18, 16);
this.label37.TabIndex = 14;
this.label37.Text = "x(";
//
// dataGridViewSolutionXk
//
this.dataGridViewSolutionXk.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridViewSolutionXk.ColumnHeadersHeightSizeMode = System.Windows.Forms.DataGridViewAutoSizeColumnHeadersHeight;
this.dataGridViewSolutionXk.Location = new System.Drawing.Point(54, 49);
this.dataGridViewSolutionXk.Name = "dataGridViewSolutionXk";
this.dataGridViewSolutionXk.Size = new System.Drawing.Size(77, 227);
this.dataGridViewSolutionXk.TabIndex = 8;
//
// panel11
//
this.panel11.Controls.Add(this.label38);
this.panel11.Controls.Add(this.dataGridViewA6);
this.panel11.Location = new System.Drawing.Point(18, 103);
this.panel11.Name = "panel11";
this.panel11.Size = new System.Drawing.Size(269, 282);
```

```
this.panel11.TabIndex = 60;
//
// label38
//
this.label38.AutoSize = true;
this.label38.ForeColor = System.Drawing.Color.MidnightBlue;
this.label38.Location = new System.Drawing.Point(27, 16);
this.label38.Name = "label38";
this.label38.Size = new System.Drawing.Size(72, 16);
this.label38.TabIndex = 10;
this.label38.Text = "Matrix A";
//
// dataGridA6
//
this.dataGridA6.BackgroundColor = System.Drawing.Color.WhiteSmoke;
this.dataGridA6.ColumnHeadersHeightSizeMode = System.Windows.Forms.
DataGridViewColumnHeadersHeightSizeMode.AutoSize;
this.dataGridA6.Location = new System.Drawing.Point(23, 49);
this.dataGridA6.Name = "dataGridA6";
this.dataGridA6.Size = new System.Drawing.Size(223, 227);
this.dataGridA6.TabIndex = 0;
//
// textk
//
this.textk.Location = new System.Drawing.Point(176, 66);
this.textk.Name = "textk";
this.textk.Size = new System.Drawing.Size(41, 22);
this.textk.TabIndex = 58;
//
// textlineA6
//
this.textlineA6.Location = new System.Drawing.Point(378, 26);
this.textlineA6.Name = "textlineA6";
this.textlineA6.Size = new System.Drawing.Size(41, 22);
this.textlineA6.TabIndex = 57;
//
// label39
//
this.label39.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom)| System.Windows.
Forms.AnchorStyles.Left));
this.label39.AutoSize = true;
this.label39.Location = new System.Drawing.Point(15, 66);
```

```
this.label39.Name = "label39";
this.label39.Size = new System.Drawing.Size(155, 16);
this.label39.TabIndex = 56;
this.label39.Text = "Introduce value of k!";
//
// label40
//
this.label40.Anchor = ((System.Windows.Forms.AnchorStyles)((System.Windows.
Forms.AnchorStyles.Top | System.Windows.Forms.AnchorStyles.Bottom)| System.Windows.
Forms.AnchorStyles.Left)));
this.label40.AutoSize = true;
this.label40.Location = new System.Drawing.Point(15, 29);
this.label40.Name = "label40";
this.label40.Size = new System.Drawing.Size(357, 16);
this.label40.TabIndex = 55;
this.label40.Text = "Introduce number of lines and columns of matrix A !";
//
// btResetSystem
//
this.btResetSystem.BackColor = System.Drawing.Color.Pink;
this.btResetSystem.ForeColor = System.Drawing.Color.Black;
this.btResetSystem.Location = new System.Drawing.Point(461, 314);
this.btResetSystem.Name = "btResetSystem";
this.btResetSystem.Size = new System.Drawing.Size(125,65);
this.btResetSystem.TabIndex = 67;
this.btResetSystem.Text = "Reset values";
this.btResetSystem.UseVisualStyleBackColor = false;
this.btResetSystem.Click += new System.EventHandler(this.btResetSystem_Click);
//
// btComputSystem
//
this.btComputSystem.BackColor = System.Drawing.Color.PowderBlue;
this.btComputSystem.ForeColor = System.Drawing.SystemColors.ControlText;
this.btComputSystem.Location = new System.Drawing.Point(461, 211);
this.btComputSystem.Name = "btComputSystem";
this.btComputSystem.Size = new System.Drawing.Size(125, 65);
this.btComputSystem.TabIndex = 66;
this.btComputSystem.Text = "Computing matrix x(k)";
this.btComputSystem.UseVisualStyleBackColor = false;
this.btComputSystem.Click += new System.EventHandler(this.btComputSystem_Click);
//
// btGeneratingMatrices
//
```

```

this.btGeneratingMatrices.BackColor = System.Drawing.Color.PowderBlue;
this.btGeneratingMatrices.ForeColor = System.Drawing.SystemColors.ControlText;
this.btGeneratingMatrices.Location = new System.Drawing.Point(461, 103);
this.btGeneratingMatrices.Name = "btGeneratingMatrices";
this.btGeneratingMatrices.Size = new System.Drawing.Size(125, 65);
this.btGeneratingMatrices.TabIndex = 65;
this.btGeneratingMatrices.Text = "Generating matrix";
this.btGeneratingMatrices.UseVisualStyleBackColor = false;
this.btGeneratingMatrices.Click += new System.EventHandler(this.
btGeneratingMatrices_Click);
// 
// Form1
// 
this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
this.BackColor = System.Drawing.Color.FromArgb(((int)
(((byte)(192)))), ((int)((((byte)(255)))),((int))))));
this.ClientSize = new System.Drawing.Size(1024, 742);
this.Controls.Add(this.tabControl1);
this.Font = new System.Drawing.Font("Microsoft Sans Serif", 9.75F, System.Drawing.
FontStyle.Regular, System.Drawing.GraphicsUnit.Point,((byte)(0)));
this.Margin = new System.Windows.Forms.Padding(4);
this.Name = "Form1";
this.Text = "Operations with matrices in min-plus algebra";
this.tabControl1.ResumeLayout(false);
this.tabAddition.ResumeLayout(false);
this.tabAddition.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
this.panel1.ResumeLayout(false);
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridResAddition)).EndInit();
this.panel2.ResumeLayout(false);
this.panel2.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridB)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridA)).EndInit();
this.tabMultiplication.ResumeLayout(false);
this.tabMultiplication.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).EndInit();
this.panel3.ResumeLayout(false);
((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridProduct)).EndInit();
this.panel4.ResumeLayout(false);

```

```

        this.panel4.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridB2)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridA2)).EndInit();
    this.tabMultiplication_scalar.ResumeLayout(false);
    this.tabMultiplication_scalar.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox6)).EndInit();
    this.panel6.ResumeLayout(false);
((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.dataGridProductScalar)).EndInit();
    this.panel5.ResumeLayout(false);
    this.panel5.PerformLayout();
    this.panel5.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridA3)).EndInit();
    this.tabLifting_at_power.ResumeLayout(false);
    this.tabLifting_at_power.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox9)).EndInit();
    this.panel7.ResumeLayout(false);
    this.panel7.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridMatrix_at_power_n)).EndInit();
    this.panel8.ResumeLayout(false);
    this.panel8.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridA4)).EndInit();
    this.tabComputDet.ResumeLayout(false);
    this.tabComputDet.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox10)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox8)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox7)).EndInit();
    this.panel10.ResumeLayout(false);
    this.panel10.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridA5)).EndInit();
    this.tabPage1.ResumeLayout(false);
    this.tabPage1.PerformLayout();
    this.panel12.ResumeLayout(false);
    this.panel12.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridX0)).EndInit();
    this.panel9.ResumeLayout(false);
    this.panel9.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridSolutieXk)).EndInit();
    this.panel11.ResumeLayout(false);
    this.panel11.PerformLayout();
((System.ComponentModel.ISupportInitialize)(this.dataGridA6)).EndInit();
    this.ResumeLayout(false);
}

```

```
#endregion

private System.Windows.Forms.TabControl tabControl1;
private System.Windows.Forms.TabPage tabPageAddition;
private System.Windows.Forms.TabPage tabPageMultiplication;
private System.Windows.Forms.TabPage tabPageMultiplication_scalar;
private System.Windows.Forms.Panel panel2;
private System.Windows.Forms.DataGridView dataGridViewB;
private System.Windows.Forms.DataGridView dataGridViewA;
private System.Windows.Forms.TextBox textBoxColumn;
private System.Windows.Forms.TextBox textBoxLine;
private System.Windows.Forms.Label label3;
private System.Windows.Forms.Label label2;
private System.Windows.Forms.Label label4;
private System.Windows.Forms.Label label1;
private System.Windows.Forms.Panel panel1;
private System.Windows.Forms.DataGridView dataGridViewResAddition;
private System.Windows.Forms.PictureBox pictureBox2;
private System.Windows.Forms.Label label13;
private System.Windows.Forms.TextBox textBoxColumnB2;
private System.Windows.Forms.TextBox textBoxLineB2;
private System.Windows.Forms.Label label11;
private System.Windows.Forms.Label label12;
private System.Windows.Forms.Panel panel3;
private System.Windows.Forms.DataGridView dataGridViewProduct;
private System.Windows.Forms.Panel panel4;
private System.Windows.Forms.Label label7;
private System.Windows.Forms.Label label8;
private System.Windows.Forms.DataGridView dataGridViewB2;
private System.Windows.Forms.DataGridView dataGridViewA2;
private System.Windows.Forms.TextBox textBoxColumnA2;
private System.Windows.Forms.TextBox textBoxLineA2;
private System.Windows.Forms.Label label9;
private System.Windows.Forms.Label label10;
private System.Windows.Forms.PictureBox pictureBox4;
private System.Windows.Forms.Panel panel5;
private System.Windows.Forms.Label label17;
private System.Windows.Forms.DataGridView dataGridViewA3;
private System.Windows.Forms.TextBox textBoxColumnA3;
private System.Windows.Forms.TextBox textBoxLineA3;
private System.Windows.Forms.Label label14;
private System.Windows.Forms.Label label15;
private System.Windows.Forms.TextBox textBoxScalar;
```

```
private System.Windows.Forms.Label label16;
private System.Windows.Forms.Panel panel6;
private System.Windows.Forms.PictureBox pictureBox5;
private System.Windows.Forms.DataGridView dataGridViewProductScalar;
private System.Windows.Forms.TabPage tabLifting_at_power;
private System.Windows.Forms.Panel panel7;
private System.Windows.Forms.DataGridView dataGridViewMatrix_at_power_n;
private System.Windows.Forms.Panel panel8;
private System.Windows.Forms.Label label20;
private System.Windows.Forms.DataGridView dataGridViewA4;
private System.Windows.Forms.TextBox textPower;
private System.Windows.Forms.TextBox textlineA4;
private System.Windows.Forms.Label label18;
private System.Windows.Forms.Label label19;
private System.Windows.Forms.Label label21;
private System.Windows.Forms.TabPage tabComputDet;
private System.Windows.Forms.TextBox textlineA5;
private System.Windows.Forms.Label label22;
private System.Windows.Forms.Label label25;
private System.Windows.Forms.Label label26;
private System.Windows.Forms.Label labelPower;
private System.Windows.Forms.Label label24;
private System.Windows.Forms.Panel panel10;
private System.Windows.Forms.Label label23;
private System.Windows.Forms.DataGridView dataGridViewA5;
private System.Windows.Forms.PictureBox pictureBox8;
private System.Windows.Forms.PictureBox pictureBox7;
private System.Windows.Forms.TextBox textDet_minus;
private System.Windows.Forms.TextBox textDet_plus;
private System.Windows.Forms.Label label27;
private System.Windows.Forms.Label label6;
private System.Windows.Forms.PictureBox pictureBox1;
private System.Windows.Forms.Label label5;
private System.Windows.Forms.Label label28;
private System.Windows.Forms.Label label29;
private System.Windows.Forms.Label label30;
private System.Windows.Forms.Button btGenerating;
private System.Windows.Forms.Button btReset;
private System.Windows.Forms.Button btComputSum;
private System.Windows.Forms.Button btComputProduct;
private System.Windows.Forms.Button btGenerating2;
private System.Windows.Forms.Button btResetMultiplication;
private System.Windows.Forms.Button btReset_Product_Scalar;
```

```

private System.Windows.Forms.Button btProductScalar;
private System.Windows.Forms.Button buttonsGenerating3;
private System.Windows.Forms.Button btReset_lifting_at_power;
private System.Windows.Forms.Button btComputPower;
private System.Windows.Forms.Button btGeneratingA4;
private System.Windows.Forms.Button bt_Reset_values_det;
private System.Windows.Forms.Button btComputingDeterminant;
private System.Windows.Forms.Button btGeneratingA5;
private System.Windows.Forms.PictureBox pictureBox3;
private System.Windows.Forms.PictureBox pictureBox6;
private System.Windows.Forms.PictureBox pictureBox9;
private System.Windows.Forms.PictureBox pictureBox10;
private System.Windows.Forms.TabPage tabPage1;
private System.Windows.Forms.Panel panel12;
private System.Windows.Forms.Label label41;
private System.Windows.Forms.DataGridView dataGridViewX0;
private System.Windows.Forms.Panel panel9;
private System.Windows.Forms.Label label_k;
private System.Windows.Forms.Label label32;
private System.Windows.Forms.Label label33;
private System.Windows.Forms.Label label37;
private System.Windows.Forms.DataGridView dataGridViewSolutionXk;
private System.Windows.Forms.Panel panel11;
private System.Windows.Forms.Label label38;
private System.Windows.Forms.DataGridView dataGridViewA6;
private System.Windows.Forms.TextBox textk;
private System.Windows.Forms.TextBox textlineA6;
private System.Windows.Forms.Label label39;
private System.Windows.Forms.Label label40;
private System.Windows.Forms.Button btResetSystem;
private System.Windows.Forms.Button btComputSystem;
private System.Windows.Forms.Button btGeneratingMatrices;
}

}

```

- The principal program is constituted from the following lines.

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Text;

```

```

using System.Windows.Forms;
namespace Operations_ with_matrices
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        public int[,] A5 = new int[50, 50];
        private void initMatrixA()
        {
            // Create an unbound DataGridView by declaring a column count.
            int column = 0;
            column = Convert.ToInt16(textColumn.Text);
            dataGridViewA.ColumnCount = column;
            dataGridViewA.AllowUserToOrderColumns = false;
            dataGridViewA.AllowUserToAddRows = false;
            dataGridViewA.Enabled = true;
            dataGridViewA.AutoSizeColumnsMode = DataGridViewAutoSizeColumnsMode.
DisplayedCellsExceptHeaders;
            dataGridViewA.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
            dataGridViewA.CellBorderStyle = DataGridViewCellBorderStyle.Single;
            dataGridViewA.GridColor = Color.DodgerBlue;
            dataGridViewA.ColumnHeadersVisible = false;
            dataGridViewA.RowHeadersVisible = false;
            dataGridViewA.BackgroundColor = Color.WhiteSmoke;
            dataGridViewA.BorderStyle = BorderStyle.None;
            dataGridViewA.AllowUserToResizeColumns = true;
            DataGridViewCellStyle style = new DataGridViewCellStyle();
            style.Format = "N0";
            style.NullValue = null;
            //dataGridViewA.DefaultCellStyle = style;
            //dataGridViewA.DefaultCellStyle = Font(12.75F);
            //Set the column header style.
            DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
            columnHeaderStyle.BackColor = Color.AntiqueWhite;
            columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
            dataGridViewA.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
            DataGridViewCell CellR = new DataGridViewTextBoxCell();

```

```

CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLine.Text);
dataGridA.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridA.Columns[i].Name = "C" + (i + 1);
    dataGridA.Columns[i].CellTemplate = CellR;
    dataGridA.Columns[i].Width = 30;
    dataGridA.Columns[i].DefaultCellStyle = style;
}
}
private void initMatrixB()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textColumn.Text);
    dataGridB.ColumnCount = column;
    dataGridB.AllowUserToOrderColumns = false;
    dataGridB.AllowUserToAddRows = false;
    dataGridB.Enabled = true;
    dataGridB.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridB.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridB.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridB.GridColor = Color.DodgerBlue;
    dataGridB.ColumnHeadersVisible = false;
    dataGridB.RowHeadersVisible = false;
    dataGridB.BackgroundColor = Color.WhiteSmoke;
    dataGridB.BorderStyle = BorderStyle.None;
    dataGridB.AllowUserToResizeColumns = true;
    // dataGridB.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridB.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();

```

```

CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLine.Text);
dataGridB.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridB.Columns[i].Name = "C" + (i + 1);
    dataGridB.Columns[i].CellTemplate = CellR;
    dataGridB.Columns[i].Width = 30;
}
}
private void initMatrixA2 ()
{
    // Create an unbound DataGridView by declaring a column count.

    int column = 0;
    column = Convert.ToInt16(textColumnA2.Text);
    dataGridA2.ColumnCount = column;
    dataGridA2.AllowUserToOrderColumns = false;
    dataGridA2.AllowUserToAddRows = false;
    dataGridA2.Enabled = true;
    dataGridA2.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridA2.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridA2.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridA2.GridColor = Color.DodgerBlue;
    dataGridA2.ColumnHeadersVisible = false;
    dataGridA2.RowHeadersVisible = false;
    dataGridA2.BackgroundColor = Color.WhiteSmoke;
    dataGridA2.BorderStyle = BorderStyle.None;
    dataGridA2.AllowUserToResizeColumns = true;

    // dataGridA2.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridResAddition.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
}

```

```

DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLineA2.Text);
dataGridA2.RowCount = line;
for (int i = 0; i < column; i++)
{
    //dataGridA2.Columns[i].Name = "C" + (i + 1);
    dataGridA2.Columns[i].Name = "C" + (i + 1);
    dataGridA2.Columns[i].CellTemplate = CellR;
    dataGridA2.Columns[i].Width = 30;
}
private void initMatrixB2()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textcolumnB2.Text);
    dataGridB2.ColumnCount = column;
    dataGridB2.AllowUserToOrderColumns = false;
    dataGridB2.AllowUserToAddRows = false;
    dataGridB2.Enabled = true;
    dataGridB2.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
    DisplayedCellsExceptHeaders;
    dataGridB2.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridB2.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridB2.GridColor = Color.DodgerBlue;
    dataGridB2.ColumnHeadersVisible = false;
    dataGridB2.RowHeadersVisible = false;
    dataGridB2.BackgroundColor = Color.WhiteSmoke;
    dataGridB2.BorderStyle = BorderStyle.None;
    dataGridB2.AllowUserToResizeColumns = true;
    // dataGridB2.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridB2.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();

```

```

CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLineB2.Text);
dataGridB2.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridB2.Columns[i].Name = "C" + (i + 1);
    dataGridB2.Columns[i].CellTemplate = CellR;
    dataGridB2.Columns[i].Width = 30;
}
}

private void initMatrixA3()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textcolumnA3.Text);
    dataGridA3.ColumnCount = column;
    dataGridA3.AllowUserToOrderColumns = false;
    dataGridA3.AllowUserToAddRows = false;
    dataGridA3.Enabled = true;
    dataGridA3.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridA3.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridA3.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridA3.GridColor = Color.DodgerBlue;
    dataGridA3.ColumnHeadersVisible = false;
    dataGridA3.RowHeadersVisible = false;
    dataGridA3.BackgroundColor = Color.WhiteSmoke;
    dataGridA3.BorderStyle = BorderStyle.None;
    dataGridA3.AllowUserToResizeColumns = true;
    // dataGridA3.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridA3.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
}

```

```
int line = 0;
line = Convert.ToInt16(textLineA3.Text);
dataGridA3.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridA3.Columns[i].Name = "C" + (i + 1);
    dataGridA3.Columns[i].CellTemplate = CellR;
    dataGridA3.Columns[i].Width = 30;
}
}

private void initMatrixA4()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textlineA4.Text);
    dataGridA4.ColumnCount = column;
    dataGridA4.AllowUserToOrderColumns = false;
    dataGridA4.AllowUserToAddRows = false;
    dataGridA4.Enabled = true;
    dataGridA4.AutoSizeColumnsMode = DataGridViewAutoSizeColumnsMode.DisplayedCellsExceptHeaders;
    dataGridA4.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridA4.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridA4.GridColor = Color.DodgerBlue;
    dataGridA4.ColumnHeadersVisible = false;
    dataGridA4.RowHeadersVisible = false;
    dataGridA4.BackgroundColor = Color.WhiteSmoke;
    dataGridA4.BorderStyle = BorderStyle.None;
    dataGridA4.AllowUserToResizeColumns = true;
    // dataGridA4.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridA4.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
    int line = 0;
```

```

line = Convert.ToInt16(textlineA4.Text);
dataGridA4.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridA4.Columns[i].Name = "C" + (i + 1);
    dataGridA4.Columns[i].CellTemplate = CellR;
    dataGridA4.Columns[i].Width = 30;
}
private void initMatrixA5()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textlineA5.Text);
    dataGridA5.ColumnCount = column;
    dataGridA5.AllowUserToOrderColumns = false;
    dataGridA5.AllowUserToAddRows = false;
    dataGridA5.Enabled = true;
    dataGridA5.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridA5.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridA5.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridA5.GridColor = Color.DodgerBlue;
    dataGridA5.ColumnHeadersVisible = false;
    dataGridA5.RowHeadersVisible = false;
    dataGridA5.BackgroundColor = Color.WhiteSmoke;
    dataGridA5.BorderStyle = BorderStyle.None;
    dataGridA5.AllowUserToResizeColumns = true;
    // dataGridA5.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridA5.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
    int line = 0;
    line = Convert.ToInt16(textlineA5.Text);
}

```

```

dataGridA5.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridA5.Columns[i].Name = "C" + (i + 1);
    dataGridA5.Columns[i].CellTemplate = CellR;
    dataGridA5.Columns[i].Width = 30;
}
}

private void initMatrixA6()
{
    int column = 0;
    column = Convert.ToInt16(textlineA6.Text);
    dataGridA6.ColumnCount = column;
    dataGridA6.AllowUserToOrderColumns = false;
    dataGridA6.AllowUserToAddRows = false;
    dataGridA6.Enabled = true;
    dataGridA6.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridA6.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridA6.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridA6.GridColor = Color.DodgerBlue;
    dataGridA6.ColumnHeadersVisible = false;
    dataGridA6.RowHeadersVisible = false;
    dataGridA6.BackgroundColor = Color.WhiteSmoke;
    dataGridA6.BorderStyle = BorderStyle.None;
    dataGridA6.AllowUserToResizeColumns = true;
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridA6.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
    int line = 0;
    line = Convert.ToInt16(textlineA6.Text);
    dataGridA6.RowCount = line;
    for (int i = 0; i < column; i++)
    {
        dataGridA6.Columns[i].Name = "C" + (i + 1);
        dataGridA6.Columns[i].CellTemplate = CellR;
    }
}

```

```

        dataGridA6.Columns[i].Width = 30;
    }
}
private void initMatrixX0()
{
    int column = 0;
    column = 1;
    dataGridX0.ColumnCount = column;
    dataGridX0.AllowUserToOrderColumns = false;
    dataGridX0.AllowUserToAddRows = false;
    dataGridX0.Enabled = true;
    dataGridX0.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridX0.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridX0.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridX0.GridColor = Color.DodgerBlue;
    dataGridX0.ColumnHeadersVisible = false;
    dataGridX0.RowHeadersVisible = false;
    dataGridX0.BackgroundColor = Color.WhiteSmoke;
    dataGridX0.BorderStyle = BorderStyle.None;
    dataGridX0.AllowUserToResizeColumns = true;
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridX0.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
    int line = 0;
    line = Convert.ToInt16(textlineA6.Text);
    dataGridX0.RowCount = line;
    for (int i = 0; i < column; i++)
    {
        dataGridX0.Columns[i].Name = "C" + (i + 1);
        dataGridX0.Columns[i].CellTemplate = CellR;
        dataGridX0.Columns[i].Width = 30;
    }
}
private void initMatrixAdditionResult()
{

```

```

// Create an unbound DataGridView by declaring a column count.

int column = 0;
column = Convert.ToInt16(textcolumn.Text);
dataGridResAddition.ColumnCount = column;
dataGridResAddition.AllowUserToOrderColumns = false;
dataGridResAddition.AllowUserToAddRows = false;
dataGridResAddition.Enabled = true;
dataGridResAddition.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
dataGridResAddition.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
dataGridResAddition.CellBorderStyle = DataGridViewCellBorderStyle.Single;
dataGridResAddition.GridColor = Color.DodgerBlue;
dataGridResAddition.ColumnHeadersVisible = false;
dataGridResAddition.RowHeadersVisible = false;
dataGridResAddition.BackgroundColor = Color.WhiteSmoke;
dataGridResAddition.BorderStyle = BorderStyle.None;
dataGridResAddition.AllowUserToResizeColumns = true;

// dataGridResAddition.DefaultCellStyle = Font(12.75F);

// Set the column header style.

DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
columnHeaderStyle.BackColor = Color.AntiqueWhite;
columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
dataGridResAddition.ColumnHeadersDefaultCellStyle = columnHeaderStyle;

DataGridViewCell CellR = new DataGridViewTextBoxCell();
CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLine.Text);
dataGridResAddition.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridResAddition.Columns[i].Name = "C" + (i + 1);
    dataGridResAddition.Columns[i].CellTemplate = CellR;
    dataGridResAddition.Columns[i].Width = 30;
}
}

private void initMatrixProduct()
{
    // Create an unbound DataGridView by declaring a column count.
}

```

```

int column = 0;
column = Convert.ToInt16(textcolumnB2.Text);
dataGridProduct.ColumnCount = column;
dataGridProduct.AllowUserToOrderColumns = false;
dataGridProduct.AllowUserToAddRows = false;
dataGridProduct.Enabled = true;
dataGridProduct.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
dataGridProduct.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
dataGridProduct.CellBorderStyle = DataGridViewCellBorderStyle.Single;
dataGridProduct.GridColor = Color.DodgerBlue;
dataGridProduct.ColumnHeadersVisible = false;
dataGridProduct.RowHeadersVisible = false;
dataGridProduct.BackgroundColor = Color.WhiteSmoke;
dataGridProduct.BorderStyle = BorderStyle.None;
dataGridProduct.AllowUserToResizeColumns = true;
// dataGridProduct.DefaultCellStyle = Font(12.75F);
// Set the column header style.
DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
columnHeaderStyle.BackColor = Color.AntiqueWhite;
columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
dataGridProduct.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
DataGridViewCell CellR = new DataGridViewTextBoxCell();
CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLineA2.Text);
dataGridProduct.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridProduct.Columns[i].Name = "C" + (i + 1);
    dataGridProduct.Columns[i].CellTemplate = CellR;
    dataGridProduct.Columns[i].Width = 30;
}
}
private void initMatrixScalarProduct()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
}

```

```

column = Convert.ToInt16(textcolumnA3.Text);
dataGridScalarProduct.ColumnCount = column;
dataGridScalarProduct.AllowUserToOrderColumns = false;
dataGridScalarProduct.AllowUserToAddRows = false;
dataGridScalarProduct.Enabled = true;
dataGridScalarProduct.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridScalarProduct.ColumnHeadersBorderStyle = DataGridViewHeaderBorderStyle.Raised;
    dataGridScalarProduct.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridScalarProduct.GridColor = Color.DodgerBlue;
    dataGridScalarProduct.ColumnHeadersVisible = false;
    dataGridScalarProduct.RowHeadersVisible = false;
    dataGridScalarProduct.BackgroundColor = Color.WhiteSmoke;
    dataGridScalarProduct.BorderStyle = BorderStyle.None;
    dataGridScalarProduct.AllowUserToResizeColumns = true;
    // dataGridProduct.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
columnHeaderStyle.BackColor = Color.AntiqueWhite;
columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
dataGridScalarProduct.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
DataGridViewCell CellR = new DataGridViewTextBoxCell();
CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textLineA3.Text);
dataGridScalarProduct.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridScalarProduct.Columns[i].Name = "C" + (i + 1);
    dataGridScalarProduct.Columns[i].CellTemplate = CellR;
    dataGridScalarProduct.Columns[i].Width = 30;
}
}
private void initPowerMatrix ()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = Convert.ToInt16(textlineA4.Text);
    dataGridMatrix_at_power_n.ColumnCount = column;
}

```

```

dataGridMatrix_at_power_n.AllowUserToOrderColumns=false;
dataGridMatrix_at_power_n.AllowUserToAddRows=false;
dataGridMatrix_at_power_n.Enabled =true;
dataGridMatrix_at_power_n.AutoSizeRowsMode=DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridMatrix_at_power_n.ColumnHeadersBorderStyle = DataGridViewHeader
BorderStyle.Raised;
    dataGridMatrix_at_power_n.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridMatrix_at_power_n.GridColor =Color.DodgerBlue;
    dataGridMatrix_at_power_n.ColumnHeadersVisible=false;
    dataGridMatrix_at_power_n.RowHeadersVisible=false;
    dataGridMatrix_at_power_n.BackgroundColor = Color.WhiteSmoke;
    dataGridMatrix_at_power_n.BorderStyle = BorderStyle.None;
    dataGridMatrix_at_power_n.AllowUserToResizeColumns=true;
    // dataGridProduct.DefaultCellStyle = Font(12.75F);
    // Set the column header style.
DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
columnHeaderStyle.BackColor = Color.AntiqueWhite;
columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
dataGridMatrix_at_power_n.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
DataGridViewCell CellR = new DataGridViewTextBoxCell();
CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
DataGridViewCell CellL = new DataGridViewTextBoxCell();
CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
int line = 0;
line = Convert.ToInt16(textlinieA4.Text);
dataGridMatrix_at_power_n.RowCount = line;
for (int i = 0; i < column; i++)
{
    dataGridMatrix_at_power_n.Columns[i].Name = "C" + (i + 1);
    dataGridMatrix_at_power_n.Columns[i].CellTemplate = CellR;
    dataGridMatrix_at_power_n.Columns[i].Width = 30;
}
private void initMatrixSolutionSystem()
{
    // Create an unbound DataGridView by declaring a column count.
    int column = 0;
    column = 1;
    dataGridSolutionXk.ColumnCount = column;
}

```

```

dataGridSolutionXk.AllowUserToOrderColumns = false;
dataGridSolutionXk.AllowUserToAddRows = false;
dataGridSolutionXk.Enabled = true;
dataGridSolutionXk.AutoSizeRowsMode = DataGridViewAutoSizeRowsMode.
DisplayedCellsExceptHeaders;
    dataGridSolutionXk.ColumnHeadersBorderStyle = DataGridViewHeader
BorderStyle.Raised;
    dataGridSolutionXk.CellBorderStyle = DataGridViewCellBorderStyle.Single;
    dataGridSolutionXk.GridColor = Color.DodgerBlue;
    dataGridSolutionXk.ColumnHeadersVisible = false;
    dataGridSolutionXk.RowHeadersVisible = false;
    dataGridSolutionXk.BackgroundColor = Color.WhiteSmoke;
    dataGridSolutionXk.BorderStyle = BorderStyle.None;
    dataGridSolutionXk.AllowUserToResizeColumns = true;
    DataGridViewCellStyle columnHeaderStyle = new DataGridViewCellStyle();
    columnHeaderStyle.BackColor = Color.AntiqueWhite;
    columnHeaderStyle.Alignment = DataGridViewContentAlignment.MiddleCenter;
    dataGridSolutieXk.ColumnHeadersDefaultCellStyle = columnHeaderStyle;
    DataGridViewCell CellR = new DataGridViewTextBoxCell();
    CellR.Style.Alignment = DataGridViewContentAlignment.MiddleRight;
    DataGridViewCell CellL = new DataGridViewTextBoxCell();
    CellL.Style.Alignment = DataGridViewContentAlignment.MiddleLeft;
    int line = 0;
    line = Convert.ToInt16(textlineA6.Text);
    dataGridSolutionXk.RowCount = line;
    for (int i = 0; i < column; i++)
    {
        dataGridSolutionXk.Columns[i].Name = "C" + (i + 1);
        dataGridSolutionXk.Columns[i].CellTemplate = CellR;
        dataGridSolutionXk.Columns[i].Width = 30;
    }
}
private void btGenerating_Click(object sender, EventArgs e)
{
    if (textLine.Text != "" && textColumn.Text != "")
    {
        initMatrixA();
        initMatrixB();
    }
    else
    {

```

```

if (textLine.Text == "" && textColumn.Text == "") 
    MessageBox.Show("Introduce number of lines and number of columns!");
else if (textLine.Text == "") 
    MessageBox.Show("Introduce number of lines!");
else if (textColumns.Text == "") 
    MessageBox.Show("Introduce number of columns!");
}
}

private void btGenerating2_Click(object sender, EventArgs e)
{
    if (textLineA2.Text != "" && textColumnA2.Text != "" && textLineB2.Text != "" 
&& textcolumnB2.Text != "") 
    {
        initMatrixA2();
        initMatrixB2();
    }
    else
    {
        if (textLineA2.Text == "" && textColumnA2.Text == "" && textLineB2.Text 
== "" && textcolumnB2.Text == "") 
            MessageBox.Show("Introduce number of lines and number of columns!");
        else
        {
            if (textLineA2.Text == "" || textLineB2.Text == "") 
                MessageBox.Show("Introduce number of lines for matrix A!");
            else if (textColumnA2.Text == "") 
                MessageBox.Show("Introduce number of columns for matrix A!");
            else if (textcolumnB2.Text == "") 
                MessageBox.Show("Introduce number of columns for matrix B!");
        }
    }
}

private void Generating butons3_Click(object sender, EventArgs e)
{
    if (textLineA3.Text != "") 
    {
        initMatrixA3();
    }
    else 
        MessageBox.Show("Introduce number of lines and number of columns!");
}

private void GeneratingA4_Click(object sender, EventArgs e)

```

```

{
    if (textLineA4.Text != "")
    {
        initMatrixA4();
    }
    else
        MessageBox.Show("Introduce number of lines and number of columns!");
}
private void GeneratingA5_Click(object sender, EventArgs e)
{
    if (textLineA5.Text != "")
    {
        initMatrixA5();
    }
    else
        MessageBox.Show("Introduce number of lines and number of columns!");
}
private void btGeneratingMatrices_Click(object sender, EventArgs e)
{
    if (textlineA6.Text != "")
    {
        initMatrixA6();
        initMatrixX0();
    }
    else
        MessageBox.Show("Introduce number of lines and columns!");
}
private void btComputeSumClick(object sender, EventArgs e)
{
    initMatrixAdditionResult();
    int line = 0;
    int column = 0;
    column = Convert.ToInt16(textColumn.Text);
    line = Convert.ToInt16(textLine.Text);
    int[,] A = new int[line, column];
    int[,] B = new int[line, column];
    int[,] ResAddition = new int[line, column];
    for (int i = 0; i < line; i++)
    {
        for (int j = 0; j < column; j++)
        {
            MessageBox.Show(dataGridA.Rows[i].Cells[j].Value.ToString() )
        }
    }
}

```

```

if (dataGridA.Rows[i].Cells[j].Value.ToString() == "E")
    A[i, j] = Int32.MaxValue;
else
    A[i, j] = Convert.ToInt16(dataGridA.Rows[i].Cells[j].Value.ToString());
if (dataGridB.Rows[i].Cells[j].Value.ToString() == "E")
    B[i, j] = Int32.MaxValue;
else
    B[i, j] = Convert.ToInt16(dataGridB.Rows[i].Cells[j].Value.ToString());
if (A[i, j] < B[i, j])
    ResAddition[i, j] = A[i, j];
else
    ResAddition[i, j] = B[i, j];
}
}
for (int i = 0; i < line; i++)
{
    for (int j = 0; j < column; j++)
    {
        if (ResAddition[i, j] == Int32.MaxValue)
            dataGridResAddition.Rows[i].Cells[j].Value = "E";
        else
            dataGridResAddition.Rows[i].Cells[j].Value = ResAddition[i, j];
    }
}
private void btComputationProduct_Click(object sender, EventArgs e)
{
    initMatrixProduct();
    int lineA = 0; int lineB = 0;
    int columnA = 0; int columnB = 0;
    columnA = Convert.ToInt16(textColumnA2.Text);
    lineA = Convert.ToInt16(textLineA2.Text);
    columnB = Convert.ToInt16(textcolumnB2.Text);
    lineB = Convert.ToInt16(textLineB2.Text);
    int[,] A2 = new int[lineA, columnA];
    int[,] B2 = new int[lineB, columnB];
    int[,] Product = new int[lineA, columnB];
    int[,] Sum = new int[lineA, columnB];
    int k;
    for (int i = 0; i < lineA; i++)
    {
        for (int j = 0; j < columnA; j++)

```

```

{
if (dataGridViewA2.Rows[i].Cells[j].Value.ToString() == "E")
    A2[i, j] = Int32.MaxValue;
else
    A2[i, j] = Convert.ToInt16(dataGridViewA2.Rows[i].Cells[j].Value.ToString());
}
}

for (int i = 0; i < lineB; i++)
{
    for (int j = 0; j < columnB; j++)
    {
        if (dataGridViewB2.Rows[i].Cells[j].Value.ToString() == "E")
            B2[i, j] = Int32.MaxValue;
        else
            B2[i, j] = Convert.ToInt16(dataGridViewB2.Rows[i].Cells[j].Value.ToString());
    }
}

for (int i = 0; i < lineA; i++)
{
    for (int j = 0; j < columnB; j++)
    {
        Product[i, j] = Int32.MaxValue;
        for (k = 0; k < lineB; k++)
        {
            if (A2[i, k] == Int32.MaxValue || B2[k, j] == Int32.MaxValue)
                Sum[i, j] = Int32.MaxValue;
            else
                Sum[i, j] = A2[i, k] + B2[k, j];
            if (Sum[i, j] > Product[i, j])
                Product[i, j] = Product[i, j];
            else
                Product[i, j] = Sum[i, j];
        }
    }
}

for (int i = 0; i < lineA; i++)
{
    for (int j = 0; j < columnB; j++)
    {
        if (Product[i, j] == Int32.MaxValue)
            dataGridViewProduct.Rows[i].Cells[j].Value = "E";
        else
            dataGridViewProduct.Rows[i].Cells[j].Value = Product[i, j];
    }
}

```

```

        }
    }

}

private void textColumnA2_Leave(object sender, EventArgs e)
{
    textLineB2.Text = textColumnA2.Text;
}

private void btScalarProduct_Click(object sender, EventArgs e)
{
    initMatrixScalarProduct ();
    if (textScalar.Text != "") {
        int lineA = 0;
        int columnA = 0;
        columnA = Convert.ToInt16(textcolumnA3.Text);
        lineA = Convert.ToInt16(textLineA3.Text);
        int[,] A3 = new int[lineA, columnA];
        int[,] ScalarProduct = new int[lineA, columnA];
        int a;
        a = Convert.ToInt16(textScalar.Text);
        for (int i = 0; i < lineA; i++)
        {
            for (int j = 0; j < columnA; j++)
            {
                if (dataGridA3.Rows[i].Cells[j].Value.ToString() == "E")
                    A3[i, j] = Int32.MaxValue;
                else
                    A3[i, j] = Convert.ToInt16(dataGridA3.Rows[i].Cells[j].Value.ToString());
            }
        }
        for (int i = 0; i < lineA; i++)
        {
            for (int j = 0; j < columnA; j++)
            {
                if (A3[i, j] == Int32.MaxValue)
                    Scalar Product [i, j] = Int32.MaxValue;
                else
                    Scalar Product [i, j] = (A3[i, j] + a);
            }
        }
        for (int i = 0; i < lineA; i++)
        {
    }
}

```

```

for (int j = 0; j < columnA; j++)
{
    if (ScalarProduct [i, j] == Int32.MaxValue)
        dataGridScalarProduct.Rows[i].Cells[j].Value = "E";
    else
        dataGridScalarProduct.Rows[i].Cells[j].Value = ScalarProduct[i,j];
}
}

}

private void btComptPower_Click(object sender, EventArgs e)
{
    initPowerMatrix ();
    labelPower.Text = textPower.Text;
    if (textPower.Text != "")
    {
        int lineA = 0;
        int columnA = 0;
        columnA = Convert.ToInt16(textlineA4.Text);
        lineA = Convert.ToInt16(textlineA4.Text);
        int[,] A4 = new int[lineA, columnA];
        int[,] B = new int[lineA, columnA];
        int[,] Power_n = new int[lineA, columnA];
        int[,] sum = new int[lineA, columnA];
        int a;
        a = Convert.ToInt16(textPower.Text);
        for (int i = 0; i < lineA; i++)
        {
            for (int j = 0; j < columnA;j++)
            {
                if (dataGridA4.Rows[i].Cells[j].Value.ToString() == "E")
                    A4[i, j] =Int32.MaxValue;
                else
                    A4[i, j] = Convert.ToInt16(dataGridA4.Rows[i].Cells[j].Value.ToString());
                B[i, j] = A4[i, j];
            }
        }
        for (int p = 2; p <= a; p++)
        {
            for (int i = 0; i < lineA;i++)
            {
                for (int j = 0; j < columnA;j++)
                {

```

```

{
    Power_n[i, j] = Int32.MaxValue;
    for (int k = 0; k < lineA; k++)
    {
        //if (Power_n[i, j] < (Power[i, k] + A4[k,j]))
        // Power_n[i, j] = Power[i, j];
        //else
        if (A4[i, k] == Int32.MaxValue || B[k, j] == Int32.MaxValue)
            sum[i, j] =Int32.MaxValue;
        else
            sum[i, j] = A4[i, k] + B[k,j];
        if (Power_n[i, j] < sum[i,j])
            Power_n[i, j] = Power_n[i,j];
        else
            Power_n[i, j] = sum[i,j];
        //sum[i, j] = Power_n[i, j];
        //Power_n[i, j] = sum[i, j] + (A4[i,k]*B[k,j]);
    }
    //Power_n[i, j] = Power[i,j];
    //Power = new int [i,j];
    //Power[i, j] = Power_n[i, j];
    //dataGridScalarProduct.Rows[i].Cells[j].Value = Power_n[i, j];
}
for (int i = 0; i < lineA;i++)
{
    for (int j = 0; j < columnA;j++)
    {
        B[i, j] = Power_n[i,j];
        //dataGridMatrix_at_power_n.Rows[i].Cells[j].Value = Power_n[i, j];
    }
}
//Power_n = B;
}
for (int i = 0; i < lineA; i++)
{
    for (int j = 0; j < columnA;j++)
    {
        if (Power_n[i, j] == Int32.MaxValue)
            dataGridMatrix_at_power_n.Rows[i].Cells[j].Value ="E";
        else
            dataGridMatrix_at_Power_n.Rows[i].Cells[j].Value = Power_n[i,j];
    }
}

```

```

        }
    }
}

private void ComputingDeterminant()
{
    int lineA = 0; int columnA = 0;
    lineA = Convert.ToInt16(textlinieA5.Text);
    columnA = Convert.ToInt16(textlineA5.Text);
    A5 = new int[lineA, lineA];
    for (int i = 0; i < lineA; i++)
    {
        for (int j = 0; j < columnA; j++)
        {
            if (dataGridViewA5.Rows[i].Cells[j].Value.ToString() == "E")
                A5[i, j] = Int32.MaxValue;
            else
                A5[i, j] = Convert.ToInt16(dataGridViewA5.Rows[i].Cells[j].Value.ToString());
        }
    }
    int det_plus;
    int det_minus;
    int n = Convert.ToInt16(textlineA5.Text);
    if (n == 1)
    {
        det_plus = A5[0, 0];
        textDet_plus.Text = det_plus.ToString();
        textDet_minus.Text = "";
    }
    else if (n == 2)
        if (A5[0, 0] == Int32.MaxValue || A5[1, 1] == Int32.MaxValue)
            det_plus = Int32.MaxValue;
        else
            det_plus = A5[0, 0] + A5[1,1];
        if (A5[0, 1] == Int32.MaxValue || A5[1, 0] == Int32.MaxValue)
            det_minus = Int32.MaxValue;
        else
            det_minus = A5[0, 1] + A5[1,0];
        if (det_plus == Int32.MaxValue)
            textDet_plus.Text = "E";
        else

```

```

    textDet_plus.Text = det_plus.ToString();
    if (det_minus == Int32.MaxValue)
        textDet_minus.Text = "E";
    else
        textDet_minus.Text = det_minus.ToString();
}
else if (n == 3)

int a1;
int a2;
int a3;
if (A5[0, 0] == Int32.MaxValue || A5[1, 1] == Int32.MaxValue || A5[2, 2] ==
Int32.MaxValue)
    a1 = Int32.MaxValue;
else
    a1 = A5[0, 0] + A5[1, 1] + A5[2,2];
if (A5[1, 0] == Int32.MaxValue || A5[2, 1] == Int32.MaxValue || A5[0, 2] ==
Int32.MaxValue)
    a2 = Int32.MaxValue;
else
    a2 = A5[1, 0] + A5[2, 1] + A5[0,2];
if (A5[2, 0] == Int32.MaxValue || A5[0, 1] == Int32.MaxValue || A5[1, 2] ==
Int32.MaxValue)
    a3 = Int32.MaxValue;
else
    a3 = A5[2, 0] + A5[0, 1] + A5[1,2];
det_plus = Int32.MaxValue;
if (a1 < det_plus)
    det_plus = a1;
if (a2 < det_plus)
    det_plus = a2;
if (a3 < det_plus)
    det_plus = a3;
int b1;
int b2;
int b3;
if (A5[0, 2] == Int32.MaxValue || A5[1, 1] == Int32.MaxValue || A5[2, 0] ==
Int32.MaxValue)
    b1 = Int32.MaxValue;
else
    b1 = A5[0, 2] + A5[1, 1] + A5[2,0];

```

```

    if (A5[1, 2] == Int32.MaxValue || A5[2, 1] == Int32.MaxValue || A5[0, 0] ==
Int32.MaxValue)
        b2 = Int32.MaxValue;
    else
        b2 = A5[1, 2] + A5[2, 1] + A5[0, 0];
    if (A5[0, 1] == Int32.MaxValue || A5[1, 0] == Int32.MaxValue || A5[2, 2] ==
Int32.MaxValue)
        b3 = Int32.MaxValue;
    else
        b3 = A5[0, 1] + A5[1, 0] + A5[2, 2];
    det_minus = Int32.MaxValue;
    if (b1 < det_minus)
        det_minus = b1;
    if (b2 < det_minus)
        det_minus = b2;
    if (b3 < det_minus)
        det_minus = b3;
    if (det_plus == Int32.MaxValue)
        textDet_plus.Text = "E";
    else
        textDet_plus.Text = det_plus.ToString();
    if (det_minus == Int32.MaxValue)
        textDet_minus.Text = "E";
    else
        textDet_minus.Text = det_minus.ToString();
}
}

private void btComputingDeterminant_Click(object sender, EventArgs e)
{
    ComputingDeterminant();
}

private void btComptSystem_Click(object sender, EventArgs e)
{
    initMatrixSolutionSystem();
    label_k.Text = textk.Text;
    if (textk.Text != "")
    {
        int lineA = 0;
        int columnA = 0;
        int linex0 = 0;

```

```

columnA = Convert.ToInt16(textlineA6.Text);
lineA = Convert.ToInt16(textlineA6.Text);
linex0 = Convert.ToInt16(textlineA6.Text);
int[,] A6 = new int[lineA, columnA];
int[,] X0 = new int[linex0, 1];
int[,] Xk = new int[lineA, 1];
int[,] B = new int[lineA, columnA];
int[,] Power_n = new int[lineA, columnA];
int[,] sum = new int[lineA, columnA];
int[,] sum2 = new int[lineA, 1];
int k;
k = Convert.ToInt16(textk.Text);
for (int i = 0; i < lineA; i++)
{
    for (int j = 0; j < columnA; j++)
    {
        if (dataGridViewA6.Rows[i].Cells[j].Value.ToString() == "E")
            A6[i, j] = Int32.MaxValue;
        else
            A6[i, j] = Convert.ToInt16(dataGridViewA6.Rows[i].Cells[j].Value.ToString());
        B[i, j] = A6[i, j];
    }
    for (int i = 0; i < linex0; i++)
    {
        if (dataGridViewX0.Rows[i].Cells[0].Value.ToString() == "E")
            X0[i, 0] = Int32.MaxValue;
        else
            X0[i, 0] = Convert.ToInt16(dataGridViewX0.Rows[i].Cells[0].Value.ToString());
    }
}
if (k == 1)
{
    for (int i = 0; i < lineA; i++)
    {
        for (int j = 0; j < columnA; j++)
        {
            Power_n[i, j] = A6[i, j];
        }
    }
}
else
{
    for (int p = 2; p <= k; p++)

```

```

{
    for (int i = 0; i < lineA; i++)
    {
        for (int j = 0; j < columnA; j++)
        {
            Power_n[i, j] = Int32.MaxValue;
            for (int h = 0; h < lineA; h++)
            {
                if (A6[i, h] == Int32.MaxValue || B[h, j] == Int32.MaxValue)
                    sum[i, j] = Int32.MaxValue;
                else
                    sum[i, j] = A6[i, h] + B[h,j];
                if (Power_n[i, j] < sum[i,j])
                    Power_n[i, j] = Power_n[i,j];
                else
                    Power_n[i, j] = sum[i,j];
            }
        }
    }
    for (int i = 0; i < lineA; i++)
    {
        for (int j = 0; j < columnA;j++)
        {
            B[i, j] = Power_n[i, j];
        }
    }
}
for (int i = 0; i < lineA; i++)
{
    for (int j = 0; j < 1; j++)
    {
        Xk[i, j] = Int32.MaxValue;
        for (int h = 0; h < lineA; h++)
        {
            if (Power_n[i, h] == Int32.MaxValue || X0[h,j] == Int32.MaxValue)
                sum2[i, j] = Int32.MaxValue;
            else
                sum2[i, j] = Power_n[i, h] + X0[h, j];
                if (Xk[i, j] < sum2[i,j])
                    Xk[i, j] = Xk[i,j];
            else
        }
    }
}

```

```

        Xk[i, j] = sum2[i,j];
    }
}
for (int i = 0; i < lineA; i++)
{
    if (Xk[i, 0] == Int32.MaxValue)
        dataGridViewXk.Rows[i].Cells[0].Value = "E";
    else
        dataGridViewXk.Rows[i].Cells[0].Value = Xk[i,0];
}
}

public void Reset_ Values _ For _ Addition()
{
    textColumn.ResetText();
    textLine.ResetText();
    dataGridViewA.Rows.Clear();
    dataGridViewB.Rows.Clear();
    dataGridViewResAddition.Rows.Clear();
}
public void Reset_ Values for Multiplication()
{
    textColumnA2.ResetText();
    textLineA2.ResetText();
    textcolumnB2.ResetText();
    textLineB2.ResetText();
    dataGridViewA2.Rows.Clear();
    dataGridViewB2.Rows.Clear();
    dataGridViewProduct.Rows.Clear();
}
public void Reset_ Values_for_Scalar Multiplication()
{
    textcolumnA3.ResetText();
    textScalar.ResetText();
    textLineA3.ResetText();
    dataGridViewA3.Rows.Clear();
    dataGridViewScalarProduct.Rows.Clear();
}
public void Reset_ Values_for_Lifting_at_Power()
{
    textlineA4.ResetText();
}

```

```

textPower.ResetText();
dataGridA4.Rows.Clear();
dataGridMatrix_at_Power_n.Rows.Clear();
}
public void Reset_Values_for_Computing_Determinant()
{
    textlineA5.ResetText();
    Det_minus.ResetText();
    Det_plus.ResetText();
    dataGridA5.Rows.Clear();
}
public void Reset_Values_for_Computation_system()
{
    textlineA6.ResetText();
    textk.ResetText();
    label_k.Text = "k";
    dataGridSolutionXk.Rows.Clear();
    dataGridA6.Rows.Clear();
    dataGridX0.Rows.Clear();
}
private void btReset_Click(object sender, EventArgs e)
{
    Reset_Values _For_Addition();
}
private void btResetMultiplication_Click(object sender, EventArgs e)
{
    Reset_Values_for_Multiplication ();
}
private void btReset_Scalar_Product_Click(object sender, EventArgs e)
{
    Reset_Values_for_Scalar Multiplication();
}
private void btReset_lifting_at_power_Click(object sender, EventArgs e)
{
    Reset_Values_for_Lifting_at_Power();
}
private void btReset_values_det_Click(object sender, EventArgs e)
{
    Reset_Values _For_Computing_Determinant();
}
private void btResetSystem_Click(object sender, EventArgs e)
{

```


Problem 3.4. Compute the matrix A^n for $n \geq 2$, where $A \in M_{7 \times 7}(\mathbf{R}_{min})$

Inputs data

Number of lines and columns of $A!$ 7

Power of $A!$ 2

Matrix A

| | | | | | | |
|---|---|----|---|----|----|----|
| 0 | 4 | E | E | 7 | E | E |
| 4 | 0 | 5 | 9 | E | E | E |
| E | 5 | 0 | E | 6 | 10 | E |
| E | 9 | E | 0 | E | 8 | E |
| 7 | E | 6 | E | 0 | 14 | E |
| E | E | 10 | 8 | 14 | 0 | 11 |
| E | E | E | E | E | 11 | 0 |

Outputs data

Matrix $A^{(2)}$

| | | | | | | |
|----|----|----|----|----|----|----|
| 0 | 4 | 9 | 13 | 7 | 21 | E |
| 4 | 0 | 5 | 9 | 11 | 15 | E |
| 9 | 5 | 0 | 14 | 6 | 10 | 21 |
| 13 | 9 | 14 | 0 | 22 | 8 | 19 |
| 7 | 11 | 6 | 22 | 0 | 14 | 25 |
| 21 | 15 | 10 | 8 | 14 | 0 | 11 |
| E | E | 21 | 19 | 25 | 11 | 0 |

Similarly, we have

$$A^{(3)} = \begin{pmatrix} 0 & 4 & 9 & 13 & 7 & 19 & 32 \\ 4 & 0 & 5 & 9 & 11 & 15 & 26 \\ 9 & 5 & 0 & 14 & 6 & 10 & 21 \\ 13 & 9 & 14 & 0 & 20 & 8 & 19 \\ 7 & 11 & 6 & 20 & 0 & 14 & 25 \\ 19 & 15 & 10 & 8 & 14 & 0 & 11 \\ 32 & 26 & 21 & 19 & 25 & 11 & 0 \end{pmatrix}, \quad A^{(4)} = \begin{pmatrix} 0 & 4 & 9 & 13 & 7 & 19 & 30 \\ 4 & 0 & 5 & 9 & 11 & 15 & 26 \\ 9 & 5 & 0 & 14 & 6 & 10 & 21 \\ 13 & 9 & 14 & 0 & 20 & 8 & 19 \\ 7 & 11 & 6 & 20 & 0 & 14 & 25 \\ 19 & 15 & 10 & 8 & 14 & 0 & 11 \\ 30 & 26 & 21 & 19 & 25 & 11 & 0 \end{pmatrix}$$

and $A^{(n)} = A^{(4)}$, for all $n \geq 5$.

Problem 3.5. Compute the bideterminant and permanent of $A \in M_{3 \times 3}(\mathbf{R}_{min})$.

Inputs data

Matrix A

| | | |
|---|----|----|
| 8 | -6 | -1 |
| 3 | 5 | 1 |
| 9 | -4 | 0 |

Outputs data

$$\det_{\oplus}^+(A) = -2 \\ \det_{\oplus}^-(A) = -3$$

. Then, the bideterminant of A is $(\Delta_1(A), \Delta_2(A)) = (-2, -3)$ and its permanent is $\text{perm}(A) = (-2) \oplus (-3) = \min\{-2, -3\} = -3$.

Problem 3.6. Solve the system $X(k+1) = AX(k)$ ($k \geq 0$) with $A \in M_{6 \times 6}(\mathbf{R}_{min})$.

Inputs data

Number of lines and columns of $A!$ 6

Value for $k!$ 1

Outputs data

Matrix $A!$

| | | | | | |
|---|----|----|---|----|----|
| 0 | 10 | 12 | 2 | 14 | E |
| E | 0 | E | E | 5 | E |
| E | 4 | 0 | E | E | E |
| E | E | E | 0 | E | -3 |
| E | E | E | E | 0 | 4 |
| 5 | E | E | 6 | E | 0 |

Matrix $X(0)$

| |
|----|
| 10 |
| -2 |
| 3 |
| 5 |
| 9 |
| 4 |

Matrix $X(1)$

| |
|----|
| 7 |
| -2 |
| 2 |
| 1 |
| 8 |
| 4 |

Similarly, $X(2) = (3 \ -2 \ 2 \ 1 \ 8 \ 4)^T$ and $X(k) = X(2)$ for all $k \geq 3$.

References

- [1] F. Baccelli, G. Cohen, G.J. Olsder and J.P. Quadrat, *Synchronization and Linearity, An Algebra for Discrete Event Systems*, New York, 1992.
- [2] J.Y. Le Boudec and P. Thiran, *Network Calculus: A Theory of Deterministic Queuing Systems for the Internet*, Springer-Verlag, LCNS 2050, New York, 2001.
- [3] Gh. Ivan, *Matrix algorithm for determination of the elementary paths and elementary circuits using exotic semirings*. Preprint arXiv:1204.0636v1 [math.CO], 3 Apr 2012.
- [4] M. Ivan and Gh. Ivan, *Sample programs in C++ for matrix computations in max plus algebra*. Preprint arXiv:1205.4212v1 [cs.MS], 17 May 2012.
- [5] W. Kuich and A. Salomaa, *Semirings, Automata, Languages*, EACTS Monographs on Theoretical Computer Science, **5**, Springer-Verlag, 1986.
- [6] G. L. Litvinov, *The Maslov dequantization, idempotent and tropical mathematics: a brief introduction*, Journal of Mathematical Sciences, **140** (2007), no. 3, 426-444.
- [7] M. Mohri, *Semirings, frameworks and algorithms for shortest-distance problems*, Journal of Automata, Languages and Combinatorics, **7** (2002), no. 3, 321-350.
- [8] G.J. Olsder and C. Roos, *Cramer and Cayley-Hamilton in the max-plus algebra*, Linear Algebra and its Applications, **101** (1988), 87-108.

Author's addresses

West University of Timișoara,
 Seminar of Algebra. Department of Mathematics,
 Bd. V. Pârvan, no. 4, 300223, Timișoara, Romania
 E-mail: ivangm31@yahoo.com; ivan@math.uvt.ro

References

- [1] F. Baccelli, G. Cohen, G.J. Olsder and J.P. Quadrat, *Synchronization and Linearity, An Algebra for Discrete Event Systems*, New York, 1992.
- [2] J.Y. Le Boudec and P. Thiran, *Network Calculus: A Theory of Deterministic Queuing Systems for the Internet*, Springer-Verlag, LCNS 2050, New York, 2001.
- [3] Gh. Ivan, *Matrix algorithm for determination of the elementary paths and elementary circuits using exotic semirings*. Preprint arXiv:1204.0636v1 [math.CO], 3 Apr 2012.
- [4] M. Ivan and Gh. Ivan, *Sample programs in C++ for matrix computations in max plus algebra*. Preprint arXiv:1205.4212v1 [cs.MS], 17 May 2012.
- [5] W. Kuich and A. Salomaa, *Semirings, Automata, Languages*, EACTS Monographs on Theoretical Computer Science, **5**, Springer-Verlag, 1986.
- [6] G. L. Litvinov, *The Maslov dequantization, idempotent and tropical mathematics: a brief introduction*, Journal of Mathematical Sciences, **140** (2007), no. 3, 426-444.
- [7] M. Mohri, *Semirings, frameworks and algorithms for shortest-distance problems*, Journal of Automata, Languages and Combinatorics, **7** (2002), no. 3, 321-350.
- [8] G.J. Olsder and C. Roos, *Cramer and Cayley-Hamilton in the max-plus algebra*, Linear Algebra and its Applications, **101** (1988), 87-108.