## Comment on "Structure of the two-neutrino double- decay matrix elements within perturbation theory" by Dušan Štefánik, Fedor Šimkovic, Amand Faessler, arXiv:1506.00835 [nucl-th], Phys.Rev.C91 (2015) 6, 064311

Vadim  $\operatorname{Rodin}^*$ 

Schmiedewiesen 13, D-72805, Lichtenstein, Germany

O.A. Rumyantsev<sup>†</sup> ISK FORT, Prospekt Mira, 102 (1), Moscow, Russia

M.H. Urin<sup>‡</sup>

National Research Nuclear University MEPhI (Moscow Engineering Physics Institute), 115409 Moscow, Russia (Dated: November 27, 2024)

We comment on a priority claim given by the authors of Phys.Rev.C91 (2015) 6, 064311.

A false claim of priority has been made by the authors of Ref. [1]. In the beginning of Sect. V they have written "In Ref. [17] the double Fermi and GT sum rules associated with  $\Delta Z = 2$  nuclei were introduced.", where a previous paper [2] by the same authors has been given the priority (explicit representations for the sum rules are given in Eqs.(27),(28) of [1]).

In fact, the sum rules were first introduced in [3] 15 years prior to the publication [2], see Eq.(5) of [3] (the notation used in [3] is somewhat different from that of [1, 2]). A model-independent, identity transformation of the amplitude  $M^{2\nu}$  of  $2\nu\beta\beta$  decay, introduced for the first time in [3], allows one to partition  $M^{2\nu}$  into two terms that are sensitive to different parts of a nuclear Hamiltonian. One of these terms is proportional to the sum rule in question. As the authors of [3] only considered a mean field contribution to the sum rules, they concluded that the sum rules must vanish, that is not correct for a general nuclear Hamiltonian. This shortcoming of [3] was corrected in follow-up papers [4, 5], where the dominating contribution of the particle-particle sector of a nuclear Hamiltonian to the sum rules was emphasized and evaluated in the quasiboson approximation. A simple separable particle-particle interaction was employed in [4], whereas the case of a general particle-particle interaction was treated in [5].

Note, that the authors of [1, 2] must have been aware of publications [4, 5], since first, [4, 5] were cited in [2], see entries [26,27] in the list of references, and second, one of the authors of [1, 2] was also a co-author of [4, 5].

- D. Štefánik, F. Simkovic and A. Faessler, Phys. Rev. C 91, no. 6, 064311 (2015)
- [2] Dušan Štefánik D. Štefánik, F. Šimkovic, K. Muto and A. Faessler, Phys. Rev. C 88, no. 2, 025503 (2013)
- [3] O. A. Rumyantsev and M. H. Urin, Phys. Lett. B 443, 51 (1998).
- [4] V. A. Rodin, M. H. Urin and A. Faessler, Nucl. Phys. A 747, 295 (2005).
- [5] V. Rodin and A. Faessler, Phys. Rev. C 84, 014322 (2011)

<sup>\*</sup> vadim.rodin@hotmail.de

 $<sup>^{\</sup>dagger}$  o.rumyantsev@iskfort.ru

<sup>&</sup>lt;sup>‡</sup> urin@theor.mephi.ru