From What to How: An Initial Review of Publicly Available AI Ethics Tools, Methods and Research to Translate Principles into Practices

Jessica Morley¹, Luciano Floridi^{1,2}, Libby Kinsey³, Anat Elhalal³

Oxford Internet Institute, University of Oxford, 1 St Giles', Oxford, OX1 3JS
 Alan Turing Institute, British Library, 96 Euston Rd, London NW1 2DB
 Digital Catapult, 101 Euston Road, Kings Cross, London, NW1 2RA

Abstract

The debate about the ethical implications of Artificial Intelligence dates from the 1960s (Samuel, 1960; Wiener, 1961). However, in recent years symbolic AI has been complemented and sometimes replaced by (Deep) Neural Networks and Machine Learning (ML) techniques. This has vastly increased its potential utility and impact on society, with the consequence that the ethical debate has gone mainstream. Such a debate has primarily focused on principles—the 'what' of AI ethics (beneficence, non-maleficence, autonomy, justice and explicability)—rather than on practices, the 'how.' Awareness of the potential issues is increasing at a fast rate, but the AI community's ability to take action to mitigate the associated risks is still at its infancy. Our intention in presenting this research is to contribute to closing the gap between principles and practices by constructing a typology that may help practically-minded developers apply ethics at each stage of the Machine Learning development pipeline, and to signal to researchers where further work is needed. The focus is exclusively on Machine Learning, but it is hoped that the results of this research may be easily applicable to other branches of AI. The article outlines the research method for creating this typology, the initial findings, and provides a summary of future research needs.

Introduction

As the availability of data on almost every aspect of life, and the sophistication of machine learning (ML) techniques, has increased (Lepri, Oliver, Letouzé, Pentland, & Vinck, 2018) so have the opportunities for improving both public and private life (Floridi & Taddeo, 2016). Society has greater control than it has ever had over outcomes related to: (1) who people can become; (2) what people can do; (3) what people can achieve; and (4) how people can interact with the world (Floridi et al., 2018,). However, growing concerns about the ethical challenges posed by the increased use

of ML in particular, and Artificial Intelligence (AI) more generally, threaten to put a halt to the advancement of beneficial applications, unless handled properly.

Balancing the tension between supporting innovation, so that society's right to benefit from science is protected (Knoppers & Thorogood, 2017), and limiting the potential harms associated with poorly-designed AI (and specifically ML in this context), (summarised in figure 1) is challenging. ML algorithms are powerful socio-technical constructs (Ananny & Crawford, 2018), which raise concerns that are as much (if not more) about people as they are about code (see Table1) (Crawford & Calo, 2016). Enabling the so-called dual advantage of 'ethical ML'—so that the opportunities are capitalised on, whilst the harms are foreseen and minimised or prevented (Floridi et al., 2018) —requires asking difficult questions about design, development, deployment, practices, uses and users, as well as the data that fuel the whole life-cycle of algorithms (Cath, Zimmer, Lomborg, & Zevenbergen, 2018). Lessig was right all along: code is both our greatest threat and our greatest promise (Lessig & Lessig, 2006).

Ethical Concern	Explanation
Inconclusive Evidence	Algorithmic conclusions are probabilities and therefore not infallible. This can lead to unjustified
	actions. For example, an algorithm used to assess credit worthiness could be accurate 99% of the time, but this would still mean that one out of a hundred applicants would be denied credit wrongly.
Inscrutable Evidence	A lack of interpretability and transparency can lead to algorithmic systems that are hard to control, monitor, and correct. This is the commonly cited 'black-box' issue.
Misguided Evidence	Conclusions can only be as reliable (but also as neutral) as the data they are based on, and this can lead to bias. For example, (Dressel & Farid, 2018) found that the COMPAS recidivism algorithm commonly used in pretrial, parole, and sentencing decisions in the United States, is no more accurate or fair than predictions made by people with little or no criminal justice expertise.
Unfair outcomes	An action could be found to be discriminatory if it has a disproportionate impact on one group of people. For instance, (Selbst, 2017) articulates how the adoption of predictive policing tools is leading to more people of colour being arrested, jailed or physically harmed by police.
Transformative effects	Algorithmic activities, like profiling, can lead to challenges for autonomy and informational privacy. For example, (Polykalas & Prezerakos, 2019), 2019 examined the level of access required to personal data by more than 1000 apps listed in the 'most popular' free and paid for categories on the Google Play Store. They found that free apps requested significantly more data than paid-for apps, suggested that the business model of these 'free' apps is the exploitation of the personal data.
Traceability	It is hard to assign responsibility to algorithmic harms and this can lead to issues with moral responsibility. For example, it may be unclear who (or indeed what) is responsible for autonomous car fatalities. An in depth ethical analysis of this specific issue is provided by (Hevelke & Nida-Rümelin, 2015)

Table 1: Ethical concerns related to algorithmic use based on the 'map' created by (Mittelstadt, Allo, Taddeo, Wachter, & Floridi, 2016)

Rising to the challenge of designing 'ethical ML' is both essential and possible. Indeed those that claim that it is impossible are falling foul of the is-ism fallacy where they confuse the way things are with the way things can be (Lessig & Lessig, 2006), or indeed should be. It is possible to design an algorithmically-enhanced society pro-ethically (Floridi, 2016b), so that it protects the values, principles, and ethics that society thinks are fundamental (Floridi, 2018). This

¹ The difference between ethics by design and pro-ethical design is the following: ethics by design can be paternalistic in ways that constrain the choices of agents, because it makes some options less easily available or not at all; instead, pro-ethical design still forces agents to make choices, but this time the nudge is less paternalistic because it does not preclude a course of action but requires agents to make up their mind about it. A simple example can clarify the difference. A speed camera is a form of nudging (drivers should respect the speed limits) but it is pro-ethical insofar as it leaves to the drivers the freedom to choose to pay a ticket, for example in case of an emergency. On the contrary, in terms of ethics by design, speed bumps are a different kind of traffic calming measure designed to slow down vehicles and improve safety. They may seem like a good idea, but they involve a physical alteration of the road, which is permanent and leaves no real choice to the driver. This means that emergency vehicles, such as a medical ambulance, a police car, or a fire engine, must also slow down, even when responding to an emergency.

is the message that social scientists, ethicists, philosophers, policymakers, technologists, and civil society have been delivering in a collective call for the development of appropriate governance mechanisms (D'Agostino & Durante, 2018) that will enable society to capitalise on the opportunities, whilst ensuring that human rights are respected (Floridi & Taddeo, 2016), and fair and ethical decision-making is maintained (Lipton, 2016).

The purpose of the following pages is to highlight the part that technologists, or ML developers, can have in this broader conversation. Specifically, section 'Moving from Principles to Practice' discusses how efforts to data have been too focused on the 'what' of ethical AI (i.e. debates about principles and codes of conduct) and not enough on the 'how' of applied ethics. The 'Methodology' section outlines the research planned to contribute to closing this gap between principles and practice, through the creation of an 'applied ethical AI typology,' and the methodology for its creation. Section 'Framing the results,' provides the theoretical framework for interpreting the results. The 'Discussion of initial results' section summarises what the typology shows about the uncertain utility of the tools and methods identified as well as their uneven distribution. The section on 'A way forward' argues that there is a need for a more coordinated effort, from multi-disciplinary researchers, innovators, policymakers, citizens, developers and designers, to create and evaluate new tools and methodologies, in order to ensure that there is a 'how' for every 'what' at each stage of the Machine Learning pipeline. The penultimate section lists some of the limitations of this study. Finally, the last section, concludes that the suggested recommendations will be challenging to achieve, but it would be imprudent not to try.

Moving from Principles to Practices

On 22nd May 2019, the Organisation for Economic Co-operation and Development (OECD) announced that its thirty-six member countries, along with an additional six (Argentine, Brazil, Columbia, Costa Rica, Peru, and Romania), had formally agreed to adopt, what the OECD claims to be the first intergovernmental standard on Artificial Intelligence (AI) (OECD, 2019). Designed to ensure AI systems are robust, safe, fair and trustworthy, the standard consists of five complementary value-based principles, and five implementable recommendations to policymakers.

The values and recommendations are not new. Indeed, the OECD's Recommendation of the Council on Artificial Intelligence (OECD, n.d.) is only the latest among a list of more than 70 documents, published in the last three years, which make recommendations about the principles of the ethics of AI (Spielkamp et al., 2019; Winfield, 2019). This list includes documents

produced by industry (Google², IBM³, Microsoft⁴, Intel⁵), Government (Montreal Declaration⁶, Lords Select Committee⁷, European Commission's High-Level Expert Group⁸), and academia (Future of Life Institute⁹, IEEE¹⁰, AI4People¹¹). The hope of the authors of these documents is that the principles put forward, can, as abstractions (Anderson & Anderson, 2018), act as normative constraints (Turilli, 2007) on the 'do's' and 'don'ts' of algorithmic use in society.

As (Jobin, Ienca, & Vayena, 2019) and (Floridi, 2019c) point out, this intense interest from such a broad range of stakeholders reflects not only the need for ethical guidance, but also the desire of those different parties to shape the 'ethical AI' conversation around their own priorities. This is an issue that is not unique to debates about the components of ethical ML, but something that the international human rights community has grappled with for decades, as disagreements over what they are, how many there are, what they are for, as well as what duties they impose on whom, and which values of human interests they are supposed to protect (Arvan, 2014), have never been resolved. It is significant, therefore, that there seems to be an emerging consensus amongst the members of the ethical ML community with regards to *what* exactly ethical ML should aspire to be.

A review of 84 ethical AI documents by (Jobin et al., 2019) fund that although no single principle featured in all of them, the themes of transparency, justice and fairness, non-maleficence, responsibility and privacy appeared in over half. Similarly, a systematic review of the literature on ethical technology revealed that the themes of privacy, security, autonomy, justice, human dignity, control of technology and the balance of powers, were recurrent (Royakkers, Timmer, Kool, & van Est, 2018). As argued by (Floridi & Cowls, 2019), taken together these themes 'define' ethically-aligned ML as that which is (a) beneficial to, and respectful of, people and the environment (beneficence); (b) robust and secure (non-maleficence); (c) respectful of

us/research/uploads/prod/2018/11/Bot Guidelines Nov 2018.pdf

https://publications.parliament.uk/pa/ld201719/ldselect/ldai/100/100.pdf

² Google's AI Principles: https://www.blog.google/technology/ai/ai-principles/

³ IBM's everyday ethics for AI: https://www.ibm.com/watson/assets/duo/pdf/everydayethics.pdf

⁴ Microsoft's guidelines for conversational bots: https://www.microsoft.com/en-

⁵ Intel's recommendations for public policy principles on AI: https://blogs.intel.com/policy/2017/10/18/naveen-rao-announces-intel-ai-public-policy/#es.8gnx16

⁶ The Montreal Declaration for Responsible AI: https://www.montrealdeclaration-responsibleai.com/the-declaration

 $^{^{7}}$ House of Lords Select Committee on Artificial Intelligence: AI in the UK: ready, willing and able?:

⁸ European Commission's Ethics Guidelines for Trustworthy AI: https://ec.europa.eu/futurium/en/ai-alliance-consultation/guidelines/1

⁹ Future of Life's Asilomar AI Principles: https://futureoflife.org/ai-principles/

¹⁰ IEEE General Principles of Ethical Autonomous and Intelligent Systems: http://alanwinfield.blogspot.com/2019/04/an-updated-round-up-of-ethical http://alanwinfield.blogspot.com/2019/04/an-updated-round-up-of-ethical html

¹¹ Floridi, L. and colleagues. AI4People—An Ethical Framework for a Good AI Society: Opportunities, Risks, Principles, and Recommendations. *Minds and Machines* 28, 689-707, doi:10.1007/s11023-018-9482-5 (2018).

human values (autonomy); (d) fair (justice); and (e) explainable, accountable and understandable (explicability). Given this emergent consensus in the literature, it is unsurprising that these are also the themes central to the OECD standard. What is perhaps more surprising s that this agreement around the basic principles that ethical ML should meet is no longer limited to Europe and the Western world. Just three days after the OECD publication, the Beijing Academy of Artificial Intelligence (BAAI), an organisation backed by the Chinese Ministry of Science and technology and the Beijing municipal government, released its fifteen AI principles for: (a) research and development; (b) use; and (c) the Governance of AI (Knight, 2019), which when read in full, bear remarkable similarity to the common framework (see Figure 2).

AI4People (published November 2018) (Floridi et al., 2018)	Five principles key to any ethical framework for AI (published March 2019) (Floridi & Clement- Jones, 2019)	Ethics Guidelines for Trustworthy AI (Published April 2019) (European Commission, 2019)	Recommendation of the Council of Artificial Intelligence (Published May 2019) (OECD,2019.)	Beijing AI Principles for R&D (Published May 2019) ('Beijing AI Principles', 2019)
Beneficence	AI must be beneficial to humanity	Respect for human autonomy	Inclusive growth, sustainable development and well-being	Do Good: (covers the need for AI to promote human society and the environment)
Non-Maleficence	AI must not infringe on privacy or undermine security	Prevention of harm	Robustness, security and safety	Be Responsible: (covers the need for researchers to be aware of negative impacts and take steps to mitigate them) Control Risks: (covers the need for developers to improve the robustness and reliability of systems to ensure data security and AI safety)
Autonomy	AI must protect and enhance our autonomy and ability to take decisions and choose between alternatives		Human-centred values and fairness	For Humanity: (covers the need for AI to serve humanity by conforming to human values including freedom and autonomy)
Justice	AI must promote prosperity and	Fairness	Human-centred values and fairness	Be Diverse and Inclusive: (covers the need for AI to benefit as many people as possible) Be Ethical: (covers the need to make the system as fair as possible, minimising discrimination and bias)
Explicability	AI systems must be understandable and explainable	Explicability	Transparency and Explainability Accountability	Be Ethical: (covers the need for AI to be transparent, explainable and predictable)

Table 2: Comparison of ethical principles in recent publications demonstrating the emerging consensus of 'what' ethical AI should aspire to be¹²

This fragile¹³ consensus means that there is now the outline of a shared foundation upon which one can build, and that can be used as a benchmark to communicate expectations and evaluate

¹² For a more detailed comparison see (Floridi & Cowls, 2019; Hagendorff, 2019)

¹³ We say fragile here as there are gaps across the different sets of principles and all use slightly different terminology, making it hard to guarantee that the exact same meaning is intended in all cases. Furthermore, as these principles have no legal grounding there is nothing to prevent any individual country (or indeed company) from suddenly choosing to adopt a different set for purposes of convenience or competitiveness

deliverables. Co-design in AI would be more difficult without this common framework. It is, therefore, a necessary building block in the creation of an environment that fosters ethical, responsible, and beneficial ML, especially as it also indicates the possibility of a time when the distractive risk of ethics shopping¹⁴ (Floridi, 2019) will be lessened. Yet, challenges remain,

The availability of these 'agreed' principles supports but does not yet bring about actual change in the *design* of algorithmic systems (Floridi, 2019a). As (Hagendorff, 2019) notes, almost all of the guidelines that have been produced to date suggest that technical solutions exist, but very few provide technical explanations. As a result, developers are becoming frustrated by how little help is offered by highly abstract principles when it comes to the 'day job' (Peters & Calvo, 2019). This is reflected in the fact that 79% of tech workers report that they would like practical resources to help them with ethical considerations (Miller & Coldicott, 2019). Without this more practical guidance, other risks such as 'ethics bluewashing' and 'ethics shirking' remain (Floridi, 2019b).

Such risks, associated with a lack of practical guidance on *how* to produce ethical ML, make it clear that the ethical ML community needs to embark on the second phase of AI ethics: translating between the 'what' and the 'how.' This is likely to be hard work. The gap between principles and practice is large, and widened by complexity, variability, subjectivity, and lack of standardisation, including variable interpretation of the 'components' of each of the ethical principles (Alshammari & Simpson, 2017). Yet, it is not impossible if the right questions are asked (Green, 2018; Wachter, Mittelstadt, & Floridi, 2017) and closer attention is payed to how the design process can influence (Kroll, 2018) whether an algorithm is more or less 'ethically-aligned.'

The sooner we start doing this, the better. If we do not take on the challenge and develop usable, interpretable and efficacious mechanisms (Abdul, Vermeulen, Wang, Lim, & Kankanhalli, 2018) for closing this gap, the lack of guidance may (a) result in the costs of ethical mistakes outweighing the benefits of ethical success (even a single critical 'AI' scandal could stifle innovation): (b) undermine public acceptance of algorithmic systems; (c) reduce adoption of algorithmic systems; and (d) ultimately create a scenario in which society incurs significant opportunity costs (Cookson, 2018). Thus, the aim of this research project is to identify the

^{14 &}quot;Digital ethics shopping is the malpractice of choosing, adapting, or revising ("mixing and matching") ethical principles, guidelines, codes, frameworks or other similar standards (especially but not only in the ethics of AI), from a variety of available offers, in order to retrofit some pre-existing behaviours (choices, processes, strategies etc.) and hence justify them a posteriori, instead of implementing or improving new behaviours by benchmarking them against public, ethical standards" (Floridi, 2019b)

¹⁵ "Ethics bluewashing is the malpractice of making unsubstantiated or misleading claims about, or implementing superficial measures in favour of, the ethical values and benefits of digital processes, products, services, or other solutions in order to appear more digitally-ethical than one is." (Floridi, 2019b)

¹⁶ "Ethics shirking is the malpractice of doing increasingly less "ethical work" (such as fulfilling duties, respecting rights, honouring commitments, etc.) in a given context the lower the return of such ethical work in that context is mistakenly perceived to be." (Floridi, 2019b)

methods and tools already available to help developers, engineers, and designers of ML reflect on and apply 'ethics' (Adamson, Havens, & Chatila, 2019) so that they may know not only what to do or not to do, but also how to do it, or avoid doing it (Alshammari & Simpson, 2017). We hope that the results of this research may be easily applicable to other branches of AI.

Methodology

With the aim of identifying the methods and tools available to help developers, engineers and designers of ML reflect on and apply 'ethics' in mind, the first task was to design a typology, for the very practically minded ML community (Holzinger, 2018), that would 'match' the tools and methods identified to the ethical principles outlined in table 2 (summarised as beneficence, non-maleficence, autonomy, justice, and explicability).

To create this typology, and inspired by (Saltz & Dewar, 2019) who produced a framework that is meant to help data scientists consider ethical issues at each stage of a project, the ethical principles were combined with the stages of algorithmic development outlined in the overview of the Information Commissioner's Office (ICO) auditing framework for artificial intelligence and its core components¹⁷, as shown in table 3. The intention is that this encourages ML developers to go between decision and ethical principles regularly.

	Business and use- case development Problem/improvements are defined and use of AI is proposed	Design Phase The business case is turned into design requirements for engineers	Training and test data procurement Initial data sets are obtained to train and test the model	Building AI application is built	Testing The system is tested	Deployment When the AI system goes live	Monitoring Performance of he system is assessed
Beneficence							
Non-							
Maleficence							
Autonomy							
Justice							
Explicability							

Table 3: 'Applied AI Ethics' Typology comprising ethical principles and the stages of algorithmic development

The second task was to identify the tools and methods, and the companies or individuals researching and producing them, to fill the typology. There were a number of different ways this could have been done. For example, (Vakkuri, Kemell, Kultanen, Siponen, & Abrahamsson, 2019) sought to answer the question 'what practices, tools or methods, if any, do industry professionals utilise to implement ethics in to AI design and development?' by conducting interviews at five companies that develop AI systems in different fields. However, whilst analysis of the interviews revealed that the developers were aware of the potential importance of ethics in

¹⁷ More detail is available here: https://ai-auditingframework-blogspot.com/2019/03/an-overview-of-auditing-framework-for-26.html

AI, the companies seemed to provide them with no tools or methods for implementing ethics. Based on a hypothesis that these findings did not imply the non-existence of applied-ethics tools and methods, but rather a lack of progress in the translation of available tools and methods from academic literature or early-stage development and research, to real-life use, this study used the traditional approach of providing an overarching assessment of a research topic, namely a literature review (Abdul et al., 2018).

Scopus¹⁸, arXiv¹⁹ and PhilPapers²⁰, as well as Google search were searched. The Scopus, arXiv and Google Search searches were conducted using the terms outlined in table 4. The PhilPapers search was unstructured, given the nature of the platform, and instead the categories also shown in table 4 were reviewed. The original searches were run in February 2019, but weekly alerts were set for all searches and reviewed up until mid-July 2019. Every result (of which there were originally over 1,000) was checked for *relevance* – either in terms of theoretical framing or in terms of the use of the tool – *actionability* by ML developers, and *generalisability* across industry sectors. In total, 425 sources²¹ were reviewed. They provide a practical or theoretical contribution to the answer of the question: 'how to develop an ethical algorithmic system.²²

Scopus, Google and arXiv Search Terms (all searched with	Category of PhilPapers Reviewed
AND Machine Learning OR Artificial Intelligence)	
Ethics	Information Ethics
Public Perception	Technology Ethics
Intellectual Property	Computer Ethics
Business Model	Autonomy in Applied Ethics
Evaluation	Beneficence in Applied Ethics
Data Sharing	Harm in Applied Ethics
Impact Assessment	Justice in Applied Ethics
Privacy	Human Rights in Applied Ethics
Harm	Applied Ethics and Normative Ethics
Legislation	Responsibility in Applied Ethics
Regulation	Ethical Theories in Applied Ethics
Data Minimisation	
Transparency	
Bias	
Data Protection	

Table 4 showing the search terms used to search Scopes, arXiv and Google and the categories reviewed on PhilPapers

¹⁸ Scopus is the largest abstract and citation database of peer-reviewed literature: scientific journals, books and conference proceedings: https://www.scopus.com/home.uri

¹⁹ arXiv provides open access to over 1,532,009 e-prints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, statistics, electrical engineering and systems science, and economics: https://arxiv.org/

PhilPapers is an index and bibliography of philosophy which collates research content from journals, books, open access archives and papers from relevant conferences such as IACAP. The index currently contains more than 2,377,536 entries. https://philpapers.org/

²¹ This total includes references related specifically to discourse ethics after an anonymous reviewer made the excellent suggestion that this literature be used as a theoretical frame for the typology.

The full list of sources can be accessed here: https://medium.com/@jessicamorley/applied-ai-ethics-reading-resource-list-ed9312499c0a

The third, and final task, was to review the recommendations, theories, methodologies, and tools outlined in the reviewed sources, and identify where they may fit in the typology. To do this, each of the high-level principles (beneficence, non-maleficence, autonomy, justice and explicability) were translated into tangible system requirements that reflect the meaning of the principles. This is the approach taken by the EU's High Level Ethics Group for AI and outlined in Chapter II of *Ethics Guidelines for Trustworthy AI*: Realising Trustworthy AI which "offers guidance on the implementation and realisation of Trustworthy AI, via a list of (seven) requirements that should be met, building on the principles" (p.35 European Commission, 2019).

This approach is also used in the disciplinary ethical guidance produce for internet-mediated researchers by the Belmont Report (Anabo, Elexpuru-Albizuri, & Villardón-Gallego, 2019), and by (La Fors, Custers, & Keymolen, 2019) who sought to integrate existing design-based ethical approaches for new technologies by matching lists of values the practical abstraction from mid-level ethics (principles) to what (Hagendorff, 2019) calls 'microethics.' This translation is a process that gradually reduces the indeterminacy of abstract norms to produce desiderata for a 'minimum-viable-ethical-(ML)product' (MVEP) that can be used by people who have various disciplinary backgrounds, interests and priorities (Jacobs & Huldtgren, 2018). The outcome of this translation process is shown in Figure 5.

Principle	Beneficence	Non-Maleficence	Autonomy	Justice	Explicability
Requirements	Stakeholder	Resilience to	Human agency:	Avoidance of	Traceability: the
	participation: to	attack and	users should be able	unfair bias	data sets and the
	develop systems	security: AI	to make informed		processes that yield
	that are trustworthy	systems should be	autonomous	Accessibility and	the AI system's
	and support human	protected against	decisions regarding	universal design	decision should be
	flourishing, those	vulnerabilities that	AI systems		documented
	who will be affected	can allow them to		Society and	
	by the system	be exploited by	Human oversight:	democracy: the	Explainability: the
	should be consulted	adversaries.	may be achieved	impact of the	ability to explain
			through governance	system on	both the technical
	Protection of	Fallback plan and	mechanisms such as	institutions,	processes of an AI
	fundamental	general safety: AI	human-on-the-loop,	democracy and	system and the
	rights	systems should have	human-in-the-loop,	society at large	related human
		safeguards that	human-in-	should be	decisions
	Sustainable and	enable a fallback	command.	considered	
	environmentally	plan in case of			Interpretability
	friendly AI: the	problems.		Auditability: the	
	system's supply			enablement of the	
	chain should be	Accuracy: for		assessment of	
	assessed for	example,		algorithms, data and	
	resource usage and	documentation that		design processes.	
	energy consumption	demonstrates			
		evaluation of		Minimisation and	
	Justification: the	whether the system		reporting of	
	purpose for building	is properly		negative impacts:	
	the system must be	classifying results.		measures should be	
	clear and linked to a			taken to identify,	
	clear benefit –	Privacy and Data		assess, document,	
	system's should not	Protection: AI		minimise and	
	be built for the sake	systems should		respond to potential	
	of it.	guarantee privacy		negative impacts of	
		and data protection		AI systems	
		throughout a			

system's entire	Trade-offs: when
lifecycle.	trade-offs between
	requirements are
Reliability and	necessary, a process
Reproducibility:	should be put in
does the system	place to explicitly
work the same way	acknowledge the
in a variety of	trade-off, and
different scenarios.	evaluate it
	transparently
Quality and	*
integrity of the	Redress:
data: when data is	mechanism should
gathered it may	be in place to
contain socially	respond when
constructed biases,	things go wrong.
inaccuracies, errors	
and mistakes – this	
needs to be	
addressed	
Social Impact: the	
effects of system's	
on people's physical	
and mental	
wellbeing should be	
carefully considered	
and monitored.	
and monitored.	

Table 5 showing the connection between high-level ethical principles and tangible system requirements as adapted from the methodology outlined in Chapter II of the European Commission's "Ethics Guidelines for Trustworthy AI"

Framing the results

The full typology is available here [redacted for anonymity]. The purpose of presenting it is not to imply that it is 'complete,' nor that the tools and methodologies highlighted are the best, or indeed the only, means of 'solving' each of the individual ethical problems. How to apply ethics to the development of ML is an open question that can be solved in a multitude of different ways at different scales and in different contexts (Floridi, 2019a). It would, for example, be entirely possible to complete the process using a different set of principles and requirements. Instead, the goal is to provide a synthesis of what tools are currently available to ML developers to encourage the progression of ethical AI from principles to practice and to signal clearly, to the 'ethical AI' community at large, where further work is needed.

Additionally, the purpose of presenting the typology is not to give the impression that the tools act as means of translating the principles into definitive 'rules' that technology developers should adhere to, or that developers must always complete one 'task' from each of the boxed. This only promotes ethics by 'tick-box' (Hagendorff, 2019). Instead, the typology is intended to eventually be an online searchable database so that developers can look for the appropriate tools and methodologies for their given context, and use them to enable a shift from a prescriptive 'ethics-by-design' approach to a dialogic, pro-ethical design approach (Anabo et al., 2019; Floridi, 2019a).

In this sense, the tools and methodologies represent a pragmatic version of Habermas's discourse ethics²³ (Mingers & Walsham, 2010). In his theory, Habermas (1983, 1991) argues that morals and norms are not 'set' in a top-down fashion but emerge from a process where those with opposing views, engage in a process where they rationally consider each other's arguments, give reasons for their position and, based upon the greater understanding that results, reassess their position until all parties involved reach a universally agreeable decision (Buhmann, Paßmann, & Fieseler, 2019). This is an approach commonly used in both business and operational research ethics, where questions of 'what should we do?' (as opposed to what can we do?) arise (Buhmann et al., 2019; Mingers, 2011). This is a rationalisation process that involves a fair consideration of the practical, the good and the just, and normally relies heavily on language (discussion), for both the emergence of agreed upon norms or standards, and their reproduction. In the present scenario of developers rationalising ML design decisions to ensure that they are ethically-optimised, the tools and methods in the typology replace the role of language and act as the medium for identifying, checking, creating and re-examining ideas and giving fair consideration to differing interests, values and norms (Heath, 2014; Yetim, 2019). For example, the data nutrition tool (Holland, Hosny, Newman, Joseph, & Chmielinski, 2018) provides a means of prompting a discussion and re-evaluation of the ethical implications of using a specific dataset for an ML development project, and the audit methodologies of (Diakopoulos, 2015) ensure that external voices, who may have an opposing view as to whether or not an ML-system in use is ethically-aligned, have a mechanism for questioning the rational of design decisions and requesting their change if necessary. It is within this frame that we present an overview of our findings in the next section.

Discussion of initial results

Interpretation of the results of the literature review and the resulting typology are likely to be context specific. Those with different disciplinary backgrounds (engineering, moral philosophy, sociology etc.) will see different patterns, and different meanings in these patterns. This kind of multidisciplinary reflection on what the presence or absence of different tools and methods, and their function, might mean is to be encouraged. To start the conversation, this section highlights the following three headings:

- 1. an overreliance on 'explicability';
- 2. a focus on the need to 'protect' the individual over the collective; and

²³ We would like to thank one of the anonymous reviewers for suggesting this framing, it represents a significant improvement to the theoretical grounding of this paper.

3. a lack of usability

They are interrelated, but for the sake of simplicity, let us analyse each separately.

Explicability as the all-encompassing principle

To start with the most obvious observation: the availability of tools and methods is not evenly distributed across the typology, either in terms of the ethical principles or in terms of the stages of development. For example, whilst a developer looking to ensure their ML algorithm is 'non-maleficent' has a section of tools available to them for each development stage – as highlighted in table 6 – the tools and methods designed to enable developers to meet the principle or 'beneficence' are almost all intended to be used during the initial planning stages of development (i.e. business and use-case development design phases). However, the most noticeable 'skew' is towards post-hoc 'explanations;' with those seeking to meet the principle of explicability during the testing phase having the greatest range of tools and methods from which to choose.

There are likely to be several reasons for this, but two stand out. The first and simpler is that the 'problem' of 'interpreting' an algorithmic decision seems tractable from a mathematical standpoint, so the principle of explicability has come to be seen as the most suitable for a technical fix (Hagendorff, 2019). The second is that 'explicability' is not, from a moral philosophy perspective, a moral principle like the other four principles. Instead, it can be seen as a second order principle, that has come to be of vital importance in the ethical-ML community because, to a certain extent, it is linked with all the other four principles²⁴. Indeed, it is argued that if a system is explicable (explainable and interpretable) it is inherently more transparent and therefore more accountable in terms of its decision-making properties and the extent to which they include human oversight and are fair, robust and justifiable (Binns et al., 2018; Cath, 2018; Lipton, 2016).

Assuming temporarily that this is indeed the case²⁵, and that by dint of being explicable an ML system can more easily meet the principles of beneficence, non-maleficence, autonomy and justice, then the fact that the ethical ML community has focused so extensively on developing tools for 'explanations' may not seem problematic. However, as the majority of tools and methods that sit in the concentration at the intersection of explicability and testing are primarily statistical in nature, this would be a very mechanistic view because such 'solutions' -

 $^{^{24}}$ We would like to thank one of the anonymous reviewers for making this important point.

²⁵ It is entirely possible that this is not always the case and that there may be instances where an explicable system has, for example, still had a negative impact on autonomy. Additionally, this view that transparency as explanation is key to accountability is one that is inherently western in perspective and those of other cultures may have a different viewpoint. We make the assumption here for simplicity's sake.

e.g. LIME (Ribeiro, Singh, & Guestrin, 2016), SHAP (Lundberg & Lee, 2017), Sensitivity Analysis (Oxborough et al., 2018) – do not really succeed in helping developers provide meaningful *explanations* (Edwards & Veale, 2018) that give individuals greater control over what is being *inferred* about them from their data. As such, the existence of these tools is at most necessary but not sufficient.

From a more humanistic, and realistic perspective, in order to satisfy all the five principles a system needs to be *designed* from the very beginning to be a transparent sociotechnical system (Ananny & Crawford, 2018). To achieve this level of transparency, accountability or explicability, it is essential that those analysing a system are able to "understand what it was designed to do, how it was designed to do that, and why it was designed in that particular way instead of some other way" (Kroll, 2018, p4). This kind of scrutiny will only be possible through a combination of tools or processes that facilitate auditing, transparent development, education of the public, and social awareness of developers (Burrell, 2016). As such, there should ideally be tools and methods available for each of the boxes in the typology, accepting that there may be areas of the typology which are more significant for ML practitioners than others.

Furthermore, available of tools and methods in a variety of typology areas is also important in the context of culturally and contextually specific ML ethics. Not all of the principles will be of equal importance in all contexts. For example, in the case of national security systems non-maleficence may be of considerably higher importance than explicability. If the community prioritises the development of tools and methods for one of the principles over the others, it will be denying itself the opportunity for such flexibility.

	Business and	Design	Training	Building	Testing	Deployment	Monitoring
	use-case	Phase	and test	AI application	The	When the AI system	Performance
	development	The	data	is built	system is	goes live	of the system
	Problem/improve	business	procurem		tested		is assessed
	ments are defined	case is	ent				
	and use of AI is	turned	Initial data				
	proposed	into	sets are				
	* *	design	obtained				
		requireme	to train				
		nts for	and test				
		engineers	the model				
Beneficen							
ce							
Non-	(Cavoukian,	(Oetzel &	(Antignac,	(Kolter &	(Dennis,	(AI Now Institute	(Makri &
maleficen	Taylor, & Abrams,	Spiekerma	Sands, &	Madry, 2018)	Fisher,	Algorithmic Accountability	Lambrinoud
ce	2010) outline 7	nn, 2014)	Schneider,	provide a	Lincoln,	Policy Toolkit) provides a	akis,
	foundational	set out a	2016)	practical	Lisitsa, &	list of questions polcy	2015)outline
	principles for	step-by-	provide	introduction,	Veres,	and legal advocates will	a structured
	Privacy by Design:	step	the python	from a	2016)	want to ask when	privacy audit
	1.Proactive not	privacy	code to	mathematical	outline a	considering introducing	procedure
	reactive:	impact	create	and coding	methodol	an automated system	based on the
	preventative not	assessmen	DataMin (a	perspective, to	ogy for	into a public service and	most widely
	reactive.	t (PIA) to	data	the topic of	verifying	provides detailed	adopted
	2.Privacy as the	enable	minimiser	adversarial	the	guidance on where in the	privacy
	default	companies	– a pre-	robustness	decision-	procurement process to	principles:

Autonom	3. Privacy embedded into design 4. Full functionality = positive sum, not zero sum 5. End-to-end lifecycle protection 6. Visibility and Transparency 7. Respect for user privacy	to achieve 'privacy- by-design'	processor modifying the input of data to ensure only the data needed are available to the program) as a series of Java source code files which can be run on the data sources points before disclosing the data.	with the idea being that it is possible to train deep learning classifiers to be resistant to adversarial attacks: https://advers arial-ml- tutorial.org/	making of an autonomo us agent to confirm that the controllin g agent never deliberatel y makes a choice it believes to be unsafe	ask questions about accountability and potential harm https://ainowinstitute.org/aap-toolkit.pdf	-Purpose specification -Collection limitation -Data quality -Use retention and disclosure limitation -Safety safeguards -Openness -Individual participation -Accountabili ty
Autonom							
y							
Justice							
Explicabi lity							

Table 6: Applied AI ethics typology with illustrative non-maleficence example. A developer looking to ensure their ML solutions meets the principle of non-maleficence can start with the foundational principles of privacy by design (Cavoukian et al., 2010) to guide ideation appropriately, use techniques such as data minimisation (Antignac et al., 2016), training for adversarial robustness (Kolter & Madry, 2018), and decision-making verification (Dennis et al., 2016) in the train-build-test phases, and end by launching the system with an accompanying privacy audit procedure (Makri & Lambrinoudakis, 2015)

An individual focus

The next observation of note is that few of the available tools surveyed provide meaningful ways to assess, and respond to, the impact that the data-processing involved in their ML algorithm has on an individual, and even less on the impact on society as a whole (Poursabzi-Sangdeh, Goldstein, Hofman, Vaughan, & Wallach, 2018). This is evident from the very sparsely populated 'deployment' column of the typology. Its emptiness implies that the need for proethically designed human-computer interaction (at an individual level) or networks of ML systems (at a group level) has been paid little heed. This is likely because it is difficult to translate complex human behaviour into design tools that are simple to use and generalisable.

This might not seem particularly importance, but the impact this has on the overall acceptance of AI in society could be significant. For example, it is unlikely that counterfactual explanations²⁶ (i.e. if input variable *x* had been different, the output variable *y* would have been different as well) will do anything to improve the interpretability of recommendations made by black-box systems for the average member of the public or the technical community. If such methods become the *de facto* means of providing 'explanations,' the extent to which the 'algorithmic society' is interpretable to the general public will be very limited. And counterfactual

⁻

²⁶ See for example (Johansson, Shalit, & Sontag, 2016; Lakkaraju, Kleinberg, Leskovec, Ludwig, & Mullainathan, 2017; Russell, Kusner, Loftus, & Silva, 2017; Wachter, Mittelstadt, & Floridi, 2017)

explanations could easily be embraced by actors uninterested in providing factual explanations, because the counterfactual ones provide a vast menu of options, which may easily decrease the level of responsibility of the actor choosing it. For example, if a mortgage provider does not offer a mortgage, the factual reasons may be a bias, for example the gender of the applicant, but the provider could choose from a vast menu of innocuous, counterfactual explanations – if some variable *x* had been different the mortgage might have been provided – e.g., a much higher income, more collaterals, lower amount, and so forth, without ever mentioning the factual cause, i.e. the gender of the applicant. All this could considerably limit the level of trust people are willing to place in such systems.

This potential threat to trust is further heightened by the fact that the lack of attention paid to impact means that ML developers are currently hampered in their ability to develop systems that promote user's (individual or group's) autonomy. For example, currently there is an assumption that prediction = decision, and little research has been done (in the context of ML) on how people translate predictions into actionable decisions. As such, tools that, for example, help developers pro-ethically design solutions that do not overly restrict the user's options in acting on this prediction (i.e. tools that promote the user's autonomy) are in short supply (Kleinberg, Lakkaraju, Leskovec, Ludwig, & Mullainathan, 2017). F users feel as though their decisions are being curtailed and controlled by systems that they do not understand, it is very unlikely that these systems will meet the condition of social acceptability, never mind the condition of social preferability which should be the aim for truly ethically designed ML (Floridi & Taddeo, 2016).

A lack of usability

Finally, the tools and methods included in the typology are positioned as discourse aids, designed to facilitate and document rational decisions about trade-offs in the design process that may make an ML system more or less ethically-aligned. It is possible to see the *potential* for the tools identified to play this role. For example, at the "beneficence → use-case → design" intersection, there are a number of tools highlighted to help elicit social values. These include the responsible research and innovation methodology employed by the European Commission's Human Brain Project (Stahl & Wright, 2018), the field guide to human-centred design (idea.org) and Involve and DeepMind's guidance on stimulating effective public engagement on the ethics of artificial intelligence (Involve & DeepMind). Such tools and methods could be used to help designers pro-ethically deal with value pluralism (i.e. variation in values across different population groups). However, the vast majority of these tools and methods are not actionable as they offer

little help on how to use them in practice (Vakkuri et al., 2019). Even when there are opensource code libraries available, documentation is often limited, and the skill-level required for use is high.

This overarching lack of usability of the tools and methods highlighted in the typology means that, although they are promising, they require more work before being 'productionready.' As a result, applying ethics still requires considerable amounts of effort on behalf of the ML developers undermining one of the main aims of developing and using technologically-based 'tools': to remove friction from applied ethics. Furthermore, until these tools are embedded in practice and tested in the 'real world,' it is extremely unclear what impact they will have on the overall 'governability' of the algorithmic ecosystem. For example, (Binns, 2018a) asks how an accountable system actually will be held accountable for an 'unfair' decision in a way that is acceptable to all. This makes it almost impossible to measure the impact, 'define success', and document the performance (Mitchell et al., 2019) of a new design methodology or tool. As a result, tehre is no clear problem statement (and therefore no clear business case) that the ML community can use to justify time and financial investment in developing much-needed tools and techniques that truly enable pro-ethical design. Consequently, there is no guaranatee that the so-called discursive devices do anything other than help the groups in society who already have the loudest voices embed and protect their values in design tools, and then into the resultant ML systems.

A way forward

Social scientists (Matzner, 2014) and political philosophers (from Rousseau and Kant, to Rawls and Habermas) (Binns, 2018b), are used to dealing with the kind of plurality and subjectivity informing the entire ethical ML field (Bibal & Frénay, 2016). Answering questions such as, what happens when individual level and group level 'ethics' interact, and what key terms such as 'fairness,' 'accountability,' 'transparency' and 'interpretability' actually mean when there are currently a myriad definitions (Ananny & Crawford, 2018; Bibal & Frénay, 2016; Doshi-Velez & Kim, 2017; Friedler, Scheidegger, & Venkatasubramanian, 2016; Guidotti et al., 2018; Kleinberg, Mullainathan, & Raghavan, 2016; Overdorf, Kulynych, Balsa, Troncoso, & Gürses, 2018; Turilli & Floridi, 2009) is standard fare for individuals with social science, economy, philosophy or legal training. This is why (Nissenbaum, 2004) argues for a contextual account of privacy, one that recognises the varying nature of informational norms (Matzner, 2014) and (Kemper & Kolkman, 2018) state that transparency is only meaningful in the context of a defined critical audience.

The ML developer community, in contrast, may be less used to dealing with *this* kind of difficulty, and more used to scenarios where there is at lest a seemingly quantifiable relationship between input and output. As a result, the existing approaches to designing and programming ethical ML fail to resolve what (Arvan, 2018) terms the moral-semantic trilemma, as almost all tools and methods highlighted in the typology are either too semantically strict, too semantically flexible, or overly unpredictable (Arvan, 2018).

Bridging together multi-disciplinary researchers into the development process of proethical design tools and methodologies will be essential. A multi-disciplinary approach will help the ethical ML community overcome obstacles concerning social complexity, embrace uncertainty, and accept that: (1) AI is built on assumptions; (2) human behaviour is complex; (3) algorithms can have unfair consequences; (4) algorithmic predictions can be hard to interpret (Vaughan & Wallach, 2016); (5) trade-offs are usually inevitable; and (6) positive, ethical features are open to progressive increase, that is an algorithm can be increasingly fair, and fairer than another algorithm or a previous version, but makes no sense to say that it is fair or unfair n absolute terms (compare this to the case of speed: it makes sense to say that an object is moving quickly, or that it is fast or faster than another, but not that it is fast). The resulting collaborations are likely to be highly beneficial for the development of applied ethical tools and methodologies for at least three reasons.

First, it will help ensure that the tools and methods developed do not only protect value-pluralism in silico (i.e. the pluralistic values of developers) but also in society. Embracing uncertainty and disciplinary diversity will naturally encourage ML experts to develop tools that facilitate more probing and open (i.e. philosophical) questions (Floridi, 2019b) that will lead to more nuanced and reasoned answers and hence decisions about why and when certain tradeoffs, for example, between accuracy and interpretability (Goodman & Flaxman, 2017), are justified, based on factors such as proportionality to risk (Holm, 2019).

Second, it will encourage a more flexible and reflexive approach to applied ethics that is more in-keeping with the way ML systems are actually developed: it is not think and *then* code, but rather think *and* code. In other words, it will accelerate the move away from the 'move fast and break things' approach towards an approach of 'make haste slowly' (*festina lente*) (Floridi, 2019a).

Finally, it would also mitigate a significant risk – posed by the current sporadic application of ethical-design tools and/or methods during different development stages – of the ethical principles having been written into the business and use-case, but coded out by the time a system gets to deployment.

To enable developers to embrace this vulnerable uncertainty, it will be important to promote the development of tools, like DotEveryone's agile consequence scanning event (DotEveryone, 2019), and the Responsible Double Diamond 'R2D2' (Peters & Calvo, 2019) that prompt developers to reflect on the impacts (both direct and indirect) of the solutions they are developing on the 'end user', and on how these impacts can be altered by seemingly minor design decisions at each stage of development. In other words, ML developers should regularly:

- a) look back and ask: 'if I was abiding by ethical principles x in my design *then*, am I still *now?* (as encouraged by *Wellcome Data Lab's* agile methodology (Mikhailov, 2019); and
- b) look forward and ask: 'if I am abiding by ethical principles x in my design now, should I continue to do so? And how? By using foresight methodologies (Floridi & Strait, Forthcoming; Taddeo & Floridi, 2018), such as AI Now's Algorithmic Impact Assessment Framework (Reisman, Schultz, Crawford, & Whittaker, 2018).

Taking this approach recognises that, in a digital context, ethical principles are not simply either applied or not, but regularly re-applied or applied differently, or better, or ignored as algorithmic systems are developed, deployed, configured (Ananny & Crawford, 2018) tested, revised and retuned (Arnold & Scheutz, 2018).

This approach to applied ML ethics of regular reflection and application will heavily rely on (i) the creation of more tools – especially to fill the white spaces of the typology (for the reasons discussed in the previous section) and (ii) acceleration of tools maturity level from research labs into production environments. To achieve (i)-(ii), society needs to come together in communities comprised of multi-disciplinary researchers (Cath, Wachter, Mittelstadt, Taddeo, & Floridi, 2017), including innovators, policymakers, citizens, developers and designers (Taddeo & Floridi, 2018), to foster the development of: (1) common knowledge and understanding; and (2) a common goal to be achieved from the development of tools and methodologies for applied AI ethics (Durante, 2010). These outputs will provide a reason, a mechanism, and a consensus to coordinate the efforts behind tool development. Ultimately, this will produce better results than the current approach, which allows a 'thousand flowers to bloom' but fails to create tools that fill int eh gaps (this is a typical 'intellectual market' failure), and may encourage competition to produce preferable options. The opportunity that this presents is too great to be delayed, the ML research community should start collaborating now with a specific focus on:

1. the development of a common language;

- 2. the creation of tools that ensure *people*, as individuals, groups and societies, are given an equal and meaningful opportunity to participate in the design of algorithmic solutions at each stage of development;
- 3. the evaluation of the tools that are currently in existence so that what works, what can be improved, and what needs to be developed can be identified;
- 4. a commitment to reproducibility, openness, and sharing of knowledge and technical solutions (e.g. software), also in view of satisfying (2) and supporting (3);
- 5. the creation of 'worked examples' of how tools have been used to satisfy one of the principles at each stage of the development and how consistency was maintained throughout the use of different tools'
- 6. the evaluation and creation of pro-ethical business models and incentive structures that balance the costs and rewards of investing in ethical AI across society, also in view of supporting (2)-(4).

Limitations

All research projects have their limitations and this one is no exception. The first is that the research question 'what tools and methods are available for ML developers to 'apply' ethics to each stage of the ML system design' is very broad. This lack of specificity meant that the available literature was excessive and growing all the time, making compromises from the perspective of practically essential. It is certain that such compromises, for example which databases to search and the decision to restrict the tools reviewed to those that were not industry sector-specific, have resulted in us missing a large number of tools and methods that are publicly available. Building on this, it is again, very likely that there are a number of proprietary applied ethics tools and methods being developed by private companies for internal or consulting purposes that we will have missed, for example the 'suite of customisable frameworks, tools and processes' that make up consulting firm PWC's "Responsible AI Toolkit" (PWC, 2019).

The second limitation is related to the design of the typology itself. As (La Fors et al., 2019) attest, the "neat theoretical distinction between different stages of technological innovation does not always exist in practice, especially not in the development of big data technologies." This implies that by categorising the tools by stage of development, we might be reducing their usability as developers in different contexts might follow a different pattern or feel as though it is 'too late' to, for example, engage in stakeholder engagement if they have reached the 'build' phase of their project, whereas the reality it is never too late.

Finally, the last limitations was already mentioned and concerns the lack of clarity regarding how the tools and methods that have been identified will improve the governability of algorithmic systems. Exactly *how* to govern ML remains an open question, although it appears that there is a growing acceptance among tech workers (in the UK at least) that government regulation will be necessary (Miller & Coldicott, 2019). The typology can at least be seen as a mechanism for facilitating co-regulation. Governments are increasingly setting standards and system requirements for ethical ML, but delegating the means for meeting these to the developers themselves (Clarke, 2019) – the tools and methods of the typology can be seen as the means of providing evidence of compliance. In this way, the typology (and the tools and methods it contains within) help developers take responsibility for embedding ethics in the part of the development, deployment, and use of ML solutions that they control (Coeckelbergh, 2012). The extent to which this makes a difference is yet to be determined.

Conclusion

The realisation that there is a need to embed ethical considerations into the design of computational, specifically algorithmic, artefacts is not new. Both Alan Turing and Norbert Weiner were vocal about this in the 1940s and 1960s (Turilli, 2008). However, as the complexity of algorithmic systems and our reliance on them increases (Cath et al., 2017), so too does the need to be critical (Floridi, 2016a) AI governance (Cath, 2018) and design solutions. It is possible to design things to be better (Floridi, 2017), but this will require more coordinated and sophisticated approaches (Allen, Varner, & Zinser, 2000) to translating ethical principles into design protocols (Turilli, 2007).

This call for increased coordination is necessary. The research has shown that there is an uneven distribution of effort across the 'Applied AI Ethics' typology. Furthermore, many of the tools included are relatively immature. This makes it difficult to assess the scope of their use (resulting in Arvan's 2018 'moral-semantic trilemma') and consequently hard to encourage heir adoption by the practically-minded ML developers, especially when the competitive advantage of more ethically-aligned AI is not yet clear. Taking the time to complete any of the 'exercises' suggested by the methods reviewed, and investing in the development of new tools or methods that 'complete the pipeline', add additional work and costs to the research and development process. Such overheads may directly conflict with short-term, commercial incentives. Indeed, a full ethical approach to AI design, development, deployment, and use may represent a competitive disadvantage for any single 'first mover'. The threat that this short-termism poses to the development of truly ethical ML is significant. Unless a longer-term and sector-wide

perspective in terms of return on investment can be encouraged – so that mechanisms are developed to close the gap between *what* and *how* – the lack of guidance may (a) result in the costs of ethical mistakes outweighing the benefits of ethical successes; (b) undermine public acceptance of algorithmic systems, even to the point of a backlash (Cookson, 2018); and (c) reduce adoption of algorithmic systems. Such a resultant lack of adoption could then turn into a loss of confidence from investors and research funders, and undermine AI research. Lack of incentives to develop AI ethically could turn into lack of interest in developing AI *tout court*. This would not be unprecedented. One only needs to recall the dramatic reduction in funding available for AI research following the 1973 publication of *Artificial Intelligence: A General Survey* (Lighthill, 1973) and its criticism of the fact that AI research had not lived up to its over-hyped expectations.

It this were to happen today, the opportunity costs that would be incurred by society would be significant (Cookson, 2018). The need for 'AI Ethics' has arisen from the fact that poorly designed AI systems can cause very significant harm. For example, predictive policing tools may lead to more people of colour being arrested, jailed or physically harmed by policy (Selbst, 2017). Likewise, the potential benefits of pro-ethically designed AI systems are considerable. This is especially true in the field of AI for Social Good where various AI applications are making possible socially good outcomes that were once less easily achievable, unfeasible, or unaffordable (Cowls, King, Taddeo, & Floridi, 2019). So, there is an urgent need to progress research in this area.

Constructive patience needs to be exercised, by society and by the ethical AI community, because such progress on the question of 'how' to meet the 'what' will not be quick, and there will definitely be mistakes along the way. The ML research community will have to accept this, trust that everyone is trying to meet the same end-goal, but also accept that it is unacceptable to delay any full commitment, when it is known how serious the consequences of doing nothing are. Only by accepting this can society by positive about the opportunities presented by AI to be seized, whilst remaining mindful of the potential costs to be avoided (Floridi et al., 2018).

References

- Abdul, A., Vermeulen, J., Wang, D., Lim, B. Y., & Kankanhalli, M. (2018). Trends and Trajectories for Explainable, Accountable and Intelligible Systems: An HCI Research Agenda. *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems CHI '18*, 1–18. https://doi.org/10.1145/3173574.3174156
- Adamson, G., Havens, J. C., & Chatila, R. (2019). Designing a Value-Driven Future for Ethical Autonomous and Intelligent Systems. *Proceedings of the IEEE*, 107(3), 518–525. https://doi.org/10.1109/JPROC.2018.2884923
- AI Now Institute Algorithmic Accountability Policy Toolkit. (n.d.). Retrieved from https://ainowinstitute.org/aap-toolkit.pdf
- Allen, C., Varner, G., & Zinser, J. (2000). Prolegomena to any future artificial moral agent. *Journal of Experimental & Theoretical Artificial Intelligence*, 12(3), 251–261. https://doi.org/10.1080/09528130050111428
- Alshammari, M., & Simpson, A. (2017). Towards a Principled Approach for Engineering Privacy by Design. In E. Schweighofer, H. Leitold, A. Mitrakas, & K. Rannenberg (Eds.), *Privacy Technologies and Policy* (Vol. 10518, pp. 161–177). https://doi.org/10.1007/978-3-319-67280-9_9
- Anabo, I. F., Elexpuru-Albizuri, I., & Villardón-Gallego, L. (2019). Revisiting the Belmont Report's ethical principles in internet-mediated research: Perspectives from disciplinary associations in the social sciences. *Ethics and Information Technology*, 21(2), 137–149. https://doi.org/10.1007/s10676-018-9495-z
- Ananny, M., & Crawford, K. (2018). Seeing without knowing: Limitations of the transparency ideal and its application to algorithmic accountability. *New Media & Society*, 20(3), 973–989. https://doi.org/10.1177/1461444816676645
- Antignac, T., Sands, D., & Schneider, G. (2016). Data Minimisation: A Language-Based Approach (Long Version). *ArXiv:1611.05642* [Cs]. Retrieved from http://arxiv.org/abs/1611.05642
- Arnold, T., & Scheutz, M. (2018). The "big red button" is too late: An alternative model for the ethical evaluation of AI systems. *Ethics and Information Technology*, 20(1), 59–69. https://doi.org/10.1007/s10676-018-9447-7
- Arvan, M. (2014). A Better, Dual Theory of Human Rights: A Better, Dual Theory of Human Rights. *The Philosophical Forum*, 45(1), 17–47. https://doi.org/10.1111/phil.12025
- Arvan, M. (2018). Mental time-travel, semantic flexibility, and A.I. ethics. *AI & SOCIETY*. https://doi.org/10.1007/s00146-018-0848-2
- Beijing AI Principles. (n.d.). Retrieved from Beijing Academy of Aritifical Intelligence website: https://www.baai.ac.cn/blog/beijing-ai-principles
- Bibal, A., & Frénay, B. (2016). Interpretability of Machine Learning Models and Representations: An Introduction.
- Binns, R. (2018a). Algorithmic Accountability and Public Reason. *Philosophy & Technology*, 31(4), 543–556. https://doi.org/10.1007/s13347-017-0263-5
- Binns, R. (2018b). What Can Political Philosophy Teach Us about Algorithmic Fairness? *IEEE Security & Privacy*, 16(3), 73–80. https://doi.org/10.1109/MSP.2018.2701147
- Binns, R., Van Kleek, M., Veale, M., Lyngs, U., Zhao, J., & Shadbolt, N. (2018). 'It's Reducing a Human Being to a Percentage': Perceptions of Justice in Algorithmic Decisions.

 *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems CHI '18, 1–14. https://doi.org/10.1145/3173574.3173951
- Buhmann, A., Paßmann, J., & Fieseler, C. (2019). Managing Algorithmic Accountability:
 Balancing Reputational Concerns, Engagement Strategies, and the Potential of Rational Discourse. *Journal of Business Ethics*. https://doi.org/10.1007/s10551-019-04226-4

- Burrell, J. (2016). How the machine 'thinks': Understanding opacity in machine learning algorithms. *Big Data & Society*, 3(1), 205395171562251. https://doi.org/10.1177/2053951715622512
- Cath, C. (2018). Governing artificial intelligence: Ethical, legal and technical opportunities and challenges. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 376*(2133), 20180080. https://doi.org/10.1098/rsta.2018.0080
- Cath, C., Wachter, S., Mittelstadt, B., Taddeo, M., & Floridi, L. (2017). Artificial Intelligence and the 'Good Society': The US, EU, and UK approach. *Science and Engineering Ethics*. https://doi.org/10.1007/s11948-017-9901-7
- Cath, C., Zimmer, M., Lomborg, S., & Zevenbergen, B. (2018). Association of Internet Researchers (AoIR) Roundtable Summary: Artificial Intelligence and the Good Society Workshop Proceedings. *Philosophy & Technology*, *31*(1), 155–162. https://doi.org/10.1007/s13347-018-0304-8
- Cavoukian, A., Taylor, S., & Abrams, M. E. (2010). Privacy by Design: Essential for organizational accountability and strong business practices. *Identity in the Information Society*, 3(2), 405–413. https://doi.org/10.1007/s12394-010-0053-z
- Clarke, R. (2019). Principles and business processes for responsible AI. *Computer Law and Security Review*. https://doi.org/10.1016/j.clsr.2019.04.007
- Coeckelbergh, M. (2012). Moral Responsibility, Technology, and Experiences of the Tragic: From Kierkegaard to Offshore Engineering. *Science and Engineering Ethics*, 18(1), 35–48. https://doi.org/10.1007/s11948-010-9233-3
- Cookson, C. (2018, September 6). Artificial intelligence faces public backlash, warns scientist. Financial Times. Retrieved from https://www.ft.com/content/0b301152-b0f8-11e8-99ca-68cf89602132
- Cowls, J., King, T., Taddeo, M., & Floridi, L. (2019). Cowls, Josh and King, Thomas and Taddeo, Mariarosaria and Floridi, Luciano, Designing AI for Social Good: Seven Essential Factors (May 15, 2019). Available at SSRN: https://ssrn.com/abstract=.
- Crawford, K., & Calo, R. (2016). There is a blind spot in AI research. *Nature*, *538*(7625), 311–313. https://doi.org/10.1038/538311a
- D'Agostino, M., & Durante, M. (2018). Introduction: The Governance of Algorithms. *Philosophy & Technology*, 31(4), 499–505. https://doi.org/10.1007/s13347-018-0337-z
- Dennis, L. A., Fisher, M., Lincoln, N. K., Lisitsa, A., & Veres, S. M. (2016). Practical verification of decision-making in agent-based autonomous systems. *Automated Software Engineering*, 23(3), 305–359. https://doi.org/10.1007/s10515-014-0168-9
- Diakopoulos, N. (2015). Algorithmic Accountability: Journalistic investigation of computational power structures. *Digital Journalism*, *3*(3), 398–415. https://doi.org/10.1080/21670811.2014.976411
- Doshi-Velez, F., & Kim, B. (2017). Towards A Rigorous Science of Interpretable Machine Learning. *ArXiv:1702.08608 [Cs, Stat]*. Retrieved from http://arxiv.org/abs/1702.08608
- DotEveryone. (n.d.). The DotEveryone Consequence Scanning Agile Event. Retrieved from https://doteveryone.org.uk/project/consequence-scanning/
- Dressel, J., & Farid, H. (2018). The accuracy, fairness, and limits of predicting recidivism. *Science Advances*, 4(1), eaao5580. https://doi.org/10.1126/sciadv.aao5580
- Durante, M. (2010). What Is the Model of Trust for Multi-agent Systems? Whether or Not E-Trust Applies to Autonomous Agents. *Knowledge, Technology & Policy*, 23(3–4), 347–366. https://doi.org/10.1007/s12130-010-9118-4
- Edwards, L., & Veale, M. (2018). Enslaving the Algorithm: From a "Right to an Explanation" to a "Right to Better Decisions"? *IEEE Security & Privacy*, 16(3), 46–54. https://doi.org/10.1109/MSP.2018.2701152

- European Commission. (2019). Ethics Guidelines for Trustworthy AI. Retrieved from https://ec.europa.eu/futurium/en/ai-alliance-consultation
- Floridi, L, & Clement-Jones, T. (2019, March 20). The five principles key to any ethical framework for AI. *Tech New Statesman*. Retrieved from https://tech.newstatesman.com/policy/ai-ethics-framework
- Floridi, L., & Strait, A. (Forthcoming). Ethical foresight analysis: What it is and why it is needed.
- Floridi, L. (2016a). Faultless responsibility: On the nature and allocation of moral responsibility for distributed moral actions. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2083), 20160112. https://doi.org/10.1098/rsta.2016.0112
- Floridi, L. (2016b). Tolerant Paternalism: Pro-ethical Design as a Resolution of the Dilemma of Toleration. *Science and Engineering Ethics*, 22(6), 1669–1688. https://doi.org/10.1007/s11948-015-9733-2
- Floridi, L. (2017). The Logic of Design as a Conceptual Logic of Information. *Minds and Machines*, 27(3), 495–519. https://doi.org/10.1007/s11023-017-9438-1
- Floridi, L. (2018). Soft ethics, the governance of the digital and the General Data Protection Regulation. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 376*(2133), 20180081. https://doi.org/10.1098/rsta.2018.0081
- Floridi, L. (2019a). Establishing the rules for building trustworthy AI. *Nature Machine Intelligence*. https://doi.org/10.1038/s42256-019-0055-y
- Floridi, L. (2019b). *The logic of information: A theory of philosophy as conceptual design* (1st edition). New York, NY: Oxford University Press.
- Floridi, L. (2019c). Translating Principles into Practices of Digital Ethics: Five Risks of Being Unethical. *Philosophy & Technology*, s13347-019-00354–x. https://doi.org/10.1007/s13347-019-00354-x
- Floridi, L, & Cowls, J. (2019). A Unified Framework of Five Principles for AI in Society. *Harvard Data Science Review*. https://doi.org/10.1162/99608f92.8cd550d1
- Floridi, L, Cowls, J., Beltrametti, M., Chatila, R., Chazerand, P., Dignum, V., ... Vayena, E. (2018). AI4People—An Ethical Framework for a Good AI Society: Opportunities, Risks, Principles, and Recommendations. *Minds and Machines*, 28(4), 689–707. https://doi.org/10.1007/s11023-018-9482-5
- Floridi, L, & Taddeo, M. (2016). What is data ethics? *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2083), 20160360. https://doi.org/10.1098/rsta.2016.0360
- Friedler, S. A., Scheidegger, C., & Venkatasubramanian, S. (2016). On the (im)possibility of fairness. *ArXiv:1609.07236 [Cs, Stat]*. Retrieved from http://arxiv.org/abs/1609.07236
- Goodman, B., & Flaxman, S. (2017). European Union regulations on algorithmic decision-making and a 'right to explanation'. *AI Magazine*, 38(3), 50. https://doi.org/10.1609/aimag.v38i3.2741
- Green, B. P. (2018). Ethical Reflections on Artificial Intelligence. *Scientia et Fides*, 6(2), 9. https://doi.org/10.12775/SetF.2018.015
- Guidotti, R., Monreale, A., Ruggieri, S., Turini, F., Giannotti, F., & Pedreschi, D. (2018). A Survey of Methods for Explaining Black Box Models. *ACM Computing Surveys*, *51*(5), 1–42. https://doi.org/10.1145/3236009
- Hagendorff, T. (2019). The Ethics of AI Ethics—An Evaluation of Guidelines. ArXiv:1903.03425 [Cs, Stat]. Retrieved from http://arxiv.org/abs/1903.03425
- Heath, J. (2014). Rebooting discourse ethics. *Philosophy and Social Criticism*, 40(9), 829–866. https://doi.org/10.1177/0191453714545340

- Hevelke, A., & Nida-Rümelin, J. (2015). Responsibility for Crashes of Autonomous Vehicles: An Ethical Analysis. *Science and Engineering Ethics*, *21*(3), 619–630. https://doi.org/10.1007/s11948-014-9565-5
- Holland, S., Hosny, A., Newman, S., Joseph, J., & Chmielinski, K. (2018). The Dataset Nutrition Label: A Framework To Drive Higher Data Quality Standards. *ArXiv:1805.03677* [Cs]. Retrieved from http://arxiv.org/abs/1805.03677
- Holm, E. A. (2019). In defense of the black box. *Science*, *364*(6435), 26–27. https://doi.org/10.1126/science.aax0162
- Holzinger, A. (2018). From Machine Learning to Explainable AI. 2018 World Symposium on Digital Intelligence for Systems and Machines (DISA), 55–66. https://doi.org/10.1109/DISA.2018.8490530
- idea.org. (n.d.). *The Field Guide to Human-Centered Design*. Retrieved from http://www.designkit.org/resources/1
- Involve, & DeepMind. (n.d.). How to stimulate effective public engagement on the ethics of Artificial Intelligence. Retrieved from https://www.involve.org.uk/sites/default/files/field/attachemnt/How%20to%20stimul ate%20effective%20public%20debate%20on%20the%20ethics%20of%20artificial%20in telligence%20.pdf
- Jacobs, N., & Huldtgren, A. (2018). Why value sensitive design needs ethical commitments. *Ethics and Information Technology*. https://doi.org/10.1007/s10676-018-9467-3
- Jobin, A., Ienca, M., & Vayena, E. (2019). Artificial Intelligence: The global landscape of ethics guidelines. *ArXiv:1906.11668* [Cs]. Retrieved from http://arxiv.org/abs/1906.11668
- Johansson, F. D., Shalit, U., & Sontag, D. (2016). Learning Representations for Counterfactual Inference. *ArXiv:1605.03661 [Cs, Stat]*. Retrieved from http://arxiv.org/abs/1605.03661
- Kemper, J., & Kolkman, D. (2018). Transparent to whom? No algorithmic accountability without a critical audience. *Information, Communication & Society*, 1–16. https://doi.org/10.1080/1369118X.2018.1477967
- Kleinberg, J., Lakkaraju, H., Leskovec, J., Ludwig, J., & Mullainathan, S. (2017). Human Decisions and Machine Predictions*. *The Quarterly Journal of Economics*. https://doi.org/10.1093/qje/qjx032
- Kleinberg, J., Mullainathan, S., & Raghavan, M. (2016). Inherent Trade-Offs in the Fair Determination of Risk Scores. *ArXiv:1609.05807 [Cs, Stat]*. Retrieved from http://arxiv.org/abs/1609.05807
- Knight, W. (2019). Why does Beijing suddenly care about AI ethics? MIT Technology Review. Retrieved from https://www.technologyreview.com/s/613610/why-does-china-suddenly-care-about-ai-ethics-and-privacy/
- Knoppers, B. M., & Thorogood, A. M. (2017). Ethics and big data in health. *Current Opinion in Systems Biology*, 4, 53–57. https://doi.org/10.1016/j.coisb.2017.07.001
- Kolter, Z., & Madry, A. (n.d.). Materials for tutorial Adversarial Robustness: Theory and Practice. Retrieved from https://adversarial-ml-tutorial.org/
- Kroll, J. A. (2018). The fallacy of inscrutability. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 376*(2133), 20180084. https://doi.org/10.1098/rsta.2018.0084
- La Fors, K., Custers, B., & Keymolen, E. (2019). Reassessing values for emerging big data technologies: Integrating design-based and application-based approaches. *Ethics and Information Technology*. https://doi.org/10.1007/s10676-019-09503-4
- Lakkaraju, H., Kleinberg, J., Leskovec, J., Ludwig, J., & Mullainathan, S. (2017). The Selective Labels Problem: Evaluating Algorithmic Predictions in the Presence of Unobservables. Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining - KDD '17, 275–284. https://doi.org/10.1145/3097983.3098066

- Lepri, B., Oliver, N., Letouzé, E., Pentland, A., & Vinck, P. (2018). Fair, Transparent, and Accountable Algorithmic Decision-making Processes: The Premise, the Proposed Solutions, and the Open Challenges. *Philosophy & Technology*, *31*(4), 611–627. https://doi.org/10.1007/s13347-017-0279-x
- Lessig, L., & Lessig, L. (2006). Code (Version 2.0). New York: Basic Books.
- Lighthill, J. (1973). 'Artificial Intelligence: A General Survey' in Artificial Intelligence: A paper symposium.

 Retrieved from UK Science Research Council website: http://www.chilton-computing.org.uk/inf/literature/reports/lighthill_report/p001.htm
- Lipton, Z. C. (2016). The Mythos of Model Interpretability. *ArXiv:1606.03490 [Cs, Stat]*. Retrieved from http://arxiv.org/abs/1606.03490
- Lundberg, S. M., & Lee, S.-I. (2017). A Unified Approach to Interpreting Model Predictions. In I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, & R. Garnett (Eds.), *Advances in Neural Information Processing Systems 30* (pp. 4765–4774). Retrieved from http://papers.nips.cc/paper/7062-a-unified-approach-to-interpreting-model-predictions.pdf
- Makri, E.-L., & Lambrinoudakis, C. (2015). Privacy Principles: Towards a Common Privacy Audit Methodology. In S. Fischer-Hübner, C. Lambrinoudakis, & J. López (Eds.), *Trust, Privacy and Security in Digital Business* (Vol. 9264, pp. 219–234). https://doi.org/10.1007/978-3-319-22906-5_17
- Matzner, T. (2014). Why privacy is not enough privacy in the context of "ubiquitous computing" and "big data". *Journal of Information, Communication and Ethics in Society*, 12(2), 93–106. https://doi.org/10.1108/JICES-08-2013-0030
- Mikhailov, D. (2019). A new method for ethical data science. Retrieved from Medium website: https://medium.com/wellcome-data-labs/a-new-method-for-ethical-data-science-edb59e400ae9
- Miller, C., & Coldicott, R. (2019). *People, Power and Technology: The Tech Workers' View.* Retrieved from Doteveryone website: https://doteveryone.org.uk/report/workersview/
- Mingers, J. (2011). Ethics and OR: Operationalising discourse ethics. *European Journal of Operational Research*, 210(1), 114–124. https://doi.org/10.1016/j.ejor.2010.11.003
- Mingers, J., & Walsham, G. (2010). Toward ethical information systems: The contribution of discourse ethics. *MIS Quarterly: Management Information Systems*, *34*(4), 855–870. Retrieved from https://www.scopus.com/inward/record.uri?eid=2-s2.0-79953280231&partnerID=40&md5=7a63836e6f0ff04a1baa17cb9ebf76d8
- Mitchell, M., Wu, S., Zaldivar, A., Barnes, P., Vasserman, L., Hutchinson, B., ... Gebru, T. (2019). Model Cards for Model Reporting. *Proceedings of the Conference on Fairness, Accountability, and Transparency FAT* '19*, 220–229. https://doi.org/10.1145/3287560.3287596
- Mittelstadt, B. D., Allo, P., Taddeo, M., Wachter, S., & Floridi, L. (2016). The ethics of algorithms: Mapping the debate. *Big Data & Society*, 3(2), 205395171667967. https://doi.org/10.1177/2053951716679679
- Nissenbaum, H. (2004). Privacy as Contextual Integrity. WASHINGTON LAW REVIEW.
- OECD. (2019). Forty-two countries adopt new OECD Principles on Artificial Intelligence. Retrieved from https://www.oecd.org/science/forty-two-countries-adopt-new-oecd-principles-on-artificial-intelligence.htm
- OECD. (n.d.). Recommendation of the Council on Artificial Intelligence. Retrieved from https://legalinstruments.oecd.org/en/instruments/OECD-LEGAL-0449
- Oetzel, M. C., & Spiekermann, S. (2014). A systematic methodology for privacy impact assessments: A design science approach. *European Journal of Information Systems*, 23(2), 126–150. https://doi.org/10.1057/ejis.2013.18

- Overdorf, R., Kulynych, B., Balsa, E., Troncoso, C., & Gürses, S. (2018). Questioning the assumptions behind fairness solutions. *ArXiv:1811.11293* [Cs]. Retrieved from http://arxiv.org/abs/1811.11293
- Oxborough, C., Cameron, E., Rao, A., Birchall, A., Townsend, A., & Westermann, C. (n.d.). *Explainable AI: Driving Business Value through Greater Understanding.* Retrieved from PWC website: https://www.pwc.co.uk/audit-assurance/assets/explainable-ai.pdf
- Peters, D., & Calvo, R. A. (2019, May 2). Beyond principles: A process for responsible tech. Retrieved from Medium website: https://medium.com/ethics-of-digital-experience/beyond-principles-a-process-for-responsible-tech-aefc921f7317
- Polykalas, S. E., & Prezerakos, G. N. (2019). When the mobile app is free, the product is your personal data. *Digital Policy, Regulation and Governance*, 21(2), 89–101. https://doi.org/10.1108/DPRG-11-2018-0068
- Poursabzi-Sangdeh, F., Goldstein, D. G., Hofman, J. M., Vaughan, J. W., & Wallach, H. (2018). Manipulating and Measuring Model Interpretability. *ArXiv:1802.07810 [Cs]*. Retrieved from http://arxiv.org/abs/1802.07810
- PWC. (n.d.). *The PwC Responsible AI Framework*. Retrieved from https://www.pwc.co.uk/services/audit-assurance/risk-assurance/services/technology-risk/technology-risk-insights/accelerating-innovation-through-responsible-ai.html
- Reisman, D., Schultz, J., Crawford, K., & Whittaker, M. (2018). Algorithmic Impact Assessments: A Practical Framework for Public Agency Accountability. Retrieved from AINow website: https://ainowinstitute.org/aiareport2018.pdf
- Ribeiro, Singh, S., & Guestrin, C. (2016, August 12). Local Interpretable Model-Agnostic Explanations (LIME): An Introduction A technique to explain the predictions of any machine learning classifier. Retrieved from https://www.oreilly.com/learning/introduction-to-local-interpretable-model-agnostic-explanations-lime
- Royakkers, L., Timmer, J., Kool, L., & van Est, R. (2018). Societal and ethical issues of digitization. *Ethics and Information Technology*, 20(2), 127–142. https://doi.org/10.1007/s10676-018-9452-x
- Russell, C., Kusner, M. J., Loftus, J., & Silva, R. (2017). When Worlds Collide: Integrating Different Counterfactual Assumptions in Fairness. In I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, & R. Garnett (Eds.), *Advances in Neural Information Processing Systems 30* (pp. 6414–6423). Retrieved from http://papers.nips.cc/paper/7220-when-worlds-collide-integrating-different-counterfactual-assumptions-in-fairness.pdf
- Saltz, J. S., & Dewar, N. (2019). Data science ethical considerations: A systematic literature review and proposed project framework. *Ethics and Information Technology*. https://doi.org/10.1007/s10676-019-09502-5
- Samuel, A. L. (1960). Some Moral and Technical Consequences of Automation—A Refutation. *Science*, *132*(3429), 741–742. https://doi.org/10.1126/science.132.3429.741
- Selbst, A. D. (2017). Disparate Impact in Big Data Policing. *Georgia Law Review*, *52*(1), 109–196. Retrieved from https://heinonline.org/HOL/P?h=hein.journals/geolr52&i=121.
- Spielkamp, M., Matzat, L., Penner, K., Thummler, M., Thiel, V., Gießler, S., & Eisenhauer, A. (2019). Algorithm Watch 2019: The AI Ethics Guidelines Global Inventory. Retrieved from https://algorithmwatch.org/en/project/ai-ethics-guidelines-global-inventory/.
- Stahl, B. C., & Wright, D. (2018). Ethics and Privacy in AI and Big Data: Implementing Responsible Research and Innovation. *IEEE Security & Privacy*, 16(3), 26–33. https://doi.org/10.1109/MSP.2018.2701164
- Taddeo, M., & Floridi, L. (2018). How AI can be a force for good. *Science*, *361*(6404), 751–752. https://doi.org/10.1126/science.aat5991

- Turilli, M. (2007). Ethical protocols design. *Ethics and Information Technology*, *9*(1), 49–62. https://doi.org/10.1007/s10676-006-9128-9
- Turilli, M. (2008). Ethics and the practice of software design. In A. Briggle, P. Brey, & K. Waelbers (Eds.), *Current issues in computing and philosophy*. Amsterdam: IOS Press.
- Turilli, M., & Floridi, L. (2009). The ethics of information transparency. *Ethics and Information Technology*, 11(2), 105–112. https://doi.org/10.1007/s10676-009-9187-9
- Vakkuri, V., Kemell, K.-K., Kultanen, J., Siponen, M., & Abrahamsson, P. (2019). Ethically Aligned Design of Autonomous Systems: Industry viewpoint and an empirical study. *ArXiv:1906.07946 [Cs]*. Retrieved from http://arxiv.org/abs/1906.07946
- Vaughan, J., & Wallach, H. (2016). The inescapability of Uncertainty: AI, Uncertainty, and Why You Should Vote No Matter What Predictions Say. Retrieved 4 July 2019, from Points. Data Society website: https://points.datasociety.net/uncertainty-edd5caf8981b
- Wachter, S., Mittelstadt, B., & Floridi, L. (2017). Why a Right to Explanation of Automated Decision-Making Does Not Exist in the General Data Protection Regulation. *International Data Privacy Law*, 7(2), 76–99. https://doi.org/10.1093/idpl/ipx005
- Wiener, N. (1961). Cybernetics: Or control and communication in the animal and the machine (2d ed.). New York: M.I.T. Press.
- Winfield, A. (2019, April 18). An Updated Round Up of Ethical Principles of Robotics and AI. Retrieved from http://alanwinfield.blogspot.com/2019/04/an-updated-round-up-of-ethical.html
- Yetim, F. (2019). Supporting and Understanding Reflection on Persuasive Technology Through a Reflection Schema. In H. Oinas-Kukkonen, K. T. Win, E. Karapanos, P. Karppinen, & E. Kyza (Eds.), *Persuasive Technology: Development of Persuasive and Behavior Change Support Systems* (pp. 43–51). Cham: Springer International Publishing.