# The Less Intelligent the Elements, the More Intelligent the Whole. Or, Possibly Not?

Guido Fioretti Andrea Policarpi University of Bologna

December 24, 2020

#### Abstract

We dare to make use of a possible analogy between neurons in a brain and people in society, asking ourselves whether individual intelligence is necessary in order to collective wisdom to emerge and, most importantly, what sort of individual intelligence is conducive of greater collective wisdom. We review insights and findings from connectionism, agent-based modeling, group psychology, economics and physics, casting them in terms of changing structure of the system's Lyapunov function. Finally, we apply these insights to the sort and degrees of intelligence of preys and predators in the Lotka-Volterra model, explaining why certain individual understandings lead to co-existence of the two species whereas other usages of their individual intelligence cause global extinction.

Keywords: Individual Intelligence, Collective Wisdom, Social Connectionism, Lotka-Volterra

# **1** Introduction

Since the 1980s, connectionism has been sweeping cognitive sciences with radically innovative concepts such as those of distributed memories, endogenous formation of mental categories, intuition — understood as information loops coming closer to one another — as the root of intelligence, rather than logic [35] [7]. After conquering our understanding of brains, connectionism ventured into the social realm [48] [9]. Indeed, a key concept of connectionism such as information loops that flow through neurons appear to be closely mirrored by the concept of organizational routines, sequences of actions that people eventually repeat over and over if they close in a loop [29] [40].

According to the connectionist paradigm information loops are the building blocks of brain distributed memory and, ultimately, of intelligence itself. But if minds arise out of huge networks of relatively simple neurons, does anything arise of networks of humans, such as societies and organizations are? Are we possibly the elements of a greater organism we are unaware of?

Put it this way, it sounds like a thread for science fiction rather than a sound scientific question. However, we submit that there exist an angle from which this question can be approached in purely scientific terms. Science cannot ascertain whether anything like a Superorganism exist, but it can investigate what relations exist between the "intelligence", or sophistication, of the elements that compose a connectionist system, and the abilities of the system as a whole. What are the relations between local intelligence and global intelligence? What sort of local abilities are necessary in order for global abilities to arise? Conversely, what local abilities are ineffective, useless from a global point of view? These are tractable scientific questions, ones that have already been posed indeed.

Connectionism started with a family of computational models, namely artificial neural networks (ANN). In ANNs, artificial neurons are extremely simple elements that are capable of generating complex abilities when they are connected to one another nonetheless. However, connectionist principles diffused well beyond ANNs [17]. One endeavour where connectionist principles are being applied on relatively sophisticated components are agent-based models (ABMs). In particular, ABMs are being applied to social science, where the above question regading the relationships between local and global intelligence are relevant, fundamental and paramount.

In the beginning of computational social science, the KISS principle (Keep It Simple, Stupid) used to inform all social simulation models [15]. In general, these early models sought to reproduce complex social phenomena out minimalist agents, "stupid" decision-makers who were shown to be able to generate social patterns without any need of a planning mind. This approach is still just as important and fruitful as it used to be a few decades ago but, as soon as ABMs of real-world social settings were eventually built, a different approach had to be conceived.

In the real world, decision-makers are generally very complex. Even if researchers attempt to subsume their behaviour by means of relatively simple rules, these behavioural rules easily turn into rather intricate algorithms. Most importantly, the details of individual behaviour are often key to explain aggregate patterns. This circumstance eventually suggested that an alternative principle should inform modelling, which has been aptly subsumed by the acronym KIDS (Keep It Detailed, Stupid) [13]. According

KISS, modellers should start with agents that are as simple as possible, making them more complex only if it becomes clear that they cannot generate any interesting social pattern. By contrast, according to KIDS modellers should start by endowing their artificial agents with all the complexities that they observed in the real world, eventually stripping them of unnecessary features if it turns out that those are irrelevant for aggregate outcomes.

The question is, are there general principles suggesting which features of artificial agents have an impact on aggregate patterns? This question has been approached by comparing several models, but results are inconclusive [12]. Herein we suggest that a general principle does exist, which is firmly based on the theory of dynamical systems.

The rest of this article is organized as follows. Section § (2) resumes and classifies different aspects of our research question, within connectionism and beyond. Section §(3) expounds our point by resorting to stability theory. Section §(4) illustrates it on the prey-predator model. Finally, §(5) concludes.

# 2 Individual and Collective Intelligence

Connectionism is based on the idea that collective intelligence can arise out of a network of relatively simple, "stupid" elements. Although this idea originated within cognitive science, it eventually spread onto social sciences suggesting perspectives that, albeit not denying individual intelligence, typically consider it irrelevant for the arousal collective intelligence.

Bounded rationality is known to characterize human behaviour since decades [43] [42], but only recently social scientists have come to realize that many complex social phenomena can be easily explained by simple behavioural heuristics [38]. For instance, models of double-auction markets [21] [22], financial markets [18] as well as prediction markets [39] have been shown to work perfectly well with so-called "zero-intelligence agents" who have no memory and are incapable of whatsoever form of cognition or prediction, but operate under the rather obvious constraint of refusing transactions that would exceed their budgets.

All these experiences confirm the practice of building complex models out of relatively simple agents. At a closer scrutiny, even contrasting approaches such as KISS and KIDS aim at the same goal in the end, for KISS recommends to start from the simplest possible agents to make them more complex if this is absolutely necessary, whereas KIDS recommends to start from realistically complex agents that will be stripped out of unnecessary features later on [13]. Be it models of individuals in society or neurons in the brain, connectionism is based on the principle of deriving aggregate complex behaviour out of heterogeneous but simple components.

We may subsume the fundamental idea of connectionism as follows:

#### **Fundamental Idea.** Collective intelligence can arise out of a complex network of elements who may not be required to display individual intelligence.

Note that the very meaning of the concet of bounded rationality is reverted if the Fundamental Idea of Connectionism is transposed into social sciences. Possibly a

limitation to individual decision-making, but an opportunity for collective decisionmaking.

Several researchers investigated the relationships between individual and collective intelligence. It happened within different disciplines, sometimes with little or no awareness of connectionism but contributing along similar lines of thought, nonetheless. In the rest of this section we shall review these contributions.

In particular, subsection § (2.1) highlights that although connectionist accounts of collective intelligence are based on simple agents, their simplicity is curbed by some requirement for variety. Subsection § (2.2) reports on those who remarked that individual intelligence speeds up convergence towards a stable equilibrium, if it exists. Subsection § (2.3) discusses the rather ubiquitous observation that the ability of individuals to make predictions is key in order to obtain some sort of collective intelligence. Finally, subsection § (2.4) illustrates the apparently paradoxical result that, in certain situations, the less intelligent the agents, the more intelligent the collective outcome. These paradoxes will be further discussed in § (3).

#### 2.1 Simple, but Heterogeneous

Connectionist models of the brain are based on stylized neurons which yield an output signal *y* by weighting input signals  $x_i$  by means of appropriate coefficients  $a_i$ , i = 1, ..., N:

$$y = \sum_{i=1}^{N} a_i x_i \tag{1}$$

Coefficients  $a_i$  enable categorization of input signals  $x_i$ . An ANN arranges a large number of such neurons in a network that collectively has the ability to classify inputs into categories and — depending on network topology — eventually allow for information to flow in loops that implement a distributed sort of memory.

Coefficients  $a_i$  change with time, either going through a learning phase (supervised networks) or by means feed-backs and -forwards built in neurons themselves (unsupervised networks). Either case, ANNs form their own categories by changing their coefficients  $a_i$  in response to signals  $x_i$ .

The point we would like to stress is that this mechanism requires random initialization of coefficients  $a_i$  in order to work. Random initialization of coefficients makes neurons specialize into particular classes of input signals, enhancing initial variety in the network. If all neurons would be initialized with the same coefficients and if they all would receive the same signals, then they would all fire alike.

Interestingly, the neurons of real brains fire in unison under several mental diseases [26], most evidently during epilectic seizures [5]. Apparently, some degree of heterogeneity and individual differentiation is essential for connectionist systems to work.

Jumping from neurons in a brain to societies of brains, we may remark that group psychoanalysis makes a similar point with respect to instinct-based behaviour modes of human gropus [6]. According to group psychoanalysis, human groups occasionally abandon rational deliberation to switch back to one out of three instinct-based behaviour modes:

- **Fight-Flight** occurs when a group identifies an enemy to fight or to escape from. A leader is identified in order to guide the whole group through this task.
- **Dependence** occurs when a group becomes dependent of an unaccountable leader who is the sole interpreter of some sort of sacred text, law or legacy. Non-conforming individuals are eventually expelled.
- **Pairing/Utopian** takes place when a group dives into inaction out of expectation of some sort of messiah who will solve all problems. At a deeper level, such dreams are bound to sexual fantasies on giving birth.

Our point is that these instinct-based behavior modes imply homogeneous decisionmakers who give away their individual reasoning abilities in order to conform to a collective state of mind. Albeit these modes of behaviour are likely to have evolved in order to allow humans to react to specific situations and threats, they are certainly not quintessential of human intelligence and creativity. Indeed, such behavior modes can prove utmost detrimental to organizational behaviour [10].

Conversely, diversity has been shown to be fundamental for crowd wisdom, for only groups that are composed by diverse members are able to reach better-than-individual judgements by averaging over multiple views [31]. In practice, this effect is further enhanced if different individuals are capable of alternative interpretations even if they are exposed to the same information [27] [28].

On the whole, the Fundamental Idea of connectionism appears to be limited by a universally recognized need for heterogeneity. Thus, we may state the following qualification:

**Qualification 1.** Heterogeneity of elements is required in order to reach collective intelligence.

#### 2.2 Speed of Convergence Towards Equilibrium

Some researchers have remarked that, in many agent-based models, making the agents more "intelligent" speeds up the result [14]. This observation resounds with the debate on "rational expectations" that agitated economics in the 1970s, 1980s and 1990s. By "rational expectations" economists meant individuals' ability to make predictions making use of the correct model of the economy, an ability which is an instance of we broadly mean by "intelligence" in this paper. To economists, it became quickly clear that this ability would speed convergence towards equilibrium [16].

A distinct, but related issue concerns availability of information. Insofar it concerns speed of convergence towards equilibrium, lack of information slows down convergence just like bounded rationality does [46]. Since these two aspects concur to the same effect, we unite them in one single qualification to the Fundamental Idea of connectionism:

**Qualification 2.** Individual intelligence and availability of information speed up convergence towards a stable equilibrium, if any is there.

Note that the basic qualification on speed of convergence requires a further qualification, namely, that a stable equilibrium must exist in order to individual intelligence and information to speed up convergence to it. A more fundamental problem arises if several stable equilibria exist or can exist, but this will be the subject of § (3).

#### 2.3 Prediction and Mind Reading

Striving for simple, albeit heterogeneous agents, is a pervasive principle and a powerful drive throughout connectionist approaches to collective behaviour. However, there exists one exception. The one individual complexity that — across disciplinary boundaries — connectionist models suggest might improve collective behaviour is the ability to make predictions out of some understanding of other individuals.

In brains, neurons are hierarchically arranged in layers where the ability to predict the behaviour of neurons operating subsequent steps is believed to be a fundamental organizing principle of brains, enabling it to detect mistakes and learn from them [8]. Concerning more sophisticated abilities, *mirror neurons* have been shown to exist in primates which make it possible to figure out what other individuals will likely do [19].

Computational models apparently confirm this insight. For instance, it has been found that sophisticated robots do not necessarily perform better than robots enacting simple heuristics, except for those robots that are endowed with the ability to map their environment and predict what other robots will eventually do [41]. Likewise, a model of markets highlighted that agents that are able to figure out general trends perform better and make the market run more smoothly [32] [33]. Notably, this very same model found that this does not apply to mechanistic prediction based on extrapolation unless this is practiced by very few agents. We may interpret this finding as suggesting that some sort of cognitive map is necessary in order for prediction to be effective.

These findings resound very well with observations of the ability of human groups to act as teams, which allegedly rests on members making efforts to figure out what other members mean and have in mind — the so-called Theory of Mind — and communicate accordingly [34] (see Box). Experimental tests have confirmed that indicators of social attentiveness, such as eye movements or taking turns at speaking, make for better team performance [52].

Let us subsume these observations as follows:

**Qualification 3.** Local intelligence of elements, employed to predict and coordinate individual behaviour, can improve collective intelligence.

### 2.4 Individual Stupidity May Be Necessary for Collective Intelligence

The fundamental idea of connectionism is eventually reinforced by the observation that, in quite many situations, simple heuristics can even outperform complex rational deliberation in terms of time and efficiency [20] — one classical example is the tit-for-tat strategy for the iterated Prisoner's Dilemma [2]. Such observations suggest that, possibly, simple agents are not simply sufficient to generate complex aggregate

#### **Teams and Mind-Reading**

According to Klein [34], teams work properly insofar their members are able to read one other's mind. Figuring out what another team member had in mind when she issued a command, asked for a favour or delivered a suggestion is key for the recipient to put that command or suggestion into practice adding all adaptations that may be necessary in a changing context. On the other hand, team members who issue suggestions, commands or information should make an effort to communicate intentions rather than long lists of details.

A couple of examples may illustrate this concept:

On July  $31^{st}$ , 1914, Sir Winston Churchill, head of the British Admiralty, order the British Navy to track the *Goeben*, the only large German vessel in the Mediterranian to sink it as soon as war would erupt. When World War I started, on August  $4^{th}$ , a dozen of British ships had surrounded the *Goeben*. However, Mr. Churchill was afraid that the British ships could get involved in battles with large Austrian ships instead of focusing on what he really wanted, the *Goeben*. Thus, he specified that British ships "(...) should not at this stage be brought to action against superior forces."

The commander of the ships that had surrounded the *Goeben* wondered what these words meant. Since all of his ships were smaller than the *Goeben*, he let it go. Since Mr. Churchill had specified details instead of communicating his deep intent, the commander was unable to read his mind.

Fuel leakage from a tank in the right wing was being simulated in a series of training sessions for airplane crews. Invariably, the captains ordered the flight engineers to reconfigure the fuel flow so that all engines would be fed from the tanks in the left wing in order for the airplane not to be too inbalanced on landing. In all but one instance, flight engineers did exactly the opposite.

In that one instance the captain knew that the flight engineer would think in terms of available fuel instead of weight inbalance. He let his copilot fly the plane, swiveled around in his chair and explained the flight engineer why he was issuing an apparently nonsensical command.

#### The Traveller's Dilemma

Two travellers returning home from a remote island where they bought identical antiques discover that they have been damaged during the flight. The airline offers refund according to the following scheme.

Each of the two travelers has to write down on a piece of paper the cost of the antique. The two travelers can select any sum between 2\$ and 100\$. The airline refunds the smaller amount but prizes the traveler who wrote down the smaller amount with a bonus of 2\$ whereas it charges the other traveler with 2\$.

At first, each traveller has an incentive to write down 99\$ in order to get 101\$. But each traveller, by figuring out what the other traveler is likely to do, has an incentive to write down 98\$, and so on down to 2\$ each if both are perfectly rational decision-makers.

outcomes. Individual stupidity, at least on some occasions may even be necessary to generate collective intelligence.

Game Theory has an example where intelligent decision-makers are not only less efficient than boundedly rational ones, but even produce the wrong outcome. The Traveller's Dilemma (see Box) shows that rational players endowed with unlimited ability to read one other's minds — which in this case means being able to pursue reasonings of the sort "I think that she thinks that I think that ..." — generate worse outcomes with respect to boundedly rational players who carry out mind reading for a couple of steps at most [3] [4]. Moreover, the outcomes produced by boundedly rational players provide advantages to both players, a circumstance suggesting that, at least in this case, stupid individuals are necessary to generate collective intelligence. Notably, when this game is played with real people they invariably behave the "stupid," more efficient way.

A similar observation is eventually suggested by a few models of the stock market where both sophisticated and simple agents were thrown. Quite unexpectedly, sophisticated agents performed poorly in individualistic terms and also generated less efficient outcomes in global terms [45] [24]. The Traveller's Dilemma and the stock market may be special settings, but they effectively suggest that individual intelligence may not be what social organisms strive for.

Thus, we may add the following qualification to the Fundamental Idea of connectionism:

**Qualification 4.** There exist settings where individual stupidity is required in order to reach collective intelligence.

# **3** A Tale of Economists and Firefighters

Attention to one another, reading one other's mind, and a continuing effort at communicating intent makes for well-working teams, we learned in § (2.3). Yet sometimes humans do more, lifting themselves above the normal operation of well-knit, apparently well-working teams. Consider the following story [34]:

#### The Firefighters Who Didn't Fight Fires

The fire, an order of magnitude greater than anyone had ever seen, is entirely out of control. The commanders pull in all kinds of fire crews, outfitting them and sending them to different parts of the state. Yet the news keeps coming back that they aren't making much progress.

When the command team meets to figure out what is going wrong, they realize their problem is that they are fighting fires, yet their job is to put fires out. And they simply aren't putting any fires out.

They decide to stop fighting every fire in the state. They list all the fires, and select the one that will be easiest to put out with available resources. Then they move to the next easiest fire, and so on. In this way, they can send their crews where they will have the most impact. For the first time, they start to put fires out.

Their shift in strategy isn't easy. The hardest part is to let some fires go. The crews have been working hard to keep these fires checked. Now they are told that the Forest Service is going to let those fires rage uncontrolled, with the crews transferred elsewhere. It feels like a betrayal. Friendships are broken, some permanently.

A few fires are left burning through the fall, into winter. Some fires, like the one at Klamath, have gotten so hot that when spring arrives, they spontaneously start up again. This time the crews can go after them.

The sort of ability displayed by these firefighters is eventually known in the organizational literature as "double loop learning" [1]. When it occurs, one or a few members of a collectivity realize that a different, perhaps better social arrangement is possible. Eventually, they may set out to induce a change of current organizational routines.

A very sophisticated, subtle and creative individual intelligence is at work whenever double loop learning takes place. However, albeit this sort of learning is absolutely necessary at times, it occurs at exceptional times rather than on a daily basis. Can we state conditions upon which organizations need this extremely sophisticated intelligence in at least a fraction of their individuals?

The firefighters in the above example figured out a different cycle of operations for their organization. In terms of system theory, they observed the current equilibrium (expressed in terms of a routine of activities, i.e., a limit cycle) and figured out a new one. In an admittedly sketchy illustration, they switched from figuring out a Lyapunov function characterized by one single equilibrium to one where two equilibria are possible, and equally stable as depicted in Figure (1).

Such a shift can occur in systems whose Lyapunov function can abruptly change its shape when its *order parameters* pass a certain threshold. A simple example [25] is the so-called *anharmonic oscillator*, which swings with force  $F(x) = -ax - bx^3$ while its state variable x moves along the x-axis projection of the Lyapunov function  $V(x) = 1/2ax^2 + 1/4bx^4$ . With b > 0, this Lyapunov function has only one minimum if a > 0, but there are two minima if a < 0. Thus, a is an order parameter for this system.



Figure 1: Left, a Lyapunov function with one stable equilibrium. Right, a Lyapunov function with two stable equilibria. Equilibria may be thought as limit cycles that repeat a sequence of actions as it happens in an organizational routine. By courtesy of ©Alex Svirin, *www.math*24.*net* (left) and ©Matthias Kawski (right).

In general order parameters change very slowly, if they do at all. Typically, systems exhibit stability within the basins of attraction of a given Lyapunov function until, either out of a slow but continuous process or some abrupt event, the order parameters change the very shape of the Lyapunov function [25].

In the above story, some firefighters eventually realized that a different equilibrium was possible. And in this case, individual intelligence was key for the system as a whole to display greater collective intelligence. We may subsume this insight by means of the following Proposition:

**Proposition 1.** Individual intelligence adds to collective intelligence if it is able to envisage alternative collective behaviours.

However, this may be quite difficult at times. Firefighters have a great advantage over armies, physicians, businesses and heads of State: Their enemy is utterly stupid. Fire diffusion can be hard to predict, but it is based on known factors such as wind, humidity and terrain, and fires never change their strategy. Human beings do.

Economists realized it in the 1970s, when they faced the novel problem of stagnant economies with high inflation. Central Banks were trying to stimulate the economy by offering low interest rates but the public, who was eventually able to anticipate the outcome of a greater offer of money, would react by increasing prices instead of production [37]. Central Banks were attempting to act like the firefighters in the above story, trying to push the system towards a preferable equilibrium of higher production and lower unemployment. Unfortunately humans, unlike fires, were able to change their behaviour in ways that nullified the intentions of those who were taking action. Since this dynamics could occur because of the intelligence of the public upon which monetary policy was enacted, it eventually took the name of *rational expectations*.

A problem with rational expectations models is that, in general, a number of alternative equilibria are possible so that the final outcome is indeterminate [49] [11]. Intuitively, the reason is quite obvious. If several individuals are able to envisage alternative collective behaviours, there is no way to predict which one will prevail. The firefighter commander conceived a novel equilibrium, forces all firefighters to comply and successfully pushed a passive and predictable element into it. What would have happened if some firefighters had the capacity and the power to revolt against their commander, refusing to adopt the new strategy? The outcome would be indeterminate.

Thus, we may qualify the previous proposition with an additional one, which takes account of the need for coordination:

# **Proposition 2.** Individual intelligence adds to collective intelligence if individuals agree on one single alternative collective behaviour to which they contribute.

To this case, and only to this case, Qualification (2) applies. It simply states that if all individuals agree on one single equilibrium to reach, then individual intelligence adds to the speed of convergence.

With Proposition (2), intelligent individuals agree on a common collective behaviour which they are willing to pursue with their individual decisions. What if they make efforts to understand and predict others' behaviour, undertaking actions that — in their intentions — should lead to effective collective action without the need of explicit coordination? Qualification (3) to the Fundamental Idea of Connectionism suggests that this is indeed the way collective minds can arise, but Qualification (4) warns that too much mind-reading may yield sub-optimal collective outcomes. Thus, we advance the following:

**Proposition 3.** Individual intelligence can add to collective intelligence if individuals use it to figure out what others think, but only if they do it to a limited extent.

In the subsequent § (4) we shall discuss these concepts on the prey-predator model, for which both analytical and agent-based algorithmic representations are available.

# **4** An Illustration on the Prey-Predator Model

The Lotka-Volterra prey-predator model [36] [47] describes the interaction of a prey species and a predator species. It has been employed to model animal ecologies as well as social phenomena, including the Marxian business cycle where workers and capitalists take the roles of preys and predators, respectively [23].

Let  $x \in \Re^+$  and  $y \in \Re^+$  denote the environmental density <sup>1</sup> of a prey and predator species, respectively. In its simplest version, the prey-predator model captures their dynamics by means of the following pair of differential equations:

$$\begin{cases} \dot{x} = ax - bxy \\ \dot{y} = -cy + dxy \end{cases}$$
(2)

where  $a, b, c, d \in \Re^+$  are suitable constants.

The Lotka-Volterra model has three outcomes:

<sup>&</sup>lt;sup>1</sup>By "environmental density" we mean the ratio of the number of individuals to some measure of the size of the natural environment where they live, such as its area or volume.

- $E_1 = (0,0)$  No preys, no predators. If x(0) = 0 and y(0) = 0, then  $x(t) = y(t)0\forall t > 0$ . However, this equilibrium is also approached if x(0) = 0 and y(0) > 0, in which case  $x(t) = 0\forall t > 0$  and  $y(t) = y(0)e^{-ct}$ , which implies that  $\lim_{t\to+\infty} y(t) = 0$ .
- $E_2 = (+\infty, 0)$  Only preys, no predators. If x(0) > 0 and y(0) = 0,  $x(t) = x(0)e^{at}$  and  $y(t) = 0 \forall t > 0$ . The population of preys grows indefinitely because in the limit  $\lim_{t \to +\infty} x(t) = +\infty$ .
- $E_3 = (c/d, a/b)$  Preys and predators coexist. In this case, the model settles in a limit cycle where the populations of preys and predators escillate in turn.

The third case obtains if a Lyapunov function exists with minimum at  $E_3$ , in which case limit cycles exist along its contour lines. One possible Lyapunov function is [44]:

$$V(x,y) = d(x - c/d\ln x) + b(y - a/b\ln y) + const$$
(3)

with a, b, c and b as in eq. (2).

It is possible to show that eq. (3) exists if coefficients a and d are sufficiently small whereas coefficients b and c are sufficiently large (see § (A)). In other words, preys and predators are more likely to co-exist if preys do not grow too quickly and, furthermore, their growth is effectively checked by predators. Predators in their turn should grow with preys, but they must quickly slow down their growth as soon as their number increases.

Let us turn to an agent-based version of the Lotka-Volterra model in order to analyze what behavioural algorithms take the system into  $E_1$ ,  $E_2$  or  $E_3$ , respectively. Henceforth, we shall use Wilensky and Reisman's *Wolf Sheep Predation* model [50] [51] in the *NetLogo*<sup>2</sup> library. In order to experiment with this model we added additional features. Our extended version is available at *OpenABM*<sup>3</sup>.

In this computational, discrete agent-based model,  $E_3$  never sustains itself. With Wilensky and Reisman's default parameter values, this model quickly runs into either  $E_1$  (39.2% of the times in 1,000 runs) or  $E_2$  (60.8% of the times in 1,000 runs). Wilensky and Reisman obtained stable cycles by adding "grass" to the model, which is a renewable source of energy for preys [51]. Correspondingly, users must either select the "sheep-wolves" or the "sheep-wolves-grass" model version before running their model.

We took on a different route. We started from the simple, unstable "sheep-wolves" model that invariably ends into either  $E_1$  or  $E_2$ , investigating whether either wolves' or sheeps' intelligence, or both, can modify its Lyapunov function to make  $E_3$  the centre of a stable limit cycle, or a stable equilibrium point, or some other arrangement where species co-exist. Albeit Lyapunov functions are unknown for this computational model, Figure (2) illustrates our concept. On the left (a), a saddle from which the system sooner or later ends either in  $E_1$  or in  $E_2$ . This is the sort of Lyapunov function that describes the "sheep-wolves" model as it is. We would like the sheeps and the wolves to behave in ways such that the Lyapunov function is either as in (b), in which

<sup>&</sup>lt;sup>2</sup>NetLogo is freely available at https://ccl.northwestern.edu/netlogo/

<sup>&</sup>lt;sup>3</sup>Our extended model is available at www.comses.net/codebases/0eada5b3-3d18-4fc6-92af-841ff0971d28/



Figure 2: Three Lyapunov functions. Left (a), a saddle with equilibria at its extremes. Centre (b), a stable limit cycle along which the two populations oscillate. Right (c), a stable equilibrium point to which the two populations converge. By courtesy of ©Rong Ge.

case both species coexist with oscillating populations, or (c), in which case constant populations of sheeps and wolves obtain. Our research question is whether any sort of individual intelligence exists, that helps the sheeps and the wolves reaching one of these last two configurations.

Many modifications to the behavioural algorithms of wolves and sheeps apparently confirmed the Fundamental Idea of Connectionism expressed in § (2), namely, that individual intelligence is irrelevant or even detrimental for collectively intelligent behaviour. For instance the following behavioural algorithms, albeit sensible and individually sophisticated, were unable to make preys and predators co-exist:

- (i) Sheep gather in flocks in order to be less vulnerable to wolves' attacks.
- (ii) Wolves may wisely decide to reproduce proportionally to the fraction of sheeps or, alternatively, sheeps may decide to reproduce proportionally to the fraction of wolves

Sheep may get an advantage by gathering in flocks (i) if they co-exist with wolves, but flocking provides no advantage in this model where  $E_2$  is the only positive outcome for sheep. With the same parameters values and by averaging over 1,000 runs, the model reaches  $E_2$  even less often than it was the case in the basic version (54.7% vs. 60.8% of the times). In any case, co-existence of the two species never occurs.

Strategy (ii) is equally ineffective to reach co-existence. If wolves reproduce proportionally to the fraction of sheep the model is more likely to end into  $E_1$  (87.4% of the times vs. 39.2% in the basic version, averages over 1,000 runs), whereas if sheep reproduce proportionally to the fraction of wolves the model ends into  $E_2$  just a little bit more often than it was the case in the basic version (63.4% vs. 60.8% of the times, averages over 1,000 runs). A combination of both rules yields intermediate outcomes (48.3%  $E_1$ , 51.7%  $E_2$  vs. 39.2%  $E_1$ , 60.8%  $E_2$  in the basic version, averages over 1,000 runs), but in no case the two species co-exist. With reproduction of either one or both species proportional to the fraction of the other species,  $E_3$  never occurs.

However, species can co-exist if wolves and sheep use their individual intelligence in order to agree on possible alternative global dynamics. Suppose that the wolves realize that, if there are too many of them, sheep will disappear so in the end they will have no food. Likewise, suppose that the sheep realize that if they grow too rapidly they may push wolves into extinction. Furthermore, suppose that sheep are so altruistic to sacrifice a few of them in order to feed their predators. In particular, we explored the following behaviours:

- (iv) Wolves stop reproducing if their number is greater than the number of sheep.
- (v) Sheep stop reproducing if their number is greater than the number of wolves. Furthermore, if only one wolf is left, sheep are willing to be eaten in order to feed him, at least until only one sheep is left.

Notably, behavioural rule (iv) and (v) are remarkably similar to those we found for the mathematical continuous-time model (2). Indeed, assuming that wolves are willing to stop reproducing if sheep are too few (iv) corresponds to a small coefficient d in model (2), whereas sheeps willing to stop reproducing and even sacrifice themselves if wolves are too few corresponds to a large coefficient b. Small a and large c reinforce the effects of b and d, respectively.

If behavioural rule (iv) is added to the model, a limit cycle appears most of the times ( $E_1$  is reached 12.7% of the times,  $E_2$  just 1.6% of the times,  $E_3$  85.7% of the times over 1,000 runs). In particular, the population of wolves remains rather constant with time whereas the population of sheep oscillates around it. After 5,000 time steps, the initial population of 50 wolves and 100 sheep equilibrated on average to 126.36 wolves and 161.0 sheep over 1,000 runs.

Also if behavioural rule (v) is added to the model, species typically co-exist ( $E_1$  is reached 0.3% of the times,  $E_2$  26.5% of the times,  $E_3$  73.2% of the times over 1,000 runs). However, in contrast to case (iv) most of the times constant, small populations of wolves and sheep dominate the scene. In particular, after 5,000 time steps there were just 1.3 wolves and 6.3 sheep by taking averages over 1,000 runs.

If both (v) and (iv) are enacted co-existence is by far the most likely outcome ( $E_1$  is reached 1.0% of the times,  $E_2$  4.6% of the times,  $E_3$  94.4% of the times over 1,000 runs). The oscillations induced by (iv) prevail, with an average of 99.84 wolves and 127.57 sheep after 5,000 steps over 1,000 runs.

If either wolves enact (iv) or sheep enact (v), we are in the case subsumed by Proposition (1). Just like firefighters against wildfires, either wolves have the intelligence to figure out an alternative global dynamics but sheep do not change their behaviour, or sheep have the intelligence to figure out an alternative global dynamics but wolves do not change their behaviour.

By contrast, if wolves enact (iv) and at the same time sheep enact (v) we are in the case subsumed by Proposition (2). In this case, it works because wolves and sheep agree on one single aim — namely, co-existence of species. However, reaching a collective agreement may not be that simple.

The problem with behavioural rules (iv) and (v) is that either sheep or wolves, or both, are supposed to be capable of sacrificing their interests for the sake of everybody. In reality, it may be very difficult for wolves to make a collective decision to protect sheep, even if wolves are aware that in the long run they they would become extinct if they would act otherwise. Arguably, it is even more difficult for sheep to accept that some of them must die in order to impair their archenemies, the wolves, from going extinct.

Is it possible to obtain stable coexistence of species without such a high degree of public spirit? We still want individuals to use their intelligence to understand the system's global dynamics, but we would like not to require that they all agree on some decision that runs against their own (immediate) interests.

Let us assume that individuals understand the system's global dynamics, attempt to predict what the other species will do, and act accordingly. We neither require wolves to coordinate with fellow wolves, nor with sheep. Likewise, we neither require sheep to coordinate with fellow sheep, nor with wolves.

In § (2.3) we learned that individual intelligence can generally add to collective intelligence if it is used to figure out what other individuals will do (Qualification (3) to the Fundamental Idea of Connectionism). However, we also received warnings that too many steps of mind-reading can be detromental to the collective outcome (Qualification (4) to the Fundamental Idea of Connectionism). Let us ascribe extremely simple predictive abilities to wolves and sheep, just one-step extrapolation of trends.

In particular, let us consider the following behaviour:

- (vi) Wolves reproduce proportionally to the variation of the number of sheeps.
- (vii) Sheep reproduce proportionally to the variation of the number of wolves.
- (viii) Wolves reproduce proportionally to the variation of the number of sheep and sheep reproduce proportionally to the variation of the number of wolves.

In case (vi), generalized extinction  $E_1$  never occurs. Sometimes the sheep dominate ( $E_2$  is reached 18.6% of the times over 1,000 runs), but most of the times regular oscillations appear where the population of wolves oscillates around a rather stable population of sheep (over 1,000 runs,  $E_3$  is reached 81.4% of the times with 134.39 wolves and 150.16 sheep after 5,000 time steps). It appears that in this case wolves correctly predict sheep's behaviour and use their prediction to maintain the system around equilibrium. Sheep, in their turn, are unaware of wolves' predictions about them. In this sense, case (vi) bears some resemblance to the story of those firefighters who were able to envisage global dynamics and figured out a solution. Their solution worked also because their enemy — wildfires — did not change its behaviour as a consequence of it being predicted.

In case (vii) the system always ends into generalized extinction  $E_1$ . Sheep's prediction may be correct, but their understanding of the system's global dynamics is possibly faulty. Apparently, sheep's intelligence is of little use in this case so the Fundamental Idea of Connectionism (§ (2)) holds again.

However, in case (viii) the prey-predator model exhibits a completely different behaviour from all previous cases. Apart from a small percentage of times where they system ends into  $E_1$  (8.3% of the times over 1,000 runs), in case (viii) a very large population of sheep and an even larger population of wolves co-exist, orders of magnitude larger than in previous cases (over 1,000 runs this happens 91.7% of the times, reaching on average 4,000.44 wolves and 573.22 sheep after just 100 time steps). A large herd of sheep moves in our artificial space, hunted by an even larger herd of



Figure 3: The simulation in case (viii). On the left, the herd of wolves is chasing the herd of sheep. On the right, on top, a graph showing the number of wolves and sheep during the first 500 simulation steps in case (viii). Below, the same graph when both wolves (iv) and sheep (v) are altruistic. Note that populations are two orders of magnitude smaller than in case (viii).

wolves. Sheep reproduce while running away from wolves, wolves reproduce while chasing sheep. Both populations oscillate, exhibiting oscillations that may at times appear correlated or counter-correlated to one another but are quite unpredictable in fact. Figure (3) illustrates this state of affairs.

Notably, in case (viii) wolves and sheep predict one other's behaviour but they do it in an extremely simple, limited way. Instead of agreeing on a common course of action as in Proposition (2), they reach collective intelligence by using their bounded rationality along the lines of Proposition (3).

Finally, remark that when we assumed cooperative, altruistic behaviour (cases (iv) and (v) above) we could still interpret our behavioural rules as corresponding to specific values of coefficients a, b, c and d in eq. (2). By contrast, by making behaviour depend on preditions based on past variations we are actually playing a different model. In particular, case (viii) corresponds to equations of the form:

$$\begin{cases} \dot{x} = f(x, y, \dot{y}) \\ \dot{y} = g(x, y, \dot{x}) \end{cases}$$
(4)

where f and g are unknown, possibly non-linear functions.

To our knowledge, extensions of the Lotka-Volterra model of the form (4) have not been investigated hitherto.

# 5 Conclusions

Applying connectionist principles to Social Sciences is a long-standing dream, feeding on even older concepts such as "social organism" or "group mind" that intuitively appeal to our understanding of human organizations. There are many good reasons for pursuing this dream, including a clear analogy between organizational routines and information loops, a less clear but equally fascinating mapping between organizational culture and distributed memory, as well as organizational reactions to novel events and classification of novel information in existing mental categories that are being constructed by the information that they classify.

However, one difficulty in pursuing this analogy is the appalling relevance of intention and strategic behaviour in human affairs. Although connectionism has moved on from basic neural networks to hierarchical structures of neurons, the gap with the intricacies of human interactions is still wide.

We addressed this problem from a limited, partial point of view. We limited our exploration to asking what sort of individual intelligence are conducive to collective intelligence.

Our results, equally limited in depth albeit wide in scope, are not far from the recommendation "think globally, act locally." We simply complemented it with the possibly commonsensical observation that, if several individuals are able to do that, the global outcome may be indeterminate.

# A Lyapunov's Stability Theorem and its Application to the Lotka-Volterra Model

Henceforth, Lyapunov's Stability Theorem will be illustrated for two-dimensional systems. Subsequently, it will be applied to the Lotka-Volterra prey-predator model by developing a Lyapunov function specifically designed to highlight the influence of the coefficients of eqs. (2) on the stability of the limit cycle.

Consider a nonlinear two-dimensional dynamical system:

$$\begin{cases} \dot{x} = f(x,y) \\ \dot{y} = g(x,y) \end{cases}$$

where  $x, y \in \mathfrak{R}$  and  $f, g \in \mathfrak{R}^2 \mapsto \mathfrak{R}$ .

Without any loss of generality, let us assume that this system has an equilibrium point at  $E = (x^*, y^*)$ . We want to know whether this equilibrium is stable.

The Lyapunov Theorem states that if a function  $V : \mathfrak{R}^2 \mapsto \mathfrak{R}$  exists, such that:

- 1. V(x,y) = 0 if and only if  $(x,y) = (x^*, y^*)$ ;
- 2. V(x,y) > 0 if and only if  $(x,y) \neq (x^*, y^*)$ ;

3. 
$$\dot{V}(x,y) = \frac{d}{dt}V(x,y) = \frac{\partial V}{\partial x}f(x,y) + \frac{\partial V}{\partial y}g(x,y) \le 0$$
 for  $(x,y) \ne (x^*,y^*)$ ;

then  $\mathbf{x} = \mathbf{0}$  is a stable equilibrium point. Function  $V(\mathbf{x})$  is called a *Lyapunov function*.

The Lotka-Volterra model (2) has an equilibrium point at  $(x^*, y^*) = (c/d, a/b)$ . Let us consider the following function:

$$V(x(t), y(t)) = d(x - x^* \ln x) + b(y - y^* \ln y) + [d(x^* - x^* \ln x^*) + b(y^* - y^* \ln y^*)]$$

which we may also write as  $V(x(t), y(t)) = d(x - c/d \ln x) + b(y - a/b \ln y) + const.$ 

It is obviously  $V(x^*, y^*) = 0$ . Thus, condition (1) is satisfied.

Let us check whether V(x,y) > 0. Let us consider the first term, namely,  $d(x - x^* \ln x)$ . It is  $d(x - x^* \ln x) > 0$  if  $dx - c \ln x > 0 \rightarrow dx > c \ln x \rightarrow x > c/d \ln x \rightarrow e^x > e^{c/d \ln x} \rightarrow e^x > x^{c/d}$  which is always true because the exponential function yields greater values than the power function. The third term,  $d(x^* - x^* \ln x^*)$ , makes sure that the combination of the first and the third term starts to yield positive values just as soon as V leaves equilibrium  $(x^*, y^*)$ . Likewise,  $e^y > y^{a/b}$  is always true because the exponential function yields greater values than the power function and the fourth term  $b(y^* - y^* \ln y^*)$  ensures that this only happens outside  $(x^*, y^*)$ . Thus, condition (2) is satisfied.

Let us turn to the third condition. It is  $\dot{V} = (d - d\frac{x^*}{x})(ax - bxy) + (b - b\frac{y^*}{y})(-cy + dxy) = ad(x - x^*) - bc(y - y^*) + bd(x^*y - y^*x)$ . Obviously,  $\dot{V}(x^*, y^*) = 0$ . Let us investigate which parameters make for  $\dot{V}(x, y) < 0$  at  $(x, y) \neq (x^*, y^*)$ .

Let us explore the sign of  $\partial \dot{V}/\partial x = ad - bdy^*$  and  $\partial \dot{V}/\partial y = -bc + bdx^*$ .  $\dot{V}$  is negative if:

$$\begin{cases} ad - bdy^* < 0\\ -bc + bdx^* < 0 \end{cases}$$

We obtain that  $\dot{V}$  is negative if:

$$\begin{cases} a < by^* \\ c > dx^* \end{cases}$$

This means that:

- The smaller *a*, the more likely that  $\dot{V} < 0$ ;
- The greater *b*, the more likely that  $\dot{V} < 0$ .
- The greater *c*, the more likely that  $\dot{V} < 0$ .
- The smaller *d*, the more likely that  $\dot{V} < 0$ .

Thus, we can conclude that with small *a*, large *b*, large *c* and small *d* the equilibrium (c/d, a/b) is more likely to be stable.

## References

- Chris Argyris and Donald A. Schön. Organizational Learning: A theory of action perspective. Addison-Wesley Publishing Company, Redwood City, 1978.
- [2] Robert Axelrod. The Evolution of Cooperation. Basic Books, New York, 1984.
- [3] Kaushik Basu. The traveler's dilemma: Paradoxes of rationality in game theory. *American Economic Review*, 84(2):391–395, 1994.

- [4] Kaushik Basu. The traveler's dilemma. *Scientific American*, 296(June):90–95, 2007.
- [5] Mark P. Beenhakker and John R. Huguenard. Neurons that fire together also conspire together: Is normal sleep circuitry hijacked to generate epilepsy? *Neuron*, 62(June):612–632, 2009.
- [6] Wilfred R. Bion. *Experiences in Groups*. Tavistock Publications, London, 1961.
- [7] Andy Clark. Associative Engines: Connectionism, Concepts, and Representational Change. The MIT Press, Cambridge, 1993.
- [8] Andy Clark. Whatever next? predictive brains, situated agents, and the future of cognitive science. *Behavioral and Brain Sciences*, 36(3):181–253, 2013.
- [9] Andy Clark and David J. Chalmers. The extended mind. *Analysis*, 58(1):7–19, 1998.
- [10] M.F.R Kets de Vries and D. Miller. *The Neurotic Organization*. Jossey-Bass, San Francisco, 1984.
- [11] Robert Driskill. Multiple equilibria in dynamic rational expectations models: A critical review. *European Economic Review*, 50(1):171–210, 2006.
- [12] Bruce Edmonds. A brief survey of some results on mechanisms and emergent outcomes. In Agent Cognitive Ability and Orders of Emergence: AISB 2008 Proceedings, Volume 6, pages 38–42, Aberdeen, 2008. The Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- [13] Bruce Edmonds and Scott Moss. From kiss to kids: An 'anti-simplistic' modelling approach. In Paul Davidsson, Brian Logan, and Keiki Takadama, editors, *Multi-Agent and Multi-Agent-Based Simulation*, chapter XI, pages 130–144. Springer Verlag, Berlin-Heidelberg, 2005.
- [14] Joshua M. Epstein. Agent-based computational models and generative social science. *Complexity*, 4(5):41–60, 1999.
- [15] Joshua M. Epstein and Robert Axtell. Growing Artificial Societies: Social science from the bottom up. Brookings Institution Press and The MIT Press, Washington D.C. and Cambridge (MA), 1996.
- [16] George W. Evans and Garey Ramey. Expectation calculation and macroeconomic dynamics. *The American Economic Review*, 82(1):207–224, 1992.
- [17] J. Doyne Farmer. A rosetta stone for connectionism. *Physica D*, 42(1-3):153–187, 1990.
- [18] J. Doyne Farmer, Paolo Patelli, and Ilija I. Zovko. Team assembly mechanisms determine collaboration network structure and team performance. *Science*, 102(6):2254–2259, 2005.

- [19] Vittorio Gallese and Alvin Goldman. Mirror neurons and the simulation theory of mind-reading. *Trends in Cognitive Science*, 2(12):493–501, 1998.
- [20] Gerd Gigerenzer and Daniel G. Goldstein. Reasoning the fast and frugal way: Models of bounded rationality. *Psychological Review*, 103(4):650–669, 1996.
- [21] Dhananjay K. Gode and Shyam Sunder. Allocative efficiency of markets with zero-intelligence traders: Market as a partial substitute for individual rationality. *Journal of Political Economy*, 101(1):119–137, 1993.
- [22] Dhananjay K. Gode and Shyam Sunder. What makes markets allocationally efficient? *The Quarterly Journal of Economics*, 112(2):603–630, 1997.
- [23] Richard M. Goodwin. A growth cycle. In Charles H. Feinstein, editor, *Socialism, Capitalism and Economic Growth*, chapter 4, pages 54–58. Cambridge University Press, Cambridge, 1967.
- [24] Chengling Gou. The simulation of financial markets by an agent-based mix-game model. *Journal of Artificial Societies and Social Simulation*, 9(3), 2006.
- [25] Hermann Haken. *Synergetics: An introduction*. Springer Verlag, Berlin-Heidelberg, 1976.
- [26] C.S. Herrmann and T. Demiralp. Human eeg gamma oscillations in neuropsychiatric disorders. *Clinical Neurophysiology*, 116(12):2719–2733, 2005.
- [27] Lu Hong and Scott Page. Interpreted and generated signals. *Journal of Economic Theory*, 144(5):2174–2196, 2009.
- [28] Lu Hong and Scott Page. Some microfoundations of collective wisdom. In Hélène Landemore and Jon Elster, editors, *Collective Wisdom: Principles and mechanisms*, chapter III, pages 56–71. Cambridge University Press, Cambridge, 2012.
- [29] Edwin Hutchins. Organizing work by adaptation. Organization Science, 2(1):14– 39, 1991. Reprinted in [30].
- [30] Edwin Hutchins. Organizing work by adaptation. In Michael D. Cohen and Lee S. Sproull, editors, *Organizational Learning*, chapter II, pages 20–57. Sage Publications, Thousand Oaks, 1996.
- [31] Norman L. Johnson. Importance of diversity: Reconciling natural selection and noncompetitive processes. *Annals of the New York Academy of Sciences*, 901(1):54–66, 2000.
- [32] Jeffrey O. Kephart, Tad Hogg, and Bernardo A. Huberman. Collective behavior of predictive agents. *Physica D*, 42(1-3):48–65, 1990.
- [33] Jeffrey O. Kephart, Bernardo A. Huberman, and Tad Hogg. Can predictive agents prevent chaos? In Paul Bourgine and Bernard Walliser, editors, *Economics and Cognitive Science*, chapter IV, pages 41–55. Pergamon Press, Oxford, 1992.

- [34] Gary Klein. Sources of Power: How people make decisions. The MIT Press, Cambridge (MA), 1998.
- [35] Teuvo Kohonen. *Self-Organization and Associative Memory*. Springer, Berlin, 1989.
- [36] Alfred J. Lotka. *Elements of Physical Biology*. Williams & Wilkins Company, Baltimore, 1925.
- [37] Robert E. Lucas. Econometric policy evaluation: A critique. In Karl Brunner and Alan Meltzer, editors, *The Phillips Curve and Labor Markets*, pages 19–46. American Elsevier, New York, 1976.
- [38] Paul Ormerod. What can agents know? the feasibility of advanced cognition in social and economic systems. In Frank Guerin and Wamberto W M P D Vasconcelos, editors, Agent Cognitive Ability and Orders of Emergence (AISB 2008 Proceedings Volume 6), pages 17–20, Aberdeen, 2008.
- [39] Abraham Othman. Zero-intelligence agents in prediction markets. In Lin Padgham, David Parkes, Jörg Müller, and Simon Parsons, editors, *Proceedings* of the 7th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2008), pages 879–886, Estoril, 2008.
- [40] Brian T. Pentland. Organizing moves in software support hot lines. Administrative Science Quarterly, 37(4):527–548, 1992.
- [41] Matthias Scheutz and Paul Schermerhorn. Many is more, but not too many: Dimensions of cooperation of agents with and without predictive capabilities. In Jiming Liu, Boi Faltings, Ning Zhong, Ruqian Lu, and Toyoaki Nishida, editors, *IEEE/WIC International Conference on Intelligent Agent Technology (IAT 2003)*, pages 378–384, Halifax, 2003.
- [42] Herbert A. Simon. *Models of Bounded Rationality*. The MIT Press, Cambridge (MA), 1982.
- [43] Herbert H. Simon. Administrative Behavior. McMillan, New York, 1957.
- [44] Yasuhiro Takeuchi. *Global Dynamical Properties of Lotka-Voltera Systems*. World Scientific, Singapore, 1996.
- [45] Pietro Terna. Cognitive agents behaving in a simple stock market structure. In Francesco Luna and Alessandro Perrone, editors, Agent-Based Methods in Economics and Finance: Simulations in Swarm, chapter VIII, pages 187–227. Kluwer Academic Publishers, Boston, 2002.
- [46] Xavier Vives. How fast do rational agents learn? The Review of Economic Studies, 60(2):329–347, 1993.
- [47] Vito Volterra. Fluctuations in the abundance of a species considered mathematically. *Nature*, 118(2972):558–560, 1926.

- [48] Karl E. Weick and Karlene H. Roberts. Collective mind in organizations: Heedful interrelating on flight decks. *Administrative Science Quarterly*, 38(3):357–381, 1993.
- [49] Yi Wen. Understanding self-fulfilling rational expectations equilibria in real business cycle models. *Journal of Economic Dynamics & Control*, 25(8):1221–1240, 2001.
- [50] Uri Wilensky. Wolf sheep predation. Technical report, Northwestern University, Center for Connected Learning and Computer-Based Modeling, Evanston, 1997. http://ccl.northwestern.edu/netlogo/models/WolfSheepPredation.
- [51] Uri Wilensky and Kenneth Reisman. Thinking like a wolf, a sheep, or a firefly: Learning biology through constructing and testing computational theories – an embodied modeling approach. *Cognition and Instruction*, 24(2):171–209, 2006.
- [52] Anita Williams Wooley, Christopher Chabris, Alex Pentland, Nada Hashmi, and Thomas W. Malone. Evidence for a collective intelligence factor in the performance of human groups. *Science*, 330(6004):686–688, 2010.