

Online Learning for Equilibrium Pricing in Markets under Incomplete Information

Devansh Jalota*
Stanford
djalota@stanford.edu

Haoyuan Sun*
MIT
haoyuans@mit.edu

Navid Azizan
MIT
azizan@mit.edu

Abstract

The study of market *equilibria* is central to economic theory, particularly in efficiently allocating scarce resources. However, the computation of *equilibrium* prices at which the supply of goods matches their demand typically relies on having access to complete information on private attributes of agents, e.g., suppliers’ cost functions, which are often unavailable in practice. Motivated by this practical consideration, we consider the problem of setting equilibrium prices in the incomplete information setting wherein a market operator seeks to satisfy the customer demand for a commodity by purchasing the required amount from competing suppliers with privately known cost functions unknown to the market operator. In this incomplete information setting, we consider the online learning problem of learning equilibrium prices over time while jointly optimizing three performance metrics—*unmet demand*, *cost regret*, and *payment regret*—pertinent in the context of equilibrium pricing over a horizon of T periods. We first consider the setting when suppliers’ cost functions are fixed and develop algorithms that achieve a regret of $O(\log \log T)$ when the customer demand is constant over time, or $O(\sqrt{T} \log \log T)$ when the demand is variable over time. Next, we consider the setting when the suppliers’ cost functions can vary over time and illustrate that no online algorithm can achieve sublinear regret on all three metrics when the market operator has no information about how the cost functions change over time. Thus, we consider an augmented setting wherein the operator has access to hints/contexts that, without revealing the complete specification of the cost functions, reflect the variation in the cost functions over time and propose an algorithm with sublinear regret in this augmented setting.

1 Introduction

The study of market mechanisms for efficiently allocating scarce resources traces back to the seminal work of Walras [1]. In his work, Walras investigated the design of pricing schemes to mediate the allocation of scarce resources such that the economy operates at an *equilibrium*, i.e., the supply of each good matches its demand. Market equilibria exist under mild conditions on agents’ preferences [2] and, under convexity assumptions on their preferences, can often be computed by solving a large-scale centralized optimization problem. As a case in point, in electricity markets with convex supplier cost functions, the equilibrium prices correspond to the shadow prices [3, 4] of a convex optimization problem that minimizes the sum of the supplier costs subject to a market clearing (or load balance) constraint [5].

While methods such as convex programming provide computationally tractable approaches to computing market equilibria, the efficacy of such centralized optimization approaches for equilibrium computation suffers from several inherent limitations. First, centralized optimization approaches rely on complete information on agents’ utilities and cost functions that are often unavailable to a market operator. For instance, with the deregulation of electricity markets, suppliers’ cost functions are private information, which has led to strategic bidding practices by suppliers seeking to maximize their profits [6, 7, 8, 9] and has been associated with tens of millions of dollars of over-payments to suppliers [10]. Moreover, even if a market operator has access to some information on agents’ utilities and cost functions, such information can typically only provide a noisy or imperfect estimate of their preferences due to inadequate information or uncertainty [11]. In the

*Equal Contribution

context of electricity markets, the advent of renewables and distributed energy resources has accompanied a high degree of uncertainty in the supply of energy to meet customer demands at different times of the day and year, as these energy sources are sensitive to weather conditions. To further compound these challenges, agents’ preferences in markets such as electricity markets may also be time-varying, e.g., in electricity markets, customer demands may change over time and the cost functions of suppliers may depend on fluctuating weather conditions. Thus, a market operator may need to periodically collect agents’ preferences and solve a large-scale centralized optimization at each time period to set equilibrium prices, which may be computationally challenging.

Motivated by these practical considerations that limit the applicability of centralized optimization approaches to computing equilibrium prices, in this work, we study the problem of setting equilibrium prices in the incomplete information setting where a market operator seeks to satisfy customer demand for a commodity by purchasing the required amount from competing suppliers with privately known cost functions. We investigate this problem under several informational settings regarding the time-varying nature of the customer demands and supplier cost functions and develop online learning algorithms for each of these settings that iteratively adjust the prices in the market over time. Our proposed algorithms employ the observation that a market operator can effectively learn information on suppliers’ costs and equilibrium prices through observations of their cumulative production relative to the customer demand given different market prices. To analyze the performance of our algorithms, we combine techniques from online learning and parametric optimization as we seek to simultaneously optimize multiple, often competing, performance metrics pertinent in the context of equilibrium pricing.

1.1 Contributions

In this work, we study the problem of setting equilibrium prices faced by a market operator that seeks to satisfy an inelastic customer demand for a commodity by purchasing the required amount from n competing suppliers. Crucially, we study this problem in the incomplete information setting when the cost functions of suppliers are private information and thus unknown to the market operator. Since traditional centralized methods of setting equilibrium prices are typically not conducive in this incomplete information setting, we consider the problem of learning equilibrium prices over T periods to minimize three performance (regret) metrics: (i) *unmet demand*, (ii) *cost regret*, and (iii) *payment regret*. Here unmet demand refers to the cumulative difference between the demand and the total production of the commodity corresponding to an online pricing policy. Furthermore, cost regret (payment regret) refers to the difference between the total cost of all suppliers (payment made to all suppliers) corresponding to the online allocation and that of the offline oracle with complete information on suppliers’ cost functions. For a more thorough discussion of these regret metrics, we refer to Section 3.2.

In this incomplete information setting, we investigate the design of online algorithms to set a sequence of prices that achieve sub-linear regret, in the number of periods T , on the above three performance metrics. To this end, we first consider the setting when suppliers’ cost functions are fixed over the T periods and develop algorithms that achieve a regret of $O(\log \log T)$ when the customer demand is constant over time (Section 4), and $O(\sqrt{T} \log \log T)$ when the demand is variable over time (Section 5), for strongly convex cost functions. To establish these regret guarantees for the three performance metrics, we leverage and combine techniques from parametric optimization and online learning. We further demonstrate through an example that if the strong convexity condition on suppliers’ cost functions is relaxed, no online algorithm can achieve a sub-linear regret guarantee on all three regret metrics.

Then, we consider the setting when suppliers’ cost functions can vary across the T periods (Section 6) and show that if the operator does not know the process that governs the variation of the cost functions, no online algorithm can achieve sub-linear regret on all three regret metrics. Thus, in alignment with real-world markets, e.g., electricity markets, we consider an augmented setting, wherein the market operator has access to some hints (contexts) that, without revealing the complete specification of the cost functions, reflect the change of the cost functions over time. In this setting, we propose an algorithm that achieves sub-linear regret on all three performance metrics, where the exact dependence of the regret guarantee on T relies on the statistical properties of the function class that suppliers’ cost functions belong to.

2 Literature Review

The design of market mechanisms to efficiently allocate resources under incomplete information on agents' preferences and costs has received considerable attention in the operations research, economics, and computer science communities. For instance, mechanism design has enabled designing optimal resource allocation strategies even in settings when certain information is privately known to agents [12, 13, 14, 15]. Furthermore, inverse game theory [16] and revealed preference based approaches [17, 18, 19, 20] have emerged as methods to learn the underlying utilities and costs of agents given past observations of their actions. While, in line with these works, we consider an incomplete information setting wherein suppliers' cost functions are private information, we do not directly learn or elicit suppliers' cost functions to make pricing decisions as in these works and instead study the problem of learning equilibrium prices as an online decision-making problem.

The paradigm of online-decision making has enabled the allocation of scarce resources in settings with incomplete information where data is revealed sequentially to an algorithm designer and has found several applications [21, 22, 23]. Two of the most well-studied classes of online-decision making problems include online linear programming (OLP) and online convex optimization (OCO). While OLP has been studied extensively under different informational settings, including the adversarial [21, 24], random permutation [25, 26], and stochastic input models [27, 28, 29, 30], in this work, we consider the setting when suppliers' cost functions are convex and, in general, non-linear. Given the prevalence of non-linear objectives in various resource allocation settings, there has been a growing interest in OCO [31], wherein several works [32, 33, 34] have investigated the design of algorithms with near-optimal regret guarantees under the adversarial, random permutation, and stochastic input models. Additionally, there have been many works on a smoothed variant of OCO where the agent must pay switching costs for changing decisions between rounds [35, 36, 37, 38]. As in the works on OCO, we also consider general non-linear convex objectives; however, as opposed to the resource constraints that need to be satisfied over the entire time horizon in these works, we adopt a stronger performance metric where we accumulate regret at each period when the customer demand is not satisfied (see Section 3.2 for more details on our performance metrics). Thus, our algorithms are considerably different from the dual-based algorithms based on applying dual sub-gradient descent developed in these works on OCO [32, 33, 34].

Our algorithms are inspired by the multi-armed bandit literature and involve a tradeoff between exploration and exploitation in an unknown environment [39, 40]. In a typical multi-armed bandit (MAB) setting, a decision-making agent performs sequential trials on a set of permissible actions (arms), observes the outcome of the actions, and maximizes its rewards. Several extensions of MAB have been proposed over the years, including bandits with partial observations [41], contextual bandits [42, 43], Lipschitz bandits [44], and bandits with constrained resources [45, 46]. These results have contributed to many applications, such as online posted-price auctions [47], dynamic pricing with limited supply [48], and dark pools in stock market [49]. In typical bandit frameworks, the decision maker's objective is to optimize a single reward function, wherein the rewards are revealed sequentially as part of the observation to the decision maker. However, in our setting, we seek to jointly optimize multiple performance metrics where suppliers' cost functions are not revealed to the market operator (see Section 3.2 for details).

3 Model

In this section, we present the offline model of a market operator seeking to set equilibrium prices in the market to satisfy a customer demand for a commodity (Section 3.1) and performance metrics used to evaluate the efficacy of a pricing policy in the online setting (Section 3.2).

3.1 Market Model and Equilibrium Pricing

We study a market run by an operator seeking to meet the customer demand $d > 0$ for a commodity, e.g., energy, by purchasing the required amount from n competing suppliers. Each supplier $i \in [n]$ has a cost function $c_i : \mathbb{R}_{\geq 0} \rightarrow \mathbb{R}_{\geq 0}$, where $c_i(x_i)$ represents the cost incurred by supplier i for producing x_i units of the commodity. Furthermore, to meet the customer demand, the market operator posts a price p in the market, which represents the payment made by the market operator for each unit of the commodity produced by a given supplier. In particular, for producing x_i units of the commodity, a supplier i receives a payment of

px_i from the market operator. Then, given a posted price p for the commodity and a cost function $c_i(\cdot)$, each supplier makes an individual decision on the optimal production quantity $x_i^*(p)$ to maximize their total profit, as described through the following optimization problem

$$\max_{x_i \geq 0} px_i - c_i(x_i). \quad (1)$$

The posted price that suppliers best respond to is set by a market operator that seeks to determine an equilibrium price p^* that satisfies the following three desirable properties:

1. Market Clearing: The total supply equals the total demand, i.e., $\sum_{i=1}^n x_i^*(p^*) = d$.
2. Minimal Supplier Production Cost: The total production cost of all suppliers, given by $\sum_{i=1}^n c_i(x_i^*(p^*))$, is minimal among all feasible production quantities $x_i \geq 0$ for all suppliers $i \in [n]$ satisfying the customer demand, i.e., $\sum_{i=1}^n x_i = d$.
3. Minimal Payment: The total payment made to all suppliers, given by $\sum_{i=1}^n p^* x_i^*(p^*)$, is minimal among all feasible production quantities $x_i \geq 0$ for all suppliers $i \in [n]$ satisfying the customer demand, i.e., $\sum_{i=1}^n x_i = d$.

While these properties are, in general, not possible to achieve simultaneously, e.g., in markets where the supplier cost functions are non-convex [5], in markets where the cost functions $c_i(\cdot)$ of all suppliers are convex, there exists an equilibrium price p^* that satisfies the above three properties. Moreover, in markets with convex cost functions, the equilibrium price can be computed through the dual variables of the market clearing constraint of the following convex optimization problem

$$C^* = \min_{x_i \geq 0, \forall i \in [n]} \sum_{i=1}^n c_i(x_i), \quad (2a)$$

$$\text{s.t.} \quad \sum_{i=1}^n x_i = d, \quad (2b)$$

where (2a) is the minimum supplier production cost objective and (2b) is the market clearing constraint. In particular, from the KKT condition, the optimal solution to Problem (2a)-(2b) satisfies

$$\begin{cases} \sum_{i=1}^n x_i^* = d, x_i^* \geq 0, \forall i = 1, \dots, n, \\ \frac{\partial c_i}{\partial x_i}(x_i^*) \geq p^*, \forall i = 1, \dots, n, \\ \frac{\partial c_i}{\partial x_i}(x_i^*) = p^*, \forall i \text{ s.t. } x_i^* > 0, \end{cases}$$

so that the optimal dual variable p^* satisfies all conditions of equilibrium pricing. While the equilibrium price p^* has several desirable properties, such an equilibrium price typically cannot be directly computed by solving Problem (2a)-(2b) as the cost functions of suppliers are, in general, unknown to the market operator. Furthermore, both the cost functions of the suppliers and the customer demands tend to be time-varying and thus would involve the market operator periodically re-solving Problem (2a)-(2b) to determine equilibrium prices at short time intervals, which may be computationally prohibitive. To overcome these challenges, in this work, we propose online learning algorithms to learn equilibrium prices over multiple periods in the incomplete information setting when the cost functions of the suppliers are unknown (or only partially known) to the market operator.

3.2 Performance Metrics to Set Equilibrium Prices in Online Setting

We now introduce the online learning setting, wherein the market operator sets prices for the commodity over multiple periods, and present the performance metrics to evaluate the efficacy of an online pricing policy. In particular, we consider the setting when the market operator seeks to satisfy the customer demand over multiple periods $t = 1, \dots, T$. At each period $t \in [T]$, the customer demand for the commodity is given by d_t and each supplier $i \in [n]$ has a private cost function $c_{it}(\cdot)$ that is increasing, continuously differentiable,

strongly convex, and normalized to satisfy $c_{it}(0) = 0$. We assume that the demand at each period t lies in a bounded interval, i.e., $d_t \in [\underline{d}, \bar{d}]$ for all t for some $\underline{d}, \bar{d} > 0$. Furthermore, for ease of exposition, we normalize the set of feasible prices corresponding to any customer demand and realization of supplier cost functions to be such that the corresponding optimal price of the commodity belongs to the normalized interval $[0, 1]$. In addition, we note that we consider strongly convex cost functions of suppliers, as opposed to general convex costs, due to the performance limitations of any online algorithm under the incomplete information setting studied in this work for non-strongly convex cost functions (see Section 4.2 for further details).

In this work, we begin by considering the informational setting wherein the cost functions of the suppliers are fixed over time (see Sections 4 and 5) and upon observing the customer demand d_t , the market operator makes a pricing decision p_t that depends on the past observations of supplier productions, i.e., revealed preference feedback in response to set prices as in [50, 51, 52, 53], and the realized customer demands. In particular, over the T periods, the market operator sets a sequence of prices given by the pricing policy $\boldsymbol{\pi} = (\pi_1, \dots, \pi_T)$, where $p_t = \pi_t(\{(x_{it'}^*)_{i=1}^n, d_{t'}\}_{t'=1}^{t-1}, d_t)$, where x_{it}^* represents the optimal production quantity corresponding to the solution of Problem (1) for supplier i at period t . When the pricing policy is evident from the context, we will overload the notation and simply write $\boldsymbol{\pi} = (p_1, p_2, \dots, p_T)$. We then consider the informational setting when suppliers' cost functions are time-varying (see Section 6), for which we introduce an augmented problem setting and the corresponding class of online pricing policies that we consider in Section 6.2.

We evaluate the efficacy of an online pricing policy $\boldsymbol{\pi}$ using three regret metrics: (i) unmet demand, (ii) cost regret, and (iii) payment regret. These regret metrics represent the performance loss of the policy $\boldsymbol{\pi}$ relative to the optimal offline algorithm with complete information on the three desirable properties of equilibrium prices elucidated in Section 3.1. We also note that these performance metrics naturally generalize to the augmented problem setting we consider when suppliers' cost functions are time-varying and present the corresponding generalizations of the regret metrics in Appendix D for completeness.

Unmet Demand: We evaluate the unmet demand of an online pricing policy $\boldsymbol{\pi}$ as the sum of the differences between the demand and the total supplier productions corresponding to the pricing policy $\boldsymbol{\pi}$ at each period t . In particular, for an online pricing policy $\boldsymbol{\pi}$ that sets a sequence of prices p_1, \dots, p_T , the cumulative unmet demand is given by

$$U_T(\boldsymbol{\pi}) = \sum_{t=1}^T \left(d_t - \sum_{i=1}^n x_{it}^*(p_t) \right)_+,$$

where $x_{it}^*(p_t)$ is the optimal production quantity corresponding to the solution of Problem (1) for supplier i at period t .

Cost Regret: We evaluate the cost regret of an online pricing policy $\boldsymbol{\pi}$ through the difference between the total supplier production cost corresponding to algorithm $\boldsymbol{\pi}$ and the minimum total production cost, given complete information on the supplier cost functions. In particular, the cost regret $C_T(\boldsymbol{\pi})$ of an algorithm $\boldsymbol{\pi}$ is given by

$$C_T(\boldsymbol{\pi}) = \sum_{t=1}^T \sum_{i=1}^n (c_{it}(x_{it}^*(p_t)) - c_{it}(x_{it}^*(p_t^*))),$$

where the price p_t^* for each period $t \in [T]$ is the optimal dual variable of the market clearing constraint of Problem (2a)-(2b) given the demand d_t and cost functions c_{it} for all $i \in [n]$.

Payment Regret: Finally, we evaluate the payment regret of online pricing policy $\boldsymbol{\pi}$ through the difference between the total payment made to all suppliers corresponding to algorithm $\boldsymbol{\pi}$ and the minimum total payment, given complete information on the supplier cost functions. In particular, the payment regret $P_T(\boldsymbol{\pi})$ of an algorithm $\boldsymbol{\pi}$ is given by

$$P_T(\boldsymbol{\pi}) = \sum_{t=1}^T \sum_{i=1}^n (p_t x_{it}^*(p_t) - p_t^* x_{it}^*(p_t^*)).$$

In this work, we focus on developing algorithms that jointly optimize these three regret metrics over T periods. In particular, because it is desirable that the performance of the pricing policy improves as the market operator receives more information, we intend to design algorithms that guarantee all three regret metrics are sub-linear in T . Note that achieving good performance on one of these metrics is typically easy as setting low prices will lead to low cost and payment regrets while setting very high prices will lead to no unmet demand. Thus, the challenge in simultaneously optimizing these different regret metrics in the incomplete information setting is to find the right price, i.e., the equilibrium price, at which all these regret metrics are kept small.

A few comments about our regret metrics are in order. First, our unmet demand metric aligns with real-world markets, e.g., electricity markets, where the demand needs to be satisfied at each period, and over-production at particular periods cannot compensate for unmet demand at subsequent periods. Therefore, we define our unmet demand metric as a stronger benchmark than the typical constraint violation metrics in the literature of jointly optimizing multiple regret metrics [54, 55, 56], where resource constraints only need to be approximately satisfied in the long run. Formally, $U_T(\boldsymbol{\pi}) = \sum_{t=1}^T (d_t - \sum_{i=1}^n x_{it}^*(p_t))_+ \geq \left[\sum_{t=1}^T (d_t - \sum_{i=1}^n x_{it}^*(p_t)) \right]_+$, where the latter term corresponds to the setting when the customer demand only needs to be satisfied in the long-run. Further, since we obtain regret guarantees for the above unmet demand metric, using techniques from parametric optimization, our regret guarantees naturally extend for the corresponding stronger notions of the payment and cost regret metrics as well. However, we present our payment and cost regret metrics in alignment with the classical regret metrics in the literature, wherein lower payments (costs) at particular periods can compensate for excess payments (costs) at other periods.

4 Fixed Cost Functions and Demand

We now investigate the design of online pricing policies achieving good performance on the three regret metrics, i.e., sub-linear unmet demand, cost regret, and payment regret in the number of periods T . As a warm-up, we first consider the setting when the cost functions of the suppliers and customer demand are fixed over the T periods. Formally, the supplier cost functions satisfy $c_{it}(\cdot) = c_{i't'}(\cdot)$ for all $t, t' \in [T]$ and the demands satisfy $d_t = d_{t'}$ for all periods $t, t' \in [T]$. For ease of exposition, in this section, we drop the subscript t in the notation for the customer demand (and supplier cost functions) and denote $d_t = d$ (and $c_{it}(\cdot) = c_i(\cdot)$ for all suppliers i) for all periods $t \in [T]$. In this setting, we develop an algorithm that achieves a regret of $O(\log \log T)$ on the three regret metrics when the suppliers' cost functions are strongly convex (Section 4.1). We further present an example to demonstrate that if the strong convexity condition on suppliers' cost functions is relaxed, then no sub-linear regret guarantee on all three regret metrics is, in general, possible for any online algorithm (Section 4.2).

4.1 Algorithm with Sub-linear Regret for Strongly Convex Cost Functions

In this section, we consider the setting of fixed supplier cost functions and customer demands and present an algorithm that achieves a regret of $O(\log \log T)$ on the three regret metrics when the suppliers' cost functions are strongly convex. To motivate our algorithm, we first note that since the customer demand and the supplier cost functions are fixed over time, the optimal price $p^* \in [0, 1]$ for all periods $t \in [T]$ is also fixed and given by the dual of the demand constraint of Problem (2a)-(2b). Furthermore, the cumulative production $x_t^*(p) = \sum_{i=1}^n x_{it}^*(p)$ is monotonically non-decreasing in the price p because suppliers' cost functions are increasing. Utilizing this monotonicity property, we note that if we set two prices $p_1, p_2 \in [0, 1]$ such that the cumulative production $\sum_{i=1}^n x_{it}^*(p_1) > d$ and $\sum_{i=1}^n x_{it}^*(p_2) < d$, then p_1 and p_2 respectively serve as upper and lower bounds on the optimal price p^* when the supplier cost functions and customer demands are fixed over time.

Following these observations, we present Algorithm 1, akin to the algorithm in [47], which maintains a feasible interval for the optimal price p^* and sets a sequence of prices for each arriving user to continuously shrink this feasible price set. In particular, the feasible price interval $[a, b]$ is initialized to $\mathcal{S}_p = [0, 1]$ and a precision parameter ε is set to 0.5. Then, for a given algorithm sub-phase associated with feasible price interval $[a, b]$, the operator posts prices $a, a + \varepsilon, a + 2\varepsilon, \dots$ (up to b) at each period until the total supply exceeds the demand at the offered price. If $a + k\varepsilon$ for some $k \in \mathbb{N}$ was the last price such that $x_t^*(a + k\varepsilon) \leq d$,

then $[a+k\varepsilon, a+(k+1)\varepsilon]$ is set as the new feasible interval for the optimal price, and the precision parameter is re-set to ε^2 . This process of shrinking the feasible interval and updating the precision parameter is repeated until the length of the feasible interval is smaller than $\frac{1}{T}$, following which the market operator posts the price at the lower end of the feasible interval for the remaining periods. This process is presented formally in Algorithm 1.

Algorithm 1: Feasible Price Set Tracking under Fixed Demand and Costs

Input : Feasible set of prices $\mathcal{S}_p = [0, 1]$, Precision Parameter $\varepsilon = \frac{1}{2}$
Set the lower and upper bounds of the feasible price set: $a \leftarrow 0, b \leftarrow 1$;
while *length of feasible price set is greater than $\frac{1}{T}$* **do**
 Offer prices $a, a + \varepsilon, \dots, a + (k + 1)\varepsilon$ (all of which are $\leq b$) to each subsequent user where $a + k\varepsilon$ is the last price such that $\sum_{i=1}^n x_{it}^*(a + k\varepsilon) < d$;
 Set the new feasible interval to $[a + k\varepsilon, a + (k + 1)\varepsilon]$ and reduce the precision parameter to ε^2 ;
end
for *the remaining time periods* **do**
 Offer price $p_t = a$;
end

While Algorithm 1 is similar to the corresponding algorithm in [47] for the setting of fixed user valuations, our market setting is considerably different than the revenue maximization setting in [47]. First, in this work, suppliers have a continuous rather than a binary action space as in the revenue maximization setting in [47], where consumers either purchase one unit of the resource at the given price or do not purchase it. Furthermore, as opposed to the single regret measure analyzed in [47], we consider and analyze three different regret measures that often compete against each other.

We now present the main result of this section, which establishes that Algorithm 1 simultaneously achieves an $O(\log \log T)$ regret on the three regret measures studied in this work.

Theorem 1. *The unmet demand, cost regret, and payment regret of Algorithm 1 are $O(\log \log T)$ if the cost functions of the suppliers are strongly convex.*

The proof of Theorem 1 relies on the following Lipschitzness condition between the optimal supplier production and the prices set by the market operator.

Lemma 2 (Lipschitzness of Production in Prices). *Suppose that the suppliers' cost functions $c_i(\cdot)$ are μ_i -strongly convex. Then, at any period t , the optimal production quantity for supplier i corresponding to the solution of Problem (1) is Lipschitz in the price p , i.e., $|x_{it}^*(p_1) - x_{it}^*(p_2)| \leq L|p_1 - p_2|$ for some constant $L > 0$ for all $p_1, p_2 \in [0, 1]$.*

Proof. Fix a period $t \in [T]$. Then, by computing the first-order optimality condition of Problem (1) for each supplier i , we have that

$$p = c'_i(x_{it}^*(p)) \implies x_{it}^*(p) = (c'_i)^{-1}(p).$$

Then, by the inverse function theorem, we have that

$$(x_{it}^*)'(p) = \frac{d}{dp}(c'_i)^{-1}(p) = \frac{1}{c''_i(x_{it}^*(p))} \leq \frac{1}{\mu_i},$$

where the inequality follows since the function $c_i(\cdot)$ is μ_i -strongly convex. Hence, at each period t , the optimal supplier production x_{it}^* is $(1/\mu_i)$ -Lipschitz in the prices. \square

Lemma 2 establishes that small changes in the price set by the market operator correspond to small changes in the optimal production of suppliers. Using Lemma 2, we now present a proof sketch of Theorem 1 and present its complete proof in Appendix A.

Proof (Sketch). To establish this result, we first note that we need $O(\log \log T)$ sub-phases of repeated squaring of the parameter ε to reduce ε from 0.5 to $\frac{1}{T}$. Due to the monotonicity of the optimal supplier

production in the prices, both payment and cost regret are only accumulated when $p_t > p^*$. Further, since $p_t > p^*$ at most once in each sub-phase, the total payment and cost regret are $O(\log \log T)$. Next, to bound the unmet demand, we use Lemma 2 to map prices to productions and show that there is a constant unmet demand accumulated in each sub-phase in Algorithm 1, resulting in an $O(\log \log T)$ unmet demand when the length of the feasible price interval is more than $\frac{1}{T}$, as there are $O(\log \log T)$ sub-phases. In the final phase, when the length of the feasible price interval is less than $\frac{1}{T}$ and the price is fixed, we again use Lemma 2 to show that the unmet demand through this phase is constant. Thus, the unmet demand is $O(\log \log T)$, establishing our claim. \square

We reiterate that the proof of Theorem 1 crucially relies on the strong convexity of the cost functions of the suppliers, which was necessary to establish the Lipschitzness relation between the optimal production of suppliers and the prices set by the market operator (Lemma 2). As a result, in addition to leveraging tools from the analysis of the corresponding algorithm in [47], our regret analysis additionally uses tools from parametric optimization to develop the necessary sensitivity relations required to analyze the three regret metrics considered in this work. We also note that the $O(\log \log T)$ regret guarantee obtained in Theorem 1 indicates that in the setting with fixed supplier cost functions and customer demand, Algorithm 1 incurs little performance loss on all three regret metrics as compared to when equilibrium prices are set with complete knowledge of the cost functions of the suppliers, where Algorithm 1's prices converge to the equilibrium price p^* super-exponentially. Furthermore, the obtained upper bound on the regret of Algorithm 1 compares favorably to the $\Omega(\log \log T)$ regret lower bound for any online algorithm in the revenue maximization setting with fixed user valuations studied in [47].

4.2 Performance Limitations for Non-Strongly Convex Cost Functions

While Algorithm 1 achieved sub-linear regret on all three performance measures in the incomplete information setting for strongly convex cost functions, we note that this result does not generalize to the setting of general convex costs. In particular, in this section, we show that if the cost functions of the suppliers are linear, then no online algorithm can achieve sub-linear regret guarantees for the unmet demand, cost regret, and payment regret metrics simultaneously. This result highlights the difficulty of the incomplete information setting compared to that with complete information, where the equilibrium price satisfying the three desirable properties in Section 3.1 exists and can be computed through the dual variable of the market clearing constraint of Problem (2a)-(2b) when the cost functions of all suppliers are convex (and, not necessarily, strongly convex).

To motivate why sub-linear regret cannot be attained simultaneously on the three desirable metrics for linear cost functions, we note that the optimal production of suppliers is zero if $p < p^*$ and their optimal production is the maximum feasible if $p > p^*$. Thus, there is a jump discontinuity in the production of suppliers at the price $p = p^*$ and so the production is not Lipschitz in the prices, which breaks a key property (Lemma 2) required to prove Theorem 1. We now formally present an example demonstrating that, even in a market with a single supplier, no online algorithm can achieve sub-linear regret on all three regret measures if the supplier's cost function is linear.

Example 1 (Sub-linear Regret is not Possible for Linear Cost Functions). We consider a market with one supplier with a linear cost function that is fixed over time. In this setting, suppose that the optimal price is p^* and the cost function of the supplier is given by $c(x) = cx$. Then, given a price p set by the market operator, the individual decision-making problem for the supplier is to produce a quantity $x^*(p) \geq 0$ that maximizes $(p - c) \cdot x$. Note that if $p < c$, then $x^*(p) = 0$, and if $p > c$, then the supplier generates the maximum amount that a supplier can feasibly generate. Thus, it is only when $p = p^* = c$ that the supplier will generate the amount equal to the customer demand d . Since the perfect identification of the optimal price p^* is, in general, not possible under incomplete information on the cost coefficient c , we have that the market operator will either set prices $p_t < p^*$ or $p_t > p^*$.

Next, we observe that there is an unmet demand of d at any period when $p_t < p^*$ (as the supplier generates nothing if the price is below p^* by the linearity of the cost function). Thus, to achieve sub-linear unmet demand, the market operator must set the price $p > p^*$ for $O(T)$ periods; however, doing so results in a linear cost and payment regret as the supplier produces strictly more than d units of the commodity

when $p > p^*$. Thus, no online algorithm can achieve a sub-linear regret on all three regret measures if the cost functions of the suppliers are linear. \square

5 Fixed Cost Functions and Time-Varying Demand

Having studied the setting of fixed supplier cost functions and customer demands over time, in this section, we investigate a more general market setting when the suppliers' cost functions are static while customer demands can vary across the T periods. In particular, we suppose that the customer demands for the commodity are time-varying and lie in a continuous but bounded interval, i.e., the customer demand at each period t is some variable quantity $d_t \in [\underline{d}, \bar{d}]$. In this setting, we extend the algorithm developed for fixed supplier cost functions and customer demands (Algorithm 1) and show that it achieves a regret of $O(\sqrt{T} \log \log T)$ on all three performance measures for strongly convex cost functions.

Our approach for the time-varying demand setting builds upon the algorithmic ideas for the fixed demand setting. To address the challenge that the demands can vary between the interval $[\underline{d}, \bar{d}]$, we first consider a direct extension of Algorithm 1 to the time-varying demand setting, wherein a feasible price set is maintained for each realized demand. However, as there may be up to $O(T)$ different demand realizations over the T periods, the worst-case regret of such an algorithm is $O(T)$. To resolve this issue, we leverage the intuition that customer demands that are close to each other correspond to equilibrium prices that are also close together. Thus, we uniformly partition the demand interval $[\underline{d}, \bar{d}]$ into sub-intervals of width γ and consider any demand in the same sub-interval the same. In particular, any demand lying in a given sub-interval, i.e., $d_t \in [\underline{d} + k\gamma, \underline{d} + (k+1)\gamma]$ for some $k \in \mathbb{N}$, is considered as a demand equal to the lower bound of that interval. Note then that from the perspective of the algorithm, there are $O(\frac{1}{\gamma})$ distinct demands, as opposed to $O(T)$ possible demand realizations, as the feasible demand interval is partitioned into $O(\frac{1}{\gamma})$ sub-intervals. Finally, for these $O(\frac{1}{\gamma})$ distinct demands, corresponding to the lower bounds of the $O(\frac{1}{\gamma})$ sub-intervals, we apply the aforementioned direct extension of Algorithm 1. Our algorithmic approach is formally presented in Algorithm 2.

Algorithm 2: Feasible Price Set Tracking for Time-Varying Demands

Input : Discretized demand intervals I_1, \dots, I_K with $I_k = \{\underline{d} + (k-1)\gamma, \underline{d} + k\gamma\}$ such that $K\gamma = \bar{d} - \underline{d}$

Initialize a feasible price set $\mathcal{S}_k = (0, 1]$, current price $p_k = 0$, and price precision $\varepsilon_k = 1/2$ for each demand interval I_k ;

for $t = 1, \dots, T$ **do**

Determine k_t such that $d_t \in I_{k_t} =: [a_{k_t}, b_{k_t}]$;

Offer price p_{k_t} to the supplier;

if width of feasible price set $|\mathcal{S}_{k_t}|$ is greater than $\frac{1}{\sqrt{T}}$ **then**

/* If production exceeds target demand, then narrow down the search interval */

if $\sum_{i=1}^n x_{it}^*(p_{k_t}) \geq a_{k_t}$ **then**

Set $\mathcal{S}_{k_t} \leftarrow (p_{k_t} - \varepsilon_{k_t}, p_{k_t}]$;

Set next price $p_{k_t} \leftarrow p_{k_t} - \varepsilon_{k_t}$;

Reset the precision to $\varepsilon_{k_t} \leftarrow \varepsilon_{k_t}^2$;

else

Set next price $p_{k_t} \leftarrow p_{k_t} + \varepsilon_{k_t}$

end

end

We now present the main result of this section, which establishes that Algorithm 2 achieves a regret of $O(\sqrt{T} \log \log T)$ if the sub-interval width $\gamma = \frac{1}{\sqrt{T}}$ for strongly convex cost functions of suppliers. We note that choosing $\gamma = \frac{1}{\sqrt{T}}$ optimally balances between two different sources of regret in the time-varying demand setting, as is elucidated through the proof sketch of the following theorem.

Theorem 3. *Let the demand sub-interval width $\gamma = \frac{1}{\sqrt{T}}$. Then, the unmet demand, cost regret, and payment regret of Algorithm 2 are $O(\sqrt{T} \log \log T)$ if the cost functions of the suppliers are strongly convex.*

Proof (Sketch). For each of the three regret metrics, the regret incurred by Algorithm 2 can be broken down into two parts: (i) the regret incurred by the Algorithm 1 sub-routine for each demand sub-interval, and (ii) the inaccuracies of considering all demands in a given sub-interval to be equal to the lower bound of that sub-interval. By invoking Theorem 1, the first part is of order $O(K \log \log T)$ for all three regret measures, where $K := \lceil (\bar{d} - \underline{d})/\gamma \rceil$. Next, since all demands in a given sub-interval are treated as a demand equal to the lower bound of that sub-interval and the suppliers' optimal production is monotonic in the price, every price p_t offered by Algorithm 2 is an under-estimate to the equilibrium price for demand d_t . Thus, the second part of the regret is only positive for the unmet demand and is at most $O(\gamma T)$, as the width of each demand sub-interval is γ , and regret is only accumulated over T periods. Finally, choosing $\gamma = \frac{1}{\sqrt{T}}$ achieves an optimal balance (up to logarithmic terms) between the two quantities above, i.e., $O(\gamma^{-1} \log \log T)$ and $O(\gamma T)$, which establishes the $O(\sqrt{T} \log \log T)$ regret bound. \square

For a complete proof of Theorem 3, see Appendix B. We reiterate that Theorem 3 applies to strongly convex cost functions as with Theorem 1 and that extending this result to general convex cost functions, e.g., linear functions, is, in general, not possible (see Example 1 in Section 4.2). Furthermore, compared to the regret guarantee obtained in Theorem 1, Theorem 3 establishes that the time-varying nature of the customer demand incurs an additional factor of $O(\sqrt{T})$ in the regret guarantee as compared to the setting with fixed demands. However, we do note that if the set of demand realizations D is known *a priori* to be $o(\sqrt{T})$, then the regret guarantee in Theorem 2 can be improved to $O(|D| \log \log T)$ by running the direct extension of Algorithm 1, wherein a feasible price interval is maintained for each realized demand. Finally, we note that the regret guarantee obtained in Theorem 3 compares favorably to classical $O(\sqrt{T})$ regret guarantees in the OCO or MAB literature [31].

6 Time-Varying Cost Functions

In this section, we consider the general setting, where, in addition to customer demands changing over time, suppliers' cost functions can also vary across the T periods. Formally, at each period t , each supplier i has a privately known and time-varying cost function $c_{it}(\cdot)$. Compared to the setting with fixed cost functions, the fundamental ideas underlying the performance guarantees of Algorithms 1 and 2 do not directly apply to this setting, as suppliers' production may not remain the same when the operator offers the same price at different periods due to the time-varying nature of their cost functions. In fact, in Section 6.1, we show that if the operator does not know the process that governs the variation of the cost functions, then sub-linear regret is impossible to achieve on all three regret metrics. To this end, in Section 6.2, in alignment with real-world markets, we consider an augmented problem setting wherein the market operator is provided with a hint (i.e., context) on the variation in suppliers' cost functions over time, e.g., due to weather conditions in electricity markets, while still keeping the full description of the costs away from the operator. In this setting, where the operator has access to additional hints on suppliers' cost functions, we then develop an algorithm with sub-linear on all three regret metrics (see Sections 6.3 and 6.4) through an adaptation of an algorithm in the contextual bandits literature [57].

6.1 Impossibility of Setting Equilibrium Price Under Time-Varying Costs

We initiate our study of the setting of time-varying costs by presenting an example that illustrates the impossibility of setting equilibrium prices if the market operator has no information on how the cost functions of suppliers change over time. In particular, Proposition 4 presents a counterexample establishing that even if suppliers' cost functions are drawn i.i.d. from a known distribution, no online algorithm can achieve a sub-linear regret on all three regret metrics as long as the operator is not informed about the outcome of the random draws from the distribution.

Proposition 4 (Impossibility of Sub-linear Regret for Time-varying Costs). *There exists an instance with fixed time-invariant demand and a single supplier whose cost functions are drawn i.i.d. from some (potentially known) distribution such that no online algorithm can achieve sub-linear regret on all three regret metrics.*

Proof (Sketch). We consider a setting with a fixed demand of $d = 1$ at every period and a single supplier whose cost functions at each period are drawn from a distribution such that at each period t , its cost function could be either $c_1(x) = \frac{1}{8}x^2$ or $c_2(x) = \frac{1}{16}x^2$, each with probability 0.5. We suppose that the market operator has knowledge of the distribution from which the supplier’s cost function is sampled i.i.d. but does not know the outcome of the random draw at any period and show that any pricing strategy adopted by the operator must incur a linear regret on at least one of the three regret metrics for this instance. To this end, we first note that the equilibrium price corresponding to the cost function $c_1(x)$ is $p_1^* = \frac{1}{4}$ while that corresponding to the cost function $c_2(x)$ is $p_2^* = \frac{1}{8}$. Then, we analyze the total regret, i.e., the sum of the unmet demand, payment regret, and cost regret, for three different price ranges - (i) $p < \frac{1}{8}$, (ii) $1/8 \leq p \leq 1/4$, and (iii) $p > 1/4$ - and show that irrespective of the set price p at any period t , the expected total regret at any period is at least $\frac{7}{64}$, i.e., the total regret is at least $\frac{7}{64}T$. Finally, since the sum of the three regret metrics is linear in T , at least one of the three metrics must be linear in T , establishing our claim. \square

For a complete proof of Proposition 4, see Appendix C. While it was possible to achieve sub-linear regret in the setting with time-varying customer demands (see Theorem 3), Proposition 4 establishes that such a result is, in general, not possible in the setting with time-varying cost functions. The setting with time-varying cost functions is more challenging because the market operator observes customer demands, which it can use to make pricing decisions, but does not observe the cost functions of suppliers. Further, in contrast to the settings in [33, 54], where online gradient descent approaches can simultaneously achieve sub-linear regret for multiple performance metrics, we note that our definition of unmet demand is considerably stronger as over-production at particular periods cannot compensate for unmet demand at other periods (see Section 3.2 for a further discussion). Thus, Proposition 4 shows that, with the stronger unmet demand metric, it is impossible to jointly optimize the three regret metrics, and illustrates the difficulty of balancing the three regret metrics, as decreasing the payment or cost regret causes an increase in the unmet demand and vice versa.

6.2 Adding Contexts for Time-varying Costs

Proposition 4 highlights that if the operator does not have any information on the change in suppliers’ cost functions over time, it is impossible to achieve sub-linear regret on all three regret metrics. To this end, in this section, we consider a natural augmented problem setting wherein the market operator, without knowing the complete specification of cost functions of suppliers, additionally has access to a hint (i.e., context) that reflects the variation in cost functions of suppliers over time. We note that such a setting aligns with real-world markets, e.g., electricity markets, wherein the cost functions of suppliers are private information yet will typically vary over time based on observed quantities, such as changes in the ambient weather conditions.

To specify the augmented problem setting with contexts, we first introduce some notation regarding the cost functions of suppliers. In particular, we assume that each supplier’s cost function is composed of two parts: (i) an unknown component that is time-invariant, and (ii) a time-varying component that is revealed to the marker operator. More precisely, the cost function of each supplier i is parameterized as follows:

$$c_{it}(\cdot) = c_i(\cdot; \phi_i, \theta_{it}),$$

where ϕ_i is private information and θ_{it} is the time-varying component of the cost function given to the operator as *contexts*. Note that for any fixed ϕ_i , the context θ_{it} uniquely determines the cost function of supplier i at time t . We stress that we do not assume any structure on the parameterization of the cost functions and so the time-varying and time-invariant components of the cost functions need not be separable. Further, since ϕ_i ’s are unknown, the market operator cannot directly solve Problem (2a)-(2b) to obtain the equilibrium prices in the market.

For the simplicity of exposition, for the remainder of this section, we aggregate all suppliers’ cost functions into a combined cost $c_t(\cdot; \theta_t) = \sum_{i=1}^n c_{it}(\cdot; \phi_i, \theta_{it})$, where $\theta_t = (\theta_{1t}, \dots, \theta_{nt})$ is the time-varying context associated with the combined cost function. Note that doing so is without loss of generality as all suppliers have convex costs and observe the same prices in the market. Furthermore, we note that since the private information ϕ_1, \dots, ϕ_n are unknown, the market operator cannot directly solve Problem (2a)-(2b) to obtain the equilibrium prices in the market.

In this augmented problem setting, at each period t , in addition to receiving the customer demand d_t , the market operator observes a context θ_t , which it can use along with the prior history of supplier production quantities, customer demands, and contexts, to set a price p_t . In particular, with access to sequentially arriving contexts, the market operator sets a sequence of prices given by the pricing policy $\pi = (\pi_1, \dots, \pi_T)$, where $p_t = \pi_t(\{(x_{t'}^*)_{t'=1}^n, d_{t'}, \theta_{t'}\}_{t'=1}^{t-1}, d_t, \theta_t)$, where x_t^* represents the sum of optimal production quantity corresponding to the solution of Problem (1) for each supplier at period t . We then evaluate the performance of this class of pricing policies on three regret metrics introduced in Section 3.2. Note that we can naturally extend these three metrics to the augmented setting with contexts by plugging in $c_{it}(\cdot) = c_i(\cdot; \phi_i, \theta_{it})$ and for completeness, we present the corresponding definitions explicitly in Appendix D.

6.3 Algorithm for Time-Varying Costs with Contexts

We now present an algorithm that simultaneously achieves sub-linear regret for the unmet demand, payment regret, and cost regret metrics for the augmented problem setting introduced in Section 6.2. Our algorithmic approach is inspired by recent ideas in the contextual bandits literature (e.g. [57, 58]) and involves two building blocks. First, we seek to learn how to associate the arriving contexts with the relevant properties of suppliers' cost functions. Next, based on the information inferred from the arriving contexts, our algorithm offers prices to suppliers in the next period. We note that the first step of our approach fundamentally differs from the fixed cost setting, as time-varying supplier costs, unlike time-varying demands, are not observed and thus unavailable to the operator making pricing decisions. Therefore, the first step of our approach is crucial in learning a descriptive model on the supplier's response to various contexts and prices.

The task of learning to associate the arriving contexts with the relevant properties of the cost function is accomplished by an *online regression oracle*. In particular, an online regression oracle performs real-valued online regression and achieves a prediction error guarantee, with a bound denoted $\text{EST}_{\text{sq}}(T)$, relative to the best function in a class \mathcal{F} .

Definition 1 (Online Regression Oracle). Consider a function class $\mathcal{F} : \mathcal{A} \rightarrow \mathcal{B}$, at each time t , the online regression oracle receives an input a_t and computes an estimate $\hat{b}_t = \hat{f}_t(a_t)$, where \hat{f} depends on the past history

$$\mathcal{H}_{t-1} = (a_1, b_1), \dots, (a_{t-1}, b_{t-1}).$$

Then, the oracle receives the true output b_t .

The predictors \hat{f}_t of the oracle are almost as accurate as any function in \mathcal{F} in the sense that:

$$\sum_{t=1}^T (\hat{b}_t - b_t)^2 - \inf_{f \in \mathcal{F}} \sum_{t=1}^T (f(a_t) - b_t)^2 \leq \text{EST}_{\text{sq}}(T)$$

The prediction error $\text{EST}_{\text{sq}}(T)$ of the online regression oracle scales with the “size” of the \mathcal{F} in a statistical sense. As an example, if the function class \mathcal{F} is finite, then the exponential weights update algorithm achieves $\text{EST}_{\text{sq}}(T) \leq \log |\mathcal{F}|$ (see e.g. [59]). Therefore, the function class \mathcal{F} should be rich enough to capture the map between contexts and the variation in cost functions and also not be too large so that the estimation error is small.

To construct a function class \mathcal{F} appropriate for our problem setting, we first note that the market operator cannot observe the supplier's costs but can instead use the oracle to regress on the supplier's production $x^*(\cdot; \theta_t)$, which is directly observable. Note that by the first-order optimality condition on Problem (1) that the production and price are related as follows:

$$c'_t(x^*(p; \theta_t); \theta_t) = p \implies x^*(p; \theta_t) = (c'_t)^{-1}(p; \theta_t).$$

Note that when the cost functions are strongly convex (i.e., c'_t is invertible), the production level $x^*(\cdot; \theta_t)$ is well-defined as a function of the price p_t and context θ_t . Thus, we define the function class \mathcal{F} as the possible mappings from the price-context tuple (p, θ) to the production x^* , i.e., the oracle tries to determine the amount of the supplier's production given a price p_t and context θ_t .

With our choice of the online regression oracle, we now present our algorithm for the setting of time-varying costs with contexts based on the inverse gap weighing method introduced in [57]. To present our

algorithmic approach, we restrict the algorithm's choices to a finite set of K prices that are uniformly spaced on the interval $[0, 1]$, where the performance of our algorithm will depend on the choice of K (see Theorem 5). Given the oracle's output \hat{f}_t that estimates the production quantity $x^*(p_t; \theta_t)$, the greedy choice at each period t is to match the requested demand d_t as closely as possible, i.e. choose a price \hat{p}_t such that the quantity $|\hat{f}_t(\hat{p}_t; \theta_t) - d_t|$ is minimized. To balance between both exploration and exploitation, Algorithm 3 instead samples each price p_t from the set of K discrete prices according to a probability distribution Δ_t . In effect, Algorithm 3 achieves good exploration by choosing any of the K prices with some positive probability, which ensures that the online regression oracle has access to a wide-ranging history \mathcal{H}_{t-1} , so it can achieve a low prediction error even when the market operator receives a new context or demand. Furthermore, to minimize the penalty for exploration, the probability distribution Δ_t is chosen such that it assigns the highest probability to the greedy choice \hat{p}_t under the current oracle estimate \hat{f}_t while assigning a probability to every other price that is roughly inversely proportional to the gap between its unmet or excess demand and that of the greedy choice \hat{p}_t . Then, for each period t , given this choice of Δ_t , a price p_t is sampled from this distribution, following which suppliers produce an optimal quantity $x^*(p_t; \theta_t)$ of the commodity as given by the solution of Problem (1). Finally, the oracle is updated with the new context θ_t , customer demand d_t , and optimal supplier production to generate a new estimator \hat{f}_{t+1} for the next period. This process is presented formally in Algorithm 3.

Algorithm 3: Online Equilibrium Pricing for Time-Varying Costs

Input : Online regression oracle \mathcal{O} with input pairs (θ_t, p_t) and output x_t ; uniform K -cover of possible prices $0 = p_1 < p_2 < \dots < p_K = 1$; exploration parameter $\gamma > 0$

for $t = 1, \dots, T$ **do**

Query the oracle \mathcal{O} for an estimator \hat{f}_t ;
 Receive context θ_t and demand d_t ;
 Sample price p_t from the probability distribution

$$\Delta_t(p_i) = \frac{1}{\lambda + 2\gamma \left(|\hat{f}_t(p_i; \theta_t) - d_t| - |\hat{f}_t(\hat{p}_t; \theta_t) - d_t| \right)},$$

with $\hat{p}_t = \arg \min_{p \in \{p_1, \dots, p_K\}} |\hat{f}_t(p; \theta_t) - d_t|$ and $\lambda \in (0, K)$ as the normalization constant;
 Commit p_t and observe the production $x_t = x^*(p_t; \theta_t)$ corresponding to the solution of Problem (1) given the price p_t ;
 Update the oracle \mathcal{O} with $((\theta_t, p_t), x_t)$;

end

We now present the main result of this section, which establishes that for an appropriate choice of the discretization K of the price set, Algorithm 3 can achieve sub-linear regret on all three regret metrics, as is elucidated through the following theorem. We highlight that this theorem holds for any sequence of contexts θ_t , which means that θ_t can be derived from some physical dynamics, drawn from a probability distribution, or even chosen adversarially.

Theorem 5 (Informal). *With high probability, for any sequence of contexts θ_t and customer demands d_t over T periods, the unmet demand, payment regret, and cost regret satisfy:*

$$\mathbb{E}_{p_t \sim \Delta_t, t \in [T]} [U_T(p_1, \dots, p_T)] \leq O \left(\sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \frac{T}{K} \right),$$

and similarly for $\mathbb{E}_{p_t \sim \Delta_t, t \in [T]} [P_T(p_1, \dots, p_T)]$ and $\mathbb{E}_{p_t \sim \Delta_t, t \in [T]} [C_T(p_1, \dots, p_T)]$, where K is the number of prices in the uniformly discretized price set.

We note that because the pricing policy in Algorithm 3 is probabilistic, we present the regret bounds in expectation with respect to the distributions Δ_t . For the simplicity of exposition, we only present Theorem 5 as an informal statement and present the analysis of a rigorous theorem statement, which involves introducing additional notation, e.g., quantifying the high probability bound, in Appendix G. Furthermore, we present a sketch of the main ideas used to analyze Algorithm 3 in Section 6.4.

Remark 1. Recall that, when the function class \mathcal{F} is finite, e.g. there are only finitely many possible cost functions, the exponential weights algorithm can achieve $\text{EST}_{\text{sq}}(T) = \log |\mathcal{F}|$. Therefore, picking $K = \sqrt[3]{T/\log |\mathcal{F}|}$ achieves a sublinear regret bound of $O(T^{2/3} \sqrt[3]{\log |\mathcal{F}|})$.

Additionally, in Appendix G, we discuss several other function classes \mathcal{F} , including parametric classes, bounded Lipschitz functions, and neural networks with bounded spectral norm, for which Algorithm 3 achieves a sub-linear regret guarantee by leveraging results from the statistical learning literature (e.g. see [60, 61]).

Note that the regret bound obtained for finite function classes corresponds to an additional factor of $O(T^{1/6})$ than the guarantee for the setting with time-varying demands and fixed costs (Theorem 3). The additional loss in the regret for the setting of time-varying costs is because Algorithm 3 utilizes an online regression oracle to associate the contexts with properties of the supplier’s varying cost functions that are unknown to the market operator. Note that by performing regression, Algorithm 3 learns all of the features about the supplier’s optimal production as a function of the contexts and prices. In contrast, Algorithm 2 only learns the equilibrium prices for a discrete set of demands and is not concerned with accurately predicting the supplier’s production for other demands. Thus, the additional factor of $O(T^{1/6})$ in the regret is attributable to the fact that Algorithm 3 attempts to solve a more complex statistical problem than in the fixed cost setting. Nevertheless, the guarantee in Theorem 5 still compares favorably to the best known algorithms in related problem settings, e.g., no online algorithm can achieve a regret better than $O(T^{2/3})$ for a Lipschitz bandit with contexts in \mathbb{R} (see e.g. [43, 57]).

6.4 Sketch of Main Ideas to Analyze Algorithm 3

In this section, we shall describe the key ideas behind the analysis of Algorithm 3. We first establish the necessary Lipschitzness relations between the problem parameters, which enables us to simultaneously optimize over multiple objectives, as opposed to standard contextual bandit algorithms that typically optimize a single regret metric. We then define a notion of “proxy” regret and show that Algorithm 3 achieves the desired regret bound in the statement of Theorem 5. Finally, Theorem 5 follows as the “proxy” regret serves as an upper bound on the unmet demand, payment regret, and cost regret due to the derived Lipschitz relations.

Our first lemma establishes the Lipschitzness between the optimal prices corresponding to the solution of Problem (2a)-(2b) and customer demands utilizing techniques from parametric optimization.

Lemma 6 (Lipschitzness of Prices in Demands). *The optimal prices corresponding to the dual variables of the market clearing constraint of Problem (2a)-(2b) are Lipschitz in the demand d , i.e., $|p^*(d_1) - p^*(d_2)| \leq L_1 |d_1 - d_2|$ for some constant $L_1 > 0$ for all $d_1, d_2 \in [d, \bar{d}]$. Here, $p^*(d)$ is the optimal price corresponding to the dual variable of the market clearing constraint of Problem (2a)-(2b) with a customer demand of d .*

Next, we use Lemma 6 to show that both the payment and cost regret metrics are Lipschitz in the prices. That is, Lemma 7 establishes that small changes in the prices result in only small changes in the cost and payment regret metrics.

Lemma 7 (Lipschitzness of Regret Metrics in Prices). *Consider an online pricing policy π . The payment and cost regret are upper bounded by the absolute difference in prices p_t corresponding to the online pricing policy π and equilibrium prices p_t^* . Namely, there exists some constant $L_2, L_3 > 0$ so that*

$$P_T(\pi) \leq L_2 \sum_{t=1}^T |p_t - p_t^*|, \text{ and } C_T(\pi) \leq L_3 \sum_{t=1}^T |p_t - p_t^*|.$$

For proofs of Lemmas 6 and 7, we refer the readers to Appendix E.

By employing these two lemmas, we can upper bound unmet demand, payment regret, and cost regret with the following proxy regret metric:

$$\text{REG}(T) := \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [|x^*(p_t; \theta_t) - d_t| \mid \mathcal{H}_{t-1}],$$

where $x^*(p_t; \theta_t)$ is the optimal production quantity of the suppliers and p_t is chosen according to the distribution Δ_t as defined in Algorithm 3. Note that the choice of distribution Δ_t depends on the past history $\mathcal{H}_{t-1} = ((p_1, \theta_1), x_1), \dots, ((p_{t-1}, \theta_{t-1}), x_{t-1})$. We can employ Lemmas 6 and 7 to show that the proxy regret upper bounds the unmet demand, payment regret, and cost regret metrics.

First, we note that this proxy regret upper bounds the unmet demand because

$$|x^*(p_t; \theta_t) - d_t| \geq (x^*(p_t; \theta_t) - d_t)_+.$$

Next, let p_t^* be the equilibrium price for demand d_t , and note that p_t is the equilibrium price when demand is equal to $x^*(p_t; \theta_t)$. So, by Lemma 6, it follows that

$$|p_t - p_t^*| \leq L_1 |x^*(p_t; \theta_t) - d_t|$$

for some constant L . And by applying Lemma 7 to the previous inequality, we conclude that

$$\mathbb{E}_{p_t \sim \Delta_t, t \in [T]} [P_T] \leq L_1 \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} |p_t - p_t^*| \leq L_1 L_2 \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} |x^*(p_t; \theta_t) - d_t| = L_1 L_2 \text{REG}(T).$$

Using a similar line of reasoning, we can also show that the proxy regret serves as an upper bound, up to constants, for the cost regret $\mathbb{E}_{p_t \sim \Delta_t, t \in [T]} [C_T]$.

Given the above observation that the proxy regret is an upper bound on the three regret metrics, it suffices to show that Algorithm 3 achieves a sub-linear regret, as is elucidated by the following proposition.

Proposition 8 (informal). *With high probability, for any sequence of context θ_t and demand d_t , the proxy regret is bounded by*

$$\text{REG}(T) \leq O\left(\sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \frac{T}{K}\right).$$

Note that Theorem 5 is an immediate consequence of Proposition 8. For a complete proof of Proposition 8, see Appendix G.

7 Conclusion and Future Work

In this work, we studied the problem of setting equilibrium prices to satisfy the customer demand for a commodity in markets where the cost functions of suppliers are unknown to the market operator. Since centralized optimization approaches to compute equilibrium prices are typically not conducive in this incomplete information setting, we studied the problem of learning equilibrium prices online under several informational settings regarding the time-varying nature of the customer demands and supplier cost functions. We first considered the setting when suppliers' cost functions are fixed over the T periods and developed algorithms with regret guarantees of $O(\log \log T)$ (and $O(\sqrt{T} \log \log T)$) when the customer demand is fixed (or can vary across the periods in a continuous interval) for strongly convex cost functions. Next, when suppliers' cost functions are time-varying, we showed that no online algorithm achieves sub-linear regret on all three regret metrics when suppliers' cost functions are sampled i.i.d. from a distribution. Thus, we studied an augmented contextual bandit setting where the operator has access to hints (contexts) on how the cost functions change over time and developed an algorithm that with sub-linear regret on all three regret metrics in this setting.

There are several directions for future research. First, we note that the discretization in Algorithms 2 and 3 results in memory requirements that depend on the number of periods T . Thus, it would be interesting to investigate the design of algorithms whose memory requirement does not scale with T but still achieves similar performance guarantees to Algorithms 2 and 3 in their respective settings. Next, the unmet demand metric adopted in this work involved satisfying the customer demand at each period without the possibility of the rollover of excess supply of the commodity to subsequent periods. Since there is often storage capacity for excess supply in many application settings, it would be worthwhile to study the design of algorithms under a more relaxed unmet demand notion with the possibility of using excess supply at earlier periods to satisfy customer demand at subsequent periods. Furthermore, there is a scope to generalize the model when suppliers' cost functions are non-convex, in which case the operator may need different pricing strategies for each supplier [5].

References

- [1] Léon Walras. *Elements of Pure Economics: Or, The Theory of Social Wealth*. American Economic Association. Translation series. American Economic Association, 1954.
- [2] Kenneth J. Arrow and Gerard Debreu. Existence of an equilibrium for a competitive economy. *Econometrica*, 22(3):265–290, 1954.
- [3] Paulina Beato and Andreu Mas-Colell. On marginal cost pricing with given tax-subsidy rules. *Journal of Economic Theory*, 37(2):356–365, 1985.
- [4] Ralph Turvey. Marginal Cost. *The Economic Journal*, 79(314):282–299, 06 1969.
- [5] Navid Azizan, Yu Su, Krishnamurthy Dvijotham, and Adam Wierman. Optimal pricing in markets with nonconvex costs. *Operations Research*, 68(2):480–496, 2020.
- [6] Navid Azizan Ruhi, Krishnamurthy Dvijotham, Niangjun Chen, and Adam Wierman. Opportunities for price manipulation by aggregators in electricity markets. *IEEE Transactions on Smart Grid*, 9(6):5687–5698, 2018.
- [7] George Liberopoulos and Panagiotis Andrianesis. Critical review of pricing schemes in markets with non-convex costs. *Operations Research*, 64(1):17–31, 2016.
- [8] Mariano Ventosa, Alvaro Baillo, Andres Ramos, and Michel Rivier. Electricity market modeling trends. *Energy Policy*, 33(7):897–913, 2005.
- [9] A Kumar David and Fushuan Wen. Strategic bidding in competitive electricity markets: a literature survey. In *2000 Power Engineering Society Summer Meeting (Cat. No. 00CH37134)*, volume 4, pages 2168–2173. IEEE, 2000.
- [10] Brian Wingfield and Dawn Kopecki. Jpmorgan to pay \$410 million to settle u.s. energy probe. Bloomberg, July 2013.
- [11] Martin L. Weitzman. Prices vs. Quantities¹². *The Review of Economic Studies*, 41(4):477–491, 10 1974.
- [12] Mohammad Akbarpour, Piotr Dworzak, and Scott Duke Kominers. Redistributive allocation mechanisms. *Available at SSRN 3609182*, 2020.
- [13] David C Parkes, Dimah Yanovsky, and Satinder Singh. Approximately efficient online mechanism design. In L. Saul, Y. Weiss, and L. Bottou, editors, *Advances in Neural Information Processing Systems*, volume 17. MIT Press, 2004.
- [14] Nasimeh Heydaribeni and Achilleas Anastasopoulos. Distributed mechanism design for multicast transmission. In *2018 IEEE Conference on Decision and Control (CDC)*, pages 4200–4205. IEEE, 2018.
- [15] Yuan Deng, Sebastien Lahaie, and Vahab Mirrokni. Robust pricing in dynamic mechanism design. In Hal Daumé III and Aarti Singh, editors, *Proceedings of the 37th International Conference on Machine Learning*, volume 119 of *Proceedings of Machine Learning Research*, pages 2494–2503. PMLR, 13–18 Jul 2020.
- [16] Dimitris Bertsimas, Vishal Gupta, and Ioannis Ch. Paschalidis. Data-driven estimation in equilibrium using inverse optimization. *Math. Program.*, 153(2):595–633, nov 2015.
- [17] Maria-Florina Balcan, Amit Daniely, Ruta Mehta, Ruth Urner, and Vijay V Vazirani. Learning economic parameters from revealed preferences. In *International Conference on Web and Internet Economics*, pages 338–353. Springer, 2014.
- [18] Xiaohui Bei, Wei Chen, Jugal Garg, Martin Hoefer, and Xiaoming Sun. Learning market parameters using aggregate demand queries. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 30, 2016.

- [19] Eyal Beigman and Rakesh Vohra. Learning from revealed preference. In *Proceedings of the 7th ACM Conference on Electronic Commerce*, pages 36–42, 2006.
- [20] Morteza Zadimoghaddam and Aaron Roth. Efficiently learning from revealed preference. In *International Workshop on Internet and Network Economics*, pages 114–127. Springer, 2012.
- [21] Aranyak Mehta, Amin Saberi, Umesh Vazirani, and Vijay Vazirani. Adwords and generalized online matching. *J. ACM*, 54(5):22–es, October 2007.
- [22] Vahideh Manshadi, Rad Niazadeh, and Scott Rodilitz. Fair dynamic rationing. In *Proceedings of the 22nd ACM Conference on Economics and Computation*, EC '21, page 694–695, New York, NY, USA, 2021. Association for Computing Machinery.
- [23] Robert W Lien, Seyed MR Iravani, and Karen R Smilowitz. Sequential resource allocation for nonprofit operations. *Operations Research*, 62(2):301–317, 2014.
- [24] Aranyak Mehta. Online matching and ad allocation. *Foundations and Trends in Theoretical Computer Science*, 8(4):265–368, 2013.
- [25] Shipra Agrawal, Zizhuo Wang, and Yinyu Ye. A dynamic near-optimal algorithm for online linear programming. *Operations Research*, 62(4):876–890, 2014.
- [26] Nikhil R. Devanur and Thomas P. Hayes. The adwords problem: Online keyword matching with budgeted bidders under random permutations. In *Proceedings of the 10th ACM Conference on Electronic Commerce*, EC '09, page 71–78, New York, NY, USA, 2009. Association for Computing Machinery.
- [27] Xiaocheng Li, Chunlin Sun, and Yinyu Ye. Simple and fast algorithm for binary integer and online linear programming. *arXiv preprint arXiv:2003.02513*, 2020.
- [28] Xiaocheng Li, Chunlin Sun, and Yinyu Ye. The symmetry between arms and knapsacks: A primal-dual approach for bandits with knapsacks. *arXiv preprint arXiv:2102.06385*, 2021.
- [29] Guanting Chen, Xiaocheng Li, and Yinyu Ye. Technical note—an improved analysis of lp-based control for revenue management. *Operations Research*, 0(0):null, 2022.
- [30] Xiaocheng Li and Yinyu Ye. Online linear programming: Dual convergence, new algorithms, and regret bounds. *arXiv preprint arXiv:1909.05499*, 2021.
- [31] Elad Hazan. Introduction to online convex optimization. *Foundations and Trends® in Optimization*, 2(3-4):157–325, 2016.
- [32] Shipra Agrawal and Nikhil R. Devanur. Fast algorithms for online stochastic convex programming. In Piotr Indyk, editor, *Proceedings of the Twenty-Sixth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2015, San Diego, CA, USA, January 4-6, 2015*, pages 1405–1424. SIAM, 2015.
- [33] Santiago R Balseiro, Haihao Lu, and Vahab Mirrokni. The best of many worlds: Dual mirror descent for online allocation problems. *Operations Research*, 2022.
- [34] Santiago Balseiro, Haihao Lu, and Vahab Mirrokni. Regularized online allocation problems: Fairness and beyond. In *International Conference on Machine Learning*, pages 630–639. PMLR, 2021.
- [35] Minghong Lin, Zhenhua Liu, Adam Wierman, and Lachlan LH Andrew. Online algorithms for geographical load balancing. In *2012 international green computing conference (IGCC)*, pages 1–10. IEEE, 2012.
- [36] Gautam Goel, Yiheng Lin, Haoyuan Sun, and Adam Wierman. Beyond online balanced descent: An optimal algorithm for smoothed online optimization. *Advances in Neural Information Processing Systems*, 32, 2019.

- [37] Niangjun Chen, Gautam Goel, and Adam Wierman. Smoothed online convex optimization in high dimensions via online balanced descent. In *Conference On Learning Theory*, pages 1574–1594. PMLR, 2018.
- [38] Nikhil Bansal, Anupam Gupta, Ravishankar Krishnaswamy, Kirk Pruhs, Kevin Schewior, and Cliff Stein. A 2-competitive algorithm for online convex optimization with switching costs. In *Approximation, Randomization, and Combinatorial Optimization. Algorithms and Techniques (APPROX/RANDOM 2015)*. Schloss Dagstuhl-Leibniz-Zentrum für Informatik, 2015.
- [39] Yoav Freund and Robert E Schapire. Adaptive game playing using multiplicative weights. *Games and Economic Behavior*, 29(1-2):79–103, 1999.
- [40] Peter Auer, Nicolo Cesa-Bianchi, Yoav Freund, and Robert E Schapire. The nonstochastic multiarmed bandit problem. *SIAM journal on computing*, 32(1):48–77, 2002.
- [41] Gábor Bartók, Dean P Foster, Dávid Pál, Alexander Rakhlin, and Csaba Szepesvári. Partial monitoring—classification, regret bounds, and algorithms. *Mathematics of Operations Research*, 39(4):967–997, 2014.
- [42] John Langford and Tong Zhang. The epoch-greedy algorithm for contextual multi-armed bandits. *Advances in neural information processing systems*, 20(1):96–1, 2007.
- [43] Aleksandrs Slivkins. Contextual bandits with similarity information. In *Proceedings of the 24th annual Conference On Learning Theory*, pages 679–702. JMLR Workshop and Conference Proceedings, 2011.
- [44] Robert Kleinberg, Aleksandrs Slivkins, and Eli Upfal. Multi-armed bandits in metric spaces. In *Proceedings of the Fortieth Annual ACM Symposium on Theory of Computing*, STOC ’08, page 681–690, New York, NY, USA, 2008. Association for Computing Machinery.
- [45] Shipra Agrawal, Nikhil R Devanur, and Lihong Li. An efficient algorithm for contextual bandits with knapsacks, and an extension to concave objectives. In *Conference on Learning Theory*, pages 4–18. PMLR, 2016.
- [46] Ashwinkumar Badanidiyuru, Robert Kleinberg, and Aleksandrs Slivkins. Bandits with knapsacks. *Journal of the ACM (JACM)*, 65(3):1–55, 2018.
- [47] R. Kleinberg and T. Leighton. The value of knowing a demand curve: bounds on regret for online posted-price auctions. In *44th Annual IEEE Symposium on Foundations of Computer Science, 2003. Proceedings.*, pages 594–605, 2003.
- [48] Moshe Babaioff, Shaddin Dughmi, Robert Kleinberg, and Aleksandrs Slivkins. Dynamic pricing with limited supply, 2015.
- [49] Alekh Agarwal, Peter Bartlett, and Max Dama. Optimal allocation strategies for the dark pool problem. In *Proceedings of the Thirteenth International Conference on Artificial Intelligence and Statistics*, pages 9–16. JMLR Workshop and Conference Proceedings, 2010.
- [50] Aaron Roth, Jonathan Ullman, and Zhiwei Steven Wu. Watch and learn: Optimizing from revealed preferences feedback. In *Proceedings of the forty-eighth annual ACM symposium on Theory of Computing*, pages 949–962, 2016.
- [51] Ziwei Ji, Ruta Mehta, and Matus Telgarsky. Social welfare and profit maximization from revealed preferences. In *International Conference on Web and Internet Economics*, pages 264–281. Springer, 2018.
- [52] Devansh Jalota, Karthik Gopalakrishnan, Navid Azizan, Ramesh Johari, and Marco Pavone. Online learning for traffic routing under unknown preferences. *arXiv preprint arXiv:2203.17150*, 2022.
- [53] Devansh Jalota and Yinyu Ye. Online learning in fisher markets with unknown agent preferences. *arXiv preprint arXiv:2205.00825*, 2022.

- [54] Hao Yu, Michael Neely, and Xiaohan Wei. Online convex optimization with stochastic constraints. *Advances in Neural Information Processing Systems*, 30, 2017.
- [55] Rodolphe Jenatton, Jim Huang, and Cédric Archambeau. Adaptive algorithms for online convex optimization with long-term constraints. In *International Conference on Machine Learning*, pages 402–411. PMLR, 2016.
- [56] Mehrdad Mahdavi, Rong Jin, and Tianbao Yang. Trading regret for efficiency: online convex optimization with long term constraints. *The Journal of Machine Learning Research*, 13(1):2503–2528, 2012.
- [57] Dylan Foster and Alexander Rakhlin. Beyond UCB: Optimal and efficient contextual bandits with regression oracles. In *International Conference on Machine Learning*, pages 3199–3210. PMLR, 2020.
- [58] Alekh Agarwal, Daniel Hsu, Satyen Kale, John Langford, Lihong Li, and Robert Schapire. Taming the monster: A fast and simple algorithm for contextual bandits. In *International Conference on Machine Learning*, pages 1638–1646. PMLR, 2014.
- [59] Vladimir G Vovk. A game of prediction with expert advice. In *Proceedings of the eighth annual conference on Computational learning theory*, pages 51–60, 1995.
- [60] Martin J Wainwright. *High-dimensional statistics: A non-asymptotic viewpoint*, volume 48. Cambridge university press, 2019.
- [61] Alexander Rakhlin and Karthik Sridharan. Online non-parametric regression. In *Conference on Learning Theory*, pages 1232–1264. PMLR, 2014.
- [62] Xingyu Zhou. On the fenchel duality between strong convexity and lipschitz continuous gradient. *arXiv preprint arXiv:1803.06573*, 2018.
- [63] David A Freedman. On tail probabilities for martingales. *the Annals of Probability*, pages 100–118, 1975.
- [64] Volodya Vovk. Competitive on-line linear regression. *Advances in Neural Information Processing Systems*, 10, 1997.
- [65] Katy S Azoury and Manfred K Warmuth. Relative loss bounds for on-line density estimation with the exponential family of distributions. *Machine learning*, 43:211–246, 2001.
- [66] Vladimir Vovk. Metric entropy in competitive on-line prediction. *arXiv preprint cs/0609045*, 2006.
- [67] Peter L Bartlett, Dylan J Foster, and Matus J Telgarsky. Spectrally-normalized margin bounds for neural networks. *Advances in neural information processing systems*, 30, 2017.

A Proof of Theorem 1

Let p^* be the optimal price, and let x_{it}^* be the optimal production quantity for each supplier i at each period t . We first show that the payment and cost regrets are of order $O(\log \log T)$. To this end, first observe by monotonicity of the optimal supplier production in the prices that both payment and cost regret are only accumulated when $p_t > p^*$. Then, as we repeatedly square the precision parameter, the number of sub-phases of repeated squaring necessary to get from a step size of 0.5 to a step size of $\frac{1}{T}$ is $O(\log \log T)$. Next, observe that the price $p_t > p^*$ at most once in each sub-phase. By the boundedness of the supplier production quantities for prices in the range $[0, 1]$, it follows that the total payment and cost regret are $O(\log \log T)$.

We now show that the unmet demand is also $O(\log \log T)$. To this end, first note that there is unmet demand at each period when $p_t < p^*$. However, in each sub-phase other than the first sub-phase and last phase when the price is fixed at the lower end of the feasible price interval, it holds that the length of the

feasible interval $[a, b]$ is $\sqrt{\epsilon}$, with sub-intervals of length ϵ . As there are $\frac{1}{\sqrt{\epsilon}}$ sub-intervals, at most $\frac{1}{\sqrt{\epsilon}}$ offers are made. Next, we note by Lemma 2 that the optimal production quantity for each supplier, given by the solution to Problem (1), is Lipschitz continuous, i.e., $|x_{it}^*(p_t) - x_{it}^*(p^*)| \leq \frac{1}{\mu}|p - p^*|$, where $\mu = \min_{i \in [n]} \mu_i$ where μ_i is the strong convexity modulus for supplier i 's cost function $c_i(\cdot)$. As a result, it holds that

$$|x_{it}(p_t) - x_{it}(p^*)| \leq \frac{1}{\mu}|p - p^*| \leq \frac{1}{\mu}(b - a) \leq \frac{1}{\mu}\sqrt{\epsilon},$$

for all suppliers $i \in [n]$. Next, the total unmet demand at period t is given by

$$\left(d - \sum_{i=1}^n x_{it}^*(p_t)\right)_+ \leq \sum_{i=1}^n |x_{it}^*(p_t) - x_{it}^*(p^*)| \leq n \frac{1}{\mu} \sqrt{\epsilon} = O\left(n \frac{1}{\mu} \sqrt{\epsilon}\right).$$

Then, since $\frac{1}{\sqrt{\epsilon}}$ offers are made in each sub-phase, it follows that the total unmet demand is $O\left(n \frac{1}{\mu}\right)$ in each phase. As there are $O(\log \log T)$ sub-phases, it thus holds that the total unmet demand is $O\left(n \frac{1}{\mu} \log \log T\right)$ before the final phase when the price is kept fixed at the lower end of the feasible interval.

In the final phase, note that the length of the feasible interval is less than $\frac{1}{T}$ and by Lemma 2, it holds that $|x_{it}^*(p_t) - x_{it}^*(p^*)| \leq \frac{1}{\mu T}$. Since there are at most T offers in the final phase, the total unmet demand in this phase is at most $O\left(n \frac{1}{\mu}\right)$. Thus, we have established that the total unmet demand is $O\left(n \frac{1}{\mu} \log \log T\right) = O(\log \log T)$, which proves our claim.

B Proof of Theorem 3

We first show that payment and cost regrets are at most $O(\sqrt{T} \log \log T)$. Note that at any period t , payment or cost regrets are accumulated only if $x^*(p_{k_t}) > d_t \geq a_{k_t}$, where $x^*(p) = \sum_{i=1}^n x_i^*(p)$. So, the precision parameter ϵ_k is shrunk each time payment or cost regrets are accumulated. Due to the assumption on the boundedness of prices, the amount of payment or cost regret incurred at any period is at most a constant. Thus, it suffices to bound the number of times the feasible price set is shrunk. For any interval $I_k, k \in [K]$, the number of times we repeatedly square the precision parameter ϵ_k to shrink its associated feasible price set to below $1/\sqrt{T}$ is $O(K \log \log T) = O(\sqrt{T} \log \log T)$. It thus follows that the total payment and cost regret of Algorithm 2 is at most $O(K \log \log T) = O(\sqrt{T} \log \log T)$.

Next, we show that the unmet demand is also at most $O(\sqrt{T} \log \log T)$. For each period t , there are two possibilities:

- $|\mathcal{S}_{k_t}| \leq 1/\sqrt{T}$: From the construction of our algorithm, as all demands in each sub-interval are considered equal to the lower bound of that interval, the condition $p^*(a_{k_t}) \in \mathcal{S}_{k_t}$ is always satisfied. By Lemma 2 and monotonicity of the cumulative production of all suppliers in the prices, we have

$$a_k \leq x^*(\max \mathcal{S}_{k_t}) \leq x^*\left(p_{k_t} + \frac{1}{\sqrt{T}}\right) \leq x^*(p_{k_t}) + O(1/\sqrt{T})$$

Since $d_t \leq a_{k_t} + \gamma$, we have that $d_t \leq x^*(p_{k_t}) + O(1/\sqrt{T})$. Thus, over T periods, the total amount of unmet regret incurred in this case is then $O(T \cdot 1/\sqrt{T}) = O(\sqrt{T})$.

- $|\mathcal{S}_{k_t}| > 1/\sqrt{T}$: Since $|\mathcal{S}_{k_t}|^2 = \epsilon_{k_t}$, there are at most $1/\sqrt{\epsilon_{k_t}}$ periods where the demand sub-interval I_{k_t} is associated with the feasible set \mathcal{S}_{k_t} . By Lemma 2 and the monotonicity of the cumulative production of all suppliers in the prices, we have

$$a_k \leq x^*(\max \mathcal{S}_{k_t}) \leq x^*(p_{k_t} + \sqrt{\epsilon_{k_t}}) \leq x^*(p_{k_t}) + O(\sqrt{\epsilon_{k_t}})$$

Since $d_t \leq a_{k_t} + \gamma < a_{k_t} + |\mathcal{S}_{k_t}|$, we have that $d_t \leq x^*(p_{k_t}) + O(\sqrt{\epsilon_{k_t}})$. Therefore, in total, the unmet demand incurred for interval I_{k_t} that are associated with \mathcal{S}_{k_t} is up to $O\left(\frac{1}{\sqrt{\epsilon_{k_t}}} \cdot \sqrt{\epsilon_{k_t}}\right) = O(1)$.

Furthermore, for any interval $I_k, k \in [K]$, it takes up to $O(\log \log \sqrt{T}) = O(\log \log T)$ times to shrink its associated feasible price set to below $1/\sqrt{T}$. It thus follows that the unmet demand incurred in this case is at most $O(K \log \log T \cdot 1) = O(\sqrt{T} \log \log T)$.

Therefore the unmet demand is also at most $O(\sqrt{T} \log \log T)$, which establishes our claim.

C Proof of Proposition 4

We consider a setting with a fixed demand of $d = 1$ at every period and a single supplier whose cost functions at each period are drawn from a distribution such that at each period t , its cost function could be either $c_1(x) = \frac{1}{8}x^2$ or $c_2(x) = \frac{1}{16}x^2$, each with probability 0.5. We suppose that the market operator has knowledge of the distribution from which the supplier's cost function is sampled i.i.d. but does not know the outcome of the random draw at any period and show that any pricing strategy adopted by the operator must incur a linear regret on at least one of the three regret measures for this instance.

To prove this claim, we first define the *total regret* as the sum of the unmet demand, payment regret, and cost regret and note that if the total regret is linear in the number of periods T , then at least one of the three regret measures must be linear in T . To analyze the total regret, we first analyze each of the regret measures for a given price p for both cost functions.

1. For the first cost function $c_1(x)$, the optimal production level given a price p is $x^*(p) = 4p$, so the equilibrium price is $p^* = \frac{1}{4}$.
 - The payment regret at price p is $p(4p) - 1/4 = 4p^2 - 1/4$.
 - The cost regret at price p is $\frac{1}{8}(4p)^2 - 1/8 = 2p^2 - 1/8$.
 - The unmet demand is $1 - 4p$ if $p < 1/4$ and 0 otherwise.
2. For the second cost function $c_2(x)$, the optimal production level given a price p is $x^*(p) = 8p$, so the equilibrium price is $p^* = \frac{1}{8}$.
 - The payment regret at price p is $p(8p) - 1/8 = 8p^2 - 1/8$.
 - The cost regret at price p is $\frac{1}{16}(8p)^2 - 1/16 = 4p^2 - 1/16$.
 - The unmet demand is $1 - 8p$ if $p < 1/8$ and 0 otherwise.

Then, the expected total regret at each period t is as follows:

- If $p < 1/8$: expected total regret is $\frac{1}{2}(18p^2 - 9/16 + (1 - 4p) + (1 - 8p)) = 9p^2 - 6p + 23/32$.
- If $1/8 \leq p \leq 1/4$: expected total regret is $\frac{1}{2}(18p^2 - 9/16 + (1 - 4p)) = 9p^2 - 2p + 7/32$.
- If $p > 1/4$: expected total regret is $\frac{1}{2}(18p^2 - 9/16) = 9p^2 - 9/32$.

From the above obtained relations, we can derive that the expected total regret at any period t is at least $7/64$, which is attained when $p = 1/8$. It thus follows that, regardless of the pricing strategy adopted by the market operator, the total expected regret is at least $\frac{7}{64}T$. Hence, either the unmet demand, payment regret, or cost regret are not sublinear, which establishes our claim.

D Regret Measures for Time-Varying Cost Functions

In this section, we will re-define the problem setting and performance metrics with respect to the augmented setting as described in Section 6.2. For brevity, this section focuses on clarifying the mathematical definitions and we refer the readers to Section 3 for a complete discussion of the motivations and reasoning behind these definitions. Recall that, in Section 6.2, we parameterized the suppliers' cost functions with an unknown time-invariant component ϕ_i and a time-varying component θ_{it} that is revealed to the market operator, i.e.,

$$c_{it}(\cdot) = c(\cdot; \phi_i, \theta_{it}).$$

With this definition in mind, at each period t , the suppliers seek to maximize their profits at a given price p through the following optimization problem:

$$x_i^*(p; \phi_i, \theta_{it}) = \max_{x_{it} \geq 0} px_{it} - c_i(x_{it}; \phi_i, \theta_{it}). \quad (3)$$

And when the cost functions c_{it} 's are convex, we can find the market equilibrium price by solving for the dual variables of the following optimization problem:

$$x_{it} \geq 0, \forall i \in [n] \quad \min \sum_{i=1}^n c_i(x_{it}; \phi_i, \theta_{it}), \quad (4a)$$

$$\text{s.t.} \quad \sum_{i=1}^n x_{it} = d_t, \quad (4b)$$

Note that Problems (3) and (4a)-(4b) differ from their counterparts in Section 3.1 (i.e. Problems (1) and (2a)-(2b)) only in the parametrization of cost functions c_{it} 's.

Like in Section 3.2, we evaluate the efficacy of an online algorithm for this setting with three regret metrics—unmet demand, payment regret, and cost regret. Specifically, over the T periods, the market operator sets a sequence of prices p_t according to the online algorithm's policy $\pi = (\pi_1, \dots, \pi_T)$, where $p_t = \pi_t(\{(x_{it'}^*)_{i=1}^n, d_{t'}, \theta_{t'}\}_{t'=1}^{t-1}, d_t, \theta_t)$ depends on the past history on the suppliers' production, consumer demands, and contexts. The three regret metrics represent the sub-optimality of the policy π relative to the optimal offline algorithm with complete information on the three desirable properties of equilibrium prices as described in Section 3.1 (i.e. market clearing, minimal supplier cost, and minimal payment).

Unmet Demand: We evaluate the unmet demand of an online pricing policy π as the sum of the differences between the demand and the total supplier productions corresponding to the pricing policy π at each period t . In particular, for an online pricing policy π that sets a sequence of prices p_1, \dots, p_T , the cumulative unmet demand is given by

$$U_T(\pi) = \sum_{t=1}^T \left(d_t - \sum_{i=1}^n x_i^*(p_t; \phi_i, \theta_{it}) \right)_+.$$

Cost Regret: We evaluate the cost regret of an online pricing policy π through the difference between the total supplier production cost corresponding to algorithm π and the minimum total production cost, given complete information on the supplier cost functions. In particular, the cost regret $C_T(\pi)$ of an algorithm π is given by

$$C_T(\pi) = \sum_{t=1}^T \sum_{i=1}^n c_i(x_{it}^*(p_t; \phi_i, \theta_{it}); \phi_i, \theta_{it}) - c_i(x_{it}^*(p_t^*; \phi_i, \theta_{it}); \phi_i, \theta_{it}),$$

where the price p_t^* for each period $t \in [T]$ is the optimal price corresponding to the solution of Problem (2a)-(2b) given the demand d_t and supplier cost functions c_{it} for all $i \in [n]$.

Payment Regret: Finally, we evaluate the payment regret of online pricing policy π through the difference between the total payment made to all suppliers corresponding to algorithm π and the minimum total payment, given complete information on the supplier cost functions. In particular, the payment regret $P_T(\pi)$ of an algorithm π is given by

$$P_T(\pi) = \sum_{t=1}^T \sum_{i=1}^n p_t x_i^*(p_t; \phi_i, \theta_{it}) - p^* x_{it}^*(p_t^*; \phi_i, \theta_{it}).$$

We note that, compared to the corresponding definitions in Section 3.2, we merely explicitly write out the suppliers' cost functions and production levels in terms of the parameterization of an unknown time-invariant component and a known time-varying component as discussed in Section 6.2.

E Proof of Lemmas 6 and 7

Proof of Lemma 6. Defining the conjugate function $f_{it}^*(p) = \min_{x_{it} \geq 0} \{c_{it}(x_{it}) - px_{it}\}$, we first formulate the following dual of Problem (2a)-(2b):

$$\max_p g(p, d_t) := pd_t + \sum_{i=1}^n f_{it}^*(p). \quad (5a)$$

Since the cost functions c_{it} are continuously differentiable with a compact domain, they are Lipschitz smooth. Then, from the properties of the conjugate function, the dual function is strongly concave (see [62]). By the strong concavity of the dual function, it follows that

$$\begin{aligned} \frac{\mu}{2}(p^*(d_1) - p^*(d_2))^2 &\leq -g(p^*(d_1), d_2) - (-g(p^*(d_2), d_2)) + \nabla(-g(p^*(d_2), d_2))(p^*(d_2) - p^*(d_1)) \\ &= -g(p^*(d_1), d_2) + g(p^*(d_2), d_2), \end{aligned} \quad (6)$$

where the equality follows as $\nabla g(p^*(d_2), d_2) = d_2 - \sum_{i=1}^n x_{it}^*(p^*(d_2)) = 0$.

Next, we observe that

$$\begin{aligned} -g(p^*(d_1), d_2) + g(p^*(d_2), d_2) &= [-g(p^*(d_1), d_2) + g(p^*(d_1), d_1)] - [-g(p^*(d_2), d_2) + g(p^*(d_2), d_1)] \\ &\quad + [-g(p^*(d_1), d_1) + g(p^*(d_2), d_1)], \\ &\stackrel{(a)}{\leq} [-g(p^*(d_1), d_2) + g(p^*(d_1), d_1)] - [-g(p^*(d_2), d_2) + g(p^*(d_2), d_1)], \\ &\stackrel{(b)}{=} \left[-p^*(d_1)d_2 - \sum_{i=1}^n f_{it}^*(p^*(d_1)) + p^*(d_1)d_1 + \sum_{i=1}^n f_{it}^*(p^*(d_1)) \right] \\ &\quad - \left[-p^*(d_2)d_2 - \sum_{i=1}^n f_{it}^*(p^*(d_2)) + p^*(d_2)d_1 + \sum_{i=1}^n f_{it}^*(p^*(d_2)) \right] \\ &= (p^*(d_2) - p^*(d_1))(d_2 - d_1). \end{aligned}$$

where (a) follows as $g(p^*(d_1), d_1) \geq g(p^*(d_2), d_1)$ by the optimality of the dual function g at the optimal price $p^*(d_1)$ for the demand d_1 , and (b) follows by the definition of g .

From the above inequality and the strong concavity relation in Equation (6), we obtain that

$$\frac{\mu}{2}(p^*(d_1) - p^*(d_2))^2 \leq (p^*(d_1) - p^*(d_2))(d_2 - d_1) \leq |p^*(d_1) - p^*(d_2)||d_2 - d_1|,$$

which in turn implies our desired Lipschitz condition that

$$|p^*(d_1) - p^*(d_2)| \leq \frac{2}{\mu}|d_1 - d_2|,$$

which establishes our claim for the Lipschitz constant $L = \frac{2}{\mu}$, where μ is the strong concavity modulus of the dual function g . \square

Proof of Lemma 7. We have the following relation for the payment regret:

$$\begin{aligned} p_t \sum_{i=1}^n x_{it}(p) - p_t^* d_t &\stackrel{(a)}{=} (p_t - p_t^*) \sum_{i=1}^n x_{it}(p_t) + p_t^* \left(\sum_{i=1}^n x_{it}(p_t) - \sum_{i=1}^n x_{it}(p_t^*) \right), \\ &\stackrel{(b)}{\leq} (p_t - p_t^*) \sum_{i=1}^n x_{it}(p_t) + p_t^* \left(\sum_{i=1}^n |x_{it}(p_t) - x_{it}(p_t^*)| \right), \\ &\stackrel{(c)}{\leq} (p_t - p_t^*) n \bar{x} + n \lambda (p_t - p_t^*) \leq (n \bar{x} + n \lambda) |p_t - p_t^*|, \end{aligned}$$

where (a) follows from adding and subtracting $p_t^* \sum_{i=1}^n x_{it}(p_t)$, (b) follows as $x_{it}(p_t) - x_{it}(p_t^*) \leq |x_{it}(p_t) - x_{it}(p_t^*)|$ for all $t \in [T]$, and (c) follows by the boundedness of the production $x_{it}(p_t) \leq x_{it}(1) \leq \bar{x}$ for all prices $p_t \in [0, 1]$ and the Lipschitzness of the production in the prices (see Lemma 2).

Analogously, we have the following relation for the cost regret:

$$\begin{aligned} \sum_{i=1}^n c_i^t(\mathbf{x}_{it}(p_t)) - \sum_{i=1}^n c_i^t(\mathbf{x}_{it}(p_i^*)) &\stackrel{(a)}{\leq} \sum_{i=1}^n \nabla c_i^t(\mathbf{x}_{it}(p_t))(\mathbf{x}_{it}(p_t) - \mathbf{x}_{it}(p_i^*)), \\ &\stackrel{(b)}{\leq} \nabla c_i^t(\mathbf{x}_{it}(1)) \sum_{i=1}^n L|p_t - p_i^*|, \end{aligned}$$

where (a) follows by the convexity of the cost functions and (b) follows as the cost functions are monotonically increasing and by the Lipschitzness of the production in the prices (see Lemma 2).

Now, summing the above inequalities over $t = 1, \dots, T$ yields the desired results. \square

F Technical Tools: Freedman Inequality

The following is a Freedman-type inequality, which is a generalization of Bernstein's inequality to martingale [63]. Such inequality has been extensively employed in the bandit literature, e.g., [57, 58].

Lemma 9. *Let $\{X_t\}_{t \leq T}$ be a martingale difference sequence adapted to a filtration $\{\mathfrak{F}_t\}_{t \leq T}$. If $|X_t| \leq R$ almost surely, then for any $\eta \in (0, 1/R)$,*

$$\sum_{t=1}^T X_t \leq \eta \sum_{t=1}^T \mathbb{E}[X_t^2 \mid \mathfrak{F}_{t-1}] + \frac{\log(1/\delta)}{\eta}$$

with probability at least $1 - \delta$.

By applying this lemma to $X_t - \mathbb{E}[X_t \mid \mathfrak{F}_{t-1}]$, we have the following

Lemma 10. *Let $\{X_t\}_{t \leq T}$ be a sequence adapted to a filtration $\{\mathfrak{F}_t\}_{t \leq T}$. If $0 \leq X_t \leq R$ almost surely, then*

$$\sum_{t=1}^T X_t \leq \frac{3}{2} \sum_{t=1}^T \mathbb{E}[X_t \mid \mathfrak{F}_{t-1}] + 4 \log(2/\delta)$$

and

$$\sum_{t=1}^T \mathbb{E}[X_t \mid \mathfrak{F}_{t-1}] \leq 2 \sum_{t=1}^T X_t + 8R \log(2/\delta)$$

with probability at least $1 - \delta$.

G Formal Regret Analysis of Algorithm 3

In this section, we shall formalize the results in Section 6.3 and present a rigorous proof leveraging ideas from [57]. Additionally, we will derive the regret guarantees for several additional examples of function classes \mathcal{F} on the suppliers' optimal production with respect to the context θ_t and the price p_t . First, we quantify the descriptiveness of the function class \mathcal{F} with the following property.

Definition 2. A function class $\mathcal{G} : \mathcal{A} \rightarrow \mathcal{B}$ is *well-specified* with respect to the ground truth g^* if $g^* \in \mathcal{G}$, and \mathcal{G} is ε -miss-specified with respect to the ground truth g^* if:

$$\exists \bar{g} \in \mathcal{G}, \text{ s.t. } \forall a \in \mathcal{A}, \text{ we have } \|\bar{g}(a) - g^*(a)\|_{\mathcal{B}} \leq \varepsilon.$$

Note that being well-specified is equivalent to being 0-miss-specified.

Recall that in Section 6.4, we showed that the three desired regret metrics are all upper bounded by the proxy regret (up to some positive constants):

$$\text{REG}(T) = \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [|x^*(p_t; \theta_t) - d_t| \mid \mathcal{H}_{t-1}].$$

For ease of notation, we use \lesssim as a shorthand notation that the left-hand side is smaller than some fixed constant times the right-hand side. And we can bound this proxy regret as follows.

Theorem 11. *If the function class \mathcal{F} is ε -miss-specified with respect to the suppliers' optimal production $x^*(p_t; \theta_t)$, then with probability $1 - \delta$, and for any sequence of contexts θ_t and demands d_t , Algorithm 3 achieves the following proxy regret bound:*

$$\text{REG} \lesssim \sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \varepsilon\sqrt{K} \cdot T + \frac{T}{K} + \sqrt{KT \log(1/\delta)}.$$

Noting from Section 6.4 that the three desired regret metrics are all upper bounded by the proxy regret (up to some positive constants), Theorem 11 allows us to formally state the result given by Theorem 5 as follows.

Theorem 12. *If the function class \mathcal{F} is ε -miss-specified with respect to the suppliers' optimal production $x^*(p_t; \theta_t)$, then with probability $1 - \delta$, and for any sequence of contexts θ_t and demands d_t , Algorithm 3 achieves the following bound on our regret metrics:*

$$\mathbb{E}_{p_t \sim \Delta_t, t \in [T]}[U_T(p_1, \dots, p_T)] \lesssim \sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \varepsilon\sqrt{K} \cdot T + \frac{T}{K} + \sqrt{KT \log(1/\delta)},$$

and similarly for $\mathbb{E}_{p_t \sim \Delta_t, t \in [T]}[P_T(p_1, \dots, p_T)]$ and $\mathbb{E}_{p_t \sim \Delta_t, t \in [T]}[C_T(p_1, \dots, p_T)]$, where K is the number of prices in the uniformly discretized price set.

We refer to Appendix G.2 for a complete proof of Theorem 11. Furthermore, in Appendix G.1, we present explicit regret bounds corresponding to Theorem 11 for various function classes \mathcal{F} .

G.1 Regret Bounds for Different Function Classes \mathcal{F}

In this section, we shall combine Theorem 12 with results in the statistical learning literature to establish concrete regret bounds for several examples of function classes \mathcal{F} . To this end, first recall from Section 6.3 that we already obtained an explicit bound on the regret for finite function classes \mathcal{F} . Thus, we focus the following discussion on infinite function classes. To do so, we first quantify the “size” of an infinite function class with the notion of *sequential covering*.

Definition 3. Given a real-valued function space $\mathcal{G} : \mathcal{A} \rightarrow \mathbb{R}$ and a sample set $S = \{a_1, \dots, a_n\}$, we say that a finite set of functions \mathcal{G}' is an ε -*sequential cover* of \mathcal{G} with respect to S if

$$\forall g \in \mathcal{G}, \exists g' \in \mathcal{G}' \text{ s.t. } \left(\frac{1}{n} \sum_{i=1}^n (g(a_i) - g'(a_i))^2 \right)^{1/2} < \varepsilon.$$

Then, the ε -*sequential covering number* of \mathcal{G} is the size of the smallest ε -sequential cover with respect to the sample set S ,

$$\mathcal{N}_2(\mathcal{G}, \varepsilon, S) = \min\{|\mathcal{G}'| : \mathcal{G}' \text{ is a } \varepsilon\text{-sequential cover of } \mathcal{G} \text{ with respect to } S\}.$$

Finally, denote $\mathcal{N}_2(\mathcal{G}, \varepsilon) = \sup_S \text{finite } \mathcal{N}_2(\mathcal{G}, \varepsilon, S)$.

As shown in [61], the prediction accuracy can be expressed in terms of the sequential covering number of the function class \mathcal{F} .

Theorem 13 (see [61]). *There exist online regression oracles achieving the following bounds:*

- If \mathcal{F} is finite, then $\text{EST}_{\text{sq}}(T) \leq \log |\mathcal{F}|$.
- If \mathcal{F} is parametric in the sense that $\mathcal{N}_2(\mathcal{F}, \varepsilon) \in O(\varepsilon^{-m})$, then $\text{EST}_{\text{sq}}(T) \lesssim m \cdot \log(T)$.
- If \mathcal{F} is non-parametric in the sense that $\log \mathcal{N}_2(\mathcal{F}, \varepsilon) \in O(\varepsilon^{-m})$, then $\text{EST}_{\text{sq}}(T) \lesssim T^{1-2/(2+m)}$ if $m \in (0, 2)$ and $\text{EST}_{\text{sq}}(T) \lesssim T^{1-1/m}$ if $m \geq 2$.

In many cases, we can easily construct efficient algorithms that match or nearly match these bounds. For example, for finite \mathcal{F} , we can achieve the bound $\text{EST}_{\text{sq}}(T) \leq \log |\mathcal{F}|$ with the classical exponential weights update algorithm [59]. And when \mathcal{F} is a linear class in the sense that

$$\mathcal{F} = \{(p, \theta) \mapsto \langle \phi, \sigma(p, \theta) \rangle : \phi \in B_2^m\},$$

where σ is a fixed feature map, then the Vovk-Azoury-Warmuth forecaster achieves $\text{EST}_{\text{sq}}(T) \lesssim m \cdot \log(T)$ [64, 65]. For general function class \mathcal{F} , we can nearly achieve the preceding bounds by performing the exponential weights update algorithm on a sequential cover of \mathcal{F} (see e.g., [66]).

With these results in mind, we can derive the exact regret bounds for various instances of function class \mathcal{F} . In particular, if the suppliers' optimal production function x^* is contained in one of the function classes listed below, we can compute the regret bounds as follows:

- If \mathcal{F} is finite, we have $\text{EST}_{\text{sq}}(T) = \log |\mathcal{F}|$ and a choice of $K = (\frac{T}{\log |\mathcal{F}|})^{1/3}$ results in the regret bound $\text{REG}(T) \lesssim T^{2/3} \left(\sqrt[3]{\log |\mathcal{F}|} + \sqrt{\log(1/\delta)} \right)$ with probability $1 - \delta$.
- If the cost functions are quadratic functions with time-varying coefficients in the sense that

$$c(x; \phi, \theta_t) = \frac{1}{2\langle \phi, \sigma(\theta_t) \rangle} x^2, \quad \phi \in B_2^m,$$

for some fixed feature map σ , then the suppliers' optimal production can be expressed as

$$x^*(p; \phi, \theta_t) = \langle \phi, p \cdot \sigma(\theta_t) \rangle.$$

So, in this case, \mathcal{F} is a linear function class and we have $\text{EST}_{\text{sq}}(T) \lesssim m \cdot \log(T)$. If $K = (\frac{T}{d \log T})^{1/3}$, then we get the regret bound $\text{REG}(T) \lesssim T^{2/3} \left(\sqrt[3]{m \cdot \log T} + \sqrt{\log(1/\delta)} \right)$ with probability $1 - \delta$.

- Consider an Euclidean context $\theta_t \in \mathbb{R}^m$ encapsulates similarity information on the suppliers' behavior such that \mathcal{F} is the set of bounded Lipschitz functions over $(p, \theta) \in \mathbb{R}^{m+1}$. From this well-specified function class \mathcal{F} , we find a subset of \mathcal{F} with sequential covering and apply the miss-specified version of Theorem 11 on this subset. We can explicitly construct an ε -covering so that $\log \mathcal{N}_2(\mathcal{F}, \varepsilon) \lesssim \varepsilon^{-m-1}$ (see Examples 5.10 and 5.11 in [60]). If we run the exponential weights update algorithm over this covering, we have $\text{EST}_{\text{sq}}(T) = \varepsilon^{-m-1}$. Since, by construction, the covering is ε -miss-specified with respect to the optimal suppliers' production, we have

$$\text{REG}(T) \lesssim \sqrt{KT\varepsilon^{-m-1}} + \varepsilon\sqrt{K} \cdot T + \frac{T}{K} + \sqrt{KT \log(1/\delta)}.$$

If we pick $K = \varepsilon^{-2/3}$ and $\varepsilon = T^{-1/(m+2)}$, then we get that

$$\text{REG}(T) \lesssim T^{(3m+4)/(3m+6)} + T^{1/2+1/(3m+6)} \sqrt{\log(1/\delta)}$$

with probability $1 - \delta$.

- If \mathcal{F} is a neural network whose weight matrices' spectral norms are at most 1, then it is known that $\log \mathcal{N}_2(\mathcal{F}, \varepsilon) \lesssim \varepsilon^{-2}$ [67]. Then, we have $\text{EST}_{\text{sq}}(T) \in O(T^{1/2})$, and a choice of $K = T^{1/6}$ gives the regret bound $\text{REG} \lesssim T^{5/6} + T^{7/12} \sqrt{\log(1/\delta)}$ with probability $1 - \delta$.

We can analogously work out the regret bounds if each of the examples is miss-specified.

G.2 Proof of Theorem 11

Recall that x^* is the suppliers' optimal production, and since \mathcal{F} is ε -miss-specified with respect to x^* , there exists a function $\bar{x} \in \mathcal{F}$ so that

$$\forall (p, \theta), \text{ we have } |\bar{x}(p; \theta) - x^*(p; \theta)| \leq \varepsilon.$$

From Lemma 2, we know that x^* is Lipschitz in price, so we know that for any context θ and price p , there exists \bar{p} from the list of Algorithm 3's choices $\{p_i\}_{i=1}^K$ such that $|x^*(\theta, p) - x^*(\theta, \bar{p})| < O(1/K)$. Note that for the market-clearing price p_t^* , we have $|x^*(p_t^*; \theta_t) - d_t| = 0$. Therefore, from the triangle inequality we have

$$\begin{aligned} \text{REG}(T) &= \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [|x^*(p_t; \theta_t) - d_t| \mid \mathcal{H}_{t-1}] - |x^*(p_t^*; \theta_t) - d_t| \\ &\leq \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [|\bar{x}(p_t; \theta_t) - d_t| \mid \mathcal{H}_{t-1}] - |\bar{x}(\bar{p}_t; \theta_t) - d_t| + 2\varepsilon T + O(T/K) \end{aligned}$$

Now we attempt to upper bound the quantity

$$\widetilde{\text{REG}}(T) := \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [|\bar{x}(p_t; \theta_t) - d_t| \mid \mathcal{H}_{t-1}] - |\bar{x}(\bar{p}_t; \theta_t) - d_t|.$$

Recall that \hat{f}_t is the online regression oracle's output at time t . For simplicity, denote

$$\begin{aligned} \bar{g}_t(p) &= |\bar{x}(p; \theta_t) - d_t|, \\ \hat{g}_t(p) &= |\hat{f}_t(p; \theta_t) - d_t|. \end{aligned}$$

Let $\hat{p}_t = \arg \min \hat{g}_t(\cdot)$, then we have

$$\begin{aligned} &\mathbb{E}_{p_t \sim \Delta_t} [\bar{g}_t(p_t) \mid \mathcal{H}_{t-1}] - \bar{g}_t(\bar{p}_t) \\ &= \underbrace{\mathbb{E}_{p_t \sim \Delta_t} [\hat{g}_t(p_t) - \hat{g}_t(\hat{p}_t) \mid \mathcal{H}_{t-1}]}_{\textcircled{1}} + \underbrace{\mathbb{E}_{p_t \sim \Delta_t} [\bar{g}_t(p_t) - \hat{g}_t(p_t) \mid \mathcal{H}_{t-1}]}_{\textcircled{2}} + \underbrace{(\hat{g}_t(\hat{p}_t) - \bar{g}_t(\bar{p}_t))}_{\textcircled{3}} \end{aligned}$$

Plugging in the chosen distribution Δ_t , we get that the first term is

$$\textcircled{1} = \sum_{i=1}^K \frac{\hat{g}_t(p_i) - \hat{g}_t(\hat{p}_t)}{\lambda + 2\gamma(\hat{g}_t(p_i) - \hat{g}_t(\hat{p}_t))} \leq \frac{K-1}{2\gamma}.$$

By convexity and then AM-GM, the second term can be bounded as

$$\textcircled{2} \leq \sqrt{\mathbb{E}_{p_t \sim \Delta_t} [(\bar{g}_t(p_t) - \hat{g}_t(p_t))^2 \mid \mathcal{H}_{t-1}]} \leq \frac{1}{2\gamma} + \frac{\gamma}{2} \mathbb{E}_{p_t \sim \Delta_t} [(\bar{g}_t(p_t) - \hat{g}_t(p_t))^2 \mid \mathcal{H}_{t-1}].$$

And the third term can be rewritten as

$$\begin{aligned} \textcircled{3} &= \hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t) - (\hat{g}_t(\bar{p}_t) - \hat{g}_t(\hat{p}_t)) \\ &\leq \frac{\gamma \Delta_t(\bar{p}_t)}{2} (\hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t))^2 + \frac{1}{2\gamma \Delta_t(\bar{p}_t)} - (\hat{g}_t(\bar{p}_t) - \hat{g}_t(\hat{p}_t)) \\ &\leq \frac{\gamma}{2} \mathbb{E}_{p_t \sim \Delta_t} [(\hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t))^2 \mid \mathcal{H}_{t-1}] + \frac{1}{2\gamma \Delta_t(\bar{p}_t)} - (\hat{g}_t(\bar{p}_t) - \hat{g}_t(\hat{p}_t)) \\ &= \frac{\gamma}{2} \mathbb{E}_{p_t \sim \Delta_t} [(\hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t))^2 \mid \mathcal{H}_{t-1}] + \frac{\lambda + 2\gamma(\hat{g}_t(\bar{p}_t) - \hat{g}_t(\hat{p}_t))}{2\gamma} - (\hat{g}_t(\bar{p}_t) - \hat{g}_t(\hat{p}_t)) \\ &= \frac{\gamma}{2} \mathbb{E}_{p_t \sim \Delta_t} [(\hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t))^2 \mid \mathcal{H}_{t-1}] + \frac{\lambda}{2\gamma} \\ &\leq \frac{\gamma}{2} \mathbb{E}_{p_t \sim \Delta_t} [(\hat{g}_t(\bar{p}_t) - \bar{g}_t(\bar{p}_t))^2 \mid \mathcal{H}_{t-1}] + \frac{K}{2\gamma} \end{aligned}$$

Now, summing these three terms yields that

$$\mathbb{E}_{p_t \sim \Delta_t} [\bar{g}_t(p_t) \mid \mathcal{H}_{t-1}] - \bar{g}_t(\bar{p}_t) \leq \frac{K}{\gamma} + \gamma \cdot \mathbb{E}_{p_t \sim \Delta_t} [(\bar{g}_t(p_t) - \hat{g}_t(p_t))^2 \mid \mathcal{H}_{t-1}].$$

After summing over $t = 1, \dots, T$, we have

$$\widetilde{\text{REG}}(T) = \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [\bar{g}_t(p_t) \mid \mathcal{H}_{t-1}] - \bar{g}_t(\bar{p}_t) \leq \frac{KT}{\gamma} + \gamma \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{g}_t(p_t) - \hat{g}_t(p_t))^2 \mid \mathcal{H}_{t-1}].$$

Next, we upper bound the RHS with some case work.

- $\bar{x}(p_t; \theta_t) \geq d_t \geq \hat{f}_t(p_t; \theta_t)$:

$$\begin{aligned} (|\bar{x}(p_t; \theta_t) - d_t| - |\hat{f}_t(p_t; \theta_t) - d_t|)^2 &\leq (|\bar{x}(p_t; \theta_t) - d_t| + |\hat{f}_t(p_t; \theta_t) - d_t|)^2 \\ &= (\bar{x}(p_t; \theta_t) - d_t + d_t - \hat{f}_t(p_t; \theta_t))^2 \\ &= (\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \end{aligned}$$

- $\hat{f}_t(p_t; \theta_t) \geq d_t \geq \bar{x}(p_t; \theta_t)$, similar to the previous case, we have

$$(|\bar{x}(p_t; \theta_t) - d_t| - |\hat{f}_t(p_t; \theta_t) - d_t|)^2 \leq (\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2$$

- $\hat{f}_t(p_t; \theta_t), \bar{x}(p_t; \theta_t) \geq d_t$ or $\bar{x}(p_t; \theta_t), \hat{f}_t(p_t; \theta_t) \leq d_t$:

$$(|\bar{x}(p_t; \theta_t) - d_t| - |\hat{f}_t(p_t; \theta_t) - d_t|)^2 = (\bar{x}(p_t; \theta_t) - d_t + d_t - \hat{f}_t(p_t; \theta_t))^2 = (\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2$$

Therefore,

$$\widetilde{\text{REG}}(T) = \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [\bar{g}_t(p_t) \mid \mathcal{H}_{t-1}] - \bar{g}_t(\bar{p}_t) \leq \frac{KT}{\gamma} + \gamma \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}]. \quad (7)$$

We finish the proof by claiming that the final term can be bounded by the online regression oracle's prediction error guarantee with high probability. Since \bar{x} and \hat{f}_t are bounded, we can apply Lemma 10 to get

$$\sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] \leq 2 \sum_{t=1}^T (\bar{x}(p_t) - \hat{f}_t(p_t))^2 + O(\log(1/\delta)) \quad (8)$$

Let x_t be our observation on suppliers' production at time t . We expand the RHS as follows:

$$\begin{aligned} (\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 &= \bar{x}(p_t; \theta_t)^2 - 2\bar{x}(p_t; \theta_t)\hat{f}_t(p_t; \theta_t) + \hat{f}_t(p_t; \theta_t)^2 \\ &= 2\bar{x}(p_t; \theta_t)^2 - 2\bar{x}(p_t; \theta_t)\hat{f}_t(p_t; \theta_t) + 2x_t(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\ &\quad + \hat{f}_t(p_t; \theta_t)^2 - 2x_t(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) - \bar{x}(p_t; \theta_t)^2 \\ &= 2(x_t - \bar{x}(p_t; \theta_t))(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) + (\hat{f}_t(p_t; \theta_t) - x_t)^2 - (\bar{x}(p_t; \theta_t) - x_t)^2 \end{aligned}$$

Therefore,

$$\begin{aligned} &\sum_{t=1}^T (\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \\ &= \sum_{t=1}^T (\hat{f}_t(p_t; \theta_t) - x_t)^2 - \sum_{t=1}^T (\bar{x}(p_t; \theta_t) - x_t)^2 + \sum_{t=1}^T 2(x_t - \bar{x}(p_t; \theta_t))(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\ &\leq \sum_{t=1}^T (\hat{f}_t(p_t; \theta_t) - x_t)^2 - \inf_{f \in \mathcal{F}} \sum_{t=1}^T (f(p_t; \theta_t) - x_t)^2 + \sum_{t=1}^T 2(x_t - \bar{x}(p_t; \theta_t))(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\ &= \text{EST}_{\text{sq}}(T) + \sum_{t=1}^T 2(x_t - \bar{x}(p_t; \theta_t))(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \end{aligned} \quad (9)$$

The last term can be expanded as

$$\begin{aligned}
& \sum_{t=1}^T (x_t - \bar{x}(p_t; \theta_t)) (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\
&= \sum_{t=1}^T (x_t - x^*(p_t; \theta_t) + x^*(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\
&\leq \sum_{t=1}^T (x_t - x^*(p_t; \theta_t)) (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) + \sum_{t=1}^T \varepsilon \cdot |\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)| \\
&\leq \sum_{t=1}^T (x_t - x^*(p_t; \theta_t)) (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) + \sum_{t=1}^T 6\varepsilon^2 + \frac{1}{24} (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t))^2
\end{aligned}$$

Since $\mathbb{E}[x_t - x^*(p_t; \theta_t) \mid \mathcal{H}_{t-1}] = 0$ and both $x_t - x^*(p_t; \theta_t)$ and $\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)$ are bounded above by $2\bar{d}$, we can apply Lemma 9 to the first sum with $\eta = 1/(64\bar{d}^2)$. And for the second sum, we can apply Lemma 10. Then, with probability at least $1 - \delta$, we have

$$\begin{aligned}
& \sum_{t=1}^T (x_t - \bar{x}(p_t; \theta_t)) (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t)) \\
&\leq \sum_{t=1}^T \left(\frac{1}{64\bar{d}^2} \mathbb{E}[(x_t - f^*(p_t; \theta_t))^2 (\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] + \frac{1}{16} \mathbb{E}[(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] \right) \quad (10) \\
&\quad + O(\varepsilon^2 T + \log(1/\delta)) \\
&\leq \frac{1}{8} \sum_{t=1}^T \mathbb{E}[(\hat{f}_t(p_t; \theta_t) - \bar{x}(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] + O(\varepsilon^2 T + \log(1/\delta))
\end{aligned}$$

Putting (8), (9) and (10) together gives us

$$\begin{aligned}
& \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] \\
&\leq 2\text{EST}_{\text{sq}}(T) + \frac{1}{2} \sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] + O(\varepsilon^2 T + \log(1/\delta))
\end{aligned}$$

Therefore,

$$\sum_{t=1}^T \mathbb{E}_{p_t \sim \Delta_t} [(\bar{x}(p_t; \theta_t) - \hat{f}_t(p_t; \theta_t))^2 \mid \mathcal{H}_{t-1}] \leq 4\text{EST}_{\text{sq}}(T) + O(\varepsilon^2 T + \log(1/\delta)) \quad (11)$$

Combining (7) and (11), and taking

$$\gamma = \sqrt{\frac{KT}{\text{EST}_{\text{sq}}(T) + \varepsilon^2 T + \log(1/\delta)}},$$

we conclude the following regret bound with probability $1 - \delta$:

$$\begin{aligned}
\widetilde{\text{REG}}(T) &\lesssim \frac{KT}{\gamma} + \gamma \cdot (\text{EST}_{\text{sq}}(T) + \varepsilon^2 T + \log(1/\delta)) \\
&\lesssim \sqrt{KT(\text{EST}_{\text{sq}}(T) + \varepsilon^2 T + \log(1/\delta))} \\
&\lesssim \sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \varepsilon\sqrt{K} \cdot T + \sqrt{KT \log(1/\delta)}
\end{aligned}$$

Finally, we have

$$\begin{aligned}\text{REG}(T) &\lesssim \sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \varepsilon\sqrt{K} \cdot T + \sqrt{KT \log(1/\delta)} + \varepsilon T + \frac{T}{K} \\ &\lesssim \sqrt{KT \cdot \text{EST}_{\text{sq}}(T)} + \frac{T}{K} + \varepsilon\sqrt{K} \cdot T + \sqrt{KT \log(1/\delta)},\end{aligned}$$

with probability $1 - \delta$. so we are done.