

A Novel Approach to the Behavioral Aspects of Cybersecurity

Sarah Sharifi

Department of Applied Cognition and Neuroscience

University of Texas at Dallas

sarah.sharifi@utdallas.edu

Index Terms

Cybersecurity, Behavioral Cybersecurity, Cyberattack, Behavioral Cyber, Information Security, Human Factors.

I. A NOVEL APPROACH TO THE BEHAVIORAL ASPECTS OF CYBERSECURITY

The Internet and cyberspace are inseparable aspects of everyone's life. Cyberspace is a concept that describes widespread, interconnected, and online digital technology. Cyberspace refers to the online world that is separate from everyday reality. Since the internet and the virtual world are very recent advances in human lives, there are many unknown and unpredictable aspects to it that sometimes can be catastrophic to users in financial aspects [1]–[6], high-tech industry [7]–[13], and even life-threatening aspects in healthcare [14]–[20]. Cybersecurity failures are usually caused by human errors or their lack of knowledge. According to the International Business Machines Corporation (IBM) X-Force Threat Intelligence Index in 2020, around 8.5 billion in records were compromised in 2019 due to failures of insiders, which is an increase of more than 200 percent compared to the number of records that were compromised in 2018. In another survey performed by the Ernst & Young Global Information Security during 2018-2019, it is reported that 34% percent of the organizations stated that the employees who are inattentive or do not have the necessary knowledge are the principal vulnerabilities of cybersecurity, and 22% of the organizations indicated that phishing is the main threat to them [21]. As stated earlier, it is noteworthy to mention that inattentive users

are one of the reasons for data breaches and cyberattacks. In fact, the National Cyber Security Centre (NCSC) in the United Kingdom observed that 23.2 million users who were victims of cybersecurity attacks used a carelessly selected password, which is “123456”, as their account password. On the other hand, the Annual Cybersecurity Report published by Cisco in 2018 announced that phishing and spear phishing emails are the root causes of a good number of cybersecurity attacks in recent years. Given the examples above, enhancing the cybersecurity behaviors of both personal users and organizations can protect vulnerable users from cyber threats. In fact, both human factors and technological aspects of cybersecurity should be addressed in organizations for a safer environment.

There are multiple environmental influences studied as factors that contribute to cybersecurity behaviors that emerge from the interaction of an individual operating in a cyber environment, which are listed below:

1) **Organizational Culture for Information Security Management** [22]: Chang and Lin mentioned that the information security technologies utilized in organizations are insufficient for information security management. Hence, although such strategies are important and necessary to be implemented whether at the intra-organizational level or across inter-organizational partners, organizations should also adopt a combination of information security and organization culture aspects. In other words, organizations should both monitor the “outside” patterns and threats and the “inside” human nature such as relationships and activities among employees that are mostly hidden and unconscious. The organizational culture for information security can be categorized as follows:

- **Cooperativeness:** The cooperativeness trait refers to the internal culture of cooperation, trust, team work, empowerment, and information sharing inside the organizations. Such behavioral traits create a friendly environment among peers and colleagues and prepares a platform for all members to share information and trust each other such as an extended family. Internal cyberattacks in such a friendly environment is less likely.
- **Innovation:** Although this trait may not directly be connected to information security, an organization that promotes creativity, entrepreneurship, and adaptability will benefit from creativity of employees in all aspects including the cybersecurity

domain to protect against cyberattacks.

- **Consistency:** The consistency trait emphasizes on order, rules and regulations, uniformity, and efficiency. A consistent organization is usually a formalized and regularized company in which cyberattacks and information breaches are less likely.
- **Effectiveness:** The effectiveness trait has an emphasis on production, goal achievement, and benefit-oriented measures. A company that empowers such traits in its employees would have a lower risk in cybersecurity attacks and information leak.

The four aforementioned constructs of an organization are initiated using 26 items that are adapted from instruments measuring the culture of a company [23]–[26].

- 2) **Policies, Participation in the Security Education, Training, and Awareness Program** [27]: Han et al. mention that most organizations utilize security technologies to induce the employees to comply with Information Security Policies (ISP). However, the state-of-the-art literature on ISP compliance found out that in addition to technology advances in information security, behavioral and social approaches should also be employed to avoid information breaches. The research results by Han et al. suggests that psychological contract fulfillment help mitigating the adverse effects of costs on the information security compliance intention in supervisor teams. Furthermore, employees which are aware of policies by participating in the security education, training, and awareness programs, are anticipated to act in accordance with the information security policies since they are aware of the avails of complying with the information security policies. This study considers a bilateral perspective that compares supervisor and supervisee groups. The reason for separating the supervisor groups from supervisee groups in this study is that these two groups usually have different employment qualities, they are usually in different age groups, they usually differ in their social status and work experiences. As a result, the effects of psychological contracts on their behavior in the organizations may differ. The results in the study by Han et al. demonstrate that the impact of psychological contract fulfillment on the information security policies compliance is more considerable for managers than for their supervisees. Although the work by Han et al. focuses on the psychological contract effects on information security policy compliance for supervisor groups only, there is a lot of opportunities

in studying other personalized features of employees, such as job position or tenure, age, work experience, and social status to elaborate other factors that influence the information security policy compliance. In a related cross-culture study by Hovav and D'Arcy [28], they showed that social status, age, and gender influence the intention to misuse information security among Korean users. In particular, more high-ranking members of organizations who have access to more sensitive and crucial information are more plausible to breach the information security policies. Such misuses by senior members of organizations can lead to catastrophic consequences for the company. As a result, it is more important to enforce the perception of psychological contract fulfillment in the supervisors groups rather than the supervisee groups to reinforce the information security policy compliance intention.

3) **Organizational Structure** [29]:

Among factors that instigates information security breaches are behavioral and psychological characteristics. There are numerous studies in the literature that address the influencing factors of information security policy compliance behavior in companies. However, in the study by Hong and Furnell, they consider the influence of organizational structures. The authors integrate the theory of planned behavior and the perceived organizational formalization to study the procedure used to form the information security policy compliance behavioral intentions. Authors use the data from a survey of organization employees, in which 261 people take part, and the results of the data analysis utilizing the structural equation modeling is as follows. The empirical results suggests that the behavioral habits and cognitive processes theorized by the theory of planned behavior are notably affected by the perceived organizational formalization. This research study proposes that in an effort to enhance the employee information security policy compliance intentions and behavioral habits, organizations are recommended to plan a formalized set of procedures, rules, communications, and policies in general. Additionally, this study has the following results. i) Subjective norms can positively influence attitude, perceived behavioral control, and deterrence certainty, and attitude and perceived behavioral control showed strong positive influences on behavioral intention. ii) The decision-making process for information security policy compliance has been demonstrated to be significantly

influenced by organizational formalization. Organizational formalization, in particular, had a favorable impact on attitudes toward information security behavior, perceived behavioral control, and subjective norms. iii) Deterrent certainty and behavioral habit can both benefit from organizational formalization. iv) Perceived behavioral control can encourage behavior, and deterrence certainty can encourage information security policy compliance. v) Although subjective norms do not have a direct impact on behavioral intention to comply with information security policies, they do influence it through the mediating effects of attitudes, deterrent certainty, and perceived behavioral control.

- 4) **Managerial Participation, and Leadership** [30], [31]: An important aspect of behavioral cybersecurity in organizations is the influence of management leadership on the information security behavior of employees. However, the importance of leadership role in the context of cybersecurity has not been explored extensively. This gap in the literature regarding the influence of leadership on the information security behavior of employees is addressed in the work by Guhr et al. [30]. The research by Guhr et al. utilizes an interactional psychology approach to link the elements of the full-range leadership model to employees' security compliance and participation intentions. Guhr et al. evaluate a multitheoretical model on a proprietary data set that includes 322 people from more than 14 branches across the globe. This research adds to the body of knowledge in the fields of information security and cybersecurity by investigating the way that different leadership approaches improve the intended information security behavior of employees. The empirical results by Guhr et al. highlight the significance of transformational management as it can have an impact on the behavior of employee on extra-role and in-role levels regarding information security. In a related work by Hu et al. [31], an individual behavioral model is developed that combines the theory of planned behavior with the role of management and the culture of the company in order to realize the effects of management on the employees' security compliance behavior. Hu et al. find out that the attitudes of Employees toward the perceived and subjective norms of behavioral control over compliance with information security regulations are notably influenced by top management participation in information security activities. They also discover that top management involvement has a remarkable impact on corporate culture, which in

turn has an impact on the attitudes of employees about the perceived behavioral control over information security regulations. Additionally, Hu et al. discover that the impacts of management involvement and organizational culture on employee behavioral intentions are conciliated by employee cognitive assumptions regarding information security policy compliance. In addition to the deterrence-oriented treatments offered in the literature, their findings enhance the information security state-of-the-art research by showing the way that management can play a proactive role in molding the compliance behavior of employees.

It has been demonstrated that organizational support for employees inline with information security, as a crucial environmental factor, can play an important role in enhancing productive performance of employees in regards with cyberattacks and information breaches [32]. In a related research article, Warkentin et al. indicated that employees who have necessary access to situational support such as help from managers and colleagues, practicing behaviors, and interpersonal help, tend to be conducive to their self-efficacy regarding their information security behaviors. An extensive study on the behavioral factors in cybersecurity is undertaken in the work by Hong and Furnell [21] to support the hypotheses that, a) “Behavioral comprehensiveness will have a positive impact on habits”, b) “Self-efficacy will have a positive impact on habits”, c) “Response efficacy will have a positive impact on habits”, d) “Self-efficacy will have a positive impact on behavioral comprehensiveness”, e) Response efficacy will have a positive impact on behavioral comprehensiveness, f) “Situational support will have a positive impact on self-efficacy”, and g) “Situational support will have a positive impact on response efficacy”. Hong and Furnell use cross-sectional survey to evaluate their research model. According to the 41st Statistical Report on Internet Development in China, 25.4% of the 772 million internet users are students, which is the highest proportion of internet users. Since students use internet for numerous purposes such as attending online classes and workshops, doing online shopping, interacting with social media, and sending emails and receiving emails, they are very vulnerable to cybersecurity attacks. As a result, college students are used as the participants in Hong and Furnell’s study. The total number of 432 students took part in the survey, out of which 393 of the questionnaire were included for the statistical analysis. The demography of the respondents are as follows. 200 males (51%)

and 193 female participants (49%) responded to the questionnaires, where 39 were freshmen (first-year students) (10%), 108 were sophomores (second-year students, 27%) , 169 were juniors (third-year students, 43%), and 77 were seniors (fourth- and final-year students, 20%).

The measurements that are used in this study are explained below.

- 1) **Situational support (SS)**: The SS factor is measured by adopting the approach utilized by Warkentin et al. [33]. The Cronbach's alpha factor of this scale is 0.906.
- 2) **Self-efficacy (SE)**: The SE factor is measured by adopting the approach utilized by Bulgurcu et al. [34] and Hu et al. [31]. The Cronbach's alpha factor of this scale is 0.928.
- 3) **Response efficacy (RE)**: The RE factor is measured by adopting the approach utilized by Johnston & Warkentin [35]. The Cronbach's alpha factor of this scale is 0.915.
- 4) **Habit (HA)**: The HA factor is measured by adopting the approach utilized by Tsai et al. [36]. The Cronbach's alpha factor of this scale is 0.925.
- 5) **Behavioral comprehensiveness (BC)**: The BC factor is measured by adopting the approach utilized by Limayem et al. [37].
- 6) **Control variables**: Control variables such as gender, college major, grade, and other scenarios can influence the information security compliance intention. Hence, such factors are taken into account in the data analysis of this study.

As shown in Figure 1, the loadings of all the items are greater than 0.5, all the composite reliability (CR) values are greater than 0.7, and all the average variance extracted (AVE) values are greater than 0.5. As a result, the assessment is considered to have a good convergent validity. Furthermore, the correlations between constructs that are presented in Figure 2 provide support for the hypotheses of this work. In addition, the Bootstrap analysis of significance test on serial multiple mediation effects of self-efficacy and behavioral comprehensiveness are presented in Figure 3. The data analyses support the hypotheses that both self-efficacy and response efficacy have a positive impact on behavioral comprehensiveness; situational support has a positive impact on both self-efficacy and response efficacy; and Situational support can promote cybersecurity behavioral habits through the serial multiple mediating effects of self-efficacy and behavioral comprehensiveness.

There is no doubt that breaches of data can be damaging in cyberattacks. As an example,

Construct	Item	Loading	CR	AVE
SS	SS1	0.836	0.895	0.739
	SS2	0.875		
	SS3	0.868		
SE	SE1	0.809	0.868	0.687
	SE2	0.857		
	SE3	0.821		
RE	RE1	0.831	0.903	0.756
	RE2	0.885		
	RE3	0.891		
HA	HA1	0.799	0.861	0.673
	HA2	0.857		
	HA3	0.804		

Note: Behavioral Comprehensiveness is a single-item construct.

Construct	1	2	3	4	5
1. SS	0.860				
2. BC	0.126*	-			
3. SE	0.466**	0.227**	0.829		
4. RE	0.366**	0.233**	0.587**	0.869	
5. HA	0.612**	0.288**	0.651**	0.466**	0.820

Note: Diagonal elements are squared roots of AVE, * $p < 0.05$, ** $p < 0.01$

Fig. 1: Factor Loading of Items for SS, SE, Fig. 2: The correlations between constructs [21].
RE, and HA [21].

Bootstrap Analysis of Significance Test on Serial Multiple Mediation Effects of Self-efficacy and Behavioral Comprehensiveness

Path	Effect	Boot SE	CI=95%		Significance
			LLCI	ULCI	
Direct effect	0.3869	0.0381	0.3121	0.4618	significant
Total indirect effect	0.2135	0.0357	0.1502	0.2887	significant
SS→SE→HA	0.1952	0.0337	0.1346	0.2645	significant
SS→BC→HA	0.0052	0.0092	-0.0115	0.0257	not significant
SS→SE→BC→HA	0.0131	0.0054	0.0050	0.0267	significant

Note: Boot SE= Bootstrap standard error; LLCI = lower limit confidence interval; ULCI = upper limit confidence interval.

Fig. 3: Bootstrap analysis of significance test on serial multiple mediation effects of self-efficacy and behavioral comprehensiveness [21].

the cyberattack on the Ukraine power grid in 2015 resulted in 225,000 people to experience power outage [38]. It is observed that the average ransom attack jumped from \$373 and \$294 in 2014 and 2015, respectively, to \$1077 in 2016 [38]. Hence, it is crucial to establish a strong curriculum in both high schools and undergraduate schools to familiarize the internet users with the consequences of cyberattacks and information theft [39], [40].

II. FUTURE WORK

In the context of cybersecurity and information security, one of the common themes is to approach employees of large organizations via phishing emails. In such emails, employees are incentivized with immediate rewards and tempting offers to click on links or download documents; as a result of which, an information breach occurs. The phishing emails are usually sent to victims at the end of working hours or when they are fatigued. As a solution to avoid information breaches as a result of employees' fatigue, two approaches are presented below:

- 1) **Creating identifiers:** Most employees of large companies and organizations communicate via email internally. As a result, the emails that are sent from external email addresses can be labelled with an identifier so that employees pay more attention to them. As an example, the employees, including the students, professors, and staff of the University of Texas at Dallas are usually in contact with each other and send emails internally. Hence, those emails that are sent via emails that are external to the University of Texas at Dallas can be labelled for recipients.
- 2) **Artificial Intelligence:** As mentioned earlier, employees are usually the victims of cyberattacks and phishing emails when they are fatigued. As a result, artificial intelligence tools such as image processing and video processing can be used to identify the level of fatigue of employees and warn them when the classification algorithms identify that the employees are fatigued. Machine learning methods for classification and learning can be used for fatigue detection of employees [41]–[51]. Relevant methods considering the behavioral aspects of users are used in the literature [52]–[63]. This approach is definitely more controversial compared to the first one, since employees may not like to be monitored by image/video processing tools continuously during their work hours, even if the data is deleted and not used elsewhere. The subconscious of human beings is in a way that prefers not to be monitored, but in any case, those employees who are willing to use such a tool can benefit from the fatigue recognition aspect at the expense of being monitored.

REFERENCES

- [1] A. Bouveret, *Cyber risk for the financial sector: A framework for quantitative assessment*. International Monetary Fund, 2018.
- [2] R. Walters, “Cyber attacks on us companies since november 2014,” *The Heritage Foundation*, vol. 4487, 2015.
- [3] C. R. G. Popescu, G. N. Popescu *et al.*, “Risks of cyber attacks on financial audit activity,” *The Audit Financiar journal*, vol. 16, no. 149, pp. 140–140, 2018.
- [4] N. Tariq, “Impact of cyberattacks on financial institutions,” *Journal of Internet Banking and Commerce*, vol. 23, no. 2, pp. 1–11, 2018.
- [5] F. Quader and V. P. Janeja, “Insights into organizational security readiness: Lessons learned from cyber-attack case studies,” *Journal of Cybersecurity and Privacy*, vol. 1, no. 4, pp. 638–659, 2021.
- [6] A. Ghassami, A. Yekkehkhany, and N. Kiyavash, “A covert queueing channel in round robin schedulers,” *arXiv preprint arXiv:1701.08883*, 2017.
- [7] V. M. Beluli, “Smart beer production as a possibility for cyber-attack within the industrial process in automatic control,” *Procedia Computer Science*, vol. 158, pp. 206–213, 2019.
- [8] R. McMahon, M. S. Bressler, and L. Bressler, “New global cybercrime calls for high-tech cyber-cops,” *Journal of Legal, Ethical and Regulatory Issues*, vol. 19, no. 1, p. 26, 2016.
- [9] E. Amir, S. Levi, and T. Livne, “Do firms underreport information on cyber-attacks? evidence from capital markets,” *Review of Accounting Studies*, vol. 23, no. 3, pp. 1177–1206, 2018.
- [10] A. Yekkehkhany, H. Feng, and J. Lavaei, “Adversarial attacks on computation of the modified policy iteration method,” in *2021 60th IEEE Conference on Decision and Control (CDC)*. IEEE, 2021, pp. 49–56.
- [11] —, “A hitting time analysis for stochastic time-varying functions with applications to adversarial attacks on computation of markov decision processes,” 2020.
- [12] Y. Danyk, T. Maliarchuk, and C. Briggs, “Hybrid war: High-tech, information and cyber conflicts,” *Connections*, vol. 16, no. 2, pp. 5–24, 2017.
- [13] B. Gengler, “Cyber attacks from outside and inside,” *Computer Fraud & Security*, vol. 1999, no. 5, pp. 6–7, 1999.
- [14] F. R. Jahangiri, M. Liang, M. Huckabey, N. Baloney, and S. Sharifi, “Carotid endarterectomy surgeries: A multimodality intraoperative neurophysiological monitoring approach,” *Cureus*, vol. 14, no. 7, 2022.
- [15] M. Muthuppalaniappan and K. Stevenson, “Healthcare cyber-attacks and the covid-19 pandemic: an urgent threat to global health,” *International Journal for Quality in Health Care*, vol. 33, no. 1, p. mzaa117, 2021.
- [16] A. A. AlZubi, M. Al-Maitah, and A. Alarifi, “Cyber-attack detection in healthcare using cyber-physical system and machine learning techniques,” *Soft Computing*, vol. 25, no. 18, pp. 12 319–12 332, 2021.
- [17] L. Coventry and D. Branley, “Cybersecurity in healthcare: A narrative review of trends, threats and ways forward,” *Maturitas*, vol. 113, pp. 48–52, 2018.
- [18] S. C. Sethuraman, V. Vijayakumar, and S. Walczak, “Cyber attacks on healthcare devices using unmanned aerial vehicles,” *Journal of medical systems*, vol. 44, no. 1, pp. 1–10, 2020.
- [19] A. U. Nwosu, S. Goyal, and P. Bedi, “Blockchain transforming cyber-attacks: healthcare industry,” in *International Conference on Innovations in Bio-Inspired Computing and Applications*. Springer, 2021, pp. 258–266.
- [20] M. Hosseini, Y. Jiang, A. Yekkehkhany, R. R. Berlin, and L. Sha, “A mobile geo-communication dataset for physiology-

- aware dash in rural ambulance transport,” in *Proceedings of the 8th ACM on Multimedia Systems Conference*, 2017, pp. 158–163.
- [21] Y. Hong and S. Furnell, “Understanding cybersecurity behavioral habits: Insights from situational support,” *Journal of Information Security and Applications*, vol. 57, p. 102710, 2021.
- [22] S. E. Chang and C.-S. Lin, “Exploring organizational culture for information security management,” *Industrial management & data systems*, 2007.
- [23] K. S. Cameron, “Cultural congruence, strength, and type: Relationships to effectiveness. ashe 1985 annual meeting paper.” 1985.
- [24] D. R. Denison, G. M. Spreitzer *et al.*, “Organizational culture and organizational development: A competing values approach,” *Research in organizational change and development*, vol. 5, no. 1, pp. 1–21, 1991.
- [25] D. R. Denison, S. Haaland, and P. Goelzer, “Corporate culture and organizational effectiveness: is asia different from the rest of the world?” *Organizational dynamics*, vol. 33, no. 1, pp. 98–109, 2004.
- [26] W. B. Boggs, “Tqm and organizational culture: a case study,” *Quality Management Journal*, vol. 11, no. 2, pp. 42–52, 2004.
- [27] J. Han, Y. J. Kim, and H. Kim, “An integrative model of information security policy compliance with psychological contract: Examining a bilateral perspective,” *Computers & Security*, vol. 66, pp. 52–65, 2017.
- [28] A. Hovav and J. D’Arcy, “Applying an extended model of deterrence across cultures: An investigation of information systems misuse in the us and south korea,” *Information & Management*, vol. 49, no. 2, pp. 99–110, 2012.
- [29] Y. Hong and S. Furnell, “Motivating information security policy compliance: Insights from perceived organizational formalization,” *Journal of Computer Information Systems*, vol. 62, no. 1, pp. 19–28, 2022.
- [30] N. Guhr, B. Lebek, and M. H. Breitner, “The impact of leadership on employees’ intended information security behaviour: An examination of the full-range leadership theory,” *Information Systems Journal*, vol. 29, no. 2, pp. 340–362, 2019.
- [31] Q. Hu, T. Dinev, P. Hart, and D. Cooke, “Managing employee compliance with information security policies: The critical role of top management and organizational culture,” *Decision Sciences*, vol. 43, no. 4, pp. 615–660, 2012.
- [32] R. Eisenberger, R. Huntington, S. Hutchison, and D. Sowa, “Perceived organizational support,” *Journal of Applied psychology*, vol. 71, no. 3, p. 500, 1986.
- [33] M. Warkentin, A. C. Johnston, and J. Shropshire, “The influence of the informal social learning environment on information privacy policy compliance efficacy and intention,” *European Journal of Information Systems*, vol. 20, no. 3, pp. 267–284, 2011.
- [34] B. Bulgurcu, H. Cavusoglu, and I. Benbasat, “Information security policy compliance: an empirical study of rationality-based beliefs and information security awareness,” *MIS quarterly*, pp. 523–548, 2010.
- [35] A. C. Johnston and M. Warkentin, “Fear appeals and information security behaviors: An empirical study,” *MIS quarterly*, pp. 549–566, 2010.
- [36] H.-y. S. Tsai, M. Jiang, S. Alhabash, R. LaRose, N. J. Rifon, and S. R. Cotten, “Understanding online safety behaviors: A protection motivation theory perspective,” *Computers & Security*, vol. 59, pp. 138–150, 2016.
- [37] M. Limayem, S. G. Hirt, and C. M. Cheung, “How habit limits the predictive power of intention: The case of information systems continuance,” *MIS quarterly*, pp. 705–737, 2007.
- [38] R. A. Maalem Lahcen, B. Caulkins, R. Mohapatra, and M. Kumar, “Review and insight on the behavioral aspects of cybersecurity,” *Cybersecurity*, vol. 3, no. 1, pp. 1–18, 2020.

- [39] B. D. Caulkins, K. Badillo-Urquiola, P. Bockelman, and R. Leis, "Cyber workforce development using a behavioral cybersecurity paradigm," in *2016 International Conference on Cyber Conflict (CyCon US)*. IEEE, 2016, pp. 1–6.
- [40] C. E. Frank, J. W. McGuffee, and C. Thomas, "Early undergraduate cybersecurity research," *Journal of Computing Sciences in Colleges*, vol. 32, no. 1, pp. 46–51, 2016.
- [41] A. A. Soofi and A. Awan, "Classification techniques in machine learning: applications and issues," *Journal of Basic & Applied Sciences*, vol. 13, pp. 459–465, 2017.
- [42] F. Osisanwo, J. Akinsola, O. Awodele, J. Hinmikaiye, O. Olakanmi, and J. Akinjobi, "Supervised machine learning algorithms: classification and comparison," *International Journal of Computer Trends and Technology (IJCTT)*, vol. 48, no. 3, pp. 128–138, 2017.
- [43] S. B. Kotsiantis, I. Zaharakis, P. Pintelas *et al.*, "Supervised machine learning: A review of classification techniques," *Emerging artificial intelligence applications in computer engineering*, vol. 160, no. 1, pp. 3–24, 2007.
- [44] S. B. Kotsiantis, I. D. Zaharakis, and P. E. Pintelas, "Machine learning: a review of classification and combining techniques," *Artificial Intelligence Review*, vol. 26, no. 3, pp. 159–190, 2006.
- [45] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [46] D. Su, A. Yekkehkhany, Y. Lu, and W. Lu, "Prob2vec: Mathematical semantic embedding for problem retrieval in adaptive tutoring," in *2020 American Control Conference (ACC)*. IEEE, 2020, pp. 2490–2495.
- [47] A. Yekkehkhany, E. Arian, M. Hajiesmaili, and R. Nagi, "Risk-averse explore-then-commit algorithms for finite-time bandits," in *2019 IEEE 58th Conference on Decision and Control (CDC)*. IEEE, 2019, pp. 8441–8446.
- [48] L. M. King, H. T. Nguyen, and S. Lal, "Early driver fatigue detection from electroencephalography signals using artificial neural networks," in *2006 International Conference of the IEEE Engineering in Medicine and Biology Society*. IEEE, 2006, pp. 2187–2190.
- [49] A. Yekkehkhany and R. Nagi, "Risk-averse equilibrium for autonomous vehicles in stochastic congestion games," *arXiv preprint arXiv:2007.09771*, 2020.
- [50] A. Yekkehkhany, E. Arian, R. Nagi, and I. Shomorony, "A cost-based analysis for risk-averse explore-then-commit finite-time bandits," *IIEE Transactions*, vol. 53, no. 10, pp. 1094–1108, 2021.
- [51] Z. Zhao, N. Zhou, L. Zhang, H. Yan, Y. Xu, and Z. Zhang, "Driver fatigue detection based on convolutional neural networks using em-cnn," *Computational intelligence and neuroscience*, vol. 2020, 2020.
- [52] Z. Mu, L. Jin, J. Yin, and Q. Wang, "Research on a driver fatigue detection model based on image processing," *HUMAN-CENTRIC COMPUTING AND INFORMATION SCIENCES*, vol. 12, 2022.
- [53] R. Ahmed, K. E. K. Emon, and M. F. Hossain, "Robust driver fatigue recognition using image processing," in *2014 International Conference on Informatics, Electronics & Vision (ICIEV)*. IEEE, 2014, pp. 1–6.
- [54] N. S. Karuppusamy and B.-Y. Kang, "Multimodal system to detect driver fatigue using eeg, gyroscope, and image processing," *IEEE Access*, vol. 8, pp. 129 645–129 667, 2020.
- [55] F. Lahuerta, T. Westphal, R. Nijssen, F. Van Der Meer, and L. Sluys, "Measuring the delamination length in static and fatigue mode i tests using video image processing," *Composites Part B: Engineering*, vol. 63, pp. 1–7, 2014.
- [56] H. Sun, Q. Liu, and L. Fang, "Research on fatigue crack growth detection of m (t) specimen based on image processing technology," *Journal of Failure Analysis and Prevention*, vol. 18, no. 4, pp. 1010–1016, 2018.
- [57] A. Yekkehkhany, "Risk-averse multi-armed bandits and game theory," Ph.D. dissertation, University of Illinois at Urbana-Champaign, 2020.
- [58] A. Yekkehkhany, T. Murray, and R. Nagi, "Risk-averse equilibrium for games," *arXiv preprint arXiv:2002.08414*, 2020.

- [59] A. Yekkehkhany and R. Nagi, "Risk-averse equilibria for vehicle navigation in stochastic congestion games," *IEEE Transactions on Intelligent Transportation Systems*, 2022.
- [60] D. Ryu, T. Choi, Y. Kim, and S. Nahm, "Measurement of the fatigue-crack using image processing techniques," in *KES'2000. Fourth International Conference on Knowledge-Based Intelligent Engineering Systems and Allied Technologies. Proceedings (Cat. No. 00TH8516)*, vol. 1. IEEE, 2000, pp. 121–124.
- [61] A. Yekkehkhany, T. Murray, and R. Nagi, "Stochastic superiority equilibrium in game theory," *Decision Analysis*, vol. 18, no. 2, pp. 153–168, 2021.
- [62] U. Gebhardt, P. Schulz, A. Raßloff, I. Koch, M. Gude, and M. Kästner, "Influence of ct image processing on the predicted impact of pores on fatigue of additively manufactured ti6al4v and als10mg," *GAMM-Mitteilungen*, vol. 45, no. 3-4, p. e202200017, 2022.
- [63] Y. Fan, X. Yang, D. Shi, S. Han, and S. Li, "A quantitative role of rafting on low cycle fatigue behaviour of a directionally solidified ni-based superalloy through a cross-correlated image processing method," *International Journal of Fatigue*, vol. 131, p. 105305, 2020.