Designing for Disengagement: Challenges and Opportunities for Game Design to Support Children's Exit From Play

MESHAIEL ALSHEAIL, Karlsruhe Institute of Technology, Germany
DMITRY ALEXANDROVSKY, Karlsruhe Institute of Technology, Germany
KATHRIN GERLING, Karlsruhe Institute of Technology, Germany

Games research and industry have developed a solid understanding of how to design engaging, playful experiences that draws players in for hours and causes them to lose their sense of time. While these designs can provide enjoyable experiences, many individuals – especially children – may find it challenging to regulate their playing time, and often they struggle to turn off the game. In turn, this affords external regulation of children's playing behavior by limiting playing time or encouraging alternative activities, which frequently leads to conflicts between parents and the children. Here, we see an opportunity for game design to address player disengagement through design, facilitating a timely and autonomous exit from play. Hence, while most research and practitioners design for maximizing player engagement, we argue for a perspective shift towards disengagement as a design tool that allows for unobtrusive and smooth exits from the game. We advocate that interweaveing disengagement into the game design could reduce friction within families, allowing children to finish game sessions more easily, facilitate a sense of autonomy, and support an overall healthier relationship with games. In this position paper, we outline a research agenda that examines how game design can address player disengagement, what challenges exist in the specific context of games for children, and how such approaches can be reconciled with the experiential, artistic, and commercial goals of games.

CCS Concepts: • Human-centered computing → Interaction paradigms; Accessibility theory, concepts and paradigms.

Additional Key Words and Phrases: Game Design, Disengagement, Dark Patterns

ACM Reference Format:

1 INTRODUCTION

Supporting disengagement from play is relevant for children as it contributes to healthy gaming practices, can help avoid conflict within families about playing time, and could potentially reduce the risk of harmful overuse of games. While there is a substantial body of literature that addresses the lack of disengagement from play through the lens of pathological use of games (e.g., clinical perspectives on game addiction [28, 30], surprisingly little is known about disengagement from games from the perspective of games design, i.e., whether and how specific design strategies or game mechanics could support the exit from play. Instead, much of the work addresses continued player engagement

Authors' addresses: Meshaiel Alsheail, Karlsruhe Institute of Technology, Karlsruhe, Germany, meshaiel.alsheail@kit.edu; Dmitry Alexandrovsky, Karlsruhe Institute of Technology, Karlsruhe, Germany, dmitry.alexandrovsky@kit.edu; Kathrin Gerling, Karlsruhe Institute of Technology, Karlsruhe, Germany, kathrin.gerling@kit.edu.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Manuscript submitted to ACM

(both in the context of positive game design - for example, achieving flow [18], but also with a critical view - for example, work on dark patterns [78]), and Human-Computer Interaction (HCI) games research likewise overwhelmingly focuses on the entry into play (cf. [61]) and continued participation in it(cf. [12, 22, 47]). Where disengagement is addressed, it is often done so with a negative connotation through the lens of player attrition (e.g., [3, 32, 36]), and from a restrictive perspective such as external terminating of play [68]. The negative lens of HCI research on disengagement has previously been criticized by O'Brien and colleagues [53], who outlined that disengagement can also be temporary, a result of momentary satisfaction with the preceding experience, and an expression of user agency. We argue that the limited view on disengagement is also a missed opportunity for games research: Appreciating the final stages of play as a part of Player Experience (PX) that should actively be designed for gives game designers an additional tool within their box. Additionally, developing strategies that support players in the achievement of an exit from play at their own volition should contribute to player autonomy (which has for example been extensively studied in the context of remaining within play [24]), for younger and older players alike.

In this position paper, we reflect on the potential benefits of designing for disengagement in games for children, an audience that still establishes gaming habits and needs to negotiate these in a family context. To this end, we summarize current perspectives in HCI games research on player engagement, we give an overview of current industry best practices designed to limit children's engagement with games, and we outline pathways to game design-driven strategies for player disengagement that empower children and their parents to exit play in a positive context.

2 DISENGAGEMENT, DIGITAL GAMES, AND CHILDREN'S ENGAGEMENT

In this section, we first introduce how HCI research defines disengagement. Then, we examine how the concept is approached in HCI games research, and we reflect upon current best practices in industry and research to support children's disengagement from digital games and other media.

2.1 Defining Disengagement within HCI Research

Research in HCI has approached engagement and disengagement from different perspectives. In this work, we follow O'Brien and Toms [54]'s definition of User Engagement (UE) as the theoretical foundation. UE refers to the "quality of user experience characterized by the depth of an actor's investment when interacting with a digital system" ([57]) and "emphasises the positive aspects of the interaction and, in particular, the phenomena associated with being captivated by the technology" ([6]). As Attfield et al. [6] stated, "successful technologies are not just used, they are engaged with; users invest time, attention, and emotion into the equation" ([6]). Therefore, in most cases, it is desirable to have an engaging interactive system as it facilitates retention, productivity, and overall satisfaction. The sense of engagement is inferred by cognitive, affective, and behavioral constructs such as flow [19], motivation [63], attention [6, 54], or adherence [17, 51, 59]. The cognitive aspect of engagement frequently relies on conscious components such as attention, interest, or effort [25, 37, 71]. The affective component of engagement encompass the subjective emotional responses including enjoyment, aesthetics, endurability, and novelty [25, 54]. Behavioral component describes the action and participation with the activity [25, 37, 67]. O'Brien and Toms [54] conceptualize four stages of UE: point of engagement is the first contact with the interactive system; period of sustained engagement is the actual time span users interacting with the system; disengagement describes the termination point of an engaging period (e.g., end of a session); and re-engagement is referred to when users return to the interactive system and is marked by active choice taken from the user. Each of these phases is characterized by different attributes of the User Experience (UX) that the interaction design should emphasize [54]. These four stages allow conceptualizing experiences with interactive Manuscript submitted to ACM

systems on a timeline with interaction cycles where each stage gives specific target points for the interaction design that researchers and designers could use to orchestrate the experience (e.g., the behavior of the user).

2.2 Engagement and Disengagement in Games Research

In games research, engagement describes the act of players being fully absorbed and involved in the game, characterized by a high level of motivation, attention, and emotional investment [62, 66]. In the context of games, Self-Determination Theory (SDT) is commonly used to explain the motivation of play [23]. SDT suggests that providing players with opportunities to make choices that align with their interests and values, experience a sense of mastery or progress, and connect with other players or characters in the game will lead to increased engagement and enjoyment [72, 73]. In line with SDT, Flow theory proposes that an optimal and thus, engaging experience emerges when the players' skill and game difficulty are well-matched [20]. A significant and growing body of research has been conducted on what keeps players engaged with the game, for example, through game updates, by providing new content and boosting the experience for the better through challenges, which creates satisfaction and enhances the PX [5, 16, 80, 81].

From a commercial perspective, publishers are interested in player engagement to increase profitability through game subscriptions, attract and retain customers, and keep the game entertaining with new content [7, 64]. In consequence, game designers increasingly use strategies with manipulative elements to keep users connected to their games [64, 78]. Among others, such *dark patterns* include temporal dark patterns (i.e., employ time-limited tactics to create a sense of urgency, encouraging users to take desired actions) and psychological manipulations (such as discounts on resources, encouraging users to invest money to enhance their gameplay) make it more challenging for players to disengage from play at their own volition [64, 78].

Despite these concerning design strategies, the dominant perspective in games research is that disengagement – the process in which the user retreats from interacting with a system either temporarily or permanently [53] – is the result of poor game design that does not encourage continued player engagement [53]. For example, Xie et al. [76] studied how to predict player disengagement in online games in an effort to identify instances in which designers would need to address design flaws. Similarly, Ben-Youssef et al. [10], Oertel et al. [55] have presented disengagement in HCI as halting the problematic or meaningless consumption of technology after feelings of "frustration" based on poor design or lack of motivation in its design.

Generally, we need to acknowledge the **tension between the aforementioned** *dark patterns* and the player's ability to achieve a satisfying experience and retain agency to end play at a point in time that is convenient for them. In consequence, there is a large body of literature focusing on problematic play behaviors (i.e., excessive play[70], and gaming addiction [31, 45, 75]). Particularly in the context of children and their engagement with games, this is discussed through the lens of youth well-being [29, 40, 74?] and frequently addressed through external strategies to support disengagement from play, which we discuss in the following section [15, 60].

2.3 Current Approaches to Support Children's Disengagement from Games

Research and industry have explored a range of strategies to support children's disengagement from games and reduce playing time.

The dominant strategy to address (the lack of) disengagement is through the introduction of time restrictions, either at an individual or societal level. Such tools involve timers [35], trackers of usage [1, 41], automated nudges to disengage [56], promoting self-regulation through social support and goal-setting [44], or block users entirely from using the device or specific apps [38, 46]. Directly addressing children, various tools seek to manage screen

Manuscript submitted to ACM

time and other issues by allowing parents to set time limits Bieke and Nouwen [11], e.g., Net Nanny [65], CYBERsitter [49], child-friendly filters on Netflix or Apple's ScreenTime¹ which also provide detailed statistics about the usage of individual apps.

Time restrictions are also introduced at a societal level. For example, South Korea implemented in 2011 a law that regulates how much players are allowed to play within a 24-hour period. Likewise, China introduced a time-limit policy that decreases players' rewards after a play window of 3 hours [42].

Within games, such patterns have been discussed as *blocking* and *waiting* mechanics and are frequently reported as dark patterns [2, 3]. The approaches to reduce screen time in games can be explicit, such as the MS XBox warning players about excessive gameplay times [48] or more subtle like in *Stronghold: Crusader* every now and then, the in-game companion suggests the player take a break or asks if they want to drink [69]. However, such disengagement strategies can reduce the players' sense of autonomy and can leave players with an unsatisfied experience feeding the wish to continue playing [21]. Likewise, hindering players from achieving their goals can in fact cause frustration and aggression [9, 14]. However, planning out screen time in advance can help children to disengage from screen exposure [33, 34]. Likewise, Zhang et al. [79] showed for social media usage that design patterns facilitating the users' agency are more effective than time-restricting methods.

For **children's media usage**, Barr et al. [8] noted that the context of media usage in families is rarely considered in the literature and argue that to understand the long-term effects of children interacting with digital media, research needs to consider measures beyond screen time. Here, parental mediation of media use is an important pillar, but parents often are challenged in assessing the risks the children might encounter with digital media [11, 50]. The Parental Mediation Theory categorizes three communication strategies – active, restrictive, and co-viewing mediation – that can be leveraged to mitigate the negative effects of media use. Studies on parental mediation of violent TV consumption showed that both active and restrictive mediation has been negatively related to the children's aggressive tendencies, while co-viewing showed a positive influence on the child's aggression [52]. This is in line with situated learning theories which suggest that children learn through "cognitive apprenticeship" ([13]) which transforms learning from a process of transition towards a meaningful social activity [15]. Hence, Bieke and Nouwen [11] argue that parental protection of children's media usage should not result in "helicopter apps" but rather support discussions between parents and children and encourage the child's autonomy [15].

Here, some work exists on **children's consumption of video and TV that addresses disengagement beyond restrictions**. For example, *Coco's Videos* [34] is a child-friendly video player that supports the child's self-regulation of screen exposure by letting the children decide how much time they like to spend watching. When the time has run out, a virtual character appears informing about the end of the session and making suggestions for other activities. The authors report the dialog with the virtual character at the end of the session gained value for the children and became part of the transitioning ritual. Likewise, *FamiLync* [43] emphasizes both the parent's and children's sense of agency and provides support for a participatory and elucidating parental mediation of media consumption. Another approach promises to mitigate the side effects of screen-time restrictions using the physical periphery around the screen device to move the child's attention and ease the transition from immersion [77].

Reviewing the literature on disengagement, we observe several gaps in research: First, HCI and games research have only begun to address disengagement as part of the engagement cycle, mostly viewing it as a negative event. Second, common strategies to foster player disengagement view games as static objects, and instead seek to provide

¹https://support.apple.com/en-ca/HT208982

Designing for Disengagement: Challenges and Opportunities for Game Design to Support Children's Exit From Play5

external strategies that help regulate the behavior of children and other players. Third, work that addresses children's media use has only begun to take into account developmental perspectives and family relationships, which leaves rooms for work in this space.

3 CHALLENGES AND OPPORTUNITIES FOR RESEARCH: SUPPORTING DISENGAGEMENT WHILE MAINTAINING POSITIVE PLAY EXPERIENCES

A key challenge for strategies to support disengagement from play is the tension between games seeking to provide immersive and engaging experience, while giving players – including children – autonomy to exit the experience at their own volition. Based on our examination of the perspective of games research on player disengagement, current best practices to facilitate disengagement of younger players, and the gaps therein, we would like to highlight the following three areas for future research.

3.1 Developing an Evidence-Based Perspective on Children's Exit From Play

Much to our surprise, little is known about how children experience the exit from play beyond literature addressing problematic gaming (cf. Section 2.2), suggesting that children's perspectives on ending play are poorly understood. Likewise, industry best practices on limiting children's playing time (cf. Section 2.3) are neither rooted in an understanding of children's cognitive development nor reflect what we know about engaging PXs. For example, a prominent strategy to support disengagement is to introduce a maximum playing time, after which the gaming experience automatically ends. However, we know that games as immersive artifacts affect player perception of time (e.g., when experiencing flow [20]), and in the context of children, the issue is exacerbated by the fact that humans only develop a concept of time from the age of seven [27]. Here, we see potential in a two-prong research approach that first seeks to understand the specific experience that children have when exiting games, and then developing evidence-based strategies to support the exit from play that are rooted in an understanding of children's cognitive development. Thereby, we would assume that designers and researchers could achieve the implementation of strategies that reduce friction within families, while maintaining a more positive overall gaming experience.

3.2 Accounting for the Child-Parent Relationship in the Disengagement Process

The relationship between kids, parents, and games is complex, and should likewise be taken into account when designing the disengagement process. For example, Donati et al. [26] found that setting restrictions on the time, place, and content of video gaming can prevent excessive gaming, but Papadakis et al. [58] illustrates that parents struggle to control their children's time spent on tablets, with [26] suggesting that the effectiveness of such rules is moderated by the degree of parent-child agreement. Kahila et al. [39] report that children can experience intense anger when their in-game experiences are interrupted, for example, when parents remind them of homework, household chores, or meal times), especially when the game is going well. From the perspective of HCI games research, this presents an opportunity to design mechanics to support exit from play that account for the complexity of the relationship between parents and children, as well as family life. Instead of setting generic time limits, this could mean providing parents with the tools of understanding their children's experiences with games particularly addressing the question of when it is a 'good time' to quit, but also casting the process of shared responsibility in which parents need to support their children in finding an appropriate end, and researchers and designers need to weigh the needs of both groups.

3.3 Appreciating Disengagement as Part of Play

Currently, disengaging from games is underappreciated by HCI games research, and we believe that it is a research opportunity to view it as a natural part of play. Reflecting the four phases of the engagement cycle proposed by O'Brien and Toms [54], a point of engagement, a period of engagement, disengagement, and finally, re-engagement, we align with their conceptualization of disenagement as a natural part of the engagement-disengagement-re-engagement cycle, which is spanned across two dimensions: the degree of users' agency and the span between positive and negative engagement. This definition of disengagement encompasses the users' goals, the meaning of usage, and the degree of control the users take over interacting with the system. Thereby, it becomes possible to design for specific exit experiences, and to consider concerns around disengagement and excessive play from a positive perspective, shifting the focus to player empowerment, enabling them to re-gain agency over the time at which they (temporarily) end their engagement with a specific game. Recently, Stevens et al. [68] examined the effectiveness of currently implemented design strategies in the context of overuse of digital games, and concluded that features that set limits on playtime or locked players out of the game received low support (65% disapproval) among habitual and problem gamers [68]. While not primarily examining disengagement, a study by Tyack and Mekler [72] found that games that allow players to pause or save their progress and come back later, without losing their progress or rewards, can help players to disengage without feeling frustrated or stressed [72]. Also, Alharthi et al. [4] point out that idle games, which reward players for waiting, can be an effective way to foster disengagement without harming the PX [4]. Similarly, Davies and Blake [21] report that players who regarded their play session as completed (i.e., achieving their goals) when blocked from playing felt less frustrated than those who were cut out in the middle of a quest. This highlights the need for features that extend beyond extrinsic control, examining how to make it easier for players to quit games at their own volition, and to create games that have natural end points. This is in line with O'Brien and Toms [54], who theorizes that disengagement could be related to positive emotions such as feeling successful and satisfied when achieving a goal, which is something that we hope games research and game design can aspire to.

4 CONCLUSION

Within the HCI games research community, disengagement is an underresearched aspect of player **en**gagement with games, and is either framed as a result of poor game design, or examined in the context of problematic overuse of games. The latter also is a prominent perspective on children's disengagement from games, which is predominantly addressed through external means of regulating playing time (e.g., built-in time limits and parental mediation). In our position paper, we argue that this is a missed opportunity for game design to expand beyond restrictive practices. Here, a central question that remains for our research community is whether (the lack of) disengagement should be addressed through external regulation, or whether we can shift toward a perspective where games researchers and designers actively design for player disengagement, enabling players of all ages to establish healthy relationships with their favourite medium.

ACKNOWLEDGMENTS

REFERENCES

- [1] 2007. RescueTime. https://www.rescuetime.com
- [2] Dmitry Alexandrovsky, Maximilian Achim Friehs, Max V. Birk, Rowan K. Yates, and Regan L. Mandryk. 2019. Game Dynamics that Support Snacking, not Feasting. In Proceedings of the Annual Symposium on Computer-Human Interaction in Play (CHIPLAY '19). Association for Computing Machinery, New York, NY, USA, 573–588. https://doi.org/10.1145/3311350.3347151

- [3] Dmitry Alexandrovsky, Maximilian Achim Friehs, Jendrik Grittner, Susanne Putze, Max V Birk, Rainer Malaka, and Regan Mandryk. 2021. Serious Snacking: A Survival Analysis of how Snacking Mechanics Affect Attrition in a Mobile Serious Game. In Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21). ACM, Yokohama, Japan, 16. https://doi.org/10.1145/3411764.3445689
- [4] Sultan A. Alharthi, Olaa Alsaedi, Zachary O. Toups, Theresa Jean Tanenbaum, and Jessica Hammer. 2018. Playing to wait: A taxonomy of idle games. In Conference on Human Factors in Computing Systems Proceedings, Vol. 2018-April. Association for Computing Machinery. https://doi.org/10.1145/3173574.3174195
- [5] David Altimira, Florian 'Floyd' Mueller, Jenny Clarke, Gun Lee, Mark Billinghurst, and Christoph Bartneck. 2017. Enhancing player engagement through game balancing in digitally augmented physical games. *International Journal of Human-Computer Studies* 103 (July 2017), 35–47. https://doi.org/10.1016/j.ijhcs.2017.02.004
- [6] Simon Attfield, Gabriella Kazai, Mounia Lalmas, and Benjamin Piwowarski. 2011. Towards a science of user engagement (position paper). In WSDM workshop on user modelling for Web applications. 9–12.
- [7] Gonçalo Baptista and Tiago Oliveira. 2019. Gamification and serious games: A literature meta-analysis and integrative model. Computers in Human Behavior 92 (March 2019), 306–315. https://doi.org/10.1016/j.chb.2018.11.030
- [8] Rachel Barr, Heather Kirkorian, Jenny Radesky, Sarah Coyne, Deborah Nichols, Olivia Blanchfield, Sylvia Rusnak, Laura Stockdale, Andy Ribner, Joke Durnez, Mollie Epstein, Mikael Heimann, Felix-Sebastian Koch, Annette Sundqvist, Ulrika Birberg-Thornberg, Carolin Konrad, Michaela Slussareff, Adriana Bus, Francesca Bellagamba, and caroline Fitzpatrick. 2020. Beyond Screen Time: A Synergistic Approach to a More Comprehensive Assessment of Family Media Exposure During Early Childhood. Frontiers in Psychology 11 (July 2020), 1283. https://doi.org/10.3389/fpsyg.2020.01283
- [9] Pierpaolo Battigalli, Martin Dufwenberg, and Alec Smith. 2015. Frustration and Anger in Games. SSRN Electronic Journal (2015). https://doi.org/10.2139/ssrn.2591839
- [10] Atef Ben-Youssef, Chloé Clavel, and Slim Essid. 2021. Early Detection of User Engagement Breakdown in Spontaneous Human-Humanoid Interaction. IEEE Transactions on Affective Computing 12, 3 (July 2021), 776–787. https://doi.org/10.1109/TAFFC.2019.2898399 Conference Name: IEEE Transactions on Affective Computing.
- [11] Zaman Bieke and Marije Nouwen. 2016. Parental controls: advice for parents, researchersand industry. Technical Report. The London School of Economics and Political Science, EU Kids Online. http://eprints.lse.ac.uk/id/eprint/65388
- [12] Nicholas David Bowman, Justin Keene, and Christina Jimenez Najera. 2021. Flow Encourages Task Focus, but Frustration Drives Task Switching: How Reward and Effort Combine to Influence Player Engagement in a Simple Video Game. In Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems. ACM, Yokohama Japan, 1–8. https://doi.org/10.1145/3411764.3445678
- [13] John Seely Brown, Allan Collins, and Paul Duguid. 1989. Situated Cognition and the Culture of Learning. Educational Researcher 18, 1 (Jan. 1989), 32–42. https://doi.org/10.3102/0013189X018001032
- [14] David Card and Gordon B. Dahl. 2011. Family Violence and Football: The Effect of Unexpected Emotional Cues on Violent Behavior*. The Quarterly Journal of Economics 126, 1 (Feb. 2011), 103–143. https://doi.org/10.1093/qje/qjr001
- [15] Lynn Schofield Clark. 2011. Parental Mediation Theory for the Digital Age. Communication Theory 21, 4 (Nov. 2011), 323-343. https://doi.org/10.1111/j.1468-2885.2011.01391.x
- [16] Mark Claypool, Artian Kica, Andrew La Manna, Lindsay O'Donnell, and Tom Paolillo. 2017. On the Impact of Software Patching on Gameplay for the League of Legends Computer Game. The Computer Games Journal 6, 1-2 (June 2017), 33–61. https://doi.org/10.1007/s40869-017-0032-9
- [17] Mick P Couper, Gwen L Alexander, Nanhua Zhang, Roderick JA Little, Noel Maddy, Michael A Nowak, Jennifer B McClure, Josephine J Calvi, Sharon J Rolnick, Melanie A Stopponi, and Christine Cole Johnson. 2010. Engagement and Retention: Measuring Breadth and Depth of Participant Use of an Online Intervention. Journal of Medical Internet Research 12, 4 (Nov. 2010), e52. https://doi.org/10/dd36hg
- [18] Ben Cowley, Darryl Charles, Michaela Black, and Ray Hickey. 2008. Toward an understanding of flow in video games. Computers in Entertainment 6, 2 (July 2008), 20:1–20:27. https://doi.org/10.1145/1371216.1371223
- [19] Mihaly Csikszentmihalyi. 1990. Flow: The Psychology of Optimal Experience. Harper & Row, New York.
- [20] Mihaly Csikszentmihalyi. 2000. Beyond boredom and anxiety. Jossey-Bass, San Francisco, CA, US. Pages: xxx, 231.
- [21] Bryan Davies and Edwin Blake. 2016. Evaluating Existing Strategies to Limit Video Game Playing Time. *IEEE Computer Graphics and Applications* 36, 2 (March 2016), 47–57. https://doi.org/10.1109/MCG.2016.25
- [22] Rogerio de Leon Pereira, Anthony Tan, Andrea Bunt, and Olivier Tremblay-Savard. 2021. Increasing player engagement, retention and performance through the inclusion of educational content in a citizen science game. In The 16th International Conference on the Foundations of Digital Games (FDG) 2021. ACM, Montreal OC Canada, 1–12. https://doi.org/10.1145/3472538.3472554
- [23] Edward L. Deci and Richard M. Ryan. 2012. Self-determination theory. In Handbook of theories of social psychology, Vol. 1. Sage Publications Ltd, Thousand Oaks, CA, 416–436. https://doi.org/10.4135/9781446249215.n21
- [24] Sebastian Deterding. 2016. Contextual Autonomy Support in Video Game Play: A Grounded Theory. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). Association for Computing Machinery, New York, NY, USA, 3931–3943. https://doi.org/10.1145/2858036.2858395
- [25] Kevin Doherty and Gavin Doherty. 2019. Engagement in HCI: Conception, theory and measurement. Comput. Surveys 51, 5 (Jan. 2019). https://doi.org/10.1145/3234149 Publisher: Association for Computing Machinery.

[26] Maria Anna Donati, Cristiana Alessia Guido, Giuliano De Meo, Alberto Spalice, Francesco Sanson, Carola Beccari, and Caterina Primi. 2021. Gaming among children and adolescents during the covid-19 lockdown: The role of parents in time spent on video games and gaming disorder symptoms. International Journal of Environmental Research and Public Health 18, 12 (June 2021). https://doi.org/10.3390/ijerph18126642 Publisher: MDPI AG.

- [27] Sylvie Droit-Volet. 2013. Time perception in children: A neurodevelopmental approach. Neuropsychologia 51, 2 (Jan. 2013), 220–234. https://doi.org/10.1016/j.neuropsychologia.2012.09.023
- [28] Sue Fisher. 1994. Identifying video game addiction in children and adolescents. Addictive Behaviors 19, 5 (Sept. 1994), 545–553. https://doi.org/10.1016/0306-4603(94)90010-8
- [29] Rosa Maria Gil and Joan Arnedo-Moreno. 2020. Designing an activity to help reflect on "healthy Engagement vs Video Game Addiction". In ACM International Conference Proceeding Series. Association for Computing Machinery, 682–687. https://doi.org/10.1145/3434780.3436607
- [30] MARK GRIFFITHS. 1997. Computer Game Playing in Early Adolescence. Youth & Society 29, 2 (Dec. 1997), 223–237. https://doi.org/10.1177/0044118X97029002004 Publisher: SAGE Publications Inc.
- [31] Mark D. Griffiths and Alex Meredith. 2009. Videogame addiction and its treatment. Journal of Contemporary Psychotherapy 39, 4 (Dec. 2009), 247–253. https://doi.org/10.1007/s10879-009-9118-4
- [32] Fabian Hadiji, Rafet Sifa, Anders Drachen, Christian Thurau, Kristian Kersting, and Christian Bauckhage. 2014. Predicting player churn in the wild. In 2014 IEEE Conference on Computational Intelligence and Games. IEEE, Dortmund, Germany, 1–8. https://doi.org/10.1109/cig.2014.6932876
- [33] Yasmeen Hashish, Andrea Bunt, and James E. Young. 2014. Involving children in content control: a collaborative and education-oriented content filtering approach. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems. ACM, Toronto Ontario Canada, 1797–1806. https://doi.org/10.1145/2556288.2557128
- [34] Alexis Hiniker, Sharon S. Heung, Sungsoo (Ray) Hong, and Julie A. Kientz. 2018. Coco's Videos: An Empirical Investigation of Video-Player Design Features and Children's Media Use. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems. ACM, Montreal QC Canada, 1–13. https://doi.org/10.1145/3173574.3173828
- [35] Alexis Hiniker, Sungsoo (Ray) Hong, Tadayoshi Kohno, and Julie A. Kientz. 2016. MyTime: Designing and Evaluating an Intervention for Smartphone Non-Use. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems. ACM, San Jose California USA, 4746–4757. https://doi.org/10.1145/2858036.2858403
- [36] Sam K Hui. 2013. Understanding Gamer Retention in Social Games using Aggregate DAU and MAU data:. online (2013), 50.
- [37] Carolina Islas Sedano, Verona Leendertz, Mikko Vinni, Erkki Sutinen, and Suria Ellis. 2013. Hypercontextualized Learning Games: Fantasy, Motivation, and Engagement in Reality. Simulation & Gaming 44, 6 (Dec. 2013), 821–845. https://doi.org/10.1177/1046878113514807
- [38] Brad Jasper. 2015. Focus: Website blocker for macOS. https://heyfocus.com
- [39] Juho Kahila, Jaana Viljaranta, Sanni Kahila, Satu Piispa-Hakala, and Henriikka Vartiainen. 2022. Gamer rage—Children's perspective on issues impacting losing one's temper while playing digital games. International Journal of Environmental Research and Public Health (2022).
- [40] Armita Khorsandi and Liping Li. 2022. A Multi-Analysis of Children and Adolescents' Video Gaming Addiction with the AHP and TOPSIS Methods. International Journal of Environmental Research and Public Health 19, 15 (Aug. 2022). https://doi.org/10.3390/ijerph19159680 Publisher: MDPI.
- [41] Young-Ho Kim, Jae Ho Jeon, Eun Kyoung Choe, Bongshin Lee, KwonHyun Kim, and Jinwook Seo. 2016. TimeAware: Leveraging Framing Effects to Enhance Personal Productivity. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems. ACM, San Jose California USA, 272–283. https://doi.org/10.1145/2858036.2858428
- [42] Orsolya Király, Mark D. Griffiths, Daniel L. King, Hae-Kook Lee, Seung-Yup Lee, Fanni Bányai, Ágnes Zsila, Zsofia K. Takacs, and Zsolt Demetrovics. 2018. Policy responses to problematic video game use: A systematic review of current measures and future possibilities. *Journal of Behavioral Addictions* 7, 3 (Sept. 2018), 503–517. https://doi.org/10.1556/2006.6.2017.050 Publisher: Akadémiai Kiadó Section: Journal of Behavioral Addictions.
- [43] Minsam Ko, Seungwoo Choi, Subin Yang, Joonwon Lee, and Uichin Lee. 2015. FamiLync: facilitating participatory parental mediation of adolescents' smartphone use. In Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing UbiComp '15. ACM Press, Osaka, Japan, 867–878. https://doi.org/10.1145/2750858.2804283
- [44] Minsam Ko, Subin Yang, Joonwon Lee, Christian Heizmann, Jinyoung Jeong, Uichin Lee, Daehee Shin, Koji Yatani, Junehwa Song, and Kyong-Mee Chung. 2015. NUGU: A Group-based Intervention App for Improving Self-Regulation of Limiting Smartphone Use. In Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing. ACM, Vancouver BC Canada, 1235–1245. https://doi.org/10.1145/2675133.2675244
- [45] Daria Joanna Kuss and Mark D. Griffiths. 2012. Internet Gaming Addiction: A Systematic Review of Empirical Research. International Journal of Mental Health and Addiction 10, 2 (April 2012), 278–296. https://doi.org/10.1007/s11469-011-9318-5
- [46] Heyoung Lee, Heejune Ahn, Samwook Choi, and Wanbok Choi. 2014. The SAMS: Smartphone Addiction Management System and Verification. Journal of Medical Systems 38, 1 (Jan. 2014), 1. https://doi.org/10.1007/s10916-013-0001-1
- [47] Chris Lewis, Noah Wardrip-Fruin, and Jim Whitehead. 2012. Motivational game design patterns of 'ville games. In Proceedings of the International
- Conference on the Foundations of Digital Games. ACM, Raleigh North Carolina, 172–179. https://doi.org/10.1145/2282338.2282373

 [48] microsoft. 2016. Xbox One Serves Up 'Excessive Game Playing' Warnings. https://uk.pcmag.com/microsoft-xbox-one-games/83180/xbox-one-serves-up-excessive-game-pl
- [49] Brian Milburn, 1998, Cybersitter,

Section: Microsoft Xbox One Games.

[50] Kimberly J. Mitchell, David Finkelhor, and Janis Wolak. 2005. Protecting youth online: Family use of filtering and blocking software. Child Abuse & Neglect 29, 7 (July 2005), 753–765. https://doi.org/10.1016/j.chiabu.2004.05.008

- [51] Lennart Nacke and Anders Drachen. 2011. Towards a framework of player experience research. In Proceedings of the second international workshop on evaluating player experience in games at FDG, Vol. 11.
- [52] Amy I. Nathanson. 1999. Identifying and Explaining the Relationship Between Parental Mediation and Children's Aggression. Communication Research 26. 2 (April 1999), 124–143. https://doi.org/10.1177/009365099026002002
- [53] Heather L. O'Brien, Ido Roll, Andrea Kampen, and Nilou Davoudi. 2022. Rethinking (Dis)engagement in human-computer interaction. Computers in Human Behavior 128 (March 2022). https://doi.org/10.1016/j.chb.2021.107109 Publisher: Elsevier Ltd.
- [54] Heather L. O'Brien and Elaine G. Toms. 2008. What is user engagement? A conceptual framework for defining user engagement with technology. Journal of the American Society for Information Science and Technology 59, 6 (April 2008), 938–955. https://doi.org/10.1002/asi.20801
- [55] Catharine Oertel, Ginevra Castellano, Mohamed Chetouani, Jauwairia Nasir, Mohammad Obaid, Catherine Pelachaud, and Christopher Peters. 2020. Engagement in Human-Agent Interaction: An Overview. Frontiers in Robotics and AI 7 (2020). https://www.frontiersin.org/articles/10.3389/frobt.2020.00092
- [56] Fabian Okeke, Michael Sobolev, Nicola Dell, and Deborah Estrin. 2018. Good vibrations: can a digital nudge reduce digital overload?. In Proceedings of the 20th International Conference on Human-Computer Interaction with Mobile Devices and Services. ACM, Barcelona Spain, 1–12. https://doi.org/10.1145/3229434.3229463
- [57] Heather O'Brien. 2016. Theoretical Perspectives on User Engagement. In Why Engagement Matters, Heather O'Brien and Paul Cairns (Eds.). Springer International Publishing, Cham, 1–26. https://doi.org/10.1007/978-3-319-27446-1_1
- [58] Stamatios Papadakis, Foteini Alexandraki, and Nikolaos Zaranis. 2022. Mobile device use among preschool-aged children in Greece. Education and Information Technologies 27, 2 (March 2022), 2717–2750. https://doi.org/10.1007/s10639-021-10718-6
- [59] Olga Perski, Ann Blandford, Robert West, and Susan Michie. 2017. Conceptualising engagement with digital behaviour change interventions: a systematic review using principles from critical interpretive synthesis. Translational Behavioral Medicine 7, 2 (June 2017), 254–267. https://doi.org/10/gf7mwd
- [60] Dorian Peters, Rafael A. Calvo, and Richard M. Ryan. 2018. Designing for Motivation, Engagement and Wellbeing in Digital Experience. Frontiers in Psychology 9 (May 2018), 797. https://doi.org/10.3389/fpsyg.2018.00797
- [61] Falko Weigert Petersen, Line Ebdrup Thomsen, Pejman Mirza-Babaei, and Anders Drachen. 2017. Evaluating the Onboarding Phase of Free-toPlay Mobile Games: A Mixed-Method Approach. In Proceedings of the Annual Symposium on Computer-Human Interaction in Play. ACM, Amsterdam The Netherlands, 377–388. https://doi.org/10.1145/3116595.3125499
- [62] Amon Rapp. 2022. Time, engagement and video games: How game design elements shape the temporalities of play in massively multiplayer online role-playing games. *Information Systems Journal* 32, 1 (Jan. 2022), 5–32. https://doi.org/10.1111/isj.12328 Publisher: John Wiley and Sons Inc.
- [63] Scott Rigby and Richard M. Ryan. 2011. Glued to games: how video games draw us in and hold us spellbound. ABC-CLIO, Santa Barbara, Calif.
- [64] Rooij, A.J. van, Birk, M.V., Hof, S. van der, Ouburg, S., and Hilten, S. van. 2021. Behavioral design in video games. Technical Report. Trimbos institute, Eindhoven University of Technology & Leiden University. http://hdl.handle.net/1887/3494451 Publication Title: None (EN).
- [65] Gordon Ross. 2021. Net Nanny.
- [66] Henrik Schønau-Fog and Thomas Bjørner. 2012. "Sure, I Would Like to Continue": A Method for Mapping the Experience of Engagement in Video Games. Bulletin of Science, Technology and Society 32, 5 (Oct. 2012), 405–412. https://doi.org/10.1177/0270467612469068 Publisher: SAGE Publications Ltd.
- [67] Chaklam Silpasuwanchai, Xiaojuan Ma, Hiroaki Shigemasu, and Xiangshi Ren. 2016. Developing a Comprehensive Engagement Framework of Gamification for Reflective Learning. In Proceedings of the 2016 ACM Conference on Designing Interactive Systems. ACM, Brisbane QLD Australia, 459–472. https://doi.org/10.1145/2901790.2901836
- [68] Matthew W.R. Stevens, Paul H. Delfabbro, and Daniel L. King. 2021. Prevention Strategies to Address Problematic Gaming: An Evaluation of Strategy Support Among Habitual and Problem Gamers. https://doi.org/10.1007/s10935-021-00629-0 Publisher: Springer.
- [69] Firefly Studios. 2002. Stronghold: Crusader. Place: New York City, US tex.howpublished: Game [Microsoft Windows, Android].
- [70] Victoria Anne Sublette and Barbara Mullan. 2012. Consequences of Play: A Systematic Review of the Effects of Online Gaming. International Journal of Mental Health and Addiction 10, 1 (Feb. 2012), 3–23. https://doi.org/10.1007/s11469-010-9304-3
- [71] Jerry Chih-Yuan Sun. 2014. Influence of polling technologies on student engagement: An analysis of student motivation, academic performance, and brainwave data. Computers & Education 72 (March 2014), 80–89. https://doi.org/10.1016/j.compedu.2013.10.010
- [72] April Tyack and Elisa D. Mekler. 2020. Masterclass: Rethinking self-determination theory in player-computer interaction. In CHI PLAY 2020 Extended Abstracts of the 2020 Annual Symposium on Computer-Human Interaction in Play. Association for Computing Machinery, Inc, 1–2. https://doi.org/10.1145/3383668.3419848
- [73] April Tyack and Elisa D. Mekler. 2020. Self-Determination Theory in HCI Games Research: Current Uses and Open Questions. In Conference on Human Factors in Computing Systems Proceedings, Vol. 2020-January. Association for Computing Machinery. https://doi.org/10.1145/3313831.3376723
- [74] Antonius J. Van Rooij, Rowan Daneels, Sien Liu, Sarah Anrijs, and Jan Van Looy. 2017. Children's Motives to Start, Continue, and Stop Playing Video Games: Confronting Popular Theories with Real-World Observations. Current Addiction Reports 4, 3 (Sept. 2017), 323–332. https://doi.org/10.1007/s40429-017-0163-x Publisher: Springer.
- [75] Richard T.A. Wood. 2008. Problems with the concept of video game "addiction": Some case study examples. International Journal of Mental Health and Addiction 6, 2 (April 2008), 169–178. https://doi.org/10.1007/s11469-007-9118-0

[76] Hanting Xie, Daniel Kudenko, Sam Devlin, and Peter Cowling. 2014. Predicting Player Disengagement in Online Games. In Computer Games (Communications in Computer and Information Science), Tristan Cazenave, Mark H. M. Winands, and Yngvi Björnsson (Eds.). Springer International Publishing, Cham, 133–149. https://doi.org/10.1007/978-3-319-14923-3_10

- [77] Jee Bin Yim, Donghyeon Ko, and Woohun Lee. 2021. Romi: Screen Peripheral Companion for Mediating Children's Healthy Screen Use. In Interaction Design and Children. ACM, Athens Greece, 456–460. https://doi.org/10.1145/3459990.3465179
- [78] José P. Zagal, Staffan Björk, and Chris Lewis. 2013. Dark Patterns in the Design of Games. http://urn.kb.se/resolve?urn=urn:nbn:se:ri:diva-24252
- [79] Mingrui Ray Zhang, Kai Lukoff, Raveena Rao, Amanda Baughan, and Alexis Hiniker. 2022. Monitoring Screen Time or Redesigning It?: Two Approaches to Supporting Intentional Social Media Use. In CHI Conference on Human Factors in Computing Systems. ACM, New Orleans LA USA, 1–19. https://doi.org/10.1145/3491102.3517722
- [80] Xiaofang Zhong and Jinjie Xu. 2021. Game updates enhance players' engagement: A case of DOTA2. In ACM International Conference Proceeding Series. Association for Computing Machinery, 117–123. https://doi.org/10.1145/3485190.3485209
- [81] Xiaofang Zhong and Jinjie Xu. 2022. Measuring the effect of game updates on player engagement: A cue from DOTA2. Entertainment Computing 43 (Aug. 2022), 100506. https://doi.org/10.1016/j.entcom.2022.100506

Received 20 February 2007; revised 12 March 2009; accepted 5 June 2009