

Calculation of the local environment of a barium monofluoride molecule in a neon matrix

R. L. Lambo, G. K. Koyanagi, M. Horbatsch, R. Fournier, E. A. Hessels*

York University, Toronto ON, Canada

(EDM³ collaboration)

(Dated: May 19, 2023)

The local environment of a barium monofluoride (BaF) molecule embedded in a neon matrix is studied theoretically. The energy of the $\text{BaF}-\text{Ne}$ triatomic system is calculated with a scalar relativistic Hamiltonian, using coupled-cluster theory at the CCSD(T) level for 1625 positions of the Ne atom relative to the BaF molecule. The calculations are repeated with increasing basis sets (from double to quintuple zeta), and are extrapolated to estimate the complete-basis-set limit. Using the potential obtained from these calculations, it is determined that substituting a BaF molecule for ten Ne atoms is favoured compared to substitutions for other numbers of Ne atoms. The equilibrium position and orientation of the BaF molecule and the displacement of its nearby Ne neighbours are determined. The potential barriers that prevent the BaF molecule from migrating and rotating are calculated. These barriers are essential for the EDM³ collaboration, which is using BaF molecules embedded in a noble-gas solid to perform a precision measurement of the electron electric dipole moment.

Keywords: matrix isolation, barium monofluoride, neon

I. INTRODUCTION

Barium monofluoride embedded in a rare-gas matrix is being investigated [1] by the EDM³ collaboration to carry out a high-precision measurement of the electron electric dipole moment (eEDM). Current measurements [2, 3] of the eEDM already test physics at energy scales of up to 100 TeV, and put strong limits on possible beyond-the-standard-model physics that would allow for the level of time-reversal (T) violation needed to explain the asymmetry between matter and antimatter in the universe. More precise measurements of the eEDM will probe for new physics at even higher energies.

As described in Section II, we use all-electron scalar-relativistic quantum-mechanical calculations at the level of coupled-cluster theory using the second-order Douglas-Kroll-Hess method to obtain ground-state energies of the $\text{BaF}-\text{Ne}$ triatomic system. We include correlation at the CCSD(T) level and extrapolate to the complete-basis-set limit. The energies are calculated for a large range of positions (distances r and angles θ) of the Ne atom relative to the BaF molecule. Interpolations provide a smoothly varying potential energy versus r and θ for the interaction between BaF and Ne.

As described in Section III, this potential, along with the well-known Ne-Ne interatomic potential is used to calculate the local environment near the embedded BaF molecule. A substitution of a BaF molecule for ten Ne atoms is found to be favoured energetically compared

to substitutions for other numbers of Ne atoms, and a second local minimum is found for a substitution of thirteen Ne atoms. The equilibrium positions of the BaF molecule and of the neighbouring Ne atoms are determined. Large potential barriers are found to prevent the BaF molecule from migrating through the solid and from rotating within the solid. These barriers will allow for non-rotating, non-migrating BaF molecules to be held by the solid, as is required for an eEDM measurement [1].

Recently, BaF molecules have been embedded in both Ne [4] and Ar [5] cryogenic solids by the EDM³ collaboration. In both cases, laser-induced fluorescence is observed at wavelengths close to those seen for the free BaF molecule. Electron-spin-resonance studies [4, 6] of matrix-isolated BaF molecules have also been performed. Knowledge of the location and orientation of the BaF molecule within the fcc Ne crystal is needed to understand the underlying physics involved in this spectroscopy and help guide continuing work of the EDM³ collaboration.

II. TRIATOMIC $\text{BaF}-\text{Ne}$ CALCULATIONS

Calculations of the $\text{BaF}-\text{Ar}$ binding energy are performed at 1625 positions of a Ne atom relative to a BaF molecule whose internuclear separation is held fixed (25 angles, θ , and 65 distances, $2.4 \text{ \AA} \leq r \leq 16 \text{ \AA}$) Here r is the distance between the Ne nucleus and the midpoint between the Ba and F nuclei and θ is defined to be the angle between the Ne and F nuclei relative to this midpoint, as shown in the inset in Fig. 1.

The methods used are similar to those of our previ-

* Correspondence email address: hessels@yorku.ca




Figure 1. (color online) The calculated energies of the triatomic BaF-Ne system for the case of $\theta = 90^\circ$. The curves shown are for $\zeta = 2$ through $\zeta = 5$ basis sets. Also shown are the complete-basis-set extrapolations of Eqs. (1) and (2). The level of agreement between the two extrapolations leads to an estimate of the uncertainty in our calculations.

ous work [7] on the BaF-Ar triatomic system. For F and Ne, non-relativistic all-electron $\zeta=2$ through 5 basis sets (aug-cc-pV ζ Z) are obtained from Kendall et al. [8] and Woon et al. [9]. These basis sets are fully uncontracted and atomic calculations are performed at the Douglas-Kroll-Hess (DKH) second-order scalar-relativistic level [10, 11]. Using orbital occupations from this calculation, the basis sets are re-contracted to their original structure. The basis sets for Ba are an extension of the work of Hill and Peterson [12], as described in Ref. [7]. All calculations are performed using the Gaussian 16 suite of programs [13] on Digital Research Alliance of Canada computers.

The binding energies calculated are $E(\text{BaF-Ne}) - E(\text{BaF}) - E(\text{Ne})$. Counterpoise corrections are applied (as described in Ref. [7]), whereby $E(\text{Ne})$ is computed with the inclusion of the basis functions of the Ba and F atoms and $E(\text{BaF})$ is computed with the inclusion of Ne basis functions [14].

Correlation is incorporated using the coupled-cluster method CCSD(T) [15–17]. The total correlation energy can be obtained by studying the problem with a succession of basis sets and extrapolating to a complete-basis-set (CBS). By comparing an extrapolation [18]

$$E_{234} = 1.677E_4 - 0.712E_3 + 0.035E_2 \quad (1)$$

of the energies using $\zeta = 2, 3$ and 4 basis sets to the analogous extrapolation from $\zeta = 3, 4$ and 5 ,

$$E_{345} = 1.593E_5 - 0.597E_4 + 0.004E_3, \quad (2)$$

we are able to estimate the uncertainty of our calculations. Other methods of extrapolating to a complete basis set are discussed in the literature [19–22]. As in Ref. [7], we chose the extrapolations of Eqs. (1) and (2)

since they give good agreement with measured quantities in BaF, Ba and Ba $^+$. From the level of agreement, we estimate the uncertainty of our E_{345} calculations to be one quarter of the $E_{345} - E_{234}$ difference (as detailed in Ref. [7]).

Figure 1 shows $\zeta=2$ through 5 calculations for the BaF-Ne system for the case of $\theta = 90^\circ$, along with the two extrapolations. Note that the difference between the two extrapolations is small (~ 1 meV at 3 Å, ~ 0.1 meV at 5 Å, and ~ 0.01 meV at 7 Å). The computationally-expensive $\zeta=5$ calculations were performed at 525 carefully-chosen points and, at points where the $\zeta=5$ calculation were not performed, E_{345} is estimated to high accuracy from a smooth interpolation and extrapolation of $E_{345} - E_{234}$ obtained from the 525 points.

The current calculations are performed with the internuclear Ba-F separation fixed. The BaF binding energy (6 eV [23, 24]) is large compared to the BaF-Ne binding energy (8 meV; calculated here), which leads to a much stronger restoring force for BaF stretching compared to BaF-Ne interactions and justifies fixing the BaF internuclear separation. The separation is fixed at 2.16 Å – the separation determined from rotational spectroscopy [25]. Extrapolation of our CCSD(T) diatomic potential curves is consistent [7] with this value.

Figure 2 shows a contour plot of our calculated BaF-Ne potential and Figure 3 shows the calculated BaF-Ne energies for 8 of the 25 angles θ used for our calculations. Parts (a) and (b) of Fig. 3 show the shorter-distance potentials and parts (c) and (d) show the longer-distance potential, and these have their zeros offset by 1, 2 and 3 meV for clarity. The uncertainties shown in the figure are based on one quarter of typical $E_{345} - E_{234}$ differences, with uncertainties of approximately 1 meV at 25 meV on the repulsive wall, 0.1 meV at $E_{345} = 0$, 0.05 meV at the potential minimum, and reducing to 0.0005 meV at long distances. The full set of calculated energies is given in Tables III through XXVII of the Supplementary Materials.

As can be seen in Fig. 2, the Ne-BaF potential varies strongly with angle. For $\theta = 0$, for which the Ne atom is on the F side of the BaF molecule, the binding energy is larger ($D_e = 8.2$ meV at $R_e \approx 4.2$ Å), whereas on the Ba side, the Ne atom is bound more weakly and the equilibrium distance is much larger ($D_e = 1.1$ meV at $R_e \approx 7.1$ Å). The short-distance repulsion has steep curves at small θ and increasingly gentle curves for larger θ . The large Ba atom leads to the repulsive wall of the potential energy being at larger distances (with a value of 40 meV at approximately 4.8 Å) and the smaller F atom allows for closer separations (40 meV at approximately 3.6 Å). The repulsive wall is even closer near $\theta = 90^\circ$, where 40 meV occurs at approximately 2.9 Å.




Figure 2. (color online) A contour graph of the calculated potential energy between a Ne atom and a BaF molecule. The geometric centre of the Ba and F nuclei is situated at the origin of the plot. The dashed line shows the equilibrium separation R_e as a function of θ .

III. LOCAL ENVIRONMENT OF BaF IN A Ne SOLID

Using the triatomic calculations of Section II, the geometry and energy of a BaF molecule in a Ne crystal can be determined. We employ methods similar to those used in our previous work [26], in which the BaF-Ar system is discussed. Solid Ne has a face-centred-cubic (fcc) structure with a cube dimension of $a = 4.4644 \text{ \AA}$ [27] for ^{20}Ne , 4.4559 \AA [27] for ^{22}Ne , and 4.4637 \AA [28] in the naturally-occurring mixture of isotopes. Our simulations use a cluster of Ne atoms within a sphere of radius $b_n = \sqrt{n}a/\sqrt{2}$ (the distance between n^{th} -nearest neighbours in the crystal). Similar to Ref. [29], the outer part of this sphere (those farther than b_m from the centre) have their positions fixed at the ideal Ne fcc crystal positions. Inside this shell, a single BaF molecule is situated near the centre, surrounded by M Ne atoms. The M Ne atoms and one BaF molecule are allowed to move to minimize the overall interaction energy of the system.

The total energy of the cluster is minimized while varying $3M + 5$ parameters: the positions of the M Ne atoms and of the BaF molecule, as well as the two angles defining the orientation of the BaF molecule. As

in Ref. [26], two independent calculations using different methods are employed for this minimization to verify that the global minimum is found. As discussed above, the separation between the Ba and F nuclei is fixed at 2.16 \AA , the separation determined from rotational spectroscopy [25].

The value of M is chosen to be S fewer than the number of atoms that would fully occupy the sphere of radius b_m , which allows the BaF molecule to substitute for S Ne atoms. The total number of Ne atoms in the simulations is N , including an outer shell of $N - M$ fixed atoms extending to a radius of b_n .

The energy being minimized is the sum of pairwise interactions:

$$E = \sum_{i=1}^M \sum_{j=i+1}^N V_{\text{Ne-Ne}}(|\vec{r}_i - \vec{r}_j|) + \sum_{i=1}^N V_{\text{BaF-Ne}}(|\vec{r}_i - \vec{r}_0|, \theta_i), \quad (3)$$

where \vec{r}_0 is the position of the BaF molecule, \vec{r}_i is the position of the i^{th} Ne nucleus, and θ_i is the angle between the internuclear axis ($\vec{r}_F - \vec{r}_0$) and the i^{th} Ne atom ($\vec{r}_i - \vec{r}_0$).

The interaction energy between two Ne atoms, $V_{\text{Ne-Ne}}(r)$ is precisely known [30]. To correctly describe a Ne crystal, however, corrections must be included [31] to these Ne-Ne interactions. The dominant correction is due to the zero-point energy of the Ne atoms, which requires an averaging of $V_{\text{Ne-Ne}}(r)$ over the positional probability distributions that results from the zero-point motion of the atoms. The next-largest correction is due to three-body Ne-Ne-Ne interactions. Without these corrections, the calculated lattice constant and cohesive energy for the Ne fcc crystal would be incorrect. One approach to compensating for these effects follows the example of Ref. [32], by using a scaled potential

$$V_{\text{Ne-Ne}}^{\text{mod1}}(r) = \alpha V_{\text{Ne-Ne}}(\beta r). \quad (4)$$

Coefficients $\alpha = 0.7048$ and $\beta = 0.9587$ are then chosen to match the experimental Ne fcc cube dimension of $b = 4.4637 \text{ \AA}$ [28] and cohesive energy of $E_{\text{coh}} = 20.03 \text{ meV}$ [33].

However, since the corrections are dominated by zero-point motion, we introduce a new method of scaling which uses

$$V_{\text{Ne-Ne}}^{\text{avg},\sigma}(|\vec{r}_1 - \vec{r}_2|) = \int_{-\infty}^{\infty} dx'_1 \int_{-\infty}^{\infty} dy'_1 \int_{-\infty}^{\infty} dz'_1 \int_{-\infty}^{\infty} dx'_2 \int_{-\infty}^{\infty} dy'_2 \int_{-\infty}^{\infty} dz'_2 n_{\sigma}(x'_1) n_{\sigma}(y'_1) n_{\sigma}(z'_1) n_{\sigma}(x'_2) n_{\sigma}(y'_2) n_{\sigma}(z'_2) n_{\sigma}(|(\vec{r}_1 + \vec{r}'_1) - (\vec{r}_2 + \vec{r}'_2)|), \quad (5)$$

where $\vec{r}'_i = (x'_i, y'_i, z'_i)$ and n_{σ} is a normal distribution with a mean of zero and a standard deviation of σ .




Figure 3. (color online) The potentials shown for 8 of the 25 angles, θ , calculated here. The points plotted are the E_{345} extrapolations, and the uncertainties are one quarter of the typical $E_{345} - E_{234}$ difference at this energy. The potential curves at longer distances shown in (c) and (d) are offset for clarity.

Eq. (5) calculates the interaction of the two Ne atoms, each of which has a three-dimensional gaussian distribution for its positional probability. As in Eq. (4), it is necessary to scale this potential so that it gives the correct value of E_{coh} and b . This scaling can be achieved by using either

$$V_{\text{Ne-Ne}}^{\text{mod2}}(r) = V^{\text{avg},\sigma}(\beta'r) \quad (6)$$

or

$$V_{\text{Ne-Ne}}^{\text{mod3}}(r) = \alpha' V^{\text{avg},\sigma'}(r). \quad (7)$$

For Eq. (6), the constants required to match the experimental values of E_{coh} and b are $\sigma = 0.197$ Å and $\beta' = 1.0348$. For Eq. (7), the parameters are $\sigma' = 0.145$ Å and $\alpha' = 0.853$. The fact that α' and β' are both closer to unity than α and β indicates that this averaging is more appropriate than the simple scaling of Eq. (4).

The BaF-Ne interaction energy, $V_{\text{BaF-Ne}}(r,\theta)$, of Eq. (3) is obtained by interpolating the triatomic results of Section II that are listed in Table III through

XXVII of the Supplementary Materials. When using the Ne-Ne potentials of Eqs. (6) and (7), the triatomic potential $V_{\text{BaF-Ne}}(r,\theta)$ is also averaged over the three-dimensional gaussian distributions for the Ne position.

For all simulations, the calculations are repeated with increasing numbers N and M of Ne atoms and extrapolated to the limit of large N and M . The convergence of our results with increasing cluster size provides an estimate of the resulting uncertainty. Additionally, we repeat the simulations with both the 234 and 345 extrapolated potentials from Section II. As discussed above, the uncertainty in our simulations is expected to be one quarter of the difference between the 345 and 234 results. Finally, we repeat our simulations using using the three modified Ne-Ne potentials of Eqs. (4), (6) and (7). The variation of our results using these three potentials gives a scale for the associated uncertainty. Uncertainties due to four-atom BaF-Ne-Ne interactions are expected to be very small, as was shown to be the case for similar BaF-Ar-Ar interactions [26].




Figure 4. (color online) Energy favourability versus the number S of Ne atoms substituted for a BaF molecule. The data plotted is that of Table I. Squares of increasing darkness represent the simulations with increasing numbers of Ne atoms, with the black squares showing the extrapolation to a macroscopic matrix. The exes and open symbols correspond to the rows marked a , b and c in Table I, and (when compared to the lightest gray squares) show the sensitivity to the choice of BaF-Ne potential and Ne-Ne potential. $S = 10$ is favoured, with a second minimum present at $S = 13$.

IV. RESULTS

A. Number of Ne atoms substituted for a BaF molecule

To determine which integer S of Ne atoms displaced by the BaF molecule is most energetically favourable, we compare values of

$$\Delta E_{n,m,S} = E_{n,m,S} - SE_{\text{coh}}, \quad (8)$$

where $E_{n,m,S}$ is calculated using Eq. (3) for a sphere of radius b_m of non-fixed Ne atoms (of which S are removed and replaced with a BaF molecule) inside of a spherical shell of fixed Ne atoms that extends to a radius of b_n . The SE_{coh} term corrects for the missing Ne cohesive energy from removing S isolated Ne atoms. The lowest value of $\Delta E_{n,m,S}$ occurs for $S = 10$. This is in contrast to the case for a BaF molecule in an Ar solid [26], where the much tighter binding leads to $S = 4$ being preferred, but is similar to the case of an Yb atom in a Ne solid [34], which also prefers $S = 10$.

Table I and Fig. 4 show the values of $\Delta E_{n,m,S} - \Delta E_{n,m,S=10}$ for various values of n and m . As can be seen from the table, substituting a BaF molecule for

$S = 10$ Ne atoms is energetically favourable compared to other values of S . The ~ 4 meV energy advantage of the $S = 10$ substitution is much larger than the thermal energy scale $k_B T = 0.34$ meV for a matrix held at 4 kelvin. As a result, it can be expected that the BaF molecules will persist in an $S = 10$ site at this temperature. As seen from Fig. 4, a second (local) minimum occurs for $S = 13$, and this second minimum also is favoured by ~ 4 meV compared to neighbouring values of S .

The conclusions drawn from Table I are not affected by any of the uncertainties that we investigated, as illustrated in Fig. 4. It was possible to extrapolate $E_{n,m,S}$ to its large N and M limit, $E_{\text{extrap},S}$, by noting that $E_{\text{extrap},S} - E_{n,m,S}$ scales as $1/M$ (so long as N is approximately proportional to M). The extrapolated values are given in the final row of Table I, and the uncertainty in these extrapolations is less than 1 meV. From Fig. 4, it can be seen that using the less precise 234 extrapolation for the BaF-Ne interaction energy (shown as exes in the figure) does not affect these conclusions. Similarly, the use of alternate scaling methods for the Ne-Ne potential (Eqs. (6) and (7) – shown as triangles and circles in the figure) also do not affect the conclusions.

B. Geometry of the matrix isolated BaF

At its minimum energy the favoured $S = 10$ substitution has the BaF molecule aligned with the $\langle 100 \rangle$ axis of the Ne fcc crystal, as shown in Fig. 5(a), where the F atom replaces the Ne atom at the top face of a cube, with the Ba atom located near the centre of this cube. The four Ne atoms at the four top corners of the cube tightly bind to the F atom, whereas the other Ne atoms on this cube are displaced by the larger Ba atom. The original fcc crystal positions of the ten missing Ne atoms are shown in grey in the figure.

The positions of the BaF molecule and the nearest Ne atom neighbours (for $S = 10$) are detailed in Table II. The equilibrium positions of the Ne atoms are remarkably close to their original positions in the fcc crystal. The uncertainties for the Ne atom positions in the table are approximately 0.01 Å or less, as was demonstrated by repeating the simulations with larger clusters, with the less-precise E_{234} potential, and with the modified potentials of Eqs. 6 and 7. The displacement of the BaF molecule along the $\langle 100 \rangle$ axis (x in Table II) shows some dependence on the form of the Ne-Ne potential used and therefore has an uncertainty of 0.05 Å.

The configuration for the local minimum at $S = 13$ is shown in Fig. 5(b). For this case, the BaF molecule is parallel to the 110 axis of the crystal. The Ba atom replaces the central Ne atom and its twelve nearest neighbours, with the F atom nearly at the location of one

n	m	$N_{S=10}$	$M_{S=10}$	$\Delta E_{n,m,S} - \Delta E_{n,m,S=10}$ (meV)													
				5	6	7	8	9	10	11	12	13	14	15	16	17	18
19	7	521	125	64	20	16	9	6	0	9	15	10	13	18	25	32	43
19	7	521	125	70 ^a	23 ^a	18 ^a	11 ^a	6 ^a	0 ^a	8 ^a	14 ^a	7 ^a	10 ^a	15 ^a	22 ^a	28 ^a	39 ^a
19	7	521	125	71 ^b	24 ^b	19 ^b	11 ^b	7 ^b	0 ^b	9 ^b	14 ^b	8 ^b	11 ^b	16 ^b	23 ^b	29 ^b	40 ^b
19	7	521	125	77 ^c	27 ^c	22 ^c	12 ^c	8 ^c	0 ^c	8 ^c	14 ^c	6 ^c	9 ^c	14 ^c	20 ^c	26 ^c	37 ^c
27	11	877	215	59	18	14	8	5	0	9	15	10	13	19	26	33	45
47	20	1951	545	54	16	13	7	5	0	9	16	11	15	20	27	34	46
extrapolated				51	14	12	6	4	0	10	16	11	15	20	27	34	46

^aThis row uses the less-precise 234 BaF-Ne potential. One quarter of the difference between this entry and the entry above it gives an estimate of the uncertainty for the previous row.

^bThis row uses the Ne-Ne potential of Eq. (6).

^cThis row uses the Ne-Ne potential of Eq. (7). The variation between this row, the previous row and the first row provides a scale for the approximation implicit in Eq. (4).

Table I: Comparison of energetic favourability of a BaF molecule substituting for S Ne atoms for increasing cluster size N with an increasing number M of non-fixed Ne atoms. To aid in determining the uncertainties of the simulations, calculations using a less precise 234 form of the BaF-Ne potential are also shown, as are calculations for which the Ne-Ne potential is obtained from Eqs. (6) and (7). $S = 10$ is favoured, with a second local minimum at $S = 13$.




Figure 5. (color online) The most energetically favourable configuration (a) has the BaF molecule substituting for ten Ne atoms (shown in grey) and aligned along the $\langle 100 \rangle$ axis of the Ne fcc crystal. The F atom (green) is situated near one of the substituted Ne atoms and the Ba atom (blue) is situated near the centre of the fcc cube. Only four of the fourteen Ne atoms (red) remain on the surface of this cube. Panel (b) shows the geometry for the BaF molecule substituting for thirteen Ne atoms. In this case, a Ne atom and its twelve nearest neighbours are replaced by the BaF molecule, with the Ba atom situated near the central missing Ne atom and the F atom situated near one of the nearest neighbours. The BaF axis is along the 110 direction of the Ne crystal for this case.

N_{symm}	x	y	z	Δ_x	Δ_y	Δ_z
Ba	-2.24	0.00	0.00			
F	-0.08	0.00	0.00	-0.08	0.00	0.00
Ne	4	0.11	2.31	2.31	0.11	0.08
Ne	4	2.23	2.22	0.00	0.00	-0.01
Ne	4	0.01	4.45	0.00	0.01	-0.01
Ne	1	4.45	0.00	0.00	-0.01	0.00
Ne	8	-2.22	2.25	4.50	0.01	0.02
Ne	8	2.27	2.24	4.49	0.03	0.01
Ne	4	4.46	2.23	2.23	-0.01	0.00
Ne	4	-4.49	4.53	0.00	-0.03	0.07
Ne	4	0.02	4.49	4.49	0.02	0.03
Ne	4	4.47	4.46	0.00	0.00	0.00
Ne	4	-6.79	2.26	0.00	-0.10	0.03
Ne	4	-2.22	6.71	0.00	0.01	0.02
Ne	8	0.01	6.70	0.00	0.01	0.00
Ne	4	2.24	6.70	0.00	0.01	0.01
Ne	4	6.69	2.23	0.00	-0.01	0.00

Table II: The equilibrium positions (in Å relative to the centre of the cluster) for the lowest-energy ($S = 10$) configuration of a BaF molecule and its nearby Ne atom neighbours. Each row represents N_{symm} symmetrical atoms (using the symmetries about $z = 0$, $y = 0$ and $y = z$). The final three columns give the displacement of the F and Ne atoms relative to the ideal fcc positions.

C. Potential for preventing BaF rotations and migration

The potential energy barrier confining the angular orientation of the BaF molecule to near the $\langle 100 \rangle$ axis of the Ne crystal is calculated by repeating the energy optimization for many fixed orientations of the BaF

of these nearest neighbours. The detailed positions of the BaF molecule and the neighbouring Ne atoms for $S = 13$ are given in Table XXVIII of the Supplementary Materials.




Figure 6. (color online) $V(\theta_1, \theta_2)$ shows the energy cost in meV for changing the orientation of the BaF molecule from its preferred $\langle 100 \rangle$ axis in two perpendicular directions: θ_1 (towards the $\langle 010 \rangle$ direction) and θ_2 (towards the $\langle 001 \rangle$ direction).

molecule. To do this, the energy minimization for the cluster is performed while varying the remaining $3M+3$ parameters (the locations of the molecule and the M Ne atoms), with the orientation of the molecule fixed. The resulting potential barrier is shown in Fig. 6. From the figure, it can be seen that a 20-meV-deep potential keeps the BaF molecule aligned along the $\langle 100 \rangle$ axis. Identical wells are present at six symmetric axes: $\langle \pm 100 \rangle$, $\langle 0 \pm 10 \rangle$ and $\langle 00 \pm 1 \rangle$. At 4 kelvin, the 20-meV wells are more than sufficient to confine the orientation to one of these six orientations. The locked orientation (together with methods to separately address individual orientations [1]) makes it unnecessary to apply an electric field during an eEDM measurement.

Similarly, to determine the energy cost for a BaF molecule being at a position away from its equilibrium, the simulations are repeated with the BaF centre-of-mass position fixed at many displacements from equilibrium, and minimizing the energy by varying the remaining $3M+2$ parameters. These simulations indicate that the energy cost for moving by a distance of 0.7 Å from equilibrium in any direction is 20 meV or greater. As a result, the BaF molecule is unable to migrate through the solid.

V. CONCLUSIONS

Calculations of the local environment of a BaF molecule within a Ne matrix are discussed. It is found that the molecule prefers to replace ten Ne atoms and is aligned along the $\langle 100 \rangle$ axis of the Ne crystal. The remaining Ne atoms are found to be only slightly displaced from their original fcc crystal positions. The

inability of the molecule to reorient or migrate at a temperature of 4 kelvin and the small perturbation of the rest of the Ne crystal are important features for the planned eEDM measurement by the EDM³ collaboration using matrix-isolated BaF molecules.

VI. ACKNOWLEDGEMENTS

This work is supported by the Alfred P. Sloan Foundation, the Gordon and Betty Moore Foundation, the Templeton Foundation in conjunction with the Northwestern Center for Fundamental Physics, the Natural Sciences and Engineering Research Council of Canada and York University. Computations for this work were supported by Compute Ontario and the Digital Research Alliance of Canada.

VII. SUPPLEMENTARY MATERIALS

Tables III to XXVII show the calculated potential energies $V(r, \theta)$ (in meV) for the basis sets $\zeta = 2$ through 5 for angles θ given in the table captions. Also shown are the complete-basis-set extrapolations of Eqs. (1) and (2).

Values in italics are interpolations or extrapolations. The italics values for $r < 10 \text{ \AA}$ are based on the E_{234} values plus an interpolation of $E_{345} - E_{234}$. For $r > 10 \text{ \AA}$, the values in italics are a smooth extrapolation of intermediate-range data using a fit to inverse powers of r .

-
- [1] A. C. Vutha, M. Horbatsch, and E. A. Hessels, Physical Review A **98**, 032513 (2018).
 - [2] T. S. Roussy, L. Caldwell, T. Wright, W. B. Cairncross, Y. Shagam, K. B. Ng, N. Schlossberger, S. Y. Park, A. Wang, J. Ye, and E. A. Cornell, arXiv preprint arXiv:2212.11841 (2022).
 - [3] V. Andreev, D. G. Ang, J. M. DeMille, D. Doyle, G. Gabrielse, J. Haefner, N. R. Hutzler, Z. Lasner, C. Meisenhelder, B. R. O’Leary, C. D. Panda, A. D. West, E. P. West, and X. Wu, Nature **562**, 355 (2018).
 - [4] S. J. Li, R. Anderson, and A. C. Vutha, arXiv preprint arXiv:2207.07279 (2023).
 - [5] Z. Corriveau, D. Heinrich, J. P. Garcia, H.-M. Yau, N. McCall, G. K. Koyanagi, M. C. George, C. H. Storry, R. L. Lambo, M. Horbatsch, J. T. Singh, A. C. Vutha, and E. A. Hessels, to be submitted (2023).
 - [6] L. B. Knight Jr, W. C. Easley, W. Weltner Jr, and M. Wilson, The Journal of Chemical Physics **54**, 322 (1971).
 - [7] G. K. Koyanagi, R. L. Lambo, A. Ragyanszki, R. Fournier, M. Horbatsch, and E. A. Hessels, Journal of Molecular Spectroscopy **391**, 111736 (2023).
 - [8] R. A. Kendall, T. H. Dunning Jr, and R. J. Harrison, The Journal of chemical physics **96**, 6796 (1992).
 - [9] D. E. Woon and T. H. Dunning Jr, The Journal of chemical physics **98**, 1358 (1993).
 - [10] G. Jansen and B. A. Hess, Physical Review A **39**, 6016 (1989).
 - [11] A. Wolf, M. Reiher, and B. A. Hess, The Journal of Chemical Physics **117**, 9215 (2002).
 - [12] J. G. Hill and K. A. Peterson, The Journal of Chemical Physics **147**, 244106 (2017).
 - [13] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, G. A. Petersson, H. Nakatsuji, H. Nakatsuji, X. Li, M. Caricato, A. V. Marenich, J. Bloino, B. G. Janesko, R. Gomperts, B. Mennucci, H. P. Hratchian, J. V. Ortiz, A. F. Izmaylov, J. L. Sonnenberg, D. Williams-Young, F. Ding, F. Lipparini, F. Egidi, J. Goings, B. Peng, A. Petrone, T. Henderson, D. Ranasinghe, V. G. Zakrzewski, J. Gao, N. Rega, G. Zheng, W. Liang, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, K. Throssell, J. A. Montgomery Jr., J. E. Peralta, F. Ogliaro, M. J. Bearpark, J. J. Heyd, E. N. Brothers, K. N. Kudin, V. N. Staroverov, T. A. Keith, R. Kobayashi, J. Normand, K. Raghavachari, A. P. Rendell, J. C. Burant, S. S. Iyengar, J. Tomasi, M. Cossi, J. M. Millam, M. Klene, C. Adamo, R. Cammi, J. W. Ochterski, R. L. Martin, K. Morokuma, O. Farkas, J. B. Foresman, and D. J. Fox, Gaussian 16, Revision C.01 Gaussian, Inc., Wallingford CT (2016).
 - [14] S. F. Boys and F. J. M. P. Bernardi, Molecular Physics **19**, 553 (1970).
 - [15] K. Raghavachari, G. W. Trucks, J. A. Pople, and M. Head-Gordon, Chemical Physics Letters **157**, 479 (1989).
 - [16] R. J. Bartlett, J. D. Watts, S. A. Kucharski, and J. Noga, Chemical physics letters **165**, 513 (1990).
 - [17] J. F. Stanton, Chemical Physics Letters **281**, 130 (1997).
 - [18] A. A. Buchachenko and L. A. Viehland, The Journal of Chemical Physics **148**, 154304 (2018).
 - [19] D. Feller, The Journal of Chemical Physics **96**, 6104 (1992).
 - [20] K. A. Peterson, D. E. Woon, and T. H. Dunning Jr, The Journal of Chemical Physics **100**, 7410 (1994).
 - [21] J. M. Martin, Chemical Physics Letters **259**, 669 (1996).
 - [22] W. Klopper, K. L. Bak, P. Jørgensen, J. Olsen, and T. Helgaker, Journal of Physics B: Atomic, Molecular and Optical Physics **32**, R103 (1999).
 - [23] T. C. Ehlert, G. D. Blue, J. W. Green, and J. L. Margrave, The Journal of Chemical Physics **41**, 2250 (1964).
 - [24] D. L. Hildenbrand, The Journal of Chemical Physics **48**, 3657 (1968).
 - [25] A. Bernard, C. Effantin, E. Andrianavalona, J. Vergès, and R. F. Barrow, Journal of Molecular Spectroscopy **152**, 174 (1992).
 - [26] R. L. Lambo, G. K. Koyanagi, A. Ragyanszki, M. Horbatsch, R. Fournier, and E. A. Hessels, Molecular Physics , e2198044 (2023).
 - [27] D. N. Batchelder, D. L. Losee, and R. O. Simmons, Physical Review **173**, 873 (1968).
 - [28] D. N. Batchelder, D. L. Losee, and R. O. Simmons, Physical Review **162**, 767 (1967).
 - [29] L.-G. Tao, N. N. Kleshchina, R. Lambo, A. A. Buchachenko, X.-G. Zhou, D. S. Bezrukov, and S.-M. Hu, The Journal of Chemical Physics **143**, 174306 (2015).
 - [30] R. Hellmann, E. Bich, and E. Vogel, Molecular Physics **106**, 133 (2008).
 - [31] K. Rościszewski, B. Paulus, P. Fulde, and H. Stoll, Physical Review B **62**, 5482 (2000).
 - [32] D. S. Bezrukov, N. N. Kleshchina, I. S. Kalinina, and A. A. Buchachenko, Russian Journal of Physical Chem-

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	10350.1	10004.2	9864.4	9812.2	9781.9	9781.8
2.5	6828.2	6565.6	6461.5	6422.3	6400.2	6399.5
2.6	4476.5	4285.6	4206.2	—	4159.1	4160.1
2.7	2925.5	2789.9	2728.5	2706.9	2691.8	2694.4
2.8	1908.4	1811.9	1764.5	—	1735.8	1738.5
2.9	1243.0	1173.1	1136.8	1124.5	1114.7	1117.4
3.0	808.1	756.0	728.5	—	711.8	713.6
3.1	523.8	484.0	463.4	456.0	450.8	451.8
3.2	338.1	307.0	291.5	—	282.1	282.6
3.3	217.1	192.1	180.4	175.9	173.4	173.3
3.4	138.4	117.9	108.9	—	103.6	103.5
3.5	87.27	70.33	63.29	60.55	59.11	58.96
3.6	54.06	40.08	34.42	—	31.07	31.03
3.7	32.51	21.09	16.44	14.73	13.68	13.74
3.8	18.56	9.38	5.49	—	3.17	3.29
3.9	9.591	2.336	-0.958	-2.096	-2.934	-2.757
4.0	3.903	-1.756	-4.540	—	-6.227	-6.086
4.1	0.374	-4.005	-6.334	-7.167	-7.758	-7.652
4.2	-1.737	-5.120	-7.035	—	-8.214	-8.197
4.3	-2.923	-5.548	-7.091	-7.739	-8.045	-8.117
4.4	-3.510	-5.566	-6.787	—	-7.541	-7.682
4.5	-3.717	-5.348	-6.300	-6.802	-6.887	-7.096
4.6	-3.691	-5.001	-5.737	—	-6.190	-6.407
4.8	-3.292	-4.167	-4.610	-4.925	-4.879	-5.110
5.0	-2.746	-3.356	-3.630	—	-3.795	-3.979
5.2	-2.224	-2.665	-2.840	-2.991	-2.943	-3.080
5.4	-1.778	-2.111	-2.223	—	-2.287	-2.387
5.6	-1.415	-1.677	-1.750	-1.815	-1.790	-1.853
5.8	-1.125	-1.338	-1.387	—	-1.413	-1.463
6.0	-0.897	-1.073	-1.109	-1.142	-1.127	-1.162
6.2	-0.718	-0.865	-0.892	—	-0.905	-0.928
6.4	-0.579	-0.702	-0.725	-0.739	-0.736	-0.747
6.6	-0.471	-0.573	-0.593	—	-0.602	-0.608
6.8	-0.386	-0.471	-0.488	-0.493	-0.496	-0.496
7.0	-0.320	-0.389	-0.404	—	-0.412	-0.413
7.2	-0.268	-0.325	-0.337	-0.342	-0.343	-0.346
7.4	-0.226	-0.273	-0.283	—	-0.288	-0.290
7.6	-0.192	-0.230	-0.239	-0.243	-0.243	-0.245
7.8	-0.163	-0.196	-0.203	—	-0.206	-0.208
8.0	-0.139	-0.167	-0.173	-0.176	-0.176	-0.177
8.2	-0.120	-0.143	-0.148	—	-0.150	-0.151
8.4	-0.104	-0.123	-0.127	—	-0.129	-0.130
8.6	-0.090	-0.107	-0.110	—	-0.112	-0.112
8.8	-0.078	-0.092	-0.095	—	-0.097	-0.097
9.0	-0.068	-0.080	-0.083	—	-0.085	-0.085
9.2	-0.060	-0.070	-0.073	—	-0.074	-0.074
9.4	-0.052	-0.062	-0.064	—	-0.064	-0.065
9.6	-0.046	-0.054	-0.056	—	-0.057	-0.057
9.8	-0.041	-0.048	-0.049	—	-0.050	-0.050
10.0	-0.036	-0.042	-0.044	—	-0.044	-0.045
10.4	-0.028	-0.033	-0.035	—	-0.035	-0.036
10.8	-0.022	-0.027	-0.028	—	-0.028	-0.028
11.2	-0.018	-0.021	-0.022	—	-0.023	-0.023
11.6	-0.015	-0.017	-0.018	—	-0.018	-0.018
12.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.010	-0.012	-0.012	—	-0.012	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.2	-0.007	-0.008	-0.008	—	-0.009	-0.008
13.6	-0.006	-0.007	-0.007	—	-0.007	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.006	-0.005
14.8	-0.003	-0.004	-0.004	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table III: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 0^\circ$.

istry A **93**, 1505 (2019).

- [33] G. T. McConville, The Journal of Chemical Physics **60**, 4093 (1974).
- [34] R. Lambo, C.-Y. Xu, S. T. Pratt, H. Xu, J. C. Zappala, K. G. Bailey, Z.-T. Lu, P. Mueller, T. P. O'Connor, B. B. Kamorzin, and D. S. Bezrukov, Physical Review A **104**, 062809 (2021).

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	9166.9	8845.5	8717.8	8669.6	8642.5	8641.6
2.5	6059.9	5819.2	5723.0	5687.0	5666.3	5666.1
2.6	3983.5	3809.8	3735.7	—	3691.7	3693.1
2.7	2610.5	2487.0	2429.6	2409.6	2395.0	2398.0
2.8	1707.4	1619.0	1574.6	—	1547.6	1550.4
2.9	1114.7	1050.0	1016.0	1004.6	995.3	997.9
3.0	726.0	677.5	651.8	—	636.1	637.8
3.1	471.3	433.9	414.6	407.7	402.9	403.6
3.2	304.6	275.1	260.5	—	251.8	252.1
3.3	195.8	171.9	160.8	156.6	154.2	154.1
3.4	124.80	105.15	96.62	—	91.53	91.41
3.5	78.60	62.33	55.59	53.00	51.60	51.48
3.6	48.53	35.12	29.68	—	26.46	26.45
3.7	28.98	18.07	13.57	11.95	10.91	11.00
3.8	16.323	7.586	3.806	—	1.553	1.697
3.9	8.187	1.302	-1.896	-2.990	-3.820	-3.626
4.0	3.036	-2.324	-5.022	—	-6.660	-6.513
4.1	-0.145	-4.291	-6.539	-7.346	-7.916	-7.816
4.2	-2.033	-5.238	-7.078	—	-8.212	-8.206
4.3	-3.075	-5.567	-7.044	-7.676	-7.957	-8.045
4.4	-3.572	-5.529	-6.694	—	-7.414	-7.566
4.5	-3.725	-5.280	-6.187	-6.677	-6.747	-6.964
4.6	-3.667	-4.919	-5.621	—	-6.052	-6.273
4.8	-3.242	-4.082	-4.507	-4.813	-4.765	-4.993
5.0	-2.695	-3.282	-3.548	—	-3.708	-3.888
5.2	-2.180	-2.607	-2.777	-2.923	-2.878	-3.009
5.4	-1.742	-2.066	-2.176	—	-2.239	-2.336
5.6	-1.386	-1.642	-1.714	-1.778	-1.753	-1.816
5.8	-1.103	-1.311	-1.360	—	-1.385	-1.434
6.0	-0.880	-1.053	-1.088	-1.121	-1.105	-1.141
6.2	-0.705	-0.849	-0.876	—	-0.890	-0.914
6.4	-0.569	-0.690	-0.712	-0.727	-0.724	-0.736
6.6	-0.463	-0.563	-0.583	—	-0.593	-0.601
6.8	-0.380	-0.463	-0.480	-0.488	-0.489	-0.493
7.0	-0.316	-0.384	-0.398	—	-0.406	-0.410
7.2	-0.264	-0.320	-0.333	-0.339	-0.339	-0.342
7.4	-0.223	-0.269	-0.279	—	-0.285	-0.287
7.6	-0.189	-0.227	-0.236	-0.240	-0.240	-0.243
7.8	-0.161	-0.193	-0.200	—	-0.204	-0.206
8.0	-0.138	-0.165	-0.171	-0.174	-0.174	-0.176
8.2	-0.119	-0.142	-0.147	—	-0.149	-0.150
8.4	-0.103	-0.122	-0.126	—	-0.128	-0.129
8.6	-0.089	-0.106	-0.109	—	-0.111	-0.111
8.8	-0.078	-0.092	-0.095	—	-0.096	-0.096
9.0	-0.068	-0.080	-0.082	—	-0.084	-0.084
9.2	-0.059	-0.070	-0.072	—	-0.073	-0.073
9.4	-0.052	-0.061	-0.063	—	-0.064	-0.064
9.6	-0.046	-0.054	-0.056	—	-0.057	-0.057
9.8	-0.040	-0.047	-0.049	—	-0.050	-0.050
10.0	-0.036	-0.042	-0.043	—	-0.044	-0.044
10.4	-0.028	-0.033	-0.034	—	-0.035	-0.035
10.8	-0.022	-0.026	-0.027	—	-0.028	-0.028
11.2	-0.018	-0.021	-0.022	—	-0.023	-0.023
11.6	-0.014	-0.017	-0.018	—	-0.019	-0.018
12.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.010	-0.012	-0.012	—	-0.013	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.2	-0.007	-0.008	-0.008	—	-0.009	-0.008
13.6	-0.006	-0.007	-0.007	—	-0.007	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.005	-0.005
14.8	-0.003	-0.004	-0.005	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table IV: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 10^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	6 482.1	6 230.3	6 130.0	6 092.4	6 071.0	6 070.5
2.5	4 311.8	4 128.0	4 050.2	4 022.0	4 004.0	4 005.6
2.6	2 855.1	2 723.4	2 662.5	—	2 625.9	2 628.4
2.7	1 884.9	1 790.2	1 742.7	1 726.6	1 713.8	1 717.2
2.8	1 241.3	1 171.9	1 135.2	—	1 112.7	1 115.5
2.9	815.3	763.1	735.1	725.5	718.0	719.9
3.0	533.6	493.4	472.2	—	459.3	460.5
3.1	347.8	316.0	300.0	294.1	290.3	290.6
3.2	225.4	199.8	187.6	—	180.3	180.3
3.3	145.1	124.0	114.6	111.0	109.0	108.8
3.4	92.40	74.95	67.55	—	63.15	63.03
3.5	57.88	43.45	37.49	35.24	33.97	33.92
3.6	35.30	23.48	18.58	—	15.68	15.74
3.7	20.55	11.02	6.93	5.49	4.49	4.65
3.8	10.985	3.428	-0.031	—	-2.108	-1.927
3.9	4.855	-1.061	-3.981	-4.975	-5.751	-5.553
4.0	1.004	-3.588	-6.031	—	-7.524	-7.402
4.1	-1.337	-4.892	-6.904	-7.657	-8.142	-8.096
4.2	-2.685	-5.446	-7.073	—	-8.078	-8.125
4.3	-3.385	-5.545	-6.838	-7.432	-7.638	-7.779
4.4	-3.669	-5.378	-6.392	—	-7.019	-7.209
4.5	-3.694	-5.062	-5.851	-6.309	-6.338	-6.577
4.6	-3.563	-4.671	-5.286	—	-5.664	-5.894
4.8	-3.087	-3.839	-4.220	-4.500	-4.451	-4.665
5.0	-2.546	-3.079	-3.322	—	-3.468	-3.635
5.2	-2.054	-2.447	-2.606	-2.740	-2.700	-2.819
5.4	-1.641	-1.944	-2.048	—	-2.108	-2.196
5.6	-1.307	-1.549	-1.618	-1.678	-1.657	-1.714
5.8	-1.042	-1.241	-1.289	—	-1.314	-1.359
6.0	-0.833	-0.999	-1.035	-1.067	-1.053	-1.086
6.2	-0.670	-0.808	-0.837	—	-0.851	-0.873
6.4	-0.542	-0.658	-0.682	-0.697	-0.694	-0.705
6.6	-0.443	-0.539	-0.560	—	-0.570	-0.578
6.8	-0.365	-0.445	-0.462	-0.471	-0.471	-0.476
7.0	-0.304	-0.370	-0.384	—	-0.392	-0.396
7.2	-0.255	-0.310	-0.322	-0.328	-0.328	-0.331
7.4	-0.216	-0.261	-0.271	—	-0.276	-0.279
7.6	-0.183	-0.221	-0.229	-0.233	-0.233	-0.236
7.8	-0.157	-0.188	-0.195	—	-0.198	-0.201
8.0	-0.135	-0.161	-0.167	-0.170	-0.169	-0.171
8.2	-0.116	-0.139	-0.143	—	-0.145	-0.147
8.4	-0.101	-0.120	-0.123	—	-0.125	-0.126
8.6	-0.087	-0.104	-0.107	—	-0.108	-0.109
8.8	-0.076	-0.090	-0.093	—	-0.094	-0.095
9.0	-0.066	-0.078	-0.081	—	-0.082	-0.083
9.2	-0.058	-0.069	-0.071	—	-0.072	-0.072
9.4	-0.051	-0.060	-0.062	—	-0.063	-0.063
9.6	-0.045	-0.053	-0.055	—	-0.056	-0.056
9.8	-0.040	-0.047	-0.048	—	-0.049	-0.049
10.0	-0.035	-0.042	-0.043	—	-0.044	-0.044
10.4	-0.028	-0.033	-0.034	—	-0.035	-0.035
10.8	-0.022	-0.026	-0.027	—	-0.028	-0.028
11.2	-0.018	-0.021	-0.022	—	-0.022	-0.022
11.6	-0.014	-0.017	-0.018	—	-0.018	-0.018
12.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.010	-0.012	-0.012	—	-0.012	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.2	-0.007	-0.008	-0.008	—	-0.009	-0.008
13.6	-0.006	-0.007	-0.007	—	-0.007	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.005	-0.005
14.8	-0.003	-0.004	-0.004	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.003	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table V: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 20^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	3 834.6	3 670.2	3 598.1	3 572.2	3 555.0	3 557.2
2.5	2 575.1	2 455.9	2 398.7	2 378.9	2 364.1	2 367.4
2.6	1 722.6	1 635.4	1 590.3	—	1 562.7	1 565.8
2.7	1 148.4	1 083.4	1 048.2	1 036.4	1 026.7	1 029.5
2.8	763.0	713.3	686.2	—	669.7	671.5
2.9	505.0	466.0	445.4	437.9	432.8	433.6
3.0	332.6	301.4	285.7	—	276.1	276.4
3.1	217.9	192.4	180.3	175.6	173.0	172.8
3.2	141.7	120.6	111.1	—	105.5	105.3
3.3	91.16	73.59	66.12	63.18	61.68	61.46
3.4	57.73	43.15	37.10	—	33.52	33.42
3.5	35.62	23.66	18.67	16.82	15.71	15.74
3.6	21.04	11.38	7.20	—	4.71	4.80
3.7	11.493	3.798	0.275	-0.961	-1.841	-1.680
3.8	5.309	-0.742	-3.711	—	-5.509	-5.382
3.9	1.378	-3.341	-5.822	-6.720	-7.335	-7.242
4.0	-1.045	-4.717	-6.760	—	-8.014	-8.010
4.1	-2.467	-5.331	-6.986	-7.684	-8.007	-8.091
4.2	-3.229	-5.477	-6.799	—	-7.615	-7.769
4.3	-3.564	-5.345	-6.389	-6.936	-7.033	-7.256
4.4	-3.627	-5.055	-5.875	—	-6.380	-6.620
4.5	-3.526	-4.684	-5.329	-5.740	-5.724	-5.981
4.6	-3.332	-4.281	-4.790	—	-5.102	-5.336
4.8	-2.828	-3.487	-3.814	-4.059	-4.013	-4.203
5.0	-2.317	-2.793	-3.010	—	-3.140	-3.286
5.2	-1.869	-2.227	-2.372	-2.490	-2.457	-2.560
5.4	-1.497	-1.777	-1.875	—	-1.931	-2.006
5.6	-1.197	-1.424	-1.491	-1.545	-1.529	-1.576
5.8	-0.959	-1.146	-1.195	—	-1.222	-1.259
6.0	-0.771	-0.927	-0.965	-0.995	-0.985	-1.012
6.2	-0.624	-0.755	-0.785	—	-0.800	-0.819
6.4	-0.508	-0.618	-0.643	-0.657	-0.656	-0.666
6.6	-0.418	-0.509	-0.530	—	-0.541	-0.548
6.8	-0.346	-0.422	-0.440	-0.448	-0.449	-0.453
7.0	-0.290	-0.353	-0.367	—	-0.374	-0.379
7.2	-0.244	-0.296	-0.308	-0.314	-0.314	-0.318
7.4	-0.207	-0.251	-0.260	—	-0.265	-0.268
7.6	-0.176	-0.213	-0.221	-0.225	-0.225	-0.228
7.8	-0.151	-0.182	-0.188	—	-0.192	-0.194
8.0	-0.130	-0.156	-0.161	-0.164	-0.164	-0.166
8.2	-0.112	-0.135	-0.139	—	-0.141	-0.142
8.4	-0.098	-0.116	-0.120	—	-0.122	-0.123
8.6	-0.085	-0.101	-0.104	—	-0.106	-0.106
8.8	-0.074	-0.088	-0.091	—	-0.092	-0.092
9.0	-0.065	-0.077	-0.079	—	-0.080	-0.081
9.2	-0.057	-0.068	-0.069	—	-0.070	-0.070
9.4	-0.050	-0.059	-0.061	—	-0.062	-0.062
9.6	-0.044	-0.052	-0.054	—	-0.055	-0.055
9.8	-0.039	-0.046	-0.048	—	-0.048	-0.048
10.0	-0.034	-0.041	-0.042	—	-0.043	-0.043
10.4	-0.027	-0.033	-0.034	—	-0.034	-0.035
10.8	-0.022	-0.026	-0.027	—	-0.027	-0.028
11.2	-0.017	-0.021	-0.022	—	-0.022	-0.022
11.6	-0.014	-0.017	-0.018	—	-0.018	-0.018
12.0	-0.011	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.009	-0.012	-0.012	—	-0.012	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.2	-0.007	-0.008	-0.008	—	-0.009	-0.008
13.6	-0.006	-0.007	-0.007	—	-0.007	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.005	-0.005
14.8	-0.003	-0.004	-0.004	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.003	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table VI: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 30^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	2017.9	1921.2	1871.8	1855.0	1841.7	1845.2
2.5	1370.3	1297.4	1258.2	1244.9	1234.2	1237.3
2.6	926.7	870.6	839.8	—	821.0	823.1
2.7	624.2	579.9	556.1	547.6	541.5	542.7
2.8	418.5	382.9	364.5	—	353.3	353.8
2.9	279.2	250.1	235.8	230.3	227.2	227.1
3.0	185.2	161.0	149.8	—	143.1	142.9
3.1	121.94	101.58	92.74	89.22	87.47	87.16
3.2	79.39	62.32	55.21	—	50.99	50.77
3.3	50.82	36.62	30.80	28.54	27.35	27.23
3.4	31.67	20.01	15.17	—	12.30	12.26
3.5	18.88	9.44	5.38	3.87	2.96	3.00
3.6	10.393	2.860	-0.567	—	-2.623	-2.585
3.7	4.837	-1.122	-4.001	-5.078	-5.741	-5.705
3.8	1.265	-3.424	-5.819	—	-7.276	-7.306
3.9	-0.964	-4.651	-6.619	-7.440	-7.822	-7.919
4.0	-2.289	-5.199	-6.795	—	-7.773	-7.937
4.1	-3.014	-5.325	-6.606	-7.246	-7.391	-7.621
4.2	-3.344	-5.197	-6.217	—	-6.843	-7.097
4.3	-3.422	-4.923	-5.734	-6.223	-6.231	-6.509
4.4	-3.344	-4.573	-5.220	—	-5.616	-5.878
4.5	-3.176	-4.192	-4.712	-5.067	-5.029	-5.276
4.6	-2.960	-3.809	-4.230	—	-4.486	-4.704
4.8	-2.486	-3.093	-3.377	-3.585	-3.548	-3.706
5.0	-2.039	-2.488	-2.683	—	-2.799	-2.920
5.2	-1.653	-1.998	-2.133	-2.236	-2.213	-2.296
5.4	-1.335	-1.607	-1.703	—	-1.758	-1.817
5.6	-1.078	-1.298	-1.367	-1.413	-1.406	-1.440
5.8	-0.872	-1.054	-1.105	—	-1.134	-1.162
6.0	-0.709	-0.859	-0.900	-0.927	-0.922	-0.944
6.2	-0.580	-0.705	-0.737	—	-0.755	-0.770
6.4	-0.477	-0.581	-0.608	-0.622	-0.622	-0.630
6.6	-0.395	-0.482	-0.504	—	-0.516	-0.523
6.8	-0.330	-0.403	-0.421	-0.430	-0.430	-0.436
7.0	-0.277	-0.338	-0.353	—	-0.361	-0.365
7.2	-0.234	-0.286	-0.298	-0.304	-0.304	-0.307
7.4	-0.199	-0.243	-0.253	—	-0.258	-0.260
7.6	-0.171	-0.207	-0.215	-0.219	-0.219	-0.221
7.8	-0.147	-0.177	-0.184	—	-0.188	-0.189
8.0	-0.126	-0.153	-0.158	-0.161	-0.161	-0.162
8.2	-0.110	-0.132	-0.136	—	-0.139	-0.140
8.4	-0.095	-0.114	-0.118	—	-0.120	-0.121
8.6	-0.083	-0.099	-0.103	—	-0.104	-0.105
8.8	-0.073	-0.087	-0.090	—	-0.091	-0.091
9.0	-0.064	-0.076	-0.078	—	-0.080	-0.080
9.2	-0.056	-0.067	-0.069	—	-0.070	-0.070
9.4	-0.049	-0.059	-0.061	—	-0.061	-0.062
9.6	-0.044	-0.052	-0.053	—	-0.054	-0.054
9.8	-0.039	-0.046	-0.047	—	-0.048	-0.048
10.0	-0.034	-0.041	-0.042	—	-0.043	-0.043
10.4	-0.027	-0.033	-0.033	—	-0.034	-0.034
10.8	-0.022	-0.026	-0.027	—	-0.027	-0.028
11.2	-0.017	-0.021	-0.022	—	-0.022	-0.022
11.6	-0.014	-0.017	-0.018	—	-0.018	-0.018
12.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.010	-0.012	-0.012	—	-0.012	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.2	-0.007	-0.008	-0.008	—	-0.009	-0.008
13.6	-0.006	-0.007	-0.007	—	-0.007	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.005	-0.005
14.8	-0.003	-0.004	-0.004	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table VII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 40^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	1007.5	946.9	914.1	902.6	893.9	896.0
2.5	691.9	643.5	617.5	608.3	601.7	602.9
2.6	473.2	433.7	413.3	—	400.9	401.6
2.7	322.3	289.6	273.5	267.5	263.8	263.9
2.8	218.5	191.0	178.3	—	170.7	170.7
2.9	147.3	124.1	113.9	110.0	107.8	107.7
3.0	98.58	78.94	70.70	—	65.81	65.71
3.1	65.23	48.73	41.98	39.41	37.98	37.92
3.2	42.44	28.72	23.11	—	19.80	19.78
3.3	26.90	15.63	10.93	9.19	8.15	8.18
3.4	16.340	7.195	3.240	—	0.883	0.903
3.5	9.225	1.869	-1.460	-2.715	-3.457	-3.446
3.6	4.484	-1.400	-4.187	—	-5.868	-5.918
3.7	1.382	-3.319	-5.631	-6.586	-7.032	-7.143
3.8	-0.595	-4.361	-6.259	—	-7.413	-7.587
3.9	-1.803	-4.837	-6.382	-7.125	-7.322	-7.559
4.0	-2.491	-4.956	-6.205	—	-6.965	-7.230
4.1	-2.834	-4.853	-5.862	-6.432	-6.474	-6.766
4.2	-2.951	-4.621	-5.437	—	-5.930	-6.211
4.3	-2.925	-4.318	-4.982	-5.404	-5.382	-5.651
4.4	-2.813	-3.985	-4.529	—	-4.857	-5.095
4.5	-2.653	-3.646	-4.096	-4.397	-4.366	-4.573
4.6	-2.470	-3.316	-3.691	—	-3.916	-4.095
4.8	-2.090	-2.715	-2.980	-3.158	-3.138	-3.263
5.0	-1.737	-2.210	-2.401	—	-2.513	-2.609
5.2	-1.433	-1.798	-1.937	-2.030	-2.017	-2.084
5.4	-1.178	-1.467	-1.568	—	-1.627	-1.670
5.6	-0.968	-1.200	-1.276	-1.315	-1.320	-1.338
5.8	-0.798	-0.986	-1.044	—	-1.077	-1.095
6.0	-0.659	-0.813	-0.859	-0.886	-0.885	-0.901
6.2	-0.547	-0.674	-0.711	—	-0.731	-0.742
6.4	-0.456	-0.561	-0.591	-0.605	-0.607	-0.613
6.6	-0.382	-0.469	-0.494	—	-0.507	-0.512
6.8	-0.321	-0.395	-0.414	-0.424	-0.425	-0.429
7.0	-0.271	-0.333	-0.350	—	-0.358	-0.361
7.2	-0.230	-0.283	-0.296	-0.302	-0.303	-0.305
7.4	-0.197	-0.241	-0.252	—	-0.258	-0.259
7.6	-0.169	-0.206	-0.215	-0.219	-0.220	-0.221
7.8	-0.145	-0.177	-0.185	—	-0.189	-0.190
8.0	-0.126	-0.153	-0.159	-0.162	-0.162	-0.163
8.2	-0.109	-0.132	-0.138	—	-0.140	-0.141
8.4	-0.095	-0.115	-0.119	—	-0.121	-0.122
8.6	-0.083	-0.100	-0.104	—	-0.106	-0.106
8.8	-0.073	-0.088	-0.091	—	-0.092	-0.092
9.0	-0.064	-0.077	-0.079	—	-0.081	-0.081
9.2	-0.057	-0.068	-0.070	—	-0.071	-0.071
9.4	-0.050	-0.060	-0.062	—	-0.063	-0.063
9.6	-0.044	-0.053	-0.054	—	-0.055	-0.055
9.8	-0.039	-0.047	-0.048	—	-0.049	-0.049
10.0	-0.035	-0.042	-0.043	—	-0.043	-0.043
10.4	-0.027	-0.033	-0.034	—	-0.035	-0.035
10.8	-0.022	-0.027	-0.027	—	-0.028	-0.028
11.2	-0.018	-0.021	-0.022	—	-0.023	-0.023
11.6	-0.014	-0.017	-0.018	—	-0.019	-0.018
12.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
12.4	-0.010	-0.012	-0.012	—	-0.013	-0.012
12.8	-0.008	-0.010	-0.010	—	-0.011	-0.010
13.2	-0.007	-0.008	-0.009	—	-0.009	-0.009
13.6	-0.006	-0.007	-0.007	—	-0.008	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.005	-0.005
14.8	-0.004	-0.004	-0.005	—	-0.005	-0.004
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.003	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table VIII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 50^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	713.0	661.9	634.7	624.8	618.1	619.1
2.5	492.7	450.7	429.2	421.2	416.1	416.6
2.6	339.3	304.3	287.2	—	276.8	277.1
2.7	232.8	203.3	189.6	184.4	181.4	181.4
2.8	159.0	134.0	123.0	—	116.4	116.5
2.9	108.01	86.79	77.84	74.49	72.52	72.55
3.0	72.77	54.86	47.49	—	43.13	43.20
3.1	48.41	33.45	27.32	25.10	23.70	23.81
3.2	31.60	19.24	14.11	—	11.06	11.17
3.3	20.04	9.93	5.60	4.04	3.03	3.14
3.4	12.118	3.920	0.276	—	-1.905	-1.851
3.5	6.744	0.127	-2.931	-4.093	-4.769	-4.770
3.6	3.143	-2.195	-4.743	—	-6.281	-6.358
3.7	0.773	-3.544	-5.648	-6.549	-6.921	-7.075
3.8	-0.743	-4.255	-5.979	—	-7.023	-7.231
3.9	-1.673	-4.552	-5.957	-6.660	-6.808	-7.071
4.0	-2.204	-4.585	-5.728	—	-6.419	-6.694
4.1	-2.470	-4.455	-5.387	-5.922	-5.950	-6.235
4.2	-2.560	-4.229	-4.994	—	-5.454	-5.718
4.3	-2.540	-3.953	-4.585	-4.976	-4.964	-5.206
4.4	-2.452	-3.655	-4.182	—	-4.497	-4.708
4.5	-2.326	-3.355	-3.798	-4.078	-4.061	-4.242
4.6	-2.179	-3.065	-3.439	—	-3.661	-3.818
4.8	-1.871	-2.534	-2.805	-2.975	-2.966	-3.075
5.0	-1.579	-2.085	-2.284	—	-2.401	-2.485
5.2	-1.322	-1.715	-1.862	-1.954	-1.948	-2.008
5.4	-1.103	-1.412	-1.522	—	-1.586	-1.632
5.6	-0.919	-1.166	-1.249	-1.301	-1.297	-1.330
5.8	-0.767	-0.966	-1.030	—	-1.066	-1.090
6.0	-0.641	-0.803	-0.853	-0.880	-0.881	-0.895
6.2	-0.537	-0.670	-0.709	—	-0.732	-0.743
6.4	-0.451	-0.560	-0.593	-0.609	-0.610	-0.618
6.6	-0.380	-0.471	-0.497	—	-0.511	-0.517
6.8	-0.321	-0.397	-0.419	-0.428	-0.430	-0.434
7.0	-0.272	-0.337	-0.354	—	-0.363	-0.366
7.2	-0.232	-0.286	-0.301	-0.306	-0.308	-0.310
7.4	-0.198	-0.244	-0.256	—	-0.262	-0.264
7.6	-0.170	-0.209	-0.219	-0.223	-0.224	-0.225
7.8	-0.147	-0.180	-0.188	—	-0.192	-0.193
8.0	-0.127	-0.156	-0.162	-0.165	-0.166	-0.166
8.2	-0.111	-0.135	-0.140	—	-0.143	-0.143
8.4	-0.097	-0.117	-0.122	—	-0.124	-0.124
8.6	-0.085	-0.102	-0.106	—	-0.108	-0.108
8.8	-0.074	-0.090	-0.093	—	-0.094	-0.094
9.0	-0.065	-0.078	-0.081	—	-0.083	-0.083
9.2	-0.057	-0.069	-0.071	—	-0.072	-0.073
9.4	-0.051	-0.061	-0.063	—	-0.064	-0.064
9.6	-0.045	-0.054	-0.056	—	-0.056	-0.056
9.8	-0.040	-0.048	-0.049	—	-0.050	-0.050
10.0	-0.035	-0.043	-0.044	—	-0.044	-0.044
10.4	-0.028	-0.034	-0.035	—	-0.035	-0.035
10.8	-0.022	-0.027	-0.028	—	-0.028	-0.028
11.2	-0.018	-0.022	-0.023	—	-0.023	-0.023
11.6	-0.015	-0.018	-0.018	—	-0.019	-0.019
12.0	-0.012	-0.015	-0.015	—	-0.016	-0.015
12.4	-0.010	-0.012	-0.013	—	-0.013	-0.013
12.8	-0.008	-0.010	-0.010	—	-0.011	-0.011
13.2	-0.007	-0.008	-0.009	—	-0.009	-0.009
13.6	-0.006	-0.007	-0.007	—	-0.008	-0.007
14.0	-0.005	-0.006	-0.006	—	-0.007	-0.006
14.4	-0.004	-0.005	-0.005	—	-0.006	-0.005
14.8	-0.004	-0.004	-0.005	—	-0.005	-0.005
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.004	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table IX: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 55^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	512.7	467.3	444.0	435.1	429.8	430.0
2.5	356.9	318.9	300.3	293.2	289.0	289.1
2.6	247.9	215.8	200.8	—	191.8	191.8
2.7	171.7	144.4	132.3	127.7	125.0	125.1
2.8	118.54	95.31	85.39	—	79.48	79.64
2.9	81.41	61.75	53.56	50.63	48.70	48.93
3.0	55.47	38.97	32.15	—	28.11	28.36
3.1	37.34	23.64	17.91	15.93	14.52	14.78
3.2	24.69	13.41	8.58	—	5.71	5.93
3.3	15.888	6.662	2.589	1.161	0.154	0.331
3.4	9.791	2.276	-1.150	—	-3.207	-3.118
3.5	5.602	-0.519	-3.384	-4.473	-5.110	-5.107
3.6	2.756	-2.246	-4.625	—	-6.060	-6.143
3.7	0.853	-3.258	-5.220	-6.074	-6.405	-6.572
3.8	-0.390	-3.795	-5.408	—	-6.381	-6.592
3.9	-1.176	-4.019	-5.343	-6.007	-6.140	-6.395
4.0	-1.649	-4.042	-5.130	—	-5.782	-6.038
4.1	-1.907	-3.936	-4.838	-5.339	-5.377	-5.633
4.2	-2.024	-3.755	-4.505	—	-4.953	-5.186
4.3	-2.048	-3.531	-4.162	-4.530	-4.537	-4.746
4.4	-2.012	-3.288	-3.822	—	-4.139	-4.321
4.5	-1.939	-3.041	-3.496	-3.764	-3.766	-3.921
4.6	-1.844	-2.799	-3.190	—	-3.420	-3.555
4.8	-1.628	-2.352	-2.642	-2.808	-2.812	-2.906
5.0	-1.410	-1.965	-2.181	—	-2.308	-2.382
5.2	-1.207	-1.639	-1.802	-1.895	-1.897	-1.950
5.4	-1.028	-1.368	-1.491	—	-1.562	-1.604
5.6	-0.872	-1.142	-1.236	-1.289	-1.290	-1.320
5.8	-0.739	-0.956	-1.028	—	-1.070	-1.090
6.0	-0.626	-0.801	-0.858	-0.885	-0.890	-0.900
6.2	-0.530	-0.673	-0.718	—	-0.743	-0.752
6.4	-0.449	-0.567	-0.603	-0.619	-0.623	-0.629
6.6	-0.381	-0.479	-0.507	—	-0.523	-0.528
6.8	-0.324	-0.405	-0.429	-0.438	-0.442	-0.444
7.0	-0.276	-0.344	-0.363	—	-0.374	-0.375
7.2	-0.235	-0.293	-0.309	-0.315	-0.318	-0.318
7.4	-0.202	-0.251	-0.264	—	-0.271	-0.271
7.6	-0.174	-0.215	-0.226	-0.230	-0.232	-0.232
7.8	-0.150	-0.185	-0.194	—	-0.199	-0.199
8.0	-0.130	-0.160	-0.167	-0.170	-0.171	-0.171
8.2	-0.113	-0.139	-0.145	—	-0.148	-0.148
8.4	-0.099	-0.121	-0.125	—	-0.128	-0.128
8.6	-0.087	-0.105	-0.109	—	-0.111	-0.111
8.8	-0.076	-0.092	-0.096	—	-0.097	-0.097
9.0	-0.067	-0.081	-0.084	—	-0.085	-0.085
9.2	-0.059	-0.071	-0.074	—	-0.075	-0.075
9.4	-0.052	-0.063	-0.065	—	-0.066	-0.066
9.6	-0.046	-0.056	-0.057	—	-0.058	-0.058
9.8	-0.041	-0.050	-0.051	—	-0.052	-0.052
10.0	-0.036	-0.044	-0.045	—	-0.046	-0.046
10.4	-0.029	-0.035	-0.036	—	-0.036	-0.036
10.8	-0.023	-0.028	-0.029	—	-0.029	-0.029
11.2	-0.018	-0.023	-0.023	—	-0.024	-0.024
11.6	-0.015	-0.018	-0.019	—	-0.019	-0.019
12.0	-0.012	-0.015	-0.016	—	-0.016	-0.016
12.4	-0.010	-0.012	-0.013	—	-0.013	-0.013
12.8	-0.008	-0.010	-0.011	—	-0.011	-0.011
13.2	-0.007	-0.009	-0.009	—	-0.009	-0.009
13.6	-0.006	-0.007	-0.008	—	-0.008	-0.008
14.0	-0.005	-0.006	-0.006	—	-0.007	-0.006
14.4	-0.004	-0.005	-0.006	—	-0.006	-0.005
14.8	-0.004	-0.004	-0.005	—	-0.005	-0.005
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.004	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table X: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 60^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	380.9	338.6	317.5	309.1	304.7	304.3
2.5	267.7	231.8	214.8	208.2	204.5	204.4
2.6	188.0	157.5	143.7	—	135.4	135.4
2.7	131.96	106.04	94.68	90.53	87.89	88.12
2.8	92.48	70.50	61.11	—	55.52	55.84
2.9	64.60	46.11	38.28	35.60	33.63	34.04
3.0	44.89	29.45	22.88	—	18.98	19.39
3.1	30.94	18.15	12.61	10.78	9.31	9.71
3.2	21.06	10.52	5.85	—	3.05	3.37
3.3	14.075	5.415	1.476	0.132	-0.888	-0.649
3.4	9.151	2.029	-1.277	—	-3.266	-3.134
3.5	5.695	-0.185	-2.943	-3.979	-4.605	-4.582
3.6	3.286	-1.599	-3.889	—	-5.269	-5.332
3.7	1.620	-2.468	-4.365	-5.179	-5.507	-5.654
3.8	0.482	-2.966	-4.538	—	-5.481	-5.663
3.9	-0.285	-3.215	-4.519	-5.149	-5.299	-5.517
4.0	-0.790	-3.295	-4.383	—	-5.032	-5.247
4.1	-1.112	-3.266	-4.180	-4.657	-4.723	-4.937
4.2	-1.308	-3.166	-3.940	—	-4.398	-4.592
4.3	-1.415	-3.024	-3.684	-4.040	-4.075	-4.248
4.4	-1.462	-2.857	-3.424	—	-3.759	-3.911
4.5	-1.467	-2.680	-3.170	-3.435	-3.459	-3.590
4.6	-1.443	-2.501	-2.926	—	-3.177	-3.292
4.8	-1.346	-2.154	-2.476	-2.648	-2.666	-2.749
5.0	-1.217	-1.840	-2.085	—	-2.229	-2.295
5.2	-1.081	-1.565	-1.751	-1.851	-1.861	-1.909
5.4	-0.948	-1.329	-1.470	—	-1.553	-1.591
5.6	-0.824	-1.126	-1.235	-1.292	-1.298	-1.326
5.8	-0.713	-0.954	-1.038	—	-1.086	-1.103
6.0	-0.614	-0.808	-0.874	-0.901	-0.911	-0.917
6.2	-0.527	-0.685	-0.736	—	-0.765	-0.771
6.4	-0.451	-0.581	-0.621	-0.639	-0.644	-0.649
6.6	-0.386	-0.493	-0.525	—	-0.544	-0.547
6.8	-0.330	-0.419	-0.445	-0.455	-0.460	-0.461
7.0	-0.282	-0.357	-0.378	—	-0.390	-0.391
7.2	-0.242	-0.305	-0.322	-0.329	-0.332	-0.333
7.4	-0.208	-0.261	-0.275	—	-0.283	-0.284
7.6	-0.179	-0.224	-0.236	-0.240	-0.242	-0.242
7.8	-0.155	-0.193	-0.203	—	-0.208	-0.208
8.0	-0.135	-0.167	-0.175	-0.178	-0.179	-0.179
8.2	-0.117	-0.144	-0.151	—	-0.155	-0.155
8.4	-0.102	-0.126	-0.131	—	-0.134	-0.134
8.6	-0.090	-0.110	-0.114	—	-0.117	-0.117
8.8	-0.079	-0.096	-0.100	—	-0.102	-0.102
9.0	-0.069	-0.084	-0.087	—	-0.089	-0.089
9.2	-0.061	-0.074	-0.077	—	-0.078	-0.078
9.4	-0.054	-0.066	-0.068	—	-0.069	-0.069
9.6	-0.048	-0.058	-0.060	—	-0.061	-0.061
9.8	-0.042	-0.052	-0.053	—	-0.054	-0.054
10.0	-0.038	-0.046	-0.047	—	-0.047	-0.047
10.4	-0.030	-0.036	-0.037	—	-0.038	-0.038
10.8	-0.024	-0.029	-0.030	—	-0.030	-0.030
11.2	-0.019	-0.024	-0.024	—	-0.025	-0.024
11.6	-0.015	-0.019	-0.020	—	-0.020	-0.020
12.0	-0.013	-0.016	-0.016	—	-0.016	-0.016
12.4	-0.010	-0.013	-0.013	—	-0.014	-0.013
12.8	-0.009	-0.011	-0.011	—	-0.012	-0.011
13.2	-0.007	-0.009	-0.009	—	-0.010	-0.009
13.6	-0.006	-0.007	-0.008	—	-0.008	-0.008
14.0	-0.005	-0.006	-0.007	—	-0.007	-0.007
14.4	-0.004	-0.005	-0.006	—	-0.006	-0.006
14.8	-0.004	-0.005	-0.005	—	-0.005	-0.005
15.2	-0.003	-0.004	-0.004	—	-0.004	-0.004
15.6	-0.003	-0.003	-0.004	—	-0.004	-0.003
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table XI: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 65^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	299.3	258.2	237.7	229.4	225.3	224.6
2.5	212.8	177.9	161.2	154.7	151.2	151.0
2.6	151.6	122.0	108.4	—	100.2	100.2
2.7	108.31	83.17	71.95	67.91	65.22	65.56
2.8	77.51	56.32	46.99	—	41.41	41.86
2.9	55.53	37.77	29.96	27.36	25.29	25.85
3.0	39.77	24.99	18.42	—	14.48	15.02
3.1	28.44	16.18	10.64	8.86	7.31	7.83
3.2	20.27	10.11	5.44	—	2.63	3.05
3.3	14.371	5.939	2.010	0.714	-0.355	-0.038
3.4	10.097	3.068	-0.224	—	-2.206	-2.010
3.5	7.000	1.102	-1.647	-2.645	-3.302	-3.226
3.6	4.752	-0.234	-2.526	—	-3.903	-3.912
3.7	3.118	-1.129	-3.040	-3.823	-4.185	-4.280
3.8	1.930	-1.712	-3.312	—	-4.267	-4.395
3.9	1.065	-2.077	-3.422	-4.030	-4.222	-4.385
4.0	0.435	-2.286	-3.425	—	-4.101	-4.264
4.1	-0.023	-2.387	-3.359	-3.825	-3.935	-4.097
4.2	-0.355	-2.413	-3.248	—	-3.742	-3.891
4.3	-0.591	-2.386	-3.108	-3.464	-3.535	-3.672
4.4	-0.757	-2.323	-2.951	—	-3.322	-3.445
4.5	-0.869	-2.238	-2.787	-3.060	-3.110	-3.219
4.6	-0.941	-2.138	-2.619	—	-2.902	-3.001
4.8	-0.999	-1.919	-2.288	-2.474	-2.505	-2.584
5.0	-0.984	-1.696	-1.981	—	-2.149	-2.211
5.2	-0.929	-1.483	-1.703	-1.813	-1.833	-1.878
5.4	-0.853	-1.289	-1.457	—	-1.556	-1.592
5.6	-0.769	-1.114	-1.243	-1.307	-1.318	-1.344
5.8	-0.684	-0.958	-1.058	—	-1.116	-1.130
6.0	-0.602	-0.822	-0.899	-0.929	-0.944	-0.946
6.2	-0.525	-0.704	-0.764	—	-0.799	-0.801
6.4	-0.455	-0.601	-0.649	-0.668	-0.676	-0.680
6.6	-0.393	-0.513	-0.551	—	-0.573	-0.575
6.8	-0.339	-0.439	-0.469	-0.480	-0.486	-0.486
7.0	-0.292	-0.375	-0.399	—	-0.413	-0.413
7.2	-0.251	-0.321	-0.341	-0.348	-0.352	-0.352
7.4	-0.216	-0.275	-0.291	—	-0.300	-0.300
7.6	-0.187	-0.236	-0.250	-0.254	-0.257	-0.257
7.8	-0.162	-0.204	-0.215	—	-0.221	-0.220
8.0	-0.141	-0.176	-0.185	-0.188	-0.190	-0.190
8.2	-0.123	-0.152	-0.160	—	-0.164	-0.164
8.4	-0.107	-0.133	-0.139	—	-0.142	-0.142
8.6	-0.094	-0.116	-0.121	—	-0.123	-0.123
8.8	-0.082	-0.101	-0.105	—	-0.108	-0.108
9.0	-0.072	-0.089	-0.092	—	-0.094	-0.094
9.2	-0.064	-0.078	-0.081	—	-0.082	-0.082
9.4	-0.056	-0.069	-0.071	—	-0.072	-0.072
9.6	-0.050	-0.061	-0.063	—	-0.064	-0.064
9.8	-0.044	-0.054	-0.056	—	-0.056	-0.056
10.0	-0.039	-0.048	-0.049	—	-0.050	-0.050
10.4	-0.031	-0.038	-0.039	—	-0.040	-0.040
10.8	-0.025	-0.031	-0.031	—	-0.032	-0.032
11.2	-0.020	-0.025	-0.025	—	-0.026	-0.026
11.6	-0.016	-0.020	-0.021	—	-0.021	-0.021
12.0	-0.013	-0.016	-0.017	—	-0.017	-0.017
12.4	-0.011	-0.013	-0.014	—	-0.014	-0.014
12.8	-0.009	-0.011	-0.012	—	-0.012	-0.012
13.2	-0.007	-0.009	-0.010	—	-0.010	-0.010
13.6	-0.006	-0.008	-0.008	—	-0.008	-0.008
14.0	-0.005	-0.006	-0.007	—	-0.007	-0.007
14.4	-0.004	-0.005	-0.006	—	-0.006	-0.006
14.8	-0.004	-0.005	-0.005	—	-0.005	-0.005
15.2	-0.003	-0.004	-0.004	—	-0.005	-0.004
15.6	-0.003	-0.003	-0.004	—	-0.004	-0.004
16.0	-0.002	-0.003	-0.003	—	-0.003	-0.003

Table XII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 70^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	255.9	214.7	193.4	184.6	180.4	179.5
2.5	184.3	149.4	132.1	125.2	121.6	121.3
2.6	133.59	104.02	89.85	—	81.29	81.33
2.7	97.47	72.53	60.84	56.64	53.79	54.19
2.8	71.59	50.65	40.94	—	35.09	35.62
2.9	52.93	35.42	27.30	24.63	22.40	23.07
3.0	39.37	24.77	17.95	—	13.84	14.49
3.1	29.45	17.28	11.54	9.74	8.07	8.70
3.2	22.13	11.96	7.13	—	4.22	4.74
3.3	16.701	8.152	4.098	2.809	1.653	2.060
3.4	12.636	5.402	2.004	—	-0.044	0.240
3.5	9.569	3.399	0.551	-0.430	-1.161	-1.001
3.6	7.235	1.933	-0.457	—	-1.890	-1.815
3.7	5.443	0.857	-1.155	-1.922	-2.357	-2.369
3.8	4.055	0.067	-1.635	—	-2.649	-2.701
3.9	2.971	-0.509	-1.959	-2.561	-2.819	-2.912
4.0	2.119	-0.924	-2.168	—	-2.904	-3.008
4.1	1.447	-1.218	-2.293	-2.766	-2.927	-3.042
4.2	0.916	-1.420	-2.354	—	-2.905	-3.019
4.3	0.497	-1.552	-2.368	-2.743	-2.849	-2.962
4.4	0.167	-1.629	-2.346	—	-2.769	-2.873
4.5	-0.090	-1.666	-2.297	-2.592	-2.670	-2.764
4.6	-0.288	-1.671	-2.229	—	-2.558	-2.645
4.8	-0.549	-1.617	-2.052	-2.259	-2.308	-2.380
5.0	-0.683	-1.511	-1.849	—	-2.049	-2.108
5.2	-0.734	-1.379	-1.641	-1.769	-1.796	-1.843
5.4	-0.732	-1.238	-1.440	—	-1.560	-1.596
5.6	-0.699	-1.098	-1.254	-1.328	-1.346	-1.371
5.8	-0.646	-0.964	-1.084	—	-1.154	-1.166
6.0	-0.586	-0.840	-0.933	-0.966	-0.987	-0.985
6.2	-0.522	-0.728	-0.800	—	-0.842	-0.842
6.4	-0.461	-0.628	-0.684	-0.707	-0.717	-0.720
6.6	-0.403	-0.540	-0.585	—	-0.610	-0.612
6.8	-0.351	-0.464	-0.499	-0.511	-0.519	-0.519
7.0	-0.304	-0.398	-0.426	—	-0.442	-0.442
7.2	-0.263	-0.341	-0.364	-0.373	-0.377	-0.377
7.4	-0.227	-0.293	-0.312	—	-0.322	-0.322
7.6	-0.197	-0.252	-0.267	-0.272	-0.276	-0.275
7.8	-0.171	-0.217	-0.230	—	-0.237	-0.236
8.0	-0.149	-0.188	-0.198	-0.201	-0.204	-0.203
8.2	-0.130	-0.163	-0.171	—	-0.176	-0.175
8.4	-0.113	-0.141	-0.148	—	-0.152	-0.152
8.6	-0.099	-0.123	-0.129	—	-0.132	-0.132
8.8	-0.087	-0.107	-0.112	—	-0.115	-0.115
9.0	-0.076	-0.094	-0.098	—	-0.100	-0.100
9.2	-0.067	-0.083	-0.086	—	-0.088	-0.088
9.4	-0.059	-0.073	-0.076	—	-0.077	-0.077
9.6	-0.052	-0.065	-0.067	—	-0.068	-0.068
9.8	-0.046	-0.057	-0.059	—	-0.060	-0.060
10.0	-0.041	-0.051	-0.052	—	-0.053	-0.053
10.4	-0.033	-0.040	-0.041	—	-0.042	-0.042
10.8	-0.026	-0.032	-0.033	—	-0.033	-0.033
11.2	-0.021	-0.026	-0.027	—	-0.027	-0.027
11.6	-0.017	-0.021	-0.022	—	-0.022	-0.022
12.0	-0.014	-0.017	-0.018	—	-0.018	-0.018
12.4	-0.011	-0.014	-0.015	—	-0.015	-0.015
12.8	-0.009	-0.012	-0.012	—	-0.012	-0.012
13.2	-0.008	-0.010	-0.010	—	-0.010	-0.010
13.6	-0.007	-0.008	-0.009	—	-0.009	-0.008
14.0	-0.005	-0.007	-0.007	—	-0.007	-0.007
14.4	-0.005	-0.006	-0.006	—	-0.006	-0.006
14.8	-0.004	-0.005	-0.005	—	-0.006	-0.005
15.2	-0.003	-0.004	-0.005	—	-0.005	-0.004
15.6	-0.003	-0.004	-0.004	—	-0.004	-0.004
16.0	-0.003	-0.003	-0.003	—	-0.004	-0.003

Table XIII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 75^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	244.2	201.7	178.2	168.3	163.9	162.5
2.5	178.0	142.2	123.1	115.5	111.5	111.0
2.6	131.15	100.92	85.41	—	75.96	75.90
2.7	97.71	72.32	59.57	54.92	51.82	52.22
2.8	73.66	52.39	41.83	—	35.43	36.01
2.9	56.19	38.39	29.60	26.71	24.28	25.03
3.0	43.36	28.45	21.11	—	16.65	17.40
3.1	33.81	21.29	15.13	13.24	11.41	12.14
3.2	26.62	16.03	10.87	—	7.75	8.38
3.3	21.12	12.11	7.78	6.46	5.16	5.69
3.4	16.87	9.14	5.50	—	3.30	3.71
3.5	13.529	6.840	3.773	2.787	1.930	2.216
3.6	10.872	5.047	2.453	—	0.901	1.094
3.7	8.733	3.633	1.428	0.661	0.114	0.215
3.8	6.992	2.512	0.627	—	-0.493	-0.449
3.9	5.564	1.620	-0.002	-0.617	-0.962	-0.976
4.0	4.386	0.911	-0.494	—	-1.323	-1.365
4.1	3.412	0.349	-0.875	-1.375	-1.597	-1.667
4.2	2.607	-0.093	-1.166	—	-1.797	-1.878
4.3	1.941	-0.437	-1.381	-1.790	-1.937	-2.029
4.4	1.393	-0.701	-1.535	—	2.026	-2.119
4.5	0.945	-0.900	-1.638	-1.971	-2.073	-2.166
4.6	0.580	-1.044	-1.699	—	-2.085	-2.172
4.8	0.050	-1.209	-1.725	-1.966	-2.031	-2.106
5.0	-0.280	-1.257	-1.663	—	-1.904	-1.968
5.2	-0.471	-1.232	-1.548	-1.699	-1.736	-1.788
5.4	-0.567	-1.162	-1.409	—	-1.554	-1.596
5.6	-0.600	-1.069	-1.259	-1.349	-1.371	-1.402
5.8	-0.592	-0.964	-1.111	—	-1.197	-1.221
6.0	-0.560	-0.858	-0.970	-1.022	-1.036	-1.052
6.2	-0.515	-0.755	-0.842	—	-0.893	-0.903
6.4	-0.465	-0.659	-0.727	-0.754	-0.766	-0.770
6.6	-0.413	-0.572	-0.625	—	-0.656	-0.659
6.8	-0.364	-0.494	-0.536	-0.553	-0.560	-0.562
7.0	-0.318	-0.426	-0.459	—	-0.478	-0.480
7.2	-0.277	-0.366	-0.393	-0.403	-0.409	-0.409
7.4	-0.241	-0.315	-0.337	—	-0.350	-0.349
7.6	-0.209	-0.271	-0.289	-0.295	-0.299	-0.298
7.8	-0.182	-0.234	-0.249	—	-0.257	-0.256
8.0	-0.158	-0.202	-0.214	-0.218	-0.221	-0.220
8.2	-0.138	-0.175	-0.185	—	-0.190	-0.190
8.4	-0.121	-0.152	-0.160	—	-0.165	-0.164
8.6	-0.106	-0.132	-0.139	—	-0.143	-0.142
8.8	-0.093	-0.115	-0.121	—	-0.124	-0.124
9.0	-0.081	-0.101	-0.106	—	-0.108	-0.108
9.2	-0.072	-0.089	-0.093	—	-0.095	-0.095
9.4	-0.063	-0.078	-0.081	—	-0.083	-0.083
9.6	-0.056	-0.069	-0.072	—	-0.073	-0.073
9.8	-0.049	-0.061	-0.063	—	-0.064	-0.064
10.0	-0.044	-0.054	-0.056	—	-0.057	-0.057
10.4	-0.035	-0.043	-0.044	—	-0.045	-0.045
10.8	-0.027	-0.034	-0.035	—	-0.036	-0.036
11.2	-0.022	-0.028	-0.028	—	-0.029	-0.029
11.6	-0.018	-0.022	-0.023	—	-0.023	-0.023
12.0	-0.014	-0.018	-0.019	—	-0.019	-0.019
12.4	-0.012	-0.015	-0.015	—	-0.016	-0.015
12.8	-0.010	-0.012	-0.013	—	-0.013	-0.013
13.2	-0.008	-0.010	-0.011	—	-0.011	-0.011
13.6	-0.007	-0.008	-0.009	—	-0.009	-0.009
14.0	-0.006	-0.007	-0.008	—	-0.008	-0.007
14.4	-0.005	-0.006	-0.006	—	-0.007	-0.006
14.8	-0.004	-0.005	-0.005	—	-0.006	-0.005
15.2	-0.004	-0.004	-0.005	—	-0.005	-0.004
15.6	-0.003	-0.004	-0.004	—	-0.004	-0.004
16.0	-0.003	-0.003	-0.004	—	-0.004	-0.003

Table XIV: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 80^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	262.2	217.2	190.3	178.4	173.7	171.4
2.5	192.7	155.0	133.2	124.1	119.7	118.8
2.6	143.62	111.93	94.20	—	83.31	83.00
2.7	108.67	82.10	67.62	62.23	58.75	59.09
2.8	83.56	61.29	49.39	—	42.11	42.68
2.9	65.28	46.59	36.76	33.47	30.75	31.56
3.0	51.78	36.04	27.87	—	22.89	23.72
3.1	41.63	28.29	21.48	19.40	17.34	18.19
3.2	33.86	22.47	16.77	—	13.31	14.08
3.3	27.79	17.98	13.20	11.80	10.31	10.99
3.4	22.97	14.45	10.42	—	7.99	8.55
3.5	19.06	11.61	8.19	7.18	6.14	6.59
3.6	15.84	9.29	6.38	—	4.64	4.98
3.7	13.16	7.38	4.89	4.10	3.40	3.64
3.8	10.908	5.791	3.641	—	2.365	2.522
3.9	9.001	4.467	2.603	1.954	1.500	1.577
4.0	7.383	3.364	1.739	—	0.779	0.803
4.1	6.008	2.446	1.022	0.474	0.183	0.155
4.2	4.841	1.686	0.433	—	-0.305	-0.360
4.3	3.853	1.061	-0.046	-0.509	-0.697	-0.780
4.4	3.021	0.551	-0.429	—	1.007	-1.099
4.5	2.322	0.140	-0.731	-1.119	-1.245	-1.346
4.6	1.739	-0.189	-0.964	—	-1.421	-1.519
4.8	0.857	-0.643	-1.258	-1.546	-1.622	-1.714
5.0	0.269	-0.898	-1.384	—	-1.673	-1.751
5.2	-0.107	-1.016	-1.399	-1.583	-1.627	-1.690
5.4	-0.333	-1.043	-1.343	—	-1.522	-1.573
5.6	-0.456	-1.014	-1.246	-1.358	-1.384	-1.423
5.8	-0.510	-0.950	-1.130	—	-1.236	-1.265
6.0	-0.518	-0.869	-1.007	-1.071	-1.089	-1.109
6.2	-0.499	-0.780	-0.886	—	-0.949	-0.962
6.4	-0.464	-0.691	-0.774	-0.808	-0.821	-0.827
6.6	-0.422	-0.606	-0.671	—	-0.708	-0.713
6.8	-0.377	-0.528	-0.579	-0.600	-0.608	-0.612
7.0	-0.334	-0.458	-0.498	—	-0.521	-0.523
7.2	-0.293	-0.396	-0.428	-0.439	-0.446	-0.446
7.4	-0.256	-0.341	-0.367	—	-0.382	-0.381
7.6	-0.223	-0.294	-0.315	-0.322	-0.327	-0.326
7.8	-0.195	-0.254	-0.271	—	-0.281	-0.280
8.0	-0.170	-0.219	-0.233	-0.238	-0.241	-0.240
8.2	-0.148	-0.190	-0.201	—	-0.208	-0.207
8.4	-0.129	-0.164	-0.174	—	-0.179	-0.179
8.6	-0.113	-0.143	-0.151	—	-0.155	-0.155
8.8	-0.099	-0.125	-0.131	—	-0.135	-0.135
9.0	-0.087	-0.109	-0.114	—	-0.117	-0.117
9.2	-0.077	-0.096	-0.100	—	-0.103	-0.102
9.4	-0.068	-0.084	-0.088	—	-0.089	-0.089
9.6	-0.060	-0.074	-0.077	—	-0.079	-0.078
9.8	-0.053	-0.066	-0.068	—	-0.069	-0.069
10.0	-0.047	-0.058	-0.060	—	-0.061	-0.061
10.4	-0.037	-0.046	-0.047	—	-0.048	-0.048
10.8	-0.029	-0.037	-0.038	—	-0.038	-0.038
11.2	-0.023	-0.029	-0.030	—	-0.030	-0.030
11.6	-0.019	-0.024	-0.024	—	-0.025	-0.025
12.0	-0.015	-0.019	-0.020	—	-0.020	-0.020
12.4	-0.013	-0.016	-0.016	—	-0.017	-0.016
12.8	-0.010	-0.013	-0.013	—	-0.014	-0.013
13.2	-0.009	-0.011	-0.011	—	-0.012	-0.011
13.6	-0.007	-0.009	-0.009	—	-0.010	-0.009
14.0	-0.006	-0.007	-0.008	—	-0.008	-0.008
14.4	-0.005	-0.006	-0.007	—	-0.007	-0.006
14.8	-0.004	-0.005	-0.006	—	-0.006	-0.005
15.2	-0.004	-0.005	-0.005	—	-0.005	-0.005
15.6	-0.003	-0.004	-0.004	—	-0.004	-0.004
16.0	-0.003	-0.003	-0.004	—	-0.004	-0.003

Table XV: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 85^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	312.3	263.5	231.7	216.5	211.8	207.7
2.5	230.2	189.4	163.6	152.3	147.6	145.7
2.6	172.3	138.2	117.3	—	104.3	103.4
2.7	131.29	102.71	85.72	79.19	75.22	75.38
2.8	101.95	77.96	64.10	—	55.56	56.06
2.9	80.70	60.48	49.12	45.23	42.13	42.97
3.0	65.03	47.89	38.52	—	32.78	33.68
3.1	53.23	38.59	30.83	28.44	26.08	27.05
3.2	44.13	31.53	25.05	—	21.11	22.03
3.3	36.95	26.01	20.57	19.03	17.28	18.14
3.4	31.15	21.57	16.98	—	14.21	14.95
3.5	26.36	17.92	14.02	12.93	11.67	12.31
3.6	22.34	14.87	11.53	—	9.53	10.04
3.7	18.92	12.29	9.41	8.57	7.69	8.08
3.8	15.98	10.09	7.59	—	6.10	6.39
3.9	13.45	8.20	6.03	5.32	4.74	4.91
4.0	11.27	6.59	4.69	—	3.56	3.65
4.1	9.38	5.22	3.54	2.93	2.55	2.57
4.2	7.753	4.047	2.569	—	1.698	1.667
4.3	6.354	3.061	1.752	1.216	0.982	0.903
4.4	5.158	2.233	1.072	—	0.388	0.289
4.5	4.139	1.543	0.511	0.052	-0.097	-0.216
4.6	3.276	0.976	0.056	—	-0.486	-0.606
4.8	1.940	0.140	-0.592	-0.942	-1.025	-1.146
5.0	1.015	-0.389	-0.971	—	-1.317	-1.421
5.2	0.395	-0.699	-1.160	-1.388	-1.435	-1.521
5.4	-0.005	-0.858	-1.222	—	-1.438	-1.507
5.6	-0.249	-0.917	-1.201	-1.340	-1.370	-1.422
5.8	-0.385	-0.911	-1.130	—	-1.260	-1.302
6.0	-0.449	-0.866	-1.035	-1.118	-1.136	-1.166
6.2	-0.466	-0.799	-0.930	—	-1.006	-1.026
6.4	-0.454	-0.722	-0.822	-0.864	-0.881	-0.889
6.6	-0.426	-0.642	-0.720	—	-0.766	-0.773
6.8	-0.389	-0.565	-0.626	-0.652	-0.662	-0.667
7.0	-0.349	-0.493	-0.542	—	-0.570	-0.573
7.2	-0.310	-0.428	-0.467	-0.482	-0.489	-0.490
7.4	-0.273	-0.371	-0.402	—	-0.419	-0.420
7.6	-0.239	-0.320	-0.346	-0.354	-0.360	-0.359
7.8	-0.209	-0.277	-0.297	—	-0.309	-0.308
8.0	-0.183	-0.239	-0.256	-0.261	-0.265	-0.264
8.2	-0.160	-0.207	-0.220	—	-0.228	-0.227
8.4	-0.140	-0.179	-0.190	—	-0.197	-0.196
8.6	-0.122	-0.156	-0.165	—	-0.170	-0.170
8.8	-0.107	-0.136	-0.143	—	-0.147	-0.147
9.0	-0.094	-0.118	-0.125	—	-0.128	-0.128
9.2	-0.083	-0.103	-0.109	—	-0.112	-0.112
9.4	-0.073	-0.091	-0.095	—	-0.098	-0.097
9.6	-0.064	-0.080	-0.084	—	-0.085	-0.085
9.8	-0.057	-0.071	-0.074	—	-0.075	-0.075
10.0	-0.050	-0.063	-0.065	—	-0.066	-0.066
10.4	-0.039	-0.050	-0.051	—	-0.051	-0.052
10.8	-0.031	-0.039	-0.040	—	-0.041	-0.041
11.2	-0.025	-0.031	-0.032	—	-0.033	-0.033
11.6	-0.020	-0.025	-0.026	—	-0.026	-0.026
12.0	-0.016	-0.020	-0.021	—	-0.021	-0.021
12.4	-0.013	-0.017	-0.017	—	-0.017	-0.017
12.8	-0.011	-0.014	-0.014	—	-0.015	-0.014
13.2	-0.009	-0.011	-0.012	—	-0.012	-0.012
13.6	-0.008	-0.009	-0.010	—	-0.010	-0.010
14.0	-0.006	-0.008	-0.008	—	-0.009	-0.008
14.4	-0.005	-0.007	-0.007	—	-0.007	-0.007
14.8	-0.005	-0.006	-0.006	—	-0.006	-0.006
15.2	-0.004	-0.005	-0.005	—	-0.005	-0.005
15.6	-0.003	-0.004	-0.004	—	-0.005	-0.004
16.0	-0.003	-0.003	-0.004	—	-0.004	-0.003

Table XVI: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 90^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	401.4	347.1	308.6	288.8	284.5	277.1
2.5	295.3	250.2	219.1	204.3	199.7	195.7
2.6	220.6	183.0	157.8	—	142.0	139.9
2.7	167.9	136.4	115.9	107.7	103.2	102.9
2.8	130.46	103.93	87.34	—	77.04	77.32
2.9	103.53	81.08	67.58	62.82	59.23	60.06
3.0	83.84	64.70	53.66	—	46.86	47.82
3.1	69.11	52.67	43.58	40.74	38.00	39.10
3.2	57.81	43.56	36.03	—	31.42	32.49
3.3	48.88	36.45	30.14	28.37	26.31	27.35
3.4	41.65	30.73	25.40	—	22.17	23.11
3.5	35.64	25.99	21.45	20.24	18.71	19.54
3.6	30.55	21.98	18.08	—	15.74	16.44
3.7	26.18	18.55	15.18	14.25	13.16	13.71
3.8	22.39	15.57	12.64	—	10.90	11.31
3.9	19.08	12.99	10.43	9.64	8.91	9.19
4.0	16.19	10.75	8.50	—	7.17	7.34
4.1	13.67	8.80	6.82	6.12	5.65	5.71
4.2	11.47	7.12	5.37	—	4.34	4.33
4.3	9.57	5.68	4.13	3.50	3.22	3.14
4.4	7.917	4.452	3.076	—	2.266	2.150
4.5	6.497	3.412	2.187	1.637	1.466	1.316
4.6	5.282	2.538	1.446	—	0.803	0.648
4.8	3.369	1.210	0.338	-0.090	-0.176	-0.341
5.0	2.013	0.322	-0.374	—	-0.786	-0.928
5.2	1.077	-0.242	-0.797	-1.080	-1.127	-1.246
5.4	0.449	-0.579	-1.018	—	-1.279	-1.376
5.6	0.045	-0.759	-1.103	-1.279	-1.308	-1.382
5.8	-0.202	-0.833	-1.101	—	-1.261	-1.319
6.0	-0.342	-0.839	-1.047	-1.151	-1.171	-1.212
6.2	-0.409	-0.804	-0.964	—	-1.058	-1.083
6.4	-0.429	-0.745	-0.869	-0.920	-0.942	-0.950
6.6	-0.421	-0.675	-0.771	—	-0.827	-0.835
6.8	-0.396	-0.602	-0.677	-0.710	-0.720	-0.729
7.0	-0.363	-0.531	-0.589	—	-0.623	-0.629
7.2	-0.327	-0.464	-0.510	-0.529	-0.537	-0.539
7.4	-0.290	-0.403	-0.441	—	-0.462	-0.463
7.6	-0.256	-0.349	-0.379	-0.390	-0.397	-0.396
7.8	-0.225	-0.302	-0.327	—	-0.341	-0.340
8.0	-0.197	-0.261	-0.281	-0.287	-0.292	-0.291
8.2	-0.173	-0.226	-0.242	—	-0.251	-0.250
8.4	-0.151	-0.196	-0.209	—	-0.217	-0.216
8.6	-0.132	-0.170	-0.181	—	-0.187	-0.186
8.8	-0.116	-0.148	-0.157	—	-0.162	-0.161
9.0	-0.102	-0.129	-0.136	—	-0.140	-0.140
9.2	-0.089	-0.113	-0.119	—	-0.122	-0.122
9.4	-0.079	-0.099	-0.104	—	-0.106	-0.106
9.6	-0.069	-0.087	-0.091	—	-0.093	-0.093
9.8	-0.061	-0.076	-0.080	—	-0.081	-0.081
10.0	-0.054	-0.068	-0.070	—	-0.071	-0.071
10.4	-0.042	-0.053	-0.055	—	-0.056	-0.056
10.8	-0.033	-0.042	-0.043	—	-0.044	-0.044
11.2	-0.027	-0.034	-0.034	—	-0.035	-0.035
11.6	-0.021	-0.027	-0.028	—	-0.028	-0.028
12.0	-0.017	-0.022	-0.022	—	-0.023	-0.023
12.4	-0.014	-0.018	-0.018	—	-0.019	-0.018
12.8	-0.012	-0.015	-0.015	—	-0.015	-0.015
13.2	-0.010	-0.012	-0.012	—	-0.013	-0.012
13.6	-0.008	-0.010	-0.010	—	-0.011	-0.010
14.0	-0.007	-0.008	-0.009	—	-0.009	-0.008
14.4	-0.006	-0.007	-0.007	—	-0.008	-0.007
14.8	-0.005	-0.006	-0.006	—	-0.007	-0.006
15.2	-0.004	-0.005	-0.005	—	-0.006	-0.005
15.6	-0.003	-0.004	-0.005	—	-0.005	-0.004
16.0	-0.003	-0.004	-0.004	—	-0.004	-0.004

Table XVII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 95^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	541.8	480.1	432.4	405.9	402.3	390.4
2.5	396.9	345.7	307.7	287.8	283.7	276.1
2.6	294.7	252.1	221.4	—	202.0	197.5
2.7	222.7	187.1	162.1	151.3	146.5	145.0
2.8	171.8	141.8	121.6	—	108.9	108.6
2.9	135.61	110.13	93.73	87.73	83.52	84.24
3.0	109.40	87.60	74.28	—	66.03	66.99
3.1	90.05	71.25	60.37	56.89	53.67	54.87
3.2	75.38	59.05	50.09	—	44.60	45.80
3.3	63.93	49.65	42.19	40.07	37.65	38.84
3.4	54.71	42.15	35.88	—	32.07	33.17
3.5	47.09	35.98	30.65	29.24	27.43	28.42
3.6	40.64	30.77	26.19	—	23.44	24.29
3.7	35.09	26.28	22.33	21.27	19.96	20.65
3.8	30.25	22.38	18.94	—	16.88	17.41
3.9	26.01	18.96	15.94	15.05	14.15	14.53
4.0	22.28	15.96	13.31	—	11.74	11.97
4.1	19.00	13.32	10.99	10.18	9.61	9.71
4.2	16.12	11.03	8.96	—	7.75	7.75
4.3	13.60	9.03	7.20	6.47	6.13	6.03
4.4	11.40	7.31	5.69	—	4.73	4.59
4.5	9.49	5.84	4.39	3.73	3.54	3.35
4.6	7.84	4.58	3.29	—	2.53	2.33
4.8	5.215	2.635	1.602	1.077	0.993	0.770
5.0	3.319	1.289	0.462	—	-0.027	-0.223
5.2	1.982	0.394	-0.268	-0.622	-0.661	-0.829
5.4	1.063	-0.176	-0.703	—	-1.017	-1.152
5.6	0.450	-0.517	-0.933	-1.153	-1.180	-1.283
5.8	0.057	-0.700	-1.025	—	-1.219	-1.299
6.0	-0.183	-0.778	-1.031	-1.163	-1.182	-1.240
6.2	-0.317	-0.788	-0.984	—	-1.100	-1.134
6.4	-0.382	-0.757	-0.909	-0.971	-0.998	-1.008
6.6	-0.403	-0.703	-0.819	—	-0.888	-0.899
6.8	-0.395	-0.637	-0.728	-0.769	-0.781	-0.794
7.0	-0.372	-0.568	-0.639	—	-0.681	-0.690
7.2	-0.341	-0.501	-0.557	-0.581	-0.590	-0.595
7.4	-0.308	-0.438	-0.483	—	-0.508	-0.512
7.6	-0.274	-0.381	-0.417	-0.430	-0.437	-0.438
7.8	-0.242	-0.330	-0.359	—	-0.376	-0.375
8.0	-0.213	-0.286	-0.310	-0.317	-0.323	-0.321
8.2	-0.187	-0.247	-0.267	—	-0.277	-0.276
8.4	-0.163	-0.214	-0.230	—	-0.239	-0.238
8.6	-0.143	-0.186	-0.199	—	-0.206	-0.205
8.8	-0.126	-0.161	-0.172	—	-0.178	-0.177
9.0	-0.110	-0.141	-0.149	—	-0.154	-0.153
9.2	-0.097	-0.123	-0.130	—	-0.134	-0.133
9.4	-0.085	-0.107	-0.113	—	-0.116	-0.116
9.6	-0.075	-0.094	-0.099	—	-0.101	-0.101
9.8	-0.066	-0.083	-0.087	—	-0.089	-0.089
10.0	-0.058	-0.073	-0.076	—	-0.078	-0.078
10.4	-0.046	-0.057	-0.059	—	-0.060	-0.061
10.8	-0.036	-0.045	-0.047	—	-0.047	-0.048
11.2	-0.029	-0.036	-0.037	—	-0.038	-0.038
11.6	-0.023	-0.029	-0.030	—	-0.030	-0.030
12.0	-0.018	-0.023	-0.024	—	-0.024	-0.024
12.4	-0.015	-0.019	-0.019	—	-0.020	-0.020
12.8	-0.012	-0.016	-0.016	—	-0.016	-0.016
13.2	-0.010	-0.013	-0.013	—	-0.014	-0.013
13.6	-0.008	-0.010	-0.011	—	-0.011	-0.011
14.0	-0.007	-0.009	-0.009	—	-0.010	-0.009
14.4	-0.006	-0.007	-0.008	—	-0.008	-0.007
14.8	-0.005	-0.006	-0.007	—	-0.007	-0.006
15.2	-0.004	-0.005	-0.006	—	-0.006	-0.005
15.6	-0.004	-0.004	-0.005	—	-0.005	-0.004
16.0	-0.003	-0.004	-0.004	—	-0.004	-0.004

Table XVIII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 100^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	753.0	681.1	620.2	585.1	581.5	564.5
2.5	548.4	489.2	441.6	414.7	411.4	398.9
2.6	403.9	354.8	316.8	—	292.8	284.6
2.7	302.1	261.1	230.4	215.7	211.0	207.1
2.8	230.5	195.9	170.9	—	155.3	153.4
2.9	179.8	150.4	130.2	122.3	117.5	117.7
3.0	143.54	118.33	101.99	—	91.81	92.53
3.1	117.18	95.41	82.16	77.74	73.95	75.17
3.2	97.55	78.63	67.81	—	61.14	62.39
3.3	82.50	65.95	57.03	54.38	51.56	52.84
3.4	70.58	56.04	48.59	—	44.05	45.24
3.5	60.86	48.01	41.72	40.00	37.91	39.00
3.6	52.71	41.31	35.93	—	32.69	33.63
3.7	45.73	35.56	30.93	29.66	28.14	28.93
3.8	39.65	30.56	26.53	—	24.12	24.74
3.9	34.32	26.16	22.64	21.59	20.54	20.98
4.0	29.61	22.28	19.19	—	17.35	17.63
4.1	25.45	18.85	16.13	15.18	14.51	14.63
4.2	21.77	15.83	13.42	—	12.00	12.00
4.3	18.52	13.19	11.05	10.18	9.79	9.67
4.4	15.68	10.88	8.98	—	7.87	7.68
4.5	13.19	8.89	7.20	6.41	6.20	5.95
4.6	11.02	7.18	5.66	—	4.78	4.51
4.8	7.54	4.47	3.26	2.62	2.55	2.25
5.0	4.982	2.561	1.586	—	1.011	0.744
5.2	3.150	1.249	0.466	0.027	0.002	-0.230
5.4	1.866	0.381	-0.246	—	-0.618	-0.805
5.6	0.991	-0.168	-0.666	-0.943	-0.963	-1.104
5.8	0.411	-0.495	-0.887	—	-1.120	-1.232
6.0	0.041	-0.669	-0.975	-1.142	-1.158	-1.239
6.2	-0.183	-0.742	-0.981	—	-1.122	-1.184
6.4	-0.307	-0.750	-0.934	-1.030	-1.043	-1.086
6.6	-0.366	-0.719	-0.863	—	-0.947	-0.977
6.8	-0.384	-0.667	-0.777	-0.828	-0.842	-0.859
7.0	-0.375	-0.604	-0.690	—	-0.740	-0.753
7.2	-0.353	-0.538	-0.606	-0.636	-0.645	-0.653
7.4	-0.323	-0.474	-0.527	—	-0.558	-0.563
7.6	-0.291	-0.414	-0.457	-0.474	-0.482	-0.483
7.8	-0.259	-0.360	-0.395	—	-0.415	-0.414
8.0	-0.229	-0.312	-0.340	-0.349	-0.356	-0.355
8.2	-0.201	-0.271	-0.293	—	-0.306	-0.305
8.4	-0.177	-0.234	-0.253	—	-0.263	-0.262
8.6	-0.155	-0.203	-0.218	—	-0.227	-0.226
8.8	-0.136	-0.176	-0.188	—	-0.195	-0.195
9.0	-0.119	-0.153	-0.163	—	-0.169	-0.169
9.2	-0.105	-0.133	-0.142	—	-0.146	-0.146
9.4	-0.092	-0.116	-0.123	—	-0.127	-0.127
9.6	-0.081	-0.102	-0.108	—	-0.111	-0.111
9.8	-0.071	-0.090	-0.094	—	-0.097	-0.096
10.0	-0.063	-0.079	-0.083	—	-0.085	-0.084
10.4	-0.049	-0.062	-0.064	—	-0.065	-0.066
10.8	-0.039	-0.049	-0.050	—	-0.051	-0.052
11.2	-0.031	-0.039	-0.040	—	-0.040	-0.041
11.6	-0.024	-0.031	-0.032	—	-0.032	-0.032
12.0	-0.020	-0.025	-0.026	—	-0.026	-0.026
12.4	-0.016	-0.020	-0.021	—	-0.021	-0.021
12.8	-0.013	-0.016	-0.017	—	-0.017	-0.017
13.2	-0.011	-0.013	-0.014	—	-0.014	-0.014
13.6	-0.009	-0.011	-0.012	—	-0.012	-0.011
14.0	-0.007	-0.009	-0.010	—	-0.010	-0.009
14.4	-0.006	-0.008	-0.008	—	-0.009	-0.008
14.8	-0.005	-0.006	-0.007	—	-0.007	-0.006
15.2	-0.004	-0.005	-0.006	—	-0.006	-0.005
15.6	-0.004	-0.005	-0.005	—	-0.005	-0.005
16.0	-0.003	-0.004	-0.004	—	-0.004	-0.004

Table XIX: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 105^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	1063.3	977.8	897.4	851.7	845.9	825.0
2.5	770.3	700.3	639.0	603.1	600.0	582.1
2.6	562.5	504.6	456.8	—	426.5	413.4
2.7	416.0	367.7	329.6	309.3	305.5	297.3
2.8	312.9	272.3	241.5	—	222.1	217.4
2.9	240.4	205.9	180.9	170.3	165.2	164.0
3.0	189.1	159.5	139.3	—	126.6	126.5
3.1	152.2	126.8	110.4	104.6	100.3	101.2
3.2	125.33	103.25	90.00	—	81.80	82.92
3.3	105.15	85.89	75.06	71.64	68.41	69.66
3.4	89.55	72.65	63.71	—	58.25	59.42
3.5	77.07	62.19	54.70	52.52	50.16	51.26
3.6	66.79	53.61	47.27	—	43.44	44.39
3.7	58.09	46.36	40.93	39.37	37.67	38.47
3.8	50.57	40.09	35.40	—	32.59	33.21
3.9	43.98	34.58	30.50	29.24	28.06	28.50
4.0	38.17	29.71	26.13	—	24.01	24.27
4.1	33.01	25.39	22.24	21.12	20.38	20.47
4.2	28.42	21.56	18.78	—	17.13	17.09
4.3	24.36	18.17	15.71	14.68	14.26	14.08
4.4	20.78	15.20	13.01	—	11.72	11.47
4.5	17.62	12.61	10.66	9.72	9.51	9.17
4.6	14.86	10.36	8.62	—	7.59	7.23
4.8	10.37	6.77	5.36	4.59	4.54	4.14
5.0	7.036	4.175	3.042	—	2.375	2.014
5.2	4.610	2.355	1.441	0.900	0.902	0.583
5.4	2.886	1.118	0.383	—	-0.053	-0.310
5.6	1.687	0.306	-0.281	-0.625	-0.631	-0.827
5.8	0.875	-0.203	-0.669	—	-0.946	-1.098
6.0	0.342	-0.501	-0.868	-1.073	-1.087	-1.193
6.2	0.005	-0.657	-0.944	—	-1.114	-1.194
6.4	-0.197	-0.719	-0.942	-1.060	-1.075	-1.129
6.6	-0.307	-0.721	-0.894	—	-0.996	-1.032
6.8	-0.357	-0.688	-0.822	-0.883	-0.901	-0.920
7.0	-0.369	-0.635	-0.739	—	-0.800	-0.814
7.2	-0.359	-0.573	-0.654	-0.691	-0.702	-0.712
7.4	-0.336	-0.509	-0.574	—	-0.611	-0.617
7.6	-0.306	-0.448	-0.499	-0.519	-0.529	-0.531
7.8	-0.275	-0.391	-0.432	—	-0.456	-0.456
8.0	-0.245	-0.340	-0.373	-0.384	-0.392	-0.391
8.2	-0.216	-0.295	-0.322	—	-0.337	-0.336
8.4	-0.191	-0.256	-0.277	—	-0.290	-0.289
8.6	-0.167	-0.222	-0.239	—	-0.249	-0.249
8.8	-0.147	-0.192	-0.206	—	-0.215	-0.214
9.0	-0.129	-0.167	-0.179	—	-0.185	-0.185
9.2	-0.113	-0.145	-0.155	—	-0.160	-0.160
9.4	-0.099	-0.126	-0.134	—	-0.139	-0.139
9.6	-0.087	-0.111	-0.117	—	-0.121	-0.121
9.8	-0.077	-0.097	-0.102	—	-0.105	-0.105
10.0	-0.068	-0.085	-0.089	—	-0.092	-0.092
10.4	-0.053	-0.067	-0.069	—	-0.071	-0.072
10.8	-0.041	-0.052	-0.054	—	-0.055	-0.056
11.2	-0.033	-0.041	-0.043	—	-0.043	-0.044
11.6	-0.026	-0.033	-0.034	—	-0.034	-0.035
12.0	-0.021	-0.026	-0.027	—	-0.028	-0.028
12.4	-0.017	-0.021	-0.022	—	-0.022	-0.022
12.8	-0.014	-0.017	-0.018	—	-0.018	-0.018
13.2	-0.011	-0.014	-0.015	—	-0.015	-0.015
13.6	-0.009	-0.012	-0.012	—	-0.013	-0.012
14.0	-0.008	-0.010	-0.010	—	-0.010	-0.010
14.4	-0.007	-0.008	-0.009	—	-0.009	-0.008
14.8	-0.005	-0.007	-0.007	—	-0.008	-0.007
15.2	-0.005	-0.006	-0.006	—	-0.006	-0.006
15.6	-0.004	-0.005	-0.005	—	-0.006	-0.005
16.0	-0.003	-0.004	-0.004	—	-0.005	-0.004

Table XX: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 110^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	2158.8	2028.8	1876.1	1803.7	1777.3	1761.5
2.5	1551.1	1447.3	1336.1	1277.2	1264.5	1242.7
2.6	1116.6	1032.3	950.0	—	897.2	876.9
2.7	808.6	739.1	676.7	639.7	636.9	618.1
2.8	591.6	533.6	485.2	—	454.4	440.6
2.9	439.4	390.6	352.1	331.2	327.7	319.0
3.0	332.8	291.4	260.3	—	240.7	235.6
3.1	257.9	222.5	197.4	186.4	181.6	180.0
3.2	204.9	174.4	154.1	—	141.4	140.9
3.3	166.8	140.4	124.0	117.9	113.9	114.3
3.4	138.78	115.85	102.59	—	94.41	94.98
3.5	117.60	97.54	86.72	82.96	80.09	80.77
3.6	101.04	83.39	74.46	—	69.03	69.61
3.7	87.62	72.02	64.56	62.02	60.06	60.54
3.8	76.41	62.54	56.24	—	52.47	52.78
3.9	66.81	54.41	49.03	47.10	45.83	45.98
4.0	58.41	47.29	42.65	—	39.90	39.89
4.1	50.99	40.98	36.95	35.32	34.57	34.38
4.2	44.38	35.35	31.82	—	29.74	29.41
4.3	38.48	30.33	27.22	25.76	25.39	24.92
4.4	33.22	25.87	23.10	—	21.49	20.92
4.5	28.55	21.91	19.45	18.13	18.01	17.36
4.6	24.40	18.42	16.22	—	14.94	14.26
4.8	17.55	12.72	10.94	9.83	9.91	9.18
5.0	12.33	8.46	7.02	—	6.18	5.52
5.2	8.45	5.37	4.19	3.40	3.50	2.93
5.4	5.614	3.184	2.227	—	1.663	1.193
5.6	3.590	1.682	0.907	0.389	0.449	0.086
5.8	2.175	0.683	0.059	—	-0.311	-0.591
6.0	1.209	0.043	-0.454	-0.765	-0.750	-0.947
6.2	0.566	-0.344	-0.738	—	-0.973	-1.120
6.4	0.154	-0.561	-0.871	-1.048	-1.056	-1.152
6.6	-0.100	-0.663	-0.905	—	-1.049	-1.111
6.8	-0.245	-0.691	-0.880	-0.968	-0.992	-1.019
7.0	-0.319	-0.674	-0.820	—	-0.907	-0.929
7.2	-0.347	-0.631	-0.745	-0.798	-0.812	-0.829
7.4	-0.347	-0.575	-0.664	—	-0.717	-0.727
7.6	-0.330	-0.514	-0.585	-0.613	-0.627	-0.630
7.8	-0.305	-0.454	-0.511	—	-0.544	-0.545
8.0	-0.276	-0.398	-0.443	-0.459	-0.469	-0.468
8.2	-0.247	-0.347	-0.383	—	-0.404	-0.403
8.4	-0.219	-0.301	-0.330	—	-0.347	-0.347
8.6	-0.193	-0.261	-0.285	—	-0.298	-0.298
8.8	-0.170	-0.226	-0.245	—	-0.257	-0.256
9.0	-0.150	-0.196	-0.212	—	-0.221	-0.221
9.2	-0.131	-0.170	-0.183	—	-0.190	-0.190
9.4	-0.115	-0.148	-0.158	—	-0.164	-0.164
9.6	-0.101	-0.129	-0.138	—	-0.143	-0.143
9.8	-0.089	-0.113	-0.120	—	-0.124	-0.124
10.0	-0.078	-0.099	-0.105	—	-0.108	-0.108
10.4	-0.061	-0.077	-0.080	—	-0.082	-0.083
10.8	-0.048	-0.060	-0.062	—	-0.063	-0.064
11.2	-0.037	-0.047	-0.049	—	-0.050	-0.050
11.6	-0.030	-0.037	-0.039	—	-0.039	-0.039
12.0	-0.024	-0.030	-0.031	—	-0.031	-0.031
12.4	-0.019	-0.024	-0.025	—	-0.025	-0.025
12.8	-0.015	-0.019	-0.020	—	-0.021	-0.020
13.2	-0.013	-0.016	-0.017	—	-0.017	-0.016
13.6	-0.010	-0.013	-0.014	—	-0.014	-0.013
14.0	-0.009	-0.011	-0.011	—	-0.012	-0.011
14.4	-0.007	-0.009	-0.010	—	-0.010	-0.009
14.8	-0.006	-0.007	-0.008	—	-0.008	-0.007
15.2	-0.005	-0.006	-0.007	—	-0.007	-0.006
15.6	-0.004	-0.005	-0.006	—	-0.006	-0.005
16.0	-0.004	-0.005	-0.005	—	-0.005	-0.004

Table XXI: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 120^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	4 345.8	4 126.9	3 822.2	3 711.0	3 623.7	3 646.3
2.5	3 111.7	2 945.0	2 728.0	2 638.1	2 587.0	2 585.7
2.6	2 221.8	2 091.3	1 936.2	—	1 835.8	1 824.3
2.7	1 586.4	1 482.0	1 369.8	1 310.6	1 297.6	1 275.9
2.8	1 136.8	1 051.5	968.9	—	916.0	895.6
2.9	820.8	750.2	687.8	650.7	648.0	629.0
3.0	599.9	540.9	492.5	—	461.7	447.7
3.1	446.0	396.3	357.8	336.8	333.5	324.5
3.2	338.8	296.6	265.6	—	246.2	240.4
3.3	263.8	227.7	202.8	191.3	187.2	184.7
3.4	210.8	179.8	159.7	—	147.3	145.7
3.5	172.8	145.8	129.8	123.0	119.8	119.1
3.6	144.7	121.2	108.3	—	100.4	99.8
3.7	123.35	102.76	92.30	87.95	85.93	85.41
3.8	106.52	88.37	79.81	—	74.65	74.04
3.9	92.77	76.68	69.60	66.49	65.37	64.67
4.0	81.17	66.84	60.92	—	57.40	56.58
4.1	71.15	58.33	53.31	50.85	50.35	49.41
4.2	62.34	50.82	46.51	—	44.00	42.95
4.3	54.50	44.13	40.40	38.31	38.23	37.08
4.4	47.49	38.14	34.87	—	32.99	31.77
4.5	41.22	32.78	29.90	28.05	28.24	26.96
4.6	35.62	28.00	25.44	—	23.97	22.70
4.8	26.20	20.02	17.96	16.42	16.78	15.51
5.0	18.88	13.89	12.20	—	11.24	10.11
5.2	13.30	9.30	7.92	6.79	7.12	6.13
5.4	9.15	5.96	4.82	—	4.16	3.35
5.6	6.117	3.596	2.657	1.916	2.109	1.481
5.8	3.946	1.965	1.196	—	0.745	0.259
6.0	2.425	0.875	0.251	-0.198	-0.118	-0.462
6.2	1.381	0.172	-0.331	—	-0.629	-0.884
6.4	0.684	-0.260	-0.661	-0.916	-0.899	-1.066
6.6	0.233	-0.506	-0.823	—	-1.011	-1.133
6.8	-0.047	-0.628	-0.877	-1.018	-1.025	-1.101
7.0	-0.211	-0.669	-0.864	—	-0.979	-1.029
7.2	-0.297	-0.661	-0.813	-0.885	-0.903	-0.927
7.4	-0.333	-0.623	-0.742	—	-0.812	-0.829
7.6	-0.338	-0.570	-0.664	-0.705	-0.720	-0.729
7.8	-0.324	-0.512	-0.586	—	-0.630	-0.634
8.0	-0.302	-0.453	-0.513	-0.534	-0.547	-0.547
8.2	-0.274	-0.398	-0.445	—	-0.473	-0.472
8.4	-0.246	-0.347	-0.385	—	-0.407	-0.407
8.6	-0.219	-0.301	-0.332	—	-0.350	-0.350
8.8	-0.193	-0.261	-0.286	—	-0.301	-0.301
9.0	-0.170	-0.226	-0.247	—	-0.259	-0.259
9.2	-0.150	-0.196	-0.213	—	-0.222	-0.222
9.4	-0.132	-0.170	-0.184	—	-0.192	-0.192
9.6	-0.116	-0.148	-0.159	—	-0.166	-0.166
9.8	-0.102	-0.129	-0.138	—	-0.143	-0.143
10.0	-0.089	-0.113	-0.120	—	-0.124	-0.124
10.4	-0.069	-0.087	-0.092	—	-0.094	-0.095
10.8	-0.054	-0.068	-0.071	—	-0.072	-0.073
11.2	-0.042	-0.053	-0.055	—	-0.056	-0.056
11.6	-0.033	-0.042	-0.043	—	-0.044	-0.044
12.0	-0.026	-0.033	-0.034	—	-0.035	-0.035
12.4	-0.021	-0.027	-0.028	—	-0.028	-0.027
12.8	-0.017	-0.021	-0.022	—	-0.023	-0.022
13.2	-0.014	-0.017	-0.018	—	-0.019	-0.018
13.6	-0.011	-0.014	-0.015	—	-0.015	-0.014
14.0	-0.009	-0.012	-0.012	—	-0.013	-0.012
14.4	-0.008	-0.010	-0.010	—	-0.011	-0.010
14.8	-0.007	-0.008	-0.009	—	-0.009	-0.008
15.2	-0.005	-0.007	-0.007	—	-0.008	-0.007
15.6	-0.005	-0.006	-0.006	—	-0.006	-0.005
16.0	-0.004	-0.005	-0.005	—	-0.006	-0.005

Table XXII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 130^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	8 390.1	7 978.5	7 389.7	7 212.6	7 005.7	7 110.0
2.5	6 009.8	5 718.9	5 298.9	5 160.7	5 024.9	5 080.5
2.6	4 279.8	4 065.7	3 769.2	—	3 576.0	3 601.9
2.7	3 035.9	2 872.9	2 663.9	2 575.7	2 528.1	2 524.2
2.8	2 150.5	2 022.7	1 874.3	—	1 778.4	1 765.3
2.9	1 525.7	1 423.1	1 316.2	1 258.7	1 247.4	1 225.0
3.0	1 088.1	1 004.2	925.4	—	874.9	854.6
3.1	783.4	713.9	654.1	618.6	616.0	597.8
3.2	572.1	514.0	467.4	—	437.9	424.4
3.3	425.9	376.9	339.9	319.6	316.6	307.8
3.4	324.5	282.9	253.3	—	234.7	228.5
3.5	253.9	218.2	194.6	183.0	179.9	176.2
3.6	203.9	173.2	154.5	—	142.8	139.7
3.7	168.0	141.3	126.4	119.1	117.3	114.8
3.8	141.36	118.06	106.24	—	99.05	96.65
3.9	120.97	100.51	91.04	85.99	85.34	83.04
4.0	104.76	86.71	79.04	—	74.48	72.19
4.1	91.41	75.40	69.12	65.36	65.43	63.15
4.2	80.08	65.82	60.60	—	57.57	55.29
4.3	70.23	57.47	53.08	50.05	50.56	48.27
4.4	61.53	50.08	46.34	—	44.20	41.94
4.5	53.78	43.48	40.24	37.68	38.41	36.17
4.6	46.84	37.56	34.73	—	33.14	30.96
4.8	35.09	27.54	25.31	23.24	24.07	22.02
5.0	25.79	19.66	17.85	—	16.84	15.04
5.2	18.56	13.61	12.12	10.61	11.28	9.73
5.4	13.07	9.10	7.85	—	7.14	5.88
5.6	8.98	5.82	4.78	3.78	4.18	3.19
5.8	6.002	3.506	2.631	—	2.126	1.360
6.0	3.870	1.910	1.185	0.576	0.763	0.218
6.2	2.376	0.843	0.250	—	-0.099	-0.506
6.4	1.352	0.157	-0.324	-0.672	-0.608	-0.877
6.6	0.668	-0.264	-0.649	—	-0.876	-1.073
6.8	0.226	-0.504	-0.808	-1.000	-0.989	-1.113
7.0	-0.048	-0.621	-0.861	—	-1.003	-1.084
7.2	-0.208	-0.660	-0.848	-0.943	-0.960	-0.998
7.4	-0.292	-0.650	-0.797	—	-0.884	-0.912
7.6	-0.327	-0.612	-0.728	-0.782	-0.797	-0.813
7.8	-0.332	-0.559	-0.652	—	-0.706	-0.715
8.0	-0.319	-0.501	-0.575	-0.603	-0.618	-0.619
8.2	-0.296	-0.443	-0.502	—	-0.537	-0.538
8.4	-0.269	-0.389	-0.436	—	-0.464	-0.465
8.6	-0.242	-0.339	-0.377	—	-0.400	-0.400
8.8	-0.215	-0.294	-0.325	—	-0.344	-0.344
9.0	-0.190	-0.255	-0.280	—	-0.295	-0.295
9.2	-0.168	-0.221	-0.242	—	-0.254	-0.254
9.4	-0.147	-0.192	-0.208	—	-0.218	-0.218
9.6	-0.129	-0.166	-0.180	—	-0.188	-0.188
9.8	-0.113	-0.144	-0.156	—	-0.162	-0.162
10.0	-0.100	-0.126	-0.135	—	-0.141	-0.141
10.4	-0.077	-0.097	-0.103	—	-0.106	-0.107
10.8	-0.060	-0.075	-0.079	—	-0.081	-0.081
11.2	-0.047	-0.058	-0.061	—	-0.062	-0.063
11.6	-0.037	-0.046	-0.048	—	-0.049	-0.049
12.0	-0.029	-0.036	-0.038	—	-0.039	-0.038
12.4	-0.023	-0.029	-0.030	—	-0.031	-0.030
12.8	-0.019	-0.023	-0.024	—	-0.025	-0.024
13.2	-0.015	-0.019	-0.020	—	-0.020	-0.019
13.6	-0.012	-0.015	-0.016	—	-0.017	-0.015
14.0	-0.010	-0.013	-0.013	—	-0.014	-0.013
14.4	-0.008	-0.010	-0.011	—	-0.012	-0.010
14.8	-0.007	-0.009	-0.009	—	-0.010	-0.008
15.2	-0.006	-0.007	-0.008	—	-0.008	-0.007
15.6	-0.005	-0.006	-0.007	—	-0.007	-0.006
16.0	-0.004	-0.005	-0.006	—	-0.006	-0.005

Table XXIII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 140^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	14 995.	14 146.	13 127.	12 834.	12 468.	12 664.
2.5	10 759.4	10 212.2	9 461.9	9 244.3	8 973.2	9 118.2
2.6	7 666.2	7 294.8	6 760.4	—	6 411.6	6 504.2
2.7	5 430.1	5 165.1	4 790.8	4 661.8	4 546.6	4 586.8
2.8	3 829.6	3 632.7	3 371.8	—	3 202.0	3 216.6
2.9	2 695.0	2 543.7	2 361.0	2 279.3	2 242.6	2 231.6
3.0	1 897.3	1 777.9	1 648.3	—	1 564.8	1 547.8
3.1	1 340.6	1 244.3	1 150.4	1 098.0	1 090.3	1 067.2
3.2	954.3	875.4	805.5	—	761.0	741.2
3.3	687.5	622.0	568.5	536.7	534.6	518.0
3.4	503.6	448.8	406.9	—	380.5	367.8
3.5	376.8	330.6	297.5	278.9	276.7	268.0
3.6	289.1	249.8	223.7	—	207.4	200.2
3.7	227.9	194.2	173.6	162.1	160.9	155.4
3.8	184.5	155.4	139.2	—	129.3	124.3
3.9	152.9	127.7	115.0	107.2	107.3	102.7
4.0	129.36	107.25	97.23	—	91.22	86.90
4.1	111.08	91.64	83.67	78.12	78.96	74.86
4.2	96.37	79.19	72.80	—	69.07	65.13
4.3	84.13	68.88	63.69	59.43	60.71	56.92
4.4	73.67	60.07	55.79	—	53.38	49.73
4.5	64.53	52.36	48.78	45.32	46.79	43.29
4.6	56.44	45.52	42.48	—	40.81	37.47
4.8	42.80	33.95	31.66	28.98	30.41	27.41
5.0	31.92	24.74	22.91	—	21.92	19.32
5.2	23.35	17.54	16.03	14.12	15.21	13.00
5.4	16.73	12.05	10.78	—	10.08	8.27
5.6	11.72	7.98	6.89	5.63	6.29	4.88
5.8	8.01	5.04	4.11	—	3.59	2.49
6.0	5.313	2.970	2.189	1.409	1.742	0.950
6.2	3.391	1.553	0.902	—	0.525	-0.071
6.4	2.050	0.615	0.078	-0.370	-0.234	-0.634
6.6	1.135	0.016	-0.419	—	-0.674	-0.967
6.8	0.529	-0.346	-0.694	-0.940	-0.899	-1.085
7.0	0.140	-0.545	-0.821	—	-0.983	-1.104
7.2	-0.098	-0.636	-0.853	-0.969	-0.981	-1.037
7.4	-0.234	-0.658	-0.828	—	-0.929	-0.971
7.6	-0.303	-0.638	-0.773	-0.841	-0.852	-0.880
7.8	-0.328	-0.595	-0.701	—	-0.764	-0.782
8.0	-0.327	-0.540	-0.625	-0.661	-0.675	-0.682
8.2	-0.311	-0.482	-0.550	—	-0.590	-0.595
8.4	-0.288	-0.425	-0.480	—	-0.512	-0.516
8.6	-0.260	-0.372	-0.416	—	-0.442	-0.445
8.8	-0.233	-0.323	-0.359	—	-0.381	-0.382
9.0	-0.207	-0.280	-0.310	—	-0.327	-0.328
9.2	-0.183	-0.243	-0.267	—	-0.281	-0.282
9.4	-0.161	-0.210	-0.230	—	-0.242	-0.242
9.6	-0.141	-0.182	-0.198	—	-0.208	-0.208
9.8	-0.124	-0.158	-0.171	—	-0.179	-0.179
10.0	-0.109	-0.138	-0.149	—	-0.155	-0.155
10.4	-0.084	-0.105	-0.112	—	-0.116	-0.117
10.8	-0.065	-0.081	-0.086	—	-0.088	-0.089
11.2	-0.050	-0.063	-0.066	—	-0.068	-0.068
11.6	-0.040	-0.050	-0.052	—	-0.053	-0.053
12.0	-0.031	-0.039	-0.041	—	-0.042	-0.041
12.4	-0.025	-0.031	-0.032	—	-0.033	-0.032
12.8	-0.020	-0.025	-0.026	—	-0.026	-0.026
13.2	-0.016	-0.020	-0.021	—	-0.021	-0.021
13.6	-0.013	-0.016	-0.017	—	-0.017	-0.016
14.0	-0.011	-0.013	-0.014	—	-0.014	-0.013
14.4	-0.009	-0.011	-0.012	—	-0.012	-0.011
14.8	-0.007	-0.009	-0.010	—	-0.010	-0.009
15.2	-0.006	-0.008	-0.008	—	-0.009	-0.007
15.6	-0.005	-0.006	-0.007	—	-0.007	-0.006
16.0	-0.004	-0.005	-0.006	—	-0.006	-0.005

Table XXIV: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 150^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	23 864.	22 161.	20 696.	20 203.	19 764.	19 917.
2.5	17 130.	16 100.	14 945.	14 604.	14 199.	14 406.
2.6	12 218.	11 570.	10 719.	—	10 166.	10 321.
2.7	8 658.0	8 225.8	7 624.3	7 441.1	7 232.3	7 334.9
2.8	6 100.7	5 796.6	5 379.3	—	5 107.5	5 165.8
2.9	4 281.1	4 057.7	3 769.6	3 660.2	3 582.5	3 596.5
3.0	2 997.7	2 828.0	2 628.2	—	2 498.8	2 495.9
3.1	2 099.4	1 967.1	1 826.6	1 757.0	1 736.2	1 716.2
3.2	1 474.8	1 369.5	1 268.6	—	1 204.0	1 182.9
3.3	1 042.9	957.6	883.2	839.2	835.8	813.4
3.4	745.3	675.4	619.0	—	583.2	564.8
3.5	540.9	482.9	439.2	412.7	411.7	397.2
3.6	400.4	351.9	317.7	—	296.3	284.5
3.7	303.7	262.7	235.9	219.6	219.2	210.1
3.8	236.5	201.6	180.6	—	167.6	159.6
3.9	189.3	159.2	142.8	132.1	132.7	125.8
4.0	155.3	129.2	116.4	—	108.6	102.3
4.1	130.18	107.38	97.36	89.92	91.38	85.55
4.2	110.98	90.96	83.10	—	78.48	72.95
4.3	95.75	78.09	71.90	66.34	68.32	63.08
4.4	83.26	67.61	62.68	—	59.89	54.88
4.5	72.70	58.77	54.80	50.41	52.60	47.83
4.6	63.57	51.13	47.88	—	46.11	41.60
4.8	48.44	38.44	36.13	32.86	34.92	30.92
5.0	36.45	28.38	26.61	—	25.69	22.26
5.2	26.96	20.44	18.99	16.72	18.24	15.37
5.4	19.55	14.30	13.07	—	12.42	10.08
5.6	13.88	9.68	8.61	7.10	8.03	6.21
5.8	9.63	6.28	5.35	—	4.85	3.41
6.0	6.50	3.85	3.05	2.12	2.61	1.57
6.2	4.245	2.157	1.482	—	1.098	0.315
6.4	2.649	1.014	0.450	-0.089	0.125	-0.406
6.6	1.545	0.267	-0.196	—	-0.464	-0.855
6.8	0.801	-0.198	-0.572	-0.867	-0.790	-1.041
7.0	0.314	-0.467	-0.765	—	-0.940	-1.121
7.2	0.008	-0.605	-0.841	-0.998	-0.979	-1.091
7.4	-0.175	-0.656	-0.842	—	-0.951	-1.025
7.6	-0.274	-0.654	-0.801	-0.878	-0.887	-0.923
7.8	-0.319	-0.620	-0.736	—	-0.804	-0.828
8.0	-0.330	-0.569	-0.661	-0.703	-0.716	-0.727
8.2	-0.321	-0.511	-0.585	—	-0.629	-0.636
8.4	-0.300	-0.453	-0.513	—	-0.548	-0.553
8.6	-0.274	-0.397	-0.446	—	-0.474	-0.478
8.8	-0.247	-0.346	-0.386	—	-0.409	-0.411
9.0	-0.220	-0.301	-0.333	—	-0.352	-0.353
9.2	-0.195	-0.261	-0.287	—	-0.302	-0.304
9.4	-0.171	-0.226	-0.247	—	-0.260	-0.261
9.6	-0.151	-0.195	-0.213	—	-0.223	-0.224
9.8	-0.132	-0.169	-0.184	—	-0.192	-0.193
10.0	-0.116	-0.147	-0.159	—	-0.166	-0.166
10.4	-0.089	-0.112	-0.120	—	-0.124	-0.125
10.8	-0.069	-0.086	-0.091	—	-0.094	-0.095
11.2	-0.053	-0.067	-0.070	—	-0.072	-0.073
11.6	-0.042	-0.052	-0.055	—	-0.056	-0.056
12.0	-0.033	-0.041	-0.043	—	-0.044	-0.044
12.4	-0.026	-0.033	-0.034	—	-0.035	-0.034
12.8	-0.021	-0.026	-0.027	—	-0.028	-0.027
13.2	-0.017	-0.021	-0.022	—	-0.022	-0.022
13.6	-0.014	-0.017	-0.018	—	-0.018	-0.017
14.0	-0.011	-0.014	-0.015	—	-0.015	-0.014
14.4	-0.009	-0.012	-0.012	—	-0.013	-0.011
14.8	-0.008	-0.010	-0.010	—	-0.010	-0.009
15.2	-0.006	-0.008	-0.009	—	-0.009	-0.008
15.6	-0.005	-0.007	-0.007	—	-0.007	-0.006
16.0	-0.005	-0.006	-0.006	—	-0.006	-0.005

Table XXV: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 160^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	32425.	29636.	27910.	27167.	26839.	26734.
2.5	23243.	21575.	20104.	19613.	19166.	19328.
2.6	16584.	15573.	14441.	—	13710.	13869.
2.7	11755.6	11114.2	10297.0	10059.1	9766.3	9921.4
2.8	8282.2	7850.3	7280.8	—	6910.5	7008.9
2.9	5806.2	5500.2	5109.0	4974.6	4854.9	4896.5
3.0	4056.8	3831.6	3562.9	—	3388.9	3403.6
3.1	2830.5	2659.9	2473.7	2390.3	2353.7	2341.6
3.2	1976.7	1844.4	1713.3	—	1629.2	1611.0
3.3	1385.7	1281.1	1186.6	1133.2	1126.2	1101.9
3.4	978.3	894.4	824.3	—	779.8	758.4
3.5	698.6	630.3	577.0	544.1	543.3	524.9
3.6	506.8	450.6	409.4	—	383.4	368.2
3.7	375.4	328.4	296.3	276.1	276.2	264.3
3.8	284.9	245.2	220.1	—	204.5	194.3
3.9	222.1	188.2	168.6	155.6	156.5	148.0
4.0	177.8	148.6	133.3	—	124.0	116.3
4.1	145.9	120.6	108.7	99.8	101.6	94.6
4.2	122.31	100.12	90.93	—	85.48	78.86
4.3	104.20	84.69	77.56	71.02	73.42	67.17
4.4	89.82	72.58	67.04	—	63.89	57.91
4.5	77.99	62.71	58.37	53.26	55.97	50.25
4.6	68.00	54.40	50.96	—	49.11	43.70
4.8	51.79	40.94	38.64	34.89	37.47	32.67
5.0	39.12	30.41	28.72	—	27.88	23.79
5.2	29.11	22.09	20.74	18.18	20.06	16.68
5.4	21.26	15.62	14.46	—	13.87	11.12
5.6	15.21	10.70	9.67	8.00	9.13	7.01
5.8	10.64	7.04	6.14	—	5.65	3.99
6.0	7.26	4.40	3.61	2.58	3.17	1.97
6.2	4.798	2.546	1.861	—	1.476	0.571
6.4	3.044	1.274	0.698	0.104	0.370	-0.246
6.6	1.820	0.434	-0.042	—	-0.315	-0.770
6.8	0.986	-0.098	-0.484	-0.810	-0.708	-1.002
7.0	0.435	-0.414	-0.722	—	-0.902	-1.116
7.2	0.083	-0.582	-0.827	-1.001	-0.970	-1.104
7.4	-0.131	-0.654	-0.847	—	-0.960	-1.045
7.6	-0.251	-0.663	-0.816	-0.895	-0.904	-0.941
7.8	-0.310	-0.635	-0.756	—	-0.826	-0.851
8.0	-0.329	-0.587	-0.683	-0.727	-0.739	-0.753
8.2	-0.325	-0.530	-0.607	—	-0.652	-0.661
8.4	-0.307	-0.471	-0.533	—	-0.569	-0.575
8.6	-0.283	-0.414	-0.464	—	-0.494	-0.498
8.8	-0.255	-0.361	-0.402	—	-0.426	-0.429
9.0	-0.228	-0.314	-0.347	—	-0.367	-0.369
9.2	-0.202	-0.272	-0.299	—	-0.315	-0.316
9.4	-0.178	-0.236	-0.258	—	-0.271	-0.272
9.6	-0.156	-0.204	-0.222	—	-0.233	-0.234
9.8	-0.137	-0.176	-0.192	—	-0.200	-0.201
10.0	-0.120	-0.153	-0.166	—	-0.173	-0.173
10.4	-0.093	-0.116	-0.125	—	-0.129	-0.131
10.8	-0.071	-0.089	-0.095	—	-0.098	-0.099
11.2	-0.055	-0.069	-0.073	—	-0.075	-0.076
11.6	-0.043	-0.054	-0.056	—	-0.058	-0.059
12.0	-0.034	-0.042	-0.044	—	-0.045	-0.046
12.4	-0.027	-0.034	-0.035	—	-0.036	-0.036
12.8	-0.022	-0.027	-0.028	—	-0.029	-0.028
13.2	-0.017	-0.022	-0.023	—	-0.023	-0.022
13.6	-0.014	-0.018	-0.018	—	-0.019	-0.018
14.0	-0.012	-0.014	-0.015	—	-0.015	-0.015
14.4	-0.010	-0.012	-0.012	—	-0.013	-0.012
14.8	-0.008	-0.010	-0.010	—	-0.011	-0.010
15.2	-0.007	-0.008	-0.009	—	-0.009	-0.008
15.6	-0.006	-0.007	-0.007	—	-0.008	-0.007
16.0	-0.005	-0.006	-0.006	—	-0.007	-0.005

Table XXVI: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 170^\circ$.

r	$E(2\zeta)$	$E(3\zeta)$	$E(4\zeta)$	$E(5\zeta)$	$E(234)$	$E(345)$
2.4	36142.	32814.	31025.	30152.	29929.	29643.
2.5	25879.	23879.	22298.	21730.	21298.	21400.
2.6	18462.	17262.	16018.	—	15218.	15356.
2.7	13088.	12338.	11430.	11167.	10842.	11015.
2.8	9219.7	8722.9	8088.0	—	7675.6	7789.4
2.9	6461.2	6114.4	5678.3	5533.8	5395.3	5449.8
3.0	4511.4	4259.4	3960.8	—	3767.5	3790.8
3.1	3144.2	2955.5	2749.5	2660.6	2616.7	2608.8
3.2	2192.1	2047.3	1903.1	—	1810.5	1794.4
3.3	1532.7	1419.5	1316.2	1259.3	1250.3	1226.0
3.4	1078.3	988.2	912.3	—	864.0	842.0
3.5	766.2	693.5	636.2	600.8	599.9	580.1
3.6	552.3	492.9	448.7	—	421.0	404.7
3.7	405.9	356.6	322.3	300.6	300.8	287.9
3.8	305.4	263.9	237.1	—	220.4	209.5
3.9	235.8	200.5	179.6	165.8	166.7	157.6
4.0	187.1	156.8	140.5	—	130.5	122.3
4.1	152.3	126.0	113.4	103.9	105.8	98.4
4.2	126.79	103.77	94.03	—	88.25	81.23
4.3	107.43	87.21	79.71	72.78	75.34	68.70
4.4	92.23	74.38	68.60	—	65.31	58.94
4.5	79.87	64.07	59.59	54.19	57.11	51.01
4.6	69.52	55.48	51.97	—	50.08	44.31
4.8	52.89	41.72	39.44	35.50	38.28	33.17
5.0	39.99	31.03	29.39	—	28.59	24.24
5.2	29.81	22.61	21.30	18.64	20.66	17.07
5.4	21.82	16.04	14.91	—	14.35	11.44
5.6	15.65	11.03	10.02	8.29	9.50	7.28
5.8	10.98	7.30	6.39	—	5.91	4.18
6.0	7.52	4.59	3.79	2.74	3.36	2.11
6.2	4.987	2.676	1.988	—	1.603	0.661
6.4	3.180	1.363	0.782	0.172	0.452	-0.188
6.6	1.915	0.492	0.011	—	-0.265	-0.740
6.8	1.051	-0.063	-0.453	-0.790	-0.679	-0.988
7.0	0.478	-0.395	-0.707	—	-0.888	-1.113
7.2	0.110	-0.575	-0.822	-1.002	-0.966	-1.107
7.4	-0.115	-0.653	-0.848	—	-0.961	-1.050
7.6	-0.242	-0.666	-0.820	-0.899	-0.910	-0.945
7.8	-0.306	-0.641	-0.763	—	-0.833	-0.858
8.0	-0.329	-0.594	-0.691	-0.735	-0.747	-0.762
8.2	-0.326	-0.537	-0.614	—	-0.659	-0.669
8.4	-0.309	-0.478	-0.540	—	-0.575	-0.582
8.6	-0.285	-0.420	-0.470	—	-0.499	-0.504
8.8	-0.258	-0.367	-0.407	—	-0.431	-0.434
9.0	-0.230	-0.319	-0.352	—	-0.371	-0.373
9.2	-0.204	-0.276	-0.303	—	-0.319	-0.321
9.4	-0.180	-0.239	-0.261	—	-0.274	-0.275
9.6	-0.158	-0.207	-0.225	—	-0.236	-0.236
9.8	-0.139	-0.179	-0.194	—	-0.203	-0.203
10.0	-0.122	-0.155	-0.168	—	-0.175	-0.176
10.4	-0.094	-0.118	-0.126	—	-0.131	-0.139
10.8	-0.072	-0.091	-0.096	—	-0.099	-0.106
11.2	-0.056	-0.070	-0.074	—	-0.076	-0.082
11.6	-0.044	-0.055	-0.057	—	-0.059	-0.063
12.0	-0.034	-0.043	-0.045	—	-0.046	-0.049
12.4	-0.027	-0.034	-0.036	—	-0.036	-0.039
12.8	-0.022	-0.027	-0.028	—	-0.029	-0.031
13.2	-0.018	-0.022	-0.023	—	-0.023	-0.025
13.6	-0.014	-0.018	-0.018	—	-0.019	-0.020
14.0	-0.012	-0.015	-0.015	—	-0.016	-0.016
14.4	-0.010	-0.012	-0.013	—	-0.013	-0.013
14.8	-0.008	-0.010	-0.011	—	-0.011	-0.011
15.2	-0.007	-0.008	-0.009	—	-0.009	-0.009
15.6	-0.006	-0.007	-0.007	—	-0.008	-0.007
16.0	-0.005	-0.006	-0.006	—	-0.007	-0.006

Table XXVII: Potential energy $E(r, \theta)$ in meV for the basis sets $\zeta = 2$ through 5 and for the complete-basis-set extrapolations of Eqs. (1) and (2) for $\theta = 180^\circ$.

	<i>x</i>	<i>y</i>	<i>z</i>
F	2.11	2.11	0.00
Ba	0.59	0.59	0.00
Ne	-4.53	0.00	0.00
Ne	0.00	-4.53	0.00
Ne	-0.01	-0.01	-4.65
Ne	-0.01	-0.01	4.65
Ne	0.00	4.61	0.00
Ne	4.61	0.00	0.00
Ne	-4.44	-2.20	-2.22
Ne	-4.44	-2.20	2.22
Ne	-2.20	-4.44	-2.22
Ne	-2.20	-4.44	2.22
Ne	-2.21	-2.21	-4.46
Ne	-2.21	-2.21	4.46
Ne	-4.45	2.22	-2.22
Ne	-4.45	2.22	2.22
Ne	2.22	-4.45	-2.22
Ne	2.22	-4.45	2.22
Ne	-2.22	2.22	-4.47
Ne	-2.22	2.22	4.47
Ne	2.22	-2.22	-4.47
Ne	2.22	-2.22	4.47
Ne	-2.21	4.46	-2.22
Ne	-2.21	4.46	2.22
Ne	4.46	-2.21	-2.22
Ne	4.46	-2.21	2.22
Ne	2.21	2.21	-4.43
Ne	2.21	2.21	4.43
Ne	2.21	4.45	-2.21
Ne	2.21	4.45	2.21
Ne	4.45	2.21	-2.21
Ne	4.45	2.21	2.21
Ne	-4.44	-4.44	0.00
Ne	-4.45	0.00	-4.45
Ne	-4.45	0.00	4.45
Ne	0.00	-4.45	-4.45
Ne	0.00	-4.45	4.45
Ne	-4.45	4.45	0.00
Ne	4.45	-4.45	0.00
Ne	0.00	4.45	-4.45
Ne	0.00	4.45	4.45
Ne	4.45	0.00	-4.45
Ne	4.45	0.00	4.45
Ne	4.41	4.41	0.00
Ne	-6.71	-2.23	0.00
Ne	-2.23	-6.71	0.00
Ne	-6.71	0.00	-2.24
Ne	-6.71	0.00	2.24
Ne	0.00	-6.71	-2.24
Ne	0.00	-6.71	2.24
Ne	-6.71	2.24	0.00
Ne	2.24	-6.71	0.00
Ne	-2.26	0.00	-6.75
Ne	-2.26	0.00	6.75
Ne	0.00	-2.26	-6.75
Ne	0.00	-2.26	6.75
Ne	0.00	2.26	-6.74
Ne	0.00	2.26	6.74
Ne	2.26	0.00	-6.74
Ne	2.26	0.00	6.74
Ne	-2.25	6.73	0.00
Ne	6.73	-2.25	0.00
Ne	0.00	6.73	-2.25
Ne	0.00	6.73	2.25
Ne	6.73	0.00	-2.25
Ne	6.73	0.00	2.25
Ne	2.25	6.71	0.00
Ne	6.71	2.25	0.00
Ne	-4.45	-4.45	-4.45
Ne	-4.45	-4.45	4.45
Ne	-4.46	4.46	-4.46
Ne	-4.46	4.46	4.46
Ne	4.46	-4.46	-4.46
Ne	4.46	-4.46	4.46
Ne	4.45	4.45	-4.45
Ne	4.45	4.45	4.45

Table XXVIII: Positions in Å of the atoms for $S = 13$.