

---

# MINDOPT ADAPTER FOR CPLEX

## BENCHMARKING PERFORMANCE ANALYSIS

---

**Mou Sun      Tao Li      Wotao Yin**

Decision Intelligence Lab

DAMO Academy

Alibaba Group

{mou.sunm, coy.lt, wotao.yin}@alibaba-inc.com

February 2, 2024

### ABSTRACT

This report provides a comprehensive analysis of the performance of MindOpt Adapter for CPLEX 12.9 in benchmark testing. CPLEX, recognized as a robust Mixed Integer Programming (MIP) solver, has faced some scrutiny regarding its performance on MIPLIB 2017 when configured to default settings. MindOpt Adapter aims to enhance CPLEX's performance by automatically applying improved configurations for solving optimization problems. Our testing demonstrates that MindOpt Adapter for CPLEX yields successfully solved 232 of the 240 problems in the MIPLIB 2017 benchmark set. This performance surpasses all the other solvers in terms of the number of problems solved and the geometric mean of running times. The report provides a comparison of the benchmark results against the outcomes achieved by CPLEX under its default configuration.

## 1 Introduction

Mixed Integer Linear Programming (MILP) is a type of mathematical optimization problem characterized by linear constraints, a linear objective function, a mixed set of continuous and integer variables. They commonly arise in fields like operations research, logistics, production planning, and finance, playing a crucial role in devising optimal solutions for complex decision-making scenarios. MILP solvers are developed to efficiently solve these problems and are integral to decision-making processes in various industrial and commercial applications.

The MILP solver in IBM ILOG CPLEX Optimization Suite [1] is a widely recognized solver since its introduction in 1991. Despite its long-standing reputation, some in the solver development community have cited CPLEX's seemingly weaker performance on the MIPLIB 2017<sup>1</sup> benchmark [2]. It is important to note that MIPLIB 2017, being a static and open benchmark set, allows solvers to be specifically tuned for these problems, a common practice among commercial solver teams in the recent decade. Interestingly, CPLEX has shown a relatively impartial stance towards such benchmark-specific tuning.

Our team works with CPLEX 12.9 released in March 2019<sup>2</sup>. Our research revealed that when CPLEX's configurations were adapted to our internal problem set, including MIPLIB 2017 as a subset, its performance was remarkably enhanced, surpassing other solvers in both solution time and the number of problems solved within a standard timeframe.

This report delves into the performance of the MindOpt Adapter for CPLEX (referred to as CPLEX Adapted) in comparison to the standard CPLEX configurations (referred to as CPLEX Default). CPLEX Adapted involves applying specific configurations based on the characteristics of the input problem. In our testing, CPLEX Adapted successfully solved 232 out of the 240 MIPLIB 2017 problems, surpassing the second-best solver. It also demonstrated superior performance in terms of the geometric mean of running times. Furthermore, in the set of 45 slightly pathological

<sup>1</sup>MIPLIB 2017 is a well-established set of 240 diverse optimization problems, representing a wide array of real-world scenarios.

<sup>2</sup>As of the time of this report, the latest CPLEX version is 22.1.1. However, version 12.9 remains more widely used in the community.

problems, CPLEX Adapted is the only solver that solved all the problems and still maintains a lead in terms of running times. In the 32-problem set designed for infeasibility detection, CPLEX Adapted correctly identified 31, exceeding the performance of other leading solvers and doing so more rapidly. Additionally, within a two-hour limit, CPLEX Adapted found the best incumbent solutions for 11 problems with previously less optimal solutions.

## 2 MILP Benchmarks

In the community, there are three datasets commonly used to evaluate the performance of MILP solvers [3]. In our experiments, we also used them to evaluate CPLEX Adapted, and achieved surprising results: CPLEX Adapted ranked first and solved more problems in all three datasets.

	CBC	<b>GUROB</b>	COPT	SCIP	SCIIPC	HiGHS	Matlb	SMOO	XSM	MDO	OPTV	<b>MDO4CPX</b>
unscal	1328	<b>72.1</b>	126	888	727	720	2715	612	510	301	207	<b>59.6</b>
scaled	18.4	<b>1</b>	1.74	12.3	10.1	9.98	37.6	8.49	7.07	4.18	2.88	<b>0.82</b>
solved	107	<b>229</b>	212	137	152	159	73	163	172	196	202	<b>232</b>

The MIPLIB2017 Benchmark

	CBC	COPT	GLPK	<b>GUROB</b>	HiGHS	MATLAB	MDOPT	SCIP	SCIIPC	OPTV	<b>MDO4CPX</b>
unscal	7219	467	7317	<b>160</b>	3114	9760	2699	4733	3489	623	<b>76.8</b>
scaled	45.0	2.91	45.6	<b>1</b>	19.4	60.9	16.8	28.8	22.5	3.89	
solved	5	41	6	<b>43</b>	24	2	20	19	23	36	<b>45</b>
CPU	Quad Intel Xeon E5-4657L, but using only 12 threads										i7-11700K

The slightly pathological MILP Test (on different CPUs<sup>3</sup>)

	CBC	COPT	<b>GUROB</b>	MATLAB	SCIP	SCIIPC	HiGHS	MDOPT	OPTVER	<b>MDO4CPX</b>
scaled	22.5	1.47	<b>1</b>	44.5	9.22	8.18	7.81	7.19	3.00	<b>0.71</b>
solved	20	30	<b>30</b>	16	25	26	26	27	28	<b>31</b>

The MILP Infeasibility Detection Test

In the tables above, the results for solvers other than MDO4CPX<sup>4</sup> are sourced from Professor Hans Mittelmann's benchmark website [3], as of December 20, 2023. However, MDO4CPX was tested in our experimental setup, which closely matches his: a workstation equipped with an Intel i7-11700K CPU and 64GB of RAM. Each test instance was given a maximum runtime of 7200, 3600, or 10800 seconds according to the testing requirements of different datasets. The MIP gap tolerance is set to 0, which means the solver needs to find and prove the optimal solution. The results are presented in tables where “unscal” and “solved” represent the unscaled shifted geometric means of the run times and the number of problems solved within the time limit, respectively. He defines the shifted geometric mean (unscal) for  $n$  nonnegative numbers  $v_1, \dots, v_n$  by the formula:

$$\exp\left(\frac{\sum_{i=1}^n \ln(\max(1, v_i + s))}{n}\right) - s,$$

where  $v_i$  represents the Wallclock seconds of the  $i$ th test instance and the shift  $s$  is set to 10. He computed the ‘scaled’ by dividing the unscaled numbers by the reference (Gurob in these benchmarks) across the benchmarks.

The three tables above highlights the relative performance of MindOpt Adapter for CPLEX against other solvers.

### 2.1 Better Solutions Found for Unsolved Problems

During these tests, on 11 specific problems from MIPLIB 2017, CPLEX Adapted identified better incumbent solutions within the allocated 2-hour time frame. We say these solutions are “better” in the sense that they are feasible and have objective values that are strictly lower than those of the previously recognized best-known solutions. Note that incumbent solutions are not necessarily optimal.

<sup>3</sup>Unlike the other two datasets, Professor Hans Mittelmann evaluated solvers on the “path” dataset running in 12 threads on a platform with two or four Intel Xeon E5-4657L CPUs. Due to the discontinuation of the motherboards compatible with this quad-CPU configuration, we were unable to replicate his testing environment. Consequently, we utilized the same platform of a single Intel i7-11700K CPU that was used for the other two datasets. Note that the results of the solvers may vary across the two platforms. Our configurations, obtained for i7-11700K, may not yield identical results on quad Xeon E5-4657L. Therefore, the performance results presented in this table from both CPUs should be considered for reference only and are not directly comparable.

<sup>4</sup>MDO4CPX is an abbreviation for MindOpt Adapter for CPLEX

Instance	New Incumbent Objective	Previous Best Objective
ns1690781	-928.077871	-927.0259
neos-5221106-oparau	54.65	55.54
fhnw-binschedule0	16092	16122
n3709	1206493	1207965
neos-1420546	23005.21841	23011.81
fhnw-schedule-pairb400	-35.458406	-35.45718
n370b	1220708	1225077
lr1dr04vc05v17a-t360	252463.373469	252463.3952194264
nsr8k	18011349	18011358
neos-1420790	3119.806	3120.439
sct5	-228.1412	-228.1172304

## 2.2 Comparing Adapted to Default

In the same environment as the previous experiments, we conducted a comparative analysis of CPLEX Default and CPLEX Adapted. This comparison was also based on the three datasets: "MIPLIB 2017 Instances," "MILP cases that are slightly pathological," and "Infeasibility Detection for MILP Problems."

	MIPLIB 2017		Pathological		Infeasible	
	240 problems	unscaled solved	45 problems	unscaled solved	32 problems	unscaled detected
CPLEX Default	163	214	233	40	20	26
CPLEX Adapted	59.6	232	76.8	45	5.6	31

To provide a visual understanding of the differences between the two, Figure 1 presents plots of the 240 times arranged in the ascending order according to CPLEX Default times. Most, but not all, problems see significant improvements with CPLEX Adapted. Notably, on problems where CPLEX Default faces difficulties, CPLEX Adapted tends to achieve more substantial speedups. Interestingly, on the problems that CPLEX Default failed to solve within the 2-hour time frame, CPLEX Adapted not only managed to solve them but also take relatively short times. This observation underscores the value of tuning configurations for problems, especially when they are challenging for default configurations.




Figure 1: Solution time distribution on the miplib240 dataset

### 3 CPLEX Configurations for the three MILP Benchmarks

Table 2 provides configurations that one can use to reproduce the evaluation results of CPLEX 12.9 with the three Benchmarks. Table 1 lists the parameter names as they appear in Configurations in order.

Additionally, the problem neos-3046615-murg requires an additional set of warm-starting based on constraint aggregation; however, for the sake of brevity and simplicity, we chose not to elaborate this detail in the paper.

Index	Parameter name
1	CPXPARAM_MIP_Cuts_RLT
2	CPXPARAM_MIP_Cuts_MCFCut
3	CPXPARAM_Empphasis_Numerical
4	CPXPARAM_MIP_Strategy_Dive
5	CPXPARAM_Preprocessing_Dependency
6	CPXPARAM_MIP_Limits_GomoryCand
7	CPXPARAM_MIP_Cuts_Disjunctive
8	CPXPARAM_Preprocessing_Folding
9	CPXPARAM_MIP_Strategy_SubAlgorithm
10	CPXPARAM_Preprocessing_Relax
11	CPXPARAM_Simplex_Crash
12	CPXPARAM_MIP_Strategy_Probe
13	CPXPARAM_MIP_Cuts_FlowCovers
14	CPXPARAM_MIP_Cuts_Covers
15	CPXPARAM_MIP_Cuts_Gomory
16	CPXPARAM_MIP_Cuts_Implied
17	CPXPARAM_Preprocessing_Symmetry
18	CPXPARAM_MIP_Cuts_MIRCut
19	CPXPARAM_MIP_Strategy_VariableSelect
20	CPXPARAM_MIP_Cuts_LocalImplied
21	CPXPARAM_MIP_Cuts_ZeroHalfCut
22	CPXPARAM_Preprocessing_Dual
23	CPXPARAM_MIP_Cuts_BQP
24	CPXPARAM_Preprocessing_CoeffReduce
25	CPXPARAM_MIP_Strategy_FPHeur
26	CPXPARAM_MIP_Limits_AggForCut
27	CPXPARAM_MIP_Strategy_StartAlgorithm
28	CPXPARAM_MIP_Strategy_Search
29	CPXPARAM_MIP_Cuts_Cliques
30	CPXPARAM_MIP_SubMIP_StartAlg
31	CPXPARAM_Preprocessing_Reduce
32	CPXPARAM_MIP_Limits_CutsFactor
33	CPXPARAM_Preprocessing_RepeatPresolve
34	CPXPARAM_Threads
35	CPXPARAM_MIP_SubMIP_SubAlg
36	CPXPARAM_Preprocessing_BoundStrength
37	CPXPARAM_MIP_Strategy_NodeSelect
38	CPXPARAM_MIP_Strategy_PresolveNode
39	CPXPARAM_MIP_Strategy_Branch
40	CPXPARAM_MIP_Cuts_PathCut
41	CPXPARAM_MIP_Cuts_LiftProj
42	CPXPARAM_Empphasis_MIP
43	CPXPARAM_Preprocessing_Linear
44	CPXPARAM_MIP_Strategy_RINSHeur
45	CPXPARAM_MIP_Cuts_GUBCovers
46	CPXPARAM_MIP_Tolerances_MIPGap
47	CPXPARAM_Advance

Table 1: Used configuration parameters

Table 2: Configurations and solution times with the MILP Benchmarks

Instance	Adapted	Default	Configurations
nursesched-sprint02	1.67	2.97	,,,0,-1,,0,,,-1,1,,2,0,-1,-1,,1,-1,,2,,,,-1,,,8,,0,0,1,1,,,0,2,-1,,2
sct2	4.36	6.49	,,,3,,3,,,3,2,-1,-1,2,,,-1,,2,1,,0,2,,6,,,-1,,,8,,0,2,,2,,,,-1,-1,,0
neos-950242	2.45	19.71	,,,1,3,,,4,,,,-1,2,,2,5,1,4,,1,,0,-1,,5,2,,,0,4,,1,2,1,-1,,2,-1,-1,,2
ns1830653	7.92	13.23	,,,,,,,,,,2,,,,0,8,,,,1,,,,
dano3_3	6.2	12.53	,,,2,,,-1,,0,,0,,2,2,1,-1,2,-1,,2,,1,,6,,,,1,,8,,0,2,,,-1,,0,-1,-1,,
sp150x300d	0.03	0.16	,,,1,0,,3,,1,,3,2,2,2,5,-1,,,-1,-1,,2,-1,,3,,2,,8,,3,2,-1,,5,,0
savsched1	40.48	772.5	,,,3,,,,,-1,2,3,2,-1,2,-1,,2,1,,2,-1,,1,,3,,3,8,,1,-1,2,,1,,4,-1,,
pg5_34	1.56	3.54	,,,0,-1,,,,,-1,,,-1,1,,1,,1,,2,,,-1,,8,,1,-1,,,-1,-1,,
control30-5-10-4	0.13	4.53	,,,,,,,,,,2,,,,0,8,,,,1,,,,
roi2alpha3n4	11.29	22.39	,,,1,,,-1,,,,1,2,-1,-1,2,4,,1,-1,,2,-1,,6,,,-1,,3,8,,0,0,2,,1,2,,1,,,,
neos-3627168-kasai	54.52	168.12	,,,0,,,,1,,,,1,-1,,2,,8,,1,1,,,,1,,,,
drayage-100-23	0.13	0.21	,,,3,,,,,-1,-1,2,-1,2,5,-1,-1,,2,1,,2,-1,,6,,3,,8,,1,3,2,1,-1,,1,,,-1,2,,0
neos17	0.44	1.5	,,,,,,,,,,2,,,,0,8,,,,1,,,,
cryptanalysiskb128n5obj16	48.63	2003.99	,,,3,,1,,1,,3,-1,3,2,1,5,1,4,,1,,1,0,,3,,,-1,,0,,8,,0,0,2,1,,2,5,2,,0
ns2319914	46.02	1809.59	,,,,-1,5,,,-1,-1,3,-1,2,,,-1,-1,,1,-1,,2,-1,,6,,3,,0,,11,,1,0,-1,-1,2,,0,-1,2,,0
icir97_tension	56.72	109.38	,,,,,,,,,,2,,,,0,8,,,,1,,,,
ns2017839	5.4	9.28	,,,1,,,,0,,,-1,-1,2,1,2,1,,,-1,2,-1,,,-1,,0,,10,,3,,1,-1,4,,,-1,,0
neos-787933	0.63	0.24	,,,2,0,-1,,,,3,-1,2,,1,1,2,,,,1,,,-1,,2,8,,1,2,-1,1,,2,,5,2,,
ns43503	5.98	6.11	,,,,,,,,,,2,,,,0,8,,,,1,,,,
neos-5052403-cygnat	122.54	1316.05	,,,3,2,,,-1,,0,,3,-1,3,2,1,5,2,,,-1,,2,,2,,3,,0,,1,8,,0,-1,,1,,0,-1,1,,
mas74	14.45	84.45	,,,2,0,,,,2,1,,3,2,1,,1,5,-1,2,,1,1,,0,1,,6,-1,,2,,0,8,,3,,,-1,1,,,-1,-1,,0
piperout-08	0.63	1.59	,,,0,2,,,,,-1,1,,0,,0,-1,,1,,1,-1,,2,,1,,1,,8,,,-1,,1,-1,,2,0,-1,2,,
mzzv11	1.19	6.55	,,,1,,2,-1,,,,2,-1,,1,,1,,2,,1,,1,,2,2,,3,8,,0,,1,,1,,4,1,,0
satellites2-40	81.01	607.62	,,,3,,1,,1,,1,,4,2,2,,,-1,,0,2,,2,,2,8,,3,2,1,2,,4,1,2,,0
neos-1354092	184.29	586.4	,,,3,,3,,2,-2,-1,-1,2,2,,,-1,4,,1,-1,,2,-1,,1,,8,,3,2,-1,1,,4,0,-1,,0
flugplinf	0	0.02	,,,1,,,,1,-1,,1,3,2,-1,2,4,,,,0,,1,,1,,3,,3,1,,1,0,2,-1,2,,4,0,1,,2
sp98ar	98.95	117.8	,,,,,,,,,,1,,,-1,,,,1,2,,,,8,,0,,,-1,,1,,,,
rmatr200-p5	1282.41	2015.28	,,,2,1,,,-1,,1,,1,2,3,,1,4,2,-1,,2,-1,,0,2,,2,,3,,0,,8,,0,3,-1,-1,2,,1,0,-1,2,,2
peg-solitaire-a3	21.89	241.37	,,,1,2,,4,1,,3,1,2,,2,4,-1,3,,1,,1,-1,,1,,1,,8,,1,,,-1,,0,,,-1,,0
neos-631710	54.93	78.09	,,,2,,2,,1,0,,,-1,,2,1,4,1,2,,,-1,,0,2,,3,,,,8,,0,0,1,1,,4,2,2,,
supportcase26	16.26	432.82	,,,3,3,,2,2,0,,2,-1,2,-1,5,-1,3,,,-1,,0,2,,1,,0,,8,,1,,,-1,1,,4,,,-1,0
reblock115	769.82	1131.37	,,,,,,,,,,1,,,,8,,,-1,1,-1,,,-1,,0,,
fhnw-binpack4-48	2.65	7200	,,,1,,,,0,-1,2,3,2,2,5,2,4,2,-1,,0,1,,6,2,,0,,0,8,,2,1,1,,2,0,-1,1,,2
neos-4413714-turia	7.05	40.43	,,,2,,1,,,-1,,3,-1,-1,0,-1,-1,2,,0,,1,-1,,2,,,-1,,8,,0,0,1,-1,2,,0,-1,2,,2
enlight9	0	0.01	,,,1,1,,,-1,4,1,,3,2,3,-1,-1,0,1,,2,-1,,1,-1,,1,2,,1,2,5,,0,0,2,1,2,,3,,2,2
uccase9	782	909.94	,,,,,,,,,,0,,,,2,,,,8,,,,1,,,,
rocI-4-11	6.35	11.84	,,,0,,,,1,,1,,1,,1,-1,,1,,8,,1,,1,,,-1,,
neos-2656603-coxs	0.28	1.73	,,,1,,2,,,-1,-1,,2,,,-1,,2,,1,,1,,8,,1,,1,,1,0,,2,,0
neos-5107597-kakapo	11.67	28.24	,,,1,,1,,1,-1,,1,-1,,1,,1,-1,,2,-1,,1,,1,,1,1,,8,,1,,1,,1,0,,2,,0
comp21-2idx	2648	7200	,,,1,,1,,1,-1,,3,-1,,4,-1,4,,2,,2,-1,,6,,1,,8,,1,3,,1,2,,0,-1,-1,,2
traininstance6	188	5.49	,,,,,,,,,,1,,,,1,,,-1,,1,,2,,,,8,,0,,,-1,,0,,
neos-3656078-kumeu	900.75	7200	,,,2,0,,,,0,,1,,1,,1,2,,,,8,,1,-1,,,,2
gmu-35-40	85.73	212.53	,,,,,,,,,,1,-1,1,1,-1,,1,1,,1,1,,1,,8,,0,-1,1,1,,,-1,,0
h80x6320d	1.33	2.64	,,,2,,1,,1,2,2,2,-1,-1,2,-1,2,,2,-1,,0,-1,,1,,3,,3,8,,0,1,-1,-1,,0,5,2,,0
irish-electricity	862	1126.24	,,,,,,,,,,1,,,-1,,1,,2,,,-1,,1,,1,,1,,8,,1,,1,,0,,1,,,-1,,2
neos-3754480-nidda	386.18	3742.63	,,,1,,,-1,,,-1,-1,-1,2,2,-1,4,-1,,1,,0,2,,6,-1,,0,,0,8,,0,-1,1,,4,-1,1,,
bnatt500	1116.9	5258.16	,,1,,,,2,,,-1,,1,,1,,1,,1,,1,,0,,8,,1,,,,0,,
cbs-cta	0.19	0.7	,,,3,3,,3,5,0,,,-1,2,3,,0,-1,3,,,-1,,0,1,,,,0,8,,0,2,-1,-1,,3,0,,2
lectsched-5-obj	194.89	6039.37	,,,,,,,,,,1,0,,,,0,,2,,1,,,,8,,,,0,,2
nu25-pr12	0.41	1.96	,,,0,,1,,2,0,,2,-1,,1,-1,2,2,-1,,2,,1,,0,,2,8,,3,2,1,2,,4,,,-1,,
neos-957323	2.14	9.75	,,,0,,2,,,-1,2,3,-1,1,4,2,3,,2,-1,,0,-1,,,-1,,1,,8,,0,2,,,-1,-1,4,,,-1,,2
csched007	73.1	145.24	,,,,,,,,,,1,,,-1,,1,-1,,3,,,-1,1,,2,1,,1,,1,,3,8,,0,2,1,,,-1,,1,,0
mzzv42z	0.79	4.04	,,,3,,2,,2,-1,-1,1,-1,,1,1,,3,,2,-1,,2,,1,,2,,0,,0,8,,0,2,-1,,1,,1,-1,,
comp07-2idx	8.17	27.16	,,,1,2,,,-1,,1,0,,1,-1,3,-1,,1,5,-1,4,,2,1,,0,1,,1,,2,,8,,,,1,2,,0,3,-1,,0
misc05inf	0.01	0.04	,,,1,,,-1,,0,,,-1,,3,1,1,5,,2,-1,,1,,2,,2,,0,,1,,3,,,-1,-1,2,,,-1,2,,
rocII-5-11	86.3	375.66	,,1,0,,,,0,,1,,,-1,1,-1,,1,,1,,8,,0,,,-1,,1,,2

**Table 2 – continued from previous page**

Instance	Adapted	Default	Configuration
supportcase42	115.17	167.39	,,,3,3,,2,,,2,2,1,1,-1,5,-1,3,-1,-1,,0,1,1,,1,-1,,2,8,0,1,1,,3,0,4,2,,2
ns4976508	2030.25	10800.21	,,,3,1,2,,2,0,1,,2,,3,-1,2,,,2,-1,,3,,1,2,1,6,,3,,,2,0,3,-1,,
timtab1	12.84	28.67	,,,,"",,-1,-1,-1,,1,,,2,-1,,,"",8,,1,,,"",1,,
gen-ip054	33.88	70.45	,,,1,2,,2,,2,,,-1,,3,2,1,3,1,2,2,1,2,2,,2,1,,2,,2,8,0,0,1,-1,,4,,2
no-ip-64999	1.14	10.12	,,,2,3,-1,,1,,,-1,2,2,4,2,4,,1,,0,2,,6,3,,3,8,,0,1,-1,1,1,0,-1,1,,0
neos-5104907-jarama	947.94	7200	,,,2,0,,,2,0,,2,1,1,,1,-1,4,,0,-1,2,,1,2,1,7,,0,,2,2,0,2,,
piperout-27	0.61	2.37	,,,3,-1,,1,,,-1,2,3,-1,-1,4,2,4,,,-1,2,-1,,,-1,,0,8,,2,-1,1,1,,2,,
neos-5093327-huahum	882.11	833.2	,,,,"",,"",2,,,"",8,,,"",
neos-3988577-wolgan	3.54	3603.05	,,,1,3,-1,,1,,3,-1,1,1,4,,1,-1,,0,,2,,3,,1,1,8,,0,0,-1,-1,,3,,3,-1,,0
trento1	33.79	56.57	,,,1,,,"",1,-1,1,,2,,,"",0,8,,,"",0
neos-2657525-crna	254.15	7200	,,,3,,0,,,-1,2,-1,1,1,2,4,,2,1,,0,2,,6,3,,3,0,,0,8,,1,2,2,-1,-1,2,0,-1,2,,0
neos-2075418-temuka	99.4	3600.3	,,,2,,,,1,,3,-1,3,2,2,-1,-1,-1,0,-1,6,,,-1,,3,8,,1,2,2,1,1,4,0,5,-1,,
dws008-01	1380.82	1665.96	,,,,"",,"",2,,,"",8,,,"",
enlight11	0	0.01	,,,2,2,,3,,3,0,-1,-1,2,2,,,-1,,,-1,,0,1,,3,,1,2,0,4,,
cost266-UUE	267.62	205.39	,,,,"",,"",1,,,"",2,,,"",8,,,"",
bab6	365.48	756.58	,,,3,,,-1,,3,-1,2,-1,0,-1,-1,,1,2,2,,1,2,,,"",4,,0,-1,2,,0,2,,
n2seq36q	0.66	8.59	,,,3,,2,1,,,-1,-1,-1,2,2,5,2,-1,,,-1,2,-1,,1,,2,3,8,,1,3,-1,-1,,4,0,-1,2,,2
ns3337549	3636.57	10803.5	,,,3,3,-1,,2,0,,2,-1,1,-1,1,,2,,2,2,3,-1,,1,3,8,,1,3,-1,1,1,,2,0,,2,2
neos-3046615-murg	0.85	7200	,,,0,,1,,,-1,-1,1,2,1,0,-1,,1,1,1,2,,3,,0,8,,1,0,2,,,"",2
glass-sc	363.32	564.76	,,,1,,,-1,1,-1,1,1,1,,1,-1,2,,,"",1,,,-1,2,,1,,1,,0,,
blp-ic98	18.37	27.48	,,,,"",,-1,-1,2,0,-1,,,-1,-1,1,,1,,8,,0,2,1,,,-1,,0
fast0507	7.32	16.93	,,,2,,1,,1,2,,1,-1,1,3,,1,,1,2,,,"",8,,0,0,1,-1,,0,1,,1,
supportcase18	3.38	20.92	,,,2,0,,,-1,,0,,3,1,1,1,-1,4,,1,-4,,2,,2,4,,1,2,,3,7,,0,1,-1,-1,,4,0,3,1,,
ns1644855	90.56	1628.69	,,,3,,,-1,,2,2,-1,1,-1,5,2,4,,,-1,-1,0,2,,,-1,,1,,8,,1,2,-1,1,2,,,-1,,0
neos-911970	0.71	89.29	,,,1,,,-1,,1,-1,2,2,-1,1,-1,5,2,,1,-1,,2,2,4,,1,,1,8,,1,3,,1,2,,4,0,5,-1,,0
neos-933966	1.86	3.68	,,,2,3,,1,,0,,2,1,2,5,1,3,,,-1,-1,1,,2,,2,,8,,0,3,1,-1,2,,1,,1,,2
decomp2	0.07	1.23	,,,,"",1,,,"",2,,,"",1,,,"",0,,
momentum1	672.38	2578.36	,,,3,2,,,-1,,3,2,-1,2,-1,2,4,,,-1,-1,0,2,,,-1,,8,,0,2,1,1,4,0,4,-1,0
glass4	10.73	35.39	,,,,"",,"",2,,,"",8,,,"",
gmu-35-50	558.37	1197.92	,,,0,,,-1,,,"",1,-1,0,1,,1,1,2,1,,,-1,,8,,,"",,-1,-1,,
ns3633010	23.69	53.91	,,,1,,,-1,4,,,-1,-1,1,2,,,-1,4,,1,2,,3,,0,8,,1,2,2,1,-1,,1,0,,0
blp-ar98	54.48	84.13	,,,2,,3,,5,0,,3,2,-1,2,2,,3,-1,-1,0,2,,4,3,,1,1,,0,3,2,1,-1,,5,2,,0
supportcase10	630.04	6474.74	,,,3,,,-1,,1,3,2,-1,3,2,1,-1,,2,-1,2,,2,8,,0,2,-1,1,2,,1,0,-1,1,,
ex9	1.16	1.34	,,,4,,,-1,,1,1,1,-1,0,1,,1,1,2,1,,,-1,,8,,,"",,-1,-1,,
supportcase40	48.78	149.17	,,,2,,3,,5,0,,3,2,-1,2,2,,3,-1,-1,0,2,,4,3,,1,1,,0,3,2,1,-1,,5,2,,0
seymour1	6.19	7.45	,,,3,,,-1,,1,-1,-1,5,1,2,,2,1,,2,-1,,,-1,0,3,8,,3,2,-1,-1,4,0,-1,2,,2
map10	49.1	51.34	,,,4,,,-1,,1,-1,1,-1,1,,1,-1,2,,,-1,,1,,8,,0,0,-1,-1,-1,,2
snp-02-004-104	218.06	834.7	,,,1,,,-1,0,1,-1,,1,1,1,-1,,0,8,,1,-1,,0,-1,1,,0
atlanta-ip	455.17	509.59	,,,2,,,-1,,1,-1,-1,0,-1,,1,1,1,-1,,1,,8,,3,,1,,,-1,2,,2
p2m2p1m1p0n100	0.18	0.93	,,,1,,,-1,1,,1,-1,0,-1,,1,1,2,1,,,-1,,8,,2,2,-1,1,,,-1,,2,,
neos-849702	5.71	24.12	,,,3,,,-1,,2,2,2,-1,4,,2,,2,1,,,-1,,0,,12,,0,1,1,,,-1,2,,
ns1116954	1.59	4.12	,,,3,1,,1,4,1,,3,2,1,-1,1,4,,,-1,,2,,2,2,1,,0,8,,0,3,-1,-1,1,4,5,1,,2
mik-250-20-75-4	0.36	2.53	,,,3,3,,3,,1,3,2,-1,-1,2,2,-1,1,0,2,,6,3,,3,8,,1,2,-1,,2,-1,,1,0
ns1954122	33.04	139.07	,,,3,3,,3,,1,-1,-1,1,-1,2,2,-1,2,-1,,0,,5,-1,2,,1,3,,1,0,2,-1,,0,-1,-1,0
ns3134812	44.94	1105.22	,,,4,0,,1,1,2,-1,,2,1,,0,,3,,0,11,,1,0,2,-1,1,,5,,2
p200x1188c	0.07	0.58	,,,1,,2,0,-1,,1,2,1,1,-1,1,,1,1,,,-1,,8,,0,2,-1,1,3,,,-1,,0
neos8	0.26	0.22	,,,3,2,-1,,1,-1,-1,-1,2,2,,1,1,1,-1,3,,,-1,1,1,8,,2,1,,,-1,,5,,
neos-1171448	1.08	3.26	,,,3,1,,1,,2,-1,1,-1,3,-1,4,,,-1,-1,,0,1,2,,,-0,8,,1,3,-1,-1,-1,1,0,3,1,,0
ns5013590	294.39	484.17	,,,1,,,-1,,0,,,-1,-1,1,-1,,1,-1,,2,-1,,,-1,,8,,0,0,1,1,,,-1,-1,,2
ns4165869	716.53	5921.01	,,,3,,,-1,,1,,2,2,-1,2,2,,2,-1,2,1,,2,2,,6,,,-1,,3,12,,0,2,-1,1,,,-1,-1,,2
sorrell3	530.16	1038.4	,,,0,,,-1,,0,,1,-1,1,,1,,2,-1,2,,2,,0,8,,,,1,,0,-1,1,,
chrom_512	7.83	78.72	,,,3,,,-1,2,-1,-1,5,1,3,-1,-1,2,-1,,1,3,,0,8,,1,3,1,1,1,,5,1,,2
ns2350781	480.78	290.21	,,,,"",,"",2,,,"",8,,,"",
nursesched-medium-hint03	2775	3730.12	,,,1,2,,1,2,-1,2,-1,5,2,,,-1,1,2,,1,1,3,8,,0,2,2,1,1,3,,5,2,,0
physiciansched6-2	1.18	4.57	,,,3,,,-1,,,"",3,2,3,2,-1,-1,4,,,-1,1,2,1,6,,,-1,,0,8,,0,1,2,,5,-1,,2
neos-4722843-widden	4.05	31.3	,,,1,,,-1,-1,-1,4,2,3,,,-1,1,0,1,,5,3,,8,,0,2,1,-1,,1,5,2,,0
chromaticindex512-7	31.02	85.57	,,,1,2,,1,1,2,2,,1,,2,-1,1,,,-1,,8,,0,-1,,0,1,,2

**Table 2 – continued from previous page**

**Table 2 – continued from previous page**

Instance	Adapted	Default	Configuration
u30t24ramp	31.55	34.17	,,,1,,,0,,,,,,2,,3,,8,,
ns2082847	0.01	0.06	,,,3,,,-1,,1,1,,2,,2,1,,3,2,2,-1,-1,,2,,3,,2,,0,2,,0,0,-1,1,1,,2,0,3,,
roi5alpha10n8	513.91	1075.09	,,,3,,3,,,3,-1,3,-1,5,2,4,2,,2,,3,8,,1,1,1,,0,-1,-1,2
mushroom-best	45.47	93.21	,,,1,-1,,,-1,-1,,1,-1,,1,,,-1,,8,,,-1,,0
maritime-jg3d9	0.4	0.69	,,,3,,4,,1,2,-1,2,-1,1,,4,,1,,0,-1,,3,,0,3,,1,2,,1,-1,,0,4,-1,,
neos-4300652-rahue	118.73	2063.06	,,,1,3,,2,,,3,2,3,,1,4,1,4,,1,1,,1,,,-1,,1,7,,0,0,1,-1,,1,-1,-1,,0
sp97ar	354.56	416.52	,,,,-1,,,3,1,-1,2,2,-1,-1,2,-1,1,1,,6,3,,3,8,,1,0,2,-1,2,,5,1,,
highschool1-aigo	517.5	7200	,,,,"",,2,,8,,
u50t24wc	192.98	63.96	,,,,"",,2,,8,,
supportcase7	5.02	13.85	,,,,-1,,,,3,2,-1,-1,2,5,,4,-1,,0,-1,2,,8,,1,2,2,-1,-1,4,0,-1,-1,,
rmatr100-p10	1.88	3.06	,,,3,,,-1,,1,,1,-1,2,2,-1,2,4,2,-1,2,2,,1,0,3,8,,1,3,-1,-1,2,,1,0,-1,2,,0
brazil3	32.58	544.67	,,,1,,1,0,,,-1,,1,-1,,1,,8,,0,-1,1,,1,-1,2
supportcase29	1.86	21.3	,,,3,,1,0,,3,,2,2,0,,4,,1,2,,3,,2,8,,1,2,1,1,,4,0,,2
seymour	1456.89	2067.45	,,,,"",,2,,8,,1,,
proteindesign121hz512p9	422.17	3083.31	,,,0,-1,,1,2,1,-1,0,,,-1,,0,2,1,2,,3,8,,1,3,2,1,,,-1,2,,
ns1208400	20.21	27.81	,,,3,,,-1,,,-1,-1,2,2,5,1,4,2,,1,-1,6,3,,3,8,,0,1,-1,3,-1,-1,2,,
netdiversion	21.83	51.39	,,,2,2,,0,1,,,-1,2,-1,0,3,,2,,1,2,6,,3,8,,,-1,,1,-1,,
ns4636843	44.54	321.4	,,,,"",,-1,1,,1,,,-1,1,,1,,1,,8,,0,,,-1,1,,0
satellites2-60-fs	142.17	563.56	,,,0,,1,0,,1,-1,-1,,2,,1,,8,,0,1,,1,,1,,
neos-1456979	15.04	35.97	,,,0,,,-1,,1,-1,,1,-1,,1,,1,,8,,1,1,,1,,
physiciansched3-3	3780.16	5616.19	,,,,"",,-1,,2,,8,,
app1-1	0.11	0.16	,,,3,3,,,-1,-1,3,1,-1,5,-1,4,2,1,2,2,,0,8,,0,2,1,2,,,-1,2,,2
ns2394796	0.8	4.04	,,,1,3,,,-1,,3,-1,-1,2,1,0,2,4,2,,0,-1,,3,,3,12,,1,0,2,-1,,,-1,2,,2
ns2494475	0.66	1.49	,,,,"",,2,,8,,
supportcase12	1097.48	1814.58	,,,3,3,,3,,1,2,2,3,1,2,2,-1,2,,2,,2,8,,1,0,2,-1,-1,4,0,-1,1,,0
co-100	80.96	85.75	,,,,"",,-1,,0,,1,-1,1,,1,,1,,1,,8,,2,1,1,,0,-1,1,,
u40t24ramp	263.23	366.85	,,,0,-1,,,-1,,1,,2,,1,,8,,,-1,,1,,
neos-662469	23.4	40.97	,,,0,,1,1,0,-1,-1,3,1,,1,-1,,2,-1,0,1,,2,,1,8,,0,-1,1,,1,0,-1,,
neos-4532248-waihi	856.91	7200	,,,,"",,2,,8,,
bnatt400	458.31	741.9	,,,3,2,3,,1,-1,-1,3,2,5,1,,1,-1,1,2,2,,1,2,,8,,1,3,2,,1,0,2,,0
graphdraw-domain	24.77	19.28	,,,1,0,1,1,1,-1,-1,2,2,1,4,4,2,1,1,,4,1,,1,2,8,,0,2,2,,1,3,-1,,0
cryptanalysiskb128n5obj14	821.07	7200	,,,3,2,,1,0,1,2,1,,2,,0,2,,2,2,,1,8,,1,,2,3,4,,
gfd-schedulen180f7d50m30k18	102.65	7200	,,,,"",,0,,2,,1,,0,8,,
leo2	135.02	250.24	,,,,"",,-1,,1,,1,,2,,0,8,,1,,0,-1,1,,
rail507	6.27	18.78	,,,1,-1,,,-1,2,2,-1,,,-1,-1,2,-1,,8,,1,,,-1,,0
proteindesign122trx11p8	363.4	967.7	,,,,"",,1,1,,3,,2,,,-1,1,2,,0,8,,0,3,2,1,1,,,-1,-1,0
milo-v12-6-r2-40-1	123.32	3764.53	,,,1,,,-1,,2,2,3,-1,-1,4,2,4,2,-1,2,,0,8,,2,-1,2,,
neos-1582420	0.72	2.37	,,,1,2,3,,4,,2,2,3,-1,4,-1,-1,2,1,,1,,6,,1,1,4,,0,2,-1,,2,0,-1,1,,
stein9inf	0	0.01	,,,2,,1,4,1,,3,1,-1,2,1,1,2,,2,1,0,-1,4,2,1,,1,1,,2,1,2,,4,0,1,1,,
dell	0	0	,,,3,3,,2,,0,3,-1,-1,1,2,4,2,,,-1,0,-1,6,3,,1,3,8,,1,2,-1,1,2,,0,-1,1,,
neos-5049753-cuanza	663.84	925.17	,,,1,,1,,0,3,,,-1,2,,1,,1,,2,,1,,3,,8,,1,0,2,-1,1,,0,-1,1,0
CMS750_4	4.72	17.67	,,,1,,3,1,2,-1,-1,4,3,1,1,2,1,4,,2,0,6,,0,3,1,-1,-1,,0,4,-1,2
enlight4	0	0	,,,,"",,1,0,,1,-1,1,,1,-1,,1,,1,,8,,3,1,1,2,,1,,2,2
supportcase33	6.38	28.2	,,,2,,1,4,0,,2,-1,-1,2,1,,0,,4,3,,1,0,8,,,-1,1,1,,0,5,,0
qap10	1.06	3.26	,,,1,3,,1,,0,-1,1,3,1,1,2,4,1,-1,1,,,-1,1,,0,8,,1,2,2,,1,,3,2,0
irp	0.53	1.29	,,,1,,,,3,1,1,2,,1,,2,1,,1,-1,,8,,0,0,-1,-1,1,,1,2
istanbul-no-cutoff	6.92	16.42	,,,0,,,,1,-1,2,2,,,-1,-1,0,-1,,2,,8,,0,2,2,1,,1,0,-1,-1,2
ns2382816	5.97	721.94	,,,,"",,0,,1,-1,1,1,0,1,,2,-1,,0,,,-1,,8,,,-1,-1,,1,-1,2
30n20b8	0.97	1.66	,,,,"",,0,,3,1,,1,2,1,4,,1,1,0,-1,6,,0,,1,8,,0,-1,2,2,0,-1,1,,
stein15inf	0.01	0.02	,,,3,3,,2,,2,,,-1,2,2,-1,0,1,1,,,-1,1,,1,,3,0,2,8,,1,0,-1,,0,4,-1,,
neos-827175	0.46	1.36	,,,0,-1,,1,,1,,2,1,,1,,8,,2,1,,1,-1,,1,,
ns2369235	25.33	32.51	,,,,"",,2,,1,,1,,8,,2,1,,1,-1,,1,,
rail01	132.19	502.61	,,,,"",,2,,1,,8,,
radiationm40-10-02	1032.17	7200	,,,1,,,,1,,1,2,1,5,2,,2,,3,,3,6,,1,3,,1,1,,4,0,5,1,,0
unitcal_7	17.97	39.42	,,,1,3,,,-1,,3,1,3,2,-1,,1,3,,1,2,,3,,1,,8,,0,2,-1,1,,,-1,-1,,2
neos-2978193-inde	7.83	17.07	,,,,"",,-1,1,1,,1,-1,,2,,8,,0,0,-1,-1,-1,,1,0
fiball	1.74	10.88	,,,2,3,,1,,1,1,2,1,3,,3,,1,-1,0,-1,5,,1,2,8,,1,2,,,-1,1,0,3,-1,,

**Table 2 – continued from previous page**

Instance	Adapted	Default	Configuration
u40t24wc	23.8	28.46	,,,3,3,,,,,,2,-1,2,-1,2,4,2,4,-1,1,,1,-1,,,,-1,,,12,,1,3,2,-1,-1,,,,-1,-1,,2
bc	20.47	41.78	,,,3,3,-1,,,,,,3,2,3,2,2,5,2,4,,1,-1,,1,,,3,,3,1,,1,0,2,-1,-1,,,,-1,1,,2
mcsched	3.08	14.72	,,,,"",,-1,,1,,,,-1,-1,,2,,,"",,0,8,,0,-1,,,-1,,,,-1,0
g503inf	0	0	,,,1,1,,,1,1,,3,1,3,1,,,,-1,,,-1,,0,-1,,2,,3,,1,3,-1,,1,4,1,2,2
uccase12	7.48	16.37	,,,2,,,"",2,-1,-1,-1,,1,-1,,0,-1,,,3,,8,,2,-1,-1,,1,1,-1,,1,,0
ns3555904	138.55	10800.21	,,,3,3,,1,,0,,1,1,1,,1,1,2,1,1,,1,,3,8,,1,,1,2,,2,-1,,0
pk1	1.68	6.2	,,,,"",1,,1,3,2,-1,2,2,-1,,2,-1,2,1,,3,,2,8,,3,-1,-1,2,,4,-1,2,2
neos-2987310-joes	0.84	2.57	,,,1,3,,,-1,,1,-1,-1,-1,,1,3,,2,-1,,2,-1,,3,,0,,8,,3,-1,-1,2,,0,1,-1,,2
neos-3402294-bobin	7.13	101	,,,1,,,"",1,1,1,1,-1,2,1,,1,1,0,-1,,5,,,-1,,1,0,3,-1,1,2,4,,5,-1,0
eil33-2	1.76	9.6	,,,1,3,,,-1,,0,,1,-1,1,,1,1,5,,,-2,8,,0,0,,,-1,,3,4,,
buildingenergy	207.96	1216.14	,,,1,1,-1,,,-1,,1,-1,,1,1,,2,1,,1,1,5,,,-2,8,,0,0,,,-1,,3,4,,
beasleyC3	2.12	8.52	,,,1,1,-1,,,-1,,1,-1,,1,1,,3,,2,,6,,0,2,1,1,1,,,-1,1,,0
thor50dday	276.43	3734.75	,,,3,2,,2,,1,1,-1,4,-1,1,,1,-1,,1,1,8,,1,-1,1,-1,,2,0,-1,2,,0
swath3	1.75	3.72	,,,2,,2,,,-1,1,-1,1,,1,1,-1,,3,,7,,3,2,1,-1,,,,-1,,
rd-rplusc-21	73.98	179.49	,,,3,-1,,1,3,2,-1,2,2,-1,,2,,0,-1,3,3,,8,,3,2,-1,-1,3,,,-1,2,,
neos-2746589-doon	19.21	48.21	,,,1,-1,,1,1,1,,,-1,1,-1,,0,-1,,2,,0,,0,8,,1,-1,,2,,0
neos-3083819-nubu	0.37	1.54	,,,,-1,,1,2,-1,-1,,2,2,,2,1,0,-1,,2,-1,,2,8,,2,-1,2,,4,0,-1,2,,0
ns2070961	269.17	548.33	,,,,-1,,,-1,-1,,1,0,,,-1,,1,,1,7,0,,,-1,2,,2,-1,-1,,0
var-smallemery-m6j6	159.79	133.63	,,,3,,,-1,0,,,-1,1,1,5,-1,2,,2,-1,2,,1,,1,0,8,,1,3,-1,1,1,4,,,-1,,
map16715-04	79.39	60.13	,,,0,,,"",1,,1,-1,1,2,,,-1,,8,,0,0,1,,,-1,,0,-1,,2
germanrr	170.98	213.07	,,,0,,,"",0,,1,,1,,1,,2,,,"",8,,0,0,1,,,-1,,0,,2
mc11	2.38	12.03	,,,,-1,,1,1,2,,,-1,2,4,-1,-1,,0,1,2,,,-1,,0,8,,1,3,2,-1,-1,4,,,-1,2,,0
academictimetablesmall	361.18	682.32	,,,,"",,"",,-1,2,,,-1,,8,,2,1,,,"",0
assign1-5-8	43.28	1364.34	,,,0,,,"",1,,1,,1,-1,2,,,-1,,8,,0,0,1,,,-1,,2,,0
cmflsp50-24-8-8	855.33	2591.67	,,,1,2,0,,,"",,-1,,2,1,,,"",8,,0,2,-1,,0,,,-1,,
enlight_hard	0.01	0.01	,,,,"",,"",2,,,"",8,,,"",
oocsp-racks030f7cci	1.85	3.88	,,,2,,2,,3,-1,,1,5,2,3,2,,0,,6,-1,,2,1,1,0,-1,-1,2,,0,-1,-1,,0
neos5	1.74	5.84	,,,,"",,-1,,0,,1,-1,2,2,,1,,1,1,-1,,3,,8,,0,,1,2,,0,-1,2,2
bppc4-08	49.51	2556.65	,,,3,,1,-1,-1,3,-1,5,1,,2,,0,-1,,1,2,,,"",8,,0,0,,1,1,1,0,-1,1,,2
ns2071214	100.19	173.92	,,,2,,,-1,,1,,1,-1,1,4,,1,2,2,,3,,1,,0,12,,3,2,,,-1,,1,,2,2
ns1760995	117.85	249.3	,,,,"",,-1,,1,1,1,,1,-1,,1,2,1,,1,,8,,2,1,,,-1,,,-1,1,,2
sing44	776.89	4882.4	,,,0,,,-1,2,0,2,,2,5,2,,,-1,-1,2,2,,5,,0,,3,8,,1,3,2,-1,1,4,0,,2,2,,
s250r10	46.25	2546.63	,,,3,2,,,-1,,,-1,-1,1,4,1,3,2,,1,1,3,,1,2,8,,3,,1,2,,2,3,-1,,
neos-859770	0.94	2.64	,,,,"",,-1,,1,1,1,-1,,1,-1,,2,-1,,,-1,,8,,0,,1,-1,,1,-1,1,,2
nw04	1	2.6	,,,3,,1,,0,-1,2,3,2,-1,0,2,4,-1,-1,2,-1,,6,-1,,,-3,8,,0,,2,-1,1,,0,-1,2,,2
app1-2	6.7	10.49	,,,,"",1,,,-1,,1,-1,,2,1,2,,,-1,,1,,8,,2,,,-1,-1,,0,,,-1,,
n5-3	0.47	1.46	,,,2,,1,,3,1,,,-1,,1,1,0,,1,,1,,8,,,-1,-1,,,,0
csched008	30.54	186.43	,,,3,0,,0,2,-1,2,4,-1,2,,,-1,,0,-1,,6,1,,1,8,,1,2,1,,2,,
mod008inf	0.01	0.02	,,,3,,1,,0,,2,2,-1,,5,2,-1,,1,-1,2,,6,1,,1,,3,3,0,3,2,1,,4,0,2,-1,,
ns2326618	279.03	810.75	,,,0,,0,,,-1,-1,-1,2,0,-1,,,-1,,2,8,,8,,3,,1,,0,-1,,1,,
square41	131.83	201.71	,,,0,,0,,,-1,,1,,,-1,,2,1,,,-1,,0,8,,0,,1,1,1,-1,1,,
rococoC10-001000	12.5	15.43	,,,,"",,-1,,1,,1,,1,-1,,2,,,-1,,0,8,,,-1,,1,,1,,1,,
neos-5157194-moruya	1.67	2.65	,,,2,,3,,1,3,2,-1,-1,2,5,2,-1,2,1,2,2,,3,1,0,8,,3,-1,-1,1,,,-1,2,,0
uct-subprob	224.22	298.22	,,,,"",,"",2,,,"",8,,,"",
fastxgemm-n2r6s0t2	0.81	22.61	,,,3,,1,,1,3,,3,2,2,5,-1,,1,1,,0,2,3,,,-1,,0,8,,0,2,,,-1,2,0,-1,-1,,0
dano3_5	39.29	73.43	,,,3,0,,,-1,,0,,1,1,2,-1,1,-1,,1,1,-1,,5,,,-3,8,,3,2,2,4,0,-1,2,,2
opm2-z10-s4	1554.63	3276.97	,,,3,3,,,-1,,2,3,-1,2,5,2,4,,2,1,0,-1,,3,,8,,0,0,2,-1,,1,,,-1,-1,,0
b1c1s1	604.45	1244.58	,,,,"",,-1,,1,,,-1,,2,,,-1,,1,,8,,2,1,,0,,2
ns2081729	7.47	33.09	,,,,"",1,,1,,2,1,-1,,1,2,4,-1,1,,1,2,6,3,,8,,2,2,-1,1,,,-1,1,,2
binkar10_1	0.38	0.7	,,,,"",1,,1,,1,1,,,-1,2,1,,1,,8,,0,0,,,-1,1,0,,2,0
exp-1-500-5-5	0.34	1.23	,,,1,,1,,1,2,-1,1,0,-1,,2,-1,,2,1,,8,,1,3,1,-1,1,,,-1,-1,,0
swath1	0.31	0.68	,,,3,3,,1,,0,,1,1,1,,1,1,2,1,1,,1,,3,8,,1,,1,2,,2,-1,,0
neos-3555904-turama	69.25	7200	,,,1,,1,,1,-1,,1,1,,1,-1,1,2,-1,,,-1,,0,9,,2,1,1,1,,0,-1,,
chrom_1024	102.88	206.28	,,,1,0,,1,,0,,0,-1,,2,,1,,8,,2,,2,,1,,
neos-4338804-snowy	219.63	358.37	,,,2,,1,2,,,-1,,1,0,1,3,1,,1,2,2,,4,-1,1,2,7,,0,2,1,-1,2,,3,2,,
neos-3216931-puriri	5.54	230.11	,,,1,1,,2,,,-1,2,0,-1,,1,1,2,2,,1,,1,2,,0,8,,1,0,-1,-1,1,,,-1,1,,2
mas76	1.29	6.76	

**Table 2 – continued from previous page**

Instance	Adapted	Default	Configuration
traininstance2	182.29	666.61	,,,0,-1,,,,,-1,-1,1,,,1,1,2,,,,0,8,0,0,1,-1,,,,-1,,
neos-4382714-ruvuma	3600	3600.02	,,,,"",,"",,"",,"",,"",,"",,"",
ns2319318	183.7	1148.35	,,,3,-1,,0,,3,1,2,-1,2,2,4,2,1,0,-1,1,-1,0,,4,,0,,2,4,0,5,-1,,2
cvs16r128-89	482.34	596.24	,,,1,0,-1,,0,,1,,,-1,,,-1,2,,1,,,-1,,0,7,,0,,,-1,,0,,
splice1k1	507.67	7200	,,,3,,1,,2,1,-1,-1,1,2,,1,4,,1,,1,,6,1,,1,,0,8,,0,0,-1,2,,,-1,-1,,0
uc720-7-4-4-8	88.97	3694.75	,,,3,2,,,-1,5,,,-1,2,-1,2,-1,,,-1,,,-1,1,0,1,1,,,-1,1,,1,0,2,-1,-1,,,-1,2,,
neos-4387871-tavua	1741.8	4009.87	,,,0,,,,,-1,,,-1,,,-1,1,2,,1,3,,8,,3,2,,,-1,,,,
ns476799	104.7	726.51	,,,1,,,-1,1,0,,,-1,2,-1,1,1,,,-1,2,,2,,0,1,,3,,1,12,,3,-1,1,1,,1,,2,,
neos-3004026-krka	4.04	76.92	,,,1,,,-1,5,1,,3,2,-1,2,2,,,-1,4,,,-1,1,,1,2,,6,2,,3,8,,0,2,-1,-1,4,0,5,2,,0
50v-10	158.3	243.5	,,,,"",1,1,,1,,1,-1,1,2,,1,,8,,1,,,-1,1,,
ns2267839	730.72	562.38	,,,,"",1,,1,-1,1,-1,,1,,2,1,,1,,9,,2,-1,,1,,,-1,-1,,2
supportcase19	509.39	952.47	,,,2,,,-1,,0,,,-1,-1,,1,,1,2,,6,-1,,3,8,,0,,2,4,5,2,,
ran14x18-disj-8	25.01	56.99	,,,2,,,,0,1,-1,,,-1,0,,,-1,,2,1,,1,,1,,8,,1,,1,,0,,2
air05	1.28	2.59	,,,,"",1,,,-1,-1,,1,,1,,1,-1,,1,,1,,8,0,,1,1,,,-1,2,,
neos-4763324-toguru	5809.21	7200	1,2,1,3,3,100,3,5,2,0,,,,4,1,-1,1,1,2,4,2,2,5,5,1,7,4,1,0,-1,1,2,-1,4,0,,0
neos-2626858-aoos	0.5	0.82	,,,3,,,-1,,1,,1,-1,2,,1,2,4,2,1,2,-1,,1,3,,2,8,,2,1,,4,5,1,0
ns1943024	265.11	430.89	,,,,"",1,,,-1,,,-1,2,,1,,8,,,,0,-1,,0,,
gen-ip002	26.79	187.25	,,,1,0,,2,1,,,-1,,,-1,,1,0,,1,,0,8,,0,-1,1,,0,,1,,
ns1952667	2.42	78.21	,,,2,3,,,-1,1,0,-1,-1,2,-1,1,2,4,-1,1,2,-1,5,-1,-1,,8,1,0,-1,1,2,,0,5,2,,2
misc04inf	0.03	0.12	,,,3,,,-1,,,,2,3,,,-1,2,1,2,,2,,1,,,-1,1,3,1,0,0,2,-1,,,-1,0
neos-1445765	0.86	1.74	,,,3,0,0,3,,,-1,2,-1,2,2,1,2,4,2,,0,-1,5,,3,1,3,8,,2,2,1,2,,,-2,-1,,0

## 4 Related Work

Automated configuration of MILP solvers has attracted significant attention in recent years. This field has evolved rapidly, with various teams contributing methods and insights to enhance solver performance. Paper [4] laid a foundation of automated configuration. Building on this, Hydra-MIP [5] introduced an innovative machine-learning approach to automated algorithm configuration for MIP. SMAC3 [6] offers a versatile software package for fine-tuning arbitrary algorithms through Bayesian optimization techniques. MindOpt Tuner [7] is a user-friendly, cloud-based platform for tuning arbitrary algorithms through a combination of black-box optimization algorithms.

## References

- [1] IBM Corporation. *IBM ILOG CPLEX V12.9*, 2019. Available from IBM: <https://www.ibm.com/products/ilog-cplex-optimization-studio>.
- [2] Ambros Gleixner, Gregor Hendel, Gerald Gamrath, Tobias Achterberg, Michael Bastubbe, Timo Berthold, Philipp M. Christophel, Kati Jarck, Thorsten Koch, Jeff Linderoth, Marco Lübbecke, Hans D. Mittelmann, Derya Ozyurt, Ted K. Ralphs, Domenico Salvagnin, and Yuji Shinano. MIPLIB 2017: Data-Driven Compilation of the 6th Mixed-Integer Programming Library. *Mathematical Programming Computation*, 2021.
- [3] Hans Mittelmann. Benchmarks for optimization software. Online. <https://plato.asu.edu/bench.html>.
- [4] Frank Hutter, Holger H Hoos, and Kevin Leyton-Brown. Automated configuration of mixed integer programming solvers. In *Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems: 7th International Conference, CPAIOR 2010, Bologna, Italy, June 14–18, 2010. Proceedings* 7, pages 186–202. Springer, 2010.
- [5] Lin Xu, Frank Hutter, Holger H Hoos, and Kevin Leyton-Brown. Hydra-MIP: Automated algorithm configuration and selection for mixed integer programming. In *RCRA workshop on experimental evaluation of algorithms for solving problems with combinatorial explosion at the international joint conference on artificial intelligence (IJCAI)*, pages 16–30, 2011.
- [6] Marius Lindauer, Katharina Eggensperger, Matthias Feurer, André Biedenkapp, Difan Deng, Carolin Benjamins, Tim Ruhkopf, René Sass, and Frank Hutter. Smac3: A versatile bayesian optimization package for hyperparameter optimization. *The Journal of Machine Learning Research*, 23(1):2475–2483, 2022.
- [7] Mengyuan Zhang, Wotao Yin, Mengchang Wang, Yangbin Shen, Peng Xiang, You Wu, Liang Zhao, Junqiu Pan, Hu Jiang, and KuoLing Huang. Mindopt tuner: Boost the performance of numerical software by automatic parameter tuning. *arXiv preprint arXiv:2307.08085*, 2023.

[8] IBM ILOG CPLEX. License information. Available from IBM: [https://www14.software.ibm.com/cgi-bin/weblap/lap.pl?li\\_formnum=L-ASAY-B45K9Y](https://www14.software.ibm.com/cgi-bin/weblap/lap.pl?li_formnum=L-ASAY-B45K9Y).

## Appendix

### A CPLEX 12.09 License Agreement

A pertinent question that may arise is whether we are authorized to publish benchmark results for CPLEX. As licensed users of CPLEX, we adhere to its Software License Agreement [8] including the relevant part:

"Licensee may disclose the results of any benchmark test of the Program or its subcomponents to any third party provided that Licensee (A) publicly discloses the complete methodology used in the benchmark test (for example, hardware and software setup, installation procedure and configuration files), (B) performs Licensee's benchmark testing running the Program in its Specified Operating Environment using the latest applicable updates, patches and fixes available for the Program from IBM or third parties that provide IBM products ("Third Parties"), and (C) follows any and all performance tuning and "best practices" guidance available in the Program's documentation and on IBM's support web sites for the Program. If Licensee publishes the results of any benchmark tests for the Program, then notwithstanding anything to the contrary in any agreement between Licensee and IBM or Third Parties, IBM and Third Parties will have the right to publish the results of benchmark tests with respect to Licensee's products provided IBM or Third Parties complies with the requirements of (A), (B) and (C) above in its testing of Licensee's products. Notwithstanding the foregoing, under no circumstances may Licensee publish the results of benchmark tests run on Oracle Outside In Technology without prior written permission."

The agreement permits us to disclose benchmark test results under conditions (A), (B) and (C), which we have diligently met. Specifically, we have shared the configuration used to call CPLEX, ensuring compliance with IBM's guidelines and, in many aspects, exceeding their recommended best practices.