# HICH Image/Text (HICH-IT): Comprehensive Text and Image Datasets for Hypertensive Intracerebral Hemorrhage Research

Jie Li<sup>2</sup>, Yulong Xia<sup>1</sup>, Tongxin Yang<sup>2</sup>, Fenglin Cai<sup>2</sup>, Miao Wei<sup>3</sup>, Zhiwei Zhang<sup>3</sup>, and Li Jiang\*<sup>1</sup>

<sup>1</sup>Department of Neurosurgery, the First Affiliated Hospital of Chongqing Medical University, Chongqing, PR

China

<sup>2</sup>Chongqing University of Science and Technology, Chongqing, PR China

<sup>3</sup>Department of Radiology, the First Affiliated Hospital of Chongqing Medical University, Chongqing, PR China

## Abstract

In this paper, we introduce a new dataset in the medical field of hypertensive intracerebral hemorrhage (HICH), called HICH-IT, which includes both electronic medical records (EMRs) and head CT images. This dataset is designed to enhance the accuracy of artificial intelligence in the diagnosis and treatment of HICH. This dataset, built upon the foundation of standard text and image data, incorporates specific annotations within the EMRs, extracting key content from the text information, and categorizes the annotation content of imaging data into four types: brain midline, hematoma, left and right cerebral ventricle. HICH-IT aims to be a foundational dataset for feature learning in image segmentation tasks and named entity recognition. To further understand the dataset, we have trained deep learning algorithms to observe the performance. The pretrained models have been released at both www.daip.club and github.com/Deep-AI-Application-DAIP. The dataset has been uploaded to https://github.com/CYBUS123456/HICH-IT-Datasets.

Index Terms-HICH, Deep learning, Intraparenchymal hemorrhage, named entity recognition, novel dataset

#### I. INTRODUCTION

Although spontaneous intracerebral hemorrhage (ICH) accounts for less than 20% of all stroke cases, it remains the subtype with the highest mortality and morbidity rates among all forms of cerebrovascular accidents [\[1\]](#page-3-0)–[\[4\]](#page-3-1). Hypertensive intracerebral hemorrhage (HICH) as one of the most common ICH poses a significant threat to patients, and with limited treatment options available, the condition not only becomes a burden for the families of those affected but also presents challenges to national healthcare systems. HICH develops rapidly and has a poor prognosis. It requires prompt and accurate diagnosis and treatment to avoid irreversible consequences for the patients. Therefore, the rapid and accurate identification of key clinical manifestation and analysis of head CT scans are crucial to the diagnosis and treatment [\[5\]](#page-3-2)–[\[9\]](#page-3-3).

Despite the advanced nature of current methodologies in head CT and text extraction, challenges remain in terms of precision and contextual understanding [\[10\]](#page-3-4)–[\[14\]](#page-3-5). Meanwhile, there is a scarcity of meticulously annotated head CT and text datasets related to HICH, resulting in a lack of reliable data support and reserve for the field.

HICH-IT is the first Chinese database for HICH. And is dedicated to support open research in the fields of head CT image segmentation and EMR extraction for patients with HICH:

- 1) We provide a dataset of HICH images and EMR named entities.
- 2) The dataset is comprehensively described in terms of its origin, composition, format, and labels.
- 3) The performance of the dataset on deep learning models is presented.

#### II. RELATED WORKS

The dataset originates from authentic medical records, in order to protect patient privacy, we have excluded sections that are closely related to patient privacy from the original records. The dataset consists of two distinct annotated datasets: one for head CT images and the other for EMRs. The image data, annotated using 3D-Slicer, is segmented into NIfTI format slice images. The annotation data for the images consists of four parts: the hematoma, left cerebral ventricle, right cerebral ventricle, and the Brain middle. The positional information of all four parts has been comprehensively annotated. The text data includes detailed text information related to the patient's medical history, current condition, physical examination findings, laboratory results, and examination reports, all of which are closely linked to subsequent diagnosis and treatment. These information has been manually annotated using methods based on the BERT model. This is done to facilitate text information processing approaches such as Named Entity Recognition (NER).

This dataset plays a crucial role in interdisciplinary research, particularly in the fields of medicine, computer science, and artificial intelligence. With the limited availability of extensively annotated datasets for HICH head CT images and EMRs, our objective is to create this dataset to drive progress in intelligent healthcare. The dataset enables experimentation with models

<sup>\*</sup>Corresponding author:Li Jiang, drjiangli2019@163.com

<span id="page-1-0"></span>7 B-LOC 发口 6 I-LOC 岁I-LOC 女I-LOC 性I-LOC  $\circ$ 主O 诉O  $\therefore$  0  $^{\prime\prime}$  O 突0 右 B-LOC 侧 |-LOC 肢 I-LOC 体I-LOC 无I-LOC 力I-LOC 4I-LOC +I-LOC 小I-LOC 时 I-LOC 现0 " O  $\circ$ 院I-LOC 前I-LOC 4I-LOC 小I-LOC 时 I-LOC 患0 者0 在0 病〇 史O  $\therefore$  O  $\land$  B-LOC  $\overline{O}$ 上 感I-LOC 右I-LOC 侧 I-LOC 肢 I-LOC 体 I-LOC 无 I-LOC 0 厕 0 所O 时〇 突 B-LOC 力 E-LOC 无0 意0 识0 丧0 失O  $\sqrt{a}$ 无〇  $\ddot{\circ}$  $\circ$ 右0 膝 着0 地O . O 胸O 闷0 O 心O 悸0 O 头O 晕0 或0 呼0 吸口 急0 促0 等0 症0 状O O 被O 家O 人〇  $\circ$ 肢 I-LOC 体 I-LOC 发0 现0 时〇 右 B-LOC 侧 I-LOC 肌 I-LOC 力 I-LOC 减I-LOC 弱I-含 I-LOC 糊 I-LOC LOC I-LOC 言 I-LOC 语 I-LOC 稍 I-LOC 显 I-LOC  $\sim$  0 在0 自0 行り 气0 用O 氧0 治0 疗0  $-0$ 后0 右〇 使0 /小 〇 时0  $\mathcal{L}_{\mathcal{F}}$ O 侧O 无〇 力0 和0 言0 **障 〇** 碍O 重0 。O 病B-LOC 程I-LOC 中I-LOC , I-LOC 无I-LOC 语O 加口 恶 I-LOC 喷I-LOC 射I-LOC 性I-LOC 呕 I-LOC 吐I-LOC 或I-LOC 其I-LOC 心I-LOC **I-LOC** 他I-LOC 不I-LOC  $\mathbb{R}^2$  $\circ$  0 适 I-LOC 三〇 小〇 时〇 患0 者0 与0 我0 急口 感 I-LOC 前0 - 科 O 诊0 - 就 〇 护O 诊0  $\mathcal{L}$  $\circ$ 并O 被O 送O 入〇 重0 症0 监O 室0 进O 行0 进0 一0 步0 治0 病0 以0 来O 患0 者0 一0 直0 保 0 持 0 正 0 常 0 疗0  $\circ$ 自0 发0  $\circ$  $\ddot{\phantom{0}}$  $\ddot{\sim}$  0 的口 食0 欲0 清〇 醒O 意0 识0 良0 好0 的口 精〇 神O 警0 觉○  $\sim$  0 ्. ० 常0 的0 的0 排0 满0 意0 的O 睡0 眠り O 正〇 排O 便り O 正〇 常0 Λb  $\infty$ 尿0 以0 及0 体O 重0 没O 有0 显り 著0 变0 化〇 O 重0 要O 既0 往り  $\ddot{\phantom{0}}$ 病0 史O 否O 认O ΣO 史〇  $\therefore$  0 无〇  $\circ$  0 个0 人〇 ÷,  $\circ$ 在0 流〇 行〇 居0 住O 或0 接O 触り 汚り 染O 水〇 源0 的0 历0 史0 。0 否0 认0 任 〇 何 〇 药0  $\circ$  O 吸O 烟O 和O 饮O 酒O 过り 敏0 史0 否0 认0 史〇 物0  $\sim$ O

Fig. 1. Partial of the text data are provided, due to the extensive volume of text information, a selection of this data is displayed for illustrative.  $\ddot{\phantom{0}}$ 

for image segmentation and text recognition. Moreover, it helps clinical professionals quickly understand patient conditions, ultimately improving diagnostic and treatment effectiveness. In the field of artificial intelligence, this dataset provides a wealth of experimental data for the development of more advanced medical image processing and EMR analysis algorithms. This contributes to achieving more accurate and effective methods for medical diagnosis and treatment [\[15\]](#page-3-6)– [\[18\]](#page-3-7).

#### III. HICH-IT DATASET

#### *A. Data Source*

The foundation of any impactful medical research lies in the quality and relevance of the data sources used. Our objective is to utilize and continuously update this dataset for the long term. Therefore, the source of the data is of paramount importance. The EMR and head CT image data in the HICH-IT are sourced from the emergency electronic medical record database of several medical centers. The image data consists of head CT scans completed during patients's visits to the emergency department, while the text data consists of text data in electronic medical records.

## *B. Dataset Composition*

This dataset encompasses several hundred thousand CT images and thousands of case texts. Additionally, due to the extensive volume of text information, we have selected some of the information to show, the images are represented as viewed within 3D-Slicer. This dataset is composed of head CT images and EMR texts, both carefully annotated. The annotation information for the head CT images is divided into four categories: hematoma, midline, left cerebral ventricle, and right cerebral ventricle, as illustrated in Figur[e2.](#page-2-0) The case text information has been annotated for significant sections using methods based on the BERT model, as depicted in Figur[e1.](#page-1-0) In addition, since the text data is stored as a whole column in the text file, it is necessary to make formatting adjustments in order to achieve a better display effect.

### *C. Data Format*

Due to that medical image data comprises four key components: pixel depth, photometric interpretation, metadata, and pixel data. Therefore, the preferred format for storing medical datasets is typically the NIfTI format. NIfTI images are often three-dimensional, representing sagittal, coronal, and axial planes upon slicing. The advantage of this format lies in its ability to accurately reflect metadata, including directional information, making it highly suitable for neurosurgical-related image data [\[19\]](#page-3-8)–[\[21\]](#page-3-9). Our dataset's head image data consists of several hundred thousand CT images, which are stored in NIfTI format. Each image slice measures 512\*512 pixels. The text data, on the other hand, comprises tens of thousands of cases and is stored in TXT format.

### IV. EXPERIMENT

In order to further study the dataset, we use our image data using the U-net segmentation model. Due to the unique structure of the U-net model, which aids in capturing the contextual information of images, the left side of U-net is a deep convolutional network responsible for extracting image features. The right side involves an upsampling process that

<span id="page-2-0"></span>

Fig. 2. Head image. (a) Displays the hematoma annotation; (b) Displays the brain middle; (c) Displays the left cerebral ventricle annotation; (d) Displays the right cerebral ventricle annotation. All these images represent the viewing effects within 3D-Slicer.

<span id="page-2-2"></span>



<span id="page-2-1"></span>

Fig. 3. Original Image represents an unprocessed image, Result representing the results of the experiment.

gradually restores the image resolution. Furthermore, U-net excels in handling detailed aspects of images, enabling precise segmentation of small structures within images, which is crucial for medical imaging [\[22\]](#page-3-10), [\[23\]](#page-3-11). We utilized Python scripting to convert NIfTI format images into PNG format. Subsequently, the images were randomly divided into training and testing datasets in a 7:3 ratio to validate the efficacy of image data when utilized with the U-net model. The results of the segmentation are presented in Figure [3.](#page-2-1) We use our text data on a Named Entity Recognition(NER) model, Named Entity Recognition (NER) models represent a key task in natural language processing. The objective of NER is to automatically identify named entities in text and categorize them into predefined classes [\[24\]](#page-3-12). We divided the text data

into training, testing and validation sets. After training,the weight files were imported into the test and validation sets to evaluate the effectiveness of the text data, as shown in Table [I.](#page-2-2) Overall, the experimental validation of the dataset on the U-net segmentation model and NER model proved to be effective. For the image data, it accurately segmented the annotated regions, while the text data successfully extracted the annotated key content. The dataset demonstrated itseffectiveness in deployment on deep learning models and achieved favorable results, contributing to the advancement of intelligent healthcare to a certain extent [\[25\]](#page-3-13)–[\[28\]](#page-3-14).

## V. CONCLUSIONS

This paper presents a meticulously annotated dataset tailored for advancing research in the relatively underrepresented domain of HICH image and associated case text information extraction. The dataset is applicable for hot-topic issues like image segmentation and natural language processing, providing a wealth of experimental data for the development of medical image processing and case text analysis algorithms. To demonstrate the versatility of the dataset, we provide an overview of its origin, format, and composition, among other relevant details. We believe that this dataset holds the potential for excellent performance with more refined models and advanced algorithms, contributing significantly to the development of intelligent healthcare solutions. This is expected to enhance the accuracy and efficiency of clinical diagnoses and treatments.

We aimed to update this dataset and expand both the quantity and variety of the dataset regularly. Progress and results were reported in due course.

#### **REFERENCES**

- <span id="page-3-0"></span>[1] Bradley A Gross, Brian T Jankowitz, and Robert M Friedlander. Cerebral intraparenchymal hemorrhage: a review. *Jama*, 321(13):1295–1303, 2019.
- [2] Isabel C Hostettler, David J Seiffge, and David J Werring. Intracerebral hemorrhage: an update on diagnosis and treatment. *Expert review of neurotherapeutics*, 19(7):679–694, 2019.
- [3] Adnan I Qureshi, Stanley Tuhrim, Joseph P Broderick, H Hunt Batjer, Hideki Hondo, and Daniel F Hanley. Spontaneous intracerebral hemorrhage. *New England Journal of Medicine*, 344(19):1450–1460, 2001.
- <span id="page-3-1"></span>[4] Matthew E Fewel, B Gregory Thompson, and Julian T Hoff. Spontaneous intracerebral hemorrhage: a review. *Neurosurgical focus*, 15(4):1– 16, 2003.
- <span id="page-3-2"></span>[5] Fu Chen, Shukui Zhang, Bingzhen Li, Jin Zhang, Maoxin Ran, and Bin Qi. A review of invasive intracranial pressure monitoring following surgery for hypertensive cerebral hemorrhage. *Frontiers in Neurology*, 14, 2023.
- [6] Amanda G Thrift, John J McNeil, Andrew Forbes, and Geoffrey A Donnan. Risk factors for cerebral hemorrhage in the era of wellcontrolled hypertension. *Stroke*, 27(11):2020–2025, 1996.
- [7] C Miller Fisher. Pathological observations in hypertensive cerebral hemorrhage. *Journal of Neuropathology & Experimental Neurology*, 30(3):536–550, 1971.
- [8] Thomas Brott, Karen Thalinger, and Vicki Hertzberg. Hypertension as a risk factor for spontaneous intracerebral hemorrhage. *Stroke*, 17(6):1078–1083, 1986.
- <span id="page-3-3"></span>[9] Jessica Magid-Bernstein, Romuald Girard, Sean Polster, Abhinav Srinath, Sharbel Romanos, Issam A Awad, and Lauren H Sansing. Cerebral hemorrhage: pathophysiology, treatment, and future directions. *Circulation research*, 130(8):1204–1229, 2022.
- <span id="page-3-4"></span>[10] Xin Yi, Ekta Walia, and Paul Babyn. Generative adversarial network in medical imaging: A review. *Medical image analysis*, 58:101552, 2019.
- [11] Alexander Selvikvåg Lundervold and Arvid Lundervold. An overview of deep learning in medical imaging focusing on mri. *Zeitschrift für Medizinische Physik*, 29(2):102–127, 2019.
- [12] S Kevin Zhou, Hayit Greenspan, Christos Davatzikos, James S Duncan, Bram Van Ginneken, Anant Madabhushi, Jerry L Prince, Daniel Rueckert, and Ronald M Summers. A review of deep learning in medical imaging: Imaging traits, technology trends, case studies with progress highlights, and future promises. *Proceedings of the IEEE*, 109(5):820– 838, 2021.
- [13] Ricardo Campos, Vítor Mangaravite, Arian Pasquali, Alípio Jorge, Célia Nunes, and Adam Jatowt. Yake! keyword extraction from single documents using multiple local features. *Information Sciences*, 509:257– 289, 2020.
- <span id="page-3-5"></span>[14] Yanshan Wang, Liwei Wang, Majid Rastegar-Mojarad, Sungrim Moon, Feichen Shen, Naveed Afzal, Sijia Liu, Yuqun Zeng, Saeed Mehrabi, Sunghwan Sohn, et al. Clinical information extraction applications: a literature review. *Journal of biomedical informatics*, 77:34–49, 2018.
- <span id="page-3-6"></span>[15] Dinggang Shen, Guorong Wu, and Heung-Il Suk. Deep learning in medical image analysis. *Annual review of biomedical engineering*, 19:221–248, 2017.
- [16] Hayit Greenspan, Bram Van Ginneken, and Ronald M Summers. Guest editorial deep learning in medical imaging: Overview and future promise of an exciting new technique. *IEEE transactions on medical imaging*, 35(5):1153–1159, 2016.
- [17] Geert Litjens, Thijs Kooi, Babak Ehteshami Bejnordi, Arnaud Arindra Adiyoso Setio, Francesco Ciompi, Mohsen Ghafoorian, Jeroen Awm Van Der Laak, Bram Van Ginneken, and Clara I Sánchez. A survey on deep learning in medical image analysis. *Medical image analysis*, 42:60–88, 2017.
- <span id="page-3-7"></span>[18] Bradley J Erickson, Panagiotis Korfiatis, Zeynettin Akkus, and Timothy L Kline. Machine learning for medical imaging. *Radiographics*, 37(2):505–515, 2017.
- <span id="page-3-8"></span>[19] Michele Larobina and Loredana Murino. Medical image file formats. *Journal of digital imaging*, 27:200–206, 2014.
- [20] J-Donald Tournier, Robert Smith, David Raffelt, Rami Tabbara, Thijs Dhollander, Maximilian Pietsch, Daan Christiaens, Ben Jeurissen, Chun-Hung Yeh, and Alan Connelly. Mrtrix3: A fast, flexible and open software framework for medical image processing and visualisation. *Neuroimage*, 202:116137, 2019.
- <span id="page-3-9"></span>[21] Martin J Willemink, Wojciech A Koszek, Cailin Hardell, Jie Wu, Dominik Fleischmann, Hugh Harvey, Les R Folio, Ronald M Summers, Daniel L Rubin, and Matthew P Lungren. Preparing medical imaging data for machine learning. *Radiology*, 295(1):4–15, 2020.
- <span id="page-3-10"></span>[22] Zongwei Zhou, Md Mahfuzur Rahman Siddiquee, Nima Tajbakhsh, and Jianming Liang. Unet++: A nested u-net architecture for medical image segmentation. In *Deep Learning in Medical Image Analysis and Multimodal Learning for Clinical Decision Support: 4th International Workshop, DLMIA 2018, and 8th International Workshop, ML-CDS 2018, Held in Conjunction with MICCAI 2018, Granada, Spain, September 20, 2018, Proceedings 4*, pages 3–11. Springer, 2018.
- <span id="page-3-11"></span>[23] Ozan Oktay, Jo Schlemper, Loic Le Folgoc, Matthew Lee, Mattias Heinrich, Kazunari Misawa, Kensaku Mori, Steven McDonagh, Nils Y Hammerla, Bernhard Kainz, et al. Attention u-net: Learning where to look for the pancreas. *arXiv preprint arXiv:1804.03999*, 2018.
- <span id="page-3-12"></span>[24] Maria Skeppstedt, Maria Kvist, Gunnar H Nilsson, and Hercules Dalianis. Automatic recognition of disorders, findings, pharmaceuticals and body structures from clinical text: An annotation and machine learning study. *Journal of biomedical informatics*, 49:148–158, 2014.
- <span id="page-3-13"></span>[25] Stephanie B Baker, Wei Xiang, and Ian Atkinson. Internet of things for smart healthcare: Technologies, challenges, and opportunities. *Ieee Access*, 5:26521–26544, 2017.
- [26] Shuo Tian, Wenbo Yang, Jehane Michael Le Grange, Peng Wang, Wei Huang, and Zhewei Ye. Smart healthcare: making medical care more intelligent. *Global Health Journal*, 3(3):62–65, 2019.
- [27] Luca Catarinucci, Danilo De Donno, Luca Mainetti, Luca Palano, Luigi Patrono, Maria Laura Stefanizzi, and Luciano Tarricone. An iot-aware architecture for smart healthcare systems. *IEEE internet of things journal*, 2(6):515–526, 2015.
- <span id="page-3-14"></span>[28] Kwok Tai Chui, Wadee Alhalabi, Sally Shuk Han Pang, Patricia Ordóñez de Pablos, Ryan Wen Liu, and Mingbo Zhao. Disease diagnosis in smart healthcare: Innovation, technologies and applications. *Sustainability*, 9(12):2309, 2017.