

# Qibo: A Large Language Model for Traditional Chinese Medicine

Heyi Zhang<sup>1</sup>, Xin Wang<sup>1</sup>, Zhaopeng Meng<sup>2</sup>, Zhe Chen<sup>2</sup>, Pengwei Zhuang<sup>3,5</sup>,  
Yongzhe Jia<sup>3</sup>, Dawei Xu<sup>3</sup>, Wenbin Guo<sup>1</sup>

<sup>1</sup> College of Intelligence and Computing, Tianjin University

<sup>2</sup> Evidence-Based Medicine Center, Tianjin University of Traditional Chinese Medicine

<sup>3</sup>First Teaching Hospital of Tianjin University of Traditional Chinese Medicine

<sup>4</sup>Tiandazhitu

<sup>5</sup>National Clinical Research Center for Chinese Medicine Acupuncture and Moxibustion

zhy111@tju.edu.cn, wangxin@tju.edu.cn, mengzp@tju.edu.cn, chenzhetcm@163.com

zhuangpengwei@163.com, jia Yongzhe@tju.edu.cn, xudawei@techfantasy.cn, Wenff@tju.edu.cn

## Abstract

Large Language Models (LLMs) has made significant progress in a number of professional fields, including medicine, law, and finance. However, in traditional Chinese medicine (TCM), there are challenges such as the essential differences between theory and modern medicine, the lack of specialized corpus resources, and the fact that relying only on supervised fine-tuning may lead to overconfident predictions. To address these challenges, we propose a two-stage training approach that combines continuous pre-training and supervised fine-tuning. A notable contribution of our study is the processing of a 2GB corpus dedicated to TCM, constructing pre-training and instruction fine-tuning datasets for TCM, respectively. In addition, we have developed Qibo-Benchmark, a tool that evaluates the performance of LLM in the TCM on multiple dimensions, including subjective, objective, and three TCM NLP tasks. The medical LLM trained with our pipeline, named **Qibo**, exhibits significant performance boosts. Compared to the baselines, the average subjective win rate is 63%, the average objective accuracy improved by 23% to 58%, and the Rouge-L scores for the three TCM NLP tasks are 0.72, 0.61, and 0.55. Finally, we propose a pipeline to apply Qibo to TCM consultation and demonstrate the model performance through an extensive case study.

## 1 Introduction

Recently, significant advances have been made in LLM, such as ChatGPT (OpenAI, 2022), GPT-4 (Achiam and et al., 2023), and GPT-4o (OpenAI, 2024). These models can understand and answer a wide range of questions and outperform humans in many general-purpose areas. The open source community soon introduced high-performance LLMs as well, such as LLaMA (Touvron and al., 2023), Alpaca (Taori et al., 2023), Bloom (Workshop and al., 2022), and Falcon (Almazrouei et al., 2023).

To fill the gaps in the Chinese language processing capabilities of these models, researchers have also introduced more powerful Chinese language models (Cui et al., 2023; Du et al., 2021; Zhang et al., 2022; Baichuan, 2023; Bai et al., 2023).

However, while these general-purpose LLMs perform well in many tasks, their performance in specific areas of specialization e.g., the biomedical domain is often limited due to a lack of domain expertise (Zhao et al., 2023). The intricacies and specialization of knowledge in the biomedical domain place higher accuracy and safety requirements on the successful development of LLMs (Singhal et al., 2022). Similar to that, Traditional Chinese Medicine (TCM) also encounters comparable challenges.

In the realm of TCM, several medical LLMs have been proposed (Li et al., 2023; Zhang et al., 2023; Xiong et al., 2023). These LLMs are mainly trained through supervised fine-tuning (SFT). While SFT is crucial for acquiring domain-specific knowledge, it often results in limited knowledge infusion and can lead to overconfident generalizations (Luo et al., 2023). As well as Reinforcement Learning from Human Feedback (RLHF) is a popular method to offset some of the limitations of SFT, but it is very complex and requires rigorous hyperparameter tuning (Rama-murthy et al., 2022). Han et al. (2021); Zhou et al. (2023) have shown that almost all knowledge is learned in pre-training, which is a crucial stage for accumulating basic knowledge.

Although many works have existed on LLMs in TCM, and these works have further advanced the development of large models in TCM, yet the characteristics of TCM domain are neglected by them. They have never considered the essential differences between TCM and modern medical theories. Unlike modern medicine, patients with the same disease may present with different signs and *symptoms* (症) and thus receive different treatments,

while patients with different diseases may present with the same signs and symptoms and thus receive the same treatments.

These concepts are known as “different treatments for the same disease” (同病异治) and “same treatments for different diseases” (异病同治), respectively, and are the core methods of TCM (Mucheng et al., 2022). In modern medicine, with the help of medical instruments, it is possible to diagnose the type of disease based on clear numerical indicators e.g., blood pressure levels. TCM, on the other hand, uses abstract indicators, such as Yin (阴) and Yang (阳), Exterior (表) and Interior (里), Hot (热) and Cold (寒), and Excess (过) and Deficiency (不及). As shown in Figure 1, modern medicine judges whether it is hypertension by blood pressure, while TCM judges *syndrome* (zheng, 证) by judging the bias of symptoms, which is called TCM *syndrome differentiation*.




Figure 1: Different diagnostic processes of TCM and modern medicine for the same sample.

These differences in theoretical knowledge frameworks between TCM and modern medicine determine the different methods and data required for modeling them. Therefore, This paper aims to develop a language model with TCM expertise to address the limitations of current models that merely integrate basic medicine knowledge. The main contributions of this paper are as follows:

1. We have trained a new TCM LLM Qibo based on Chinese-LLaMA in two stages from pre-training to SFT.

2. We provide a data processing scheme based on different granularity rules to further improve the quality of TCM training corpus.
3. We construct an assessment benchmark to validate the multiple TCM capabilities from multiple subjective and objective dimensions, bridging the gaps in TCM assessment benchmarks.
4. Finally, a pipeline is designed to apply the model to TCM consultation and syndrome differentiation to improve the interpretability and performance of the diagnosis process. The performance of Qibo is demonstrated through extensive experiments and case studies.

## 2 Related Works

### 2.1 Large Language Models

The remarkable achievements of Large Language Models (LLMs), such as ChatGPT (OpenAI, 2022), GPT-4 (Achiam and et al., 2023) and GPT-4o (OpenAI, 2024), have garnered substantial attention, which relies on large-scale pre-training. While OpenAI has yet to publicly disclose its training strategy or weights, the rapid emergence of open source LLMs like LLaMA (Touvron and et al., 2023), Alpaca (Taori et al., 2023), Vicuna (Chiang et al., 2023), Bloom (Workshop and et al., 2022), and Falcon (Almazrouei et al., 2023). To compensate for their initially limited Chinese language proficiency, they were successfully trained to enhance their skills in Chinese through large Chinese language datasets, using next-token prediction as a key training objective to understand context and predict the next word. Chinese LLaMA and Chinese Alpaca (Cui et al., 2023) continually pre-trained and optimized with Chinese data and vocabulary. Ziya-LLaMA (Zhang et al., 2022) completed the RLHF process, enhancing instruction following ability and safety. In addition, there have been notable attempts to build efficient Chinese LLMs from scratch, such as BaiChuan (Baichuan, 2023), Qwen (Bai et al., 2023), and GLM (Du et al., 2021).

### 2.2 LLMs in Medical Domain

Large models generally perform best in medical contexts demanding complex knowledge and high precision. Attempts to improve this include MedAlpaca (Han et al., 2023) and ChatDoctor (Yunxiang

et al., 2023), which employ continuous training, and Med-PaLM (Singhal et al., 2022), and Med-PaLM2 (Singhal et al., 2023), receiving favourable expert reviews for clinical responses. Chinese medical domain studies include DoctorGLM (Xiong et al., 2023), which used extensive Chinese medical dialogue data and an external medical knowledge base, and BenTsao (Wang et al., 2023), utilizing only a medical knowledge graph for dialogue construction. Zhang et al. (2023) created HuatuoGPT with a 25-million dialogue dataset, achieving better response quality through a blend of distilled and real data for SFT and ChatGPT for RLHF feedback ranking.

Zhongjing (Yang et al., 2023), which is a Chinese medical LLaMA-based LLM that implements an entire training pipeline from pre-training, SFT, to RLHF and introduce a Chinese multi-turn medical dialogue dataset of 70,000 authentic doctor-patient dialogues, CMtMedQA, which significantly enhances the capability for complex dialogue and proactive inquiry initiation. Qilin-Med (Ye et al., 2023) is a medical model based on Baichuan-7B, showcasing enhanced performance and more refined outputs in medical applications, owing to its innovative multi-stage training approach. It also curates a 3GB dataset of TCM, encompassing medical question answering, plain text, knowledge graph, and dialogue.

### 3 Method

This section explores the construction of Qibo, dividing into three stages: *Data Process*, *Training Phase*, and *TCM Consultation and Syndrome Differentiation*. The overall construction process of Qibo is shown in Figure 2.

#### 3.1 Data Process

There are fewer sources of TCM corpus expertise, mainly modern TCM textbooks, TCM ancient books, encyclopedia of TCM and so on. For the processing of raw data, we convert the raw data into a uniform JSON format, and then do the cleansing, de-duplication, and quality assessment of the data to obtain the training corpus of high-quality.

We integrate different granularity processing rules in each step, including character-level cleaning rules and paragraph-level cleaning rules. Table 6 further explains the details of some rules, and all rules are repeatedly modified manually. Character-level cleaning rules mainly deter-

Name	Size
Medical Books	38.1M
TCM Books	40.6M
Chinese Medical Collection (TCM)	317M
Subclass Medical Professionals	49.8M
Other Ancient Books	165M
Encyclopedia of TCM	563M
TCM Reading Comprehension	40.2M
TCM Syndrome Differentiation	50.4M
TCM Prescription	13.5M

Table 1: The statistics of the pre-training data.

mine whether individual characters are within the range of comprehensible characters and whether character-level substitution is needed for character-by-character cleaning. Paragraph level rules are mainly to divide the text into semantically continuous paragraphs. In this process, the correctness of the character level cleaning and the correctness of the paragraph division are checked manually, and the rules are improved through random sampling. Eventually obtain a higher quality training corpus. As shown in Figure 2, these processed data are used for pre-training and fine-tuning.

#### 3.2 Training Phase

Qibo undergoes through two stages of training: *Continuous Pre-training* and *Supervised Instruction Fine-Tuning*. The former gained basic understanding of TCM, while the latter gained the ability to follow and answer TCM instructions.

##### 3.2.1 Continuous Pre-training

High-quality pre-trained corpora can greatly improve the performance of LLM and even break the scaling law to some extent (Gunasekar et al., 2023). Considering the complexity and breadth of the medical domain, data diversity and high quality need to be emphasized. It contains a wealth of knowledge and skills that require comprehensive training similar to that of specialized physicians. Relying on medical textbooks alone is not enough, as they can only provide basic theoretical knowledge. In the real world, it takes medical experience, professional acumen and intuition to understand the specific condition of patient and make informed decisions.

For this reason, we collect a variety of authentic and relevant textual data, mainly including modern medical textbooks, TCM textbooks, TCM prescription datasets, TCM reading comprehension data, TCM treatment plan canons, TCM ancient books, encyclopedia of TCM, and a number of other cor-




Figure 2: The Overall Construction Process of Qibo.

pus data related to the theoretical characteristics of TCM. These datasets span various sectors and aspects of the medical domain and provide the model with rich knowledge of TCM. Table 1 lists the statistics of the pre-training data. After processing these corpora, we construct the TCM pre-training dataset and perform continuous pre-training on Chinese-LLaMA by predicting the probability of the next word to finally obtain a basic TCM model with TCM knowledge system, understanding, dialectical ability, and entity recognition ability.  $N$  indicates the numbers of sequences partitioned from TCM Pre-training Dataset, where each sequence  $X_i = [x_{i,1}, x_{i,2}, \dots, x_{i,T}]$  contains  $T$  tokens. We define the loss function as the sum of the negative log probabilities of the next token  $x_{i,t+1}$  given the previous tokens  $x_{i,1..t}$  in the sequence, where  $\theta$  denotes the model parameters.

$$L = - \sum_{i=1}^N \sum_{t=1}^T \log[P(x_{i,t+1}|x_{i,1..t}, \theta)] \quad (1)$$

In appendix A, we speculate on how models can acquire various abilities by different data on the phase of continuous pre-training.

### 3.2.2 Supervised Instruction Fine-Tuning

Supervised Fine-Tuning (SFT) is a key stage in making LLMs conversationally competent. With high-quality doctor-patient dialogue data, the model can effectively call upon the medical knowledge accumulated in pre-training to understand and respond to user queries. Over-reliance on refined data from ChatGPT often mimics the speech patterns, which may lead to a breakdown of intrinsic abilities rather than learning substantive abilities (Shumailov et al., 2023; Gudibande et al., 2023). Although large amounts of refined data can quickly improve conversational fluency, medical accuracy is paramount. Therefore, we avoid using only refined data. We use four types of data in the SFT phase and convert them into the conversation format of Alpaca (Cui et al., 2023).

**TCM Single-turn Conversation Data:** In order to

improve the dialogue capability in TCM, we use a dialogue dataset of single-argument dialogue instructions ChatMed-TCM. The dialogue capability of the model can be significantly improved by fine-tuning the monologue dialogue instructions.

**TCM Multi-turn Conversation Data:** The ability to engage in multi-turn dialogues is essential for TCM models. We select the multi-turn question answering dataset of TCM departments in CMtMedQA (Yang et al., 2023), and mix it into the fine-tuned dataset. CMtMedQA is a large-scale, multi-turn TCM question-answering dataset suitable for LLM training, significantly enhancing the capability for multi-turn conversations. This dataset encompasses 14 medical departments and over 10 scenarios, featuring numerous proactive inquiry statements that encourage the model to initiate questions, a crucial aspect of TCM consultations.

**TCM NLP Tasks Instruction Data:** A wide range of tasks can improve the zero-point generalization ability of the model (Sanh et al., 2021). To prevent over-fitting medical conversation tasks, we convert all TCM NLP task data (e.g., prescription entity recognition, symptom identification, reading comprehension) into the instruction conversation format, thus improving its generalization ability.

**General Medical-related Dialogue Data:** In order to prevent catastrophic forgetting of previous general dialogue abilities after incremental training (Aghajanyan et al., 2021), we include simple dialogue related to the medical topic section. This not only reduces forgetting, but also enhances model the understanding of the medical domain, which also contain modifications related to the self-perception for model.

Table 2 lists the sources of the fine-tuning data. We fine-tune the model by translating data from multiple sources into a multi-turn conversation format to enhance the capability of following and answering instructions, in order to obtain the final version of Qibo. Considering each prompt  $X_i = [X_{i,1}, X_{i,2}, \dots]$  and its corresponding response  $Y_i = [Y_{i,1}, Y_{i,2}, \dots, Y_{i,T_i}]$  contains  $T_i$  tokens, the loss function in the SFT stage can be defined as follows:

$$L = - \sum_{i=1}^N \sum_{t=1}^{T_i} \log[P(y_{i,t+1} | X_i, y_{i,1..t}, \theta)] \quad (2)$$

where  $N$  represents the total number of training instances, and  $\theta$  represents the model parameters.

### 3.3 TCM Consultation and Syndrome Differentiation

In order to further enhance the ability to use TCM models for consultation, we simulate the process of TCM consultation and design a set of retrieval enhancement based on an external knowledge base of TCM to construct a thinking chain method for TCM consultation prompts. This method starts from the main complaint, inquires about syndrome related symptoms, prompts and guides users to pay attention to other abnormal situations in the body, and combines information such as the bowel movements, sleep conditions, and allergies to make a comprehensive dialectical prescription.

This method utilizes external professional knowledge to guide the model in asking patients, collecting consultation information, further explaining relevant consultation principles, increasing the interpretability and credibility of the consultation. On the other hand, by using multiple rounds of comprehensive information to judge the condition of patients, the accuracy of the consultation can be further improved. The specific process is shown in the bottom left part of Figure 2, and some examples of a single consultation are shown in the bottom right part. Based on the initial judgment of the chief complaint, the model identified “deficiency of both Qi and blood syndrome” (气血两虚证). After multiple rounds of questioning with the patient to obtain more relevant information, it is determined that the “Qi and blood deficiency syndrome” is accompanied by “spleen and kidney yang deficiency syndrome” (脾肾阳虚证). The example of detailed consultation information can be found in Table 10 in Appendix G.

## 4 Experiments and Evaluation

This section describes the experimental evaluation component including training details, baselines, evaluation, and results and limitations.

### 4.1 Training Details

Our model is trained based on the Chinese LLaMA-7B/13B, which are LLMs that obtains Chinese proficiency through continuous pre-training of Chinese corpus on the basis of LLaMA-7B/13B. The 7B and 13B models are fully parameterized and trained in parallel on 8 and 16 Ascend-910 NPUs, respectively, instead of using the Low Rank Adaptation (LoRA) parameter efficiency adjustment method (Hu et al., 2021). To balance training costs, we

Name	Source
CMtMedQA-TCM	Selected from TCM departments in CMtMedQA (6%)
ChatMed-TCM	Translated from the knowledge graph of TCM
Prescription Entity Recognition	Translated from data conversion of TCM prescriptions datasets
TCM-RC	Translated from TCM Reading Comprehension Datasets
Simple Medical Dialogue	Translated from general medical question answering
TCM-SD-Dialogue	Translated from TCM-SD datasets

Table 2: The sources of the fine-tuning data.

adopted a FP16-FP32 hybrid accuracy and gradient accumulation strategy with ZeRO-2 (Rajbhandari et al., 2020) and limit the length of a single response (including history) to 2048. We use the AdamW optimizer (Loshchilov and Hutter, 2017), a dropout rate of 0.1, and a cosine learning rate scheduler. In order to maintain the stability of training, we halved the loss during gradient burst and learning rate decay. Table 4 lists the final parameters for each stage after multiple adjustments. The losses in all training stages have successfully converged within the effective range.

## 4.2 Baselines

In order to evaluate our model, we chose a series of LLMs with different parameter scales as benchmarks for comparison, including generalized LLMs and medical LLMs.

**ChatGPT** (OpenAI, 2022): a well-known LLM with about 175B parameters. Although not specifically trained for the medical domain, it shows impressive performance in the medical conversation task.

**Chinese-LLaMA** (Cui et al., 2023): this is a fully trained Chinese generalized LLM and is our base model for comparing performance improvements.

**BenTsao** (Wang et al., 2023): the first Chinese medical large-scale model, based on Chinese-LLaMA (Cui et al., 2023) and fine-tuned on an 8K-scale medical conversation dataset.

**DoctorGLM** (Xiong et al., 2023): a Chinese medical large-scale model based on ChatGLM-6B (Du et al., 2021) with fine-tuning on a large amount of medical guidance data.

**HuatuogPT** (Zhang et al., 2023): based on the previous best LLM of TCM implemented in Bloomz-7b1-mt (Muennighoff et al., 2022), which is fine-tuned on a large set of medical instructions of 25M size using SFT (Li et al., 2023) and further optimized by ChatGPT-based reinforcement learning for further optimization.

**ZhongJing** (Yang et al., 2023): Ziya-LLaMA-

based LLM for Chinese medicine, which implements the entire training pipeline from pre-training, SFT, to RLHF, and enhances the multi-turn conversation capability using 70, 000 multi-turn conversation data.

## 4.3 Evaluation

We constructed datasets for three aspects of evaluation: subjective evaluation, objective and NLP tasks evaluation, and other evaluation. The prompt templates used during the experiment are shown in Table 11.

### 4.3.1 Subjective Evaluation

We collect and organize 150 TCM-related questions for experiments, and evaluate the TCM LLM dialogues in terms of three dimensions: professionalism, safety, and fluency, and use the win rate, tie rate, and loss rate as the measurement criteria, respectively. The assessment combines both human and AI components. Due to the complexity of the safety assessment (Wang et al., 2022), we use assessments from medical experts as samples for evaluation using GPT-4. For the simpler dimensions of professionalism and fluency, we utilized GPT-4 (Sun et al., 2023; Chiang et al., 2023) for scoring to save human resources. The specific meanings of safety, professionalism, and fluency are as follows (Yang et al., 2023):

**Safety:** (1) Must provide scientifically accurate medical knowledge, especially in cases of disease diagnosis, medication recommendations, etc.; (2) must admit ignorance of unknown knowledge; (3) must ensure patient safety; (4) must refuse to answer information or advice that could cause harm; (5) must comply with medical ethics while respecting patient choice and refuse to answer if violated.

**Professionalism:** (1) Must have an accurate understanding of the problems and needs from patients in order to provide relevant responses and advice; (2) must explain complex medical knowledge so that the patient can understand; (3) and must be proactive in asking for information about the condition and related information from patients when




Figure 3: The comparison results of Qibo and baseline models for the Safety, the Professionalism, and the Fluency, which is obtained through GPT-4.

needed.

**Fluency:** (1) Answers must be semantically coherent and free of logical errors or irrelevant information; (2) the style and content of answers must be consistent and free of conflicting information; (3) responses must remain friendly and welcoming; cold or overly brief language is unacceptable.

### 4.3.2 Objective and NLP Tasks Evaluation

**Objective Evaluation:** For the objective evaluation of models, referring to Med-PaLM (Singhal et al., 2022), we used the model to select the correct option from multiple-choice questions for verification, and examined the knowledge and understanding ability related to TCM contained in the model. A total of 3,175 practice questions related to the 13 TCM practice exams are collected and organized as assessment data, which are measured by comparing the accuracy of responses across subjects.

**TCM NLP Tasks Evaluation:** In order to further explore the comprehensive performance of the model and the generalization ability of TCM NLP tasks, we retained 517, 689, and 475 data from the prescription identification dataset, syndrome differentiation dataset, and reading comprehension quiz dataset, respectively, for assessment, and the assessment criteria are adopted from Rouge-L (Lin, 2004). We compare the model results with the opti-

mal results of traditional BERT-based proprietary methods (Mucheng et al., 2022; Alibaba, 2020b,a) on the corresponding dataset to verify the performance of the model.

### 4.3.3 Other Evaluation

**Ablation Study:** To better understand the contributions of each training stage to the performance of medical LLMs, we conducted a series of ablation experiments on objectively selected test datasets. We compared the performance of different Chinese base models before and after each stage using the accuracy of multiple-choice responses as the evaluation metric.

**Few Shot Testing:** Few-shot learning can further enhance the generalization ability. To further validate whether the model introduced in this paper can enhance its capabilities in TCM through few-shot learning, we conducted a few-shot test using objective evaluation multiple-choice tasks to ascertain whether the model possesses the capability for few-shot learning.

**Case Study:** In the case study, we select a challenging question that necessitates a deep understanding of TCM capabilities. In addition, we studied cases of dialectical diagnosis in TCM to verify the potential of the model in clinical consultation. The specific analysis of the example is shown in Sec 4.4.

Task	Method	Rouge-L
TCM-NER	ours	<u>0.72</u>
	zhongjing	0.54
	BenTsao	0.23
	HuatuoGPT	0.63
	DoctorGLM	0.21
	*	<b>0.78</b>
TCM-RP	ours	<u>0.61</u>
	zhongjing	0.58
	BenTsao	0.21
	HuatuoGPT	0.60
	DoctorGLM	0.19
	*	<b>0.63</b>
TCM-SD	ours	<u>0.54</u>
	zhongjing	0.34
	BenTsao	0.12
	HuatuoGPT	0.31
	DoctorGLM	0.10
	*	<b>0.87</b>

Table 3: The results of three NLP tasks, where “\*” indicates the best outcome of the method specifically designed for this task. TCM-NER refers to the entity recognition task of TCM prescriptions. TCM RP is a TCM reading comprehension quiz pair construction task. TCM-SD refers to the task of syndrome differentiation in TCM.

#### 4.4 Results and Limitations

The results of the subjective assessment are shown in Figure 3, and the results of the objective assessment are shown in Figure 4, and the results of the TCM NLP task are shown in Table 3. The results show that Qibo can achieve excellent results in all three dimensions of the subjective assessment, and the best results in the objective assessment. In the TCM NLP task, although the model does not achieve the same level of performance as the optimal method for the task, it nevertheless outperforms other medical models. It consistently outperforms the baseline models.

Ablation experiments were conducted on various Chinese base models using distinct datasets, thereby validating the efficacy of the dataset. The findings are detailed in Table 5 in Appendix C, indicating an average accuracy improvement of 22% in TCM multiple-choice questions. Additionally, this result suggests that, within the realm of TCM, Chinese-LLaMA outperforms ChatGLM and BaiChuan as the Chinese base model.

Tables 7 and 8 present the results of the few-shot testing for Qibo-7B and 13B, respectively. While some subjects exhibited performance enhancement

with the increase in samples, the optimal performance is nearly always achieved with the baseline prompts. We speculate that prompts incorporating few-shot learning may disrupt the task, or that large models with fewer parameters may not possess robust few-shot learning capabilities. Naturally, this conclusion requires further validation across a broader range of tasks.

Table 9 presents the responses from 6 baseline models. The results indicate that Erien, GPT-3.5, and GPT-4 can effectively address the question through the use of Retrieval Augmented Generation (RAG). While the responses from Zhongjing and BenTsao contain a little of information related to the question, the assistance that they offered is limited on it; in contrast, HuatuoGPT delivered more comprehensive medical advice. Other models adequately listed various medications but lacked analysis of diverse scenarios. Our model not only offered pertinent recommendations for TCM but also provided differentiated suggestions for additional symptoms patients might exhibit.

Table 10 demonstrates the dialectical process of using prompts to guide the model in inquiring about diagnostic syndromes from patients. Based on the dialectical outcomes, combined with allergy considerations, it makes sound recommendations for TCM. In the case, an initial symptom diagnosis is based on the principal complaint, followed by more precise assessments as more information became available. With each round of dialogue, inquiries and assessments are refined using pertinent professional knowledge, prompting patients to focus on additional symptoms, thus enhancing the interpret ability and credibility of the diagnostic dialectic. The case study establishes a foundation for further exploration into the potential of large models in relation to TCM capabilities.

The following are our main observations and conclusions from the experimental results: Compared with the other baseline models, our model has excellent performance in constructing TCM benchmarks. Our model outperforms other medical models in both subjective and objective evaluations. Although the performance NLP tasks is not as good as the methods specifically designed for this task, it can still achieve certain results in the corresponding task and outperform other models. In addition, scale effects still exist, and models trained with more data and a larger number of parameters often perform better. For example, Qibo-13B has higher accuracy in evaluating multiple-choice questions



than Qibo-7B as shown in Figure 4.

**Limitations:** Despite these achievements, we also recognize the limitations of the model. (1) Apart from the discussion above which lacks the ability of few shot learning, accurately recognize character positions, and perform well in NLP tasks like the best traditional methods, Qibo cannot guarantee that all responses are accurate. Given the potentially serious consequences of misleading information in the medical domain, we recommend that users treat the information generated with caution and consult a professional. (2) Qibo relies primarily on text-based information and may not be able to handle more complex multi-modal medical information such as medical images and patient physiological signals. (3) Future research could focus on improving safety, integrating real user data to optimize response, and integrating non-textual information to provide more comprehensive and accurate healthcare. Despite its limitations, Qibo remains primarily a research tool rather than a substitute for professional medical advice.




Figure 4: The accuracy of different models in the 13 subject multiple-choice questions of the TCM Practicing Examination.

## 5 Conclusion

We present Qibo, an LLM in the traditional Chinese medical domain, which is implemented from pre-training to SFT. Its performance exceeds that of other open-source Chinese medical models in TCM, and is comparable to models with significantly more parameters. We have collected high-

quality training corpus data in TCM and constructed Qibo-Benchmark, an evaluation benchmark, to address the evaluation gap. Furthermore, a pipeline is designed to apply the model to TCM diagnosis and dialectics, with the aim of improving the interpretability and performance of the diagnostic process. Finally, sufficient experiments have validated the excellent performance of our model in TCM.

## References

- Josh Achiam and Adler et al. 2023. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*.
- Armen Aghajanyan, Anchit Gupta, Akshat Shrivastava, Xilun Chen, Luke Zettlemoyer, and Sonal Gupta. 2021. Muppet: Massive multi-task representations with pre-finetuning. *arXiv preprint arXiv:2101.11038*.
- Alibaba. 2020a. "wanchuang cup" traditional chinese medicine tianchi big data competition - challenge of entity recognition for traditional chinese medicine instructions; — tianchi.aliyun.com. <https://tianchi.aliyun.com/competition/entrance/531826/rankingList>.
- Alibaba. 2020b. "wanchuang cup" traditional chinese medicine tianchi big data competition - challenge of traditional chinese medicine literature problem generation — tianchi.aliyun.com. <https://tianchi.aliyun.com/competition/entrance/531824/rankingList>.
- Ebtesam Almazrouei, Hamza Alobeidli, Abdulaziz Alshamsi, Alessandro Cappelli, Ruxandra Cojocaru, Merouane Debbah, Etienne Goffinet, Daniel Hestlow, Julien Launay, Quentin Malartic, et al. 2023. Falcon-40b: an open large language model with state-of-the-art performance. *Findings of the Association for Computational Linguistics: ACL, 2023*:10755–10773.
- Jinze Bai, Shuai Bai, and Yunfei et al. 2023. Qwen technical report. *arXiv preprint arXiv:2309.16609*.
- Baichuan. 2023. *Baichuan 2: Open large-scale language models*. *arXiv preprint arXiv:2309.10305*.
- Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E Gonzalez, et al. 2023. Vicuna: An open-source chatbot impressing gpt-4 with 90%\* chatgpt quality. *See https://vicuna.lmsys.org (accessed 14 April 2023)*.
- Yiming Cui, Ziqing Yang, and Xin Yao. 2023. Efficient and effective text encoding for chinese llama and alpaca. *arXiv preprint arXiv:2304.08177*.

- Zhengxiao Du, Yujie Qian, Xiao Liu, Ming Ding, Jiezhong Qiu, Zhilin Yang, and Jie Tang. 2021. Glm: General language model pretraining with autoregressive blank infilling. *arXiv preprint arXiv:2103.10360*.
- Arnav Gudibande, Eric Wallace, Charlie Snell, Xinyang Geng, Hao Liu, Pieter Abbeel, Sergey Levine, and Dawn Song. 2023. The false promise of imitating proprietary llms. *arXiv preprint arXiv:2305.15717*.
- Suriya Gunasekar, Yi Zhang, Jyoti Aneja, Caio César Teodoro Mendes, Allie Del Giorno, Sivakanth Gopi, Mojan Javaheripi, Piero Kauffmann, Gustavo de Rosa, Olli Saarikivi, et al. 2023. Textbooks are all you need. *arXiv preprint arXiv:2306.11644*.
- Tianyu Han, Lisa C Adams, Jens-Michalis Papaioannou, Paul Grundmann, Tom Oberhauser, Alexander Löser, Daniel Truhn, and Keno K Bressen. 2023. Medalpaca—an open-source collection of medical conversational ai models and training data. *arXiv preprint arXiv:2304.08247*.
- Xu Han, Zhengyan Zhang, Ning Ding, Yuxian Gu, Xiao Liu, Yuqi Huo, Jiezhong Qiu, Yuan Yao, Ao Zhang, Liang Zhang, et al. 2021. Pre-trained models: Past, present and future. *AI Open*, 2:225–250.
- Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. 2021. Lora: Low-rank adaptation of large language models. *arXiv preprint arXiv:2106.09685*.
- Jianquan Li, Xidong Wang, Xiangbo Wu, Zhiyi Zhang, Xiaolong Xu, Jie Fu, Prayag Tiwari, Xiang Wan, and Benyou Wang. 2023. Huatuo-26m, a large-scale chinese medical qa dataset. *arXiv preprint arXiv:2305.01526*.
- Chin-Yew Lin. 2004. Rouge: A package for automatic evaluation of summaries. In *Text summarization branches out*, pages 74–81.
- Ilya Loshchilov and Frank Hutter. 2017. Decoupled weight decay regularization. *arXiv preprint arXiv:1711.05101*.
- Yun Luo, Zhen Yang, Fandong Meng, Yafu Li, Jie Zhou, and Yue Zhang. 2023. An empirical study of catastrophic forgetting in large language models during continual fine-tuning. *arXiv preprint arXiv:2308.08747*.
- Ren Mucheng, Huang Heyan, Zhou Yuxiang, Cao Qianwen, Bu Yuan, and Gao Yang. 2022. Tcm-sd: A benchmark for probing syndrome differentiation via natural language processing. In *Proceedings of the 21st Chinese National Conference on Computational Linguistics*, pages 908–920.
- Niklas Muennighoff, Thomas Wang, Lintang Sutawika, Adam Roberts, Stella Biderman, Teven Le Scao, M Saiful Bari, Sheng Shen, Zheng-Xin Yong, Hailey Schoelkopf, et al. 2022. Crosslingual generalization through multitask finetuning. *arXiv preprint arXiv:2211.01786*.
- OpenAI. 2024. Hello GPT-4o. <https://openai.com/index/hello-gpt-4o/>.
- TB OpenAI. 2022. Chatgpt: Optimizing language models for dialogue. openai.
- Samyam Rajbhandari, Jeff Rasley, Olatunji Ruwase, and Yuxiong He. 2020. Zero: Memory optimizations toward training trillion parameter models. In *SC20: International Conference for High Performance Computing, Networking, Storage and Analysis*, pages 1–16. IEEE.
- Rajkumar Ramamurthy, Prithviraj Ammanabrolu, Kianté Brantley, Jack Hessel, Rafet Sifa, Christian Bauckhage, Hannaneh Hajishirzi, and Yejin Choi. 2022. Is reinforcement learning (not) for natural language processing?: Benchmarks, baselines, and building blocks for natural language policy optimization. *arXiv preprint arXiv:2210.01241*.
- Victor Sanh, Albert Webson, Colin Raffel, Stephen H Bach, Lintang Sutawika, Zaid Alyafeai, Antoine Chaffin, Arnaud Stiegler, Teven Le Scao, Arun Raja, et al. 2021. Multitask prompted training enables zero-shot task generalization. *arXiv preprint arXiv:2110.08207*.
- Ilia Shumailov, Zakhar Shumaylov, Yiren Zhao, Yarin Gal, Nicolas Papernot, and Ross Anderson. 2023. Model dementia: Generated data makes models forget. *arXiv e-prints*, pages arXiv–2305.
- Karan Singhal, Shekoofeh Azizi, Tao Tu, S Sara Mahdavi, Jason Wei, Hyung Won Chung, Nathan Scales, Ajay Tanwani, Heather Cole-Lewis, Stephen Pfohl, et al. 2022. Large language models encode clinical knowledge. *arXiv preprint arXiv:2212.13138*.
- Karan Singhal, Tao Tu, Juraj Gottweis, Rory Sayres, Ellery Wulczyn, Le Hou, Kevin Clark, Stephen Pfohl, Heather Cole-Lewis, Darlene Neal, et al. 2023. Towards expert-level medical question answering with large language models. *arXiv preprint arXiv:2305.09617*.
- Zhiqing Sun, Yikang Shen, Qinzhong Zhou, Hongxin Zhang, Zhenfang Chen, David Cox, Yiming Yang, and Chuang Gan. 2023. Principle-driven self-alignment of language models from scratch with minimal human supervision. *arXiv preprint arXiv:2305.03047*.
- Rohan Taori, Ishaan Gulrajani, Tianyi Zhang, Yann Dubois, Xuechen Li, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. 2023. Stanford alpaca: An instruction-following llama model. [https://github.com/tatsu-lab/stanford\\_alpaca](https://github.com/tatsu-lab/stanford_alpaca).
- Hugo Touvron and Lavrilet al. 2023. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*.

- Haochun Wang, Chi Liu, Nuwa Xi, Zewen Qiang, Sendong Zhao, Bing Qin, and Ting Liu. 2023. Huatuo: Tuning llama model with chinese medical knowledge. *arXiv preprint arXiv:2304.06975*.
- Yizhong Wang, Yeganeh Kordi, Swaroop Mishra, Alisa Liu, Noah A Smith, Daniel Khashabi, and Hananeh Hajishirzi. 2022. Self-instruct: Aligning language model with self generated instructions. *arXiv preprint arXiv:2212.10560*.
- BigScience Workshop and Scao et al. 2022. Bloom: A 176b-parameter open-access multilingual language model. *arXiv preprint arXiv:2211.05100*.
- Honglin Xiong, Sheng Wang, Yitao Zhu, Zihao Zhao, Yuxiao Liu, Qian Wang, and Dinggang Shen. 2023. Doctorglm: Fine-tuning your chinese doctor is not a herculean task. *arXiv preprint arXiv:2304.01097*.
- Songhua Yang, Hanjia Zhao, Senbin Zhu, Guangyu Zhou, Hongfei Xu, Yuxiang Jia, and Hongying Zan. 2023. Zhongjing: Enhancing the chinese medical capabilities of large language model through expert feedback and real-world multi-turn dialogue. *arXiv preprint arXiv:2308.03549*.
- Qichen Ye, Junling Liu, Dading Chong, Peilin Zhou, Yining Hua, and Andrew Liu. 2023. Qilin-med: Multi-stage knowledge injection advanced medical large language model. *arXiv preprint arXiv:2310.09089*.
- Li Yunxiang, Li Zihan, Zhang Kai, Dan Ruilong, and Zhang You. 2023. Chatdoctor: A medical chat model fine-tuned on llama model using medical domain knowledge. *arXiv preprint arXiv:2303.14070*.
- Hongbo Zhang, Junying Chen, Feng Jiang, Fei Yu, Zhihong Chen, Jianquan Li, Guiming Chen, Xiangbo Wu, Zhiyi Zhang, Qingying Xiao, et al. 2023. Huatuoqpt, towards taming language model to be a doctor. *arXiv preprint arXiv:2305.15075*.
- Jiaying Zhang, Ruyi Gan, Junjie Wang, Yuxiang Zhang, Lin Zhang, Ping Yang, Xinyu Gao, Ziwei Wu, Xiaogun Dong, Junqing He, et al. 2022. Fengshenbang 1.0: Being the foundation of chinese cognitive intelligence. *arXiv preprint arXiv:2209.02970*.
- Wayne Xin Zhao, Kun Zhou, Junyi Li, Tianyi Tang, Xiaolei Wang, Yupeng Hou, Yingqian Min, Beichen Zhang, Junjie Zhang, Zican Dong, et al. 2023. A survey of large language models. *arXiv preprint arXiv:2303.18223*.
- Chunting Zhou, Pengfei Liu, Puxin Xu, Srini Iyer, Jiao Sun, Yuning Mao, Xuezhe Ma, Avia Efrat, Ping Yu, Lili Yu, et al. 2023. Lima: Less is more for alignment. *arXiv preprint arXiv:2305.11206*.

## **A Pre-training corpus ability**

We have made the following conjecture about the corpus on which the model can obtain different abilities: Following a period of continuous pre-training, the Chinese base model will learn the basic knowledge and theoretical system of modern medicine and TCM from modern medicine textbooks, TCM textbooks, and TCM encyclopedia data; learn the theoretical system and diagnostic methods of TCM from Chinese medical collection, subclass medical professionals, and ancient books; learn dialectical analysis of TCM from TCM syndrome differentiation; learn prescription knowledge from TCM prescription; enhance comprehension and analysis abilities by utilizing traditional Chinese medicine reading comprehension data; ultimately, it became TCM-based model. Due to the fact that the above speculation is not the focus of the paper's research, further verification has not been conducted on the relationship between corpus and model ability.

## B Training Settings in every stage

	LLaMA-13B			LLaMA-7B			ChatGLM			Baichuan		
	PT	OP	OF	PT	OP	OF	PT	OP	OF	PT	OP	OF
Learning Rate	1.e-5	3.e-4	-	6.e-5	3.e-5	6.e-5	5.e-5	5.e-5	5.e-5	2.e-5	3.e-5	2.e-5
Epochs	2	2	-	1	2	1	1	2	1	1	2	1
Batch Size	2	2	-	4	4	4	8	8	8	2	2	2
Device	16*NPU						8*NPU					

Table 4: Parameter settings for each training stage. “OF” indicates that only TCM instructions are used to fine tune data. “OP” indicates that only TCM pre-training corpus is used for continuous pre-training. “PT” represents fine-tuning based on the weight after continuous pre- training.

## C Validation dataset

	PT	OP	OF	None
Chinese-LLaMA-7B	<b>55.65</b>	<b>49.46</b>	<b>46.68</b>	<b>45.39</b>
ChatGLM2	45.75	40.31	38.36	37.32
BaiChuan2	44.37	42.36	41.65	40.32

Table 5: The dataset is trained and compared across ChatGLM2-6B, BaiChuan2-7B, and Chinese-LLaMA-7B to validate its effectiveness. OF denotes fine-tuning using only TCM instructions. OP stands for exclusive use of the TCM pre-training corpus for ongoing pre-training. PT signifies fine-tuning on the weights obtained after continuous pre-training. None refers to testing with the original weights. For testing, the average accuracy of objective multiple-choice questions across 13 subjects are chosen as the metric.

## D Example rules

Character level rules	
<i>is_Chinese</i>	Determines whether it is a valid Chinese character
<i>Check_punctuation</i>	Check punctuation and replace with Chinese punctuation marks
<i>Replace_Chinese</i>	Replaces illegal Chinese characters with correct Chinese characters
Paragraph level rules	
<i>Sentence_integrity</i>	Checks if a paragraph is a complete statement and removes incomplete statements
<i>Sentence_relevance</i>	Determines the correlation between sentences and divides them into different training sequences

Table 6: Some data processing rules and their interpretations.

## E Few shot testing

Subject	0-shot	1-shot	3-shot	5-shot	Base-prompt
TCM Surgery	55.41	<u>59.59</u>	50.57	47.15	<b>66.67</b>
TCM Pediatrics	<u>61.01</u>	51.34	49.06	42.74	<b>68.89</b>
TCM Internal Medicine	<u>52.61</u>	44.59	47.19	50.50	<b>63.40</b>
Basic Theory of TCM	<u>61.90</u>	46.95	51.72	48.65	<b>70.86</b>
Traditional Chinese Obstetrics and Gynecology	<u>58.90</u>	42.46	43.07	40.04	<b>66.95</b>
Diagnosis of TCM	<u>56.30</u>	48.10	49.79	51.07	<b>65.55</b>
TCM	61.53	43.46	<u>62.18</u>	54.02	<b>72.37</b>
Infectious Diseases	<u>65.19</u>	53.08	63.10	54.17	<b>73.04</b>
pharmacology	<u>65.91</u>	65.71	53.76	56.14	<b>72.73</b>
Acupuncture and moxibustion	<b>73.38</b>	60.14	63.97	63.43	68.35
Prescription Studies	<u>52.64</u>	51.77	40.36	36.99	<b>60.45</b>
Health regulations	<u>57.74</u>	42.07	49.84	45.57	<b>71.29</b>
medical ethics	<u>52.25</u>	29.79	33.42	30.38	<b>63.13</b>
avg	<u>59.60</u>	49.16	50.62	47.76	<b>67.97</b>

Table 7: Qibo-13B’s few-shot test results. “Base-prompt” as shown in Table 11.

Subject	0-shot	1-shot	3-shot	5-shot	Base-prompt
TCM Surgery	48.57	48.85	<u>50.96</u>	39.81	<b>62.67</b>
TCM Pediatrics	40.77	<u>46.05</u>	44.90	42.14	<b>55.63</b>
TCM Internal Medicine	<u>51.13</u>	45.19	45.58	50.67	<b>63.42</b>
Basic Theory of TCM	43.79	56.72	<b>55.12</b>	37.21	<u>48.69</u>
Traditional Chinese Obstetrics and Gynecology	43.86	43.95	44.56	45.82	<b>55.51</b>
Diagnosis of TCM	46.22	54.85	51.49	47.64	<b>60.50</b>
TCM	40.51	44.99	46.00	<b>58.12</b>	<u>49.32</u>
Infectious Diseases	50.85	<u>53.42</u>	38.97	42.36	<b>59.73</b>
pharmacology	47.10	50.81	<u>52.12</u>	41.31	<b>60.32</b>
Acupuncture and moxibustion	39.79	37.50	<u>41.44</u>	36.29	<b>47.48</b>
Prescription Studies	<u>40.05</u>	33.59	34.77	36.99	<b>47.61</b>
Health regulations	50.36	36.96	52.94	<u>53.73</u>	<b>54.68</b>
medical ethics	34.09	37.14	34.68	<u>49.71</u>	<b>57.95</b>
avg	44.39	45.39	<u>45.66</u>	44.75	<b>55.65</b>

Table 8: Qibo-7B’s few-shot test results. “Base-prompt” as shown in Table 11.

## F Different model response cases

---

**Question:** 我的嗓子痛,持续三天,年龄20岁,平时喜欢唱歌,有什么中药可以帮助我? (My throat hurts for three days. I am 20 years old and enjoy singing. Do you have any TCM that can help me?)

---

**Erien:** 嗓子痛通常是由于上呼吸道感染引起的,可能伴随喉咙发炎等症状。这种情况下,可以使用一些中药进行治疗。下面是一些可能的中药建议: 1.\*\*金银花\*\*：金银花具有清热解毒、抗炎、镇痛等作用,通常用于治疗喉咙痛等症状。你可以将金银花泡水喝,例如加入热水中饮用。2.\*\*胖大海\*\*：胖大海具有清咽利喉、清热解毒等作用,对于缓解喉咙痛也有很好的效果。你可以将胖大海泡水饮用,或者加入茶水中饮用。3.\*\*连翘\*\*：连翘具有清热解毒、散结消肿等作用,对于治疗喉咙痛也有很好的效果。你可以将连翘与其他草药或中药一起煎煮,或者直接泡水饮用。4.\*\*板蓝根\*\*：板蓝根具有清热解毒、凉血利咽等作用,对于缓解喉咙痛也有很好的效果。你可以将板蓝根冲剂或泡水饮用。请注意,使用草药治疗嗓子痛的效果因人而异,每个人的体质和症状可能不同。如果你嗓子痛的情况持续不见好转或者出现其他症状,请及时就医。同时,如果你有正在服用其他药物,在使用草药前请咨询医生意见。此外,保持充足的休息和饮水也有助于缓解嗓子痛的症状。同时,尽量避免过度用嗓或者过度刺激咽喉部,如吸烟、饮酒、辛辣食物等。以上信息仅供参考,如有更多健康问题,请咨询专业医生。

(Throat pain is usually caused by upper respiratory tract infections and may be accompanied by symptoms such as inflammation of the throat. In this case, some TCM can be used for treatment. Here are some possible suggestions for TCM: 1\*\* Honeysuckle: Honeysuckle has the effects of clearing heat, detoxifying, anti-inflammatory, analgesic, etc. It is usually used to treat symptoms such as sore throat. You can soak honeysuckle in water and drink it, for example, by adding it to hot water. N2.\* \* Fat sea \* \*: Fat sea has functions such as clearing the throat, promoting diuresis, clearing heat and detoxifying, and also has a good effect on relieving throat pain. You can soak the chubby sea in water for drinking, or add it to tea for drinking. N3.\* \* Forsythia \* \*: Forsythia has the effects of clearing heat and detoxifying, dispersing nodules and reducing swelling, and also has a good effect on treating sore throat. You can boil Forsythia with other herbs or TCM, or drink it directly in water. N4.\* \* Banlangen \* \*: Banlangen has the functions of clearing heat and detoxifying, cooling blood and promoting swallowing, and also has a good effect on relieving sore throat. You can drink Banlangen granules or soak them in water. Please note that the effectiveness of using herbs to treat sore throat varies from person to person, and each person's constitution and symptoms may vary. If your sore throat persists without improvement or other symptoms appear, please seek medical attention promptly. Meanwhile, if you are taking other medications, please consult a doctor for advice before using herbs. In addition, maintaining sufficient rest and drinking water can also help alleviate symptoms of sore throat. At the same time, try to avoid excessive use of the throat or excessive stimulation of the throat, such as smoking, drinking alcohol, spicy food, etc. The above information is for reference only. If you have more health issues, please consult a professional doctor. )

---

**GPT-3.5:** 根据您的情况,我建议您可以考虑使用中药来缓解嗓子疼痛。在中医传统中,可以选择一些滋润喉咙、清热解毒的药物来治疗嗓子痛的症状。一种常用的药物是川贝枇杷膏,它可以滋润喉咙、止咳化痰、清热润肺,对于喉咙疼痛、干燥和咳嗽有一定的缓解作用。此外,桔梗、百合、蜂蜜等药材也可以在中药中被使用来缓解喉咙不适的症状。由于每个人的体质和病情都不相同,我建议您咨询一位中医师以获取个性化的建议。同时,要注意保持喉咙的温暖和湿润,避免过度用嗓或接触刺激性物质,同时调整饮食和生活习惯,有助于缓解嗓子疼痛的症状。祝您早日康复!

(Based on your situation, I suggest that you consider using TCM to relieve throat pain. In TCM, one can choose some medicines that nourish the throat, clear heat and detoxify to treat symptoms of sore throat. A commonly used medication is Chuanbei Pipa Gao, which can moisturize the throat, relieve cough and phlegm, clear heat and moisten the lungs, and has a certain relieving effect on throat pain, dryness, and cough. In addition, medicinal herbs such as platycodon, lilies, and honey can also be used in TCM to alleviate symptoms of throat discomfort. Since everyone's physical condition and condition are different, I suggest you consult a TCM practitioner for personalized advice. At the same time, it is important to keep the throat warm and moist, avoid excessive use of the throat or contact with irritating substances, and adjust diet and lifestyle habits to help alleviate symptoms of throat pain. Wishing you a speedy recovery!)

---

---

**GPT-4:** 嗓子痛可能是因为用嗓过度或是初期感冒引起的。在中医理念中,可以调理肺和胃的健康来改善。推荐几种中药调理方案给你: 1.金银花和冰糖膏: 这两种药材都有良好的清热解毒效果,冰糖也能润喉。将它们融合在一起熬煮,每日取用一次。2.银耳雪梨糖水: 雪梨具有良好的润喉效果,银耳则能修复受损的喉咙。将雪梨去核切片,银耳泡发,然后一起加入糖水煮熟,每日饮用。3.南瓜粥: 南瓜在中医中被认为可以消炎止痛,对嗓子痛有很好的改善作用。南瓜煮粥或者用蒸锅煮熟食用均可。同时,平时要注意多喝水,改善生活习惯,比如不要过度用嗓,避免吃刺激性食物,戒烟限酒等等。如果嗓子持续痛且痛感加剧不减少,最好请教专业的医生。需要指出的是,以上推荐的中药方案只是参考,因每个人的体质都不同,个别人可能会对某些药材过敏,因此最好在专业人士指导下使用。

(Sore throat may be caused by excessive use of the throat or early colds. In the concept of TCM, it is possible to regulate the health of the lungs and stomach to improve. I recommend several TCM conditioning plans for you: 1 Honeysuckle and rock sugar cream: Both of these medicinal herbs have good heat clearing and detoxification effects, and rock sugar can also moisturize the throat. Mix them together and cook them, taking them once a day. 2 Tremella snow pear syrup: snow pear has a good throat moistening effect, while Tremella can repair the damaged throat. Peel and slice snow pear, soak tremella in hair, then add sugar water to boil it, and drink it every day. 3 Pumpkin Congee: Pumpkin is considered in TCM to be anti-inflammatory and analgesic, and has a good effect on improving sore throat. Pumpkin can be used to cook Congee or steamed in a steamer. At the same time, it is important to drink plenty of water and improve lifestyle habits, such as avoiding excessive use of the throat, avoiding spicy foods, quitting smoking and limiting alcohol consumption, and so on. If the throat continues to ache and the pain intensifies without decreasing, it is best to consult a professional doctor. It should be pointed out that the above recommended TCM plans are for reference only. As everyone's constitution is different, individuals may be allergic to certain medicinal herbs. Therefore, it is best to use them under the guidance of a professional. )

---

**Qibo-7B:** 建议您去中医诊所或医院找医生进行诊断和治疗。因为嗓子痛有很多种原因引起,需要根据具体病情来选用相应的中药方剂。如果您的喉咙疼痛伴有发热、咳嗽等症状,可能是感冒引起的,可以考虑使用清热解毒的中药,如连花清瘟胶囊、银翘解毒片等;如果是喉部干燥、声音嘶哑、口干舌燥等症状,可能是由于肺热所致,可以考虑使用清肺化痰的中药,如川贝枇杷膏、百合固金露等。但是请注意,以上仅为参考,具体的治疗方案还需要在医生的指导下进行。同时,保持充足的睡眠、饮食清淡、避免烟酒刺激等因素对缓解症状也有帮助。

(I suggest that you go to a TCM clinic or hospital to see a doctor for diagnosis and treatment. Because sore throat can be caused by various reasons, it is necessary to choose the corresponding Chinese medicine formula based on the specific condition. If your throat pain is accompanied by symptoms such as fever and cough, it may be caused by a cold. You can consider using TCM that can clear heat and detoxify, such as Lianhua Qingwen Capsules, Yinqiao Jiedu Tablets, etc; If symptoms such as dryness of the throat, hoarseness of the voice, and dry mouth and tongue are caused by lung heat, it is possible to consider using TCM that clears the lungs and reduces phlegm, such as Chuanbei Pipa Gao and Lily Gujin Lu. However, please note that the above is for reference only, and the specific treatment plan still needs to be carried out under the guidance of a doctor. Meanwhile, maintaining sufficient sleep, having a light diet, and avoiding smoking and alcohol stimulation can also help alleviate symptoms. )

---

**Qibo-13B:** 根据您的症状和情况,建议您可以考虑以下几种中药: 1.桔梗花茶: 桔梗有清热解毒、润喉止咳的功效,适合喉咙疼痛、咳嗽等症状。将干桔梗泡水饮用,或者用鲜桔梗煮成花茶,都可以起到缓解喉咙疼痛的作用。2.蜜炙川贝枇杷膏: 川贝具有清热化痰、润肺止咳的作用,蜜炙则能滋润喉咙,枇杷则能够润肺止咳。这个配方适用于喉咙疼痛、咳嗽等症状。3.杏仁糊: 杏仁有润肺止咳、清热解毒的功效,可以用来缓解喉咙疼痛和咳嗽。将杏仁磨成粉末,加入适量的蜂蜜和温水调匀即可。需要注意的是,以上中药仅供参考,具体用药还需根据个人体质和病情而定,建议在中医师的指导下使用。同时,如果症状持续或加重,建议及时就医。

(Based on your symptoms and condition, we suggest that you consider the following TCMs: 1 Platycodon grandiflorus flower tea: Platycodon grandiflorus has the effects of clearing heat, detoxifying, moisturizing the throat, and relieving cough, suitable for symptoms such as sore throat and cough. Soaking dried Platycodon grandiflorus in water for consumption, or boiling fresh Platycodon grandiflorus into flower tea, can both help alleviate throat pain. 2 Honey roasted Chuanbei loquat ointment: Chuanbei has the effects of clearing heat, resolving phlegm, moistening the lungs, and relieving cough. Honey roasted can moisturize the throat, while loquat can moisten the lungs and relieve cough. This formula is suitable for symptoms such as sore throat and cough. 3 Almond paste: Almonds have the effects of moistening the lungs, relieving cough, clearing heat and detoxifying, and can be used to relieve throat pain and cough. Grind the almonds into powder, add an appropriate amount of honey and warm water, and mix well. It should be noted that the above TCM is for reference only, and the specific medication should be determined based on personal constitution and condition. It is recommended to use it under the guidance of a TCM practitioner. Meanwhile, if symptoms persist or worsen, it is recommended to seek medical attention promptly. )

---

**Zhongjing:** 嗓子痛可能是由多种原因引起的,比如感冒、过度使用声带、喉咙感染等。在考虑使用中药之前,建议你首先咨询医生或专业的中医师,以确定嗓子痛的具体原因,并得到专业的治疗建议。

(Sore throat may be caused by various reasons, such as colds, excessive use of vocal cords, throat infections, etc. Before considering using TCM, it is recommended that you first consult a doctor or professional Chinese medicine practitioner to determine the specific cause of throat pain and receive professional treatment advice. )

---



---

**BenTsao:** 可能是咽喉炎引起的疼痛。建议您多喝水、休息好并避免刺激性食物和饮料的摄入以减轻症状。同时可以尝试使用一些清热解毒的中药来缓解喉咙不适感以及炎症反应等情况。(It may be pain caused by pharyngitis. It is recommended that you drink plenty of water, rest well, and avoid consuming irritating foods and drinks to alleviate throat symptoms. At the same time, you can try using some TCM that can clear heat and detoxify to alleviate throat discomfort and inflammatory reactions. )

---

**HuatuoGPT:** 嗓子痛可能是由于过度使用或者感染引起的。在考虑中药之前, 首先建议你尽量避免过度使用嗓子, 多喝水, 保持喉咙湿润, 避免吸烟和饮酒, 以及避免吃过于辛辣或刺激性的食物。在中医中, 有一些草药被用来帮助缓解嗓子痛, 包括: 金银花: 具有清热解毒的作用, 对于咽喉炎症有一定的缓解作用。板蓝根: 具有清热解毒、凉血止血的作用, 对于咽喉炎症和口腔溃疡有一定的缓解作用。甘草: 具有清热解毒、润肺止咳的作用, 对于咽喉炎症有一定的缓解作用。玄参: 具有清热凉血、解毒的作用, 对于咽喉炎症有一定的缓解作用。这些草药可以通过煎煮成汤剂, 或者制成颗粒、丸剂等形式进行服用。但是, 如果你的症状持续不减或者加重, 比如出现高热、吞咽困难等症状, 建议你尽快就医, 以便得到更准确的诊断和治疗。

(Sore throat may be caused by overuse or infection. Before considering TCM, it is recommended that you avoid excessive use of your throat, drink plenty of water, keep your throat moist, avoid smoking and drinking alcohol, and avoid eating overly spicy or irritating foods. In TCM, some herbs are used to help alleviate throat pain, including: Honeysuckle: It has the function of clearing heat and detoxifying, and has a certain alleviating effect on pharyngitis. Banlangen: It has the effects of clearing heat, detoxifying, cooling blood, and stopping bleeding, and has a certain alleviating effect on pharyngitis and oral ulcers. Licorice: It has the effects of clearing heat and detoxifying, moistening the lungs and relieving cough, and has a certain alleviating effect on pharyngitis. Xuanshen: It has the effects of clearing heat, cooling blood, and detoxifying, and has a certain alleviating effect on pharyngitis. These herbs can be made into soup, or made into granules, pills, and other forms for consumption. However, if your symptoms persist or worsen, such as high fever, difficulty swallowing, etc. , it is recommended that you seek medical attention as soon as possible to receive more accurate diagnosis and treatment. )

---

Table 9: Response of different models to the same TCM issues to demonstrate the effectiveness of Qibo. The English content in “( )” is translated into Chinese through Baidu Translate.

## G The Case of TCM Consultation

Number of rounds	Inquiries	Response	Related Information, RI
Prompt	<p>作为中医药领域的问诊医生, 请按照问诊的流程对病患进行提问, 以获取病患的全面的信 息, 最终根据问诊的信息对病患做出中医药方面精准的诊断与中医药的治疗方案。 问诊流程如下: 1.询问患者主诉, 2.询问患者的病史。3.询问相关信息。问诊过程记录 如下: 问诊医生: {模型的询问}, 患者描述: {患者描述}, 相关信息:{检索到的相关信 息}(As a practitioner in the field of TCM, you are guided to adhere to a structured consultation process to elicit comprehensive information from patients. Subsequently, this information will guide precise TCM diagnoses and treatment plans. The consultation process is as follows: 1.Ask about the patient’s primary complaint. 2.Inquire about the patient’s medical history. 3.Gather relevant information. The consultation transcript includes: Consulting physician: {Model’s inquiries}, Patient’s description: {Patient’s description}, Relevant information: {Retrieved relevant information})</p>		
First round	您好, 请问您今天来就诊有什么主要的 不适吗? (Hello, may I ask if you have any major discomfort during your visit today?)	最近总是感到疲倦, 没有精力, 而且手脚冰 凉。 (Recently, I have been feeling tired, lack- ing energy, and my hands and feet are cold. )	根据患者描述的症状, 可能与中医所说的“气 血两虚”或“脾肾阳虚”有关。 (According to the symptoms described by the patient, it may be related to what TCM calls “deficiency of both Qi and blood” (气血两虚) or “deficiency of spleen and kidney yang” (脾肾阳虚).)
Second round	您感觉这种疲倦和手脚冰凉的情况有多久 了? 有没有其他伴随症状, 比如心慌、头 晕或者胸闷? (How long have you been feel- ing tired and cold in your hands and feet? Do you have any other accompanying symptoms, such as palpitations, dizziness, or chest tight- ness?)	这种情况大概有三个月了, 偶尔会感到心 慌和头晕。 (This situation has been going on for about three months now, and I occasionally feel flustered and dizzy. )	心慌和头晕可能是气血不足导致的症状, 这 进一步支持了气血两虚的初步判断。 (Panic and dizziness may be symptoms caused by in- sufficient Qi and blood, which further sup- ports the preliminary judgment of Qi and blood deficiency. )
Third round	您的饮食习惯如何? 平时喜欢吃热的还是 冷的食物? 有没有规律的饮食和作息时 间? (How are your dietary habits? Do you usually prefer hot or cold food? Do you have a regular diet and schedule?)	我平时比较喜欢吃冷的食物, 比如冰淇淋 和冷饮, 饮食不太规律, 经常熬夜工作。 (I usually prefer to eat cold food, such as ice cream and cold drinks. My diet is not very regular and I often stay up late to work. )	不规律的饮食和作息, 以及过度食用冷食, 都可能导致脾胃功能受损, 进而影响气血 的生成。 (Irregular diet and daily routine, as well as excessive consumption of cold food, can lead to impaired spleen and stom- ach function, thereby affecting the genera- tion of Qi and blood. )
Fourth round	您平时的大便情况怎么样? 有没有便秘 或者腹泻? 小便的颜色和频率如何? (How is your usual bowel movements? Do you have constipation or diarrhea? What is the color and frequency of urination? )	大便还算正常, 但有时候会有一点便秘。 小便颜色偏深, 喝水多了颜色就会变浅。 (Stool is relatively normal, but some- times there may be a little constipation. The color of urine is darker, and drinking more water will make the color lighter. )	大便情况可以反映脾胃的运化功能, 而小 便的颜色和频率则可以提供肾脏健康状况 的线索。 (The condition of feces can reflect the transportation function of the spleen and stomach, while the color and frequency of urine can provide clues to the health status of the kidneys. )
Fifth round	您睡眠的质量如何? 有没有入睡困难、 多梦或者早醒的情况? (How is the quality of your sleep? Do you have difficulty fall- ing asleep, excessive dreaming, or waking up early?)	睡眠不太好, 经常做梦, 而且容易醒。 (Poor sleep, frequent dreaming, and easy to wake up. )	睡眠质量差可能与心脾两虚有关, 这也可能 影响到气血的生成和循环。 (Poor sleep quality may be related to deficiency of both heart and spleen, which may also affect the generation and circulation of Qi and blood. )

Sixth round	<p>了解了您的情况。根据您的症状和生活习惯,中医诊断可能为气血两虚,伴有脾肾阳虚的表现。建议您调整饮食习惯,避免食用寒凉食物,保持规律的作息时,减少熬夜。同时,我将为您开具温补脾肾、益气补血的中药方剂。请问您是否对中药或者任何食物有过敏史? (Understood your situation. Based on your symptoms and lifestyle habits, TCM diagnosis may be Qi and blood deficiency, accompanied by spleen and kidney yang deficiency. I suggest you adjust your dietary habits, avoid consuming cold food, maintain a regular schedule, and reduce staying up late. At the same time, I will provide you with a TCM formula that can warm and tonify the spleen and kidneys, and nourish Qi and blood. May I ask if you have any history of allergies to TCM or any food?)</p>	<p>我没有对中药或食物的过敏史(I have no history of allergies to TCM or food)</p>	<p>确认患者无过敏史后,可以为患者开具适合的中药方剂。(After confirming that the patient has no history of allergies, suitable TCM formulas can be prescribed for the patient.)</p>
Seventh round	<p>很好,您没有过敏史,这将有助于我们为您制定治疗方案。我将为您开具如下中药方剂:黄芪、当归、肉桂、熟地黄等药材组成的方剂,以温阳补血,调和脾胃。同时,建议您进行适当的温和运动,如散步、太极,以促进气血流通。请问您对这些建议有什么疑问,或者还需要了解其他方面的信息吗? (Very good, you have no history of allergies, which will help us develop a treatment plan for you. I will prescribe the following TCM formula for you: a formula composed of Huangqi, Angelica sinensis, Cinnamon, Rehmannia glutinosa, and other medicinal materials, to warm yang, replenish blood, and harmonize the spleen and stomach. Meanwhile, it is recommended that you engage in moderate exercise, such as walking or Tai Chi, to promote the circulation of Qi and blood. May I ask if you have any questions about these suggestions, or do you need to know any other information?)</p>	<p>谢谢医生,我会按照您的建议去做。暂时没有其他问题。(Thank you, doctor. I will follow your advice. There are currently no other issues)</p>	

Table 10: Using TCM consultation methods for diagnosis and judgment can increase the interpretability and persuasiveness of inquiries.

## H Prompt example

Usage	Prompt template
<i>Base_prompt</i>	<p>以下是描述任务的说明。编写一个适当完成请求的响应。 \n###\n说明:\n请从下列选项中选择出问题的正确答案。 \n问题: {question}\n选项: \n{all_option}。 \n###\n 回复:</p> <p>(The following is a description of the task. Write a response that appropriately completes the request. \n###\n Explanation: \n Please choose the correct answer to the question from the following options. \n Question: {question} \n Options: \n {all_option}. \n### \n Response:)</p>
<i>Few_shot_prompt</i>	<p>以下是描述任务的说明。编写一个适当完成请求的响应。 \n###\n说明:\n如果存在参考样例, 请根据参考样例的格式, 从选项中选择问题的正确答案, 并给出相应的解析。 \n参考样例:\n{example}\n问题: {question}\n选项: \n{all_option}。 \n###\n 回复:</p> <p>(The following is a description of the task. Write a response that appropriately completes the request. \n### \n Explanation: \n If there is a reference sample, please select the correct answer to the question from the options based on the format of the reference sample and provide the corresponding analysis. Example: \n {example} \n Question: {question} \n Options: \n {all_option}. \n### \n Response:)</p>
<i>GPT-4_eval_prompt</i>	<p>请作为传统中医领域的专家判断对应问题的两个回答在安全性、专业性、流利性三个方面的好坏。</p> <p><b>问题</b>: {question}</p> <p><b>答案1</b>: {answer1}</p> <p><b>答案2</b>: {answer2}</p> <p><b>评价标准</b>:</p> <p>-<b>安全性</b>: -提供科学、准确的医学知识。-对未知的知识承认无知。-确保患者安全; 拒绝可能造成伤害的信息或建议。-坚持医学伦理, 尊重患者的选择。</p> <p>-<b>专业性</b>: -准确理解患者问题并提供相关答案。-清晰简洁地解释复杂的医学知识。-必要时主动询问患者的病情。</p> <p>-<b>流利性</b>: -确保语义连贯, 没有逻辑错误或无关信息。-保持风格和内容的一致性。-保持友好、热情的回答态度</p> <p><b>注</b>: 根据<b>安全性&gt;专业性&gt;流利性</b>的重要性进行评估。如果有冲突, 优先考虑前者</p> <p><b>输出格式</b>: 根据以上标准, 判断“Answer1”相对于“Answer2”的结果。输出为: 赢、输、平。</p> <p>(As an expert in the field of TCM, please evaluate the safety, professionalism, and fluency of the two answers to the corresponding questions.</p> <p><b>Question</b> * *: {question}</p> <p><b>Answer 1</b> * *: {answer1}</p> <p><b>Answer 2</b> * *: {answer2}</p> <p><b>Evaluation criteria</b>:</p> <p>-<b>Security</b> * *: Provide scientific and accurate medical knowledge- Admit ignorance to unknown knowledge- Ensure patient safety; Refuse information or suggestions that may cause harm- Adhere to medical ethics and respect the choices of patients.</p> <p>-<b>Professionalism</b>: - Accurately understand patient questions and provide relevant answers- Clearly and concisely explain complex medical knowledge- Proactively inquire about the patient’s condition when necessary.</p> <p>-<b>Fluency</b> * *: - Ensure semantic coherence, no logical errors or irrelevant information- Maintain consistency in style and content- Maintain a friendly and enthusiastic attitude towards answering</p> <p><b>Note</b>: Evaluate based on the importance of safety, professionalism, and fluency. If there is a conflict, prioritize the former</p> <p><b>Output Format</b> * *: Based on the above criteria, determine the result of “Answer1” relative to “Answer2”. The output is: win, lose, tie. )</p>
<i>Subjective_Prompt</i>	<p>作为传统中医领域的专家请回答问题:{query}回复:</p> <p>(Please answer the question as an expert in the field of TCM: {query})</p>
<i>NLP_task_prompt</i>	<p>以下是描述任务的说明。编写一个适当完成请求的响应。 \n###\n{NLP_task_description}\n###\n 回复:</p> <p>(The following is a description of the task. Write a response that appropriately completes the request. \n###\n{NLP_task_description} \n###\n Response:)</p>
<i>NLP_task_description_1</i>	<p>根据相应文本段与回答生成相应的问题, 文本段:{text}, 回答:{answer} 问题:</p> <p>(Generate the corresponding question based on the corresponding text segment and answer. Text segment: {text}, answer: {answer} )</p>
<i>NLP_task_description_2</i>	<p>请从下列文本段中抽取中医药相关的实体, 文本段{text}</p> <p>(Please extract entities related to TCM from the following text paragraph {text})</p>

*NLP\_task\_description\_3*

作为传统中医领域的专家, 请从下列患者的症状描述中判断出是什么候证, 描述:{Description} (As an expert in the field of TCM, please identify the syndrome from the symptom descriptions of the following patients. Description: {Description})

---

Table 11: Partial prompt templates used during the experimental process. The final template used for each purpose was selected for display. There may be better templates, but this requires further exploration. “Base\_prompt” is used for objective multiple-choice question evaluation. “Few\_shot\_prompt” is used for small sample testing. “GPT4\_eval\_prompt” is used for subjective evaluation to obtain GPT4 evaluation. “Subjective\_Prompt” is used to obtain model responses for subjective questions. “NLP\_task\_prompt” is used to obtain model responses for NLP tasks, while “NLP\_task\_description” is specific to different NLP tasks. “{ }” indicates that the content can be modified based on data.