

EARLY YEARS OF BIASED RANDOM-KEY GENETIC ALGORITHMS: A SYSTEMATIC REVIEW

M.A. LONDE, L.S. PESSOA, C. E. ANDRADE, AND M.G.C. RESENDE

ABSTRACT. This paper presents a systematic literature review and bibliometric analysis focusing on Biased Random-Key Genetic Algorithms (BRKGA). BRKGA is a metaheuristic framework that uses random-key-based chromosomes with biased, uniform, and elitist mating strategies alongside a genetic algorithm. This review encompasses around 250 papers, covering a diverse array of applications ranging from classical combinatorial optimization problems to real-world industrial scenarios, and even non-traditional applications like hyperparameter tuning in machine learning and scenario generation for two-stage problems. In summary, this study offers a comprehensive examination of the BRKGA metaheuristic and its various applications, shedding light on key areas for future research.

1. INTRODUCTION

Pioneered by Holland (1975), genetic algorithms have demonstrated remarkable efficacy in tackling complex optimization problems. These algorithms are population-based metaheuristics inspired by the principles of natural selection and survival of the fittest, which turns them into powerful tools for exploring expansive solution spaces. Their versatility and efficiency have led to their widespread application across various domains, addressing problems ranging from discrete and combinatorial to nonlinear and derivative-free optimization problems.

A popular variant of genetic algorithms, Biased Random-Key Genetic Algorithms (BRKGA), have been applied to several optimization problems, such as scheduling (Araújo et al., 2015; Yu et al., 2023; Andrade et al., 2019a; Maecker et al., 2023), complex network design (Reis et al., 2011; Ruiz et al., 2015; Raposo et al., 2020; Andrade et al., 2022), facility location (Johnson et al., 2020; Mauri et al., 2021; Villicaña-Cervantes and Ibarra-Rojas, 2022), cutting and packing (Gonçalves and Resende, 2011b; Gonçalves and Wäscher, 2020), clustering (Andrade et al., 2014; Fadel et al., 2021), vehicle routing (Andrade et al., 2013; Lopes et al., 2016), graph-based problems (Londe et al., 2022; Lima et al., 2022), and machine learning (Caserta and Reiners, 2016; Paliwal et al., 2020), among others. This metaheuristic was formally defined in Gonçalves and Resende (2011a), although early elements were first introduced in (Beirão, 1997; Buriol et al., 2005; Ericsson et al., 2002; Gonçalves and Beirão, 1999; Gonçalves and Almeida, 2002).

The primary distinguishing characteristic of BRKGA is its problem-agnostic approach. Unlike many metaheuristic algorithms where the optimization mechanism

Date: May 2, 2024.

Key words and phrases. Biased Random-Key Genetic Algorithms; Bibliometric Analysis; Systematic Literature Review; Metaheuristics.

Technical Report.

is closely tied to the problem’s structure, BRKGA operates within a general framework and standard representation of solutions, which minimizes the need for continual redevelopment or coding of framework details. In this solution approach, the population resides within a half-open unit hypercube of dimension n , and each solution or individual is denoted by a point in $(0, 1]^n$, termed as a *chromosome*. This representation, introduced in Bean (1994), frees the method from dependence on the specific problem it addresses, allowing for code reuse. Such a strategy resembles modern machine learning algorithms: the knowledge representation is built over a normalized matrix, and the so-called kernel functions are applied to measure distances between points in that normalized space (Hofmann et al., 2008). In a BRKGA, instead of having a kernel, we have a *decoder function* $f : (0, 1]^n \rightarrow \mathcal{S}$ that maps individuals from the BRKGA space to the problem solution space \mathcal{S} . Indeed, the decoder not only builds an actual solution from a chromosome but also computes the solution value(s) used by the BRKGA as a measure of the quality or fitness of the individual. We may see the decoder as the function that computes the “norm” of a solution in the $(0, 1]^n$ space. Such representation allows a BRKGA to keep all evolutionary operators within the $(0, 1]^n$ space, and therefore, custom operators based on the problem structure are unnecessary. This allows for fast prototyping and testing, thus reducing development costs.

Another notable characteristic of a BRKGA is its rapid convergence to high-quality solutions. This achievement stems from the inclusion of the double elitism mechanism within the evolutionary process of BRKGA. First, BRKGA hands over a subset of *elite* individuals from one generation to the next, according to some performance metric (in general, the value(s) of the objective function of the problem). The elite individuals are the best solutions for the current generation. Excluding the very first iterations, a BRKGA will always have a set of high-quality solutions in its population. This behavior contrasts with traditional genetic algorithms, which generally rebuild the whole population every generation. Second, in the basic BRKGA, the mating process occurs between a uniformly chosen individual from the elite set and a uniformly chosen individual from the remaining population. The combination of such individuals is biased towards the elite individual, using uniform crossover with probability $\rho > 0.5$. Thus, there is a greater chance of retaining substructures of a good solution while still allowing the insertion of substructures of a not-so-good solution.

The downside of double elitism is a swift convergence to local optima. BRKGA addresses these under-performing issues by incorporating strategies to increase population diversity, such as the introduction of mutants (random solutions), shaking (Andrade et al., 2019b), population reset (Toso and Resende, 2015), and others. For a detailed explanation of the evolutionary mechanism and variants of BRKGA, see Londe et al. (2024). Notwithstanding, BRKGA can provide high-quality solutions within short computational times, rendering it suitable for various industrial applications.

Due to these attributes, the use of BRKGA has grown significantly in recent years. In this survey, we present a systematic literature review (SLR) and bibliometric analysis of the existing literature regarding BRKGA to discern the most studied problems, principal modifications to the framework, and most influential authors and works since its conception. An SLR aims to synthesize the accumulated body of knowledge about the relations of interest and to determine where gaps exist

(Gligor and Holcomb, 2012). Meanwhile, a bibliometric analysis is the quantitative study of bibliographic material offering an overview of a research field classified by papers, authors, and journals (Merigó and Yang, 2017). Approximately 250 academic articles were reviewed for this survey. We expect that readers will gain a comprehensive and expansive understanding of BRKGA applications, aiding them in their future pursuits.

The remainder of this article is structured as follows. Section 2 describes the methods used in the literature review and bibliometric analysis. Section 3 presents the results from citation analysis. Section 4 presents the backdrop of BRKGA research obtained by the co-citation analysis. In Section 5, we comment on the thematic evolution of the corpus of literature with a co-word analysis. Finally, in Section 6, we make concluding remarks.

2. METHODOLOGY

2.1. Systematic review and basic statistics. Thomé et al. (2016b) details eight steps to make a systematic literature review in the area of operations management: (i) Planning and formulating the problem; (ii) Searching the literature; (iii) Data gathering; (iv) Quality evaluation; (v) Data analysis and synthesis; (vi) Interpretation; (vii) Presenting the results; and (viii) Updating the review.

The first step, planning and formulating the problem, is composed of the definition of the review’s scope, the detailing and definition of the research topic, and the outlining of the subsequent research questions (RQ):

RQ1:: Who are the most influential researchers for this algorithm?

RQ2:: Which are the most influential papers for the BRKGA framework?

RQ3:: Which are the main themes present in BRKGA studies and how did they evolve?

We adhere to the seven-step method detailed in Thomé et al. (2016b) to search the literature for the second step. Those steps are (i) the selection of the database, (ii) the definition of keywords, (iii) the review of abstracts, (iv) the definition of criteria for inclusion and exclusion of works, (v) full-text review, and (vi) backward and (vii) forward search in the selected works.

We chose the Scopus database (Baas et al., 2020; Elsevier, 2024) for this review, which is one of the largest curated abstract and citation databases, with over 45,000 journal titles from 7,000 publishers worldwide. Singh et al. (2021) observes that it is less restrictive in the selection of titles than its competitor Web of Science and has a bias toward the fields of technology and engineering.

When defining the keywords, one must ensure their broadness and specification not to restrict the number of studies and to bring only works related to the topic (Cooper, 2015). The keywords used were “BRKGA” or “Biased random key genetic algorithm,” resulting in 267 works. The limitation to peer-reviewed articles and conference papers in the English language resulted in 231 works. We considered as inclusion criteria that the work must detail and use a Biased Random-Key Genetic Algorithm to solve a practical or theoretical problem, not only cite or compare another approach’s results with those from a BRKGA. We also decided to include articles with a genetic algorithm with random keys and biased mating to not exclude older titles from before the formal definition of BRKGA in 2011. The full-text review of the initial works excluded two studies. Then, we employed backward and forward snowball searches. The former is a review of the literature cited in the




FIGURE 1. Number of BRKGA articles published per year.

articles yielded from the initial search. At the same time, the latter is a review of additional articles that cite those retrieved (Webster and Watson, 2002). Due to the difficulty in obtaining older BRKGA works from before the introduction of the term with the previous keywords, we added the keywords “hybrid genetic algorithm” and “random-key genetic algorithm” to the backward search, which are terms used to refer to the algorithm before 2011. After applying the keywords to the new registers alongside the exclusion criteria and eliminating all works with non-related abstracts, we end up with 253 articles published before December 31st, 2023.

Figure 1 shows the number of published articles per year for those 253 papers. One can note a severe increase of published works after 2011, i.e. after Gonçalves and Resende (2011a) formally defined the metaheuristic. In fact, 89% of the 253 articles were published in the 2012–2023 period, with an average of 19 papers per year. Those papers include over 100 sources and 450 authors, with an average of three authors per article and 23 citations per document.

Table 1 presents the twenty sources with the highest amount of papers. One may note that those contribute with 83% of all citations inside the database – and that a high amount of articles does not necessarily correspond to a high contribution of citations. This may be seen with the source *Lecture Notes in Computer Science*, with the highest amount of articles and yet only 2% of citations. Generally, those sources with low citations-per-paper tend to be congress proceedings, such as the aforementioned *Lecture Notes* and the three *Proceedings of IEEE CEC*.

The third step of the review can be fulfilled by using a computer template and programs to calculate amounts and frequencies in the database of papers. Meanwhile, for step four, quality evaluation, the restriction of only considering peer-reviewed articles and complete papers presented at international conferences is a criterion that helps ensure the quality of the resulting studies.

TABLE 1. 20 sources with the highest number of published articles. The % of citations is observed inside the database.

Source	No. p.	% cit.
Lecture Notes in Computer Science	23	2
European Journal of Operational Research	17	23
Computers and Operations Research	15	12
International Transactions in Operational Research	15	5
Applied Soft Computing	9	9
Computers and Industrial Engineering	9	3
Journal of Heuristics	8	13
Optimization Letters	6	2
Expert Systems with Applications	5	2
Journal of Combinatorial Optimization	5	5
Proceedings of 2018 IEEE CEC	4	2
Proceedings of 2021 IEEE CEC	4	3
Journal of Global Optimization	4	1
Networks	4	>1
Proceedings of 2022 IEEE CEC	3	1
Proceedings of GECCO 2019	3	>1
International Journal of Production Research	3	>1
Mathematics	3	>1
Pesquisa Operacional	3	>1
RAIRO - Operations Research	3	>1

For the fifth step, data analysis and synthesis, we perform a qualitative content analysis with an inductive approach (Seuring and Gold, 2012) and quantitative co-citation and co-word analysis described in Subsection 2.2. The sixth step, interpretation, comprises qualitative research synthesis coupled with indicators from the bibliometric analysis. The seventh step is the presentation of the results obtained in the previous steps. Finally, the eighth step, updating the review, does not apply to this study.

2.2. Bibliometric analysis. Several indicators can be used for bibliometric analysis. In this review, we use co-citation and co-word analyses. Co-citation analysis groups different papers that are cited by the same source. For example, if papers A and B cite paper C, then paper C is co-cited by both papers A and B (Boyack and Klavans, 2010). A co-citation network indicates subject relatedness, as it is likely that papers citing the same papers focus on similar subjects (Thomé et al., 2016a). Similarly, a co-word analysis uses keywords to study the conceptual structure of a research field (Callon et al., 1991; Cobo et al., 2011).

For those analyses, we used the R bibliometrix package (Aria and Cuccurullo, 2017) that is available as free-ware for non-profit academic use. It was used to prepare the matrix of co-citations, clusters, and network analysis, along with the dynamic maps of co-word analysis of themes using Callon’s thematic bipartite diagrams (Callon et al., 1991).

Callon’s diagram can be seen in Figure 2. In it, the top right quadrant represents the core themes of the research area, with high density and high centrality (which are defined in what follows). The central themes are also crucial for the area but are




FIGURE 2. Callon’s diagram. Adapted from Callon et al. (1991)

not yet well researched, with opportunities for new studies. Emerging or declining themes have low centrality and density, i.e., they are not strongly related to other themes and are not well represented in the research area. Finally, isolated themes are well-researched areas with high centrality and, thus, of marginal value for the field. Usually, they represent classical themes in the field.

The co-occurrence of keywords is measured by the similarity index $e_{ij} = c_{ij}^2 / c_i c_j$, in which c_{ij} is the number of works in which both keywords i and j are featured, and c_i and c_j are, respectively, the numbers of works in which each keyword i and j occurs (Cobo et al., 2011). The clusters are formed with the “simple center algorithm” (Cobo et al., 2011; Thomé et al., 2016a), with centrality and density calculated as linear functions of the similarity index. Centrality is calculated as $C = 10 \cdot \sum e_{kh}$, where k is a keyword belonging to the theme and h a keyword belonging to the other themes, as a measure of the interaction among the network of keywords. Meanwhile, density is calculated as $D = 100 \cdot \sum e_{ij} / w$, where i and j are keywords belonging to the theme and w is the total number of keywords in the theme. It measures the internal strength of the network or theme.

3. CITATION ANALYSIS

To answer RQ1, we present Table 2, with the 10 most prolific authors. In this table, the results are indicated inside of the database of 253 articles. One may note that the author with the most papers (Resende, M.G.C.) has the highest total citations among the works in the database. We calculated a Pearson correlation coefficient of 0.87 between the number of papers and the total number of citations inside the database, showing a strong correlation between those two indicators.

One may also note that a significant amount of papers is co-authored by the first most prolific author and the others, especially the second most prolific (Gonçalves, J.F.). Moreover, Resende’s most cited paper in the database is also Gonçalves’ (Gonçalves and Resende, 2011a) and is also the most cited paper in the database. There are only four single-authored papers, and international co-authorship

TABLE 3. 15 institutes with most published papers.

Affiliation	No. papers	Country
Universidade do Porto	61	Portugal
AT&T Labs Research	38	USA
Universidade Federal Fluminense	17	Brazil
Universidade Federal do Rio Grande do Sul	16	Brazil
Universidade de São Paulo	13	Brazil
Universidade Federal de São Paulo	10	Brazil
Instituto Superior de Engenharia do Porto	10	Portugal
Universidade Federal de Pernambuco	10	Brazil
Universidade Federal do Rio de Janeiro	10	Brazil
University of Florida	10	USA
Universitat Politècnica de Catalunya	9	Spain
Universidade de Campinas	9	Brazil
Universidade Federal de Minas Gerais	8	Brazil
University of Washington	8	USA
Universidade Federal do Ceará	6	Brazil

TABLE 4. 10 countries with most published papers.

Country	No. papers
Brazil	215
USA	111
Portugal	94
China	29
Spain	28
France	21
Italy	15
Germany	14
Mexico	13
Indonesia	10

The earliest study in this co-citation network is the book authored by Holland (1975). In it, the author introduces the concept of genetic algorithms by presenting not only the theoretical foundations based on the Darwinian theory of evolution but also illustrating applications in different areas of knowledge.

Following it is the book of Garey and Johnson (1979). The authors study and define the theory of “NP-completeness,” emphasizing the concepts and techniques most useful for practical purposes. This book also presents an extensive list of at-the-time known NP-complete and NP-hard problems and their variants.

Following this, the book of Goldberg (1989) was published. This book explores the theory given in Holland (1975), being an introduction to all essential topics needed to use a genetic algorithm, including crossover, mutation, classifier systems, and fitness scaling. It also has a complete Pascal listing of a simple genetic algorithm.

The study of Spears and De Jong (1991) makes a theoretical analysis of different multi-point crossovers, focusing on n -point and uniform crossovers. This work




FIGURE 4. Co-citation network of the articles. The thickness of the edges indicates a stronger co-citation relationship.

shows that the uniform crossover converges on average more slowly but to better solutions than other alternatives.

In the work of Bean (1994), the concept of chromosomes composed of random keys was introduced. The author presents the advantages of such representation, such as the generalized mapping of solutions to search space, and explores several optimization problems with differing chromosome-to-solution mappings. The author also demonstrates that an algorithm composed of the operators of reproduction, uniform crossover with a probability of 0.7 between two randomly chosen chromosomes in the population, and random generation of new solutions in each iteration is very robust, with excellent results in certain classes of problems.

Feo and Resende (1995) introduce the greedy randomized adaptive search procedure (GRASP), a heuristic based on the interactive construction of solutions. This construction is made by randomly choosing the next move among the best candidates. Similarly, Mladenović and Hansen (1997) introduces the variable neighborhood search (VNS) algorithm, a local search method that sequentially explores several neighborhoods. In the literature, both GRASP and VNS approaches are frequently compared with BRKGA.

The article of Matsumoto and Nishimura (1998) presents the Mersenne Twister, a pseudo-random number generator used to obtain numbers between zero and one with uniform probability. This generator is as fast as the existing alternatives at the time, with a longer period and far larger distributions.

The work of Gonçalves and Almeida (2002) uses a hybrid genetic algorithm with random-key gene representation alongside a local search for the simple assembly line problem. The genetic algorithm uses an evolutionary strategy identical to the one used in Bean (1994), with a higher percentage of mutated chromosomes and a biased uniform crossover strategy similar to the one in (Spears and De Jong, 1991). In the study by Ericsson et al. (2002), a genetic algorithm for the weight setting problem in OSPF routing is detailed. This genetic algorithm does not use random keys in gene representation but in the crossover procedure to select which genes shall be inherited. In this case, a biased coin toss is performed, favoring the

elite parent. Together, both works are some of the first methods with BRKGA characteristics.

Deb et al. (2002) introduces the Non-dominated Sorting Genetic Algorithm II (NSGA-II), a multi-objective evolutionary algorithm with a fast non-dominated sorting approach and diversity-maintaining strategies. This method is one of the most effective for multi-objective problems and is frequently the benchmark in this category.

Gonçalves and Resende (2004) use a hybrid genetic algorithm with local search to solve the manufacturing cell formation problem. This algorithm uses random-key gene representation, with an extra gene to indicate the number of cells to be formed, and an evolutionary strategy identical to the one used in Gonçalves and Almeida (2002).

Buriol et al. (2005) extends the work of Ericsson et al. (2002), with similar chromosome representation and crossover scheme, and a local improvement procedure incorporated after the crossover step.

Snyder and Daskin (2006) study a generalized traveling salesman problem with a random-key genetic algorithm. This approach uses a novel combination of random-keys representation, genetic algorithms, and improvement methods such as local search heuristics. They also use an elitist reproduction operator and a parameterized uniform crossover (Spears and De Jong, 1991) but with randomly chosen parents among the whole population. The method is competitive compared to others from the literature, is simple to implement, and can be easily adapted to other problem characteristics.

The work of Gonçalves (2007) hybridizes a placement procedure with a random-key genetic algorithm for a two-dimensional orthogonal packing problem. The author uses an evolutionary strategy similar to the one in Gonçalves and Almeida (2002).

In the article of Birattari et al. (2010), the authors propose a new method for selecting parameter configurations for algorithms. This method, called iterated F-race, is based on discarding non-promising parameter configurations as soon as there is statistical proof that they are sub-optimal. This way, the algorithm focuses on the best configurations instead of spending time and computational effort on uninteresting ones. As it examines all parameters together, it is also an interesting option when one has a high number of parameters to select.

Noronha et al. (2011) uses a random-key-based genetic algorithm to solve the routing and wavelength assignment problem. This heuristic approach extends one of the best strategies present in the literature for this problem by adapting it to a multi-start and evolutionary framework. The evolutionary strategy is similar to the one used in Gonçalves and Almeida (2002).

The article of Gonçalves and Resende (2011a) formally presents the biased random-key genetic algorithm as a class of heuristics that considers random-key-based chromosome representation alongside elitist and biased uniform crossover. It also presents possible decoders for several optimization problems and comparisons with other heuristics to show the competitiveness of BRKGA.

In the study of Gonçalves and Resende (2011b), the authors use a multi-population random-key based genetic algorithm to solve a two-dimension orthogonal packing problem. This algorithm uses a similar evolutionary strategy as in Gonçalves and Resende (2004). In this case, more than one population runs independently, and

those populations exchange two of their best chromosomes after a set amount of generations. Also, alongside randomly generated chromosomes, the populations are initiated with four known solutions, something proved by the results to increase the quality of the obtained solutions.

Resende (2012) details several applications of BRKGA in five telecommunication problems: weight-setting problem in OSPF routing, design of OP networks when routing is done with OSPF, location of redundant servers, location of signal regenerators in optical networks, and routing and wavelength assignment in optical networks. For each problem, the decoding strategies are presented, and the results are compared favorably with other algorithms.

The article of Gonçalves and Resende (2012) presents a parallel multi-population BRKGA for the single container loading problem. The chromosome considers the packing sequence and the layer types, i.e., in which layers to pack each package. Two variants of the BRKGA are compared with others from the literature and show that the algorithm performs very well in all types of instances and has the best overall results from all approaches in the literature.

In the work of Gonçalves and Resende (2013), a BRKGA for 2D and 3D bin packing problems is presented. The BRKGA was implemented with parallelization of the decoding process and a chromosome representation that considers each item's packing order and orientation. The results indicate that the BRKGA consistently outperforms other existing algorithms.

Andrade et al. (2013) detail a BRKGA with local search inside the decoder for the k -interconnected multi-depot multi-traveling salesman problem. The authors compare the BRKGA with a simple multi-start heuristic (MSH) with the same local search for different categories of instances. Overall, the BRKGA appears to perform significantly better than the MSH.

In the article by Andrade et al. (2014), the authors explore four variants of BRKGA for overlapping correlation clustering. The four variants consider two possible chromosome representations, namely compact and extended, and two local searches, one for error reduction and the other based on the literature. The results show that the extended representation with literature-based local search performs better than its competitors but also indicate high convergence times for all BRKGA variants.

Toso and Resende (2015) presents BRKGA API, in which all problem-independent components of the BRKGA framework are implemented. It also gives users all the tools needed to develop a decoder procedure correctly, which may be used in single- and parallel-threads.

In the work by Gonçalves and Resende (2015), an unequal area facility layout problem, a version of the quadratic assignment problem, is studied. The authors hybridized a BRKGA with linear programming constraints, being one of the first hybridizations of this method and exact methodologies. The hybrid algorithm outperformed several others from the literature in the experiments.

The article of Brandão et al. (2015) studies the single-round divisible load scheduling problem and proposes a BRKGA that outperformed some strategies for the literature.

The work of López-Ibáñez et al. (2016) introduces the “irace” package, in which the iterated F-race of (Birattari et al., 2010) is implemented. The authors detail

several of the package options and offer examples of its usage in diverse areas of knowledge.

Andrade et al. (2019b) study a flow shop scheduling problem and propose a new feature for BRKGA called the “shaking” operator. This is a partial restart of the population by modifying the elite solutions and randomly re-initializing the non-elite set. This way, some of the benefits of evolution are retained while diversity is increased. The authors show the effectiveness of this operator in solving the problem.

Finally, Andrade et al. (2021) introduces the BRKGA with multi-parent crossover and path-relinking intensification strategy, called BRKGA-MP-IPR. The authors present an API for the method and detail its several parameters, functions, and variants.

One can note some similarities among the works present in the co-citation analysis. First, we have the studies that introduce the theoretical background of BRKGA, with genetic algorithms (Holland, 1975; Goldberg, 1989), random-keys (Bean, 1994), parallelized crossover (Spears and De Jong, 1991), random number generator (Matsumoto and Nishimura, 1998), and the theory of NP-completeness (Garey and Johnson, 1979). Second, the methods that are often used in experiments as benchmarks, such as GRASP (Feo and Resende, 1995), VNS (Mladenović and Hansen, 1997), and NSGA-II (Deb et al., 2002). Third, the works with initial characteristics of BRKGA (Gonçalves and Almeida, 2002; Ericsson et al., 2002; Gonçalves and Resende, 2004; Buriol et al., 2005; Snyder and Daskin, 2006) and their variants (Gonçalves, 2007; Noronha et al., 2011; Gonçalves and Resende, 2011b). Fourth, the novel applications and improvements of the framework (Gonçalves and Resende, 2011a; Resende, 2012; Gonçalves and Resende, 2012; 2013; Andrade et al., 2014; Toso and Resende, 2015; Gonçalves and Resende, 2015; Brandão et al., 2015; Andrade et al., 2019b; 2021). Fifth and last, the works with methods for parameter selection (Birattari et al., 2010; López-Ibáñez et al., 2016).

5. CO-WORD ANALYSIS

Co-word analysis intends to answer RQ3, “Which are the main themes present in BRKGA studies and how did they evolve?”. In Figure 5, one may observe the co-occurrence network of the keywords observed in all articles. In it, we have a cluster centered on both genetic algorithms and random keys, another in combinatorial optimization and scheduling, a third in vehicle routing, and a fourth in container loading. Those are also some of the most frequent keywords seen in the database.

To better understand and have a more in-depth analysis, we divided the documents into three successive periods: 2002-2011, 2012-2017, and 2018-2023, with 28, 73, and 152 papers, respectively. The thematic evolution map of the periods can be seen in Figure 6. The association strength between words can be seen by the thickness of the lines, calculated by the inclusion index. Meanwhile, the size of the cluster rectangle indicates the amount of occurrences of the keywords associated with that cluster. For example, the *genetic algorithm* cluster in the first period has 111 frequency, as measured by 1000 documents, while *fiber optic networks* only has 28.6.

Note that, in the first period, the cluster of keywords labeled *linear programming* is the most frequently seen, followed by *genetic algorithm* and *computational experiment*. For the second period, *metaheuristic* becomes the most frequent cluster

the themes of this period. The theme *metaheuristic* was also highly relevant, but not as well developed.

Among the most significant papers with *genetic algorithms* are Gonçalves and Almeida (2002) and Gonçalves and Resende (2011a). The former introduces the framework that later would become BRKGA, with biased uniform crossover, mutation operator, and random-key chromosome representation, while the latter formally presents the BRKGA framework. Meanwhile, *fiber optic networks* and related keywords may be seen in Ruiz et al. (2011), which studies the survivable IP/MPLS-over-WSN multilayer network optimization problem. Festa et al. (2010) uses a BRKGA to tune the parameters of a GRASP with path-relinking, being one of the papers in theme *metaheuristic*.

Optimization, meanwhile, is a niche or isolated theme. That means it has a high density or development but is not strongly correlated with the other themes. One study with this theme is Gonçalves and Sousa (2011), where a BRKGA is customized for the economic lot scheduling problem. This approach is hybridized with an LP model and had good performance in experiments with randomly generated instances.

The cluster labeled with *computational experiment* denotes a highly promising theme of this period, as it has a high correlation with other themes with low development. One such work with this theme is Mendes et al. (2009). In it, the authors present the results of a BRKGA used in a resource-constrained scheduling problem.

Dynamic Shortest Path and *linear programming* are the emerging or declining themes of this period. In Buriol et al. (2010), the dynamic shortest path is used to update a solution when there is a modification on the road network. Similarly, in Reis et al. (2011), the dynamic shortest path was adapted from the one in Buriol et al. (2005), in which it is used to recompute shortest paths after modifications of link weights. A linear programming model is compared with the results of a proto-BRKGA in Ericsson et al. (2002).




FIGURE 7. Strategic Diagram for 2002-2011 articles.

For the second period, *computational experiment* and *heuristics* are motor themes. It is expected, as all papers in the database used a metaheuristic method, BRKGA, in computational experiments. Among the works that use these themes, we have Duarte et al. (2014), which uses hybrid heuristics and metaheuristics to solve the

regenerator location problem. A hybrid GRASP with path-relinking is proven to be the best approach among the ones used by the authors. For *computational experiment*, we have Heilig et al. (2016). This paper studies a cloud resource management problem using a hybrid BRKGA with a local search.

There are three niche themes in this period: *multiobjective optimization*, *container loading*, and *assembly*. One work with a *multiobjective optimization* problem is Tangpattanakul et al. (2015b), which proposes a bi-objective BRKGA approach with modifications on the chromosome ordering phase. A 3D *container loading* problem is studied by Gonçalves and Resende (2012), with a multi-population BRKGA that had better performance than several other approaches. The study from Moreira et al. (2012) introduces an *assembly* line worker assignment and balancing problem. Their hybrid BRKGA with local search showed better performance than several other approaches from the literature.

Clustering is the emerging theme of this period. It may be seen in Festa (2013), which uses a BRKGA for clustering biological data.

Finally, the promising themes for this second period are *genetic algorithm*, *metaheuristic*, and *chromosome*. Among those that count the words among their keywords, we have the aforementioned Gonçalves and Resende (2012), where variants of the BRKGA are compared favorably with others from literature with regards to solution quality. The paper of Silva et al. (2015) is also present on these themes and introduces a Python/C++ library for BRKGA. In Andrade et al. (2015b), the authors introduce six versions of BRKGA for the winner determination problem in combinatorial auctions. Three of the BRKGA variants use solutions of intermediate linear programming relaxations of an exact mixed integer-linear programming model as initial chromosomes of the populations.




FIGURE 8. Strategic Diagram for 2012-2017 articles.

For the 2018-2023 period, the theme of *heuristics* became the core theme, with an increase in both development and relevance. Mauri et al. (2021) studies a two-stage multi-product capacitated facility location problem with hybrid BRKGA+LS that outperforms search-based *heuristic* algorithms.

Simulated annealing, *variable neighborhood search*, and *iterated local search* are niche themes of this period, with low centrality but high development. These are

algorithms that are frequently compared or hybridized with BRKGA in the experiments. Andrade et al. (2019a) compares their approach with several, including *simulated annealing* and *iterated local search*. ILS variants were also noted in Huang et al. (2018); Rocholl and Mönch (2021). Silva et al. (2019) uses a hybrid BRKGA with ILS, which is then hybridized with VNS. Mönch and Roob (2018) shows that BRKGA is a better method than VNS for a parallel batch processing machine problem.

As an emerging theme, we have *container loading*. A new methodology for the container loading problem is studied in Ramos et al. (2018). The authors treat load balance as an important constraint for the problem, something normally simplified in literature. The load balance is considered a vehicle-specific constraint in this new formulation. The new approach was tested on 1,500 instances and showed an improvement in solution quality and algorithm performance.

At last, *vehicle routing*, *computational experiment*, and *genetic algorithm* are the basic themes for this period. This means a decrease in development for the second theme and a slight increase in relevance for the third. One can observe the first theme in Schenekemberg et al. (2022), which explores the dial-a-ride problem with private fleet and common carrier. The proposed hybrid BRKGA with local search successfully outperformed other methods in a case study. We can cite Andrade et al. (2019b) for *computational experiment*, in which several heuristics for a flowshop scheduling problem are presented. The authors detail the results for several methods on experiments made with 120 test instances, including an algorithm based on iterated local search, iterated greedy search, and BRKGA. This paper also introduces the shaking mechanism, in which the population is partially restarted, and proves its effectiveness inside the BRKGA framework. Among the studies that cite *genetic algorithm*, Fadel et al. (2021) use genetic algorithms such as BRKGA for statistical disclosure control. The context of this method is the sharing of data between public and private organizations, that must be done without compromising confidentiality or losing important data characteristics. The algorithms, thus, must both cluster and aggregate the data so that the statistical measures, i.e. mean or standard deviation, are not modified. The experiments point out that the genetic algorithms are adequate to produce good results, however with high run times.




FIGURE 9. Strategic Diagram for 2018-2023 articles.

6. CONCLUSION

This paper conducted a reproducible systematic literature review encompassing 253 articles of applications of the Biased Random-Key Genetic Algorithm (BRKGA). Although the initial applications of this methodology emerged in the early 2000s (Gonçalves and Almeida, 2002; Ericsson et al., 2002), the formal framework was not established until 2011 (Gonçalves and Resende, 2011a). Since its inception, this metaheuristic has found extensive application across various optimization problems, demonstrating its reliability, efficiency, and versatility.

This paper was guided by three research questions (RQ). Citation analysis was used to answer the first RQ: *Who are the most influential researchers for this algorithm?* The citation analysis shows that the most influential authors are Resende, M.G.C., and Gonçalves, J.F., both relative to the number of papers and total of citations inside the database. The most cited paper among the 253 selected is co-authored by both (Gonçalves and Resende, 2011a), and there is a strong correlation between the number of papers and the total of citations in the database. The analysis also points out that Brazil, the USA, and Portugal are, by far, the countries with the most authors publishing BRKGA. This can be explained by the relationship between the two most influential authors and researchers based in these countries.

The second research question, *What are the most influential papers for the BRKGA framework?*, was answered with a co-citation analysis. The papers are presented in chronological order and point out that papers focused on the theoretical parts of the BRKGA framework, such as multi-point crossover, random-keys, and elitist strategy, are some of the most frequently co-cited works. There is also a strong presence of application articles and methods for parameter selection. This analysis presents the backbone of seminal works on BRKGA and is a chronological guide for any researcher who desires to study this metaheuristic.

The last RQ, *Which are the areas of application of BRKGA and how did they evolve?*, was answered with a co-word analysis, which presents the contemporary research themes and their evolution, and is divided into three time periods. In the first period (2002-2011), the main themes were genetic algorithms and fiber optic networks. These point to the majority of the applications in the time-period, and the fact that the metaheuristic was only a variation of GA at the time, without a specific name. In the second period (2012-2017), heuristics and computational experiments were the motor themes of the studies, while heuristics remained the most relevant and developed area in the most recent period (2018-2023).

Potential approaches to expand the scope of this review include incorporating additional databases like Web of Science and arXiv, as well as encompassing theses, dissertations, and non-peer-reviewed materials such as technical reports and preprints.

ACKNOWLEDGMENT

Mariana A. Londe was supported by the Brazilian Coordination for the Improvement of Higher Level Personnel (CAPES) under grant 88887.815411/2023. Luciana S. Pessoa was supported by the Brazilian National Council for Scientific and Technological Development (CNPq) under grant 312212/2021-6, the Brazilian Coordination for the Improvement of Higher Level Personnel (CAPES) under grant 001, and the Carlos Chagas Filho Research Support Foundation of the State of Rio de Janeiro (FAPERJ) under grants 211.086/2019, 211.389/2019, and 211.588/2021.

REFERENCES

- L. R. Abreu, R. F. Tavares-Neto, and M. S. Nagano. A new efficient biased random key genetic algorithm for open shop scheduling with routing by capacitated single vehicle and makespan minimization. *Engineering Applications of Artificial Intelligence*, 104:104373, 2021. doi: 10.1016/j.engappai.2021.104373.
- Levi Ribeiro Abreu, Bruno Athayde Prata, Allan Costa Gomes, Stephanie Alencar Braga-Santos, and Marcelo Seido Nagano. A novel brkga for the customer order scheduling with missing operations to minimize total tardiness. *Swarm and Evolutionary Computation*, 75:101149, 2022. doi: 10.1016/j.swevo.2022.101149.
- Zakir Hussain Ahmed. A comparative study of eight crossover operators for the maximum scatter travelling salesman problem. *International Journal of Advanced Computer Science and Applications*, 11, 2020. URL <https://api.semanticscholar.org/CorpusID:226735188>.
- S. B. Akers. A graphical approach to production scheduling problems. *Operations Research*, 4(2):244–245, 1956. doi: 10.1287/opre.4.2.244.
- Maha Ata Al-Omeer and Zakir Hussain Ahmed. Comparative study of crossover operators for the mtsp. In *2019 International Conference on Computer and Information Sciences (ICCIS)*, pages 1–6, 2019. doi: 10.1109/ICCISci.2019.8716483.
- B. F. Almeida, I. Correia, and F. Saldanha-da Gama. A biased random-key genetic algorithm for the project scheduling problem with flexible resources. *TOP*, 26(2):283–308, 2018. ISSN 11345764 (ISSN). doi: 10.1007/s11750-018-0472-9.
- B. Amaro Júnior, P. R. Pinheiro, and P. V. Coelho. A parallel biased random-key genetic algorithm with multiple populations applied to irregular strip packing problems. *Mathematical Problems in Engineering*, 2017:1670709, 2017. ISSN 1024123X (ISSN). doi: 10.1155/2017/1670709.
- B. Amaro Júnior, M. C. Santos, G. N. Carvalho, L. J. P. Araújo, and P. R. Pinheiro. Metaheuristics for the minimum time cut path problem with different cutting and sliding speeds. *Algorithms*, 14(11):305, 2021. ISSN 19994893. doi: 10.3390/a14110305.
- Bonfim Amaro Júnior, Guilherme Nepomuceno Carvalho, Marcio Costa Santos, Placido Rogerio Pinheiro, and Joao Willian Lemos Celedonio. Evolutionary algorithms for optimization sequence of cut in the laser cutting path problem. *Applied Sciences*, 13(18):10133, 2023. doi: 10.3390/app131810133.
- C. E. Andrade, F. K. Miyazawa, and M. G. C. Resende. Evolutionary algorithm for the k -interconnected multi-depot multi-traveling salesmen problem. In *Proceedings of the 15th Annual Conference on Genetic and Evolutionary Computation, GECCO'13*, pages 463–470, New York, NY, USA, 2013. ACM. ISBN 978-1-4503-1963-8. doi: 10.1145/2463372.2463434.
- C. E. Andrade, M. G. C. Resende, W. Zhang, R. K. Sinha, K. C. Reichmann, R. D. Doverspike, and F. K. Miyazawa. A biased random-key genetic algorithm for wireless backhaul network design. *Applied Soft Computing Journal*, 33:150–169, 2015a. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2015.04.016.
- C. E. Andrade, R. F. Toso, M. G. C. Resende, and F. K. Miyazawa. Biased random-key genetic algorithms for the winner determination problem in combinatorial auctions. *Evolutionary Computation*, 23(2):279–307, 2015b. ISSN 10636560 (ISSN). doi: 10.1162/EVCO_a_00138.
- C. E. Andrade, S. Ahmed, G. L. Nemhauser, and Y. Shao. A hybrid primal heuristic for finding feasible solutions to mixed integer programs. *European Journal of*

- Operational Research*, 263(1):62–71, 2017a. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2017.05.003.
- C. E. Andrade, S. D. Byers, V. Gopalakrishnan, E. Halepovic, D. J. Poole, L. K. Tran, and C. T. Volinsky. Scheduling software updates for connected cars with limited availability. *Applied Soft Computing Journal*, 82:105575, 2019a. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2019.105575.
- C. E. Andrade, T. Silva, and L. S. Pessoa. Minimizing flowtime in a flowshop scheduling problem with a biased random-key genetic algorithm. *Expert Systems with Applications*, 128:67–80, 2019b. ISSN 09574174 (ISSN). doi: 10.1016/j.eswa.2019.03.007.
- C. E. Andrade, R. F. Toso, J. F. Gonçalves, and M. G. C. Resende. The multi-parent biased random-key genetic algorithm with implicit path-relinking and its real-world applications. *European Journal of Operational Research*, 289(1):17–30, 2021. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2019.11.037.
- Carlos E. Andrade, Mauricio G. C. Resende, Howard J. Karloff, and Flávio K. Miyazawa. Evolutionary algorithms for overlapping correlation clustering. In *Proceedings of the 16th Conference on Genetic and Evolutionary Computation, GECCO'14*, pages 405–412, New York, NY, USA, 2014. ACM. ISBN 978-1-4503-2662-9. doi: 10.1145/2576768.2598284.
- Carlos E. Andrade, Simon D. Byers, Vijay Gopalakrishnan, Emir Halepovic, Milap Majmundar, David J. Poole, Lien K. Tran, and Christopher T. Volinsky. Managing massive firmware-over-the-air updates for connected cars in cellular networks. In *Proceedings of the 2nd ACM International Workshop on Smart, Autonomous, and Connected Vehicular Systems and Services, CarSys '17*, pages 65–72. ACM, 2017b. ISBN 978-1-4503-5146-1. doi: 10.1145/3131944.3131953.
- Carlos E. Andrade, Luciana S. Pessoa, and Slawomir Stawiariski. The physical cell identity assignment problem: a practical optimization approach. *IEEE Transactions on Evolutionary Computation*, pages 1–1, 2022. ISSN 1089-778X. doi: 10.1109/TEVC.2022.3185927. To appear.
- F. F. B. Araújo, A. M. Costa, and C. Miralles. Balancing parallel assembly lines with disabled workers. *European Journal of Industrial Engineering*, 9(3):344–365, 2015. ISSN 17515254 (ISSN). doi: 10.1504/EJIE.2015.069343.
- M. Aria and C. Cuccurullo. bibliometrix: An r-tool for comprehensive science mapping analysis. *Journal of informetrics*, 11(4):959–975, 2017. doi: 10.1016/j.joi.2017.08.007.
- W. Azzolini Junior and F. Gomes Pires Azzolini. Evolutionary algorithm for optimization regarding the planning of topological facilities in layout of a shipyard. *IEEE Latin America Transactions*, 17(9):1491–1500, 2019. ISSN 15480992 (ISSN). doi: 10.1109/TLA.2019.8931143.
- J. Baas, M. Schotten, A. Plume, G. Côté, and R. Karimi. Scopus as a curated, high-quality bibliometric data source for academic research in quantitative science studies. *Quantitative Science Studies*, 1(1):377–386, 2020. doi: 10.1162/qss_a_00019.
- J. C. Bean. Genetic algorithms and random keys for sequencing and optimization. *ORSA Journal on Computing*, 6(2):154–160, 1994. doi: 10.1287/ijoc.6.2.154.
- Nuno C. L. F. Beirão. *Sistema de apoio à decisão para sequenciamento de operações em ambientes Job Shop*. PhD thesis, University of Porto, 1997. URL <https://repositorio-aberto.up.pt/handle/10216/12242>.

- R. Bellman. Dynamic programming. *Science*, 153(3731):34–37, 1966. doi: 10.1126/science.153.3731.34.
- R. Bernardino and A. Paias. Metaheuristics based on decision hierarchies for the traveling purchaser problem. *International Transactions in Operational Research*, 25(4):1269–1295, 2018. ISSN 09696016 (ISSN). doi: 10.1111/itor.12330.
- Nicola Beume, Boris Naujoks, and Michael Emmerich. Sms-emoa: Multiobjective selection based on dominated hypervolume. *European Journal of Operational Research*, 181(3):1653–1669, 2007. doi: 10.1016/j.ejor.2006.08.008.
- F. L. Biajoli, A. A. Chaves, and L. A. N. Lorena. A biased random-key genetic algorithm for the two-stage capacitated facility location problem. *Expert Systems with Applications*, 115:418–426, 2019. ISSN 09574174 (ISSN). doi: 10.1016/j.eswa.2018.08.024.
- M. Birattari, Z. Yuan, P. Balaprakash, and T. Stützle. F-race and iterated f-race: An overview. *Experimental methods for the analysis of optimization algorithms*, pages 311–336, 2010. doi: 10.1007/978-3-642-02538-9_13.
- Beatrice Bolsi, Vinícius Loti Lima, Thiago A Alves Queiroz, and Manuel Iori. Heuristic algorithms for integrated workforce allocation and scheduling of perishable products. *International Journal of Production Research*, pages 1–16, 2022. doi: 10.1080/00207543.2022.2144525.
- M. A. Boschetti, V. Maniezzo, M. Roffilli, and A. B. Röhrler. Matheuristics: Optimization, simulation and control. In *International Workshop on Hybrid Metaheuristics*, pages 171–177. Springer, 2009. doi: 10.1007/978-3-642-04918-7_13.
- Kevin W Boyack and Richard Klavans. Co-citation analysis, bibliographic coupling, and direct citation: Which citation approach represents the research front most accurately? *Journal of the American Society for information Science and Technology*, 61(12):2389–2404, 2010. doi: 10.1002/asi.21419.
- J. S. Brandão, T. F. Noronha, M. G. C. Resende, and C. C. Ribeiro. A biased random-key genetic algorithm for single-round divisible load scheduling. *International Transactions in Operational Research*, 22(5):823–839, 2015. ISSN 09696016 (ISSN). doi: 10.1111/itor.12178.
- J. S. Brandão, T. F. Noronha, and C. C. Ribeiro. A biased random-key genetic algorithm to maximize the number of accepted lightpaths in wdm optical networks. *Journal of Global Optimization*, 65(4):813–835, 2016. ISSN 09255001 (ISSN). doi: 10.1007/s10898-015-0389-x.
- J. S. Brandão, T. F. Noronha, M. G. C. Resende, and C. C. Ribeiro. A biased random-key genetic algorithm for scheduling heterogeneous multi-round systems. *International Transactions in Operational Research*, 24(5):1061–1077, 2017. ISSN 09696016 (ISSN). doi: 10.1111/itor.12429.
- John L Bresina. Heuristic-biased stochastic sampling. In *Proceedings of the thirteenth national conference on Artificial intelligence-Volume 1*, pages 271–278, 1996.
- J. Brito, A. Fadel, and G. Semaan. A genetic algorithm applied to optimal allocation in stratified sampling. *Communications in Statistics: Simulation and Computation*, page 3714–3732, 2020. ISSN 03610918 (ISSN). doi: 10.1080/03610918.2020.1722832.
- J. A. D. M. Brito, A. C. Fadel, G. S. Semaan, and F. Montenegro. Heuristics applied to minimization of the maximum-diameter clustering problem. *IEEE Latin America Transactions*, 19(4):652–659, 2021. ISSN 15480992 (ISSN). doi:

- 10.1109/TLA.2021.9448548.
- Jose Andre Brito, Gustavo Semaan, and Augusto Fadel. The effective brkga algorithm for the k-medoids clustering problem. *RAIRO-Operations Research*, 56(4): 3137–3153, 2022. doi: 10.1051/ro/2022141.
- L. S. Buriol, M. G. C. Resende, C. C. Ribeiro, and M. Thorup. A hybrid genetic algorithm for the weight setting problem in ospf/is-is routing. *Networks*, 46(1): 36–56, 2005. doi: 10.1002/net.20070.
- L. S. Buriol, M. J. Hirsch, P. M. Pardalos, T. Querido, M. G. C. Resende, and M. Ritt. A biased random-key genetic algorithm for road congestion minimization. *Optimization Letters*, 4(4):619–633, 2010. ISSN 18624472 (ISSN). doi: 10.1007/s11590-010-0226-6.
- Luciana S Buriol, Mauricio G. C. Resende, and Mikkel Thorup. Survivable ip network design with ospf routing. *Networks: An International Journal*, 49(1): 51–64, 2007. doi: 10.1002/net.20141.
- M. Cabo, J. L. González-Velarde, E. Possani, and Y. Á Ríos Solís. Bi-objective scheduling on a restricted batching machine. *Computers and Operations Research*, 100:201–210, 2018. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2018.07.004.
- Michel Callon, Jean Pierre Courtial, and Francoise Laville. Co-word analysis as a tool for describing the network of interactions between basic and technological research: The case of polymer chemistry. *Scientometrics*, 22(1):155–205, 1991. doi: 10.1007/BF02019280.
- F. Carrabs. A biased random-key genetic algorithm for the set orienteering problem. *European Journal of Operational Research*, 292(3):830–854, 2021. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2020.11.043.
- M. Caserta and T. Reiners. A pool-based pattern generation algorithm for logical analysis of data with automatic fine-tuning. *European Journal of Operational Research*, 248(2):593–606, 2016. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2015.05.078.
- E. M. B. Cavalheiro, A. H. B. Vergílio, and C. Lyra. Optimal configuration of power distribution networks with variable renewable energy resources. *Computers and Operations Research*, 96:272–280, 2018. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2017.09.021.
- J. B. C. Chagas, T. A. M. Toffolo, M. J. F. Souza, and M. Iori. The double traveling salesman problem with partial last-in-first-out loading constraints. *International Transactions in Operational Research*, 29(4):2346–2373, 2020. ISSN 09696016 (ISSN). doi: 10.1111/itor.12876.
- J. B. C. Chagas, J. Blank, M. Wagner, M. J. F. Souza, and K. Deb. A non-dominated sorting based customized random-key genetic algorithm for the bi-objective traveling thief problem. *Journal of Heuristics*, 27(3):267–301, 2021. ISSN 13811231 (ISSN). doi: 10.1007/s10732-020-09457-7.
- F. T. S. Chan, R. K. Tibrewal, A. Prakash, and M. K. Tiwari. A biased random key genetic algorithm approach for inventory-based multi-item lot-sizing problem. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 229(1):157–171, 2015. ISSN 09544054 (ISSN). doi: 10.1177/0954405414523594.
- A. A. Chaves, L. A. N. Lorena, E. L. F. Senne, and M. G. C. Resende. Hybrid method with cs and brkga applied to the minimization of tool switches problem.

- Computers and Operations Research*, 67:174–183, 2016. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2015.10.009.
- A. A. Chaves, J. F. Gonçalves, and L. A. N. Lorena. Adaptive biased random-key genetic algorithm with local search for the capacitated centered clustering problem. *Computers and Industrial Engineering*, 124:331–346, 2018. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2018.07.031.
- Antônio Augusto Chaves, Bárbara Lessa Vianna, Tiago Tiburcio da Silva, and Cleder Marcos Schenekemberg. A parallel branch-and-cut and an adaptive meta-heuristic to solve the family traveling salesman problem. *Expert Systems with Applications*, 238:121735, 2024. doi: 10.1016/j.eswa.2023.121735.
- Fuh Der Chou and Hui Mei Wang. Scheduling for a single semiconductor batch-processing machine to minimize total weighted tardiness. *Journal of the Chinese Institute of Industrial Engineers*, 25(2):136–147, 2008. doi: 10.1080/10170660809509079.
- Z. I. E. Cicek and Z. K. Ozturk. Optimizing the artificial neural network parameters using a biased random key genetic algorithm for time series forecasting. *Applied Soft Computing*, 102:107091, 2021. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2021.107091.
- Manuel J Cobo, Antonio Gabriel López-Herrera, Enrique Herrera-Viedma, and Francisco Herrera. Science mapping software tools: Review, analysis, and cooperative study among tools. *Journal of the American Society for information Science and Technology*, 62(7):1382–1402, 2011. doi: 10.1002/asi.21525.
- A. A. Coco, J. C. A. Júnior, T. F. Noronha, and A. C. Santos. An integer linear programming formulation and heuristics for the minmax relative regret robust shortest path problem. *Journal of Global Optimization*, 60(2):265–287, 2014. ISSN 09255001 (ISSN). doi: 10.1007/s10898-014-0187-x.
- Harris Cooper. *Research synthesis and meta-analysis: A step-by-step approach*, volume 2. Sage publications, 2015.
- J. F. Correcher and R. Alvarez-Valdes. A biased random-key genetic algorithm for the time-invariant berth allocation and quay crane assignment problem. *Expert Systems with Applications*, 89:112–128, 2017. ISSN 09574174 (ISSN). doi: 10.1016/j.eswa.2017.07.028.
- Carlos Cotta, Luke Mathieson, and Pablo Moscato. Memetic algorithms. In Rafael Martí, Panos M. Pardalos, and Mauricio G. C. Resende, editors, *Handbook of Heuristics*, pages 607–638. Springer International Publishing, Cham, 2018. doi: 10.1007/978-3-319-07124-4_29.
- R. B. Damm, M. G. C. Resende, and D. P. Ronconi. A biased random key genetic algorithm for the field technician scheduling problem. *Computers and Operations Research*, 75:49–63, 2016. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2016.05.003.
- S. Dautère-Pérès and L. Mönch. Scheduling jobs on a single batch processing machine with incompatible job families and weighted number of tardy jobs objective. *Computers and Operations Research*, 40(5):1224–1233, 2013. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2012.12.012.
- Kalyanmoy Deb, Amrit Pratap, Sameer Agarwal, and TAMT Meyarivan. A fast and elitist multiobjective genetic algorithm: Nsga-ii. *IEEE transactions on evolutionary computation*, 6(2):182–197, 2002. doi: 10.1109/4235.996017.
- A. Duarte, R. Martí, M. G. C. Resende, and R. M. A. Silva. Improved heuristics for the regenerator location problem. *International Transactions in Operational*

- Research*, 21(4):541–558, 2014. ISSN 09696016 (ISSN). doi: 10.1111/itor.12085.
- Abraham Duarte, Jesús Sánchez-Oro, Nenad Mladenović, and Raca Todosijević. Variable neighborhood descent. In Rafael Martí, Panos M. Pardalos, and Mauricio G. C. Resende, editors, *Handbook of Heuristics*, pages 341–367. Springer International Publishing, Cham, 2018. doi: 10.1007/978-3-319-07124-4_9.
- Elsevier. Scopus. <https://www.scopus.com>, 2024. Accessed on 2024-03-24.
- M. Ericsson, Mauricio G. C. Resende, and Panos M. Pardalos. A genetic algorithm for the weight setting problem in OSPF routing. *Journal of Combinatorial Optimization*, 6(3):299–333, 2002. ISSN 1382-6905. doi: 10.1023/A:1014852026591.
- A. C. Fadel, L. S. Ochi, J. A. D. M. Brito, and G. S. Semaan. Microaggregation heuristic applied to statistical disclosure control. *Information Sciences*, 548:37–55, 2021. ISSN 00200255 (ISSN). doi: 10.1016/j.ins.2020.09.069.
- Marcus Falls, Raffaele Bernardello, Miguel Castrillo, Mario Acosta, Joan Llort, and Martí Galí. Use of genetic algorithms for ocean model parameter optimisation: a case study using `pisces-v2_rc` for north atlantic particulate organic carbon. *Geoscientific Model Development*, 15(14):5713–5737, 2022. doi: 10.5194/gmd-15-5713-2022.
- H. Faria Jr., M. G. C. Resende, and D. Ernst. A biased random key genetic algorithm applied to the electric distribution network reconfiguration problem. *Journal of Heuristics*, 23(6):533–550, 2017. ISSN 13811231 (ISSN). doi: 10.1007/s10732-017-9355-8.
- Thomas A Feo and Mauricio G. C. Resende. A probabilistic heuristic for a computationally difficult set covering problem. *Operations research letters*, 8(2):67–71, 1989. doi: 10.1016/0167-6377(89)90002-3.
- Thomas A Feo and Mauricio G. C. Resende. Greedy randomized adaptive search procedures. *Journal of global optimization*, 6(2):109–133, 1995. doi: 10.1007/BF01096763.
- P. Festa. A biased random-key genetic algorithm for data clustering. *Mathematical Biosciences*, 245(1):76–85, 2013. ISSN 00255564 (ISSN). doi: 10.1016/j.mbs.2013.07.011.
- P. Festa, J.F. Gonçalves, M.G.C. Resende, and R.M.A. Silva. Automatic tuning of grasp with path-relinking heuristics with a biased random-key genetic algorithm. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 6049 LNCS:338–349, 2010. doi: 10.1007/978-3-642-13193-6_29.
- Martina Fischetti and Matteo Fischetti. Matheuristics. In Rafael Martí, Panos M. Pardalos, and Mauricio G. C. Resende, editors, *Handbook of Heuristics*, pages 121–153. Springer International Publishing, Cham, 2018. doi: 10.1007/978-3-319-07124-4_14.
- D. B. M. M. Fontes and J. F. Gonçalves. Heuristic solutions for general concave minimum cost network flow problems. *Networks*, 50(1):67–76, 2007. ISSN 00283045 (ISSN). doi: 10.1002/net.20167.
- D. B. M. M. Fontes and J. F. Gonçalves. A multi-population hybrid biased random key genetic algorithm for hop-constrained trees in nonlinear cost flow networks. *Optimization Letters*, 7(6):1303–1324, 2013. ISSN 18624472 (ISSN). doi: 10.1007/s11590-012-0505-5.

- D. B. M. M. Fontes, J. F. Gonçalves, and F. A. C. C. Fontes. An evolutionary approach to the maximum edge weight clique problem. *Recent Advances in Electrical and Electronic Engineering*, 11(3):260–266, 2018. ISSN 23520965 (ISSN). doi: 10.2174/2352096511666180214105643.
- Dalila B. M. M. Fontes and S Mahdi Homayouni. A bi-objective multi-population biased random key genetic algorithm for joint scheduling quay cranes and speed adjustable vehicles in container terminals. *Flexible Services and Manufacturing Journal*, 35(1):241–268, 2023. doi: 10.1007/s10696-022-09467-6.
- Dalila B. M. M. Fontes, Seyed Mahdi Homayouni, and João Chaves Fernandes. Energy-efficient job shop scheduling problem with transport resources considering speed adjustable resources. *International Journal of Production Research*, pages 1–24, 2023. doi: 10.1080/00207543.2023.2175172.
- Caio César Freitas, Dario José Aloise, Fábio Francisco Da Costa Fontes, Andréa Cynthia Santos, and Matheus Da Silva Menezes. A biased random-key genetic algorithm for the two-level hub location routing problem with directed tours. *OR Spectrum*, pages 1–22, 2023. doi: 10.1007/s00291-023-00718-y.
- Michael R Garey and David S Johnson. *Computers and intractability*, volume 174. freeman San Francisco, 1979.
- David M Gligor and Mary C Holcomb. Understanding the role of logistics capabilities in achieving supply chain agility: a systematic literature review. *Supply Chain Management: An International Journal*, 2012. doi: 10.1108/13598541211246594.
- Fred Glover. Heuristics for integer programming using surrogate constraints. *Decision sciences*, 8(1):156–166, 1977. doi: 10.1111/j.1540-5915.1977.tb01074.x.
- Fred Glover. Future paths for integer programming and links to artificial intelligence. *Computers & operations research*, 13(5):533–549, 1986. doi: 10.1016/0305-0548(86)90048-1.
- Fred Glover. Tabu search and adaptive memory programming – advances, applications and challenges. In *Interfaces in computer science and operations research*, pages 1–75. Springer, 1997. doi: 10.1007/978-1-4615-4102-8_1.
- David E. Goldberg. *Genetic Algorithms in Search, Optimization and Machine Learning*. Addison-Wesley Publishing Company, 1989.
- J. F. Gonçalves. A hybrid genetic algorithm-heuristic for a two-dimensional orthogonal packing problem. *European Journal of Operational Research*, 183(3):1212–1229, 2007. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2005.11.062.
- J. F. Gonçalves and J. R. Almeida. A hybrid genetic algorithm for assembly line balancing. *Journal of Heuristics*, 8(6):629–642, 2002. ISSN 13811231 (ISSN). doi: 10.1023/A:1020377910258.
- J. F. Gonçalves and M. G. C. Resende. An evolutionary algorithm for manufacturing cell formation. *Computers and Industrial Engineering*, 47(2-3):247–273, 2004. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2004.07.003.
- J. F. Gonçalves and M. G. C. Resende. Biased random-key genetic algorithms for combinatorial optimization. *Journal of Heuristics*, 17(5):487–525, 2011a. ISSN 13811231 (ISSN). doi: 10.1007/s10732-010-9143-1.
- J. F. Gonçalves and M. G. C. Resende. A parallel multi-population genetic algorithm for a constrained two-dimensional orthogonal packing problem. *Journal of Combinatorial Optimization*, 22(2):180–201, 2011b. ISSN 13826905 (ISSN). doi: 10.1007/s10878-009-9282-1.

- J. F. Gonçalves and M. G. C. Resende. A parallel multi-population biased random-key genetic algorithm for a container loading problem. *Computers and Operations Research*, 39(2):179–190, 2012. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2011.03.009.
- J. F. Gonçalves and M. G. C. Resende. A biased random key genetic algorithm for 2d and 3d bin packing problems. *International Journal of Production Economics*, 145(2):500–510, 2013. ISSN 09255273 (ISSN). doi: 10.1016/j.ijpe.2013.04.019.
- J. F. Gonçalves and M. G. C. Resende. An extended akers graphical method with a biased random-key genetic algorithm for job-shop scheduling. *International Transactions in Operational Research*, 21(2):215–246, 2014. ISSN 09696016 (ISSN). doi: 10.1111/itor.12044.
- J. F. Gonçalves and M. G. C. Resende. A biased random-key genetic algorithm for the unequal area facility layout problem. *European Journal of Operational Research*, 246(1):86–107, 2015. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2015.04.029.
- J. F. Gonçalves and P. S. A. Sousa. A genetic algorithm for lot sizing and scheduling under capacity constraints and allowing backorders. *International Journal of Production Research*, 49(9):2683–2703, 2011. ISSN 00207543 (ISSN). doi: 10.1080/00207543.2010.532936.
- J. F. Gonçalves and G. Wäscher. A mip model and a biased random-key genetic algorithm based approach for a two-dimensional cutting problem with defects. *European Journal of Operational Research*, 286(3):867–882, 2020. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2020.04.028.
- J. F. Gonçalves, J. J. Magalhães Mendes, and M. G. C. Resende. A hybrid genetic algorithm for the job shop scheduling problem. *European Journal of Operational Research*, 167(1):77–95, 2005. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2004.03.012.
- J. F. Gonçalves, J. J. M. Mendes, and M. G. C. Resende. A genetic algorithm for the resource constrained multi-project scheduling problem. *European Journal of Operational Research*, 189(3):1171–1190, 2008. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2006.06.074.
- J. F. Gonçalves, M. G. C. Resende, and J. J. M. Mendes. A biased random-key genetic algorithm with forward-backward improvement for the resource constrained project scheduling problem. *Journal of Heuristics*, 17(5):467–486, 2011. ISSN 13811231 (ISSN). doi: 10.1007/s10732-010-9142-2.
- J. F. Gonçalves, M. G. C. Resende, and R. F. Toso. An experimental comparison of biased and unbiased random-key genetic algorithms. *Pesquisa Operacional*, 34(2):143–164, 2014. ISSN 01017438 (ISSN). doi: 10.1590/0101-7438.2014.034.02.0143.
- J. F. Gonçalves, M. G. C. Resende, and M. D. Costa. A biased random-key genetic algorithm for the minimization of open stacks problem. *International Transactions in Operational Research*, 23(1-2):25–46, 2016. ISSN 09696016 (ISSN). doi: 10.1111/itor.12109.
- José F. Gonçalves and Nuno C. L. F. Beirão. Um algoritmo genético baseado em chave aleatórias para sequenciamento de operações. *Investigação Operacional*, 19:123–137, 1999.
- A. Grasas, H. Ramalhinho, L. S. Pessoa, M. G. Resende, I. Caballé, and N. Barba. On the improvement of blood sample collection at clinical laboratories. *BMC Health Services Research*, 14:12, 2014. ISSN 14726963 (ISSN). doi: 10.1186/

1472-6963-14-12.

- Pierre Hansen and Nenad Mladenović. Variable neighborhood search. In *Search methodologies*, pages 211–238. Springer, 2005. doi: 10.1007/0-387-28356-0_8.
- L. He, A. Guijt, M. Weerdt, L. Xing, and N. Yorke-Smith. Order acceptance and scheduling with sequence-dependent setup times: A new memetic algorithm and benchmark of the state of the art. *Computers and Industrial Engineering*, 138: 106102, 2019. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2019.106102.
- L. Heilig, E. Lalla-Ruiz, and S. Voß. A cloud brokerage approach for solving the resource management problem in multi-cloud environments. *Computers and Industrial Engineering*, 95:16–26, 2016. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2016.02.015.
- Thomas Hofmann, Bernhard Schölkopf, and Alexander J. Smola. Kernel methods in machine learning. *The Annals of Statistics*, 36(3):1171–1220, 2008. doi: 10.1214/009053607000000677.
- John H Holland. *Adaptation in natural and artificial systems: An introductory analysis with applications to biology, control, and artificial intelligence*. U Michigan Press, 1975.
- S. M. Homayouni, D. B. M. M. Fontes, and J. F. Gonçalves. A multistart biased random key genetic algorithm for the flexible job shop scheduling problem with transportation. *International Transactions in Operational Research*, page 688–716, 2020. ISSN 09696016 (ISSN). doi: 10.1111/itor.12878.
- S Mahdi Homayouni, Dalila BMM Fontes, and José F Gonçalves. A multistart biased random key genetic algorithm for the flexible job shop scheduling problem with transportation. *International Transactions in Operational Research*, 30(2): 688–716, 2023. doi: 10.1111/itor.12878.
- A. Hottung and K. Tierney. A biased random-key genetic algorithm for the container pre-marshalling problem. *Computers and Operations Research*, 75:83–102, 2016. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2016.05.011.
- Y. Huang, A. C. Santos, and C. Duhamel. Methods for solving road network problems with disruptions. *Electronic Notes in Discrete Mathematics*, 64:175–184, 2018. ISSN 15710653 (ISSN). doi: 10.1016/j.endm.2018.01.019.
- Y. Huang, A. C. Santos, and C. Duhamel. Bi-objective methods for road network problems with disruptions and connecting requirements. *Journal of the Operational Research Society*, 71(12):1959–1971, 2020a. ISSN 01605682 (ISSN). doi: 10.1080/01605682.2019.1639479.
- Y. Huang, A. C. Santos, and C. Duhamel. Model and methods to address urban road network problems with disruptions. *International Transactions in Operational Research*, 27(6):2715–2739, 2020b. ISSN 09696016 (ISSN). doi: 10.1111/itor.12641.
- O. J. Ibarra-Rojas and Y. Silva-Soto. Vehicle routing problem considering equity of demand satisfaction. *Optimization Letters*, 15(6):2275–2297, 2021. ISSN 18624472 (ISSN). doi: 10.1007/s11590-021-01704-5.
- Luis Japa, Marcello Serqueira, Israel Mendonça, Masayoshi Aritsugi, Eduardo Bezerra, and Pedro Henrique González. A population-based hybrid approach for hyperparameter optimization of neural networks. *IEEE Access*, page 50752, 2023. doi: 10.1109/ACCESS.2023.3277310.
- David S Johnson, Lee Breslau, Ilias Diakonikolas, Nick Duffield, Yu Gu, MohammadTaghi Hajiaghayi, Howard Karloff, Mauricio G C Resende, and Subhabrata

- Sen. Near-optimal disjoint-path facility location through set cover by pairs. *Operations Research*, 68(3):896–926, 2020. doi: 10.1287/opre.2019.1956.
- Maryam Karimi-Mamaghan, Mehrdad Mohammadi, Patrick Meyer, Amir Mohammad Karimi-Mamaghan, and El Ghazali Talbi. Machine learning at the service of meta-heuristics for solving combinatorial optimization problems: A state-of-the-art. *European Journal of Operational Research*, 296(2):393–422, 2022. doi: 10.1016/j.ejor.2021.04.032.
- A. H. Kashan, B. Karimi, and F. Jolai. Effective hybrid genetic algorithm for minimizing makespan on a single-batch-processing machine with non-identical job sizes. *International Journal of Production Research*, 44(12):2337–2360, 2006. ISSN 00207543 (ISSN). doi: 10.1080/00207540500525254.
- M. Kong, X. Liu, J. Pei, H. Cheng, and P. M. Pardalos. A brkga-de algorithm for parallel-batching scheduling with deterioration and learning effects on parallel machines under preventive maintenance consideration. *Annals of Mathematics and Artificial Intelligence*, 88(1-3):237–267, 2020a. ISSN 10122443 (ISSN). doi: 10.1007/s10472-018-9602-1.
- M. Kong, J. Pei, J. Xu, X. Liu, X. Yu, and P. M. Pardalos. A robust optimization approach for integrated steel production and batch delivery scheduling with uncertain rolling times and deterioration effect. *International Journal of Production Research*, 58(17):5132–5154, 2020b. ISSN 00207543 (ISSN). doi: 10.1080/00207543.2019.1693659.
- Alberto F Kummer, Olinto C B Araújo, Luciana S Buriol, and Mauricio G C Resende. A biased random-key genetic algorithm for the home health care problem. *International Transactions in Operational Research*, page 1–31, 2022. doi: 10.1111/itor.13221.
- E. Lalla-Ruiz, J. L. González-Velarde, B. Melián-Batista, and J. M. Moreno-Vega. Biased random key genetic algorithm for the tactical berth allocation problem. *Applied Soft Computing Journal*, 22:60–76, 2014. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2014.04.035.
- E. Lalla-Ruiz, C. Expósito-Izquierdo, B. Melián-Batista, and J. M. Moreno-Vega. A hybrid biased random key genetic algorithm for the quadratic assignment problem. *Information Processing Letters*, 116(8):513–520, 2016. ISSN 00200190 (ISSN). doi: 10.1016/j.ipl.2016.03.002.
- P. F. Leonhart, E. Spieler, R. Ligabue-Braun, and M. Dorn. A biased random key genetic algorithm for the protein–ligand docking problem. *Soft Computing*, 23(12):4155–4176, 2019. ISSN 14327643 (ISSN). doi: 10.1007/s00500-018-3065-5.
- X. Li and K. Zhang. Single batch processing machine scheduling with two-dimensional bin packing constraints. *International Journal of Production Economics*, 196:113–121, 2018. ISSN 09255273 (ISSN). doi: 10.1016/j.ijpe.2017.11.015.
- Weng Marc Lim, Satish Kumar, and Faizan Ali. Advancing knowledge through literature reviews: ‘what’, ‘why’, and ‘how to contribute’. *The Service Industries Journal*, 42(7-8):481–513, 2022. doi: 10.1080/02642069.2022.2047941.
- Alfredo Lima, Andre L L Aquino, Bruno Nogueira, and Rian G S Pinheiro. A matheuristic approach for the minimum broadcast time problem using a biased random-key genetic algorithm. *International Transactions in Operational Research*, pages 246–273, 2022. doi: 10.1111/itor.13146.

- M. A. Londe, C. E. Andrade, and L. S. Pessoa. An evolutionary approach for the p-next center problem. *Expert Systems with Applications*, 175:114728, 2021. ISSN 09574174 (ISSN). doi: 10.1016/j.eswa.2021.114728.
- Mariana A Londe, Carlos E Andrade, and Luciana S Pessoa. Exact and heuristic approaches for the root sequence index allocation problem. *Applied Soft Computing*, 130:109634, 2022. doi: 10.1016/j.asoc.2022.109634.
- Mariana A Londe, Luciana S Pessoa, Carlos E Andrade, and Mauricio G C Resende. Biased random-key genetic algorithms: A review. *European Journal of Operational Research*, 2024. doi: 10.1016/j.ejor.2024.03.030.
- M. C. Lopes, C. E. Andrade, T. A. Queiroz, M. G. C. Resende, and F. K. Miyazawa. Heuristics for a hub location-routing problem. *Networks*, 68(1):54–90, 2016. ISSN 00283045 (ISSN). doi: 10.1002/net.21685.
- Manuel López-Ibáñez, Jérémie Dubois-Lacoste, Leslie Pérez Cáceres, Mauro Birattari, and Thomas Stützle. The irace package: Iterated racing for automatic algorithm configuration. *Operations Research Perspectives*, 3:43–58, 2016. doi: 10.1016/j.orp.2016.09.002.
- Helena R Lourenço, Olivier C. M. Martin, and Thomas Stützle. Iterated local search. In *Handbook of metaheuristics*, pages 320–353. Springer, 2003. doi: 10.1007/0-306-48056-5_11.
- Zedi Lu, Kanxin Hu, and Tsan Sheng Ng. Improving additive manufacturing production planning: A sub-second pixel-based packing algorithm. *Computers & Industrial Engineering*, 181:109318, 2023. doi: 10.1016/j.cie.2023.109318.
- Söhnke Maecker, Liji Shen, and Lars Mönch. Unrelated parallel machine scheduling with eligibility constraints and delivery times to minimize total weighted tardiness. *Computers & Operations Research*, 149:105999, 2023. doi: 10.1016/j.cor.2022.105999.
- S. Malve and R. Uzsoy. A genetic algorithm for minimizing maximum lateness on parallel identical batch processing machines with dynamic job arrivals and incompatible job families. *Computers and Operations Research*, 34(10):3016–3028, 2007. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2005.11.011.
- I. Marques, M. E. Captivo, and M. Vaz Pato. Scheduling elective surgeries in a portuguese hospital using a genetic heuristic. *Operations Research for Health Care*, 3(2):59–72, 2014. ISSN 22116923 (ISSN). doi: 10.1016/j.orhc.2013.12.001.
- Elias L Marques Jr, Vitor N Coelho, Igor M Coelho, Luiz Satoru Ochi, Nelson Maculan, Nenad Mladenović, and Bruno N Coelho. A two-phase multi-objective metaheuristic for a green uav grid routing problem. *Optimization Letters*, pages 1–24, 2023. doi: 10.1007/s11590-023-02013-9.
- N. J. Martarelli and M. S. Nagano. Unsupervised feature selection based on bio-inspired approaches. *Swarm and Evolutionary Computation*, 52:100618, 2020. ISSN 22106502 (ISSN). doi: 10.1016/j.swevo.2019.100618.
- Makoto Matsumoto and Takuji Nishimura. Mersenne twister: a 623-dimensionally equidistributed uniform pseudo-random number generator. *ACM Transactions on Modeling and Computer Simulation (TOMACS)*, 8(1):3–30, 1998. doi: 10.1145/272991.272995.
- G. R. Mauri, F. L. Biajoli, R. L. Rabello, A. A. Chaves, G. M. Ribeiro, and L. A. N. Lorena. Hybrid metaheuristics to solve a multiproduct two-stage capacitated facility location problem. *International Transactions in Operational Research*, 28(6):3069–3093, 2021. ISSN 09696016 (ISSN). doi: 10.1111/itor.12930.

- Rafael A Melo, Celso C Ribeiro, and Jose A Riveaux. A biased random-key genetic algorithm for the minimum quasi-clique partitioning problem. *Annals of Operations Research*, pages 1–33, 2023. doi: 10.1007/s10479-023-05609-7.
- J. J. M. Mendes, J. F. Gonçalves, and M. G. C. Resende. A random key based genetic algorithm for the resource constrained project scheduling problem. *Computers and Operations Research*, 36(1):92–109, 2009. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2007.07.001.
- José M Merigó and Jian-Bo Yang. A bibliometric analysis of operations research and management science. *Omega*, 73:37–48, 2017. doi: 10.1016/j.omega.2016.12.004.
- S. Mikulski and A. Tomczewski. Use of energy storage to reduce transmission losses in meshed power distribution networks. *Energies*, 14(21):7304, 2021. ISSN 19961073. doi: 10.3390/en14217304.
- Nenad Mladenović and Pierre Hansen. Variable neighborhood search. *Computers & operations research*, 24(11):1097–1100, 1997. doi: 10.1016/S0305-0548(97)00031-2.
- L. Mönch and S. Roob. A matheuristic framework for batch machine scheduling problems with incompatible job families and regular sum objective. *Applied Soft Computing Journal*, 68:835–846, 2018. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2017.10.028.
- L. F. Morán-Mirabal, J. L. González-Velarde, M. G. C. Resende, and R. M. A. Silva. Randomized heuristics for handover minimization in mobility networks. *Journal of Heuristics*, 19(6):845–880, 2013. ISSN 13811231 (ISSN). doi: 10.1007/s10732-013-9223-0.
- L. F. Morán-Mirabal, J. L. González-Velarde, and M. G. C. Resende. Randomized heuristics for the family traveling salesperson problem. *International Transactions in Operational Research*, 21(1):41–57, 2014. ISSN 09696016 (ISSN). doi: 10.1111/itor.12026.
- M. C. O. Moreira, M. Ritt, A. M. Costa, and A. A. Chaves. Simple heuristics for the assembly line worker assignment and balancing problem. *Journal of Heuristics*, 18(3):505–524, 2012. ISSN 13811231 (ISSN). doi: 10.1007/s10732-012-9195-5.
- Sarah J Morgan, Ciara N McGrath, and Olivier L Weck. Optimization of multi-spacecraft maneuvers for mobile target tracking from low earth orbit. *Journal of Spacecraft and Rockets*, 60(2):581–590, 2023. doi: 10.2514/1.A35457.
- Pablo Moscato et al. On evolution, search, optimization, genetic algorithms and martial arts: Towards memetic algorithms. *Caltech concurrent computation program, C3P Report*, 826:1989, 1989.
- L. R. Mundim, M. Andretta, and T. A. Queiroz. A biased random key genetic algorithm for open dimension nesting problems using no-fit raster. *Expert Systems with Applications*, 81:358–371, 2017. ISSN 09574174 (ISSN). doi: 10.1016/j.eswa.2017.03.059.
- B. A. Norman and J. C. Bean. A genetic algorithm methodology for complex scheduling problems. *Naval Research Logistics*, 46(2):199–211, 1999. ISSN 0894069X (ISSN). doi: 10.1002/(SICI)1520-6750(199903)46:2<199::AID-NAV5>3.0.CO;2-L.
- T. F. Noronha, M. G. C. Resende, and C. C. Ribeiro. A biased random-key genetic algorithm for routing and wavelength assignment. *Journal of Global Optimization*, 50(3):503–518, 2011. ISSN 09255001 (ISSN). doi: 10.1007/s10898-010-9608-7.

- G. Ochoa, K.M. Malan, and C. Blum. Search trajectory networks: A tool for analysing and visualising the behaviour of metaheuristics. *Applied Soft Computing*, 109:107492, 2021. ISSN 15684946. doi: 10.1016/j.asoc.2021.107492.
- Alexandre César Muniz Oliveira, Antonio Augusto Chaves, and Luiz Antonio Nogueira Lorena. Clustering search. *Pesquisa operacional*, 33(1):105–121, 2013. doi: 10.1590/S0101-74382013000100007.
- B. B. Oliveira, M. A. Carravilla, and J. F. Oliveira. Integrating pricing and capacity decisions in car rental: A matheuristic approach. *Operations Research Perspectives*, 5:334–356, 2018. ISSN 22147160 (ISSN). doi: 10.1016/j.orp.2018.10.002.
- B. B. Oliveira, M. A. Carravilla, J. F. Oliveira, and A. M. Costa. A co-evolutionary matheuristic for the car rental capacity-pricing stochastic problem. *European Journal of Operational Research*, 276(2):637–655, 2019. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2019.01.015.
- B. B. Oliveira, M. A. Carravilla, J. F. Oliveira, and M. G. C. Resende. A c++ application programming interface for co-evolutionary biased random-key genetic algorithms for solution and scenario generation. *Optimization Methods and Software*, 37(3):1065–1086, 2021. ISSN 10556788 (ISSN). doi: 10.1080/10556788.2021.1884250.
- Beatriz Brito Oliveira, Maria Antónia Carravilla, and José Fernando Oliveira. A diversity-based genetic algorithm for scenario generation. *European Journal of Operational Research*, 299(3):1128–1141, 2022. doi: 10.1016/j.ejor.2021.09.047.
- Eliane Vendramini Oliveira and Rubén Romero. Improved biased random key genetic algorithm for the two-dimensional non-guillotine cutting problem. *Pesquisa Operacional*, 42:1–24, 2022. doi: 10.1590/0101-7438.2022.042.00260406.
- R. M. D. Oliveira, A. A. Chaves, and L. A. N. Lorena. A comparison of two hybrid methods for constrained clustering problems. *Applied Soft Computing Journal*, 54:256–266, 2017. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2017.01.023.
- Aditya Paliwal, Yujia Li, Miles Lubin, Vinyals Oriol, Felix Gimeno, Vinod Nair, and Pushmeet Kohli. Reinforced genetic algorithm learning for optimizing computation graphs. In *Proceedings of the 8th International Conference on Learning Representations, ICLR’ 20*, pages 1–13, 2020. URL <https://openreview.net/pdf?id=rkxDoJBYPB>.
- Y. Pan, L. Zhang, Z. Yan, M.O. Lwin, and M.J. Skibniewski. Discovering optimal strategies for mitigating covid-19 spread using machine learning: Experience from asia. *Sustainable Cities and Society*, 75:103254, 2021. ISSN 22106707. doi: 10.1016/j.scs.2021.103254.
- Hari Mohan Pandey, Ankit Chaudhary, and Deepti Mehrotra. A comparative review of approaches to prevent premature convergence in ga. *Applied Soft Computing*, 24:1047–1077, 2014. doi: 10.1016/j.asoc.2014.08.025.
- Tommaso Pastore, Costantino Menna, and Domenico Asprone. Bézier-based biased random-key genetic algorithm to address printability constraints in the topology optimization of concrete structures. *Structural and Multidisciplinary Optimization*, 65(2):64, 2022. doi: 10.1007/s00158-021-03119-3.
- O. Pedrola, D. Careglio, M. Klinkowski, L. Velasco, K. Bergman, and J. Solé-Pareta. Metaheuristic hybridizations for the regenerator placement and dimensioning problem in sub-wavelength switching optical networks. *European Journal of Operational Research*, 224(3):614–624, 2013a. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2012.08.011.

- O. Pedrola, M. Ruiz, L. Velasco, D. Careglio, O. González De Dios, and J. Comellas. A grasp with path-relinking heuristic for the survivable ip/mpls-over-wson multi-layer network optimization problem. *Computers and Operations Research*, 40(12): 3174–3187, 2013b. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2011.10.026.
- Olle Persson, Rickard Danell, and J Wiborg Schneider. How to use bibexcel for various types of bibliometric analysis. *Celebrating scholarly communication studies: A Festschrift for Olle Persson at his 60th Birthday*, 5:9–24, 2009.
- L. S. Pessoa and C. E. Andrade. Heuristics for a flowshop scheduling problem with stepwise job objective function. *European Journal of Operational Research*, 266(3):950–962, 2018. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2017.10.045.
- L. S. Pessoa, A. C. Santos, and M. G. C. Resende. A biased random-key genetic algorithm for the tree of hubs location problem. *Optimization Letters*, 11(7): 1371–1384, 2017. ISSN 18624472 (ISSN). doi: 10.1007/s11590-016-1082-9.
- P. Pinacho-Davidson and C. Blum. Barrakuda: A hybrid evolutionary algorithm for minimum capacitated dominating set problem. *Mathematics*, 8(11):1–26, 2020. ISSN 22277390 (ISSN). doi: 10.3390/math8111858.
- P. R. Pinheiro, B. Amaro Júnior, and R. D. Saraiva. A random-key genetic algorithm for solving the nesting problem. *International Journal of Computer Integrated Manufacturing*, 29(11):1159–1165, 2016. ISSN 0951192X (ISSN). doi: 10.1080/0951192X.2015.1036522.
- B. Q. Pinto, C. C. Ribeiro, I. Rosseti, and A. Plastino. A biased random-key genetic algorithm for the maximum quasi-clique problem. *European Journal of Operational Research*, 271(3):849–865, 2018. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2018.05.071.
- B. Q. Pinto, C. C. Ribeiro, I. Rosseti, and T. F. Noronha. A biased random-key genetic algorithm for routing and wavelength assignment under a sliding scheduled traffic model. *Journal of Global Optimization*, 77(4):949–973, 2020. ISSN 09255001 (ISSN). doi: 10.1007/s10898-020-00877-0.
- B. Q. Pinto, C. C. Ribeiro, J. A. Riveaux, and I. Rosseti. A brkga-based matheuristic for the maximum quasi-clique problem with an exact local search strategy. *RAIRO - Operations Research*, 55:S741–S763, 2021. ISSN 03990559 (ISSN). doi: 10.1051/ro/2020003.
- David Pisinger and Stefan Ropke. A general heuristic for vehicle routing problems. *Computers & operations research*, 34(8):2403–2435, 2007. doi: 10.1016/j.cor.2005.09.012.
- Hari Prasetyo, Gusti Fauza, Yousef Amer, and Sang-Heon Lee. Survey on applications of biased-random key genetic algorithms for solving optimization problems. In *2015 IEEE International Conference on Industrial Engineering and Engineering Management (IEEM)*, pages 863–870. IEEE, 2015. doi: 10.1109/IEEM.2015.7385771.
- E. Queiroga, R. G. S. Pinheiro, Q. Christ, A. Subramanian, and A. A. Pessoa. Iterated local search for single machine total weighted tardiness batch scheduling. *Journal of Heuristics*, 27(3):353–438, 2021. ISSN 13811231 (ISSN). doi: 10.1007/s10732-020-09461-x.
- Usha Nandini Raghavan, Réka Albert, and Soundar Kumara. Near linear time algorithm to detect community structures in large-scale networks. *Physical review E*, 76(3):036106, 2007. doi: 10.1103/PhysRevE.76.036106.

- A. G. Ramos, E. Silva, and J. F. Oliveira. A new load balance methodology for container loading problem in road transportation. *European Journal of Operational Research*, 266(3):1140–1152, 2018. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2017.10.050.
- A.G. Ramos, J. F. Oliveira, J. F. Gonçalves, and M. P. Lopes. A container loading algorithm with static mechanical equilibrium stability constraints. *Transportation Research Part B: Methodological*, 91:565–581, 2016. ISSN 01912615 (ISSN). doi: 10.1016/j.trb.2016.06.003.
- A. A. M. Raposo, A. B. Rodrigues, and M. da Guia da Silva. Robust meter placement for state estimation considering distribution network reconfiguration for annual energy loss reduction. *Electric Power Systems Research*, 182:106233, 2020. ISSN 03787796 (ISSN). doi: 10.1016/j.epsr.2020.106233.
- R. Reis, M. Ritt, L. S. Buriol, and M. G. C. Resende. A biased random-key genetic algorithm for ospf and deft routing to minimize network congestion. *International Transactions in Operational Research*, 18(3):401–423, 2011. ISSN 09696016 (ISSN). doi: 10.1111/j.1475-3995.2010.00771.x.
- M. G. C. Resende, R. F. Toso, J. F. Gonçalves, and R. M. A. Silva. A biased random-key genetic algorithm for the steiner triple covering problem. *Optimization Letters*, 6(4):605–619, 2012. ISSN 18624472 (ISSN). doi: 10.1007/s11590-011-0285-3.
- Mauricio G. C. Resende. Biased random-key genetic algorithms with applications in telecommunications. *Top*, 20(1):130–153, 2012. doi: 10.1007/s11750-011-0176-x.
- Celso C Ribeiro and Mauricio G. C. Resende. Path-relinking intensification methods for stochastic local search algorithms. *Journal of heuristics*, 18(2):193–214, 2012. doi: 10.1007/s10732-011-9167-1.
- Auliya Noor Rochman, Hari Prasetyo, and Munajat Tri Nugroho. Biased random key genetic algorithm with insertion and gender selection for capacitated vehicle routing problem with time windows. *AIP Conference Proceedings*, 1855(1):020025, 2017. doi: 10.1063/1.4985470.
- J. Rocholl and L. Mönch. Decomposition heuristics for parallel-machine multiple orders per job scheduling problems with a common due date. *Journal of the Operational Research Society*, 72(8):1737–1753, 2021. ISSN 01605682 (ISSN). doi: 10.1080/01605682.2019.1640589.
- L. A. C. Roque, D. B. M. M. Fontes, and F. A. C. C. Fontes. A hybrid biased random key genetic algorithm approach for the unit commitment problem. *Journal of Combinatorial Optimization*, 28(1):140–166, 2014. ISSN 13826905 (ISSN). doi: 10.1007/s10878-014-9710-8.
- L. A. C. Roque, D. B. M. M. Fontes, and F. A. C. C. Fontes. A metaheuristic approach to the multi-objective unit commitment problem combining economic and environmental criteria. *Energies*, 10(12):2029, 2017. ISSN 19961073 (ISSN). doi: 10.3390/en10122029.
- E. Ruiz, M. Albareda-Sambola, E. Fernández, and M. G. C. Resende. A biased random-key genetic algorithm for the capacitated minimum spanning tree problem. *Computers and Operations Research*, 57:95–108, 2015. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2014.11.011.
- E. Ruiz, V. Soto-Mendoza, A. E. Ruiz Barbosa, and R. Reyes. Solving the open vehicle routing problem with capacity and distance constraints with a biased

- random key genetic algorithm. *Computers and Industrial Engineering*, 133:207–219, 2019. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2019.05.002.
- M. Ruiz, O. Pedrola, L. Velasco, D. Careglio, J. Fernández-Palacios, and G. Junyent. Survivable ip/mppls-over-wson multilayer network optimization. *Journal of Optical Communications and Networking*, 3(8):629–640, 2011. ISSN 19430620 (ISSN). doi: 10.1364/JOCN.3.000629.
- Rubén Ruiz and Thomas Stützle. A simple and effective iterated greedy algorithm for the permutation flowshop scheduling problem. *European journal of operational research*, 177(3):2033–2049, 2007. doi: 10.1016/j.ejor.2005.12.009.
- F. Samanlıoğlu, M. B. Kurz, W. G. Ferrell, and S. Tangudu. A hybrid random-key genetic algorithm for a symmetric travelling salesman problem. *International Journal of Operational Research*, 2(1):47–63, 2007. ISSN 17457645 (ISSN). doi: 10.1504/IJOR.2007.011443.
- F. Samanlıoğlu, W. G. Ferrell Jr., and M. E. Kurz. A memetic random-key genetic algorithm for a symmetric multi-objective traveling salesman problem. *Computers and Industrial Engineering*, 55(2):439–449, 2008. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2008.01.005.
- Cleder M Schenekemberg, Antonio A Chaves, Leandro C Coelho, Thiago A Guimarães, and Gustavo G Avelino. The dial-a-ride problem with private fleet and common carrier. *Computers & Operations Research*, 147:105933, 2022. doi: 10.1016/j.cor.2022.105933.
- Martin J A Schuetz, J Kyle Brubaker, Henry Montagu, Yannick van Dijk, Johannes Klepsch, Philipp Ross, Andre Luckow, Mauricio G C Resende, and Helmut G Katzgraber. Optimization of robot-trajectory planning with nature-inspired and hybrid quantum algorithms. *Physical Review Applied*, 18(5):054045, 2022. doi: 10.1103/PhysRevApplied.18.054045.
- Stefan Seuring and Stefan Gold. Conducting content-analysis based literature reviews in supply chain management. *Supply Chain Management: An International Journal*, 2012. doi: 10.1108/13598541211258609.
- Geiza Silva, André Leite, Raydonal Ospina, Víctor Leiva, Jorge Figueroa-Zúñiga, and Cecilia Castro. Biased random-key genetic algorithm with local search applied to the maximum diversity problem. *Mathematics*, 11(14):3072, 2023a. doi: 10.3390/math11143072.
- R. M. A. Silva, M. G. C. Resende, and P. M. Pardalos. Finding multiple roots of a box-constrained system of nonlinear equations with a biased random-key genetic algorithm. *Journal of Global Optimization*, 60(2):289–306, 2014. ISSN 09255001 (ISSN). doi: 10.1007/s10898-013-0105-7.
- R. M. A. Silva, M. G. C. Resende, and P. M. Pardalos. A python/c++ library for bound-constrained global optimization using a biased random-key genetic algorithm. *Journal of Combinatorial Optimization*, 30(3):710–728, 2015. ISSN 13826905 (ISSN). doi: 10.1007/s10878-013-9659-z.
- Samuel E Silva, Celso C Ribeiro, and Uéverton dos Santos Souza. A biased random-key genetic algorithm for the chordal completion problem. *RAIRO-Operations Research*, 57(3):1559–1578, 2023b. doi: 10.1051/ro/2023081.
- T. T. Silva, A. A. Chaves, H. H. Yanasse, and H. P. L. Luna. The multicommodity traveling salesman problem with priority prizes: a mathematical model and metaheuristics. *Computational and Applied Mathematics*, 38(4):188, 2019. ISSN 22383603 (ISSN). doi: 10.1007/s40314-019-0976-4.

- Y. I. Silva-Soto and O. J. Ibarra-Rojas. Timetabling with flexible frequencies to synchronise groups of bus lines at common stops. *Transportmetrica A: Transport Science*, 17(4):978–1001, 2021. ISSN 23249935 (ISSN). doi: 10.1080/23249935.2020.1822952.
- Vivek Kumar Singh, Prashasti Singh, Mousumi Karmakar, Jacqueline Leta, and Philipp Mayr. The journal coverage of web of science, scopus and dimensions: A comparative analysis. *Scientometrics*, 126(6):5113–5142, 2021. doi: 10.1007/s11192-021-03948-5.
- Hannah Snyder. Literature review as a research methodology: An overview and guidelines. *Journal of business research*, 104:333–339, 2019. doi: 10.1016/j.jbusres.2019.07.039.
- L. V. Snyder and M. S. Daskin. A random-key genetic algorithm for the generalized traveling salesman problem. *European Journal of Operational Research*, 174(1): 38–53, 2006. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2004.09.057.
- L. C. R. Soares and M. A. M. Carvalho. Biased random-key genetic algorithm for scheduling identical parallel machines with tooling constraints. *European Journal of Operational Research*, 285(3):955–964, 2020. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2020.02.047.
- Leonardo CR Soares and Marco AM Carvalho. Application of a hybrid evolutionary algorithm to resource-constrained parallel machine scheduling with setup times. *Computers & Operations Research*, 139:105637, 2022. doi: 10.1016/j.cor.2021.105637.
- L. R. D. Souza Queiroz and M. Andretta. Two effective methods for the irregular knapsack problem. *Applied Soft Computing Journal*, 95:106485, 2020. ISSN 15684946 (ISSN). doi: 10.1016/j.asoc.2020.106485.
- William M Spears and Kenneth A De Jong. An analysis of multi-point crossover. In *Foundations of genetic algorithms*, volume 1, pages 301–315. Elsevier, 1991. doi: 10.1016/B978-0-08-050684-5.50022-7.
- F. Stefanello, L. S. Buriol, M. J. Hirsch, P. M. Pardalos, T. Querido, M. G. C. Resende, and M. Ritt. On the minimization of traffic congestion in road networks with tolls. *Annals of Operations Research*, 249(1-2):119–139, 2017. ISSN 02545330 (ISSN). doi: 10.1007/s10479-015-1800-1.
- F. Stefanello, V. Aggarwal, L. S. Buriol, and M. G. C. Resende. Hybrid algorithms for placement of virtual machines across geo-separated data centers. *Journal of Combinatorial Optimization*, 38(3):748–793, 2019. ISSN 13826905 (ISSN). doi: 10.1007/s10878-019-00411-3.
- Rainer Storn and Kenneth Price. Differential evolution—a simple and efficient heuristic for global optimization over continuous spaces. *Journal of global optimization*, 11(4):341–359, 1997. doi: 10.1023/A:1008202821328.
- Y. Su, Y. Ye, S. Chen, and W. Yang. A hybrid chemical reaction optimisation algorithm for solving 3d packing problem. *International Journal of Autonomous and Adaptive Communications Systems*, 14(1-2):117–131, 2021. ISSN 17548632 (ISSN). doi: 10.1504/IJAACS.2021.114296.
- N. Suhaimi, C. Nguyen, and P. Damodaran. Lagrangian approach to minimize makespan of non-identical parallel batch processing machines. *Computers and Industrial Engineering*, 101:295–302, 2016. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2016.09.018.

- Baodan Sun and Yun Zhou. Bayesian network structure learning with improved genetic algorithm. *International Journal of Intelligent Systems*, 37(9):6023–6047, 2022. doi: 10.1002/int.22833.
- P. Tangpattanakul, N. Jozefowicz, and P. Lopez. Biased random key genetic algorithm for multi-user earth observation scheduling. *Recent Advances in Computational Optimization*, 580:143–160, 2015a. ISSN 1860949X (ISSN). doi: 10.1007/978-3-319-12631-9_9.
- P. Tangpattanakul, N. Jozefowicz, and P. Lopez. A multi-objective local search heuristic for scheduling earth observations taken by an agile satellite. *European Journal of Operational Research*, 245(2):542–554, 2015b. ISSN 03772217 (ISSN). doi: 10.1016/j.ejor.2015.03.011.
- Antônio Márcio Tavares Thomé, Luiz Felipe Scavarda, Annibal Scavarda, and Felipe Eduardo Sydio Souza Thomé. Similarities and contrasts of complexity, uncertainty, risks, and resilience in supply chains and temporary multi-organization projects. *International Journal of Project Management*, 34(7):1328–1346, 2016a. doi: 10.1016/j.ijproman.2015.10.012.
- Antônio Márcio Tavares Thomé, Luiz Felipe Scavarda, and Annibal José Scavarda. Conducting systematic literature review in operations management. *Production Planning & Control*, 27(5):408–420, 2016b. doi: 10.1080/09537287.2015.1129464.
- R. F. Toso and M. G. C. Resende. A c++ application programming interface for biased random-key genetic algorithms. *Optimization Methods and Software*, 30(1):81–93, 2015. ISSN 10556788 (ISSN). doi: 10.1080/10556788.2014.890197.
- J. M. S. Valente and J. F. Gonçalves. A genetic algorithm approach for the single machine scheduling problem with linear earliness and quadratic tardiness penalties. *Computers and Operations Research*, 36(10):2707–2715, 2009. ISSN 03050548 (ISSN). doi: 10.1016/j.cor.2008.11.016.
- J. M. S. Valente, J. F. Gonçalves, and R. A. F. S. Alves. A hybrid genetic algorithm for the early/tardy scheduling problem. *Asia-Pacific Journal of Operational Research*, 23(3):393–405, 2006. ISSN 02175959 (ISSN). doi: 10.1142/S0217595906000978.
- L. Velasco, P. Wright, A. Lord, and G. Junyent. Saving capex by extending flexgrid-based core optical networks toward the edges. *Journal of Optical Communications and Networking*, 5(10):A171–A183, 2013. ISSN 19430620 (ISSN). doi: 10.1364/JOCN.5.00A171.
- Dianne Villicaña-Cervantes and Omar J Ibarra-Rojas. Accessible location of mobile labs for covid-19 testing. *Health Care Management Science*, pages 1–19, 2022. doi: 10.1007/s10729-022-09614-3.
- C.S. Wang and R. Uzsoy. A genetic algorithm to minimize maximum lateness on a batch processing machine. *Computers and Operations Research*, 29(12):1621–1640, 2002. ISSN 03050548 (ISSN). doi: 10.1016/S0305-0548(01)00031-4.
- Christopher JCH Watkins and Peter Dayan. Q-learning. *Machine learning*, 8: 279–292, 1992. doi: 10.1007/BF00992698.
- Jane Webster and Richard T Watson. Analyzing the past to prepare for the future: Writing a literature review. *MIS quarterly*, pages xiii–xxiii, 2002.
- Darrell Whitley, Soraya Rana, and Robert B Heckendorn. The island model genetic algorithm: On separability, population size and convergence. *Journal of computing and information technology*, 7(1):33–47, 1999.

- S. Won, H. Bae, and R. A. Sutrisnowati. Production scheduling in steel manufacturing with cutting and parallel operations. *ICIC Express Letters, Part B: Applications*, 9(8):869–877, 2018. ISSN 21852766 (ISSN). doi: 10.24507/icicelb.09.08.869.
- J.Z. Wu, C.F. Chien, and M. Gen. Coordinating strategic outsourcing decisions for semiconductor assembly using a bi-objective genetic algorithm. *International Journal of Production Research*, 50(1):235–260, 2012. ISSN 00207543 (ISSN). doi: 10.1080/00207543.2011.571457.
- Yi Xie, Yuhan Sheng, Moqi Qiu, and Fengxian Gui. An adaptive decoding biased random key genetic algorithm for cloud workflow scheduling. *Engineering applications of artificial intelligence*, 112:104879, 2022. doi: 10.1016/j.engappai.2022.104879.
- Yuying Xu, Ping Guo, and Yi Zeng. An iterative neighborhood local search algorithm for capacitated centered clustering problem. *IEEE Access*, 10:34497–34510, 2022. doi: 10.1109/ACCESS.2022.3162692.
- Xin-She Yang. Flower pollination algorithm for global optimization. In *International conference on unconventional computing and natural computation*, pages 240–249. Springer, 2012. doi: 10.1007/978-3-642-32894-7_27.
- D. Yilmaz Eroglu, H. C. Ozmutlu, and S. Ozmutlu. Genetic algorithm with local search for the unrelated parallel machine scheduling problem with sequence-dependent set-up times. *International Journal of Production Research*, 52(19):5841–5856, 2014. ISSN 00207543 (ISSN). doi: 10.1080/00207543.2014.920966.
- Xiaoyu Yu, Jingyi Qian, Yajing Zhang, and Min Kong. Supply chain scheduling method for the coordination of agile production and port delivery operation. *Mathematics*, 11(15):3276, 2023. doi: 10.3390/math11153276.
- Jingqiao Zhang and Arthur C Sanderson. Jade: adaptive differential evolution with optional external archive. *IEEE Transactions on evolutionary computation*, 13(5):945–958, 2009. doi: 10.1109/TEVC.2009.2014613.
- Xiaopan Zhang, Mengjie Shan, and Ju Zeng. Parallel batch processing machine scheduling under two-dimensional bin-packing constraints. *IEEE Transactions on Reliability*, page 1265, 2022. doi: 10.1109/TR.2022.3201333.
- Wenzheng Zhao, Yinhua Liu, Yinan Wang, and Xiaowei Yue. Distributed spot welding task allocation and sequential planning for multi-station multi-robot coordinate assembly processes. *The International Journal of Advanced Manufacturing Technology*, 127(11-12):5233–5251, 2023. doi: 10.1007/s00170-023-11750-1.
- J.N. Zheng, C.F. Chien, and M. Gen. Multi-objective multi-population biased random-key genetic algorithm for the 3-d container loading problem. *Computers and Industrial Engineering*, 89:80–87, 2015. ISSN 03608352 (ISSN). doi: 10.1016/j.cie.2014.07.012.
- Eckart Zitzler and Simon Künzli. Indicator-based selection in multiobjective search. In *International conference on parallel problem solving from nature*, pages 832–842. Springer, 2004. doi: 10.1007/978-3-540-30217-9_84.
- A. Zudio, D. H. da Silva Costa, B. P. Masquio, I. M. Coelho, and P. E. D. Pinto. Brkga/vnd hybrid algorithm for the classic three-dimensional bin packing problem. *Electronic Notes in Discrete Mathematics*, 66:175–182, 2018. ISSN 15710653 (ISSN). doi: 10.1016/j.endm.2018.03.023.

(Mariana A. Londe) DEPARTMENT OF INDUSTRIAL ENGINEERING, PUC-RIO,, RUA MARQUÊS DE SÃO VICENTE, 225, GÁVEA 22453-900 RIO DE JANEIRO, RJ, BRAZIL.

Email address, M.A. Londe: mlonde@aluno.puc-rio.br

(Luciana S. Pessoa) DEPARTMENT OF INDUSTRIAL ENGINEERING, PUC-RIO,, RUA MARQUÊS DE SÃO VICENTE, 225, GÁVEA 22453-900 RIO DE JANEIRO, RJ, BRAZIL.

Email address, L.S. Pessoa: lucianapessoa@puc-rio.br

(Cartlos A. Andrade) AT&T LABS RESEARCH,, 200 SOUTH LAUREL AVENUE, MIDDLETOWN, NJ 07748 USA

Email address, C.E. Andrade: cea@research.att.com

(Mauricio G.C. Resende) INDUSTRIAL AND SYSTEMS ENGINEERING,, UNIVERISTY OF WASHINGTON, 3900 E STEVENS WAY NE, SEATTLE, WA 98195 USA.

Email address, M.G.C. Resende: mgcr@uw.edu