THE NARROW DEPTH AND BREADTH OF CORPORATE RESPONSIBLE AI RESEARCH

Nur Ahmed 1* Amit Das 2, Kirsten Martin 3, Kawshik Banerjee 4

¹Sloan School of Management and CSAIL, MIT ²Lundquist College of Business, University of Oregon ³Mendoza College of Business, University of Notre Dame ⁴Dept. of CSE, RUET

ABSTRACT

The transformative potential of AI presents remarkable opportunities, but also significant risks, underscoring the importance of responsible AI development and deployment. Despite a growing emphasis on this area, there is limited understanding of industry's engagement in responsible AI research, i.e., the critical examination of AI's ethical, social, and legal dimensions. To address this gap, we analyzed over 6 million peer-reviewed articles and 32 million patent citations using multiple methods across five distinct datasets to quantify industry's engagement. Our findings reveal that the majority of AI firms show limited or no engagement in this critical subfield of AI. We show a stark disparity between industry's dominant presence in conventional AI research and its limited engagement in responsible AI. Leading AI firms exhibit significantly lower output in responsible AI research compared to their conventional AI research and the contributions of leading academic institutions. Our linguistic analysis documents a narrower scope of responsible AI research within industry, with a lack of diversity in key topics addressed. Our large-scale patent citation analysis uncovers a pronounced disconnect between responsible AI research and the commercialization of AI technologies, suggesting that industry patents rarely build upon insights generated by the responsible AI literature. This gap highlights the potential for AI development to diverge from a socially optimal path, risking unintended consequences due to insufficient consideration of ethical and societal implications. Our results highlight the urgent need for industry to publicly engage in responsible AI research to absorb academic knowledge, cultivate public trust, and proactively mitigate AI-induced societal harms.

*Corresponding author: nurahmed@mit.edu

1 Introduction

As AI continues to mediate our lives and relationships (Lazar, 2022; Wagner et al., 2021), it brings a host of benefits (Taddeo and Floridi, 2018), such as automation of routine tasks (Brynjolfsson et al., 2019), improved medical services (Coudray et al., 2018), and increased productivity (Noy and Zhang, 2023). At the same time, many studies have demonstrated the ethical issues with AI deployment—including creating harm by recommending hateful content (Santos et al., 2021), generating discriminatory predictions (Buolamwini and Gebru, 2018; Huszár et al., 2022; Dressel and Farid, 2018), or sowing dissent through disinformation (Matz et al., 2017; Acquisti et al., 2015; Vlasceanu and Amodio, 2022). Consequently, a general lack of trust in AI has emerged among the public (Mitre, 2023). Hence, regulators, such as the US Congress, the White House, and the European Parliament, have joined scholars in questioning the actions of AI firms—firms that own one or more AI patents—and asking for more public engagement, including research (The White House, 2023b), on these societal issues (Kang, 2023).

In this article, we use the term "responsible AI" to denote the examination of the ethical and societal implications of AI. This includes improving its design, development and deployment, and assessing the appropriateness of AI use in specific situations (Barocas et al., 2020). Research into responsible AI is critical for aligning AI models with societal values (Van de Poel, 2020), respecting fundamental human rights (Aizenberg and van den Hoven, 2020), and contributing positively to society while minimizing potential harms (Hoffmann and Frase, 2023; Smith, 2023), and ensuring the trustworthiness of AI technologies (Knowles and Richards, 2021). Therefore, firms creating these technologies need to critically and ethically evaluate their AI systems, as the benefits and costs of AI are not inherent to the technology but rather the result of how it is developed and deployed (Acemoglu, 2021).

AI firms are in a unique position in shaping the trajectory of AI development, possessing the resources, talent, and capability to drive innovation in this field (Ahmed et al., 2023; Frank et al., 2019). However, this privileged position also entails a heightened responsibility to ensure the socially beneficial and ethically sound development and deployment of AI (Rudner, 1953; Johnson, 2023; Bijker and Law, 1994). Engaging in responsible AI research is crucial for AI firms to cultivate their absorptive capacity (Cohen and Levinthal, 1990; Zahra and George, 2002; Baruffaldi and Poege, 2023), foster transparency and accountability (Brundage et al., 2020; Mittelstadt, 2019), and navigate the complex trade-offs involved in aligning AI with societal values (Korinek and Balwit, 2022). Public engagement and deliberation are essential in navigating the responsible development of AI, as the substantial conceptual ambiguities surrounding this field require input from diverse stakeholders (Raghavan, 2023). Moreover, as AI firms are accountable for the consequences of their products, investing in responsible AI research is necessary to understand the limitations and potential risks associated with their technology (Holstein et al., 2019). Overall, prioritizing public engagement in responsible AI development not only benefits society as a whole but also provides tangible financial benefits to AI firms themselves by building trust among regulators and customers.

While research into responsible AI by firms could enable them to develop and deploy the technology in a socially beneficial manner (Askell et al., 2019), the extent and impact of industry involvement in responsible AI research remain ambiguous. The literature presents divergent perspectives on this topic, highlighting a tension between the potential benefits and risks of industry engagement in responsible AI. Critics argue that excessive industry involvement in AI research could compromise the integrity and independence of responsible AI initiatives (Abdalla and Abdalla, 2021; Hao, 2021; Young et al., 2022). For example, Baker and Hanna (2022) assert that this critical research stream is at risk, emphasizing the need for funding independent, grassroots-led research. This is in part because there is a significant concern that industry might have excessive influence over the trajectory of AI research (Young et al., 2022; Ahmed and Wahed, 2020). Furthermore, some argue that industry collaborates with academics on responsible AI research to influence regulation, potentially undermining the objectivity of such efforts (Ochigame, 2019). This perspective suggests that industry engagement in responsible AI research may be driven by self-interest rather than a genuine commitment to ethical AI development (Cath et al., 2018).

Conversely, new findings challenge the universally negative view of industry participation in responsible AI research. Emerging evidence indicates that certain firms have advanced significantly in this area (Zhang et al., 2022; Maslej et al., 2023), progressing past superficial contributions and implementation (de Laat, 2021). This suggests that industry engagement in responsible AI research and practice is not always detrimental and that certain firms are committed to socially beneficial AI development. This tension in the literature underscores the need for further investigation into the nature and extent of industry's engagement in responsible AI research.

In this study, we ask:

- To what extent does industry engage in responsible AI research?
- How do the priorities of responsible AI research differ between industry and academia
- To what extent does industry integrate responsible AI research into its commercial inventions?

To answer these questions, we conducted a systematic analysis of more than 6 million peer-reviewed papers (2010-22) sourced from Scopus and 32 million USPTO patent citations (1947-2022) (Marx and Fuegi, 2020). Our comprehensive dataset encompasses a wide range of conference and journal articles, adopting an expansive definition of responsible AI research. We employed multiple methods, including supervised machine learning and keyword search, to classify papers as responsible AI research. Leveraging five distinct datasets (see Table 1), we evaluated the extent of industry's engagement in this important subfield. Our analyses consistently demonstrate that industry's participation in responsible AI research lacks both depth and breadth.

Our key contributions include:

- First, our comprehensive analysis of nearly all industry-authored AI papers reveals a concerning lack of industry engagement in responsible AI research. We employ two distinct methods—a rigorously tested supervised machine learning analysis and a keyword search approach—to classify responsible AI papers. The results suggest that nearly 90% of AI firms with commercial patents conduct no research into responsible AI. Even more alarming is the finding that among AI research firms—those with one or more AI publications—only 11.2% engage in substantive responsible AI research. Overall, our findings indicate a lack of meaningful industry engagement in responsible AI research.
- Second, comparing industry to academic institutions by analyzing over 5.9 million papers, our study shows a significant disparity in the production of responsible AI research by leading AI firms. Leading AI firms produce significantly lower output in responsible AI research compared to their conventional AI research and the contributions of leading academic institutions.
- Third, analyzing industry presence at AI conferences reveals a stark imbalance: while industry dominates conventional AI conferences, its engagement in responsible AI conferences is limited, highlighting a lack of commitment to responsible AI advancement.
- Fourth, by employing various natural language processing (NLP) methods on paper abstracts, we find that AI firms tend to have a more limited research focus on responsible AI compared to academic researchers. Specifically, areas such as moral considerations, environmental concerns, and ethical consequences receive less attention in industry papers.
- Finally, to the best of our knowledge, this work is *the first empirical evidence* that shows that responsible AI research has a limited impact on industry's commercial inventions. Our comprehensive analysis of over 32 million patent citations reveals a notable gap between responsible AI research and its application by industry, suggesting limited commercial integration of responsible AI research.

Our findings indicate that AI's rapid commercialization is proceeding with insufficient attention to its potential consequences, despite mounting pressure from regulators (The White House, 2023a), activists (Krafft et al., 2021), and employees (Ahmed and Jia, 2023; Belfield, 2020) to prioritize responsible development. Industry's limited engagement in responsible AI research is concerning, given its leading role in AI development. Our analysis shows that AI firms have minimal involvement in responsible AI research and development, as evidenced by their publications and patent citations. This suggests that the current trajectory of AI may not be socially optimal.

In the following sections, we discuss: related literature on industry engagement in responsible AI research (section 2), why industry should engage in responsible AI research (section 3), what extent industry engages in responsible AI research (section 4), research

priorities in responsible AI between industry and academia (section 5), to what extent industry incorporates responsible AI research into their commercial inventions (section 6), and finally, we discuss the potential policy implications of our findings (section 7).

Table 1: Datasets used to analyze industry engagement in responsible AI

Dataset	Source	Number of	Period	Reference	Sampling Strategy
		Observations		Figure	
1	Industry	679,919	2010-22	1, 3, 5, S7	All peer-reviewed
					papers published by
					firms holding at least
					one AI patent
	Academia	5,265,419	2010-22	1, 3, 5, S7	All peer-reviewed
					papers published by
					leading 100 US
					universities
2	Leading	106,012	2010-22	2	Leading conferences
	conventional				in conventional AI
	AI conferences				(see Table S1 in the
					appendix)
	Leading	851	2018-22	2,5	Leading conferences
	responsible AI				in responsible AI (see
	conferences				Table S1 in the
					appendix)
3	Responsible	36,022	2010-22	2,5	Papers identified us-
	AI journal and				ing expert-suggested
	conference				keywords (see Table
	papers ¹				S2 in the appendix)
4	Patents-	32,698,465	1947-2022	5	Reliance on Science
	to-paper				data (Marx and
	citations ²				Fuegi, 2020)
5	AI patents	141,770	1985-2018	5	AI patents data
					(Miric et al., 2023)

2 Related Literature on Industry's Engagement in Responsible AI Research

Recent research has documented industry's increasing dominance of the frontiers of AI research (Frank et al., 2019; Koch et al., 2021; Ahmed et al., 2023). Studies have shown that industry not only has an increased presence but also influences the trajectory of AI research by creating the majority of large AI models (Benkler, 2019; Jurowetzki et al., 2021;

¹This comprehensive sample encompasses papers from a diverse array of sources, including various journals and conferences in addition to top-tier outlets.

²This citation data comes from over 2 million USPTO patents between 1947 and 2022 citing over 5 million papers between 1800 and 2022.

Ahmed et al., 2023). Concerns arise from the significant influence industry may exert over the direction of AI research (Young et al., 2022; Ahmed and Wahed, 2020), including hiring academics (Ahmed et al., 2023; Simonite, 2020; Gofman and Jin, 2023) and directly funding AI research at universities (Abdalla and Abdalla, 2021; Hao, 2021; Young et al., 2022). Consequently, scholars worry that academia is falling behind (Ahmed and Wahed, 2020; Jurowetzki et al., 2021), with industry taking the lead in pushing the boundaries of AI research and development.

However, there is conflicting evidence regarding industry's engagement in responsible AI research. One stream of literature suggests that engagement in responsible AI research has increased notably (Maslej et al., 2023, 2024). The Stanford AI Index 2022 reports a 71% year-over-year increase in industry co-authored publications at leading responsible AI conferences in recent years (Zhang et al., 2022). Research has also suggested that certain AI firms have genuinely engaged with their responsible AI practices (de Laat, 2021). In fact, concerns have grown to such an extent that scholars have predicted AI firms might shape the future research agenda in the field of responsible AI (Hao, 2021; Young et al., 2022; Baker and Hanna, 2022; Jazwinska, 2022). This has led some to argue that industry collaborates with academics on responsible AI research to sway regulation, potentially compromising the objectivity of these efforts (Ochigame, 2019; Cath et al., 2018). Moreover, critics contend that excessive industry involvement in AI research could compromise the integrity and independence of responsible AI initiatives (Abdalla and Abdalla, 2021; Hao, 2021; Young et al., 2022; Baker and Hanna, 2022).

On the other hand, another stream of literature predicts and argues that industry might have limited incentive to engage in the development of responsible AI (Askell et al., 2019). The "ethics washing" literature claims that firms create the illusion of ethical behavior without substantive work in responsible AI (de Laat, 2021; Rakova et al., 2021; Falco et al., 2021). This suggests that industry has limited engagement in both responsible AI research and practice, contradicting prior claims.

Scholars have also examined the breadth of industry's responsible AI research, focusing on the range of topics addressed. However, these examinations have been limited in scale. Recent textual analyses indicate that while certain areas of responsible AI have gained traction over time (Laufer et al., 2022), mainstream AI research often prioritizes the interests of large corporations over societal needs, potentially overlooking harmful consequences (Birhane et al., 2022). It is important to note that a significant drawback of these studies is their narrow focus on only the most prestigious responsible AI conferences, which may not provide a comprehensive view of the field.

3 Motivations for Industry to Engage in Responsible AI Research

AI firms, as the primary drivers of technological development and deployment, have a critical role to play in responsible AI research due to their unique position, expertise, and potential impact on society. Moreover, given that the design of AI necessitates considerable public deliberation, we contend that it is crucial for these organizations to publicly engage in responsible AI research.

Unique position and capability. AI firms occupy a unique position to shape the trajectory of AI development due to their central role in developing and deploying this technology (Miric et al., 2023; Ahmed et al., 2023). The decisions these firms make during the design and deployment phases have far-reaching implications for society (Rudner, 1953; Johnson, 2023; Bijker and Law, 1994). Furthermore, their privileged vantage point allows them to identify potential shortcomings and risks associated with their AI systems that may not be apparent to external researchers and take necessary measures to address those (Nedzhvetskaya and Tan, 2022). This unique position imposes a heightened responsibility on AI firms to ensure that the technology they develop is socially beneficial and morally sound (Smith, 2023).

Access to required resources. The development of cutting-edge AI requires vast amounts of data, computational power, and talent—resources that are largely concentrated within AI firms (Ahmed et al., 2023; Birhane et al., 2023; Ahmed and Wahed, 2020). Industry actors develop the vast majority of state-of-the-art AI models (Ahmed et al., 2023; Maslej et al., 2024), which are often opaque and difficult for outside researchers to reproduce and audit (Bommasani et al., 2023). Moreover, AI firms attract a disproportionate share of top AI talent, with nearly 70% of AI PhDs opting for industry roles over academic positions (Ahmed et al., 2023). Additionally, industry is dominating the leading AI benchmarks and directing the trajectory of AI research. This disparity in resources between industry and academia is particularly concerning given that certain limitations of AI models, such as toxicity in language, only become evident at larger scales (Ganguli et al., 2022; Birhane et al., 2023). This disparity underscores the heightened responsibility of AI firms to commercialize AI research responsibly.

Cultivation of absorptive capacity. Engaging in responsible AI research is crucial for firms to develop their "absorptive capacity"—the ability to identify, assimilate, and apply external knowledge (Cohen and Levinthal, 1990; Zahra and George, 2002; Baruffaldi and Poege, 2023). This process is complex and costly, requiring firms to establish specific routines and organizational procedures (Zahra and George, 2002). Recent research suggests that active participation in conferences is essential for firms to effectively learn from other researchers (Baruffaldi and Poege, 2023). By actively participating in responsible AI research and presenting their findings at leading conferences, AI firms can enhance their capacity to absorb and integrate the knowledge generated by the broader research community (Epstein et al., 2018; Microsoft, 2024).

Increased transparency and accountability. Fostering transparency and accountability in the AI development process is crucial for developing trustworthy AI systems (Brundage et al., 2020; Mittelstadt, 2019). Industry needs to engage in public deliberations and consult with external stakeholders when making critical decisions about design choices during AI development. This approach is essential for several reasons.

First, participating in peer-review processes facilitates interaction with various stake-holders, particularly those in academia and the non-profit sectors. Such engagement is essential because mitigating bias and reducing unfairness in AI models often require making choices that conflict with each other (Raghavan, 2023). Furthermore, the complexity of designing technology for diverse user needs, with varying incentives and often unclear

user preferences, necessitates collaborative decision-making (Ghoshal and Dasgupta, 2023; Kleinberg et al., 2023).

Second, decisions regarding what to commercialize, how to commercialize, and for whom should undergo public deliberation (Barocas et al., 2020). It is equally important to consider what not to develop or commercialize as some AI technologies may have unintended negative consequences or raise significant ethical concerns (Cohen et al., 2024). Public deliberation is imperative because the repercussions of commercialization often disproportionately impact marginalized groups (Raji and Buolamwini, 2019; Bruckner, 2018). Transparency regarding the values encoded and reflected in AI models (Birhane et al., 2022) is crucial for developing AI systems that equitably represent and serve all individuals, as it enables stakeholders to identify and address potential biases or limitations that could lead to discriminatory or unfair outcomes. Furthermore, the substantial conceptual ambiguities and debates surrounding responsible AI (Powers and Ganascia, 2020) require significant public deliberation with diverse stakeholders, including those from the Global South (Png, 2022; Durmus et al., 2023). Stakeholders should be actively involved in determining the values that AI systems should align with and the risks and harms that need to be addressed (Diberardino et al., 2024). A sociotechnical approach emphasizes that no single group, especially technologists alone, should unilaterally make these critical decisions (Korinek and Balwit, 2022). Making AI safe requires public debates on these questions (Lazar and Nelson, 2023). By involving a wide range of perspectives and expertise, AI firms can develop more robust and ethically sound solutions to the complex problems they face (Neff, 2020). Overall, increased responsible AI research by industry (and academia) will facilitate better communication within the AI research community, that prioritizes transparency and accountability, and leads to the development of trustworthy AI systems.

Third, publishing in peer-reviewed forums facilitates greater scrutiny of the decision-making processes of AI firms. It also enables outsiders to observe how firms balance their business models and financial incentives with the direction of technology development (Zuboff, 2015). This scrutiny is essential to ensure transparency and accountability in AI development (Brundage et al., 2020; Mittelstadt, 2019) as it helps to identify potential conflicts of interest and encourages responsible innovation.

Risk reduction. AI is a tool that lacks autonomy in decision-making. Therefore, just as automobile manufacturers, who are held liable for accidents due to vehicle defects and therefore undertake thorough pre-market testing, AI companies should also bear responsibility for the consequences of their products (Martin, 2019). Engaging in rigorous responsible AI research is crucial for these companies to understand the limitations of their technology and products (Holstein et al., 2019).

Financial benefits. Investing in responsible AI research yields substantial financial benefits for firms. By engaging in responsible AI research, industry can improve the quality of AI products and services by incorporating ethical considerations and ensuring the development of AI systems that are fair, unbiased, and trustworthy. Moreover, by developing internal expertise in this area, firms will be better equipped to navigate the complex challenges that will inevitably arise as the technology advances (Renieris et al., 2022). Collaborating with the broader responsible AI community and sharing knowledge

will help industry leaders stay attuned to evolving societal concerns and adapt accordingly. Overall, firms that prioritize responsible AI will be more resilient and successful in the long run, as regulators and customers are more likely to trust products that are not prone to hallucinations and biases.

4 The Narrow Depth of Industry's Responsible AI Research

4.1 Assessing Responsible AI Research Engagement of Industry and Academia

In this section, we provide a comprehensive analysis of the engagement of industry and academia in responsible AI research. We begin by evaluating the extent to which industry participates in responsible AI research and compare this engagement to their involvement in conventional AI research. This comparison allows us to understand the relative importance placed on responsible AI within industry's research portfolio. Subsequently, we contrast industry's commitment to responsible AI with academia's research efforts in this domain. We consider both the publication count and the quality of the publications to gain a thorough understanding of the current state of responsible AI research in these two sectors.

4.1.1 Data Description

To identify AI firms and assess industry engagement in responsible AI research, we focused on companies holding at least one AI patent registered with the United States Patent and Trademark Office (USPTO), yielding a list of 1,771 AI firms. Patents signal a firm's ability to actively research and commercialize technology in a field (Arora et al., 2018). Our sample included firms with patents under the Cooperative Patent Classification (CPC) class "computer systems based on specific computational models," excluding quantum computing, per consultations with USPTO examiners. Afterward, we collected each AI firm's peer-reviewed publications from Scopus, including publications from both conferences and journals. Our sampling strategy ensures that we have the *full* research portfolio of AI firms. This process resulted in 679,919 papers from 2010 to 2022, which included AI papers, non-AI papers, and responsible AI papers (dataset 1).

To compare industry research engagement with academia, we first collected data from Scopus for the leading 100 universities in computer science research. We selected these universities based on their research productivity between 2010 and 2022, as reported by CSRankings.org³. The complete list of universities can be found in Table S11 in the appendix. For each of the selected universities, we downloaded their publication data from Scopus, covering the years 2010 to 2022. This process resulted in a comprehensive dataset (dataset 1) consisting of 5,265,419 peer-reviewed publications. This dataset serves as the basis for our analysis of academic research engagement.

³CSRankings (csrankings.org) is a well-cited resource in the literature (Ahmed et al., 2023; Meho, 2019; Gofman and Jin, 2023) that ranks universities based on their research output in computer science.

4.1.2 Classification Method

The classification of responsible AI papers presents a significant challenge due to the lack of a universally accepted definition of responsible AI (Jobin et al., 2019). Consequently, researchers may employ varying definitions and classification approaches, leading to inconsistencies in the identification and categorization of responsible AI research. For our analysis, we conducted a supervised machine learning method using an ensemble classification (Dietterich, 2000) that combined a transformer-based pre-trained SciBERT model (Beltagy et al., 2019) and a boosting-based XGBoost classifier (Chen and Guestrin, 2016). Such ensembled classifiers are generally used to gain better results than those from the constituent classifiers alone (Caruana et al., 2004; Tulyakov et al., 2008). The intuition here is that our SciBERT model, combined with a separate classifier and being trained on research articles, would be able to learn the patterns from the data and identify responsible AI and conventional AI papers (see Fig. S1 in the appendix for our overall workflow).

Papers from the three leading responsible AI conferences were initially labeled as responsible AI papers for our ensemble model's training data. The goal was to maintain a broad operationalization of responsible AI and reduce human intervention, thus mitigating selection bias and making the classification process more reproducible. Additionally, to classify conventional AI and non-AI papers that are unrelated to responsible AI, we added data from reputed journals and leading conventional AI conferences that were not about responsible AI to our training data. We manually validated the titles and abstracts of these articles and labeled them as either conventional AI or non-AI papers. Our training data contained 7,355 papers comprising 930 responsible AI papers and 6,425 papers from leading AI conferences and journals (see Tables S13 and S14 in the appendix for the details of the model's training data).

Transformer-based models outperform other neural network models on text processing tasks (Vaswani et al., 2017). Among them, BERT (Devlin et al., 2018) and other BERT-based models, like RoBERTa (Liu et al., 2019), have demonstrated state-of-the-art performance on different NLP tasks. For our analysis, we evaluated multiple pre-trained transformer-based models on a hold-out test sample. Our findings show the SciBERT model, originally trained on over a million research articles, outperformed other models, yielding better accuracy (see Table 2).⁴

To complement the SciBERT model, we used the XGBoost classifier as it has demonstrated better performance on diverse data types when ensembled with a neural network-based model (Shwartz-Ziv and Armon, 2022; Li et al., 2017).

Fine-tuning the ensemble model also included manual validation of the training dataset and feature ablation on it. Ablation studies are helpful in identifying and quantifying the actual impact of the constituent model components (Sheikholeslami et al., 2021). Following prior literature, we performed ablations on features (Merrick, 2019; Girshick et al., 2014; Richardson et al., 2006) and training data subsets (Mousavi et al., 2020; Sheikholeslami

 $^{^4}$ As part of the ensemble model, we fine-tuned the SciBERT model by setting 50 epochs with 10-fold cross-validation. Additionally, we enabled early stopping with a delta of $1e^{-4}$, a patience value of 3 to avoid overfitting, and set the training batch size to 50.

Table 2: Transformer-based supervised ML models' accuracy test results

Model	Accuracy	AUC	F ₁ Score
SciBERT	0.993	0.919	0.882
RoBERTa	0.992	0.915	0.844
XLNet	0.992	0.880	0.827
BERT	0.993	0.902	0.856
ELECTRA	0.993	0.917	0.862
ALBERT	0.991	0.869	0.807

et al., 2021). We tested multiple models by using varied subsets of features (e.g., abstract, title and abstract, abstract and publication outlet title). This careful ablation led us to a robust model which included paper title, paper abstract, and publication outlet title as the most effective features.

In our ensemble model, we utilized paper abstracts as a feature for the SciBERT model and paper titles and publication outlet titles (e.g., conference or journal names) as features for our XGBoost classifier. Both of these classifiers independently resulted in prediction values indicating whether the paper is a responsible AI paper, a conventional AI paper, or neither. Afterward, we used a weighted summation of the predicted values to obtain the final prediction. Our rationale is that abstracts convey a more comprehensive representation of a paper's content and theme than titles or outlet names. Hence we assigned a weight of 70% to the prediction from the SciBERT model, which used abstracts as features, and 30% to the prediction from the XGBoost classifier. This weighted summation, if greater than 50%, resulted in a final predicted "positive" class (responsible AI paper or conventional AI paper, measured separately); otherwise, the paper was classified as "negative" (not a responsible AI paper).

After the ensemble model's classification, we manually validated our findings on 500 randomly selected classified papers. This analysis showed that our classification approach was reliable, achieving 92.4% accuracy. To ensure further robustness of our approach, we conducted data ablation afterward with multiple different training and testing datasets (see Section 4.1.5).

4.1.3 Citation-Weighted Publication Count

Here we used a citation-weighted count to account for the quality of the publications. For each of the n papers, we first measured its age as the difference between the current year y_{cur} and the paper's publication year y_{pub} . Then we measured its age-weighted citation w by dividing its total number of citations c by its age.

$$w = \frac{c}{(y_{cur} - y_{pub}) + 1} \tag{1}$$

Afterward, to assess the overall impact of a firm or university's research publications in the current year, we aggregated the age-weighted citations for all of the *n* papers published by that firm or university in that year. The sum of these age-weighted citations, denoted

Industry's limited engagement in responsible AI research (a comparison with academia)




Figure 1: Here, Fig. 1a shows the number of firms that have conventional and responsible AI research engagement, divided into three groups based on their level of engagement. Fig. 1b showcases a stark difference in the leading 100 AI firms' (n = 506,017 papers, 2010-22) and universities' (n = 5,265,419 papers, 2010-22) participation in conventional AI research compared to their engagement in responsible AI research. Fig. 1c presents a citation-weighted paper count for the same data. A trend line reflects the participation trend within each group with 95% confidence intervals. In both Fig. 1b and 1c, the dashed lines indicate a reference line where the proportion of responsible AI papers to conventional AI papers is 2.5%.

as *I*, represents the citation impact of that firm or university's research outcomes for the current year.

$$I = \sum_{i=1}^{n} w_i \tag{2}$$

4.1.4 Findings

In Fig. 1a, we visualize firms based on their responsible AI publication engagement. First, we counted the number of AI firms (n = 1,771) based on their level of engagement in responsible AI research within the years 2010-22 and disaggregated them into three groups: (a) firms with *no engagement* in responsible AI research (publishing fewer than five papers), and (c) firms with *engagement* in responsible AI research (publishing five or more papers).

Fig. 1a shows that an overwhelming majority of AI firms (89.9%) did not engage in *any* responsible AI research from 2010 to 2022. Additionally, only 3.3% of the AI firms had five or more responsible AI papers, indicating an unenthusiastic participation. In other words, 96.7% of AI firms published fewer than five responsible AI papers over 13 years.

This pattern of limited industry engagement continues for AI research firms, i.e., firms that had at least one AI research paper. We disaggregated papers from 519 such firms in the same groups as before and observed a majority of them (65.5%) did not engage in responsible AI research. Almost a fourth of them (23.3%) published fewer than five papers over 13 years, showing very limited participation. A mere 11.2% of these firms demonstrated meaningful engagement in responsible AI research. Overall, industry engagement in responsible AI research was limited among both AI patent-holding firms and AI research firms.

We then compared industry's proportion of responsible AI research to its conventional AI research with the corresponding proportion in academia. We calculated the total number of AI papers and responsible AI papers for each university and firm. Then, for each university, we used AI paper counts as the x-axis and responsible AI papers count as the y-axis, and we fitted a regression line with a 95% confidence interval. Finally, we introduced a 2.5% reference line indicating the projected ratio of responsible AI papers to total AI papers.

Here, we compared the 100 leading academic research institutes with the 100 leading AI firms (for a comparison with our full sample of AI firms, see Fig. S2 in the appendix). We selected the leading AI research institutes and firms based on their number of conventional AI papers. This selection ensured a fair comparison in terms of research capability and reputation. Notably, the leading 100 AI firms have significantly greater resources than even the most elite universities (Ahmed et al., 2023). Fig. 1b indicates that industry's participation in conventional AI research is on par with that of leading academic institutions. However, the leading AI firms engage in responsible AI research at a far lower rate than comparable leading academic institutions. This disparity is particularly visible from the slope of industry's regression line, which is flatter than that of academia.

Finally, to take into account the quality of the publications, we used a citation-weighted publication count (see Section 4.1.3 for the details). Fig 1c suggests that after considering the quality of the publications, the disparity between industry and academia stayed largely similar. This contrast is visible from the slope of industry's regression line, compared with academia's regression line. Overall, this analysis shows that industry's engagement in responsible AI research is limited even when we consider the quality of research. Interestingly, the performance of some AI firms has *improved* when quality was taken into account, suggesting that these firms produce high-quality responsible AI research, albeit in smaller quantities compared to their conventional AI research output.

Consistent with the findings of de Laat (2021), we observed that a smaller number of AI firms are indeed engaging in responsible AI research. However, the extent of their engagement is still significantly lower than their conventional AI research. When considering the quality of their contributions, we note that a smaller number of firms surpassed the 2.5% threshold. It is plausible that firms selectively disclose their high-

quality papers, which may partially explain the observed improvement in performance when quality is accounted for. Nevertheless, the overall disparity between industry and academia in terms of responsible AI research output remains noticeable. This stark contrast suggests that market incentives to enhance AI capabilities far outweigh the incentives to prioritize and invest in responsible AI development.

4.1.5 Robustness of Classification Method

We tested in two different ways to validate whether the disparity observed above is robust to changes in the selection of dataset or methodology. First, we performed data ablation by varying the training and testing data. Second, we classified the papers with a different method.

To conduct data ablation, we tested three different models by (a) training and testing exclusively on journal articles, (b) training and testing exclusively on conference papers, and finally (c) training on prior ACM FAccT conference papers and testing exclusively on conference papers (see Fig. S4 in the appendix). For this, we prepared a subset of the data from the same sample as our prior analysis. This data ablation produced similar results to our findings from the main model (as described in Section 4.1.4), which increases confidence that our classification method is robust to changes in the underlying data.

We also disaggregated the publications into conferences and journals (see Fig. S3a and Fig. S3b in the appendix, respectively). This analysis suggests that industry has a lower proportion of responsible AI research in both journal and conference participation; however, the disparity is more pronounced in journal participation.

4.1.6 Validating Results Using Expert-Suggested Keywords

To validate the findings from our ensemble model, we classified the papers using an alternate approach: by searching for expert-recommended keywords in the paper titles and abstracts. Here, we used a predefined list (i.e., dictionary) consisting of specific terms that indicated the category of interest, i.e., whether an observation matches the themes of responsible AI or not. However, a keyword-based search approach can be challenging in the absence of a relevant and representative dictionary. To address this concern, we utilized an extended list of keywords for responsible AI as suggested by experts in this field (see Table S2 in the appendix). Similarly, when classifying conventional AI papers, we utilized keywords from the extant literature (Cockburn et al., 2019; Baruffaldi et al., 2020) and added additional words (see section S1.4 in the appendix).

It is important to note that keywords alone are not enough to categorize responsible AI papers. For instance, the word "fairness" in the search query would include papers such as "Achieving proportional fairness in WiFi networks via bandit convex optimization."⁵ This study is clearly not a responsible AI paper. Thus, our manual validation process, combined with machine learning-based analyses, indicates that data collection solely dependent on keywords tends to *overestimate* the extent of responsible AI research.

⁵Famitafreshi, G., & Cano, C. (2022). Achieving proportional fairness in WiFi networks via bandit convex optimization. *Annals of Telecommunications*, 77(5-6), 281-295.

We used the same dataset employed in our prior analysis of industry engagement using the machine learning model: 679,919 papers between 2010 and 2022 co-authored by researchers affiliated with 1,771 leading AI firms, and 5,265,419 papers (2010-22) co-authored by researchers affiliated with 100 leading universities. Our findings from this keyword-based search on paper titles and abstracts, as shown in Fig. S7 in the appendix, align with our prior findings using the machine learning model and indicate that the majority of AI firms are engaging in responsible AI research to a very limited extent compared to academia. This methodological triangulation (Denzin, 2017), employing varied approaches, evidently illustrates the disparity in responsible AI research between industry and academia.

4.1.7 Quality of Industry's Responsible AI research

A common critique of industry involvement is the concern that its efforts may amount to mere superficial commitment rather than substantive (Vynck and Oremus, 2023; Metcalf et al., 2019), rigorous research. In contrast, our analysis of the 50 most-cited papers from leading responsible AI conferences indicates that industry's contribution to responsible AI research is not merely performative. Indeed, industry has made significant contributions in the form of high-quality, impactful research. We found that half of the 50 most-cited papers (2018-2022, leading three responsible AI papers) have authors with industry affiliations, and six of those papers are exclusively industry-authored. The large technology firms, Google and Microsoft, are the most represented, with ten and nine papers, respectively. Notably, nine of the 25 most-cited papers with industry affiliations involve authors who have since been dismissed or have left their organizations. Taken together, these results indicate that while industry has a narrower scope of responsible AI research than academia, it has nonetheless made a substantial contribution to the field in the past.

4.2 Assessing Industry Engagement in Responsible and Conventional AI Research

To assess the disparity in industry participation between responsible AI and conventional AI research, we conducted three distinct analyses using multiple datasets. First, we compared industry engagement in leading responsible AI conferences with its presence at the leading conventional AI conferences. This comparison was performed using two approaches: counting the unique number of firms and examining their co-authorship behavior. Second, we analyzed the growth of industry engagement in responsible AI research over time using a more comprehensive sample that extends beyond top-tier articles.

4.2.1 Data and Method

The underlying data for our analysis of industry's engagement in responsible AI and conventional AI research come from three different datasets, consisting of (a) papers from three leading responsible AI conferences, (b) papers from ten leading conventional AI conferences, and (c) a unique sample of journal and conference papers containing expert-suggested responsible AI keywords in their abstracts or titles.

First, we selected three leading responsible AI conferences–ACM FAccT, AAAI/ACM AIES, and ACM EAAMO–based on our consultation with scholars researching responsible AI across multiple disciplines (computer science, information science, business, and philosophy). We found 851 papers in total from 2018 to 2022, of which 748 were downloaded from Scopus and 103 were downloaded from their respective websites (dataset 2). Then we manually classified all of these papers' affiliations. We counted a paper as an industry paper if at least one of its co-authors had any industry affiliation, following prior literature (Frank et al., 2019). We then manually reviewed these papers' affiliations to compile a list of unique firms represented in the authorship. Henceforth, this process of measuring industry engagement was applied separately for conferences and journals, allowing us to quantify and compare the level of industry engagement across different categories.

Second, we selected the ten leading AI conferences (see Table S1 in the appendix) from CSRankings.org, and collected 106,012 papers from Scopus for these conferences from 2010 to 2022 (dataset 2).

Third, we collected a unique dataset of 36,022 papers from between 2010 and 2022 on responsible AI (dataset 3) using an extensive list of over 170 keywords (see Table S2 in the appendix) from Scopus. To select those keywords, we consulted eight leading experts in responsible AI research. These experts have co-authored papers at the three leading responsible AI conferences or written highly cited responsible AI papers. Our search was confined to English-language, peer-reviewed publications available on Scopus. We included papers in our dataset if their titles or abstracts contained any of the keywords from our list.

Keywords-based distinct sample. This distinct sample is a key strength of our study, setting it apart from previous works (Maslej et al., 2024; Birhane et al., 2022) that focused solely on leading conferences. We adopted a more comprehensive definition of responsible AI, incorporating papers from a wider range of outlets beyond the top-tier conferences. This allows us to examine industry participation in less prominent outlets and provide a more comprehensive assessment.

To classify the papers' affiliations, we first employed string-matching algorithms and an extensive set of regular expressions to systematically categorize them. Our strategy involved leveraging an extensive list of firm names containing 1,771 firm entities and variations of their names with a list of keywords that includes, but is not limited to, "ltd," "llc," "inc," "limited," "consult," "industries," "llp," "gmbh," "corp," "incorporated," "incorporation," "corporation," and "company." Then, we manually reviewed all the unclassified affiliations to classify them and minimize misclassification.

4.2.2 Findings

First, we looked at the unique number of firms that have presented research at leading conventional AI conferences and responsible AI conferences. To measure this, first, we took the subset of papers where at least one of the co-authors was affiliated with industry. Then we manually curated the list of unique firms from the co-authors' affiliations. Using that list, we show in Fig. 2a that only a small number of firms participate in responsible AI conferences. In case of conventional AI conferences (see Table S1 in the appendix for the

list of conferences) more than 250 firms participated in each of all 10 of them; whereas, in stark contrast, the numbers for the responsible AI conferences (FAccT, AIES, and EAMMO) were significantly lower, with only 33, 28, and six firms participating, respectively (see Fig. 2a).

Subsequently, we examined industry co-authorship in the three major responsible AI conferences. Fig. 2b plots the proportion of industry co-authored papers in leading responsible AI conferences compared to the proportion of industry papers in conventional AI conferences (the dashed line). We calculated this annual proportion by dividing the total number of industry papers in each year for each conference by the total annual publications of each conference. The trends shown in Fig. 2b suggest that industry has a limited presence in responsible AI conferences while its participation is growing at conventional AI conferences. From 2018 to 2022, industry's participation in responsible AI conferences has barely changed (the percentage varies roughly between 20% and 23%).⁶ In contrast, during the same period, industry increased its participation from 29% to 37% at the leading conventional AI conferences. Our results are consistent with recent research (Ahmed et al., 2023) indicating industry has significantly increased its presence in conventional AI research.

Finally, using a separate sample based on expert-suggested keywords (dataset 3), we found that industry proportion has largely stayed the same in recent years (see Fig. 2c), which is consistent with our earlier findings. This suggests that, among all the peer-reviewed responsible AI publications over the years, annually, roughly 15% or less of them had a co-author affiliated with industry. Even more worryingly, this number has largely stayed the same in recent years. To conclude, even when we used a different sample, we found that industry presence in responsible AI research has been limited.

Overall, our results illustrate the divergence between industry participation in conventional AI and responsible AI research. Different interpretations of the criteria defining an industry paper produce similar outcomes.


4.2.3 Alternative Measurements

Author-weighted affiliation (AWA) count: To further validate our findings, we used an alternate method of attributing industry co-authorship. To more precisely measure industry engagement from author affiliations, we first allocated an equal contribution weight $\frac{1}{n}$ to each of the n co-authors of a paper, assuming their equal contribution to it. We then calculated each co-author's 'industry-weight,' by taking a fraction of their affiliations that are from industry.

To illustrate, if one of the co-authors has a affiliations in total, and among them \hat{a} are from industry, then we defined industry-weight to be $\frac{\hat{a}}{a}$. Thus, we calculated any co-author's final weight in a paper by multiplying the equal contribution weight by industry-weight. Finally, the total author-weighted affiliation count of industry for a paper, AWA, was defined by summing the final weights of all its n co-authors:

⁶Our supplementary analysis of ACM FAccT 2023 (not included in this study) reveals a downward trend in industry participation

Industry's limited engagement in responsible AI research






Figure 2: Here, Fig. 2a shows a strong disparity in industry engagement by measuring firms' presence (based on co-authors' industry affiliation) in ten leading conventional AI conferences (n = 63,526 papers) and three leading responsible AI conferences (n = 851 papers) between 2018 and 2022. Fig. 2b shows the percentage of papers with at least one co-author having industry affiliation in conventional AI (n = 1,06,012;2010-22), and responsible AI conferences (n = 851;2018-22) over the years. This result is robust to changes in methods of co-authorship count. Fig. 2c represents the percentage of industry-papers (n = 36,022;2010-22) classified as responsible AI papers (a distinct sample based on expert-suggested keywords) from both journals and conferences.

$$AWA = \frac{1}{n} \times \sum_{i=1}^{n} \left(\frac{\hat{a}_i}{a_i}\right) \tag{3}$$

Where, AWA is the author-weighted affiliation count of industry for a paper, n is the total number of co-authors in the paper, a_i represents the total number of affiliations, and $\hat{a_i}$ represents the number of industry affiliations of the i-th author in the paper.

This approach provides a more accurate picture of industry engagement in responsible AI by addressing the authors' multiple affiliations, instead of counting only industry affiliations. Even with this counting approach, we found that industry participation has doubled in conventional AI research but has largely stayed the same in responsible AI (see Fig. S5 for the author-weighted count of leading conferences & S6 for the responsible AI papers in the appendix).

Responsible AI research at leading conventional AI conferences: Recent research indicates the growing presence of responsible AI research at conventional AI conferences (Maslej et al., 2024). This trend raises the question of whether industry is more focused on engaging in responsible AI research at these conferences. To investigate that possibility, we analyzed industry's contribution to responsible AI research presented at leading conventional AI conferences. Our findings reveal that industry's share of responsible AI research at these conferences has largely stayed the same in recent years (see Fig. S8 in the appendix).

4.3 Summary of Findings

In this section, by analyzing nearly 6 million papers from industry and academia, we showed that industry lacks meaningful engagement in responsible AI research, in both quantity and impact, compared to academia. Additionally, among 519 firms conducting AI research, only about 11.2% of them meaningfully engaged in responsible AI research through peer-reviewed publications. By examining industry presence in leading conferences on conventional and responsible AI, we also observe industry's noticeably lower presence in responsible AI conferences. While industry's participation in responsible AI conferences has remained fairly the same, we showed that their presence in conventional AI conferences has increased over the years in contrast. Overall, our analysis, including calculating the number of co-authoring firms and the percentage of industry papers, shows industry's limited presence in responsible AI research.

5 The Narrow Breadth of Industry's Responsible AI Research

To gain a comprehensive understanding of the breadth of industry's responsible AI research, and for meaningful comparisons with academia, we employed a multi-pronged approach that leverages various NLP techniques. These methods consisted of clustering algorithms to identify thematic patterns, different topic modeling analyses to uncover latent themes and their prevalence, and a series of word frequency analyses to highlight key concepts.

5.1 Data Description

For our linguistic analysis, we used 10,799 paper abstracts, as abstracts provide a more comprehensive representation of a paper's content, published between 2010 and 2022. This dataset included papers classified as responsible AI papers by our supervised machine learning model (see section 4.1.2). Among the papers, 10,408 were authored by researchers affiliated solely with academia (from the leading 100 universities) and 391 were authored by researchers affiliated exclusively with AI firms.⁷ We focused on papers with sole authorship from either academia or industry to better capture the differences in language usage between these two groups without the potential confounding influence of industry-academia collaboration. By omitting papers with mixed affiliations, we aimed to minimize bias in the analysis that could arise from differing research priorities, potential conflicts of interest, or the influence of joint funding on the framing and language of the research.

5.2 K-means Clustering

To analyze the research priorities of industry and academia separately in responsible AI research, we used k-means clustering (MacQueen, 1967) in our data. K-means clustering is used to organize large volumes of unstructured text data into meaningful clusters, providing a foundation for an intuitive understanding.

We performed a sensitivity analysis by varying the number of clusters (k=6, 8, 10), but for this discussion, we will focus on the insights from the ten-cluster analysis, which provides a more granular understanding of the research themes within responsible AI. After preprocessing and vectorizing all the abstracts together (regardless of affiliation) with term frequency-inverse document frequency (TF-IDF), each paper was assigned to one of the ten clusters based on semantic similarity by the k-means algorithm. These ten clusters correspond to ten different themes of responsible AI.

To assess the extent to which industry and academia contributed to these different themes, we calculated the percentage of papers from each group that belonged to each cluster. For academia, we determined the percentage of academia-only papers belonging to each cluster by dividing the number of academia-only papers in a specific cluster by the total number of academia-only papers in our dataset and multiplying the result by 100. Similarly, for industry, we calculated the percentage of industry-only papers belonging to each cluster by dividing the number of industry-only papers in a specific cluster by the total number of industry-only papers in our dataset and multiplying the result by 100.

This clustering, shown in Fig. 3a, highlights the narrow breadth of industry's responsible AI research. Here we quantify how differently industry and academia prioritize different issues in responsible AI research. Our results suggest that industry focuses mostly on issues like "bias," "explainable AI," "human-AI interaction," and "algorithmic fairness," often sidelining broader societal implications. Academia, along with "bias," emphasizes more on "human-centric AI," "ethical and moral concerns," and "equitable AI." Both

⁷To ensure the robustness of our findings, we also conducted an analysis using a randomly selected subset containing 400 responsible AI papers with academic affiliations and compared them to industry papers. The results of this additional analysis were consistent with our main findings.

sectors, however, converge on the importance of "privacy" and "data governance" (see Table S3 in the appendix for associated terms).

We conducted sensitivity analyses by varying the number of clusters, and our findings remained consistent (see Fig. S12 and Fig. S13 in the appendix). Additionally, our temporal analysis suggests industry's focus on responsible AI research gets narrower over time, and industry tends to engage in certain topics only after academia introduces them (see Fig. S9 in the appendix).

A comparison with conventional AI conferences. We compared the research priorities of industry and academia by examining their focus in both conventional AI and responsible AI conferences. We performed separate clustering analyses on industry-only and academia-only papers from the leading ten conventional AI conferences (see Fig. S11 in the appendix). Interestingly, we found that the research focus of industry and academia in these conventional AI conferences are largely similar. This observation highlights industry's limited engagement in responsible AI research, as their research focus in conventional AI conferences closely mirrors that of academia, while their research breadth in responsible AI remains narrower.

5.3 Structural Topic Modeling

Next, we used structural topic modeling (STM) (Roberts et al., 2013) to identify how prevalent different research topics are across industry and academia. STM builds on probabilistic topic modeling (Blei, 2012) and is widely used in the literature (Lucas et al., 2015; Mulder et al., 2021; Laufer et al., 2022). This method allows additional information, such as affiliations, to be incorporated along with the target text to be analyzed to estimate topic proportions more precisely. This let us analyze how prevalent (or dominant) a specific topic was across our target groups (i.e., industry and academia). In our analysis, we used the papers' authors' affiliations (i.e., industry or academia) as additional metadata along with abstracts. We used the same dataset here as we did in our earlier k-means clustering analysis.

Our analysis covered different numbers of topics (k=5, 10, 15), but in this section, we focus on the results from the ten-topic model, as illustrated in Fig. 3b. This highlights the contrasting priorities between industry and academia. Specifically, industry pays more attention to technical improvement (for example, "AI model development," "model accuracy," and "algorithmic fairness") while ignoring their applicability or societal needs. In contrast, academia seems to place more emphasis on "ethical and moral concerns," "accountability," "societal implication," and "equitable AI." On the other hand, "privacy" appears to be of mutual interest to academia and industry.

Our STM analysis, by analyzing the dominant topics present in both groups' work, suggests a concerning difference between the research priorities of industry and academia. This shows that industry heavily emphasizes research on developing and improving AI technology. In contrast, they pay limited attention to moral and ethical issues, accountability, and the societal implications of their deployed technologies. Even though there is a growing recognition within computing research that computing tools have an important

Linguistic analysis suggests that industry has limited engagement in key issues in responsible AI




Figure 3: Here, the first figure Fig. 3a quantifies the key focus areas in responsible AI research between industry and academia (n = 10,799 papers in total; 2010-22) using k-means clustering on paper abstracts. Fig. 3b shows the structural topic modeling estimates using the same data. Topics toward the right-hand side are more prevalent in abstracts from industry, while those toward the left are more prevalent in abstracts from academia. Both analyses show that industry, unlike academia, prioritizes more in technical fixes, than in ethical and moral concerns, and societal implications. Subsequently, by conducting a frequency analysis of relevant terms on the same data, Fig. 3c shows the percentage that industry has limited engagement in issues like, "Human rights" and "Environmental concerns," while emphasizing more on "Explainable AI."

role to play in addressing social issues (Abebe et al., 2020), firms' engagement in responsible AI research seems to overlook such normative issues. Overall, our results suggest that industry is more focused on technical rather than sociotechnical aspects of responsible AI.

5.4 Frequency count

Additionally, we searched the abstracts of the same 10,799 papers used in our prior k-means clustering analysis. We used regular expressions (regex) to identify relevant papers and counted the total number of papers on each topic from industry and academia. To get an intuitive measure of industry's focus on different topics, we calculated the percentage of papers on each topic by dividing the total number of papers from industry on each one (identified using regex patterns) by the total number of papers from industry on responsible AI (classified by our earlier model described in Section 4.1.2).

Repeating the same calculations for academia, and comparing the results with those of industry, we observed their contrasting focus on different topics. We found that industry has limited focus on issues like "human rights," "environment concerns," and "beneficence" (Fig. 3b) while paying more attention to "explainable AI." This disparity suggests that industry may be prioritizing the development of AI systems that are easier to bring to market, while largely neglecting the potential negative externalities associated with AI. For example, the increasing computational power required for AI systems can contribute to significant environmental concerns, such as high energy consumption and carbon emissions, yet industry seems to be paying very limited attention to these issues. Overall, while both industry and academia converse somewhat similarly on issues like "nonmaleficence," on critical issues related to the negative implications of AI, they have a relatively divergent focus.

5.5 Additional Linguistic Analyses

Furthermore, we employed complementary approaches on a subset of the dataset previously analyzed, specifically focusing on papers from three leading conferences in the field of responsible AI. First, we used latent Dirichlet allocation (LDA) topic modeling (Blei et al., 2001). The results mirrored our prior findings from STM analysis as previously shown in Fig. 3b. The patterns held even when we varied the number of topics. In Fig. S10 in the appendix, we present LDA topic modeling results for ten topics, and we list the top keywords in Table S6 in the appendix.

Finally, we used a bigram frequency analysis, which requires fewer assumptions than topic modeling and clustering approaches. Fig. S14 in the appendix shows the top 20 keywords for industry-only and academia-only bigrams using a different dataset containing the abstracts of papers from the three leading responsible AI conferences. This analysis suggests that industry research has limited engagement with terms like "criminal justice," "implicit bias," and "fairness metrics." This alternative method reaffirmed our earlier findings that industry research tends to focus less on ethical concerns and societal impacts, favoring a greater emphasis on technical progress. Industry's responsible AI research tends to focus on areas that align with a market-driven approach, such as "explainable AI"

and "model performance." Firms have greater incentives to develop and launch products that are explainable, as this can help satisfy regulatory requirements and gain market acceptance.

5.6 Summary of Findings

Our linguistic analysis, employing diverse methods across different datasets and varying prior assumptions, revealed the distinct research priorities of industry and academia. The findings indicate that industry places less emphasis on key aspects of responsible AI compared to academia, instead focusing more on the technical aspects of responsible AI and areas that align with market demands. In contrast, academia pays more attention to crucial issues such as human rights considerations, moral concerns, and the societal implications of AI, which is more consistent with the "sociotechnical approach" needed to mitigate the impacts of advanced AI (Lazar and Nelson, 2023; Birhane et al., 2022). Overall, it seems that industry-led AI research is on a trajectory that prioritizes solutions relying solely on technical means, without incorporating broader societal insights, which may compound AI's dangers rather than address them effectively.

6 Limited Adoption of Responsible AI Research in Commercialization: Patent Citation Analysis

To assess the extent to which industry integrates responsible AI research into its product commercialization processes, we employed patent citations as a measure of how industry builds upon academic research in its products and services, following established practices in prior literature (Cao et al., 2023; Trajtenberg and Jaffe, 2002). The intuition is that if AI firms incorporate responsible AI research in their products, it will likely be reflected in their patent citations (Trajtenberg and Jaffe, 2002). This can be seen in the example provided in Fig. 4, which illustrates how a patent citation can reveal the impact of responsible AI research on firms' innovations.

6.1 Data and Methodology:

We used two distinct datasets to capture the research paper references in patents. First, for generic patents, we used the Reliance on Science data (dataset 4) by Marx & Fuegi (2020). This dataset is continually updated and maintained by the authors, and we have used the latest data available as of May 2024. The dataset includes 32,698,465 patents-to-paper citations data from 2,905,718 USPTO patents (1947-2022) and 5,210,014 scientific publications (1800-2022). Second, we used 141,770 AI patents between 1985 and 2018 (dataset 5) from Miric et al. (2023). After matching the AI patents data with the Reliance on Science data, we identified 726,712 AI patent-to-paper citations to research papers from 1985 to 2018.

Prior research suggests that industry patents tend to pay more attention to industry research and cite their own research more in their commercial innovations (Bikard, 2018;

⁸Marx, M. (2023). Reliance on Science (V62). Zenodo. doi.org/10.5281/zenodo.10215169

Example of a patent that cited responsible AI research

(12) United States Patent Rao et al.

US 11,270,080 B2 (10) Patent No.: (45) Date of Patent: Mar. 8, 2022

(54) UNINTENDED BIAS DETECTION IN CONVERSATIONAL AGENT PLATFORMS WITH MACHINE LEARNING MODEL

(71) Applicant: International Business Machines Corporation, Armonk, NY (US)

(72) Inventors: Navneet N. Rao, Arlington, MA (US); Ming Tan, Malden, MA (US); Haode Qi, Cambridge, MA (US); Yang Yu, Acton, MA (US); Panos Karagiannis, Cambridge, MA (US); Saloni Potdar,

Arlington, MA (US)

(73) Assignee: International Business Machines Corporation, Armonk, NY (US)

Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 128 days.

(21) Appl. No.: 16/743,661

Notice:

ABSTRACT

A mechanism is provided for implementing a bias detection mechanism that mitigates unintended bias in a conversational agent by leveraging conversational agent definitions, a conversational agent chat logs, and user satisfaction statistics. One or more protected attributes are identified within an utterance from the conversational agent chat logs. Using the identified protected attributes, a replacement utterance with a replacement term is generated for at least one of the identified protected attributes in the utterance. A score is generated for the utterance and the replacement utterance using utterance level relative term importance for protected attributes and regular terms in the utterance and the replacement utterance. Utilizing the scoring, a determination is made as to whether unintended bias exists within the utterance. Responsive to unintended bias being detected, an action is implemented that causes a change to a machine learning model used by the conversational agent.

(56)References Cited

U.S. PATENT DOCUMENTS

6,618,722 B1 9/2003 Johnson et al. 8,649,499 B1* 2/2014 Koster H04M 3/5175 379/265.06

(Continued)

FOREIGN PATENT DOCUMENTS

108334497 A 7/2018 11/2018 108874972 A (Continued)

OTHER PUBLICATIONS

Dixon, Lucas et al., "Measuring and Mitigating Unintended Bias in Text Classification", Thirty-First AAAI Conference on Artificial Intelligence (AAAI-17), Feb. 2017, 7 pages

(Continued)

OTHER PUBLICATIONS

Greene, Joshua et al., "Embedding Ethical Principles in Collective Decision Support Systems", Proceedings of the Thirtieth AAAI Conference on Artificial Intelligence (AAAI-16), Feb. 2016, 5

Hardt, Moritz et al., "Equality of Opportunity in Supervised Learning", https://arxiv.org/pdf/1610.02413.pdf, Oct. 11, 2016, 22 pages. Henderson, Peter et al., "Ethical Challenges in Data-Driven Dia-logue Systems", AIES '18, Feb. 2-3, 2018, New Orleans, LA, USA

Apages. Roselli, Drew et al., "Managing Bias in AI", Companion Proceedings of The 2019 World Wide Web Conference, May 2019, 11

pages.
Srivastava, Biplav et al., "Towards Composable Bias Rating of AI
Services", arXiv: 1808.00089v2 [cs.AI], Jan. 14, 2019, 6 pages. Vasconcelos, Marisa et al., "Modeling Epistemological Principles for Bias Mitigation in AI Systems: An Illustration in Hiring Decisions", https://arxiv.org/pdf/1711.07111.pdf, Nov. 20, 2017, 7 pages. Adebayo, Julius, "FairML: Auditing Black-Box Predictive Models", https://blog.fastforwardlabs.com/2017/03/09/fairml-auditingblack-box-predictive-models.html, Mar. 9, 2017, 11 pages. Bellamy, Rachel K. et al., "AI Fairness 360: An Extensible Toolkit for Detecting, Understanding, and Mitigating Unwanted Algorithmic Bias", arXiv: 1810.01943v1 [cs.AI], Oct. 3, 2018, 20 pages. Borkan, Daniel et al., "Nuanced Metrics for Measuring Unintended Bias with Real Data for Text Classification", Companion Proceedings of The 2019 World Wide Web Conference, May 2019, 10

Calmon, Flavio P. et al., "Optimized Pre-Processing for Discrimination Prevention", The Thirty-first Annual Conference on Neural Information Processing Systems (NIPS), December 2017, 10 pages.

Figure 4: A patent by IBM, "Unintended Bias Detection in Conversational Agent Platforms with Machine Learning Models," is an illustrative case that cited multiple responsible AI papers, including "Ethical Challenges in Data-Driven Dialogue Systems," which was published in one of the leading responsible AI conferences-AIES. This highlights the importance of responsible AI research in commercial invention.

^{*} cited by examiner

Arora et al., 2021). To consider this different attention pattern, we conducted our patent citation analysis for industry and academia co-authored papers separately. We compiled two new, distinct datasets of responsible AI papers, separating papers from industry and academia.

For industry co-authored papers, the dataset comprised 683,390 papers (dating from 2010 to 2022) including: (a) Scopus-indexed papers from 1,771 AI firms (n = 679,919; 2010-22), (b) industry co-authored papers from three leading responsible AI conferences (n = 160; 2018-22), and (c) a sample of industry co-authored papers containing expert-suggested responsible AI keywords in their abstracts or titles (n = 3,311; 2010-22). For academia co-authored papers, our dataset comprised 5,296,547 papers (dating from 2010 to 2022) including: (a) Scopus-indexed papers from leading 100 universities (n = 5,265,419; 2010-22), (b) academia co-authored papers from leading responsible AI conferences (n = 802; 2018-22), and (c) a sample of academia co-authored papers containing expert-suggested responsible AI keywords (n = 30,326; 2010-22).

To observe *all* the USPTO patents citing any industry co-authored papers between 2010 and 2022, we first preprocessed our industry paper data and then cross-referenced their DOIs with the Reliance on Science dataset. The matched distinct industry papers (n = 34,590; 2010-22; cited by 96,376 patents) were then disaggregated into three groups-responsible AI, conventional AI, and non-AI papers—by matching their DOIs with our previously classified papers' DOIs (using our ensemble classification model; see Section 4.1). For the sake of simplicity, we present only two categories—responsible AI and conventional AI—in the output plots shown in Fig. 5. For USPTO patents citing academic papers, we followed a similar approach to the one we used for industry papers and obtained 156,140 distinct academia papers (2010-22; cited by 203,105 patents). Likewise, we disaggregated them into the same groups (responsible AI, conventional AI, and non-AI papers) using the DOIs of the papers classified by our ensemble model (see Fig. S15 and Fig. S17 in the appendix for the complete process).

Additionally, we matched paper DOIs exclusively with AI patents for both industry and academia co-authored papers separately. For this, we first matched the DOIs of our AI patent dataset with the Reliance on Science dataset. Afterward, we compared this matched data with our industry papers, which resulted in a dataset of 3,051 patents citing 2,349 distinct industry papers. Using the same process for academia papers, we obtained 4,509 distinct papers cited by 4,152 patents. Utilizing this publication data cited in patents for both groups, we disaggregated them into three groups as we had done previously for generic patents (non-AI, conventional AI, and responsible AI papers) by matching the DOIs of the papers classified by the ensemble classifier (see Fig. S16 and Fig. S18 in the appendix for the complete process).

6.2 Responsible AI Research in Generic Patents

Our analysis of over 32 million patent citations in USPTO patents shows that industry patents rarely cite responsible AI research. We found that only 88 industry-authored responsible AI papers were cited in these generic patents from 2010 to 2022, as presented in Fig. 5a. In contrast, generic patents cited 7,532 conventional AI papers and 26,970

non-AI papers from industry over the same period. We found a total of 246 patents cited 88 responsible AI papers. Then we examined the top patent assignees' that cited industry-authored responsible AI research: IBM, Microsoft, and Google were the top patent assignees. Interestingly, these are the same set of firms that had more engagement in responsible AI research. The correlation between firms' engagement in responsible AI research and their patent citations emphasizes the crucial role of absorptive capacity (Cohen and Levinthal, 1990) in facilitating the translation of responsible AI research into commercial inventions.

We observed a similar pattern when we examined industry patents' citations of academic papers. By matching over 5 million academic papers from Scopus (2010-22) with data on over 32 million patent-paper-citations (1947-2022), we observed that industry cited 15,236 conventional AI and 140,508 non-AI academic papers, but only 396 responsible AI papers from academia (see Fig. 5c). Upon examining the patents' citations we found a total of 983 patents cited academic responsible AI papers. Once again, the top patent assignees citing such academic papers were IBM, Microsoft, and Google. 10

6.3 Responsible AI Research in AI Patents

We further examined a subset of patents–specifically AI patents using a different source. Our result, presented in Fig. 5b shows that out of 141,770 AI patents (1985-2018), cited only three responsible AI papers from industry. However, during the same period, the patents cited 1,438 conventional AI papers and 908 non-AI papers.

Similarly, we analyze academic papers cited in AI patents from industry. Our prior pattern was also found here—only 17 responsible AI paper from academia were cited in AI patents (see Fig. 5d). In contrast, 1,949 conventional AI and 2,541 non-AI papers were cited by those patents. This disparity implies that while industry may draw upon academic conventional AI research, it does not seem to do the same for academic responsible AI research. However, in Fig. S19, we present evidence that AI firms' responsible AI research builds on academic responsible AI research.

We then analyze the patents that cite the responsible AI papers from industry and academia. We find that the 17 university-authored responsible AI papers were cited by a total of 22 patents and 3 industry-authored responsible AI papers received citations from 5 patents.

⁹A notable trend is the decreasing total number of citations across both categories—conventional AI and responsible AI (see Fig. S20 in the appendix for the cumulative counts). There could be two potential explanations for this trend. First, it takes time for basic knowledge to diffuse to commercial patents (Mansfield, 1991; Cao et al., 2023). Also, older papers have more time to be discovered by others. Therefore, patents are likely to cite older papers more than newer papers. The second reason is the time-consuming patent application process; our data considers only the approved patents, not patent applications still under review, contributing to the reduced citation count in recent years.

¹⁰When we manually checked these responsible AI papers we found a slight over-count of responsible AI papers in industry and academia because of the keywords sampled responsible AI papers.

Patent citation analyses illustrate that industry patents rarely cite responsible AI research




Figure 5: This figure analyzes industry and academic papers' citations in USPTO patents. By matching against a comprehensive list of USPTO patent-paper citation data (n = 32,698,465 citations; 1947-2022), we show in Fig. 5a and 5c that, only 88 and 396 responsible AI papers from industry and academia, respectively, have been cited in generic patents, while 15,236 academia and 7,532 industry conventional AI papers have been cited in patents between 2010-22. Using a separate dataset of AI patents (n = 141,770 patents; 1985-2018), Fig. 5b and 5d illustrate that three responsible AI papers from industry and 17 from academia have been cited in the AI patents between 2010-18, in stark contrast to the extensive incorporation of conventional AI research.

6.4 Summary of Findings

Taken together, our large-scale patent-to-paper citation analysis is consistent with our prior results. It shows that industry has limited engagement in responsible AI, suggesting that firms are barely integrating responsible AI research into their commercial products. This limited integration could stem from two potential factors: either firms are not dedicating adequate attention to responsible AI research (Bikard, 2018), or they lack the absorptive capacity (Cohen and Levinthal, 1990; Zahra and George, 2002) necessary to effectively assimilate and apply the knowledge produced by such research.

7 Discussion

Our results suggest that the rapid commercialization of AI (Maslej et al., 2023) is taking place without sufficient consideration of its potential consequences. Industry's limited engagement with responsible AI research is concerning because AI firms are currently at the forefront of research and innovation, shaping the trajectory of AI development. Yet our results show that they have a limited engagement with responsible AI in both research (as measured by publications) and development (as measured by patent citations of responsible AI research). This means that the current AI trajectory is on a path that might not be socially optimal.

This lack of engagement in research is also a cause for concern because innovation research suggests that firms need to participate in research to develop their capacity to absorb external knowledge (Cohen and Levinthal, 1990; Zahra and George, 2002). Al firms, however, are starting to reduce their responsible AI research teams (Vynck and Oremus, 2023). For instance, leading technology firms have fired their responsible AI researchers at a disproportionate rate (Field and Vanian, 2023) (see Table S10 for a list of recent firings). If industry does not engage in responsible AI research, its ability to adopt the latest external research will be limited. Consequently, this lack of engagement could lead to less critical examinations of social benefits and costs in the early stages of the design and could inhibit the diffusion of responsible AI ideas from academia to industry.

While it is crucial for industry to enhance its engagement with the public, it is essential to recognize that such involvement should supplement, not *replace*, public responsible AI research. There is a significant concern that industry might have excessive influence over the trajectory of AI research (Young et al., 2022; Ahmed and Wahed, 2020; Benkler, 2019) and AI firms might unduly influence the future research agenda in the field of responsible AI (Hao, 2021; Young et al., 2022; Baker and Hanna, 2022; Jazwinska, 2022). Therefore, we argue that industry's increased presence should be *complementary* to extant responsible AI research.

Additionally, the responsible AI research community has a key role to play in making its work more accessible and applicable for practitioners. For example, prior studies (Holstein et al., 2019; Ali et al., 2023; Ghosh et al., 2023) have noted the difficulties practitioners face when attempting to apply and implement research findings in real-world settings.

¹¹Prior research further reveals that employees who prioritize ethical considerations often encounter obstacles, as firms tend to prioritize product launches over investing resources in addressing ethical concerns (Ali et al., 2023).

Moreover, a substantial portion of academic responsible AI research may not be immediately applicable or easily integrated into commercial products, potentially contributing to the limited industry engagement in this area. More efforts are needed to ensure that industry and academia work together to translate academic responsible AI research into commercial innovation.

Our research raises important questions for both innovation and responsible AI research. For example, future studies could explore the factors that motivate certain firms to publicly engage in responsible AI research. Similarly, examining the perceived benefits and costs of such engagement, including enhanced trust, talent acquisition, innovation outcomes, and regulatory compliance, could provide valuable insights for both managers and policymakers.

7.1 Policy Implications

Our systematic analysis reveals a concerning lack of industry involvement in responsible AI research, which poses significant risks to society. The development and commercialization of AI technologies without adequate consideration of their societal implications could have far-reaching negative consequences. Therefore, it is important to implement comprehensive measures to ensure the responsible development and deployment of AI systems.

Our results suggest that the lack of meaningful participation in responsible AI research is a key reason why firms are largely *reactive* to AI-induced challenges. This lack of meaningful participation hinders their ability to anticipate and mitigate the potential downsides of their tools. For example, in 2016, Microsoft launched an AI chatbot on Twitter targeting 18-to-24-year-olds, which within 24 hours of its launch started posting anti-semitic, racist, and misogynist content (Mason, 2016). Years later, in 2023, Snapchat launched its AI chatbot, *My AI*, which reportedly encouraged physical intimacy with a minor (Fowler, 2023). These examples, spanning several years, underscore the pervasive reactive stance of the AI ecosystem, where mitigating harms is often treated as an *afterthought* rather than a proactive design principle. By actively engaging in responsible AI research, firms can develop a more comprehensive understanding of the potential risks and ethical implications of their technologies, enabling them to proactively address these issues during the design and development process.

Despite the mounting pressure (The White House, 2023a; Krafft et al., 2021; Ahmed and Jia, 2023; Belfield, 2020) stemming from the rapidly rising number of incidents concerning the misuse of AI (Maslej et al., 2024), industry participation in responsible AI research remains limited. This suggests that existing incentives might not be sufficient for the corporate development of responsible AI (Askell et al., 2019). Prior research contends that market pressure could accelerate the commercialization process, leading firms to underinvest in responsible AI development (Askell et al., 2019). Regulatory frameworks could induce AI firms to demonstrate substantial engagement in responsible AI research as a prerequisite for product development and deployment.

Transparency and public accountability are vital in the AI development process (Brundage et al., 2020; Mittelstadt, 2019). To foster trust and confidence in the AI ecosys-

tem, policymakers should mandate AI firms to disclose their responsible AI research efforts, ethical frameworks, and decision-making processes related to the development and deployment of AI systems (de Laat, 2021; de Almeida et al., 2021). These disclosures should be subject to independent audits and public scrutiny, ensuring that AI development remains aligned with societal values and interests (Mökander et al., 2021).

Furthermore, policymakers need to prioritize the allocation of funding and resources toward independent, public-sector responsible AI research initiatives. While industry participation is vital, our findings underscore the importance of maintaining a robust, impartial research ecosystem that can critically examine AI technologies and their societal impacts without being influenced by commercial interests (Baker and Hanna, 2022).

More industry-academia research collaborations in responsible AI could help to bridge the gap. These partnerships would promote knowledge exchange, foster the integration of academic insights into industry practices, and cultivate a culture of responsible AI development within firms. By leveraging the combined expertise and resources of academia and industry, such collaborations could drive the advancement of responsible AI research and its practical implementation.

7.2 Direction of AI is on a Suboptimal Path

The direction of AI research has far-reaching consequences for power, politics, and social status in society (Acemoglu, 2021). In particular, the path-dependent nature of technological progress (Arthur, 2009) implies that decisions made during the design and implementation phases of AI will have profound societal implications once the technology is widely adopted (Bijker, 1997; Winner, 1980). The negative impact of AI systems can often be difficult to reverse (Ehsan et al., 2022), underscoring the importance of carefully considering potential consequences and guiding AI development toward socially beneficial outcomes from the very beginning.

If market forces fail to steer AI innovation towards socially beneficial outcomes, proactive public policies and democratic processes are needed to mitigate potential harms and ensure that AI aligns with the greater good (Rosenberg, 1969; Acemoglu, 2021). Just as subsidies have been introduced to encourage innovation in renewable energy (Acemoglu et al., 2012), similar measures could be taken to address the challenges associated with AI and other digital technologies. As AI progresses, governments can provide guidance on which validated AI systems are appropriate to deploy in high-stakes public contexts, considering factors like efficacy, safety, fairness, and transparency. By establishing a robust policy framework now, we can guide the development of human-complementary AI in a direction that enhances human potential and benefits society as a whole (Brynjolfsson, 2022). Carefully crafted policies are essential to ensure that AI progress aligns with societal values.

7.3 Limitations

Our study is not without limitations. First, our focus on peer-reviewed responsible AI publications may not capture the full extent of AI firms' research engagement. While our

research questions led us to examine only peer-reviewed responsible AI publications, AI firms may engage in research that they do not publish. Additionally, it is also possible that firms have papers that are not peer-reviewed. However, this lack of public engagement is a concern because prior research suggests that research engagement with academics also increases the capacity for firms to adopt responsible AI research (Baruffaldi and Poege, 2023; Cohen and Levinthal, 1990). Additionally, peer-reviewed research and engagement with academic outlets are important in building trust helping to work through important and ambiguous design choices (Ghoshal and Dasgupta, 2023; Kleinberg et al., 2023).

Second, since the diffusion of knowledge from basic science to product creation requires time (Mansfield, 1991), our patent citation analysis may *underestimate* the actual extent of the commercialization of responsible AI research. Moreover, it is important to recognize that not all elements of responsible AI research are amenable to patenting, nor are they always reflected in patent citations (Cohen et al., 2000). However, we observe that some AI patents cite recent academic papers on conventional AI and non-AI, suggesting that industry can, to some extent, build upon academic work in this area.

Third, the training data for our supervised machine learning model, sourced from leading responsible AI conferences, might not fully represent all industry research activities. While these conferences address a wide range of issues, they may still miss some industry research topics. To address this, we implemented measures such as data ablation, using different subsets of training datasets to classify industry papers (see Fig. S4 in the appendix), and conducted manual validation. Additionally, we validated our findings using a different classification method—an expert-consulted keyword search (see S7)—which supported our key results. Lastly, we used a comprehensive sample of papers identified through keyword searches (presented in Fig. 2c), yielding similar outcomes.

Notwithstanding these limitations, our results suggest that industry has a limited breadth and depth in responsible AI research and rarely cites research in its commercial innovation.

8 Conclusion

AI is set to transform our society, but like all technologies, it also carries notable risks (Acemoglu, 2021; Lazar, 2022; Acemoglu and Lensman, 2023; Brynjolfsson, 2022). Our large-scale study shows that the organizations that are developing and deploying this technology have limited public engagement in responsible AI research. More specifically, we document that even within AI research firms, who are setting the research agenda and driving innovation (Ahmed et al., 2023; Frank et al., 2019; Koch et al., 2021), only 11.2% engage in meaningful responsible AI research. Additionally, we find that firms demonstrate a limited scope in their approach to responsible AI and show a lack of enthusiasm toward critical issues in this area. Our results are robust across different datasets and measurements. This study emphasizes that industry's participation in responsible AI research is markedly limited in breadth and depth. This limited participation is despite industry's substantial resources and significant external pressure (The White House, 2023a) to engage in this field. Additionally, our large-scale patent analysis shows a disconnect between research and commercialization, with industry largely failing to integrate responsible AI research into their commercial products and services. Our results underscore

the urgent need for industry to prioritize and deepen its involvement in responsible AI research; ensuring that the development and deployment of AI align with societal values and mitigate potential harms. Failure to do so may jeopardize public trust, hinder the realization of AI's benefits, and exacerbate the risks posed by this powerful technology.

Acknowledgements

We would like to thank Nick Berente, Michael Park, Julian Barg, Nan Jia, Ranjit Singh, Maja Susanna Svanberg, Yian Yin, Ahmed Abbasi, Cameron Kormylo, Ana Trisovic, Mayur P. Joshi, Milan Miric, and Industry colleagues from DeepMind, Spotify, Microsoft, Google, and seminar participants at AOM, Harvard LISH, AIM at USC, NBER Productivity Seminar for their feedback and suggestions. All errors are our own.

References

- Abdalla, M. and Abdalla, M. (2021). The grey hoodie project: Big tobacco, big tech, and the threat on academic integrity. In *Proceedings of the 2021 AAAI/ACM Conference on AI, Ethics, and Society*, AIES '21, page 287–297, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3461702.3462563.
- Abebe, R., Barocas, S., Kleinberg, J., Levy, K., Raghavan, M., and Robinson, D. G. (2020). Roles for computing in social change. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, FAT* '20, page 252–260, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3351095.3372871.
- Acemoglu, D. (2021). Harms of AI. Working Paper 29247, National Bureau of Economic Research. http://www.nber.org/papers/w29247.
- Acemoglu, D., Aghion, P., Bursztyn, L., and Hemous, D. (2012). The Environment and Directed Technical Change. *American Economic Review*, 102(1):131–166. https://www.aeaweb.org/articles?id=10.1257/aer.102.1.131.
- Acemoglu, D. and Lensman, T. (2023). Regulating transformative technologies. Working Paper 31461, National Bureau of Economic Research. http://www.nber.org/papers/w31461.
- Acquisti, A., Brandimarte, L., and Loewenstein, G. (2015). Privacy and human behavior in the age of information. *Science*, 347(6221):509–514. https://www.science.org/doi/abs/10.1126/science.aaa1465.
- Ahmed, N. and Jia, N. (2023). Responsible AI principles: Human capital's role in the adoption of socially responsible activities. *MIT Sloan Working Paper*. https://www.darden.virginia.edu/sites/default/files/inline-files/2401%20Ahmed%2C%20Nur.pdf.
- Ahmed, N. and Wahed, M. (2020). The de-democratization of AI: Deep learning and the compute divide in artificial intelligence research. *arXiv* preprint arXiv:2010.15581. https://doi.org/10.48550/arXiv.2010.15581.
- Ahmed, N., Wahed, M., and Thompson, N. C. (2023). The growing influence of industry in AI research. *Science*, 379(6635):884–886. https://doi.org/10.1126/science.ade2420.
- Aizenberg, E. and van den Hoven, J. (2020). Designing for human rights in AI. *Big Data & Society*, 7(2). https://doi.org/10.1177/2053951720949566.
- Ali, S. J., Christin, A., Smart, A., and Katila, R. (2023). Walking the walk of AI ethics: Organizational challenges and the individualization of risk among ethics entrepreneurs. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '23, page 217–226, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3593013.3593990.
- Arora, A., Belenzon, S., and Patacconi, A. (2018). The decline of science in corporate R&D. *Strategic Management Journal*, 39(1):3–32. https://doi.org/10.1002/smj.2693.
- Arora, A., Belenzon, S., and Sheer, L. (2021). Knowledge spillovers and corporate investment in scientific research. *American Economic Review*, 111(3):871–98. https://www.aeaweb.org/articles?id=10.1257/aer.20171742.

- Arthur, W. B. (2009). *The Nature of Technology: What It is and How It Evolves*. Free Press, New York. https://doi.org/10.1016/j.futures.2010.08.015.
- Askell, A., Brundage, M., and Hadfield, G. (2019). The role of cooperation in responsible AI development. *arXiv preprint arXiv:1907.04534*. https://doi.org/10.48550/arXiv.1907.04534.
- Baker, D. and Hanna, A. (2022). AI ethics are in danger. Funding independent research could help. *Stanford Social Innovation Review*. https://doi.org/10.48558/VCAT-NN16.
- Barocas, S., Biega, A. J., Fish, B., Niklas, J., and Stark, L. (2020). When not to design, build, or deploy. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, FAT* '20, page 695, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3351095.3375691.
- Baruffaldi, S. and Poege, F. (2023). Like stars: How firms learn at scientific conferences. *Management Science*. https://dx.doi.org/10.2139/ssrn.3644106.
- Baruffaldi, S., van Beuzekom, B., Dernis, H., Harhoff, D., Rao, N., Rosenfeld, D., and Squicciarini, M. (2020). Identifying and measuring developments in artificial intelligence. *OECD Science, Technology and Industry Working Papers*. https://www.oecd-ilibrary.org/content/paper/5f65ff7e-en.
- Belfield, H. (2020). Activism by the ai community: Analysing recent achievements and future prospects. In *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society,* AIES '20, page 15–21, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3375627.3375814.
- Beltagy, I., Lo, K., and Cohan, A. (2019). SciBERT: A pretrained language model for scientific text. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 3615–3620, Hong Kong, China. Association for Computational Linguistics. https://aclanthology.org/D19-1371.
- Benkler, Y. (2019). Don't let industry write the rules for AI. *Nature*, 569:161. https://www.nature.com/articles/d41586-019-01413-1.
- Bijker, W. E. (1997). *Of Bicycles, Bakelites, and Bulbs: Toward A Theory of Sociotechnical Change.* MIT press.
- Bijker, W. E. and Law, J. (1994). *Shaping Technology/Building Society: Studies in Sociotechnical Change*. MIT press.
- Bikard, M. (2018). Made in academia: The effect of institutional origin on inventors' attention to science. *Organization Science*, 29(5):818–836. https://doi.org/10.1287/orsc. 2018.1206.
- Birhane, A., Kalluri, P., Card, D., Agnew, W., Dotan, R., and Bao, M. (2022). The values encoded in machine learning research. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '22, page 173–184, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533083.
- Birhane, A., Prabhu, V., Han, S., and Boddeti, V. N. (2023). On hate scaling laws for dataswamps. *arXiv preprint arXiv*:2306.13141. https://doi.org/10.48550/arXiv.2306.13141.

- Blei, D. M. (2012). Probabilistic topic models. *Communications of the ACM*, 55(4):77–84. https://doi.org/10.1145/2133806.2133826.
- Blei, D. M., Ng, A., and Jordan, M. (2001). Latent dirichlet allocation. In *Advances in Neural Information Processing Systems*, volume 14. MIT Press. https://proceedings.neurips.cc/paper_files/paper/2001/file/296472c9542ad4d4788d543508116cbc-Paper.pdf.
- Bommasani, R., Klyman, K., Longpre, S., Kapoor, S., Maslej, N., Xiong, B., Zhang, D., and Liang, P. (2023). The foundation model transparency index. *arXiv preprint arXiv*:2310.12941. https://doi.org/10.48550/arXiv.2310.12941.
- Bruckner, M. A. (2018). The promise and perils of algorithmic lenders' use of big data. *Chicago-Kent Law Review*, 93:3. https://scholarship.kentlaw.iit.edu/cklawreview/vol93/iss1/1.
- Brundage, M., Avin, S., Wang, J., Belfield, H., Krueger, G., Hadfield, G., Khlaaf, H., Yang, J., Toner, H., Fong, R., Maharaj, T., Koh, P. W., Hooker, S., Leung, J., Trask, A., Bluemke, E., Lebensold, J., O'Keefe, C., Koren, M., and Ryffel, T. (2020). Toward trustworthy AI development: Mechanisms for supporting verifiable claims. *arXiv.org*. https://arxiv.org/abs/2004.07213.
- Brynjolfsson, E. (2022). The Turing trap: The promise & peril of human-like artificial intelligence. *Daedalus*, 151(2):272–287. https://doi.org/10.1162/daed_a_01915.
- Brynjolfsson, E., Hui, X., and Liu, M. (2019). Does machine translation affect international trade? Evidence from a large digital platform. *Management Science*, 65(12):5449–5460. https://doi.org/10.1287/mnsc.2019.338.
- Buolamwini, J. and Gebru, T. (2018). Gender shades: Intersectional accuracy disparities in commercial gender classification. In *Proceedings of the 1st Conference on Fairness, Accountability and Transparency*, volume 81 of *Proceedings of Machine Learning Research*, pages 77–91. PMLR. https://proceedings.mlr.press/v81/buolamwini18a.html.
- Cao, H., Lu, Y., Deng, Y., Mcfarland, D., and Bernstein, M. S. (2023). Breaking out of the ivory tower: A large-scale analysis of patent citations to HCI research. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*, CHI '23, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3544548.3581108.
- Caruana, R., Niculescu-Mizil, A., Crew, G., and Ksikes, A. (2004). Ensemble selection from libraries of models. In *Proceedings of the Twenty-First International Conference on Machine Learning*, ICML '04, page 18, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/1015330.1015432.
- Cath, C., Wachter, S., Mittelstadt, B., Taddeo, M., and Floridi, L. (2018). Artificial intelligence and the 'good society': the US, EU, and UK approach. *Science and Engineering Ethics*, 24:505–528. https://doi.org/10.1007/s11948-017-9901-7.
- Chen, T. and Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In *Proceedings* of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '16, page 785–794, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/2939672.2939785.

- Cockburn, I. M., Henderson, R., and Stern, S. (2019). *The Impact of Artificial Intelligence on Innovation: An Exploratory Analysis*, pages 115–148. University of Chicago Press, Chicago. https://doi.org/10.7208/9780226613475-006.
- Cohen, M. K., Kolt, N., Bengio, Y., Hadfield, G. K., and Russell, S. (2024). Regulating advanced artificial agents. *Science*, 384(6691):36–38. https://www.science.org/doi/abs/10.1126/science.adl0625.
- Cohen, W. M. and Levinthal, D. A. (1990). Absorptive capacity: A new perspective on learning and innovation. *Administrative Science Quarterly*, 35(1):128–152. https://doi.org/10.2307/2393553.
- Cohen, W. M., Nelson, R. R., and Walsh, J. P. (2000). Protecting their intellectual assets: Appropriability conditions and why U.S. manufacturing firms patent (or not). Working Paper 7552, National Bureau of Economic Research. http://www.nber.org/papers/w7552.
- Coudray, N., Ocampo, P. S., Sakellaropoulos, T., Narula, N., Snuderl, M., Fenyö, D., Moreira, A. L., Razavian, N., and Tsirigos, A. (2018). Classification and mutation prediction from non-small cell lung cancer histopathology images using deep learning. *Nature Medicine*, 24(10):1559–1567. https://doi.org/10.1038/s41591-018-0177-5.
- de Almeida, P. G. R., dos Santos, C. D., and Farias, J. S. (2021). Artificial intelligence regulation: A framework for governance. *Ethics and Information Technology*, 23(3):505–525. https://doi.org/10.1007/s10676-021-09593-z.
- de Laat, P. B. (2021). Companies committed to responsible AI: From principles towards implementation and regulation? *Philosophy & Technology*, 34:1135–1193. https://doi.org/10.1007/s13347-021-00474-3.
- Denzin, N. K. (2017). *The Research Act: A Theoretical Introduction to Sociological Methods*. Routledge.
- Devlin, J., Chang, M.-W., Lee, K., and Toutanova, K. (2018). BERT: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*. https://doi.org/10.48550/arXiv.1810.04805.
- Diberardino, N., Baleshta, C., and Stark, L. (2024). Algorithmic harms and algorithmic wrongs. *Forthcoming in FAccT'24*. https://osf.io/xzpsw.
- Dietterich, T. G. (2000). Ensemble methods in machine learning. In *International Workshop on Multiple Classifier Systems*, pages 1–15. Springer, Berlin, Heidelberg. https://doi.org/10.1007/3-540-45014-9_1.
- Dressel, J. and Farid, H. (2018). The accuracy, fairness, and limits of predicting recidivism. *Science Advances*, 4(1):eaao5580. https://www.science.org/doi/abs/10.1126/sciadv.aao5580.
- Durmus, E., Nyugen, K., Liao, T. I., Schiefer, N., Askell, A., Bakhtin, A., Chen, C., Hatfield-Dodds, Z., Hernandez, D., Joseph, N., Lovitt, L., McCandlish, S., Sikder, O., Tamkin, A., Thamkul, J., Kaplan, J., Clark, J., and Ganguli, D. (2023). Towards measuring the representation of subjective global opinions in language models. *arXiv preprint arXiv*:2306.16388. https://doi.org/10.48550/arXiv.2306.16388.

- Ehsan, U., Singh, R., Metcalf, J., and Riedl, M. (2022). The algorithmic imprint. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '22, page 1305–1317, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533186.
- Epstein, Z., Payne, B. H., Shen, J. H., Dubey, A., Felbo, B., Groh, M., Obradovich, N., Cebrian, M., and Rahwan, I. (2018). Closing the AI knowledge gap. *arXiv preprint arXiv:1803.07233*.
- Falco, G., Shneiderman, B., Badger, J., Carrier, R., Dahbura, A., Danks, D., Eling, M., Goodloe, A., Gupta, J., Hart, C., Jirotka, M., Johnson, H., Lapointe, C., Llorens, A. J., Mackworth, A. K., Maple, C., Pálsson, S. E., Pasquale, F., Alan, and Yeong, Z. K. (2021). Governing AI safety through independent audits. *Nature Machine Intelligence*, 3(7):566–571. https://doi.org/10.1038/s42256-021-00370-7.
- Field, H. and Vanian, J. (2023). Tech layoffs ravage the teams that fight online misinformation and hate speech. *CNBC*. https://www.cnbc.com/2023/05/26/tech-companies-are-laying-off-their-ethics-and-safety-teams-.html.
- Fowler, G. A. (2023). Snapchat tried to make a safe AI. It chats with me about booze and sex. *The Washington Post*. https://www.washingtonpost.com/technology/2023/03/14/snapchat-myai/.
- Frank, M. R., Wang, D., Cebrian, M., and Rahwan, I. (2019). The evolution of citation graphs in artificial intelligence research. *Nature Machine Intelligence*, 1(2):79–85. https://www.nature.com/articles/s42256-019-0024-5.
- Ganguli, D., Hernandez, D., Lovitt, L., Askell, A., Bai, Y., Chen, A., Conerly, T., Dassarma, N., Drain, D., Elhage, N., El Showk, S., Fort, S., Hatfield-Dodds, Z., Henighan, T., Johnston, S., Jones, A., Joseph, N., Kernian, J., Kravec, S., Mann, B., Nanda, N., Ndousse, K., Olsson, C., Amodei, D., Brown, T., Kaplan, J., McCandlish, S., Olah, C., Amodei, D., and Clark, J. (2022). Predictability and surprise in large generative models. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '22, pages 1747–1764, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533229.
- Ghosh, A., Kvitca, P., and Wilson, C. (2023). When fair classification meets noisy protected attributes. AIES '23, page 679–690, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3600211.3604707.
- Ghoshal, S. and Dasgupta, S. (2023). Design values in action: Toward a theory of value dilution. In *Proceedings of the 2023 ACM Designing Interactive Systems Conference*, DIS '23, page 2347–2361, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3563657.3596122.
- Girshick, R., Donahue, J., Darrell, T., and Malik, J. (2014). Rich feature hierarchies for accurate object detection and semantic segmentation. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. https://doi.org/10.48550/arXiv.1311. 2524.
- Gofman, M. and Jin, Z. (2023). Artificial intelligence, education, and entrepreneurship. *The Journal of Finance*. https://onlinelibrary.wiley.com/doi/abs/10.1111/jofi.13302.

- Hao, K. (2021). Inside the fight to reclaim AI from big tech's control. *MIT Technology Review*. https://www.technologyreview.com/2021/06/14/1026148/ai-big-tech-timnit-gebru-paper-ethics.
- Hoffmann, M. and Frase, H. (2023). Adding structure to AI harm: An introduction to CSET's AI harm framework. *Center for Security and Emerging Technology Publications*. https://cset.georgetown.edu/publication/adding-structure-to-ai-harm.
- Holstein, K., Wortman Vaughan, J., Daumé, H., Dudik, M., and Wallach, H. (2019). Improving fairness in machine learning systems: What do industry practitioners need? In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*, CHI '19, page 1–16, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3290605.3300830.
- Huszár, F., Ktena, S. I., O'Brien, C., Belli, L., Schlaikjer, A., and Hardt, M. (2022). Algorithmic amplification of politics on Twitter. *Proceedings of the National Academy of Sciences*, 119(1):e2025334119. https://www.pnas.org/doi/abs/10.1073/pnas.2025334119.
- Jazwinska, K. (2022). The tech industry controls CS conference funding. What are the dangers? *Freedom to Tinker*. https://freedom-to-tinker.com/2022/03/11/the-tech-industry-controls-cs-conference-funding-what-are-the-dangers/.
- Jobin, A., Ienca, M., and Vayena, E. (2019). The global landscape of AI ethics guidelines. *Nature Machine Intelligence*, 1(9):389–399. https://doi.org/10.1038/s42256-019-0088-2.
- Johnson, G. M. (2023). Are algorithms value-free? Feminist theoretical virtues in machine learning. *Journal of Moral Philosophy*, pages 1 35. https://brill.com/view/journals/jmp/aop/article-10.1163-17455243-20234372/article-10.1163-17455243-20234372.xml.
- Jurowetzki, R., Hain, D., Mateos-Garcia, J., and Stathoulopoulos, K. (2021). The privatization of AI research(-ers): Causes and potential consequences—from university-industry interaction to public research brain-drain? *arXiv preprint arXiv:*2102.01648. https://doi.org/10.48550/arXiv.2102.01648.
- Kang, C. (2023). OpenAI's Sam Altman urges A.I. regulation in senate hearing. *The New York Times*. https://www.nytimes.com/2023/05/16/technology/openai-altman-artificial-intelligence-regulation.html.
- Kleinberg, J., Mullainathan, S., and Raghavan, M. (2023). The challenge of understanding what users want: Inconsistent preferences and engagement optimization. *Management Science*. https://doi.org/10.1287/mnsc.2022.03683.
- Klinger, J., Mateos-Garcia, J., and Stathoulopoulos, K. (2020). A narrowing of AI research? *arXiv preprint arXiv:*2009.10385. https://doi.org/10.48550/arXiv.2009.10385.
- Knowles, B. and Richards, J. T. (2021). The sanction of authority: Promoting public trust in AI. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '21, page 262–271, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3442188.3445890.
- Koch, B., Denton, E., Hanna, A., and Foster, J. G. (2021). Reduced, reused and recycled: The life of a dataset in machine learning research. *arXiv preprint arXiv:2112.01716*. https://doi.org/10.48550/arXiv.2112.01716.

- Korinek, A. and Balwit, A. (2022). Aligned with whom? direct and social goals for AI systems. *NBER Working Paper No. w30017*. https://doi.org/10.3386/w30017.
- Krafft, P. M., Young, M., Katell, M., Lee, J. E., Narayan, S., Epstein, M., Dailey, D., Herman, B., Tam, A., Guetler, V., Bintz, C., Raz, D., Jobe, P. O., Putz, F., Robick, B., and Barghouti, B. (2021). An action-oriented ai policy toolkit for technology audits by community advocates and activists. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '21, page 772–781, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3442188.3445938.
- Laufer, B., Jain, S., Cooper, A. F., Kleinberg, J., and Heidari, H. (2022). Four years of FAccT: A reflexive, mixed-methods analysis of research contributions, shortcomings, and future prospects. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '22, page 401–426, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533107.
- Lazar, S. (2022). *Power and AI: Nature and Justification*. Oxford University Press. https://doi.org/10.1093/oxfordhb/9780197579329.013.12.
- Lazar, S. and Nelson, A. (2023). AI safety on whose terms? *Science*, 381(6654):138–138. https://www.science.org/doi/abs/10.1126/science.adi8982.
- Li, L., Situ, R., Gao, J., Yang, Z., and Liu, W. (2017). A hybrid model combining convolutional neural network with XGBoost for predicting social media popularity. In *Proceedings of the 25th ACM International Conference on Multimedia*, MM '17, page 1912–1917, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3123266.3127902.
- Liu, Y., Ott, M., Goyal, N., Du, J., Joshi, M., Chen, D., Levy, O., Lewis, M., Zettlemoyer, L., and Stoyanov, V. (2019). RoBERTa: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*. https://doi.org/10.48550/arXiv.1907.11692.
- Lucas, C., Nielsen, R. A., Roberts, M. E., Stewart, B. M., Storer, A., and Tingley, D. (2015). Computer-assisted text analysis for comparative politics. *Political Analysis*, 23(2):254–277. https://doi.org/10.1093/pan/mpu019.
- MacQueen, J. (1967). Some methods for classification and analysis of multivariate observations. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, volume 1, pages 281–297. Oakland, CA, USA.
- Mansfield, E. (1991). Academic research and industrial innovation. *Research Policy*, 20(1):1–12. https://www.sciencedirect.com/science/article/pii/004873339190080A.
- Martin, K. (2019). Designing ethical algorithms. *MIS Quarterly Executive June*. http://dx.doi.org/10.17705/2msqe.00012.
- Marx, M. and Fuegi, A. (2020). Reliance on science: Worldwide front-page patent citations to scientific articles. *Strategic Management Journal*, 41(9):1572–1594. https://doi.org/10.1002/smj.3145.
- Maslej, N., Fattorini, L., Brynjolfsson, E., Etchemendy, J., Ligett, K., Lyons, T., Manyika, J., Ngo, H., Niebles, J. C., Parli, V., Shoham, Y., Wald, R., Clark, J., and Perrault, R. (2023). The AI index 2023 annual report. Technical report, AI Index Steering Committee,

- Institute for Human-Centered AI, Stanford University. https://aiindex.stanford.edu/ai-index-report-2023/.
- Maslej, N., Fattorini, L., Perrault, R., Parli, V., Reuel, A., Brynjolfsson, E., Etchemendy, J., Ligett, K., Lyons, T., Manyika, J., Niebles, J. C., Shoham, Y., Wald, R., and Clark, J. (2024). The AI index 2024 annual report. Technical report, AI Index Steering Committee, Institute for Human-Centered AI, Stanford University. https://aiindex.stanford.edu/report/.
- Mason, P. (2016). The racist hijacking of Microsoft's chatbot shows how the internet teems with hate. *The Guardian*. https://www.theguardian.com/world/2016/mar/29/microsoft-tay-tweets-antisemitic-racism.
- Matz, S. C., Kosinski, M., Nave, G., and Stillwell, D. J. (2017). Psychological targeting as an effective approach to digital mass persuasion. *Proceedings of the National Academy of Sciences*, 114(48):12714–12719. https://www.pnas.org/doi/abs/10.1073/pnas.1710966114.
- Meho, L. I. (2019). Using Scopus's CiteScore for assessing the quality of computer science conferences. *Journal of Informetrics*, 13(1):419–433. https://doi.org/10.1016/j.joi.2019.02.006.
- Merrick, L. (2019). Randomized ablation feature importance. *arXiv preprint arXiv:1910.00174*. https://doi.org/10.48550/arXiv.1910.00174.
- Metcalf, J., Moss, E., and Boyd, D. (2019). Owning ethics: Corporate logics, Silicon Valley, and the institutionalization of ethics. *Social Research: An International Quarterly*, 86(2):449–476. https://doi.org/10.1353/sor.2019.0022.
- Microsoft (2024). Responsible AI transparency report. Technical report, Microsoft. https://aka.ms/RAITransparencyReport2024PDF.
- Miric, M., Jia, N., and Huang, K. G. (2023). Using supervised machine learning for large-scale classification in management research: The case for identifying artificial intelligence patents. *Strategic Management Journal*, 44(2):491–519. https://onlinelibrary.wiley.com/doi/abs/10.1002/smj.3441.
- Mitre (2023). MITRE-Harris poll finds lack of trust among Americans in AI technology. *MITRE*. https://www.mitre.org/news-insights/news-release/mitre-harris-poll-finds-lack-trust-among-americans-ai-technology.
- Mittelstadt, B. (2019). Principles alone cannot guarantee ethical AI. *Nature Machine Intelligence*, 1(11):501–507. https://www.nature.com/articles/s42256-019-0114-4.
- Mökander, J., Morley, J., Taddeo, M., and Floridi, L. (2021). Ethics-based auditing of automated decision-making systems: Nature, scope, and limitations. *Science and Engineering Ethics*, 27(4):44. https://doi.org/10.1007/s11948-021-00319-4.
- Mousavi, M., Khanal, A., and Estrada, R. (2020). AI playground: Unreal engine-based data ablation tool for deep learning. In *Advances in Visual Computing*, Lecture Notes in Computer Science, pages 518–532. Springer International Publishing. https://doi.org/10.48550/arXiv.2007.06153.
- Mulder, M., Inel, O., Oosterman, J., and Tintarev, N. (2021). Operationalizing framing to support multiperspective recommendations of opinion pieces. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '21, page 478–488,

- New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3442188.3445911.
- Nedzhvetskaya, N. and Tan, J. (2022). The Role of Workers in AI Ethics and Governance. In *The Oxford Handbook of AI Governance*. Oxford University Press. https://doi.org/10.1093/oxfordhb/9780197579329.013.68.
- Neff, G. (2020). From bad users and failed uses to responsible technologies: A call to expand the AI ethics toolkit. In *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society*, AIES '20, page 5–6, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3375627.3377141.
- Noy, S. and Zhang, W. (2023). Experimental evidence on the productivity effects of generative artificial intelligence. *Science*, 381(6654):187–192. https://www.science.org/doi/abs/10.1126/science.adh2586.
- Ochigame, R. (2019). The invention of "ethical AI": How big tech manipulates academia to avoid regulation. *The Intercept*. https://theintercept.com/2019/12/20/mit-ethical-ai-artificial-intelligence/.
- Png, M.-T. (2022). At the tensions of south and north: Critical roles of global south stakeholders in ai governance. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency,* FAccT '22, page 1434–1445, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533200.
- Powers, T. M. and Ganascia, J.-G. (2020). The Ethics of the Ethics of AI. In *The Oxford Handbook of Ethics of AI*. Oxford University Press. https://doi.org/10.1093/oxfordhb/9780190067397.013.2.
- Raghavan, M. (2023). *Inherent Tradeoffs in the Fair Determination of Risk Scores*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3603195.3603197.
- Raji, I. D. and Buolamwini, J. (2019). Actionable auditing: Investigating the impact of publicly naming biased performance results of commercial AI products. In *Proceedings of the 2019 AAAI/ACM Conference on AI, Ethics, and Society, AIES '19, page 429–435, New York, NY, USA.* Association for Computing Machinery. https://doi.org/10.1145/3306618.3314244.
- Rakova, B., Yang, J., Cramer, H., and Chowdhury, R. (2021). Where responsible ai meets reality: Practitioner perspectives on enablers for shifting organizational practices. *Proceedings of the ACM on Human-Computer Interaction*, 5(CSCW1). https://doi.org/10.1145/3449081.
- Renieris, E. M., Kiron, D., and Mills, S. (2022). To be a responsible AI leader, focus on being responsible. *MIT Sloan Management Review*. https://sloanreview.mit.edu/projects/to-be-a-responsible-ai-leader-focus-on-being-responsible/.
- Richardson, M., Prakash, A., and Brill, E. (2006). Beyond PageRank: Machine learning for static ranking. In *Proceedings of the 15th International Conference on World Wide Web*, WWW '06, page 707–715. Association for Computing Machinery. https://doi.org/10.1145/1135777.1135881.
- Roberts, M. E., Stewart, B. M., Tingley, D., and Airoldi, E. M. (2013). The structural topic model and applied social science. In *Advances in Neural Information Processing Systems Workshop on Topic Models: Computation, Application, and Evaluation*, volume 4, pages 1–20.

- Harrahs and Harveys, Lake Tahoe. https://projects.iq.harvard.edu/files/wcfia/files/stmnips2013.pdf.
- Rosenberg, N. (1969). The direction of technological change: Inducement mechanisms and focusing devices. *Economic Development and Cultural Change*, 18(1):1–24. https://www.journals.uchicago.edu/doi/abs/10.1086/450399.
- Rudner, R. (1953). The scientist qua scientist makes value judgments. *Philosophy of Science*, 20(1):1–6. https://doi.org/10.1086/667842.
- Santos, F. P., Lelkes, Y., and Levin, S. A. (2021). Link recommendation algorithms and dynamics of polarization in online social networks. *Proceedings of the National Academy of Sciences*, 118(50):e2102141118. https://www.pnas.org/doi/abs/10.1073/pnas.2102141118.
- Sheikholeslami, S., Meister, M., Wang, T., Payberah, A. H., Vlassov, V., and Dowling, J. (2021). AutoAblation: Automated parallel ablation studies for deep learning. In *Proceedings of the 1st Workshop on Machine Learning and Systems*, EuroMLSys '21, page 55–61, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3437984.3458834.
- Shwartz-Ziv, R. and Armon, A. (2022). Tabular data: Deep learning is not all you need. *Information Fusion*, 81:84–90. https://doi.org/10.1016/j.inffus.2021.11.011.
- Simonite, T. (2020). The dark side of big tech's funding for AI research. *WIRED*. https://www.wired.com/story/dark-side-big-tech-funding-ai-research/.
- Smith, B. (2023). Meeting the AI moment: Advancing the future through responsible AI. *Microsoft Blogs*. https://blogs.microsoft.com/on-the-issues/2023/02/02/responsible-ai-chatgpt-artificial-intelligence/.
- Taddeo, M. and Floridi, L. (2018). How AI can be a force for good. *Science*, 361(6404):751–752. https://www.science.org/doi/abs/10.1126/science.aat5991.
- The White House (2023a). Executive order on the safe, secure, and trustworthy development and use of artificial intelligence. https://t.ly/AedKR.
- The White House (2023b). FACT SHEET: Biden-Harris administration secures voluntary commitments from leading artificial intelligence companies to manage the risks posed by AI. https://t.ly/2YRl4.
- Trajtenberg, M. and Jaffe, A. B. (2002). *Patents, Citations & Innovations: A Window on the Knowledge Economy*. The MIT Press. https://doi.org/10.7551/mitpress/5263.001.0001.
- Tulyakov, S., Jaeger, S., Govindaraju, V., and Doermann, D. (2008). *Review of Classifier Combination Methods*, pages 361–386. Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-540-76280-5_14.
- Van de Poel, I. (2020). Embedding values in artificial intelligence (AI) systems. *Minds and Machines*, 30(3):385–409. https://doi.org/10.1007/s11023-020-09537-4.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L. u., and Polosukhin, I. (2017). Attention is all you need. In *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc. https://proceedings.neurips.cc/paper_files/paper/2017/file/3f5ee243547dee91fbd053c1c4a845aa-Paper.pdf.

- Vlasceanu, M. and Amodio, D. M. (2022). Propagation of societal gender inequality by internet search algorithms. *Proceedings of the National Academy of Sciences*, 119(29):e2204529119. https://www.pnas.org/doi/abs/10.1073/pnas.2204529119.
- Vynck, G. D. and Oremus, W. (2023). As AI booms, tech firms are laying off their ethicists. *The Washington Post*. https://www.washingtonpost.com/technology/2023/03/30/tech-companies-cut-ai-ethics/.
- Wagner, C., Strohmaier, M., Olteanu, A., Kıcıman, E., Contractor, N., and Eliassi-Rad, T. (2021). Measuring algorithmically infused societies. *Nature*, 595(7866):197–204. https://doi.org/10.1038/s41586-021-03666-1.
- Winner, L. (1980). Do artifacts have politics? *Daedalus*, 109(1):121–136. https://doi.org/10. 1177/030631299029003004.
- Young, M., Katell, M., and Krafft, P. (2022). Confronting power and corporate capture at the FAccT conference. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, FAccT '22, page 1375–1386, New York, NY, USA. Association for Computing Machinery. https://doi.org/10.1145/3531146.3533194.
- Zahra, S. A. and George, G. (2002). Absorptive capacity: A review, reconceptualization, and extension. *Academy of Management Review*, 27(2):185–203. https://doi.org/10.5465/amr.2002.6587995.
- Zhang, D., Maslej, N., Brynjolfsson, E., Etchemendy, J., Lyons, T., Manyika, J., Ngo, H., Niebles, J. C., Sellitto, M., Sakhaee, E., Yoav Shoham, J. C., , and Perrault, R. (2022). The AI index 2022 annual report. Technical report, AI Index Steering Committee, Institute for Human-Centered AI, Stanford University. https://aiindex.stanford.edu/ai-index-report-2022/.
- Zuboff, S. (2015). Big other: Surveillance capitalism and the prospects of an information civilization. *Journal of Information Technology*, 30(1):75–89. https://doi.org/10.1057/jit. 2015.5.

Supplementary Materials

S1 Additional Analyses on Engagement Analysis

S1.1 List of leading conferences: Dataset 2

Table S1: List of leading responsible and conventional AI conferences

Conference Type	Conference Name	Paper Count
Conventional AI	ICML	16,070
	CVPR	15,226
(2010-2022)	ACL	14,260
	AAAI	12,338
	NeurIPS	11,969
	ICCV	9,901
	IJCAI	7,513
	ECCV	7,459
	EMNLP	6,067
	KDD	5,209
Pagnongible AT	AIES	383
Responsible AI (2018-2022)	FAccT	383
(2010-2022)	EAAMO	85

S1.2 Supervised Machine Learning Model Details

Process for constructing Fig. 1b and 1c




Figure S1: This figure illustrates the overall workflow for classifying conventional AI and responsible AI papers using XGBoost and SciBERT classifiers.




Figure S2: This figure showcases industry and academia's participation in conventional AI research compared to their responsible AI research. This time we present all 1,771 AI firms' (n = 679,919; 2010-22) research instead of only the leading 100 firms. Here, individual organizations are symbolized by discrete dots. A trend line reflects the participation trend within each group (industry and academia), and the shaded bands correspond to 95% confidence intervals. Additionally, the black dashed line indicates a reference line where the proportion of responsible AI papers to conventional AI papers is 2.5%.

Industry's limited engagement in responsible AI research (conference and journal separately)




Figure S3: This figure showcases industry and academia's conference (Fig. S3a) and journal (Fig. S3b) publications, respectively, on responsible AI research compared to their conventional AI research. Here, individual organizations are symbolized by discrete dots. A trend line reflects the participation trend within each group, and the shaded bands correspond to 95% confidence intervals. Additionally, the black dashed line indicates a reference line where the proportion of responsible AI papers to conventional AI papers is 2.5%.

Industry's limited engagement in responsible AI research (classification model is robust to changes in training data)




Figure S4: This figure showcases industry and academia's engagement in responsible AI research compared to their conventional AI research for each group's leading 100 organizations. Here, individual organizations are symbolized by discrete dots. A trend line reflects the participation trend within each group (industry and academia), and the shaded bands correspond to 95% confidence intervals. Additionally, the black dashed line indicates a reference line where the proportion of responsible AI papers to conventional AI papers is 2.5%. In this graph, we have trained the model with data from (a) only journals (and tested them on journal papers), (b) only conferences (and tested them on conference papers) (see Table S15), and (c) previous ACM FAccT conferences for positive samples along with negative samples from other conferences (and tested them on conference papers) (see Table S16). Even with varying training and testing data, the model produces results consistent with our prior analysis shown in Fig. 1.

Industry's limited engagement in responsible AI conferences (author-weighted count)




Figure S5: The dashed blue line and orange line indicate the author-weighted proportion of papers that have at least one industry co-author in conventional AI research (10 leading conferences; dataset 2) and responsible AI research conferences (three leading conferences; also dataset 2), respectively.

Industry's limited engagement in keywords sampled responsible AI research (author-weighted count)




Figure S6: The orange line represents the proportion of responsible AI research papers with at least one industry-affiliated author, weighted by author affiliation. The responsible AI research papers are identified using expert-suggested keywords (dataset 3).

S1.3 Validation with Expert Suggested Keywords

Industry's limited engagement in responsible AI research (a comparison with academia)




Figure S7: The first figure (Fig. S7a) shows the diagram of 1,771 AI firms that have AI research and responsible AI research activities using an expert-recommended keyword list. We present them in three groups based on their degree of engagement: (a) no engagement in responsible AI research, (b) limited engagement (published fewer than 5 papers), and (c) engagement (published 5 or more papers). Fig. S7b showcases a stark difference in the leading 100 AI firms' (n = 506,017 papers) and universities' (n = 5,265,419 papers) participation in AI research compared to their responsible AI research. Here, individual organizations are symbolized by discrete dots. A trend line reflects the participation trend within each group, and the shaded bands correspond to 95% confidence intervals. Additionally, the dashed line indicates a reference line where the proportion of responsible AI papers to total AI papers is 2.5%.

Table S2: Expert-suggested Keywords for Identifying Responsible AI Research Papers Dataset 3

Theme	Keywords/Phrases Covered	
Ethical & Moral Im-	ethics, ethical, ethics (in) ai, ethical ai, virtue ethics, transpar-	
plications	ent, transparency, accountable, accountability, liable, liability,	
prieutions	culpability, responsible, value alignment, equality, equity,	
	equitable, moral, morale, morality	
Legal & Gover-	justice, ai and law, distributive justice, judicial, governance,	
nance Issues	audit, auditable ai, gdpr, political bias, de-bias, de-biasing, compliance	
Societal & Social	human centric, social good, human right(s), human dig-	
Impacts	nity, empowerment, harmony, marginalization, harmony,	
1	discriminatory, egalitarian, social implication, societal im-	
	plication, philosophical aspect, sociotechnical, counteract	
	discrimination, counteracting discrimination, avoid discrim-	
	ination, avoiding discrimination, mitigate discrimination,	
	mitigating discrimination, address discrimination, address-	
	ing discrimination, promote diversity, promoting diversity,	
	improve diversity, improving diversity, increase diversity,	
	increasing diversity	
Technical Consid-	<u> </u>	
erations & Chal-	crease explainable models, increasing explainable models,	
lenges	enhance explainable models, enhancing explainable models,	
<u> </u>	improve explainable models, improving explainable models,	
	increase interpretable models, increasing interpretable mod-	
	els, enhance interpretable models, enhancing interpretable	
	models, improve interpretable models, improving inter-	
	pretable models	
Environmental	carbon neutral, carbon neutrality, carbon emission, carbon	
Concerns	footprint, carbon intensity, green ai, green computing, de-	
	carbonization, climate crisis, climate change, promote sus-	
	tainable ai, promoting sustainable ai, achieve sustainable ai,	
	achieving sustainable ai	
Privacy	private data, preserve privacy, preserving privacy, privacy	
	preserving, privacy enhancing, data protection, digital rights	
Risk	risk assessment, harm prevention	
Safe	safe ai, responsible ai, robust ai, safe artificial intelligence, re-	
	sponsible artificial intelligence, robust artificial intelligence,	
	ai safety	
Toxicity, Hate	toxicity, hate speech, harmful content, explicit content, toxic	
Speech & Misinfor-	content, misinformation detection, disinformation detection,	
mation	ai generated misinformation, ai generated disinformation	
	Continued on next page	

Continued on next page

T 11 00	1	•	•	
Table 52	continued	trom	previous	page
			P - 0 : - 0 0-0	F 0 -

Theme	Keywords/Phrases Covered
Bias	bias mitigation, mitigating bias, bias in machine learning,
	bias detection, bias in facial recognition, bias measurement,
	bias arise, bias arises, bias capturing, bias related, bias (in)
	automated (systems), bias towards, bias word(s), bias (in)
	word embedding, implicit bias, gender bias, algorithmic
	bias, mitigating bias, error (or) bias, source bias, model bias,
	unintended bias, human bias, reducing bias, reduction (in)
	bias, racial bias, statistical bias, based bias, potential bias
Fairness	fairness metrics, fairness constraint(s), fairness criteria, fair-
	ness criterion, fairness metric(s), fairness measure, fairness measurement(s), fairness perception(s), fairness (in/and)
	accuracy, fairness definition, fairness notion(s), fairness
	(and/in) justice, fairness concern(s), fairness context(s), fair-
	ness (in) algorithm(s), fairness method(s), fairness (in) ai
	(models/systems), fairness principle(s), fairness toolkit(s),
	procedural fairness, definition (of) fairness, improving fair-
	ness, measuring fairness, perception (of) fairness, learning
	fairness, robustness (and) fairness, privacy (and) fairness,
	fairness trade off(s)
Trust	(public) trust (in) ai, trustworthy/trustable ai, trustwor-
	thy/trustable judgement(s), trustworthy/trustable model(s),
	trustworthy/trustable machine learning (model/system),
	trustworthy/trustable system(s), user trust, public trust, pro-
	moting trust, foster trust, fostering trust
Accountability	accountable framework(s), accountability (of/in) frame-
	work(s), accountability (in/and) model(s), accountability
	process(es), auditable, human oversight, regulatory over-
	sight, stakeholder oversight, public oversight
Accessibility & In-	0 .
clusivity	ties, non-discriminatory, disability rights, equal opportunity,
	equal opportunities, inclusion, inclusive
Model Cards	model card(s)
Misc.	disparate impact, disparate treatment, protected attribute(s),
	parity, intellectual property, counterfactual explanation, al-
	gorithmic decision making, model performance disparities,
	black box model(s)

S1.4 Keywords for Classifying AI Research Papers

nlp, opennlp, swarm intelligence, opinion mining, node embeddings, vowpal, opennn, perceptron, monte carlo tree search, automl, rnn, machine translation, probabilistic graphical models, graph convolutional networks, neural network, multi head attention, aggregated model, music generation, active learning, multimodal learning, neural style transfer, regularization, cudnn, neural net, neural model, backpropagation, deep convolutional gan, hardware acceleration neural networks, variational autoencoder, robotics, transfer learning, causal inference, h2o software, lstm, dialogflow, synthetic data, gpt, advances neural information processing systems, deep reinforcement learning, deep network, onnx, deep supervised hashing, paddlepaddle, relu, self attention, transformer xl, catastrophic forgetting, natural language toolkit, data privacy, knowledge graphs commonsense, tokenization, text speech, personalized federated learning, deep linear network, spectral graph theory, siamese networks, time series decomposition, knn, domain adaptation, computational linguistics, sentiment analysis, pixelcnn, max pooling, latent dirichlet allocation, dropconnect, back propagation, gan, bayesian networks, deep metric learning, sentiment classification, local training, natural language understanding, mlpack, stylegan, predictive analytics, attention mechanism, hybrid systems, overfitting, neural arithmetic logic units, model pruning, generative adversarial network, caffe deep learning framework, graspnet, disentanglement, image inpainting, mxnet, pointnet, machine learning, knowledge graph, distribution detection, model deployment, lexical semantics, adversarial examples, multi agent systems, genetic algorithm, ensemble learning, mobilenet, robotic, generative adversarial net, auto regressive model, feature extraction, support vector machine, topic model, quantum algorithms, simulated annealing, arima, deep q learning, early stopping, recommender systems, video summarization, deep encoder decoder, distilbert, markov chain monte carlo, madlib, ensemble methods, data augmentation, affective computing, pre trained models, knowledge discovery data mining, one shot learning, ai, modular audio recognition framework, image captioning, lexalytics, bert, local interpretable model, hierarchical topic modeling, gradient descent, data mining, interpretability ai, concept drift, mode collapse, time series forecasting, nd4j software, chatbot, latent space, sequence sequence, tsne, activation functions, multi modal fusion, gans, asynchronous updates, differential privacy, inverse reinforcement learning, federated averaging, image processing, quantization, neural networks, encoder decoder, edge computing, language model, graph neural networks, image image translation, lda, microsoft cognitive toolkit, continual learning, dataset shift, federated learning, deep deterministic policy gradient, communication efficient learning, r cnn, deberta, self supervised learning, zero knowledge proof, shot learning, genomic data analysis, natural language processing, skip connections, neurosymbolic computing, roberta, decision trees, theano, super resolution, spiking neural network, lasagne, data imputation, text mining, libsym, inception score, multi armed bandit, model explanation, energy based model, softmax, video analytics, supervised learning, tensor processing unit, synthetic data generation, albert, adversarial networks, dynamic programming, convolutional network, edge ai, semi supervised learning, generative pre trained transformer, feature importance, style transfer, attention mechanisms, bias detection, apertium, object tracking, opencl, optimization algorithms, imagenet, semantic driven subtractive clustering method, secure multi party computation, conditional random field,

minilm, antlr, deep embedding, model auditing, quantum neural networks, video object segmentation, resnet, dcgan, radial basis function network, decision tree, frechet inception distance, model accountability, self play, evolutionary algorithms, capsule networks, neural architecture search, tflearn, pixelrnn, neural commonsense knowledge bases, particle swarm optimization, sonnet, ai chatbot, collaborative filtering, pytorch lightning, auto encoder, hill climbing, kernel trick, bidirectional encoder representations, u net, positional encoding, spacy, computer vision, deep generative network, conditional gan, knowledge based systems, nltk, hidden markov model, restricted boltzmann machine, recurrent network, adversarial training, bert variants, gated recurrent unit, dropout, bias ai, model transparency, deep probabilistic model, image recognition, drug discovery ai, pytorch, zero shot learning, deep generative model, differentiable neural computers dnc, cyclegan, data clustering, deep hashing method, long short term memory, anomaly detection, neural language model, ibm watson, federated transfer learning, mahout, information retrieval, proximal policy optimization, deep learning, shapley additive explanations, bagging, vision transformer, deep recurrent network, mlpy, sparse coding, dynet, transformer architectures, neural architecture optimization, tensorflow, natural language learning, audio scene analysis, spectral clustering, depth wise convolution, autoencoder, decentralized training, viterbi algorithm, protein folding ai, variational inference, gluon, word2vec, noise injection, symbolic ai, multi task learning, deeplearning4j, pybrain, deep belief network, deep architecture, k nearest neighbor, q learning, hopfield network, neural turing machine, latent variable, word embedding, automatic speech recognition, federated optimization, nearest neighbor algorithm, xgboost, experts system, feedforward neural networks, split learning, deep representation learning, residual neural network, actor critic, neural architecture, fine tuning, glove, meta learning, model interpretability, text generation, hyperparameter tuning, anomaly detection time series, boltzmann machine, shap, transformer, knowledge distillation, unsupervised learning, ernie, machine vision, reinforcement learning, object recognition, scikit learn, stacked boltzmann, policy gradients, learning representations, interactive learning, graphics processing unit, umap, device learning, naive bayes, keras, allennlp, deep convolutional, conversational agent, artificial intelligence, multilayer perceptron, deep model, hard negative mining, deep autoencoder, hierarchical temporal memory, seq2seq, homomorphic encryption, virtual agents, bidirectional encoder representations transformers, pattern recognition, opency, random forest, genetic algorithms, alphago, memory networks, word movers distance, speech recognition, convolutional neural networks, residual connections, gradient boosting, sequence model, lexical acquisition, neural processing unit, deep q network, rectifier linear unit, liquid state machine, neural machine translation, cross validation, bayesian neural networks, latent semantic analysis

S1.5 Industry's limited engagement in responsible AI research at conventional AI conferences

We examined industry engagement in responsible AI at conventional AI conferences. In recent years, conventional AI conferences have also started to focus on responsible AI research (Maslej et al., 2024). It is plausible that industry is doing more work in responsible AI but not presenting them at the leading responsible AI conferences.




Figure S8: This figure illustrates the limited participation of industry researchers in responsible AI research at conventional AI conferences. The graph shows the author affiliation weighted percentage of industry-authored responsible AI papers out of all responsible AI papers presented at 10 leading conventional AI conferences from 2010 to 2022 (n = 1,311; a subset of papers from dataset 2).

To investigate this possibility, we classified all papers from the leading 10 conventional AI conferences using our supervised ML model to identify the subset of responsible AI papers. We then calculated the author-weighted percentage of these papers with at least one industry co-author by using equation 3. Figure S8 presents the percentage of responsible AI papers with industry co-authorship at the leading conventional AI conferences. The figure suggests that industry's share of responsible AI research at conventional AI conferences has largely stayed the same in recent years. Additionally, two key issues remain: First, responsible AI research still makes up a small portion of the total research presented at conventional AI conferences. Second, unlike industry's rapid growth in conventional AI (see Figure 2b), the growth in responsible AI research is more gradual and modest in recent years. The majority of these industry-authored responsible AI papers focus on technical issues such as privacy, data bias, and explainable AI. Overall, our conclusion of limited industry engagement in responsible AI research across all publication outlets still holds.

S2 Additional Analyses on Linguistic Analysis

Industry has a narrower focus on responsible AI research than academia: We used publication data from the three leading responsible AI conferences and used the abstracts of those papers to identify key research themes in responsible AI research. Fig. S9 shows the research topics that industry and academia explore in their responsible AI research. We used k-means clustering analysis on the abstracts of the responsible AI papers (see keywords list in Table S8 in the appendix). After clustering, we labeled each paper based on the cluster and then calculated the percentage of papers associated with that cluster for each year. Here, we present the analysis of 10 clusters on papers from 2018 to 2022 (the results are similar for other clusters, see Fig. S12 for 8 clusters & S13 for 6 clusters). Our analysis shows that relative to academia, industry engages in fewer topics (only 4 topics in 2018 compared to academia's 8 topics). The tendency for industry to have a more limited research scope than academia, as shown across other years, aligns with prior research (Klinger et al., 2020). It suggests a consistent pattern of industry's narrower research focus over time. Moreover, our findings remain consistent even when we employ alternative machine learning methodologies like LDA topic modeling (see Fig. S10) and bigram frequency count (see Fig. S14), or theme-specific analysis (see Fig. 3b).

Linguistic analysis shows industry has a narrower focus on responsible AI research, which broadens over time




Figure S9: This figure shows the clusters of topics in responsible AI (see Table S8) that industry and academia engage in, respectively, as determined by k-means clustering on abstracts (n = 629) from responsible AI conferences (dataset 2). Here, each color represents a specific research cluster. As elaborated in the Methods section, this pattern is robust to changes in the number of clusters or alternative machine learning methods.

Furthermore, we found that industry typically began exploring research topics only after academia introduced them. For instance, we observed that industry's four topics in 2018 increased to seven by the end of 2022 (see Fig. S9). Conversely, academia started with a broader spectrum of topics (8 topics), which eventually increased to 10. Interestingly, we observed that industry research has broadened more over time, underscoring the importance of industry's consistent engagement in academic venues (Baruffaldi and Poege, 2023). This analysis provides suggestive evidence that research engagement can benefit industry by broadening its understanding of responsible AI. Besides, the expansion of industry's research portfolio was, in part, likely influenced by the relevance and utility of those additional topics to them. Overall, AI firms have a narrow scope of responsible AI research and appear to trail behind academia in exploring a range of topics within this field.

Table S3: Most associated words for each cluster related to k-means clustering (Fig. 3a)

Topic name	Top Keywords
Ethical & Moral Concerns	moral, foundations, judgments, morality, ethics, ethi-
	cal, agents, human, theory, social, norms, model, peo-
	ple, reasoning, decision
Bias	research, data, bias, policy, equity, systems, racial, use,
	based, paper, decision, study, social, results, using
Algorithmic Fairness	fairness, fair, learning, algorithms, data, machine, al-
	gorithmic, accuracy, algorithm, model, bias, groups,
	protected, models, group
Privacy	privacy, data, differential, private, information, learn-
	ing, users, model, federated, concerns, differentially,
	sensitive, protection, user, models
Equitable AI	poverty, inequality, income, economic, poor, racial,
	wealth, social, households, countries, policy, data,
	growth, research, pape
Human-AI Interaction	ai, human, intelligence, artificial, systems, humans,
	research, decision, design, xai, learning, data, use, tech-
	nologies, making
Explainable AI	models, model, learning, explanations, machine, data,
	ml, human, explanation, decision, systems, predictions,
	methods, based, performance
Data Governance	data, research, big, use, science, privacy, collection, in-
	formation, researchers, sharing, datasets, open, social,
	access, analysis
Human-cenric AI	social, design, technology, media, research, digital,
	technologies, hci, ethical, community, users, systems,
	use, work, platforms
Human-Robot Interaction	robot, robots, trust, human, social, interaction, humans,
	robotic, participants, hri, team, design, children, study,
	people

Table S4: Most associated words for each topic on structural topic modeling analysis (Fig. 3b)

Topic name	Top Keywords
Human-AI interaction	human, trust, social, people, participants, robot, robots,
	study, humans, interaction, children, results, behavior,
	interactions, perceived
Model performance	model, models, learning, data, machine, accuracy,
	methods, based, explanations, privacy, using, show,
	training, approach, fairness
Ethical & moral concerns	moral, theory, ethical, paper, values, argue, social, legal,
	research, one, ethics, value, framework, making, norms
Societal implication	inequality, poverty, economic, find, population, in-
	come, policy, using, market, results, measures, finan-
	cial, also, level, effects
AI model development	ai, design, systems, technology, intelligence, artificial,
	technologies, research, learning, work, health, future,
	machine, care, paper
Algorithmic fairness	fairness, users, systems, system, bias, algorithms, user,
	algorithmic, online, biases, content, platforms, fair, al-
	gorithm, news
Accountability	racial, accountability, black, police, race, gender, use,
	disparities, public, study, bias, findings, discrimination,
	crime, white
Decision making	decision, group, performance, team, making, groups,
	decisions, teams, agents, results
Equitable AI	community, equity, communities, policy, social, digital,
	urban, public, access, local, justice, housing, cities, pa-
	per, research
Privacy	data, research, privacy, social, information, use, re-
	searchers, media, analysis, science

Table S5: Keywords for constructing Fig. 3b

Category	Keywords
	marginal*, under represent*, human right*, raci* inequal*,
Human Rights	raci* discrimia*, raci* dispar*, gender discrimia*, human dignity,
Tuman Rights	justice , social value*,global value*, human value*,
	humanity, fundamental right*
Environment Concerns	environ*, carbon footprint, climate, greenhouse, decarbon*,
Environment Concerns	emission, sustainab*, green ai
	benefi*, well being, peace, social good*, common good*,
Beneficence	empower*, inclus*, welfare, social value*, people* value*,
	harness*, public health
Non-maleficence	non malef*, security, safety, harm, protect*,
1 VOII-III aleiiceiice	precaut*, prevent*, integrity, non subver*, oversight
Explainable AI	explain*, interpret*, xai, transparen*, feature attribution*,
Explantable Al	feature importance*, reproduci*, human understand*

Linguistic analysis shows industry has a narrower focus in responsible AI research but broadens over time (LDA topic modeling, n = 10 topics)




Figure S10: This figure shows the clusters of responsible AI topics (see Table S6 for keywords) that only industry (top) and only academia (bottom) engage in, respectively, as determined by LDA topic modeling on abstracts (n = 629) from responsible AI conferences (dataset 2). Here, each color represents a specific research cluster. We determined the percentage by dividing the number of papers from each topic by the total number of papers produced by that group for that specific year.

Linguistic analysis shows industry has a similar focus in conventional AI research (k-means clustering, n = 10 topics)




Figure S11: This figure shows the clusters of conventional AI topics (see Table S7 for keywords) that only industry and only academia engage in, respectively, as determined by k-means clustering analysis on paper abstracts (n = 79576) from top 10 conventional AI conferences (dataset 2). Here, each color represents a specific research cluster. We determined the percentage by dividing the number of papers from each topic by the total number of papers produced by that group.

Linguistic analysis shows industry has a narrower focus in responsible AI research but broadens over time (k-means clustering, 8 clusters)




Figure S12: This figure shows the clusters of responsible AI topics (see Table S9 for keywords) that industry (top) and academia (bottom) engage in, respectively, as determined by k-means clustering on abstracts of papers (n = 629) from three responsible AI conferences. Here, each color represents a specific research cluster. We determine the percentage by dividing the number of papers from each cluster by the total number of papers produced by that group for that specific year.

Linguistic analysis shows industry has a narrower focus in responsible AI research but broadens over time (k-means clustering, 6 clusters)




Figure S13: This figure shows the clusters of responsible AI topics (see Table S9 for keywords) that industry (top) and academia (bottom) engage in, respectively, as determined by k-means clustering on abstracts of papers (n = 629) from three responsible AI conferences. Here, each color represents a specific research cluster. We determined the percentage by dividing the number of papers from each cluster by the total number of papers produced by that group for that specific year.

Linguistic analysis shows industry has a narrower focus in responsible AI research (bigram frequency analysis)




Figure S14: This figure shows the bigram frequency analysis for industry (top) and academia (bottom) based on abstracts of papers from the three leading responsible AI conferences. This analysis suggests that industry research is limited compared to academia. In particular, industry has limited engagement in topics like criminal justice, implicit bias, and fairness metrics.

Table S6:	Topic mo	deling keyw	ords list from	Fig. S10

Number of topics	Keywords List
	Topic- 0: fairness, individuals, ai, ethics, show, different, social, ethical,
	machine, research
	Topic- 1: data, social, fairness, learning, systems, machine, bias, models,
	algorithmic, paper
10	Topic- 2: systems, ethical, moral, ai, autonomous, design, ethics, paper,
10	public, agents
	Topic- 3: learning, ai, systems, machine, fairness, bias, gender, account-
	ability, system, algorithmic
	Topic- 4: ai, data, model, fairness, systems, learning, models, risk, dis-
	parities, decisions
	Topic- 5: model, systems, models, explanations, ai, algorithmic, trans-
	parency, data, information, work
	Topic- 6: learning, machine, human, ai, fairness, models, moral, social,
	may, data
	Topic- 7: fairness, data, ai, algorithmic, work, algorithms, show, impact,
	fair, systems
	Topic- 8: ai, data, trust, fairness, models, systems, human, learning,
	paper, work
	Topic- 9: fairness, ai, data, model, systems, research, paper, work, fair,
	analysis

Table S7: Word clustering keywords of Conventional AI papers list from Fig. S11 Cluster size Keywords List Cluster- 0: learning, data, training, model, network, neural, deep, networks, models, classification, methods, performance, method, tasks, label Cluster- 1: algorithm, problem, algorithms, optimization, learning, problems, optimal, function, data, method, linear, gradient, time, methods, 10 Cluster- 2: data, model, based, paper, information, social, using, time, user, results, approach, method, systems, users, used Cluster- 3: video, action, temporal, videos, motion, frames, frame, recognition, human, actions, model, method, features, based, dataset Cluster- 4: language, word, translation, models, model, text, task, languages, sentence, words, english, semantic, based, tasks, embeddings Cluster- 5: clustering, data, clusters, cluster, algorithm, means, method, subspace, algorithms, view, based, proposed, spectral, methods, matrix Cluster- 6: graph, graphs, node, nodes, network, networks, learning, knowledge, based, model, information, structure, methods, embedding, gnns Cluster- 7: image, images, method, face, depth, based, network, proposed, segmentation, features, pose, methods, model, feature, resolution Cluster- 8: object, objects, detection, tracking, segmentation, image, method, visual, based, scene, model, approach, images, dataset, pose Cluster- 9: domain, adaptation, target, source, domains, data, transfer, learning, cross, model, training, method, unsupervised, labeled, knowledge

Table S8: Top 10 keywords per cluster in K-means clustering

Cluster size	Cluster name	Top keywords
Cluster size		1 7
	Explainable AI	Cluster 0: explanations, explanation, model, counterfactual,
		models, recourse, feature, black, box, explainability
	Normative Agent	Cluster 1: systems, design, agent, learning, reward, norm,
	Design	value, agents, human, norms
10	Ethical Data Man-	Cluster 2: data, privacy, learning, dataset, access, ml, ethi-
10	agement	cal, public, machine, training
	Robotic Ethics and	Cluster 3: robots, human, responsibility, robot, ethical,
	Responsibility	norms, rights, moral, autonomous, machine
	Bias Detection in	Cluster 4: bias, biases, gender, language, word, content,
	Language Systems	detection, systems, embeddings, social
	Fairness Metrics in	Cluster 5: fairness, fair, group, decision, groups, metrics,
	Decision Making	learning, parity, individual, model
	Social Impact of Al-	Cluster 6: algorithmic, social, model, fairness, systems,
	gorithmic Models	work, algorithms, models, learning, use
	Human-Centric	Cluster 7: decision, making, feedback, assessments, fair-
	Decision Feedback	ness, algorithmic, human, model, decisions, ai
	Systems	
	Trust and Ethics in	Cluster 8: ai, ethics, intelligence, ethical, artificial, systems,
	AI Systems	trust, human, research, technologies
	Moral Dimensions	Cluster 9: moral, ethical, autonomous, agents, machine,
	of Autonomous	ethics, systems, vehicles, human, learning
	Agents	

Table S9: Top 10 keywords per cluster in K-means clustering

	*	ywords per cluster in K-means clustering
Cluster size	Cluster name	Top keywords
	AI Ethical Prac-	Cluster 0: ai, ethics, intelligence, ethical, artificial,
	tices	systems, research, human, trust, technologies
	Bias in AI	Cluster 1: bias, biases, racial, gender, language,
8		word, embeddings, social, datasets, images
O	AI Fairness Met-	Cluster 2: fairness, group, decision, model,
	rics	groups, utility, parity, outcomes, based, individu-
		als
	AI Social Impact	Cluster 3: data, ai, systems, social, design, public,
		diversity, research, communities, challenges
	Machine Ethics	Cluster 4: moral, machine, ethical, learning, hu-
		man, robots, autonomous, robot, trust, norms
	Algorithmic Ac-	Cluster 5: algorithmic, decision, systems, mak-
	countability	ing, accountability, ethical, decisions, informa-
		tion, risk, ai
	AI Explainabil-	Cluster 6: explanations, models, data, model,
	ity	learning, explanation, machine, xai, human,
		transparency
	Algorithmic	Cluster 7: fairness, fair, data, learning, algorithms,
	Fairness	attributes, sensitive, model, algorithmic, notions
	AI Ethics &	Cluster 0: ai, ethics, intelligence, systems, ethical,
	Trust	artificial, human, research, trust, public
6	Fairness in Algo-	Cluster 1: fairness, fair, group, groups, algo-
O	rithms	rithms, parity, metrics, notions, learning, decision
	Algorithmic	Cluster 2: data, algorithmic, model, fairness,
	Data Models	learning, decision, systems, models, work, social
	AI Explainabil-	Cluster 3: explanations, explanation, model, xai,
	ity	models, trust, explainability, user, explainable,
		decision
	Bias in Lan-	Cluster 4: bias, biases, gender, language, word,
	guage Models	embeddings, social, nlp, models, english
	Ethical Au-	Cluster 5: ethical, moral, human, autonomous,
	tonomous	systems, agents, ethics, agent, machine, account-
	Systems	ability

S3 Additional Analyses on Citation Analysis

Process for constructing Fig. 5a (examining industry's reliance on responsible AI research by industry)




Figure S15: This figure documents the process of how we combined multiple datasets to examine USPTO patents' reliance on responsible AI research.

Process for constructing Fig. 5b (examining industry's reliance on responsible AI research by industry)




Figure S16: This figure documents the process of how we combined multiple datasets to examine AI patents' reliance on responsible AI research.

Process for constructing Fig. 5c (examining industry's reliance on responsible AI research by academia)




Figure S17: This figure documents the process of how we combined multiple datasets to examine USPTO patents' reliance on academic responsible AI research.

Process for constructing Fig. 5d (examining industry's reliance on academic responsible AI research)




Figure S18: This figure documents the process of how we combined multiple datasets to examine AI patents' reliance on academic responsible AI research.

S4 Industry's Academic Research builds on Academia's Responsible AI Research

We analyzed citation data from the three leading responsible AI conferences. First, we took all of the citations from industry co-authored paper titles and matched those with academic paper titles using a cosine similarity, with a 90% threshold. Results were similar when we used "exact matching." We counted the unique number of industry papers that cited one or more academic papers. Then, we counted the total number of papers co-authored by industry for that specific year. This process allowed us to compute the percentage of industry papers that cite academic works. We followed the same procedure to examine responsible AI papers co-authored by academia that cite responsible AI papers co-authored by industry.

Citation analysis suggests that industry builds upon academic responsible AI research




Figure S19: This figure shows the percentage of industry co-authored responsible papers (n = 851) that cite academic papers, and academia co-authored papers that cite industry papers at the three leading responsible AI conferences (2018-2022; dataset 2). The yearly percentages are computed by dividing the number of industry-authored papers that cite one or more academic papers by the total number of industry-authored papers for that same year. A similar calculation is performed for academic-authored papers that cite industry papers.

Patent citation analyses: cumulative count over the years




Figure S20: This figure shows industry and academic papers' cumulative citations in USPTO patents. By matching against a comprehensive patent-paper citation data (n = 32,698,465; 1947-2022), we show in Fig. S20a and S20c that, only 88 and 396 responsible AI papers from industry and academia, respectively, have been cited in generic patents, while 15,236 academia and 7,532 industry conventional AI and non-AI papers have been cited between 2010-22. Using a separate dataset of AI patents (n = 141,770; 1985-2018), Fig. S20b and S20d further documents, 3 industry and 17 academic responsible AI papers have been cited in any AI patents between 2010-22, in stark contrast to the incorporation of conventional AI and non-AI research.

S5 Additional Details

Table S10: Recent news on firings/layoffs of responsible AI teams in Industry

Date		Title	Firms	Quotes
Nov 2022	14,	Why Meta and Twitter's AI and ML layoffs matter The AI Beat VentureBeat, Elon Musk Has Fired Twitter's "Ethical AI" Team WIRED	Twitter, Meta	"Ten days ago, as part of mass Twitter layoffs, the company's entire ethical artificial intelligence (AI) team—which worked to make Twitter's algorithms more transparent and fairwas let go." "Meta layoffs an entire 50-person research team focused on machine learning (ML) infrastructure, called Probability."
Mar 2023	14,	Microsoft lays off AI ethics and society team-The Verge	Microsoft	"The ethics and society team was at its largest in 2020, when it had roughly 30 employees including engineers, designers, and philosophers. In October, the team was cut to roughly seven people as part of a reorganization."
Mar 2023	29,	Big tech companies cut AI ethics staff, raising safety concerns Financial Times		"The speed with which they are being abolished leaves Big Tech's algorithms at the mercy of advertising imperatives, undermining the wellbeing of kids, vulnerable people and our democracy."- Josh Simons, former Facebook AI ethics researcher and author of Algorithms for the People.

Table S10 Continued from previous page

Table S10 Continued from previous page					
Date	Title	Firms	Quotes		
Mar 30, 2023	Microsoft and Amazon have cut their AI ethics teams as Elon Musk and Steve Wozniak call for a moratorium on tech companies' "out-of-control race"	Twitter, Microsoft	"Twitter's 'ethical AI team' was cut days before the first round of Musk's layoffs affecting thousands of employees at the company in November, less than a week after he became CEO." Microsoft, "But it no longer has a central team of ethicists dedicated to researching the potential harms of AI systems. Members of the original AI ethics team were either reassigned to product teams or were laid off."		
April 12, 2023	Amazon's Twitch Safety, AI Ethics Job Cuts Raise Con- cerns Among Ex-Workers - Bloomberg	Amazon	"Amazon's Twitch Safety, AI Ethics Job Cuts Raise Concerns Among Ex- Workers"		
May 26, 2023	Tech layoffs ravage the teams that fight online misinformation and hate speech	Meta, Amazon, Alphabet (Google), Twitter	"Meta, Amazon, Alphabet, and Twitter have all drastically reduced the size of their teams focused on internet trust and safety as well as ethics as the companies focus on cost cuts." "As part of Meta's mass layoffs, the company ended a fact-checking project that had taken half a year to build, according to people familiar with the matter."		

Table S10 Continued from previous page

	Table 510 Continued from previous page					
Date	Title	Firms	Quotes			
Date May 30 2023	Title		1 0			

Table S11: List of leading 100 universities: Dataset 1 (Based on csranking.org's list, which considers the number of publications at leading conferences)

Rank	Institution	Rank	Institution
1	Massachusetts Institute of Tech-	51	University of Utah
	nology		
2	Carnegie Mellon University	52	Boston University
3	Georgia Institute of Technology	53	George Mason University
4	Stanford University	54	University of Massachusetts
5	University of California, Berke-	55	Yale University
	ley		
6	University of Illinois Urbana-	56	University of Connecticut
	Champaign		
7	University of California, Santa	57	University of Texas at Arlingtor
	Barbara		
8	University of Michigan	58	City University of New York
9	University of Southern Califor-	59	Rensselaer Polytechnic Institute
	nia		
10	Texas A&M University	60	University of Notre Dame
11	Harvard University	61	Indiana University Bloomington
12	Pennsylvania State University	62	New Jersey Institute of Technol
			ogy
13	University of Texas at Austin	63	Rochester Institute of Technol
			ogy
14	University of Maryland, College	64	University of Chicago
	Park		
15	University of Washington	65	University of Delaware
16	University of California, San	66	Oregon State University
	Diego		
17	University of California, Los An-	67	Rice University
	geles		
18	New York University	68	Worcester Polytechnic Institute
19	Arizona State University	69	Emory University
20	Virginia Tech	70	University of California, River
			side
21	Johns Hopkins University	71	Temple University
22	Cornell University	72	University of California, Santa
	•		Cruz
23	University of Minnesota	73	Stevens Institute of Technology
24	University of Florida	74	University of Rochester
25	Ohio State University	75	Wayne State University
26	Columbia University	76	Brown University
27	University of Pennsylvania	77	Drexel University
28	Duke University	78	University of South Carolina

Table S11 – Continued from previous page

Rank	Institution		Rank	Institution
29	University of Wisc	onsin-	79	University of Kentucky
	Madison			
30	Northwestern University		80	University of Georgia
31	Michigan State University		81	Illinois Institute of Technology
32	Princeton University		82	West Virginia University
33	University of Pittsburgh		83	Purdue University
34	North Carolina State Univ	ersity	84	Lehigh University
35	Rutgers, The State Univers	sity of	85	Brigham Young University
	New Jersey			
36	University of Texas at Dall	as	86	University of North Texas
37	University of Central Flori	da	87	Tufts University
38	University of California, Ir	vine	88	Washington University in St.
				Louis
39	Northeastern University		89	University of California, Merced
40	University at Buffalo		90	Binghamton University
41	California Institute of Te	chnol-	91	Dartmouth College
	ogy			
42	University of California, D		92	Washington State University
43	University of Colorado Bo	ulder	93	University of Massachusetts
				Lowell
44	University of Arizona		94	Colorado School of Mines
45	University of North Carol	ina at	95	Georgetown University
	Chapel Hill			
46	University of Houston		96	University of Maryland, Balti-
				more County
47	Iowa State University		97	University of Oregon
48	University of Illinois at Ch	icago	98	Tulane University
49	Stony Brook University		99	Brandeis University
50	University of Virginia		100	University of New Hampshire

Table S12: List of leading 100 AI firms (based on the number of AI papers)

Rank	Company	Rank	Company
1	Microsoft	51	NVIDIA
2	IBM	52	STMicroelectronics
3	Google	53	Honda R&D Co
4	Nokia Corporation	54	Thales Group
5	Huawei Technologies	55	Ericsson Sweden
6	Nippon Telegraph and Tele-	56	Bytedance
_	phone Corporation		
7	Tencent	57	Airbus Defence and Space
8	Siemens AG	58	BAE Systems plc
9	Alibaba	59	LG Electronics Korea
10	Amazon	60	SAP AG
11	Samsung Electronics	61	ASELSAN ELEKTRONIK
12	Intel Corporation	62	Telefonica SA
13	Bell	63	Hyundai Motor Group
14	Tata Consultancy Services India	64	BBN Technologies
15	State Grid Corporation of China	65	Accenture
16	NEC Corporation	66	Cisco Systems
17	General Electric Company	67	Saudi Arabian Oil Company
18	Mitsubishi Electric Corporation	68	Infineon Technologies AG
19	Adobe	69	AstraZeneca
20	Baidu	70	Audi AG
21	Yahoo Inc	71	PARC
22	Toyota Motor Corporation	72	Zte
23	Hewlett-Packard Inc.	73	Panasonic Corporation
24	Schlumberger Limited	74	Volvo
25	Philips Research	75	Pfizer
26	Facebook	76	Novartis International AG
27	Hitachi Ltd	77	DENSO Corporation
28	Robert Bosch GmbH	78	Apple
29	Fujitsu Ltd	79	British Telecommunications PLO
30	ABB Group	80	TOTAL SA
31	Ford Motor Company	81	SAIC
32	Interuniversity Micro-	82	eBay
_	Electronics Center at Leuven	ŭ -	224,
33	Daimler AG	83	Merck
34	Toshiba Corporation	84	Yandex Europe AG
35	Sandia National Laboratories,	85	Henry Ford Health System
00	New Mexico	00	Tierry Ford Fredicti System
36	Qualcomm Incorporated	86	Rolls Royce
37	DeepMind Technologies	87	SAAB AB
38	Disney	88	LinkedIn

Table S12 – Continued from previous page

Rank	Company	Rank	Company
39	Volkswagen	89	China Mobile
40	General Motors	90	Honeywell International Inc
41	Xerox Corporation	91	Texas Instruments
42	SRI International	92	Chevron Corporation
43	Raytheon	93	Northrop Grumman corporation
44	Deutsche Telekom	94	Exxon Mobil Corporation
45	Sony Corporation	95	Kitware
46	At And T Labs-research	96	HRL Laboratories
47	Sensetime	97	Halliburton
48	Boeing Corporation	98	Naver Corporation
49	KDDI Corporation	99	AVL List GmbH
50	Lockheed Martin Corporation	100	Nuance Communications
	•		

Table S13: Details of the training data for the supervised machine learning model to classify responsible AI papers

Data Source Name	Paper Count	Paper Type	Data Source Type
AAAI	132	Other papers ¹²	Conference
AAAI Conference on Human	1	Other papers	Conference
Computation and Crowdsourcing		1 1	
(HCOMP)			
AAAI Spring Symposium - Techni-	1	Other papers	Conference
cal Report		1 1	
AAAI Workshop - Technical Report	1	Other papers	Conference
ACL	241	Other papers	Conference
ACM Conference on Computer Sup-	1	Other papers	Conference
ported Cooperative Work and Social		1 1	
Computing (CSCW)			
ACM Conference on Human Factors	23	Responsible AI	Conference
in Computing Systems		1	
ACM Conference on Human Factors	8	Other papers	Conference
in Computing Systems		1 1	
ACM International Conference on	1	Other papers	Conference
Intelligent User Interfaces (IUI)		1 1	
ACM International WSDM Confer-	4	Other papers	Conference
ence		1 1	
ACM SIGGROUP Conference on	1	Other papers	Conference
Supporting Group Work		1 1	
	1	Other papers	Conference
trol Models and Technologies (SAC-		1 1	
MAT)			
AIES	362	Responsible AI	Conference
American Medical Informatics Asso-	2	Other papers	Conference
ciation (AMIA)		1 1	
Annual ACM Web Science Confer-	1	Other papers	Conference
ence (WebSci)		1 1	
Annual IEEE/ACM International	22	Other papers	Conference
Symposium on Microarchitecture		1 1	
(MICRO)			
Asia-Pacific Power and Energy En-	10	Other papers	Conference
gineering Conference (APPEEC)		1 1	
CEUR Workshop Proceedings	16	Other papers	Conference
China International Conference on	7	Other papers	Conference
Electricity Distribution (CICED)		1 1	
Communications in Computer and	13	Responsible AI	Conference
Information Science		1	

¹²Consists of conventional AI papers & Non-AI papers

Data Source Name	Paper Count	Paper Type	Data Source Type
CVPR	182	Other papers	Conference
DAC	193	Other papers	Conference
Design, Automation & Test in Europe Conference (DATE)	61	Other papers	Conference
EAAMO	40	Responsible AI	Conference
ECCV	101	Other papers	Conference
Economics and Natural Language Processing	1	Responsible AI	Conference
EMNLP	98	Other papers	Conference
FAccT	336	Responsible AI	Conference
FOCS	68	Other papers	Conference
ICCV	123	Other papers	Conference
ICLR	193	Other papers	Conference
ICML	188	Other papers	Conference
ICSE	173	Other papers	Conference
IEEE Intelligent Transportation Systems Conference (ITSC)	1	Other papers	Conference
IEEE International Conference on Service Operations and Logistics, and Informatics (SOLI)	1	Other papers	Conference
IEEE International Conference on Trust, Security and Privacy in Com- puting and Communications	1	Responsible AI	Conference
IEEE Real-Time and Embedded Technology and Applications Sym- posium (RTAS)	15	Other papers	Conference
IJCAI	112	Other papers	Conference
Information Theory and Applications Workshop (ITA)	1	Other papers	Conference
International Conference on Agents and Artificial Intelligence (ICAART)	1	Other papers	Conference
International Conference on Information Fusion (FUSION)	1	Other papers	Conference
International Conference on World Wide Web Companion	5	Other papers	Conference
International World Wide Web Conferences (WWW)	1	Other papers	Conference
IOP Conference Series: Earth and Environmental Science	40	Other papers	Conference
KDD	89	Other papers	Conference

Data Source Name	Paper Count	Paper Type	Data Source Type
Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)	7	Other papers	Conference
MICRO	41	Other papers	Conference
MOBISYS	52	Other papers	Conference
NeurIPS	222	Other papers	Conference
NSDI	29	Other papers	Conference
RTAS	19	Other papers	Conference
Software Engineering for Responsi-	1	Responsible AI	Conference
ble AI		1	
STOC	63	Other papers	Conference
USENIXSecurity	167	Other papers	Conference
Workshop on Network on Chip Ar-	1	Other papers	Conference
chitectures (NoCArc) in conjunction			
with the Annual IEEE/ACM Inter-			
national Symposium on Microarchi-			
tecture (MICRO)			
Ab Imperio	4	Other papers	Journal
Academic Medicine	1	Other papers	Journal
Academic Medicine: Journal of the	1	Other papers	Journal
Association of American Medical			
Colleges			
ACM proceeding series	11	Responsible AI	Journal
ACM Proceeding Series	1	Other papers	Journal
ACM Transactions on Interactive In-	3	Responsible AI	Journal
telligent Systems	_	D 11.1.7	T 1
Advances in Intelligent Systems and	5	Responsible AI	Journal
Computing	4	0.1	T 1
Advances in Transdisciplinary Engi-	1	Other papers	Journal
neering	0.4	D '11 AT	т 1
AI & Society	34	Responsible AI	Journal
AI Magazine	3	Other papers	Journal
American Political Science Review	35	Other papers	Journal
applied intelligence	39	Other papers	Journal
Artificial Intelligence and Law	10	Other papers	Journal
Artificial Intelligence Journal	$\frac{4}{14}$	Other papers	Journal
Artificial Intelligence Review		Other papers	Journal
Behavioural Public Policy	1 15	Other papers	Journal
Big Data & Society Bioethics	15 4	Responsible AI	Journal
	4 1	Other papers	Journal
Cambridge Quarterly of Healthcare Ethics	1	Other papers	Journal

Data Source Name	Paper	Paper Type	Data Source Type
Cities & Health	Count 1	Othernaner	Ioumal
		Other papers	Journal
Clinics in Dormatology	1 1	Other papers	Journal
Clinics in Dermatology Columbia Law Review	1	Other papers	Journal
Communications of the ACM	1	Other papers	Journal
		Responsible AI	Journal
Computer Law & Security Review	16	Other papers	Journal
Configurations	6	Other papers	Journal
Constitutional Commentary	15	Other papers	Journal
Cultural Studies Critical Methodolo-	15	Other papers	Journal
gies	1 -	0.1	т 1
Daedalus	15	Other papers	Journal
Ecology and Society	14	Other papers	Journal
Econometrica	20	Other papers	Journal
Economics of Education Review	1	Other papers	Journal
eLife	111	Other papers	Journal
Energies	27	Other papers	Journal
Energy	18	Other papers	Journal
Energy Procedia	7	Other papers	Journal
Energy Reports	27	Other papers	Journal
Engineering Applications of Artificial Intelligence	52	Other papers	Journal
Epidemiology	1	Other papers	Journal
Ethics and Information Technology	3	Other papers	Journal
European Law Review	14	Other papers	Journal
Expert Systems with Applications	152	Other papers	Journal
Frontiers in Artificial Intelligence	14	Responsible AI	Journal
and Applications		1	·
Frontiers in Psychology	45	Other papers	Journal
IBM Journal of Research and Devel-	1	Other papers	Journal
opment		1 1	,
IEEE Access	10	Responsible AI	Journal
IEEE Access	12	Other papers	Journal
IEEE Internet Computing	1	Other papers	Journal
IEEE Security & Privacy	3	Responsible AI	Journal
IEEE Technology and Society Maga-	4	Responsible AI	Journal
zine	•	responsible in	journar
IEEE Transactions on Cybernetics	195	Other papers	Journal
IEEE Transactions on Fuzzy Systems	46	Other papers	Journal
IEEE Transactions on Image Process-	15	Other papers	Journal
	10	onici papeis	journar
ing IEEE Transactions on Neural Net-	145	Other papers	Journal
	170	onici papeis	journar
works and Learning Systems			

Data Source Name	Paper Count	Paper Type	Data Source Type
IEEE Transactions on Pattern Analysis and Machine Intelligence	153	Other papers	Journal
IEEE Transactions on Power Systems	11	Other papers	Journal
IEEE Transactions on Robotics	15	Other papers	Journal
IEEE Transactions on Software Engineering	96	Other papers	Journal
IFIP Advances in Information and Communication Technology	3	Other papers	Journal
Information Systems Frontiers	5	Responsible AI	Journal
Information Systems Frontiers	1	Other papers	Journal
Information, Communication & Society	7	Responsible AI	Journal
Injury Prevention: Journal of the International Society for Child and Adolescent Injury Prevention	1	Other papers	Journal
International Journal of Computer Vision	15	Other papers	Journal
International Journal of Electrical Power & Energy Systems	13	Other papers	Journal
Iowa Law Review	1	Other papers	Journal
JAMIA Open	1	Other papers	Journal
JCO Clinical Cancer Informatics	1	Other papers	Journal
Journal of Advances in Modeling Earth Systems (JAMES)	4	Other papers	Journal
Journal of Artificial Intelligence Research	78	Other papers	Journal
Journal of Business Ethics	1	Other papers	Journal
Journal of Communication	17	Other papers	Journal
Journal of European Public Policy	3	Other papers	Journal
Journal of Experimental Criminology	1	Other papers	Journal
Journal of Information & Knowledge Management	5	Other papers	Journal
Journal of Information, Communication and Ethics in Society	2	Responsible AI	Journal
Journal of Information, Communication and Ethics in Society	1	Other papers	Journal
Journal of Interpersonal Violence	1	Other papers	Journal
Journal of Labor Economics	1	Other papers	Journal
Journal of machine learning research	249	Other papers	Journal
Journal of Medical Ethics	7	Other papers	Journal

Data Source Name	Paper Count	Paper Type	Data Source Type
Journal of Personality and Social	1	Other papers	Journal
Psychology		1 1	·
Journal of Physics: Conference Se-	14	Other papers	Journal
ries		1 1	·
Journal of Privacy and Confidential-	12	Responsible AI	Journal
ity		1	•
Journal of Public Administration Re-	1	Other papers	Journal
search and Theory		1 1	•
Journal of Quantitative Criminology	1	Other papers	Journal
Journal of Responsible Innovation	10	Other papers	Journal
Jusletter	4	Other papers	Journal
Knowledge and Information Sys-	1	Other papers	Journal
tems		1 1	•
Knowledge-Based Systems	90	Other papers	Journal
Law & Policy	1	Other papers	Journal
Management Science	22	Other papers	Journal
Minds and Machines	13	Responsible AI	Journal
nature machine intelligence	3	Responsible AI	Journal
nature machine intelligence	100	Other papers	Journal
Networks and Systems	4	Other papers	Journal
Neural Computing and Applica-	73	Other papers	Journal
tions		1 1	•
Neural Networks	70	Other papers	Journal
neurocomputing	202	Other papers	Journal
NeuroImage	69	Other papers	Journal
Neuroscience	83	Other papers	Journal
New Media & Society	5	Responsible AI	Journal
New Media & Society	8	Other papers	Journal
New York University Law Review	15	Other papers	Journal
NPJ Digital Medicine	10	Other papers	Journal
Nutrition Today	9	Other papers	Journal
Optics Express	65	Other papers	Journal
Organization	1	Other papers	Journal
Palliative Medicine	1	Other papers	Journal
Philosophical Studies	45	Other papers	Journal
Philosophy & Technology	11	Other papers	Journal
PLOS ONE	431	Other papers	Journal
Policy and Society	3	Other papers	Journal
Political Science Research and Meth-	1	Other papers	Journal
ods		_	
Politics	1	Other papers	Journal
Psychiatric Services	1	Other papers	Journal
Psychoanalytic Dialogues	15	Other papers	Journal

Data Source Name	Paper Count	Paper Type	Data Source Type
Psychological Science	15	Other papers	Journal
Public Administration Review	15	Other papers	Journal
Public Management Review	1	Other papers	Journal
Qualitative Inquiry	23	Other papers	Journal
Religions	9	Other papers	Journal
Revista Jurídicas CUC	1	Other papers	Journal
Science Advances	1	Other papers	Journal
Science and Engineering Ethics	14	Other papers	Journal
Science robotics	58	Other papers	Journal
Scientific Reports	278	Other papers	Journal
Sensors	5	Other papers	Journal
Social Media + Society	11	Other papers	Journal
Stanford Journal of Law, Science &	1	Other papers	Journal
Policy			
Studies in Gender and Sexuality	15	Other papers	Journal
Studies in Higher Education	1	Other papers	Journal
Sustainability	19	Other papers	Journal
Sustainability Science	12	Other papers	Journal
Synthese	25	Other papers	Journal
Technology in Society	5	Responsible AI	Journal
Technology in Society	8	Other papers	Journal
The Annals of Statistics	19	Other papers	Journal
The George Washington Law Re-	1	Other papers	Journal
view			
The Hastings Center Report	1	Other papers	Journal
The New England Journal of	51	Other papers	Journal
Medicine			
The Pan African Medical Journal	1	Other papers	Journal
Theory and Decision	1	Other papers	Journal
Work, Employment & Society	1	Other papers	Journal
World Wide Web Journal (WWW)	1	Other papers	Journal
Yale Journal on Regulation	1	Other papers	Journal

Table S14: Details of the training data for the supervised machine learning model to classify conventional AI papers

Data Source Name	Paper Count	Paper Type	Data Source Type
AAAI	132	AI	Conference
ACL	241	AI	Conference
ACM Conference on Human Factors	23	AI	Conference
in Computing Systems			
ACM International WSDM Confer-	4	AI	Conference
ence			
AIES	362	AI	Conference
American Control Conference	1	Non-AI	Conference
(ACC)			
Annual IEEE/ACM International	22	Non-AI	Conference
Symposium on Microarchitecture			
(MICRO)			
Asia-Pacific Power and Energy En-	10	Non-AI	Conference
gineering Conference (APPEEC)			
CEUR Workshop Proceedings	16	Non-AI	Conference
China International Conference on	7	Non-AI	Conference
Electricity Distribution (CICED)			
Communications in Computer and	13	AI	Conference
Information Science			
CVPR	182	AI	Conference
DAC	193	Non-AI	Conference
Design, Automation & Test in Eu-	61	Non-AI	Conference
rope Conference (DATE)			
EAAMO	40	AI	Conference
ECCV	101	AI	Conference
EMNLP	97	AI	Conference
FaccT	336	AI	Conference
FOCS	68	Non-AI	Conference
ICCV	123	AI	Conference
ICLR	193	AI	Conference
ICML	188	AI	Conference
ICSE	173	Non-AI	Conference
IEEE Real-Time and Embedded	15	Non-AI	Conference
Technology and Applications Sym-			
posium (RTAS)			
IJCAI	112	AI	Conference
International Conference on World	5	AI	Conference
Wide Web Companion			
IOP Conference Series: Earth and	40	Non-AI	Conference
Environmental Science			

Data Source Name	Paper Count	Paper Type	Data Source Type
KDD	89	AI	Conference
Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)	5	AI	Conference
MICRO	41	Non-AI	Conference
MOBISYS	52	Non-AI	Conference
NeurIPS	221	AI	Conference
NSDI	29	Non-AI	Conference
RTAS	19	Non-AI	Conference
STOC	63	Non-AI	Conference
USENIXSecurity	167	Non-AI	Conference
Workshop on Network on Chip Architectures (NoCArc) in conjunction with the Annual IEEE/ACM International Symposium on Microarchitecture (MICRO)	1	Non-AI	Conference
Ab Imperio	4	Non-AI	Journal
ACM Proceeding series	11	AI	Journal
ACM Transactions on Interactive Intelligent Systems	3	AI	Journal
Advances in Intelligent Systems and Computing	5	AI	Journal
AI & Society	34	AI	Journal
AI Magazine	3	Non-AI	Journal
American Political Science Review	35	Non-AI	Journal
Applied Intelligence	39	AI	Journal
Artificial Intelligence and Law	10	Non-AI	Journal
Artificial Intelligence Journal	4	Non-AI	Journal
Artificial Intelligence Review	14	AI	Journal
Automatica	1	Non-AI	Journal
Big Data & Society	15	AI	Journal
Bioethics	4	Non-AI	Journal
Cartography and Geographic Information Science (CaGIS)	1	Non-AI	Journal
Chemistry of Materials	1	Non-AI	Journal
•	16	Non-AI	Journal
Computer Law & Security Review	6	Non-AI Non-AI	Journal
Configurations	_		•
Constitutional Commentary	15 15	Non-AI	Journal
Cultural Studies Critical Methodolo-	15	Non-AI	Journal
gies	15	NI ore AI	Income al
Daedalus Dentemavillefacial Padiology	15	Non-AI	Journal
Dentomaxillofacial Radiology	1	Non-AI	Journal

Data Source Name	Paper Count	Paper Type	Data Source Type
Discrete Mathematics	1	Non-AI	Journal
Ecology and Society	14	Non-AI	Journal
Econometrica	20	Non-AI	Journal
eLife	111	Non-AI	Journal
Energies	27	Non-AI	Journal
Energy	18	Non-AI	Journal
Energy Procedia	7	Non-AI	Journal
Energy Reports	27	Non-AI	Journal
Engineering Applications of Artificial Intelligence	52	AI	Journal
Ethics and Information Technology	3	Non-AI	Journal
European Law Review	14	Non-AI	Journal
Expert Systems with Applications	152	AI	Journal
Frontiers in Artificial Intelligence and Applications	14	AI	Journal
Frontiers in Psychology	45	Non-AI	Journal
ieee access	22	AI	Journal
IEEE Security & Privacy	3	AI	Journal
IEEE Technology and Society Magazine	4	AI	Journal
IEEE Transactions on Automatic Control	1	Non-AI	Journal
IEEE Transactions on Automation Science and Engineering	1	Non-AI	Journal
IEEE Transactions on Control Systems Technology	1	Non-AI	Journal
IEEE Transactions on Cybernetics	195	AI	Journal
IEEE Transactions on Fuzzy Systems	46	AI	Journal
IEEE Transactions on Image Processing		AI	Journal
IEEE Transactions on Neural Networks and Learning Systems	145	AI	Journal
IEEE Transactions on Pattern Analysis and Machine Intelligence	153	AI	Journal
IEEE Transactions on Power Systems	11	Non-AI	Journal
IEEE Transactions on Robotics	15	AI	Journal
IEEE Transactions on Software Engi-	96	Non-AI	Journal
neering	, ,	. 1011 111	,0011101
IEEE/ASME Transactions on Mechatronics	1	Non-AI	Journal
IFIP Advances in Information and Communication Technology	3	Non-AI	Journal

Data Source Name	Paper Count	Paper Type	Data Source Type
Information Systems Frontiers	5	AI	Journal
Information Systems Frontiers	1	Non-AI	Journal
Information, Communication & So-	7	AI	Journal
ciety			
International Journal of Computer Vision	15	AI	Journal
International Journal of Electrical Power & Energy Systems	13	Non-AI	Journal
Journal of Advances in Modeling Earth Systems (JAMES)	4	Non-AI	Journal
Journal of Artificial Intelligence Research	78	AI	Journal
Journal of Child Language	1	Non-AI	Journal
Journal of Communication	- 17	Non-AI	Journal
Journal of Dental Education	1	Non-AI	Journal
Journal of European Public Policy	3	Non-AI	Journal
Journal of Financial Crime	1	Non-AI	Journal
Journal of Industrial Textiles	1	Non-AI	Journal
Journal of Information & Knowledge Management	5	AI	Journal
Journal of Information, Communication and Ethics in Society	2	AI	Journal
Journal of Information, Communication and Ethics in Society	1	Non-AI	Journal
Journal of machine learning re- search	249	AI	Journal
Journal of Medical Ethics	6	Non-AI	Journal
Journal of Physics: Conference Series	14	Non-AI	Journal
Journal of Privacy and Confidentiality	12	AI	Journal
Journal of Responsible Innovation	10	Non-AI	Journal
Journal of the American Chemical Society (JACS)	1	Non-AI	Journal
Jusletter	4	Non-AI	Journal
Knowledge-Based Systems	90	AI	Journal
Management Science	20	Non-AI	Journal
Minds and Machines	13	AI	Journal
Nature Machine Intelligence	103	AI	Journal
Networks and Systems	4	Non-AI	Journal
Neural Computing and Applications	73	AI	Journal
Neural Networks	70	AI	Journal

Data Source Name	Paper Count	Paper Type	Data Source Type
Ndeurocomputing	202	AI	Journal
NeuroImage	69	Non-AI	Journal
Neuroscience	83	Non-AI	Journal
New Media & Society	8	Non-AI	Journal
New Media & Society	5	AI	Journal
New York University Law Review	15	Non-AI	Journal
NPJ Digital Medicine	10	Non-AI	Journal
Nutrition Today	9	Non-AI	Journal
Optics Express	65	Non-AI	Journal
Philosophical Studies	45	Non-AI	Journal
Philosophy & Technology	11	Non-AI	Journal
PLOS ONE	431	Non-AI	Journal
Policy and Society	3	Non-AI	Journal
PS: Political Science & Politics	1	Non-AI	Journal
Psychoanalytic Dialogues	15	Non-AI	Journal
Psychological Science	15	Non-AI	Journal
Public Administration Review	15	Non-AI	Journal
Qualitative Inquiry	23	Non-AI	Journal
Religions	9	Non-AI	Journal
Science and Engineering Ethics	14	Non-AI	Journal
Science Robotics	58	AI	Journal
Scientific Reports	278	Non-AI	Journal
Sensors	5	Non-AI	Journal
Social Media + Society	11	Non-AI	Journal
Studies in Gender and Sexuality	15	Non-AI	Journal
Sustainability	19	Non-AI	Journal
Sustainability Science	12	Non-AI	Journal
Synthese	25	Non-AI	Journal
Technology in Society	8	Non-AI	Journal
Technology in Society	5	AI	Journal
The Annals of Applied Statistics	1	Non-AI	Journal
The Annals of Statistics	19	Non-AI	Journal
The Astrophysical Journal	1	Non-AI	Journal
The Electronic Journal of Combinatorics	1	Non-AI	Journal
The New England Journal of Medicine	51	Non-AI	Journal

Table S15: Deatils of the conference only training data to classify conventional AI papers

Data Source Name	Paper Count	Paper Type	Data Source Type
AIES	144	AI	Conference
FaccT	142	AI	Conference
ACL	65	AI	Conference
NeurIPS	57	AI	Conference
ICML	48	AI	Conference
AAAI	46	AI	Conference
CVPR	45	AI	Conference
IJCAI	37	AI	Conference
ECCV	29	AI	Conference
EMNLP	28	AI	Conference
ICCV	23	AI	Conference
KDD	22	AI	Conference
EAAMO	14	AI	Conference
ICSE	137	Non-AI	Conference
DAC	124	Non-AI	Conference
USENIXSecurity	83	Non-AI	Conference
FOCS	36	Non-AI	Conference
STOC	35	Non-AI	Conference
MOBISYS	32	Non-AI	Conference
MICRO	27	Non-AI	Conference
NSDI	13	Non-AI	Conference
RTAS	13	Non-AI	Conference

Table S16: Deatils of the conference only responsible AI training data

Data Source Name	Paper Count	Paper Type	Data Source Type
AIES	144	Responsible AI	Conference
FaccT	142	Responsible AI	Conference
ACL	65	Other papers	Conference
NeurIPS	57	Other papers	Conference
ICML	48	Other papers	Conference
AAAI	46	Other papers	Conference
CVPR	45	Other papers	Conference
IJCAI	37	Other papers	Conference
ECCV	29	Other papers	Conference
EMNLP	28	Other papers	Conference
ICCV	23	Other papers	Conference
KDD	22	Other papers	Conference
EAAMO	14	Responsible AI	Conference
ICSE	137	Other papers	Conference
DAC	124	Other papers	Conference
USENIXSecurity	83	Other papers	Conference
FOCS	36	Other papers	Conference
STOC	35	Other papers	Conference
MOBISYS	32	Other papers	Conference
MICRO	27	Other papers	Conference
NSDI	13	Other papers	Conference
RTAS	13	Other papers	Conference