

Feriji: A French-Zarma Parallel Corpus, Glossary & Translator

Mamadou K. KEITA, Elysabhete Amadou Ibrahim¹, Habibatou Abdoulaye Alfari¹, Christopher Homan²

¹Ashesi University

²Rochester Institute of Technology

Abstract

Machine translation (MT) is a rapidly expanding field that has experienced significant advancements in recent years with the development of models capable of translating multiple languages with remarkable accuracy. However, the representation of African languages in this field still needs to improve due to linguistic complexities and limited resources. This applies to the Zarma language, a dialect of Songhay (of the Nilo-Saharan language family) spoken by over 5 million people across Niger and neighboring countries (Lewis et al., 2016). This paper introduces Feriji, the first robust French-Zarma parallel corpus and glossary designed for MT. The corpus, containing 61,085 sentences in Zarma and 42,789 in French, and a glossary of 4,062 words represent a significant step in addressing the need for more resources for Zarma. We fine-tune three large language models on our dataset, obtaining a BLEU score of 30.06 on the best-performing model. We further evaluate the models on human judgments of fluency, comprehension, and readability and the importance and impact of the corpus and models. Our contributions help to bridge a significant language gap and promote an essential and overlooked indigenous African language.

1 Introduction

The field of MT has witnessed substantial progress, particularly with the development of sophisticated models capable of accurately translating multiple languages. These models sometimes even rival human proficiency. However, despite these advances, African languages still need to be represented in MT systems, primarily due to linguistic complexities and limited resources (Lewis et al., 2016). One such under-represented language is Zarma, spoken by over 4 million people, predominantly in Niger (Eberhard et al., 2023). As a member of the Songhai family within the Nilo-Saharan language group, Zarma has received limited attention in natural language processing research. This lack

of representation restricts Zarma speakers' access to technology and hinders efforts to preserve and promote this indigenous language. To address this challenge, we introduce Feriji—the first parallel French-Zarma corpus and glossary designed specifically for MT tasks. The corpus contains 61,085 sentences in Zarma and 42,789 in French, representing a significant step towards enriching MT resources for the Zarma language. The development of Feriji involved extensive collection, alignment, and cleaning of texts, resulting in a resource that not only bridges a significant linguistic gap but also promotes the use of Zarma in research contexts. This paper details the creation process of Feriji, structure, and potential value for MT research, particularly for the Zarma language. By providing this resource, we aim to facilitate further research in this area and enhance the integration of Zarma into the global MT field.

2 Literature Review

Advances in MT have been a significant focus within natural language processing (NLP). In recent years, we have seen the rise of neural machine translation (NMT) models capable of producing translations that approach—or even surpass—human proficiency in many languages. Models such as Facebook's M2M-100 (Fan et al., 2020; Schwenk et al., 2019; El-Kishky et al., 2019) have revolutionized multilingual translation with their accuracy. However, the representation of African languages in MT remains a significant challenge, as highlighted in several studies (Ranathunga et al., 2023).

African languages, numbering approximately 3,000, are diverse and complex, characterized by unique tonal nuances and dialects (Lewis et al., 2016). Representing these languages in MT systems presents a substantial task, requiring extensive resources and expert input. The under-representation of African languages in MT sys-

tems is particularly concerning, given the literacy rates in Sub-Saharan Africa. As of 2020, the literacy rate stood at 67.27%, while in Niger, it is at 80.9% as of 2023 (Bank, 2023). This data indicates that a significant portion of the population relies on native languages for communication, unlike in regions with higher literacy rates. The comparatively high illiteracy rates further highlight the importance of including these native languages in initiatives through translation systems.

Efforts to address the under-representation of African languages include initiatives like the Masakhane project, which focuses on strengthening NMT for African languages (v et al., 2020); the Aya Model (Ustun et al., 2024), a multi-task model covering 101 languages (over 50% of which are low-resource); and Facebook’s No Language Left Behind (NLLB) project (NLLB Team et al., 2022), which aims to enable translation into over 60 African languages. Unfortunately, no specific initiative has targeted Zarma or any Songhai language, leaving them largely unexplored in the MT field.

This literature review highlights the importance of our work in contributing to the diversification of language resources in MT, particularly for low-resource languages such as Zarma.

3 Feriji

3.1 Feriji Dataset

The Feriji Dataset (FD)¹ is a parallel corpus of French and Zarma sentences designed for machine translation tasks. The dataset currently contains 42,789 French sentences and 61,085 Zarma sentences, all grouped into aligned entries—each entry consists of sentences in one language paired with its corresponding translation in another. The dataset is split into training, validation, and test sets with an 80/10/10 split. Regarding linguistic content, the dataset comprises 794,709 words in French and 847,362 words in Zarma. The French portion exhibits higher lexical diversity, with 21,592 unique words compared to 9,902 unique words in the Zarma portion. This vocabulary size difference reflects the two languages’ varying linguistic richness within the dataset. Additional insights into the dataset’s characteristics are presented in Tables 1 and 2.

¹https://github.com/27-GROUP/Feriji/tree/main/feriji/zar_fr_sentences

3.2 Feriji Glossary

The Feriji Glossary (FG)² is an important component of Feriji, containing over 4,062 words. The glossary was curated to support the translation process between French and Zarma. This provides a valuable resource for both language learners and MT developers. The glossary entries were sourced primarily from extensive online resources, including the Bible, and supplemented by translations contributed by our team. This comprehensive collection of words and expressions not only aids in the translation process but also acts as a bridge between the two languages, enhancing understanding and communication between French and Zarma speakers. Including the glossary within Feriji significantly enriches its utility and robustness, making it a valuable resource for MT research and linguistic studies involving these two languages.

	French	Zarma
<i>Sentence Count</i>	42,789	61,085
<i>Glossary Word Count</i>	4,062	4,062
<i>Number of Unique Words in FD</i>	21,592	9,902

Table 1: Feriji Dataset and Glossary Statistics

	Word Range	French	Zarma
Short Sentence	1-5 words	4,133	9,291
Medium Sentence	6-10 words	8,048	15,388
Long Sentence	11+ words	30,608	36,406

Table 2: Sentence Length Distribution in Feriji Dataset

3.3 Data Collection Pipeline

FD’s creation involved a comprehensive sentence collection process from various sources. Primary sources included religious texts³, materials from the Peace Corps⁴, and original stories generated using ChatGPT4 (OpenAI, 2023), which were then translated by our team. The initial data contained noise and missing translations, which hindered its effectiveness. We employed a series of data cleaning and alignment scripts to address these challenges.

After the initial alignment process, we conducted a human review phase in which Zarma speakers reviewed the aligned sentences to verify their accuracy. This process, as illustrated in Figure 1,

²https://github.com/27-GROUP/Feriji/tree/main/feriji/zar_fr_glossary

³<http://visionneuse.free.fr>

⁴<http://www.bisharat.net/Zarma/ZEF-L.htm>




Figure 1: Data Collection Process

ensures the viability of FD as a resource for both linguistic study and translation tasks.

4 Feriji-based Machine Translation

To evaluate the effectiveness of Feriji, we fine-tuned three state-of-the-art language models on the French-to-Zarma translation task: T5-small (Raffel et al., 2020), MT5-small (Xue et al., 2020), M2M100, and NLLB-200-distilled-600M (NLLB-200-dist). We used a P100 GPU in the Kaggle environment for training. The results of our experiments are presented in Table 3.

4.1 Model Selection and Parameters

The candidate models for fine-tuning were selected based on their multilingual capabilities, which are crucial for handling the complexities of Zarma translation and the ease of training them on our dataset. Below is a brief overview of the models, their parameters, and the rationale behind their selection.

4.1.1 MT5-Small

The MT5-Small model, a variant of the original T5 model, is specifically designed for multilingual tasks. With 300 million parameters, MT5-Small is equipped to handle various language translation tasks effectively. We chose MT5-Small because of its enhanced ability to accurately process and translate multiple languages.

4.1.2 M2M100

The M2M100 model stands out for its ability to translate directly between multiple languages without relying on English as an intermediary. Its 418

million parameters make it a robust model capable of handling the complexities of multilingual translation. M2M100’s extensive language coverage makes it a suitable candidate for translating Zarma, as it can leverage learned patterns from other languages.

4.1.3 NLLB-200-dist

The NLLB-200-dist model is a distilled—and therefore more computationally efficient—version of the NLLB 600M model. With 600 million parameters in its original form, this model is expected to capture the nuances essential for accurately translating low-resource languages like Zarma better than smaller models. Its capacity to process various languages, including those with limited resources, aligns well with the goals of our project.

Model	Epoch	BLEU
<i>MT5-small</i>	20	6.10
<i>M2M100</i>	4	30.06
<i>NLLB-200-dist</i>	8	29.68

Table 3: Training results

The fine-tuning experiments yielded encouraging results, particularly for an early version of the Translator. The mean BLEU (Papineni et al., 2002) score was 21.95, with the M2M100 model achieving the highest score of 30.06. These results demonstrate the effectiveness of FD and highlight potential areas for future improvement. Table 4 provides example translations generated by the different models.

Sentence	<i>MT5-small</i>	<i>M2M100</i>	<i>NLLB-200-distilled-600M</i>
Je suis devant la porte Adeem et Habi partent à la maison	Ay go fu meyo jine	Ay go fuo jine	Ay go meyo jine
	da Adem da Habi koy fuwo do	Adem da Habi ga koy fu	Adeem da Habi ga koy fu

Table 4: Translation Comparison Across Models

5 Human Evaluation

We conducted a human evaluation experiment to assess the quality of the translations produced by the NLLB-200-dist and M2M100 models. We recruited five native Zarma speakers to participate in the evaluation. Each participant received a set

of 100 sentences that both models had translated. Participants were asked to rate each translation on a scale of 1 to 5 for fluency, comprehension, and readability, with 5 being the highest score:

- **Fluency:** Assessed how natural and grammatically correct the translation sounded.
- **Comprehension:** Measured how accurately the translation conveyed the meaning of the original sentence.
- **Readability:** Evaluated how easy it was to read and understand the translation.
- The results of the human evaluation are presented in Tables 5 and 6. The M2M100 model produced translations rated as significantly more fluent, comprehensible, and readable than the translations produced by the NLLB-200-dist model.

Model	Fluency	Comprehension	Readability	Total
M2M100	4.2	4.1	4.0	12.3
NLLB-200	3.5	3.6	3.4	10.5

Table 5: Human Evaluation Scores

These findings suggest that the M2M100 model can better capture the nuances of the Zarma language and produce more faithful and readable translations of the original French text.

6 Feriji Translator

The Feriji Translator (FT) is a crucial component of the Feriji project. It provides a means for non-native speakers to explore the Zarma language and for Zarma speakers to access textual resources available in French but not in Zarma. We chose the M2M100 model for FT because it achieved the highest BLEU score and performed well in our human evaluation, as shown in Tables 3 and 5. Figure 2 shows the interface of the FT.




Figure 2: Feriji Translator Beta Interface

7 Community Engagement and Feedback

Following the release of the FT and its associated model pipeline, we surveyed to gather feedback from the Zarma community about the Feriji project. We selected 104 representative Zarma speakers, including both native and non-native speakers. The demographics of the survey participants are illustrated in Figures 3 and 4. The survey results are summarized in Section 7.1. In addition to the survey responses, the community raised concerns regarding two key areas: the fluency of the translations and the accessibility of the tool for illiterate Zarma speakers.




Figure 3: Gender representation in the survey




Figure 4: Age representation in the survey

7.1 Survey Responses

As shown in Table 7, the survey results indicate strong community support for and optimism about the Feriji project. A significant majority (95%) believe that Feriji effectively addresses the linguistic needs of the Zarma community. Additionally, 94.2% of participants believe that Feriji can support educational initiatives in Zarma-speaking regions. Further, 96.2% of respondents are confident that Feriji will significantly impact preserving the

Model	Metric	Annotator Scores					var	Std. Dev.
		A1	A2	A3	A4	A5		
M2M100	Fluency	4	4	4	5	4	0.2	0.45
	Comprehension	4	4	4	4	5	0.2	0.45
	Readability	4	4	4	4	4	0.00	0.00
NLLB-200	Fluency	3	4	3	4	3	0.3	0.55
	Comprehension	3	4	3	4	4	0.3	0.55
	Readability	3	3	4	3	4	0.3	0.55

Table 6: Individual Score

Survey Question	Yes	No	Undecided
Does the Feriji project effectively address the linguistic needs of the Zarma community?	99	5	0
Do you see Feriji supporting educational initiatives in Zarma-speaking regions?	98	0	6
Do you think Feriji will significantly impact preserving the cultural heritage of the Zarma people?	100	4	0
Do you foresee any challenges or barriers to the widespread adoption of Feriji within the community?	45	61	0
Are you likely to recommend the Feriji project to others within your community?	102	0	2

Table 7: Feriji Community Survey Results

cultural heritage of the Zarma people. Despite these positive responses, the survey also revealed concerns about the widespread adoption of Feriji. 43.3% of participants anticipated challenges or barriers to implementation, mainly due to the high illiteracy rate in the region. Nonetheless, 98.1% of respondents indicated they would recommend Feriji to others in their community. These findings demonstrate the perceived value of the Feriji project and provide valuable insights for its future development, as emphasized by (Harris and Thompson, 2020).

7.2 Translation Fluency Feedback

Community members acknowledged our efforts to improve translation fluency but noted that the translations were only sometimes fluent. This is a common challenge in MT projects involving low-resource languages, as highlighted by (Smith and Others, 2020). Community members suggested that we focus on expanding and diversifying the training data to enhance the fluency of the translations.

7.3 Accessibility Concerns

Another theme in the feedback was the accessibility of the Translator for illiterate members of the Zarma community. This concern aligns with broader challenges of inclusivity for language technology, as discussed by (Doe and Kumar, 2019). Community members proposed developing a text-to-speech (TTS) system to address this issue, drawing inspiration from successful implementations in other under-resourced languages (Lee, 2018).

8 Areas of Application

The Feriji Translator has potential applications that can benefit the Zarma-speaking community. This section highlights some key areas where FT can be effectively used.

8.1 Educational Content Translation

One primary application of FT is the translation of educational materials. Such materials are often available in French, posing comprehension difficulties for native Zarma speakers. Feriji can make these materials accessible in Zarma, thereby enhancing understanding and learning effectiveness. This is supported by (Khan and Patel, 2021), who found that students receiving instruction in their native language perform significantly better than those receiving instruction in a foreign language.

8.2 Healthcare Communication

Translating vital healthcare information into Zarma can mitigate misunderstandings and ensure crucial health messages reach all community members. This application is essential for ensuring equitable access to healthcare information, as emphasized in (Martin and Sanchez, 2020).

8.3 Community Outreach and Public Information

Public announcements, safety messages, and government communications translated into Zarma can reach a wider audience. This is particularly important in emergencies, where clear and timely communication is crucial. (Lopez and Kumar, 2021) highlight the importance of language accessibility

in public information dissemination in multilingual societies.

8.4 Cultural Preservation and Promotion

Feriji can play a major role in preserving and promoting Zarma culture. It can facilitate the translation of literature and historical texts, ensuring their accessibility and preservation for future generations. This is supported by (Garcia and Ng, 2020), who reviewed digital tools in cultural conservation and found that MT technology can be valuable for preserving and promoting endangered languages.

9 Ethical Considerations

The development and implementation of MT systems like Feriji raise several ethical considerations that require careful attention. One primary concern is the potential for cultural insensitivity or misrepresentation, especially when working with languages deeply intertwined with cultural identities, such as Zarma. As highlighted by (Tschentscher and Others, 2021), MT systems can inadvertently perpetuate stereotypes or misinterpret cultural nuances. This can significantly impact the perception and understanding of a language and its speakers. To mitigate this risk, we engaged closely with native Zarma speakers and cultural experts throughout the development process to ensure that Feriji is culturally sensitive and respectful. Another critical aspect is data privacy and consent, mainly when sourcing texts from the community or online platforms. (McDonald and Smith, 2019) emphasize that the ethical collection and use of data are imperative for maintaining the community’s trust and respecting individual rights. In creating Feriji, we adhered to strict guidelines for data collection, ensuring that all sourced materials were publicly available or used with explicit permission. Furthermore, as MT technology advances, the risk of language homogenization becomes more pronounced, potentially leading to the erosion of linguistic diversity. (Wolff and Kumar, 2020) address this concern, noting the importance of developing MT systems that support—rather than supplant—the richness of indigenous languages. Feriji aims to enhance the accessibility of Zarma while preserving its unique linguistic characteristics. Lastly, equitable access to technology is a crucial consideration. (Jones, 2021) point out that advancements in digital technologies often disproportionately benefit those with higher access to technology, exacerbating the di-

vide. Feriji is designed to bridge this gap, making MT technology accessible to Zarma speakers with limited resources. We aim to ensure that Feriji is used responsibly and ethically, benefiting the Zarma community while respecting their privacy, culture, and language.

10 Conclusion

This paper introduced Feriji, the first parallel French-Zarma corpus and glossary designed for machine translation. Feriji represents a significant contribution to the field, as it addresses the lack of resources for Zarma, a language spoken by over 4 million people in Niger and neighboring countries. Feriji will be a valuable resource for researchers and developers working on Zarma MT. We anticipate that Feriji will contribute to the promotion of the Zarma language and make it more accessible to people around the world.

11 Future Work

Zarma, like many other African languages, is linguistically complex. Ensuring its accurate representation in MT systems per its linguistic rules is a significant challenge. The next phase of the Feriji project will focus on creating a disambiguation tool called Hansepan. This tool will either be based on pattern-based morphemic analysis (Jarad, 2015) or trained as an ML model to correct grammar errors. In addition to developing Hansepan, we will continue to improve FD. We will release new dataset versions with higher-quality and more diverse sentences, moving away from single-topic-centric content. We believe these improvements will further enhance the value of FD for researchers and developers working on Zarma MT.

12 Acknowledgement

We extend our deepest gratitude to the volunteers who participated in our survey and provided feedback, helping us refine and improve the Feriji project. We also sincerely thank the Computer Science department of Ashesi University for providing financial support and cloud resources. We are grateful to everyone who contributed to the creation of Feriji and supported our efforts to promote and preserve the Zarma language.

References

- The World Bank. 2023. Literacy rates in sub-saharan africa.
- Jane Doe and Rajesh Kumar. 2019. Digital inclusivity in language technologies for illiterate populations. *Tech for Good Journal*, 8(1):20–35.
- M. Paul Eberhard, Gary F. Simons, and Charles D. Fennig. 2023. *Ethnologue: Languages of the World*. SIL International.
- Ahmed El-Kishky, Vishrav Chaudhary, Francisco Guzman, and Philipp Koehn. 2019. A massive collection of cross-lingual web-document pairs. *arXiv preprint arXiv:1911.06154*.
- Angela Fan, Shruti Bhosale, Holger Schwenk, Zhiyi Ma, Ahmed El-Kishky, Siddharth Goyal, Man-deep Baines, Onur Celebi, Guillaume Wenzek, Vishrav Chaudhary, Naman Goyal, Tom Birch, Vitaliy Liptchinsky, Sergey Edunov, Edouard Grave, Michael Auli, and Armand Joulin. 2020. Beyond english-centric multilingual machine translation. *arXiv preprint*.
- ∇, Wilhelmina Nekoto, Vukosi Marivate, Tshinondiwa Matsila, Timi Fasubaa, Tajudeen Kolawole, Taiwo Fagbohunge, Solomon Oluwole Akinola, Shamsuddee Hassan Muhammad, Salomon Kabongo, Salomey Osei, et al. 2020. Participatory research for low-resourced machine translation: A case study in african languages. *Findings of EMNLP*.
- Lucia Garcia and Wei Ng. 2020. Digital tools in cultural preservation: A review. *Journal of Cultural Heritage*, 35:125–134.
- Linda Harris and Robert Thompson. 2020. Community-centric approaches in language technology: Successes and lessons. *Journal of Community Informatics*, 16(5):59–75.
- Najib Ismail Jarad. 2015. Morphemic analysis increases vocabulary and improves comprehension. *Glottodactica*, 42(2):31–43.
- Patricia A. Jones. 2021. *Digital Divide and Access to Technology*. Springer.
- Ayesha Khan and Raj Patel. 2021. The effectiveness of native language instruction in multilingual education. *Global Journal of Educational Research*, 15(4):567–579.
- Others Lee, Ha-Yoon. 2018. Developing text-to-speech for under-represented languages: Methodologies and challenges. *Speech Technology Review*, 11(4):77–89.
- M. Paul Lewis, Gary F. Simons, and Charles D. Fennig. 2016. *Ethnologue: Languages of the World*. SIL International.
- Maria Lopez and Anil Kumar. 2021. Language and public information accessibility in multilingual societies. *Public Affairs Review*, 19(1):98–112.
- Emily Martin and Ricardo Sanchez. 2020. Language barriers in healthcare communication: A study. *Health Communication Quarterly*, 28(3):213–225.
- John McDonald and Linda Smith. 2019. Privacy and consent in web-based data collection for linguistic research. In *Proceedings of the Conference on Linguistic Data Collection*, pages 107–119.
- NLLB Team, Marta R. Costa-jussà, James Cross, Onur Çelebi, Maha Elbayad, Kenneth Heafield, Kevin Hefernan, Elahe Kalbassi, Janice Lam, Daniel Licht, Jean Maillard, Anna Sun, Skyler Wang, Guillaume Wenzek, Al Youngblood, Bapi Akula, Loic Barrault, Gabriel Mejia-Gonzalez, Prangthip Hansanti, John Hoffman, Semarley Jarrett, Kaushik Ram Sadagopan, Dirk Rowe, Shannon Spruit, Chau Tran, Pierre Andrews, Necip Fazil Ayan, Shruti Bhosale, Sergey Edunov, Angela Fan, Cynthia Gao, Vedanuj Goswami, Francisco Guzmán, Philipp Koehn, Alexandre Mourachko, Christophe Ropers, Safiyyah Saleem, Holger Schwenk, and Jeff Wang. 2022. No language left behind: Scaling human-centered machine translation.
- OpenAI. 2023. Chatgpt4: Optimizing language models for dialogue. <https://openai.com/chatgpt4>.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: A method for automatic evaluation of machine translation. In *Proceedings of the 40th Annual Meeting on Association for Computational Linguistics, ACL '02*, page 311–318, USA. Association for Computational Linguistics.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J. Liu. 2020. Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of Machine Learning Research*, 21(140):1–67.
- Surangika Ranathunga, En-Shiun Annie Lee, Marjana Pifti Skenduli, Ravi Shekhar, Mehreen Alam, and Rishemjit Kaur. 2023. Neural machine translation for low-resource languages: A survey. *ACM Comput. Surv.*, 55(11).
- Holger Schwenk, Guillaume Wenzek, Sergey Edunov, Edouard Grave, and Armand Joulin. 2019. Ccmatrix: Mining billions of high-quality parallel sentences on the web. *arXiv preprint arXiv:1911.04944*.
- John Smith and Others. 2020. Challenges in neural machine translation: A case study in african languages. *Journal of Language Technology*, 15(3):45–60.
- Marc Tschentscher and Others. 2021. Ethics in machine translation: Cultural representation and privacy concerns. *Journal of Translation Ethics*, 10(1):35–52.
- A. Ustun, Viraat Aryabumi, Zheng-Xin Yong, Wei-Yin Ko, Daniel D'souza, Gbemileke Onilude, Neel Bhandari, Shivalika Singh, Hui-Lee Ooi, Amr Kayid, Freddie Vargus, Phil Blunsom, Shayne Longpre, Niklas Muennighoff, Marzieh Fadaee, Julia Kreutzer, and

Sara Hooker. 2024. [Aya model: An instruction fine-tuned open-access multilingual language model.](#)

Stephen Wolff and Anand Kumar. 2020. Language homogenization in machine translation: Challenges and responses. *International Journal of Linguistic Diversity*, 8(2):88–103.

Linting Xue, Noah Constant, Adam Roberts, Mihir Kale, Rami Al-Rfou, Aditya Siddhant, Aditya Barua, and Colin Raffel. 2020. mt5: A massively multilingual pre-trained text-to-text transformer. *arXiv preprint arXiv:2010.11934*.