

S³ - Semantic Signal Separation

Márton Kardos

Aarhus University

martonkardos@cas.au.dk

Jan Kostkan

Aarhus University

jan.kostkan@cas.au.dk

Arnault-Quentin Vermillet

Aarhus University

arnault@cc.au.dk

Kristoffer Nielbo

Aarhus University

kln@cas.au.dk

Kenneth Enevoldsen

Aarhus University

kenneth.enevoldsen@cas.au.dk

Roberta Rocca

Aarhus University

roberta.rocca@cas.au.dk

Abstract

Topic models are useful tools for discovering latent semantic structures in large textual corpora. Topic modeling historically relied on bag-of-words representations of language. This approach makes models sensitive to the presence of stop words and noise, and does not utilize potentially useful contextual information. Recent efforts have been oriented at incorporating contextual neural representations in topic modeling and have been shown to outperform classical topic models. These approaches are, however, typically slow, volatile and still require preprocessing for optimal results. We present *Semantic Signal Separation* (S³), a theory-driven topic modeling approach in neural embedding spaces. S³ conceptualizes topics as independent axes of semantic space, and uncovers these with blind-source separation. Our approach provides the most diverse, highly coherent topics, requires no preprocessing, and is demonstrated to be the fastest contextually sensitive topic model to date. We offer an implementation of S³, among other approaches, in the `Turftopic` Python package.

1 Introduction

‘Topic models’ are an umbrella term for statistical approaches that enable unsupervised topic discovery in large text corpora (Blei, 2012). They are commonly applied in exploratory data analysis of textual data, because they allow practitioners to unearth and condense information about the semantic content of a corpus without the need for close reading and manual labor. Traditionally, topics are presented to the user as a set of important terms (keywords) that provide insights into possible interpretations of the topic.

Classical approaches to topic modeling, such as Latent Semantic Indexing (Deerwester et al., 1988, Dumais, 2004) and Latent Dirichlet Allocation (Blei et al., 2003, Blei, 2012), have relied on frequency-based bag-of-words (BoW) representations of documents. While these models have been

successfully utilized in decades of NLP research (Jelodar et al., 2018), they all share several practical and theoretical limitations. For example, BoW models are sensitive to words with atypical statistical properties (such as function words), which can contaminate keyword-based topic descriptions unless heavy preprocessing pipelines are applied. Such pipelines introduce many degrees of freedom for the researcher. Furthermore, the sparsity and high dimensionality of BoW representations typically result in lower computational efficiency and poorer model fit.

With the advent of dense neural language representations (Vaswani et al., 2017, Le and Mikolov, 2014, Pennington et al., 2014, Mikolov et al., 2013), new opportunities have opened for topic modeling research. Sentence Embeddings (Reimers and Gurevych, 2019) hold great promise for topic modeling, as (1) they provide contextual, grammar-sensitive representations of language, (2) are more robust against spelling errors and out-of-vocabulary terms, thereby eliminating the need for heavy preprocessing, (3) produce dense representations in a continuous space, allowing for modeling techniques that are not feasible with BoW representations (e.g. assumption of Gaussianity) and, (4) they allow for transfer learning (Ruder et al., 2019) in topic modeling, utilizing information learnt in larger external corpora on the specific task.

A number of approaches have thus been proposed using dense neural representations for contextual topic modeling, and these have been shown to outperform bag-of-words topic models (Bianchi, Terragni, and Hovy, 2021, Bianchi, Terragni, Hovy, et al., 2021, Grootendorst, 2022, Angelov, 2020). These approaches, however, often still require preprocessing for optimal performance.

1.1 Contributions

We present Semantic Signal Separation (S³), a novel contextualized topic modeling technique

which conceptualizes topic modeling as the discovery of latent semantic axes in a corpus. The proposed approach is conceptually simple, theory-driven and brings a number of improvements over the current state of the art:

S^3 is ① the first topic model that only conducts inference on contextual representations, while being able to capture multiple topics in a document. Our evaluations demonstrate that S^3 is ② consistently better or on par with existing contextual topic models in word embedding coherence and topic diversity, ③ consistently performs better without preprocessing, and is ④ shown to be the most computationally efficient contextual topic model.

Additionally, we provide a simple unified scikit-learn based interface for both S^3 and existing contextualized topic modeling approaches in the `Turftopic` Python package (<https://github.com/x-tabdeveloping/turftopic>).

2 Related Work

Multiple approaches to topic modeling using neural language representations have been proposed over the past few years.

Contextualized Topic Models or CTMs (Bianchi, Terragni, and Hovy, 2021) are conceptually similar to and inspired by LDA in that they describe the stochastic process by which word content is generated from latent topic proportions (Blei et al., 2003), but inference is achieved with amortized variational methods (Srivastava and Sutton, 2017) instead of MCMC sampling. Here, a non-linear function linking inputs and topic proportion distributions’ parameters is learned by an artificial neural network (encoder).

In *CombinedTM* (Bianchi, Terragni, and Hovy, 2021) inputs to the encoder network are BoW vectors concatenated with contextual representations, while *ZeroShotTM* (Bianchi, Terragni, Hovy, et al., 2021) only utilizes contextual representations as encoder inputs.

While improving SOTA for topic coherence over BoW methods (Bianchi, Terragni, and Hovy, 2021), CTMs are plagued by many of the issues of classical models. Since CTMs are in essence generative models of BoW representations, they typically require heavy preprocessing, are sensitive to stop words and noise, and the computational efficiency and quality of model fit decreases drastically with larger vocabularies (Bianchi et al., 2020). Additionally, black box inference makes it hard to explain

precisely how topics are related to contextual representations.

Top2Vec (Angelov, 2020) is a topic modeling approach that conceptualizes topic modeling as cluster discovery in an embedding space. Topic discovery is performed by first reducing the dimensionality of sentence embeddings of documents using UMAP (McInnes and Healy, 2018), then clustering the lower-dimensional document representations using HDBSCAN (Campello et al., 2013). Term importances for each topic are estimated post-hoc by taking the cosine similarity of term encodings to cluster centroids. This method relies on the assumption that clusters are spherical and convex, which might not hold in practice, and cluster centroids might end up being representative of a different topic or no topic at all.

BERTopic (Grootendorst, 2022) addresses this issue by estimating term importances for clusters using a class-based tf-idf weighting scheme. Both BERTopic and Top2Vec come pre-packaged with a *topic reduction* method to let users reduce the number of topics to a desired amount. This is necessary, as HDBSCAN learns the number of clusters from the data, and, especially with larger corpora, the number of clusters can grow vast, which may prove impractical.

While clustering approaches to topic modeling mitigate some of the weaknesses of classical topic models and CTMs, they introduce a set of new caveats. Clustering models assume that documents can only contain a single topic, which is often not true for longer texts, their multi-layered pipeline (dimensionality reduction, clustering, term importance estimation, topic reduction), results in a high number of hyperparameters, with practitioners’ decisions becoming generally difficult to reason about, and, due to their choice of clustering method (HDBSCAN), both BERTopic and Top2Vec are *transductive*, not *inductive* methods. Cluster labels for novel documents cannot directly be inferred with a fitted model, and one has to resort to approximate methods.

3 Semantic Signal Separation

In this paper, we introduce *Semantic Signal Separation* (or S^3), a novel approach to topic modeling in continuous embedding spaces which aims to overcome these limitations.

Instead of interpreting topics as clusters or word probabilities, we conceptualize topics as axes of




Figure 1: Schematic Overview of S^3

semantics that explain variation in a specific corpus. This is achieved by decomposing semantic representations into latent components (A), which are assumed to be the topics, and components strengths in each document (S), which are document-topic importances. In order for the topics to be conceptually distinct, we utilize Independent Component Analysis (Jutten and Herault, 1991) to uncover them. Term importances are estimated post-hoc from the topic components’ strength in word encodings (V).

We believe that, especially longer, documents can contain multiple topics. Conceptualizing topics as semantic axes allows us to accomplish this, similar to models inferring document-topic-proportions but unlike clustering models. As such, S^3 is the first topic model that only conducts inference on contextual representations and can capture multiple topics in a single document.

Our approach is, in essence, similar to Latent Semantic Analysis (Dumais, 2004, Deerwester et al., 1988), but instead of using word frequencies, S^3 discovers axes in a continuous embedding space, and instead of aiming for diagonal components, we optimize for statistical independence.

3.1 Model

Document representations are obtained by encoding documents using a sentence transformer model.

1. Let X be the matrix of the document encodings.

Decomposition of document representations into independent semantic axes is performed with Independent Component Analysis (Jutten and Herault, 1991). In this study we used the FastICA (Hyvärinen and Oja, 2000) algorithm to identify latent

semantic components. Note that whitening (a standard preprocessing step for ICA) is applied to the data before decomposition. We will omit whitening from our descriptions for clarity.

2. Decompose X using FastICA: $X = AS$ where A is the mixing matrix, and S the source matrix, containing document-topic-importances.

Term importance estimation (needed to obtain term-based topic descriptions) is conducted by encoding the vocabulary using the same sentence transformer used to encode documents, and recovering the strength of each latent component (i.e., topic) in the embeddings of each term. The strength of a component for a given term determines the word’s importance for that topic.

3. Encode the vocabulary of the corpus with the same encoder model. Let the matrix of word encodings be V
4. Let the unmixing matrix be the pseudo-inverse of the mixing matrix: $C = A^+$.
5. Estimate the strength of each component in each word by multiplying word encodings with the unmixing matrix: $W = VC^T$.
 W is then the term-topic matrix, where W_{jt} corresponds to word j ’s importance in topic t

Note that this formulation allows for terms with *negative* importances for a given topic. While this is technically also the case for LSA, prior topic modeling literature does not explore this concept. Model interpretation can be augmented with inspecting terms that score lowest on a given topic, thereby providing a "negative definition".

To ensure comparability with methods that do not allow for negative definitions, our model comparisons ignore negative terms, but a demonstrative example is presented in Section 6.2.

4 Experimental Setup

To compare S^3 ’s performance to previous context-sensitive topic modeling approaches, we benchmark it on a number of quantitative metrics widely used in topic modeling literature. Our experimental results can be reproduced with the `topic-benchmark` Python package’s CLI¹. The repository also contains results and all topic

¹<https://github.com/x-tabdeveloping/topic-benchmark>

descriptions in the `results/` directory. Detailed instructions on how to reproduce results from this paper are provided in the README of the package, under the section ‘Reproducing Paper Results‘.

4.1 Datasets

Due to its relevance in topic modeling and NLP research, we benchmark the model on the 20News-groups dataset along with a BBC News dataset², and a set of 2048 randomly sampled Machine Learning abstracts from ArXiv. Code is supplied for fetching and subsampling the datasets in a reproducible manner in the `topic-benchmark` repository. Consult Table 1 for dataset and vocabulary size. Topic model comparisons typically use preprocessed datasets from the OCTIS Python package (Terragni et al., 2021). To estimate the effect of preprocessing on model performance, we run model evaluations on the preprocessed version of 20Newsgroups as well, and compare results with the non-preprocessed dataset.

Dataset	# Documents	Vocabulary Size
20Newsgroups Raw	18846	21668
20Newsgroups Preprocessed	16309	1612
BBC News	1225	3851
ArXiv ML Papers	2048	2849

Table 1: Datasets Overview

4.2 Encoders

To evaluate the effect of embedding models on performance, we run all analyses with an array of embedding models of varying size and quality. We utilized two SBERT models (Reimers and Gurevych, 2019), a static GloVe model averaging word vectors (Pennington et al., 2014), as well as an E5 model (Wang et al., 2024) (see Table 2).

Model Name	# Parameters	Embedding Size
Averaged GloVe	120 M	300
all-MiniLM-L6-v2	22.7 M	384
all-mpnet-base-v2	109 M	768
E5-large-v2	335 M	1024

Table 2: Embedding Models Overview

4.3 Models

Topic models included in the experiment were BERTopic, Top2Vec and two CTM-type models

²<https://huggingface.co/datasets/SetFit/bbc-news>

(ZeroShotTM and CombinedTM) along with two classical models to provide a baseline (NMF and LDA). For our evaluations, we utilized the implementations of contextual topic models from the Turftopic Python package. We used NMF and LDA implementations from the scikit-learn package.

Wherever possible, default parameters from respective software packages or widely available resources were used. Hyperparameter optimization was not conducted to avoid optimizing hyperparameters on the same metrics, which are used for model comparison (for a further discussion of hyperparameters, consult see A).

Similar to Grootendorst (2022), the number of topics was reduced to the desired amount post-hoc in Top2Vec and BERTopic. If the number of clusters discovered by HDBSCAN was under the desired amount, the original clusters were used for evaluation. Top2Vec and BERTopic used the same HDBSCAN and UMAP hyperparameters for fairness’s sake.

All models were run using 10, 20, 30, 40, and 50 topics, and the topic descriptions from each model (top 10 terms in each topic) were extracted for quantitative and qualitative evaluation.

Inference was conducted on a cloud computing instance with 384GB of memory and a 64 Intel Xeon Gold 6130 processor cores. Runtimes were recorded for each run of each model.

4.4 Metrics of Topic Quality

We evaluate the quality of 10-word topic descriptions using three canonically utilized metrics, similar to Bianchi, Terragni, and Hovy (2021).

Topic diversity (Dieng et al., 2020) measures how different topics are from each other based on the number of words they share. Topic diversity is essential for interpretability: when many topics have the same descriptive terms it becomes hard to delineate their meaning.

Word embedding coherence or WEC (Bianchi, Terragni, and Hovy, 2021) measures the average pairwise similarity of all words in a topic description, based on a Word2Vec model. Prior literature primarily uses Word2Vec models which have been pretrained on large corpora of text, and are therefore assumed to capture words’ semantic similarity *in general*. This, in essence, measures the *external* coherence of topics, since it evaluates topics based on information from outside sources, not the corpus at hand. We used the `word2vec-google-news-300`

word embedding model (Řehůřek and Sojka, 2010). We will refer to this metric as WEC_{ex} .

It is, however also beneficial to gain information about *internal coherence*, that is, how well a topic model captures semantic relations between words in a way that is specific to the target corpus. As such, we also computed word-embedding-based coherence using Word2Vec models trained on the corpus from which the topics were extracted. We termed this approach WEC_{in} .

We also computed **NPMI coherence** or C_{NPMI} (Lau et al., 2014), using the Gensim Python package (Řehůřek and Sojka, 2010). This metric measures how likely descriptive terms are to co-occur in each other’s context in the corpus. C_{NPMI} can be seen as a metric of internal coherence, similar to WEC_{in} . Note that co-occurrence might not be a good indicator of words being topically related. For example, words "cat" and "dog", which are topically related, might not co-occur with each other very often. We therefore prioritize WEC_{in} , and report C_{NPMI} scores in the appendix (see Table 6).

4.5 Metrics of Robustness

With classical topic models, it is fairly common that semantically irrelevant “junk-terms”, contaminate topic descriptions. Ideally, a topic model should yield topic descriptions where only terms aiding the interpretation of a given topic are present. This core property of topic models is not captured by standard evaluation metrics.

For each topic model fitted on the raw corpus, we computed the relative frequency of **stop words** in topic descriptions. As a proxy for the prevalence of “junk terms”, we also computed how frequently **nonalphabetic characters** are part of terms included in topic descriptions. Note that this is not a perfect proxy for the meaningfulness of terms: non-alphabetical terms might enhance topic descriptions under certain circumstances (e.g., "1917" is a meaningful term in a topic about the October Revolution).

5 Results

5.1 Topic Quality

Table 3 provides an overview of the results for all evaluation metrics, datasets and encoders. Metrics are averaged across a number of topics for conciseness, but results are displayed in full in the Appendix (see Figures 5, 6, 7).

S^3 outperformed all other models on topic diversity, occasionally performing second best after Top2Vec (see Table 3). On BBC News and ArXiv ML Papers, S^3 was also consistently the highest or second-highest ranking model on internal word embedding coherence, while it lagged behind Top2Vec and NMF on 20 Newsgroups. WEC_{ex} scores were also generally among the highest, rivalled mostly by Top2Vec. Note that high scores on word embedding coherence are somewhat trivial for Top2Vec, as it selects descriptive terms based on semantic similarity to a single centroid vector.

Overall, these results show that S^3 yields by far the best combination of coherence and diversity. This is crucial as models that display high coherence, but little diversity, typically converge on topics that are hard to interpret as many descriptive terms are shared.

On NPMI Coherence, NMF typically scored highest, occasionally rivaled by BERTopic or ZeroShotTM while most contextual models obtained negative values (see Table 6 in the Appendix). This is likely due to the fact that classical models (NMF and LDA) consistently included a high proportion of stop words in their topic descriptions, which often occur in each other’s proximity. Surprisingly, the same was observed for BERTopic, with as high as 100% of all descriptive terms being stop words. CTMs performed significantly better than classical models, but still around 1 in 5 terms included in topic descriptions were stop words. In stark contrast, this metric hovered around zero for Top2Vec and S^3 (see Figure 3). No clear differences emerged when investigating terms containing non-alphabetic characters (see Appendix for more detail).

5.2 Inference Speed

One potential concern with topic models is computational efficiency and scalability. Faster models allow for more experimentation, and they do not require elaborate engineering and infrastructure.

We calculated the runtime difference between models for paired runs. All other models were, on average, slower than S^3 , though NMF was a close second with only a 3% mean increase in runtime. BERTopic and Top2Vec were consistently slower and took approximately 12x longer to run on average. While, CombinedTM and ZeroShotTM occasionally were 20-40% faster than S^3 , they were, on average, about 130x slower, being the least efficient out of all models. For absolute runtimes on all runs,

	20 Newsgroups			BBC News			ArXiv ML Papers		
	Diversity	WEC _{in}	WEC _{ex}	Diversity	WEC _{in}	WEC _{ex}	Diversity	WEC _{in}	WEC _{ex}
average_word_embeddings_glove.6B.300d									
S ³	0.98 ± .03	<u>0.46 ± .09</u>	0.29 ± .01	0.94 ± .06	0.93 ± .01	<u>0.25 ± .03</u>	0.93 ± .07	0.89 ± .01	<u>0.23 ± .06</u>
Top2Vec	0.30 ± .52	0.41 ± .13	<u>0.26 ± .03</u>	0.63 ± .00	0.78 ± .01	0.25 ± .00	0.20 ± .05	<u>0.78 ± .01</u>	0.25 ± .00
BERTopic	0.63 ± .07	0.42 ± .04	0.21 ± .04	0.40 ± .00	0.57 ± .01	0.29 ± .00	0.37 ± .01	0.56 ± .01	0.20 ± .02
CombinedTM	0.88 ± .02	0.42 ± .03	0.19 ± .03	<u>0.89 ± .04</u>	<u>0.85 ± .03</u>	0.16 ± .01	<u>0.80 ± .04</u>	0.74 ± .06	0.13 ± .01
ZeroShotTM	<u>0.91 ± .06</u>	0.44 ± .04	0.19 ± .03	0.84 ± .15	0.83 ± .05	0.18 ± .01	0.74 ± .20	0.74 ± .01	0.15 ± .02
NMF	0.54 ± .06	0.48 ± .05	0.24 ± .04	0.47 ± .03	0.62 ± .08	0.24 ± .04	0.55 ± .06	0.60 ± .15	0.17 ± .03
LDA	0.40 ± .07	0.40 ± .05	0.23 ± .04	0.37 ± .10	0.64 ± .08	0.23 ± .07	0.40 ± .04	0.62 ± .07	0.20 ± .04
all-MiniLM-L6-v2									
S ³	0.99 ± .01	0.45 ± .02	<u>0.28 ± .05</u>	0.92 ± .07	<u>0.92 ± .01</u>	0.24 ± .09	0.94 ± .06	0.91 ± .02	0.20 ± .01
Top2Vec	<u>0.95 ± .09</u>	0.49 ± .02	0.37 ± .02	0.78 ± .00	0.93 ± .00	0.26 ± .00	0.47 ± .04	<u>0.84 ± .01</u>	0.17 ± .02
BERTopic	0.53 ± .21	0.42 ± .08	0.20 ± .06	0.50 ± .00	0.61 ± .00	<u>0.26 ± .00</u>	0.35 ± .02	0.57 ± .02	0.19 ± .04
CombinedTM	0.88 ± .04	0.40 ± .04	0.18 ± .03	<u>0.91 ± .08</u>	0.86 ± .02	0.16 ± .02	<u>0.81 ± .07</u>	0.74 ± .08	0.13 ± .03
ZeroShotTM	0.89 ± .07	0.45 ± .03	0.18 ± .02	0.82 ± .08	0.83 ± .03	0.17 ± .02	0.77 ± .10	0.75 ± .04	0.13 ± .01
NMF	0.54 ± .06	<u>0.48 ± .05</u>	0.24 ± .04	0.47 ± .03	0.62 ± .09	0.24 ± .04	0.55 ± .06	0.60 ± .15	0.17 ± .03
LDA	0.40 ± .07	0.40 ± .05	0.23 ± .04	0.37 ± .10	0.64 ± .09	0.23 ± .07	0.40 ± .04	0.62 ± .06	<u>0.20 ± .04</u>
all-mpnet-base-v2									
S ³	0.99 ± .01	0.42 ± .04	<u>0.26 ± .02</u>	0.93 ± .04	<u>0.92 ± .02</u>	<u>0.24 ± .05</u>	<u>0.90 ± .05</u>	0.90 ± .01	<u>0.22 ± .02</u>
Top2Vec	<u>0.93 ± .10</u>	0.49 ± .02	0.38 ± .03	<u>0.90 ± .06</u>	0.93 ± .01	0.33 ± .02	0.90 ± .00	<u>0.84 ± .01</u>	0.17 ± .00
BERTopic	0.50 ± .23	0.38 ± .02	0.19 ± .05	0.39 ± .00	0.59 ± .02	0.24 ± .01	1 ± 0*	0.51 ± .01*	0.32 ± .00*
CombinedTM	0.88 ± .03	0.40 ± .06	0.18 ± .02	0.89 ± .05	0.84 ± .06	0.16 ± .02	0.80 ± .06	0.73 ± .08	0.13 ± .02
ZeroShotTM	0.91 ± .05	0.44 ± .05	0.19 ± .03	0.85 ± .07	0.83 ± .05	0.18 ± .04	0.77 ± .14	0.74 ± .03	0.13 ± .00
NMF	0.54 ± .06	<u>0.48 ± .05</u>	0.24 ± .04	0.47 ± .03	0.62 ± .08	0.24 ± .04	0.55 ± .06	0.60 ± .15	0.17 ± .03
LDA	0.36 ± .05	0.40 ± .10	0.23 ± .05	0.37 ± .10	0.64 ± .09	0.23 ± .07	0.40 ± .04	0.62 ± .06	0.20 ± .04
intfloat/e5-large-v2									
S ³	0.97 ± .03	0.41 ± .05	0.28 ± .05	0.93 ± .06	0.92 ± .01	0.23 ± .06	0.91 ± .03	0.90 ± .02	<u>0.22 ± .06</u>
Top2Vec	0.43 ± .08	0.25 ± .04	0.21 ± .01	0.89 ± .00	<u>0.91 ± .01</u>	0.22 ± .00	0.28 ± .04	<u>0.78 ± .01</u>	0.31 ± .00
BERTopic	0.71 ± .12	0.37 ± .04	0.18 ± .02	0.40 ± .00	0.56 ± .01	0.28 ± .00	0.41 ± .05	0.60 ± .04	0.19 ± .04
CombinedTM	<u>0.91 ± .06</u>	0.42 ± .03	0.18 ± .02	<u>0.90 ± .07</u>	0.84 ± .04	0.16 ± .02	<u>0.80 ± .05</u>	0.75 ± .06	0.13 ± .03
ZeroShotTM	0.90 ± .06	<u>0.42 ± .03</u>	0.18 ± .02	0.80 ± .09	0.82 ± .05	0.17 ± .02	0.68 ± .22	0.72 ± .02	0.14 ± .01
NMF	0.54 ± .06	0.48 ± .05	0.24 ± .05	0.47 ± .03	0.62 ± .08	<u>0.24 ± .04</u>	0.55 ± .06	0.60 ± .15	0.17 ± .03
LDA	0.39 ± .08	0.42 ± .10	<u>0.25 ± .05</u>	0.37 ± .10	0.64 ± .09	0.23 ± .07	0.40 ± .04	0.62 ± .06	0.20 ± .04

Table 3: Word Embedding Coherence and Diversity of Topics over Multiple Datasets.

Best in bold, second best underlined, uncertainty represents $2 \cdot SD$

* - BERTopic achieves 1.0 diversity, as it discovers a single topic, consisting of stop words - (we, to, the, and, in, of, for, is, on, that).




Figure 2: Performance Difference between Topic Models on Natural Text and Preprocessed Data (20 Newsgroups) S³ is the only model that consistently performs better on natural text.

Error bars represent 95% highest density interval.




Figure 3: Relative Frequency of Stop Words in Topic Descriptions

consult Figure 9 in the Appendix.

Model	Runtime Difference from S ³
NMF	2.94% [-99.6, 422]
LDA	903% [-97.5, 8140]
BERTopic	1100% [79.7, 9170]
Top2Vec	1130% [87.4, 9090]
ZeroShotTM	11600% [-42.0, 66600]
CombinedTM	12700% [-24.4, 73500]

Table 4: Average Runtime Difference from S³. Uncertainty represents 95% Highest Density Interval; Three most significant digits reported.

6 Qualitative Evaluation

6.1 Model Comparison

We inspect topics qualitatively to identify whether patterns observed in quantitative metrics reflect intuitive characteristics of model output. For feasibility, we will focus on the models (among those evaluated above) which extract 20 topics from the 20 Newsgroups dataset. To see all topic descriptions, consult Appendix C.

In line with previous analyses, LDA, NMF and BERTopic resulted in the least interpretable topics. Topic descriptions often consisted of function words and acronyms. Even topics which contained information-bearing words were in most cases hard to interpret:

- *in, of, the, is, and, to, that, it, you, not* (LDA)
- *for, and, to, the, edu, from, of, it, is, in* (BERTopic/e5-large-v2)

- *is, dos, and, window, the, to, mouse, for, in, of* (BERTopic/all-mpnet-base-v2)

- *for, edu, com, from, subject, lines, in, organization, article, writes* (NMF)

CTMs performed notably better, with a lot of topics being readily interpretable. Yet, many of the topics in these models were still dominated by stop words or junk terms:

- *cx, rh, h7, mo, _o, mv, mu, mk, mt, w7* (CombinedTM/all-MiniLM-L6-v2)

- *mo, max, mp, mq, mf, ax, mn, mw, mg, mj* (ZeroShotTM/all-MiniLM-L6-v2)

The most specific, most informative and cleanest topics were produced by Top2Vec and S³, with most of the descriptive words being informative and intuitively understandable, as showcased by these examples:

- *automobile, automobiles, honda, mustang, engine, vehicles, vehicle, automotive, v8, chassis* (Top2Vec/all-mpnet-base-v2)

- *sedans, chevrolet, subaru, sedan, vw, car, acura, automobiles, porsche, toyota* (S³/all-mpnet-base-v2)

- *hdd, disk, disks, os, workstation, hard-drive, netware, msus, microsoft, symantec* (Top2Vec/all-MiniLM-L6-v2)

- *disk, harddisk, harddrive, disks, seagate, hdd, prodrive, ssd, symantec, disc* (S³/all-MiniLM-L6-v2)

This goes to highlight C_{NPMI}'s weakness as a metric for evaluating topic coherence. As previously noted, the two models that qualitatively described topics the most clearly were the ones least favoured by C_{NPMI} scores.

Interestingly, while Top2Vec was negatively impacted by using averaged GloVe embeddings, S³ was still able to recover highly coherent topics (see Appendix C). It is also worth noting that, while S³'s performance stays satisfactory across the board, it is more sensitive to the choice of embedding model than Top2Vec. As S³ relies more on the given embedding model's "theory of semantics", it discovers different "types" of topics with different embeddings.

6.2 Demonstration: Semantic Axes in ArXiv ML Papers

As previously mentioned, S^3 is capable of providing negative descriptions of topics, by extracting the lowest scoring terms on the given topic. To demonstrate S^3 's unique capabilities to describe semantic variation in a corpus, we extracted five topics from the same subset of ArXiv ML Papers as were used for quantitative evaluations. See Table 5 for top 5 positive and negative terms in each topic.

	Positive	Negative
0	clustering, histograms, clusterings, histogram, classifying	reinforcement, exploration, planning, tactics, reinforce
1	textual, pagerank, litigants, marginalizing, entailment	matlab, waveforms, microcontroller, accelerometers, microcontrollers
2	sparsestmax, denoising, denoising, minimizers, minimizes	automation, affective, chatbots, questionnaire, attitudes
3	rebmigraph, subgraph, subgraphs, graphsage, graph	adversarial, adversarially, adversarialization, adversary, security
4	clustering, estimations, algorithm, dbscan, estimation	cnn, deepmind, deeplabv3, convnet, deeptenet

Table 5: Topics in ArXiv ML Papers Extracted by S^3

Note that in this case, we gain notably more information about a topic by inspecting negative terms as well. Topic 0 and 4 resemble each other quite a bit in positive descriptive terms, and it is only a glance at the negative terms that clarifies where the difference lies between them.

S^3 can also be used to create a *compass* of terms along two chosen axes. This allows us to study concepts in a corpus along the axes extracted by the model, thereby gaining information about the axes' interactions. We chose Topic 1, which seems to be about *Linguistic vs. Physical/Biological/Vision* problems, and Topic 4, which seems to be about *Algorithmic vs. Deep Learning* solutions. (See Figure 4)

We can see that the intersection of high-level problems and classical ML is largely dominated by probability theory, and the term that is quite high on both axes, is *pagerank*, which is an algorithmic method for calculating page importance, while deep-learning in linguistic problems is focused on *embeddings* and *attention*. For low-level problems on the algorithmic side of the spectrum are numerical methods, *matlab* and sensors, while on the deep learning side, are terms related to computer vision




Figure 4: Concepts along Semantic Axes Extracted by S^3 in ArXiv ML Papers

and *tensorflow*.

7 Conclusion

We propose Semantic Signal Separation (S^3), a novel approach to topic modeling in continuous semantic spaces. Inspired by classical matrix decomposition methods, such as Latent Semantic Analysis, S^3 conceptualizes topics as axes of semantics. Through experimental quantitative and qualitative evaluation, we demonstrate that the model sets a new state of the art in topic diversity, performs competitively on topic coherence, and provides high-quality topic descriptions. Our analyses also show that S^3 performs best when no preprocessing is applied to corpora, and has more stable performance across embedding models than previous approaches while managing to be the most computationally efficient of contextually sensitive topic models to date.

8 Limitations

8.1 Quantitative Metrics

While adopted by the majority of topic modeling literature (Bianchi, Terragni, and Hovy, 2021, Grootendorst, 2022), metrics commonly used to measure topic quality rely on strong assumptions and they are affected by a number of limitations (Rahimi et al., 2024). Additional analyses and considerations presented in this work are meant to partly compensate for this limitation.

8.2 Term Importances

In measuring term importance as the strength of a given component in the embedding of a word, S^3 implicitly assumes that the importance of a component for a term is the same as the importance of the term for the component. This might in theory result in the same terms being present in several topic descriptions, challenging interpretation, and alternative approaches could be explored in the future. Yet, the high diversity scores achieved by S^3 suggest that this might not be a major concern.

8.3 Model Implementations

As alluded to, all contextual models we used in the experiment were reimplemented as part of the `Turftopic` package. Our implementations of `BERTopic` and `Top2Vec` should behave identically to the original, as they rely on the exact same algorithm. Minor deviances in inference speed (in either direction) are, however, possible. On the other hand, CTM models posit minor architectural differences to the original implementation, and as such, runtimes and topic descriptions may be slightly different to what we could have obtained with the original implementation.

References

- Angelov, D. (2020). `Top2vec`: Distributed representations of topics.
- Bianchi, F., Terragni, S., & Hovy, D. (2020). Contextualized topic models — contextualized topic models 2.5.0 documentation. <https://contextualized-topic-models.readthedocs.io/en/latest/introduction.html>
- Bianchi, F., Terragni, S., & Hovy, D. (2021, August). Pre-training is a hot topic: Contextualized document embeddings improve topic coherence. In C. Zong, F. Xia, W. Li, & R. Navigli (Eds.), *Proceedings of the 59th annual meeting of the association for computational linguistics and the 11th international joint conference on natural language processing (volume 2: Short papers)* (pp. 759–766). Association for Computational Linguistics. <https://doi.org/10.18653/v1/2021.acl-short.96>
- Bianchi, F., Terragni, S., Hovy, D., Nozza, D., & Fersini, E. (2021, April). Cross-lingual contextualized topic models with zero-shot learning. In P. Merlo, J. Tiedemann, & R. Tsarfaty (Eds.), *Proceedings of the 16th conference of the european chapter of the association for computational linguistics: Main volume* (pp. 1676–1683). Association for Computational Linguistics. <https://doi.org/10.18653/v1/2021.eacl-main.143>
- Blei, D. M. (2012). Probabilistic topic models. *Communications of the ACM*, 55(4), 77–84. <https://doi.org/10.1145/2133806.2133826>
- Blei, D. M., Ng, A. Y., & Jordan, M. I. (2003). Latent dirichlet allocation. *J. Mach. Learn. Res.*, 3(null), 993–1022.
- Campello, R. J. G. B., Moulavi, D., & Sander, J. (2013, January). Density-based clustering based on hierarchical density estimates. In *Lecture notes in computer science* (pp. 160–172). https://doi.org/10.1007/978-3-642-37456-2_14
- Deerwester, S. C., Dumais, S. T., Landauer, T. K., Fumas, G. W., & Beck, L. L. (1988). Improving information retrieval using latent semantic indexing. <https://api.semanticscholar.org/CorpusID:59739393>
- Dieng, A. B., Ruiz, F. J. R., & Blei, D. M. (2020). Topic modeling in embedding spaces (M. Johnson, B. Roark, & A. Nenkova, Eds.). *Transactions of the Association for Computational Linguistics*, 8, 439–453. https://doi.org/10.1162/tacl_a_00325
- Dumais, S. T. (2004). Latent semantic analysis. *Annual Review of Information Science and Technology*, 38(1), 188–230. <https://doi.org/10.1002/aris.1440380105>
- Grootendorst, M. (2022). Bertopic: Neural topic modeling with a class-based tf-idf procedure.
- Hyvärinen, A., & Oja, E. (2000). Independent component analysis: Algorithms and applications. *Neural Networks*, 13(4), 411–430. [https://doi.org/https://doi.org/10.1016/S0893-6080\(00\)00026-5](https://doi.org/https://doi.org/10.1016/S0893-6080(00)00026-5)
- Jelodar, H., Wang, Y., Yuan, C., Xia, F., Jiang, X., Li, Y., & Zhao, L. (2018). Latent dirichlet allocation (lda) and topic modeling: Models, applications, a survey. *Multimedia Tools and Applications*, 78(11), 15169–15211. <https://doi.org/10.1007/s11042-018-6894-4>
- Jutten, C., & Herault, J. (1991). Blind separation of sources, part i: An adaptive algorithm based on neuromimetic architecture. *Signal Processing*, 24(1), 1–10. [https://doi.org/10.1016/0165-1684\(91\)90040-9](https://doi.org/10.1016/0165-1684(91)90040-9)

- [org/https://doi.org/10.1016/0165-1684\(91\)90079-X](https://doi.org/10.1016/0165-1684(91)90079-X)
- Lau, J. H., Newman, D., & Baldwin, T. (2014, April). Machine reading tea leaves: Automatically evaluating topic coherence and topic model quality. In S. Wintner, S. Goldwater, & S. Riezler (Eds.), *Proceedings of the 14th conference of the European chapter of the association for computational linguistics* (pp. 530–539). Association for Computational Linguistics. <https://doi.org/10.3115/v1/E14-1056>
- Le, Q., & Mikolov, T. (2014). Distributed representations of sentences and documents. *Proceedings of the 31st International Conference on International Conference on Machine Learning - Volume 32, II-1188-II-1196*.
- McInnes, L., & Healy, J. (2018). Umap: Uniform manifold approximation and projection for dimension reduction. *ArXiv, abs/1802.03426*. <https://api.semanticscholar.org/CorpusID:3641284>
- Mikolov, T., Chen, K., Corrado, G. S., & Dean, J. (2013). Efficient estimation of word representations in vector space. *International Conference on Learning Representations*. <https://api.semanticscholar.org/CorpusID:5959482>
- Pennington, J., Socher, R., & Manning, C. (2014, October). GloVe: Global vectors for word representation. In A. Moschitti, B. Pang, & W. Daelemans (Eds.), *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)* (pp. 1532–1543). Association for Computational Linguistics. <https://doi.org/10.3115/v1/D14-1162>
- Rahimi, H., Mimno, D., Hoover, J., Naacke, H., Constantin, C., & Amann, B. (2024, March). Contextualized topic coherence metrics. In Y. Graham & M. Purver (Eds.), *Findings of the association for computational linguistics: Eacl 2024* (pp. 1760–1773). Association for Computational Linguistics. <https://aclanthology.org/2024.findings-eacl.123>
- Řehůřek, R., & Sojka, P. (2010). Software Framework for Topic Modelling with Large Corpora [<http://is.muni.cz/publication/884893/en>]. *Proceedings of the LREC 2010 Workshop on New Challenges for NLP Frameworks*, 45–50.
- Reimers, N., & Gurevych, I. (2019). Sentence-bert: Sentence embeddings using siamese bert-networks. *CoRR, abs/1908.10084*. <http://arxiv.org/abs/1908.10084>
- Ruder, S., Peters, M. E., Swayamdipta, S., & Wolf, T. (2019, June). Transfer learning in natural language processing. In A. Sarkar & M. Strube (Eds.), *Proceedings of the 2019 conference of the north American chapter of the association for computational linguistics: Tutorials* (pp. 15–18). Association for Computational Linguistics. <https://doi.org/10.18653/v1/N19-5004>
- Srivastava, A., & Sutton, C. (2017). Autoencoding variational inference for topic models. *International Conference on Learning Representations*. <https://api.semanticscholar.org/CorpusID:29842525>
- Terragni, S., Fersini, E., Galuzzi, B. G., Tropeano, P., & Candelieri, A. (2021, April). OCTIS: Comparing and optimizing topic models is simple! In D. Gkatzia & D. Seddah (Eds.), *Proceedings of the 16th conference of the european chapter of the association for computational linguistics: System demonstrations* (pp. 263–270). Association for Computational Linguistics. <https://doi.org/10.18653/v1/2021.eacl-demos.31>
- Vaswani, A., Shazeer, N. M., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. *Neural Information Processing Systems*. <https://api.semanticscholar.org/CorpusID:13756489>
- Wang, L., Yang, N., Huang, X., Jiao, B., Yang, L., Jiang, D., Majumder, R., & Wei, F. (2024). Text embeddings by weakly-supervised contrastive pre-training.

A Hyperparameters

With all topic models we chose hyperparameters which were either defaults in their respective software packages or used in widely available online resources. This was motivated by a number of considerations:

1. Users are unlikely to change hyperparameters unless they have a clear intuition for how this will affect their results.
2. Ideally, practitioners should have minimal researcher degrees of freedom.
3. Hyperparameter optimization is computationally expensive and requires an informed choice about metrics to optimize for. We believe that no single metric is sufficient for describing topic quality. We would also like to avoid explicitly optimizing models for metrics we are evaluating on, as the metrics would cease to measure external validity (which is often a concern with e.g. perplexity as a measure of model fit).

A.1 S^3

For S^3 , we used default scikit-learn parameters for FastICA: <https://scikit-learn.org/stable/modules/generated/sklearn.decomposition.FastICA.html>. The algorithm uses parallel estimation, an SVD solver is used for whitening, and the whitening matrix is rescaled to ensure unit variance.

A.2 Top2Vec and BERTopic

For **Top2Vec** and **BERTopic** models, all UMAP and HDBSCAN hyperparameters were identical to the defaults of the BERTopic package (<https://github.com/MaartenGr/BERTopic>). Specifically, dimensionality reduction is performed using UMAP (<https://umap-learn.readthedocs.io/en/latest/>), with the following parameters: `n_neighbors=15`; `n_components=5`; `min_dist=0.1`; `metric="cosine"`. Clustering is performed with HDBSCAN (<https://hdbscan.readthedocs.io/en/latest/index.html>), with the following parameters: `min_cluster_size=15`, `metric="euclidean"`, and `cluster_selection_method="eom"`.

A.3 ZeroShotTM and ContextualizedTM

For **ZeroShotTM** and **ContextualizedTM** models, the structure of the variational autoencoder was the following. The encoder network consists of

two fully connected layers with 100 nodes each and softplus activation followed by dropout. The outputs of this are passed to mean and variance layers (fully connected) of size equal to the number of topics. Batch normalization is applied to their outputs, and variance vectors are exponentiated to enforce positivity. The decoder network includes a fully connected layer (preceded by dropout) with size equal to the size of the vocabulary and no bias parameter, followed by batch normalization and softmax activation.

The network was identical for **ZeroShotTM** and **ContextualizedTM**, the only difference being the input layer. Inputs to the encoder only include sentence embeddings for **ZeroShotTM**, while these are concatenated with BoW representations for **CombinedTM**. The following parameters were used for training: `batch_size=42`; `lr=1e-2`; `betas=(0.9, 0.999)`; `eps=1e-08`, `weight_decay=0`; `dropout=0.1`; `nr_epochs=50`.

Much of the implementation, along with the default parameters were taken from the Pyro package’s ProdLDA tutorial: <https://pyro.ai/examples/proldlda.html>

A.4 LDA and NMF

For both **LDA** and **NMF** we used default parameters from the scikit-learn implementation: <https://scikit-learn.org/stable/modules/generated/sklearn.decomposition.LatentDirichletAllocation.html> and <https://scikit-learn.org/stable/modules/generated/sklearn.decomposition.NMF.html> respectively.

B Disaggregated results

See Figure 5, 6, 7 for a full overview of diversity, WEC_{ex} , and WEC_{in} scores for all models, datasets, encoders, and numbers of topics.

Note that, on the ArXiv ML Papers dataset and with all-mpnet-base-v2 as an encoder, BERTopic consistently displays a diversity score of 1.0 across all numbers of topics. This is due to BERTopic only estimating a single topic which only contains stop-words. Not only is diversity across topics not a meaningful metric here. A model that only estimates a single topic is simply not usable.

We observe a similar scenario for Top2Vec, which only estimates two topics over the entire ArXiv ML corpus.




Figure 5: Diversity scores across all models, datasets, encoders, and numbers of topics




Figure 6: WEC_{ex} scores across all models, encoders, datasets, and numbers of topics




Figure 7: WEC_{in} scores across all models, encoders, datasets, and numbers of topics

C Topic Descriptions from Qualitative Analyses on 20Newsgroups

C.1 all-MiniLM-L6-v2

BERTopic

- Topic 0** - car, to, the, and, in, it, of, you, for, is
Topic 1 - it, of, is, and, the, for, edu, from, to, with
Topic 2 - and, in, the, to, that, of, they, it, is, you
Topic 3 - of, the, that, is, not, in, to, and, you, it
Topic 4 - max, g9v, b8f, ax, a86, 1d9, pl, 145, 34u, 1t
Topic 5 - to, in, the, and, he, of, game, edu, that, team
Topic 6 - of, is, science, the, that, in, to, and, it, not
Topic 7 - in, you, my, and, the, edu, it, wax, oil, to
Topic 8 - kirlian, krillean, photography, the, edu, scope, lens, pictures, camera, for
Topic 9 - the, of, is, radar, to, it, and, monitor, on, from
Topic 10 - of, the, to, space, is, that, it, in, and, for
Topic 11 - the, towers, water, cpu, fan, cooling, nuclear, plants, heat, is
Topic 12 - battery, concrete, batteries, lead, the, acid, discharge, and, temperature, is
Topic 13 - wire, wiring, neutral, ground, the, outlets, outlet, grounding, is, to
Topic 14 - and, key, to, the, of, encryption, is, clipper, be, that

Topic 15 - the, mouse, dos, and, windows, window, is, for, to, in

Topic 16 - for, sale, 50, 00, 1st, 10, wolverine, comics, edu, 20

Topic 17 - insurance, xv, geico, to, it, the, you, car, for, in

Topic 18 - is, it, the, of, for, that, in, to, and, this

Topic 19 - to, is, in, food, msg, of, the, it, that, and

CombinedTM

- Topic 0** - helped, detail, fee, repeated, removed, deep, learning, educational, guarantee, primarily
Topic 1 - he, they, was, my, it, we, but, out, you, have
Topic 2 - cx, rh, h7, mo, _o, mv, mu, mk, mt, w7
Topic 3 - is, be, you, to, not, this, are, it, that, or
Topic 4 - si, db, cs, for, edu, ax, bh, dos, 145, com
Topic 5 - jpl, gov, __, nasa, uk, co, shuttle, ____, jet, laboratory
Topic 6 - of, and, the, to, in, by, on, for, as, with
Topic 7 - dod, stratus, fbi, fire, atf, bike, ohio, acs, com, koresh
Topic 8 - possibility, latter, describe, filled, detail, originally, removed, primarily, becoming, exception
Topic 9 - jesus, ax, not, god, sin, scripture, christianity, christians, christ, bible
Topic 10 - georgia, henry, gordon, banks, zoo, geb,

spencer, pitt, michael, univ

Topic 11 - originally, sit, primarily, direction, produced, furthermore, thank, greatly, responses, recommend

Topic 12 - game, team, players, year, ca, season, hockey, nhl, teams, cup

Topic 13 - scsi, drive, ide, controller, bus, ram, drives, card, board, video

Topic 14 - 12, sale, 20, 15, 75, 00, 10, 25, 11, 30

Topic 15 - encryption, clipper, key, des, chip, keys, escrow, netcom, government, secure

Topic 16 - deep, negative, furthermore, describing, detail, reduced, repeated, highly, reach, contributed

Topic 17 - windows, window, motif, font, x11r5, application, fonts, running, manager, create

Topic 18 - ysu, ico, dod, vice, tektronix, tek, dan, yfn, accuracy, bob

Topic 19 - israel, cramer, israeli, sgi, arab, peace, uci, arabs, jewish, optilink

LDA

Topic 0 - it, of, and, to, in, he, the, was, that, they

Topic 1 - a86, 145, b8f, max, 34u, 1d9, pl, 0t, g9v, ax

Topic 2 - the, in, and, is, he, that, to, of, for, edu

Topic 3 - to, the, it, on, is, and, of, with, that, in

Topic 4 - of, the, from, in, organization, subject, edu, lines, to, university

Topic 5 - to, the, you, it, are, is, and, of, in, that

Topic 6 - __, cmu, de, ____, ai, tu, andrew, 0d, ____, gm

Topic 7 - windows, com, dos, to, the, it, is, lines, from, and

Topic 8 - of, is, to, in, it, that, the, and, you, for

Topic 9 - the, and, in, for, of, to, is, from, on, edu

Topic 10 - edu, 00, sale, for, berkeley, 10, of, ca, 50, new

Topic 11 - com, it, that, and, to, in, the, is, of, for

Topic 12 - 10, 11, 14, 16, 17, 12, 15, 20, 25, 13

Topic 13 - of, edu, with, and, to, from, the, lines, for, in

Topic 14 - and, that, is, it, to, you, in, the, of, com

Topic 15 - is, and, in, that, the, of, to, it, not, you

Topic 16 - and, to, is, of, the, in, be, this, that, for

Topic 17 - access, subject, 25, lines, organization, edu, digex, from, gatech, nntp

Topic 18 - god, and, pitt, the, of, lord, christ, jesus, is, in

Topic 19 - on, for, the, and, of, that, in, to, by, is

NMF

Topic 0 - giz, bhj, pl, 75u, 1t, 3t, max, ax, as, 7ey

Topic 1 - was, this, in, the, on, at, with, to, as, from

Topic 2 - be, have, the, to, this, will, we, and, for, that

Topic 3 - that, the, was, and, they, to, in, it, were, he

Topic 4 - for, and, is, of, to, on, in, the, or, with

Topic 5 - 0t, pl, a86, 34u, 145, b8f, 1d9, wm, bxn, 2tm

Topic 6 - for, in, and, by, of, as, from, are, that, were

Topic 7 - dos, windows, ms, microsoft, or, and, tcp, for, 00, pc

Topic 8 - that, not, the, it, are, of, is, in, this, as

Topic 9 - of, to, you, is, jpeg, and, image, for, it, gif

Topic 10 - 0d, _o, a86, 75u, 6ei, 145, 6um, 34u, 3t, 0t

Topic 11 - byte, cs, or, bh, db, si, and, al, the, is

Topic 12 - com, edu, subject, from, in, lines, for, organization, writes, article

Topic 13 - 00, 12, 14, 16, 10, 25, 20, 11, 15, 13

Topic 14 - that, it, and, he, we, of, mr, is, president, you

Topic 15 - cx, w7, c_, t7, uw, ck, lk, hz, w1, mv

Topic 16 - output, file, the, of, to, by, entry, if, for, program

Topic 17 - you, are, it, have, that, and, do, your, can, if

Topic 18 - that, he, jehovah, lord, the, god, is, and, of, his

Topic 19 - g9v, a86, 0d, 75u, 145, b8e, b8f, ax, 1d9, lg

S³

Topic 0 - hitters, shortstop, shortstops, inning, fielder, pitches, outfielder, hitter, batting, baseball

Topic 1 - explosion, explosions, blasting, exploded, blasts, shockwave, transient, explodes, erupting, explosives

Topic 2 - transcript, serial, lp, roland, printed, transcribed, lloyd, print, hiv, len

Topic 3 - outlaws, captured, launches, mach1, compiled, steal, build, fleet, frames, frame

Topic 4 - 1993apr25, 1993apr22, 1993apr17, 1993apr18, 1993apr21, 1993apr24, 1993apr23, 1993apr30, 1993apr27, 1993apr06

Topic 5 - disk, harddisk, harddrive, disks, seagate, hdd, prodrive, ssd, symantec, disc

Topic 6 - soviets, ub, cia, foreign, international, soviet, facilities, internationally, uab, ussr

Topic 7 - gnu, txt, houghton, documentation, idf,

unix, commands, script, enterpoop, shell

Topic 8 - uc, coliseum, aft, bore, campus, osu, ohsu, attending, ucsu, amherst

Topic 9 - macadam, macworld, maccs, macintosh, logitech, macs, macuser, mac, macx, macalester

Topic 10 - conferencing, remotely, volunteer, attend, temporarily, communicating, intervene, occupy, networking, interfering

Topic 11 - xcreatewindow, xterminal, xtappad-dtimeout, xtrealizewidget, xtwindow, xwindows, windowing, window, xmodmap, xterm

Topic 12 - armenia, armenian, balkans, turkish, bosnia, turks, bosnians, armenians, bosnian, azerbaijani

Topic 13 - gaza, palestinian, aviv, israelites, israelis, israeli, palestinians, knesset, palestinians, palestine

Topic 14 - protocols, implementations, ranges, configuring, angular, configurations, configuration, guides, requirements, fortran

Topic 15 - tcp, geophysics, protocols, sciences, protocol, physiology, physicists, degrees, subjects, geology

Topic 16 - npr, umbc, gaines, doctrines, publishes, gfk39017, baylor, revelations, editions, manuscripts

Topic 17 - mosque, mo, missouri, aj, jehovah, dodge, malaysia, khz, shellgate, albuquerque

Topic 18 - colormap, canvas, colormaps, imagemagick, imagewriter, bitmap, xputimage, autocad, animation, bitmaps

Topic 19 - laszlo, cryptology, equatorial, zijdenbos, hermes, europa, rainer, celestial, davidian, astronomer

Top2Vec

Topic 0 - pitchers, baseman, fielder, shortstop, batting, pitching, inning, shortstops, hitters, outfielder

Topic 1 - kurkish, armenians, genocide, turks, armenia, armenian, atrocities, bosnians, mustafa, bosnia

Topic 2 - israeli, palestinians, zionism, israelis, zionist, gaza, palestinian, zionists, gazans, knesset

Topic 3 - cochrane, diseases, fda, diagnosed, diagnosis, treatments, patients, illnesses, treatment, prescribed

Topic 4 - nhl, canucks, goaltenders, sabres, bruins, hockey, canadiens, puck, oilers, leafs

Topic 5 - advocating, misrepresentation, disinformation, advocacy, misinterpretation, policy,

discriminatory, propoganda, repression, homosexuals

Topic 6 - firearm, pistols, gun, handgun, handguns, firearms, nra, guns, armed, militia

Topic 7 - vehicle, motorcycles, honda, automotive, motorcycle, motorcycling, vehicles, automobile, suzuki, bmw

Topic 8 - firing, retaliation, gunmen, bombed, fires, perpetrators, casualties, prosecute, flammable, assassination

Topic 9 - encryption, encryptions, spying, espionage, nsa, cryptosystem, cryptosystems, wiretapping, cryptology, eavesdropping

Topic 10 - christianity, biblical, scripture, theological, theology, testament, exegesis, scriptures, devout, theologians

Topic 11 - agnosticism, morality, atheist, atheism, agnostics, atheistic, athiests, atheists, agnostic, beliefs

Topic 12 - recipients, publishes, technet, affiliated, scicom, netnews, contact, mail, contacting, universitaet

Topic 13 - astronomical, nasa, astronomers, solar, astronomy, interplanetary, spaceflight, spacecraft, astrophysical, galactic

Topic 14 - pricing, sale, ebay, prices, cds, purchase, forsale, price, purchases, pricey

Topic 15 - hdd, disk, disks, os, workstation, harddrive, netware, msus, microsoft, symantec

Topic 16 - radios, radar, displays, monitors, monitor, radiosity, detectors, monitored, transmitters, oscilloscope

Topic 17 - et4000, chipset, ss24x, hardware, mbunix, ibmpa, processor, 1070, xfree86, chipsets

Topic 18 - bitmap, 3d, graphics, cadlab, xputimage, autocad, bitmaps, graphical, colormaps, 3ds

Topic 19 - xfree86, x11r5, x11r3, x11, x86, xcreatewindow, xwindows, xtwindow, x11r4, xopendisplay

ZeroShotTM

Topic 0 - surely, ignore, followed, postings, promise, daily, thrown, refers, georgia, quotes

Topic 1 - to, and, of, the, in, is, for, are, be, you

Topic 2 - hidden, begin, repeated, aware, seeking, priests, publications, relatively, success, reasonably

Topic 3 - mac, disk, windows, scsi, pc, dos, interface, system, drive, problem

Topic 4 - mo, max, mp, mq, mf, ax, mn, mw, mg, mj

Topic 5 - were, in, they, was, who, their, turkish,

turks, argic, serdar

Topic 6 - say, believe, christian, do, not, god, scripture, sin, christians, atheism

Topic 7 - condition, asking, interested, sale, offer, forsale, offers, wanted, selling, sell

Topic 8 - car, dod, bike, engine, oil, cars, ride, bmw, riding, motorcycle

Topic 9 - db, x11r5, application, window, xterm, usr, manager, lib, de, xlib

Topic 10 - hence, maintain, uniform, determine, founded, judges, finding, usual, removed, repeated

Topic 11 - earth, spacecraft, moon, orbit, launch, solar, space, nasa, gov, mission

Topic 12 - neutral, sandvik, kent, jake, gaza, policy, islamic, freenet, bank, newton

Topic 13 - essence, judges, largely, ends, kinds, removed, repeated, viewer, converted, requirement

Topic 14 - year, game, team, better, last, players, season, hockey, ca, score

Topic 15 - encryption, key, privacy, clipper, des, chip, government, security, wiretap, nsa

Topic 16 - 12, 17, 11, st, 10, buf, 00, 75, boston, san

Topic 17 - in, the, that, and, to, of, it, on, was, have

Topic 18 - yeast, medical, gay, symptoms, disease, candida, cramer, food, msg, diet

Topic 19 - monitor, video, board, cards, motherboard, external, cache, internal, monitors, diamond

C.2 all-mpnet-base-v2

BERTopic

Topic 0 - to, of, the, that, in, you, is, and, it, not

Topic 1 - is, dos, and, window, the, to, mouse, for, in, of

Topic 2 - edu, from, of, to, it, is, the, for, and, in

Topic 3 - to, the, it, is, of, power, in, from, on, edu

Topic 4 - the, krillean, eye, kirlian, photography, of, to, edu, it, is

Topic 5 - the, of, to, in, is, and, that, it, for, edu

Topic 6 - to, he, the, edu, in, and, of, game, that, is

Topic 7 - temperature, batteries, discharge, lead, concrete, battery, the, acid, is, and

Topic 8 - the, to, of, in, it, you, and, is, that, com

Topic 9 - is, to, clipper, the, encryption, and, key, of, be, that

Topic 10 - accelerations, habitable, the, of, oxygen, acceleration, planets, in, is, atmosphere

Topic 11 - points, polygon, polygons, algorithm, p2, sphere, the, p3, p1, den

Topic 12 - to, of, the, space, and, on, in, nasa, for, is

Topic 13 - that, you, of, protection, protected, and, copy, is, to, the

Topic 14 - ax, pl, a86, 145, g9v, max, b8f, 1d9, 34u, 1t

Topic 15 - outlet, neutral, ground, to, is, wiring, grounding, the, outlets, wire

Topic 16 - solvent, carpet, tape, edu, duct, adhesive, ufl, cis, from, use

Topic 17 - oort, gamma, bursters, detectors, edu, cloud, of, ray, the, are

Topic 18 - for, of, to, is, ir, in, the, and, you, from

Topic 19 - sale, for, edu, 00, and, 50, 1st, 10, from, of

CombinedTM

Topic 0 - detail, thanks, advance, comments, basement, suitable, extremely, greatly, portion, anybody

Topic 1 - window, motif, ac, de, application, ___, x11r5, uk, ___, xterm

Topic 2 - removed, examine, expert, guidelines, huge, judges, literally, lowest, originally, examined

Topic 3 - _o, ax, mx, 0d, mo, mm, mk, mj, mf, c_

Topic 4 - car, off, ride, cars, engine, dod, bike, too, back, get

Topic 5 - nelson, spot, chief, cornell, showed, dod, ball, arizona, prepared, gatech

Topic 6 - to, you, be, not, it, is, have, that, this, would

Topic 7 - clipper, des, crypto, algorithm, digex, henry, nsa, netcom, phone, secret

Topic 8 - players, hockey, boston, goals, game, games, team, year, season, vs

Topic 9 - cwru, asking, sale, offer, ohio, condition, magnus, reserve, acs, shipping

Topic 10 - differently, examined, detail, remained, judges, repeated, literally, direction, examine, begin

Topic 11 - gay, banks, gordon, sgi, cramer, geb, jon, keith, optilink, caltech

Topic 12 - christian, christians, god, say, jesus, believe, christianity, atheist, belief, beliefs

Topic 13 - israeli, israel, waco, koresh, fbi, arab, atf, batf, fire, arabs

Topic 14 - windows, bus, pc, card, board, scsi, mac, disk, dos, drive

Topic 15 - examine, postings, larry, beginning, repeated, gamma, followed, explanation, alive, letter

Topic 16 - was, were, he, they, the, in, of, his, had, and

Topic 17 - the, for, is, of, in, and, to, edu, by, from

Topic 18 - confusing, postings, bringing, proved, becoming, felt, judas, furthermore, helped, examine

Topic 19 - to, it, ax, you, is, the, jpeg, that, if, db

LDA

Topic 0 - uk, apr, ac, 1993, 10, 12, 16, 14, 11, gmt

Topic 1 - it, to, of, the, in, edu, is, you, writes, from

Topic 2 - file, of, the, in, to, for, and, by, be, is

Topic 3 - 10, gatech, edu, 25, 55, georgia, 00, prism, det, pit

Topic 4 - the, to, is, and, drive, scsi, with, edu, it, of

Topic 5 - g9v, 145, ax, max, a86, b8f, pl, 0d, 1d9, 34u

Topic 6 - from, of, in, the, to, it, and, window, is, that

Topic 7 - in, of, the, is, and, to, that, it, you, not

Topic 8 - from, and, de, in, the, for, of, list, 00, edu

Topic 9 - the, is, of, in, to, and, for, it, you, on

Topic 10 - austin, ibm, com, ed, uk, co, nz, the, princeton, from

Topic 11 - in, and, the, to, they, edu, that, was, of, it

Topic 12 - the, lines, to, com, from, subject, organization, re, ca, in

Topic 13 - and, lines, edu, subject, the, for, to, organization, from, of

Topic 14 - he, and, in, of, was, edu, the, to, game, for

Topic 15 - it, of, for, the, in, that, to, you, is, and

Topic 16 - for, by, in, of, and, on, the, to, is, from

Topic 17 - is, to, in, of, be, it, and, the, that, for

Topic 18 - of, the, and, to, that, in, for, is, it, with

Topic 19 - is, you, in, the, that, of, com, edu, to, writes

NMF

Topic 0 - giz, bhj, pl, 75u, 1t, 3t, max, ax, as, 7ey

Topic 1 - was, this, in, the, on, at, with, to, as, from

Topic 2 - will, this, have, to, be, the, we, and, for, that

Topic 3 - that, the, was, and, they, to, in, it, were, he

Topic 4 - is, of, for, or, and, on, to, the, in, with

Topic 5 - 0t, pl, a86, 34u, 145, b8f, 1d9, wm, bxn, 2tm

Topic 6 - for, in, and, by, of, as, from, are, that,

were

Topic 7 - dos, windows, ms, microsoft, or, and, tcp, for, 00, pc

Topic 8 - that, not, the, it, are, of, is, in, this, as

Topic 9 - of, to, you, is, jpeg, and, image, for, it, gif

Topic 10 - 0d, _o, a86, 75u, 6ei, 145, 6um, 34u, 3t, 0t

Topic 11 - db, and, bh, si, cs, is, al, the, byte, or

Topic 12 - for, edu, com, from, subject, lines, in, organization, article, writes

Topic 13 - 00, 12, 14, 16, 10, 25, 20, 11, 15, 13

Topic 14 - he, of, mr, and, that, we, it, president, you, is

Topic 15 - cx, w7, c_, t7, uw, ck, lk, hz, w1, mv

Topic 16 - output, file, the, of, to, by, entry, if, for, program

Topic 17 - your, it, and, have, do, that, are, if, you, can

Topic 18 - that, the, jehovah, god, is, he, and, of, lord, his

Topic 19 - a86, b8f, 1d9, g9v, ax, 0d, 75u, b8e, lg, 145

S³

Topic 0 - citations, idf, libraries, encyclopedia, database, databases, journals, publications, bibliography, ieee

Topic 1 - sedans, chevrolet, subaru, sedan, vw, car, acura, automobiles, porsche, toyota

Topic 2 - astronomy, spectrometer, astrophysics, 1993apr29, sightings, 1993apr27, biopsy, astrophysical, transcaucasia, 1993apr26

Topic 3 - yeast, biochem, bio, fabrication, successor, surgical, reprinted, candida, galen, lachman

Topic 4 - encryption, cryptophones, encryptions, cryptology, eavesdropping, cryptosystems, cryptographically, cryptography, cryptographic, crypt

Topic 5 - cartridges, xerox, hpfcso, fossil, winco, cdx, deskjet, cdac, cartridge, scicom

Topic 6 - scientifically, physicists, benchmarks, accelerators, speedometer, advances, sciences, aerodynamics, autobahn, astrophysics

Topic 7 - tiff, textures, graphics, bitmaps, bitmap, adobe, imagemagick, graphical, texture, pgf

Topic 8 - explosives, napalm, firefight, fires, waco, gunfire, wtc, fire, fbi, watergate

Topic 9 - directory, executable, folder, autoexec, dir, directories, buried, addressing, file, procedure

Topic 10 - spaceflight, astronauts, spacecraft, orbiting, nasa, orbit, moonbase, astronautics, moon, satellites

Topic 11 - canadiens, oilers, puck, canucks, sabres, bruins, leafs, habs, nhl, hawerchuk

Topic 12 - braves, mlb, pitchers, pitching, shortstops, rbis, mattingly, baseman, hitters, pitcher

Topic 13 - prophet, hades, jerusalem, revelation, miraculous, sinai, resurrected, apparitions, prophecy, comet

Topic 14 - feds, esa, cdc, cia, sep, csiro, usaf, dea, usgs, sen

Topic 15 - oscilloscope, calculators, hp9000, diagnostics, physics, keyboard, ergonomics, ak954, keypad, computations

Topic 16 - camp, cheapest, bethlehem, synagogues, congregations, camps, passover, mooses, milwaukee, austin

Topic 17 - harddrive, ssd, hdd, harddisk, megadrive, smartdrive, seagate, disk, disks, prodrive

Topic 18 - configurations, shifter, sts, orientations, across, aft, axis, interfacing, shuttle, spacelab

Topic 19 - 4368, landsat, spectrometer, versions, inconsistencies, discrepancy, ntsc, 3401, 382761, repository

Top2Vec

Topic 0 - braves, mlb, yankees, pitchers, rbis, mets, hitters, phillies, shortstops, astros

Topic 1 - cryptophones, encryptions, wiretapping, eavesdropping, cryptology, wiretaps, nsa, encryption, cryptography, cryptographic

Topic 2 - diagnoses, seizures, doses, medical, homeopathy, poisoning, toxins, diagnosis, gastroenterology, malpractice

Topic 3 - bruins, goaltenders, sabres, nhl, leafs, canadiens, oilers, hockey, canucks, puck

Topic 4 - palestinians, holocaust, zionism, zionists, hamas, palestine, palestineans, zionist, gazans, palestinian

Topic 5 - nasa, orbiter, astronauts, astronautics, spaceflight, satellites, spacecraft, moonbase, interplanetary, astrophysical

Topic 6 - ammunition, nra, gun, guns, militia, firearm, firearms, handgun, handguns, pistols

Topic 7 - hostages, terrorism, terrorists, fbi, explosives, conspiracy, shootings, waco, 911, militia

Topic 8 - eugenics, discrimination, heterosexuals, advocates, repression, homosexuals, bigotry, propoganda, activists, censorship

Topic 9 - bikers, motorcycling, motorcyclists, motorcycles, motorcyclist, driving, speeding, motorcycle, braking, vehicles

Topic 10 - automobile, automobiles, honda, mustang, engine, vehicles, vehicle, automotive, v8, chassis

Topic 11 - theological, biblical, scriptures, scripture, scriptural, gospels, bible, kjv, deuteronomy, theology

Topic 12 - theology, athiests, atheistic, atheist, atheism, christianity, creationism, agnostics, agnosticism, atheists

Topic 13 - windows3, win3, os, msdos, dos6, windows, openwin, vista, win31, microsoft

Topic 14 - contacting, postage, mailing, bids, email, mails, catalogs, reprinted, priced, bidding

Topic 15 - 68020, 680x0, 6700, monitors, 68060, 68070, vga, monitor, xga, 68000

Topic 16 - 68070, powerpc, chipset, idacom, hardware, 68020, 68060, cd300i, i486, chipsets

Topic 17 - vhf, electronics, amplifiers, amplifier, radios, transmitters, radar, loudspeakers, antennas, rca

Topic 18 - cadlab, bitmaps, bitmap, autocad, pgf, graphics, opengl, graphical, illustrator, pixmaps

Topic 19 - xcreatewindow, x11, xwindows, xserver, xtwindow, xservers, xopendisplay, x11r4, x11r3, xdpinfo

ZeroShotTM

Topic 0 - Od, ax, _o, mu, bh, a86, 145, mk, 6um, 6t

Topic 1 - de, application, xterm, window, x11r5, create, draw, motif, drawing, event

Topic 2 - examine, answered, decisions, heavily, primarily, finding, importance, largely, requirement, detail

Topic 3 - ide, card, mac, scsi, bus, video, cpu, board, drive, pc

Topic 4 - 25, 20, 10, 00, 15, 11, 75, 12, 13, 30

Topic 5 - encryption, key, clipper, des, phone, privacy, pgp, security, chip, escrow

Topic 6 - newton, sandvik, jon, rutgers, keith, kent, activities, vice, livesey, atheists

Topic 7 - games, cup, hockey, play, team, season, game, nhl, ca, year

Topic 8 - to, the, that, it, of, is, you, and, ax, in

Topic 9 - examine, primarily, particularly, differences, thank, finding, repeated, responses, readers, solve

Topic 10 - condition, asking, selling, offer, manuals, forsale, brand, sale, interested, sell

Topic 11 - dod, bmw, car, cars, engine, bike, ride, oil, riding, motorcycle

Topic 12 - not, god, say, scripture, bible, do,

believe, christians, jesus, atheist

Topic 13 - they, the, was, were, in, and, had, of, he, their

Topic 14 - gone, eff, respect, decisions, duke, explanation, bring, dod, arrest, wave

Topic 15 - moon, spacecraft, hst, solar, henry, gov, orbit, nasa, mission, jpl

Topic 16 - fbi, batf, koresh, arabs, waco, fire, israel, atf, israeli, arab

Topic 17 - is, and, in, or, be, of, the, for, are, to

Topic 18 - increases, requirement, judgment, examine, demand, thank, primarily, detailed, exposed, commentary

Topic 19 - just, would, think, gun, like, re, good, don, me, than

C.3 average_word_embeddings_glove.6B.300d

BERTopic

Topic 0 - to, and, the, edu, in, of, he, that, is, for

Topic 1 - of, the, and, turkish, armenian, to, in, armenians, by, were

Topic 2 - _o, file, 0d, entry, the, db, to, output, if, 145

Topic 3 - the, to, of, it, you, in, is, and, for, that

CombinedTM

Topic 0 - in, to, as, by, the, and, of, on, for, from

Topic 1 - eff, digex, netcom, crypto, nsa, algorithm, sternlight, phone, online, pat

Topic 2 - atf, fbi, fire, cramer, gay, batf, koresh, waco, optilink, ohio

Topic 3 - israeli, arabs, arab, serbs, jews, israel, policy, gaza, jewish, palestinian

Topic 4 - windows, window, create, x11r5, dos, application, null, manager, motif, font

Topic 5 - atheist, christian, christians, bible, am, believe, life, not, jesus, god

Topic 6 - mac, scsi, drive, drives, card, ram, pc, board, monitor, ide

Topic 7 - mp, mm, ax, mf, mt, mx, mo, mu, mj, mh

Topic 8 - teams, year, better, last, team, players, game, ca, nhl, league

Topic 9 - bmw, henry, dod, bike, car, ride, engine, oil, cars, hst

Topic 10 - ax, you, government, be, max, it, if, have, key, would

Topic 11 - 10, 00, 93, sale, 20, 50, 15, 18, 12, 30

Topic 12 - to, you, is, it, for, the, and, if, or, this

Topic 13 - cwru, banks, gordon, keith, geb, sgi,

sandvik, kent, newton, soon

Topic 14 - remarks, examined, occurs, circumstances, turning, huge, ought, primarily, repeat, consideration

Topic 15 - informatik, de, uni, advance, ac, au, germany, australia, thanks, tin

Topic 16 - repeated, popular, remarks, commitment, prepared, heavily, furthermore, fully, proved, ought

Topic 17 - popular, examine, legislation, kinds, becoming, proved, decisions, examined, destroy, eventually

Topic 18 - in, they, the, was, that, he, of, to, were, and

Topic 19 - primarily, bringing, expert, decisions, pure, legislation, treat, ought, examine, importance

LDA

Topic 0 - it, of, and, to, in, he, the, was, that, they

Topic 1 - a86, 145, b8f, max, 34u, 1d9, pl, 0t, g9v, ax

Topic 2 - the, in, and, is, he, that, to, of, for, edu

Topic 3 - to, the, it, on, is, and, of, with, that, in

Topic 4 - of, the, from, in, organization, subject, edu, lines, to, university

Topic 5 - to, the, you, it, are, is, and, of, in, that

Topic 6 - __, cmu, de, ____, ai, tu, andrew, 0d, _____, gm

Topic 7 - windows, com, dos, to, the, it, is, lines, from, and

Topic 8 - of, is, to, in, it, that, the, and, you, for

Topic 9 - the, and, in, for, of, to, is, from, on, edu

Topic 10 - edu, 00, sale, for, berkeley, 10, of, ca, 50, new

Topic 11 - com, it, that, and, to, in, the, is, of, for

Topic 12 - 10, 11, 14, 16, 17, 12, 15, 20, 25, 13

Topic 13 - of, edu, with, and, to, from, the, lines, for, in

Topic 14 - and, that, is, it, to, you, in, the, of, com

Topic 15 - is, and, in, that, the, of, to, it, not, you

Topic 16 - and, to, is, of, the, in, be, this, that, for

Topic 17 - access, subject, 25, lines, organization, edu, digex, from, gatech, nntp

Topic 18 - god, and, pitt, the, of, lord, christ, jesus, is, in

Topic 19 - on, for, the, and, of, that, in, to, by, is

NMF

Topic 0 - giz, bhj, pl, 75u, 1t, 3t, max, ax, as, 7ey

Topic 1 - was, this, in, the, on, at, with, to, as, from

Topic 2 - be, have, the, to, this, will, we, and, for,

that

Topic 3 - that, the, was, and, they, to, in, it, were, he

Topic 4 - for, and, is, of, to, on, in, the, or, with

Topic 5 - 0t, pl, a86, 34u, 145, b8f, 1d9, wm, bxn, 2tm

Topic 6 - for, in, and, by, of, as, from, are, that, were

Topic 7 - dos, windows, ms, microsoft, or, and, tcp, for, 00, pc

Topic 8 - that, not, the, it, are, of, is, in, this, as

Topic 9 - of, to, you, is, jpeg, and, image, for, it, gif

Topic 10 - 0d, _o, a86, 75u, 6ei, 145, 6um, 34u, 3t, 0t

Topic 11 - byte, cs, or, bh, db, si, and, al, the, is

Topic 12 - com, edu, subject, from, in, lines, for, organization, writes, article

Topic 13 - 00, 12, 14, 16, 10, 25, 20, 11, 15, 13

Topic 14 - that, it, and, he, we, of, mr, is, president, you

Topic 15 - cx, w7, c_, t7, uw, ck, lk, hz, w1, mv

Topic 16 - output, file, the, of, to, by, entry, if, for, program

Topic 17 - you, are, it, have, that, and, do, your, can, if

Topic 18 - that, he, jehovah, lord, the, god, is, and, of, his

Topic 19 - g9v, a86, 0d, 75u, 145, b8e, b8f, ax, 1d9, lg

S³

Topic 0 - communion, apostles, god, jesus, christ, divine, baptism, church, worship, anglican

Topic 1 - infections, symptoms, infection, diabetes, liver, diarrhea, respiratory, disease, cancer, asthma

Topic 2 - bread, dried, plastic, marble, wooden, glass, cloth, sauce, vinegar, bath

Topic 3 - gosh, gotta, oh, uh, nah, urz, gonna, duh, dont, wanna

Topic 4 - logistician, badge, det, opel, semtex, din, le, finland, sweden, swedish

Topic 5 - gangs, populations, recreational, sentient, usl, roam, environments, monolithic, owning, cultures

Topic 6 - rumours, vx, profits, nintendo, sony, crude, currency, euro, messier, chips

Topic 7 - endeavour, shuttle, spacecraft, asteroid, nasa, astronauts, orbit, lunar, orbiter, orbiting

Topic 8 - linux, windows, dos, unix, os, wordperfect, xp, netware, solaris, sdk

Topic 9 - arguement, llnl, newsletters, plethora,

sfwa, commercial, saftey, objectivist, catechist, pirating

Topic 10 - megabytes, vga, cpu, motherboard, scsi, ethernet, microprocessor, pci, mhz, pentium

Topic 11 - economies, mideast, outlook, latin, bi-lateral, economy, warm, capitalization, economics, index

Topic 12 - professor, chemistry, paint, physics, physicist, phd, mathematics, plutonium, degree, chemist

Topic 13 - tickets, tuition, students, average, kids, earn, teachers, spend, adults, rooms

Topic 14 - diagram, horizontal, impedance, verb, diagonal, parameter, perpendicular, angle, vertices, rectangular

Topic 15 - canucks, nhl, canadiens, leafs, sabres, goaltender, hockey, goalie, blackhawks, nordiques

Topic 16 - tv, video, footage, dead, images, pictures, cartoon, horror, killed, girl

Topic 17 - cake, keystrokes, slices, unsecure, pixels, bytes, bits, megabytes, mpeg, bby

Topic 18 - waivers, felony, handgun, irs, licensed, discretion, forfeiture, counsel, fee, certificate

Topic 19 - power, electric, cell, engine, systems, network, used, line, lines, developed

Top2Vec

Topic 0 - going, game, way, come, coming, time, got, play, _know_, know

Topic 1 - come, saying, taken, people, fact, time, way, government, say, country

Topic 2 - actually, way, fact, make, need, example, _know_, kind, come, know

Topic 3 - time, make, fact, way, example, come, instead, actually, kind, need

Topic 4 - saying, fact, say, come, way, people, want, time, make, believe

Topic 5 - _know_, fact, way, come, know, actually, believe, think, kind, thought

Topic 6 - kind, way, _know_, _really_, actually, come, going, really, know, like

Topic 7 - make, going, instead, way, actually, time, come, better, like, example

Topic 8 - make, way, need, actually, instance, example, fact, use, come, say

Topic 9 - make, need, fact, way, come, say, want, actually, time, example

Topic 10 - addition, time, example, available, 10, instead, come, make, 20, way

Topic 11 - _know_, way, know, come, actually, fact, say, time, going, think

Topic 12 - need, way, say, make, come, know, actually, fact, time, _know_

Topic 13 - instance, make, example, time, way, addition, come, instead, need, fact

Topic 14 - use, actually, instead, make, way, example, need, using, time, come

Topic 15 - example, way, make, need, instead, time, come, actually, instance, use

Topic 16 - computer, need, example, using, available, computers, use, instance, time, instead

Topic 17 - need, example, actually, way, instance, make, come, computer, time, instead

Topic 18 - actually, using, use, time, instead, way, instance, example, need, make

Topic 19 - instance, available, example, use, web, using, uses, software, computer, information

ZeroShotTM

Topic 0 - 30, 93, 20, 00, 10, 12, 11, 15, 50, 92

Topic 1 - atf, bd, fbi, fire, waco, gas, stratus, survivors, gordon, banks

Topic 2 - the, of, in, to, and, is, for, as, are, on

Topic 3 - would, be, do, people, have, government, think, if, re, don

Topic 4 - pseudo, differences, huge, examine, bm, positions, finding, prior, ends, primarily

Topic 5 - can, if, software, dos, for, edu, your, you, with, windows

Topic 6 - orbit, henry, gov, mission, lunar, nasa, shuttle, moon, space, jpl

Topic 7 - create, draw, x11r5, motif, lib, application, window, xterm, manager, de

Topic 8 - 145, ax, _o, 0d, db, mk, bh, mu, mj, mp

Topic 9 - drive, ide, card, bus, video, board, ibm, scsi, ram, cards

Topic 10 - relatively, bm, likes, becoming, postings, destroy, increases, courses, relative, examine

Topic 11 - in, was, the, that, and, we, it, they, of, to

Topic 12 - christians, bible, god, atheist, christ, believe, christian, belief, scripture, holy

Topic 13 - baseball, gerald, coverage, roger, alchemy, espn, utoronto, chem, coach, stanley

Topic 14 - handled, increases, examine, exception, prior, huge, helping, senses, push, furthermore

Topic 15 - year, his, he, game, ax, team, was, players, but, they

Topic 16 - gay, sgi, cramer, jon, optilink, keith, clayton, homosexual, livesey, wpd

Topic 17 - sale, interested, offers, offer, shipping, condition, asking, excellent, forsale, items

Topic 18 - turkish, arab, uucp, arabs, israeli, jews,

israel, palestine, turks, turkey

Topic 19 - engine, cars, front, car, miles, bmw, bike, ride, dod, oil

C.4 intfloat__e5-large-v2

BERTopic

Topic 0 - to, in, game, the, he, and, edu, of, that, is

Topic 1 - that, and, is, the, to, of, in, you, not, it

Topic 2 - that, it, you, of, they, is, the, in, and, to

Topic 3 - space, of, to, the, in, and, it, that, is, edu

Topic 4 - newsgroup, comp, this, group, aspects, graphics, split, engin, of, groups

Topic 5 - of, the, ____, spacecraft, and, jpl, planet, baalke, solar, earth

Topic 6 - of, the, to, in, and, it, you, com, car, on

Topic 7 - wire, wiring, neutral, ground, the, outlets, outlet, grounding, is, to

Topic 8 - for, and, to, the, edu, from, of, it, is, in

Topic 9 - buffalo, god, ubvmsb, cc, psyrobtw, news, utexas, lord, weiss, promise

Topic 10 - that, science, lady, of, in, methodology, sas, is, the, scientific

Topic 11 - tape, duct, solvent, adhesive, edu, from, carpet, ufl, cis, use

Topic 12 - captain, traded, captains, was, he, team, season, the, resigned, striped

Topic 13 - players, jewish, edu, baseball, vb30, lowenstein, asd, lafayette, lafibm, roger

Topic 14 - key, that, is, of, to, it, in, and, the, be

Topic 15 - the, president, we, that, to, mr, and, myers, of, he

Topic 16 - find, number, alee, line, phone, umass, out, ecs, to, operator

Topic 17 - gvg47, tek, valley, daily, verse, petch, gvg, chuck, grass, lines

Topic 18 - 42, significance, tiff, philosophical, number, alice, question, of, the, joachim

Topic 19 - phone, dialing, germany, tone, phones, sweden, se, universal, berlin, wall

CombinedTM

Topic 0 - chip, privacy, clipper, encryption, key, keys, netcom, secure, des, security

Topic 1 - and, the, of, in, to, was, as, were, by, that

Topic 2 - similarly, examine, extremely, identity, primarily, importance, heavily, careful, adults, bias

Topic 3 - lebanon, arab, israel, arabs, waco, israeli, policy, fbi, gaza, atf

Topic 4 - christians, bible, believe, belief, jesus,

god, atheist, christ, christian, atheism

Topic 5 - solve, examine, finding, differences, legislation, ought, furthermore, task, importance, documented

Topic 6 - dod, bike, oil, engine, car, henry, bnr, bmw, ride, nec

Topic 7 - the, to, is, that, you, ax, it, db, not, of

Topic 8 - card, dos, pc, board, scsi, drive, ram, cpu, mac, video

Topic 9 - for, edu, and, in, to, on, of, is, or, with

Topic 10 - they, what, so, me, my, don, just, re, you, do

Topic 11 - apparently, examine, founded, postings, increases, gatech, legislation, strength, elsewhere, learning

Topic 12 - examine, widely, stands, expert, daily, consideration, progress, sit, homicide, filled

Topic 13 - express, digex, posting, eng, nntp, corp, online, pat, host, prb

Topic 14 - 12, 21, 30, 13, 11, 00, sale, 10, 15, 20

Topic 15 - game, team, nhl, hockey, players, year, season, teams, player, ca

Topic 16 - gay, clayton, banks, cramer, georgia, optilink, male, sandvik, gordon, keith

Topic 17 - examine, furthermore, greatly, primarily, promised, requirement, thank, recently, begin, publication

Topic 18 - de, uk, xterm, window, application, x1lr5, ac, lib, program, create

Topic 19 - _o, ax, 0d, mu, 75u, 6um, 0g, 145, ql, mm

LDA

Topic 0 - is, he, that, the, it, and, of, in, to, was

Topic 1 - organization, edu, from, re, subject, article, lines, writes, com, in

Topic 2 - in, they, the, to, of, and, that, it, we, was

Topic 3 - 10, 25, 12, 00, 11, 14, 20, 15, 16, 50

Topic 4 - of, to, is, the, in, and, that, it, this, be

Topic 5 - the, and, of, for, on, is, in, to, or, windows

Topic 6 - the, in, and, it, of, is, with, for, to, that

Topic 7 - w7, cx, 145, 0d, _o, 34u, c_, hz, ingr, uw

Topic 8 - mt, gm, at, bh, ma, mm, db, mp, si, mc

Topic 9 - to, the, of, and, in, it, is, that, not, was

Topic 10 - the, is, of, and, to, in, that, for, it, are

Topic 11 - the, to, in, of, and, it, is, you, that, on

Topic 12 - 145, a86, pl, ax, max, g9v, b8f, 1d9, 0t, 1t

Topic 13 - of, in, is, ac, com, the, uk, to, from, this

Topic 14 - in, and, of, the, to, for, it, on, is, that

Topic 15 - from, edu, for, subject, university, lines,

posting, organization, of, nntp

Topic 16 - for, and, of, to, by, on, the, in, from, as

Topic 17 - edu, the, subject, from, lines, of, organization, in, university, to

Topic 18 - to, it, the, is, you, nasa, of, in, gov, edu

Topic 19 - it, to, the, that, you, in, not, of, and, is

NMF

Topic 0 - giz, bhj, pl, 75u, 1t, 3t, max, ax, as, 7ey

Topic 1 - the, to, in, on, was, at, with, this, as, from

Topic 2 - will, this, have, to, be, the, we, and, for, that

Topic 3 - that, the, was, and, they, to, in, it, were, he

Topic 4 - is, of, for, or, and, on, to, the, in, with

Topic 5 - 0t, pl, a86, 34u, 145, b8f, 1d9, wm, bxn, 2tm

Topic 6 - for, in, and, by, of, as, from, are, that, were

Topic 7 - dos, windows, ms, microsoft, or, and, tcp, for, 00, pc

Topic 8 - that, not, the, it, are, of, is, in, this, as

Topic 9 - of, to, you, is, jpeg, and, image, for, it, gif

Topic 10 - 0d, _o, a86, 75u, 6ei, 145, 6um, 34u, 3t, 0t

Topic 11 - db, and, bh, si, cs, is, al, the, byte, or

Topic 12 - for, edu, com, from, subject, lines, in, organization, article, writes

Topic 13 - 00, 12, 14, 16, 10, 25, 20, 11, 15, 13

Topic 14 - he, of, mr, and, that, we, it, president, you, is

Topic 15 - cx, w7, c_, t7, uw, ck, lk, hz, w1, mv

Topic 16 - output, file, the, of, to, by, entry, if, for, program

Topic 17 - your, if, it, you, can, that, have, do, are, and

Topic 18 - that, the, jehovah, god, is, he, and, of, lord, his

Topic 19 - a86, b8f, 1d9, g9v, ax, 0d, 75u, b8e, lg, 145

S³

Topic 0 - atheist, agn, astro, astronomy, fiery, atheists, earth, gaia, atheistic, astronomical

Topic 1 - microelectronics, qualcom, qualcomm, megabytes, motherboards, cmos, microprocessor, intel, motherboard, supercomputer

Topic 2 - netcom, telco, agent, localtalk, distributors, client, clients, heavens, atc, dialing

Topic 3 - 1993apr11, tidbits, digex, editions,

1993may11, rumored, 1993apr1, 1993may1, 1993apr06, 1993apr2

Topic 4 - win3, softwares, executables, microsoft, symantec, stanford, windows3, windows, neosoft, executable

Topic 5 - newsgroups, communities, toolkits, militias, alternatives, prospects, feasibility, contenders, recommendations, shotguns

Topic 6 - turkish, balkan, turk, dna, megabyte, byte, sigma, warp, swedish, borg

Topic 7 - wrongdoing, erased, forgetting, california, j8, caller, haifa, vancouver, disappeared, israeli

Topic 8 - hitters, outfielder, baseman, ballpark, inning, mlb, baseball, rbis, batting, ballplayers

Topic 9 - thug, offender, bully, thugs, psycho, perpetrator, bastard, victim, kkk, killer

Topic 10 - deals, sold, bargain, sale, forsale, sell, deal, offers, purchase, selling

Topic 11 - computational, nriz, microelectronics, bottleneck, graphs, supercomputing, attackers, graph, thugs, networks

Topic 12 - ucsd, fwd, landsat, bike, integer, nist, sfga, isbn, usgs, ito

Topic 13 - lmpsbbs, sysgem1, sysadmin, sys1, motherboard, malfunction, motherboards, scsi, sys6626, subsystems

Topic 14 - 4wd, automobile, automotive, automobiles, suv, awd, car, sedan, motorcycling, subaru

Topic 15 - establishes, contains, specifies, determines, begins, important, rises, expands, arrives, meets

Topic 16 - vehicles, vehicle, rightful, cars, fleet, gearbox, faithful, rightfully, clarkson, audi

Topic 17 - contacting, nosubdomain, posting, unregistered, unauthenticated, directions, smtp, hitch, invalidate, return

Topic 18 - supernatural, freeware, oscilloscope, divinity, bootup, supercomputer, debugger, cloud, satisfactory, python

Topic 19 - waco, gunfire, baylor, firefight, texans, atf, massacred, gunshot, koresh, exploded

Top2Vec

Topic 0 - armenia, armenians, armenian, turkish, turkey, commented, umm, hmm, excerpt, info

Topic 1 - info, fyi, commented, regarding, huh, prob, regards, umm, hmm, _o

Topic 2 - health, dr, fyi, medicine, antibiotics, info, prob, diseases, medications, indications

Topic 3 - hmm, reply, ahem, umm, hmmm, commented, info, huh, excerpt, hmmm

Topic 4 - encryptions, cryptography, hmm, wiretapping, fyi, encryption, cryptanalysis, info, prob, excerpt

Topic 5 - baseball, fyi, info, prob, mlb, commented, anyway, huh, regarding, please

Topic 6 - sexuality, hmmm, hmm, homosexuality, reply, fyi, commented, info, umm, hmmm

Topic 7 - commented, info, fyi, regarding, reply, hmmm, umm, hmm, hmmm, excerpt

Topic 8 - reply, info, hmm, regarding, umm, commented, fyi, uh, hmmm, hmmm

Topic 9 - hockey, fyi, commented, nhl, goaltenders, please, goaltending, regarding, prob, info

Topic 10 - telescopes, science, info, astrophysics, astronomy, astronomers, images, satellites, spacecraft, fyi

Topic 11 - info, please, pls, interested, computers, deals, listing, offered, regards, fyi

Topic 12 - info, please, email, from, fyi, and, regarding, pls, interested, emailed

Topic 13 - spaceflight, aerospace, spacecraft, nasa, satellites, astronauts, commented, fyi, hmm, excerpt

Topic 14 - transistors, microcontrollers, microelectronics, electronics, microcontroller, fyi, capacitors, wiring, voltages, prob

Topic 15 - prob, info, please, interested, fyi, motherboards, computers, regards, computer, v_

Topic 16 - fyi, info, computing, computers, prob, _o, o_, 2_, _u, windows

Topic 17 - motherboards, computers, computing, fyi, processors, microcontrollers, computer, microprocessor, info, microelectronics

Topic 18 - _o, o_, examples, example, fyi, please, _u, from, prob, p_

Topic 19 - example, o_, _o, _u, 2_, 0_, xtappad-dtimeout, fyi, s_, _l

ZeroShotTM

Topic 0 - anywhere, judges, severe, comments, repeated, differences, highly, primarily, converted, touch

Topic 1 - numerous, accurate, becoming, particularly, literature, doctor, enter, primarily, popular, risk

Topic 2 - submit, guidelines, account, repeated, treat, accurate, handled, kinds, primarily, leaving

Topic 3 - livesey, sgi, keith, clayton, cramer, kent, optilink, gay, sandvik, jon

Topic 4 - cars, ride, bike, dod, oil, bmw, riding, engine, motorcycle, road

Topic 5 - site, australia, fax, pgp, uni, de, tel, domain, informatik, source

Topic 6 - key, government, clipper, encryption, phone, chip, des, nsa, keys, escrow

Topic 7 - in, you, this, have, be, to, it, that, the, and

Topic 8 - year, good, team, up, game, last, too, players, better, like

Topic 9 - mission, nasa, gov, orbit, space, shuttle, launch, henry, moon, lunar

Topic 10 - edu, jpeg, db, or, is, you, ax, for, can, software

Topic 11 - harvard, un, palestinian, policy, freenet, tim, neutral, terrorism, palestinians, jerusalem

Topic 12 - mac, scsi, drive, board, ram, bus, card, pc, video, cpu

Topic 13 - x11r5, window, xterm, running, error, manager, application, usr, font, screen

Topic 14 - to, of, the, and, in, for, as, on, from, is

Topic 15 - mj, m0, el, m6, mp, mv, b6, mm, eg, mf

Topic 16 - baseball, espn, gerald, cup, sas, stanley, alchemy, beat, upenn, utoronto

Topic 17 - does, your, say, god, why, not, do, what, believe, one

Topic 18 - were, ax, had, civilians, was, village, they, henrik, turks, who

Topic 19 - 30, 00, 10, 17, sale, 20, 15, 11, 12, 27

D Non-alphabetical Terms

See Figure 8 for information on the proportion terms containing non-alphabetical characters in topic descriptions.

E Licensing

We release both the CLI and results for quantitative benchmarks (<https://github.com/x-tabdeveloping/topic-benchmark>) and the Turftopic Python package (<https://github.com/x-tabdeveloping/turftopic>) under the MIT license.

	20 Newsgroups Raw	BBC News	ArXiv ML Papers
	C_{NPMI}	C_{NPMI}	C_{NPMI}
average_word_embeddings_glove.6B.300d			
S ³	-0.16 ± .05	-0.24 ± .05	-0.30 ± .06
Top2Vec	-0.03 ± .04	-0.06 ± .00	-0.10 ± .00
BERTopic	<u>0.04 ± .10</u>	-0.02 ± .00	<u>-0.02 ± .00</u>
CombinedTM	-0.04 ± .09	-0.04 ± .04	-0.06 ± .04
ZeroShotTM	-0.00 ± .01	0.01 ± .01	-0.04 ± .02
NMF	0.09 ± .02	<u>0.01 ± .02</u>	0.01 ± .02
LDA	0.03 ± .03	-0.03 ± .04	-0.06 ± .01
all-MiniLM-L6-v2			
S ³	-0.21 ± .04	-0.29 ± .09	-0.32 ± .03
Top2Vec	-0.14 ± .06	-0.30 ± .00	-0.27 ± .00
BERTopic	<u>0.04 ± .01</u>	<u>-0.01 ± .00</u>	<u>-0.01 ± .01</u>
CombinedTM	-0.04 ± .08	-0.03 ± .03	-0.06 ± .04
ZeroShotTM	-0.02 ± .02	-0.02 ± .03	-0.06 ± .03
NMF	0.09 ± .02	0.01 ± .02	0.01 ± .02
LDA	0.03 ± .03	-0.03 ± .04	-0.06 ± .01
all-mpnet-base-v2			
S ³	-0.22 ± .02	-0.27 ± .11	-0.34 ± .03
Top2Vec	-0.15 ± .02	-0.20 ± .01	-0.32 ± .00
BERTopic	0.02 ± .06	<u>-0.01 ± .01</u>	-0.06 ± .00
CombinedTM	-0.04 ± .13	-0.03 ± .02	-0.07 ± .02
ZeroShotTM	-0.00 ± .04	-0.01 ± .05	<u>-0.04 ± .01</u>
NMF	0.09 ± .02	0.01 ± .02	0.01 ± .02
LDA	<u>0.03 ± .02</u>	-0.03 ± .04	-0.06 ± .01
intfloat/e5-large-v2			
S ³	-0.24 ± .03	-0.31 ± .05	-0.33 ± .03
Top2Vec	-0.25 ± .01	-0.28 ± .00	-0.28 ± .01
BERTopic	<u>0.08 ± .04</u>	<u>-0.02 ± .00</u>	<u>-0.00 ± .02</u>
CombinedTM	-0.03 ± .05	-0.04 ± .06	-0.06 ± .03
ZeroShotTM	-0.03 ± .06	-0.03 ± .03	-0.04 ± .01
NMF	0.09 ± .02	0.01 ± .02	0.01 ± .02
LDA	0.04 ± .05	-0.03 ± .04	-0.06 ± .01

Table 6: NPMI Coherence of Topics over Multiple Datasets
Best in bold, second best underlined, uncertainty represents $2 \cdot SD$




Figure 8: Proportion of terms containing non-alphabetic characters in topic descriptions (comparison across topic models, datasets, encoders, and the number of topics). S^3 highlighted with a bold line.




Figure 9: Comparison of runtime across topic models, datasets, encoders, and the number of topics. Y-axis limits vary between datasets (rows). S^3 highlighted with a bold line.