FFN: a Fine-grained Chinese-English Financial Domain Parallel Corpus

Yuxin Fu, Shijing Si*, School of Economics and Finance Shanghai International Studies University Shanghai, China Leyi Mai, Xi-ang Li School of Education Shanghai International Studies University Shanghai, China

Abstract—Large Language Models (LLMs) have stunningly advanced the field of machine translation, though their effectiveness within the financial domain remains largely underexplored. To probe this issue, we constructed a fine-grained Chinese-English parallel corpus of financial news called FFN. We acquired financial news articles spanning between January 1st, 2014, to December 31, 2023, from mainstream media websites such as CNN, FOX, and China Daily. The dataset consists of 1,013 main text and 809 titles, all of which have been manually corrected. We measured the translation quality of two LLMs – ChatGPT and ERNIE-bot, utilizing BLEU, TER and chrF scores as the evaluation metrics. For comparison, we also trained an OpenNMT model based on our dataset. We detail problems of LLMs and provide in-depth analysis, intending to stimulate further research and solutions in this largely uncharted territory. Our research underlines the need to optimize LLMs within the specific field of financial translation to ensure accuracy and quality.

Index Terms—Large Language Models, Chinese-English corpus, Financial news

I. INTRODUCTION

Translation in business and finance domain has increased in volume as well as impact due to the growing globalisation and explosion of financial transactions and increasing business activity [1]. China are the first populous nations of the world, and arguably, the growth in wealth and spending power of it make it very attractive destinations for business [2]. Besides, English is the dominant language in the global business [3]. Therefore, the demand for Chinese-English translation is huge, across many areas and industry sectors. Due to the complicated nature of financial concepts, translators have to commit to a big up-front investment in order to acquire a deep knowledge of the various sub-sectors and types of texts, each with a different level of lexical complexity.

Large language models (LLMs) pretrained on massive unlabeled corpora have shown impressive emergent abilities under model scaling which enable prompting for downstream applications [4]–[8]. However, there is little work on exploring the application of LLMs for machine translation in the financial domain.

Additionally, the translation performance of LLMs is derived from their training datasets. If we want to study the effectiveness of large language models in Chinese-English translation within the financial domain, it is also essential for us to search for existing datasets in this field. Based on the above considerations, we conducted relevant research and experiments. In this paper, our main contributions are listed as below:

- We build a parallel dataset of English-Chinese news translation in the finance domain, which includes main texts and titles.
- Based on our parallel dataset, we evaluated the performance of ChatGPT and ERNIE-bot in translation, and brought in DeepL and Google for comparison, and found some unexpected feedback.
- We trained an OpenNMT model based on it to evaluate the performance of the dataset.
- We also provide a quantitative and qualitative analysis to disclose problems when prompting for MT, which provides insights for future study.

II. RELATED WORKS

A. Large Language Models

Large language models have good promise for machine translation. Reference [9] found that LLMs have recently shown interesting capabilities of in-context learning and can adapt to a set of in-domain sentence pairs and/or terminology while translating a new sentence. Reference [10] proposed a novel fine-tuning approach for LLMs that is specifically designed for the translation task, eliminating the need for the abundant parallel data that traditional translation models usually depend on. When it comes to ChatGPT, reference [11] presented a comprehensive evaluation of GPT models for machine translation and found that GPT models achieve very competitive translation quality for high resource languages, while having limited capabilities for low-resourced languages. Although Chinese is one of the high resource languages, the study of Chinese-English translation quality of LLMs is still under-explored. In this paper, we release a high-quality, human verified parallel dataset that can benchmark popular LLMs.

B. Datasets

There are some existing bilingual news datasets in Chinese and English. WikiTitles-v3 [12] is a dataset of titles. ParaCrawl(bonus) [13], WikiMatrix [14] and BackTrans News

^{*}Corresponding author: Shijing Si, shijing.si@outlook.com.

TABLE I: Detail information of our dataset. ("AVER" is average length, "PARA" is paragraphs)

Language	Category	AVER.	PARA.	TOKEN
Chinese	main texts	123.44	1013	65454
	titles	15.70	809	6382
English	main texts	69.41	1013	72509
	titles	8.56	809	7181

[15] provide parallel corpus in the form of sentences. However, all these databases does not target the financial field. By contrast, [2] provides a Chinese–English parallel dataset which focuses on financial news, using the Financial Times website, from which they grabbed 60,473 news items from between 2007 and 2021. After browsing through the dataset, we discovered that a large number of the Chinese and English texts are not well aligned. Additionally, since the data was scraped from web pages, there are many HTML tags present. We list three examples in Table II.

Thus, we aim to create a database exclusively focused on Chinese and English financial news, meticulously proofread by humans to ensure alignment of sentences.

C. Neural Machine Translation

Neural machine translation (NMT) is a new methodology for machine translation that has led to remarkable improvements. Currently there are many existing NMT implementations. Many systems such as those developed in industry by Google, Microsoft, and Baidu, are closed source, and are unlikely to be released with unrestricted licenses. In addition, we found other open-source neural NMT framework. OpenNMT [16] is an open-source framework for neural machine translation which can be used to try out new ideas in translation, language modeling, summarization, and many other NLP tasks. So we use OpenNMT to train a model wihch focus on the translation of Chinese and English financial news.

III. FFN CREATION

We have systematically amassed a substantial volume of financial news articles sourced from various reputable websites, including FOX¹, CNN², and China Daily³. All these financial news are freely available. The compilation spans a time-frame from January 1, 2014, to December 31, 2023. The dataset can be found in https://github.com/shijing001/FFN_corpus.

We are committed to crafting a precise and high-quality evaluation dataset. As a result, we refrained from directly scraping sentences from web pages using code. This decision was made because such direct scraping can often result in unaligned text. Therefore, we manually browse web pages, select several paragraphs and the title of a complete news article to add to our dataset, and during the manual screening process, we repeatedly correct the translated results.

The resulting dataset comprises two distinct categories: main texts, which encompass detailed content within the financial news articles, and titles, representing the headlines of these articles. The identical information is presented in both Chinese (ZH) and English (EN) versions, as delineated in Table I. In contrast to the corpora of WMT [17], our dataset is specifically tailored to financial news, providing content exclusively in simplified Chinese, without the amalgamation of simplified and traditional Chinese characters. Furthermore, when juxtaposed with existing Financial News datasets for text mining [2], our dataset, which is manually aligned, ensures translation accuracy and is free of any HTML tags, eliminating the need for further preprocessing. Besides, our dataset stands out for its currency, covering the period from 2014 to 2023, a more recent span compared to the earlier range of 2007 to 2021. Notably, the data in our dataset is sourced from different websites than those in existing datasets, ensuring the provision of distinct data sets even for the same chronological year.

A. Main text

Main text refers to the primary content within financial news articles, predominantly characterized by lengthy declarative sentences that encompass various clauses. These sentences exhibit a strong contextual meaning. Given the nature of financial news, the inclusion of company names, policy clauses, legal documents, and financial terms is commonplace within these sentences.

It is not sentence-aligned, but paragraph-aligned, which aims to provide the contextual background to examine the influence of context on the translation outcome.

B. Titles

In contrast to main texts, titles exhibit a distinct nature characterized by brevity and summarization. Essentially, a title serves as a condensed representation or key focal point of the entire article, reflecting a pronounced authorial intent. Notably, titles are often more concise, and some may lack a clear sentence structure, making it inappropriate to categorize them strictly as short sentences. Moreover, the tone employed in titles may lean towards the hyperbolic, strategically designed to captivate readers' attention, thereby differing from the more neutral tone found within paragraph sentences.

It is crucial to note that, as titles are crafted by authors after a comprehensive understanding of the article, their extraction alone may result in an abrupt representation. Additionally, the inherent differences in linguistic thinking between Chinese and English contribute to variations in the titles of the same article across languages.

IV. EXPERIMENTAL SETUP

A. Machine Translation Models

This comparative study aims to assess the performance of these models in the context of translating Chinese (ZH) to English (EN). By scrutinizing their respective capabilities, we seek to discern any potential advantages or differences in performance, particularly in the realm of ZH-EN translation.

¹https://www.foxnews.com/

²https://edition.cnn.com/

³http://www.chinadaily.com.cn/

TABLE II: Three examples in dataset "Financial News dataset for text mining" [2].

English Sentences	Chinese Sentences	Notes
Last month, during London Fashion Week, I took my six-year-old daughter with me to Gareth Pugh's show as a treat. Pugh is one of the more ballyhooed YBDs (Young British Designers), having graduated only three years ago from Central St Martins, received a Topshop-sponsored New Generation grant from the British Fashion Council and garnered lots of attention last season for making clothes that looked like the scene in <i>The Incredibles</i> where Mr Incredible tries to escape the bad guy's clutches and gets caught in a trap of inflatable plastic balls.	<div>6岁女孩眼中的“ 时装” </div>	The Chinese and English text clearly don't align or match. Additionally, there are many HTML tags in the text that need preprocessing.
China is leaking and it is probably America's fault, writes David Keohane. @ China is, after all, the most exposed to the quantity effect of liquidity withdrawal due to the Federal Reserve's tapering of its quantitative easing programme. @ Indeed, it may be the country that has the most difficulty dealing with it.	归根结底,随着美联储(Fed)逐渐退出量 化宽松(QE)计划,中国是受流动性撤出 的数量效应影响最大的国家。	They use "@" to separate sentences, but there are three sentences in English and only one in Chinese. This Chinese sentence corresponds to the second English sentence, while the other two English sentences do not have a corresponding Chinese counterpart.
(lifestyle) Highway to heaven (1044)-28363-28363-28363	大马:西方人的探险乐园	They intended to provide Chinese and English titles corresponding to the articles, but the English content obtained from web scraping is not the title content.

TABLE III: A list of translation prompts. ZH1 and ZH2 are the results we obtained after translating EN1 and EN2.

	Translation Prompt
EN1	Translate these sentences
	from [SRC] to [TGT]:
EN2	Please provide the [TGT]
	translation for these sentences:
ZH1	把这些句子从[SRC]翻译成[TGT]:
ZH2	请为这些句子提供[TGT]的翻译:

This exploration is anticipated to shed light on the strengths and weaknesses of each model, contributing valuable insights to the field of machine translation and language understanding.

For our comparative analysis, we have selected two distinct LLMs: ChatGPT⁴, a popular LLM developed by OpenAI, and ERNIE-Bot⁵ developed by Baidu. Notably, ERNIE-Bot originates from Chinese researchers, prompting our interest in evaluating its efficacy in ZH-EN translation compared to ChatGPT. For comparison, we also choose DeepL⁶ and Google⁷, two sets of online translation software.

Additionally, we trained an OpenNMT model [16] based on the dataset "Financial News dataset for text mining" [2] and then our dataset serves as its test dataset. We wanted to evaluate this existing dataset, to see how effective it is as a dataset when actually training models. Because the original author of [2] did not manually align this dataset, we pre-processed it with manual alignment and removing HTML tags. The resulting database will also be made public and available for research, which can be found in https://github.com/shijing001/FFN_corpus.

B. Evaluation and Detailed Configuration

We adopt the BLEU [18], [19], TER [20], chrF [21] as our evaluation metrics, which is supported by SacreBLEU [22].

In our experiment, we pay attention to the impact of different prompt styles in guiding LLMs' translation capabilities. We initiated the experiment with two distinct types of English prompts, which were later translated from English to Chinese. As is shown in Table III. This allowed us to examine whether the prompt's language type affects the translation quality.

V. RESULTS AND ANALYSIS

A. Performance of various translation systems

Table IV displays the performance of five machine translation systems on both directions (ZH-EN and EN-ZH). Generally, DeepL and Google translation outperform both the ChatGPT and ERNIE-Bot. Especially in the translation of titles, the scores of both translation software are superior to those of the large language model. Particularly in the TER scores for titles, the scores of both translation software (Google Translate and DeepL) clearly demonstrate their superiority in translation accuracy. From this table, the performance of LLMs (ChatGPT and ERNIE-Bot) is quite similar. In terms of translation direction, the performance of LLMs in EN-ZH translation is better than in ZH-EN translation. Overall, the translation quality of the main text is better than that of the titles.

From Table IV, the BLEU scores of OpenNMT model (trained from scratch) are much lower than those of LLMs and translation software. However, this does not necessarily reflect poor performance of the OpenNMT model itself; rather, it indicates that there are still some issues with the training dataset it relies on. We speculate that the main problem lies in the fact that the dataset itself is too small, and many specialized terms have not been included in it. This actually highlights an issue: there is indeed a shortage of parallel datasets for Chinese

⁴https://chat.openai.com/

⁵https://yiyan.baidu.com/

⁶https://www.deepl.com/translator

⁷https://translate.google.com/

System	Category	BLEU	TER	chrF	BLEU	TER	chrF
			ZH-EN			EN-ZH	
ChatGPT	Main text	22.30	70.99	68.64	23.08	58.14	44.73
	Titles	15.24	106.08	59.57	17.94	120.75	40.82
ERNIE-Bot	Main text	23.71	69.34	67.53	25.98	55.05	46.26
	Titles	16.64	104.40	56.21	24.25	96.30	42.93
DeepL	Main text	29.41	61.96	70.97	25.89	55.89	45.20
	Titles	20.97	74.47	58.10	29.88	60.35	47.92
Google	Main text	27.69	62.72	70.07	30.12	49.91	50.08
	Titles	34.57	70.27	66.64	34.16	55.56	50.79
OpenNMT model	Main text	6.53	83.61	42.13	7.75	94.14	25.37
	Titles	6.43	140.78	42.82	0.59	134.67	29.70

TABLE IV: Performance comparison of five machine translation systems: ChatGPT, ERNIE-Bot, DeepL, Google, and OpenNMT trained from scratch on the dataset "Financial News dataset for text mining".

and English financial news, and relying solely on the dataset in [2] is insufficient.

B. Performance of LLMs over four prompts

To investigate the effects of prompts on LLMs, we utilize four prompts (two in English and two in Chinese) in Table III. Table V presents the performance of ChatGPT and ERNIE-Bot over those four prompts. Based on the standard deviation of BLUE scores of various prompts, prompts have a certain level of impact on the translation outputs of LLMs.

VI. PROBLEMS OF LLMS

To further investigate the specific problems of machine translation of LLMs, we conducted a manual evaluation of the translation results generated by ChatGPT and ERNIE-Bot. Through this evaluation, we discovered the following issues, which is summarized in Table VI. For issues unique to ChatGPT, we list them in Table VII. The detailed explanation for each type of errors are shown as follows. More problematic translation examples of LLMs can be found in the Appendix.

The Rejection of Translation (RT) On occasions, ERNIE-Bot may decline to translate certain sentences, responding with a message such as "Please refer to relevant websites for more information, and feel free to ask me any other questions." Besides, ERNIE-Bot may provide a translation answer when using one prompt, but rejecting the translation when using another prompt. This indicates that this model is not stable when outputting translation results.

Answer according to the Meaning of the Sentence (AMS) Another observed anomaly in ERNIE-Bot's feedback is its tendency to provide an interpretation or understanding of the given sentences instead of delivering a translation. This behavior is deemed erroneous since the model fails to fulfill the translation request as specified in our prompt.

Pinyin Character Feedback (PY) In some instances, when prompted in English, ChatGPT may add Pinyin to the results, potentially lowering the overall scores. This could be because ChatGPT assumes that users prompted in English may not understand Chinese, thus including Pinyin to aid pronunciation.

Traditional Chinese Results (TC) Albeit infrequently, when conducting English to Chinese translation with English

prompts, ChatGPT may provide results in both simplified and traditional Chinese.

Giving Notes (GN) Sometimes, ChatGPT and ERNIE-Bot may give some notes of the results. This usually does not affect the output of the translation text.

Multiple Outcome (MO) Normally, a single input will result in one translation, but sometimes multiple translations will be given.

Reserve the Original Sentences (ROS) Chances are that ERNIE-Bot may reserve the original sentences rather than translate them.Perhaps due to insufficient training set, ERNIE-Bot cannot translate.

Information Omission (IO) LLMs may inadvertently overlook certain information during translation due to an insufficient grasp of contextual nuances. After comprehending the overall meaning of a sentence, the system might erroneously omit certain words, resulting in the loss of crucial information and hindering the reader's accurate understanding of the original text. This issue is exacerbated when translating long sentences or text with intricate grammatical structures, which strains the system's ability to capture detailed nuances, leading to potential information omission.

Errors in Financial Terminology (EFT) Translation errors in financial terminology are prevalent and significantly impede readers' efficiency and comprehension. These errors often arise from the literal interpretation of technical terms. The underlying cause may be that LLMs lack the corresponding financial terms in their databases, hindering accurate translations.

Mispunctuation (MIS) The occurrence of such errors primarily stems from the disparity in punctuation conventions between Chinese and English. Chinese employs full-angle punctuation, while English utilizes half-angle punctuation, and many symbols do not have direct equivalents, potentially leading to translation inaccuracies. Furthermore, the divergent grammatical structures of Chinese and English necessitate adjustments during translation, often involving changes in punctuation. If machine translation does not appropriately address these differences, it can result in the incorrect application of punctuation marks, further contributing to translation errors.

Errors in the Name of Company and Organization (ENCO) In the realm of finance, the accurate translation of company names and names of professional organizations

TABLE V: BLEU scores of LLMs. ZH1, ZH2, EN1, EN2 are those prompts in Table III. STD represents the standard deviation. AVE means the average score.

System	Category	ZH1	EN1	ZH2	EN2	STD	AVE	ZH1	EN1	ZH2	EN2	STD	AVE
			ZH	-EN					EN	-ZH			
ChatGPT	Main text	22.40	22.11	22.26	22.44	0.15	22.30	23.40	22.62	23.12	23.18	0.33	23.08
ChatOf I	titles	14.93	15.86	14.99	15.16	0.43	15.24	18.31	17.88	18.13	17.45	0.37	17.94
ERNIE-Bot	Main text	23.61	23.53	24.03	23.68	0.22	23.71	26.12	26.14	26.15	25.53	0.30	25.98
EKNIE-DOI	titles	17.02	16.42	16.48	16.64	0.27	16.64	24.64	25.07	23.10	24.19	0.85	24.25

TABLE VI: Problems of LLMs. "RT" is "The Rejection of Translation", "AMS" is "Answer according to the Meaning of the Sentence", "PY" is "Pinyin Character Feedback", "TC" is "Traditional Chinese Results", "GN" is "Giving Notes", "MO" is "Multiple Outcome", "ROS" is "Reserve the Original Sentences", "IO" is "Information Omission", "EFT" is "Errors in Financial Terminology", "MIS" is "Mispunctuation", "ENCO" is "Errors in the Name of Company and Organization", "TEN" is "Tense", "EM" is "Extended Meaning", "SP" is "Sentence Pattern".

Category	Model	RT	AMS	PY	TC	GN	MO	ROS	IO	EFT	MIS	ENCO	TEN	EM	SP
Main texts	ChatGPT								\checkmark	\checkmark	\checkmark	\checkmark			
Wall texts	ERNIE-Bot	\checkmark	\checkmark						\checkmark	\checkmark	\checkmark	\checkmark			
Titles	ChatGPT			\checkmark	\checkmark	\checkmark	\checkmark			\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
THES	ERNIE-Bot	\checkmark	\checkmark			\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

Original Sentences	Translation Results	Reference	Category
Doubt cast on plan to link up with Shanghai stock exchange	对计划与上海证券交易所联接产生了质疑。(Duì jìhuà yǔ Shànghǎi zhèngquàn jiāoyì suǒ liánjiē chǎnshēngle zhìwèn.)	沪伦通计划引发质疑	РҮ
Digital economy helps empower China's high-quality development	数字经济有助于赋能中国的高质量发展。 (Simplified Chinese)數字經濟有助於賦能中 國的高品質發展。 (Traditional Chinese)	数字经济助力中国高质量发展	тс
迪士尼中国拟发展消费品跨境 策略	Disney China plans to develop a cross-border consumer products strategy. Note: It is worth mentioning that when translating from Chinese to English, there might be various ways to express the same idea, depending on the desired level of accuracy or context.	Disney eyes licensed product growth in China	GN
Law to improve financial stability	1. Improving Financial Stability through Legislation 2. Legal measures to enhance financial stability 3. Legislative efforts for improving financial stability 4. Enhancing financial stability through legal means 5. Legislation aimed at improving financial stability	改善金融稳定的法律	МО

TABLE VII: Several translation examples from ChatGPT and their error categories.

holds significant importance. However, LLMs often exhibit a tendency to overlook these specific terms, either failing to translate them or providing translations that do not align with the actual names. This oversight can lead to confusion among readers. One plausible explanation for this issue is that language models lack corresponding data in their databases for these specific terms. Additionally, institutions are sometimes presented in the form of abbreviations, and the same abbreviation may have different references in the financial field. In the absence of context, language models may adopt a strategy of not translating to avoid potential inaccuracies in the output.

Tense (TEN) Due to the brevity and contextual limitations inherent in most titles, especially in the context of translation from Chinese to English, LLMs may encounter challenges in accurately selecting tenses. This can result in inaccuracies, with past tense phrases being mistakenly rendered as present perfect tense constructions.

Extended Meaning (EM) The textual content of titles

often encompasses intricate semantic nuances, integrating elements such as metaphors and personification to convey layers of meaning. However, when processed by LLMs for translation, there exists a tendency to prioritize literal interpretations, which can potentially introduce ambiguity into the translated output. This divergence in translation approach may compromise the ability of LLMs to accurately capture the nuanced essence of the original title, consequently impacting the clarity and effectiveness of the translated text.

Sentence Pattern (SP) Indeed, a prevalent characteristic of titles is their deviation from complete sentence structures; instead, they commonly feature concise phrases or fragments. However, when subjected to translation by LLMs, these titles often undergo an automatic transformation into full sentences, thereby losing their distinctive structural nuances. This transformation can result in a loss of conciseness and impact, ultimately diminishing the effectiveness of the translated title in conveying its intended message.

Among these problems, Pinyin character feedback, traditional Chinese results, giving notes and multiple outcome can all be avoided by changing the prompts. However, the others actually reflect the translation performance of LLMs themselves, and are not completely eliminated by changing the prompts.

VII. CONCLUSION

We have developed a parallel English-Chinese news translation dataset in the finance domain, comprising main texts and titles. Unlike existing datasets, our dataset has been manually verified and revised for high quality, and is current as of December 2023. This dataset can be utilized as a benchmark for evaluating the translation capabilities of LLMs. We observed that various prompts impact LLM translation results, including issues with Pinyin character feedback, traditional Chinese output, annotations, and multiple outcomes. These issues can be mitigated by adjusting the prompts. However, LLMs still exhibit problems such as mispunctuation and errors in company, organization, and financial terminology, highlighting their inherent limitations. Compared to LLMs, translation software like DeepL performs better, especially in translating titles. To enhance LLM competitiveness against translation software, improvements should begin with their training datasets.

ACKNOWLEDGMENTS

The authors thank the reviewers for the valuable comments that helped to improve the paper. This work was supported by the National Natural Science Foundation of China (grant numbers: 12071302), "the Fundamental Research Funds for the Central Universities" (grant number 2022114012), and Mentor Academic Guidance Program of Shanghai International Studies University (grant number: 2022113028).

REFERENCES

- L. Biel and V. Sosoni, "The translation of economics and the economics of translation," *Perspectives*, vol. 25, no. 3, pp. 351–361, 2017.
- [2] N. Turenne, Z. Chen, G. Fan, J. Li, Y. Li, S. Wang, and J. Zhou, "Mining an english-chinese parallel dataset of financial news," *Journal of Open Humanities Data*, 2022.
- [3] E. Hung, "Translation and english in twentieth-century china," World Englishes, vol. 21, no. 2, pp. 325–335, 2002. [Online]. Available: https://onlinelibrary.wiley.com/doi/abs/10.1111/1467-971X.00252
- [4] T. Brown, B. Mann, N. Ryder, M. Subbiah, J. D. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, "Language models are few-shot learners," in *Advances in Neural Information Processing Systems*, H. Larochelle, M. Ranzato, R. Hadsell, M. Balcan, and H. Lin, Eds., vol. 33. Curran Associates, Inc., 2020, pp. 1877–1901. [Online]. Available: https://proceedings.neurips.cc/paper/2020/file/1457c0d6bfcb4967418bfb8
- [5] J. Kaplan, S. McCandlish, T. Henighan, T. B. Brown, B. Chess, R. Child, S. Gray, A. Radford, J. Wu, and D. Amodei, "Scaling laws for neural language models," *arXiv preprint arXiv:2001.08361*, 2020.
- [6] J. Wei, Y. Tay, R. Bommasani, C. Raffel, B. Zoph, S. Borgeaud, D. Yogatama, M. Bosma, D. Zhou, D. Metzler *et al.*, "Emergent abilities of large language models," *arXiv preprint arXiv:2206.07682*, 2022.
- [7] S. Zhang, S. Roller, N. Goyal, M. Artetxe, M. Chen, S. Chen, C. Dewan, M. Diab, X. Li, X. V. Lin *et al.*, "Opt: Open pre-trained transformer language models," *arXiv preprint arXiv:2205.01068*, 2022.

- [8] A. Chowdhery, S. Narang, J. Devlin, M. Bosma, G. Mishra, A. Roberts, P. Barham, H. W. Chung, C. Sutton, S. Gehrmann *et al.*, "Palm: Scaling language modeling with pathways," *arXiv preprint arXiv:2204.02311*, 2022.
- [9] Y. Moslem, R. Haque, and A. Way, "Adaptive machine translation with large language models," arXiv preprint arXiv:2301.13294, 2023.
- [10] H. Xu, Y. J. Kim, A. Sharaf, and H. H. Awadalla, "A paradigm shift in machine translation: Boosting translation performance of large language models," arXiv preprint arXiv:2309.11674, 2023.
- [11] A. Hendy, M. Abdelrehim, A. Sharaf, V. Raunak, M. Gabr, H. Matsushita, Y. J. Kim, M. Afify, and H. H. Awadalla, "How good are gpt models at machine translation? a comprehensive evaluation," *arXiv* preprint arXiv:2302.09210, 2023.
- [12] F. Liu, H. Lu, C. Lo, and G. Neubig, "Learning character-level compositionality with visual features," in *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics* (Volume 1: Long Papers), R. Barzilay and M.-Y. Kan, Eds. Vancouver, Canada: Association for Computational Linguistics, Jul. 2017, pp. 2059–2068. [Online]. Available: https://aclanthology.org/P17-1188
- [13] M. Bañón, P. Chen, B. Haddow, K. Heafield, H. Hoang, M. Esplà-Gomis, M. L. Forcada, A. Kamran, F. Kirefu, P. Koehn, S. Ortiz Rojas, L. Pla Sempere, G. Ramírez-Sánchez, E. Sarrías, M. Strelec, B. Thompson, W. Waites, D. Wiggins, and J. Zaragoza, "ParaCrawl: Web-scale acquisition of parallel corpora," in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, D. Jurafsky, J. Chai, N. Schluter, and J. Tetreault, Eds. Online: Association for Computational Linguistics, Jul. 2020, pp. 4555–4567. [Online]. Available: https://aclanthology.org/2020.acl-main.417
- [14] H. Schwenk, V. Chaudhary, S. Sun, H. Gong, and F. Guzmán, "WikiMatrix: Mining 135M parallel sentences in 1620 language pairs from Wikipedia," in *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*. Online: Association for Computational Linguistics, Apr. 2021, pp. 1351– 1361. [Online]. Available: https://aclanthology.org/2021.eacl-main.115
- [15] R. Bawden, N. Bogoychev, U. Germann, R. Grundkiewicz, F. Kirefu, A. V. M. Barone, and A. Birch, "The university of edinburgh's submissions to the wmt19 news translation task," *arXiv preprint arXiv*:1907.05854, 2019.
- [16] G. Klein, Y. Kim, Y. Deng, V. Nguyen, J. Senellart, and A. M. Rush, "Opennmt: Neural machine translation toolkit," 2018.
- [17] T. Kocmi, R. Bawden, O. Bojar, A. Dvorkovich, C. Federmann, M. Fishel, T. Gowda, Y. Graham, R. Grundkiewicz, B. Haddow, R. Knowles, P. Koehn, C. Monz, M. Morishita, M. Nagata, T. Nakazawa, M. Novák, M. Popel, and M. Popović, "Findings of the 2022 conference on machine translation (WMT22)," in *Proceedings* of the Seventh Conference on Machine Translation (WMT), P. Koehn, L. Barrault, O. Bojar, F. Bougares, R. Chatterjee, M. R. Costajussà, C. Federmann, M. Fishel, A. Fraser, M. Freitag, Y. Graham, R. Grundkiewicz, P. Guzman, B. Haddow, M. Huck, A. Jimeno Yepes, T. Kocmi, A. Martins, M. Morishita, C. Monz, M. Nagata, T. Nakazawa, M. Negri, A. Névéol, M. Neves, M. Popel, M. Turchi, and M. Zampieri, Eds. Abu Dhabi, United Arab Emirates (Hybrid): Association for Computational Linguistics, Dec. 2022, pp. 1–45. [Online]. Available: https://aclanthology.org/2022.wmt-1.1
- [18] K. Papineni, S. Roukos, T. Ward, and W.-J. Zhu, "Bleu: a method for automatic evaluation of machine translation," in *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, 2002, pp. 311–318.
- [19] D. Sundararaman, V. Subramanian, G. Wang, S. Si, D. Shen, D. Wang, and L. Carin, "Syntactic knowledge-infused transformer and bert models." in *CIKM Workshops*, 2021.
- [20] M. Snover, B. Dorr, R. Schwartz, L. Micciulla, and J. Makhoul, "A study of translation edit rate with targeted human annotation," in *Proceedings of the 7th Conference of the Association for*
- 142f6-Machine, Dianslation in the Americas: Technical Papers. Cambridge, Massachusetts, USA: Association for Machine Translation in the Americas, Aug. 8-12 2006, pp. 223–231. [Online]. Available: https://aclanthology.org/2006.amta-papers.25
- [21] M. Popović, "chrf: character n-gram f-score for automatic mt evaluation," in *Proceedings of the tenth workshop on statistical machine translation*, 2015, pp. 392–395.
- [22] M. Post, "A call for clarity in reporting BLEU scores," in Proceedings of the Third Conference on Machine Translation: Research Papers, O. Bojar, R. Chatterjee, C. Federmann, M. Fishel,

Y. Graham, B. Haddow, M. Huck, A. J. Yepes, P. Koehn, C. Monz, M. Negri, A. Névéol, M. Neves, M. Post, L. Specia, M. Turchi, and K. Verspoor, Eds. Brussels, Belgium: Association for Computational Linguistics, Oct. 2018, pp. 186–191. [Online]. Available: https://aclanthology.org/W18-6319

Appendix

TABLE VIII: Several examples of the Unexpected feedback of ChatGPT, "Category" represents the type of issue reflected by the translation result, and the abbreviations involved have been detailed in the previous text.

Original Sentences	Translation Results	Reference	Category
Doubt cast on plan to link up with Shanghai stock exchange	对计划与上海证券交易所联接产生了质疑。(Duì jìhuà yǔ Shànghǎi zhèngquàn jiāoyì suǒ liánjiē chǎnshēngle zhìwèn.)	沪伦通计划引发质疑	РҮ
Digital economy helps empower China's high-quality development	数字经济有助于赋能中国的高质量发展。 (Simplified Chinese)數字經濟有助於賦能中 國的高品質發展。 (Traditional Chinese)	数字经济助力中国高质量发展	TC
迪士尼中国拟发展消费品跨境 策略	Disney China plans to develop a cross-border consumer products strategy. Note: It is worth mentioning that when translating from Chinese to English, there might be various ways to express the same idea, depending on the desired level of accuracy or context.	Disney eyes licensed product growth in China	GN
Law to improve financial stability	1. Improving Financial Stability through Legislation 2. Legal measures to enhance financial stability 3. Legislative efforts for improving financial stability 4. Enhancing financial stability through legal means 5. Legislation aimed at improving financial stability	改善金融稳定的法律	МО

TABLE IX: Several examples of the Unexpected feedback of ERNIE-Bot, "Category" represents the type of issue reflected by the translation result, and the abbreviations involved have been detailed in the previous text.

Original Sentences	Translation Results	Reference	Category
Doubt cast on plan to link up with Shanghai stock exchange	Please refer to relevant websites for more information, and feel free to ask me any other questions.	沪伦通计划引发质疑	RT
中金股票便宜吗	中金股票便宜吗	Is CICC stock cheap?	ROS
老龄化、经济放缓、债务累 累:中国工业中心地带能否复 兴?	老龄化、经济放缓和债务累累等问题可能 会对中国工业中心地带的发展带来一定的 影响,但并不意味着这个地区会就此衰 落。中国政府已经采取了一系列措施来应 对这些问题,包括加强社会保障体系建 设、推动创新驱动发展、优化产业结构 等。此外,中国拥有庞大的市场和人口规 模,这些因素也会为中国经济的发展提供 有力的支撑。因此,只要政府和企业积极 采取措施,中国工业中心地带仍然有望实 现复兴。	Slowing, Graying and in Debt, Can China's Industrial Heartland Be Revived?	AMS
China and Russia attempt to undercut the US dollar	中国和俄罗斯试图削弱美元地位。这句话 的意思是,中国和俄罗斯希望通过采取一 系列措施来减少对美国货币的依赖,从而 降低美国在全球经济中的影响力。这种努 力可能包括推动其他货币的使用、加强本 国货币的国际地位、推动贸易和投资多元 化等。	中国和俄罗斯试图削弱美元	GN
中俄深化经济联系,抵御西方 制裁影响	 China and Russia are deepening economic ties to better withstand western sanctions pressure. 2. The Chinese and Russian economies are strengthening their ties in order to better resist western sanctions pressure. 3. The Chinese and Russian economies are working together to improve their economic ties to better withstand western sanctions pressure. 	China and Russia bind Economies Further, in resisting the impact of Western sanctions	МО

TABLE X: Several examples of the challenges large language models encounter when translating main texts. "Category" represents the type of issue reflected by the translation result, and the abbreviations involved have been detailed in the previous text.

Original Sentences	Translation Results	Reference	Category	Notes
But a slew of hotter-than-expected economic data reports, including the blowout January jobs report and a disappointing inflation report that pointed to the pervasiveness of high consumer prices, has raised the specter of a higher peak rate or more aggressive rate hikes.	但是,一系列经济数据报告显示, 包括一份爆炸性的一月份就业报告 和一份令人失望的通货膨胀报告, 这些报告表明高消费价格的普遍 性,引发了更高峰值利率或更积极 的加息的担忧。	但一连串热度高于预期的经济数据 报告,包括井喷式的1月就业报告 和令人失望的通胀报告,指出了高 消费价格的普遍性,使人们对更高 的峰值利率或更积极的加息产生了 怀疑。	ю	In this passage, hotter-than-expected is not translated
That's because of a phenomenon known as "bracket creep," which happens when taxpayers are pushed into higher-income brackets even though their purchasing power is essentially unchanged due to steeper prices for most goods.	这是因为一个被称为"阶梯效应"的 现象,即纳税人因为大多数商品价 格上涨而被推到更高收入税格,即 使他们的购买力实际上没有改变。	这是因为一种被称为"税级攀升"的 现象,当纳税人被推入更高税收等 级时,由于大多数商品价格上涨, 他们的购买力基本没有变化,就会 发生这种现象。	EFT	bracket creep is a financial term,which should be translated into税级举升 rather than 阶梯效应
The Inflation Reduction Act passed last year restored tax credits of up to 7500 dollars to buyers of the less expensive Tesla cars, the Model 3 and Model Y, as long as their list price is under 55000 dollars.	去年通过的通貨膨胀削减法案恢复 了高达7,500美元的税收抵免,适用 于购买较便宜的特斯拉汽车,包 括Model 3和Model Y,只要它们的 标价低于55,000美元。	去年通过的《降低通貨膨胀法案》 为购买价格较低的特斯拉汽 车Model 3 和Model Y 的买家恢复 了高达7,500 美元的税收抵免,只 要它们的标价低于55,000 美元。	MIS	The Inflation Reduction Act should be translated into 《通 貨膨胀减缓法案》, which is a document that has a book title mark in Chinese, but LLMs did not add it.
As inflation-pinched consumers drink more at home, AB InBev has been shifting the imagery in some of its advertising from traditional settings—such as a bar or sports game—to the home.	随着受通货膨胀困扰的消费者在家 里多喝酒,ABInBev已经开始在一 些广告中调整形象,从传统的场 景——比如酒吧或体育比赛——转 向家庭。	由于通貨膨胀使消費者在家里喝得 更多,百威英博已经将其一些广告 中的形象从传统的环境如酒吧或 体育比赛-转移到家里。	ENCO	AB InBev's Chinese name is 百威英博,but LLMs did not translate, remaining the original text intact.

TABLE XI: Several examples of the challenges large language models encounter when translating titles. "Category" represents the type of issue reflected by the translation result, and the abbreviations involved have been detailed in the previous text.

Original Sentences	Translation Results	Reference	Category	Notes
Year of the tortoise	年之龟	缓慢发展之年	EM	This title employs figurative language in translation, rendering it as "缓慢发展之 年," rather than opting for a literal rendition.
Target sued over LA store stabbings after homeless man attacked woman, 9-year-old boy	目标公司因洛杉矶商店刺杀事件 被起诉,此前一名无家可归男子 袭击了一名妇女和一名9岁男 孩。	塔吉特公司因洛杉矶店铺刺伤案 而被起诉,此前一名无家可归男 子袭击了一名女性和一名9岁男 孩。	ENCO	Target is a company, which should be translated into塔吉 特 rather than 目标公司
巧克力大量短缺	There is a severe shortage of chocolate.	The Massive Shortfall of Chocolate	SP	As this is a title, it can be translated into a phrase such as "The Massive Shortfall of Chocolate," rather than being translated as a full sentence.
零售业市场竞争加剧	The competition in the retail industry market has intensified.	Competition in retail market intensifies	TEN	In the original English text, employs the simple present tense. Therefore, translating into the present perfect tens may introduce ambiguity.
Nation's ODI further rises in Jan-Aug	国家的日均免打电话增长于1月 至8月份。	1-8月我国对外投资持续增长	EFT	"ODI" means 对外直接投资 rather than 日均免打电话.
Hurun Global Rich List released	胡润全球富豪榜发布	《胡润全球富豪榜》发布	MIS	Hurun Global Rich List should be translated into 《句 润全球富豪榜》, which is document that has a book tit mark in Chinese, but LLMs did not add it.