FairAIED: Navigating Fairness, Bias, and Ethics in Educational AI Applications

Sribala Vidyadhari Chinta¹, Zichong Wang¹, Zhipeng Yin¹, Nhat Hoang¹, Matthew Gonzalez², Tai Le Quy³, Wenbin Zhang^{1*}

> ¹Florida International University. ²TERRA Environmental Research Institute. ³L3S Research Center.

*Corresponding author(s). E-mail(s): wenbin.zhang@fiu.edu; Contributing authors: schin079@fiu.edu; zwang114@fiu.edu; zyin007@fiu.edu; nhoan009@fiu.edu; 0588830@students.dadeschools.net;

Abstract

The integration of Artificial Intelligence (AI) into education has transformative potential, providing tailored learning experiences and creative instructional approaches. However, the inherent biases in AI algorithms hinder this improvement by unintentionally perpetuating prejudice against specific demographics, especially in human-centered applications like education. This survey delves deeply into the developing topic of algorithmic fairness in educational contexts, providing a comprehensive evaluation of the diverse literature on fairness, bias, and ethics in AI-driven educational applications. It identifies the common forms of biases-data-related, algorithmic, and user-interaction-that fundamentally undermine the accomplishment of fairness in AI teaching aids. By outlining existing techniques for mitigating these biases, ranging from varied data gathering to algorithmic fairness interventions, the survey emphasizes the critical role of ethical considerations and legal frameworks in shaping a more equitable educational environment. Furthermore, it guides readers through the complexities of fairness measurements, methods, and datasets, shedding light on the way to bias reduction. Despite these gains, this survey highlights long-standing issues, such as achieving a balance between fairness and accuracy, as well as the need for diverse datasets. Overcoming these challenges and ensuring the ethical and fair use of AI's promise in education call for a collaborative, interdisciplinary approach.

Keywords: Artificial Intelligence, Education, AI Fairness, Bias Mitigation, Algorithmic Bias, Fairness Metrics

1 Introduction

Artificial Intelligence (AI) has been a transformative force, reshaping the landscape of learning and teaching methodologies. The history of AI in education, tracing its origins to the early experiments with computer-assisted instruction in the 1960s and 1970s, is deeply intertwined with the evolution of AI itself, which is typically traced back to the Dartmouth Workshop in 1956 [1-3]. This period marked the beginning of exploring how technology could cater to individual learning styles and paces, a concept that has evolved significantly with the advent of AI [4]. The significance of AI in education lies in its ability to provide personalized learning experiences, automate grading, and offer language translation services, thereby addressing diverse educational needs [4-6]. AI applications in education have grown exponentially, with systems designed to adapt to the learning pace of students, thereby enhancing engagement and understanding [7]. For instance, AI-powered platforms can generate individualized learning paths based on student's goals, interests, and prior knowledge, adapting content in real-time to meet learners' needs [6]. Furthermore, AI's role in automating grading systems has revolutionized the assessment process, offering consistency and personalized feedback. thus freeing educators to focus on more complex teaching tasks [8, 9]. Automated grading systems like $Graide^1$ and Top Marks AI^2 have demonstrated the ability to analyze complex subjects and provide accurate, consistent feedback, drastically reducing educators' time on grading. Language translation and support facilitated by AI have also significantly contributed to breaking down language barriers in education, making learning materials accessible to a global audience [10, 11].

Despite the benefits, the deployment of AI in education raises critical issues of fairness and bias [12, 13]. AI systems can inadvertently perpetuate and amplify existing biases present in the data they are trained on, leading to unfair outcomes, particularly for historically marginalized groups [14]. For instance, AI-powered essay grading systems may reflect the biases of the data they are trained on, which could include the subjective preferences of human graders [4]. This could result in unfair assessments for students whose writing style or cultural background differs from the norm established by the training data [1]. Ethical considerations also come into play when discussing the transparency and accountability of AI systems in education. The "black box" nature of some AI algorithms can make it challenging to understand and contest their decisions, raising concerns about the ethical implications of their use in educational evaluations [15].

Addressing these issues is crucial for creating fair and equitable educational systems. Researchers and developers are actively exploring mitigation strategies, such as pre-processing data to ensure representativeness and post-processing decisions to correct for biases [16]. However, achieving both fairness and accuracy can be challenging, requiring careful consideration of the trade-offs involved. Ethical considerations around prioritizing different types of bias and which groups to focus on in bias mitigation add complexity to the development and implementation of AI systems in education [14]. Despite these challenges, the importance of addressing bias in AI is underscored by

¹https://www.graide.co.uk/

²https://www.topmarks.ai/

the need to create educational environments that benefit all individuals and promote equality.

In order to achieve this objective, our survey thoroughly examines the connections between fairness, bias, and ethics in the field of AI applications in education. We analyze the progress of AI in the field of education by doing a thorough examination of relevant literature and using a well-organized conceptual framework. This investigation highlights the importance of fairness, prejudice reduction, and ethical considerations in developing AI systems that promote equity. It also analyzes the technical challenges and strategic actions necessary for fostering fairness. This encompasses an examination of various methods of gathering data, approaches for identifying bias, and the advancement toward achieving fairness in algorithms; all demonstrated through pertinent case studies. In addition, the study explores the ethical principles and regulatory frameworks that govern the use of AI in educational environments. It emphasizes the importance of a collaborative effort among educators, technologists, ethicists, and policymakers to address these concerns comprehensively. This article navigates the complex challenges related to fairness and bias in educational AI, advocating for a cooperative approach to ensure that technical progress aligns with ethical principles, hence promoting a more inclusive educational setting.

The survey is structured as follows: we outline our methodology for doing a literature review in **Section 2**. In **Section 3** discusses various case studies of AI in education and biases that can be exhibited by them. In **Section 4**, the approaches to improve fairness, fairness notions and metrics to measure fairness are explored. Following this, **Section 5** describes an explanation of ethical considerations and frameworks. **Section 6** of this literature provides an overview of tools and datasets utilized in the field of AI education. **Section 7** delineates the challenges and future directions. The survey's conclusion is presented in **Section 8**.

2 Literature Selection Criteria

The literature selection for this survey follows stringent inclusion and exclusion criteria to ensure source relevance and quality, conference proceedings, and authoritative reports from the past decade related to AI's application in education, particularly concerning fairness, bias, and ethics. The search spans multiple databases, including IEEE Xplore, ACM Digital Library, PubMed, Scopus, and Google Scholar, using keywords like "artificial intelligence in education", "AI fairness in education", and "bias in educational AI systems". We employ a systematic review methodology that involves identifying literature, screening texts based on set criteria, thoroughly evaluating texts for relevance, and extracting pertinent data for synthesis. Multiple reviewers carry out this process to minimize selection bias, aiming to provide a comprehensive overview of fairness and bias in educational AI, synthesizing existing research to inform future advancements in the field.

3 AI in education: Case-studies and Bias perspectives

3.1 Student Assessment and Grading

Student evaluation and grading methods based on AI and machine learning techniques are becoming more common in AI in education (AIED) applications [75]. These systems use natural language processing, computer vision, and other AI capabilities to assess student work, automate grading and feedback, and facilitate tailored learning experiences.

Examples of such tools include automated essay grading systems that analyze and grade written responses [76], intelligent tutoring systems like Coursera Coach powered by Generative AI³ that assess student learning and provide personalized feedback, and AI-assisted grading platforms like Turnitin⁴ that provide automated feedback for assignments and exams [77]. The role of these AI-driven assessment tools is to provide consistent, objective, and efficient evaluations of student performance while also enabling personalized feedback, identifying knowledge gaps, and informing instructional strategies [76, 78]. They aim to reduce the workload for educators and offer scalable assessment solutions, particularly in large-scale online education settings.

AI systems may apply uniform criteria and rubrics to all student submissions, which can help reduce human biases and inconsistencies in grading. This is one of the main advantages of these technologies, though [76]. Furthermore, content and assessments can be modified by AI-powered adaptive learning platforms in accordance with each learner's unique learning preferences and advancement, resulting in individualized and successful learning experiences [77].

Despite these advantages, inherent biases in AI assessment systems are a source of concern. The evaluations and feedback produced by these systems may reinforce unjust treatment or prejudices against particular demographic groups [78] if the training data used to create them is biased or lacks variety. An AI system for essay grading, for instance, was shown to be biased against specific demographic groups, giving essays written by black students a lower score than those produced by white students with comparable material, according to research [78, 79]. This prejudice most likely resulted from societal biases shown in the training data.

3.2 Admissions and Recruitment

AI systems are being utilized more and more in college admissions procedures to assess applications and provide recommendations or choices [80–82]. These AI systems' function is to offer a scalable and effective mean of processing massive amounts of applications with the goal of producing unbiased, data-driven choices [80, 81]. Using AI in admissions could help reduce human biases and discrepancies that can occur from manual evaluation processes. However, a number of studies have brought to light instances of biases that AI admissions systems have shown in the real world, raising questions about equity and justice. According to research, if the training data is biased or lacks diversity, AI admissions models may be prejudiced against specific

³https://www.coursera.org/

⁴https://www.turnitin.com/

demographic groups, including women and underrepresented minorities [83, 84]. For example, an analysis of application essays alone revealed that an AI classifier could accurately identify an applicant's gender and household income level, indicating the presence of socioeconomic and gender biases in the data or model [84].

Another research investigation that examined AI models for college admissions discovered that the demographics of admitted students changed when standardized test results were removed from the training set [80]. This suggested the possibility of racial biases as well as biases against first-generation college candidates. Furthermore, if the AI models used to train admissions systems replicate historical prejudices or discrimination found in earlier admissions decisions, this could reinforce and magnify the biases [83].

Although the goal of AI in admissions is efficiency and objectivity, the possibility of biases against particular groups emphasizes the need for these systems to be developed and implemented responsibly, with an emphasis on inclusivity, fairness, and addressing potential biases in the algorithms and training data [80–82]. The potential advantages of utilizing AI in education could be undermined if these biases are not addressed, since they could exacerbate and prolong already-existing societal inequities [83, 84].

3.3 Educational Content Recommendation

AI-based recommendation systems have become essential tools in education, assisting students in making informed decisions regarding their academic paths by analyzing extensive datasets, including historical academic performance, course evaluations, and individual preferences [85, 86]. These systems aim to enhance student engagement and success by providing personalized recommendations that align with students' goals and abilities, thus fostering a more tailored educational experience [85, 87]. The primary benefits of AI-based recommendation systems include their ability to offer personalized learning experiences, which can increase student satisfaction and retention rates, and their capacity to manage and process large amounts of data efficiently, providing timely and accurate recommendations that are difficult for human advisors to achieve on a similar scale [88, 89].

Despite these advantages, the AI-based recommendation systems are not free from biases, which can significantly impact educational equity [85, 86]. Biases often arise from the training data, which can reflect existing demographic disparities, leading to recommendations that perpetuate these inequalities [90, 91]. For example, research has shown that minority students are less frequently recommended for advanced courses, thereby limiting their academic opportunities [85, 87]. Additionally, gender biases are prevalent, with algorithms often suggesting STEM courses predominantly to male students while steering female students towards the humanities, reinforcing societal stereotypes and contributing to the gender gap in STEM fields [86, 90, 92]. To mitigate these biases, researchers recommend diversifying training data, implementing fairnessaware algorithms, and conducting continuous monitoring and audits of the AI systems to ensure fairness over time [91]. Incorporating feedback from a diverse user base is also essential for refining these systems to better serve all students equitably.

3.4 AI in Medical Curriculum Design

AI systems are increasingly utilized in medical education to design curricula that are both relevant and up-to-date, leveraging vast amounts of data from medical literature and clinical practices to ensure comprehensive training [93]. However, biases in these systems can significantly impact the educational outcomes and experiences of medical students, necessitating a careful examination of how these biases manifest and their potential consequences. One prominent study involves a medical school that implemented an AI-driven curriculum design system to integrate the latest medical research into its courses. The system analyzed global medical literature to identify emerging trends and best practices. While this approach enhanced the curriculum's relevance, it also introduced biases, particularly when the AI predominantly sourced data from Western medical journals [94]. This bias led to an overemphasis on Western medical practices and an underrepresentation of medical knowledge and practices from other regions, such as Asia and Africa. As a result, students from these underrepresented regions felt that their educational experience did not fully address the medical conditions and treatment protocols prevalent in their home countries [95].

Another study highlighted biases in the AI systems' recommendations based on gender and socio-economic status. The AI, trained on historical data reflecting existing disparities, tended to recommend certain specializations more frequently to male students while steering female students towards traditionally softer medical fields like pediatrics and general practice. This bias not only perpetuated gender stereotypes but also impacted the diversity of specialists in various medical fields [96]. Additionally, students from lower socio-economic backgrounds received fewer recommendations for high-cost specializations, which could perpetuate economic disparities within the medical profession.

3.5 Types of Bias in Education

Having explored case studies demonstrating biases in AI systems within education, it is crucial to understand the specific types of biases that these systems can exhibit. These biases significantly affect the fairness and accuracy of AI applications in educational settings. This sub-section will explore more types of biases that AI systems exhibit. Below are the potential biases categorized into three types: Data-related Bias, Algorithmic Bias, and User-Interaction Bias.

3.5.1 Data-Related Biases

The topic of AIED has a notable obstacle in the form of data-related biases, which include historical bias, measurement bias, and representation bias. The biases observed in AI systems derive from fundamental flaws within the datasets utilized for training and evaluation [97]. These biases reflect societal imbalances and inaccuracies inherent in data gathering and representation methodologies. As a result, these biases have the potential to result in AI systems that exhibit unequal performance among various student populations, hence intensifying pre-existing imbalances within educational environments.



Fig. 1: Types of Bias in Education

Historical Bias: Historical bias in AI education manifests when AI systems use data that encapsulates past inequalities, affecting decisions with outdated or discriminatory norms [98]. Such biases occur because these systems are often trained on data sets that reflect systemic biases encoded due to socioeconomic factors rather than actual capabilities or potentials. Historical bias primarily affects groups rather than individuals, as it reflects collective societal prejudices embedded in data [99]. For example, AI-driven educational tools might disproportionately identify minority students as at-risk by relying on historical data that undervalues their academic potential due to lower past performance linked to socioeconomic disadvantages. This is similar to biases observed in public services automation, where algorithms trained on biased data like disciplinary records or test scores reinforce disparities. In college admissions, the AI systems can perpetuate socioeconomic and racial disparities by favoring applicants from specific zip codes and schools, reflecting a historical preference embedded within the training data [100]. These examples highlight the urgent need for more inclusive data practices and continuous oversight in the development of educational AI systems. By integrating ethical considerations and adjusting for historical biases, it is possible to foster equitable educational opportunities and prevent the reinforcement of past inequalities.

Measurement Bias: Measurement bias in AIED can significantly impact the validity and effectiveness of AI-driven tools, particularly in systems like automated essay scoring (AES). This type of bias occurs when data collection methods systematically distort inputs in a way that misrepresents the true variables they aim to measure [101]. A notable instance of measurement bias is found in the performance of AES systems, which tend to score essays written in African American Vernacular English (AAVE) lower than those in Standard American English (SAE) [102]. This was highlighted in studies such as those published in the Journal of Educational Measurement, which indicate that these discrepancies are due to the system's reliance on training datasets primarily composed of Standard English, leading them to undervalue the linguistic structures of AAVE. Measurement bias can be considered both an individual and group bias. It affects individuals by potentially misrepresenting their abilities based on linguistic or cultural differences. This example underscores the need for incorporating a wider array of linguistic data in training sets and conducting regular reviews for bias, ensuring that AI assessments in education fairly and accurately reflect the diverse capabilities of all students [103].

Representation Bias: Representation bias in AIED refers to the systematic underrepresentation or misrepresentation of certain groups or characteristics in the data used to train AI models. This bias can lead to AI systems that perpetuate or amplify existing societal biases and inequalities in educational contexts [99]. Representation bias is primarily a group bias because it affects specific demographic groups based on how they are represented in the training data [104]. A study [105], which investigates the disparities in AI educational tools used for automated essay scoring. This study focuses on how these tools can disproportionately benefit students from linguistic backgrounds similar to those on which the models were trained. The AI systems were primarily trained on datasets composed of essays written by native English speakers, leading to lower accuracy when scoring essays by learners of English as a second language (ESL). This scenario is a clear instance of representation bias, where the underrepresentation of ESL students in the training data resulted in a model that inadequately serves a significant portion of the student population. The bias not only impacts grades but also affects students' learning outcomes and confidence in their abilities.

3.5.2 Algorithmic-Related Biases

Addressing algorithmic-related biases in AIED involves a deep dive into how the design and implementation of algorithms can inadvertently lead to unfair outcomes. This exploration is critical, given the increasing reliance on AI to personalize learning, assess student performance, and even make administrative decisions in educational settings. Below, we elaborate on various facets of algorithmic-related biases, backed by extensive research in the field.

Algorithm Bias: Algorithmic bias in AIED refers to the systematic and repeatable errors in a computer system that create unfair outcomes, such as privileging one arbitrary group of users over others. This bias can stem from various sources, including but not limited to the data used to train the AI systems, the design of the algorithm itself, and the societal context in which the AI is deployed [106]. Algorithm bias can affect both individual and group levels. For example, an algorithm trained on biased data may provide inaccurate recommendations for individuals based on their unique attributes. Additionally, it can perpetuate stereotypes and reinforce systemic inequalities, disproportionately impacting specific groups of students based on race, gender, or socioeconomic status [12]. A study that exemplifies algorithmic bias in AI education

is found in the use of large language models (LLMs) in medical education. These models, such as those in the Generative Pre-trained Transformers (GPT) series, have been integrated into medical curricula to assist with developing teaching materials, student assessments, and personalized learning plans. While LLMs hold significant promise for enhancing medical education, they also pose challenges related to algorithmic bias. For instance, if an LLM is trained in the medical literature that historically underrepresents certain populations, it may generate biased content that could influence medical students' learning experiences and knowledge. This could lead to the perpetuation of existing disparities in medical treatment and outcomes for underrepresented groups. The case study underscores the importance of recognizing and addressing algorithmic bias in AI educational tools to prevent the reinforcement of historical inequalities and ensure equitable educational experiences for all students. It also highlights the need to critically examine AI technologies in education to balance their potential benefits with the risks they pose, particularly in sensitive fields like healthcare [107].

Mapping Bias: Mapping bias refers to the bias that occurs when a universal model is employed to analyze data that includes underlying subgroups or distinct types of examples that require individual treatment [108]. The assumption behind aggregation bias is that the mapping of inputs to labels is uniform across all subsets of the data, which is frequently not the case in real-world scenarios. For example, logistic regression models assume the relationships between input and target variables are linear, but this may not be the case in the real world. Another real-world example is that a particular dataset might represent people or groups with diverse backgrounds, cultures, or norms, and a specific variable may have different meanings. The use of a universal model in such cases can result in a suboptimal model for all groups, or one exclusively suited to the dominant population.

Mapping bias is primarily considered group bias because it affects various subgroups within the dataset differently. However, it can also be an individual bias when specific, unique cases are misrepresented due to the universal model's assumptions. This dual impact makes it crucial to address it in both broad and specific contexts to ensure fair and accurate AI system performance [108].

Learning Bias: Learning bias is when modeling choices amplify performance disparities across different examples in the data [109]. For example, an essential modeling choice that can lead to learning bias is the objective function that an ML algorithm learns to optimize during training. Typically, these functions encode some measures of accuracy for the task. However, issues can arise when prioritizing one objective over another, resulting in unintended consequences. For instance, minimizing cross-entropy loss when building a classifier may lead to a model with more false positives than desirable in various real-world scenarios. Learning bias can affect both individual and group levels [110]. At the individual level, this bias might result in a specific user's unique data being underrepresented or misclassified. At the group level, it can exacerbate disparities among different demographic groups if the training data reflects historical biases. This dual impact makes learning bias a critical issue in the development of AI systems in diverse applications.

Confirmation Bias: Confirmation bias in AIED emerges when AI systems inherently favor information or outcomes that affirm the pre-existing beliefs encoded within their algorithms or datasets. This can lead to a self-reinforcing loop where educational AI systems might perpetuate traditional teaching methods or curricula, overlooking innovative approaches that could benefit diverse learning styles [111, 112]. Addressing confirmation bias requires a critical examination of the underlying assumptions in AI models and the inclusion of diverse perspectives in the development process [113, 114]. Confirmation bias can manifest both as an individual bias and a group bias. At the individual level, it influences personalized learning recommendations and feedback, potentially reinforcing a student's pre-existing beliefs and preferences. At the group level, it can uphold systemic biases within educational institutions, preserving conventional practices and sidelining alternative educational methods that might benefit diverse student populations [115].

3.5.3 User-Interaction Related Biases

User Interaction-Related Biases in educational AI systems encompass biases that emerge from interactions between users (such as students and educators) and AI technologies. These biases can significantly influence the behavior and evolution of AI systems over time, potentially leading to unfair or discriminatory outcomes. Here, we delve into three primary types of user interaction-related biases: Interaction Bias, Stereotyping Bias, and Exclusion Bias, drawing on a range of studies to illuminate these concepts.

Interaction Bias: Interaction Bias arises when the user's engagement with the AI systems influences the system's learning and adaptation in a way that reinforces or introduces new biases. For example, in an AI-driven educational platform, if certain groups of students are more proactive in providing feedback or interacting with the system, the AI may evolve to better suit the needs and preferences of these groups, potentially neglecting others. This can lead to a feedback loop where the AI increasingly reflects the biases of its most active users. This bias can be both individual and group bias since it can affect individual interactions and amplify biases from specific user groups. Studies by [116] and [117] have explored how user interactions can shape AI behavior, highlighting the need for mechanisms to ensure diverse interactions are equally represented and valued in AI systems. Further, the work of [111] emphasizes the importance of transparency in AI systems to mitigate interaction biases, suggesting that users should be made aware of how their interactions influence AI behavior.

Stereotyping Bias: Stereotyping Bias in educational AI occurs when AI systems make assumptions based on generalized stereotypes, which can lead to discriminatory outcomes. For instance, an AI-based career counseling tool might suggest careers based on societal stereotypes, such as nursing for female students and engineering for male students. This not only reinforces harmful stereotypes but also limits individual students' potential by guiding them along biased paths. Research by [118] and [119] has demonstrated how machine learning models can amplify gender stereotypes. Efforts to combat stereotyping bias include the development of debiasing techniques and the promotion of inclusive design practices, as discussed by [120], who emphasizes the critical need for inclusive and equitable AI systems in education.

Stereotyping bias can affect both groups and individuals. On a group level, it reinforces societal stereotypes and systemic biases [12]. On an individual level, it limits

personal opportunities and choices based on biased AI outputs. According to [118], such biases can be perpetuated through training data that reflect historical inequities. Similarly [120], highlights the importance of addressing these biases to ensure fair treatment for all students.

Exclusion Bias: Exclusion Bias refers to the exclusion of certain groups due to the design, operation, or implementation of AI systems. In the context of educational AI, this might manifest in user interfaces, content, or interaction modalities that are not accessible to all students, such as those with disabilities or those from non-English-speaking backgrounds. Exclusion bias can prevent these students from fully engaging with and benefiting from AI-enhanced educational experiences. Research by [121] and [122] discuss the legal and ethical implications of exclusion in digital systems, highlighting the necessity for inclusive design. Moreover, studies by [123] and [124] emphasize the role of inclusive design in educational technology, advocating for the active involvement of diverse user groups in the design process to ensure that their needs and preferences are adequately represented [125]. Exclusion bias is primarily a group bias because it systematically affects entire groups of individuals who share certain characteristics, such as disabilities or language differences, rather than affecting individuals randomly. This kind of bias can reinforce existing inequities and limit opportunities for marginalized groups in educational settings.

4 Fairness in AI in Educational Settings

As we discussed various types of biases that exist in AI systems in the previous section 3, many studies have proposed various approaches to mitigate those biases and fairness notions and their metrics to measure fairness.

4.1 Notations

Let D be the binary classification dataset for a class attribute $Y = \{+, -\}$, such as $Y = \{\text{pass}, \text{fail}\}.$

Let A be a binary sensitive attribute, where $A \in \{a, \bar{a}\}$, e.g., A = "gender", with $A \in \{\text{female, male}\}$. In this context, a represents the discriminated or protected group, e.g., "female," and \bar{a} represents the non-discriminated or non-protected group, e.g., "male". The predicted outcome of the classification is denoted as $\hat{Y} = \{+, -\}$.

To further refine the notation and differentiate between groups and their outcomes:

- a^+ and a^- denote instances where the protected group (*e.g.*, females) are classified as positive (+) and negative (-), respectively.
- \bar{a}^+ and \bar{a}^- represent instances where the non-protected group (*e.g.*, males) are classified as positive (+) and negative (-), respectively.

The metrics True Positive (TP), False Negative (FN), True Negative (TN), and False Positive (FP) are used to evaluate the model's predictive accuracy. The function $f(\cdot)$ maps input features to the predicted outcomes, while $dY(\cdot)$ and $dX(\cdot)$ serve as distance metrics in output and input spaces, respectively. The Lipschitz constant L rescales input distances, and \hat{y}_i represents probabilistic classification outputs for

Notation	Definition			
Y	Class attribute with binary values $\{+, -\}$, representing the			
	positive and negative outcomes in model.			
A	Binary sensitive attribute with values $\{a, \bar{a}\}$, indicating mem-			
	bership in a protected or non-protected group.			
a	Protected group, the group that is safe against discrimination			
	by fairness constraints.			
ā	Non-protected group, the group that is not main focus of fair-			
	ness measures but is important for analysis.			
Ŷ	Predicted outcome by the model, aims to approximate the			
	true class attribute Y			
ТР	True Positive, where the model correctly predicts a positive			
	outcome.			
FN	False Negative, where the model incorrectly predicts a nega-			
	tive outcome for a positive case.			
TN	True Negative, where the model correctly predicts a negative			
	outcome.			
FP	False Positive, where the model incorrectly predicts a positive			
1'1	outcome for a negative case.			
$f(\cdot)$	Predictive model function, mapping input features to the pre-			
	dicted outcome.			
$dY(\cdot)$	Distance metric in output space, measuring similarity between			
	predicted and actual outcomes.			
$dX(\cdot)$	Distance metric in input space, quantifying the difference			
	between predicted and actual outcomes.			
L	Lipschitz constant, that rescales input distance between input			
	variables.			
\hat{y}_i	Probabilistic classification output for instance x_i			
x_j	Top k-nearest neighbors for x_i , used in fairness analysis to			
	evaluate local decision boundaries.			

Table 1: Notations

instances x_i . The notation x_j refers to the top k-nearest neighbors of x_i , important for analyzing local fairness at decision boundaries.

4.2 Fairness Notions

AI fairness in the educational context refers to the principle of ensuring that the use of AI systems and algorithms in educational settings does not lead to unfair or biased outcomes for students [12]. This section will discuss the two main fairness notions in education: individual fairness and group fairness, followed by the metrics to measure them in Section 4.3.

Individual Fairness: Individual fairness in education refers to the principle that students with similar academic abilities and educational backgrounds should receive similar treatment, regardless of their demographic characteristics. This fairness notion ensures that educational opportunities, resources, and outcomes are distributed equitably among students, rather than being influenced by factors such as race, gender, or socioeconomic status [126, 127]. For example, students who demonstrate comparable academic performance and have similar potential should have access to comparable educational resources, experiences, support, and outcomes, without any discrimination

or bias [128, 129]. Implementing IF in education can involve techniques like personalized learning, adaptive assessment, *etc.*, to address the unique needs and circumstances of each student [130].

Group Fairness: Group fairness in education refers to the principle that groups of students should be treated fairly, regardless of their individual characteristics. This approach aims to minimize disparities in educational opportunities, resources, and outcomes based on group membership, such as race, gender, or socioeconomic status [127, 131]. Group fairness measures in educational data mining and student prediction models focus on ensuring that the model's predictions or decisions do not systematically favor or disadvantage any particular group [130]. It is essential to ensure that these applications avoid inequitable outcomes and negative impacts on learning for certain groups of students [131].

4.3 Fairness Evaluating Resourses

In this section, we build on the fairness notions introduced in the previous Section 4.2 and further introduce its corresponding metrics. Specifically, we detail the mathematical equations employed to measure individual and group fairness of the model in an educational context and introduce a method for measuring the trade-off between model fairness and performance.

4.3.1 Individual Fairness

This concept emphasizes fairness at the individual level, ensuring that similar individuals receive similar outcomes, and it does not consider any sensitive attribute. While individual fairness offers a more granular approach to fairness, it is less commonly addressed in the literature compared to group fairness. Below are some metrics and definitions commonly used to evaluate individual fairness:

Distance-Based Individual Fairness: One prevalent approach to achieving individual fairness is through the use of distance-based metrics, which adhere to the Lipschitz condition. This condition stipulates that the distance between outcomes for any two individuals (*e.g.*, students) in the output space should not exceed their corresponding distance in the input space, typically adjusted by a scalar factor (*e.g.*, Lipschitz constant). The mathematical formulation of the Lipschitz condition is as follows:

$$d_Y(f(x_i), f(x_j)) \le L \cdot d_X(x_i, x_j) \tag{1}$$

where $f(\cdot)$ is the predictive model that gives the individual level output and $d_Y(\cdot)$ and $d_X(\cdot)$ are the distance metrics in the output and input space, respectively. L is the Lipschitz constant that rescales the input distance between x_i and x_j .

Existing work measures individual fairness based on the Lipschitz condition by measuring the average distance of the output between each individual and its k-nearest neighbors. Generally, a larger average distance indicates a lower level of individual fairness for the algorithm outputs.

$$1 - \frac{1}{n \cdot k} \left| \sum_{i=1}^{n} \hat{y}_i - \sum_{j=1}^{k} \hat{y}_j \right|,$$
 (2)

where \hat{y}_i is the probabilistic classification output for x_i , and x_j is the top k-nearest neighbors for x_i .

Ranking-Based Individual Fairness: Although the Lipschitz condition has been widely used as an individual fairness criterion, it could be problematic in realworld applications. Specifically, it bases fairness on the premise that similar inputs should yield similar outputs, gauged by absolute distances. However, this approach may not account for variations across individuals, nor does it easily accommodate comparisons between the distances in two different spaces due to scale differences, which makes the appropriate Lipschitz constant hard to determine. To this end, existing work aims to evaluate individual fairness through a ranking perspective. Specifically, it utilizes a similarity matrix S to represent pairwise similarities among individuals within the input space, leading to the generation of a ranking list R_1 for each individual that reflects their relative similarities to others. A corresponding ranking list R_2 , derived from similarities in the output space, allows for the assessment of fairness through comparison of the two lists. Ideally, achieving fairness means two ranking lists $(R_1 \text{ and } R_2)$ are the same for each individual. Nevertheless, such a criterion is hard to be satisfied. In practice, the average top-k similarity between R_1 and R_2 over all individuals is adopted to measure individual fairness, where Normalized Discounted Cumulative Gain (NDCG@k) [132] and Expected Reciprocal Rank (ERR@k) [133] are two common ranking similarity metrics, offering a practical way to measure individual fairness in ranking perspective.

4.3.2 Group Fairness

The concept of group fairness aims to ensure equitable outcomes across different demographic groups defined by sensitive attributes like race, gender, or age. We will discuss fundamental metrics and principles that underpin group fairness, using the "Student performance prediction" scenario as a case study [134].

Statistical Parity: Also known as Demographic Parity, this measure ensures that the distribution of outcomes across different demographic groups is equal within a specified tolerance ϵ [128]. For a classifier, achieving statistical parity means that the difference in the probability of favorable outcomes (\hat{Y}) between any two groups—denoted as a (protected) and \bar{a} (non-protected)—should not exceed ϵ :

$$P(\hat{Y}|A=a) - P(\hat{Y}|A=\bar{a}) \le \epsilon.$$
(3)

Statistical Parity is calculated as the difference in the probability of a positive predicted outcome for the protected group (a) versus that for the non-protected group (\bar{a}) :

Statistical Parity =
$$P(\hat{Y} = +|A = a) - P(\hat{Y} = +|A = \bar{a}).$$
 (4)

where the value of statistical parity ranges from [-1, 1]. An SP of 0 indicates no discrimination, values in the range (0, 1] suggest discrimination against the protected group (a), and values in [-1, 0) indicate reverse discrimination against the non-protected group (\bar{a}) .

Equal Opportunity: This concept focuses on fairness regarding positive outcomes in a binary classifier. It is defined such that the probability of a positive predicted outcome \hat{Y} should be the same for all groups with respect to a sensitive attribute A and the true outcome Y [135]:

$$P(\hat{Y} = + | A = a, Y = +) = P(\hat{Y} = + | A = \bar{a}, Y = +).$$
(5)

In simpler terms, both the protected (a) and non-protected (\bar{a}) groups should exhibit equal true positive rates (TPR), where TPR is defined as the ratio of true positives (TP) to the sum of true positives and false negatives (FN):

$$TPR = \frac{TP}{TP + FN} \tag{6}$$

This definition implies that a classifier should yield similar results for members of both groups who are actually in the "pass" class. A classifier that maintains equal false negative rates (FNR), where FNR is calculated as:

$$FNR = \frac{FN}{TP + FN} \tag{7}$$

will inherently possess equal TPRs as well. The measure of equal opportunity can be quantified by:

Equal Opportunity =
$$\left| P(\hat{Y} = -|Y = +, A = a) - P(\hat{Y} = -|Y = +, A = \bar{a}) \right|$$
. (8)

The value of equal opportunity ranges from 0 to 1, with 0 indicating no discrimination and 1 signifying maximum discrimination.

Equalized Odds: Equalized Odds [135] w.r.t the sensitive attribute A and class label Y, is defined based on the condition that the predicted outcome \hat{Y} and sensitive attributed A are independent, given the actual outcome Y. Specifically, the probabilities of true positive and false positive predictions should be identical across both protected and non-protected groups (a, \bar{a}) *i.e.*, female and male student groups. Formally, the condition for equalized odds is expressed as:

$$P(\hat{Y} = + | A = a, Y = y) = P(\hat{Y} = + | A = \bar{a}, Y = y), \text{ where } y \in \{+, -\}.$$
(9)

Based on this definition, the measurement of equalized odds can be formulated as follows:

Equalized Odds =
$$\sum_{y \in \{+,-\}} \left| P(\hat{Y} = + | A = a, Y = y) - P(\hat{Y} = + | A = \bar{a}, Y = y) \right|.$$
 (10)

The range of equalized odds is [0, 2], where a value of 0 indicates no discrimination and a value of 2 suggests maximum discrimination.

Predictive Parity: Predictive Parity is satisfied if both protected and nonprotected groups have an equal positive predictive value (PPV) or precision between protected groups, as follows [136].

$$PPV = \frac{TP}{TP + FP} \tag{11}$$

This denotes the probability of an individual predicted to "pass" actually belonging to the "pass" class. According to the principle of predictive parity, this probability should be identical for both the protected (*e.g.*, females) and non-protected (*e.g.*, males) groups. Formally, using the modified variables, this is represented as:

$$P(Y = +|\hat{Y} = +, A = a) = P(Y = +|\hat{Y} = +, A = \bar{a})$$
(12)

where the measure of predictive parity can be reformulated as:

Predictive Parity =
$$|P(Y = +|\hat{Y} = +, A = a) - P(Y = +|\hat{Y} = +, A = \bar{a})|$$
 (13)

where predictive parity ranges from 0 to 1, where 0 indicates the absence of discrimination and 1 signifies maximum discrimination. This redefined formula maintains the core objective of evaluating fairness in predictive models by ensuring that precision is consistent across both protected and non-protected groups, thereby fostering equality in decision-making processes.

Predictive Equality: Also referred to as False Positive Rate (FPR) balance, is aimed at ensuring the equality of decision accuracy across protected and non-protected groups [136, 137]. Specifically, it seeks to equalize the probability of individuals from a discriminated group (protected group) who are actually in the "fail" class but are incorrectly predicted to be in the "pass" class, with that of individuals from the non-discriminated group (non-protected group) [137]. Using the variables A for the sensitive attribute (*e.g.*, gender), a for the protected group (*e.g.*, females), and \bar{a} for the non-protected group (*e.g.*, males), the predictive equality can be defined as:

$$P(\hat{Y} = +|Y = -, A = a) = P(\hat{Y} = +|Y = -, A = \bar{a})$$
(14)

In practice, the measure of predictive equality is reported by the difference in False Positive Rates (FPRs) between the protected and non-protected groups:

Predictive Equality =
$$\left| P(\hat{Y} = +|Y = -, A = a) - P(\hat{Y} = +|Y = -, A = \bar{a}) \right|$$
 (15)

The value of predictive equality ranges from 0 to 1, where 0 indicates no discrimination, and 1 indicates maximum discrimination between the protected and non-protected groups. This metric is crucial for assessing fairness in binary classification tasks, ensuring that both groups are treated equally in terms of predictive errors.

4.3.3 Fairness Bonded Utility

The Fairness Bonded Utility (FBU) framework addresses the issue of finding a balance between model performance and fairness in machine learning. Striking the right balance between fairness and model performance is a challenging task. FBU tackles this issue by organizing the impacts of different fairness techniques into five clear levels of effectiveness. These scenarios can vary, with some resulting in improvements in both fairness and performance, while others may lead to a decrease in both. The categorization is determined by assessing the fluctuation in model performance when different fairness techniques are applied. These variations are then presented visually on a two-dimensional coordinate system.

Within the FBU framework, a two-dimensional coordinate system is utilized to illustrate the correlation between model performance and fairness, as shown in graph (a) in Fig. 2. This requires the creation of pseudo-models N_{β} , where β , represents various ratios at which the original model's predictions are replaced with a constant output label, ranging from 10% to 100%. This substitution aims to simulate different levels of fairness interventions, with the idea that increasing the number of replaced predictions should ideally improve fairness, even if it may impact accuracy.

The trade-off baseline, a fundamental concept in FBU, employs the principle of zero-normalization. This principle aims to reduce bias by ensuring that all individuals are assigned the same label, even if it may impact performance. Through the application of this principle, several pseudo-models (a variety of different proportions) are generated, each substituting a different value β . N_{β} compare the original model's predictions with the same output label. The baseline is demonstrated by connecting points obtained from the original model and the pseudo-models, revealing the balance between fairness and performance as more predictions are systematically substituted.

FBU divides the impact of bias mitigation techniques into five effectiveness levels (see in graph (b) Fig. 2):

- Level 1: Jointly Advantageous, a technique belongs in this level if it improves both model performance and fairness relative to the trade-off baseline.
- Level 2: Impressive, technique in this level enhances either model performance or fairness compared to the trade-off baseline, making it overall better than the trade-off baseline.
- Level 3: Reversed, if a technique improves model performance but leads to a decrease in fairness.
- Level 4: Deficient, it leads to a decline in either model performance or fairness compared to the baseline, making it overall worse than the trade-off baseline.
- Level 5: Jointly Disadvantageous, describing techniques that reduce both performance and fairness, representing the least favorable outcome.



Fig. 2: Visualizations of the Fairness Bonded Utility (FBU)

The quantitative evaluation in FBU focuses on the "Impressive" region, measuring the area enclosed by the fairness-performance points relative to the baseline to determine the trade-offs' desirability. Larger areas indicate more favorable trade-offs, allowing for a fair comparison of bias mitigation techniques based on their effectiveness in balancing fairness and performance, even when the baseline exhibits curvature.

By providing a clear, quantifiable framework for assessing the impact of fairness techniques on model fairness and performance, FBU simplifies the decision-making process for selecting the most appropriate fairness technique. This comprehensive approach enables a nuanced understanding of the trade-offs involved, facilitating a more informed and sophisticated approach to achieving fairness in machine learning applications [25].

4.4 Approaches to Improve Fairness

In order to address the aforementioned problems and biases (as outlined in Section 3.5), researchers and practitioners have proposed various approaches to mitigate bias in AI. These approaches include pre-processing, in-processing, and post-processing techniques [12], [138]. Each method addresses distinct parts of the modeling pipeline, giving developers a toolset to improve AI fairness as well as enhance fairness in AI tools, This section examines ways for mitigating bias (see Fig. 3).

4.4.1 Pre-Processing

Pre-processing techniques are aimed at identifying and reducing bias in the dataset before it is used to train an AI model [12]. These techniques are particularly important in educational settings, where data might reflect historical or societal biases that could lead to unfair outcomes when used by AI systems. The following are key pre-processing techniques used to enhance fairness:

Re-weighing: Reweighting is a crucial strategy employed in educational environments to enhance the fairness of AI models. This technique involves modifying the weights assigned to instances within datasets, so guaranteeing that student groups, particularly those that have historically been underrepresented, are accorded equal

significance during the training process of the model. The utilization of this approach is crucial in mitigating biases existing in educational data, hence facilitating a more equitable portrayal of heterogeneous student cohorts. In their study [139], Calmon and others introduced a reweighting methodology that effectively addresses the issue of bias reduction while maintaining the usefulness of the data. They formulated this approach as an optimization problem. The equilibrium is crucial in educational settings, where the objective is not alone to properly forecast results but also to guarantee impartiality and equality among different student populations. Additional research, exemplified by [140], highlights the importance of reweighting in reducing prejudiced biases in the processing of educational data. This, in turn, fosters the development of more inclusive and fair AI applications in the field of education. Hajian and Domingo-Ferrer (2013) emphasize the efficacy of the method in improving the equity of educational predictive models, hence emphasizing its capacity to cultivate an educational milieu that prioritizes diversity and equality.

Resampling: In the context of educational AI applications, resampling approaches are of paramount importance in mitigating dataset discrepancies and promoting equitable representation among a wide range of student demographics. The objective of these strategies is to enhance the balance of datasets for predictive modeling in the field of education by either oversampling minority groups or undersampling dominant groups. This methodology holds significant importance in various contexts, including the prediction of student performance, admission procedures, and the identification of kids at risk. In these circumstances, the presence of skewed data has the potential to result in inequitable outcomes. The efficacy of resampling in mitigating bias in educational data mining and enhancing fairness in automated decision-making is exemplified in a study conducted by [140]. In a similar vein, [141] employed resampling techniques to forecast student achievement rates in digital educational environments, emphasizing its capacity to augment the precision and equity of predictive models. Resampling approaches are used to modify the representation of various student groups in order to prevent AI models in education from perpetuating existing disparities. This, in turn, promotes equal educational opportunities for all students. Resampling techniques, including oversampling and undersampling, aim to correct imbalances in datasets by adjusting the representation of various groups to promote fairness in AI models:

Over Sampling: Oversampling techniques such as the Synthetic Minority Oversampling Technique (SMOTE) and Generative Adversarial Networks (GANs) play a crucial role in addressing class imbalances related to student demographics and learning outcomes. SMOTE, introduced by [142] and GANs, conceptualized by [143], are particularly beneficial for creating balanced datasets that accurately represent diverse student groups. SMOTE generates new examples within the minority class by interpolating between existing instances, thereby enriching the dataset with a broader representation of underrepresented student populations. On the other hand, GANs use a competitive network framework to create synthetic data that mirrors the minority class, offering a novel approach to augmenting datasets without merely duplicating instances.

These oversampling methods are instrumental in educational settings where the equitable representation of all student groups is vital for developing fair and effective predictive models. For instance, in predicting student success, these techniques can help ensure that models are trained on data that adequately represents students from various backgrounds, thus avoiding biases against underrepresented groups [144]. However, the application of these methods must be approached with caution due to potential challenges such as overfitting and the accurate reflection of intra-group diversity. Ensuring that synthetic instances generated through SMOTE or GANs genuinely represent the complexity of minority groups is critical for maintaining both the fairness and accuracy of predictive models in education [140]. The strategic use of oversampling in educational data science necessitates careful validation and a nuanced understanding of how synthetic data impacts model performance and fairness. By meticulously implementing and evaluating these techniques, educators and data scientists can significantly improve the inclusivity and effectiveness of educational AI applications.

Under Sampling: Under-sampling techniques, notably Random Under Sampling (RUS) and the NearMiss algorithm, play a pivotal role in rectifying class imbalances within educational data. These strategies aim to neutralize the overrepresentation of majority classes, thereby facilitating the development of unbiased educational models. RUS simplifies the process by randomly removing instances from the majority class [145], whereas NearMiss adopts a more strategic approach, selecting instances close to the minority class to ensure the data retained is most useful for training. Such methodologies are indispensable for constructing predictive models in education that impartially forecast student outcomes, ranging from dropout risks to underperformance identification, without favoring more prevalent classes [146].

However, the application of under-sampling presents notable challenges, particularly the risk of losing significant information when majority class instances are eliminated. This loss could result in models that, despite being balanced, fail to comprehensively represent the diverse range of student performances and characteristics, potentially undermining the model's effectiveness and fairness [147, 148]. Therefore, in educational settings, the deployment of under-sampling strategies demands careful consideration and evaluation. It is crucial for educators and data scientists to strike an optimal balance between fairness and accuracy, ensuring that the models not only promote equitable educational outcomes but also retain a detailed insight into student behaviors and achievements [149, 150].

4.4.2 In-processing Techniques

In-processing techniques involve modifying the learning algorithms to incorporate fairness constraints, ensuring that the resulting models make fair decisions across different groups [12]. These techniques are diverse, ranging from regularization methods to adversarial debiasing, and are crucial for developing equitable AI systems in education.

Regularization Methods: Regularization techniques introduce a penalty term to the model's loss function, which aims to minimize prediction error and mitigate bias within the model. This approach is highly beneficial in AIED systems to ensure equitable performance among diverse student groups. Few pioneers introduced



Fig. 3: The Overall Architecture of The Algorithm Fairness

a fairness-aware regularizer that mitigates predictions leading to unequal opportunities, thereby ensuring balanced model performance across different demographic groups [151]. This concept was further expanded by [152], who developed a multifaceted regularization framework that simultaneously addresses various aspects of fairness, enhancing the robustness of AIED systems against biases.

Constraint-based Optimization: In educational data analysis, constraint-based optimization applies fairness as a concrete constraint within the optimization problems solved by machine learning algorithms. This method explicitly incorporates fairness criteria, such as ensuring equitable treatment across different demographic groups (*e.g.*, gender or ethnicity) in student performance predictions or admissions processes. Zafar in [153] introduced a groundbreaking approach by embedding fairness constraints into convex optimization problems, thus allowing the development of models that uphold fairness without significantly sacrificing accuracy. This technique ensures that predictive models in education do not perpetuate or exacerbate existing disparities among student groups.

Further extending this approach, Donini and others in [154] proposed a kernelbased optimization framework capable of integrating multiple fairness constraints. This advancement has significantly enhanced the flexibility and applicability of constraint-based optimization, making it possible to address complex fairness issues in AI models used in education. For instance, these models can be employed to ensure that predictive analytics tools used for student success forecasting or resource allocation are fair and unbiased across different student demographics.

In the context of education, implementing these optimization techniques can lead to more equitable educational technologies. For example, Grgić-Hlača and others demonstrated the use of constraint-based optimization to mitigate biases in automated essay scoring systems, ensuring fair treatment across students from various backgrounds [155]. Similarly, Saleiro applied these principles to develop a fair early warning system for identifying students at risk of dropping out, highlighting the method's potential to foster equity in educational outcomes [156].

Adversarial Debiasing: Adversarial debiasing in the educational context entails the use of an innovative methodology aimed at constructing equitable and impartial predictive models. The approach employed in this study employs a dual-model framework, wherein the primary model is responsible for forecasting educational outcomes, such as student performance or admission decisions. Simultaneously, a secondary model, referred to as the adversary, is designed to predict sensitive attributes, such as race or gender, based on the predictions generated by the primary model. The objective is to enhance the core model in a manner that prevents the opponent from utilizing its predictions to precisely deduce sensitive qualities, hence guaranteeing impartial and fair educational predictions. In their study, Wang and Cadamuro utilized this methodology to mitigate racial prejudice in predictive models for student success, showcasing its capacity to generate more equitable educational forecasts [25]. This methodology is consistent with the ideals of equity in the field of educational data science, promoting the use of models that promote fair outcomes among various student populations. Smith and Neff investigated the use of adversarial debiasing to reduce gender bias in online course suggestions [157]. They emphasized the adaptability of this approach in many educational contexts. The aforementioned findings underscore the efficacy of adversarial debiasing in fostering equity and mitigating bias within educational environments, hence facilitating the development of educational technologies that are more inclusive and impartial.

4.4.3 Post-Processing Techniques

Post-processing techniques in AI involve adjusting the output of already trained models to meet certain fairness criteria. These techniques are particularly useful when modifying the training data or the learning algorithm itself is not feasible [12]. In the context of AIED, post-processing is crucial for ensuring that AI-driven educational tools do not perpetuate or exacerbate existing inequalities among learners. This section delves into various post-processing approaches to enhance fairness in AI models used within educational settings.

Threshold Adjustment: In the realm of threshold adjustment for postprocessing in AI, several methodologies aim to enhance fairness in educational systems. A notable approach is proposed by [158], where fairness constraints are integrated into ranking algorithms, applicable for post-processing adjustments. This is crucial for educational AI systems that rank students and resources, ensuring fairness in the ranking process. Similarly, [159] introduces an optimization-based strategy for adjusting decision thresholds in machine learning models to meet specific fairness objectives, such as equitable student evaluations or resource distribution. These methods align with the foundational principles outlined by [160] in their work on achieving demographic parity through threshold adjustments, emphasizing the need for careful calibration to maintain the balance between fairness and model accuracy. Collectively, these studies underscore the importance of meticulous threshold adjustment in educational AI systems to promote equitable outcomes without compromising the integrity of the models predictions.

Outcome Perturbation: Outcome perturbation, a method that introduces noise to a model's predictions to mitigate biases, can be significantly enhanced by the

methodologies presented by [161] and [162]. Johndrow and Lum's algorithm, originally designed for race-independent recidivism prediction, offers a blueprint for obscuring sensitive information in predictions, making it adaptable for educational AI systems to reduce biases without compromising outcome utility. Similarly, Feldman and others approach to certifying and removing disparate impacts provides a systematic way to measure and mitigate bias through outcome perturbation, ensuring that educational AI predictions do not disproportionately disadvantage any student group. Together, these methodologies underscore the potential of outcome perturbation to maintain fairness in AI-driven educational settings, while also preserving the privacy and integrity of individual data points through techniques like differential privacy.

5 Ethical Considerations and Frameworks in AI for Education

This section explores the ethical dilemmas linked to the utilization of AI in education, emphasizing the need for AI specialists to possess a profound ethical comprehension. The subject matter encompasses ethical quandaries such as prejudice, equity, confidentiality, and the social ramifications of AI technology. Furthermore, it provides a thorough examination of worldwide standards, rules, and ethical frameworks that seek to lead the advancement and integration of artificial intelligence in the field of education towards more ethical, fair, and inclusive approaches, as outlined in the accompanying table.

5.1 Ethical Dilemmas

It is very crucial to acknowledge that the dilemmas in AIED are not solely technical but also profoundly ethical. The ethical education in AI involves instilling a deep understanding of the societal impacts of AI technologies. One of the central ethical dilemmas is the bias and fairness in AI algorithms. As highlighted in [98], algorithms can perpetuate or even exacerbate existing societal biases if not carefully designed and scrutinized. This raises the need for AI education to incorporate critical thinking about the ethical design and deployment of AI systems.

Privacy and data protection are other significant ethical concerns. With AI systems often trained on vast datasets, including personal information, there is a pressing need to educate future AI professionals about data ethics, consent, and privacy laws [163]. Moreover, the potential for AI to automate jobs and impact employment introduces ethical considerations regarding the responsible development and implementation of AI technologies, emphasizing the need for AI education to address the societal implications of AI [164].

The challenge of ensuring ethical AI education also extends to the development of AI systems that are transparent, explainable, and accountable. As [165] argues, there is an urgent need for AI systems to be understandable by humans, not only to foster trust but also to ensure that decisions made by AI systems can be scrutinized and challenged. This necessitates an educational focus on the interpretability of AI models and the ethical implications of opaque, "black-box" systems.

5.2 Guidelines, Policies, and Ethical Frameworks

The landscape of guidelines, policies, and regulations for AIED reflects a growing global commitment to ethical, equitable, and inclusive AI practices. UNESCO's recommendations on the ethics of AI and its guidance for policy-makers emphasize the importance of transparency, accountability, and inclusiveness, urging stakeholders to consider the ethical implications of AI in educational settings. The European Commission's ethics guidelines for trustworthy AI propose a set of key requirements for AI systems, including fairness and non-discrimination, which are crucial for educational technologies. The UK's national AI strategy highlights ethical AI use, with a focus on fairness and bias reduction in education. The IEEE's ethical standards and the OECD's AI Principles both advocate respect for learner rights and the inclusion of diverse perspectives in AI development for education. The Montreal Declaration and the ITU's AI for Good initiative further stress the need for AI to promote wellbeing, respect autonomy, and advance equitable education for all. Collectively, these documents form a comprehensive framework aimed at guiding the responsible development and deployment of AI in educational contexts, ensuring that these technologies support equitable learning opportunities and outcomes(see Table 2).

Type	Document Title	Country	Year	
Ethical Guidelines	UNESCO's recommendations on	UNESCO	International	2019
	the ethics of AI			
Policy Framework	AI in education: Guidance for	UNESCO	International	2020
	policy-makers			
Regulation	Ethics guidelines for trustworthy	European	European	2019
	AI Commiss		Union	
National Strategy	National AI strategy	UK Govern-	United	2021
		ment	Kingdom	
Ethical Standards	AI and ethics in education	IEEE Stan-	International	2020
		dards		
		Association		
Policy Guidelines	AI Principles	OECD	International	2019
Ethical Frame-	Montreal declaration for a respon-	Université de	Canada	2018
work	sible development of Artificial	Montréal		
	Intelligence			
Regulatory Guide-	Regulatory Guide- AI for Good		International	Ongoing
lines				

Table 2: Guidelines, policies, and regulations addressing fairness in AIED

6 Tools and Datasets

This section explores various tools and datasets that are used for mitigating bias in educational settings.

6.1 Tools

Numerous tools and frameworks have emerged to assist researchers and practitioners in recognizing and resolving biases in AI models and datasets. Presented below is

a compilation of frequently utilized tools in the field of AIED for identifying and addressing bias:

AI Fairness 360 (AIF360)⁵: Developed by IBM Research, AI Fairness 360 is an extensible open-source toolkit designed to help researchers and practitioners detect, understand, and mitigate bias in machine learning models. It includes a comprehensive set of metrics for datasets and models to test for biases, along with algorithms to mitigate bias in machine learning pipelines [166].

Fairlearn⁶: Fairlearn is a Python package that aims to empower data scientists and developers to assess and improve the fairness of their AI systems. It provides algorithms to mitigate unfairness in supervised machine learning models and tools to evaluate the models for fairness issues [167].

TensorFlow Fairness Indicators⁷**:** TensorFlow Fairness Indicators is an opensource library that enables easy computation of commonly-identified fairness metrics for binary and multi-class classifiers. It is designed to help users evaluate their models' performance across different groups, especially in large-scale machine learning workflows [168].

What-If Tool⁸: The What-If Tool (WIT) is an interactive visual interface designed by Google for probing machine learning models. It allows users to analyze how changes to the input data points or the model itself can affect the model's predictions, providing insights into the model's performance across different groups [169].

FairTest⁹: FairTest is a tool aimed at uncovering unwarranted associations between an application's outcomes (*e.g.*, predictions of an AI system) and sensitive attributes (*e.g.*, race or gender). It provides developers with investigative tools to discover and debug biases [170].

FairML¹⁰: FairML offers a Python-based solution for evaluating bias in machine learning models. This comprehensive toolkit measures the importance of each input in the model. By utilizing model compression and four distinct input ranking methods, FairML determines how much a model relies on specific inputs for its predictions. This information can be instrumental in gauging the model's fairness and visualizing the independence of features [171].

Aequitas¹¹: Aequitas is an open-source bias and fairness audit toolkit for machine learning researchers to detect machine learning models to bias and discrimination. Aequitas is often used in Binary Classification and contains 13 descriptions of bias metrics. Most of the metrics are described in the confusion matrix section.

6.2 Datasets

Various datasets are frequently employed in research pertaining to the identification and reduction of bias, providing valuable insights into a wide range of educational settings and student engagements. These datasets aid in detecting biases associated

⁵https://aif360.res.ibm.com/ ⁶https://fairlearn.org/

⁷https://www.tensorflow.org/responsible_ai/fairness_indicators/guide

⁸https://pair-code.github.io/what-if-tool/

⁹https://fairtest.org/

¹⁰https://github.com/adebayoj/fairml

¹¹http://aequitas.dssg.io/

²⁵

with demographics, performance, and engagement, hence enabling the creation of AIdriven educational systems that are more inclusive and successful (see Table 3). Below are several noteworthy datasets:

Trends in International Mathematics and Science Study (TIMSS): This dataset includes international assessments of math and science knowledge of fourth and eighth graders, along with extensive background data on students, teachers, and schools. TIMSS provides a basis for examining fairness in AI applications across different educational systems and cultures [172].

Programme for International Student Assessment (PISA): Conducted by the OECD, PISA assesses the educational performance of 15-year-olds in reading, mathematics, and science across various countries. The dataset includes background information, allowing for the analysis of fairness across different national and socioeconomic contexts [173].

National Education Longitudinal Study (NELS:88): This dataset stems from a United States study that began in 1988, tracking students' educational experiences and outcomes over time. It includes a wide range of variables such as academic performance, socioeconomic status, and school characteristics, making it suitable for fairness analysis in educational predictions [174].

EdNet: EdNet is a large-scale hierarchical dataset of student interactions with an AI tutoring service, containing detailed traces of more than 100 million interactions. It's used for studying personalized learning and fairness in educational recommendations [175].

Education Longitudinal Study of 2002 (ELS:2002): A longitudinal study that follows students who were in 10th grade in 2002 through their secondary and post-secondary years. The dataset includes information on student achievement, school experiences, and transitions to college and work [176].

Integrated Postsecondary Education Data System (IPEDS): A system of surveys collecting information from every college, university, and technical and vocational institution that participates in the federal student financial aid programs in the United States [177].

Common Core of Data (CCD): A comprehensive, annual, national database of all public elementary and secondary schools and school districts, which includes information on school demographics, enrollment, and teacher counts [178].

KDDCUP 20157: This data set was used in the KDDCUP competition in 2015 [179]. It includes all students' learning activities on the Xuetang platform in 2015, combining 39 courses which enrol 180785 students. The goal is to predict student dropouts. The KDDCUP2015 data set can be used to test sensitive attributes of gender.

OULAD (The Open University Learning Analytics dataset): The OULAD dataset is an internationally publicly available learning analytics data set [180]. The dataset contains data from 2013 to 2014 about courses, students, and their interactions with the virtual learning environment for seven selected courses. The target is to predict the students' learning scores. The OULAD dataset can be used to test gender or disability discrimination.

Dataset	Domain	#Samples	#Features	Fairness Goal	sensitive attributes
TIMSS [172]	Int. Ed. Assess- ment	>300,000	>200	Group fairness	Country (multiple), gender (2), educational resources (multiple)
PISA [173]	Int. Ed. Assess- ment	>500,000	>600	Group fairness	Country (multiple), gender (2), socio-economic background (multi- ple)
NELS:88 [174]	Longitudinal Ed. Study	>25,000	>1,000	Both group and indi- vidual fairness	Race (multiple), gender (2), SES (multiple)
EdNet [175]	AI Tutoring Sys- tems	>100M interactions	300	Individual fairness	Various (multiple)
KDDCUP 2015 [179]	Online Learning Analysis	180,785	210	Individual fairness	Gender (2)
OULAD [180]	Online Learning Analysis	Varies	6	Individual fairness	Gender (2), disability (2)
TutOR [181]	ITS Analysis	Varies	150	Individual fairness	Age (multiple)
MOOCdb [182]	MOOCs Analysis	Varies	22	Individual fairness	Location (multiple), educational background (multiple)
CMU DataShop [183]	ITS Analysis	Varies	500	Individual fairness	Various (multiple)
LAK [184]	Ed. Research	Varies	100	Individual fairness	Educational level (multiple), disci- pline (multiple)
CBT [185]	Reading Comp. Analysis	Varies	50	Individual fairness	Age (multiple)
ASSISTments [186]	Online Tutoring Analysis	>100,000 interactions	200	Both group and indi- vidual fairness	Socio-economic status (multiple), gender (2)
CCD [178]	U.S. Public Ed. Analysis	>100,000 schools	>500	Group fairness	Race (multiple), ethnicity (mul- tiple), English proficiency (multi- ple), disability status (multiple)
IPEDS	Post-secondary Ed. Analysis	>7,000 institutions	>200	Both group and indi- vidual fairness	Race (multiple), gender (2), finan- cial aid status (multiple)
ELS:2002 [176]	Longitudinal Ed. Study	15,000	>1,000	Both group and indi- vidual fairness	Race (multiple), gender (2), SES (multiple), school type (multiple)

Table 3: Datasets Used in Fairness and Bias Research in Education

TutOR: This dataset is collected from an Intelligent Tutoring System (ITS) and includes information on students' ages and prior knowledge levels. It is particularly useful for developing and evaluating adaptive learning systems [181].

MOOCdb: Derived from Massive Open Online Courses (MOOCs), this dataset contains information on students' locations, educational backgrounds, and interaction patterns. It is suited for learning analytics (LA) and clustering analyses to understand engagement and learning behaviors across diverse educational backgrounds [182].

CMU DataShop: Hosted by Carnegie Mellon University. This repository contains datasets from various ITSs, covering a wide range of variables. It supports diverse research in AIED, from student modeling to the evaluation of instructional strategies [183].

LAK Dataset: Originating from the Learning Analytics and Knowledge conference, this dataset encompasses data on educational levels and disciplines, suitable for network analysis and learning analytics research to uncover patterns and insights in academic performance and behaviors [184].

CBT (Computer-Based Tutoring): The CBT dataset focuses on reading levels and includes data on students' ages. It is especially suited for natural language processing (NLP) and content analysis to study reading comprehension and literacy development [185].

ASSISTments: This dataset originates from the ASSISTments online tutoring platform and includes detailed student interaction data. It is valuable for examining the impact of socio-economic status and gender on student performance, especially in the context of educational data mining (EDM) and predictive modeling [186].

7 Challenges and Future Directions

Despite the large number of approaches and metrics that are available in the literature, there are still many gaps in this field of study. The primary barriers to algorithmic fairness research are listed in this part to provide an overview of possible future research topics.

Personalization Versus Data Privacy: Given the widespread use of personalized learning, there is a need for more research on how artificial intelligence may be most effectively utilized to promote personalized learning. This includes tasks such as proposing learning materials tailored to individual learners and providing guidance in problem-solving [187]. However, to provide customized experiences, AI model training necessitates using large-scale learner data, which may include extremely sensitive information. Occasionally, models unintentionally retain training data that contains sensitive information, which becomes exposed during the analysis of the model. Nevertheless, the full capabilities of a machine learning model can only be actualized via the examination of learners' data [188]. Due to the inability of most existing models to ensure that their output can be applied to different learners beyond specific individual characteristics, as well as the potential risk to learners' data and the negative impact on the acceptance of AI in society, it is necessary to restrict instructors' access to learners' data in order to limit learners' exposure to instructors' knowledge appropriately. Educational institutions should practice transparency about student data privacy to address any misconceptions and concerns related to data use.

Data-Related Challenges: The challenge of biased data stands as a formidable barrier to achieving fairness. AI systems are inherently shaped by the historical data on which they are trained, data that often mirrors the prejudices and societal inequities of the real world. This reality manifests starkly in educational contexts, where datasets may underrepresent minority groups or encapsulate biased assessments of student capabilities, thus fostering a cycle where biases are not only perpetuated but amplified. The consequences of leveraging such skewed datasets are significant, impeding the AI's learning efficacy and its capacity to render impartial decisions, thereby exacerbating the challenge of ensuring equitable educational outcomes [98, 189]. To confront this issue, a pivotal future direction involves the meticulous curation of representative and comprehensive datasets. This task necessitates a concerted effort to integrate diverse demographic groups and neutralize the historical biases ingrained in educational data. Approaches like participatory data collection, where input from a wide array of stakeholders enriches dataset development, emerge as essential strategies. Furthermore, adopting data augmentation and creating synthetic data stand as innovative methods to infuse diversity into training sets, thereby diminishing the potential for biased AI outputs and steering the path towards more equitable AI applications in education [190].

The Definition and Measurement of Fairness: The multifaceted concept of fairness in AI presents a formidable challenge, as it defies a one-size-fits-all definition, varying significantly across cultural, social, and individual dimensions. This variability complicates the translation of abstract fairness ideals into quantifiable metrics that can effectively guide the development and evaluation of AI systems, leading to a lack

of consensus on appropriate fairness metrics within diverse contexts [191]. Addressing this ambiguity demands a dual approach. First, the development of standardized fairness metrics, specifically tailored to fit the educational sector, emerges as a critical need. Such standardization requires an interdisciplinary effort, combining insights from ethics, sociology, computer science, and educational theory to capture the complexity of fairness in educational settings. Second, adopting contextual approaches to fairness—where metrics are dynamically adjusted to fit the unique characteristics of specific educational contexts and their respective populations—offers a pathway to more relevant and impactful fairness interventions. This approach acknowledges the contextual nature of fairness, ensuring that AI applications are evaluated and refined in alignment with the nuanced realities of their intended settings [113].

Trade-offs Between Fairness and Accuracy: The trade-off between fairness and accuracy is a fundamental difficulty in the field of AI applications in educational settings. The problem stems from the necessity to provide fair results among varied student demographics while upholding the accuracy of forecasting algorithms. The presence of trade-offs frequently requires making concessions that can substantially impact the effectiveness and ethical integrity of educational AI systems. The issue of reconciling fairness with performance measurements is of utmost importance, especially considering the significant consequences of AI-driven judgments in the field of education. The future trend is towards the advancement of algorithms that consider fairness and strategies for optimizing several objectives. The objective of these developments is to include fairness issues exclusively in the optimization process of the model, hence diminishing the need to make concessions on accuracy. The objective of employing these novel modeling methodologies is to balance fairness and performance, enabling AI systems in the field of education to provide impartial conclusions while maintaining their predictive capacities. The aforementioned strategy tackles the immediate technological obstacles and corresponds with the wider ethical obligation to cultivate fair and impartial educational settings by utilizing artificial intelligence [137].

Digital-divide: The digital divide poses a significant challenge in the integration of AI in education, as highlighted by several sources [192]. The study [193] highlights how the lack of access to digital infrastructure, devices, and internet connectivity can exacerbate existing inequalities, particularly in developing countries like Pakistan. emphasizes the need to bridge this digital divide in physiotherapy education specifically. To address this issue, future directions should focus on ensuring equitable access to technology and digital resources. Providing necessary gadgets, internet access, and training can help mitigate the digital divide's impact on students' performance [194], recommends enhancing communication competence through targeted awareness campaigns and infrastructure development. Moreover, it underscores the importance of ethical considerations, such as data privacy and addressing biases, in developing and implementing AI-powered educational solutions. Collaboration between stakeholders, including government, industry, and civil society organizations, is crucial for sustainable change [195].

Teacher and Student Adoption: The adaptation of teachers and students to AI in education is a complex challenge that necessitates targeted strategies to ensure

successful implementation. Research underscores the importance of developing adaptive learning systems that align with individual learning styles and needs, necessitating comprehensive teacher training on the effective use of AI tools and their integration into pedagogical practices [196]. Interactive language programs and virtual learning platforms offer personalized learning experiences; however, teachers need to be adept at guiding students through these technologies to maximize their potential [197]. Additionally, the impact of students' metacognitive awareness on their engagement with AI tools like ChatGPT highlights the importance of providing customized support and training to foster effective utilization [198].

Future initiatives should include the establishment of extensive training programs for both educators and students, which could encompass workshops, online resources, and collaborative learning communities [199]. These resources would facilitate the sharing of best practices and collaborative problem-solving to address emerging challenges. Moreover, the integration of emotionally aware AI systems could significantly enhance classroom interactions by providing real-time feedback based on non-verbal cues [200]. Nevertheless, the implementation of such technologies must also consider ethical issues, including data privacy and the mitigation of biases, to prevent unintended consequences.

8 Conclusion

This comprehensive survey paper delves into the concepts of fairness, bias, and ethics in the realm of AI applications in education. It offers a critical perspective on the evolution of AIED from basic computer-assisted instructions to advanced adaptive learning systems. The paper emphasizes the significance of adopting a multidisciplinary approach to address the complex challenges of ensuring fairness in educational AI, including data-related, algorithmic, and user-interaction biases. Through a thorough examination of existing literature and frameworks, it not only highlights technical obstacles like the trade-off between fairness and accuracy and the lack of diverse datasets but also navigates the ethical quandaries associated with the implementation of AI in educational settings. By outlining future pathways, such as the creation of comprehensive fairness frameworks and the promotion of global cooperation, this study underscores the continuous demand for innovative solutions that harmonize technical efficiency with ethical obligations. It advocates a collaborative endeavor involving researchers, practitioners, and policymakers to leverage the potential of AI in enriching educational opportunities while preventing the perpetuation of disparities, thereby ensuring a responsible and fair integration of AI technologies in educational environments.

References

 Luckin, R., Cukurova, M.: A brief history of artificial intelligence in education. International Journal of Artificial Intelligence in Education 32(2), 155–175 (2022)

- [2] Full Estop: Personalized Learning: How AI Is Shaping the Future of Education (2024). https://www.fullestop.com/blog/ personalized-learning-how-ai-is-shaping-the-future-of-education
- [3] Daugherty, P.R., Wilson, H.J.: AI fairness isn't just an ethical issue. Harvard Business Review (2020)
- [4] Review, T.P.: The Evolution of Education: How AI is Reshaping Grading (2024). https://www.princetonreview.com/ai-education/how-ai-is-reshaping-grading
- [5] DataScienceCentral.com: Automated Grading Systems: How AI is Revolutionizing Exam Evaluation (2024). https://www.datasciencecentral.com/ automated-grading-systems-how-ai-is-revolutionizing-exam-evaluation/
- [6] Davis, R.: How AI is Revolutionizing Grading: The Case of Top Marks AI (2024). https://www.topmarks.ai/how-is-ai-used-for-grading
- [7] Montgomery County Intermediate Unit: Addressing Ethical Considerations When Using AI in K-12 Classrooms (2024). https://learn.mciu.org/ addressing-ethical-considerations-when-using-ai-in-k-12-classrooms/
- [8] Baker, R.S.: The intertwined histories of artificial intelligence and education. International Journal of Artificial Intelligence in Education 32(1), 1–25 (2022) https://doi.org/10.1007/s40593-022-00313-2
- [9] Montgomery County Intermediate Unit: AI-Powered Tools: Automating eLearning Assessments For The Future (2024). https://elearningindustry.com/ ai-powered-tools-automating-elearning-assessments-for-the-future
- [10] Culican, J.: Understanding the Ethical Implications of AI in Education (2024). https://www.linkedin.com/pulse/ understanding-ethical-implications-ai-education-jamie-culican
- [11] Paschall, T.: How can you use artificial intelligence in multilingual e-learning? (2024). https://www.linkedin.com/advice/1/ how-can-you-use-artificial-intelligence-lzgnc
- [12] Ferrara, E.: Fairness and bias in artificial intelligence: A brief survey of sources, impacts, and mitigation strategies. Sci 6(1), 3 (2023) https://doi.org/10.3390/ sci6010003
- [13] Porayska-Pomsta, K., Luckin, R.: Issues with Data, Bias and Fairness. Pressbooks, ??? (2022). https://pressbooks.pub/aiforteachers/chapter/ issues-with-data-bias-and-fairness/
- [14] Perrotta, C.: Algorithmic Bias and Fairness in Education: A Very Brief Primer (2024). https://der.monash.edu/

algorithmic-bias-and-fairness-in-education-a-very-brief-primer/

- [15] Zhang, J., Zhu, L., Zhu, X., Cheng, Y., Zhu, Y., Zhu, X.: Grading by ai makes me feel fairer? how different evaluators affect college students' perception of fairness. Frontiers in Psychology 15, 1221177 (2024)
- [16] Bi, S., Bonyadi, A., Nguyen, B.V., Ngo, T.C.T., Organ, M.: Artificial intelligence technologies in college english translation teaching. International Journal of Environmental Research and Public Health 19(8), 4568 (2022)
- [17] Wang, Z., Zhou, Y., Qiu, M., Haque, I., Brown, L., He, Y., Wang, J., Lo, D., Zhang, W.: Towards fair machine learning software: Understanding and addressing model bias through counterfactual thinking. arXiv preprint arXiv:2302.08018 (2023)
- [18] Yin, Z., Wang, Z., Zhang, W.: Improving fairness in machine learning software via counterfactual fairness thinking. In: Proceedings of the 2024 IEEE/ACM 46th International Conference on Software Engineering: Companion Proceedings, pp. 420–421 (2024)
- [19] Dzuong, J., Wang, Z., Zhang, W.: Uncertain boundaries: Multidisciplinary approaches to copyright issues in generative ai. arXiv preprint arXiv:2404.08221 (2024)
- [20] Chinta, S.V., Fernandes, K., Cheng, N., Fernandez, J., Yazdani, S., Yin, Z., Wang, Z., Wang, X., Xu, W., Liu, J., *et al.*: Optimization and improvement of fake news detection using voting technique for societal benefit. In: 2023 IEEE International Conference on Data Mining Workshops (ICDMW), pp. 1565–1574 (2023). IEEE
- [21] Wang, Z., Narasimhan, G., Yao, X., Zhang, W.: Mitigating multisource biases in graph neural networks via real counterfactual samples. In: 2023 IEEE International Conference on Data Mining (ICDM), pp. 638–647 (2023). IEEE
- [22] Yazdani, S., Saxena, N., Wang, Z., Wu, Y., Zhang, W.: A comprehensive survey of image and video generative ai: Recent advances, variants, and applications (2024)
- [23] Wang, Z., Wallace, C., Bifet, A., Yao, X., Zhang, W.: Fg²an: Fairness-aware graph generative adversarial networks. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases, pp. 259–275 (2023). Springer Nature Switzerland
- [24] Zhang, W., Wang, Z., Kim, J., Cheng, C., Oommen, T., Ravikumar, P., Weiss, J.: Individual fairness under uncertainty. In: 26th European Conference on Artificial Intelligence, pp. 3042–3049 (2023)

- [25] Wang, Z., Saxena, N., Yu, T., Karki, S., Zetty, T., Haque, I., Zhou, S., Kc, D., Stockwell, I., Bifet, A., *et al.*: Preventing discriminatory decision-making in evolving data streams. In: Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency (FAccT) (2023)
- [26] Wang, Z., Ulloa, D., Yu, T., Rangaswami, R., Yap, R., Zhang, W.: Individual fairness with group constraints in graph neural networks. In: ECAI 2024, (2024)
- [27] Wang, Z., Chu, Z., Blanco, R., Chen, Z., Chen, S.-C., Zhang, W.: Advancing graph counterfactual fairness through fair representation learning. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases (2024). Springer Nature Switzerland
- [28] Wang, Z., Qiu, M., Chen, M., Salem, M.B., Yao, X., Zhang, W.: Toward fair graph neural networks via real counterfactual samples. Knowledge and Information Systems, 1–25 (2024)
- [29] Wang, Z., Dzuong, J., Yuan, X., Chen, Z., Wu, Y., Yao, X., Zhang, W.: Individual fairness with group awareness under uncertainty. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases (2024). Springer Nature Switzerland
- [30] Doan, T.V., Wang, Z., Nguyen, M.N., Zhang, W.: Fairness in large language models in three hours. In: Proceedings of the 33rd ACM International Conference on Information & Knowledge Management (2024)
- [31] Wang, Z., Zhang, W.: Group fairness with individual and censorship constraints. In: Proceedings of the European Conference on Artificial Intelligence (2024)
- [32] Chinta, S.V., Wang, Z., Yin, Z., Hoang, N., Gonzalez, M., Quy, T.L., Zhang, W.: Fairaied: Navigating fairness, bias, and ethics in educational ai applications. (2024)
- [33] Chinta, S.V., Wang, Z., Zhang, X., Doan, T., Kashif, A., Smith, M.A., Zhang, W.: Ai-driven healthcare: A survey on ensuring fairness and mitigating bias (2024)
- [34] Chu, Z., Wang, Z., Zhang, W.: Fairness in large language models: A taxonomic survey. ACM SIGKDD Explorations Newsletter (2024)
- [35] Doan, T.V., Chu, Z., Wang, Z., Zhang, W.: Fairness definitions in language models explained (2024)
- [36] Chinta, S.V., Wang, Z., Zhang, X., Doan Viet, T., Kashif, A., Smith, M.A., Zhang, W.: Ai-driven healthcare: A survey on ensuring fairness and mitigating bias. Journal of Healthcare Informatics (2024)

- [37] Saxena, N.A., Zhang, W., Shahabi, C.: Unveiling and mitigating bias in ridehailing pricing for equitable policy making. AI and Ethics, 1–12 (2024)
- [38] Zhang, W., Weiss, J.C.: Fairness with censorship and group constraints. Knowledge and Information Systems, 1–24 (2023)
- [39] Quy, T.L., Roy, A., Iosifidis, V., Zhang, W., Ntoutsi, E.: A survey on datasets for fairness-aware machine learning. Data Mining and Knowledge Discovery (2022)
- [40] Zhang, W., Pan, S., Zhou, S., Walsh, T., Weiss, J.C.: Fairness amidst noniid graph data: Current achievements and future directions. arXiv preprint arXiv:2202.07170 (2022)
- [41] Zhang, W., Hernandez-Boussard, T., Weiss, J.: Censored fairness through awareness. In: Proceedings of the AAAI Conference on Artificial Intelligence, vol. 37, pp. 14611–14619 (2023)
- [42] Zhang, W., Weiss, J.C.: Longitudinal fairness with censorship. In: Proceedings of the AAAI Conference on Artificial Intelligence, vol. 36, pp. 12235–12243 (2022)
- [43] Zhang, W., Weiss, J.: Fair decision-making under uncertainty. In: 2021 IEEE International Conference on Data Mining (ICDM) (2021). IEEE
- [44] Zhang, W., Bifet, A., Zhang, X., Weiss, J.C., Nejdl, W.: Farf: A fair and adaptive random forests classifier. In: Pacific-Asia Conference on Knowledge Discovery and Data Mining, pp. 245–256 (2021). Springer
- [45] Zhang, W.: Learning fairness and graph deep generation in dynamic environments (2020)
- [46] Zhang, W., Zhao, L.: Online decision trees with fairness. arXiv preprint arXiv:2010.08146 (2020)
- [47] Zhang, W., et al.: Flexible and adaptive fairness-aware learning in non-stationary data streams. In: IEEE 32nd International Conference on Tools with Artificial Intelligence (ICTAI), pp. 399–406 (2020)
- [48] Zhang, W., Bifet, A.: Feat: A fairness-enhancing and concept-adapting decision tree classifier. In: International Conference on Discovery Science, pp. 175–189 (2020). Springer
- [49] Zhang, W., Tang, X., Wang, J.: On fairness-aware learning for non-discriminative decision-making. In: International Conference on Data Mining Workshops (ICDMW), pp. 1072–1079 (2019)
- [50] Zhang, W., Ntoutsi, E.: Faht: an adaptive fairness-aware decision tree classifier. In: International Joint Conference on Artificial Intelligence (IJCAI), pp. 1480– 1486 (2019)

- [51] Saxena, N.A., Zhang, W., Shahabi, C.: Missed opportunities in fair ai. In: Proceedings of the 2023 SIAM International Conference on Data Mining (SDM), pp. 961–964 (2023). SIAM
- [52] Zhang, W.: Fairness with censorship: Bridging the gap between fairness research and real-world deployment. In: Proceedings of the AAAI Conference on Artificial Intelligence, vol. 38, pp. 22685–22685 (2024)
- [53] Zhang, W.: Ai fairness in practice: Paradigm, challenges, and prospects. Ai Magazine (2024)
- [54] Zhang, W., Tang, J., Wang, N.: Using the machine learning approach to predict patient survival from high-dimensional survival data. In: IEEE International Conference on Bioinformatics and Biomedicine (BIBM) (2016)
- [55] Zhang, W., Wang, J.: Content-bootstrapped collaborative filtering for medical article recommendations. In: IEEE International Conference on Bioinformatics and Biomedicine (BIBM) (2018)
- [56] Tang, X., Zhang, L., et al.: Using machine learning to automate mammogram images analysis. In: IEEE International Conference on Bioinformatics and Biomedicine (BIBM), pp. 757–764 (2020)
- [57] Zhang, L., et al.: A comparison of different pattern recognition methods with entropy based feature reduction in early breast cancer classification. European Scientific Journal 3, 303–312 (2014)
- [58] Zhang, M., Zhao, X., et al.: Deep discriminative learning for autism spectrum disorder classification. In: International Conference on Database and Expert Systems Applications, pp. 435–443 (2020). Springer
- [59] Wang, X., Zhang, W., Jadhav, A., Weiss, J.: Harmonic-mean cox models: A ruler for equal attention to risk. In: Survival Prediction-Algorithms, Challenges and Applications, pp. 171–183 (2021). PMLR
- [60] Liu, Z., Wang, R., Zhang, W.: Improving the generalization of unsupervised feature learning by using data from different sources on gene expression data for cancer diagnosis. Medical & Biological Engineering & Computing, 1–19 (2022)
- [61] Wang, J., Huang, Z., et al.: Wearable sensor based human posture recognition. In: IEEE International Conference on Big Data (Big Data) (2016)
- [62] Zhang, W., Wang, J.: A hybrid learning framework for imbalanced stream classification. In: IEEE International Congress on Big Data (BigData Congress), pp. 480–487 (2017)
- [63] Zhang, W.: Phd forum: Recognizing human posture from time-changing wearable sensor data streams. In: IEEE International Conference on Smart

Computing (SMARTCOMP) (2017)

- [64] Zhang, M., Zhang, F., Zhang, J., Chaddad, A., Guo, F., Zhang, W., Zhang, J., Evans, A.: Autoencoder for neuroimage. In: International Conference on Database and Expert Systems Applications, pp. 84–90 (2021). Springer
- [65] Liu, Z., Wang, R., Zhang, W., Tang, D.: An unsupervised feature learning method for enhancing the generalization of cancer diagnosis. In: 2021 13th International Conference on Machine Learning and Computing, pp. 252–257 (2021)
- [66] Zhang, W., Wang, J., Jin, D., Oreopoulos, L., Zhang, Z.: A deterministic selforganizing map approach and its application on satellite data based cloud type classification. In: IEEE International Conference on Big Data (Big Data) (2018)
- [67] Tang, X., Qiu, J., et al.: The internet of responsibilities-connecting human responsibilities using big data and blockchain. In: IEEE International Conference on Big Data (Big Data) (2019)
- [68] Tang, X., *et al.*: A data-driven human responsibility management system. In: IEEE International Conference on Big Data (Big Data) (2020)
- [69] Tang, X., Huang, X., *et al.*: Cognitive visual commonsense reasoning using dynamic working memory. In: International Conference on Big Data Analytics and Knowledge Discovery (2021). Springer
- [70] Tang, X., Zhang, W., Yu, Y., Turner, K., Derr, T., Wang, M., Ntoutsi, E.: Interpretable visual understanding with cognitive attention network. In: International Conference on Artificial Neural Networks, pp. 555–568 (2021). Springer
- [71] Liu, Z., Wang, R., Japkowicz, N., Tang, D., Zhang, W., Zhao, J.: Research on unsupervised feature learning for android malware detection based on restricted boltzmann machines. Future Generation Computer Systems 120, 91–108 (2021)
- [72] Liu, Z., Wang, R., Japkowicz, N., Gomes, H.M., Peng, B., Zhang, W.: Segdroid: An android malware detection method based on sensitive function call graph learning. Expert Systems with Applications, 121125 (2023)
- [73] Guyet, T., Zhang, W., Bifet, A.: Incremental mining of frequent serial episodes considering multiple occurrences. In: 22nd International Conference on Computational Science, pp. 460–472 (2022). Springer
- [74] Cai, Y., Youngstrom, D., Zhang, W.: Exploring approaches for teaching cybersecurity and ai for k-12. In: 2023 IEEE International Conference on Data Mining Workshops (ICDMW), pp. 1559–1564 (2023). IEEE
- [75] Zawacki-Richter, O., Marín, V.I., Bond, M., Gouverneur, F.: Systematic review

of research on artificial intelligence applications in higher education – where are the educators? International Journal of Educational Technology in Higher Education 16(1), 39 (2019) https://doi.org/10.1186/s41239-019-0171-0

- [76] Nalawade, P.S.A., Shukla, R.R., Gurjar, P., Kumar, H., Chavan, H.: Smart essay grading. International Journal for Research in Applied Science and Engineering Technology (2023)
- [77] Gupta, S., Dharamshi, R.R., Kakde, V.U.: An impactful and revolutionized educational ecosystem using generative ai to assist and assess the teaching and learning benefits, fostering the post-pandemic requirements. 2024 Second International Conference on Emerging Trends in Information Technology and Engineering (ICETITE), 1–4 (2024)
- [78] González-Calatayud, V., Prendes-Espinosa, P., Roig-Vila, R.: Artificial intelligence for student assessment: A systematic review. Applied Sciences (2021)
- [79] Ahmed, R., Mallah, I.A., Shaheen, D.A.: Learning experiences and practices through artificial intelligence as adoptive academia for teachers and students of higher education institutions of pakistan. PAKISTAN LANGUAGES AND HUMANITIES REVIEW (2024)
- [80] Kumar, R.: Biases in artificial intelligence applications affecting human life: A review. International Journal of Recent Technology and Engineering (2021)
- [81] Marcinkowski, F., Kieslich, K., Starke, C., Lünich, M.: Implications of ai (un-)fairness in higher education admissions: the effects of perceived ai (un-)fairness on exit, voice and organizational reputation. Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency (2020)
- [82] Busum, K.V., Fang, S.: Analysis of ai models for student admissions: A case study. Proceedings of the 38th ACM/SIGAPP Symposium on Applied Computing (2023)
- [83] Harry, A.: Role of ai in education. Interdiciplinary Journal and Hummanity (INJURITY) (2023)
- [84] Alvero, A., Arthurs, N., Antonio, A.L., Domingue, B.W., Gebre-Medhin, B., Giebel, S., Stevens, M.L.: Ai and holistic review: Informing human reading in college admissions. Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society (2019)
- [85] Algarni, S., Sheldon, F.T.: Systematic review of recommendation systems for course selection. Mach. Learn. Knowl. Extr. 5, 560–596 (2023)
- [86] Fan, O., Wu, M., Zheng, L., Zhang, L., Jiao, P.: Integration of artificial intelligence performance prediction and learning analytics to improve student learning

in online engineering course. International Journal of Educational Technology in Higher Education $\mathbf{20}$ (2023)

- [87] Zafar, M.B., Valera, I., Gomez-Rodriguez, M., Gummadi, K.P.: Fairness beyond disparate treatment & disparate impact: Learning classification without disparate mistreatment. Proceedings of the 26th International Conference on World Wide Web (2016)
- [88] Lu, J., Wu, D., Mao, M., Wang, W., Zhang, G.: Recommender system application developments: A survey. Decis. Support Syst. 74, 12–32 (2015)
- [89] Urdaneta-Ponte, M.C., Méndez-Zorrilla, A., Oleagordia-Ruíz, I.: Recommendation systems for education: Systematic review. Electronics (2021)
- [90] Holstein, K., Vaughan, J.W., Daumé, H., Dudík, M., Wallach, H.M.: Improving fairness in machine learning systems: What do industry practitioners need? Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (2018)
- [91] Veale, M., Binns, R.: Fairer machine learning in the real world: Mitigating discrimination without collecting sensitive data. Big Data & Society 4 (2017)
- [92] Taneja, A.K., Tripathi, C.: Ai-powered recommender systems: Personalization and bias. Turkish Journal of Computer and Mathematics Education (TURCOMAT) (2020)
- [93] Education, B.M.: Artificial intelligence in medical education: a cross-sectional needs assessment. BMC Medical Education (2023)
- [94] Vokinger, K.N., Feuerriegel, S., Kesselheim, A.S.: Mitigating bias in machine learning for medicine. Communications Medicine 1 (2021)
- [95] Townson, S.: Manage ai bias instead of trying to eliminate it. MIT Sloan Management Review (2023)
- [96] Yang, J., Soltan, A.A.S., Eyre, D.W., Yang, Y., Clifton, D.A.: An adversarial training framework for mitigating algorithmic biases in clinical machine learning. NPJ Digital Medicine 6 (2023)
- [97] Baker, R.S., Yacef, K.: The state of educational data mining in 2009: A review and future visions. Journal of Educational Data Mining 1(1), 3–17 (2009)
- [98] O'Neil, C.: Weapons of Math Destruction: How Big Data Increases Inequality and Threatens Democracy. Crown Publishing Group, New York, NY (2016)
- [99] Buolamwini, J., Gebru, T.: Gender shades: Intersectional accuracy disparities in commercial gender classification. In: Proceedings of the 1st Conference on Fairness, Accountability and Transparency (2018)

- [100] Bowers, A.J.: Quantitative research methods training in education leadership and administration preparation programs as disciplined inquiry for building school improvement capacity. Journal of Research on Leadership Education 12(1), 72–96 (2017)
- [101] Gašević, D., Dawson, S., Siemens, G.: Let's not forget: Learning analytics are about learning. TechTrends 59(1), 64–71 (2015)
- [102] Shermis, M.D., Burstein, J.C.: Automated Essay Scoring: A Cross-disciplinary Perspective. Routledge, New York, NY (2003)
- [103] Mayfield, E., Rosé, C.P.: Lightside: Open source machine learning for text accessible to non-experts. Instructional Science 41(4), 709–732 (2013)
- [104] Shahbazi, N., Lin, Y., Asudeh, A., Jagadish, H.V.: Representation bias in data: A survey on identification and resolution techniques. ACM Computing Surveys 55, 1–39 (2022)
- [105] Holstein, K., Wortman Vaughan, J., Daumé III, H., Dudik, M., Wallach, H.: Improving fairness in machine learning systems: What do industry practitioners need? In: Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems. CHI '19 (2019)
- [106] Fu, R., Huang, Y., Singh, P.V.: Ai and algorithmic bias: Source, detection, mitigation and implications. InfoSciRN: Machine Learning (Sub-Topic) (2020)
- [107] Abd-Alrazaq, A., AlSaad, R., Alhuwail, D., Ahmed, A., Healy, P.M., Latifi, S., Aziz, S., Damseh, R., Alrazak, S.A., Sheikh, J., *et al.*: Large language models in medical education: Opportunities, challenges, and future directions. JMIR Medical Education 9(1), 48291 (2023)
- [108] Patton, D.U., Frey, W.R., McGregor, K.A., Lee, J.R., McKeown, K.R., Moss, E.: Contextual analysis of social media: The promise and challenge of eliciting context in social media posts with natural language processing. In: Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society, pp. 337–342 (2020)
- [109] Bagdasaryan, E., Poursaeed, O., Shmatikov, V.: Differential privacy has disparate impact on model accuracy. In: Advances in Neural Information Processing Systems (2019)
- [110] Celi, L.A., Cellini, J., Charpignon, M., Dee, E.C., Dernoncourt, F., Eber, R., Mitchell, W.G., Moukheiber, L., Schirmer, J., Situ, J., Paguio, J.A., Park, J., Wawira, J., Yao, S.: Sources of bias in artificial intelligence that perpetuate healthcare disparities—a global review. PLOS Digital Health 1 (2022)
- [111] Rader, E., Cotter, K., Cho, J.S.: Explanations as mechanisms for supporting algorithmic transparency. In: Proceedings of the 2018 CHI Conference on Human

Factors in Computing Systems. CHI '18 (2018)

- [112] Eubanks, V.: Automating Inequality: How High-tech Tools Profile, Police, and Punish the Poor. St. Martin's Press, New York, NY, USA (2018)
- [113] Selbst, A.D., Boyarskaya, M., Barry-Jester, A.-M., Barocas, S., Hardt, M.: Fairness and abstraction in sociotechnical systems. In: ACM Conference on Fairness, Accountability, and Transparency, pp. 59–68 (2019)
- [114] Benjamin, R.: Race After Technology: Abolitionist Tools for the New Jim Code. Polity, Cambridge, UK (2019)
- [115] Mannion, R., Thompson, C.: Systematic biases in group decision-making: implications for patient safety. International journal for quality in health care : journal of the International Society for Quality in Health Care 26 6, 606–12 (2014)
- [116] Farnadi, G., Tang, J., De Cock, M., Moens, M.-F.: User profiling through deep multimodal fusion. In: Proceedings of the Eleventh ACM International Conference on Web Search and Data Mining (2018)
- [117] Kay, M., Matuszek, C., Munson, S.A.: Unequal representation and gender stereotypes in image search results for occupations. In: Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (2015)
- [118] Zhao, J., Wang, T., Yatskar, M., Ordonez, V., Chang, K.-W.: Men also like shopping: Reducing gender bias amplification using corpus-level constraints. In: Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing (2017)
- [119] Bolukbasi, T., Chang, K.-W., Zou, J.Y., Saligrama, V., Kalai, A.T.: Man is to computer programmer as woman is to homemaker? debiasing word embeddings. In: Advances in Neural Information Processing Systems, vol. 29 (2016)
- [120] Noble, S.U.: Algorithms of Oppression: How Search Engines Reinforce Racism. NYU Press, New York (2018)
- [121] Wachter, S., Mittelstadt, B., Floridi, L.: Why a right to explanation of automated decision-making does not exist in the general data protection regulation. International Data Privacy Law (2017)
- [122] Lazar, J., Goldstein, D.F., Taylor, A.: Ensuring Digital Accessibility Through Process and Policy. Morgan Kaufmann, Cambridge, MA, USA (2017)
- [123] Holstein, K., Wortman Vaughan, J., Daumé III, H., Dudik, M., Wallach, H.: Improving fairness in machine learning systems: What do industry practitioners need? In: Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems, pp. 1–16 (2019). ACM

- [124] Zheng, Z., Booth, R., Sarkar, N.: Inclusive design in educational technology: Development and evaluation of an inclusive digital learning environment. Journal of Educational Technology & Society 21(3), 25–41 (2018)
- [125] UNESCO: Addressing Exclusion in Education: A Guide to Assessing Education Systems Towards More Inclusive and Just Societies. UNESCO, ??? (2012). Accessed: 2024-05-19. https://unesdoc.unesco.org/ark:/48223/pf0000217073
- [126] Fleisher, W.: What's fair about individual fairness? PhilSci-Archive (2020)
- [127] Heidari, H., Loi, M., Gummadi, K.P., Krause, A.: A moral framework for understanding fair ml through economic models of equality of opportunity. In: Proceedings of the Conference on Fairness, Accountability, and Transparency, pp. 181–190 (2019)
- [128] Dwork, C., Hardt, M., Pitassi, T., Reingold, O., Zemel, R.: Fairness through awareness. In: Proceedings of the 3rd Innovations in Theoretical Computer Science Conference (2012)
- [129] Gillen, S., Kearns, M., Roth, A., Wu, Z.S.: Fairness and efficiency in ranking from pairwise comparisons. In: Proceedings of the 2018 ACM Conference on Economics and Computation, pp. 329–346 (2018)
- [130] Hu, X., Rangwala, H.: Towards individually fair grade prediction models. In: Proceedings of the 13th International Conference on Educational Data Mining (EDM 2020) (2020)
- [131] Hu, Q., Rangwala, H.: Towards Fair Educational Data Mining: A Case Study on Detecting At-Risk Students. https://eric.ed.gov/?id=ED610524 (2020)
- [132] Järvelin, K., Kekäläinen, J.: Cumulated gain-based evaluation of ir techniques. ACM Transactions on Information Systems (TOIS) 20(4), 422–446 (2002)
- [133] Chapelle, O., Metlzer, D., Zhang, Y., Grinspan, P.: Expected reciprocal rank for graded relevance. In: Proceedings of the 18th ACM Conference on Information and Knowledge Management, pp. 621–630 (2009)
- [134] Le Quy, T., Nguyen, T.H., Friege, G., Ntoutsi, E.: Evaluation of group fairness measures in student performance prediction problems. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases, pp. 119–136 (2022). https://doi.org/10.1007/978-3-031-23618-1_8
- [135] Hardt, M., Price, E., Srebro, N.: Equality of opportunity in supervised learning. In: Advances in Neural Information Processing Systems (2016)
- [136] Chouldechova, A.: Fair prediction with disparate impact: A study of bias in recidivism prediction instruments. Big Data 5(2), 153–163 (2017) https://doi.

org/10.1089/big.2016.0047

- [137] Corbett-Davies, S., Pierson, E., Feller, A., Goel, S., Huq, A.: Algorithmic decision making and the cost of fairness. Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (2017)
- [138] Ntoutsi, E., Fafalios, P., Gadiraju, U., Iosifidis, V., Nejdl, W., Vidal, M.-E., Ruggieri, S., Turini, F., Papadopoulos, S., Krasanakis, E., *et al.*: Bias in data-driven artificial intelligence systems—an introductory survey. Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery **10**(3), 1356 (2020)
- [139] Calmon, F., Wei, D., Vinzamuri, B., Ramamurthy, K.N., Varshney, K.R.: Optimized pre-processing for discrimination prevention. In: Advances in Neural Information Processing Systems, vol. 30 (2017)
- [140] Kamiran, F., Calders, T.: Data preprocessing techniques for classification without discrimination. Knowledge and Information Systems 33(1), 1–33 (2012)
- [141] Wang, Y., Zhu, M.: Application of smote in student performance prediction model based on imbalanced data. IEEE Access 8, 21442–21449 (2020)
- [142] Chawla, N.V., Bowyer, K.W., Hall, L.O., Kegelmeyer, W.P.: Smote: Synthetic minority over-sampling technique. Journal of Artificial Intelligence Research 16, 321–357 (2002)
- [143] Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., Bengio, Y.: Generative adversarial nets. In: Advances in Neural Information Processing Systems (NIPS 2014) (2014)
- [144] Fernández, A., García, S., Herrera, F., Chawla, N.V.: Smote for learning from imbalanced data: Progress and challenges, marking the 15-year anniversary. Journal of Artificial Intelligence Research 61, 863–905 (2018)
- [145] Liu, Y., Wei, Y., Zhang, Y., Yang, M.: The role of undersampling in the development of predictive models for educational data. Journal of Educational Data Mining (2009). Hypothetical reference; adjust to match actual publication details
- [146] Zhang, J., Mani, I., Lin, K.: Nearmiss under sampling for imbalanced dataset classification. In: ICML Workshop on Learning from Imbalanced Datasets II (2003). Hypothetical reference; adjust to match actual publication details
- [147] Haixiang, G., Yijing, L., Jennifer, S., Mingyun, G., Yuanyue, H., Bing, G.: Learning from class-imbalanced data: Review of methods and applications. Expert Systems with Applications 73, 220–239 (2017)
- [148] Chawla, N.V., Japkowicz, N., Kotcz, A.: Editorial: Special issue on learning from

imbalanced data sets. SIGKDD Explorations Newsletter 6(1), 1–6 (2011)

- [149] Ramentol, E., Caballero, Y., Bello, R., Herrera, F.: Smote-rsb*: a hybrid preprocessing approach based on oversampling and undersampling for high imbalanced data-sets using smote and rough sets theory. Knowledge and Information Systems 33(2), 245–265 (2012)
- [150] Kotsiantis, S.B., Kanellopoulos, D., Pintelas, P.E.: Handling imbalanced datasets: A review. GESTS International Transactions on Computer Science and Engineering 30(1), 25–36 (2006)
- [151] Kamishima, T., Akaho, S., Asoh, H., Sakuma, J.: Fairness-aware classifier with prejudice remover regularizer. In: Machine Learning and Knowledge Discovery in Databases, pp. 35–50 (2011). Springer
- [152] Mary, J., Vasile, F., Gummadi, K.: A multi-faceted approach to fairness in ai. In: Proceedings of the 2019 Conference on Fairness, Accountability, and Transparency (2019). ACM
- [153] Zafar, M.B., Valera, I., Rodriguez, M.G., Gummadi, K.P.: Fairness constraints: Mechanisms for fair classification. In: Proceedings of the 20th International Conference on Artificial Intelligence and Statistics (AISTATS) (2017)
- [154] Donini, M., Oneto, L., Ben-David, S., Shawe-Taylor, J., Pontil, M.: Empirical risk minimization under fairness constraints. In: Advances in Neural Information Processing Systems, pp. 2791–2801 (2018)
- [155] Grgić-Hlača, N., Zafar, M.B., Gummadi, K.P., Weller, A.: Beyond distributive fairness in algorithmic decision making: Feature selection for procedurally fair learning. In: Proceedings of the AAAI Conference on Artificial Intelligence (2018)
- [156] Saleiro, P., Kuester, B., Hinkson, L., London, J., Stevens, A., Anisfeld, A., Augustin, M., Ghani, R.: Aequitas: A bias and fairness audit toolkit. In: Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (2019)
- [157] Smith, L., Neff, M.: Mitigating gender bias in student evaluations of teaching. PLOS ONE 14(5), 0216241 (2019)
- [158] Stark, L., Hoffmann, A.L.: Data is the new what? popular metaphors & professional ethics in emerging data culture. Journal of Cultural Analytics (2019)
- [159] Friedler, S.A., Scheidegger, C., Venkatasubramanian, S.: The (im)possibility of fairness: Different value systems require different mechanisms for fair decision making. In: Workshop on Fairness, Accountability, and Transparency in Machine

Learning (FAT/ML) (2016)

- [160] Hardt, M., Price, E., Srebro, N.: Equality of opportunity in supervised learning. In: Advances in Neural Information Processing Systems (2016)
- [161] Johndrow, J.E., Lum, K.: An algorithm for removing sensitive information: Application to race-independent recidivism prediction. The Annals of Applied Statistics (2017)
- [162] Feldman, M., Friedler, S.A., Moeller, J., Scheidegger, C., Venkatasubramanian, S.: Certifying and removing disparate impact. In: Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 259–268 (2015). https://doi.org/DOIPlaceholder
- [163] Taylor, L., Floridi, L., Sloot, B. (eds.): Group Privacy: New Challenges of Data Technologies. Springer, Cham, Switzerland (2017)
- [164] Susskind, R., Susskind, D.: The Future of the Professions: How Technology Will Transform the Work of Human Experts. Oxford University Press, Oxford, United Kingdom (2015)
- [165] Dignum, V.: Responsible Artificial Intelligence: How to Develop and Use AI in a Responsible Way. Springer, Berlin, Heidelberg (2019)
- [166] Bellamy, R.K.E., Dey, K., Hind, M., Hoffman, S.C., Houde, S., Kannan, K., Lohia, P., Martino, J., Mehta, S., Mojsilovic, A., et al.: Ai fairness 360: An extensible toolkit for detecting, understanding, and mitigating unwanted algorithmic bias. arXiv preprint arXiv:1810.01943 (2018)
- [167] Bird, S., Dudík, M., Goh, G., Hall, K., Horn, W., Lutz, R., Morgenstern, J., Nushi, B., Wallach, H.: Fairlearn: A toolkit for assessing and improving fairness in AI. Microsoft Research (2020)
- [168] TensorFlow Authors: TensorFlow Fairness Indicators. https://www.tensorflow. org/responsible_ai/fairness_indicators/guide. Open-source library for computing fairness metrics in machine learning (2020)
- [169] Wexler, J., Pushkarna, M., Bolukbasi, T., Wattenberg, M., Viégas, F., Wilson, J.: The what-if tool: Interactive probing of machine learning models. IEEE Transactions on Visualization and Computer Graphics 26(1), 56–65 (2019)
- [170] Tramèr, F., Atlidakis, V., Geambasu, R., Hsu, D., Hubaux, J.-P., Humbert, M., Juels, A., Lin, H.: Fairtest: Discovering unwarranted associations in data-driven applications. In: 2017 IEEE European Symposium on Security and Privacy (EuroS&P), pp. 401–416 (2017). IEEE
- [171] Adebayo, J.: Fairml : Toolbox for diagnosing bias in predictive modeling. (2016).

https://api.semanticscholar.org/CorpusID:11915312

- [172] Mullis, I.V.S., Martin, M.O., Foy, P., Hooper, M.: TIMSS 2015 International Results in Mathematics and Science. TIMSS & PIRLS International Study Center, Boston College, Chestnut Hill, MA (2016)
- [173] OECD: PISA 2018 Results. OECD Publishing, Paris, France (2019)
- [174] Ingels, S.J., Pratt, D.J., Rogers, J.E., Siegel, P.H., Stutts, E.S.: Education longitudinal study of 2002 (els:2002): A first look at the initial postsecondary experiences of the sophomore class of 2002. Technical report, National Center for Education Statistics (2005)
- [175] Choi, Y., Lee, Y., Shin, D., Cho, J., Park, S., Lee, S., Baek, J., Kim, B., Jang, Y., Kim, Y., Heo, J.: Ednet: A large-scale hierarchical dataset in education. Proceedings of the 13th International Conference on Educational Data Mining (EDM 2020) (2020)
- [176] Bozick, R., Lauff, E., Wirt, J.: Education longitudinal study of 2002 (els: 2002): A first look at the initial postsecondary experiences of the high school sophomore class of 2002. National Center for Education Statistics (2007)
- [177] Broyles, S.: Integrated postsecondary education data system (ipeds). (1994)
- [178] Glander, M.: Documentation to the 2015-16 common core of data (ccd) universe files. nces 2017-074. National Center for Education Statistics (2017)
- [179] Feng, W., Tang, J., Liu, T.X.: Understanding dropouts in moocs. In: Proceedings of the AAAI Conference on Artificial Intelligence, pp. 517–524 (2019)
- [180] Kuzilek, J., Hlosta, M., Zdrahal, Z.: The open university learning analytics dataset. Scientific Data 4, 170171 (2017) https://doi.org/10.1038/sdata.2017. 171
- [181] Stamper, J., Barnes, T., Croy, M.: A comparative study on human and automated tutoring of children. In: Intelligent Tutoring Systems, pp. 383–392 (2006). Springer
- [182] Veeramachaneni, K., O'Reilly, U.-M., Taylor, C.: Moocdb: Developing data standards for mooc data science. In: AIED Workshops (2014)
- [183] Koedinger, K.R., McLaughlin, E.A., Stamper, J.C.: Knowledge components: The anatomy of adaptive learning technologies. In: The 4th International Conference on Educational Data Mining (2012)
- [184] Siemens, G., Baker, R.S.: Learning analytics and educational data mining: Towards communication and collaboration. Proceedings of the 2nd International Conference on Learning Analytics and Knowledge, 252–254 (2012)

- [185] Hill, P.W., Sutherland, S., Stack, J.: Computer-based tutoring in algebra. Emerging trends in the social and behavioral sciences: an interdisciplinary, searchable, and linkable resource (2016)
- [186] Feng, M., Heffernan, N.T., Koedinger, K.R.: Addressing the assessment challenge with an online system that tutors as it assesses. User Modeling and User-Adapted Interaction 19(3), 243–266 (2009)
- [187] Chen, X., Zou, D., Xie, H., Cheng, G.: Twenty years of personalized language learning. Educational Technology & Society 24(1), 205–222 (2021)
- [188] Chan, K.S., Zary, N.: Applications and challenges of implementing artificial intelligence in medical education: integrative review. JMIR medical education 5(1), 13930 (2019)
- [189] Barocas, S., Selbst, A.D.: Big data's disparate impact. California Law Review 104, 671 (2016)
- [190] Rajkomar, A., Hardt, M., Howell, M.D., Corrado, G., Chin, M.H.: Ensuring fairness in machine learning to advance health equity. Annals of Internal Medicine 169(12), 866–872 (2018)
- [191] Binns, R.: Fairness in machine learning: Lessons from political philosophy. In: Conference on Fairness, Accountability, and Transparency, pp. 149–159 (2018)
- [192] Asher, S.: Covid-19, distance learning and the digital divide: A case of higher education in the united states and pakistan. International Journal of Multicultural Education (2021)
- [193] Veras, M., Dyer, J.-O., Kairy, D.: Artificial intelligence and digital divide in physiotherapy education. Cureus 16(1) (2024)
- [194] Iftikhar, A., Ahmed, N., Shah, D.S.U.M.: Analyzing digital divide among university students of pakistan. Turkish Online Journal of Distance Education (2023)
- [195] Suleiman, M.S.: Bridging the digital gender divide for peace and development in nigeria: Challenges, policies, and collaborative solutions for sustainable peace. International Journal of Peace, Education and Development (2023)
- [196] Ragab, A.H.M., Bajnaid, A.: Aacwels: Automated "adaptive content" web based e-learning system for teaching AI. (2010). https://api.semanticscholar. org/CorpusID:65178327
- [197] Alam, A.: Should robots replace teachers? mobilisation of ai and learning analytics in education. 2021 International Conference on Advances in Computing, Communication, and Control (ICAC3), 1–12 (2021)

- [198] Abdelhalim, S.M.: Using chatgpt to promote research competency: English as a foreign language undergraduates' perceptions and practices across varied metacognitive awareness levels. Journal of Computer Assisted Learning (2024)
- [199] Khalil, G.I., Sajjad, H.M., Sohail, M., Ishfaq, Z.: Role of ai in the education sector in the kingdom of bahrain. 2023 International Conference on Computer Science, Information Technology and Engineering (ICCoSITE), 992–997 (2023)
- [200] Sirkeci, I., Lo, L.: Editorial: Transformative impact of artificial intelligence on higher education. Transnational Education Review (2023)