

Saṅgamagrāma Mādhava: An Updated Biography

V. N. Krishnachandran


Principal (retired), Govt. Victoria College, Palakkad, Kerala
(Formerly, Professor of Mathematics, Govt. Engg. College, Thrissur)
Email: krishnachandranvn@gmail.com

Abstract

This paper presents an updated biography of Saṅgamagrāma Mādhava incorporating viewpoints expounded by scholars in the recent past and collecting together in one place more details about his works culled from recent researches into his contributions to mathematics and astronomy. One major updation is with regard to the geographical location in Kerala where Mādhava flourished. Other updations include observations on Mādhava's algorithm to compute the numerical values of the sine and cosine functions and on his value of the mathematical constant π .

Contents

1	Introduction	2
2	Mādhava: The man and the place where he lived	3
2.1	An important Malayalam document	3
2.2	" <i>Emprān</i> "	4
2.3	" <i>Ilaññippalli</i> "	4
2.4	" <i>Saṅgamagrāma</i> "	5
3	Mādhava's times	7
3.1	We know his student!	8
3.2	Hidden references in works	8
3.3	So Mādhava lived during	9
3.4	A little more about Mādhava's student	9
4	Mādhava's works	9
5	Mādhava's contributions to mathematics in a nutshell	12
6	Mādhava might have made a mistake	14



Saṅgamagrāma Mādhava (c. 1340–1425)¹

1 Introduction

Even though Saṅgamagrāma Mādhava is a legendary figure in the mathematical and astronomical traditions of Kerala, practically very little is known with absolute certainty about the person Mādhava, his life and his times. In these traditions he is more renowned as an astronomer and as an astrologer than as a mathematician. For example, in the encyclopedic five-volume history of Kerala literature (*Kerala Sāhitya Caritraṃ*) written by Ulloor S. Parameswara Aiyer and published during 1953–1957, the author has referred to Mādhava as a *Daivajña* (an astrologer/astronomer) (see [4] p. 98). Incidentally, Mādhava’s name appeared in print in a language other than Sanskrit for the first time only in 1948 in a Malayalam commentary of *Yuktibhāṣā* by Ramavarma (Maru) Tampuram and Akhileswara Ayyar (see [22] p. xii).² The much admired and much talked about C. M. Whish’s paper on Kerala mathematics published in 1834 had no reference to Mādhava (see [24]). It was only during the second half of the twentieth century Mādhava began to be recognised and adored as one of the greatest mathematicians Indian mathematical tradition had produced and the importance of his contributions to mathematics in the history of mathematics across the world began to be appreciated.

¹This digital image of Mādhava is only an artist’s impressions of what he might have looked like. It was drawn up with inputs provided by people, who some believe are Mādhava’s descendants, and released in 2014 by Madhava Ganitha Kendram, a Kochi based voluntary association working to revive his works.

²Mādhava’s name appears in the Sanskrit astronomical literature of Kerala some of which were printed and published much earlier than this work. See, for example, [21].

2 Mādhava: The man and the place where he lived

There are several references in the works of the astronomers and mathematicians of the Kerala school indicating that Mādhava hailed from Saṅgamagrāma (see [14]). According to Ulloor S. Paramesvara Aiyer, the great historian of Kerala literature, there are some local legends to the effect that Saṅgamagrāma Mādhava was “Iriññāṭappalli Mādhavan Nampūtiri” hailing from Saṅgamagrāma which is the town of Iriññālakkūḍa, about 60 km north of Cochin and some 70 km south of the Niḷa river (see [4] p.98, [1] p. 286, [15] p. 51).³ Further, according to Aiyer, these legends are reliable. However, as we shall see below, recent scholarship has contested this commonly accepted view. Other than these legends and some highly stretched interpretations of place names and the connection between the house name of Mādhava and the house name of a local Nampūtiri⁴ family there appears to be no other concrete evidence to connect Mādhava with a Nampūtiri family in Irinjālakkūḍa.

In this section, we first examine an important Malayalam document that sheds some light on Mādhava the man and then scrutinise in some detail some of the terms in the document. We conclude the section with a discussion on what modern scholarship has to say about the place name “Saṅgamagrāma”.

2.1 An important Malayalam document

From scattered references to Mādhava found in diverse manuscripts, historians of Kerala mathematics have pieced together some bits of information. There is a document written in Malayalam script attached to the end of a Malayalam commentary of *Sūryasiddhānta* preserved in the Oriental Institute, Baroda (document No. 9886). The document is undated and is composed in a mixture of Malayalam and Sanskrit languages. It gives, in the form of a list, information about a continuous line of scholars from Govinda Bhaṭṭatiri (born 1237 CE) to Acyuta Piṣāraṭi (died 1621 CE). The ninth item in the list gives information about Mādhava. The item is reproduced below in full (see [18]):

“Mādhavan Ilaññippalli Emprān Veṅvāroham, Muhūrttamādhavīyam,
Praśnamādhavīyam mutalāya granthaññalakkum, Aḡaṇita-pañcāṅgattinam
karttāvākunnu.”⁵

This may be translated as follows: “Mādhavan Ilaññippalli Emprān, author of the books *Veṅvāroham*, *Muhūrttamādhavīyam*, *Praśnamādhavīyam* etc. and of *Aḡaṇita-pañcāṅga*.”

³Ulloor S. Paramesvara Aiyer has also mentioned another legend to the effect that Saṅgamagrāma Mādhava was a *Vāriyar* belonging to the *Thekketattu Vāriyam* family also in Iriññālakkūḍa. However Aiyer, without citing any reasons whatsoever, discounted this legend as totally unreliable.

⁴A Nampūtiri is a Malayalam speaking Brahmin native to what is now the state of Kerala, India, where they constituted part of the traditional feudal elite. They were distinguished from other Brahmin sects by rare practices such as the adherence to Śrauta ritualism, the Pūrva-Mīmāṃsā school of Hindu philosophy and orthodox traditions, as well as many idiosyncratic customs that are unique among Brahmins, including primogeniture.

⁵The words in this quote appear in a different order in a quote of the same in K. V. Sarma’s *A History of Kerala School of Hindu Astronomy* (see [15] p. 51). In this work, the quote appears thus: “Mādhavan vēṅvārōhādīnām kartā ... Mādhavan Ilaññippalli Emprān.”

It is known for sure that our hero Saṅgamagrāma Mādhava is the author of *Veṅvā-roham*. It is also known for sure that the author of other two books, *Muhūrttamādhavīyam* and *Praśnamādhavīyam*, mentioned in the quoted text is a different person known as Vidyāmādhava⁶ hailing from Guṇavati, a village near Gokarṇa on the Arabian coast and who is known to have flourished around 1350 CE (see [15] p. 48). As per the document, Mādhava is the author of a fourth work titled *Agaṇṭa-pāñcāṅga* and there are some indirect indications that suggest that the author of this work is Saṅgamagrāma Mādhava (see p. 11). Vidyāmādhava, author of *Muhūrttamādhavīyam* and *Praśnamādhavīyam*, is also known to be a Tulu Brahmin (*Emprān*). So the epithet *Emprān* fits into the name of Vidyāmādhava and whether it fits into the name of our hero is a matter still under scholarly scrutiny (see [23]).

Let us examine the meanings of the terms “*Emprān*” and “*Ilaññippalli*” in a little more detail.

2.2 “*Emprān*”

Let us examine the term “*Emprān*” first. It should be noted that this term actually appears as an epithet to the name “Mādhavan”. This epithet “*Emprān*” in the name is a reference to a certain community he would have belonged to. The word “*Emprān*” is a shortened form of the word “*Emprāntiri*” and the word *Emprāntiri* refers to a member of the community of Brāhmins, considered somewhat inferior in status to the Nampūtiris (see [10] p. 218), who have migrated from Tulu Nadu to Kerala and settled in Kerala.⁷ Tulu Nadu is not an administrative unit in modern India and is generally identified as the region in the southwestern coast of India consisting of the Dakshina Kannada and Udupi districts of Karnataka state and Kasaragod district of Kerala state. Most members of the community speak both Tulu and Malayalam languages.

2.3 “*Ilaññippalli*”

The term “*Ilaññippalli*”⁸ has been identified as a reference to the house name of Mādhava. This is corroborated by Mādhava himself. In his short work on the moon’s positions titled *Veṅvāroha*, Mādhava says that he was born in a house named *bakuḷādhiṣṭhita* ... *vihāra* (see [16] p. 12):

बकुळाधिष्ठितत्वेन विहारो यो विशेष्यते ।
गृहनामनि सोऽयं स्यान्निजनामनि माधवः ॥

⁶Vidyāmādhava’s *Muhūrttamādhavīyam* has been hugely popular in Kerala. It has attracted at least six commentaries by Keralite astronomers two of which are in Sanskrit and the rest in Malayalam. Even though Vidyāmādhava lived in a region far away from the geographical boundaries of present-day Kerala, K. V. Sarma considered him as an illustrious member of the Kerala school of astronomy and mathematics. See [15] p. 48.

⁷“*Emprāntiri* or *Emprān* is a Malayalam name for Tulu Brāhmins settled in Malabar. They speak both Tulu and Malayalam. Some of them call themselves Nambūdiris, but they never intermarry with that class. *Emprāntiri* is a name for Tulu Shivalli Brāhmins.” Edgar Thurston (assisted by K. Rangachari), *Castes and Tribes of Southern India*, Volume II, Government Press Madras, 1909, p. 209.

⁸Ulloor S. Paramesvara Aiyer, in his history of Kerala literature, has referred to Mādhava’s house name as *Iriññāṭappalli*.

bakuḷādhiṣṭhitatvena vihāro yo viśeṣyate |
gṛhanāmāni soyaṃ syānnijanāmani mādhabaḥ ||

The Sanskrit term “*bakuḷādhiṣṭhita . . . vihāra*” is clearly a Sanskritisation of *Ilaññi-ppaḷli*. The word “*ilaññi*” (or, “*iraññi*”) is the Malayalam name of the evergreen tree *Mimusops elengi* and the Sanskrit name for the same is *bakuḷa*. The word “*paḷli*” had been in use to refer to a Buddhist retreat house and the word continued to be used as suffixes to names of houses and places in Kerala even after the disappearance of Buddhism from Kerala. The Sanskrit equivalent of *paḷli* is *vihāra*. Thus *bakuḷādhiṣṭhita* can be translated as “occupied or inhabited by *bakuḷa*”. Acyuta Piṣāraṭi (c. 1550–1621) in his Malayalam commentary on *Veṅvāroha* has given the same interpretation. According to Piṣāraṭi, *bakuḷaṃ* is *iraññi* and *vihāraṃ* is *paḷli* and so the house name is *iraññi ninna paḷli*, that is, “occupied or inhabited by *iraññi*”. Incidentally, the words *ilaññi* and *iraññi* are synonymous in Malayalam. K. V. Sarma has tried to identify the house name *iraññi ninna paḷli* with a currently existing Nampūtiri house with name *Iriññālappaḷli*. He further surmises that the house name *iraññi ninna paḷli*, in course of time, might have got transformed into *Iriññānavalli* or *Iriññārappaḷli* and then into *Iriññālappaḷli* (see [13], [16]). But, according to P. P. Divakaran (see [1] p. 286), this identification is far fetched because these names have neither phonetic similarity nor semantic equivalence to the word “*Ilaññippaḷli*”.

2.4 “*Saṅgamagrāma*”

Nīlakaṇṭha Somayāji’s *Āryabhaṭīya-bhāṣya* is one of the few texts which extensively discusses Mādhava’s contributions to mathematics. In this *Bhāṣya*, Somayāji has at several places referred to Mādhava as “Mādhava born in Saṅgamagrāma”. For example, while discussing circumferences of circles, Somayāji invoked Mādhava’s name thus (see [21] p. 42, [1] p. 270):

सङ्गमग्रामजो माधवः पुनरत्यासन्नं परिधिसंख्यामुक्तवान् –
saṅgamagrāmajo mādhabaḥ punaratyāsannam paridhisamkhyāmuktavān
“Mādhava born in Saṅgamagrāma (*Saṅgamarājagjo*) has given an extremely close (*atyāsanna*) value of the circumference –”

Also, in another context, Somayāji has referred to Mādhava thus (see [21] p. 58):

पुनस्तद्विषयं वसन्ततिलकं संगमग्रामजमाधवनिर्मितं पद्यं च श्रुतम् ।
punastadvīṣayaṃ vasantatilakaṃ saṅgamagrāmajamādhavanirmitaṃ padyaṃ
ca śrutaṃ |

“Again, in this matter, a verse in *vasanthatilakaṃ* (meter) composed by Mādhava born in Saṅgamagrāma is well known.”

The commonly accepted view among most historians and scholars, including K. V. Sarma, is that Saṅgamagrāma is the town of Irinjalakkuda some 70 km south of the Nila river and about 70 km south of Cochin (see, for example, [14]). It seems that there is not much concrete ground for this belief except perhaps the fact that the presiding deity of an early medieval temple in the town, the Koodalmanikyam Temple, is worshipped




Figure 1: Google Map showing the road connecting Thrikkandiyur and Kudallur. Many prominent members of the Kerala School of Astronomy and Mathematics, including Nīlakaṇṭha Somayājī, flourished near Thrikkandiyur.

as Saṅgameswara meaning the Lord of the Saṅgama and so Saṅgamagrāma can be interpreted as the village of Saṅgamesvara (see [4] p. 98 and [13]).

But there are several places in Karnataka with *saṅgama* or its Dravidian equivalent *kūḍala* in their names and with a temple dedicated to Saṅgamesvara, the lord of the confluence. (Kudalasangama in Bagalkote district in Karnataka State, which lies at the point of confluence of the rivers Krishna and Malaprabha, is one such place with a celebrated temple dedicated to the Lord of the Saṅgama.) This should also be read in conjunction with the fact that Mādhava had been referred to as an *Emprān* and, as we have already noted earlier, an *Emprān* is a member of a community whose members had migrated from Tulu Nadu to Kerala and settled in Kerala.

Interestingly, there is a small town on the southern banks of the Nila river, around 10 km upstream from Tirunnavaya and about 25 km by road from Thrikkandiyur, called Kūṭallūr (sometimes transliterated as Kudallur) (see Fig.1). Thrikkandiyur has a prominent place in the history of Kerala school of astronomy and mathematics. Many prominent members of the school, including Nīlakaṇṭha Somayājī and Acyuta Piṣāraṭi, flourished near Thrikkandiyur. The exact literal Sanskrit translation of this place name is Saṅgamagrāma: “(*kūṭal*)” in Malayalam means a confluence (which in Sanskrit is *saṅgama*) and “*ūr*” means a village (which in Sanskrit is *grāma*). Also the place is at the confluence of the Nila river and its most important tributary, namely, the Kunti river. (There is no confluence of rivers near Irinjalakuda.)

Incidentally there is a still existing Nampūtiri family by name Kūṭallūr house (locally called Kūṭallūr Mana) a few kms away from the Kūṭallūr village. (In fact this is not a new observation. As early as 1945, Dr Kunjunni Raja had made a similar observation (see [17] p. 1268).) The family has its origins in Kūṭallūr village itself. In this context, it is interesting and instructive to observe that, there is a Sanskrit drama titled *Kamalini-kaḷahaṃsa* composed around 17th-18th centuries CE which contains a reference to “*saṅgamagrāma gṛha*”, that is a “*saṅgamagrāma* house”, that is “*Kūṭallūr* house”:

अस्ति केरलेषु सङ्गमग्रामं नाम गृहम् ।

asti keralesu saṅgamagrāmaṃ nāma gṛham |

It is known that the author of the drama is one Nīlakaṇṭha belonging to Kūṭallūr house. In the drama, the reference to *saṅgamagrāma gṛha* appears in a prologue as part of the self-description of the author (see [12] p. 605, [23]). This corroborates the fact that the term *saṅgamagrāma* had been in use as a Sanskritisation of the name of the Kūṭallūr house, and probably by extension, of the Kūṭallūr village also.

Sanskritisation of proper nouns, especially place names and house names, was a common practice among Kerala authors of Sanskrit works. We have already seen that Mādhava himself has Sanskritised his house name *Ilaññippaḷli* as *Bakulādhiṣṭhita-vihāra*. Nīlakaṇṭha Somayāji (1444–1545), a prominent figure of the Kerala School of astronomy and mathematics, refers to his house name as *Kerala-sadgrāma* which is a Sanskritisation of his Malayalam house name *Kēḷallūr* (taking it as a corrupted form of *Kerala-nal-ūr*), and the village where he lived as Śrīkundāpura or Śrīkundāgrāma which is a Sanskritisation of Tṛkkaṇṭiyūr, the local name of the village. The name “Jyeṣṭhadeva” of the author of the celebrated *Yuktibhāṣā* is, most probably, a Sanskritisation of the his real personal name (see [15] for more such instances of Sanskritisation).

For many generations the Kūṭallūr family hosted a great Gurukulam. Perhaps it is not a coincidence that the only available manuscript of *Sphuṭacandrāpti*, a book authored by Mādhava, was obtained from the manuscript collection of Kūṭallūr Mana (see [16] p. 8). Mādhava might have had some association with Kūṭallūr house. K. V. Sarma has explicitly used a similar argument to ascertain the identity of another work. Based on the fact that the manuscript of a commentary on a certain work titled *Kāladīpa* has been found only in the palace of *Punnattūrkōṭṭa*, Sarma has concluded that the author of the commentary is likely to be a member of the *Punnattūrkōṭṭa* household (see [15] p.70).

3 Mādhava’s times

Regarding Mādhava’s times there are only a few indirect evidences to determine the period during which Mādhava lived. In spite of very many diligent efforts by historians of Kerala mathematics, nothing concrete has emerged to pinpoint the exact period during which Mādhava flourished. In fact, in the astronomical and mathematical literature of Kerala, there is a deafening silence about Mādhava the person, about his family, about his parents, about his siblings and even about his teachers. But, fortunately in this literature there are several references to one of his highly respected student about whom some concrete information is available, and from this information we can deduce approximately the period in which Mādhava lived and worked. Also, Mādhava has inadvertently left some clues in his works which indicate the historical period in which he flourished.

3.1 We know his student!

Even though, at present, we do not know anything about the the parents or siblings of Mādhava, we do know much about one of Mādhava’s illustrious pupil, namely, Vaṭaśreṇi Parameśvara. Nīlakaṇṭha Somayājī in his *Āryabhaṭīya-bhāṣya*, while talking about his own teachers, refers to Parameśvara and his son Dāmodara as his great teachers and also mentions that Parameśvara had mastered astronomy and mathematics from, among others, Mādhava the *Golavid* (see [18]). There are some clear references associating certain specific years with the life of Parameśvara. Parameśvara has stated in his *ḍṛggaṇia* that he completed the work in Śaka 1353, equivalently 1431 CE and his *Goladīpikā* in Śaka 1365 (1443 CE). Parameśvara is reputed to have composed his *ḍṛggaṇia* system based on his observations of the skies extending over a period of fifty-five years. This would mean that he had commenced his investigations by about 1375 CE. This coupled with the fact that Nīlakaṇṭha Somayājī (born 1443 CE) was a pupil of Parameśvara would make the probable period of Parameśvara around 1360–1460.

3.2 Hidden references in works

Inadvertently though, Mādhava has left some clues in his works regarding the times in which he lived and worked. These clues properly interpreted shed some light on Mādhava’s times. Mādhava has been identified as the author of a short treatise called *Sphuṭacandrāpti* and also of another work titled *Veṅvāroha* which is an elaboration of *Sphuṭacandrāpti*. These works basically describe an ingenious method to compute the true positions of the Moon at intervals of about half an hour for various days in an anomalistic cycle.

In these works, for the calculation of the position of the Mean Sun⁹, we are asked to subtract from the current *kali* day, a duration of 1,502,008 days and also the duration of 5180 anomalistic cycles of the Moon. If there be further days, the number of such days has to be multiplied by the mean daily motion and added. It has been estimated that the day corresponding to the 1,502,008-th *kali*-day followed by 5180 anomalistic cycles of the Moon is 10 March 1402 CE (see [3], [14], [16]). Since there is no astronomical significance to this date, it is reasonable to assume that this date would not be far away from the date of completion of *Sphuṭacandrāpti* or *Veṅvāroha*. This suggests that Mādhava should have lived around 1400 CE.

In *Agaṇita*, another work identified as Mādhava’s, the author has given the *śodhyā-bda*-s (‘deductive years’) for computing the positions of various planets. The ‘deductive years’ represent the largest number of years that could be cut off for the different planets at the time when the work was written. The largest deductive year mentioned in the work corresponds to 1418 CE. (Mādhava has specified the deductive years as years in the *Śāka* era.) From this, one can reasonably conclude that the date of completion of *Agaṇita* is just ahead of this the year 1418 CE (see [16]).

⁹The *Mean Sun* is an imaginary sun moving along the celestial equator at a constant rate and completing its annual course in the same time as the real sun takes to move round the ecliptic at varying rates.

3.3 So Mādhava lived during . . .

Based on these evidences it appears reasonable to assume that Mādhva flourished around the period 1340–1425 CE (see [14]).

3.4 A little more about Mādhava’s student

Vaṭaśreṇi Parameśvara (Vaṭaśseri Parameśvaran Nampūtiri) (c. 1360–1460), who introduced the *ḍṛggaṇita* system for astronomical computations and who is considered as one of greatest astronomers of the Kerala school, was an illustrious pupil of Saṅgama-grāma Mādhava. The *ḍṛiggaṇita* system propounded by Parameśvara was a revision of the *parahita* system introduced by Haridatta in the year 683 CE. No new methodology was introduced as part of the *ḍṛiggaṇita* system. Instead, new multipliers and divisors were given for the computation of the *kali* days and for the calculation of the mean positions of the planets. Revised values are given for the positions of planets at zero *kali*. Also the values of the sines of arc of anomaly (*manda-jyā*) and of commutation (*sīghra-jyā*) are revised and are given for intervals of 6 degrees. Parameśvara was also a prolific writer on matters relating to astronomy. At least 25 manuscripts have been identified as being authored by Parameśvara.

Parameśvara’s family name was Vataśseri also written as Vaṭaśreṇi and his family resided in the village of Alathiyur (Sanskritised as Aśvatthagrāma) in Tirur, Kerala. Alathiyur is situated on the northern bank of the Nila river at its mouth. (See [17] Chapter XIII *Ḍṛggaṇita of Parameśvara*, pp. 1049–1094.)

4 Mādhava’s works

The following is a list of works whose authorship has been attributed to Mādhava. As has been noted by several historians of Kerala mathematics, this list is unlikely to be an exhaustive list of all the works of Mādhava because only a fraction of all the astronomical and mathematical manuscripts from Kerala has been studied, edited and translated and it is quite possible that many other great works of Mādhava may be lying buried deep in the mountains of unexplored manuscripts. Also none of the works listed below (except perhaps *Mahājyānayanaprakāra* which is of doubtful authorship) contains details of the most celebrated mathematical achievements of Mādhava.

1. *Veṅvāroha* (Ascending the bamboo): This is a work in 74 verses describing methods for the computation of the true positions of the Moon at intervals of 36 minutes for various days in an anomalistic cycle. This work is an elaboration of an earlier and shorter work of Mādhava himself titled *Sphuṭacandrāpti*. *Veṅvāroha* is the most popular astronomical work of Mādhava. The novelty and ingenuity of the method caused several works of the same genre to be composed by later astronomers. Thus we have *Veṅvārohāṣṭaka* by Putumana Somayājī and *Ḍṛg-veṅvārohakriyā* of epoch 1695 of anonymous authorship.

K. V. Sarma has brought out a critical edition of *Veṅvāroha* with Acyuta Piṣāraṭi’s commentary in Malayalam, and the same is available online for free download

(see [17] Chapter XVI *Veṅvāroha*, pp. 1259–1316). Acyuta Piṣāraṭi (c. 1550–1621) was a student of Jyeṣṭhadeva, the author of the celebrated *Yuktibhāṣā*, and authored several treatises on astronomy.

2. *Sphuṭacandrāpti* (Computation of true Moon): This is a shorter version of Mādhava’s *Veṅvāroha* and discusses nearly all topics that have been included in *Veṅvāroha*.

A critical edition of *Sphuṭacandrāpti* along with an English translation has been brought out by K. V. Sarma and the same is available for free download from the internet (see [16]).

3. *Candravākyāni* (Moon-sentences): This is sometimes considered as an independent work of Mādhava. This is a collection of 248 numbers, arranged in the form of a list, related to the motion of the Moon in its orbit around the Earth. These numbers are couched in the *katapayadi* system and so appear like a list of words, or phrases or short sentences written in Sanskrit. Mādhava’s list is a refinement of an earlier list, also called *Candravākyāni*, attributed to the legendary Vararuci. Vararuci’s values are correct only to the arc-minute whereas Mādhava’s values are correct to the arc-second.

The text of Mādhava’s *Candravākyāni* has been included as appendices in the modern publications of *Veṅvāroha* and *Sphuṭacandrāpti* (see [17] Chapter XVI *Veṅvāroha*, Appendix I, pp. 1309–1312 and [16] Appendix I, pp. 46–57).

4. *Mahājyānāyana-prakāra* (Method for the computation of the great sine): K. V. Sarma attributed¹⁰ the authorship of this work to Mādhava. Probably, this is the only surviving work by Mādhava dealing with the power series expansions of the sine and cosine functions. This work contains novel theorems and computational methods developed by Mādhava and used by later astronomers and mathematicians of the Kerala school. The manuscript of the work has three sections, namely, the explanation of the series, the method to derive the numerical sine values and the derivation for both the sine and cosine series.

Mahājyānāyanaprakāra has been critically edited and translated into English by David Pingree (see [2]). More details about this work are available in [11].

5. *Madhyānāyanaprakāra* (The procedure for obtaining the mean): This short work describes a procedure for the computation of the *madhyamagraha* (mean longitude of a planet). Like the Mean Sun, a “mean planet” is a hypothetical planet that coincides with a real planet when the real planet is at perihelion and that moves in an orbit at a constant velocity equal to the mean velocity of the real planet. The longitude of the mean planet is known as the “mean longitude” or “*madhyamagraha*”.

This short tract starts with a description of the geometrical construction involved in the *manda-saṃskāra* and then proceeds to describe in detail the concept of

¹⁰David Pingree, an American historian of mathematics in the ancient world, expressed doubts about this attribution (see [2]). However, Pingree agreed that the author should be from ‘Mādhava school’.

viparītakarṇa. The treatise then presents a detailed discussion on its application to simplify the the computation of *aviśīta-manda-karṇa*. It concludes with a description of the procedure to compute *madhyamagraha*.

The work is essentially a very detailed commentary in prose on just two verses: one beginning with *viśṛti* and the other beginning with *arkendu*. Both verses appear in Nīlakaṇṭha Somayājī's *Tantrasaṅgraha*, but Somayājī has ascribed the authorship of the verses to Mādhava. The ascription of the prose commentary to Mādhava is due to K. V. Sarma (see [19]).

An edited version of the text along with English translation and explanations of the technical content using modern mathematical notations has been published as a research paper by U. K. V. Sarma and others (see [19]).

6. *Agaṇita/Agaṇita-grahacāra/Agaṇita-pañcāṅga*: According to an undated astronomical palm-leaf document written in Malayalam script preserved in the Oriental Institute, Baroda, Mādhava is the author of a work titled *Agaṇita-pañcāṅga*. A treatise of anonymous authorship titled *Agaṇita-grahacāra* is available in manuscript form¹¹ and Putumana Somayājī's *Karaṇapaddhati* contains verses quoted from this treatise. Probably, both *Agaṇita-grahacāra* and *Agaṇita-pañcāṅga* refer to the same work (see [15] p. 51, [18]). *Agaṇita-grahacāra* contains the longitudes of the planets for long cycles of years in the form of tables.
7. *Lagnaprakaraṇa* (Treatise on the ascendant): This is an astronomical text devoted to the determination of *lagna* (ascendant). The term *lagna* commonly refers to *udaya lagna* which is the zodiac sign rising on the east at any given instant. The work consists of 139 verses divided into eight chapters and gives the exact values of *lagna* unlike earlier texts (see [7]). In the first chapter of the *Lagnaprakaraṇa*, Mādhava discusses several procedures to determine astronomical quantities such as the *prāṇa-kalāntara* (difference between the longitude and right ascension), *cara* (ascensional difference of a body), and *kālalagna* (the time interval between the rise of the vernal equinox and a desired later instant). From the second chapter onwards, the text describes several techniques for precisely determining the *udayalagna* (see [5]).

More information about *Lagnaprakaraṇa* is available in a doctoral thesis titled "A critical Study of Mādhava's *Lagnaprakaraṇa*" authored by Aditya Kolachana, prepared under the supervision of K. Ramasubramanian and submitted to IIT Bombay in 2018. Since then Kolachana, Ramasubramanian and others have published a series of articles expounding in detail the various mathematical and astronomical aspects of *Lagnaprakaraṇa* (see, for example, [6], [25]).
8. *Golavāda* (Spherics): Later writers have often referred to Mādhava as *Goḷavid* (master of spherics). Researchers have spotted a reference to the existence of a text titled *Golavāda* authored by Mādhava in a palm-leaf manuscript of *Veṅāroha*. It is believed that this work, copies of which are still not extant, earned Mādhava the appellation *Goḷavid* (see [15] p. 52).

¹¹For details of the manuscript, see Item No. 628 *Agaṇitagrahacāra* (p. 1305) in *A Descriptive Catalogue of Sanskrit Manuscripts in the Curator's Office Library, Trivandrum Vol. IV* published in 1939. See [20].

9. . . . ? : According to K. V. Sarma “it seems quite possible that Mādhava had composed a comprehensive treatise on astronomy and mathematics, which yet remains to be identified and which may be supposed to contain the numerous single and groups of verses enunciating computational procedures, theorems and formulas which are quoted as Mādhava’s by later writers (see [15] p. 52).”

5 Mādhava’s contributions to mathematics in a nutshell

As a curtain raiser, we present here some of the most important contributions of Mādhava to mathematics. All of these results, their proofs and other results associated with them have been discussed in much fuller detail in the later chapters of this book.

1. Mādhava-Leibniz series

Mādhava stated and proved the following infinite series expression for the mathematical constant π :

$$\frac{\pi}{4} = 1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots$$

2. Correction terms to Mādhava-Leibniz series

Mādhava gave the following correction terms ($F_1(n)$, $F_2(n)$ and $F_3(n)$) to the Mādhava-Leibniz series which help us obtain better approximations to π much more quickly:

$$\frac{\pi}{4} \approx 1 - \frac{1}{3} + \frac{1}{5} - \dots + (-1)^{n-1} \frac{1}{2n-1} + (-1)^n F_i(n)$$

where

$$\begin{aligned} F_1(n) &= \frac{1}{4n}, \\ F_2(n) &= \frac{n}{4n^2 + 1}, \\ F_3(n) &= \frac{n^2 + 1}{n(4n^2 + 5)}. \end{aligned}$$

3. Many more infinite series expressions for π

In addition to the Mādhava-Leibniz series, Mādhava gave several more infinite series expressions for π like the following:

- (a) $\frac{\pi}{4} = \frac{3}{4} + \frac{1}{3^3 - 3} - \frac{1}{5^3 - 5} + \frac{1}{7^3 - 7} - \dots$
- (b) $\frac{\pi}{8} = \frac{1}{2^2 - 1} + \frac{1}{6^2 - 1} + \frac{1}{10^2 - 1} + \dots$
- (c) $\frac{\pi}{4} = \frac{4}{1^5 + 4 \cdot 1} - \frac{4}{3^5 + 4 \cdot 3} + \frac{4}{5^5 + 4 \cdot 5} - \frac{4}{7^5 + 4 \cdot 7} + \dots$
- (d) $\frac{\pi}{4} = \frac{1}{2} + \frac{1}{2^2 - 1} - \frac{1}{4^2 - 1} + \frac{1}{6^2 - 1} - \dots$

4. The Mādhava-Gregory series

Mādhava stated and proved the following infinite series expression for the arctangent (\tan^{-1}) function

$$\arctan x = x - \frac{x^3}{3} + \frac{x^5}{5} - \frac{x^7}{7} + \dots$$

and the following infinite series expression for π derived from the series for $\arctan x$:

$$\pi = \sqrt{12} \left(1 - \frac{1}{3 \cdot 3} + \frac{1}{5 \cdot 3^2} - \frac{1}{7 \cdot 3^3} + \dots \right).$$

5. Numerical value of π correct to the 10-th decimal place

The discovery of the following approximate value of π , which is correct to the 10-th decimal place, has been attributed to Mādhava:

$$\pi \approx \frac{2,827,433,388,233}{9 \times 10^{11}}.$$

6. The Mādhava-Newton series

Mādhava stated and proved the following power series expressions for $\sin \theta$, $\cos \theta$ and $\sin^2 \theta$:

$$(a) \sin \theta = \theta - \frac{\theta^3}{3!} + \frac{\theta^5}{5!} - \frac{\theta^7}{7!} + \dots$$

$$(b) \cos \theta = 1 - \frac{\theta^2}{2!} + \frac{\theta^4}{4!} - \frac{\theta^6}{6!} + \dots$$

$$(c) \sin^2 \theta = \theta^2 - \frac{\theta^4}{(2^2 - \frac{2}{2})} + \frac{\theta^6}{(2^2 - \frac{2}{2})(3^2 - \frac{3}{2})} - \dots$$

7. Algorithms to compute $\sin \theta$ and $\cos \theta$

Mādhava developed algorithms to compute the numerical values of $\sin \theta$ and $\cos \theta$ using precomputed polynomial coefficients and a very efficient and completely novel method to compute the values of polynomials. This method of computing values of polynomials was discovered in Europe only in the nineteenth century (see [9]).

8. Computation of a sine table

Mādhava constructed a table giving the values of $\sin \theta$ for

$$\theta = 3.75^\circ, 7.50^\circ, 11.25^\circ, \dots, 86.25^\circ, 90^\circ.$$

The values are correct to the 7th - 8th decimal places.

9. Mādhava's Taylor series approximations to $\sin \theta$ and $\cos \theta$

Mādhava obtained the following Taylor series approximations to the sine and cosine functions:

$$\begin{aligned}\sin(u+h) &= \sin(u) + h\cos(u) - \frac{h^2}{2}\sin(u), \\ \cos(u+h) &= \cos(u) - h\sin(u) + \frac{h^2}{2}\cos(u).\end{aligned}$$

10. Mādhava's *jīve-paraspara-nyāya*

The terminology *jīve-paraspara-nyāya* (which may be translated as “rule of mutual sines”) refers to the following set of rules which specify the addition and subtraction formulas for sine and cosine functions.

- (a) $\sin(x+y) = \sin x \cos y + \cos x \sin y$
- (b) $\sin(x-y) = \sin x \cos y - \cos x \sin y$
- (c) $\cos(x+y) = \cos x \cos y - \sin x \sin y$
- (d) $\cos(x-y) = \cos x \cos y + \sin x \sin y$

Even though these rules had been stated by earlier Indian mathematicians like Bhāskara II, in the astronomical and mathematical literature of the Kerala school the discovery of these rules has been attributed to Mādhava.

11. Properties of cyclic quadrilaterals

Vaṭṣareṇi Parameśvara, one of Mādhava's distinguished students, in one of his writings, has stated a formula to compute the circumradius R of a cyclic quadrilateral in terms its sides a, b, c, d :

$$R = \left(\frac{(ab+cd)(ac+bd)(ad+bc)}{(b+c+d-a)(a+d+c-b)(a+b+d-c)(a+b+c-d)} \right)^{\frac{1}{2}}.$$

If we consider the fact that Mādhava was a teacher of Parameśvara, it could be the case that Mādhava was the originator of the formula even though there is no substantive evidence to prove this surmise.

12. The *Veṅvāroha* algorithm

Veṅvāroha and *Sphuṭacandrāpti*, with almost identical content, are the only works of Mādhava that have survived in full to the current times. Though, the content of *Veṅvāroha* cannot be construed as dealing with mathematics, it is interesting in itself because it gives a detailed procedure, exactly in the form of an algorithm, to compute the true positions of the Moon at various times of a day.

6 Mādhava might have made a mistake

Mādhava was great, but he was human too and so knowing that he might have made a silly mistake in a numerical computation only would add more feathers to his greatness.

Mādhava has been quoted by several later authors as saying that the circumference of a circle of diameter 9×10^{11} is 2,827,433,388,233. The correct value of the circumference is 2,827,433,388,231. What is strange about this is not the difference between the two values, but the fact that all the formulas for computing π attributed to Mādhava and his followers yield values for the circumference of a circle of diameter 9×10^{11} closer to the true value than the value attributed to Mādhava. Probably Mādhava made a mistake in his computations! (See [8].)

References

- [1] P. P. Divakaran. *The Mathematics of India: Concepts, methods and Connections*. Springer/Hindustan Book Agency, New Delhi, 2008. ISBN 978-93-86279-65-1.
- [2] David Gold and David Pingree. A hitherto unknown Sanskrit work concerning Madhava's derivation of the power series for sine and cosine. *Historia Scientiarum*, 42:49–65, 1991. Available at <https://dl.ndl.go.jp/pid/11023753/1/28>.
- [3] K. Chandra Hari. Computation of true moon by Mādhava of Saṅgamagrāma. *Indian Journal of History of Science*, 38(3):231–253, 2003. Available at https://web.archive.org/web/20120316083104/http://www.new.dli.ernet.in/rawdataupload/upload/insa/INSA_1/2000c4df_231.pdf.
- [4] Ulloor S. Parameswara Iyer. *Kerala Sahithya Charithram (History of Kerala Literature) Vol. II*. University of Travancore, Thiruvananthapuram, 1954. Available at <https://books.sayahna.org/ml/pdf/ulloor-vol-2.pdf>.
- [5] Aditya Kolachana, K. Mahesh, and K. Ramasubramanian. Precise determination of the ascendant in the Lagnaprakaraṇa - I. *Indian Journal of History of Science*, 54(3):304–316, September 2019. Available at https://cahc.jainuniversity.ac.in/assets/ijhs/Vol154_3_2019__Art04.pdf.
- [6] Aditya Kolachana, K. Mahesh, and K. Ramasubramanian. Precise Determination of the Ascendant in the Lagnaprakaraṇa - IV. *Indian Journal of History of Science*, 56(2):1–13, July 2021. Available at https://www.researchgate.net/publication/354592918_Precise_determination_of_the_ascendant_in_the_Lagnaprakaraṇa-IV.
- [7] Sri Ram Aditya Kolachana. *Critical study of Mādhava's Lagnaprakaraṇa*. 2018. (Ph.D. thesis submitted to Indian Institute of Technology Bombay, Department of Humanities and Social Science.).
- [8] V. N. Krishnachandran. *On Śankara Varman's (correct) and Mādhava's (incorrect) values for the circumferences of circles*. Online, May 2024. (Preprint) Available at <https://arxiv.org/abs/2405.11144>.
- [9] V. N. Krishnachandran, Reji C. Joy, and Siji K. B. On sangamagrāma mādhava's (c.1350 – c.1425 ce) algorithms for the computation of sine and cosine functions.

In *Proceedings of the International Conference on Computational Engineering Practices and Technology*. MES College of Engineering, Kuttippuram, Kerala, November 2010.

- [10] Kim Plofker. *Mathematics in India*. Princeton University Press, Princeton, 2009.
- [11] G. Raja Rajeswari and M. S. Sriram. Mahājyānayanaprakārah: Infinite Series for the Sine and Cosine Functions in the Kerala Works. In Sita Sundar Ram and Ramakalyani V., editors, *History and Development of Mathematics in India*, pages 294–306. National Manuscript Mission, New Delhi, 2022. Available at https://namami.gov.in/sites/default/files/book_pdf/History%20and%20Development%20of%20Mathematics%20in%20India.pdf.
- [12] Subramania Iyer S. *A critical study of Sanskrit dramas by Kerala authors*. University of Kerala, 1971. PhD thesis available at https://shodhganga.inflibnet.ac.in/jspui/bitstream/10603/142047/18/18_chapter%2012.pdf.
- [13] K. V. Sarma. Saṅgamagrāma Mādhavan. *Mathrubhumi Weekly*, Nov. 1956. (The article is in Malayalam.).
- [14] K. V. Sarma. Date of Mādhava - A little known Indian astronomer. *Quarterly Journal of the Mythic Society, Bangalore*, XLIX(3):183–186, 1958. Available in *Facets of Indian Astronomy* (A Collection of Articles of Prof. K. V. Sarma), edited by Prof Siniruddha Dash, Rashtriya Sanskrit University, Tirupati, 2009, pp.270–273 which is available at https://archive.org/details/facetsofindianastronomyarticlesofsarmak.v.ed.siniruddhadashvenkateswarauniversity_840_N/page/270.
- [15] K. V. Sarma. *A History of the Kerala School of Hindu Astronomy (in perspective)*. Visheshvaranand Vishvabandhu Institute of Sanskrit and Indological Studies, Panjab University, Hoshiarpur, 1972. Available at <https://archive.org/details/details/KeralaSchoolOfAstronomy>.
- [16] K. V. Sarma. *Computation of the True Moon by Mādhava of Sangamagrāma (Critically edited with introduction, translation and notes)*. Visheshvaranand Vishvabandhu Institute of Sanskrit and Indological Studies, Panjab University, Hoshiarpur, 1973. Available at <https://archive.org/details/SphutaChandrapti>.
- [17] K. V. Sarma. *Contributions to the study of Kerala school of Hindu astronomy and mathematics*, volume II. 1977. Thesis submitted to the Panjab University for the Degree of Doctor of Philosophy. Available at https://archive.org/details/contributionstothestudyofthekeralaschoolhinduastronomymathematicssarmak.v.vol2thesis_997_.
- [18] K. V. Sarma. Direct lines of astronomical tradition in Kerala. In Siniruddha Dash, editor, *Facets of Indian Astronomy*, pages 402–405. Rashtriya Sanskrit University, Tirupai, Andhra Pradesh, 2009. Available at https://archive.org/details/facetsofindianastronomyarticlesofsarmak.v.ed.siniruddhadashvenkateswarauniversity_840_N.

- [19] U. K. V. Sarma, Venketeswara Pai, Dinesh Mohan Joshi, and K. Ramasubramanian. Madhyamānayanaprakārah: A hitherto unknown manuscript ascribed to Mādhava. *Indian Journal of history of Science*, 46(1):Supplement 1 – 15, 2011. Available at https://cahc.jainuniversity.ac.in/assets/ijhs/Vol146_1_15_Supplement.pdf.
- [20] K. Mahadeva Sastri, editor. *A descriptive catalogue of Sanskrit manuscripts in the Curator's Office Library, Trivandrum*, volume IV. Govt of H. H. The Maharaja of Travancore, 1939. Available at <https://archive.org/details/in.ernet.dli.2015.490212/>.
- [21] K. Sambasiva Sastri, editor. *The Āryabhaṭīya of Āryabhaṭācārya with the Bhāṣya of Nīlakaṇṭha Somasutvān Part I. Gaṇitapāda*. Trivandrum Sanskrit Series No. 101. Government of Travancore, Trivandrum, 1930. Available at https://archive.org/details/TSS101AryabhatiyaWithTheCommentaryOfNilakantaSomasutvanPart1KSSastri1930_201809.
- [22] Jyeṣṭhadēvan. *Yuktibhāṣā Part I: Mathematics (edited with notes by Ramavarma (Maru) Thampuran and A. R. Akhīleswara Aiyer)*. Magalodayam Ltd., Thrissur, Kerala, 1948. (This is the first part of the Malayalam book *Yuktibhāṣā* authored by Jyeṣṭhadēva.) The book has been reissued as an e-book in the pdf format by Sayahna Foundation, Thiruvananthapuram in 2020. The e-book is available at <https://books.sayahna.org/ml/pdf/yukthibhasha.pdf>.
- [23] N. K. Sundareswaran. Nīla School of Mathematics - A Note. *Calicut University Sanskrit Series*, (59):156–165, 2019. (A paper presented in the National Seminar on Regional Traditions of Sanskrit: Contributions of North Kerala organised by the Department of Sanskrit, University of Calicut from 27.2.2018 to 1.3.2018.) Available at https://www.researchgate.net/publication/377437682_Nila_School_of_Mathematics_-_A_Note.
- [24] Charles M. Whish. XXXIII. On the Hindu quadrature of the circle, and the infinite series of the proportion of the circumference to the diameter exhibited in the four Śāstras, the Tantra Sangrahaṃ, Yucti Bhāṣhā, Carana Padhati, and Sadratnamīa. *Transactions of the Royal Asiatic Society of Great Britain and Ireland*, 3(3):509–523, 1834. Available at <https://archive.org/details/jstor-25581775>.
- [25] Nagakiran Yelluru and Aditya Kolachana. Geometry of *prāṇakālāntara* in the *Lagṇaprakaraṇa*. *Indian Journal of History of Science*, 58:171–180, Sep. 2023.