

XDC Staking and Tokenomics - Improvement Proposal: Enhancing Sustainability and Decentralization on the Eve of XDC 2.0

Van Khanh Nguyen
13520392@ms.uit.edu.vn

September 12, 2024

Abstract

As the XDC network celebrates five years of stable mainnet operation and prepares for the highly anticipated launch of XDC 2.0, this research proposes a comprehensive improvement plan for the network’s staking and tokenomics mechanisms. Our analysis reveals opportunities to optimize the current model, ensuring a more sustainable, decentralized, and resilient ecosystem. We introduce novel concepts, including validator NFTs, decentralized governance, and utility-based tokenomics, to increase validator node liquidity and promote staking participation. Our proposal aims to establish a robust foundation for XDC 2.0, fostering a thriving ecosystem that rewards validators, stakeholders, and users alike. By addressing the intricacies of staking and tokenomics, this research paves the way for XDC to solidify its position as a leading decentralized network, poised for long-term success and growth.

1 Introduction

As the blockchain ecosystem continues to evolve, the importance of staking as a mechanism for securing and decentralizing Proof of Stake (PoS) networks cannot be overstated. Staking, which involves validators locking up their tokens or coins as collateral to participate in the validation process, has become a crucial component of many PoS-based protocols. However, as the XDC network prepares to launch its highly anticipated XDC 2.0 upgrade, it is essential to revisit the core concepts of staking and explore ways to enhance its staking mechanism to ensure long-term sustainability, security, and decentralization.

In this research, we will explore the fundamental principles of staking, examining its benefits, challenges, and opportunities for improvement. We will also draw inspiration from other prominent PoS-based projects, such as Ethereum, to identify best practices and innovative approaches that can be applied to the XDC network. By analyzing the staking models of these projects, we will gain valuable insights into how to optimize staking incentives, increase validator participation, and promote a healthier and more decentralized network. Through this exploration, we aim to provide a comprehensive roadmap for enhancing the staking mechanism of the XDC network, paving the way for a more robust, secure, and decentralized ecosystem that supports the growing demands of the blockchain industry.

2 XDC Network staking analysis

a. Current model The consensus mechanism of the XDC network is designed to operate with validator masternodes[1] and standby masternodes.

- **Validator Masternodes:**

- **Entities:** Operate as the primary network validators.
- **Income Sources:** Earnings are derived from a share of transaction fees and an annual income of 10% based on their staked amount.
- **Income Formula:** Total Earnings = Share of txFee + (10% x Staked XDC amount)

- **Standby Masternodes:**
 - **Entities:** Serve as backup validators and are activated when primary validators are unavailable.
 - **Income Sources:** Receive a fixed income of 8% annually based on their staked amount.
 - **Income Formula:** Total Earnings = 8% x Staked XDC amount
- To sustain the annual income distributions for both Validator and Standby Masternodes, the XDC network needs to emit funds annually calculated as follows:
 - For Validator Masternodes: $108 \times 10,000,000 \times 10\%$
 - For Standby Masternodes: $108 \times 10,000,000 \times 8\%$
 - Total emission = $(108 \times 10,000,000 \times 10\%) + (108 \times 10,000,000 \times 8\%) = 194,400,000$
 - With the total XDC supply as of August 20, 2024 is 37,936,724,971, we can calculate the annual inflation of XDC now is as below
 - Annual inflation rate = $(\text{Total emission} / \text{Total supply}) \times 100\% = (194,400,000 / 37,936,724,971) \times 100\% = 0.512\%$

The inflation rate of approximately 0.512% for the XDC network is relatively low compared to many other cryptocurrencies. This modest inflation suggests a sustainable growth model for the network, aligning with the goal of maintaining a stable increase in supply without significantly diluting existing holders.

b. New model The proposed model introduces a significant change by increasing the daily transaction fee to generate more revenue for validator masternodes. This increase is predicated on the formula:

Daily transaction fee = Gas fee x Avg gas used x daily number of transactions.

Under the new model, the daily transaction fee would increase by a factor of 50. To achieve this, we could either increase the gas fee or the daily number of transactions by the same factor. Among these options, raising the gas fee is more feasible within the consensus mechanism.

However, this approach has a substantial downside. Users of the XDC network, who are accustomed to low transaction fees, would face a 50-fold increase in gas fees. Despite this significant rise, the annual income for each active validator masternode would increase by less than 0.5%, with no additional revenue for standby validators. This disparity highlights a critical imbalance in the proposed economic model.

3 General Concepts of Staking

In a PoS network[4], staking involves validators locking up a certain amount of their tokens or coins as collateral to participate in the validation process. The validators are chosen to create a new block based on the amount of tokens they have staked, also known as their “stake.” The validator with the highest stake has the highest chance of being chosen to create a new block. Once a validator is chosen, they create a new block and add it to the blockchain, and in return, they receive a reward in the form of transaction fees and/or a block reward.

Staking has several benefits, including:

1. **Energy Efficiency:** PoS networks are more energy-efficient compared to traditional Proof of Work (PoW) networks, which require massive amounts of energy to power their nodes.
2. **Faster Transaction Times:** PoS networks typically have faster transaction times compared to PoW networks, making them more suitable for everyday transactions.
3. **Increased Security:** The more validators that participate in the staking process, the more secure the network becomes, as it would require a significant amount of resources to launch a 51% attack.

Categories of Staking

Over time, different categories of staking have emerged, each with its unique features and benefits.

a. Traditional Staking Traditional staking is the most common form of staking, where validators lock up their tokens or coins in a wallet or a staking pool to participate in the validation process. The validators are chosen to create a new block based on their stake, and they receive a reward for their participation.

Example: Tezos (XTZ) is a popular PoS blockchain that uses traditional staking. Validators, also known as “bakers,” stake their XTZ tokens to participate in the validation process and earn rewards in the form of new XTZ tokens.

b. Liquid Staking Liquid staking is a newer concept that allows users to stake their tokens or coins while still maintaining liquidity. In traditional staking, users must lock up their tokens for a certain period, which can range from a few days to several weeks or even months. Liquid staking, on the other hand, allows users to stake their tokens while still being able to use them for other purposes, such as trading or lending.

Example: Lido Finance is a liquid staking platform that allows users to stake their Ethereum (ETH) tokens while still maintaining liquidity. Users can stake their ETH tokens and receive a tokenized staking derivative, which can be traded on decentralized exchanges (DEXs) or used as collateral for loans.

c. DeFi Staking DeFi staking is a form of staking that combines the benefits of decentralized finance (DeFi) with traditional staking. In DeFi staking, users can stake their tokens or coins in decentralized lending protocols, such as Compound or Aave, to earn interest on their deposits. The interest earned is typically in the form of additional tokens or coins, which can then be staked to earn even more rewards.

Example: Compound is a popular DeFi lending protocol that allows users to stake their tokens, such as Ethereum (ETH) or DAI, to earn interest on their deposits. Users can then stake their earned interest to earn even more rewards, creating a compounding effect.

d. Re-staking

Re-staking is a form of staking that involves re-delegating staking rewards to the original staking pool or another staking pool on the network. This allows users to compound their

staking rewards, earning even more rewards on top of their initial stake.

Example: EigenLayer is a decentralized staking protocol that allows users to re-stake their staking rewards to earn even more rewards. Users can re-delegate their rewards to the original staking pool or another staking pool on the network, creating a compounding effect.

4 Ethereum case study

Ethereum Improvement Proposal (EIP) 1559, introduced in August 2021 as part of Ethereum’s London Hard Fork, significantly altered how transaction fees are calculated and paid on the Ethereum network. This proposal aimed to make Ethereum’s fee market more predictable and to improve the blockchain’s overall economic efficiency. Here’s a detailed breakdown of its components and implications:

a. Dual-Fee Structure EIP-1559[2] introduces a dual-fee structure consisting of a “base fee” and an “inclusion fee” (also known as a tip or priority fee):

- **Base Fee:** This is a mandatory fee that is burned (removed from circulation), calculated algorithmically, and adjusted by the protocol based on network congestion. After every block, the base fee can increase or decrease by up to 12.5% depending on whether the previous block was more or less than 50% full.
- **Inclusion Fee (Tip):** This is an optional fee paid to miners to prioritize a transaction over others. This fee is not burned and is given directly to the miners for including the transaction in a block.

b. Fee Burning The base fee is burned, meaning it is permanently removed from the Ethereum supply. This mechanism serves multiple purposes:

- **Reduces Ethereum Inflation:** By burning the base fee, EIP-1559 introduces a deflationary mechanism to Ethereum’s economy, potentially increasing the value of Ether over time.

- **Mitigates Economic Abstraction:** By requiring the base fee to be paid in Ether (ETH), it ensures that ETH remains central to the Ethereum network, as opposed to allowing transactions to be paid with other tokens.

c. Block Size Variability Under EIP-1559, the concept of a fixed block size is replaced with a more flexible model:

- **Target Block Size and Elasticity:** The protocol targets a block size (e.g., 15 million gas) but allows blocks to expand up to twice the target size (e.g., 30 million gas) to accommodate sudden spikes in network demand. This flexibility helps in managing congestion and reduces the variability in transaction fees during peak times.

Reward and Penalty model With the transition to PoS, the issuance mechanism shifted from mining to staking. Validators now secure the network by staking ETH, and issuance is tied to these staking activities.

- **Per-Block Issuance:** The rate at which new tokens are issued per block varies based on the total volume of ETH staked across the network. Validators receive these new tokens as a reward for their participation and contribution to network security. This dynamic issuance rate ensures that the incentive for validators adjusts with changes in network participation.
- **Validator Tip:** This fee incentivizes validators to prioritize the inclusion of a user's transaction in a block. Unlike the base fee, which is algorithmically determined and burned, the validator tip is not subject to burning and goes directly to the validators as a reward for processing and validating transactions. This mechanism ensures that validators are compensated for their computational efforts, especially during periods of high network congestion, when users might be willing to pay a premium for faster transaction processing.
- **Penalties and Slashing:** Validators can lose a portion of their stake for actions that could harm the network, such as being offline (inactivity leak) or attempting to corrupt the network (slashing).

Therefore, the total validator rewards is as follows: **Total rewards** = *Per-Block Issuance* + *Validator Tip* - *Penalties and Slashing*

The annual net inflation of the network is as follows: **Net ETH supply growth** = *Total staked ETH* x *issuance rate* - *Total base fee*

The current inflation rate of ETH could be seen in this link <https://ultrasound.money/>

5 Other case studies[3]

a. Traditional staking

– AION

- * The individual AION rewards depends on the Block Reward, Block Time, Daily Network Rewards and Total Staked. Every block one validator is randomly selected to create a block, whereas 1 staked or delegated token counts as one “lottery ticket”. The selected validator has the right to create a new block and broadcast them to the network. The Validator then receives the 50% of the block reward and the fees of all transactions (network rewards) successfully included in this block, whereas the PoW Miner receives the other 50%.

– Algorand

- * Rewards in the form of algos are granted to Algorand users for a variety of purposes. Initially, for every block that is minted, every user in Algorand receives an amount of rewards proportional to their stake in order to establish a large user base and distribute stake among many parties. As the network evolves, the Algorand Foundation will introduce additional rewards in order to promote behavior that strengthens the network, such as running nodes and proposing blocks.

– BitBay

- * The individual BitBay rewards depends on the Block Reward, Block Time, Daily Network Rewards and Total Staked. Every block is randomly selected whereas 1 staked coin counts as one “lottery ticket”. The selected staker has the right to

create a new block and broadcast it to the network. He then receives the block reward and the fees of all transactions successfully included in this block.

– **Dash**

- * Dash blockchain consensus is achieved via Proof of Work + Masternodes. Investors can leverage their crypto via operating masternodes. Miners are rewarded for securing the blockchain and masternodes are rewarded for validating, storing and serving the blockchain to users.

– **EOS**

- * EOS has a fixed 5% annual inflation. 4% goes to a savings fund, which might distribute the funds to the community later on. 1% goes to Block producers and Standby Block Producers. Out of the 1% that are given to block producers, only 0.25% will go to the actual 21 producers of the blocks. The other 0.75% will be shared among all block producers and standby block producers based on how many votes they receive and with a minimum of 100 EOS/day.

– **Fantom**

- * The individual reward of staking fantom depends on the Total Staked ratio. Transactions are packaged into event blocks. In order for event blocks to achieve finality, event blocks are passed between validator nodes that represent at least 2/3rds of the total validating power of the network. A validator's total validating power is primarily determined by the number of tokens staked and delegated to it. A validator earns rewards each epoch for each event block signed according to its validating power. By delegating, investors can increase the share of their validator proportionally to the balance of their account. They will receive rewards accordingly and share them with investors after taking the commission.

– **Livepeer**

- * Every livepeer (LPT) token holder has the right to delegate their tokens to an Orchestrator node for the right to receive both inflationary rewards in LPT and fees denominated in ETH from work completed by that node. The individual LTO rewards depends on the Network Rewards (Transaction Fees spent on the

Network) and the Total Staked. Every block one staking node operator is randomly selected to create a new block, whereas 1 staked token counts as one “lottery ticket”. The staker receives the fees of all transactions successfully included in this block. Staking Node Operators share the rewards with their delegators after deducting a commission.

– **NEM**

- * NEM blockchain consensus is achieved via Proof of Importance. Investors can leverage their crypto via harvesting. To harvest NEM coins it is recommended to run the official NEM Core wallet with an entire copy of the blockchain on the stakers’ computer or a Virtual Private Server (VPS). The individual NEM harvesting rewards depends on the Daily Network Rewards and Total Staked. For every block, the staker is randomly selected whereas 1 staked coin counts as one “lottery ticket”. The selected staker has the right to create a new block and broadcast it to the network. The staker then receives the fees of all transactions successfully included in this block.

– **NEO**

- * Everyone who holds NEO will automatically be rewarded by GAS. GAS is produced with each new block. In the first year, each new block generates 8 GAS, and then decreases every year until each block generates 1 GAS. This generation mechanism will be maintained until the total amount of GAS reaches 100 million and no new GAS will be generated.

– **Nuls**

- * Nuls blockchain consensus is achieved via Proof of Stake + Masternodes. Investors can leverage their crypto via staking. The amount earned is variable based on the current blockchain metrics like the amount of stakers (Total Staked ratio). Investors can stake Nuls into a project’s nodes and earn their token as a reward, while the project earns Nuls as a reward. Some projects offer to stake with just 5 Nuls as the minimum.

– **Polkadot**

- * Delegators in Polkadot are called Nominators. Anyone can nominate up to 16 validators, who share rewards if they are elected into the active validators set. The process is a single-click operation inside the wallet. The current reward rate for validators is determined by the current Total Staked ratio. The less DOT is being staked, the higher are the rewards.

– **Qtum**

- * Qtum blockchain consensus is achieved via Proof of Stake 3.0. The individual reward depends on the Block Reward, Block Time, Daily Network Rewards and Total Staked. Every block is randomly selected whereas 1 staked coin counts as one “lottery ticket”. The selected staker has the right to create a new block and broadcast it to the network. The staker then receives the block reward and the fees of all transactions successfully included in this block.

– **Synthetix Network**

- * Synthetix Network Token blockchain consensus is achieved via the Ethereum Blockchain. Investors can leverage their crypto via staking. SNX holders can lock their SNX as collateral to stake the system. Synths are minted into the market against the value of the locked SNX, where they can be used for a variety of purposes including trading and remittance. All Synth trades on Synthetix Exchange generate fees that are distributed to SNX holders, rewarding them for staking the system.

– **Tezos**

- * Tezos blockchain consensus is achieved via Liquid Proof of Stake. Investors can leverage their crypto via baking or delegating. There are a number of tokens that use a similar mechanism, including iotex, irisnet, etc.

– **Tron**

- * Tron reward depends on the Block Rewards, Endorsement Rewards, Block Time, Daily Network Rewards and Total Staked. Every block is randomly selected to bake a block and 32 stakers are selected to endorse a block, whereas 1 staked coin counts as one “lottery ticket”. The selected stakers have the right to create or endorse new block and broadcast them network. The Baker then receives the block

reward and the fees of all transactions successfully included in this block. The Endorsers receive the endorsement rewards.

– **Wanchain**

- * Wanchain blockchain consensus is achieved via Galaxy Proof-of-Stake. The individual WAN rewards depends on the Foundation Rewards, Daily Network Rewards and Total Staked. At the beginning of each protocol cycle (epoch), two groups, the RNP (Random Number Proposer) group and the EL (Epoch Leader) group, are selected from all validators. 1 staked or delegated token counts as one “lottery ticket” to be selected. The two groups equally share the Foundation Rewards and Transaction Fees (Network Rewards). The Foundation Rewards consists of 10% of the outstanding Wanchain Token Supply and are decreasing by 13.6% each year, whereas the Network Rewards are expected to rise alongside wider network usage.

b. Liquid staking

– **Lido**

- * Offers decentralized Ethereum staking.
- * Users can stake any amount of ETH without the need to run their own infrastructure or meet a minimum deposit.
- * Lido issues stETH to represent the staked ETH, allowing users to retain liquidity and engage in other DeFi activities.
- *

– **Rocket Pool:**

- * Offers decentralized Ethereum staking.
- * Users can run their own node or stake ETH with a minimum of 16 ETH for node operators and 0.01 ETH for regular stakers.
- * It provides rETH as a staking derivative, similar to Lido’s stETH.

– **Ankr:**

- * Provides staking services for multiple chains, including Ethereum.

- * Offers aETH as a staking derivative, enabling liquidity for stakers.
 - * Focuses on providing infrastructure solutions as well as staking.
- **StakeWise:**
- * Another decentralized option for Ethereum staking.
 - * Offers pooled staking with no minimum deposit, similar to Lido.
 - * Stakers receive sETH2, which represents their staked ETH and accrued rewards.
- **Frax Finance (Frax Ether):**
- * Introduced Frax Ether, a liquid staking derivative of Ethereum.
 - * Emphasizes a decentralized and algorithmic approach to staking and derivatives.
 - * Integrates with the broader Frax ecosystem for additional functionalities.
- **Marinade Finance (Solana-focused):**
- * While it's primarily for Solana, it offers a model similar to Lido for SOL staking.
 - * Provides mSOL as a liquid staking token to represent staked SOL.
 - * Aims to decentralize the staking process and enhance liquidity. ##### c. DeFi staking
- **Aave:**
- * Aave is a decentralized lending protocol that allows users to lend and borrow a variety of cryptocurrencies.
 - * Users can deposit DAI to earn interest, which is determined by supply and demand dynamics in the market.
- **Compound:**
- * Compound operates similarly to Aave, providing a decentralized finance platform for lending and borrowing.
 - * Users can supply DAI to the Compound pool and earn interest, as well as cDAI, which represents the staked DAI and accrued interest.
- **Yearn.finance:**
- * Yearn.finance optimizes the yield earning capabilities of the assets deposited.

- * It automatically moves DAI between different lending services like Aave, Compound, and others to maximize the interest earnings.
- **MakerDAO:**
- * While primarily known for creating DAI, MakerDAO also offers opportunities to engage DAI in its ecosystem to earn savings through the DAI Savings Rate (DSR).
 - * Users can lock their DAI in the DSR to earn a variable interest rate directly through the MakerDAO protocol.
- **Curve Finance:**
- * Curve is a decentralized exchange for stablecoins that uses an automated market maker (AMM) to manage liquidity.
 - * Users can deposit DAI into Curve liquidity pools to facilitate trading and earn trading fees, in addition to potential CRV token rewards. Certainly! Based on the information provided about Fathom Protocol, here’s a simplified summary similar in format to the previous examples:
- **Fathom Protocol:**
- * Offers liquidity solutions for both retail and institutional participants, focusing on integrating real-world assets (RWA) with cryptocurrency financing.
 - * Users can deposit XDC and staked XDC to mint FXD, a USD-stablecoin. This process allows users to utilize their XDC holdings to generate stablecoin liquidity.
 - * FXD can be used to participate in yield-generating activities through RWA Vaults and Trade Finance Pools. Additionally, crypto and RWA holders can borrow FXD using their assets as collateral, facilitating flexible financial operations. #####
- d. Re-staking #####** EigenLayer is a cutting-edge protocol that leverages existing staked assets on Ethereum to provide additional security and functionality without requiring users to unstake their ETH. Here’s a quick overview:
- **EigenLayer:**
- * Allows users to re-stake their already staked Ethereum to support additional protocols on top of the Ethereum base layer, enhancing network security and computational capabilities without compromising their initial staking position.

- * Participants can contribute to the security of multiple protocols simultaneously, increasing the utility of their staked ETH and opening up new avenues for earning rewards.
- * By allowing staked ETH to be leveraged for multiple purposes, EigenLayer introduces a novel approach to maximize the efficiency and utility of staked assets within the Ethereum ecosystem.

6 Some reward schemes for XDC staking models

– Reward scheme 1:

- * Reward both validator masternodes and standby masternodes flat rate 9% staked XDC amount annually. Validator masternodes will get additional rewards for the blocks they validate. In that case, the income for each type of validator would be as below

Validator masternodes earnings = Share of txFee + (9% x Staked XDC amount)
 Standby masternodes earnings = 9% x Staked XDC amount

- * This reward scheme is predicated on the requirement that both active validator masternodes and standby masternodes stake an equal amount and maintain identical levels of availability to ensure continuous transaction validation under any circumstances. This approach is designed to incentivize a greater number of nodes to become standby validators, enhancing network resilience and reliability.

– Reward scheme 2:

- * Another reward scheme permits users to tip validator masternodes, which allows their transactions to be validated more quickly relative to others. Under this scheme, the transaction fee is burnt to prevent inflation. Standby validators are not left out; they continue to earn an annual 8% return on their staked amount, ensuring consistent rewards regardless of active transaction validation. In that case, the income for each type of validator would be as below

Validator masternodes earnings = Validator tip + (10% x Staked XDC amount)

Standby masternodes earnings = 8% x Staked XDC amount

- * This reward scheme effectively mitigates network inflation while ensuring that both Validator and Standby masternodes receive reasonable compensation based on their staked amounts. However, for this scheme to function optimally, it necessitates the creation of high demand for rapid transactions within the network.

7 Some proposals for tokenomics

a. Introducing Loyalty Factor for Node Validators

- **Target:** Recruit more investors/node operators who trust and contribute to the growth of the XDC network.
- **Detail:**
 - Node operators can choose to stake 10,000,000 XDC to the network for a specified duration to earn a corresponding loyalty factor.
 - The loyalty factor will be calculated based on the staking duration, with a maximum loyalty factor of 10 for a 10-year staking period.
 - The loyalty factor will determine the validator's share of the total reward pool, ensuring that long-term contributors are incentivized and rewarded fairly.
 - The pool of rewards for all validators will be 194,400,000 XDC, and each validator's reward will be calculated based on their loyalty factor.

Loyalty Factor Table:

b. Withdrawal Fee Based on Withdrawal Time

- **Target:** Reduce the real inflation rate of the network in the short term.
- **Detail:**
 - Instead of rewarding validators after each block, rewards will be sent to a smart contract and can be withdrawn after reaching a certain threshold.

Table 1: Staking Duration and Loyalty Factors

<u>Staking Duration</u>	<u>Loyalty Factor</u>
1 year	1
2 years	2
3 years	3
5 years	5
10 years	10

- A withdrawal fee will be applied, which will be burnt, to discourage frequent withdrawals and reduce inflation.
- The withdrawal fee will be calculated based on the withdrawal amount and time, with lower fees for larger and longer-term withdrawals.

Withdrawal Fee Table:

Table 2: Withdrawal Amounts and Fees

<u>Withdrawal Amount</u>	<u>Withdrawal Fee</u>
1,000 XDC	50%
10,000 XDC	30%
100,000 XDC	20%
1,000,000 XDC	0% (after 1 year)

c. Reward Reinvestment Program

- **Target:** Allow node validators to contribute to the growth of the ecosystem by introducing an investment program.
- **Detail:**
 - Node validators can invest their rewards in an ecosystem treasury at any time.
 - The investment will be subject to a withdrawal fee, which will be contributed to the ecosystem treasury.

- The treasury will distribute funds to projects that generate more customers and transaction fees, based on their performance.
- Validators will receive a pool share for their contribution, which can be redeemed to earn rewards.
- The fee earned by each project from customer fees will be returned to the ecosystem treasury, allowing validators to redeem their pool share and earn rewards.

Reward Reinvestment Program Flow:

1. Node validators invest their rewards in the ecosystem treasury.
2. The investment is subject to a withdrawal fee, which is contributed to the treasury.
3. The treasury distributes funds to projects based on their performance.
4. Validators receive a pool share for their contribution.
5. Validators can redeem their pool share to earn rewards.
6. Project fees are returned to the treasury, allowing validators to redeem their pool share and earn rewards.

Here is the enhanced proposal:

d. Dynamic Fee and Tip Mechanism

- **Target:** Adjust the transaction fee dynamically based on network demand and performance to ensure a sustainable and scalable ecosystem.
- **Detail:**
 - Implement a dynamic fee mechanism that adjusts the transaction fee based on the network's transaction per second (TPS) rate.
 - The fee will be calculated using a tiered system, with higher fees for higher TPS rates.
 - The current average fee of 0.0002 XDC will be increased by a factor of 10 when the TPS rate reaches 5-12 times the current rate.

- When the TPS rate reaches 100 times the current rate, a tip mechanism will be introduced, allowing users to incentivize validators with additional fees for priority transaction processing.

Dynamic Fee Tier System:

Table 3: TPS Rate and Fee Multiplier

TPS Rate	Fee Multiplier
1-5	1x
5-12	10x
12-25	20x
25-50	50x
50-100	100x
100+	Tip Mechanism

Tip Mechanism:

- **Tip Rate:** 0.001-0.01 XDC per transaction (configurable)
- **Tip Priority:** Transactions with higher tips will be prioritized for processing, ensuring faster confirmation times for critical transactions.

Benefits:

- **Increased Revenue for Validators:** Dynamic fees and tips will provide a new revenue stream for validators, incentivizing them to contribute to the network’s growth and security.
- **Scalability:** The dynamic fee mechanism will help manage network congestion, ensuring that the network can handle increasing transaction volumes without compromising performance.
- **User Experience:** The tip mechanism will provide users with a way to prioritize their transactions, ensuring faster confirmation times for critical transactions.

By implementing a dynamic fee and tip mechanism, the XDC network can adapt to changing demand and ensure a sustainable and scalable ecosystem for all participants.

These enhanced proposals aim to incentivize node validators to contribute to the growth of the XDC network, reduce inflation, and promote ecosystem development.

References

- [1] XDC Community. Tokenomics. <https://docs.xdc.community/get-started/xdc-design/tokenomics>, 2023.
- [2] Kose John. Economics of ethereum. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=478369, 2024.
- [3] Ke Tang Lin William Cong, Zhiheng He. Staking, token pricing, and crypto carry. https://www.researchgate.net/publication/359796628_Staking-Token-Pricing-and-Crypto-Carry, 2022.
- [4] Fahad Saleh. Blockchain without waste: Proof-of-stake. https://www.researchgate.net/publication/344935107_Blockchain_without_Waste_Proof-of-Stake, 2020.