# arXiv:2411.12954v1 [gr-qc] 20 Nov 2024

# Stability in Cubic Metric-Affine Gravity

Sebastian Bahamonde<sup>1,\*</sup> and Jorge Gigante Valcarcel<sup>2,†</sup>

<sup>1</sup>Kavli Institute for the Physics and Mathematics of the Universe (WPI),

The University of Tokyo Institutes for Advanced Study (UTIAS),

The University of Tokyo, Kashiwa, Chiba 277-8583, Japan.

<sup>2</sup>Center for Geometry and Physics, Institute for Basic Science (IBS), Pohang 37673, Korea.

We analyse the stability issue of the vector and axial modes of the torsion and nonmetricity tensors around general backgrounds in the framework of cubic Metric-Affine Gravity. We show that the presence of cubic order invariants defined from the curvature, torsion and nonmetricity tensors allow the cancellation of the well-known instabilities arising in the vector and axial sectors of quadratic Metric-Affine Gravity. For the resulting theory, we also obtain Reissner-Nordströmlike black hole solutions with dynamical torsion and nonmetricity, which in general include massive tensor modes for these quantities, thus avoiding further no-go theorems that potentially prevent a consistent interaction of massless higher spin fields in the quantum regime.

#### I. Introduction

One of the most relevant aspects to guarantee the viability of any extended theory of gravity concerns stability. A suitable scenario demands the absence of pathologies that may spoil the stability of the new propagating degrees of freedom of the gravitational field, which may include different types of ghostly, gradient and tachyonic instabilities, among others [1]. A noteworthy situation takes place when extending the Einstein-Hilbert action of General Relativity (GR) with quadratic curvature invariants, which renders gravity renormalisable [2], but introduces Ostrogradsky ghosts that make the classical Hamiltonian unbounded from below [3–5]. A healthy exception is found in Lanczos-Lovelock gravity [6–8], which in any case boils down to GR in four dimensions, up to a boundary term.

Likewise, the extension towards a post-Riemannian geometry with curvature, torsion and nonmetricity tensors leads to the formulation of Metric-Affine Gravity (MAG) [9–11], which in general is not free of these issues [12–33]. In particular, the cancellation of all the possible instabilities of the spin-1 modes of the torsion and nonmetricity tensors from the quadratic action of MAG strongly restricts the parameter space of the quadratic curvature invariants from sixteen to five parameters [34], with the subcase of Weyl-Cartan geometry especially constrained to an Einstein-Proca theory for the Weyl vector of the nonmetricity tensor.

Following these lines, it has recently been shown that the introduction in the gravitational action of cubic order invariants defined from the curvature and torsion tensors allows the stabilisation of such modes in the Poincaré gauge framework of MAG [35]. Thereby, in this work we extend these results in the presence of the nonmetricity tensor, in order to show that the vector and axial sectors of MAG can be stabilised by cubic order invariants of the curvature, torsion and nonmetricity tensors.

For this task, we organise this work as follows. In Sec. II, we set up our definitions and conventions for the curvature, torsion and nonmetricity tensors described in metric-affine geometry. In Sec. III, we first revisit the stability issue of the vector and axial sectors of quadratic MAG. Then, in Sec. IV, we present the most general parity preserving cubic Lagrangian constructed from the curvature, torsion and nonmetricity tensors. A thorough stability analysis performed in Sec. V allows us to show that the pathological terms arising in the vector and axial sectors of the quadratic action of MAG can be in fact cancelled out by an appropriate choice of the Lagrangian coefficients of the cubic action. From the resulting theory, in Sec. VI we also find Reissner-Nordström-like black hole solutions with dynamical torsion and nonmetricity, which in contrast with the case of quadratic MAG generally include mass terms for the irreducible tensor modes of these quantities, thus avoiding further strong coupling problems and no-go theorems that would spoil their interaction in the quantum regime. Finally, we present our conclusions in Sec. VII. For the sake of simplicity in the presentation, we relegate a list of cumbersome expressions and technical details to the Appendixes.

We work in natural units c = G = 1 and we consider the metric signature (+, -, -, -). In addition, we use a tilde accent to denote quantities defined from the general affine connection that includes torsion and nonmetricity, in order to distinguish them from their unaccented counterparts defined from the Levi-Civita connection. On the other hand, Latin and Greek indices run from 0 to 3, referring to anholonomic and coordinate bases, respectively.

<sup>\*</sup>Electronic address: sbahamondebeltran@gmail.com, sebastian.bahamonde@ipmu.jp

<sup>&</sup>lt;sup>†</sup>Electronic address: jorgevalcarcel@ibs.re.kr

## II. Definitions and conventions

The formulation of gravity within an affinely connected metric space-time introduces the antisymmetric part of the affine connection and the covariant derivative of the metric tensor as additional properties of the gravitational field:

$$T^{\lambda}{}_{\mu\nu} = 2\tilde{\Gamma}^{\lambda}{}_{[\mu\nu]}, \quad Q_{\lambda\mu\nu} = \tilde{\nabla}_{\lambda}g_{\mu\nu}, \qquad (1)$$

which correct the covariant derivative of an arbitrary vector  $v^{\lambda}$  as

$$\tilde{\nabla}_{\mu}v^{\lambda} = \nabla_{\mu}v^{\lambda} + N^{\lambda}{}_{\rho\mu}v^{\rho}, \qquad (2)$$

with

$$N^{\lambda}{}_{\rho\mu} = \frac{1}{2} \left( T^{\lambda}{}_{\rho\mu} - T_{\rho}{}^{\lambda}{}_{\mu} - T_{\mu}{}^{\lambda}{}_{\rho} \right) + \frac{1}{2} \left( Q^{\lambda}{}_{\rho\mu} - Q_{\rho}{}^{\lambda}{}_{\mu} - Q_{\mu}{}^{\lambda}{}_{\rho} \right) \,. \tag{3}$$

Accordingly, the corresponding curvature tensor can be expressed as the sum of the Riemann tensor and further post-Riemannian corrections

$$\tilde{R}^{\lambda}{}_{\rho\mu\nu} = R^{\lambda}{}_{\rho\mu\nu} + \nabla_{\mu}N^{\lambda}{}_{\rho\nu} - \nabla_{\nu}N^{\lambda}{}_{\rho\mu} + N^{\lambda}{}_{\sigma\mu}N^{\sigma}{}_{\rho\nu} - N^{\lambda}{}_{\sigma\nu}N^{\sigma}{}_{\rho\mu}, \qquad (4)$$

whose algebraic symmetries allow the definition of three independent traces; namely, the Ricci and co-Ricci tensors

$$\tilde{R}_{\mu\nu} = \tilde{R}^{\lambda}{}_{\mu\lambda\nu}, \qquad (5)$$

$$\hat{R}_{\mu\nu} = \tilde{R}_{\mu}^{\ \lambda}{}_{\nu\lambda}, \qquad (6)$$

as well as the homothetic curvature tensor

$$\tilde{R}^{\lambda}{}_{\lambda\mu\nu} = \nabla_{[\nu}Q_{\mu]\lambda}{}^{\lambda}.$$
<sup>(7)</sup>

Furthermore, the trace of the Ricci and co-Ricci tensors provides a unique independent scalar curvature

$$R = g^{\mu\nu} R_{\mu\nu} \,, \tag{8}$$

whereas the pseudotrace of the curvature tensor gives rise to the so-called Holst pseudoscalar

$$*\tilde{R} = \varepsilon^{\lambda\rho\mu\nu}\tilde{R}_{\lambda\rho\mu\nu} \,. \tag{9}$$

For stability purposes and other phenomenological aspects, it is important to consider the irreducible decomposition of torsion and nonmetricity as tensors under the four-dimensional pseudo-orthogonal group [36]:

$$T^{\lambda}{}_{\mu\nu} = \frac{1}{3} \left( \delta^{\lambda}{}_{\nu} T_{\mu} - \delta^{\lambda}{}_{\mu} T_{\nu} \right) + \frac{1}{6} \varepsilon^{\lambda}{}_{\rho\mu\nu} S^{\rho} + t^{\lambda}{}_{\mu\nu} , \qquad (10)$$

$$Q_{\lambda\mu\nu} = g_{\mu\nu}W_{\lambda} + g_{\lambda(\mu}\Lambda_{\nu)} - \frac{1}{4}g_{\mu\nu}\Lambda_{\lambda} + \frac{1}{3}\varepsilon_{\lambda\rho\sigma(\mu}\Omega_{\nu)}^{\ \rho\sigma} + q_{\lambda\mu\nu}, \qquad (11)$$

which includes vector, axial and tensor modes as

$$T_{\mu} = T^{\nu}_{\ \mu\nu} \,, \tag{12}$$

$$W_{\mu} = \frac{1}{4} Q_{\mu\nu}{}^{\nu}, \qquad (13)$$

$$\Lambda_{\mu} = \frac{4}{9} \left( Q^{\nu}_{\ \mu\nu} - W_{\mu} \right) \,, \tag{14}$$

$$S_{\mu} = \varepsilon_{\mu\lambda\rho\nu} T^{\lambda\rho\nu} \,, \tag{15}$$

$$t_{\lambda\mu\nu} = T_{\lambda\mu\nu} - \frac{2}{3}g_{\lambda[\nu}T_{\mu]} - \frac{1}{6}\varepsilon_{\lambda\rho\mu\nu}S^{\rho}, \qquad (16)$$

$$\Omega_{\lambda}^{\ \mu\nu} = -\left[\varepsilon^{\mu\nu\rho\sigma}Q_{\rho\sigma\lambda} + \varepsilon^{\mu\nu\rho}{}_{\lambda}\left(\frac{3}{4}\Lambda_{\rho} - W_{\rho}\right)\right],\tag{17}$$

$$q_{\lambda\mu\nu} = Q_{(\lambda\mu\nu)} - g_{(\mu\nu}W_{\lambda)} - \frac{3}{4}g_{(\mu\nu}\Lambda_{\lambda)}.$$
(18)

Thereby, in the following section we shall revisit the stability issue of the vector and axial modes of torsion and nonmetricity in quadratic MAG.

## III. Stability in quadratic MAG

In order to introduce the dynamics of the torsion and nonmetricity fields, the most general parity conserving action of MAG includes 11+3+4 irreducible modes from curvature, torsion and nonmetricity, respectively. Hence, the gravitational action of quadratic MAG turns out to display a vast number of kinetics and interactions for the vector, axial and tensor modes of torsion and nonmetricity, which in general gives rise to ghostly instabilities.

Indeed, an examination on the inherent nonlinearity of the interactions involving the vector and axial modes is enough to strongly restrict the parameter space of the theory [34]. Specifically, these pathological sectors arise from the gravitational action of MAG that is reduced to GR in the absence of torsion and nonmetricity:

$$S_{\text{Quad}} = \frac{1}{16\pi} \int \left[ -R - \frac{1}{2} \left( 2c_1 + c_2 \right) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\mu\nu\lambda\rho} + \left( a_2 - c_1 \right) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\rho\lambda\mu\nu} + a_2 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\lambda\rho\mu\nu} \tilde{R}^{\lambda\rho\mu\nu} + a_5 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\lambda\mu\mu\nu} \\ + a_6 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\rho\mu\lambda\nu} + \left( c_2 - a_5 + a_6 \right) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\mu\rho\lambda\nu} + \left( d_1 - a_{10} - a_{12} \right) \tilde{R}_{\mu\nu} \tilde{R}^{\mu\nu} + a_9 \tilde{R}_{\mu\nu} \tilde{R}^{\nu\mu} + a_{10} \hat{R}_{\mu\nu} \tilde{R}^{\mu\nu} \\ + a_{11} \hat{R}_{\mu\nu} \hat{R}^{\nu\mu} - \left( d_1 + a_9 + a_{11} \right) \tilde{R}_{\mu\nu} \hat{R}^{\nu\mu} + a_{12} \tilde{R}_{\mu\nu} \hat{R}^{\mu\nu} + a_{14} \tilde{R}^{\lambda}_{\lambda\mu\nu} \tilde{R}^{\rho}_{\ \rho}^{\mu\nu} + a_{15} \tilde{R}_{\mu\nu} \tilde{R}^{\lambda}_{\ \lambda}^{\mu\nu} + a_{16} \hat{R}_{\mu\nu} \tilde{R}^{\lambda}_{\ \lambda}^{\mu\nu} \\ + \frac{1}{2} m_T^2 T_\mu T^\mu + \frac{1}{2} m_S^2 S_\mu S^\mu + \frac{1}{2} m_t^2 t_{\lambda\mu\nu} t^{\lambda\mu\nu} + \frac{1}{2} m_W^2 W_\mu W^\mu + \frac{1}{2} m_\Lambda^2 \Lambda_\mu \Lambda^\mu + \frac{1}{2} m_\Omega^2 \Omega_{\lambda\mu\nu} \Omega^{\lambda\mu\nu} \\ + \frac{1}{2} m_q^2 q_{\lambda\mu\nu} q^{\lambda\mu\nu} + \frac{1}{2} \alpha_{TW} T_\mu W^\mu + \frac{1}{2} \alpha_{T\Lambda} T_\mu \Lambda^\mu + \frac{1}{2} \alpha_{W\Lambda} W_\mu \Lambda^\mu + \frac{1}{2} \alpha_{t\Omega} \varepsilon_{\rho\mu\nu\sigma} \Omega^{\lambda\rho\mu} t^\nu_{\ \lambda}^\sigma \right] \sqrt{-g} \, d^4x \,. \tag{19}$$

As can be seen, the action includes a total of 13 coefficients  $c_1$ ,  $c_2$ ,  $d_1$ ,  $a_2$ ,  $a_5$ ,  $a_6$ ,  $a_9$ ,  $a_{10}$ ,  $a_{11}$ ,  $a_{12}$ ,  $a_{14}$ ,  $a_{15}$  and  $a_{16}$  associated with the quadratic curvature invariants, as well as 11 coefficients  $m_T$ ,  $m_S$ ,  $m_t$ ,  $m_W$ ,  $m_\Lambda$ ,  $m_\Omega$ ,  $m_q$ ,  $\alpha_{TW}$ ,  $\alpha_{T\Lambda}$ ,  $\alpha_{W\Lambda}$  and  $\alpha_{t\Omega}$  associated with the quadratic torsion and nonmetricity invariants<sup>1</sup>.

Focusing then on the vector and axial sectors of the theory, it is a cumbersome but straightforward calculation to obtain the expression of the curvature tensor, neglecting the contribution of the tensor modes:

$$\begin{split} \tilde{R}_{\lambda\rho\mu\nu} &= R_{\lambda\rho\mu\nu} + \frac{1}{12} g_{\lambda[\nu} \nabla_{\mu]} \left( 8T_{\rho} - 12W_{\rho} + 3\Lambda_{\rho} \right) - \frac{1}{12} g_{\rho[\nu} \nabla_{\mu]} \left( 8T_{\lambda} - 12W_{\lambda} + 15\Lambda_{\lambda} \right) - g_{\lambda\rho} \nabla_{[\mu} W_{\nu]} + \frac{1}{4} g_{\lambda\rho} \nabla_{[\mu} \Lambda_{\nu]} \\ &+ \frac{1}{6} \varepsilon_{\lambda\rho\sigma[\mu} \nabla_{\nu]} S^{\sigma} + \frac{2}{9} \left( 2T_{[\lambda} g_{\rho][\nu} T_{\mu]} + g_{\lambda[\nu} g_{\mu]\rho} T_{\sigma} T^{\sigma} \right) + \frac{1}{72} \left( 2S_{[\lambda} g_{\rho][\mu} S_{\nu]} + g_{\lambda[\mu} g_{\nu]\rho} S_{\sigma} S^{\sigma} \right) \\ &+ \frac{1}{2} \left( 2W_{[\lambda} g_{\rho][\nu} W_{\mu]} + g_{\lambda[\nu} g_{\mu]\rho} W_{\sigma} W^{\sigma} \right) + \frac{1}{32} \left( 2\Lambda_{[\lambda} g_{\rho][\nu} \Lambda_{\mu]} + 5g_{\lambda[\nu} g_{\mu]\rho} \Lambda_{\sigma} \Lambda^{\sigma} + 24g_{\rho[\nu} \Lambda_{\mu]} \Lambda_{\lambda} \right) \\ &+ \frac{1}{36} \left[ 4\varepsilon_{\mu\nu\sigma[\lambda} T_{\rho]} S^{\sigma} - 6\varepsilon_{\mu\nu\sigma[\lambda} W_{\rho]} S^{\sigma} + \left( g_{\lambda[\nu} \varepsilon_{\mu]\rho\sigma\omega} - g_{\rho[\nu} \varepsilon_{\mu]\lambda\sigma\omega} \right) \left( 2T^{\sigma} - 3W^{\sigma} \right) S^{\omega} \right] + \frac{1}{48} g_{\lambda[\mu} \varepsilon_{\nu]\rho\sigma\omega} S^{\sigma} \Lambda^{\omega} \\ &- \frac{5}{48} g_{\rho[\mu} \varepsilon_{\nu]\lambda\sigma\omega} S^{\sigma} \Lambda^{\omega} + \frac{5}{48} \varepsilon_{\mu\nu\rho\sigma} S^{\sigma} \Lambda_{\lambda} - \frac{1}{48} \varepsilon_{\lambda\mu\nu\sigma} S^{\sigma} \Lambda_{\rho} - \frac{1}{12} g_{\rho[\mu} g_{\nu]\lambda} \left( 8T_{\sigma} W^{\sigma} - 6T_{\sigma} \Lambda^{\sigma} + 9W_{\sigma} \Lambda^{\sigma} \right) \\ &- \frac{2}{3} T_{[\mu} g_{\nu][\rho} W_{\lambda]} + \frac{1}{6} T_{[\mu} g_{\nu][\rho} \Lambda_{\lambda]} - \frac{1}{4} \Lambda_{[\mu} g_{\nu][\rho} W_{\lambda]} + \frac{2}{3} W_{[\mu} g_{\nu][\lambda} T_{\rho]} - \frac{1}{6} \Lambda_{[\mu} g_{\nu][\lambda} T_{\rho]} - \frac{1}{3} g_{\rho[\mu} T_{\nu]} \Lambda_{\lambda} \\ &+ \frac{5}{8} g_{\rho[\mu} W_{\nu]} \Lambda_{\lambda} - \frac{1}{8} g_{\lambda[\mu} W_{\nu]} \Lambda_{\rho} - \frac{1}{6} g_{\rho[\mu} \Lambda_{\nu]} \left( 2T_{\lambda} - 3W_{\lambda} \right) , \end{split}$$

whereas the corresponding Ricci, co-Ricci and homothetic tensors read:

$$\tilde{R}_{\mu\nu} = R_{\mu\nu} - \frac{1}{3} \left( g_{\mu\nu} \nabla_{\lambda} T^{\lambda} + 2\nabla_{\nu} T_{\mu} \right) + \frac{1}{12} \varepsilon_{\lambda\rho\mu\nu} \nabla^{\lambda} S^{\rho} + \frac{1}{2} \left( g_{\mu\nu} \nabla_{\lambda} W^{\lambda} - \nabla_{\mu} W_{\nu} + 3\nabla_{\nu} W_{\mu} \right) \\
+ \frac{1}{8} \left( \nabla_{\mu} \Lambda_{\nu} + \nabla_{\nu} \Lambda_{\mu} - 5g_{\mu\nu} \nabla_{\lambda} \Lambda^{\lambda} \right) + \frac{2}{9} \left( T_{\mu} T_{\nu} - g_{\mu\nu} T_{\lambda} T^{\lambda} \right) + \frac{1}{72} \left( g_{\mu\nu} S_{\lambda} S^{\lambda} - S_{\mu} S_{\nu} \right) \\
+ \frac{1}{2} \left( W_{\mu} W_{\nu} - g_{\mu\nu} W_{\lambda} W^{\lambda} \right) + \frac{1}{32} \left( 5g_{\mu\nu} \Lambda_{\lambda} \Lambda^{\lambda} - 11\Lambda_{\mu} \Lambda_{\nu} \right) - \frac{2}{3} T_{(\mu} W_{\nu)} - \frac{1}{6} T_{(\mu} \Lambda_{\nu)} \\
+ \frac{1}{4} W_{(\mu} \Lambda_{\nu)} + \frac{1}{8} \varepsilon_{\mu\nu\lambda\sigma} S^{\lambda} \Lambda^{\sigma} + \frac{1}{6} g_{\mu\nu} \left( 4T_{\lambda} W^{\lambda} - 2T_{\lambda} \Lambda^{\lambda} + 3W_{\lambda} \Lambda^{\lambda} \right) ,$$
(21)
$$\hat{R}_{\mu\nu} = R_{\mu\nu} - \frac{1}{3} \left( g_{\mu\nu} \nabla_{\lambda} T^{\lambda} + 2\nabla_{\nu} T_{\mu} \right) + \frac{1}{12} \varepsilon_{\lambda\rho\mu\nu} \nabla^{\lambda} S^{\rho} + \frac{1}{2} \left( g_{\mu\nu} \nabla_{\lambda} W^{\lambda} + \nabla_{\mu} W_{\nu} + \nabla_{\nu} W_{\mu} \right)$$

<sup>&</sup>lt;sup>1</sup> Note that, in our parametrisation, only the coefficients  $c_1$ ,  $c_2$ ,  $d_1$ ,  $m_T$ ,  $m_S$  and  $m_t$  contribute to the gravitational action in the absence of nonmetricity.

$$-\frac{1}{8}\left(g_{\mu\nu}\nabla_{\lambda}\Lambda^{\lambda}+\nabla_{\mu}\Lambda_{\nu}+13\nabla_{\nu}\Lambda_{\mu}\right)+\frac{2}{9}\left(T_{\mu}T_{\nu}-g_{\mu\nu}T_{\lambda}T^{\lambda}\right)+\frac{1}{72}\left(g_{\mu\nu}S_{\lambda}S^{\lambda}-S_{\mu}S_{\nu}\right)$$
$$+\frac{1}{2}\left(W_{\mu}W_{\nu}-g_{\mu\nu}W_{\lambda}W^{\lambda}\right)+\frac{1}{32}\left(37\Lambda_{\mu}\Lambda_{\nu}-7g_{\mu\nu}\Lambda_{\lambda}\Lambda^{\lambda}\right)-\frac{2}{3}T_{(\mu}W_{\nu)}+\frac{7}{6}T_{(\mu}\Lambda_{\nu)}$$
$$-\frac{7}{4}W_{(\mu}\Lambda_{\nu)}-\frac{1}{8}\varepsilon_{\mu\nu\lambda\rho}S^{\lambda}\Lambda^{\rho}+\frac{1}{3}g_{\mu\nu}\left(2T_{\lambda}W^{\lambda}-2T_{\lambda}\Lambda^{\lambda}+3W_{\lambda}\Lambda^{\lambda}\right),\qquad(22)$$
$$\tilde{R}^{\lambda}{}_{\lambda\mu\nu}=-4\nabla_{[\mu}W_{\nu]}.$$

By replacing Expressions (20)-(23) in terms of the vector and axial modes of torsion and nonmetricity, and integrating by parts in the action, the Lagrangian density can be expressed as (up to boundary terms):

$$16\pi\mathcal{L}_{\text{Quad}} = -R + \mathcal{L}_1 + \mathcal{L}_2 + \mathcal{L}_3 + \mathcal{L}_4 + \mathcal{L}_5 + \mathcal{L}_6 + \mathcal{L}_7 + \mathcal{L}_8 + \mathcal{L}_9 + \mathcal{L}_{10} + \mathcal{L}_{11} + \mathcal{L}_{12} + \mathcal{L}_{13} + \mathcal{L}_{14} , \qquad (24)$$

where

$$\mathcal{L}_1 = p_1 F_{\mu\nu}^{(T)} F^{(T)\mu\nu} + \frac{1}{2} m_T^2 T_\mu T^\mu \,, \tag{25}$$

$$\mathcal{L}_{2} = p_{2} F_{\mu\nu}^{(S)} F^{(S)\mu\nu} + \frac{1}{2} m_{S}^{2} S_{\mu} S^{\mu} + p_{3} R S_{\mu} S^{\mu} + p_{4} G_{\mu\nu} S^{\mu} S^{\nu} + p_{5} \nabla_{\mu} S^{\mu} \nabla_{\nu} S^{\nu} , \qquad (26)$$

$$\mathcal{L}_3 = p_6 F^{(W)}_{\mu\nu} F^{(W)\mu\nu} + \frac{1}{2} m_W^2 W_\mu W^\mu \,, \tag{27}$$

$$\mathcal{L}_{4} = p_{7}F^{(\Lambda)}_{\mu\nu}F^{(\Lambda)\mu\nu} + \frac{1}{2}m^{2}_{\Lambda}\Lambda_{\mu}\Lambda^{\mu} + p_{8}R\Lambda_{\mu}\Lambda^{\mu} + p_{9}G_{\mu\nu}\Lambda^{\mu}\Lambda^{\nu} + p_{10}\Lambda_{\mu}\Lambda^{\mu}\Lambda_{\nu}\Lambda^{\nu} + p_{11}R\nabla_{\mu}\Lambda^{\mu} + p_{12}G_{\mu}{}^{\nu}\nabla_{\nu}\Lambda^{\mu} + p_{13}\Lambda_{\mu}\Lambda^{\mu}\nabla_{\nu}\Lambda^{\nu} + p_{14}\nabla_{\mu}\Lambda^{\mu}\nabla_{\nu}\Lambda^{\nu},$$
(28)

$$\mathcal{L}_{5} = p_{15}T_{\mu}S^{\mu}T_{\nu}S^{\nu} + p_{16}T_{\mu}T^{\mu}S_{\nu}S^{\nu} + p_{17}T^{\mu}S^{\nu}\nabla_{\nu}S_{\mu} + p_{18}S_{\mu}S^{\mu}\nabla_{\nu}T^{\nu} + p_{19}S^{\mu}S^{\nu}\nabla_{\mu}T_{\nu} + \frac{1}{2}p_{1}*F^{(S)}_{\mu\nu}F^{(T)\mu\nu}, \quad (29)$$

$$\mathcal{L}_{6} = p_{20} F_{\mu\nu}^{(T)} F^{(W)\mu\nu} + \frac{1}{2} \alpha_{TW} T_{\mu} W^{\mu} , \qquad (30)$$
$$\mathcal{L}_{7} = p_{21} F_{\mu\nu}^{(\Lambda)} F^{(T)\mu\nu} + \frac{1}{2} \alpha_{T\Lambda} T_{\mu} \Lambda^{\mu} + p_{22} R T_{\mu} \Lambda^{\mu} + p_{23} G_{\mu\nu} T^{\mu} \Lambda^{\nu} + p_{24} T_{\mu} T^{\mu} T_{\nu} \Lambda^{\nu} + p_{25} T_{\mu} \Lambda^{\mu} T_{\nu} \Lambda^{\nu}$$

$$+ p_{26}T_{\mu}T^{\mu}\Lambda_{\nu}\Lambda^{\nu} + p_{27}T_{\mu}\Lambda^{\mu}\Lambda_{\nu}\Lambda^{\nu} + p_{28}T^{\mu}\Lambda^{\nu}\nabla_{\mu}T_{\nu} + p_{29}\Lambda^{\mu}\Lambda^{\nu}\nabla_{\mu}T_{\nu} + p_{30}\Lambda_{\mu}\Lambda^{\mu}\nabla_{\nu}T^{\nu} + p_{31}T^{\mu}\Lambda^{\nu}\nabla_{\nu}\Lambda_{\mu} + p_{32}T_{\mu}T^{\mu}\nabla_{\nu}\Lambda^{\nu} + p_{33}T^{\mu}T^{\nu}\nabla_{\mu}\Lambda_{\nu} + p_{34}\nabla_{\mu}T_{\nu}\nabla^{\mu}\Lambda^{\nu},$$

$$(31)$$

$$\mathcal{L}_{8} = p_{35}S_{\mu}W^{\mu}S_{\nu}W^{\nu} + p_{36}S_{\mu}S^{\mu}W_{\nu}W^{\nu} + p_{37}S^{\mu}W^{\nu}\nabla_{\mu}S_{\nu} + p_{38}S_{\mu}S^{\mu}\nabla_{\nu}W^{\nu} + p_{39}S^{\mu}S^{\nu}\nabla_{\mu}W_{\nu} + \frac{1}{4}p_{20} * F^{(S)}_{\mu\nu}F^{(W)\mu\nu}, \qquad (32)$$

$$\mathcal{L}_{9} = p_{40}S_{\mu}\Lambda^{\mu}S_{\nu}\Lambda^{\nu} + p_{41}S_{\mu}S^{\mu}\Lambda_{\nu}\Lambda^{\nu} + p_{42}S^{\mu}\Lambda^{\nu}\nabla_{\mu}S_{\nu} + p_{43}S_{\mu}S^{\mu}\nabla_{\nu}\Lambda^{\nu} + p_{44}S^{\mu}S^{\nu}\nabla_{\mu}\Lambda_{\nu} + p_{45}S^{\mu}\Lambda^{\nu} * F^{(\Lambda)}_{\mu\nu} + \frac{1}{4}(p_{21} - \frac{1}{6}p_{74}) * F^{(S)}_{\mu\nu}F^{(\Lambda)\mu\nu},$$
(33)

$$\mathcal{L}_{10} = p_{46} F^{(\Lambda)}_{\mu\nu} F^{(W)\mu\nu} + \frac{1}{2} \alpha_{W\Lambda} W_{\mu} \Lambda^{\mu} + p_{47} R W_{\mu} \Lambda^{\mu} + p_{48} W_{\mu} W^{\mu} W_{\nu} \Lambda^{\nu} + p_{49} W_{\mu} \Lambda^{\mu} W_{\nu} \Lambda^{\nu} + p_{50} G_{\mu\nu} W^{\mu} \Lambda^{\nu} \Lambda^{\nu} + p_{51} W_{\mu} W^{\mu} \Lambda_{\nu} \Lambda^{\nu} + p_{53} W^{\mu} \Lambda^{\nu} \nabla_{\mu} W_{\nu} + p_{54} \Lambda^{\mu} \Lambda^{\nu} \nabla_{\mu} W_{\nu} + p_{55} \Lambda_{\mu} \Lambda^{\mu} \nabla_{\nu} W^{\nu} + p_{56} W^{\mu} W^{\nu} \nabla_{\mu} \Lambda_{\nu} + p_{57} W^{\mu} \Lambda^{\nu} \nabla_{\nu} \Lambda_{\mu} + p_{58} W_{\mu} W^{\mu} \nabla_{\nu} \Lambda^{\nu} + p_{59} \nabla_{\nu} W_{\mu} \nabla^{\nu} \Lambda^{\mu} , \qquad (34)$$

$$\mathcal{L}_{11} = p_{60} T_{\mu} S^{\mu} S_{\nu} W^{\nu} + p_{61} S_{\mu} S^{\mu} T_{\nu} W^{\nu} , \qquad (35)$$

$$\mathcal{L}_{12} = p_{62} T_{\mu} S^{\mu} S_{\nu} \Lambda^{\nu} + p_{63} S_{\mu} S^{\mu} T_{\nu} \Lambda^{\nu} + p_{64} S^{\mu} \Lambda^{\nu} * F^{(T)}_{\mu\nu} , \qquad (36)$$

$$\mathcal{L}_{13} = p_{65}T_{\mu}\Lambda^{\mu}W_{\nu}W^{\nu} + p_{66}T_{\mu}T^{\mu}W_{\nu}\Lambda^{\nu} + p_{67}T_{\mu}W^{\mu}W_{\nu}\Lambda^{\nu} + p_{68}T_{\mu}\Lambda^{\mu}W_{\nu}\Lambda^{\nu} + p_{69}T_{\mu}W^{\mu}T_{\nu}\Lambda^{\nu} + p_{70}T_{\mu}W^{\mu}\Lambda_{\nu}\Lambda^{\nu} + p_{71}W^{\mu}\Lambda^{\nu}\nabla_{\nu}T_{\mu} + p_{72}W_{\mu}\Lambda^{\mu}\nabla_{\nu}T^{\nu} + p_{73}T^{\mu}\Lambda^{\nu}\nabla_{\nu}W_{\mu} + p_{74}T_{\mu}\Lambda^{\mu}\nabla_{\nu}W^{\nu} ,$$
(37)

$$\mathcal{L}_{14} = p_{75} S_{\mu} S^{\mu} W_{\nu} \Lambda^{\nu} + p_{76} S_{\mu} W^{\mu} S_{\nu} \Lambda^{\nu} + p_{77} S^{\mu} \Lambda^{\nu} * F^{(W)}_{\mu\nu} \,.$$
(38)

For the sake of simplicity in the presentation, we have introduced the coefficients  $\{p_i\}_{i=1}^{77}$  (see a list with their expressions in Appendix A) and defined

$$F_{\mu\nu}^{(X)} = 2\partial_{[\mu}X_{\nu]}, \quad *F_{\mu\nu}^{(X)} = \frac{1}{2}\varepsilon_{\mu\nu}{}^{\lambda\rho}F_{\lambda\rho}^{(X)},$$
(39)

with  $X = S, T, W, \Lambda$ .

Let us now analyse the contribution of the different terms to the stability issue. First, we notice that, except for the appropriate choice of signs and relations between the respective coefficients, the Lagrangian densities  $\mathcal{L}_1, \mathcal{L}_3, \mathcal{L}_6, \mathcal{L}_{11}, \mathcal{L}_{12}$  and  $\mathcal{L}_{14}$  do not contain any dangerous term per se in the propagation of the vector and axial modes. On the other hand, the contributions of the form  $*F_{\mu\nu}^{(S)}F^{(T)\mu\nu}$ ,  $*F_{\mu\nu}^{(S)}F^{(M)\mu\nu}$ ,  $*F_{\mu\nu}^{(S)}F^{(\Lambda)\mu\nu}$  and  $G_{\mu}{}^{\nu}\nabla_{\nu}\Lambda^{\mu}$  simply act as boundary terms in the action and therefore they can be neglected from the stability analysis. Conversely, the term  $R\nabla_{\mu}\Lambda^{\mu}$  contributes to the field equations with higher order time derivatives of the longitudinal component of  $\Lambda^{\mu}$ , thus representing a ghostly interaction around general backgrounds. Further Ostrogradsky instabilities arise from terms of the form  $(\nabla X)^2$ ,  $\nabla X \nabla Y$ ,  $X^2 \nabla Y$ ,  $XY \nabla X$ ,  $XY \nabla Z$ ,  $RX^2$  and RXY, with  $X \neq Y$ . Thereby, all of these pathological terms can be eliminated from the gravitational action by setting [34]:

$$p_3 = p_5 = p_8 = p_{11} = p_{14} = p_{17} = p_{18} = p_{19} = p_{22} = p_{28} = p_{29} = p_{30} = p_{31} = p_{32} = p_{33} = p_{34} = p_{38} = 0, \quad (40)$$

$$p_{39} = p_{42} = p_{43} = p_{44} = p_{47} = p_{53} = p_{54} = p_{55} = p_{56} = p_{57} = p_{58} = p_{59} = p_{71} = p_{72} = p_{73} = p_{74} = 0,$$
(41)

or, equivalently:

$$c_1 = c_2 = 0$$
,  $a_6 = 2a_5$ ,  $a_9 = a_{11} = -\frac{1}{2}(a_2 + a_5 + 2a_{10})$ ,  $a_{12} = d_1 - 2a_{10}$ . (42)

Concerning the kinetic terms of the vector and axial modes in the Lagrangian density, they can be described as

$$\mathcal{L}_{FF} = -\frac{1}{4} \kappa_{XY} F^{(X)}_{\mu\nu} F^{(Y)\mu\nu} , \quad F^{(X)} = (F^{(S)}, F^{(T)}, F^{(W)}, F^{(\Lambda)}) , \qquad (43)$$

where the kinetic matrix becomes

$$\kappa_{XY} = -2 \begin{pmatrix} 2p_2 & 0 & 0 & 0\\ 0 & 2p_1 & p_{20} & p_{21}\\ 0 & p_{20} & 2p_6 & p_{46}\\ 0 & p_{21} & p_{46} & 2p_7 \end{pmatrix}.$$
(44)

Then, if we replace the conditions (42) in the kinetic matrix, it acquires the following form:

$$\kappa_{XY} = \begin{pmatrix}
\frac{d_1}{18} & 0 & 0 & 0 \\
0 & -\frac{8}{9}d_1 & \frac{4}{3}(d_1 + a_{15} + a_{16}) & -d_1 \\
0 & \frac{4}{3}(d_1 + a_{15} + a_{16}) & -2(5a_2 + 3a_5 + 4a_{10} + 8a_{14} + 4a_{15}) & \frac{3}{2}(2d_1 + 2a_{16} - a_2 - 3a_5 - 4a_{10}) \\
0 & -d_1 & \frac{3}{2}(2d_1 + 2a_{16} - a_2 - 3a_5 - 4a_{10}) & -\frac{3}{8}(7a_2 + a_5 + 12a_{10})
\end{pmatrix}.$$
(45)

In order to avoid ghostly modes with negative kinetic energies, first of all, a constraint  $d_1 \ge 0$  must be imposed to ensure a healthy kinetic term in the axial sector. As for the kinetics of the vector sector, the decoupling between the axial mode and the rest of vectors simplifies the analysis to the following  $3 \times 3$  kinetic matrix:

$$\kappa_{IJ}^{(\text{vec})} = \begin{pmatrix} -\frac{8}{9}d_1 & \frac{4}{3}(d_1 + a_{15} + a_{16}) & -d_1 \\ \frac{4}{3}(d_1 + a_{15} + a_{16}) & -2(5a_2 + 3a_5 + 4a_{10} + 8a_{14} + 4a_{15}) & \frac{3}{2}(2d_1 + 2a_{16} - a_2 - 3a_5 - 4a_{10}) \\ -d_1 & \frac{3}{2}(2d_1 + 2a_{16} - a_2 - 3a_5 - 4a_{10}) & -\frac{3}{8}(7a_2 + a_5 + 12a_{10}) \end{pmatrix}, \quad (46)$$

where  $I, J = T, W, \Lambda$ . The polynomial characteristic of this matrix then reads

$$p(\lambda) = -\lambda^3 + s_2\lambda^2 + s_1\lambda + s_0, \qquad (47)$$

with

$$s_{0} = \frac{1}{3} \{ 16 (2a_{2} + 3a_{14} - a_{5}) d_{1}^{2} - 8 [8a_{2}^{2} + 2 (a_{5} + 8a_{10} + 7a_{14} + a_{15}) a_{2} - 6a_{5}^{2} + 24a_{10}a_{14} + 2a_{5} (a_{14} - 4a_{10} - 2a_{15}) + (4a_{5} + 3a_{15} - 2a_{2}) a_{16} ] d_{1} + 2 (7a_{2} + a_{5} + 12a_{10}) (a_{15} + a_{16})^{2} \},$$

$$s_{1} = \frac{1}{9} \{ 106d_{1}^{2} - a_{2} [27 (2a_{5} + 16a_{10} + 14a_{14} + 7a_{15} + 3a_{16}) + 182d_{1}] - 2 (212a_{10} + 64a_{14} + 16a_{15} - 97a_{16}) d_{1} + 3a_{5} [72a_{10} - 9 (2a_{14} + a_{15} + 9a_{16}) - 98d_{1}] + 162a_{5}^{2} + 16a_{15}^{2} + 97a_{16}^{2} - 216a_{2}^{2} - 648a_{10}a_{14} - 324a_{10}a_{15} - 324a_{10}a_{16} + 32a_{15}a_{16} \},$$

$$s_{2} = -\frac{8}{9} (18a_{14} + 9a_{15} + d_{1}) - \frac{101a_{2}}{8} - \frac{25a_{10}}{2} - \frac{51a_{5}}{8}.$$

$$(50)$$

Thereby, the requirement of nonnegative real roots for the characteristic polynomial (47) is guaranteed if

$$s_2 \ge 0, \quad s_1 \le 0, \quad s_0 \ge 0,$$
 (51)

which in fact, due to the previous constraint  $d_1 \ge 0$  arising from the axial sector, directly imposes the following restrictions on the Lagrangian coefficients:

$$d_1 = 0, \quad a_{16} = -a_{15}, \tag{52}$$

thus strongly suppressing the propagation of torsion in the theory. On the other hand, the remaining inequalities expressed in terms of the Lagrangian coefficients read:

$$101a_2 + 51a_5 + 100a_{10} + 128a_{14} + 64a_{15} \le 0, (53)$$

$$2\left[4a_{2}^{2} - 3a_{5}^{2} + a_{2}\left(a_{5} + 2a_{15}\right) + a_{14}\left(7a_{2} + a_{5}\right) + 4a_{10}\left(2a_{2} + 3a_{14} - a_{5}\right) - 4a_{5}a_{15}\right] \ge 3a_{15}^{2}.$$
(54)

In conclusion, it is clear that the vector and axial sectors of MAG described by the quadratic action (19) are generally affected by different types of pathologies. Specifically, from the 13 Lagrangian coefficients associated with the quadratic curvature invariants, we first need to impose the six conditions (42) to eliminate Ostrogradsky instabilities, while the requirement of ghost-free kinetic terms involves two extra conditions  $d_1 = a_{15} + a_{16} = 0$ , as well as the inequalities (53) and (54). Explicitly, the final form of the Lagrangian density with stable vector and axial sectors reads

$$\mathcal{L}_{\text{Quad}} = -R + 2\tilde{R}_{(\lambda\rho)\mu\nu} \left( a_2 \tilde{R}^{(\lambda\rho)\mu\nu} + 2a_5 \tilde{R}^{(\lambda\mu)\rho\nu} \right) + a_{14} \tilde{R}^{\lambda}{}_{\lambda\mu\nu} \tilde{R}^{\rho}{}_{\rho}{}^{\mu\nu} + a_{15} \left( \tilde{R}_{\mu\nu} - \hat{R}_{\mu\nu} \right) \tilde{R}^{\lambda}{}_{\lambda}{}^{\mu\nu} + a_{10} \left( \tilde{R}_{\mu\nu} - \hat{R}_{\mu\nu} \right) \left( \tilde{R}^{\mu\nu} - \hat{R}^{\mu\nu} \right) - \frac{1}{2} \left( 2a_{10} + a_2 + a_5 \right) \left( \tilde{R}_{\mu\nu} - \hat{R}_{\mu\nu} \right) \left( \tilde{R}^{\nu\mu} - \hat{R}^{\nu\mu} \right) + \frac{1}{2} m_T^2 T_\mu T^\mu + \frac{1}{2} m_S^2 S_\mu S^\mu + \frac{1}{2} m_t^2 t_{\lambda\mu\nu} t^{\lambda\mu\nu} + \frac{1}{2} m_W^2 W_\mu W^\mu + \frac{1}{2} m_\Lambda^2 \Lambda_\mu \Lambda^\mu + \frac{1}{2} m_\Omega^2 \Omega_{\lambda\mu\nu} \Omega^{\lambda\mu\nu} + \frac{1}{2} m_q^2 q_{\lambda\mu\nu} q^{\lambda\mu\nu} + \frac{1}{2} \alpha_{TW} T_\mu W^\mu + \frac{1}{2} \alpha_{T\Lambda} T_\mu \Lambda^\mu + \frac{1}{2} \alpha_{W\Lambda} W_\mu \Lambda^\mu + \frac{1}{2} \alpha_{t\Omega} \varepsilon_{\rho\mu\nu\sigma} \Omega^{\lambda\rho\mu} t^\nu {}_{\lambda}{}^{\sigma} .$$
(55)

Thereby, the number of coefficients associated with the quadratic curvature invariants is reduced to 5, which especially constrains the dynamics of torsion in the theory, as reported in [34]. In this sense, a healthy behaviour for the vector modes of nonmetricity was also remarked in [37], with a particular quadratic MAG model where the Lagrangian coefficients of Expression (55) are restricted as follows<sup>2</sup>:

$$d_1 = a_5 = a_{15} = 0, \quad a_2 = f_1, \quad a_{10} = -\frac{f_1}{4}, \quad a_{14} = e_1 - \frac{1}{2}f_1,$$
(56)

$$m_T = m_t = m_W = m_\Lambda = m_\Omega = m_q = \alpha_{TW} = \alpha_{T\Lambda} = \alpha_{W\Lambda} = \alpha_{t\Omega} = 0, \quad m_S^2 = \frac{1}{4} (2\tilde{a}_2 - 1), \tag{57}$$

being  $e_1 \leq 0$  and  $f_1 \leq 0$ , in agreement with the stability constraints (53) and (54).

## IV. Cubic Lagrangian

In this section, we shall present the general form of the cubic order of the Lagrangian of MAG. In general, the Lagrangian defined from cubic invariants of the curvature, torsion and nonmetricity tensors can include four different contributions: three different types mixing curvature and torsion, curvature and nonmetricity, as well as all of these tensors; whereas the last type is solely given by invariants of the curvature tensor and its contractions.

#### A. Cubic invariants from curvature and torsion

The first contribution comes from mixing terms which depend linearly on the curvature tensor and quadratically on the torsion tensor. By considering the algebraic symmetries of the curvature tensor, it is possible to define up to

<sup>&</sup>lt;sup>2</sup> Note we denote the parameter  $a_2$  appearing in [37] for the mass term of the axial mode of torsion as  $\tilde{a}_2$ .

46 independent invariants, which can be split into six different types, according to the possible combinations of the irreducible parts of torsion at quadratic order<sup>3</sup>:

$$\mathcal{L}_{\text{curv-tors}}^{(3)} = \mathcal{L}_{\tilde{R}TT}^{(3)} + \mathcal{L}_{\tilde{R}SS}^{(3)} + \mathcal{L}_{\tilde{R}tt}^{(3)} + \mathcal{L}_{\tilde{R}TS}^{(3)} + \mathcal{L}_{\tilde{R}Tt}^{(3)} + \mathcal{L}_{\tilde{R}St}^{(3)},$$
(58)

where

$$\mathcal{L}_{\tilde{R}TT}^{(3)} = (h_1 - h_{27})\tilde{R}_{\mu\nu}T^{\mu}T^{\nu} + h_2\tilde{R}T_{\mu}T^{\mu} + h_{27}\hat{R}^{\alpha\rho}T_{\alpha}T_{\rho},$$

$$\mathcal{L}_{\tilde{R}SS}^{(3)} = (h_3 - h_{28})\tilde{R}_{\mu\nu}S^{\mu}S^{\nu} + h_4\tilde{R}S_{\mu}S^{\mu} + h_{28}\hat{R}^{\alpha\rho}S_{\alpha}S_{\rho},$$

$$\mathcal{L}_{\tilde{R}tt}^{(3)} = \frac{1}{2}(2h_5 + h_{30})\tilde{R}_{\lambda\rho\mu\nu}t_{\sigma}^{\lambda\rho}t^{\sigma\mu\nu} + h_6\tilde{R}_{\lambda\rho\mu\nu}t_{\sigma}^{\lambda\mu}t^{\sigma\rho\nu} + h_7\tilde{R}_{\lambda\rho\mu\nu}t^{\lambda\rho}\sigma^{\tau\sigma\mu\nu} + (h_8 + h_{29})\tilde{R}_{\lambda\rho\mu\nu}t^{\lambda\mu}\sigma^{\tau\sigma\rho\nu} + (h_9 + h_{29})\tilde{R}_{\lambda\rho\mu\nu}t^{\lambda\mu}\sigma^{t\rho\nu\sigma} + (h_{10} + h_{31} - h_{32})\tilde{R}_{\lambda\rho}t_{\mu\nu}^{\lambda}t^{\rho\mu\nu} + (h_{11} - h_{32})\tilde{R}_{\lambda\rho}t_{\mu\nu}^{\lambda}t^{\mu\nu\rho} + h_{12}\tilde{R}t_{\lambda\rho\mu}t^{\lambda\rho\mu} + h_{29}\tilde{R}^{\alpha}_{\ \rho\tau\gamma}t^{\rho\tau}_{\ \mu}t^{\gamma}_{\ \alpha}^{\mu} + h_{30}\tilde{R}^{\alpha}_{\ \rho\tau\gamma}t^{\tau\gamma}_{\ \mu}t^{\mu}_{\ \alpha}^{\rho} + h_{31}\hat{R}^{\alpha}_{\ \tau}t^{\tau}_{\ \gamma\mu}t^{\gamma}_{\ \alpha}^{\mu} + h_{32}\hat{R}^{\alpha}_{\ \tau}t^{\gamma}_{\ \alpha}^{\mu}t_{\mu}^{\ \gamma},$$

$$\mathcal{L}_{\tilde{R}TS}^{(3)} = \frac{1}{2}(2h_{13} - h_{33})\varepsilon^{\lambda\rho\mu\nu}\tilde{R}_{\lambda\rho\mu\nu}T_{\sigma}S^{\sigma} + (h_{14} + h_{33})\varepsilon_{\nu}^{\lambda\rho\sigma}\tilde{R}_{\lambda\rho\mu\sigma}T^{\mu}S^{\nu} + (h_{15} + h_{34})\varepsilon^{\lambda\rho\mu\nu}\tilde{R}_{\lambda\rho}T_{\mu}S_{\nu} + h_{33}\varepsilon^{\alpha\tau\gamma\mu}\tilde{R}^{\rho}_{\ \tau\gamma\mu}T_{\rho}S_{\alpha} + h_{35}\varepsilon^{\alpha\rho\gamma\mu}\tilde{R}^{\omega}_{\ \omega\gamma\mu}T_{\rho}S_{\alpha},$$
(61)

$$\mathcal{L}_{\tilde{R}Tt}^{(3)} = (h_{16} - h_{36})\tilde{R}_{\lambda\rho\mu\nu}T^{\nu}t^{\lambda\rho\mu} + \frac{1}{2}(2h_{17} + h_{37})\tilde{R}_{\lambda\rho\mu\nu}T^{\rho}t^{\lambda\mu\nu} + (h_{18} - h_{38} + h_{39})\tilde{R}_{\lambda\rho}T_{\mu}t^{\mu\lambda\rho} + (h_{19} + h_{39})\tilde{R}_{\lambda\rho}T_{\mu}t^{\lambda\rho\mu} + h_{39}\tilde{R}_{\lambda\rho}T_{\mu}t^{\lambda\rho\mu} + h_{39}\tilde{R}_{\lambda}T_{\mu}t^{\lambda\mu} + h_{39}\tilde{R}_{\lambda}T_{\mu}t^$$

$$\mathcal{L}_{\tilde{R}St}^{(3)} = \frac{1}{2} (2h_{20} + h_{41}) \varepsilon_{\alpha\rho\mu\nu} \tilde{R}_{\tau}^{\rho\mu\nu} S^{\gamma} t^{\alpha\tau}{}_{\gamma} + h_{21} \varepsilon_{\alpha\rho\mu\nu} \tilde{R}_{\tau}^{\rho\mu\nu} S^{\gamma} t_{\gamma}^{\alpha\tau} + (h_{22} + h_{43}) \varepsilon_{\alpha\rho}{}^{\mu\nu} \tilde{R}_{\rho}^{\rho}{}_{\mu\tau\nu} S^{\gamma} t_{\gamma}{}^{\alpha\tau} + (h_{23} - h_{42} + 2h_{43}) \varepsilon_{\alpha\rho}{}^{\mu\nu} \tilde{R}_{\gamma\mu\tau\nu} S^{\alpha} t^{\gamma\rho\tau} + (h_{24} + h_{41} - h_{42}) \varepsilon_{\alpha\rho}{}^{\mu\nu} \tilde{R}_{\gamma\mu\tau\nu} S^{\alpha} t^{\rho\tau\gamma} + h_{41} \varepsilon^{\alpha\gamma\mu\nu} \tilde{R}_{\tau\gamma\mu} S_{\alpha} t^{\tau}{}_{\rho\nu} + (h_{25} + h_{44} + h_{45}) \varepsilon_{\alpha\rho\tau\mu} \tilde{R}^{\mu}{}_{\gamma} S^{\alpha} t^{\rho\tau\gamma} + \frac{1}{2} (2h_{26} - h_{44}) \varepsilon_{\lambda\rho\mu\nu} \tilde{R}^{\lambda\rho} S_{\sigma} t^{\sigma\mu\nu} + h_{42} \varepsilon^{\alpha}{}_{\rho}{}^{\mu\nu} \tilde{R}_{\tau\gamma\mu} S_{\alpha} t^{\gamma\tau}{}_{\nu} + h_{43} \varepsilon^{\alpha}{}_{\rho}{}^{\tau\nu} \tilde{R}^{\rho}{}_{\tau\gamma\mu} S_{\alpha} t^{\gamma\mu}{}_{\nu} + h_{44} \varepsilon^{\alpha\gamma\mu\nu} \hat{R}^{\rho}{}_{\gamma} S_{\alpha} t_{\mu\rho\nu} + h_{45} \varepsilon^{\alpha}{}_{\rho}{}^{\mu\nu} \hat{R}^{\rho}{}_{\gamma} S_{\alpha} t_{\mu}{}^{\gamma}{}_{\nu} + h_{46} \varepsilon^{\alpha\gamma\mu\nu} \tilde{R}^{\omega}{}_{\omega\tau\gamma} S_{\alpha} t_{\mu}{}^{\tau}{}_{\nu}.$$

$$(63)$$

Note that, for convenience, we have introduced the Lagrangian coefficients of this branch to match the notation used in [35], in the absence of nonmetricity.

Thereby, there is a large number of cubic invariants in this branch, while for different geometrical restrictions this number is reduced. In particular, in the case of Weyl-Cartan geometry, there exist 29 independent invariants, whereas in a Riemann-Cartan space-time the number is reduced to 26 [35].

## B. Cubic invariants from curvature and nonmetricity

Similarly, the second contribution accounts for the mixing terms that are linear in the curvature tensor and quadratic in the nonmetricity tensor. In this branch, it is then possible to define 61 independent invariants, which can be split into ten different types<sup>4</sup>:

$$\mathcal{L}_{curv-nonm}^{(3)} = \mathcal{L}_{\tilde{R}WW}^{(3)} + \mathcal{L}_{\tilde{R}\Lambda\Lambda}^{(3)} + \mathcal{L}_{\tilde{R}\Omega\Omega}^{(3)} + \mathcal{L}_{\tilde{R}qq}^{(3)} + \mathcal{L}_{\tilde{R}W\Lambda}^{(3)} + \mathcal{L}_{\tilde{R}W\Omega}^{(3)} + \mathcal{L}_{\tilde{R}Mq}^{(3)} + \mathcal{L}_{\tilde{R}\Lambda\Omega}^{(3)} + \mathcal{L}_{\tilde{R}\Lambda q}^{(3)} + \mathcal{L}_{\tilde{R}\Lambda q}^{(3)} + \mathcal{L}_{\tilde{R}\Lambda q}^{(3)} , \qquad (65)$$

where

$$\mathcal{L}^{(3)}_{\tilde{R}WW} = h_{47}\tilde{R}_{\alpha\rho}W^{\alpha}W^{\rho} + h_{48}\hat{R}_{\alpha\rho}W^{\alpha}W^{\rho} + h_{49}\tilde{R}W_{\alpha}W^{\alpha}, \qquad (66)$$

$$\mathcal{L}_{\bar{R}\Lambda\Lambda}^{(3)} = h_{50}\tilde{R}_{\alpha\rho}\Lambda^{\alpha}\Lambda^{\rho} + h_{51}\hat{R}_{\alpha\rho}\Lambda^{\alpha}\Lambda^{\rho} + h_{52}\tilde{R}\Lambda_{\alpha}\Lambda^{\alpha}, \qquad (67)$$

$$\mathcal{L}_{\tilde{R}\Omega\Omega}^{(3)} = h_{53}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\alpha\tau\gamma\mu} + h_{54}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\alpha\gamma\tau\mu} + h_{55}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\alpha\mu\tau\gamma} + h_{56}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\tau\alpha\gamma\mu} + h_{57}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\tau\gamma\alpha\mu} + h_{58}\Omega_{\alpha}{}^{\rho}{}_{\tau}\Omega_{\gamma\rho\mu}\tilde{R}^{\tau\mu\alpha\gamma} + h_{59}\Omega_{\tau}{}^{\alpha}{}_{\gamma}\Omega^{\tau\rho\gamma}\tilde{R}_{\alpha\rho} + h_{60}\Omega^{\alpha}{}_{\tau\gamma}\Omega^{\rho\tau\gamma}\tilde{R}_{\alpha\rho} + h_{61}\Omega_{\tau}{}^{\alpha}{}_{\gamma}\Omega^{\tau\rho\gamma}\hat{R}_{\alpha\rho} + h_{62}\Omega^{\alpha}{}_{\tau\gamma}\Omega^{\rho\tau\gamma}\hat{R}_{\alpha\rho} + h_{63}\Omega_{\alpha\rho\tau}\Omega^{\alpha\rho\tau}\tilde{R},$$
(68)

<sup>&</sup>lt;sup>3</sup> A correspondence with the cubic Lagrangian expressed in terms of the unsplit torsion tensor can be found in Appendix B.

<sup>&</sup>lt;sup>4</sup> See Appendix C for a correspondence with the cubic Lagrangian expressed in terms of the unsplit nonmetricity tensor.

$$\begin{aligned} \mathcal{L}_{\bar{R}qq}^{(3)} &= h_{64}q_{\alpha}{}^{\tau\mu}q^{\rho\gamma}{}_{\mu}\tilde{R}_{\rho\tau\gamma}^{\alpha} + h_{65}q^{\alpha}{}_{\tau\gamma}q^{\rho\tau\gamma}\tilde{R}_{\alpha\rho} + h_{66}q^{\alpha}{}_{\tau\gamma}q^{\rho\tau\gamma}\hat{R}_{\alpha\rho} + h_{67}q_{\alpha\rho\tau}q^{\alpha\rho\tau}\tilde{R}, \end{aligned} \tag{69} \\ \mathcal{L}_{\bar{R}W\Lambda}^{(3)} &= h_{68}\tilde{R}_{\alpha\rho}W^{\rho}\Lambda^{\alpha} + h_{69}\tilde{R}_{\alpha\rho}W^{\alpha}\Lambda^{\rho} + h_{70}\hat{R}_{\alpha\rho}W^{\alpha}\Lambda^{\rho} + h_{71}\hat{R}_{\alpha\rho}W^{\rho}\Lambda^{\alpha} + h_{72}\tilde{R}_{\omega\alpha\rho}W^{\alpha}\Lambda^{\rho} + h_{73}\tilde{R}W^{\alpha}\Lambda_{\alpha}, \end{aligned} \tag{70} \\ \mathcal{L}_{\bar{R}W\Omega}^{(3)} &= h_{74}\varepsilon^{\tau\gamma\mu\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho}{}_{\mu\alpha\nu}W^{\alpha} + h_{75}\varepsilon^{\tau\gamma\mu\nu}\Omega_{\rho\tau\gamma}\tilde{R}_{\alpha\mu}{}^{\rho}{}_{\nu}W^{\alpha} + h_{76}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu}{}_{\alpha\rho}W^{\alpha} + h_{77}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu}{}_{\alpha\rho}W^{\alpha} \\ &\quad + h_{78}\varepsilon^{\rho}{}_{\tau}{}^{\gamma\mu}\Omega^{\alpha}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}W^{\tau} + h_{79}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\Omega^{\rho}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}W^{\tau} + h_{80}\varepsilon^{\rho}{}_{\tau}{}^{\gamma\mu}\Omega^{\alpha}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}W^{\tau} + h_{81}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\Omega^{\rho}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}W^{\tau} \\ &\quad + h_{82}\varepsilon_{\alpha}{}^{\tau\gamma\mu}\Omega_{\rho\tau\gamma}\tilde{R}^{\omega}{}_{\mu}{}^{\rho}W^{\alpha} , \end{aligned} \tag{71} \\ \mathcal{L}_{\bar{R}Mq}^{(3)} &= h_{83}q_{\rho}{}^{\tau\gamma}\tilde{R}^{\rho}{}_{\tau\alpha\sigma}W^{\alpha} + h_{87}\varepsilon^{\tau\gamma\mu}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho}{}_{\mu\alpha\nu}\Lambda^{\alpha} + h_{88}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu}{}_{\alpha}{}^{\rho}\Lambda^{\alpha} + h_{87}\varepsilon^{\tau\gamma\mu}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho}{}_{\mu\alpha\nu}\Lambda^{\alpha} + h_{88}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu}{}_{\alpha}{}^{\rho}\Lambda^{\alpha} + h_{89}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu}{}_{\alpha\rho}\Lambda^{\alpha} \\ &\quad + h_{90}\varepsilon^{\sigma}{}_{\tau}{}^{\mu}\Omega_{\alpha}{}_{\mu}\tilde{R}^{\alpha}\Lambda^{\tau} + h_{91}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\Omega_{\rho}{}_{\gamma\mu}\tilde{R}^{\alpha}{}_{\rho}\Lambda^{\tau} + h_{92}\varepsilon^{\rho}{}_{\tau}{}^{\gamma\mu}\Omega^{\alpha}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}\Lambda^{\tau} + h_{93}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\Omega_{\rho}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}\Lambda^{\tau} \\ &\quad + h_{94}\varepsilon_{\alpha}{}^{\tau\gamma}\tilde{R}^{\rho}{}_{\tau\alpha\gamma}\Lambda^{\alpha} + h_{96}\varepsilon^{\alpha}{}_{\tau}\tilde{R}_{\alpha\rho}\Lambda^{\tau} + h_{97}q^{\alpha}{}_{\tau}\tilde{R}_{\alpha\rho}\Lambda^{\tau} , \end{aligned} \tag{73} \\ \mathcal{L}_{\bar{R}\Lambda q}^{(3)} &= h_{95}\varepsilon^{\rho}{}_{\tau}\tilde{R}^{\rho}{}_{\alpha}\alpha_{\tau}\Lambda^{\alpha} + h_{96}\varepsilon^{\rho}{}_{\tau}\tilde{R}_{\alpha\rho}\Lambda^{\tau} + h_{97}\varepsilon^{\rho}{}_{\tau}\tilde{R}_{\alpha\rho}\Lambda^{\sigma}} , \end{aligned} \tag{74} \\ \mathcal{L}_{\bar{R}\Lambda q}^{(3)} &= h_{95}\varepsilon^{\rho}{}_{\tau}\tilde{R}^{\alpha}{}_{\alpha}\sigma^{\gamma}\tilde{R}^{\gamma}{}_{\mu}\nu + h_{102}\varepsilon^{\rho}{}_{\tau}{}_{\mu}\Omega_{\alpha\rho}\sigma^{\sigma}{}_{\tau}\tilde{R}^{\gamma}{}_{\mu}\nu } + h_{100}\varepsilon^{\rho}{}_{\tau}{}_{\mu}\Omega_{\alpha\rho}\sigma^{\sigma}{}_{\mu}\tilde{R}^{\gamma}{}_{\mu}\mu \\ &\quad + h_{101}\varepsilon^{\rho}{}_{\tau}{}_{\mu}\Omega_{\alpha\rho}\sigma^{\alpha}{}_{\mu}\tilde{R}^{\gamma}{}_{\mu}\mu + h_{105}\varepsilon^{\rho}{}_{\mu}{}_{\mu}\Omega_{\mu}\rho^{\sigma}{}_{\mu}\tilde{R}^{\gamma}{}_{\mu}\mu + h_{106}\varepsilon^{\rho}{}_{\mu$$

Therefore, in comparison with the previous branch, the richer algebraic structure of the nonmetricity tensor gives rise to a higher number of cubic invariants. In any case, it is worthwhile to note that in the realm of Weyl-Cartan geometry this number is significantly reduced from 61 to 2, whereas it identically vanishes in Riemann-Cartan geometry.

## C. Cubic invariants from curvature, torsion and nonmetricity

The third branch mixes all of the curvature, torsion and nonmetricity tensors, which in general provides a very large number of cubic invariants, in comparison with the two previous branches. Specifically, in this branch it is possible to define 102 independent invariants, which are included into 12 different types as follows<sup>5</sup>:

$$\mathcal{L}_{curv-tor-nonm}^{(3)} = \mathcal{L}_{\tilde{R}TW}^{(3)} + \mathcal{L}_{\tilde{R}T\Lambda}^{(3)} + \mathcal{L}_{\tilde{R}T\Omega}^{(3)} + \mathcal{L}_{\tilde{R}Tq}^{(3)} + \mathcal{L}_{\tilde{R}SW}^{(3)} + \mathcal{L}_{\tilde{R}S\Lambda}^{(3)} + \mathcal{L}_{\tilde{R}S\Omega}^{(3)} + \mathcal{L}_{\tilde{R}Sq}^{(3)} + \mathcal{L}_{\tilde{R}tW}^{(3)} + \mathcal{L}_{\tilde{R}t\Lambda}^{(3)} + \mathcal{L}_{\tilde{R}tq}^{(3)} ,$$

$$(76)$$

where

$$\mathcal{L}_{\bar{R}TW}^{(3)} = h_{108}\tilde{R}_{\alpha\rho}T^{\rho}W^{\alpha} + h_{109}\tilde{R}_{\alpha\rho}T^{\alpha}W^{\rho} + h_{110}\hat{R}_{\alpha\rho}T^{\rho}W^{\alpha} + h_{111}\hat{R}_{\alpha\rho}T^{\alpha}W^{\rho} + h_{112}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha}{}_{\rho}T_{\alpha}W^{\rho} + h_{113}\tilde{R}T_{\alpha}W^{\alpha}, (77)$$

$$\mathcal{L}_{\bar{R}T\Lambda}^{(3)} = h_{114}\tilde{R}_{\alpha\rho}T^{\rho}\Lambda^{\alpha} + h_{115}\tilde{R}_{\alpha\rho}T^{\alpha}\Lambda^{\rho} + h_{116}\hat{R}_{\alpha\rho}T^{\rho}\Lambda^{\alpha} + h_{117}\hat{R}_{\alpha\rho}T^{\alpha}\Lambda^{\rho} + h_{118}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha}{}_{\rho}T_{\alpha}\Lambda^{\rho} + h_{119}\tilde{R}T_{\alpha}\Lambda^{\alpha}, (78)$$

$$\mathcal{L}_{\bar{R}T\Omega}^{(3)} = h_{120}\varepsilon^{\tau\gamma\mu\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\alpha}{}_{\mu}{}^{\rho}{}_{\nu}T_{\alpha} + h_{121}\varepsilon^{\tau\gamma\mu\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho}{}_{\mu}{}^{\alpha}{}_{\nu}T_{\alpha} + h_{122}\varepsilon^{\tau\gamma}{}_{\mu}{}^{\nu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu\alpha\rho}{}_{\nu}T_{\alpha} + h_{123}\varepsilon^{\tau\gamma\mu}\Omega_{\rho\tau\gamma}\tilde{R}^{\mu\rho}{}_{\mu}{}_{\nu}T_{\alpha} + h_{125}\varepsilon^{\alpha\tau\gamma\mu}\Omega^{\rho}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}T_{\tau} + h_{126}\varepsilon^{\alpha\tau\gamma\mu}\Omega^{\rho}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}T_{\tau} + h_{127}\varepsilon^{\alpha\rho\gamma\mu}\Omega^{\tau}{}_{\gamma\mu}\tilde{R}_{\alpha\rho}T_{\tau} + h_{128}\varepsilon^{\alpha\tau\gamma\mu}\Omega_{\rho\tau\gamma}\tilde{R}^{\omega}{}_{\mu}{}_{\rho}T_{\alpha}, (79)$$

$$\mathcal{L}_{\bar{R}Tq}^{(3)} = h_{129}q_{\rho}{}^{\tau\gamma}\tilde{R}^{\rho}{}_{\tau}{}^{\alpha}{}_{\gamma}T_{\alpha} + h_{130}q^{\alpha\rho\tau}\tilde{R}_{\alpha\rho}T_{\tau} + h_{131}q_{\alpha}{}^{\rho\tau}\tilde{R}^{\alpha}{}_{\rho}T_{\tau}, (80)$$

$$\mathcal{L}_{\bar{R}SW}^{(3)} = h_{132}\varepsilon^{\alpha\tau\gamma\mu}\tilde{R}_{\rho\tau\mu}S_{\alpha}W^{\rho} + h_{133}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\tilde{R}^{\tau}{}_{\rho\gamma\mu}S_{\alpha}W^{\rho} + h_{134}\varepsilon^{\alpha}{}_{\tau}{}^{\gamma\mu}\tilde{R}^{\tau}{}_{\gamma\rho\mu}S_{\alpha}W^{\rho} + h_{135}\varepsilon^{\alpha\rho\tau}{}_{\gamma}\tilde{R}_{\alpha\rho}S_{\tau}W^{\gamma} + h_{137}\varepsilon^{\alpha}{}_{\rho}{}^{\tau\gamma}\tilde{R}^{\omega}{}_{\omega\tau\gamma}S_{\alpha}W^{\rho}, (81)$$

$$\mathcal{L}_{\tilde{R}S\Lambda}^{(3)} = h_{138} \varepsilon^{\alpha\tau\gamma\mu} \tilde{R}_{\rho\tau\gamma\mu} S_{\alpha} \Lambda^{\rho} + h_{139} \varepsilon^{\alpha} \tau^{\gamma\mu} \tilde{R}^{\tau}{}_{\rho\gamma\mu} S_{\alpha} \Lambda^{\rho} + h_{140} \varepsilon^{\alpha} \tau^{\gamma\mu} \tilde{R}^{\tau}{}_{\gamma\rho\mu} S_{\alpha} \Lambda^{\rho} + h_{141} \varepsilon^{\alpha\rho\tau}{}_{\gamma} \tilde{R}_{\alpha\rho} S_{\tau} \Lambda^{\gamma} + h_{143} \varepsilon^{\alpha}{}_{\rho}{}^{\tau\gamma} \tilde{R}^{\omega}{}_{\omega\tau\gamma} S_{\alpha} \Lambda^{\rho} ,$$

$$(82)$$

 $<sup>^{5}</sup>$  See Appendix D for a correspondence with the cubic Lagrangian expressed in terms of the unsplit torsion and nonmetricity tensors.

$$\mathcal{L}_{\tilde{R}S\Omega}^{(3)} = h_{144}\Omega_{\rho\tau\gamma}\tilde{R}^{\alpha\rho\gamma\gamma}S_{\alpha} + h_{145}\Omega_{\rho\tau\gamma}\tilde{R}^{\alpha\tau\rho\gamma}S_{\alpha} + h_{146}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho\alpha\gamma\gamma}S_{\alpha} + h_{147}\Omega_{\rho\tau\gamma}\tilde{R}^{\rho\tau\alpha\gamma}S_{\alpha} + h_{148}\Omega_{\rho\tau\gamma}\tilde{R}^{\tau\alpha\rho\gamma}S_{\alpha} + h_{150}\Omega_{\rho\tau\gamma}\tilde{R}^{\tau\gamma\alpha\rho}S_{\alpha} + h_{151}\Omega^{\alpha\rho\tau}\tilde{R}_{\alpha\rho}S_{\tau} + h_{152}\Omega^{\rho\alpha\tau}\tilde{R}_{\alpha\rho}S_{\tau} + h_{154}\Omega^{\rho\sigma\tau}\tilde{R}_{\alpha\rho}S_{\tau} + h_{155}\Omega_{\rho}^{\alpha\tau}\tilde{R}^{\omega}\omega^{\sigma}S_{\alpha} ,$$

$$(83)$$

$$\mathcal{L}_{\tilde{R}Sq}^{(3)} = h_{156}\varepsilon^{\alpha\gamma\mu\nu}q_{\rho}^{\tau}\nu\tilde{R}^{\tau}{}_{\tau\gamma\mu}S_{\alpha} + h_{157}\varepsilon^{\alpha\tau\mu\nu}q_{\rho}^{\tau}\nu\tilde{R}^{\rho}{}_{\tau\gamma\mu}S_{\alpha} + h_{158}\varepsilon^{\alpha}{}_{\rho}^{\mu\nu}q^{\tau}\nu\tilde{R}^{\rho}{}_{\tau\gamma\mu}S_{\alpha} ,$$

$$(84)$$

$$\mathcal{L}_{\tilde{R}W}^{(3)} = h_{159}\tilde{R}^{\rho}{}_{\tau\alpha\tau}t_{\rho}{}^{\tau\gamma}W^{\alpha} + h_{160}\tilde{R}^{\rho}{}_{\alpha\tau\gamma}t_{\rho}{}^{\tau}\gamma^{W\alpha} + h_{161}\tilde{R}^{\rho}{}_{\tau\alpha\tau}t_{\rho}{}^{\tau}\gamma^{W\alpha} + h_{162}\tilde{R}_{\alpha\rho\tau}t^{\tau\rho\gamma}W^{\alpha} + h_{163}\tilde{R}_{\alpha\rho\tau}t^{\sigma\rho}W^{\tau} + h_{164}\tilde{R}_{\alpha\rho\tau}t_{\sigma}{}^{\tau}W^{\alpha} ,$$

$$(85)$$

$$\mathcal{L}_{\tilde{R}t\Lambda}^{(3)} = h_{168}\tilde{R}^{\rho}{}_{\tau\alpha\tau}t_{\rho}{}^{\tau}\Lambda^{\alpha} + h_{169}\tilde{R}^{\rho}{}_{\alpha\tau\gamma}t_{\tau}{}^{\tau}\gamma^{\Lambda\alpha} + h_{170}\tilde{R}^{\rho}{}_{\tau\alpha\tau}t_{\tau}{}^{\tau}\gamma^{\Lambda\alpha} + h_{171}\tilde{R}_{\alpha\rho\tau}t^{\sigma\rho}\Lambda^{\alpha} ,$$

$$(86)$$

$$\mathcal{L}_{\tilde{R}t\Lambda}^{(3)} = h_{177}\varepsilon^{\rho\tau}{}_{\nu\sigma}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma}{}_{\mu}{}^{\mu}t^{\mu\sigma} + h_{178}\varepsilon^{\rho\tau}{}_{\mu\sigma}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{172}\tilde{R}_{\alpha\rho}t_{\tau}{}^{\sigma}\Lambda^{\alpha} ,$$

$$(86)$$

$$\mathcal{L}_{\tilde{R}t\Lambda}^{(3)} = h_{177}\varepsilon^{\rho\tau}{}_{\nu\sigma}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma}{}_{\mu}{}^{\mu}t^{\mu\sigma} + h_{181}\varepsilon^{\rho\tau}{}_{\nu\sigma}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{192}\varepsilon^{\rho\tau}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{183}\varepsilon^{\rho\tau}{}_{\mu}\sigma_{\alpha}t^{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\sigma\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\sigma\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\sigma\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{185}\varepsilon^{\rho\tau}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\rho\tau}\tilde{R}^{\gamma\mu}{}_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\sigma\tau}\tilde{R}^{\tau}{}_{\mu}\Omega_{\mu}t^{\nu\sigma} + h_{195}\varepsilon^{\sigma\mu}{}_{\mu}\Omega_{\alpha\sigma\tau}\tilde{R}^{\tau}{}_{\mu}\Omega_{\mu}t^{\mu\sigma} + h_{195}\varepsilon^{\sigma\tau}{}_{\mu}\Omega_{\alpha\sigma\tau}\tilde{R}^{$$

In the particular case of Weyl-Cartan geometry, this number is reduced to 13, while in the absence of nonmetricity all of the cubic invariants of this branch are also identically zero.

#### D. Cubic invariants from curvature

The last branch only contains cubic invariants constructed from the curvature tensor and its contractions. In any case, concerning the stability problem, it is worthwhile to stress that this branch does not contain counter terms to cancel out the pathological interactions arising in the vector and axial sectors of quadratic MAG, while it also breaks the quasilinearity of the field equations. Thereby, the present branch is not relevant in the stability analysis and it will not be included in our calculations, but we only provide all of its cubic invariants for completeness.

In general, there exist 178 independent terms constructed from the curvature tensor and its contractions, which can be split into 27 different types:

$$\mathcal{L}_{curv}^{(3)} = \mathcal{L}_{\tilde{R}_{\lambda\rho\mu\nu}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda\rho}^{3}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda}^{3}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda}^{3}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda}^{3}\rho\mu\nu}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda}^{2}\rho\mu\nu}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda}^{2}\rho\mu\nu}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda\rho\mu\nu}^{2}\tilde{R}_{\alpha\beta}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda\rho}^{2}\tilde{R}_{\alpha\beta}}^{(3)} + \mathcal{L}_{\tilde{R}_{\lambda\rho}^{2}\tilde{R}}^{(3)} + \mathcal{$$

with

$$\mathcal{L}_{\tilde{R}_{3\rho\mu\nu}}^{(3)} = (k_{1} - k_{32} + k_{48} - k_{49})\tilde{R}_{\alpha\tau}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\rho\gamma\mu\nu} + (k_{2} - k_{34} - k_{36} - k_{39} - k_{42} - k_{43} + k_{44} - k_{51})\tilde{R}_{\alpha\tau}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\rho\mu\gamma\nu} \\ + (k_{3} - k_{35})\tilde{R}_{\alpha}{}^{\mu}{}^{\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\rho\mu\gamma\nu} + (k_{4} - k_{37} + k_{38} - k_{50})\tilde{R}_{\alpha}{}^{\mu}{}^{\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\rho\nu\gamma\mu} + (k_{5} - k_{59})\tilde{R}_{\alpha\rho}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\tau\gamma\mu\nu} \\ + (k_{6} + k_{55})\tilde{R}_{\alpha\rho}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\tau\mu\gamma\nu} + (k_{7} + k_{33} - k_{41} - k_{45} + k_{47} - k_{54} - k_{58} + k_{61})\tilde{R}_{\alpha\tau}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\gamma\mu\rho\nu} \\ + (k_{8} - k_{40} - k_{52} - k_{56})\tilde{R}_{\alpha}{}^{\mu}{}^{\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\mu\nu\rho\mu} + (k_{9} + k_{53})\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\tau}{}^{\mu\nu}\tilde{R}^{\gamma}{}^{\rho\mu\nu\nu} + k_{33}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\tau}{}^{\mu\nu}\tilde{R}^{\gamma}{}^{\mu}\rho\nu \\ + (k_{11} - k_{46} + k_{57} - k_{60})\tilde{R}_{\alpha\tau}{}^{\mu\nu}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\mu\nu\rho\gamma} + k_{32}\tilde{R}^{\alpha\rho}{}^{\tau\gamma}\tilde{R}^{\tau}{}^{\mu}{}^{\nu}\tilde{R}^{\gamma}{}^{\mu}\rho\nu + k_{33}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}^{\tau}{}^{\mu\nu\nu}\tilde{R}^{\mu}{}^{\mu}\rho\nu \\ + k_{34}\tilde{R}^{\alpha}{}^{\rho\tau\gamma}\tilde{R}^{\rho}{}_{\tau\mu\nu}\tilde{R}^{\mu}{}^{\alpha\nu}{}^{\nu} + k_{35}\tilde{R}^{\alpha}{}^{\tau\gamma}\tilde{R}^{\rho}{}^{\mu\tau\nu}\tilde{R}^{\mu}{}^{\alpha\gamma}{}^{\nu} + k_{36}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}^{\tau}{}^{\mu}{}^{\mu\nu}\tilde{R}^{\mu}{}^{\mu}\rho\nu + k_{41}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}^{\mu}{}^{\mu}{}^{\alpha}\tilde{R}^{\mu}{}^{\mu}\rho\nu \\ + k_{38}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}{}^{\mu}{}^{\mu}{}^{\alpha}{}^{\nu}\tilde{R}^{\mu}{}^{\mu}{}^{\nu}{}^{\gamma}\tilde{R}^{\mu}{}^{\mu}{}^{\mu}{}^{\gamma}\tilde{R}^{\mu}{}^{\mu}{}^{\mu}{}^{\gamma}} \\ + k_{38}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}{}^{\mu}{}^{\mu}{}^{\alpha}{}^{\nu}\tilde{R}^{\mu}{}^{\mu}{}^{\nu}{}^{\mu}{}^{\mu}{}^{\gamma}{}^{\mu}$$

$$\begin{aligned} &+ k_{22}\bar{h}^{\sigma}{}_{\gamma\gamma}\bar{h}^{\sigma}\rho_{\gamma\mu}\bar{h}^{\sigma}\bar{h}^{\sigma}{}_{\gamma\mu\nu}+k_{24}\bar{h}^{\sigma\gamma\gamma}\bar{h}^{\sigma}{}_{\mu\mu\nu}\bar{f}^{\mu}{}_{\gamma\nu}+k_{42}\bar{h}^{\sigma\gamma\gamma}\bar{h}^{\sigma}{}_{\mu\nu}\bar{h}^{\sigma}{}_{\mu}\bar{h}^{\sigma}{}_{\nu}\bar{h}^{\sigma}\bar{h}^{\sigma}{}_{\nu}\bar{$$

$$\mathcal{L}^{(3)}_{\tilde{R}_{\lambda\rho\mu\nu}\tilde{R}_{\alpha\beta}\hat{R}_{\alpha\beta}} = k_{130}\tilde{R}^{\alpha\rho\tau\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{131}\tilde{R}^{\alpha\tau\rho\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{132}\tilde{R}^{\alpha\gamma\rho\tau}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{133}\tilde{R}^{\rho\alpha\tau\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{133}\tilde{R}^{\rho\alpha\tau\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{136}\tilde{R}^{\tau\alpha\rho\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{137}\tilde{R}^{\tau\rho\alpha\gamma}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{138}\tilde{R}^{\tau\gamma\alpha\rho}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{139}\tilde{R}^{\gamma\alpha\rho\tau}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{140}\tilde{R}^{\gamma\rho\alpha\tau}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} + k_{141}\tilde{R}^{\gamma\tau\alpha\rho}\tilde{R}_{\alpha\rho}\hat{R}_{\tau\gamma} ,$$

$$(101)$$

$$\mathcal{L}_{\tilde{R}_{\lambda\rho\mu\nu}\tilde{R}_{\alpha\beta}\tilde{R}^{\omega}_{\omega\alpha\beta}}^{(3)} = k_{142}\tilde{R}^{\tau\alpha\rho}{}_{\gamma}\tilde{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{143}\tilde{R}^{\tau\rho\alpha}{}_{\gamma}\tilde{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{144}\tilde{R}^{\tau}{}_{\gamma}{}^{\alpha\rho}\tilde{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{145}\tilde{R}^{\alpha\rho}{}_{\tau\gamma}\tilde{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma}$$

$$+ k_{146} \tilde{R}^{\sigma}{}_{\tau}{}^{\rho}{}_{\gamma} \tilde{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma} + k_{147} \tilde{R}^{\rho\alpha}{}_{\tau\gamma} \tilde{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma} + k_{148} \tilde{R}^{\rho}{}_{\tau}{}^{\alpha}{}_{\gamma} \tilde{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma}, \qquad (102)$$

$$= k_{140} \tilde{R}^{\tau\alpha\rho}{}_{\gamma} \hat{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\gamma} + k_{150} \tilde{R}^{\tau\rho\alpha}{}_{\gamma} \hat{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\gamma} + k_{151} \tilde{R}^{\tau}{}_{\gamma}{}^{\alpha\rho} \hat{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\gamma} + k_{152} \tilde{R}^{\alpha\rho}{}_{\tau\gamma} \hat{R}_{\alpha\rho} \tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma}$$

$$\mathcal{L}^{(3)}_{\tilde{R}_{\lambda\rho\mu\nu}\hat{R}_{\alpha\beta}\tilde{R}^{\omega}_{\omega\alpha\beta}} = k_{149}\tilde{R}^{\tau\alpha\rho}{}_{\gamma}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{150}\tilde{R}^{\tau\rho\alpha}{}_{\gamma}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{151}\tilde{R}^{\tau}{}_{\gamma}{}^{\alpha\rho}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega\tau}{}^{\gamma} + k_{152}\tilde{R}^{\alpha\rho}{}_{\tau\gamma}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma} + k_{154}\tilde{R}^{\rho\alpha}{}_{\tau\gamma}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma} + k_{155}\tilde{R}^{\rho}{}_{\tau}{}^{\alpha}{}_{\gamma}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\tau\gamma} ,$$
(103)

$$\mathcal{L}^{(3)}_{\tilde{R}^2_{\lambda\rho}\hat{R}_{\lambda\rho}} = k_{156}\tilde{R}_{\alpha}{}^{\rho}\tilde{R}_{\rho\tau}\hat{R}^{\alpha\tau} + k_{157}\tilde{R}_{\alpha}{}^{\rho}\tilde{R}_{\rho\tau}\hat{R}^{\tau\alpha} + k_{158}\tilde{R}_{\alpha}{}^{\rho}\tilde{R}_{\tau\rho}\hat{R}^{\tau\alpha} + k_{159}\tilde{R}_{\alpha\tau}\tilde{R}^{\alpha}{}^{\rho}\hat{R}^{\tau\rho}, \qquad (104)$$

$$\mathcal{L}^{(3)}_{\tilde{R}^2_{\lambda\rho}\tilde{R}^{\omega}_{\omega\lambda\rho}} = k_{160}\tilde{R}_{\alpha}^{\ \rho}\tilde{R}_{\rho\tau}\tilde{R}^{\omega}_{\ \omega}^{\ \alpha\tau}, \tag{105}$$

$$\mathcal{L}_{\tilde{R}_{2}^{2}\tilde{R}}^{(3)} = (k_{30} - k_{170} - k_{174})\tilde{R}_{\gamma\mu}\tilde{R}^{\gamma\mu}\tilde{R} + (k_{31} - k_{171} - k_{175})\tilde{R}^{\gamma\mu}\tilde{R}_{\mu\gamma}\tilde{R}, \qquad (106)$$

$$\mathcal{L}_{\tilde{R}_{\lambda\rho}\hat{R}_{\lambda\sigma}^{2}}^{(3)} = k_{161}\tilde{R}_{\alpha\rho}\hat{R}^{\alpha}{}_{\tau}\hat{R}^{\rho\tau} + k_{162}\tilde{R}_{\alpha\rho}\hat{R}^{\rho\tau}\hat{R}_{\tau}{}^{\alpha} + k_{163}\tilde{R}_{\alpha\rho}\hat{R}^{\alpha}{}_{\tau}\hat{R}^{\tau\rho} + k_{164}\tilde{R}_{\alpha\rho}\hat{R}_{\tau}{}^{\alpha}\hat{R}^{\tau\rho}, \qquad (107)$$

$$\mathcal{L}^{(3)}_{\tilde{R}_{\lambda\rho}(\tilde{R}^{\omega}_{\ \omega\,\lambda\rho})^2} = k_{165}\tilde{R}_{\alpha\rho}\tilde{R}^{\lambda}{}_{\lambda}{}^{\alpha}{}_{\tau}\tilde{R}^{\omega}{}_{\omega}{}^{\rho\tau}, \qquad (108)$$

$$\mathcal{L}^{(3)}_{\tilde{R}_{\lambda\rho}\tilde{R}_{\lambda\rho}\tilde{R}_{\omega}\omega\lambda\rho} = k_{166}\tilde{R}_{\alpha\rho}\hat{R}^{\rho}{}_{\tau}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha\tau} + k_{167}\tilde{R}_{\alpha\rho}\hat{R}_{\tau}{}^{\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha\tau} + k_{168}\tilde{R}_{\alpha\rho}\hat{R}^{\alpha}{}_{\tau}\tilde{R}^{\omega}{}_{\omega}{}^{\rho\tau} + k_{169}\tilde{R}_{\alpha\rho}\hat{R}_{\tau}{}^{\alpha}\tilde{R}^{\omega}{}_{\omega}{}^{\rho\tau} , \qquad (109)$$

$$\mathcal{L}_{\tilde{R}_{\lambda\rho}\hat{R}_{\lambda\rho}\tilde{R}}^{(3)} = k_{170}\tilde{R}_{\alpha\rho}\hat{R}^{\alpha\rho}\tilde{R} + k_{171}\tilde{R}_{\alpha\rho}\hat{R}^{\rho\alpha}\tilde{R},$$
(110)

$$\mathcal{L}^{(3)}_{\tilde{R}_{\lambda\alpha}\tilde{R}^{\omega}\omega\lambda\alpha}\tilde{R} = k_{172}\tilde{R}_{\alpha\rho}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha\rho}\tilde{R},$$
(111)

$$\mathcal{L}^{(3)}_{\hat{R}^2_{\lambda\rho}\tilde{R}^\omega_{\ \omega\,\lambda\rho}} = k_{173}\hat{R}_{\alpha}{}^{\rho}\hat{R}_{\rho\tau}\tilde{R}^{\omega}{}_{\omega}{}^{\alpha\tau}, \qquad (112)$$

$$\mathcal{L}_{\hat{R}^{2}_{\lambda\rho}\tilde{R}}^{(3)} = k_{174}\hat{R}_{\alpha\rho}\hat{R}^{\alpha\rho}\tilde{R} + k_{175}\hat{R}^{\alpha\rho}\hat{R}_{\rho\alpha}\tilde{R}, \qquad (113)$$

$$\mathcal{L}^{(3)}_{\hat{R}_{\lambda\rho}(\tilde{R}^{\omega}_{\omega\lambda\rho})^2} = k_{176} \hat{R}_{\alpha\rho} \tilde{R}^{\lambda}{}_{\lambda}{}^{\alpha}{}_{\tau} \tilde{R}^{\omega}{}_{\omega}{}^{\rho\tau} , \qquad (114)$$

$$\mathcal{L}^{(3)}_{\hat{R}_{\lambda\rho}\tilde{R}^{\omega}_{\omega\lambda\rho}\tilde{R}} = k_{177}\hat{R}_{\alpha\rho}\tilde{R}^{\omega}_{\ \omega}{}^{\alpha\rho}\tilde{R}, \tag{115}$$

$$\mathcal{L}^{(3)}_{\hat{R}^2\tilde{R}} = k_{178}\hat{R}_{\alpha\rho}\hat{R}^{\alpha\rho}\tilde{R}\,. \tag{116}$$

It should be noted that we have parametrised the 178 terms in such a way that, in the absence of nonmetricity, we obtain exactly the same Lagrangian densities as the ones presented in [35]. As can be seen, this branch includes the highest number of independent cubic invariants, although in the particular case of Weyl-Cartan geometry the total number of independent invariants is 43, and 31 in Riemann-Cartan geometry [35].

#### V. Stability analysis for the vector and axial sectors at cubic order

By including all the possible mixing terms of cubic order between the curvature, torsion and nonmetricity tensors in the gravitational action of MAG that is reduced to GR in Riemannian geometry, the full Lagrangian density reads:

$$16\pi\mathcal{L}_{\text{Cubic}} = -R - \frac{1}{2} \left( 2c_1 + c_2 \right) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\mu\nu\lambda\rho} + (a_2 - c_1) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\rho\lambda\mu\nu} + a_2 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\lambda\rho\mu\nu} \tilde{R}^{\lambda\rho\mu\nu} + a_5 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\lambda\mu\rho\nu} \\ + a_6 \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\rho\mu\lambda\nu} + (c_2 - a_5 + a_6) \tilde{R}_{\lambda\rho\mu\nu} \tilde{R}^{\mu\rho\lambda\nu} + (d_1 - a_{10} - a_{12}) \tilde{R}_{\mu\nu} \tilde{R}^{\mu\nu} + a_9 \tilde{R}_{\mu\nu} \tilde{R}^{\nu\mu} \\ + a_{10} \hat{R}_{\mu\nu} \tilde{R}^{\mu\nu} + a_{11} \hat{R}_{\mu\nu} \hat{R}^{\nu\mu} - (d_1 + a_9 + a_{11}) \tilde{R}_{\mu\nu} \hat{R}^{\nu\mu} + a_{12} \tilde{R}_{\mu\nu} \hat{R}^{\mu\nu} + a_{14} \tilde{R}^{\lambda}_{\lambda\mu\nu} \tilde{R}^{\rho} _{\rho}^{\mu\nu} \\ + a_{15} \tilde{R}_{\mu\nu} \tilde{R}^{\lambda} _{\lambda}^{\mu\nu} + a_{16} \hat{R}_{\mu\nu} \tilde{R}^{\lambda} _{\lambda}^{\mu\nu} + \frac{1}{2} m_T^2 T_\mu T^\mu + \frac{1}{2} m_S^2 S_\mu S^\mu + \frac{1}{2} m_t^2 t_{\lambda\mu\nu} t^{\lambda\mu\nu} + \frac{1}{2} m_W^2 W_\mu W^\mu \\ + \frac{1}{2} m_\Lambda^2 \Lambda_\mu \Lambda^\mu + \frac{1}{2} m_\Omega^2 \Omega_{\lambda\mu\nu} \Omega^{\lambda\mu\nu} + \frac{1}{2} m_q^2 q_{\lambda\mu\nu} q^{\lambda\mu\nu} + \frac{1}{2} \alpha_{TW} T_\mu W^\mu + \frac{1}{2} \alpha_{T\Lambda} T_\mu \Lambda^\mu + \frac{1}{2} \alpha_{W\Lambda} W_\mu \Lambda^\mu \\ + \frac{1}{2} \alpha_{t\Omega} \varepsilon_{\rho\mu\nu\sigma} \Omega^{\lambda\rho\mu} t^\nu {}_{\lambda}{}^{\sigma} + \mathcal{L}^{(3)}_{\text{curv-tors}} + \mathcal{L}^{(3)}_{\text{curv-tor-nonm}}.$$
(117)

Then, focusing on the vector and axial modes of torsion and nonmetricity for the gravitational corrections to GR, the Lagrangian density includes the following contributions:

$$16\pi \mathcal{L}_{\text{Cubic}} = -R + \mathcal{L}_1 + \mathcal{L}_2 + \mathcal{L}_3 + \mathcal{L}_4 + \mathcal{L}_5 + \mathcal{L}_6 + \mathcal{L}_7 + \mathcal{L}_8 + \mathcal{L}_9 + \mathcal{L}_{10} + \mathcal{L}_{11} + \mathcal{L}_{12} + \mathcal{L}_{13} + \mathcal{L}_{14} + \mathcal{L}_{15}, \quad (118)$$

where

$$\mathcal{L}_1 = l_1 F_{\alpha\beta}^{(T)} F^{(T)\alpha\beta} + \frac{1}{2} m_T^2 T_\alpha T^\alpha + l_2 R T_\alpha T^\alpha + l_3 G_{\alpha\beta} T^\alpha T^\beta + l_4 T_\alpha T^\alpha T_\beta T^\beta + l_5 T_\alpha T^\alpha \nabla_\beta T^\beta , \qquad (119)$$

$$\mathcal{L}_{2} = l_{6} F_{\alpha\beta}^{(S)} F^{(S)\alpha\beta} + \frac{1}{2} m_{S}^{2} S_{\alpha} S^{\alpha} + l_{7} R S_{\alpha} S^{\alpha} + l_{8} G_{\alpha\beta} S^{\alpha} S^{\beta} + l_{9} S_{\alpha} S^{\alpha} S_{\beta} S^{\beta} + l_{10} \nabla_{\alpha} S^{\alpha} \nabla_{\beta} S^{\beta} , \qquad (120)$$

$$\mathcal{L}_{3} = l_{11} F^{(W)}_{\alpha\beta} F^{(W)\alpha\beta} + \frac{1}{2} m_{W}^{2} W_{\alpha} W^{\alpha} + l_{12} R W_{\alpha} W^{\alpha} + l_{13} G_{\alpha\beta} W^{\alpha} W^{\beta} + l_{14} W_{\alpha} W^{\alpha} W_{\beta} W^{\beta} + l_{15} W_{\alpha} W^{\alpha} \nabla_{\beta} W^{\beta} ,$$

$$(121)$$

$$\mathcal{L}_{4} = l_{16} F^{(\Lambda)}_{\alpha\beta} F^{(\Lambda)\alpha\beta} + \frac{1}{2} m_{\Lambda}^{2} \Lambda_{\alpha} \Lambda^{\alpha} + l_{17} R \Lambda_{\alpha} \Lambda^{\alpha} + l_{18} G_{\alpha\beta} \Lambda^{\alpha} \Lambda^{\beta} + l_{19} \Lambda_{\alpha} \Lambda^{\alpha} \Lambda_{\beta} \Lambda^{\beta} + l_{20} R \nabla_{\alpha} \Lambda^{\alpha} + l_{21} G_{\alpha}^{\ \beta} \nabla_{\beta} \Lambda^{\alpha} + l_{22} \Lambda_{\alpha} \Lambda^{\alpha} \nabla_{\beta} \Lambda^{\beta} + l_{23} \nabla_{\alpha} \Lambda^{\alpha} \nabla_{\beta} \Lambda^{\beta} , \qquad (122)$$

$$\mathcal{L}_{5} = l_{24} S^{\alpha} S^{\beta} T_{\alpha} T_{\beta} + l_{25} S_{\alpha} S^{\alpha} T_{\beta} T^{\beta} + l_{26} S^{\alpha} T^{\beta} \nabla_{\alpha} S_{\beta} + l_{27} S_{\alpha} S^{\alpha} \nabla_{\beta} T^{\beta} + l_{28} S^{\alpha} S^{\beta} \nabla_{\beta} T_{\alpha} + l_{29} * F_{\alpha\rho}^{(T)} S^{\alpha} T^{\rho} + \frac{1}{2} l_{1} * F_{\mu\nu}^{(S)} F^{(T)\mu\nu} ,$$
(123)

$$\mathcal{L}_{6} = l_{30} F^{(T)}_{\alpha\beta} F^{(W)\,\alpha\beta} + \frac{1}{2} \alpha_{TW} T^{\alpha} W_{\alpha} + l_{31} R T^{\alpha} W_{\alpha} + l_{32} G_{\alpha\beta} T^{\alpha} W^{\beta} + l_{33} T_{\alpha} T^{\alpha} T^{\beta} W_{\beta} + l_{34} T^{\alpha} T^{\beta} W_{\alpha} W_{\beta} + l_{35} T_{\alpha} T^{\alpha} W_{\beta} W^{\beta} + l_{36} T^{\alpha} W_{\alpha} W_{\beta} W^{\beta} + l_{37} T^{\alpha} W^{\beta} \nabla_{\alpha} T_{\beta} + l_{38} W^{\alpha} W^{\beta} \nabla_{\beta} T_{\alpha} + l_{39} W_{\alpha} W^{\alpha} \nabla_{\beta} T^{\beta} + l_{40} T^{\alpha} W^{\beta} \nabla_{\beta} W_{\alpha} + l_{41} T_{\alpha} T^{\alpha} \nabla_{\beta} W^{\beta} + l_{42} T^{\alpha} T^{\beta} \nabla_{\beta} W_{\alpha} ,$$

$$(124)$$

$$\mathcal{L}_{7} = l_{43}F_{\alpha\rho}^{(T)}F^{(\Lambda)\,\alpha\rho} + \frac{1}{2}\alpha_{T\Lambda}\Lambda^{\alpha} + l_{44}RT_{\alpha}\Lambda^{\alpha} + l_{45}G^{\alpha}{}_{\rho}T_{\alpha}\Lambda^{\rho} + l_{46}T_{\alpha}T^{\alpha}T_{\rho}\Lambda^{\rho} + l_{47}T_{\alpha}T_{\rho}\Lambda^{\alpha}\Lambda^{\rho} + l_{48}T_{\alpha}T^{\alpha}\Lambda_{\rho}\Lambda^{\rho} + l_{49}T_{\alpha}\Lambda^{\alpha}\Lambda_{\rho}\Lambda^{\rho} + l_{50}T_{\alpha}\Lambda^{\rho}\nabla^{\alpha}T_{\rho} + l_{51}\Lambda^{\alpha}\Lambda^{\rho}\nabla_{\rho}T_{\alpha} + l_{52}\Lambda_{\alpha}\Lambda^{\alpha}\nabla_{\rho}T^{\rho} + l_{53}T_{\alpha}\Lambda^{\rho}\nabla_{\rho}\Lambda^{\alpha} + l_{54}T_{\alpha}T^{\alpha}\nabla_{\rho}\Lambda^{\rho} + l_{55}\nabla_{\alpha}T^{\alpha}\nabla_{\rho}\Lambda^{\rho} + l_{56}T_{\alpha}T_{\rho}\nabla^{\rho}\Lambda^{\alpha} + l_{57}\nabla_{\rho}T_{\alpha}\nabla^{\rho}\Lambda^{\alpha},$$

$$(125)$$

$$\mathcal{L}_{8} = l_{58}S_{\alpha}S_{\rho}W^{\alpha}W^{\rho} + l_{59}S_{\alpha}S^{\alpha}W_{\rho}W^{\rho} + l_{60}S_{\alpha}W^{\rho}\nabla^{\alpha}S_{\rho} + l_{61}S_{\alpha}S^{\alpha}\nabla_{\rho}W^{\rho} + l_{62}S_{\alpha}S_{\rho}\nabla^{\rho}W^{\alpha}$$

$$+ l_{63} * F^{(W)}_{\alpha\rho} S^{\alpha} W^{\rho} + \frac{1}{4} l_{30} * F^{(S)}_{\mu\nu} F^{(W)\mu\nu}, \qquad (126)$$

$$\mathcal{L}_{9} = l_{64}S_{\alpha}S_{\rho}\Lambda^{\alpha}\Lambda^{\rho} + l_{65}S_{\alpha}S^{\alpha}\Lambda_{\rho}\Lambda^{\rho} + l_{66}S_{\alpha}\Lambda^{\rho}\nabla^{\alpha}S_{\rho} + l_{67}S_{\alpha}S^{\alpha}\nabla_{\rho}\Lambda^{\rho} + l_{68}S_{\alpha}S_{\rho}\nabla^{\rho}\Lambda^{\alpha} + l_{69}*F_{\alpha\rho}^{(\Lambda)}S^{\alpha}\Lambda^{\rho} + \frac{1}{4}(l_{43} - \frac{1}{6}l_{84})*F_{\mu\nu}^{(S)}F^{(\Lambda)\mu\nu},$$
(127)

$$\mathcal{L}_{10} = l_{70} F^{(W)}_{\alpha\rho} F^{(\Lambda)\alpha\rho} + \frac{1}{2} \alpha_{W\Lambda} W^{\alpha} \Lambda_{\alpha} + l_{71} R W^{\alpha} \Lambda_{\alpha} + l_{72} W_{\alpha} W^{\alpha} W^{\rho} \Lambda_{\rho} + l_{73} W^{\alpha} W^{\rho} \Lambda_{\alpha} \Lambda_{\rho} + l_{74} G_{\alpha\rho} W^{\alpha} \Lambda^{\rho} + l_{75} W_{\alpha} W^{\alpha} \Lambda_{\rho} \Lambda^{\rho} + l_{77} W^{\alpha} \Lambda^{\rho} \nabla_{\alpha} W_{\rho} + l_{78} \Lambda^{\alpha} \Lambda^{\rho} \nabla_{\rho} W_{\alpha} + l_{79} \Lambda_{\alpha} \Lambda^{\alpha} \nabla_{\rho} W^{\rho} + l_{80} W^{\alpha} W^{\rho} \nabla_{\rho} \Lambda_{\alpha} + l_{81} W^{\alpha} \Lambda^{\rho} \nabla_{\rho} \Lambda_{\alpha} + l_{82} W_{\alpha} W^{\alpha} \nabla_{\rho} \Lambda^{\rho} + l_{83} \nabla_{\alpha} W^{\alpha} \nabla_{\rho} \Lambda^{\rho} + l_{84} \nabla_{\rho} W_{\alpha} \nabla^{\rho} \Lambda^{\alpha} , \qquad (128)$$

$$\mathcal{L}_{11} = l_{85} S^{\alpha} S^{\beta} T_{\alpha} W_{\beta} + l_{86} S_{\alpha} S^{\alpha} T^{\beta} W_{\beta} + l_{87} * F_{\alpha\rho}^{(S)} T^{\alpha} W^{\rho} + l_{88} * F_{\alpha\rho}^{(T)} S^{\alpha} W^{\rho} ,$$
(129)

$$\mathcal{L}_{12} = l_{89} S^{\alpha} S^{\rho} T_{\alpha} \Lambda_{\beta} + l_{90} S_{\alpha} S^{\alpha} T^{\rho} \Lambda_{\beta} + l_{91} * F_{\alpha\rho}^{\alpha\beta} T^{\alpha} \Lambda^{\rho} + l_{92} * F_{\alpha\rho}^{\alpha\beta} S^{\alpha} \Lambda^{\rho}, \qquad (130)$$

$$\mathcal{L}_{13} = l_{93} T_{\alpha} W_{\rho} W^{\rho} \Lambda^{\alpha} + l_{94} T_{\alpha} T^{\alpha} W^{\rho} \Lambda_{\rho} + l_{95} T_{\alpha} W^{\alpha} W^{\rho} \Lambda_{\rho} + l_{96} T_{\alpha} W^{\rho} \Lambda^{\alpha} \Lambda_{\rho} + l_{97} T_{\alpha} T_{\rho} W^{\alpha} \Lambda^{\rho} + l_{98} T_{\alpha} W^{\alpha} \Lambda_{\rho} \Lambda^{\rho} + l_{99} W^{\alpha} \Lambda^{\rho} \nabla_{\alpha} T_{\rho} + l_{100} T_{\alpha} \Lambda^{\rho} \nabla^{\alpha} W_{\rho} + l_{101} W^{\alpha} \Lambda^{\rho} \nabla_{\rho} T_{\alpha} + l_{102} W^{\alpha} \Lambda_{\alpha} \nabla_{\rho} T^{\rho} + l_{103} T_{\alpha} \Lambda^{\rho} \nabla_{\rho} W^{\alpha}$$

$$+ l_{104} T_{\alpha} \Lambda^{\alpha} \nabla_{\rho} W^{\rho} , \qquad (131)$$

$$\mathcal{L}_{14} = l_{105} S^{\alpha} S^{\beta} W_{\alpha} \Lambda_{\beta} + l_{106} S_{\alpha} S^{\alpha} W^{\beta} \Lambda_{\beta} + l_{107} * F^{(S)}_{\alpha \rho} W^{\alpha} \Lambda^{\rho} + l_{108} * F^{(W)}_{\alpha \rho} S^{\alpha} \Lambda^{\rho} , \qquad (132)$$

$$\mathcal{L}_{15} = l_{109} \varepsilon_{\alpha\beta\tau\gamma} S^{\alpha} T^{\beta} W^{\tau} \Lambda^{\gamma} \,. \tag{133}$$

Note that, for simplicity, we have also introduced coefficients  $\{l_i\}_{i=1}^{109}$ , whose definitions can be found in Appendix E. With this parametrisation, the kinetic matrix (43) for the vector and axial modes of the theory simply reads

$$\kappa_{XY} = -2 \begin{pmatrix} 2l_6 & 0 & 0 & 0\\ 0 & 2l_1 & l_{30} & l_{43}\\ 0 & l_{30} & 2l_{11} & l_{70}\\ 0 & l_{43} & l_{70} & 2l_{16} \end{pmatrix},$$
(134)

where the coefficients  $l_i$  appearing in the matrix are yet associated with the quadratic curvature invariants of MAG (i.e. they do not depend on the parameters  $h_i$ ), but they will be less constrained under the stability conditions due to the presence of cubic invariants that can cancel out the different Ostrogradsky instabilities of the theory. Likewise, it

is also convenient to stress that the decoupling between the axial mode of torsion and the rest of vector modes allows their kinetic terms to be analysed in a separated way. Thus, while the axial mode can propagate safely if  $l_6 \leq 0$ , the study of the vector modes focuses on the  $3 \times 3$  matrix:

$$\kappa_{IJ}^{(\text{vec})} = -2 \begin{pmatrix} 2l_1 & l_{30} & l_{43} \\ l_{30} & 2l_{11} & l_{70} \\ l_{43} & l_{70} & 2l_{16} \end{pmatrix}.$$
(135)

Since the Lagrangian density (117) constitutes a rather complicated expression involving a large number of interactions between the vector and axial modes of torsion and nonmetricity, it is first worthwhile to proceed with the stability analysis in different geometrical setups, in order to obtain a more comprehensive picture of the different cases of interest included in the theory. Thereby, in the next subsections we shall revisit first the restricted case of Riemann-Cartan geometry, heading then to the analysis in Weyl-Cartan geometry and in the torsion-free case. Finally, we shall consider the general metric-affine geometry.

# A. Riemann-Cartan geometry $(Q_{\lambda\mu\nu} = 0 \Longrightarrow W_{\mu} = \Lambda_{\mu} = 0)$

In Riemann-Cartan geometry, apart from the Einstein-Hilbert Lagrangian, only the Lagrangian densities (119), (120) and (123) are nonvanishing. Then, by demanding that both vector and axial modes of torsion propagate with kinetic terms  $F_{\mu\nu}^{(T)}F^{(T)\mu\nu}$  and  $F_{\mu\nu}^{(S)}F^{(S)\mu\nu}$ , the kinetic matrix is simply reduced to

$$\kappa_{XY} = -4 \begin{pmatrix} l_6 & 0\\ 0 & l_1 \end{pmatrix}, \tag{136}$$

with X, Y = S, T, while the terms of the form  $(\nabla S)^2$ ,  $S^2 \nabla T$ ,  $TS \nabla S$ ,  $RS^2$  and  $RT^2$  generate Ostrogradsky instabilities. These can be directly cancelled out from the action if:

$$l_2 = l_7 = l_{10} = l_{26} = l_{27} = l_{28} = 0, (137)$$

which provides the following conditions for the Lagrangian coefficients:

$$c_2 = 2c_1, \quad h_2 = -\frac{h_1}{2}, \quad h_3 = -\frac{1}{6}(c_1 + 6h_{13}), \quad h_4 = \frac{h_{13}}{2}, \quad h_{14} = -2h_{13}, \quad h_{15} = 4h_{13}.$$
 (138)

Likewise, the respective eigenvalues of the kinetic matrix (136) must be nonnegative, leading to:

$$-\frac{d_1}{6} \le c_1 \le -\frac{d_1}{3}, \quad d_1 \le 0,$$
(139)

as found in Ref. [35].

# B. Weyl-Cartan geometry $(\mathcal{Q}_{\lambda\mu\nu} = 0 \Longrightarrow \Lambda_{\mu} = 0)$

In Weyl-Cartan geometry, on top of the vector and axial modes of torsion, the Weyl vector of nonmetricity is also included in the stability analysis. Then, besides the conditions (137) involving only the aforementioned modes of torsion, we must also remove from the Lagrangian densities (121), (124) and (126) additional pathological terms of the form  $S^2\nabla W$ ,  $T^2\nabla W$ ,  $W^2\nabla T$ ,  $SW\nabla S$ ,  $TW\nabla T$ ,  $TW\nabla W$ ,  $RW^2$  and RTW, which requires:

$$l_{12} = l_{31} = l_{37} = l_{38} = l_{39} = l_{40} = l_{41} = l_{42} = l_{60} = l_{61} = l_{62} = 0.$$
(140)

Overall, the Lagrangian coefficients must then satisfy the following conditions:

$$c_{2} = 2c_{1}, \quad h_{2} = -\frac{h_{1}}{2}, \quad h_{3} = -\frac{1}{6}\left(c_{1} + 6h_{13}\right), \quad h_{4} = \frac{h_{13}}{2}, \quad h_{14} = -2h_{13}, \quad h_{15} = 4h_{13}, \quad (141)$$

$$h_{48} = \frac{9}{4}h_1 - h_{47}, \quad h_{49} = \frac{3}{2}h_{113} = -\frac{9}{8}h_1, \quad h_{110} = -\frac{3}{2}h_1 - h_{108}, \quad h_{111} = 3h_1 - h_{109}, \quad (142)$$

$$h_{112} = \frac{1}{8} (4h_{108} - 9h_1 - 4h_{109}), \quad h_{133} = 3h_{13} + h_{132}, \quad h_{134} = 0, \quad h_{136} = 6h_{13} - h_{135}.$$
(143)

On the other hand, the kinetic matrix in this case reads

$$\kappa_{XY} = -2 \begin{pmatrix} 2l_6 & 0 & 0\\ 0 & 2l_1 & l_{30}\\ 0 & l_{30} & 2l_{11} \end{pmatrix},$$
(144)

with X, Y = S, T, W. After diagonalisation, it acquires the form

$$\kappa_{XY}^{\text{diag}} = \begin{pmatrix} -4l_6 & 0 \\ 0 & -2\sqrt{(l_1 - l_{11})^2 + l_{30}^2} - 2(l_1 + l_{11}) & 0 \\ 0 & 0 & 2\sqrt{(l_1 - l_{11})^2 + l_{30}^2} - 2(l_1 + l_{11}) \end{pmatrix}, \quad (145)$$

which straightforwardly leads to the following constraints by demanding nonnegative eigenvalues:

$$l_6 \le 0, \quad l_1 \le 0, \quad l_{11} \le 0, \quad -2\sqrt{l_1 l_{11}} \le l_{30} \le 2\sqrt{l_1 l_{11}}.$$
 (146)

Hence, besides the conditions (141)-(143), the Lagrangian coefficients must satisfy the following inequalities:

$$-\frac{d_1}{6} \le c_1 \le -\frac{d_1}{3}, \quad d_1 \le 0, \quad a_{15} \le \frac{1}{2} \left( a_9 + a_{10} + a_{12} - 2a_2 - a_5 - 4a_{14} - d_1 \right), \tag{147}$$

and

$$-2\sqrt{(6c_{1}+2d_{1})\left[d_{1}+a_{5}+2\left(a_{2}+2a_{14}+a_{15}\right)-a_{9}-a_{10}-a_{12}\right]} \leq a_{6}+a_{9}-a_{11}+a_{12}-3d_{1}-2\left(2c_{1}+a_{15}+a_{16}+a_{5}-a_{10}\right) \leq 2\sqrt{(6c_{1}+2d_{1})\left[d_{1}+a_{5}+2\left(a_{2}+2a_{14}+a_{15}\right)-a_{9}-a_{10}-a_{12}\right]}.$$
(148)

In summary, it is also possible to obtain a theory with healthy vector and axial modes for torsion and nonmetricity in Weyl-Cartan geometry, if the conditions (141)-(143), (147) and (148) hold.

A strong but still meaningful restriction within this geometry is the case of Weyl geometry, where torsion identically vanishes and the nonmetricity tensor is completely determined by the Weyl vector. In this geometry, the Lagrangian density of the Weyl vector acquires the form (121), where the possible instabilities arise only around general backgrounds due to the presence of the term  $RW^2$ , which can be directly removed from the action if:

$$l_{12} = 0, (149)$$

namely:

$$h_{49} = -\frac{1}{2} \left( h_{47} + h_{48} \right). \tag{150}$$

Furthermore, the appropriate sign in the kinetic term of the Weyl vector requires  $l_{11} \leq 0$ , which means:

$$a_{15} \le \frac{1}{2} \left( a_{10} + a_{12} - 4a_{14} - 2a_2 - a_5 + a_9 - d_1 \right).$$
(151)

Then, under the conditions (150) and (151), the Lagrangian density for the MAG theory with a Weyl vector reads

$$\mathcal{L} = -R + (d_1 + 2a_2 + a_5 + 4a_{14} + 2a_{15} - a_9 - a_{10} - a_{12}) F^{(W)}_{\alpha\rho} F^{(W)\alpha\rho} + \frac{1}{2} m_W^2 W_\alpha W^\alpha + (h_{47} + h_{48}) G_{\alpha\rho} W^\alpha W^\rho + \frac{3}{4} (h_{47} + h_{48}) W_\alpha W^\alpha W_\rho W^\rho - \frac{3}{2} (h_{47} + h_{48}) W_\alpha W^\alpha \nabla_\rho W^\rho , \qquad (152)$$

which generalises the Einstein-Proca Lagrangian with a quartic potential, as well as with healthy Galileon interactions and nonminimal couplings to the Riemannian gravity sector. In fact, it is worthwhile to stress that similar generalisations were also found in different geometrical setups, such as the one characterised by a vector distortion, where the torsion and nonmetricity tensors are assumed to be proportional to a vector field [38–40], while in the case of Weyl geometry they naturally arise when considering cubic order invariants in the gravitational action.

# C. Torsion-free case $(T_{\lambda\mu\nu} = 0 \Longrightarrow T_{\mu} = S_{\mu} = 0)$

In the absence of torsion, only the Lagrangians densities (121), (122) and (128) provide the dynamics of the respective vector modes of the nonmetricity tensor. In particular, the Lagrangians densities (121) and (122) include pathological terms of the form  $(\nabla \Lambda)^2$ ,  $RW^2$ ,  $R\Lambda^2$  and  $R\nabla \Lambda$ , which can be eliminated by setting:

$$l_{12} = l_{17} = l_{20} = l_{23} = 0. (153)$$

As for the Lagrangian density (128), the identity

$$\int \left(\nabla_{\mu}\Lambda^{\mu}\nabla_{\nu}W^{\nu} - \nabla_{\mu}\Lambda^{\nu}\nabla_{\nu}W^{\mu}\right)\sqrt{-g}d^{4}x = \int \left(G_{\mu\nu} + \frac{1}{2}g_{\mu\nu}R\right)W^{\mu}\Lambda^{\nu}\sqrt{-g}d^{4}x, \qquad (154)$$

allows us to rewrite it in the action as (up to boundary terms):

$$\mathcal{L}_{10} = \frac{1}{2} (2l_{70} - l_{83}) F_{\alpha\rho}^{(\Lambda)} F^{(W)\alpha\rho} + \frac{1}{2} \alpha_{W\Lambda} W^{\alpha} \Lambda_{\alpha} + \frac{1}{2} (2l_{71} + l_{83}) R W^{\alpha} \Lambda_{\alpha} + l_{72} W_{\alpha} W^{\alpha} W^{\rho} \Lambda_{\rho} + l_{73} W^{\alpha} W^{\rho} \Lambda_{\alpha} \Lambda_{\rho} \Lambda_{\rho} + l_{74} H_{83}) G_{\alpha\rho} W^{\alpha} \Lambda^{\rho} + l_{75} W_{\alpha} W^{\alpha} \Lambda_{\rho} \Lambda^{\rho} + l_{76} W^{\alpha} \Lambda_{\alpha} \Lambda_{\rho} \Lambda^{\rho} + l_{77} W^{\alpha} \Lambda^{\rho} \nabla_{\alpha} W_{\rho} + l_{78} \Lambda^{\alpha} \Lambda^{\rho} \nabla_{\rho} W_{\alpha} + l_{79} \Lambda_{\alpha} \Lambda^{\alpha} \nabla_{\rho} W^{\rho} + l_{80} W^{\alpha} W^{\rho} \nabla_{\rho} \Lambda_{\alpha} + l_{81} W^{\alpha} \Lambda^{\rho} \nabla_{\rho} \Lambda_{\alpha} + l_{82} W_{\alpha} W^{\alpha} \nabla_{\rho} \Lambda^{\rho} + (l_{83} + l_{84}) \nabla_{\mu} \Lambda^{\nu} \nabla^{\mu} W_{\nu} .$$
(155)

As can be seen, the Lagrangian displays pathological terms of the form  $\nabla W \nabla \Lambda$ ,  $W^2 \nabla \Lambda$ ,  $\Lambda^2 \nabla W$ ,  $W \Lambda \nabla W$ ,  $W \Lambda \nabla \Lambda$ and  $RW \Lambda$ , which can be directly removed from the action if:

$$l_{77} = l_{78} = l_{79} = l_{80} = l_{81} = l_{82} = 2l_{71} + l_{83} = l_{83} + l_{84} = 0.$$
(156)

Thereby, by combining the conditions (153) and (156), the Lagrangian coefficients must satisfy:

$$c_{2} = 2c_{1} - 2\left(4a_{10} + 4a_{11} + 2a_{2} + a_{6}\right), \quad a_{12} = -2a_{10} - a_{11} + a_{9} + d_{1}, \tag{157}$$

$$h_{48} = -h_{49} = -\frac{10}{9}h_{52} = -\frac{4}{3}h_{70} = \frac{2}{3}h_{71} = -\frac{4}{3}h_{73} = h_{47},$$
(158)

$$h_{51} = \frac{9}{8}h_{47} - h_{50}, \quad h_{69} = \frac{3}{4}h_{47} - h_{68}, \quad h_{72} = \frac{3}{4}h_{47} + h_{68}.$$
(159)

Furthermore, the kinetic matrix for this geometry can also be diagonalised as

$$\kappa_{XY}^{\text{diag}} = \begin{pmatrix} -2\sqrt{(l_{11} - l_{16})^2 + l_{70}^2} - 2(l_{11} + l_{16}) & 0\\ 0 & 2\sqrt{(l_{11} - l_{16})^2 + l_{70}^2} - 2(l_{11} + l_{16}) \end{pmatrix},$$
(160)

with  $X, Y = W, \Lambda$ . Hence, it is clear that the eigenvalues of the kinetic matrix are nonnegative if:

$$l_{11} \le 0, \quad l_{16} \le 0, \quad -2\sqrt{l_{11}l_{16}} \le l_{70} \le 2\sqrt{l_{11}l_{16}},$$
(161)

which, using the conditions (157)-(159), provides the following inequalities for the Lagrangian coefficients:

$$a_{10} \le 2a_9 - 2a_2 - a_5 - a_{11} - 4a_{14} - 2a_{15}, \quad a_{11} \le -\frac{1}{5}(6a_2 + 3a_5 + 11a_{10}), \text{ and}$$
(162)

$$-\sqrt{3} (6a_{2} + 3a_{5} + 11a_{10} + 5a_{11}) (2a_{2} + a_{5} - 2a_{9} + a_{10} + a_{11} + 4a_{14} + 2a_{15}) \leq -3 (2a_{2} + a_{5} + a_{9} + 3a_{10} + 4a_{11} + a_{16} + d_{1}) \leq \sqrt{3 (6a_{2} + 3a_{5} + 11a_{10} + 5a_{11}) (2a_{2} + a_{5} - 2a_{9} + a_{10} + a_{11} + 4a_{14} + 2a_{15})}.$$
(163)

Thus, in general it is possible to avoid gravitational instabilities in the vector sector of the torsion-free case if the Lagrangian coefficients satisfy the relations (157)-(159), as well as the inequalities (162) and (163).

#### D. General metric-affine geometry

For the case with general torsion and nonmetricity tensors, all of the vector and axial modes of these tensors are present in the gravitational action. Hence, on top of the conditions (137), (140), (153) and (156), further constraints must be imposed on the Lagrangian coefficients to eliminate Ostrogradsky instabilities associated with terms of

the form  $\nabla T \nabla \Lambda$ ,  $T^2 \nabla \Lambda$ ,  $S^2 \nabla \Lambda$ ,  $\Lambda^2 \nabla T$ ,  $T \Lambda \nabla T$ ,  $T \Lambda \nabla \Lambda$ ,  $S \Lambda \nabla S$ ,  $T \Lambda \nabla W$ ,  $W \Lambda \nabla T$  and  $RT \Lambda$ , which appear in the Lagrangian densities (125), (127) and (131). In this sense, by using the identity

$$\int \left(\nabla_{\mu}\Lambda^{\mu}\nabla_{\nu}T^{\nu} - \nabla_{\mu}\Lambda^{\nu}\nabla_{\nu}T^{\mu}\right)\sqrt{-g}\,d^{4}x = \int \left(G_{\mu\nu} + \frac{1}{2}g_{\mu\nu}R\right)T^{\mu}\Lambda^{\nu}\sqrt{-g}\,d^{4}x\,,\tag{164}$$

we can first rewrite the Lagrangian density (125) in the action as (up to boundary terms):

$$\mathcal{L}_{7} = \frac{1}{2} (2l_{43} - l_{55}) F^{(T)}_{\alpha\rho} F^{(\Lambda)\alpha\rho} + \frac{1}{2} \alpha_{T\Lambda} T_{\alpha} \Lambda^{\alpha} + \frac{1}{2} (2l_{44} + l_{55}) R T_{\alpha} \Lambda^{\alpha} + (l_{45} + l_{55}) G^{\alpha}{}_{\rho} T_{\alpha} \Lambda^{\rho} + l_{46} T_{\alpha} T^{\alpha} T_{\rho} \Lambda^{\rho} + l_{49} T_{\alpha} \Lambda^{\alpha} \Lambda_{\rho} \Lambda^{\rho} + l_{50} T_{\alpha} \Lambda^{\rho} \nabla^{\alpha} T_{\rho} + l_{51} \Lambda^{\alpha} \Lambda^{\rho} \nabla_{\rho} T_{\alpha} + l_{52} \Lambda_{\alpha} \Lambda^{\alpha} \nabla_{\rho} T^{\rho} + l_{53} T_{\alpha} \Lambda^{\rho} \nabla_{\rho} \Lambda^{\alpha} + l_{54} T_{\alpha} T^{\alpha} \nabla_{\rho} \Lambda^{\rho} + l_{56} T_{\alpha} T_{\rho} \nabla^{\rho} \Lambda^{\alpha} + (l_{55} + l_{57}) \nabla_{\rho} T_{\alpha} \nabla^{\rho} \Lambda^{\alpha} .$$

$$(165)$$

Then, in order to eliminate the aforementioned pathological terms appearing in Expression (165), (127) and (131), we require:

$$l_{50} = l_{51} = l_{52} = l_{53} = l_{54} = l_{56} = 2l_{44} + l_{55} = l_{55} + l_{57} = 0,$$
(166)

$$l_{66} = l_{67} = l_{68} = l_{99} = l_{100} = l_{101} = l_{102} = l_{103} = l_{104} = 0.$$
(167)

Overall, in terms of the Lagrangian coefficients, the conditions (137), (140), (153), (156), (166) and (167) can be expressed as follows:

$$c_{2} = 2c_{1}, \quad a_{11} = -\frac{1}{4} \left( 2a_{2} + a_{6} + 4a_{10} \right), \quad a_{12} = \frac{1}{4} \left( 4d_{1} + 2a_{2} + a_{6} + 4a_{9} - 4a_{10} \right), \tag{168}$$

$$h_3 = -\frac{1}{6} \left( c_1 + 6h_{13} \right), \quad h_4 = \frac{h_{13}}{2}, \quad h_{14} = -2h_{13}, \quad h_{15} = 4h_{13}, \quad h_{51} = -h_{50}, \tag{169}$$

$$h_{133} = 3h_{13} + h_{132}, \quad h_{136} = 6h_{13} - h_{135}, \quad h_{139} = \frac{1}{12} \left( 2a_5 - a_6 + c_1 - 9h_{13} + 12h_{138} + 36h_{28} \right), \tag{170}$$

$$h_{140} = \frac{1}{12} \left( 2a_5 - a_6 - 8c_1 - 36h_{13} - 72h_{28} \right), \tag{171}$$

$$h_{142} = \frac{1}{24} \left( 12a_{10} + 6a_2 + 4a_5 + a_6 + 12a_9 + 20c_1 + 36h_{13} - 24h_{141} + 288h_{28} \right), \tag{172}$$

$$h_1 = h_2 = h_{27} = h_{47} = h_{48} = h_{49} = h_{52} = h_{68} = h_{69} = h_{70} = h_{71} = h_{72} = h_{73} = h_{108} = 0,$$
(173)

$$h_{109} = h_{110} = h_{111} = h_{112} = h_{113} = h_{114} = h_{115} = h_{116} = h_{117} = h_{118} = h_{119} = h_{134} = 0.$$
(174)

Therefore, these constraints reduce the parameter space of the present cubic MAG theory from 233 to 194 parameters. On the other hand, as for the requirement of ghost-free kinetic terms for the vector and axial modes, we will assume

that in general all of them can propagate. In that case, the kinetic term of the axial mode is healthy if

$$l_6 \le 0 \quad \Longleftrightarrow \quad d_1 \ge -6c_1 \,. \tag{175}$$

For the rest of vector modes, we need to impose the  $3 \times 3$  kinetic matrix (135) to be positive semidefinite. Explicitly, under the previous stability conditions (168)-(174), the coefficients  $l_i$  appearing in the matrix read:

$$l_1 = \frac{2}{9} \left( 3c_1 + d_1 \right), \quad l_{11} = \frac{3a_2}{2} + a_5 - 2a_9 + 4a_{14} + 2a_{15} - \frac{a_6}{4}, \quad l_{16} = \frac{3}{64} \left( 14a_2 + 12a_5 - 5a_6 + 24a_{10} \right), \quad (176)$$

$$l_{30} = \frac{1}{6} \left( 2a_2 - 4a_5 + 3a_6 + 4a_9 + 4a_{10} - 4a_{15} - 4a_{16} - 8c_1 - 4d_1 \right) , \tag{177}$$

$$l_{43} = \frac{1}{8} \left( 2a_2 + 4a_5 - a_6 + 4a_9 + 4a_{10} + 8c_1 + 4d_1 \right), \quad l_{70} = -\frac{3}{2} \left( a_5 - a_6 + a_9 - a_{10} + a_{16} + d_1 \right). \tag{178}$$

Hence, the corresponding characteristic polynomial acquires the form

$$p(\lambda) = -\lambda^3 + s_2\lambda^2 + s_1\lambda + s_0, \qquad (179)$$

where

$$s_0 = 16 \left[ l_{16} l_{30}^2 + l_{43} \left( l_{11} l_{43} - l_{30} l_{70} \right) + l_1 \left( l_{70}^2 - 4 l_{11} l_{16} \right) \right], \tag{180}$$

$$s_1 = 4 \left[ l_{30}^2 + l_{43}^2 + l_{70}^2 - 4l_1 l_{11} - 4 \left( l_1 + l_{11} \right) l_{16} \right],$$
(181)

$$s_2 = -4\left(l_1 + l_{11} + l_{16}\right) \,. \tag{182}$$

Accordingly, in comparison with the case of quadratic MAG, the coefficients (180)-(182) are less constrained by the removal of the Ostrogradsky instabilities of the theory. Thereby, in order then to have three positive real roots in (179), we must simply demand the three inequalities

$$s_2 \ge 0, \quad s_1 \le 0, \quad s_0 \ge 0,$$
 (183)

namely

$$l_1 + l_{11} + l_{16} \le 0, \quad 4l_{11}l_{16} + 4l_1(l_{11} + l_{16}) - l_{30}^2 - l_{43}^2 - l_{70}^2 \ge 0,$$
(184)

$$l_{30}l_{43}l_{70} + 4l_1l_{11}l_{16} - l_{16}l_{30}^2 - l_{11}l_{43}^2 - l_1l_{70}^2 \le 0.$$
(185)

In conclusion, to avoid Ostrogradsky instabilities in the vector and axial sectors of the general metric-affine geometry, we require first the conditions (168)-(174), while to ensure ghost-free kinetic terms in these sectors the conditions (175), (184) and (185) must also hold. Thus, in contrast with quadratic MAG, in cubic MAG the vector and axial modes of the torsion and nonmetricity tensors find a safer context to propagate in a healthy way.

#### VI. Reissner-Nordström-like black hole solutions

In analogy to quadratic MAG, it turns out that the action given by the Lagrangian density (117) with cubic order invariants constructed from the curvature, torsion and nonmetricity tensors admits Reissner-Nordström-like black hole solutions with dynamical torsion and nonmetricity. Specifically, by considering a static and spherically symmetric setup [41]:

$$g_{tt} = \Psi_1(r), \quad g_{rr} = -\frac{1}{\Psi_2(r)}, \quad g_{\vartheta\vartheta} = g_{\varphi\varphi} \csc^2 \vartheta = -r^2,$$
(186)

$$T^{t}_{tr} = t_{1}(r), \quad T^{r}_{tr} = t_{2}(r), \quad T^{\vartheta}_{t\vartheta} = T^{\varphi}_{t\varphi} = t_{3}(r), \quad T^{\vartheta}_{r\vartheta} = T^{\varphi}_{r\varphi} = t_{4}(r), \quad (187)$$

$$T^{\vartheta}_{t\varphi} = T^{\varphi}_{\vartheta t} \sin^2 \vartheta = t_5(r) \sin \vartheta, \quad T^{\vartheta}_{r\varphi} = T^{\varphi}_{\vartheta r} \sin^2 \vartheta = t_6(r) \sin \vartheta, \quad (188)$$

$$T^{t}_{\vartheta\varphi} = t_{7}(r)\sin\vartheta, \quad T^{r}_{\vartheta\varphi} = t_{8}(r)\sin\vartheta, \quad (189)$$

$$Q_{ttt} = q_1(r), \quad Q_{trr} = q_2(r), \quad Q_{ttr} = q_3(r), \quad Q_{t\vartheta\vartheta} = Q_{t\varphi\varphi} \csc^2 \vartheta = q_4(r), \tag{190}$$

$$Q_{rtt} = q_5(r), \quad Q_{rrr} = q_6(r), \quad Q_{rtr} = q_7(r), \quad Q_{r\vartheta\vartheta} = Q_{r\varphi\varphi} \csc^2 \vartheta = q_8(r), \tag{191}$$

$$Q_{\vartheta t\vartheta} = Q_{\varphi t\varphi} \csc^2 \vartheta = q_9(r), \quad Q_{\vartheta r\vartheta} = Q_{\varphi r\varphi} \csc^2 \vartheta = q_{10}(r), \tag{192}$$

$$Q_{\vartheta t\varphi} = -Q_{\varphi t\vartheta} = q_{11}(r)\sin\vartheta, \quad Q_{\vartheta r\varphi} = -Q_{\varphi r\vartheta} = q_{12}(r)\sin\vartheta, \quad (193)$$

as well as the stability conditions (168)-(174) for the vector and axial sectors of the theory, a general solution of the Euler-Lagrange equations takes the form:

$$t_1(r) = \frac{\Psi'(r)}{2\Psi(r)} + \frac{wr}{\Psi(r)} + \frac{\kappa_{\rm d}}{2r\Psi(r)} + \frac{\kappa_{\rm sh}}{2r\Psi(r)}, \quad t_4(r) = -\frac{1}{2r} - \frac{wr}{2\Psi(r)} - \frac{\kappa_{\rm d}}{2r\Psi(r)} + \frac{\kappa_{\rm sh}}{2r\Psi(r)}, \quad t_6(r) = \frac{\kappa_{\rm s}}{r\Psi(r)}, \quad (194)$$

$$t_2(r) = t_1(r)\Psi(r), \quad t_3(r) = -t_4(r)\Psi(r), \quad t_5(r) = -t_6(r)\Psi(r), \quad t_7(r) = t_8(r) = 0, \quad (195)$$

$$e(r) = t_1(r)\Psi(r), \quad t_3(r) = -t_4(r)\Psi(r), \quad t_5(r) = -t_6(r)\Psi(r), \quad t_7(r) = t_8(r) = 0,$$
(195)

$$q_1(r) = q_7(r)\Psi^2(r) + \frac{(\kappa_d - 3\kappa_{sh})\Psi(r)}{r}, \quad q_2(r) = q_7(r) - \frac{\kappa_d + \kappa_{sh}}{r\Psi(r)}, \quad q_3(r) = \frac{2\kappa_{sh}}{r} - q_7(r)\Psi(r), \quad (196)$$

$$q_4(r) = -r\left(\kappa_{\rm d} + \kappa_{\rm sh}\right), \quad q_5(r) = \frac{\kappa_{\rm sh} - \kappa_{\rm d}}{r} - q_7(r)\Psi(r), \quad q_6(r) = \frac{\kappa_{\rm d} - \kappa_{\rm sh}}{r\Psi^2(r)} - \frac{q_7(r)}{\Psi(r)}, \quad q_9(r) = -2\kappa_{\rm sh}r, \tag{197}$$

$$q_7(r) = \frac{r^2}{\Psi^2(r)} \int \tilde{q}_7(r) dr \,, \quad q_8(r) = \frac{r \left(\kappa_{\rm d} + \kappa_{\rm sh}\right)}{\Psi(r)} \,, \quad q_{10}(r) = \frac{2\kappa_{\rm sh}r}{\Psi(r)} \,, \quad q_{11}(r) = q_{12}(r) = 0 \,, \tag{198}$$

$$\tilde{q}_{7}(r) = \frac{2\kappa_{\rm sh}}{15r^3} \Big\{ 45N_3\Psi'(r) + \frac{wr}{2a_2 + a_6} \Big[ 18a_2\left(46N_3 - 31\right) + 9a_6\left(46N_3 - 31\right) + 4\left(36h_{53} - 36h_{55} + 36h_{56} + 36h_{57} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} + 156h_{103} + 108h_{96} +$$

$$+ 246h_{104} + 90h_{105} - 45(h_{99} + h_{101} + h_{102})) \Big] \Big\},$$
(199)

$$\Psi(r) = 1 - \frac{2m}{r} + \frac{1}{r^2} \left\{ \frac{1}{3} \kappa_s^2 \left( d_1 + 4h_{25} \right) + \frac{1}{2} \kappa_d^2 \left( 2a_6 - 4a_2 - 8a_{14} - d_1 \right) + \frac{1}{15} \kappa_{sh}^2 \left[ 6a_2 \left( 216N_3 - 221 \right) + a_6 \left( 648N_3 - 663 \right) \right] + 8 \left( 36h_{53} - 36h_{55} + 36h_{56} + 36h_{57} + 108h_{59} - 108h_{61} + 1179h_{65} - 605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} \right] - 23h_{96} + 51h_{97} - 45h_{99} - 45h_{101} - 45h_{102} + 156h_{103} + 246h_{104} + 90h_{105} \right] \right\}.$$

$$(200)$$

where m,  $\kappa_s$ ,  $\kappa_d$  and  $\kappa_{sh}$  represent the parameters related to the mass, spin, dilation and shear charges of the solution, w provides mass terms for the tensor modes of torsion and nonmetricity, and  $N_1$  and  $N_3$  are proportionality constants between the Lagrangian coefficients<sup>6</sup>. In this regard, on top of the stability conditions (168)-(174), the remaining Lagrangian coefficients satisfy additional relations, which for those associated with the quadratic curvature, torsion and nonmetricity invariants read:

$$c_2 = 2c_1 = -\frac{d_1}{2}, \quad a_2 \neq -\frac{a_6}{2}, \quad a_5 = \frac{1}{4} \left( 2a_6 - d_1 \right), \quad a_9 = a_{11} = -\frac{1}{16} \left[ 3 \left( d_1 + 2a_6 \right) + 4a_2 \right], \tag{201}$$

$$a_{10} = \frac{1}{16} \left( 3d_1 - 4a_2 + 2a_6 \right), \quad a_{12} = \frac{1}{8} \left( 4a_2 - 2a_6 + 5d_1 \right), \quad a_{15} = \frac{1}{4} \left( d_1 - 4a_6 \right), \quad a_{16} = a_6 - \frac{d_1}{4}, \tag{202}$$

$$m_T^2 = m_S^2 = m_W^2 = m_\Lambda^2 = \alpha_{TW} = \alpha_{T\Lambda} = \alpha_{W\Lambda} = 0, \quad w = \frac{m_t^2}{3(2h_6 - 2h_{25} - d_1)},$$
(203)

$$m_{\Omega}^{2} = \frac{180}{180} \left\{ 24786a_{2} \left(N_{3}-1\right)+12393a_{6} \left(N_{3}-1\right)+2\left[2484h_{53}-270h_{54}-2754h_{55}+3024h_{56}+2754h_{57}-270h_{58}+8082h_{59}+360h_{60}-8802h_{61}+87216h_{65}-49290h_{66}+240h_{90}+2136h_{91}+1896h_{92}+1896h_{94}+7\left(172h_{95}-241h_{96}+557h_{97}-375h_{99}-33\left(15h_{101}+15h_{102}-44h_{103}-74h_{104}-30h_{105}\right)\right)\right]\right\},$$
(204)

$$m_q^2 = \frac{2w}{35} \Big[ 486a_2 \left( N_3 - 1 \right) + 243a_6 \left( N_3 - 1 \right) + 108h_{53} - 108h_{55} + 108h_{56} + 108h_{57} + 324h_{59} - 324h_{61} \\ + 3527h_{65} - 1665h_{66} + 72h_{91} + 72h_{92} + 72h_{94} + 48h_{95} - 59h_{96} + 3(51h_{97} - 35h_{99} - 45h_{101} \\ - 45h_{102} + 136h_{103} + 226h_{104} + 90h_{105}) \Big] ,$$

$$\alpha_{t\Omega} = \frac{w}{675} \Big\{ 5346a_2 \left( N_3 - 1 \right) + 2673a_6 \left( N_3 - 1 \right) - 600d_1 + 800h_5 + 1600h_6 + 200h_9 + 3 \Big[ 40h_{41} - 20h_{23} \\ - 500h_{25} + 40h_{42} + 360h_{43} + 396h_{53} - 396h_{55} + 396h_{56} + 396h_{57} + 1188h_{59} - 1188h_{61} + 12969h_{65} \\ - 6655h_{66} + 264h_{91} + 264h_{92} + 264h_{94} + 176h_{95} - 253h_{96} + 561h_{97} - 495h_{99} - 495h_{101} - 495h_{102} \Big] \Big\}$$

$$+ 1716h_{103} + 2706h_{104} + 10(99h_{105} + 180h_{151} + 180h_{152} + 180h_{153} + 180h_{154} + 137h_{178} + 125h_{179} - 145h_{180} + 26h_{181} - 38h_{182} - 115h_{184} + 133h_{185} + 155h_{186} - 111h_{187} - 123h_{188} + 62h_{189} + 82h_{190} + 38h_{191} + 22h_{192} + 24h_{193} + 12h_{194}) ] \},$$
(206)

while the expressions for the Lagrangian coefficients associated with the cubic invariants acquire a more cumbersome form and are displayed in Appendix F.

As can be seen, the mass terms of the tensor modes of torsion and nonmetricity included in the action are nonvanishing, whereas the vector and axial modes remain massless. This result contrasts with the case of quadratic MAG, where the solution displays a mass term for the axial mode of torsion alone [37]. In this sense, it is worthwhile to stress that the presence of massive tensor modes in the model of the solution additionally guarantees the avoidance of further strong coupling problems and no-go theorems constraining the interaction of massless higher-spin modes in the quantum regime [42, 43].

As for the vector and axial sectors, it turns out that the Lagrangian density (118) includes the following kinetic and interaction terms when fixing the Lagrangian coefficients of the solution:

$$16\pi\mathcal{L} = -R + \frac{1}{18}d_1F^{(T)}_{\mu\nu}F^{(T)\mu\nu} + \frac{1}{144}d_1F^{(S)}_{\mu\nu}F^{(S)\mu\nu} + \frac{1}{8}\left(16a_2 - 8a_6 + 32a_{14} + 5d_1\right)F^{(W)}_{\mu\nu}F^{(W)\mu\nu}$$

<sup>&</sup>lt;sup>6</sup> For simplicity in the presentation, we omit another proportionality constant  $N_2$  providing a nonvanishing torsion function  $t_7(r) = N_2 \kappa_s r/\Psi(r)$  and further corrections in the metric function  $\Psi(r)$ . In addition, there are several special cases arising for certain relations between  $N_1$  and  $N_2$ , which can also introduce a mass for the axial mode of torsion, in line with previous results found in Ref. [35].

$$+ \frac{3}{128} \left( 16a_2 + 8a_6 + 3d_1 \right) F_{\mu\nu}^{(\Lambda)} F^{(\Lambda)\mu\nu} + \frac{1}{8} d_1 F_{\mu\nu}^{(T)} F^{(\Lambda)\mu\nu} - \frac{3}{16} d_1 F_{\mu\nu}^{(W)} F^{(\Lambda)\mu\nu} - \frac{1}{6} d_1 F_{\mu\nu}^{(T)} F^{(W)\mu\nu} \right. \\ \left. + \left( 2h_{34} - h_{33} - 4h_{35} \right) * F_{\mu\nu}^{(T)} S^{\mu} W^{\nu} - 2 \left( h_{132} + h_{135} + 2h_{137} \right) * F_{\mu\nu}^{(W)} S^{\mu} W^{\nu} \right. \\ \left. + \left( h_{33} - 2h_{34} + 4h_{35} \right) * F_{\mu\nu}^{(S)} T^{\mu} W^{\nu} + \frac{1}{6} \left( 5h_{132} - 3h_{135} \right) S_{\mu} S^{\mu} W^{\nu} \Lambda_{\nu} - \frac{3}{2} \left( h_{132} - h_{135} \right) * F_{\mu\nu}^{(S)} W^{\mu} \Lambda^{\nu} \right. \\ \left. + \frac{1}{8} \left[ 6 \left( 8h_{28} + h_{33} + 2h_{34} \right) - d_1 \right] * F_{\mu\nu}^{(T)} S^{\mu} \Lambda^{\nu} + \frac{1}{6} \left( 3h_{135} - 2h_{132} \right) S_{\mu} S_{\nu} W^{\mu} \Lambda^{\nu} \right. \\ \left. + \frac{1}{128} \left( 288h_{28} + 96h_{141} - 24a_2 - 4a_6 - 5d_1 - 576P \right) * F_{\mu\nu}^{(\Lambda)} S^{\mu} \Lambda^{\nu} + PS_{\mu} S_{\nu} \Lambda^{\mu} \Lambda^{\nu} \right. \\ \left. + \frac{1}{96} \left( 576P - 40a_2 - 28a_6 - 43d_1 + 2016h_{28} + 144h_{132} - 144h_{135} - 480h_{141} - 384h_{143} \right) * F_{\mu\nu}^{(W)} S^{\mu} \Lambda^{\nu} \right. \\ \left. - \frac{3}{4} \left( h_{33} + 2h_{34} \right) * F_{\mu\nu}^{(S)} T^{\mu} \Lambda^{\nu} - \frac{1}{6} \left( h_{33} + 3h_{34} \right) S_{\mu} S_{\nu} T^{\mu} \Lambda^{\nu} + \frac{1}{12} \left( 5h_{33} + 6h_{34} \right) S_{\mu} S^{\mu} T_{\nu} \Lambda^{\nu} \right. \\ \left. + \frac{1}{128} \left( 8a_2 + 12a_6 + 13d_1 + 96h_{141} - 576h_{28} - 320P \right) S_{\mu} S^{\mu} \Lambda_{\nu} \Lambda^{\nu} \\ \left. + \frac{1}{64} \left( 48h_{90} + 60h_{91} + 12h_{92} + 12h_{94} + 21h_{95} + 63h_{96} + 7h_{97} \right) \left( 12W^{\mu} \Lambda_{\mu} \Lambda_{\nu} \Lambda^{\nu} - 8T_{\mu} \Lambda^{\mu} \Lambda_{\nu} \Lambda^{\nu} \right) \right\},$$

with

$$P = \frac{1}{129600} \left( 1100448a_2 + 600624a_6 - 24375d_1 + 2800h_5 + 5600h_6 + 700h_9 - 34770h_{23} + 69450h_{25} + 388800h_{28} + 69540h_{41} + 69540h_{42} - 65340h_{43} + 140400h_{44} + 140400h_{45} - 244944h_{53} + 27000h_{54} + 261144h_{55} - 244944h_{56} - 228744h_{57} + 21600h_{58} - 761832h_{59} - 43200h_{60} + 751032h_{61} - 8231616h_{65} + 4044720h_{66} - 21600h_{90} - 199296h_{91} - 163296h_{92} - 170496h_{94} - 106464h_{95} + 143592h_{96} - 359304h_{97} + 283680h_{99} + 359280h_{101} + 258480h_{102} - 975024h_{103} - 1517184h_{104} - 693360h_{105} + 64800h_{141} - 48600h_{144} - 24300h_{145} + 81000h_{146} + 48600h_{147} + 40500h_{148} + 48600h_{149} - 78300h_{151} - 94500h_{152} + 67500h_{153} + 18900h_{154} - 226800h_{158} + 3600h_{171} + 10800h_{174} + 19920h_{178} + 30000h_{179} - 13200h_{180} - 21840h_{181} - 480h_{182} - 16800h_{184} + 1680h_{185} - 6000h_{186} - 9360h_{187} + 720h_{188} + 23520h_{189} + 6720h_{190} - 10320h_{191} + 3120h_{192} + 1440h_{193} + 11520h_{194} - 1134648a_2N_3 - 567324a_6N_3 \right).$$

Hence, it is shown that the vector and axial modes of the model are free of Ostrogradsky instabilities, while the fulfillment of the constraints (175), (184) and (185) also involves that their kinetic terms are ghost-free if

$$d_1 \le 0, \quad a_6 \le -2a_2, \quad a_{14} \le \frac{1}{8} \left( 2a_6 - 4a_2 - d_1 \right).$$
 (209)

#### VII. Conclusions

It is well-known that the vector and axial sectors of quadratic MAG generally contain pathologies that spoil the stability of the theory [12–34]. In this work, we have explicitly shown that the extension of the gravitational action of MAG in the presence of cubic order invariants defined from the curvature, torsion and nonmetricity tensors can provide a safe framework for the propagation of the vector and axial modes of the torsion and nonmetricity tensors around any general curved background.

For this task, we have first introduced the most general parity preserving cubic Lagrangian defined from the invariants of the curvature, torsion and nonmetricity tensors, which initially includes 209 mixing terms between the curvature, torsion and nonmetricity tensors. In particular, under an appropriate choice of the Lagrangian coefficients, such terms allow the cancellation of the gravitational instabilities provided by the quadratic curvature invariants that affect the vector and axial sectors of the theory, while a further restriction is also shown to contain Reissner-Nordström-like black hole solutions with spin, dilation and shear charges, which in contrast with the case of quadratic MAG include massive tensor modes, and thus avoid additional strong coupling problems and no-go theorems for a consistent interaction of these modes in the quantum regime.

Overall, the resulting action depends on 5 Lagrangian coefficients associated with the quadratic curvature, torsion and nonmetricity invariants, and 86 associated with the cubic ones. Therefore, the stability analysis of the vector and

axial sectors reduces the parameter space of the theory, while the remaining coupling constants are expected to be fixed by a further examination on the stability of the tensor sector (including the kinetics and interactions with the vector and axial modes of torsion and nonmetricity). Further research in this direction will be addressed in future works.

### Acknowledgements

We would like to thank Jose Beltrán Jiménez for helpful discussions. S.B. is supported by "Agencia Nacional de Investigación y Desarrollo" (ANID), Grant "Becas Chile postdoctorado al extranjero" No. 74220006. The work of J.G.V. is supported by the Institute for Basic Science (IBS-R003-D1).

# Appendix A. Coefficients of the vector and axial sectors in the quadratic MAG Lagrangian

The coefficients  $\{p_i\}_{i=1}^{77}$  displayed in the Lagrangian (24) of the vector and axial sectors of quadratic MAG are defined as

$$p_1 = \frac{1}{9}(4c_1 + c_2 + 2d_1), \tag{A1}$$

$$p_2 = \frac{1}{72}(-4c_1 - c_2 - d_1),\tag{A2}$$

$$p_3 = \frac{1}{72}(4c_1 + c_2),\tag{A3}$$

$$p_4 = \frac{1}{36}(4c_1 + c_2),\tag{A4}$$

$$p_5 = \frac{1}{24}(-2c_1 + c_2),\tag{A5}$$

$$p_6 = -a_{10} - a_{12} + 4a_{14} + 2a_{15} + 2a_2 + a_5 - a_9 + d_1, \tag{A6}$$

$$p_7 = \frac{1}{16} (21a_{10} + 5a_{11} - 2a_{12} + 14a_2 + 9a_5 - 2a_6 + 2a_9 + 2c_1 - c_2 + 2d_1), \tag{A7}$$

$$p_8 = \frac{1}{8}(-6a_{10} - 11a_{11} + 5a_{12} - 8a_2 - 4a_6 - 5a_9 + 4c_1 - 2c_2 - 5d_1), \tag{A8}$$

$$p_9 = -2a_{11} + 2a_{12} - 2a_2 - a_6 - 2a_9 + c_1 - \frac{1}{2}c_2 - 2d_1,$$
(A9)

$$p_{10} = \frac{9}{256} (26a_{10} + 37a_{11} - 11a_{12} + 24a_2 + 12a_6 + 11a_9 - 12c_1 + 6c_2 + 11d_1),$$
(A10)

$$p_{11} = \frac{1}{2}(-2a_{10} - a_{11} - a_{12} + a_9 + d_1), \tag{A11}$$

$$p_{12} = -2(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A12}$$

$$p_{13} = \frac{5}{64} (62a_{10} + 79a_{11} - 17a_{12} + 48a_2 + 24a_6 + 17a_9 - 24c_1 + 12c_2 + 17d_1), \tag{A13}$$

$$p_{14} = \frac{5}{8}(6a_{10} + 7a_{11} - a_{12} + 4a_2 + 2a_6 + a_9 - 2c_1 + c_2 + d_1), \tag{A14}$$

$$p_{15} = \frac{1}{81}(-c_1 + 2c_2),\tag{A15}$$

$$p_{16} = \frac{1}{162}(-4c_1 - c_2), \tag{A16}$$

$$p_{16} = \frac{1}{162}(-4c_1 - c_2), \tag{A17}$$

$$p_{17} = \frac{1}{18}(2c_1 - c_2), \tag{A17}$$

$$p_{18} = \frac{1}{108}(-4c_1 - c_2),\tag{A18}$$

$$p_{19} = \frac{1}{27}(c_1 - 2c_2),\tag{A19}$$

$$p_{20} = \frac{1}{3}(2a_{10} - a_{11} + a_{12} - 2a_{15} - 2a_{16} - 2a_5 + a_6 + a_9 - 4c_1 - 3d_1),$$
(A20)

$$p_{21} = \frac{1}{12} (2a_{10} - 5a_{11} + a_{12} + 6a_5 - 3a_6 + 5a_9 + 12c_1 + 5d_1), \tag{A21}$$

$$p_{22} = \frac{1}{6}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A22}$$

$$p_{23} = 2a_{10} + a_{11} + a_{12} - a_9 - d_1, \tag{A23}$$

$$p_{24} = \frac{2}{9}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A24}$$

$$p_{25} = \frac{1}{18} (18a_{10} + 13a_{11} + 5a_{12} + 4a_2 + 2a_6 - 5a_9 - 2c_1 + c_2 - 5d_1), \tag{A25}$$

$$p_{26} = \frac{1}{36} (18a_{10} + 25a_{11} - 7a_{12} + 16a_2 + 8a_6 + 7a_9 - 8c_1 + 4c_2 + 7d_1),$$
(A26)

$$p_{27} = \frac{1}{32} (62a_{10} + 79a_{11} - 17a_{12} + 48a_2 + 24a_6 + 17a_9 - 24c_1 + 12c_2 + 17d_1), \tag{A27}$$

$$p_{28} = -\frac{2}{3}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A28}$$

$$p_{29} = \frac{1}{6} (-18a_{10} - 13a_{11} - 5a_{12} - 4a_2 - 2a_6 + 5a_9 + 2c_1 - c_2 + 5d_1), \tag{A29}$$

$$p_{30} = \frac{1}{12} (18a_{10} + 17a_{11} + a_{12} + 8a_2 + 4a_6 - a_9 - 4c_1 + 2c_2 - d_1), \tag{A30}$$

$$p_{31} = \frac{1}{2}(-6a_{10} - 7a_{11} + a_{12} - 4a_2 - 2a_6 - a_9 + 2c_1 - c_2 - d_1), \tag{A31}$$

$$p_{32} = \frac{1}{3}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A32}$$

$$p_{32} = \frac{1}{3}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A33}$$

$$p_{33} = p_{28},$$
 (A33)  
 $p_{34} = p_{23},$  (A34)

$$p_{35} = \frac{1}{36}(-c_1 + 2c_2), \tag{A35}$$

$$p_{36} = \frac{1}{72}(-4c_1 - c_2),\tag{A36}$$

$$p_{37} = \frac{1}{12}(-2c_1 + c_2),\tag{A37}$$

$$p_{38} = p_3,$$
 (A38)

$$p_{39} = \frac{1}{18}(-c_1 + 2c_2), \tag{A39}$$

$$p_{40} = \frac{1}{576} (-24a_{10} - 48a_{11} - 48a_{12} + 40a_2 + 12a_5 - 14a_6 - 24a_9 - 29c_1 + 8c_2 + 12d_1), \tag{A40}$$

$$p_{41} = \frac{1}{1152} (12a_{10} + 78a_{11} + 78a_{12} - 128a_2 + 48a_5 + 16a_6 + 66a_9 + 28c_1 - 13c_2 - 6d_1), \tag{A41}$$

$$p_{42} = \frac{1}{48} (4a_{10} - 2a_{11} + 2a_{12} + 2a_9 + 6c_1 - 3c_2 - 2d_1), \tag{A42}$$

$$p_{43} = \frac{1}{288} (8a_{10} - 8a_{11} + 4a_{12} + 20a_5 - 10a_6 + 8a_9 - 12c_1 - 13c_2 - 4d_1), \tag{A43}$$

$$p_{44} = \frac{1}{72} (4a_{10} + 2a_{11} + 2a_{12} - 2a_5 + a_6 - 2a_9 + 3c_1 - 5c_2 - 2d_1), \tag{A44}$$

$$p_{45} = -\frac{1}{16}(6a_{10} - 9a_{11} - 3a_{12} + 8a_2 + 6a_5 - 5a_6 - 3a_9 - 4c_1 - 4c_2 - 3d_1),$$
(A45)

$$p_{46} = \frac{1}{4} (2a_{10} - 2a_{11} - 2a_{12} - 6a_{16} - 6a_5 + 6a_6 - 4a_9 - 6c_1 + 3c_2 - 4d_1),$$
(A46)

$$p_{47} = \frac{1}{4}(-2a_{10} - a_{11} - a_{12} + a_9 + d_1), \tag{A47}$$

$$p_{48} = -\frac{3}{4}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A48}$$

$$p_{49} = \frac{1}{8} (18a_{10} + 13a_{11} + 5a_{12} + 4a_2 + 2a_6 - 5a_9 - 2c_1 + c_2 - 5d_1), \tag{A49}$$

$$p_{50} = -\frac{3}{2}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A50}$$

$$p_{51} = \frac{1}{16} (18a_{10} + 25a_{11} - 7a_{12} + 16a_2 + 8a_6 + 7a_9 - 8c_1 + 4c_2 + 7d_1), \tag{A51}$$

$$p_{52} = -\frac{3}{64}(62a_{10} + 79a_{11} - 17a_{12} + 48a_2 + 24a_6 + 17a_9 - 24c_1 + 12c_2 + 17d_1), \tag{A52}$$

$$p_{53} = p_{50}, \tag{A53}$$

$$p_{54} = \frac{1}{4} (18a_{10} + 13a_{11} + 5a_{12} + 4a_2 + 2a_6 - 5a_9 - 2c_1 + c_2 - 5d_1),$$
(A54)  
$$p_{55} = \frac{1}{8} (-18a_{10} - 17a_{11} - a_{12} - 8a_2 - 4a_6 + a_9 + 4c_1 - 2c_2 + d_1),$$
(A55)

$$p_{55} = \frac{1}{8}(-18a_{10} - 17a_{11} - a_{12} - 8a_2 - 4a_6 + a_9 + 4c_1 - 2c_2 + d_1), \tag{A55}$$

$$p_{55} = \frac{1}{8}(-18a_{10} - 17a_{11} - a_{12} - 8a_2 - 4a_6 + a_9 + 4c_1 - 2c_2 + d_1), \tag{A55}$$

$$p_{56} = p_{50},$$
 (A56)

$$p_{57} = \frac{5}{4} (6a_{10} + 7a_{11} - a_{12} + 4a_2 + 2a_6 + a_9 - 2c_1 + c_2 + d_1), \tag{A57}$$

$$p_{58} = \frac{3}{4}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A58}$$

$$p_{59} = p_{50},$$
 (A59)  
 $p_{60} = p_{19},$  (A60)

$$(A00) = -\frac{1}{2}(4a + a)$$
(A61)

$$p_{61} = \frac{1}{54}(4c_1 + c_2),\tag{A61}$$

$$p_{62} = \frac{1}{108} (-4a_{10} - 2a_{11} - 2a_{12} + 2a_5 - a_6 + 2a_9 - 3c_1 + 5c_2 + 2d_1), \tag{A62}$$

$$p_{63} = \frac{1}{216} (2a_{10} + a_{11} + a_{12} + 8a_5 - 4a_6 - a_9 - 12c_1 - 7c_2 - d_1), \tag{A63}$$

$$p_{64} = -\frac{1}{6}(2a_{10} - a_{11} + a_{12} + 2a_5 - a_6 + a_9 - c_2 - d_1), \tag{A64}$$

$$p_{65} = \frac{1}{2}(2a_{10} + a_{11} + a_{12} - a_9 - d_1), \tag{A65}$$

$$p_{66} = \frac{1}{3}(-2a_{10} - a_{11} - a_{12} + a_9 + d_1), \tag{A66}$$

$$p_{67} = p_{23},$$
 (A67)  
 $p_{67} = p_{23},$  (A68)

$$p_{68} = p_{29}, \tag{A08}$$

$$p_{69} = p_{28}, \tag{A69}$$

$$p_{70} = \frac{1}{12} (-18a_{10} - 25a_{11} + 7a_{12} - 16a_2 - 8a_6 - 7a_9 + 8c_1 - 4c_2 - 7d_1), \tag{A70}$$

$$p_{71} = p_{23},$$
 (A71)

$$p_{72} = -2a_{10} - a_{11} - a_{12} + a_9 + d_1, \tag{A72}$$

$$p_{73} = p_{23},$$
 (A73)  
 $p_{74} = p_{72},$  (A74)

$$p_{75} = \frac{1}{144} (-2a_{10} - a_{11} - a_{12} - 8a_5 + 4a_6 + a_9 + 12c_1 + 7c_2 + d_1), \tag{A75}$$

$$p_{76} = p_{44},$$
 (A76)

$$p_{77} = -\frac{1}{4}(-2a_{10} - a_{11} - 3a_{12} + 2a_{15} - 2a_{16} - 2a_5 + 3a_6 - 3a_9 + 2c_2 + d_1).$$
(A77)

# Appendix B. First branch of the cubic Lagrangian in terms of the torsion tensor

The Lagrangian (58) containing cubic invariants from curvature and torsion can be written in terms of the torsion tensor as:

$$\bar{\mathcal{L}}_{curv-tor}^{(3)} = \bar{\mathcal{L}}_{1,tor}^{(3)} + \bar{\mathcal{L}}_{2,tor}^{(3)} + \bar{\mathcal{L}}_{3,tor}^{(3)} + \bar{\mathcal{L}}_{4,tor}^{(3)} + \bar{\mathcal{L}}_{5,tor}^{(3)}, \tag{B1}$$

where we have defined:

$$\bar{\mathcal{L}}_{1,\text{tor}}^{(3)} = \bar{h}_{1}\tilde{R}_{\rho\tau\gamma\mu}T_{\alpha}^{\gamma\mu}T^{\alpha\rho\tau} + \bar{h}_{2}\tilde{R}_{\rho\gamma\tau\mu}T_{\alpha}^{\gamma\mu}T^{\alpha\rho\tau} + \bar{h}_{3}\tilde{R}_{\alpha\tau\gamma\mu}T^{\alpha\rho\tau}T_{\rho}^{\gamma\mu} + \bar{h}_{4}\tilde{R}_{\alpha\gamma\tau\mu}T^{\alpha\rho\tau}T_{\rho}^{\gamma\mu} + \bar{h}_{5}\tilde{R}_{\tau\gamma\alpha\mu}T^{\alpha\rho\tau}T_{\rho}^{\gamma\mu} \\
+ \bar{h}_{6}\tilde{R}_{\gamma\mu\alpha\tau}T^{\alpha\rho\tau}T_{\rho}^{\gamma\mu} + \bar{h}_{7}\tilde{R}_{\rho\tau\gamma\mu}T^{\tau\gamma\mu}T^{\rho} + \bar{h}_{8}\tilde{R}_{\rho\gamma\tau\mu}T^{\tau\gamma\mu}T^{\rho} + \bar{h}_{9}\tilde{R}_{\tau\gamma\rho\mu}T^{\tau\gamma\mu}T^{\rho} + \bar{h}_{10}\tilde{R}_{\gamma\mu\alpha\gamma}T^{\alpha\rho\tau}T^{\gamma\mu}T^{\rho} \\
+ \bar{h}_{11}\tilde{R}_{\alpha\tau\gamma\mu}T^{\alpha\rho\tau}T^{\gamma}{}_{\rho}{}^{\mu} + \bar{h}_{12}\tilde{R}_{\alpha\gamma\tau\mu}T^{\alpha\rho\tau}T^{\gamma}{}_{\rho}{}^{\mu} + \bar{h}_{13}\tilde{R}_{\alpha\mu\tau\gamma}T^{\alpha\rho\tau}T^{\gamma}{}_{\rho}{}^{\mu} + \bar{h}_{14}\tilde{R}_{\tau\mu\alpha\gamma}T^{\alpha\rho\tau}T^{\gamma}{}_{\rho}{}^{\mu} \\
+ \bar{h}_{27}\tilde{R}^{\alpha}{}_{\rho\tau\gamma}T^{\rho}{}_{\alpha\mu}T^{\tau\gamma\mu} + \bar{h}_{28}\tilde{R}^{\alpha}{}_{\rho\tau\gamma}T^{\rho}{}_{\mu}T^{\gamma}{}_{\alpha}{}^{\mu} + \bar{h}_{29}\tilde{R}^{\alpha}{}_{\rho\tau\gamma}T^{\rho}{}_{\mu}T^{\mu}{}_{\alpha}{}^{\gamma} + \bar{h}_{30}\tilde{R}^{\alpha}{}_{\rho\tau\gamma}T^{\tau}{}_{\rho}{}^{\gamma}T_{\alpha} , \qquad (B2)$$

$$\mathcal{L}_{2,\text{tor}}^{(3)} = h_{15}R^{\alpha\rho}T_{\alpha}{}^{\tau\gamma}T_{\rho\tau\gamma} + h_{16}R^{\alpha\rho}T_{\rho}{}^{\tau\gamma}T_{\tau\alpha\gamma} + h_{17}R^{\alpha\rho}T_{\alpha}{}^{\tau\gamma}T_{\tau\rho\gamma} + h_{18}R^{\alpha\rho}T_{\tau\rho\gamma}T^{\tau}{}_{\alpha}{}^{\gamma} + h_{19}R^{\alpha\rho}T^{\tau}{}_{\alpha}{}^{\gamma}T_{\gamma\rho\tau} + \bar{h}_{20}\tilde{R}^{\alpha\rho}T_{\alpha}T_{\rho} + \bar{h}_{21}\tilde{R}^{\alpha\rho}T_{\alpha\rho}{}^{\tau}T_{\tau} + \bar{h}_{22}\tilde{R}^{\alpha\rho}T_{\rho\alpha}{}^{\tau}T_{\tau} + \bar{h}_{23}\tilde{R}^{\alpha\rho}T^{\tau}{}_{\alpha\rho}T_{\tau} ,$$
(B3)

$$\bar{\mathcal{L}}_{3,\text{tor}}^{(3)} = \bar{h}_{35}\hat{R}_{\alpha\rho}T^{\alpha}{}_{\tau\gamma}T^{\rho\tau\gamma} + \bar{h}_{36}\hat{R}_{\alpha\rho}T_{\tau}{}^{\rho\gamma}T^{\tau\alpha}{}_{\gamma} + \bar{h}_{37}\hat{R}_{\alpha\rho}T^{\rho}{}_{\tau\gamma}T^{\tau\alpha\gamma} + \bar{h}_{38}\hat{R}_{\alpha\rho}T^{\alpha}{}_{\tau\gamma}T^{\tau\rho\gamma} + \bar{h}_{39}\hat{R}_{\alpha\rho}T^{\tau\alpha}{}_{\gamma}T^{\gamma\rho}{}_{\tau} \\
+ \bar{h}_{40}\hat{R}_{\alpha\rho}T^{\alpha}T^{\rho} + \bar{h}_{41}\hat{R}_{\alpha\rho}T^{\alpha\rho\tau}T_{\tau} + \bar{h}_{42}\hat{R}_{\alpha\rho}T^{\rho\alpha\tau}T_{\tau} + \bar{h}_{43}\hat{R}_{\alpha\rho}T^{\tau\alpha\rho}T_{\tau}$$
(B4)

$$\bar{\mathcal{L}}_{4,\text{tor}}^{(3)} = \bar{h}_{44}\tilde{R}^{\omega}{}_{\omega\alpha\rho}T^{\alpha}{}_{\tau\gamma}T^{\tau\rho\gamma} + \bar{h}_{45}\tilde{R}^{\omega}{}_{\omega\rho\tau}T^{\alpha\rho\tau}T_{\alpha} + \bar{h}_{46}\tilde{R}^{\omega}{}_{\omega\rho\tau}T^{\rho\alpha\tau}T_{\alpha}$$
(B5)

$$\bar{\mathcal{L}}_{5,\text{tor}}^{(3)} = \bar{h}_{24}\tilde{R}T_{\alpha\rho\tau}T^{\alpha\rho\tau} + \bar{h}_{25}\tilde{R}T^{\alpha\rho\tau}T_{\rho\alpha\tau} + \bar{h}_{26}\tilde{R}T_{\rho}T^{\rho}, \qquad (B6)$$

and where the respective Lagrangian coefficients are related as<sup>7</sup>:

$$\bar{h}_1 = 2h_{20} - \frac{1}{6}h_{30} + h_{41} + \frac{1}{3}h_5 - \frac{1}{3}h_7, \tag{B7}$$

$$\bar{h}_2 = \frac{1}{3}(h_6 - 12h_{20} + 6h_{24} - h_{29} - 6h_{42} - h_8), \tag{B8}$$

$$\bar{h}_3 = \frac{1}{6}(h_{30} + 2h_5 - 2h_7),\tag{B9}$$

$$\bar{h}_4 = \frac{1}{3}(6h_{22} - 6h_{23} + 6h_{42} - 6h_{43} + h_6 - h_8 + h_9), \tag{B10}$$

$$\bar{h}_5 = -\frac{1}{3}(h_6 + h_8 + 12h_{21} + 2h_{29}), \tag{B11}$$

$$\bar{h}_6 = \frac{1}{3}(2h_5 + h_{30} - 12h_{20} - 6h_{22} - 6h_{41}), \tag{B12}$$

$$\bar{h}_7 = \frac{1}{9}(18h_{21} - 18h_{13} - 18h_{20} + 6h_{24} - 2h_{29} - 9h_{33} + 3h_{37} + 3h_{41} - 6h_{42} - 2h_5 - h_6), \tag{B13}$$

$$\bar{h}_8 = \frac{1}{9} (36h_{13} + 36h_{20} - 36h_{21} - 12h_{24} - 2h_{29} + 18h_{33} + 3h_{37} - 6h_{41} + 12h_{42} - 2h_5 - h_6), \tag{B14}$$

$$\bar{h}_9 = \frac{1}{9} (18h_{22} - 36h_{13} - 18h_{14} - 6h_{16} - 12h_{20} - 6h_{23} + 6h_{24} + 9h_{36} + 2h_5 + h_6 - 4h_7 - h_9), \tag{B15}$$

$$\bar{h}_{10} = \frac{1}{9}(2h_7 + 2h_9 + 3h_{16} - 36h_{13} - 18h_{14} - 12h_{20} + 18h_{22} - 6h_{23} + 6h_{24} - 4h_5 - 2h_6),$$
(B16)

$$\bar{h}_{11} = \frac{1}{3}(6h_{22} - h_{30} - 2h_7),\tag{B17}$$

$$\bar{h}_{12} = \frac{1}{3}(h_9 + 6h_{23} - h_8 - 12h_{22} - h_{29} - 6h_{42}), \tag{B18}$$

$$\bar{h}_{13} = \frac{1}{3}(6h_{22} - 6h_{23} + 2h_{29} + 12h_{42} - 6h_{43} + h_8 + h_9), \tag{B19}$$

$$\bar{h}_{14} = -4h_{21} - \frac{1}{3}h_{29} - 2h_{42},\tag{B20}$$

$$\bar{h}_{15} = \frac{1}{18} (2h_{11} - 4h_{10} - 6h_{23} - 6h_{24} + 12h_{25} - 36h_{28} + 3h_{29} + 36h_3 + 3h_{30} - 4h_{31} + 2h_{32} - 18h_{41} + 18h_{42} + 12h_{44} + 12h_{45} + 2h_5 + h_6 + 2h_7 + h_8 + h_9),$$
(B21)

$$\bar{h}_{16} = \frac{1}{9}(h_{11} - 2h_{10} + 6h_{23} + 6h_{24} - 12h_{25} - 36h_{26} + 36h_{28} - 3h_{29} - 36h_3 - 3h_{30} - 2h_{31} + h_{32} + 18h_{41} - 18h_{42} + 6h_{44} - 12h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B22)

$$\bar{h}_{17} = \frac{1}{9}(h_{11} - 2h_{10} + 6h_{23} + 6h_{24} + 6h_{25} + 36h_{26} + 36h_{28} - 3h_{29} - 36h_3 - 3h_{30}$$

$$-2h_{31} + h_{32} + 18h_{41} - 18h_{42} - 12h_{44} + 6h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B23)

$$\bar{h}_{18} = \frac{1}{9}(5h_{11} - h_{10} - 6h_{23} - 6h_{24} - 6h_{25} - 36h_{28} + 3h_{29} + 36h_3 + 3h_{30} - h_{31} - 4h_{32} - 18h_{41} + 18h_{42} - 6h_{44} - 6h_{45} + 2h_5 + h_6 + 2h_7 + h_8 + h_9),$$
(B24)

$$\bar{h}_{19} = \frac{1}{9}(h_{10} + 4h_{11} + 6h_{23} + 6h_{24} + 6h_{25} + 36h_{28} - 3h_{29} - 36h_3 - 3h_{30} + h_{31} - 5h_{32} + 18h_{41} - 18h_{42} + 6h_{44} + 6h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B25)

$$\bar{h}_{20} = \frac{1}{9}(9h_1 + h_{10} - 4h_{11} - 3h_{16} + 6h_{17} - 3h_{19} - 9h_{27} - h_{29} + h_{31} + 3h_{32} + 3h_{36} + 3h_{37} - 3h_{39} + 2h_5 + h_6 - 2h_7 - h_8 - h_9),$$
(B26)

 $<sup>^{7}</sup>$  Note that we have chosen our parametrisation to obtain the same Lagrangian coefficients as in [35], in the absence of nonmetricity.

$$\bar{h}_{21} = \frac{1}{9}(3h_{11} - 3h_{10} + 18h_{15} - 3h_{18} + 6h_{19} + 12h_{21} - 6h_{22} + 6h_{23} + 6h_{25} + 24h_{26} - h_{29} - 3h_{31} + 18h_{34} + 3h_{38} + 3h_{39} - 6h_{42} + 6h_{43} - 6h_{44} + 6h_{45} - h_8 + 2h_9),$$
(B27)

$$\bar{h}_{22} = \frac{1}{9}(3h_{11} - 3h_{10} - 18h_{15} + 3h_{18} + 3h_{19} - 12h_{21} + 6h_{22} - 6h_{23} - 6h_{25} - 24h_{26} + h_{29} - 3h_{31} - 18h_{34} - 3h_{38} + 6h_{39} + 6h_{42} - 6h_{43} + 6h_{44} - 6h_{45} + h_8 + h_9),$$
(B28)

$$\bar{h}_{23} = \frac{1}{9} (18h_{15} + 6h_{18} - 3h_{19} + 12h_{21} - 6h_{22} + 6h_{23} + 6h_{25} + 24h_{26} + 2h_{29} + 18h_{34} - 6h_{38} + 3h_{39} - 6h_{42} + 6h_{43} - 6h_{44} + 6h_{45} + 2h_8 - h_9),$$
(B29)

$$\bar{h}_{24} = \frac{1}{18} (12h_{12} + 6h_{23} + 6h_{24} - 3h_{29} - 36h_3 - 3h_{30} - 36h_4 + 18h_{41} - 18h_{42} - 2h_5 - h_6 - 2h_7 - h_8 - h_9), \quad (B30)$$

$$\bar{h}_{25} = \frac{1}{9}(6h_{12} - 6h_{23} - 6h_{24} + 3h_{29} + 36h_3 + 3h_{30} + 36h_4 - 18h_{41} + 18h_{42} + 2h_5 + h_6 + 2h_7 + h_8 + h_9),$$
(B31)

$$\bar{h}_{26} = \frac{1}{9}(h_{11} - h_{10} - 6h_{12} + 3h_{19} + 9h_2 + h_9),$$
(B32)

$$\bar{h}_{27} = \frac{1}{3}h_{30} - 4h_{21} - 2h_{22} - 4h_{41}, \tag{B33}$$

$$\bar{h}_{28} = -\frac{1}{3}h_9 - 4h_{21} - 2h_{22} - 2h_{43}, \tag{B34}$$

$$\bar{h}_{29} = \frac{1}{3}(12h_{20} + 6h_{22} - 6h_{24} + 2h_{29} + 6h_{42} + 6h_{43} + h_6 + h_9), \tag{B35}$$

$$\bar{h}_{30} = 2h_{24} - 4h_{20} - 4h_{42} - \frac{1}{3}h_6, \tag{B36}$$

$$\bar{h}_{31} = \frac{1}{6} [h_{30} - 12h_{21} + 2(h_5 + h_7 - 6h_{41})],$$
(B37)

$$\bar{h}_{32} = \frac{1}{9} (18h_{13} + 6h_{17} + 6h_{20} - 2h_{29} - 9h_{33} + 3h_{37} + 3h_{41} - 6h_{42} + 2h_5 + h_6 - 2h_7 - 2h_8),$$
(B38)

$$\bar{h}_{33} = \frac{1}{9}(6h_{17} - 36h_{13} - 12h_{20} - 2h_{29} + 18h_{33} + 3h_{37} - 6h_{41} + 12h_{42} + 2h_5 + h_6 - 2h_7 - 2h_8), \tag{B39}$$

$$\bar{h}_{34} = \frac{1}{9}(36h_{13} + 18h_{14} - 3h_{16} + 12h_{20} - 18h_{22} + 6h_{23} - 6h_{24} + 9h_{36} - 2h_5 - h_6 - 2h_7 + h_9), \tag{B40}$$

$$\bar{h}_{35} = \frac{1}{18} (2h_5 + h_6 + 2h_7 + h_8 + h_9 - 6h_{23} - 6h_{24} + 36h_{28} + 3h_{29} + 3h_{30} + 4h_{31} - 2h_{32} - 18h_{41} + 18h_{42} - 12h_{44} - 12h_{45}),$$
(B41)

$$\bar{h}_{36} = \frac{1}{9} (2h_5 + h_6 + 2h_7 + h_8 + h_9 - 6h_{23} - 6h_{24} + 36h_{28} + 3h_{29} + 3h_{30} + h_{31} + 4h_{32} - 18h_{41} + 18h_{42} + 6h_{44} + 6h_{45}),$$
(B42)

$$\bar{h}_{37} = \frac{1}{9} (6h_{23} + 6h_{24} - 36h_{28} - 3h_{29} - 3h_{30} + 2h_{31} - h_{32} + 18h_{41} - 18h_{42} - 6h_{44} + 12h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B43)

$$\bar{h}_{38} = \frac{1}{9} (6h_{23} + 6h_{24} - 36h_{28} - 3h_{29} - 3h_{30} + 2h_{31} - h_{32} + 18h_{41} - 18h_{42} + 12h_{44} - 6h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B44)

$$\bar{h}_{39} = \frac{1}{9}(6h_{23} + 6h_{24} - 36h_{28} - 3h_{29} - 3h_{30} - h_{31} + 5h_{32} + 18h_{41} - 18h_{42} - 6h_{44} - 6h_{45} - 2h_5 - h_6 - 2h_7 - h_8 - h_9),$$
(B45)

$$\bar{h}_{40} = \frac{1}{9}(9h_{27} + h_{29} - h_{31} - 3h_{32} - 3h_{36} - 3h_{37} + 3h_{39} + 2h_5 + h_6 - h_9), \tag{B46}$$

$$\bar{h}_{41} = \frac{1}{9}(2h_9 - 6h_{22} + h_{29} + 3h_{31} - 18h_{34} - 3h_{38} - 3h_{39} + 6h_{42} - 6h_{43} + 6h_{44} - 6h_{45}), \tag{B47}$$

$$\bar{h}_{42} = \frac{1}{9}(6h_{22} - h_{29} + 3h_{31} + 18h_{34} + 3h_{38} - 6h_{39} - 6h_{42} + 6h_{43} - 6h_{44} + 6h_{45} + h_9), \tag{B48}$$

$$\bar{h}_{43} = \frac{1}{9}(6h_{38} - 6h_{22} - 2h_{29} - 18h_{34} - 3h_{39} + 6h_{42} - 6h_{43} + 6h_{44} - 6h_{45} - h_9), \tag{B49}$$

$$\bar{h}_{44} = 2h_{46},$$
(B50)
$$\bar{h}_{45} = \frac{1}{9}(2h_7 - 6h_{21} - 18h_{35} + 3h_{40} - 6h_{41} + 6h_{46}),$$
(B51)
$$\bar{h}_{46} = \frac{1}{9}(2h_7 + 12h_{21} + 36h_{35} + 3h_{40} + 12h_{41} - 12h_{46}).$$
(B52)

# Appendix C. Second branch of the cubic Lagrangian in terms of the nonmetricity tensor

The Lagrangian (65) containing cubic invariants from curvature and nonmetricity can be written in terms of the nonmetricity tensor as:

$$\bar{\mathcal{L}}_{\text{curv-nonm}}^{(3)} = \bar{\mathcal{L}}_{1,\text{non}}^{(3)} + \bar{\mathcal{L}}_{2,\text{non}}^{(3)} + \bar{\mathcal{L}}_{3,\text{non}}^{(3)} + \bar{\mathcal{L}}_{4,\text{non}}^{(3)} + \bar{\mathcal{L}}_{5,\text{non}}^{(3)}, \tag{C1}$$

where we have defined:

$$\bar{\mathcal{L}}_{1,\mathrm{non}}^{(3)} = \bar{h}_{47}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\alpha\tau\gamma\mu} + \bar{h}_{48}Q^{\alpha\rho\tau}Q_{\rho}{}^{\gamma\mu}\tilde{R}_{\alpha\gamma\tau\mu} + \bar{h}_{50}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\alpha\gamma\tau\mu} + \bar{h}_{50}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\alpha\mu\tau\gamma} \\
+ \bar{h}_{51}Q_{\alpha}{}^{\gamma\mu}Q^{\alpha\rho\tau}\tilde{R}_{\rho\gamma\tau\mu} + \bar{h}_{52}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\rho\gamma\tau\mu} + \bar{h}_{53}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\tau\alpha\gamma\mu} + \bar{h}_{54}Q^{\alpha\rho\tau}Q_{\rho}{}^{\gamma\mu}\tilde{R}_{\tau\gamma\alpha\mu} \\
+ \bar{h}_{55}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\tau\gamma\alpha\mu} + \bar{h}_{56}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\tau\gamma\rho\mu} + \bar{h}_{57}Q^{\alpha\rho\tau}Q^{\gamma}{}_{\rho}{}^{\mu}\tilde{R}_{\tau\mu\alpha\gamma} + \bar{h}_{58}Q^{\alpha\rho\tau}Q_{\rho}{}^{\gamma\mu}\tilde{R}_{\gamma\alpha\tau\mu} \\
+ \bar{h}_{59}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\gamma\rho\tau\mu} + \bar{h}_{60}Q^{\alpha\rho\tau}Q_{\rho}{}^{\gamma\mu}\tilde{R}_{\tau\tau\alpha\mu} + \bar{h}_{61}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\tau\gamma\mu\mu} + \bar{h}_{62}Q^{\alpha\rho\tau}Q_{\rho}{}^{\gamma\mu}\tilde{R}_{\gamma\mu\alpha\tau} \\
+ \bar{h}_{63}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\gamma\mu\rho\tau} + \bar{h}_{64}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\alpha\gamma\tau\mu} + \bar{h}_{65}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\tau\gamma\mu\mu} + \bar{h}_{66}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\gamma\mu\alpha\tau} \\
+ \bar{h}_{67}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\gamma\mu\mu\tau} + \bar{h}_{64}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau\gamma\mu}\tilde{R}_{\alpha\mu\tau} ,$$
(C2)
$$\bar{\mathcal{L}}_{2,\mathrm{non}}^{(3)} = \bar{h}_{69}Q_{\alpha}{}^{\tau\gamma}Q_{\rho\tau\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{70}Q_{\rho}{}^{\tau\gamma}Q_{\tau\alpha\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{71}Q_{\alpha}{}^{\tau\gamma}Q_{\tau\rho\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{72}Q_{\tau\rho\gamma}Q^{\tau}{}_{\alpha}{}^{\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{73}Q_{\alpha\tau}{}^{\gamma}Q_{\gamma\rho\tau}\tilde{R}^{\alpha\rho} \\
+ \bar{h}_{74}Q^{\tau}{}_{\alpha\tau}Q^{\gamma}{}_{\rho\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{75}Q_{\alpha\rho}{}^{\tau}Q^{\gamma}{}_{\tau\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{76}Q_{\rho\alpha}{}^{\tau}Q^{\gamma}{}_{\tau\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{72}Q_{\rho\alpha}{}^{\tau}Q^{\gamma}{}_{\tau\gamma}\tilde{R}^{\alpha\rho} + \bar{h}_{83}Q_{\tau\gamma}{}^{\gamma}Q^{\tau}{}_{\alpha\rho}\tilde{R}^{\alpha\rho} ,$$
(C3)

$$\bar{\mathcal{L}}_{3,\mathrm{non}}^{(3)} = \bar{h}_{84}Q_{\alpha}{}^{\tau\gamma}Q_{\rho\tau\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{85}Q_{\rho}{}^{\tau\gamma}Q_{\tau\alpha\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{86}Q_{\alpha}{}^{\tau\gamma}Q_{\tau\rho\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{87}Q_{\tau\rho\gamma}Q^{\tau}{}_{\alpha}{}^{\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{88}Q^{\tau}{}_{\alpha}{}^{\gamma}Q_{\gamma\rho\tau}\hat{R}^{\alpha\rho} \\
+ \bar{h}_{89}Q^{\tau}{}_{\alpha\tau}Q^{\gamma}{}_{\rho\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{90}Q_{\alpha\rho}{}^{\tau}Q^{\gamma}{}_{\tau\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{91}Q_{\rho\alpha}{}^{\tau}Q^{\gamma}{}_{\tau\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{92}Q^{\tau}{}_{\alpha\rho}Q^{\gamma}{}_{\tau\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{93}Q_{\alpha\tau}{}^{\tau}Q^{\gamma}{}_{\rho\gamma}\hat{R}^{\alpha\rho} \\
+ \bar{h}_{94}Q_{\rho\tau}{}^{\tau}Q^{\gamma}{}_{\alpha\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{95}Q_{\alpha\tau}{}^{\tau}Q_{\rho\gamma}{}^{\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{96}Q_{\alpha\rho}{}^{\tau}Q_{\tau\gamma}{}^{\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{97}Q_{\rho\alpha}{}^{\tau}Q_{\tau\gamma}{}^{\gamma}\hat{R}^{\alpha\rho} + \bar{h}_{98}Q_{\tau\gamma}{}^{\gamma}Q^{\tau}{}_{\alpha\rho}\hat{R}^{\alpha\rho},$$
(C4)

$$\bar{\mathcal{L}}_{4,\text{non}}^{(3)} = \bar{h}_{99}Q^{\alpha\rho\tau}Q_{\rho\tau}{}^{\gamma}\tilde{R}^{\omega}{}_{\omega\alpha\gamma} + \bar{h}_{100}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau}{}_{\rho}{}^{\gamma}\tilde{R}^{\omega}{}_{\omega\tau\gamma} + \bar{h}_{101}Q^{\alpha}{}_{\rho}{}^{\rho}Q^{\tau}{}_{\alpha}{}^{\gamma}\tilde{R}^{\omega}{}_{\omega\tau\gamma} + \bar{h}_{102}Q^{\alpha}{}_{\alpha}{}^{\rho}Q^{\tau}{}_{\gamma}{}^{\gamma}\tilde{R}^{\omega}{}_{\omega\rho\tau}, \qquad (C5)$$

$$\bar{\mathcal{L}}_{5,\text{non}}^{(3)} = \bar{h}_{103} Q_{\alpha\rho\tau} Q^{\alpha\rho\tau} \tilde{R} + \bar{h}_{104} Q^{\alpha\rho\tau} Q_{\rho\alpha\tau} \tilde{R} + \bar{h}_{105} Q^{\alpha}{}_{\alpha}{}^{\rho} Q^{\tau}{}_{\rho\tau} \tilde{R} + \bar{h}_{106} Q_{\alpha\rho}{}^{\rho} Q^{\alpha}{}_{\tau}{}^{\tau} \tilde{R} + \bar{h}_{107} Q^{\alpha}{}_{\alpha}{}^{\rho} Q_{\rho\tau}{}^{\tau} \tilde{R}, \qquad (C6)$$

and where the respective Lagrangian coefficients are related as:

$$\bar{h}_{47} = -\frac{2}{3}h_{100} - h_{57},\tag{C7}$$

$$\bar{h}_{48} = \frac{1}{9} (6h_{101} - 9h_{56} + 9h_{58} + h_{64} + 6h_{98} + 6h_{99}), \tag{C8}$$

$$\bar{h}_{49} = \frac{1}{9} (6h_{101} - 6h_{102} - 9h_{58} + h_{64} + 6h_{99}), \tag{C9}$$

$$\bar{h}_{50} = \frac{1}{9} (6h_{101} + 6h_{102} + 9h_{56} + h_{64} - 6h_{98} + 6h_{99}), \tag{C10}$$

$$\bar{h}_{51} = \frac{1}{9}(-9h_{53} - 9h_{54} + 9h_{56} - 9h_{58} + h_{64} + 6h_{98} - 6h_{99}),$$
(C11)

$$\bar{h}_{52} = \frac{1}{9} (2h_{100} + 2h_{102} - 6h_{56} - 3h_{57} + 3h_{58} + 8h_{86} - 4h_{98}),$$
(C12)

$$\bar{h}_{53} = -\frac{2}{3}h_{100} + h_{55},\tag{C13}$$

$$\bar{h}_{54} = \frac{1}{9}(-6h_{101} + 9h_{53} + 9h_{54} + h_{64} + 6h_{98}), \tag{C14}$$

$$\bar{h}_{55} = \frac{1}{9}(-6h_{101} - 6h_{102} - 9h_{53} + h_{64}), \tag{C15}$$

$$\bar{h}_{56} = \frac{1}{27} (-6h_{100} - 6h_{102} + 9h_{53} + 9h_{54} - 9h_{56} - 9h_{57} + 24h_{89} + 4h_{95} + 6h_{99}),$$
(C16)

$$\bar{h}_{57} = \frac{1}{9}(-6h_{101} + 6h_{102} - 9h_{54} + h_{64} - 6h_{98}), \tag{C17}$$

$$\bar{h}_{58} = \frac{1}{9} (6h_{102} - 9h_{53} - 9h_{58} - h_{64} + 6h_{99}),$$
(C18)

$$\bar{h}_{59} = \frac{1}{9} (2h_{100} + 2h_{101} - 6h_{53} + 3h_{55} - 3h_{58} + 8h_{88} - 2h_{99}),$$
(C19)

$$\bar{h}_{60} = \frac{1}{9} (-6h_{102} - 9h_{54} + 9h_{56} - h_{64} + 6h_{98} + 6h_{99}),$$
(C20)

$$\bar{h}_{61} = \frac{1}{27} (-6h_{100} - 6h_{101} - 9h_{53} - 9h_{54} + 9h_{55} + 9h_{56} + 24h_{87} + 4h_{95} + 6h_{98} - 6h_{99}),$$
(C21)

$$\bar{h}_{62} = -\frac{2}{3}h_{100} - h_{55} + h_{57},$$

$$\bar{h}_{63} = \frac{1}{27}(-6h_{100} - 12h_{101} - 12h_{102} - 9h_{55} + 9h_{57} - 24h_{87} - 24h_{89} + 4h_{95}$$
(C22)

$$\bar{h}_{63} = \frac{1}{27} (-6h_{100} - 12h_{101} - 12h_{102} - 9h_{55} + 9h_{57} - 24h_{87} - 24h_{89} + 4h_{95} + 12h_{98}),$$
(C23)

$$\bar{h}_{64} = \frac{1}{18} (2h_{100} + 2h_{102} + 12h_{56} + 6h_{57} - 6h_{58} + 9h_{75} - 4h_{86} - 4h_{98}),$$
(C24)

$$\bar{h}_{65} = \frac{1}{108} (24h_{100} + 36h_{101} + 24h_{102} - 36h_{53} - 36h_{54} + 36h_{56} + 36h_{57} + 54h_{77} + 9h_{83} - 24h_{89} - 4h_{95} - 36h_{98} + 12h_{99}),$$
(C25)

$$\bar{h}_{66} = \frac{1}{18} (2h_{100} + 2h_{101} + 12h_{53} - 6h_{55} + 6h_{58} + 9h_{76} - 4h_{88} - 2h_{99}),$$
(C26)

$$\bar{h}_{67} = \frac{1}{108} (24h_{100} + 24h_{101} + 36h_{102} + 36h_{53} + 36h_{54} - 36h_{55} - 36h_{56} + 54h_{74} + 9h_{83} - 24h_{87} - 4h_{95} - 24h_{98} - 12h_{99}),$$
(C27)

$$\bar{h}_{68} = \frac{1}{108} (24h_{100} + 12h_{101} + 12h_{102} + 36h_{55} - 36h_{57} - 54h_{74} - 54h_{77} + 9h_{83} + 24h_{87} + 24h_{89} - 4h_{95} - 12h_{98}),$$
(C28)

$$\bar{h}_{69} = \frac{1}{9} (6h_{103} + 6h_{104} + 9h_{59} + h_{65}), \tag{C29}$$

$$\bar{h}_{70} = \frac{1}{9} (-6h_{103} + 12h_{104} - 9h_{59} + 2h_{65}),$$

$$\bar{h}_{71} = \frac{1}{9} (12h_{103} - 6h_{104} - 9h_{59} + 2h_{65}),$$
(C30)
(C31)

$$\bar{h}_{71} = \frac{1}{9} (12h_{103} - 6h_{104} - 9h_{59} + 2h_{65}), \tag{C31}$$

$$\bar{h}_{72} = -\frac{2}{3}h_{103} - \frac{2}{3}h_{104} + h_{56} + h_{57} + h_{59} - 2h_{60} + \frac{2}{9}h_{65},$$
(C32)

$$\bar{h}_{73} = \frac{1}{9} (-6h_{103} - 6h_{104} - 9h_{56} - 9h_{57} + 18h_{60} + 2h_{65}),$$

$$\bar{h}_{74} = \frac{1}{81} (-6h_{100} - 6h_{101} - 6h_{102} + 30h_{103} + 30h_{104} + 16h_{50} + 18h_{53} + 9h_{54}$$
(C33)

$$h_{74} = \frac{1}{81} (-6h_{100} - 6h_{101} - 6h_{102} + 30h_{103} + 30h_{104} + 16h_{50} + 18h_{53} + 9h_{54} - 9h_{55} - 18h_{56} - 9h_{57} + 9h_{58} - 36h_{59} + 18h_{60} + h_{64} - 2h_{65} - 24h_{87} - 24h_{88} + 24h_{90} + 24h_{91} + 4h_{95} - 8h_{96} + 6h_{98} + 12h_{99}),$$
(C34)

$$\bar{h}_{75} = \frac{1}{27} (6h_{102} - 18h_{103} + 9h_{53} - 9h_{56} - 9h_{57} + 9h_{58} - 9h_{59} + 18h_{60} - h_{64} - 4h_{65} + 24h_{91} + 4h_{96} - 6h_{99}),$$
(C35)

$$\bar{h}_{76} = \frac{1}{27} (-6h_{102} - 18h_{104} + 9h_{54} - 18h_{56} - 9h_{57} - 9h_{59} + 18h_{60} - h_{64} - 4h_{65} + 24h_{90} + 4h_{96} + 6h_{98} - 6h_{99}),$$
(C36)

$$\bar{h}_{77} = \frac{1}{27}(-9h_{53} - 9h_{54} + 27h_{56} + 18h_{57} - 9h_{58} + 18h_{59} - 36h_{60} - h_{64} - 4h_{65} - 6h_{66} - h_{66} - h_$$

$$\begin{split} &-24h_{90}-24h_{91}+4h_{96}-6h_{98}-6h_{99}), \eqno(C37) \\ &\bar{h}_{78}=\frac{1}{324}(-12h_{100}-12h_{101}-12h_{102}-84h_{103}+24h_{104}-16h_{50}-72h_{53}\\ &-36h_{54}+36h_{55}+72h_{56}+36h_{57}-36h_{58}+144h_{59}-72h_{60}+2h_{64}\\ &-4h_{65}+36h_{69}-54h_{76}+54h_{78}-9h_{84}+96h_{87}+24h_{88}-24h_{90}\\ &-96h_{91}+8h_{95}-4h_{96}+12h_{98}-12h_{99}), \eqno(C38) \\ &\bar{h}_{79}=\frac{1}{324}(24h_{100}+24h_{101}+24h_{102}+24h_{103}-84h_{104}-16h_{50}-72h_{53}\\ &-36h_{54}+36h_{55}+72h_{56}+36h_{57}-36h_{58}+144h_{59}-72h_{60}+2h_{64} \end{split}$$

$$-4h_{65} + 36h_{68} - 54h_{74} + 54h_{79} + 9h_{83} - 9h_{84} + 24h_{87} + 96h_{88} - 96h_{90} - 24h_{91} - 4h_{95} - 4h_{96} - 24h_{98} - 12h_{99}),$$
(C39)
$$\frac{1}{4}(46h_{10} + 46h_{10} + 46h_{10} - 246h_{10} - 246h_{10} + 61h_{10} + 16h_{10})$$

$$\bar{h}_{80} = \frac{1}{1296} (48h_{100} + 48h_{101} + 48h_{102} - 240h_{103} - 240h_{104} + 81h_{47} + 16h_{50} + 288h_{53} + 144h_{54} - 144h_{55} - 288h_{56} - 144h_{57} + 144h_{58} - 576h_{59} + 288h_{60} + 4h_{64} - 8h_{65} - 36h_{68} - 36h_{69} + 216h_{74} + 216h_{76} - 216h_{78} - 216h_{79} + 18h_{83} - 36h_{84} - 96h_{87} - 96h_{88} + 96h_{90} + 96h_{91} - 8h_{95} + 16h_{96} - 48h_{98} - 96h_{99}),$$
(C40)

$$\bar{h}_{81} = \frac{1}{108} (12h_{102} + 36h_{104} - 36h_{53} + 36h_{56} + 36h_{57} - 36h_{58} + 36h_{59} - 72h_{60} - 2h_{64} - 8h_{65} + 54h_{79} + 9h_{84} - 24h_{91} - 4h_{96} + 24h_{99}),$$
(C41)

$$\bar{h}_{82} = \frac{1}{108} (-12h_{102} + 36h_{103} - 36h_{54} + 72h_{56} + 36h_{57} + 36h_{59} - 72h_{60} - 2h_{64} - 8h_{65} + 54h_{78} + 9h_{84} - 24h_{90} - 4h_{96} + 12h_{98} + 24h_{99}),$$
(C42)

$$\bar{h}_{83} = \frac{1}{108} (36h_{103} + 36h_{104} + 36h_{53} + 36h_{54} - 108h_{56} - 72h_{57} + 36h_{58} - 72h_{59} + 144h_{60} - 2h_{64} - 8h_{65} - 54h_{78} - 54h_{79} + 9h_{84} + 24h_{90} + 24h_{91} - 4h_{96} - 12h_{98} + 24h_{99}),$$
(C43)

$$\bar{h}_{84} = \frac{1}{9}(6h_{105} + 6h_{106} + 9h_{61} + h_{66}), \tag{C44}$$

$$\bar{h}_{85} = \frac{1}{9}(-6h_{105} + 12h_{106} - 9h_{61} + 2h_{66}), \tag{C45}$$

$$\bar{h}_{86} = \frac{1}{9} (12h_{105} - 6h_{106} - 9h_{61} + 2h_{66}), \tag{C46}$$

$$\bar{h}_{87} = -\frac{2}{3}h_{105} - \frac{2}{3}h_{106} - h_{53} + h_{55} + h_{61} - 2h_{62} + \frac{2}{9}h_{66},$$
(C47)

$$\bar{h}_{88} = -\frac{2}{3}h_{105} - \frac{2}{3}h_{106} + h_{53} - h_{55} + 2h_{62} + \frac{2}{9}h_{66},$$

$$\bar{h}_{89} = \frac{1}{81}(6h_{100} + 6h_{101} + 6h_{102} + 30h_{105} + 30h_{106} + 16h_{51} + 18h_{53} + 9h_{54}$$
(C48)

$$= \frac{1}{81} (6h_{100} + 6h_{101} + 6h_{102} + 30h_{105} + 30h_{106} + 16h_{51} + 18h_{53} + 9h_{54} - 9h_{55} - 18h_{56} - 9h_{57} + 9h_{58} - 36h_{61} + 18h_{62} + h_{64} - 2h_{66} + 24h_{86} + 24h_{89} + 24h_{92} + 24h_{93} - 4h_{95} - 8h_{97} - 18h_{98}),$$
(C49)

$$\bar{h}_{90} = \frac{1}{27} (-6h_{101} - 18h_{105} + 9h_{53} - 9h_{55} - 9h_{56} + 9h_{58} - 9h_{61} + 18h_{62} - h_{64} - 4h_{66} + 24h_{93} + 4h_{97} + 6h_{98} - 6h_{99}),$$
(C50)

$$\bar{h}_{91} = \frac{1}{27} (6h_{101} - 18h_{106} + 18h_{53} + 9h_{54} - 9h_{55} - 9h_{61} + 18h_{62} - h_{64} - 4h_{66} + 24h_{92} + 4h_{97} + 6h_{98}),$$
(C51)

$$\bar{h}_{92} = \frac{1}{27} (-27h_{53} - 9h_{54} + 18h_{55} + 9h_{56} - 9h_{58} + 18h_{61} - 36h_{62} - h_{64} - 4h_{66} - 24h_{92} - 24h_{93} + 4h_{97} + 6h_{98} + 6h_{99}),$$
(C52)

$$\begin{split} \dot{h}_{93} &= \frac{1}{324} (12h_{109} + 12h_{101} + 12h_{102} - 84h_{105} + 24h_{106} - 16h_{51} - 72h_{53} \\ &\quad - 36h_{54} + 36h_{55} + 72h_{56} + 36h_{57} - 36h_{58} + 144h_{61} - 72h_{62} + 2h_{64} \\ &\quad - 4h_{66} + 36h_{71} + 54h_{75} + 54h_{80} - 9h_{85} - 24h_{86} - 96h_{80} - 24h_{92} \\ &\quad - 96h_{33} - 8h_{95} - 4h_{97} ), \end{split}$$
(C53)  
$$\\ \dot{\bar{h}}_{94} &= \frac{1}{324} (-24h_{100} - 24h_{101} - 24h_{102} + 24h_{105} - 84h_{106} - 16h_{51} - 72h_{53} \\ &\quad - 36h_{54} + 36h_{55} + 72h_{56} + 36h_{57} - 36h_{58} + 144h_{61} - 72h_{62} + 2h_{64} \\ &\quad - 4h_{66} + 36h_{71} + 54h_{77} + 54h_{81} - 9h_{83} - 9h_{85} - 96h_{86} - 24h_{90} \\ &\quad - 96h_{92} - 24h_{93} + 4h_{96} - 4h_{97} + 36h_{98} ), \end{aligned}$$
(C54)  
$$\\ \dot{\bar{h}}_{95} &= \frac{1}{1206} (-48h_{100} - 48h_{101} - 48h_{102} - 240h_{105} - 240h_{106} + 81h_{48} + 16h_{51} \\ &\quad + 288h_{63} + 144h_{54} - 144h_{55} - 288h_{56} - 144h_{57} + 144h_{55} - 576h_{61} \\ &\quad + 288h_{62} + 4h_{61} - 8h_{66} - 36h_{52} - 36h_{55} - 36h_{56} - 36h_{56} \\ &\quad - 216h_{81} - 18h_{83} - 36h_{57} - 96h_{86} - 96h_{89} - 96h_{92} + 96h_{93} + 8h_{93} \\ &\quad + 16h_{97} + 144h_{98} ), \end{aligned}$$
(C55)  
$$\\ \dot{\bar{h}}_{96} &= \frac{1}{108} (-12h_{101} + 36h_{106} - 36h_{53} + 36h_{55} + 36h_{55} - 36h_{58} + 36h_{61} \\ &\quad - 72h_{62} - 2h_{64} - 8h_{66} + 54h_{81} + 9h_{85} - 24h_{93} - 4h_{97} - 24h_{98} - 12h_{99} ), \end{aligned}$$
(C56)  
$$\\ \dot{\bar{h}}_{97} &= \frac{1}{108} (36h_{105} + 36h_{106} + 108h_{53} + 36h_{54} - 72h_{62} - 2h_{64} \\ &\quad - 8h_{66} + 54h_{80} + 9h_{85} - 24h_{92} - 4h_{97} - 24h_{98} - 12h_{99} ), \end{aligned}$$
(C57)  
$$\\ \dot{\bar{h}}_{98} &= \frac{1}{108} (2h_{100} - 6h_{107} - 3h_{55} + 3h_{57} + 8h_{94} ), \end{aligned}$$
(C58)  
$$\\ \dot{\bar{h}}_{100} &= \frac{1}{18} (2h_{100} - 6h_{107} - 3h_{55} + 3h_{57} + 8h_{94} ), \end{aligned}$$
(C60)  
$$\\ \dot{\bar{h}}_{101} &= \frac{1}{18} (2h_{100} - 6h_{107} - 3h_{55} + 3h_{57} + 8h_{94} ), \end{cases}$$
(C61)  
$$\\ \\ \dot{\bar{h}}_{104} &= h_{99} + h_{61} + 2h_{63} + \frac{2}{3}h_{67} , \end{cases}$$
(C64)  
$$\\ \\ \dot{\bar{h}}_{104} &= h_{99} + 6h_{12} + 2h_{63} + \frac{2}{3}h_{67} , \end{cases}$$
(C64)  
$$\\ \\ \dot{\bar{h}}_{104} &= \frac{1}{18} (6h_{103} + 6h_{104} + 6h_{105} + 6h_{106} + 16h_$$

$$\begin{split} \bar{h}_{107} &= \frac{1}{324} (-12h_{103} - 12h_{104} - 12h_{105} - 12h_{106} - 32h_{52} + 144h_{53} + 72h_{54} \\ &\quad -72h_{55} - 144h_{56} - 72h_{57} + 72h_{58} - 288h_{59} + 144h_{60} - 288h_{61} \\ &\quad + 144h_{62} - 432h_{63} + 4h_{64} + 8h_{65} + 8h_{66} - 72h_{67} + 36h_{73} - 54h_{78} \\ &\quad - 54h_{79} - 54h_{80} - 54h_{81} - 9h_{84} - 9h_{85} + 120h_{90} + 120h_{91} + 120h_{92} \\ &\quad + 120h_{93} - 4h_{96} - 4h_{97} + 12h_{98} - 12h_{99}). \end{split}$$

# Appendix D. Third branch of the cubic Lagrangian in terms of the torsion and nonmetricity tensors

The Lagrangian (76) containing cubic invariants from curvature, torsion and nonmetricity can be written in terms of the torsion and nonmetricity tensors as:

$$\bar{\mathcal{L}}_{curv-tor-nonm}^{(3)} = \bar{\mathcal{L}}_{1,tor-non}^{(3)} + \bar{\mathcal{L}}_{2,tor-non}^{(3)} + \bar{\mathcal{L}}_{3,tor-non}^{(3)} + \bar{\mathcal{L}}_{4,tor-non}^{(3)} + \bar{\mathcal{L}}_{5,tor-non}^{(3)}, \tag{D1}$$

where we have defined:

$$\begin{split} \tilde{\mathcal{L}}_{1,\text{tor-non}}^{(3)} &= \bar{h}_{105}Q^{\alpha\rho\tau} \bar{R}_{\rho\gamma} {}^{\mu}T_{\alpha\gamma\mu} + \bar{h}_{109}Q^{\rho\sigma\tau} \bar{R}_{\rho\gamma} {}^{\mu}T_{\gamma\gamma\mu} + \bar{h}_{114}Q^{\alpha\rho\tau} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{115}Q^{\alpha\rho\tau} \bar{R}_{\rho\gamma} {}^{\mu}T_{\gamma\mu} + \bar{h}_{113}Q^{\alpha\rho\tau} \bar{R}_{\rho\gamma} {}^{\mu}T_{\gamma\mu} + \bar{h}_{113}Q^{\alpha\rho\tau} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{113}Q^{\alpha\rho\tau} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{112}Q^{\alpha\sigma\tau} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{122}Q^{\alpha\sigma\tau} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{122}Q^{\alpha\sigma} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{122}Q^{\alpha\sigma} \bar{R}_{\gamma\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{122}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\gamma} {}^{\mu}T_{\gamma\mu} + \bar{h}_{123}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{132}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\gamma} {}^{\mu}T_{\gamma\mu} + \bar{h}_{132}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{143}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\mu}T_{\mu\gamma} + \bar{h}_{143}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\mu}T_{\mu\gamma} + \bar{h}_{143}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\mu}T_{\mu\gamma} + \bar{h}_{143}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\rho} {}^{\mu}T_{\mu\gamma} + \bar{h}_{143}Q^{\alpha\sigma} \bar{R}_{\rho} {}^{\mu}T_{\mu\gamma} + \bar{h}_{152}Q^{\alpha} {}^{\rho} \bar{R}_{\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{152}Q^{\rho} \bar{R}_{\rho} {}^{\mu}T_{\gamma\mu} + \bar{h}_{152}Q^{\rho} {}^{\rho$$

and where the respective Lagrangian coefficients are related as:

$$\bar{h}_{108} = \frac{1}{9} (-18h_{144} - 18h_{146} - 6h_{156} + 6h_{182} + 6h_{183} - h_{202}), \tag{D7}$$

$$\bar{h}_{109} = \frac{1}{9}(-18h_{145} - 18h_{147} - 6h_{157} + 6h_{180} + 6h_{184} - 6h_{187} - 6h_{188} + h_{200} - h_{204}),$$
(D8)

$$\bar{h}_{110} = \frac{1}{9} (-18h_{148} - 18h_{149} - 6h_{158} + 6h_{178} + 6h_{179} - 6h_{185} - 6h_{186} - h_{201} - 2h_{203}),$$
(D9)

$$\bar{h}_{111} = \frac{1}{9} (18h_{144} - 6h_{156} - 6h_{183} - h_{202}), \tag{D10}$$

$$\bar{h}_{112} = \frac{1}{9} (18h_{145} - 6h_{157} - 6h_{184} + 6h_{188} + h_{200} - h_{204}), \tag{D11}$$

$$\bar{h}_{113} = \frac{1}{9} (18h_{146} - 6h_{156} - 6h_{182} - h_{202}), \tag{D12}$$

$$\bar{h}_{114} = \frac{1}{27} (-24h_{138} + 18h_{144} - 18h_{145} + 6h_{156} - 6h_{157} + 4h_{171} - 6h_{183} - 12h_{184} - 6h_{188} - 2h_{200} + h_{202} - h_{204}),$$
(D13)

$$\bar{h}_{115} = \frac{1}{9} (18h_{147} - 6h_{157} - 6h_{180} + 6h_{187} + h_{200} - h_{204}), \tag{D14}$$

$$\bar{h}_{116} = \frac{1}{27} (-24h_{139} + 18h_{146} - 18h_{148} + 6h_{156} - 6h_{158} + 4h_{169} - 12h_{179} - 6h_{182} - 6h_{186} - h_{201} + h_{202} + h_{203}),$$
(D15)

$$\bar{h}_{117} = \frac{1}{27} (-24h_{140} + 18h_{147} - 18h_{149} + 18h_{150} + 6h_{157} - 6h_{158} + 8h_{168} + 4h_{170} - 12h_{177} - 12h_{178} - 6h_{180} - 6h_{181} - 6h_{185} + 6h_{187} - h_{200} - h_{201} + h_{203} + h_{204}),$$
(D16)

$$\bar{h}_{118} = \frac{1}{9} (18h_{148} - 6h_{158} - 6h_{179} + 6h_{186} - h_{201} - 2h_{203}), \tag{D17}$$

-1

-1

$$\bar{h}_{119} = \frac{1}{9} (18h_{149} - 6h_{158} - 6h_{178} + 6h_{185} - h_{201} - 2h_{203}), \tag{D18}$$

$$\bar{h}_{120} = \frac{2}{3}(3h_{150} + h_{177} - h_{181}), \tag{D19}$$

$$\bar{h}_{121} = \frac{1}{9} (36h_{144} + 36h_{146} + 12h_{156} + 6h_{182} + 6h_{183} - h_{202}),$$
(D20)  
$$\bar{h}_{122} = \frac{1}{9} (18h_{145} + 18h_{147} + 6h_{157} + 12h_{180} + 12h_{184} + 6h_{187} + 6h_{188} + 2h_{200})$$

$$\bar{h}_{123} = \frac{1}{9} (18h_{148} + 18h_{149} + 6h_{158} + 12h_{178} + 12h_{179} + 6h_{185} + 6h_{186} + h_{201} - h_{203}),$$
(D22)

$$\bar{h}_{124} = \frac{1}{9} (-36h_{144} + 12h_{156} - 6h_{183} - h_{202}), \tag{D23}$$

$$\bar{h}_{125} = \frac{1}{9} (-18h_{145} + 6h_{157} - 12h_{184} - 6h_{188} + 2h_{200} + h_{204}), \tag{D24}$$

$$\bar{h}_{126} = \frac{1}{9} (-36h_{146} + 12h_{156} - 6h_{182} - h_{202}), \tag{D25}$$

$$\bar{h}_{127} = \frac{1}{27} (48h_{138} - 36h_{144} + 36h_{145} - 12h_{156} + 12h_{157} + 4h_{171} - 6h_{183} - 12h_{184} - 6h_{188} - 2h_{200} + h_{202} - h_{204}),$$
(D26)

$$\bar{h}_{128} = \frac{1}{9}(-18h_{147} + 6h_{157} - 12h_{180} - 6h_{187} + 2h_{200} + h_{204}), \tag{D27}$$

$$\bar{h}_{129} = \frac{1}{27} (48h_{139} - 36h_{146} + 36h_{148} - 12h_{156} + 12h_{158} + 4h_{169} - 12h_{179} - 6h_{182} - 6h_{186} - h_{201} + h_{202} + h_{203}),$$
(D28)

$$\bar{h}_{130} = \frac{1}{27} (24h_{140} - 18h_{147} + 18h_{149} - 18h_{150} - 6h_{157} + 6h_{158} + 4h_{168} + 8h_{170} - 6h_{177} - 6h_{178} - 12h_{180} - 12h_{181} + 6h_{185} - 6h_{187} - 2h_{200} + h_{201} + 2h_{203} - h_{204}),$$
(D29)

$$\bar{h}_{131} = \frac{1}{9} (-18h_{148} + 6h_{158} - 12h_{179} - 6h_{186} + h_{201} - h_{203}), \tag{D30}$$

$$\bar{h}_{132} = \frac{1}{9}(-18h_{149} + 6h_{158} - 12h_{178} - 6h_{185} + h_{201} - h_{203}), \tag{D31}$$

$$\bar{h}_{133} = \frac{2}{3} (-3h_{150} + 2h_{177} + h_{181}), \tag{D32}$$

$$\bar{h}_{134} = \frac{1}{9}(-18h_{145} - 18h_{147} - 6h_{157} + 6h_{180} + 6h_{184} + 12h_{187} + 12h_{188} + h_{200} + 2h_{204}), \tag{D33}$$

$$\bar{h}_{135} = \frac{1}{9}(-18h_{148} - 18h_{149} - 6h_{158} + 6h_{178} + 6h_{179} + 12h_{185} + 12h_{186} + 2h_{201} + h_{203}),$$
(D34)

$$\bar{h}_{136} = \frac{1}{9} (18h_{145} - 6h_{157} - 6h_{184} - 12h_{188} + h_{200} + 2h_{204}), \tag{D35}$$

$$\bar{h}_{137} = \frac{1}{9} (18h_{147} - 6h_{157} - 6h_{180} - 12h_{187} + h_{200} + 2h_{204}), \tag{D36}$$

$$h_{138} = \frac{1}{27}(-24h_{140} + 18h_{147} - 18h_{149} + 18h_{150} + 6h_{157} - 6h_{158} - 4h_{168} + 4h_{170} + 6h_{177} + 6h_{178} - 6h_{180} - 6h_{181} + 12h_{185} - 12h_{187} - h_{200} + 2h_{201} + h_{203} - 2h_{204}),$$
(D37)

$$\bar{h}_{139} = \frac{1}{9} (18h_{148} - 6h_{158} - 6h_{179} - 12h_{186} + 2h_{201} + h_{203}), \tag{D38}$$

$$\bar{h}_{140} = \frac{1}{9} (18h_{149} - 6h_{158} - 6h_{178} - 12h_{185} + 2h_{201} + h_{203}), \tag{D39}$$

$$\bar{h}_{141} = \frac{2}{3}(3h_{150} + h_{177} + 2h_{181}), \tag{D40}$$

$$\bar{h}_{142} = \frac{1}{9} (-18h_{123} - 3h_{129} + 6h_{178} + 6h_{179} - 6h_{183} - 6h_{184} + h_{200} - h_{202} - h_{203}),$$
(D41)

$$\bar{h}_{143} = \frac{1}{9}(-18h_{121} - 3h_{129} - 6h_{179} + 6h_{180} - 6h_{182} + 6h_{184} + h_{200} - h_{202} - h_{203}),$$
(D42)

$$\bar{h}_{144} = \frac{1}{9} (18h_{121} + 18h_{123} - 3h_{129} - 6h_{178} - 6h_{180} + 6h_{182} + 6h_{183} + h_{200} - h_{202} - h_{203}),$$
(D43)

$$\bar{h}_{145} = \frac{2}{3}(3h_{122} + h_{177} - 2h_{187} - h_{188}), \tag{D44}$$

$$\bar{h}_{146} = \frac{2}{3}(3h_{120} + h_{181} - 2h_{185} - h_{186}), \tag{D45}$$

$$\bar{h}_{147} = \frac{1}{108} (-54h_{132} + 24h_{138} - 72h_{144} + 72h_{145} + 12h_{156} - 12h_{157} + 9h_{162} - 4h_{171} + 24h_{183} + 48h_{184} + 24h_{188} - 4h_{200} + 2h_{202} - 2h_{204}),$$
(D46)

$$\bar{h}_{148} = \frac{1}{108} (-54h_{133} + 24h_{139} - 72h_{146} + 72h_{148} + 12h_{156} - 12h_{158} + 9h_{160} - 4h_{169} + 48h_{179} + 24h_{182} + 24h_{186} - 2h_{201} + 2h_{202} + 2h_{203}),$$
(D47)

$$\bar{h}_{149} = \frac{1}{108} (-54h_{134} + 24h_{140} - 72h_{147} + 72h_{149} - 72h_{150} + 12h_{157} - 12h_{158} + 18h_{159} + 9h_{161} - 8h_{168} - 4h_{170} + 48h_{177} + 48h_{178} + 24h_{180} + 24h_{181}$$

$$+24h_{185} - 24h_{187} - 2h_{200} - 2h_{201} + 2h_{203} + 2h_{204}), (D48)$$

$$\bar{h}_{150} = \frac{1}{108} (108h_{132} - 48h_{138} + 144h_{144} - 144h_{145} - 24h_{156} + 24h_{157} + 9h_{162} - 4h_{171} + 24h_{183} + 48h_{184} + 24h_{188} - 4h_{200} + 2h_{202} - 2h_{204}),$$
(D49)

$$\bar{h}_{151} = \frac{1}{108} (108h_{133} - 48h_{139} + 144h_{146} - 144h_{148} - 24h_{156} + 24h_{158} + 9h_{160} - 4h_{169} + 48h_{179} + 24h_{182} + 24h_{186} - 2h_{201} + 2h_{202} + 2h_{203}),$$
(D50)

$$\bar{h}_{152} = \frac{1}{108} (54h_{134} - 24h_{140} + 72h_{147} - 72h_{149} + 72h_{150} - 12h_{157} + 12h_{158} + 9h_{159} + 18h_{161} - 4h_{168} - 8h_{170} + 24h_{177} + 24h_{178} + 48h_{180} + 48h_{181} - 24h_{185} + 24h_{187} - 4h_{200} + 2h_{201} + 4h_{203} - 2h_{204}),$$
(D51)

$$\bar{h}_{153} = \frac{1}{108} (-54h_{134} + 24h_{140} - 72h_{147} + 72h_{149} - 72h_{150} + 12h_{157} - 12h_{158} - 9h_{159} + 9h_{161} + 4h_{168} - 4h_{170} - 24h_{177} - 24h_{178} + 24h_{180} + 24h_{181} - 48h_{185} + 48h_{187} - 2h_{200} + 4h_{201} + 2h_{203} - 4h_{204}),$$
(D52)

$$\bar{h}_{154} = \frac{1}{27} (-24h_{141} + 36h_{144} - 36h_{145} - 18h_{147} + 18h_{149} - 18h_{150} - 18h_{151} + 18h_{152} + 6h_{157} + 8h_{172} - 4h_{173} - 12h_{180} - 12h_{184} - 6h_{187} - 6h_{188} - 12h_{189} - 6h_{190} + 6h_{191} - 6h_{192} + 2h_{200} + h_{204} - 3h_{206}),$$
(D53)

$$\bar{h}_{155} = \frac{2}{3}(3h_{145} + 3h_{150} - 3h_{152} + 2h_{189} - h_{191}),$$
(D54)  
$$\bar{h}_{156} = \frac{1}{27}(24h_{141} - 36h_{144} + 36h_{145} + 18h_{147} - 18h_{149} + 18h_{150} + 18h_{151}$$

$$\bar{h}_{157} = \frac{2}{3} (6h_{144} + 3h_{149} - 3h_{151} + 2h_{190} - h_{192}), \tag{D56}$$

$$\bar{h}_{158} = \frac{1}{3}(6h_{191} + h_{205}),\tag{D57}$$

$$\bar{h}_{159} = \frac{1}{3} (-6h_{145} - 6h_{150} + 6h_{152} + 2h_{189} - 4h_{191} + h_{205}), \tag{D58}$$

$$\bar{h}_{160} = \frac{1}{3}(6h_{192} + h_{206}), \tag{D59}$$

$$\bar{h}_{161} = \frac{1}{3} (-12h_{144} - 6h_{149} + 6h_{151} + 2h_{190} - 4h_{192} + h_{206}), \tag{D60}$$

$$\bar{h}_{162} = \frac{1}{27} (-24h_{141} + 36h_{144} - 36h_{145} - 18h_{147} + 18h_{149} - 18h_{150} - 18h_{151} + 18h_{152} + 6h_{157} - 4h_{172} + 8h_{173} + 6h_{180} + 6h_{184} - 6h_{187} - 6h_{188} + 6h_{189} - 6h_{190} - 12h_{191} + 12h_{192} - h_{200} + h_{204} - 3h_{205} + 3h_{206}),$$
(D61)

$$\bar{h}_{163} = \frac{1}{3} (6h_{145} + 6h_{150} - 6h_{152} - 2h_{189} - 2h_{191} + h_{205}), \tag{D62}$$

$$\bar{h}_{164} = \frac{1}{3} (12h_{144} + 6h_{149} - 6h_{151} - 2h_{190} - 2h_{192} + h_{206}),$$

$$\bar{h}_{165} = \frac{1}{27} (12h_{115} - 18h_{122} + 18h_{124} - 3h_{130} + 4h_{168} - 4h_{173} - 6h_{177} - 6h_{178}$$
(D63)

$$\bar{h}_{166} = \frac{1}{27} (12h_{114} - 18h_{121} + 18h_{125} + 3h_{129} - 3h_{130} + 4h_{169} - 4h_{172} + 4h_{173} - 12h_{179} + 6h_{180} - 6h_{182} + 6h_{184} - 6h_{186} + 6h_{189} - 6h_{191} + 24h_{192} - h_{200} - h_{201} + h_{202} + h_{203} - h_{205} - 4h_{206}),$$
(D65)

$$\begin{split} \bar{h}_{167} &= \frac{1}{9} (18h_{125} + 3h_{130} - 6h_{170} - 6h_{186} + 6h_{180} - 6h_{191} + 6h_{192} + h_{201} \\ &+ h_{205} + h_{206}), \end{split} (D66) \\ \bar{h}_{168} &= \frac{1}{9} (18h_{124} + 3h_{130} - 6h_{178} - 6h_{185} + 6h_{190} + 6h_{191} - 6h_{192} + h_{201} \\ &+ h_{205} + h_{206}), \end{aligned} (D67) \\ \bar{h}_{160} &= \frac{1}{9} (-18h_{124} - 18h_{125} + 3h_{130} + 6h_{178} + 6h_{179} + 6h_{185} + 6h_{186} - 6h_{180} \\ &- 6h_{190} + h_{201} + h_{205} + h_{206}), \end{aligned} (D68) \\ \bar{h}_{170} &= \frac{1}{108} (27h_{108} - 12h_{114} + 72h_{121} - 72h_{125} + 6h_{120} - 6h_{130} + 9h_{100} - 9h_{163} \\ &+ 9h_{161} - 4h_{109} + 4h_{172} - 4h_{173} + 48h_{179} - 24h_{280} + 24h_{182} - 24h_{284} \\ &+ 24h_{160} - 24h_{189} + 24h_{191} - 96h_{192} - 2h_{200} - 2h_{201} + 2h_{202} + 2h_{203} \\ &- 2h_{205} - 8h_{200}), \end{aligned} (D69) \\ \bar{h}_{171} &= \frac{1}{108} (27h_{109} - 12h_{115} + 72h_{122} - 72h_{124} - 6h_{130} + 9h_{150} - 9h_{164} - 4h_{168} \\ &+ 4h_{173} + 24h_{177} + 24h_{178} + 24h_{185} - 24h_{188} - 24h_{190} \\ &- 96h_{191} + 24h_{192} - 2h_{201} - 8h_{205} - 2h_{206}), \end{aligned} (D70) \\ \bar{h}_{172} &= \frac{1}{108} (-54h_{135} + 24h_{11} - 144h_{144} + 144h_{145} - 72h_{147} - 72h_{149} + 72h_{150} \\ &+ 72h_{151} - 72h_{122} + 12h_{157} + 9h_{163} + 9h_{164} - 8h_{172} + 4h_{173} + 48h_{180} \\ &+ 48h_{184} + 24h_{187} + 24h_{188} + 8h_{189} + 24h_{190} - 24h_{101} + 24h_{192} \\ &+ 4h_{200} + 4h_{204} - 6h_{206}), \end{aligned} (D71) \\ \bar{h}_{173} &= \frac{1}{108} (54h_{135} - 24h_{144} - 144h_{144} + 144h_{145} - 72h_{147} + 72h_{149} - 72h_{150} \\ &+ 72h_{151} - 72h_{152} + 12h_{157} - 9h_{163} + 9h_{164} - 4h_{172} - 4h_{173} + 24h_{180} \\ &+ 24h_{187} + 24h_{187} + 24h_{188} + 24h_{189} + 8h_{100} - 24h_{101} - 24h_{192} \\ &+ 2h_{200} + 4h_{201} - 6h_{206}), \end{aligned} (D72) \\ \bar{h}_{174} &= \frac{1}{108} (54h_{135} - 24h_{146} - 144h_{144} + 144h_{145} + 72h_{147} - 72h_{149} - 72h_{150} \\ &- 72h_{151} - 72h_{124} - 6h_{206} h_{166} - h_{204} h_{100} - 48h_{100} - 48h_{100} - 24h_{192} \\ &- 2h_{200} + 4h_{201} - 6h_{206} h_{160} h_{164} + 4h_{172} - 6h_{156} - 6h_{156} \\ &- 12h_{13$$

$$\bar{h}_{182} = \frac{1}{3} (12h_{146} + 6h_{147} + 6h_{153} + 2h_{194} - 4h_{196} + h_{208}),$$

$$\bar{h}_{183} = \frac{1}{27} (-24h_{142} - 36h_{146} - 18h_{147} + 36h_{148} + 18h_{149} - 18h_{150} - 18h_{153} + 18h_{154} - 6h_{158} - 4h_{174} + 8h_{175} - 6h_{178} - 6h_{179} + 6h_{185} + 6h_{186}$$
(D81)

$$6h_{193} - 6h_{194} - 12h_{195} + 12h_{196} - h_{201} - 2h_{203} - 3h_{207} + 3h_{208}),$$
 (D82)

$$\bar{h}_{184} = \frac{1}{3}(-6h_{148} + 6h_{150} - 6h_{154} - 2h_{193} - 2h_{195} + h_{207}),$$
(D83)

+

$$\bar{h}_{185} = \frac{1}{3}(-12h_{146} - 6h_{147} - 6h_{153} - 2h_{194} - 2h_{196} + h_{208}), \tag{D84}$$

$$\bar{h}_{186} = \frac{1}{27} (12h_{117} + 18h_{120} - 18h_{127} - 3h_{131} - 4h_{170} - 4h_{175} + 6h_{180} + 6h_{181} - 12h_{185} - 6h_{186} + 6h_{187} + 6h_{194} + 24h_{195} - 6h_{196} + h_{200} + h_{204} - 4h_{207} - h_{208}),$$
(D85)

$$\bar{h}_{187} = \frac{1}{27} (12h_{116} + 18h_{123} + 18h_{126} + 18h_{127} - 3h_{129} - 3h_{131} - 4h_{171} - 4h_{174} + 4h_{175} - 6h_{178} - 6h_{179} + 6h_{183} + 12h_{184} + 6h_{188} + 6h_{193} - 6h_{195} + 24h_{196} + 2h_{200} - h_{202} - h_{203} + h_{204} - h_{207} - 4h_{208}),$$
(D86)

$$\bar{h}_{188} = \frac{1}{9} (18h_{126} + 18h_{127} + 3h_{131} + 6h_{184} + 6h_{188} + 6h_{193} - 6h_{195} + 6h_{196} - h_{200} - h_{204} + h_{207} + h_{208}),$$
(D87)

$$\bar{h}_{189} = \frac{1}{9} (-18h_{127} + 3h_{131} + 6h_{180} + 6h_{187} + 6h_{194} + 6h_{195} - 6h_{196} - h_{200} - h_{204} + h_{207} + h_{208}),$$
(D88)

$$\bar{h}_{190} = \frac{1}{9} (-18h_{126} + 3h_{131} - 6h_{180} - 6h_{184} - 6h_{187} - 6h_{188} - 6h_{193} - 6h_{194} - h_{200} - h_{204} + h_{207} + h_{208}),$$
(D89)

$$\bar{h}_{191} = \frac{1}{108} (27h_{110} - 12h_{116} - 72h_{123} - 72h_{126} - 72h_{127} - 6h_{129} - 6h_{131} - 9h_{162} - 9h_{165} + 9h_{166} + 4h_{171} + 4h_{174} - 4h_{175} + 24h_{178} + 24h_{179} - 24h_{183} - 48h_{184} - 24h_{188} - 24h_{193} + 24h_{195} - 96h_{196} + 4h_{200} - 2h_{202} - 2h_{203} + 2h_{204} - 2h_{207} - 8h_{208}),$$
(D90)

$$\bar{h}_{192} = \frac{1}{108} (27h_{111} - 12h_{117} - 72h_{120} + 72h_{127} - 6h_{131} - 9h_{161} - 9h_{166} + 4h_{170} + 4h_{175} - 24h_{180} - 24h_{181} + 48h_{185} + 24h_{186} - 24h_{187} - 24h_{194} - 96h_{195} + 24h_{196} + 2h_{200} + 2h_{204} - 8h_{207} - 2h_{208}),$$
(D91)

$$\bar{h}_{193} = \frac{1}{108} (-54h_{136} + 24h_{142} + 144h_{146} + 72h_{147} - 144h_{148} - 72h_{149} + 72h_{150} + 72h_{153} - 72h_{154} - 12h_{158} + 18h_{165} - 9h_{166} - 8h_{174} + 4h_{175} - 48h_{178} - 48h_{179} - 24h_{185} - 24h_{186} + 48h_{193} + 24h_{194} - 24h_{195} + 24h_{196} - 2h_{201} + 2h_{203} - 6h_{208}),$$

$$\bar{h}_{10} = \frac{1}{16} (54h_{10} - 24h_{10} - 144h_{10} - 72h_{10} + 144h_{10} + 72h_{10} - 72h_{10})$$
(D92)

$$\bar{h}_{194} = \frac{1}{108} (54h_{136} - 24h_{142} - 144h_{146} - 72h_{147} + 144h_{148} + 72h_{149} - 72h_{150} - 72h_{153} + 72h_{154} + 12h_{158} + 9h_{165} + 9h_{166} - 4h_{174} - 4h_{175} - 24h_{178} - 24h_{179} - 48h_{185} - 48h_{186} + 24h_{193} + 48h_{194} + 24h_{195} - 24h_{196} - 4h_{201} - 2h_{203} - 6h_{207}),$$

$$\bar{h}_{195} = \frac{1}{108} (-54h_{136} + 24h_{142} + 144h_{146} + 72h_{147} - 144h_{148} - 72h_{149} + 72h_{150} - 72h$$

$$\begin{aligned} & -54h_{136} + 24h_{142} + 144h_{146} + 72h_{147} - 144h_{148} - 72h_{149} + 72h_{150} \\ & + 72h_{153} - 72h_{154} - 12h_{158} - 9h_{165} + 18h_{166} + 4h_{174} - 8h_{175} + 24h_{178} \\ & + 24h_{179} - 24h_{185} - 24h_{186} - 24h_{193} + 24h_{194} + 48h_{195} - 48h_{196} \end{aligned}$$

$$-2h_{201} - 4h_{203} - 6h_{207} + 6h_{208}), (D94)$$

$$\bar{h}_{196} = \frac{1}{3} (6h_{145} + 6h_{148} + 6h_{155} - 4h_{197} - 2h_{198} + h_{209}), \tag{D95}$$

$$\bar{h}_{197} = \frac{1}{3}(6h_{197} + h_{209}),\tag{D96}$$

$$\bar{h}_{198} = \frac{1}{27} (-24h_{143} - 18h_{144} + 18h_{145} - 18h_{146} + 18h_{148} + 18h_{155} + 6h_{156} + 4h_{176} + 6h_{182} + 6h_{183} - 12h_{197} - 6h_{198} + h_{202} - 3h_{209}),$$
(D97)

$$\bar{h}_{199} = \frac{1}{3}(-6h_{145} - 6h_{148} - 6h_{155} - 2h_{197} + 2h_{198} + h_{209}), \tag{D98}$$

$$\bar{h}_{200} = \frac{1}{27} (48h_{143} + 36h_{144} - 36h_{145} + 36h_{146} - 36h_{148} - 36h_{155} - 12h_{156} + 4h_{176} + 6h_{182} + 6h_{183} - 12h_{197} - 6h_{198} + h_{202} - 3h_{209}),$$
(D99)

$$\bar{h}_{201} = \frac{2}{3}(3h_{145} + 3h_{148} + 3h_{155} + h_{197} + 2h_{198}), \tag{D100}$$

$$\bar{h}_{202} = \frac{2}{3}(3h_{128} - h_{177} - h_{181} - 2h_{197} - h_{198}), \tag{D101}$$

$$\bar{h}_{203} = \frac{1}{27} (-12h_{118} + 18h_{121} + 18h_{123} + 18h_{128} + 3h_{129} + 4h_{168} + 4h_{170} + 4h_{176} - 6h_{177} - 6h_{178} - 6h_{180} - 6h_{181} + 6h_{182} + 6h_{183} - 30h_{197} - 6h_{198} - h_{200} + h_{202} + h_{203} + 3h_{209}),$$
(D102)

$$\bar{h}_{204} = \frac{1}{108} (-54h_{137} + 24h_{143} + 72h_{144} - 72h_{145} + 72h_{146} - 72h_{148} - 72h_{155} + 12h_{156} + 9h_{167} - 4h_{176} - 24h_{182} - 24h_{183} + 48h_{197} + 24h_{198} + 2h_{202} - 6h_{209}),$$
(D103)

$$\bar{h}_{205} = \frac{1}{108} (108h_{137} - 48h_{143} - 144h_{144} + 144h_{145} - 144h_{146} + 144h_{148} + 144h_{155} - 24h_{156} + 9h_{167} - 4h_{176} - 24h_{182} - 24h_{183} + 48h_{197} + 24h_{198} + 2h_{202} - 6h_{209}),$$
(D104)

$$\bar{h}_{206} = \frac{1}{108} (-27h_{112} + 12h_{118} - 72h_{121} - 72h_{123} - 72h_{128} + 6h_{129} + 9h_{159} + 9h_{161} + 9h_{167} - 4h_{168} - 4h_{170} - 4h_{176} + 24h_{177} + 24h_{178} + 24h_{180} + 24h_{181} - 24h_{182} - 24h_{183} + 120h_{197} + 24h_{198} - 2h_{200} + 2h_{202} + 2h_{203} + 6h_{209}),$$
(D105)

$$\bar{h}_{207} = 2h_{199},$$

$$\bar{h}_{208} = \frac{1}{27}(12h_{119} - 18h_{124} - 18h_{125} - 18h_{126} - 3h_{130} - 3h_{131} + 4h_{172} + 4h_{174} + 6h_{178} + 6h_{179} - 6h_{180} - 6h_{184} + 6h_{185} + 6h_{186} - 6h_{187} - 6h_{188}$$
(D106)

$$\bar{h}_{209} = \frac{1}{108} (27h_{113} - 12h_{119} + 72h_{124} + 72h_{125} + 72h_{126} - 6h_{130} - 6h_{131} + 9h_{163} + 9h_{165} - 4h_{172} - 4h_{174} - 24h_{178} - 24h_{179} + 24h_{180} + 24h_{184} + 24h_{185} - 24h_{186} + 24h_{187} + 24h_{188} + 24h_{189} + 24h_{190} + 24h_{193} + 24h_{180} - 24h_{180}$$

$$+ 24h_{194} - 72h_{199} + 2h_{200} - 2h_{201} + 2h_{204} - 2h_{205} - 2h_{206} - 2h_{207} - 2h_{208}).$$
 (D108)

# Appendix E. Coefficients of the vector and axial sectors in the cubic MAG Lagrangian

Following the Lagrangian density (118), which includes the vector and axial sectors of the gravitational action of MAG that is reduced to GR in the absence of torsion and nonmetricity, we define the following Lagrangian coefficients:

$$l_{1} = \frac{1}{9} (4c_{1} + c_{2} + 2d_{1}),$$

$$l_{2} = \frac{1}{2} h_{1} + h_{2},$$
(E1)
(E2)

$$l_3 = h_1,$$
 (E3)  
 $l_4 = -\frac{2}{3}h_2,$  (E4)

$$l_{5} = -2h_{2},$$

$$l_{6} = -\frac{1}{72}(4c_{1} + c_{2} + d_{1}),$$
(E5)
(E6)

$$l_7 = \frac{1}{72} \left[ 4c_1 + c_2 + 36(h_3 + 2h_4) \right], \tag{E7}$$

$$l_8 = \frac{1}{9}c_1 + \frac{1}{36}c_2 + h_3, \tag{E8}$$

$$l_{9} = \frac{1}{24}h_{4}, \tag{E9}$$

$$l_{10} = \frac{1}{24}(c_2 - 2c_1), \tag{E10}$$

$$l_{10} = \frac{1}{24}(c_2 - 2c_1), \tag{E11}$$

$$l_{11} = d_1 - a_{10} - a_{12} + 4a_{14} + 2a_{15} + 2a_2 + a_5 - a_9,$$
(E11)

$$l_{12} = \frac{1}{2}(h_{47} + h_{48} + 2h_{49}), \tag{E12}$$

$$l_{12} = h_{47} + h_{48} + 2h_{49}), \tag{E13}$$

$$l_{13} = n_{47} + n_{48},$$
 (E13)

$$l_{14} = -\frac{1}{2}h_{49}, \tag{E14}$$

$$l_{15} = 5h_{49},$$

$$l_{16} = \frac{1}{16} (21a_{10} + 5a_{11} - 2a_{12} + 14a_2 + 9a_5 - 2a_6 + 2a_9 + 2c_1 - c_2 + 2d_1),$$
(E15)
(E16)

$$l_{17} = \frac{1}{8} (5a_{12} - 6a_{10} - 11a_{11} - 8a_2 - 4a_6 - 5a_9 + 4c_1 - 2c_2 - 5d_1 + 4h_{50} + 4h_{51} + 8h_{52}),$$
(E17)

$$l_{18} = c_1 - \frac{1}{2}c_2 - 2d_1 - 2a_{11} + 2a_{12} - 2a_2 - a_6 - 2a_9 + h_{50} + h_{51},$$
(E18)

$$l_{19} = \frac{3}{256} (78a_{10} + 111a_{11} - 33a_{12} + 72a_2 + 36a_6 + 33a_9 - 36c_1 + 18c_2 + 33d_1 - 16h_{50} + 80h_{51} + 24h_{52}), \quad (E19)$$

$$l_{20} = \frac{1}{2}(d_1 - 2a_{10} - a_{11} - a_{12} + a_9),$$
(E20)

$$l_{21} = -2(2a_{10} + a_{11} + a_{12} - a_9 - d_1),$$
(E21)

$$l_{22} = \frac{3}{64} (62a_{10} + 79a_{11} - 17a_{12} + 48a_2 + 24a_6 + 17a_9 - 24c_1 + 12c_2 + 17d_1 - 16h_{50} + 16h_{51} - 48h_{52}), \quad (E22)$$

$$l_{23} = \frac{5}{8} (6a_{10} + 7a_{11} - a_{12} + 4a_2 + 2a_6 + a_9 - 2c_1 + c_2 + d_1),$$
(E23)

1

$$l_{24} = \frac{1}{648} \left[ 16c_2 - 8c_1 + 9(48h_{13} + 8h_{14} + 16h_3 - h_1) \right],$$
(E24)

$$l_{25} = -\frac{1}{648} \left[ 16c_1 + 4c_2 - 9(h_1 - 8h_{14} + 3h_2 - 16h_3 - 48h_4) \right],$$
(E25)

$$l_{26} = \frac{1}{18} \left[ 2c_1 - c_2 - 3(6h_{13} + h_{14} - h_{15}) \right],$$
(E26)

$$l_{27} = -\frac{1}{108} \left[ 4c_1 + c_2 + 9(2h_{14} - h_{15} + 4h_3 + 24h_4) \right], \tag{E27}$$

$$l_{28} = \frac{1}{54} \left[ 2c_1 - 4c_2 - 9(6h_{13} + h_{14} + 4h_3) \right], \tag{E28}$$

$$l_{29} = \frac{2}{3}(h_{14} - h_{15}), \tag{E29}$$

$$l_{30} = \frac{1}{3} (2a_{10} - a_{11} + a_{12} - 2a_{15} - 2a_{16} - 2a_5 + a_6 + a_9 - 4c_1 - 3d_1),$$
(E30)

$$l_{31} = \frac{1}{2}(h_{108} + h_{109} + h_{110} + h_{111} + 2h_{113}),$$
(E31)

$$l_{32} = h_{108} + h_{109} + h_{110} + h_{111} ,$$
(E32)

$$l_{33} = 2h_2 - \frac{2}{3}h_{113} \,, \tag{E33}$$

$$l_{34} = \frac{1}{18}(9h_1 + 6h_{108} + 6h_{109} + 6h_{110} + 6h_{111} + 36h_{113} + 4h_{47} + 4h_{48}),$$
(E34)

$$l_{35} = -\frac{1}{18}(9h_1 + 6h_{108} + 6h_{109} + 6h_{110} + 6h_{111} + 27h_2 + 4h_{47} + 4h_{48} + 12h_{49}),$$
(E35)

$$l_{36} = 2h_{49} - \frac{5}{2}h_{113}, \tag{E36}$$

$$l_{37} = \frac{1}{3}(h_{109} + h_{111} + 6h_{113} - h_{108} - h_{110}),$$
(E37)

$$l_{38} = -\frac{1}{6}(3h_{108} + 3h_{109} + 3h_{110} + 3h_{111} + 18h_{113} + 4h_{47} + 4h_{48}),$$
(E38)

$$l_{39} = \frac{1}{12} (3h_{109} + 12h_{112} - 9h_{108} - 3h_{110} - 3h_{111} - 4h_{47} - 4h_{48} - 24h_{49}),$$
(E39)  
$$l_{40} = h_{40} + 2h_{40} - h_{40} - 3h_{40} - 3h_$$

$$l_{40} = h_{109} + 2h_{112} - h_{108} - 3h_{113}, \tag{E40}$$

$$l_{41} = \frac{1}{6} \left[ 3h_1 + 2(h_{109} + h_{111} + 9h_2) \right], \tag{E41}$$

$$l_{42} = \frac{1}{3}(3h_1 + h_{108} + h_{109} + h_{110} + h_{111} + 6h_{113}),$$
(E42)

$$l_{43} = \frac{1}{12} (6a_5 + 7a_9 + 12c_1 + 7d_1 - 3a_6 - 2a_{10} - 7a_{11} - a_{12}),$$
(E43)

$$l_{44} = \frac{1}{6} (4a_{10} + 2a_{11} + 2a_{12} - 2a_9 - 2d_1 + 3h_{114} + 3h_{115} + 3h_{116} + 3h_{117} + 6h_{119}),$$
(E44)

$$l_{45} = \frac{8}{3}a_{10} + \frac{4}{3}a_{11} + \frac{4}{3}a_{12} - \frac{4}{3}a_9 - \frac{4}{3}d_1 + h_{114} + h_{115} + h_{116} + h_{117},$$
(E45)

$$l_{46} = \frac{1}{18} (8a_{10} + 4a_{11} + 4a_{12} - 4a_9 - 4d_1 - 9h_1 - 12h_{119} - 27h_2 + 18h_{27}),$$
(E46)

$$l_{47} = \frac{1}{288} (288a_{10} + 208a_{11} + 80a_{12} + 64a_2 + 32a_6 - 80a_9 - 32c_1 + 16c_2 - 80d_1 - 99h_1 - 120h_{114} - 120h_{115} - 24h_{116} - 24h_{117} - 432h_{119} + 432h_{27} + 64h_{50} + 64h_{51}),$$
(E47)

$$l_{48} = \frac{1}{288} (144a_{10} + 200a_{11} - 56a_{12} + 128a_2 + 64a_6 + 56a_9 - 64c_1 + 32c_2 + 56d_1 + 45h_1 - 24h_{114} - 24h_{115} + 168h_{116} + 168h_{117} + 81h_2 - 108h_{27} - 64h_{50} - 64h_{51} - 192h_{52}),$$
(E48)

$$l_{49} = \frac{1}{32} (62a_{10} + 79a_{11} - 17a_{12} + 48a_2 + 24a_6 + 17a_9 - 24c_1 + 12c_2 + 17d_1 - 6h_{114} - 6h_{115} + 30h_{116} + 30h_{117} + 9h_{119} - 16h_{50} + 16h_{51} - 48h_{52}),$$
(E49)

$$l_{50} = \frac{1}{3} (2d_1 - 4a_{10} - 2a_{11} - 2a_{12} + 2a_9 - h_{114} + h_{115} - h_{116} + h_{117} + 6h_{119}),$$
(E50)

$$l_{51} = \frac{1}{24} (8c_1 - 4c_2 + 20d_1 - 72a_{10} - 52a_{11} - 20a_{12} - 16a_2 - 8a_6 + 20a_9 + 15h_{114} + 15h_{115} + 3h_{116} + 3h_{117} + 54h_{119} - 16h_{50} - 16h_{51}),$$
(E51)

$$l_{52} = \frac{1}{48} (72a_{10} + 68a_{11} + 4a_{12} + 32a_2 + 16a_6 - 4a_9 - 16c_1 + 8c_2 - 4d_1 - 3h_{114} - 3h_{115} + 39h_{116} + 3h_{117} - 16h_{50} - 16h_{51} - 96h_{52}),$$
(E52)

$$l_{53} = \frac{1}{4} (4c_1 - 2c_2 - 2d_1 - 12a_{10} - 14a_{11} + 2a_{12} - 8a_2 - 4a_6 - 2a_9 + 3h_{114} + 3h_{115} - 6h_{117} + 9h_{119}),$$
(E53)

$$l_{54} = \frac{1}{24} (16a_{10} + 8a_{11} + 8a_{12} - 8a_9 - 8d_1 - 15h_1 + 8h_{115} + 8h_{117} - 54h_2 + 12h_{27}),$$
(E54)

$$l_{55} = \frac{1}{3}(d_1 - 2a_{10} - a_{11} - a_{12} + a_9),$$
(E55)

$$l_{56} = \frac{1}{12} \left( 8d_1 - 16a_{10} - 8a_{11} - 8a_{12} + 8a_9 + 3h_1 + 4h_{114} + 4h_{115} + 4h_{116} + 4h_{117} + 24h_{119} - 24h_{27} \right),$$
(E56)

$$l_{57} = \frac{4}{3} (2a_{10} + a_{11} + a_{12} - a_9 - d_1),$$
(E57)

$$l_{58} = \frac{1}{72} (4c_2 - 2c_1 - 24h_{132} + 24h_{133} - 12h_{134} + 36h_3 - h_{47} - h_{48}),$$
(E58)

$$l_{59} = \frac{1}{72} (h_{47} + h_{48} + 3h_{49} - 4c_1 - c_2 - 12h_{132} + 12h_{133} + 12h_{134} - 36h_3 - 108h_4),$$
(E59)

$$l_{60} = \frac{1}{12} \left[ c_2 - 2c_1 - 2(2h_{132} - 2h_{133} + h_{134} + h_{135} + h_{136}) \right],$$
(E60)

$$l_{61} = \frac{1}{72} \left[ 4c_1 + c_2 + 6(2h_{132} - 2h_{133} - 2h_{134} - h_{135} - h_{136} + 6h_3 + 36h_4) \right],$$
(E61)  
$$l_{c2} = \frac{1}{(2c_2 - c_1 - 6h_{122} + 6h_{122} - 3h_{124} + 18h_2)}.$$
(E62)

$$l_{62} = \frac{1}{18} (2c_2 - c_1 - 6h_{132} + 6h_{133} - 3h_{134} + 18h_3),$$
(E62)

$$l_{63} = -(2h_{133} + h_{134} + 2h_{135} + 4h_{137}),$$
(E63)
$$l_{63} = -(2h_{133} + h_{134} + 2h_{135} + 4h_{137}),$$
(E63)

$$l_{64} = \frac{1}{576} (8c_2 + 12d_1 - 29c_1 + 48h_{138} - 24a_{10} - 48a_{11} - 48a_{12} + 40a_2 + 12a_5 - 14a_6 - 24a_9 - 240h_{139} + 72h_{140} + 144h_{141} - 144h_{142} + 864h_{28} - 198h_3 - 8h_{50} - 8h_{51}),$$
(E64)

$$l_{65} = \frac{1}{1152} (12a_{10} + 78a_{11} + 78a_{12} - 128a_2 + 48a_5 + 16a_6 + 66a_9 + 28c_1 - 13c_2 - 6d_1 + 624h_{138} + 336h_{139} - 144h_{140} - 288h_{141} + 288h_{142} - 432h_{28} + 180h_3 + 324h_4 + 16h_{50} + 16h_{51} + 48h_{52}), \quad (E65)$$

$$l_{66} = \frac{1}{48} (4a_{10} - 2a_{11} + 2a_{12} + 2a_9 + 6c_1 - 3c_2 - 2d_1 - 16h_{138} + 16h_{139} - 8h_{140} - 8h_{141} - 8h_{142}),$$
(E66)

$$l_{67} = \frac{1}{288} (8a_{10} - 8a_{11} + 4a_{12} + 20a_5 - 10a_6 + 8a_9 - 12c_1 - 13c_2 - 4d_1 + 48h_{138} - 48h_{139} - 48h_{140} - 24h_{141} - 24h_{142} + 144h_{28} - 180h_3 - 648h_4),$$
(E67)

$$l_{68} = \frac{1}{72} (4a_{10} + 2a_{11} + 2a_{12} - 2a_5 + a_6 - 2a_9 + 3c_1 - 5c_2 - 2d_1 + 24h_{139} - 24h_{138} - 12h_{140} - 144h_{28} + 18h_3),$$
(E68)

$$l_{69} = \frac{1}{16} (9a_{11} + 3a_{12} + 5a_6 + 3a_9 + 4c_1 + 4c_2 + 3d_1 + 24h_{139} + 12h_{140} + 24h_{142} - 8a_2 - 6a_5 - 6a_{10}), \quad (E69)$$

$$l_{70} = \frac{1}{4} (4a_{10} - a_{11} - a_{12} - 6a_{16} - 6a_5 + 6a_6 - 5a_9 - 6c_1 + 3c_2 - 5d_1),$$
(E70)  
$$l_{10} = \frac{1}{4} (d_{-2}a_{10} - a_{10} - a_{10} - 6a_5 + 6a_6 - 5a_9 - 6c_1 + 3c_2 - 5d_1),$$
(E71)

$$l_{71} = \frac{1}{2}(d_1 - 2a_{10} - a_{11} - a_{12} + a_9 + h_{68} + h_{69} + h_{70} + h_{71} + 2h_{73}),$$
(E71)  
$$l_{-1} = \frac{3}{2}(d_1 + a_2 + h_{-1} + 2h_{-1} + h_{-2} + h_{-$$

$$l_{72} = \frac{3}{4} (d_1 + a_9 + h_{47} + 3h_{49} - h_{48} - 2h_{73} - 2a_{10} - a_{11} - a_{12}),$$

$$l_{72} = \frac{1}{4} (72a_{14} + 52a_{14} + 20a_{14} + 16a_{14} + 8a_{14} - 20a_{14} - 8a_{14} - 20a_{14} - 11h_{14}),$$
(E72)

$$l_{73} = \frac{1}{32} (72a_{10} + 52a_{11} + 20a_{12} + 16a_2 + 8a_6 - 20a_9 - 8c_1 + 4c_2 - 20d_1 - 11h_{47} + 37h_{48} + 16h_{50} + 16h_{51} + 20h_{68} + 20h_{69} + 4h_{70} + 4h_{71} + 72h_{73}),$$
(E73)

$$l_{74} = 2d_1 - 4a_{10} - 2a_{11} - 2a_{12} + 2a_9 + h_{68} + h_{69} + h_{70} + h_{71},$$
(E74)

$$l_{75} = \frac{1}{32} (36a_{10} + 50a_{11} - 14a_{12} + 32a_2 + 16a_6 + 14a_9 - 16c_1 + 8c_2 + 14d_1 + 5h_{47} - 7h_{48} + 9h_{49} - 16h_{50} - 16h_{51} - 48h_{52} + 4h_{68} + 4h_{69} - 28h_{70} - 28h_{71}),$$
(E75)

$$l_{76} = \frac{3}{64} (24c_1 - 12c_2 - 17d_1 + 17a_{12} + 16h_{50} + 48h_{52} + 20h_{70} + 20h_{71} + 6h_{73} - 62a_{10} - 79a_{11} - 48a_2 - 24a_6 - 17a_9 - 16h_{51} - 4h_{68} - 4h_{69}),$$
(E76)

$$l_{77} = \frac{1}{2} (3d_1 - 6a_{10} - 3a_{11} - 3a_{12} + 3a_9 + 2h_{68} - 2h_{69} - 4h_{72} - 6h_{73}),$$
(E77)

$$l_{78} = \frac{1}{8} (36a_{10} + 26a_{11} + 10a_{12} + 8a_2 + 4a_6 - 10a_9 - 4c_1 + 2c_2 - 10d_1 + 8h_{50} + 8h_{51} + 5h_{68} + 5h_{69} + h_{70} + h_{71} + 18h_{73}),$$
(E78)

$$l_{79} = \frac{1}{16} (8c_1 - 4c_2 + 2d_1 - 36a_{10} - 34a_{11} - 2a_{12} - 16a_2 - 8a_6 + 2a_9 + 8h_{50} + 8h_{51} + 48h_{52} - h_{68} - h_{69} + h_{70} + 13h_{71}),$$
(E79)

$$l_{80} = \frac{1}{4} (6d_1 - 12a_{10} - 6a_{11} - 6a_{12} + 6a_9 + h_{47} - 7h_{48} - 2h_{68} - 2h_{69} - 2h_{70} - 2h_{71} - 12h_{73}),$$
(E80)

$$l_{81} = \frac{5}{4} (6a_{10} + 7a_{11} - a_{12} + 4a_2 + 2a_6 + a_9 - 2c_1 + c_2 + d_1 + h_{68} + h_{69} - 2h_{70} + 3h_{73}),$$
(E81)

$$l_{82} = \frac{1}{8} (12a_{10} + 6a_{11} + 6a_{12} - 6a_9 - 6d_1 - 5h_{47} - h_{48} - 18h_{49} + 2h_{68} - 6h_{69} - 2h_{70} - 2h_{71} - 8h_{72}),$$
(E82)

$$l_{83} = \frac{1}{2} (2a_{10} + a_{11} + a_{12} - a_9 - d_1),$$
(E83)

$$l_{84} = -2(2a_{10} + a_{11} + a_{12} - a_9 - d_1),$$
(E84)
$$l_{84} = -2(2a_{10} + a_{11} + a_{12} - a_9 - d_1),$$
(E84)

$$l_{85} = \frac{1}{216} \left[ 8c_1 - 16c_2 - 3(h_{108} + h_{109} + h_{110} + h_{111} + 72h_{13} - 16h_{132} + 16h_{133} - 8h_{134} + 12h_{14} + 48h_3) \right], \quad (E85)$$

$$l_{86} = \frac{1}{216} \left[ 16c_1 + 4c_2 + 3(h_{108} + h_{109} + h_{110} + h_{111} + 3h_{113} + 16h_{133} - 8h_{134} + 12h_{14} + 48h_3) \right], \quad (E85)$$

$$+ 8h_{132} - 8h_{133} - 8h_{134} + 12h_{14} + 48h_3 + 144h_4) ],$$
(E86)

$$l_{87} = \frac{1}{12} (12h_{14} + 12h_{33} + 48h_{35} + h_{109} + h_{111} - 24h_{15} - 24h_{34} - h_{108} - h_{110}),$$
(E87)

$$l_{88} = \frac{1}{3} (6h_{15} + 6h_{34} + 2h_{133} + 2h_{134} + 2h_{135} + 2h_{136} - 3h_{14} - 3h_{33} - 12h_{35} - 2h_{132}),$$
(E88)

$$l_{89} = \frac{1}{216} (10c_2 + 4d_1 - 6c_1 - 8a_{10} - 4a_{11} - 4a_{12} + 4a_5 - 2a_6 + 4a_9 - 3h_{114} - 3h_{115} - 3h_{116} - 3h_{117} + 162h_{13} + 48h_{138} - 48h_{139} + 27h_{14} + 24h_{140} - 54h_{15} + 288h_{28} - 36h_3 - 36h_{33} - 108h_{34}),$$
(E89)

$$l_{90} = \frac{1}{216} (2a_{10} + a_{11} + a_{12} + 8a_5 - 4a_6 - a_9 - 12c_1 - 7c_2 - d_1 + 3h_{114} + 3h_{115} + 3h_{116} + 3h_{117} + 9h_{119} + 24h_{138} - 24h_{139} - 27h_{14} - 24h_{140} + 54h_{15} - 72h_{28} - 72h_3 + 90h_{33} + 108h_{34} - 324h_4),$$
(E90)

$$l_{91} = \frac{1}{12} (h_{117} + h_{115} - h_{114} - h_{116} - 9h_{14} - 9h_{33} - 18h_{34}),$$
(E91)

$$l_{92} = \frac{1}{12} (2c_2 + 2d_1 + 2a_6 + 2a_{11} + 9h_{14} + 9h_{33} + 18h_{34} + 8h_{139} + 8h_{140} + 8h_{141} + 8h_{142} - 4a_5 - 2a_9 - 4a_{10} - 2a_{12} - 8h_{138}),$$
(E92)

$$l_{93} = \frac{1}{24} (24a_{10} + 12a_{11} + 12a_{12} - 12a_9 - 12d_1 + 3h_{108} + 3h_{109} - 21h_{110} - 21h_{111} - 12h_{114} - 12h_{115} - 12h_{116} - 12h_{117} - 36h_{119} - 8h_{47} - 16h_{48} - 36h_{49} - 8h_{68} - 8h_{69} - 8h_{70} - 8h_{71}),$$
(E93)

$$l_{94} = \frac{1}{36} (12d_1 + 12a_9 - 24a_{10} - 12a_{11} - 12a_{12} + 18h_1 - 3h_{108} - 3h_{109} + 21h_{110} + 21h_{111} - 12h_{114} - 12h_{115} - 12h_{116} - 12h_{117} + 81h_2 + 18h_{27} - 8h_{68} - 8h_{69} - 8h_{70} - 8h_{71} - 24h_{73}),$$
(E94)

$$l_{95} = \frac{1}{24} (48a_{10} + 24a_{11} + 24a_{12} - 24a_9 - 24d_1 + 15h_{108} + 15h_{109} + 3h_{110} + 3h_{111} + 54h_{113} + 12h_{114} + 12h_{115} + 12h_{116} + 12h_{117} - 4h_{47} + 28h_{48} + 8h_{68} + 8h_{69} + 8h_{70} + 8h_{71} + 48h_{73}),$$
(E95)

$$l_{96} = \frac{1}{96} (32c_1 - 16c_2 + 80d_1 - 288a_{10} - 208a_{11} - 80a_{12} - 64a_2 - 32a_6 + 80a_9 - 33h_{108} - 33h_{109} + 111h_{110} + 111h_{111} + 60h_{114} + 60h_{115} + 12h_{116} + 12h_{117} + 216h_{119} - 64h_{50} - 64h_{51} - 40h_{68} - 40h_{69} - 8h_{70} - 8h_{71} - 144h_{73}),$$
(E96)

$$l_{97} = \frac{1}{36} (24d_1 - 48a_{10} - 24a_{11} - 24a_{12} + 24a_9 + 9h_1 - 15h_{108} - 15h_{109} - 3h_{110} - 3h_{111} - 54h_{113} + 12h_{114} + 12h_{115} + 12h_{116} + 12h_{117} + 72h_{119} - 72h_{27} + 8h_{68} + 8h_{69} + 8h_{70} + 8h_{71}),$$
(E97)

$$l_{98} = \frac{1}{96} (64c_1 - 32c_2 - 56d_1 - 144a_{10} - 200a_{11} + 56a_{12} - 128a_2 - 64a_6 - 56a_9 + 15h_{108} + 15h_{109} - 21h_{110} - 21h_{111} + 27h_{113} + 12h_{114} + 12h_{115} - 84h_{116} - 84h_{117} + 64h_{50} + 64h_{51} + 192h_{52} - 8h_{68} - 8h_{69} + 56h_{70} + 56h_{71}),$$
(E98)

$$l_{99} = \frac{1}{24} (3h_{110} + 39h_{111} - 16h_{68} - 16h_{71} - 3h_{108} - 3h_{109}),$$
(E99)

$$l_{100} = \frac{1}{8} (13h_{110} + h_{111} + 12h_{114} - h_{108} - h_{109} - 4h_{115} + 4h_{116} + 4h_{117} - 16h_{118}),$$
(E100)

$$l_{101} = 2a_{10} + a_{11} + a_{12} - a_9 - d_1 + \frac{5}{8}h_{108} + \frac{5}{8}h_{109} + \frac{1}{8}h_{110} + \frac{1}{8}h_{111} + \frac{9}{4}h_{113} - \frac{2}{3}h_{69} - \frac{2}{3}h_{70},$$
(E101)

$$l_{102} = \frac{1}{24} (24d_1 - 48a_{10} - 24a_{11} - 24a_{12} + 24a_9 - 3h_{108} - 3h_{109} + 39h_{110} + 3h_{111} - 8h_{68} - 8h_{69} - 8h_{70} - 8h_{71} - 48h_{73}),$$
(E102)

$$l_{103} = \frac{1}{8} (16a_{10} + 8a_{11} + 8a_{12} - 8a_9 - 8d_1 + 5h_{108} + 5h_{109} + h_{110} + h_{111} + 18h_{113} - 4h_{114} + 12h_{115} + 4h_{116} + 4h_{117} + 16h_{118}),$$
(E103)

$$l_{104} = \frac{1}{8} (8d_1 - 16a_{10} - 8a_{11} - 8a_{12} + 8a_9 - h_{108} - h_{109} + h_{110} + 13h_{111} + 4h_{114} + 4h_{115} + 4h_{116} + 4h_{117} + 24h_{119}),$$
(E104)

$$l_{105} = \frac{1}{144} (12c_1 + 7c_2 + d_1 - 2a_{10} - a_{11} - a_{12} - 8a_5 + 4a_6 + a_9 + 78h_{132} + 42h_{133} - 18h_{134} - 36h_{135} + 36h_{136} - 24h_{138} + 24h_{139} + 24h_{140} + 72h_{28} + 72h_3 + 324h_4 + 2h_{68} + 2h_{69} + 2h_{70} + 2h_{71} + 6h_{73}), \quad (E105)$$

$$l_{106} = \frac{1}{72} (4a_{10} + 2a_{11} + 2a_{12} - 2a_5 + a_6 - 2a_9 + 3c_1 - 5c_2 - 2d_1 + 6h_{132} - 30h_{133} + 9h_{134} + 18h_{135} - 18h_{136} - 24h_{138} + 24h_{139} - 12h_{140} - 144h_{28} + 18h_3 - h_{68} - h_{69} - h_{70} - h_{71}),$$
(E106)

$$l_{107} = \frac{1}{12} (h_{69} + h_{70} - h_{68} - h_{71} - 18h_{133} - 9h_{134} - 18h_{136}), \qquad (E107)$$

$$l_{108} = \frac{1}{4} (2a_5 + 3a_9 + 2a_{10} + a_{11} + 3a_{12} + 2a_{16} - 3a_6 - 2a_{15} - 2c_2 - d_1 + 6h_{133} + 3h_{134} + 6h_{136} - 8h_{139} - 4h_{140} - 8h_{141} - 16h_{143}),$$
(E108)

$$l_{109} = \frac{1}{8}(h_{109} + h_{110} - h_{108} - h_{111}).$$
(E109)

# Appendix F. Coefficients of the cubic Lagrangian providing Reissner-Nordström-like black hole solutions

From the Lagrangian (117) of cubic MAG, it is possible to find the general Reissner-Nordström-like black hole solution shown in Sec. VI by setting a total number of 123 Lagrangian coefficients  $h_i$ . First of all, the stability conditions (168)-(174) set 36 of these coefficients. Then, the presence of the shear charge  $\kappa_{\rm sh}$  in the solution requires additional 45 coefficients to satisfy the following expressions:

$$h_8 = 2(2h_5 + h_6 - h_7 + 2(h_9 + h_{10}) + h_{11}),$$
(F1)

$$h_{12} = \frac{1}{12}(-h_9 + h_{10} - h_{11}), \tag{F2}$$

$$h_{17} = \frac{1}{2}h_{16},\tag{F3}$$

$$h_{19} = 0, \tag{F4}$$

$$h_{29} = -2h_5 - h_6 - 2(h_9 + h_{10}) - h_{11}, \tag{F5}$$

$$h_{31} = \frac{1}{2}(-h_{10} + h_{11}), \tag{F6}$$

$$h_{32} = \frac{1}{2}h_{11},\tag{F7}$$

$$h_{37} = -h_{36}, (F8)$$

$$\begin{split} h_{38} &= \frac{1}{4} \Big( -h_{16} + 2(h_{18} + h_{36}) \Big), \end{split} (F9) \\ h_{39} &= 0, \end{aligned} (F10) \\ h_{50} &= \frac{1}{48} \Big( 606a_2 + 303a_6 - 108h_{53} + 108h_{55} - 108h_{56} - 108h_{57} \\ &\quad - 324h_{59} + 324h_{61} - 3537h_{65} + 1815h_{66} + 288h_{90} + 288h_{91} \\ &\quad + 78h_{95} + 447h_{96} - 111h_{97} + 135h_{99} + 135h_{101} + 135h_{102} \\ &\quad - 468h_{103} - 738h_{104} - 5(54h_{105} - 4h_{174} - 6h_{189} - 6h_{190} \\ &\quad + 6(h_{193} + h_{194}) - 7h_{201} \Big) - 333(2a_2 + a_6)N_3 \Big), \end{aligned} (F11) \\ h_{62} &= \frac{1}{216} \bigg( 1110a_2 + 555a_6 - 2 \bigg( 54h_{53} - 54h_{55} + 54h_{56} + 54h_{57} + 54h_{59} \\ &\quad - 108h_{60} - 54h_{61} + 447h_{65} + 477h_{66} - 2(72h_{90} + 72h_{91} - 18h_{95} \\ &\quad + 39h_{96} + 45h_{97} + 27h_{99} + 27h_{101} + 27h_{102} - 144h_{103} - 198h_{104} \\ &\quad - 54h_{105} + 26h_{174} + 39(h_{189} + h_{190} - h_{193} - h_{194}) \Big) - 91h_{201} \Big) \\ &\quad - 711(2a_2 + a_6)N_3 \bigg), \end{aligned} (F12) \\ h_{63} &= \frac{1}{1296} \bigg( 906a_2 + 453a_6 - 2 \bigg( 54h_{53} + 54h_{54} - 162h_{56} - 108h_{57} \\ &\quad + 54h_{58} + 216h_{59} + 216h_{60} + 324h_{61} + 1107h_{65} - 267h_{66} \\ &\quad + 2(72h_{90} + 72h_{91} - 18h_{95} + 39h_{96} + 87h_{97} - 99h_{99} + 27h_{101} \\ &\quad + 27h_{102} + 108h_{103} + 54h_{104} - 54h_{105} - 58h_{174} - 87(h_{189} + h_{190} \\ &\quad - h_{193} - h_{194}) \Big) - 203h_{201} \bigg) - 801(2a_2 + a_6)N_3 \bigg), \end{aligned} (F13) \\ h_{64} = \frac{1}{(22h_{56} - 0h_{56} - 2(h_{56} + 2(h_{56} + 2h_{56} + 2$$

$$h_{64} = \frac{1}{7} \Big( 23h_{65} - 9h_{66} - 2(h_{96} + 3h_{99} - 6h_{103} - 6h_{104} + 2h_{174} + 3(h_{189} + h_{190} - h_{193} - h_{194}) \Big) - 7h_{201} + 12a_2(-2 + 3N_3) + 6a_6(-2 + 3N_3) \Big),$$
(F14)

$$h_{67} = 0, (F15)$$

$$h_{83} = \frac{1}{7}(h_{75} + h_{76} - 15h_{78} - 17h_{79} - h_{80} + h_{81}) - \frac{8}{3}h_{84},$$
(F16)

$$h_{85} = -\frac{6}{7}(h_{78} + h_{79} + h_{80} + h_{81}) - h_{84},$$
(F17)

$$h_{87} = \frac{1}{144} \Big( -7440a_2 - 3720a_6 - 648h_{53} + 216h_{54} + 864h_{55} - 540h_{56} \\ - 324h_{57} + 216h_{58} - 2484h_{59} - 864h_{60} + 2268h_{61} - 16929h_{65} \\ + 11175h_{66} + 144h_{86} - 576h_{90} - 864h_{91} - 288h_{92} - 102h_{95} \\ + 123h_{96} - 963h_{97} - 1233h_{99} + 783h_{101} + 783h_{102} + 3132h_{103} \\ + 1566h_{104} - 1566h_{105} - 391 \Big( 4h_{174} + 6h_{189} + 6h_{190} - 6(h_{193} \\ + h_{194} \Big) + 7h_{201} \Big) + 6066(2a_2 + a_6)N_3 \Big),$$
(F18)

$$h_{88} = 6h_{53} - 6h_{55} + 6h_{56} + 6h_{57} + 18h_{59} - 18h_{61} + \frac{393}{2}h_{65} - \frac{605}{6}h_{66}$$
  
$$-h_{86} + 2h_{91} + 2h_{92} + \frac{8}{3}h_{95} - 5h_{96} + \frac{22}{3}h_{97} - \frac{15}{2}h_{99} - \frac{15}{2}h_{101}$$
  
$$-\frac{15}{2}h_{102} + 26h_{103} + 41h_{104} + \frac{5}{18}(54h_{105} - 4h_{174} - 6h_{189})$$
  
$$-6h_{190} + 6(h_{193} + h_{194}) - 7h_{201}) + a_2(-\frac{101}{3} + 37N_3)$$

$$+\frac{1}{6}a_6(-101+111N_3),\tag{F19}$$

$$h_{93} = -h_{90} - h_{91} - h_{92} - \frac{7}{6}(h_{96} + h_{97}), \tag{F20}$$

$$h_{98} = \frac{1}{9} \Big( 90h_{65} - 6h_{66} - 3h_{96} + 3h_{97} - 9h_{99} + 2 \Big( 18h_{103} + 18h_{104} - 4h_{174} - 6h_{189} - 6h_{190} + 6(h_{193} + h_{194}) - 7h_{201} \Big) + 24a_2(-2 + 3N_3) + 12a_6(-2 + 3N_3) \Big),$$
(F21)

$$h_{100} = \frac{1}{18} \Big( -63h_{65} - 21h_{66} + 3h_{95} + 3h_{96} - 3h_{97} - 2 \Big( 9h_{99} + 9h_{101} + 9h_{102} + 18h_{103} + 18h_{104} - 4h_{174} - 6h_{189} - 6h_{190} + 6(h_{193} + h_{194}) - 7h_{201} \Big) + a_2 (48 - 72N_3) + a_6 (24 - 36N_3) \Big),$$
(F22)

$$h_{106} = \frac{1}{9} \Big( -21h_{65} - 21h_{66} - 9h_{103} - 9h_{104} - 9h_{105} + 4h_{174} + 6h_{189} \\ + 6h_{190} - 6(h_{193} + h_{194}) + 7h_{201} + a_2(24 - 36N_3) + 6a_6(2 \\ - 3N_3) \Big),$$
(F23)

$$h_{120} = \frac{1}{3} \left( -3h_{123} - 2a_2(1+3N_3) - a_6(1+3N_3) \right), \tag{F24}$$

$$h_{122} = \frac{1}{3} \left( -3h_{121} - 2a_2(1+3N_3) - a_6(1+3N_3) \right), \tag{F25}$$

$$h_{125} = -h_{124} - \frac{1}{6}a_2(1+3N_3) - \frac{1}{12}a_6(1+3N_3),$$
(F26)

$$h_{126} = \frac{1}{12}(2a_2 + a_6)(1 + 3N_3), \tag{F27}$$

$$h_{127} = \frac{1}{12} \left( 6(h_{121} + h_{123} - 2h_{124}) - 10a_2(1 + 3N_3) - 5a_6(1 + 3N_3) \right),$$
(F28)  
$$h_{129} = 0,$$
(F29)

$$h_{129} = 0,$$
 (F29)  
 $h_{130} = 0,$  (F30)

$$h_{165} = -h_{163},$$
 (F31)

$$h_{166} = -\frac{1}{2}h_{160} - \frac{1}{2}h_{162} + 7h_{163} + h_{164}, \tag{F32}$$

$$h_{168} = \frac{1}{8} \left( -8h_{169} + 12h_{174} + 45h_{178} + 42h_{179} - 3(17h_{180} - 8h_{181} + 8h_{182} + 10h_{184} - 14h_{185} - 20h_{186} + 10h_{187} + 12h_{188} - 30h_{189} - 34h_{190} + 29h_{191} + 31h_{192} - 2h_{193} + 2h_{194} + 19h_{195} + 17h_{196} \right) + 77h_{201} + 132a_2(2 - 3N_3) + 66a_6(2 - 3N_3) \right),$$
(F33)

$$h_{170} = \frac{1}{8} \Big( -8h_{171} + 4h_{174} - 3(15h_{178} + 14h_{179} - 17h_{180} + 8h_{181} - 8h_{182} - 10h_{184} + 14h_{185} + 20h_{186} - 10h_{187} - 12h_{188} + 14h_{189} + 18h_{190} - 5h_{191} - 7h_{192} + 18h_{193} + 14h_{194} - 43h_{195} - 41h_{196} \Big)$$

$$-21h_{201}) + 108a_2(2-3N_3) + 54a_6(2-3N_3)),$$
(F34)

$$-h_{174},$$
 (F35)

$$+ 15h_{190} - 5h_{191} - h_{192} + 16h_{193} + 14h_{194} - 45h_{195} - 41h_{196} - 21h_{201}) + 108a_2(2 - 3N_3) + 54a_6(2 - 3N_3)),$$

$$h_{172} = -h_{174},$$

$$h_{175} = -\frac{1}{2}h_{169} - \frac{1}{2}h_{171} + h_{173} - 7h_{174},$$

$$(F36)$$

$$h_{177} = \frac{1}{24} \Big( 4h_{174} + 3(h_{178} - 6h_{179} + h_{180} - 8h_{181} - 6h_{184} + 2h_{185} - 4h_{186} + 2h_{187} - 4h_{188} + 2h_{189} - 2h_{190} - 19h_{191} - 17h_{192} - 2h_{193} + 2h_{194} + 19h_{195} + 17h_{196} \Big) + 7h_{201} + a_2(24 - 36N_3) + 6a_6(2 - 3N_3) \Big),$$
(F37)

$$\begin{aligned} h_{183} &= \frac{1}{8} \Big( 4h_{174} - h_{178} - 2h_{179} - h_{180} - 8h_{182} - 2h_{184} + 6h_{185} + 4h_{186} \\ &\quad + 6h_{187} + 4h_{188} + 14h_{189} + 18h_{190} - 5h_{191} - 7h_{192} - 14h_{193} \\ &\quad - 18h_{194} + 5h_{195} + 7(h_{196} + h_{201}) + a_2(24 - 36N_3) + 6a_6(2) \\ &\quad - 3N_3) \Big), \end{aligned}$$
(F38)  
$$h_{199} &= \frac{1}{6} (h_{178} + h_{179} - h_{180} - h_{184} + h_{185} + h_{186} - h_{187} - h_{188} - h_{189} \\ &\quad - h_{190} - h_{193} - h_{194}), \end{aligned}$$
(F39)  
$$h_{200} &= h_{201} - h_{204}, \end{aligned}$$
(F40)  
$$h_{202} &= 2(h_{205} - h_{207}), \end{aligned}$$
(F41)  
$$h_{203} &= -2h_{201} - h_{204} - 2h_{205} + 2h_{207}, \end{aligned}$$
(F42)  
$$h_{206} &= \frac{1}{2} (h_{201} - 2h_{205}), \end{aligned}$$
(F43)  
$$h_{208} &= -\frac{1}{2} h_{201} - h_{207}, \end{aligned}$$
(F44)  
$$h_{89} &= \frac{1}{16} \Big( -36h_{53} - 72h_{54} - 36h_{55} - 72h_{56} - 144h_{57} - 72h_{58} - 36h_{59} \end{aligned}$$

$${}_{89} = \frac{1}{48} \left( -36h_{53} - 72h_{54} - 36h_{55} - 72h_{56} - 144h_{57} - 72h_{58} - 36h_{59} \right. \\ \left. + 288h_{60} + 108h_{61} - 987h_{65} + 1197h_{66} - 48h_{86} + 192h_{90} \right. \\ \left. + 192h_{91} - 2h_{95} + 3\left(59h_{96} - 3h_{97} + 239h_{99} + 15h_{101} + 15h_{102} \right. \\ \left. - 388h_{103} - 418h_{104} - 30h_{105} + 25\left(4h_{174} + 6h_{189} + 6h_{190} \right. \\ \left. - 6(h_{193} + h_{194}) + 7h_{201}\right) \right) + 450a_6(2 - 3N_3) - 900a_2(-2) \\ \left. + 3N_3\right) \right).$$
 (F45)

On the other hand, for the dilation charge  $\kappa_{\rm d},$  the following 18 coefficients must be set as follows:

$$h_{40} = -\frac{1}{2}h_{16} + h_{36},\tag{F46}$$

$$h_{76} = \frac{1}{2} \left( -2h_{74} + a_6(1+3N_3) + a_2(2+6N_3) \right), \tag{F47}$$

$$h_{77} = \frac{1}{2} \left( -2h_{75} + a_6(1+3N_3) + a_2(2+6N_3) \right), \tag{F48}$$

$$h_{81} = \frac{1}{4} \left( 2(h_{74} - h_{75} - 2h_{78}) + 6a_2(1 + 3N_3) + a_6(3 + 9N_3) \right),$$
(F49)

$$h_{82} = \frac{1}{4} \left( a_6 + 2h_{74} - 2h_{75} + 3a_6N_3 + a_2(2 + 6N_3) \right),$$
(F50)  
$$h_{84} = 0,$$
(F51)

$$h_{84} = 0,$$

$$h_{107} = \frac{1}{60} \left( 2 \left( 18h_{53} - 18h_{55} + 18h_{56} + 18h_{57} + 54h_{59} - 54h_{61} + 532h_{65} \right) \right)$$
(F51)

$$5b((-1)) - 280h_{66} + 12h_{91} + 12h_{92} + 12h_{94} + 8h_{95} - 9h_{96} + 23h_{97} - 3(5h_{99} + 5h_{101} + 5h_{102} - 4(4h_{103} + 9h_{104} + 5h_{105}))) + 162a_2(-1 + N_3)$$

$$+81a_6(-1+N_3)$$
), (F52)

$$h_{128} = \frac{1}{2}(h_{121} + h_{123}),\tag{F53}$$

$$h_{159} = -h_{160}, \tag{F54}$$

$$h_{161} = -h_{162},$$
 (F55)  
 $h_{163} = 0,$  (F56)

$$163 = 0,$$
 (1.50)

$$h_{167} = \frac{1}{2}(-h_{160} - h_{162}),\tag{F57}$$

$$h_{176} = \frac{1}{2}(-h_{169} - h_{171} - 8h_{174}), \tag{F58}$$

$$h_{198} = \frac{1}{8}(-h_{178} - 2h_{179} - h_{180} - 2h_{184} - 2h_{185} - 4h_{186} - 2h_{187} - 4h_{188} + 2h_{189} - 2h_{190} - h_{191} + h_{192} - 2h_{193} + 2h_{194} + h_{195} - h_{196} - 4h_{197}), \tag{F59}$$

$$h_{209} = \frac{1}{70} (606a_2 + 303a_6 - 108h_{53} + 108h_{55} - 108h_{56} - 108h_{57} - 324h_{59} + 324h_{61} - 3537h_{65} + 1815h_{66} - 72h_{91} - 72h_{92} - 72h_{94} - 48h_{95} + 69h_{96} - 153h_{97} + 135h_{99} + 135h_{101} + 135h_{102} - 468h_{103} - 738h_{104} - 10(27h_{105} - 2h_{155} - 3h_{106} - 3h_{106} + 3h_{106} + 3h_{105} + 7h_{205} - 7h_{205})$$

$$-10(27h_{105} - 2h_{174} - 3h_{189} - 3h_{190} + 3h_{193} + 3h_{194} + 7h_{205} - 7h_{207}) -333(2a_2 + a_6)N_3),$$
(F60)

$$\frac{1}{1} \left( \frac{2k}{1} + \frac{1}{2} \left( \frac{1}{2} + \frac{2N}{2} \right) + \frac{1}{2} \left( \frac{2k}{2} + \frac{2N}{2} \right) \right)$$
(F61)

$$h_{79} = \frac{1}{8} \left( -8h_{78} + a_6(1+3N_3) + a_2(2+6N_3) \right), \tag{F61}$$

$$h_{80} = \frac{1}{8} \left( -4h_{74} + 4h_{75} + 8h_{78} - 14a_2(1+3N_3) - 7a_6(1+3N_3) \right), \tag{F62}$$
$$h_{201} = \frac{1}{35} \left( 108h_{53} - 108h_{55} + 108h_{56} + 108h_{57} + 324h_{59} - 324h_{61} + 3537h_{65} \right)$$

$$- 1815h_{66} + 72h_{91} + 72h_{92} + 72h_{94} + 48h_{95} - 69h_{96} + 153h_{97} - 135h_{99} - 135h_{101} - 135h_{102} + 468h_{103} + 738h_{104} + 10(27h_{105} - 2h_{174} - 3h_{189} - 3h_{190} + 3h_{193} + 3h_{194}) + a_6(-303 + 333N_3) + a_2(-606 + 666N_3)).$$
(F63)

Finally, in order to incorporate the spin charge  $\kappa_s$ , a last set of 24 coefficients must acquire the following form:

$$h_7 = \frac{1}{8} \left( -15d_1 + 4(4h_5 + 8h_6 + h_9) - 30h_{25} \right), \tag{F64}$$

$$h_{10} = -h_9, (F65)$$

$$h_{11} = -\frac{3}{2}d_1 + 3h_6 + h_9 - 3h_{25}, \tag{F66}$$

$$h_{13} = 0, \tag{F67}$$

$$h_{16} = 0,$$
 (F68)  
 $h_{18} = 0$  (F69)

$$n_{18} = 0,$$
 (F09)

$$h_{20} = \frac{1}{8}(d_1 - 2h_{23} + 2h_{25}), \tag{F70}$$

$$h_{22} = \frac{1}{6480} \left( -18375d_1 + 4 \left( 8000h_5 + 16000h_6 + 2000h_9 - 2625h_{23} + 6 \left( -2200h_{25} - 4500h_{28} + 875h_{41} + 1145h_{42} + 990h_{43} + 1095h_{44} + 1365h_{45} + 1116h_{53} - 1116h_{55} + 1116h_{56} + 1116h_{57} + 3348h_{59} - 3348h_{61} + 36549h_{65} - 18755h_{66} + 744h_{91} + 744h_{92} + 744h_{94} + 496h_{95} - 713h_{96} + 1581h_{97} - 1395h_{99} - 1395h_{101} - 1395h_{102} + 4836h_{103} + 7626h_{104} + 5(558h_{105} - 216h_{144} - 108h_{145} + 216h_{146} + 108h_{148} + 270h_{151} - 18h_{152} + 270h_{153} - 18h_{154} - 10h_{178} - 40h_{179} - 10h_{180} - 4h_{181} - 164h_{182} - 4h_{184} - 20h_{185} + 26h_{186} + 144h_{187} + 54h_{188} + 65h_{189} + 115h_{190} - 112h_{191} - 152h_{192} - 99h_{193} - 129h_{194}) \right) + 60264a_6(-1+N_3) \right) + \frac{93}{5}a_2(-1+N_3),$$
(F71)

$$h_{24} = \frac{1}{2}(h_{23} + h_{25}), \tag{F72}$$

$$h_{36} = -2d_1 + \frac{8}{3}h_5 + \frac{16}{3}h_6 + \frac{2}{3}h_9 + h_{23} - 5h_{25} + 6h_{33} - 2(h_{41} + h_{42} - 3h_{43}),$$
(F73)

$$\begin{split} h_{30} &= \frac{1}{12440} \bigg( -8985d_1 + 16000h_5 + 32000h_6 + 4000h_9 - 6 \bigg( 1080h_{21} + 1415h_{23} \\ &+ 4265h_{25} + 2 \bigg( 4500h_{28} - 875h_{41} - 1415h_{42} - 855h_{43} - 1230h_{44} \\ &- 1230h_{45} - 1116h_{55} + 1116h_{55} - 1116h_{56} - 1116h_{57} - 3348h_{59} \\ &+ 3436h_{61} - 36549h_{65} + 15875h_{66} - 744h_{91} - 744h_{92} - 744h_{91} \\ &- 496h_{95} + 713h_{96} - 1581h_{97} + 1395h_{96} + 1395h_{101} + 1395h_{102} \\ &- 4836h_{103} - 7626h_{104} - 5 (558h_{105} - 216h_{144} - 108h_{145} + 216h_{145} \\ &+ 108h_{148} + 270h_{151} - 18h_{152} + 270h_{253} - 18h_{154} - 10h_{175} - 40h_{179} \\ &- 10h_{180} - 4h_{181} - 164h_{182} - 4h_{184} - 20h_{185} + 26h_{186} + 144h_{187} \\ &+ 54h_{1488} + 65h_{106} - 115h_{100} - 12h_{116} - 152h_{192} - 99h_{103} \\ &- 129h_{194} \bigg) \bigg) + 30132a_{6} (-1 + N_{3}) \bigg) + \frac{3}{5}a_{2} (-1 + N_{3}), \\ (F74) \\ h_{155} = \frac{1}{48} \bigg( 2(6d_{1} - 8h_{5} - 16h_{6} - 2h_{9} - 3h_{23} + 15h_{25} + 6(h_{41} + h_{42} - 3h_{43} \\ &- h_{74} + h_{75} + 4h_{78} + 12h_{132} - 2h_{144} - h_{145} - 2h_{146} - h_{148} + h_{151} \\ &- h_{152} - h_{153} + h_{154} + h_{102} \bigg) - 42a_{2}(1 + 3N_{3}) - 21a_{6}(1 + 3N_{3}) \bigg), \\ (F75) \\ h_{164} = \frac{1}{4} (3h_{100} - h_{102}), \\ h_{164} = \frac{1}{4} (3h_{100} - h_{102}), \\ h_{164} = 1270h_{6} - 572h_{160} + 5724h_{61} - 62487h_{65} + 32065h_{60} - 1272h_{91} \\ &- 1272h_{92} - 1272h_{94} - 8848h_{96} + 1219h_{96} - 2703h_{97} + 2385h_{99} \\ &+ 2385h_{101} + 2385h_{102} - 2(4134h_{133} + 6519h_{104} + 5(477h_{105} + 45h_{151} \\ &+ 45h_{122} + 45h_{152} + 45h_{154} + 7h_{175} - 40h_{156} - 22h_{158} - 108h_{56} \\ &- 1908h_{57} - 5724h_{96} + 524h_{16} - 2385h_{96} - 2703h_{97} + 2385h_{99} \\ &+ 2385h_{101} - 2385h_{102} - 2(4134h_{136} + 6519h_{104} + 5(477h_{105} + 45h_{151} \\ &+ 45h_{122} + 45h_{153} + 45h_{153} + 80h_{186} + 619h_{104} + 5(477h_{105} + 45h_{151} \\ &+ 45h_{122} + 2h_{143} + 36h_{53} - 36h_{55} + 36h_{56} - 128h_{56} - 128h_{56} \\ &- 1280h_{96} - 37h_{96} - 24h_{194} + 2h_{125} - 24h_{138} + 3h_{139} - 24h_{138} + 3h_{139} \\ &+ 1179h_{55$$

$$\begin{split} &-55h_{156}+36h_{187}+63h_{188}-7h_{189}-2h_{199}+32h_{191}+28h_{192}\\ &-54h_{193}-57h_{104}))+54a_2(-523+573N_3)+27a_6(-523+573N_3)), \eqno(F79)\\ \\ &h_{207}=\frac{1}{2600}\left(-110052a_2-55026a_6+1650d_1+5600h_5+11200h_6+1400h_9\\ &-3\left(2315h_{23}+7325h_{25}+2\left(31500h_{28}-2315h_{41}-2315h_{42}+915h_{43}\right)\right)\\ &+2550h_{44}+2550h_{45}-3276h_{55}+3276h_{55}-3276h_{56}-3276h_{57}\\ &-9828h_{50}+9828h_{61}-107289h_{65}+5055h_{66}-2184h_{61}-2184h_{92}\\ &-2184h_{94}-1456h_{45}+2093h_{96}-4641h_{67}+4095h_{99}+4095h_{111}\\ &+4095h_{102}-14196h_{103}-22386h_{104}-51638h_{105}-180h_{122}\\ &-180h_{154}+1260h_{158}-120h_{174}+74h_{178}+80h_{179}-70h_{180}-28h_{181}\\ &+4h_{182}-100h_{184}+76h_{185}+110h_{186}-72h_{187}-126h_{188}-121h_{189}\\ &-131h_{190}-64h_{191}-56h_{192}+243h_{193}+249h_{191})\right)+60426(2a_2\\ &+a_6)N_3\right), \eqno(F80)\\ &h_{26}=\frac{1}{6400}\left(18375d_1+4\left(-8000h_5-16000h_6-2000h_9+1620h_{21}+3435h_{23}\right)\\ &+6\left(2005h_{25}+4500h_{28}-875h_{41}-1145h_{42}-990h_{45}-1095h_{44}\right)\\ &-1365h_{40}-116h_{63}+1116h_{65}-1116h_{67}-3348h_{59}\right)\\ &+3348h_{61}-3654h_{96}+155h_{96}+1164h_{61}-1146h_{77}-3348h_{59}\right)\\ &+3348h_{61}-3654h_{96}+155h_{97}+1395h_{96}+1395h_{101}+1395h_{102}\\ &-4836h_{103}-7626h_{104}-5(558h_{105}-216h_{144}-108h_{145}+216h_{146}\\ &+108h_{148}+270h_{151}-18h_{152}+270h_{153}-18h_{154}-10h_{178}-40h_{179}\\ &-10h_{179}-10h_{179}-12h_{152}+270h_{153}-18h_{154}-10h_{178}-40h_{179}\\ &-10h_{180}-4h_{181}-16h_{182}+270h_{153}-18h_{154}-10h_{178}-40h_{179}\\ &-10h_{180}-4h_{181}-16h_{182}+270h_{153}-18h_{254}-20h_{184}-24h_{184}\\ &+126h_{168}+45h_{198}+15h_{199}-112h_{191}-152h_{192}-99h_{133}\\ &-129h_{194}))-60264a_6(-1+N_3)\right)-\frac{93}{6}a_2(-1+N_3), \eqno(F81)\\ h_{124}=\frac{1}{72}\left(-24d_1+32h_5+64h_6+8h_9+12h_{23}-60h_{25}-24h_{14}-24h_{42}\\ &+18(4h_{43}+h_{121}+h_{123})-30a_2(1+3N_3)-15a_6(1+3N_3)), \eqno(F82)\\ &+18(4h_{43}+h_{21}+h_{23})-30a_2(1+3N_3)-15a_6(1+3N_3)), \eqno(F82)\\ &-6\left(7020h_{28}+5795h_{41}+5795h_{42}-5445h_{43}+11700h_{44}+11700h_{45}\\ &-20412h_{33}+2250h_{54}+21762h_{55}-204212h_{56}-19062h_{57}+180$$

$$\begin{array}{l} +108a_2(-5053+5253N_3) \right), \qquad (F83) \\ h_{150} = \frac{1}{1350} \left( -1200d_1 + 1900h_5 + 3800h_6 + 475h_9 + 3 \left( 65h_{23} - 1375h_{25} \right. \\ & -900h_{28} - 130h_{11} - 130h_{12} + 1080h_{13} - 150h_{14} - 150h_{15} + 468h_{53} \\ & -468h_{55} + 468h_{55} + 468h_{57} + 104h_{53} - 100h_{61} + 15327h_{65} \\ & -7865h_{96} + 312h_{91} + 312h_{92} + 312h_{94} + 2028h_{103} - 299h_{96} + 665h_{97} \\ & -585h_{99} - 585h_{101} - 585h_{102} - 220h_{10} + 34h_{12} - 5h_{130} - 426h_{101} - 34h_{12} \\ & -90h_{144} - 45h_{145} + 90h_{146} + 45h_{147} + 45h_{138} - 45h_{149} + 2(45h_{151} \\ & + 45h_{138} + 10h_{186} + 27h_{187} + 6h_{188} + 16h_{189} - 26h_{190} - 26h_{191} - 34h_{192} \\ & - 18h_{133} - 24h_{191}) \right) + 6318a_2(-1 + N_3) + 3159a_6(-1 + N_3) \right), \qquad (F84) \\ h_{157} = \frac{1}{18900} \left( 75d_1 + 5600h_5 + 11200h_6 + 1400h_9 + 5655h_{23} - 18825h_{25} \\ & + 6 \left( -31500h_{28} - 1885h_{41} - 1885h_{42} + 3285h_{43} - 2550h_{41} - 2550h_{45} \\ & + 36h_{33} - 36h_{55} + 36h_{56} + 36h_{57} + 108h_{59} - 108h_{51} + 1170h_{55} \\ & -605h_{66} + 24h_{91} + 24h_{92} + 24h_{94} + 16h_{95} - 23h_{96} + 51h_{97} - 45h_{99} \\ & -45h_{11} - 45h_{102} + 156h_{192} + 246h_{104} + 5(18h_{105} - 180h_{152} \\ & -100h_{184} + 76h_{1138} + 10h_{185} - 72h_{187} - 126h_{188} + 5h_{189} + 4h_{192} \\ & -100h_{184} + 76h_{1128} + 10h_{186} - 72h_{187} - 126h_{188} + 5h_{189} + 4h_{192} \\ & -100h_{184} + 76h_{1128} + 6h_{119} + 160h_{12} + 144h_{184} + 158h_{50} - 180h_{52} \\ & + 188h_{154} + 5h_{119} - 8h_{110} + 160h_{12} + 144h_{184} + 188h_{136} - 186h_{154} + 188h_{56} \\ & + 1584h_{57} + 4752h_{59} - 4752h_{61} + 51876h_{63} - 26620h_{66} + 1056h_{91} \\ & + 1056h_{92} + 1056h_{94} + 100h_{95} - 1022h_{94} + 224h_{97} - 1980h_{96} \\ & - 1980h_{101} - 1980h_{102} + 686h_{103} + 188h_{150} - 51h_{114} + 210h_{174} \\ & -8(43h_{178} + 55h_{179} - 35h_{180} - 26h_{181} + 38h_{182} - 65h_{184} + 47h_{185} \\ + 25h_{156} - 69h_{187} - 57h_{188} + 28h_{150} - 38h_{193} - 28h_{193} + 2h_{194} \\ + 106h_{13} + 78h_{103}) \right) + \frac{594}{25}a_{2}(-1 + N_{3$$

- A. Delhom, A. Jiménez-Cano, and F. J. Maldonado Torralba, "Instabilities in Field Theory: A Primer with Applications in Modified Gravity," SpringerBriefs in Physics. Springer, 2023.
- [2] K. S. Stelle, "Renormalization of Higher Derivative Quantum Gravity," Phys. Rev. D 16 (1977) 953–969.
- [3] M. Ostrogradsky, "Mémoires sur les équations différentielles, relatives au problème des isopérimètres," Mem. Acad. St. Petersbourg 6 (1850) no. 4, 385–517.
- [4] I. L. Buchbinder, S. D. Odintsov, and I. L. Shapiro, Effective action in quantum gravity. 1992.
- [5] R. P. Woodard, "Ostrogradsky's theorem on Hamiltonian instability," Scholarpedia 10 (2015) no. 8, 32243, arXiv:1506.02210 [hep-th].
- [6] C. Lanczos, "A remarkable property of the Riemann-Christoffel tensor in four dimensions," Annals Math. 39 (1938) 842–850.
- [7] D. Lovelock, "The Einstein tensor and its generalizations," J. Math. Phys. 12 (1971) 498-501.
- [8] T. Padmanabhan and D. Kothawala, "Lanczos-Lovelock models of gravity," *Phys. Rept.* 531 (2013) 115–171, arXiv:1302.2151 [gr-qc].
- [9] F. W. Hehl, J. D. McCrea, E. W. Mielke, and Y. Ne'eman, "Metric-Affine gauge theory of gravity: Field equations, Noether identities, world spinors, and breaking of dilation invariance," *Phys. Rept.* 258 (1995) 1–171, arXiv:gr-qc/9402012 [gr-qc].
- [10] M. Blagojević and F. W. Hehl, eds., Gauge Theories of Gravitation: A Reader with Commentaries. World Scientific, Singapore, 2013.
- [11] F. Cabral, F. S. Lobo, and D. Rubiera-Garcia, "Fundamental Symmetries and Spacetime Geometries in Gauge Theories of Gravity: Prospects for Unified Field Theories," *Universe* 6 (2020) no. 12, 238, arXiv:2012.06356 [gr-qc].
- [12] D. E. Neville, "Gravity Lagrangian with ghost-free curvature-squared terms," *Phys. Rev. D* 18 (1978) 3535.
  [13] E. Sezgin and P. van Nieuwenhuizen, "New ghost-free gravity Lagrangians with propagating torsion,"
- Phys. Rev. D **21** (1980) 3269.
- [14] E. Sezgin, "Class of ghost-free gravity Lagrangians with massive or massless propagating torsion," *Phys. Rev. D* 24 (1981) 1677–1680.
- [15] S. Miyamoto, T. Nakano, T. Ohtani, and Y. Tamura, "Linear approximation for the massless Lorentz gauge field," *Prog. Theor. Phys.* 69 (1983) 1236–1240.
- [16] M. Fukui and J. Masukawa, "Massless torsion fields. II. The case  $\alpha + 2a/3 = 0$ ," *Prog. Theor. Phys.* **73** (1985) 75.
- [17] K. Fukuma, S. Miyamoto, T. Nakano, T. Ohtani, and Y. Tamura, "Massless Lorentz gauge field consistent with
- Einstein's gravitation theory. The case  $\alpha + 3a/2 = \beta 2a/3 = \gamma + 3a/2 = 0$ ," *Prog. Theor. Phys.* **73** (1985) 874. [18] R. Battiti and M. Toller, "Zero-mass normal modes in linearized Poincaré gauge theories,"
- Lett. Nuovo Cim. 44 (1985) 35. [19] R. Kuhfuss and J. Nitsch, "Propagating Modes in Gauge Field Theories of Gravity," Gen. Rel. Grav. 18 (1986) 1207.
- [20] M. Blagojević and M. Vasilić, "Extra gauge symmetries in a weak-field approximation of an  $R + T^2 + R^2$  theory of gravity," *Phys. Rev. D* **35** (1987) 3748.
- [21] P. Baikov, M. Hayashi, N. Nelipa, and S. Ostapchenko, "Ghost and tachyon free gauge invariant, Poincaré, affine and projective Lagrangians," *Gen. Rel. Grav.* 24 (1992) 867–880.
- [22] H.-J. Yo and J. M. Nester, "Hamiltonian analysis of Poincaré gauge theory scalar modes," Int. J. Mod. Phys. D 8 (1999) 459–479, arXiv:gr-qc/9902032.
- [23] H.-J. Yo and J. M. Nester, "Hamiltonian analysis of Poincaré gauge theory: higher spin modes," Int. J. Mod. Phys. D 11 (2002) 747-780, arXiv:gr-qc/0112030.
- [24] Y.-C. Lin, M. P. Hobson, and A. N. Lasenby, "Ghost and tachyon free Poincaré gauge theories: A systematic approach," *Phys. Rev. D* 99 (2019) no. 6, 064001, arXiv:1812.02675 [gr-qc].
- [25] J. Beltrán Jiménez and A. Delhom, "Ghosts in metric-affine higher order curvature gravity,"
- *Eur. Phys. J. C* **79** (2019) no. 8, 656, arXiv:1901.08988 [gr-qc].
- [26] J. Beltrán Jiménez and F. J. Maldonado Torralba, "Revisiting the stability of quadratic Poincaré gauge gravity," Eur. Phys. J. C 80 (2020) no. 7, 611, arXiv:1910.07506 [gr-qc].
- [27] R. Percacci and E. Sezgin, "New class of ghost- and tachyon-free metric affine gravities,"
- Phys. Rev. D 101 (2020) no. 8, 084040, arXiv:1912.01023 [hep-th].
- [28] J. Beltrán Jiménez and A. Delhom, "Instabilities in metric-affine theories of gravity with higher order curvature terms," *Eur. Phys. J. C* 80 (2020) no. 6, 585, arXiv:2004.11357 [gr-qc].
- [29] Y.-C. Lin, M. P. Hobson, and A. N. Lasenby, "Ghost and tachyon free Weyl gauge theories: A systematic approach," *Phys. Rev. D* 104 (2021) no. 2, 024034, arXiv:2005.02228 [gr-qc].
- [30] C. Marzo, "Radiatively stable ghost and tachyon freedom in metric affine gravity," *Phys. Rev. D* 106 (2022) no. 2, 024045, arXiv:2110.14788 [hep-th].
- [31] A. Baldazzi, O. Melichev, and R. Percacci, "Metric-Affine Gravity as an effective field theory," Annals Phys. 438 (2022) 168757, arXiv:2112.10193 [gr-qc].
- [32] W. Barker and S. Zell, "Consistent particle physics in metric-affine gravity from extended projective symmetry," arXiv:2402.14917 [hep-th].
- [33] C. Marzo, "Can MAG be an EFT? Radiative Stability and Ghost Resurgence in Massive Vector Models,"

arXiv:2403.15003 [hep-th].

- [34] A. Jiménez-Cano and F. J. Maldonado Torralba, "Vector stability in quadratic metric-affine theories," JCAP 09 (2022) 044, arXiv:2205.05674 [gr-qc].
- [35] S. Bahamonde and J. Gigante Valcarcel, "Stability of Poincaré gauge theory with cubic order invariants," *Phys. Rev. D* 109 (2024) no. 10, 104075, arXiv:2402.08937 [gr-qc].
- [36] J. D. McCrea, "Irreducible decompositions of non-metricity, torsion, curvature and Bianchi identities in metric-affine spacetimes," *Class. Quant. Grav.* 9 (1992) 553–568.
- [37] S. Bahamonde, J. Chevrier, and J. Gigante Valcarcel, "New black hole solutions with a dynamical traceless nonmetricity tensor in Metric-Affine Gravity," *JCAP* 02 (2023) 018, arXiv:2210.05998 [gr-qc].
- [38] J. Beltran Jimenez and T. S. Koivisto, "Spacetimes with vector distortion: Inflation from generalised Weyl geometry," *Phys. Lett. B* **756** (2016) 400-404, arXiv:1509.02476 [gr-qc].
- [39] J. Beltran Jimenez and L. Heisenberg, "Derivative self-interactions for a massive vector field," *Phys. Lett. B* **757** (2016) 405-411, arXiv:1602.03410 [hep-th].
- [40] J. Beltran Jimenez, L. Heisenberg, and T. S. Koivisto, "Cosmology for quadratic gravity in generalized Weyl geometry," JCAP 04 (2016) 046, arXiv:1602.07287 [hep-th].
- [41] M. Hohmann, "Metric-Affine Geometries with Spherical Symmetry," Symmetry 12 (2020) no. 3, 453, arXiv:1912.12906 [math-ph].
- [42] F. Loebbert, "The Weinberg-Witten theorem on massless particles: An Essay," Annalen Phys. 17 (2008) 803-829.
- [43] K. Aoki, S. Bahamonde, J. Gigante Valcarcel, and M. A. Gorji, "Cosmological perturbation theory in metric-affine gravity," *Phys. Rev. D* 110 (2024) no. 2, 024017, arXiv:2310.16007 [gr-qc].