

All Languages Matter: Evaluating LMMs on Culturally Diverse 100 Languages

Ashmal Vayani^{1, 2} ♣, Dinura Dissanayake² ♣, Hasindri Watawana² ♣, Noor Ahsan² ♣, Nevasini Sasikumar² ♣, Omkar Thawakar² ♣, Henok Biadgign Ademtew, Yahya Hmaiti, Amandeep Kumar, Kartik Kuckreja, Mykola Maslych, Wafa Al Ghallabi, Mihail Mihaylov, Chao Qin, Abdelrahman M Shaker, Mike Zhang, Mahardika Krisna Ihsani, Amiel Esplana, Monil Gokani, Shachar Mirkin, Harsh Singh, Ashay Srivastava, Endre Hamerlik, Fathinah Asma Izzati, Fadillah Adamsyah Maani, Sebastian Cavada, Jenny Chim, Rohit Gupta, Sanjay Manjunath, Kamila Zhumakhanova, Feno Heriniaina Rabevohitra, Azril Amirudin, Muhammad Ridzuan, Daniya Kareem, Ketan More, Kunyang Li, Pramesh Shakya, Muhammad Saad, Amirpouya Ghasemaghaei, Amirbek Djanibekov, Dilshod Azizov, Branislava Jankovic, Naman Bhatia, Alvaro Cabrera, Johan Obando-Ceron, Olympiah Otieno, Fabian Farestam, Muztoba Rabbani, Sanoojan Baliah, Santosh Sanjeev, Abduragim Shtanchaev, Maheen Fatima, Thao Nguyen, Amrin Kareem, Toluwani Aremu, Nathan Xavier, Amit Bhatkal, Hawau Toyin, Aman Chadha³ ♣, Hisham Cholakkal² ♣, Rao Muhammad Anwer^{2, 4} ♣, Michael Felsberg⁶ ♣, Jorma Laaksonen⁴ ♣, Tamar Solorio² ♣, Monojit Choudhury² ♣, Ivan Laptev² ♣, Mubarak Shah^{1, 3} ♣, Salman Khan^{2, 5} ♣, Fahad Shahbaz Khan^{2, 6} ♣

♣ Core Authors

¹University of Central Florida, ²Mohamed bin Zayed University of AI, ³Amazon, ⁴Aalto University, ⁵Australian National University, ⁶Linköping University

<https://mbzuai-oryx.github.io/ALM-Bench/>






Figure 1. ALM-bench comprises a diverse set of 100 languages with manually verified annotations by respective native language experts. Here, qualitative examples highlight the comprehensive set of 13 cultural aspects covered in the benchmark, such as heritage, customs, architecture, literature, music, and sports. It also evaluates visual understanding for six generic aspects. The ALM-bench focuses on low-resource languages and different regions, spanning 73 countries across five continents and 24 distinct scripts. ALM-bench covers diverse questions, such as multiple choice questions (MCQs), true/false (T/F), short and long visual question answers (VQAs).



(a) Performance comparison of open vs. closed-source models.



(b) Performance on various cultural categories.

Figure 2. Benchmarking LMMs on diverse languages & cultures: (a) Performance of various open versus closed-sourced LMMs on ALM-bench. For each LMM, we also report performance on low versus high-resource languages. All these carefully selected models were released after 2023. (b) Performance of high-performing LMMs on our culturally curated 13 categories available in our ALM-bench.

Abstract

Existing Large Multimodal Models (LMMs) generally focus on only a few regions and languages. As LMMs continue to improve, it is increasingly important to ensure they understand cultural contexts, respect local sensitivities, and support low-resource languages, all while effectively integrating corresponding visual cues. In pursuit of culturally diverse global multimodal models, our proposed All Languages Matter Benchmark (ALM-bench) represents the largest and most comprehensive effort to date for evaluating LMMs across 100 languages. ALM-bench challenges existing models by testing their ability to understand and reason about culturally diverse images paired with text in various languages, including many low-resource languages traditionally underrepresented in LMM research. The benchmark offers a robust and nuanced evaluation framework featuring various question formats, including true/false, multiple choice, and open-ended questions, which are further divided into short and long-answer categories. ALM-bench design ensures a comprehensive assessment of a model’s ability to handle varied levels of difficulty in visual and linguistic reasoning. To capture the rich tapestry of global cultures, ALM-bench carefully curates content from 13 distinct cultural aspects, ranging from traditions and rituals to famous personalities and celebrations. Through this, ALM-bench not only provides a rigorous testing ground for state-of-the-art open and closed-source LMMs but also highlights the importance of cultural and linguistic inclusivity, encouraging the development of models that can serve diverse global populations effectively. Our benchmark is publicly available.

1. Introduction

In recent years, large multimodal models (LMMs) have seen significant progress across a variety of vision-language

tasks [2, 5, 10, 28, 30, 36, 41]. Despite these advances, a major limitation remains in the models’ capacity to understand and respond accurately to cultural and linguistic diversity [37]. Current LMMs perform well in widely spoken languages with substantial training data but struggle with low-resource languages and nuanced cultural contexts, limiting their effectiveness on a global scale [29].

Existing benchmarks for evaluating multilingual and multicultural capabilities in LMMs are limited in scope, often representing only a small subset of cultures and languages. Such benchmarks generally focus on high-resource languages and overlook the cultural richness of low-resource languages, which hinders the development and evaluation of models that can serve diverse populations across the globe. For instance, CulturalVQA [32] and GD-VCR [45] focus on culturally specific content in English and do not reflect global cultural diversity. Similarly, the Henna benchmark [4] includes cultural information from 11 countries but is restricted to the Arabic language. In terms of multilingualism, existing benchmarks [12, 15, 27, 40, 43, 48] include multilingual data but remain constrained by limited cultural diversity and are often restricted to only single question type. This gap highlights the need for a more comprehensive benchmark that addresses both linguistic and cultural inclusivity in LMMs.

To address these challenges, we introduce a culturally and linguistically diverse multimodal benchmark: All Languages Matter Benchmark (ALM-bench). ALM-bench is specifically designed to evaluate LMMs across a diverse set of 100 languages, including many low-resource ones, with a strong emphasis on cultural depth. The complete list of these languages is presented in the Tab. A.3 (suppl. material). In comparison to the recent CVQA benchmark [37], ALM-bench offers 3x more languages, more diverse question types, and ~2x more image domains and samples with an extensive focus on fine-grained cultural aspects (Fig. 1).

Benchmark	Multilingual	# of Languages	# of Scripts	Total Domains	Total Samples	Question Types	Question Forms	Annotation Type	Cultural Specific Content	Open-Source	Bias Correction	Diversity
Henna [4]	✗	1	1	5	1132	SVQA, LVQA	-	Auto+Manual	✓	✗	✓	✗
CulturalVQA [32]	✗	1	1	5	2378	SVQA	-	Manual	✓	✗	-	✗
GD-VCR [45]	✗	1	1	1	886	MCQ	Fixed	Manual	✓	✓	✗	✓
SEED-Bench [21]	✗	1	1	12	19242	MCQ	Diverse	Auto+Manual	✗	✓	✗	✗
SEED-Bench2 [22]	✗	1	1	34	24371	MCQ	Diverse	Auto+Manual	✗	✓	✗	✓
MMStar [9]	✗	1	1	18	1500	MCQ	Fixed	Auto+Manual	✗	✓	✓	✗
MM-Vet [46]	✗	1	1	16	218	SVQA, LVQA	Fixed	Manual	✗	✓	✗	✗
MMMU [47]	✗	1	1	30	11550	MCQ, SVQA	Fixed	Manual	✗	✓	✓	✓
CVQA [37]	✓	31	13	10	10000	MCQ	Fixed	Manual	✓	✓	✗	✓
MMMB [40]	✓	6	4	15	12000	TF, MCQ	Fixed	Auto+Manual	✗	✓	✓	✓
MMBench [27]	✓	2	2	20	2974	MCQ	Fixed	Auto+Manual	✗	✓	✓	✗
EXAMS-V [12]	✓	11	4	20	20932	MCQ	Diverse	Manual	✗	✓	✗	✓
MaRVL [25]	✓	5	3	11	7630	TF	Fixed	Manual	✓	✓	✓	✗
M3Exam [48]	✓	9	3	4	12317	MCQ	Diverse	Auto+Manual	✗	✓	✗	✓
MaXM [8]	✓	7	5	-	2142	SVQA	Fixed	Auto+Manual	✗	✓	✓	✓
xGQA [34]	✓	8	5	-	12578	Y/N, SVQA	Fixed	Manual	✗	✓	✗	✓
M4U [43]	✓	3	2	64	8931	MCQ	Fixed	Auto+Manual	✗	✓	✓	✗
MME [15]	✓	2	2	14	2370	Y/N	Fixed	Manual	✗	✓	✗	✗
Ours	✓	100	24	19	22763	MCQ, SVQA, LVQA, TF	Diverse	Auto+Manual	✓	✓	✓	✓

Table 1. Comparison of various LMM benchmarks with a focus on multilingual and cultural understanding. The *Domains* indicate the range of aspects covered by the dataset for each language. *Question Form* is categorized as "Diverse" if the questions phrasing varies, and "Fixed" otherwise. *Annotation Types* are classified as "Manual" if questions were originally in the local language, "Manual+Auto" if questions were generated or translated using GPT-4/Google API and subsequently validated by human experts, and "Auto" if generated or translated automatically without human validation. *Bias Correction* reflects whether the dataset is balanced across cultures and countries, while *Diversity* indicates whether the dataset includes both Western and non-Western minority cultures. '-' means information not available.

With these enhancements, ALM-bench aims to assess the next generation of massively multilingual multimodal models in a standardized way, pushing the boundaries of LMMs towards better cultural understanding and inclusivity.

Our evaluations with 16 recent state-of-the-art LMMs show that existing models suffer from low-resource languages and cultures (Fig. 2). The analysis also shows a significant gap between the open and closed-source models in understanding cultural and linguistic nuances in a multimodal setting; e.g., GPT4o performs 27% better than the best open-source model (GLM-4V). Our evaluations across scripts and language groups highlight the need to improve the understanding of underrepresented regions, such as Southeast Asia and West Africa. We also show how simple prompting techniques can help improve LMM performance.

Our contributions can be summarized as follows:

- We introduce ALM-bench, a culturally diverse multilingual and multimodal VQA benchmark covering 100 languages with 22.7K question-answers. ALM-bench encompasses 19 generic and culture-specific domains for each language, enriched with four diverse question types.
- ALM-bench is meticulously curated and verified with native-language experts (over 800 hours of human annotators), ensuring cultural relevance and accuracy across low- and high-resource languages alike.
- We benchmark existing LMMs on ALM-bench, identifying performance gaps and areas for improvement, especially in culturally complex multilingual scenarios.

2. Related Work

To align large language models (LLMs) with human preferences, various approaches have been developed [35, 39, 50]. Over time, these methods are extended to enable LLMs to be sensitive to geo-diverse cultural values [1, 24]. This evolution has broadened their applicability to both multilingual and multimodal LLMs, enabling greater engagement with users from diverse linguistic and cultural backgrounds. Despite this progress, LMM benchmarks often fail to adequately address cultural aspects, especially for low-resource languages. Models such as GPT-4V [2] and Gemini 1.5 Pro [41] perform well on existing multimodal benchmarks, but these evaluations often lack in capturing the intricacies of multilingual and culturally diverse interactions. Open-source models, in particular, face challenges in accurately representing geodiverse values (e.g., local beliefs, rituals, and traditions), underscoring the need for a culturally aware evaluation framework for LMMs (see Tab. 1).

Several recent benchmarks have been developed to evaluate the cultural aspects of multilingual LMMs, such as, the Henna benchmark [4] representing cultural information from 11 countries with nearly 1,132 samples. However, it is restricted to the Arabic language, covering only five domains while being closed-source. Other benchmarks, such as CulturalVQA [32] and GD-VCR [45] are also small-scale and focus only on culturally specific content. These benchmarks are limited to English and struggle to encompass the full spectrum of global cultural diversity. Their samples are unevenly distributed across countries and domains, which may lead to skewed assessment.

Benchmarks such as SEED-Bench [21, 22] and MMStar




Figure 3. Data collection and verification pipeline. Our benchmark features both cultural specific content sourced from the web (left) and generic image understanding collection sourced from existing LMM benchmark. The cultural part is carefully filtered to remove noisy samples and private information. We use GPT4o for translations which are manually verified and corrected with over 800 hours of human annotators (native speakers). Our ALM-bench has diverse question types and features approximately 23K QA pairs in total in 100 languages.

[9] extend the CC3M dataset [33] to cover an extended set of domains. Despite their broader scope, these benchmarks lack cultural nuance and are constrained to multiple-choice questions (MCQ) which only assess the LMMs in one dimension. Although MM-Vet [46] and MMMU [47] offer a variety of question types, they primarily address basic perceptual abilities without demanding in-depth cultural reasoning or expert-level domain knowledge.

For multilingual LMM benchmarking, CVQA [37] represents a recent effort, collecting cultural samples across 31 languages. However, it is limited to a single question type, MCQ, and features only a small proportion of samples on traditions and rituals. Similarly, MaRVL [25] covers five languages but lacks probing into cultural common sense and primarily focuses on non-Western cultural information, resulting in limited diversity. Other benchmarks, including MMBB [40], MMBench [27], Exams-V [12], M3Exam [48], M4U [43], and MME [15], do include multilingual evaluation samples. However, they are constrained by a lack of cultural diversity in their datasets, cover fewer languages, and are restricted to a single question type (e.g., MCQs).

Our proposed benchmark, ALM-bench, bridges the aforementioned gaps (see Tab. 1) by introducing a culturally diverse dataset covering Western and non-Western regions, low and high-resource languages (100 in total), and specific regional dialects (e.g., Emirati Arabic, Egyptian Arabic). ALM-bench provides a robust evaluation framework for Multilingual LMMs, enabling a comprehensive assessment of their generic and cultural adaptability and promoting inclusivity in multilingual multimodal AI research.

3. ALM Benchmark

ALM-bench provides global coverage, featuring both generic and culture-specific image samples that preserve the nuances of native languages in VQAs (Fig. 4). It includes diverse QA formats such as MCQs, True/False, and open-ended VQA (long and short) under 19 domains, grouped into generic and cultural categories Tab. A.1 (suppl. material).




Figure 4. Data statistics of our ALM-bench showing the diversity of the scripts, global coverage, comprehensive categories, and various question types. Our dataset contains 22.7K high-quality question-answers in total, covering 100 languages and 24 scripts. All the samples are manually verified by native speakers.

The *generic* category includes six domains: indoor and outdoor scenes, memes, paintings, food items, and sketches following [26]. The *cultural* category spans 13 comprehensive domains—Architecture, Customs, Economy, Festivals, Food, Heritage, Lifestyle, Literature, Media, Music, Notable Figures, Religion, and Sports—adding depth to cultural representation across languages. While some of these domains have been previously explored [3, 31, 32, 37], they are investigated in limited languages and do not fully capture the depth of cultural nuances. Our work introduces six unique domains, including literature, music, festivals, economy, media, and notable key figures to better capture cultural richness across diverse languages. More details are in Sec. A (suppl. material)

ALM-bench comprises of 22,763 diverse questions across all subsets in 100 languages (see Fig. 4). The dataset spans 73 countries across five continents, capturing the cultural nuances of both underrepresented and predominant languages from different regions. We include 24 language scripts (Fig. 7) and 15 language families, with *Latin* being the most prevalent script, covering 53 languages, followed by *Cyrillic* with 10 languages; and *Arabic* with 9 languages. In terms of language families, *Indo-European* is the largest group, encompassing 55 languages, with Afro-Asiatic and

Austronesian each representing eight languages (Fig. 9).

3.1. Data Collection and Annotation

Country-Language pairs. Our cultural data samples are curated from the country with the most prominent presence of each specific culture. We carefully selected 100 languages across 73 countries and five continents, striking a balance between low- and high-resource languages and between Western and non-Western cultures to ensure linguistic and cultural diversity. The selection criteria also consider the number of native speakers and the availability of speakers to validate and annotate the curated samples.

To accurately capture the cultural nuances of each language, we follow [32] and link each language to a country based on the *World Values Survey* [17] to cover social, ritualistic, and cultural values. For multilingual countries like India, multiple languages are associated to capture their cultural diversity. For each country-language pair, we collect cultural samples for all 19 generic and cultural domains.

Generic VQA Curation. Our ALM-bench has both generic and cultural questions. To evaluate visual understanding in 100 languages on generic scenes, e.g., indoor and outdoor images, we source examples from a well-known English-only LMM benchmark *LLaVA-Bench (In-the-Wild)* [26]. These English instructions are extended to the remaining 99 languages using GPT-4o followed by manual correction from native speakers. In some cases where the GPT-4o translations are poor, the annotators also translate the instructions from scratch. It results in a total of 6,000 open-ended samples across 100 languages for *generic* VQA.

Cultural Image Curation. To curate diverse cultural image-QA pairs, we collect open-licensed images and their corresponding metadata from the Internet, focusing on specific country-language pairs across various cultural domains. For each domain, we go through several filtration steps, e.g., removing low-resolution images and removing redundant samples to ensure diversity. To maintain high-quality and cultural relevance, we ask expert native speakers of each language to manually verify the quality and cultural diversity of these images. Images lacking cultural relevance are removed from the dataset. This manual filtration process discarded nearly 10.7% of the images. To ensure privacy, we blur any personally identifiable details (PIDs) and textual information in image that may directly leak the answer. Fig. 3 shows our data collection and verification pipeline.

Cultural QA Generation. ALM-bench dataset covers different question types. To generate high-quality cultural questions, we utilize GPT-4o to create QA pairs based on the provided images and their metadata. Notably, images and QAs are not shared across languages in the cultural set. For each image, we generate two MCQs, two short questions, a long question, and a true/false question in English. We instruct GPT-4o to emphasize the cultural concepts de-




Figure 5. Analysis of the type of mistakes GPT-4o made while language translations via human-feedback. GPT-4o encounters more issues with respect to semantic and grammatical errors.

icted in each image, generate questions that require a visual understanding of an image, and not perpetuate bias and stereotypes. To mitigate the randomness in multiple choice and true/false, we ensure that these questions can also be answered when converted to open-ended questions [37]. We also evaluate with shuffled orders, predicting the entire chosen option rather than just the leading *alphabet*. The detailed instructions are presented in Sec. I (suppl. material.)

Filtration and Translation Errors. Given the QA pairs, we translate them to remaining 99 languages using GPT4o, followed by manual correction from native speakers. Similar to image filtering, native speakers assess translation quality and make detailed corrections to provide culturally grounded answers focusing on core cultural aspects. They also discard redundant and culturally irrelevant QAs.

We note several challenges in GPT-4o’s translations across 100 languages. Specifically, GPT-4o demonstrates difficulty in generating culturally grounded QA pairs across diverse languages. To analyze these issues, mistakes from the GPT-4o model in translations are categorized into four types: *semantic error*, *cultural error*, *language error*, and *grammatical error*. We sample 57 question-answer pairs from 51 randomly selected languages and plotted error distribution in Fig. 5. Notably, GPT-4o encounters more issues with semantic and grammatical accuracy when translating into different languages. We show examples of such errors in Fig. A.2 (suppl. material).

4. Benchmarking LMMs on ALM-bench

As discussed earlier, ALM-bench comprises four different question types: MCQs, T/F, Short and Long VQA. Therefore, we employ different prompts for each type of question. We use GPT-4o as a judge and prompt it to score responses of various question types with different criterion. We use *accuracy* for MCQs and T/F, *correctness* for short VQAs (SVQAs), and *consistency*, *fluency*, and *relevance* for long VQAs (LVQAs).

Here, correctness refers to how closely the model’s output aligns with the ground-truth [26]. For LVQAs, the consistency assesses whether the predicted answer is coherent across the entire generated output [20]. The fluency metric measures the naturalness and readability of model




Figure 6. ALM-bench Performance comparison of different open and closed-sourced models (y-axis) on the 100 languages (x-axis) of our ALM-bench. The performance is represented as an average accuracy across all questions in a language. The actual performance of a model on a language is shown in each respective box, where the higher accuracy is highlighted with a high color intensity. The closed-source proprietary models generally perform better across languages compared to their open-sourced counterparts. The performance on several high resource languages (e.g., English, French, Chinese and Spanish) is generally higher throughout different models, whereas all open-source models struggle on low resource languages (e.g., Amharic, Kinyarwanda, Burmese) Overall, GPT-4o and GLM-4V-9B performs better in terms of closed-source and open-source models, respectively. Best viewed zoomed in.




Figure 7. Performance comparison of GPT-4o and Qwen2-VL on different language scripts. The count above each bar indicates the number of languages present in that script.

prediction [38, 42], whereas the relevancy metric determines whether the relevancy prediction provides answers directly related to ground truth [7]. To ensure fair evaluation for decision-making questions (T/F and MCQs) using GPT-4o as a judge, we also show consistent performance using LLaMA-3.8.1B-Instruct [14] in Tab. A.2 (suppl. material).

Overall Results: Fig. 6 presents the per-language performance of 16 recent LMMs on the ALM-bench. The results offer a number of insights: (a) the closed-source proprietary models (GPT-4o [2] and Gemini-1.5-Pro [41]) generally perform better across the 100 languages, compared to their open-source counterparts. The best closed-source model, GPT-4o, achieves an overall accuracy of 78.8% compared to 51.9% overall accuracy obtained by the best performing open-source model GLM-4V-9B [16]. Both closed-source models struggle with several low-resource languages (e.g., Amharic, Kinyarwanda, Burmese, and Sanskrit). For instance, the performance of GPT-4o significantly drops from 88.4% for the English language to 50.8% for the Amharic language. (b) Several open-source models (GLM-4V-9B [16], Qwen2-VL [44], Molmo [13], LLaVA-OneVision [23]) achieve comparable overall performance.

Similar to their closed-source counterparts, open-source models also struggle with low-resource languages. For in-

stance, the performance of GLM-4V-9B [16] dramatically drops from 80.3% for the English language to 15.6% for the Amharic language.

Fig. 2a presented earlier further shows the overall performance breakdown in terms of high- and low-resource languages across different models. It is worth mentioning that our ALM-bench comprises 50 high-resource and 50 low-resource languages following the definition of low-resource languages as in [11]. (c) Fig. 2a reveals a substantial performance gap between high-resource and low-resource languages consistent across different models, with GPT-4o showing a 6% drop. This performance gap extends to more than 8% in case of some open-source models (e.g., GLM-4V-9B [16], Qwen2-VL [44]). A notable exception is the performance of closed-source Gemini-1.5-Pro [41], which does not deteriorate significantly for low-resource languages.

Next, we present further results analysis.

How important is visual context? To investigate this question, we ran an experiment with only the base LLM of various LMMs used in our evaluation. We randomly sample 50 languages and prompt the respective LLM with a textual question without the visual input. Our results demonstrate that the visual context is important to answer several questions in our benchmark and the LLMs struggle without input images. For instance, GPT-4o [2] performance drops by absolute 27.3% when prompted with textual questions alone. Specifically, it shows a significant performance gain in languages such as Sinhala (38.7%), Sanskrit (50%), and Dutch (40%) when images are included. Similarly, Qwen2-7B gives a 13% absolute and 24.8% relative drop in performance without image inputs. This substantial performance drop underscores the robustness of our visual benchmark, revealing that without images, even the best-performing proprietary and open-source models LLMs struggle to answer accurately.




Figure 8. Error analysis across 4 diverse language scripts, including Bengali, Sinhalese, Latin and Cyrillic on GPT-4o results, demonstrates significant challenges for even the top-performing closed-source models, particularly in cultural and reasoning comprehension. The ALM-bench highlights these gaps, especially in languages with complex dialectal variations.




Figure 9. Performance comparison of GPT-4o and Qwen2-VL on different language families. The count above each bar indicates the number of languages present in that script.

Comparison across scripts: We further group the 100 languages in ALM-bench by script [11]. We use data from Ethnologue [6] and the Glottolog database [18] on language scripts, origins, and families. This resulted in 24 distinct script groups. Fig. 7 shows GPT-4o and Qwen2-VL performance across these scripts, with both models struggling particularly on low-resource scripts such as, *Ge'ez* (Amharic), *Sinhalese* (Sinhala), *Oriya* (Odia), and *Myanmar* (Myanmar-Burmese). While the results are not surprising as they highlight that existing models are being predominantly trained on high-resource languages, the extent of decline for low-resource scripts is noteworthy.

We conduct an error analysis on the cultural examples from ALM-bench by selecting one language per script and having native speakers review GPT-4o (best-performing model) responses. Errors were categorized into six types: lack of knowledge, reasoning error, perceptual error [47], language error, translation error, and lack of cultural understanding. Fig. 8 summarizes these error types across four scripts, showing that the primary issues involve knowledge gaps, reasoning errors, and cultural misunderstandings. Fig. 10 further illustrates specific errors across scripts. One such example in Sinhala asks about the type of music group that uses two traditional drums, the *Thammattama* and *Dhawula*, which are commonly played by *Hewisi* music

Models	With Country Info.	Without Country Info.
GPT-4o	83.57%	80.96%
Gemini-1.5-Pro	81.52%	76.19%
GLM-4V-9B	56.78%	56.41%
Qwen2-VL	53.97%	52.57%

Table 2. Performance of LMMs with and without additional country location information. Proprietary models show a notable performance boost of 2.6% to 5% when location-aware prompts are used, while open-source models exhibit a marginal improvement.

groups associated with traditional Buddhist festivals. Although GPT-4o correctly answered *Hewisi* and recognized its role in Buddhist festivals, the response is incorrectly written in the Sinhala language. This highlights GPT-4o’s language error with the Sinhalese script, demonstrating a gap in script proficiency despite grasping cultural context.

Comparison across language families: We also analyze the performance of LMMs by grouping the different languages with respect to 15 families taken from Britannica¹ as shown in Fig. 9.

Results show that performance on several African (*Atlantic-Congo*) languages such as Igbo, Kinyarwanda, Shona, Swahili, and Yoruba is inferior compared to several Asian (e.g., Chinese, Korean, Vietnamese) and Western languages (e.g., English, French, German).

Effect of question types: We perform this analysis on two closed-source (GPT-4o [2] and Gemini-1.5-Pro [41]) and two open-source (GLM-4V-9B [16], Qwen2-VL [44]) models, as shown in Fig. 11. Overall, we observe that all models fare better on decision-making questions (MCQs and T/F questions). Closed-source models perform better on long VQAs (LVQAs) than short VQAs (SVQA). We observe this trend to be the opposite in open-source models as they struggle to generate accurate and fluent long responses in a multilingual setting with 100 languages.

Are LMMs Culturally Aware? We study the cultural un-

¹<https://www.britannica.com/browse/Languages>









Saudi Arabic: Arabic Script	Afrikaans: Latin Script	Indonesian: Latin Script	Tamil: Tamil Script
<p>Question: الرجال في الصورة لايمنين اللبس التقليدي؟</p> <p>Ground Truth Answer: صح</p> <p>Predicted Answer: صح</p> <p>Score: 10</p> 	<p>Question: In watter provinsie van Suid-Afrika is die persoon op die beeld gebore?</p> <p>Ground Truth Answer: Oos-Kaap (Opsies: Oos-Kaap, Wes-Kaap, Gauteng, KwaZulu-Natal)</p> <p>Predicted Answer: Oos-Kaap</p> <p>Score: 10</p> 	<p>Question: Di manakah para pria Muslim Indonesia itu kemungkinan besar beribadah?</p> <p>Ground Truth Answer: Di tempat terbuka (Pilihan: Di tempat terbuka, Di dalam masjid, Di pasar, Di ruang kelas)</p> <p>Predicted Answer: Di tempat terbuka</p> <p>Score: 10</p> 	<p>Question: படத்தில் காட்டப்பட்டுள்ள படத்தின் தலைப்பு என்ன?</p> <p>Ground Truth Answer: தாயுழி</p> <p>Predicted Answer: படத்தின் தலைப்பு "தாயுழி".</p> <p>Score: 9</p> 
Category: Lifestyle	Category: Notable Key Figure	Category: Religion	Category: Media
Urdu: Arabic Script	Sinhala: Sinhalese Script	Amharic: Ge'ez Script	Japanese: Japanese Script
<p>Question: تصویر میں کون سا ایوارڈ منایا جا رہا ہے؟</p> <p>Ground Truth Answer: میلہ چیراغان</p> <p>Predicted Answer: یہ تصویر عید میلاد النبی کے جشن کی تکریب دکھاتی ہے جہاں عسارت کو روکنا اور پھولوں سے سجایا گیا ہے۔</p> <p>Reason for Error: Lack of Cultural Understanding</p> 	<p>Question: මෙම චිත්‍ර පටක නම් කළයුතු සංගීත ව්‍යවස්ථාපිත ගීතයක නම කුමක්ද?</p> <p>Ground Truth Answer: සෙරේම් කණ්ඩායමේ පිට ගීතය, කවුන්සලේට් කණ්ඩායමේ පිට ගීතය සහ පිට ගීතය වැනි වර්ගයක විය හැක.</p> <p>Predicted Answer: සෙරේම් ගීතය සහ පිට ගීතය, කවුන්සලේට් ගීතය සහ පිට ගීතය වැනි වර්ගයක විය හැක.</p> <p>Reason for Error: Language Error</p> 	<p>Question: በምስክሩ ላይ የተገኘው ባህላዊ አስባኝ ይታያል?</p> <p>Ground Truth Answer: ነጭ ብርቱኝ (ለማራጫዎች: ነጭ ብርቱኝ; ሰማያዊ ሳጠስ; ቀይ ማቀፊያዎች; አረንጓዴ ኪዳኖዎች)</p> <p>Predicted Answer: ነጭ ብርቱኝ::</p> <p>Reason: Language Error</p> 	<p>Question: この画像に描かれているのは誰ですか？</p> <p>Ground Truth Answer: この画像には織田信長が描かれています。</p> <p>Predicted Answer: この画像に描かれている人物が誰かはわかりません。</p> <p>Reason: Lack of Knowledge</p> 
Category: Festivals	Category: Music	Category: Lifestyle	Category: Notable Key Figures

Figure 10. We present the qualitative examples of the success cases in the first row and failure cases of GPT-4o in the second row on different languages & domains in ALM-bench. For the failure cases, we specify different error types. For instance, the Urdu language question asks about the festival depicted in the image. The image specifically refers to *Mela Chiraghan* (Festival of Lights), a celebration held in honor of the Sufi saint Shah Jamal’s shrine. Since the decoration in the image closely resembles that of Eid Milad un Nabi — another religious festival—the model erroneously associates it with this wrong event. This constitutes a lack of cultural understanding since the model fails to distinguish between the theme behind the decorations. Eid Milad un Nabi typically features more modest, reverential lighting with green lights, whereas the lighting in *Mela Chiraghan* is brighter and more colorful. Additionally, people typically dress for the Eid Milad un Nabi event in a traditional outfit which is absent in the image. These examples highlight the model’s gap in cultural knowledge and its limitations in terms of accurately interpreting the cultural context of the given sample. Additional results are in the suppl. material.




Figure 11. Performance of top-performing VLMs on ALM-bench according to different question types. Compared to open-ended questions, VLMs perform better on MCQs and T/F questions.

derstanding of LMMs on our 13 domains and report results in Fig. 2b. Overall, GPT-4o achieves the best results with an overall score of 80.3%. However, we observe a significant variation in performance across different cultural domains. For instance, GPT-4o achieves 83.7% on *Education and heritage* but drops to 72.7% on *Notable key figures* category. We conjecture this variation in performance likely arises since the higher-performing categories are covered in LMM training datasets, leading to better representation learning. In contrast, categories like *Notable Key Figures* and *Customs* are often culturally specific and nuanced across languages and regions.

Impact of location-aware information in prompts: We show the performance of LMMs when evaluated with additional country-specific information in Tab. 2. We randomly select 50 languages from the ALM-bench and include country information in the prompts to assess any potential performance gains. Here, we observe that closed-source models, including GPT-4o and Gemini-1.5-Pro, better utilize the added geographic context and indicate higher cultural specificity across languages than the open-source models.

5. Ethical Consideration

Data. Our cultural images in ALM-bench are sourced from the internet. Therefore, there may be potential biases in underrepresented domains. However, we believe ALM-bench represents a step forward in standardized multilingual-LMM evaluation, paving the way for greater inclusion of diverse cultural domains, languages, scripts, and origins. **Translations.** We use GPT-4o [2] for translations in 100 languages. The initial translations generated by GPT-4o undergo a thorough review by native speakers to ensure linguistic accuracy and cultural relevance to maintain high-quality standards across all language pairs. This combined approach enables consistent and accurate translations. **Human Annotations.** To ensure high-quality image fil-

tering and language annotation, we collaborated with linguistic groups and finalized over 60 volunteers for benchmark curation. For most languages, annotators were required to be either native or bilingual speakers. However, for certain low-resource languages like Igbo, Hungarian, and Afrikaans, proficiency was also acceptable. Annotators were required to be familiar with the cultural context of the specific country-language pair they were working with. Demographic details about the expert annotators are provided in Sec. B (suppl. material). Among them, 80.3% are native speakers, and 87.9% have lived for over 15 years in countries where the target language is spoken, thereby ensuring a deeper cultural insight. Furthermore, 46.7% of annotators both male and female, fall within the 18–25 age bracket.

6. Conclusion

In this paper, we introduce ALM-bench, a novel multilingual multimodal cultural benchmark for evaluation with over 22.7k humanly verified samples across 19 domains. Our benchmark encompasses cultural nuances from 73 countries in 24 language scripts and 15 language families. We conduct empirical analysis on 16 vision-language models with various question types (MCQs, T/F, SVQA, and LVQAs) and highlight notable disparities in their performance.

The performance difference between the best-performing open-source model and the proprietary model, GPT-4o, is 27%. Our results also highlight that the models perform superior on predominant language scripts such as *Latin*, *Cyrillic*, and *Devanagari* and under-performs on underrepresented scripts such as *Ge'ez*, *Lao*, *Sinhalese*, and *Oriya*. Moreover, cultural understanding of prominent language families such as *Indo-European*, *Austronesian* and *Afro-Asiatic* are well represented by GPT-4o as compared to *Atlantic-Congo* and *Turkic* families. Our work highlights the limitations of state-of-the-art LMMs in multilingual and multicultural settings, showing key areas for improvement.

7. Acknowledgment

We would like to thank Tafar Mab for providing high-quality annotations for *Afrikaans* and *Kinyarwanda* languages, Georgios Ioannides for verifying *Greek* language, and Feno Heriniaina Rabevohitra for annotating *Malagasy* language. We also thank Yuhao Li for reviewing and assisting with the annotations for *Chinese Simplified* language. Finally, we extend our gratitude to the anonymous reviewers for their invaluable suggestions and feedback, which helped improve this paper.

References

- [1] Mohammad Amin Abbasi, Arash Ghafouri, Mahdi Firouzmandi, Hassan Naderi, and Behrouz Minaei Bidgoli. Persianllama: Towards building first persian large language model. *arXiv preprint arXiv:2312.15713*, 2023. 3
- [2] Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023. 2, 3, 6, 7, 8
- [3] Muhammad Farid Adilazuarda, Sagnik Mukherjee, Pradhyumna Lavania, Siddhant Singh, Alham Fikri Aji, Jacki O’Neill, Ashutosh Modi, and Monojit Choudhury. Towards measuring and modeling" culture" in llms: A survey. *arXiv preprint arXiv:2403.15412*, 2024. 4, 12
- [4] Fakhraddin Alwajih, El Moatez Billah Nagoudi, Gagan Bhatia, Abdelrahman Mohamed, and Muhammad Abdul-Mageed. Peacock: A family of arabic multimodal large language models and benchmarks. *arXiv preprint arXiv:2403.01031*, 2024. 2, 3
- [5] Jinze Bai, Shuai Bai, Shusheng Yang, Shijie Wang, Sinan Tan, Peng Wang, Junyang Lin, Chang Zhou, and Jingren Zhou. Qwen-vl: A frontier large vision-language model with versatile abilities. *arXiv preprint arXiv:2308.12966*, 2023. 2
- [6] Lyle Campbell and Verónica Grondona. Ethnologue: Languages of the world. *Language*, 84(3):636–641, 2008. 7
- [7] Souradip Chakraborty, Soumya Suva Ghosal, Ming Yin, Dinesh Manocha, Mengdi Wang, Amrit Singh Bedi, and Furong Huang. Transfer q star: Principled decoding for llm alignment, 2024. 6
- [8] Soravit Changpinyo, Linting Xue, Idan Szpektor, Ashish V Thapliyal, Julien Amelot, Michal Yarom, Xi Chen, and Radu Soricut. Maxm: Towards multilingual visual question answering. *arXiv preprint arXiv:2209.05401*, 2022. 3
- [9] Lin Chen, Jinsong Li, Xiaoyi Dong, Pan Zhang, Yuhang Zang, Zehui Chen, Haodong Duan, Jiaqi Wang, Yu Qiao, Dahua Lin, et al. Are we on the right way for evaluating large vision-language models? *arXiv preprint arXiv:2403.20330*, 2024. 3, 4
- [10] Zhe Chen, Jiannan Wu, Wenhai Wang, Weijie Su, Guo Chen, Sen Xing, Muyan Zhong, Qinglong Zhang, Xizhou Zhu, Lewei Lu, et al. Internvl: Scaling up vision foundation models and aligning for generic visual-linguistic tasks. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 24185–24198, 2024. 2
- [11] Marta R Costa-jussà, James Cross, Onur Çelebi, Maha El-bayad, Kenneth Heafield, Kevin Heffernan, Elahe Kalbassi, Janice Lam, Daniel Licht, Jean Maillard, et al. No language left behind: Scaling human-centered machine translation. *arXiv preprint arXiv:2207.04672*, 2022. 6, 7
- [12] Rocktim Jyoti Das, Simeon Emilov Hristov, Haonan Li, Dimitar Iliyanov Dimitrov, Ivan Koychev, and Preslav Nakov. Exams-v: A multi-discipline multilingual multimodal exam benchmark for evaluating vision language models. *arXiv preprint arXiv:2403.10378*, 2024. 2, 3, 4
- [13] Matt Deitke, Christopher Clark, Sangho Lee, Rohun Tripathi, Yue Yang, Jae Sung Park, Mohammadreza Salehi,

- Niklas Muennighoff, Kyle Lo, Luca Soldaini, Jiasen Lu, Taira Anderson, Erin Bransom, Kiana Ehsani, Huong Ngo, YenSung Chen, Ajay Patel, Mark Yatskar, Chris Callison-Burch, Andrew Head, Rose Hendrix, Favyen Bastani, Eli VanderBilt, Nathan Lambert, Yvonne Chou, Arnavi Chheda, Jenna Sparks, Sam Skjonsberg, Michael Schmitz, Aaron Sarnat, Byron Bischoff, Pete Walsh, Chris Newell, Piper Wolters, Tanmay Gupta, Kuo-Hao Zeng, Jon Borchardt, Dirk Groeneveld, Jen Dumas, Crystal Nam, Sophie Lebrecht, Caitlin Wittlif, Carissa Schoenick, Oscar Michel, Ranjay Krishna, Luca Weihs, Noah A. Smith, Hannaneh Hajishirzi, Ross Girshick, Ali Farhadi, and Aniruddha Kembhavi. Molmo and pixmo: Open weights and open data for state-of-the-art multimodal models, 2024. 6
- [14] Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024. 6
- [15] Chaoyou Fu, Peixian Chen, Yunhang Shen, Yulei Qin, Mengdan Zhang, Xu Lin, Jinrui Yang, Xiawu Zheng, Ke Li, Xing Sun, Yunsheng Wu, and Rongrong Ji. Mme: A comprehensive evaluation benchmark for multimodal large language models, 2024. 2, 3, 4
- [16] Team GLM, Aohan Zeng, Bin Xu, Bowen Wang, Chenhui Zhang, Da Yin, Diego Rojas, Guanyu Feng, Hanlin Zhao, Hanyu Lai, et al. Chatglm: A family of large language models from glm-130b to glm-4 all tools. *arXiv preprint arXiv:2406.12793*, 2024. 6, 7
- [17] C Haerpfer, R Inglehart, A Moreno, C Welzel, K Kizilova, J Diez-Medrano, M Lagos, P Norris, E Ponarin, and B Puranen. World values survey: Round seven-country-pooled datafile version 3.0. jd systems institute & wvsa secretariat, 2022. 5
- [18] Harald Hammarström, Robert Forkel, Martin Haspelmath, and Sebastian Bank. Glottolog database 4.6, 2022. 7
- [19] Fajri Koto, Haonan Li, Sara Shatnawi, Jad Doughman, Abdelrahman Boda Sadallah, Aisha Alraeesi, Khalid Al-mubarak, Zaid Alyafeai, Neha Sengupta, Shady Shehata, et al. Arabicmmlu: Assessing massive multitask language understanding in arabic. *arXiv preprint arXiv:2402.12840*, 2024. 15
- [20] Wojciech Kryściński, Nitish Shirish Keskar, Bryan McCann, Caiming Xiong, and Richard Socher. Neural text summarization: A critical evaluation, 2019. 5
- [21] Bohao Li, Rui Wang, Guangzhi Wang, Yuying Ge, Yixiao Ge, and Ying Shan. Seed-bench: Benchmarking multimodal llms with generative comprehension. *arXiv preprint arXiv:2307.16125*, 2023. 3
- [22] Bohao Li, Yuying Ge, Yixiao Ge, Guangzhi Wang, Rui Wang, Ruimao Zhang, and Ying Shan. Seed-bench: Benchmarking multimodal large language models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 13299–13308, 2024. 3
- [23] Bo Li, Yuanhan Zhang, Dong Guo, Renrui Zhang, Feng Li, Hao Zhang, Kaichen Zhang, Yanwei Li, Ziwei Liu, and Chunyuan Li. Llava-onevision: Easy visual task transfer. *arXiv preprint arXiv:2408.03326*, 2024. 6
- [24] Yen-Ting Lin and Yun-Nung Chen. Taiwan llm: Bridging the linguistic divide with a culturally aligned language model. *arXiv preprint arXiv:2311.17487*, 2023. 3
- [25] Fangyu Liu, Emanuele Bugliarello, Edoardo Maria Ponti, Siva Reddy, Nigel Collier, and Desmond Elliott. Visually grounded reasoning across languages and cultures. *arXiv preprint arXiv:2109.13238*, 2021. 3, 4
- [26] Haotian Liu, Chunyuan Li, Qingyang Wu, and Yong Jae Lee. Visual instruction tuning. *Advances in neural information processing systems*, 36, 2024. 4, 5, 13
- [27] Yuan Liu, Haodong Duan, Yuanhan Zhang, Bo Li, Songyang Zhang, Wangbo Zhao, Yike Yuan, Jiaqi Wang, Conghui He, Ziwei Liu, et al. Mmbench: Is your multi-modal model an all-around player? *arXiv preprint arXiv:2307.06281*, 2023. 2, 3, 4
- [28] Muhammad Maaz, Hanoona Rasheed, Salman Khan, and Fahad Shahbaz Khan. Video-chatgpt: Towards detailed video understanding via large vision and language models. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (ACL 2024)*, 2024. 2
- [29] Muhammad Maaz, Hanoona Rasheed, Abdelrahman Shaker, Salman Khan, Hisham Cholakkal, Rao M Anwer, Tim Baldwin, Michael Felsberg, and Fahad S Khan. Palo: A polyglot large multimodal model for 5b people. *arXiv preprint arXiv:2402.14818*, 2024. 2
- [30] Ahmad Mahmood, Ashmal Vayani, Muzammal Naseer, Salman Khan, and Fahad Shahbaz Khan. Vurf: A general-purpose reasoning and self-refinement framework for video understanding. *arXiv preprint arXiv:2403.14743*, 2024. 2
- [31] Kenneth Marino, Mohammad Rastegari, Ali Farhadi, and Roozbeh Mottaghi. Ok-vqa: A visual question answering benchmark requiring external knowledge. In *Proceedings of the IEEE/cvf conference on computer vision and pattern recognition*, pages 3195–3204, 2019. 4, 12
- [32] Shravan Nayak, Kanishk Jain, Rabiul Awal, Siva Reddy, Sjoerd van Steenkiste, Lisa Anne Hendricks, Karolina Stańczak, and Aishwarya Agrawal. Benchmarking vision language models for cultural understanding. *arXiv preprint arXiv:2407.10920*, 2024. 2, 3, 4, 5
- [33] Edwin G. Ng, Bo Pang, Piyush Sharma, and Radu Soricut. Understanding guided image captioning performance across domains. *arXiv preprint arXiv:2012.02339*, 2020. 4
- [34] Jonas Pfeiffer, Gregor Geigle, Aishwarya Kamath, Jan-Martin O Steitz, Stefan Roth, Ivan Vulić, and Iryna Gurevych. xgqa: Cross-lingual visual question answering. *arXiv preprint arXiv:2109.06082*, 2021. 3
- [35] Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. *Advances in Neural Information Processing Systems*, 36, 2024. 3
- [36] Hanoona Rasheed, Muhammad Maaz, Sahal Shaji, Abdelrahman Shaker, Salman Khan, Hisham Cholakkal, Rao M. Anwer, Eric Xing, Ming-Hsuan Yang, and Fahad S. Khan. Glamm: Pixel grounding large multimodal model. *The IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2024. 2

- [37] David Romero, Chenyang Lyu, Haryo Akbarianto Wibowo, Teresa Lynn, Injy Hamed, Aditya Nanda Kishore, Aishik Mandal, Alina Dragonetti, Artem Abzaliev, Atnafu Lambebo Tonja, et al. Cvqa: Culturally-diverse multilingual visual question answering benchmark. *arXiv preprint arXiv:2406.05967*, 2024. [2](#), [3](#), [4](#), [5](#), [12](#)
- [38] Ananya B Sai, Akash Kumar Mohankumar, and Mitesh M Khapra. A survey of evaluation metrics used for nlg systems. *ACM Computing Surveys (CSUR)*, 55(2):1–39, 2022. [6](#)
- [39] John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347*, 2017. [3](#)
- [40] Hai-Long Sun, Da-Wei Zhou, Yang Li, Shiyin Lu, Chao Yi, Qing-Guo Chen, Zhao Xu, Weihua Luo, Kaifu Zhang, De-Chuan Zhan, et al. Parrot: Multilingual visual instruction tuning. *arXiv preprint arXiv:2406.02539*, 2024. [2](#), [3](#), [4](#)
- [41] Gemini Team, Rohan Anil, Sebastian Borgeaud, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth, Katie Millican, et al. Gemini: a family of highly capable multimodal models. *arXiv preprint arXiv:2312.11805*, 2023. [2](#), [3](#), [6](#), [7](#)
- [42] Omkar Thawakar, Ashmal Vayani, Salman Khan, Hisham Cholakkal, Rao M Anwer, Michael Felsberg, Tim Baldwin, Eric P Xing, and Fahad Shahbaz Khan. Mobillama: Towards accurate and lightweight fully transparent gpt. *arXiv preprint arXiv:2402.16840*, 2024. [6](#)
- [43] Hongyu Wang, Jiayu Xu, Senwei Xie, Ruiping Wang, Jialin Li, Zhaojie Xie, Bin Zhang, Chuyan Xiong, and Xilin Chen. M4u: Evaluating multilingual understanding and reasoning for large multimodal models. *arXiv preprint arXiv:2405.15638*, 2024. [2](#), [3](#), [4](#)
- [44] Peng Wang, Shuai Bai, Sinan Tan, Shijie Wang, Zhihao Fan, Jinze Bai, Keqin Chen, Xuejing Liu, Jialin Wang, Wenbin Ge, et al. Qwen2-vl: Enhancing vision-language model’s perception of the world at any resolution. *arXiv preprint arXiv:2409.12191*, 2024. [6](#), [7](#)
- [45] Da Yin, Liunian Harold Li, Ziniu Hu, Nanyun Peng, and Kai-Wei Chang. Broaden the vision: Geo-diverse visual commonsense reasoning. *arXiv preprint arXiv:2109.06860*, 2021. [2](#), [3](#)
- [46] Weihao Yu, Zhengyuan Yang, Linjie Li, Jianfeng Wang, Kevin Lin, Zicheng Liu, Xinchao Wang, and Lijuan Wang. Mm-vet: Evaluating large multimodal models for integrated capabilities. *arXiv preprint arXiv:2308.02490*, 2023. [3](#), [4](#)
- [47] Xiang Yue, Yuansheng Ni, Kai Zhang, Tianyu Zheng, Ruoqi Liu, Ge Zhang, Samuel Stevens, Dongfu Jiang, Weiming Ren, Yuxuan Sun, et al. Mmmu: A massive multi-discipline multimodal understanding and reasoning benchmark for expert agi. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 9556–9567, 2024. [3](#), [4](#), [7](#)
- [48] Wenxuan Zhang, Mahani Aljunied, Chang Gao, Yew Ken Chia, and Lidong Bing. M3exam: A multilingual, multimodal, multilevel benchmark for examining large language models. *Advances in Neural Information Processing Systems*, 36:5484–5505, 2023. [2](#), [3](#), [4](#)
- [49] Zeliang Zhang, Mingqian Feng, Zhiheng Li, and Chenliang Xu. Discover and mitigate multiple biased subgroups in image classifiers. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 10906–10915, 2024. [14](#)
- [50] Daniel M Ziegler, Nisan Stiennon, Jeffrey Wu, Tom B Brown, Alec Radford, Dario Amodei, Paul Christiano, and Geoffrey Irving. Fine-tuning language models from human preferences. *arXiv preprint arXiv:1909.08593*, 2019. [3](#)

Appendix

A. ALM-Bench Categories

Our ALM-bench benchmark dataset consists of 19 categories. Among these categories, we include *Food*, *Lifestyle*, *Religion*, *Architecture*, *Sports*, *Customs* and *Heritage* from [31, 37] with some minor modifications to it. We further include six additional categories including *Literature*, featuring prominent authors, poets, and their notable works; *Music*, showcasing traditional music and dance through visual samples; *Festivals*, covering major cultural celebrations; *Economy*, representing local industries and businesses; *Media*, highlighting cultural icons, entertainment figures, and popular TV shows; and *Notable Key Figures*, featuring influential historical leaders who serve as representatives for country-language association. Table. A. A.1 entails all our ALM-bench categories.

Following [3], we adopt an approach to group cultural attributes based on the country for each language. Additionally, we group culturally grounded elements representing shared knowledge, values, and objectives among the people in that culture that are collectively understood. We curated a culturally diverse dataset by collecting data from many cultural aspects (see Fig. A.1) and manually curated the caption for each image from web-sources. We also show the most frequent words from these categories in Fig. A.15.

ALM-bench Categories
1. Indoor
2. Outdoor
3. Food Items
4. Memes
5. Painting
6. Sketch
7. Food
8. Lifestyle
9. Religion
10. Literature
11. Music
12. Customs
13. Festivals
14. Heritage
15. Economy
16. Media
17. Architecture
18. Sports
19. Notable Key Figures

Table A.1. The 19 categories present in our ALM-bench dataset. Note that *Food Items* is sourced from generic categories while the *Food* subset is sourced from the cultural category from our ALM-bench.




Figure A.1. A breakdown of the cultural categories from our ALM-bench is depicted. We ensure consistent samples across all subsets, except for the *Economy* category, where culturally unique images were challenging to find. These visual and question-answer samples are verified and filtered by the native speakers, removing any culturally irrelevant and redundant information.

B. Annotators Demographics

Our ALM-bench is the most comprehensive benchmark to date, capturing cultural nuances across 100 languages. Since building such large-scale datasets is challenging, especially due to the limited availability of high-quality native language samples, we enlisted over 60 volunteers to provide expert feedback on our curated examples. In addition to our in-house team, we collaborated with multilingual research communities to bring in external volunteers. These volunteers, representing 50 different countries, bring a deep understanding of their languages' cultural elements and insights unique to their country-language pairs.

Each annotator was given detailed instructions along with examples to guide them in curating high-quality datasets. We also hosted a UI interface as well as gave them the option to directly use the dataset. An example of our annotation platform is shown in Fig. A.4. Annotators who made substantial contributions are recognized as co-authors of this paper to support high-quality language verification.

We summarize the annotator demographics in Fig. A.3. To summarize, we show the Age and Gender distribution of our volunteers (*top-left*) indicating the presence of one-fourth of Female annotators and over 46% fall in the 18-25 age limit. We show their levels of language proficiency (*top-right*). Notably, over 80% of the annotators were either native speakers or bilingual, with an additional 14.8% at a

<p style="text-align: center;">Hindi: Devanagari Script</p> <p>Original Question: इस चित्र में दिखाए गए मंदिर की विशेषता क्या है?</p> <p>Original Answer: मंदिर में दिखाया गया मंदिर और चर्च से विभिन्न विशेषताओं और सुविधाओं को दर्शाता है।</p> <p>Corrected Question: इस चित्र में दिखाया गया मंदिर और चर्च से विभिन्न विशेषताओं को दर्शाता है क्या है?</p> <p>Corrected Answer: मंदिर में दिखाया गया मंदिर और चर्च से विभिन्न विशेषताओं को दर्शाता है।</p> <p style="text-align: center;">Cultural Category: Architecture</p>	<p style="text-align: center;">Japanese: Japanese Script</p> <p>Original Question: 画像に表示されている像に描かれた歴史的人物は誰ですか？</p> <p>Original Answer: 徳川家康 (オプション: 徳川家康、織田信長、豊臣秀吉、藤頼朝)</p> <p>Corrected Question: 画像に写っている像は、どの歴史上の人物を表していますか？</p> <p>Corrected Answer: 徳川家康 (選択肢: 徳川家康、織田信長、豊臣秀吉、藤頼朝)</p> <p style="text-align: center;">Cultural Category: Notable Key Figures</p>
<p style="text-align: center;">Spanish: Latin Script</p> <p>Original Question: ¿Cuál es el monumento icónico que se muestra en la imagen conocida como?</p> <p>Original Answer: La Alcazar por Sevilla.</p> <p>Corrected Question: ¿Cómo se conoce el Monumento icónico que se muestra en la imagen?</p> <p>Corrected Answer: El Alcazar de Sevilla.</p> <p style="text-align: center;">Cultural Category: Heritage</p>	<p style="text-align: center;">Sanskrit: Devanagari Script</p> <p>Original Question: चित्र-में-दिखाए-गए-मंदिर-के-आस-पास-कौन-से-आराधना-स्थल-हैं?</p> <p>Original Answer: ये-उत्सव-स्थल-हैं- (विकल्प: ये-उत्सव-स्थल-हैं- 1, दीवारों, पत्थर-आदि, ये-कुत्त-पुस्तक-पत्थर-हैं)</p> <p>Corrected Question: चित्र-में-दिखाए-गए-मंदिर-के-आस-पास-कौन-से-आराधना-स्थल-हैं?</p> <p>Corrected Answer: ये-उत्सव-स्थल-हैं- (विकल्प: ये-उत्सव-स्थल-हैं- 1, दीवारों, पत्थर-आदि, ये-कुत्त-पुस्तक-पत्थर-हैं)</p> <p style="text-align: center;">Cultural Category: Food</p>

Figure A.2. Qualitative examples of various mistakes in GPT-4o translations including *semantic, cultural, language and grammatical errors*. We employ expert human-feedback to rewrite the correct translations for all samples in our ALM-bench dataset.

proficient level in their chosen language. This high level of expertise ensures that our cultural samples have been meticulously reviewed, filtered, and refined by knowledgeable volunteers. Additionally, we pre-select annotators who are accustomed to the cultural values of their languages. Moreover, (*bottom-left*) depicts that over 88.5% are culturally familiar with their languages, and *bottom-right* highlights that 87.9% of the annotators have lived in the country where we have crafted the cultural samples, making them ideal participants for participating in this research effort.

C. Guidelines for Data Verification

For each country-language pair (e.g., Sri Lanka-Sinhala), QA pairs for general domains are created by translating the original English QA pairs from *LLaVA-Bench (In-the-Wild)* dataset [26]. For cultural domains, we curate the dataset by collecting images from online sources using targeted keywords (e.g., country name, language name, cultural category) for each language. We also fetch meta-data along with the image, including image caption, image size, and image license. We use such information for post-processing to keep only high-quality images. Then, we perform manual filtering and blurring of personally identifiable data (PID). We discuss this step in detail in Sec. F. The cleaned images are used to generate and translate QA pairs using GPT-4o. To ensure quality, contributors with expertise in the respective native languages manually verify the cultural relevance of images, as well as the accuracy, relevance, and consistent translation of the generated QAs. This section outlines the instructions provided to contributors for verifying the rele-




Figure A.3. **top-left.** depicts the *Age* and *Gender* distribution of our volunteers. We have one-fourth of the Female speakers and it is also shown that almost 48.3% of our volunteers fall in the age-bracket of 18-25. **top-right.** depicts the volunteer’s native language proficiency in years. **bottom-left.** depicts the volunteer’s Cultural Literacy proficiency in years. **bottom-right.** depicts the volunteer’s native language proficiency in years.

vance of questions generated for cultural domains and for reviewing the QA translations across both general and cultural domains. Additionally, we use GPT-4o as a judge to score the response and assess the accuracy of answers for cultural category images. This process is detailed further in Sec. J and K.

Each annotator is provided access to a dedicated verification platform that guides them through the list of QA pairs for the selected language (examples are presented in Sec D). Each QA pair includes the following components: Image, Category, English Question, English Answer, Translated Question, and Translated Answer. Contributors are required to follow the two steps outlined below.

Step 1 (Question Relevance): Verify that the question is phrased such that it cannot be answered without the use of a Vision-Language Model (VLM) analyzing the image. For example, a question like “Where is Aura Church located?” can be answered without any visual input. A more appropriate question would be, “Where is the church shown in the image located?”

Step 2 (Translation Verification): If the translated question or answer is incorrect, provide the correct version in the designated space and classify the error into one of the following four categories.

Translation Error Types

- **Semantic error:** Translation hasn't captured the semantic meaning
- **Cultural error:** Correct but unusual words uncommon in local language context are used
- **Language error:** Translation is provided using characters from a different alphabet or most commonly not translated and still given in English
- **Grammatical error:** Grammar-related errors present

D. Verification Platform and UI Examples




Figure A.4. User interface for translation verification hosted on Gradio, allowing contributors to classify incorrect entries and provide accurate translations.

E. Image Web Searching

We automated the process of web scraping for collecting cultural images. A custom URL, embedded with our encoded search query and licensing information, is passed to the Google Search Engine, and images are downloaded from the retrieved links. For each specific cultural domain within a given country-language pair, the search query is constructed as “{language} {cultural domain description} in {country}”. For privacy and copyright issues, our benchmark only includes images that are either in the public domain or licensed under the Creative Commons license.

Cultural Domain Descriptions

- **Food:** Specific Dishes, Dining Dishes
- **Lifestyle:** Daily Attire, Daily Life, Modern Lifestyle
- **Literature:** Famous literature, authors and poets
- **Music:** Traditional music and dance
- **Religion:** Major religions and religious festivals
- **Customs:** Social etiquette and traditional greetings
- **Festivals:** Important cultural festivals and celebrations
- **Heritage:** Popular historical heritage sites and iconic landmarks
- **Economy:** Major economic industries
- **Media:** Iconic Entertainment Figures and Popular TV Shows, Movies
- **Architecture:** Traditional Art and Architecture
- **Sports:** Famous traditional sports
- **Notable key figures:** Famous historical leaders

F. Blurring the PIDs

Recent research highlights the importance of blurring personally identifiable details (PIDs) in image datasets to mitigate privacy risks and reduce bias [49]. Thus, we filter the collected cultural images for cultural relevance, and faces are blurred using a face detection model, except for the ‘Media’ and ‘Notable Key Figures’ categories where we have images of public figures or celebrities. The blurred images are then manually reviewed to identify any discrepancies, such as blurring personally identifiable data (PIDs) and removing watermark images, and any remaining issues are addressed when using the [PicdeFacer](#) tool.

G. Instruction Prompt for QA Generation

Fig. A.5 illustrates the prompt messages used to guide GPT-4o in generating culturally relevant QA pairs. Each prompt includes an image, its manually added caption, and the search query used during image scraping. The model is instructed to generate two short QA pairs, two multiple-choice QA pairs, one true/false question, and one long QA pair. Detailed instructions ensure that the generated QAs are culturally grounded and specific to the image, avoiding answers based solely on common knowledge.

H. Instruction Prompt for QA Translations

After the curation of question-answer pairs using GPT-4o, we use the same open-source model to translate the English QA pairs into the native languages. We show the prompt that we used for this task in Fig. A.6.

```

prompt_messages = [
  { "role": "user", "content": [ { "type": "text", "text": search_query + "\n" + caption }, { "type": "image_url", "image_url": image_url } ] },
  { "role": "system", "content": f""Here is an image and a caption I have on hand. I'd like you to generate two short questions and answers, two multiple choice questions and answers, one true/false question, and one long question and answer. Refer to the caption for the context/hint. Take into account the cultural diversity of cultural category.

Follow the following rules while designing questions and answers:

1. The question must be answerable only by looking at the image.
2. Ensure that the questions are culturally relevant and specific to the image.
3. Provide answers that are concise, accurate, and directly related to the question.
4. You will also need to provide 1 correct option and 3 other incorrect options (distractors).
   For the distractors, choose options that are relevant, not obvious wrong answers.
5. The question must be answerable even without the multiple-choice.
   Example of the invalid question: ("What song is not performed by this musician" – not answerable if you don't know the choices).
6. Make sure the questions are written fluently in English.
7. Be mindful of cultural sensitivities and avoid stereotyping or misrepresenting cultural aspects.
8. Ensure there are variations in your questions. Identity questions are fine, eg "What is this", or "where is this". But additionally.
   For example, multi-hop reasoning, counting, referencing, or questions that require local commonsense knowledge to be answered.
9. Just generate these in English.
10. For short questions and answers, don't keep it very short, include at least 2 sentences.
11. Make the questions distinct and unique from each other.

Give the answers in the following JSON format and make sure to only output a valid JSON,

{ "short_questions": [ { "question": <question>, "answer": <answer> } ],
  "multiple_choice_questions": [ { "question": <question>, "answer": <answer>, "options": <4 options> } ],
  "true_false_question": { "question": <question>, "answer": <answer> },
  "long_question": { "question": <question>, "answer": <answer> } "" } ]

```

Figure A.5. Prompts used for generation of cultural QA pairs. *search_query* refers to the query used to search the image online. It includes language, country and cultural category details. *caption* is a manually added textual description specific to the image. *cultural category* indicates the domain to which the image belongs, selected from the 13 cultural domains in our ALM-bench dataset.

```

prompt_messages = [
  { "role": "system", "content": f"You're a helpful assistant that translates English text to target_lang"},
  { "role": "user", "content": English_input }
]

```

Figure A.6. Prompts used for translating cultural QAs using GPT-4o. *English_input* refers to either the English question or answer to be translated into the *target_lang*, the desired target language.

I. Instruction Prompt for LMM Answer Generation

We conduct a comprehensive study by evaluating various state-of-the-art Large Multimodal Models (LMMs), including both open-weight and closed-weight models, on our ALM-bench benchmark. We used different prompts for each question type as shown in Fig. A.7. We prompt all questions with English system instruction as highlighted by [19] that the use of prompts in English results in the best performance. Finally, we score each model’s generated answer with the human-annotated ground truth answers through a scoring system to assess each model’s performance on the benchmark.

```

messages = [{"role": "user", "content": [{"type": "image_url", "image_url": image_url }, {"type": "text", "text": prompt}]}]

Multiple Choice Questions
prompt = (
  f "For the given the Multiple Choice Question Answer below, analyze the question and answer strictly from one of the options below. Strictly answer the choice only. No additional text." + question + choices
)

True/False Questions
prompt = (
  question + f "The above question is a True/False question. Please provide the answer as one word in target_language"
)

Long Questions
prompt = (
  question + f "Answer the question in detail in target_language language"
)

Short Questions
prompt = (
  question + f "Please provide brief, clear responses in target_language language"
)

```

Figure A.7. Prompts used to generate answers for cultural questions using multiple Large Multimodal Models evaluated in our study. Different prompts are designed for different question types. *question* refers to the cultural question associated with the given image, previously generated using GPT-4o. *choices* represents the four options provided in multiple choice question type, and *target_language* is the desired local language for the response.

J. Prompts for GPT-Scoring

```

messages = [{"role": "system", "content": "You are a helpful Assistant. Provide helpful response to the user's question."}, {"role": "user", "content": "prompt_eval"}

True/False & Multiple Choice Questions

prompt_eval = (
    f"Evaluate the following answer based on Accuracy:"
    f"Question: {question}"
    f"Ground Truth: {ground_truth}"
    f"Model Prediction: {predicted_answer}"
    f"Match the meaning of ground truth with model prediction, if it matches give a 10. Otherwise 0."
    f"Strictly return only the numeric score, without any additional commentary." )

Long Questions

prompt_eval = (
    f"Evaluate the following answer based on Consistency, Fluency, and Relevance based on the Ground Truth answer."
    f"A high score example when predicted response match closely with ground truth and a low score example when predicted response lacks knowledge, or is not related to the ground truth."
    f"Question: {question}"
    f"Ground Truth: {ground_truth}"
    f"Model Prediction: {predicted_answer}"
    f"Provide a single overall score out of 10 based on these three criteria."
    f"Strictly return only the numeric score, without any additional commentary." )

Short Questions

prompt_eval = (
    f"Evaluate the following answer based on accuracy and correctness based on the Ground Truth answer."
    f"A high score example when predicted response match closely with ground truth and a low score example when predicted response lacks knowledge, or is not related to the ground truth."
    f"Question: {question}"
    f"Ground Truth: {ground_truth}"
    f"Model Prediction: {predicted_answer}"
    f"Provide a single overall score out of 10 based on these three criteria."
    f"Strictly return only the numeric score, without any additional commentary." )

```

Figure A.8. Prompts used to generate a score between 0 and 10, with GPT-4o acting as the evaluator to compare an LMM’s predicted answers against ground truth answers. The terms *question*, *ground_truth*, and *predicted_answer* refer to the cultural question, the ground truth answer generated by GPT-4o and verified by experts, and the model’s predicted answer, respectively.

In addition to using GPT-4o as a judge in scoring the predicted answers, we also do scoring with multiple other LMMs to ensure a fair evaluation. Results are reported in Table. A. A.2

Model Name	GPT-4o	Llama-3.1-8B-Instruct
GPT-4o	90.16%	90.34%
Gemini-1.5 Pro	80.21%	80.65%
GLM-4V-9B	71.35%	73.89%

Table A.2. We evaluated decision-making questions (both True/False and multiple-choice) across a sample of 20 randomly selected languages using the LLama-3.1-8B-Instruct model. This assessment aims to ensure consistency in performance on T/F and MCQs when scored using GPT-4o as a judge.

K. Guidelines for Error Analysis on GPT-4o Output

Each annotator is provided with an Excel file specific to a given country-language pair, containing the following columns: Image URL, Question, Ground Truth Answer, Predicted Answer (all in the native language), and GPT-

4o Score. The ‘Predicted Answer’ column records the response generated by GPT-4o when presented with the Question in the native language. The ‘GPT-4o Score’ column reflects the evaluation score assigned by GPT-4o, acting as a judge, based on the comparison between the Predicted Answer and the Ground Truth Answer.

Each annotator is required to complete two additional columns: (1) ‘Is the GPT Score Justified?’ with a binary response Yes/No, and (2) if the GPT-4o score is not justified, the ‘Reason for GPT-4o Failure’ column, where they select an appropriate reason from a predefined dropdown menu provided below.

Reason for GPT-4o Failure

- **Lack of Knowledge:** The model fails to find an answer to the question.
- **Lack of Cultural Understanding:** The model fails to understand the cultural aspect of the answer.
- **Language Error:** Some words in the GPT-4o’s output are wrong for the language.
- **Reasoning Error:** The reason it gave does not match that language.
- **Translation Error:** A few native words were not properly translated.
- **Perceptual Error:** The model fails to understand where a certain entity is (for eg, the top of the image, the bottom of the image, etc).

L. Qualitative examples with different question types

Next, we present some qualitative examples showing various question types for each image sample from our dataset and in Figs. A.9, A.10, A.11, A.11, A.13, and A.14.

<p style="text-align: center;">Language: Urdu Category: Festivals</p> 	<p>Multiple Choice Question Answers</p> <p>Ques: تصویر میں کون سا جانور نمایاں طور پر دکھایا گیا ہے؟ (What animal is prominently featured in the image?)</p> <p>Options:</p> <p>A) گھوڑا Horse B) اونٹ Camel C) ہاتھی Elephant D) مویشی Cattle</p> <p>Ques: تصویر میں کون سے موسیقی کے آلات نظر آ رہے ہیں؟ (What kind of musical instruments are visible in the image?)</p> <p>Options:</p> <p>A) ڈھول Drums B) بانسری Flute C) سیتار Sitar D) طبلا Tabla</p> <p>True/False</p> <p>Ques: لوگ تقریب کے دوران اپنے گھوڑوں کے ساتھ چل رہے ہیں؟ (People are walking with their horses during the event shown in the image?)</p> <p>Ans: صحیح (TRUE)</p> <p>Short Question Answer</p> <p>Ques: تصویر میں کس قسم کا شو دکھایا گیا ہے؟ (What type of show is depicted in the image?)</p> <p>Ans: گھوڑوں اور مویشیوں کا شو (A horse and cattle show)</p>	<p>Long Question Answer</p> <p>Ques: پاکستانی ثقافت میں گھوڑے اور مویشیوں کے شوز کی اہمیت پر تبادلہ خیال کریں، جن میں عموماً ہونے والے واقعات، ان کا مقامی برادریوں پر اثر اور وہ کس طرح ثقافتی ورثے کو فروغ دیتے ہیں۔ (Discuss the significance of horse and cattle shows in Pakistani culture, including the types of events that typically take place, their impact on local communities, and how they promote cultural heritage.)</p> <p>Ans: پاکستانی ثقافت میں گھوڑے اور مویشیوں کے شوز اہم تقریبات ہیں جو کمیونٹی کی زراعتی مہارت اور مویشی پالنے کی صلاحیتوں کو ظاہر کرتی ہیں۔ ان تقریبات میں عام طور پر مختلف مقابلے شامل ہوتے ہیں، جن میں بہترین نسل کے مقابلے، جانوروں کی پریدہ اور پرفارمنس شوز جیسے گھوڑوں کا رقص شامل ہیں۔ یہ شوز کسانوں اور بریڈرز کو اپنے بہترین جانوروں کو پیش کرنے کا پلیٹ فارم فراہم کرتے ہیں، مقامی زرعی کاروبار کو فروغ دیتے ہیں اور مویشیوں کی نسل بڑھانے کے معیار کو بہتر بنانے کی حوصلہ افزائی کرتے ہیں۔ اقتصادی پہلو سے بت کر، یہ ہنوار ثقافتی مظہروں سے بھرپور ہوتے ہیں، جن میں روایتی موسیقی، رقص، اور شاندار سجولٹیں شامل ہوتی ہیں۔ یہ کمیونٹی کو قریب لاتے ہیں اور ثقافتی ورثے کے تحفظ کی ترغیب دیتے ہیں، شرکاء اور ناظرین دونوں کے لئے ایک تقریبی اور تعلیمی تجربہ فراہم کرتے ہیں۔</p> <p>Ques: یہ تقریب کس شہر میں ہو رہی ہے؟ (In which city is this event taking place?)</p> <p>Ans: لاہور (Lahore)</p>
<p style="text-align: center;">Language: Chinese(Simplified) Category: Lifestyle</p> 	<p>Multiple Choice Question Answers</p> <p>Ques: 这个人头上戴着什么？ (What is this person wearing on her head?)</p> <p>Options:</p> <p>A) 凤冠 FengGuan B) 贝雷帽 Beret C) 头纱 Veil D) 头盔 Helmet</p> <p>Ques: 图片中描绘的是哪种文化服饰？ (Which cultural attire is depicted in the image?)</p> <p>Options:</p> <p>A) 现代汉服 Modern Chinese Hanfu B) 和服 Kimono C) 纱丽 Sari D) 韩服 Hanbok</p> <p>True/False</p> <p>Ques: 图片中的衣服是传统汉服吗？ (Is the clothing in the image traditional Chinese Hanfu?)</p> <p>Ans: 是的，是传统汉服。(True, it is traditional Chinese Hanfu.)</p> <p>Short Question Answer</p> <p>Ques: 图片中描绘的是什么风格的婚纱？ (What type of clothing is the person in this image wearing?)</p> <p>Ans: 那个人穿着现代汉服。 (The person is wearing modern Chinese Hanfu clothing.)</p>	<p>Long Question Answer</p> <p>Ques: 描述图片中的服装上的具体元素和图案，并解释现代汉服在当代中国社会中的文化意义。 (Describe the specific elements and patterns seen on the outfit in the image and explain the cultural significance of modern Hanfu attire in contemporary Chinese society.)</p> <p>Ans: 图片中的服装有一件白色外衣，宽袖口和一件红色内衣，内衣包括一条高腰裙子和一件有花卉图案的上衣。上衣上的花卉刺绣为整个服装增添了精致的细节。现代汉服虽然起源于传统中国文化，但在当代社会中得到了复兴。许多中国年轻人以穿戴汉服的方式来与自己的文化遗产建立联系，表达文化自信。这种流行的复苏在各种文化节日、社交媒体和汉服社区中也都有所体现，热爱汉服的人士在这些平台上分享对这种复杂而意义深远的服饰的热情。</p> <p>(The outfit in the image features a white outer garment with wide sleeves and a red inner garment composed of a high-waisted skirt and a floral top. The floral embroidery on the top adds elaborate detail to the ensemble. Modern Hanfu attire, while rooted in traditional Chinese culture, has seen a revival in contemporary society. Many young people in China embrace Hanfu as a way to connect with their heritage and express cultural pride. This resurgence in popularity is also evident in various cultural festivals, social media, and Hanfu communities, where individuals share their passion for this intricate and significant form of attire.)</p> <p>Ques: 这个人穿着的衣服主要是什么颜色？ (What colors are predominant in the person's outfit?)</p> <p>Ans: 衣服主要是红色和白色。 (The outfit predominantly features red and white colors.)</p>

Figure A.9. qualitative examples of various question types in Urdu and Chinese Simplified Language.



<p style="text-align: center;">Language: Hindi Category: Heritage</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: चित्र में दिखाए गए किले का नाम क्या है? (What is the name of the fort shown in the image?)</p> <p>Options:</p> <p>A) लाल किला Red Fort B) अम्बर किला Amber Fort C) आगरा किला Agra Fort D) ग्वालियर किला Gwalior Fort</p> <p>Ques: लाल किला किस शहर में स्थित है? (In which city is the Red Fort located?)</p> <p>Options:</p> <p>A) नई दिल्ली New Delhi B) जयपुर Jaipur C) आगरा Agra D) लखनऊ Lucknow</p> <p style="text-align: center;">True/False</p> <p>Ques: क्या चित्र में दिखाया गया किला लाल बलुआ पत्थर से बना है? (Is the fort in the image constructed using red sandstone?)</p> <p>Ans: सही (TRUE)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: यह ऐतिहासिक स्थल कहाँ स्थित है? (Where is this historic site located?)</p> <p>Ans: नई दिल्ली, भारत। (New Delhi, India.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: लाल किले के ऐतिहासिक महत्व पर चर्चा करें, जिसमें मुगल युग के दौरान इसकी भूमिका, इसकी वास्तुकला विशेषताएँ और आधुनिक भारत में इसका महत्व शामिल हैं।</p> <p>(Discuss the historical significance of the Red Fort, including its role during the Mughal era, its architectural features, and its importance in modern India.)</p> <p>Ans:</p> <p>लाल किला, जो नई दिल्ली में स्थित है, का निर्माण मुगल सम्राट शाहजहाँ ने 17वीं सदी के मध्य में करवाया था। यह लगभग 200 वर्षों तक मुगल सम्राटों का मुख्य आवास रहा। किला मुगल वास्तुकला का प्रतीक है, जिसे इसकी विशाल लाल बलुआ पत्थर की दीवारों और जटिल डिजाइनों द्वारा पहचाना जाता है। मुगल युग के दौरान, यह एक राजनीतिक और सांस्कृतिक केंद्र के रूप में भारतीय इतिहास में महत्वपूर्ण भूमिका निभाता था। आधुनिक समय में, लाल किला उस स्थल के रूप में महत्वपूर्ण है जहाँ हर साल स्वतंत्रता दिवस पर भारत के प्रधानमंत्री राष्ट्रीय ध्वज फहराते हैं और भाषण देते हैं, जो भारत के इतिहास और संस्कृति में किले की स्थायी विरासत का प्रतीक है।</p> <p>Ques: चित्र में दिखाए गए इस भवन का नाम क्या है? (What is the name of this building depicted in the image?)</p> <p>Ans: लाल किला। (Red Fort.)</p>
<p style="text-align: center;">Language: Sinhala Category: Sports</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: ජායාරූපයේ දක්වා ඇති ශ්‍රී ලංකාවේ පුරාණ සටන් ක්‍රමය කුමක්ද? (What ancient martial art from Sri Lanka is shown in the image?)</p> <p>Options:</p> <p>A) අංගම්පොර Angampora B) කලාවිපයටු Kalaripayattu C) මුයි තයි Muay Thai D) තයිකොන්ඩෝ Taekwondo</p> <p>Ques: ජායාරූපය අනුව මෙම සටන්කලාවේ භාවිත වන අවි වර්ගය මින් කුමක්ද? (Which of these weapons is used in angampora according to the image?)</p> <p>Options:</p> <p>A) ෂුරිකේන් Shuriken B) නන්චක්කු Nunchaku C) බෝ පිට Bo Staff D) කඩු Swords</p> <p style="text-align: center;">True/False</p> <p>Ques: ජායාරූපයේ පෙන්වනු ලබන සටන් කලාවේ ආකාරය කුමක්ද? (The image shows a form of traditional Sri Lankan martial arts.)</p> <p>Ans: සත් (TRUE)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: ජායාරූපයේ දක්වා ඇති සටන් කලාව කුමක්ද? (What martial art is being demonstrated in the image?)</p> <p>Ans: අංගම්පොර. (Angampora.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: ජායාරූපයේ දක්වා ඇති සටන්කලාවේ ප්‍රධාන සංරචක දෙක විස්තර කර සහ එම සංරචකවල වැදගත්කම පැහැදිලි කරන්න.</p> <p>(Describe the two main components of angampora depicted in the image and explain their significance in the martial art.)</p> <p>Ans:</p> <p>අංගම්පොරයේ 'අංගම්' හා 'ඉල්ලංගම්' යන ප්‍රධාන සංරචක දෙක අන්තර්ගත වේ. 'අංගම්' යනු අත්වලින් සටන් කිරීමයි. 'ඉල්ලංගම්' යනු කඩු සහ අනෙකුත් ආයුධ ප්‍රයෝජනයට ගැනීමයි. මෙම අංග ආන්ධාරක්ෂාව සඳහා වැදගත් වනවා මෙන්ම, අතින් කරන සටන් කමාගේ වේගවත්බව හා කම් කුසලතාව වැඩිදියුණු කරනවා මෙන්ම, ආයුධ වලින් කරන සටන්, සටන් කලාවට නව මානයක් එක් කරයි.</p> <p>Ques: සටන් කටයුතුවලට අමතරව අංගම්පොර වල ප්‍රමුඛ කරන ක්‍රියාව කුමක්ද? (What distinct activity apart from combat is integrated into angampora?)</p> <p>Ans: භාවනාව. (Meditation.)</p>

Figure A.10. qualitative examples of various question types in Hindi and Sinhala Language.



<p style="text-align: center;">Language: Italian Category: Music</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: Quali abiti tradizionali indossano i ballerini nell'immagine? (What traditional clothing are the dancers wearing in the image?)</p> <p>Options:</p> <p>A) Costumi tradizionali folcloristici italiani Traditional Italian folk costumes B) Gonne scozzesi Scottish kilts C) Kimoni giapponesi Japanese kimonos D) Sari indiani ndian sarees)</p> <p>Ques: Quale tipo di accompagnamento musicale è probabilmente presente in questo evento di danza tradizionale? (What kind of musical accompaniment is likely present in this traditional dance event?)</p> <p>Options:</p> <p>A) Musica folcloristica dal vivo con strumenti come la fisarmonica o il violino. (Live folk music from instruments like the accordion or violin) B) Rock band (Rock band) C) Ensemble di jazz (Jazz ensemble) D) Orchestra sinfonica classica (Classical symphony orchestra)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: Che tipo di evento potrebbe rappresentare l'immagine? (What kind of event does the image likely depict?)</p> <p>Ans: L'immagine probabilmente rappresenta un evento di danza folcloristica italiana tradizionale. (The image likely depicts a traditional Italian folk dance event.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: Descrivi gli elementi dell'abbigliamento e della danza tradizionali italiani raffigurati nell'immagine, compresi i dettagli sull'abbigliamento, i movimenti della danza e il significato culturale di tali performance. (Describe the elements of traditional Italian dress and dance depicted in the image, including details about the attire, the dance moves, and the cultural significance of such performances.)</p> <p>Ans: L'immagine mostra ballerini in costumi tradizionali folcloristici italiani, che comprendono elementi come gilet ricamati, grembiuli colorati e gonne con bordi di pizzo per le donne, e cappelli a tesa larga e bandane per gli uomini. I movimenti della danza includono passi e gesti sincronizzati, spesso con l'uso di mani o fazzoletti. Queste performance sono culturalmente significative perché rappresentano tradizioni regionali, celebrano eventi storici e mantengono viva l'eredità culturale trasmettendola di generazione in generazione. Tali eventi sono spesso accompagnati da musica dal vivo, suonata con strumenti tradizionali come la fisarmonica o il violino, che arricchiscono l'atmosfera festosa.</p> <p style="text-align: center;">True/False</p> <p>Ques: L'immagine mostra una performance di danza moderna? Does the image show a modern dance performance?)</p> <p>Ans: Falso (False)</p> <p>Ques: Cosa tengono in mano i ballerini nell'immagine? (What are the dancers in the image holding in their hands?)</p> <p>Ans: I ballerini nell'immagine tengono fazzoletti in mano. (The dancers in the image are holding handkerchiefs in their hands.)</p>
<p style="text-align: center;">Language: German Category: Notable Key Figures</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: Welche politische Partei wurde von der Person auf dem Bild angeführt? (Which political party was led by the person in the image?)</p> <p>Options:</p> <p>A) NSDAP (Nazi Party) B) Kommunistische Partei (Communist Party) C) Sozialdemokratische Partei (Social Democratic Party) D) Christlich-Demokratische-Union (Christian Democratic Union)</p> <p>Ques: Welcher Krieg wird mit der Führung der Person auf dem Bild in Verbindung gebracht? (Which war is associated with the leadership of the person in the image?)</p> <p>Options:</p> <p>A) Zweiter Weltkrieg (World War II) B) Erster Weltkrieg (World War I) C) Kalter Krieg (Cold War) D) Koreakrieg (Korean War)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: Wer ist der Nazi-Führer auf diesem Bild? (Who is the Nazi leader depicted in this image?)</p> <p>Ans: Adolf Hitler (Adolf Hitler)</p> <p>Ques: In welchem Zeitraum regierte der Führer auf dem Bild Deutschland? (During what period did the leader in the image rule Germany?)</p> <p>Ans: Adolf Hitler regierte Deutschland von 1933 bis 1945.. (Adolf Hitler ruled Germany from 1933 to 1945.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: Erörtern Sie die Auswirkungen und Konsequenzen der Herrschaft Adolf Hitlers auf Deutschland und die Welt, einschließlich der Ereignisse des Zweiten Weltkriegs und des Holocausts. (Discuss the impact and consequences of Adolf Hitler's rule on Germany and the world, including the events of World War II and the Holocaust.)</p> <p>Ans: Die Herrschaft Adolf Hitlers hatte tiefgreifende und verheerende Auswirkungen auf sowohl Deutschland als auch die Welt. Als Führer des Nazi-Deutschlands führten Hitlers aggressive expansionistische Politiken direkt zum Ausbruch des Zweiten Weltkrieges im Jahr 1939. Sein Regime verübte den Holocaust, bei dem sechs Millionen Juden sowie Millionen anderer, die vom Nazi-Staat als unerwünscht angesehen wurden, systematisch in Konzentrationslagern ermordet wurden. Der Krieg selbst führte zum Tod von über 60 Millionen Menschen weltweit, zu massiver Zerstörung in ganz Europa und zu bedeutenden politischen, sozialen und wirtschaftlichen Folgen. Nach dem Krieg wurde Deutschland von den Alliierten besetzt und aufgeteilt, was schließlich zur Teilung in Ost- und Westdeutschland führte. Hitlers Handlungen veränderten die globale Geopolitik grundlegend, führten zur Gründung der Vereinten Nationen und bereiteten den Weg für den Kalten Krieg.</p> <p style="text-align: center;">True/False</p> <p>Ques: Hat die Person auf dem Bild eine bedeutende Rolle im Zweiten Weltkrieg gespielt? Did the person in the image play a significant role in World War II?)</p> <p>Ans: Wahr (TRUE)</p>

Figure A.11. qualitative examples of various question types in Italian and German Language.



<p style="text-align: center;">Language: Spanish Category: Customs</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: ¿En qué ciudad se está llevando a cabo este evento? (In which city is this event taking place?)</p> <p>Options:</p> <p>A) Barcelona, España (Barcelona, Spain) B) Madrid, España (Madrid, Spain) C) Sevilla, España (Seville, Spain) D) Bilbao, España (Bilbao, Spain)</p> <p>Ques: ¿Qué papel desempeña la persona con el traje tradicional en este evento? (What role does the person in the traditional costume play in this event?)</p> <p>Options:</p> <p>A) Matador (Matador) B) Picador (Picador) C) Banderillero (Banderillero) D) Rejoneador (Rejoneador)</p> <p style="text-align: center;">True/False</p> <p>Ques: ¿El evento representado en la imagen es una corrida es una corrida de toros? (Is the event depicted in the image a traditional Spanish bullfight?)</p> <p>Ans: Verdadero (TRUE)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: ¿Qué tipo de evento se muestra en la imagen? (What type of event is shown in the image?)</p> <p>Ans: La imagen muestra una corrida de toros. (The image shows a bullfight.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: Explica la importancia de las corridas de toros en la cultura española, especialmente su historia, los roles involucrados en una corrida, y cómo es vista en la sociedad española contemporánea. (Explain the significance of bullfighting in Spanish culture, particularly its history, the roles involved in a bullfight, and how it is viewed in contemporary Spanish society.)</p> <p>Ans: Las corridas de toros, conocidas como 'corrida de toros', han sido una parte significativa de la cultura española durante siglos, con orígenes que se remontan a la antigua Roma. Involucra una serie de etapas, cada una con roles específicos: el matador, que realiza la estocada final; los picadores, que debilitan al toro; y los banderilleros, que colocan palos coloridos (banderillas) en el toro. A pesar de sus profundas raíces históricas y su fuerte presencia en las tradiciones y festivales españoles, las corridas de toros se han convertido en un tema controvertido en la España moderna. Algunas regiones, como Cataluña, las han prohibido, reflejando un cambio en los valores sociales donde los derechos de los animales y las consideraciones éticas están tomando precedencia sobre las prácticas tradicionales.</p> <p>Ques: ¿Qué objeto está sosteniendo el matador en la imagen? (What item is the matador holding in the image?)</p> <p>Ans: El matador está sosteniendo una capa. (The matador is holding a cape.)</p>
<p style="text-align: center;">Language: Emirati Arabic Category: Architecture</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: من هو المعماري الذي صمم جناح الإمارات في الصورة؟ (Which architect designed the UAE Pavilion shown in the image?)</p> <p>Options:</p> <p>A) Santiago Calatrava سانتياغو كالاترافا B) Frank Gehry فرانك جيري C) Zaha Hadid زها حديد D) Norman Foster نورمان فوستر</p> <p>Ques: شو هو الإلهام المتوقع لتصميم جناح الإمارات؟ (What inspiration is most likely behind the design of the UAE Pavilion?)</p> <p>Options:</p> <p>A) Falcon wings أجنحة الصقر B) Waves الأمواج C) Mountains الجبال D) Palm trees أشجار النخيل</p> <p style="text-align: center;">True/False</p> <p>Ques: هل يعكس تصميم جناح الإمارات عناصر إماراتية تقليدية؟ (Does the design of the UAE Pavilion reflect traditional Emirati elements?)</p> <p>Ans: صح، يعكس (TRUE, it does)</p> <p style="text-align: center;">Short Question Answer</p> <p>Ques: شو موجود في الصورة؟ (What is depicted in the image?)</p> <p>Ans: الصورة تبين جناح الإمارات التي صممها سانتياغو كالاترافا. (The image shows Santiago Calatrava's UAE Pavilion.)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: تكلم عن كيف يعكس تصميم سانتياغو كالاترافا الجناح الإمارات في 2020/كسبو تطلمات وتراث دولة الإمارات الثقافي. (Discuss how Santiago Calatrava's architectural design of the UAE Pavilion at Expo 2020 reflects the aspirations and cultural heritage of the United Arab Emirates.)</p> <p>Ans: تصميم سانتياغو كالاترافا للجناح الإمارات في أكتوبر 2020 يعتبر معجزة معمارية حديثة تعكس طموحات وتراث الإمارات الثقافي الهائل الذي تشبه الأجنحة مستوحاة من حركة الصقور في الطيران، التي لها رمزية ثقافية ووطنية كبيرة في الإمارات، وتمثل القوة والتراث والروح الطموحة للدولة. التصميم المبتكر للجناح يعبر عن رؤية الإمارات المستقبلية، ويبين التزامها بالاستدامة والتكنولوجيا والتطور مع حفاظها على تقاليدها الثقافية العريقة. هالمزيج بين التصميم المعاصر والرمزية الثقافية يبرز الهوية الديناميكية للإمارات على مستوى العالم.</p> <p>Ques: شو الميزة المعمارية البارزة في المبنى؟ (What unique architectural feature is prominent in the building?)</p> <p>Ans: المبنى يتميز بهيكل تشبه الأجنحة. (The building prominently features wing-like structures.)</p>

Figure A.12. qualitative examples of various question types in Spanish and Emirati Arabic Language.




<p style="text-align: center;">Language: Saudi Arabic Category: Media</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: من هو أحد الممثلين في المسلسل التلفزيوني سكة سفر؟ (Who is one of the actors in the TV series Sekket Safar?)</p> <p>Options:</p> <p>A) محمد الشهري B) ناصر القصبني C) عبد المحسن النمر D) راشد عيسى</p> <p>Ques: ما هو نوع المسلسل التلفزيوني سكة سفر؟ (What genre is the TV series Sekket Safar?)</p> <p>Options:</p> <p>A) كوميديا B) دراما C) رعب D) إثارة</p> <p style="text-align: center;">True/False</p> <p>Ques: هل سكة سفر هو مسلسل تلفزيوني عرض في عام 2022? (Is Sekket Safar a TV series that aired in 2022?)</p> <p>Ans: صحيح (TRUE)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: ناقش الأهمية الثقافية والترفيهية للمسلسل سكة سفر في المملكة العربية السعودية وتصويره لأنماط الحياة MBC السعودية، بالنظر إلى إنتاجه من قبل السعودية. (Discuss the cultural and entertainment significance of the TV series Sekket Safar in Saudi Arabia, considering its production by MBC and the portrayal of Saudi lifestyles.)</p> <p>Ans: سكة سفر هو مسلسل كوميدي أنتجته MBC في عام 2022 ، يحمل أهمية ثقافية وترفيهية كبيرة في المملكة العربية السعودية. يصور المسلسل جوانب متنوعة من الحياة والثقافة السعودية، مقدماً للمشاهدين نظرة طريفة ومعبرة عن العادات المحلية والأعراف الاجتماعية والتجارب اليومية. يبرز المسلسل، الذي يشارك فيه ممثلون مثل محمد الشهري وسعد عزيز وصالح أبو عمرو، نمو صناعة الترفيه في المنطقة. إنتاج المسلسل من قبل شبكة رائدة مثل MBC يضمن جودة محتوى عالية تتفاعل مع الجمهور السعودي، مما يعكس قصصهم ويوفر لهم ترفيهًا مرتبطًا بهم. لذا، يسهم سكة سفر في تنوع وإثراء المشهد الإعلامي السعودي.</p>
<p style="text-align: center;">Language: Afrikaans Category: Economy</p> 	<p style="text-align: center;">Multiple Choice Question Answers</p> <p>Ques: Watter stad in Suid-Afrika word op die beeld uitgebeeld? (What South African city is depicted in the image?)</p> <p>Options:</p> <p>A) Johannesburg (Johannesburg) B) Kaapstad (Cape Town) C) Durban (Durban) D) Pretoria (Pretoria)</p> <p>Ques: In watter bedryf is Johannesburg veral bekend? (Which industry is Johannesburg widely known for?)</p> <p>Options:</p> <p>A) Mynbou (Mining) B) Landbou (Agriculture) C) Toerisme (Tourism) D) Mode (Fashion)</p> <p style="text-align: center;">True/False</p> <p>Ques: Die beeld toon die skyline van Johannesburg. (The image represents the skyline of Johannesburg.)</p> <p>Ans: Waar (TRUE)</p>	<p style="text-align: center;">Long Question Answer</p> <p>Ques: Verduidelik die rol van Johannesburg in die Suid-Afrikaanse ekonomie, met spesifieke klem op sy historiese agtergrond in mynbou en ander belangrike ekonomiese sektore wat tot sy welvaart bydra. (Explain the significance of Johannesburg in South Africa's economy, highlighting its historical background in mining and other major economic industries that contribute to its prosperity.)</p> <p>Ans: Johannesburg, dikwels beskryf as die ekonomiese spilpunt van Suid-Afrika, het vinnig gegroei na die ontdekking van goud in die laat 19de eeu en het steeds 'n noemenswaardige ekonomiese rol. Behalwe mynbou, het Johannesburg oor tyd gediversifiseer na ander sektore, insluitend finansies, vervaardiging, telekommunikasie en kleinhandel. Die stad huisves die Johannesburgse Effektebeurs (JSE), wat sy finansiële markposisie versterk. Met sy skyline as simbool van 'n moderne en dinamiese ekonomie, trek Johannesburg beleggers plaaslik en internasionaal, en speel dit 'n sleutelrol in Suid-Afrika se ekonomiese landskap.</p>
	<p style="text-align: center;">Short Question Answer</p> <p>Ques: Watter stad word as hoofstad op die beeld vertoon? (What is the main city shown in the image?)</p> <p>Ans: Johannesburg (Johannesburg)</p>	<p>Ques: Watter toringagtige struktuur is prominent op die beeld? (Which structure is prominently featured with a tower-like design?)</p> <p>Ans: Die Hillbrow Toring (The Hillbrow Tower)</p>

Figure A.13. qualitative examples of various question types in Saudi Arabic and Afrikaans Language.

South Africa-Afrikaans
Category: Music




Short Question Answers

Waarop speel die Hausa-musikante in hierdie beeld? (What are Hausa musicians in this image performing on?)

Hulle speel op verskeie tradisionele instrumente, insluitend dié wat van dierhoringe gemaak is.

(They are performing on various traditional instruments, including those made from animal horns.)

Italy- Italian
Category: Food




True False

Descrivi gli ingredienti tipici e il metodo di preparazione della Zuppa di Minestrone raffigurata nell'immagine.

(The bread shown in the image is a type of Italian bread.)

Vero (True)


Iran-Persian
Category: Architecture



Multiple Choice Question Answers

شاه چاه (A large vase with handles.) ✓
 شمشیر (A sword.) ✗
 شیلد (A Shield) ✗

Bosnia-Bosnian
Category: Festivals




Short Question Answers

Koja vrsta kulturne aktivnosti se izvodi na slici? (What type of cultural activity is being performed in the image?)

Slika prikazuje grupni nastup tradicionalnog plesa.

(The image shows a group performance of traditional dance.)

Thailand-Thai
Category: Lifestyle




Short Question Answers

Objekti koje nose osobe na slici? (What objects are the individuals carrying in their hands?)

Arance (The individuals are carrying arrangements of flowers in their hands.)

Germany- German
Category: Literature




True False

Befindet sich die Skulptur im Bild in Dresden? (Is the sculpture in the image located in Dresden?)

Falsch (False)

France-French
Category: Heritage




Multiple Choice Question Answers

Comment s'appelle le monument sur l'image? (What is the monument in the image called?)

a) Cathédrale Notre-Dame (Notre-Dame Cathedral) ✗
 b) Tour Eiffel (Eiffel Tower) ✗
 c) Arc de Triomphe, (Arc de Triomphe) ✓
 d) Pyramide du Louvre (Louvre Pyramid) ✗

Czech Republic-Czech
Category: Heritage




Short Question Answers

Kdo je osoba zobrazená na obrázku? (Who is the person depicted in the image?)

Osoba zobrazená na obrázku je Václav Havel.

(The person depicted in the image is Václav Havel.)

Albania-Albanian
Category: Religion




Short Question Answers

Cili ngjarje fetar po përkërkohet në këtë imazh? (What religious event is being depicted in this image?)

Imazhi paraqet muslimanët shqiptarë duke ofruar namazin e Bajramit.

(The image depicts Albanian Muslims offering Eid Prayer.)

Russia- Russian
Category: Economy




True False

Is Moscow known as the financial center of Russia? (Is Moscow known as the financial center of Russia?)

True (True)

Bosnia, Herzegovina-Bosnian
Category: Customs




Multiple Choice Question Answers

À ta nose bosanske djevojke na glavici? (What are the Bosnian girls wearing on their heads?)

a) Tradicionalne marame (Traditional headscarves) ✓
 b) Cvjetne krune (Flower crowns) ✗
 c) Kačketi (Baseball caps) ✗
 d) Zimske kape (Winter hats) ✗

Mainland China-Chinese
Category: Media



Short Question Answers

Which television network broadcasts 'The Voice of China'? (Which television network broadcasts 'The Voice of China?')

Zhejiang Television

Figure A.14. Some more qualitative examples of various question types from our benchmark.



Figure A.15. Word clouds depicting prominent concepts from 19 categories in our ALM-bench. For intriguing results, we plot and demonstrate the results on English samples of the plot representing both the cultural and generic elements for the entire 100 languages.

S#No	Language	Country	Script	Family	Subgrouping	Specification
1	Afrikaans	South Africa	Latin	Indo-European	Germanic	High
2	Albanian	Albania	Latin	Indo-European	Albanian	High
3	Amharic	Ethiopia	Ge'ez	Afro-Asiatic	Semitic	Low
4	Armenian	Armenia	Armenian	Indo-European	Armenic	Low
5	Assamese	India	Bengali	Indo-European	Indo-Aryan	Low
6	Azerbaijani	Azerbaijan	Latin	Turkic	Common Turkic	Low
7	Basque	Spain	Latin	Isolate	–	High
8	Belarusian	Belarus	Cyrillic	Indo-European	Balto-Slavic	Low
9	Bengali	Bangladesh	Bengali	Indo-European	Indo-Aryan	High
10	Bhojpuri	India	Devanagari	Indo-European	Indo-Aryan	Low
11	Bosnian	Bosnia	Latin	Indo-European	Balto-Slavic	High
12	Bulgarian	Bulgaria	Cyrillic	Indo-European	Balto-Slavic	High
13	Catalan	Spain	Latin	Indo-European	Italic	High
14	Cebuano	Philippines	Latin	Austronesian	Malayo-Polynesian	Low
15	Chinese Simplified	China	Chinese	Sino-Tibetan	Sinitic	High
16	Chinese Traditional	Hong Kong	Chinese	Sino-Tibetan	Sinitic	High
17	Croatian	Croatia	Latin	Indo-European	Balto-Slavic	High
18	Czech	Czech Republic	Latin	Indo-European	Balto-Slavic	High
19	Danish	Denmark	Latin	Indo-European	Germanic	High
20	Dutch	Netherlands	Latin	Indo-European	Germanic	High
21	Egyptian Arabic	Egypt	Arabic	Afro-Asiatic	Semitic	Low
22	Emirati Arabic	United Arab Emirates	Arabic	Afro-Asiatic	Semitic	High
23	English	United Kingdom	Latin	Indo-European	Germanic	High
24	Estonian	Estonia	Latin	Uralic	Finnic	High
25	Filipino	Philippines	Latin	Austronesian	Malayo-Polynesian	Low
26	Finish	Finland	Latin	Uralic	Finnic	High
27	French	France	Latin	Indo-European	Italic	High
28	Galician	Spain	Latin	Indo-European	Italic	Low
29	Georgian	Georgia	Georgian	Kartvelian	Kartvelian	Low
30	German	Germany	Latin	Indo-European	Germanic	High
31	Greek	Greece	Greek	Indo-European	Graeco-Phrygian	High
32	Gujarati	India	Gujarati	Indo-European	Indo-Aryan	Low
33	Hausa	Nigeria	Latin	Afro-Asiatic	Chadic	Low
34	Hawaiian	United States	Latin	Austronesian	Malayo-Polynesian	Low
35	Hebrew	Israel	Hebrew	Afro-Asiatic	Semitic	High
36	Hindi	India	Devanagari	Indo-European	Indo-Aryan	High
37	Hungarian	Hungary	Latin	Uralic	–	High
38	Icelandic	Iceland	Latin	Indo-European	Germanic	High
39	Igbo	Nigeria	Latin	Atlantic-Congo	Benue-Congo	Low
40	Indonesian	Indonesia	Latin	Austronesian	Malayo-Polynesian	High
41	Irish	Ireland	Latin	Indo-European	Celtic	Low
42	Italian	Italy	Latin	Indo-European	Italic	High
43	Japanese	Japan	Kanji/Kana	Japonic	Japanese Ryukyuan	High
44	Javanese	Indonesia	Latin	Austronesian	Malayo-Polynesian	Low
45	Kannada	India	Kannada	Dravidian	South Dravidian	Low
46	Kazakh	Kazakhstan	Cyrillic	Turkic	Common Turkic	High
47	Kinyarwanda	Rwanda	Latin	Atlantic-Congo	Benue-Congo	Low
48	Korean	South Korea	Hangul	Koreanic	Korean	High
49	Kurdish	Turkey	Arabic	Indo-European	Iranian	Low
50	Kyrgyz	Kyrgyzstan	Cyrillic	Turkic	Common Turkic	Low

S#No	Language	Country	Script	Family	Subgrouping	Specification
51	Lao	Thailand	Lao	Tai-Kadai	Kra-Dai	Low
52	Latin	Vatican City	Latin	Indo-European	Italic	Low
53	Latvian	Latvia	Latin	Indo-European	Balto-Slavic	High
54	Lithuanian	Lithuania	Latin	Indo-European	Balto-Slavic	High
55	Luxembourgish	Luxembourg	Latin	Indo-European	Germanic	Low
56	Macedonian	North Macedonia	Cyrillic	Indo-European	Balto-Slavic	High
57	Malagasy	Madagascar	Latin	Austronesian	Malayo-Polynesian	Low
58	Malay	Malaysia	Latin	Austronesian	Malayo-Polynesian	High
59	Malayalam	India	Malayalam	Dravidian	South Dravidian	Low
60	Maltese	Malta	Latin	Afro-Asiatic	Semitic	High
61	Marathi	India	Devanagari	Indo-European	Indo-Aryan	Low
62	Mongolian	Mongolia	Cyrillic	Mongolic-Khitani	Mongolic	Low
63	Myanmar (Burmese)	Myanmar	Myanmar	Sino-Tibetan	Burmo-Qiangic	Low
64	Nepali	Nepal	Devanagari	Indo-European	Indo-Aryan	Low
65	Norwegian	Norway	Latin	Indo-European	Germanic	Low
66	Odia (Oriya)	India	Oriya	Indo-European	Indo-Aryan	Low
67	Pashto	Pakistan	Arabic	Indo-European	Iranian	Low
68	Persian	Iran	Arabic	Indo-European	Iranian	High
69	Polish	Poland	Latin	Indo-European	Balto-Slavic	High
70	Portuguese	Portugal	Latin	Indo-European	Italic	High
71	Punjabi	Pakistan	Gurmukhi	Indo-European	Indo-Aryan	Low
72	Romanian	Romania	Latin	Indo-European	Italic	High
73	Russian	Russia	Cyrillic	Indo-European	Balto-Slavic	High
74	Sanskrit	India	Devanagari	Indo-European	Indo-Aryan	Low
75	Saudi Arabic	Saudi Arabia	Arabic	Afro-Asiatic	Semitic	High
76	Scots Gaelic	Scotland	Latin	Indo-European	Celtic	Low
77	Serbian	Serbia	Cyrillic	Indo-European	Balto-Slavic	Low
78	Shona	Zimbabwe	Latin	Atlantic-Congo	Benue-Congo	Low
79	Sindhi	Pakistan	Arabic	Indo-European	Indo-Aryan	Low
80	Sinhala	Sri Lanka	Sinhala	Indo-European	Indo-Aryan	Low
81	Slovak	Slovakia	Latin	Indo-European	Balto-Slavic	High
82	Slovenian	Slovenia	Latin	Indo-European	Balto-Slavic	High
83	Somali	Somalia	Latin	Afro-Asiatic	Cushitic	Low
84	Spanish	Spain	Latin	Indo-European	Italic	High
85	Sundanese	Indonesia	Latin	Austronesian	Malayo-Polynesian	Low
86	Swahili	Tanzania	Latin	Atlantic-Congo	Benue-Congo	High
87	Swedish	Sweden	Latin	Indo-European	Germanic	High
88	Tajik	Tajikistan	Cyrillic	Indo-European	Iranian	Low
89	Tamil	India	Tamil	Dravidian	South Dravidian	Low
90	Telugu	India	Telugu	Dravidian	South Dravidian	Low
91	Thai	Thailand	Thai	Tai-Kadai	Kam-Tai	High
92	Turkish	Turkey	Latin	Turkic	Common Turkic	High
93	Ukrainian	Ukraine	Cyrillic	Indo-European	Balto-Slavic	High
94	Urdu	Pakistan	Arabic	Indo-European	Indo-Aryan	Low
95	Uyghur	China	Arabic	Turkic	Common Turkic	Low
96	Uzbek	Uzbekistan	Latin	Turkic	Common Turkic	High
97	Vietnamese	Vietnam	Latin	Austroasiatic	Vietic	High
98	Welsh	United Kingdom	Latin	Indo-European	Celtic	Low
99	Yiddish	Israel	Hebrew	Indo-European	Germanic	Low
100	Yoruba	Nigeria	Latin	Atlantic-Congo	Benue-Congo	Low

Table A.3. A comprehensive list of 100 languages, their associated country, language scripts, families, subgrouping, and the resource specification.