


# Inference Scaling fLaws: The Limits of LLM Resampling with Imperfect Verifiers

Benedikt Stroebel\*, Sayash Kapoor\*, Arvind Narayanan\*  
Princeton University

## Abstract

Recent research has generated hope that inference scaling could allow weaker language models to match or exceed the accuracy of stronger models, such as by repeatedly sampling solutions to a coding problem until it passes unit tests. The central thesis of this paper is that there is no free lunch for inference scaling: indefinite accuracy improvement through resampling can only be realized if the “verifier” (in this case, a set of unit tests) is perfect. When the verifier is imperfect, as it almost always is in domains such as reasoning or coding (for example, unit tests have imperfect coverage), there is a nonzero probability of false positives: incorrect solutions that pass the verifier. Resampling cannot decrease this probability, so it imposes an upper bound to the accuracy of resampling-based inference scaling *even with an infinite compute budget*. We find that there is a very strong correlation between the model’s single-sample accuracy (i.e. accuracy without unit tests) and its false positive rate on coding benchmarks HumanEval and MBPP, whose unit tests have limited coverage. Therefore, no amount of inference scaling of weaker models can enable them to match the single-sample accuracy of a sufficiently strong model (Fig. 1a). When we consider that false positives have a negative utility compared to abstaining from producing a solution, it bends the inference scaling curve further downward. Empirically, we find that the optimal number of samples can be less than 10 under realistic assumptions (Fig. 1b). Finally, we show that beyond accuracy, false positives may have other undesirable qualities, such as poor adherence to coding style conventions.



(a) **Single-sample accuracy vs. resampling limits on HumanEval+.** The x-axis shows single-sample accuracy on HumanEval+ (which contains comprehensive unit tests), while the y-axis shows the highest achievable accuracy when resampling with an infinite compute budget, using HumanEval’s more limited unit tests as verifiers. Weaker models (models with lower single-sample accuracy) produce false positive solutions at higher rates. Models below the cutoff line are unable to match GPT-4o through resampling, as GPT-4o’s Pass@1 exceeds the accuracy of such a model even when conditioned on its solutions passing the unit tests. Results on MBPP+ follow a similar pattern (Fig. 3).

(b) **The cost of false positives limits the reward of resampling.** False positives w.r.t. an imperfect verifier (HumanEval unit tests) incur a “cost” (e.g., subtle bugs in code), while correct answers provide a benefit. The reward (y-axis) depends on this cost-benefit ratio (C/B-Ratio). Problem instances that require more attempts tend to be harder, hence more susceptible to false positives. Thus, even with *zero computational cost*, for realistic cost-benefit ratios, the optimal number of samples  $K$  is finite and very low.

Figure 1: Overview of our main findings.

\*Contact: {stroebel, sayashk, arvindn}@princeton.edu

# 1 Introduction

Scaling the amount of compute used during inference is a promising way to improve LLM performance. Techniques include reasoning (69; 71; 53), reflecting on model outputs to revise candidate solutions (55; 80), and compositions of these and other atomic techniques (51; 70).

Inference scaling through *resampling* stands out for its simplicity and broad applicability. It works by generating many candidate outputs until one is satisfactory, based on feedback from a *verifier* (58; 49; 7; 22; 36). Unlike techniques such as majority voting where gains from inference scaling quickly plateau (Table 1), resampling has given rise to the hope of usefully scaling inference compute by many orders of magnitude.

We provide evidence that tempers this assumption. Our key concern is that the generalization gap — where a model performs well on benchmarks but fails to generalize to the real-world — is amplified when using repeated sampling to lift the performance of weaker models.

Specifically, we study the use of unit tests as verifiers for coding benchmarks, to see if inference scaling for less capable models allows us to match the accuracy of more capable models. We make the following contributions.

**Review of inference scaling techniques and their limitations (Section 2).** We review papers on inference scaling, categorizing the primary techniques and listing their domain-specific applications and known limitations.

**Demonstration of generalization gap (Section 3).** We provide empirical evidence on two benchmarks, HumanEval+ and MBPP+ (42), showing that the apparent gains from resampling with imperfect verifiers are unlikely to translate into real-world performance. Despite achieving comparable results to stronger models on standard unit tests, less capable models suffer from a larger generalization gap—producing incorrect solutions that fail the extended test suite (false positives) at higher rates than stronger models.

In particular, we observe that even if given an *infinite* inference budget, in many cases a weaker model cannot match the performance of a single invocation of a sufficiently strong model.

**Empirical analysis to understand the limitations of inference scaling with imperfect verifiers (Section 4).** We examine how introducing a cost (negative utility) for returning false positives impacts the optimal number of resampling attempts on HumanEval+. We find that even with an infinite inference budget, the optimal number of samples is often finite and very low (e.g.,  $K \leq 5$  in Fig. 4). Hence, resampling quickly reaches a point of diminishing returns without bridging the performance gap for smaller models. If the cost of an incorrect solution is higher than the benefit of a correct solution, the optimal  $K$  can be *zero* — the risk of a false positive for a weak model is high enough that it is effectively useless (Fig. 4). In Appendix A.3 we present a theoretical model that complements the findings in this section.

**Evidence that this affects code quality beyond correctness (Section 5).** We show that the reliance on imperfect verifiers not only affects the functional correctness but also overall quality of the generated code. We evaluate candidate solutions on HumanEval+ based on various readability metrics such as adherence to naming conventions (that we specify in the prompt) like `snake_case` and `camelCase`, line-level commenting, and guidelines regarding the maximum line length and number of lines in function implementations. We find that false positive solutions are lower quality across all models and metrics when compared to true positive solutions. While other aspects of code quality such as simplicity and modularity are harder to test automatically, we speculate that the same pattern holds for those properties as well.

We also conduct a qualitative analysis to identify recurring error types causing a larger generalization gap for weaker models.

Our findings have two additional implications. First, they show the importance of building highly accurate verifiers. This goal might benefit from treating verification technology as a specialized subfield with its own metrics and benchmarks. This is especially true for training-time uses: models trained with feedback from imperfect verifiers may learn to exploit weaknesses in the verifier rather than solve tasks robustly, potentially leading to safety concerns (35; 2).

Second, the use of imperfect verifiers as the ground truth for evaluation is flawed. We used HumanEval+ and MBPP+ for evaluation; the gaps we identify would have been invisible if we had used HumanEval and MBPP both as verifiers and as benchmarks. While the limitations of these benchmarks for measuring absolute performance are well known (78; 42), our results show that they might result in misleading comparisons between models as well.

While we do not claim that resampling is the predominant scaling technique, our findings suggest that the persisting gap between oracle and imperfect verifiers should be taken seriously and could pose limitations across inference scaling strategies. We invite research on ways to mitigate the issues identified in this work.

## 2 Scaling inference compute with verifiers




Figure 2: Schematic illustration of various resampling techniques for inference scaling.

Table 1 provides an overview of the main techniques for scaling inference compute with LLMs. Some methods such as majority voting (68; 10) or resampling using verifiers (7; 72) generate many candidate solutions and then select one. Other methods such as reasoning (69) and critique (55; 47) refine a single solution. In practice, these methods can be combined in flexible ways and the distinction between them is not always clear (Appendix A.1.1). Note that our notion of inference scaling excludes methods such as those used to train OpenAI’s o1 series of models, since we are only looking at improvements during inference time to available language models, rather than training improvements.

All these methods except verifier-based resampling are known to have important limitations that cast doubt on how much scaling is truly possible, as summarized in Table 1. Resampling using verifiers has a different control flow than other methods, which gives it an intuitive appeal (Fig. 2): we can potentially regenerate solutions *indefinitely* until one is correct. This enthusiasm around resampling is partly driven by the empirically observed *inference scaling laws*, which suggest that the fraction of tasks for which we find at least one correct solution scales predictably with the number of samples over multiple orders of magnitude (7).

Table 1: **Overview of inference scaling techniques.** This table shows the main categories of techniques for inference scaling along with their descriptions and known limitations. Note that rankers, often implemented with reward models, are sometimes referred to as verifiers and the boundary can be unclear.

Technique	Description	Limitations
Reasoning	Applying structured logical steps to improve output quality (69)	<ul style="list-style-type: none"> <li>Performance gains are unreliable and domain-dependent (44; 60; 34)</li> <li>Can increase the likelihood to produce harmful or undesirable output (54)</li> </ul>
Critique	Self-evaluating and refining initial outputs (55)	<ul style="list-style-type: none"> <li>Improvements from self-refinement worsens performance for tasks with high model uncertainty (59; 27; 63)</li> <li>Self-refinement amplifies self-bias (73)</li> </ul>
Fusion	Combining multiple samples into one output (51)	<ul style="list-style-type: none"> <li>Unreliable performance improvements that vary by task (51)</li> </ul>
Ranking	Scores and ranks the best samples from multiple candidates (14; 22; 41; 40; 45; 26; 33; 53; 57; 64; 13)	<ul style="list-style-type: none"> <li>Doesn't scale with sample budget (7)</li> <li>Underperform compared to other methods (77)</li> </ul>
Majority Voting	Using consensus among multiple samples to determine final output(68; 37; 67)	<ul style="list-style-type: none"> <li>Hurts performance on hard tasks and non-monotonous scaling under task heterogeneity (10)</li> <li>Sample inefficient for queries with many answer possibilities (67)</li> <li>Limited applicability for tasks with non-discrete answers</li> </ul>
Oracle Verification	Leverages ground-truth evaluator for free until correct solution is found (72; 19)	<ul style="list-style-type: none"> <li>Not available for most domains</li> </ul>
Imperfect Verification (This paper)	Scores and accepts or rejects candidate solutions (77; 16; 75; 21; 30)	<ul style="list-style-type: none"> <li>Bigger generalization gap for weaker models (Section 3)</li> <li>Optimal number of samples is finite and low (Section 4)</li> <li>Low code quality of false positives (Section 5)</li> </ul>

However, the usefulness of this depends on the availability of a capable verifier (16). In some settings, we may have an *oracle verifier*, such as a proof checker, that does not suffer from false positives — that is, if the proof checker verifies the proof, it is guaranteed to be correct. False negatives of the verifier (including nontermination under a fixed compute budget) are less of a problem, as one can simply generate more samples until a true positive is found. It is possible that *every* correct solution is a false negative of the verifier, but it is unclear if this is a problem that arises in practice.

But in other settings such as coding and reasoning, we only have *imperfect verifiers* such as unit tests or LM judges, which suffer from false positives: incorrect solutions that nonetheless pass the verifier. In these settings, we don't have easy methods to guarantee the correctness of generated solutions at inference time. As a result, we cannot distinguish between false positives and true positives simply by increasing the compute budget. We survey papers that use verifiers in Table 2.

In this paper, we investigate the effect of scaling inference compute with access to imperfect verifiers.

### 3 Repeated sampling with weaker models leads to worse generalizability

In computer programming tasks, unit tests are commonly employed as verifiers to assess the correctness of candidate solutions generated by language models. While unit tests are practical and efficient, they often suffer from imperfect test coverage, leading to false positives where incorrect solutions pass the tests (20). This affects many benchmarks such as HumanEval (11), APPS (24), or MBPP (3). This imperfection raises the question: Do less capable models produce false

Paper	Verifier Category	Verifier Type	Domain	Verifier Implementation
Chen et al. (9)	Imperfect	Unit tests	Coding	Checks agreement of tests and samples
Shinn et al. (55)	Imperfect	LM-as-judge, Unit tests	Coding, QA	LLM evaluator generates decision rewards
Yao et al. (75)	Imperfect	LM-as-judge	Planning	LLM evaluates reasoning steps
First et al. (19)	Oracle	Proof checker	Math	Proof checker
Thakur et al. (61)	Oracle	Proof checker	Math	Proof checker
Yang et al. (74)	Oracle	Proof checker	Math	Proof checker
Wang et al. (66)	Oracle	Proof checker	Math	Proof checker
Azerbayev et al. (4)	Oracle	Proof checker	Math	Proof checker, Majority voting
Huang et al. (28)	Oracle	Proof checker	Math	Proof checker
Xin et al. (72)	Oracle	Proof checker	Math	Proof checker
Brown et al. (7)	Oracle	Proof checker	Math	Proof checker
Davis et al. (16)	Imperfect	LM-as-judge	QA, Math	LLM judges correctness of generations
Hassid et al. (22)	Imperfect	Unit tests	Coding	Unit tests
Zhang et al. (77)	Imperfect	Generative RM	Math	Verification as part of the model output
Zhuge et al. (81)	Imperfect	Agent-as-judge	Agents, Coding	Agents evaluate outputs of other agents
Kapoor et al. (32)	Imperfect	Unit tests	Coding	Unit tests
Saad-Falcon et al. (51)	Imperfect	LM-as-judge	Coding, Reasoning	LLM judges correctness of generations
Liang et al. (39)	Imperfect	Program-of-thought	Coding, Math	Checks CoT against generated PoT
Cook et al. (15)	Imperfect	LM-as-judge	Instruction-following	LLM checks answer against generated checklists
Gundawar et al. (21)	Imperfect	Agent-as-judge	Travel planning	Pre-defined constraints verified by critic agents

Table 2: Survey of papers on LLM verification methods, their approaches, and specific verifier implementations.

positives—implementations that pass the standard unit tests but fail the comprehensive ones—at a higher rate than stronger models?

**Experimental setup.** To investigate this, we conducted experiments on two widely used coding benchmarks: HumanEval+ and MBPP+. MBPP consists of simple programming tasks designed to evaluate the basic coding abilities of models (3). HumanEval+ and MBPP+ are extensions of the original HumanEval and MBPP benchmarks (42) and contain additional hidden test cases to assess correctness beyond the unit tests included in the original benchmarks.

We evaluated multiple models of varying capabilities, including weaker and stronger models, generating at least 50 samples for each model and benchmark task. We used the standard unit tests provided with the benchmarks as imperfect verifiers to filter the candidate solutions. To assess the generalization gap, we then evaluated solutions that passed the original benchmark test sets on the more comprehensive hidden test cases (see Appendix A.5 for details). These tests are extensive, and we assume that solutions that pass the full set of tests are correct. (If this assumption is not true, the generalization gaps that we reveal only grow bigger.)

**Findings.** Weaker models exhibit a higher probability of producing false positives compared to stronger models (Fig. 3). The false positive probability scales inversely with the true capability. This linear relationship holds with remarkable consistency across models of various model families, including Cohere’s Command models, GPT-4o, and the Llama 3.1 family. This suggests that while weaker models appear to perform well on standard benchmarks through increased sampling, they fail to generalize effectively and, importantly, they generalize worse than more capable models. They tend to generate fragile solutions that exploit the limitations of the unit tests. We speculate that this is because weaker models’ “true understanding” of the programming tasks is worse.

The empirical results reinforce a core insight. Suppose  $\mathbb{P}_{strong}(\text{Correct}) > \mathbb{P}_{weak}(\text{Correct}|\text{Pass Verifier})$ . That is, the single-sample accuracy of a strong model ex-

ceeds that of a weaker model, even conditioned on the weaker model passing the base unit tests. Then the weaker model cannot match the performance of a single invocation of the stronger model, no matter how big the compute budget for the weaker model. In Fig. 3, this is shown by a horizontal line. No model below the line can match the performance of GPT-4o through resampling.

The effect is largely driven by a subset of the tasks where the unit tests are poor. When we limit the analysis to these tasks, the relationship is even more pronounced Appendix A.2.

Note that our results rely on human-generated unit tests as verifiers. In practice, we might expect to use language-model-generated unit tests for inference-time verification. It is an open question as to how the findings change when the unit-test verifiers are LLM-generated.




Figure 3: **Generalization gap with infinite compute budget.** We show the relationship between the accuracy of individual samples (x-axis) and the achievable accuracy given an infinite compute budget and limited unit tests (y-axis; note that it starts at 0.5). We evaluate performance on the extended test suites of HumanEval+ and MBPP+, using the unit tests from the original benchmarks as verifiers. For both benchmarks, the trend is that less capable models are more likely to generate false positives than stronger models. In Appendix A.2, we show our results with the full y-axis as well as upper (lower) bounds on the conditional accuracy accounting for tasks for which we did not observe *any* solutions passing the unit tests.

## 4 How many samples are optimal?

In the previous section we looked at the behavior of resampling in the limit as the number of samples grows large. Now we look at inference scaling curves, which allow us to study how accuracy varies as a function of the number of samples.

We add one important detail: we model the cost of false positives, such as code that passes unit tests but has subtle bugs. The cost of bugs (which might result in buggy software being deployed) is not easily comparable to the labor-saving benefit of correct solutions, and this cost-benefit ratio can vary greatly depending on the application. So we consider many possible values for the cost-benefit ratio, including zero, which is the setting considered in previous work on inference scaling. The ratio can potentially be much higher than 1 in some applications, such as security sensitive ones, since bugs might translate to exploitable software vulnerabilities.

**Experimental setup.** For each model of interest, we generated 200 samples for each task in the HumanEval benchmark. For each  $K \leq 200$ , if a passing solution was found within  $K$  samples, we assigned rewards based on the outcome: a true positive yielded a benefit of 1, while a false positive incurred a cost, with values set according to different cost-benefit ratios: 0, 1, 2, 4, or 8 (Fig. 4). If




Figure 4: **Inference scaling curves in the presence of a cost for false positives.** We show the reward as a function of the number of attempts  $K$  across various cost-benefit ratios for the Llama 3.1 and Code Llama model families. Crosses mark the optimal number of samples for each setting. Standard inference scaling curves with no cost (i.e., cost-benefit ratio is 0) are provided for reference. We find that, even at *zero computational cost*, there is a finite optimal number of samples  $K$  that is often very low.

no passing solution was found within  $K$  samples, we assigned a reward of 0 (both, cost and benefit are 0). We repeated this whole process 1,000 times and computed the mean reward for each  $K$ . The set of samples was the same in all 1,000 runs, but the order of samples was randomly permuted. This setup allows us to empirically observe the relationship between the number of sampling attempts  $K$  and the reward for various cost-benefit ratios. The results are illustrated in Fig. 4 for the Llama 3.1 (18) and Code Llama (50) model families. The scaling curves for GPT-4o are included in Fig. 16.

**Findings.** The results show that the effectiveness of repeated sampling quickly reaches a point of diminishing and even negative returns. Each additional attempt brings a trade-off: although it might yield a correct solution, it might instead yield a false positive, and the false positive rate increases with  $K$  (Fig. 5). At first this is surprising, since sampling is a memoryless process. To understand why it happens, we need to look at the distribution of task difficulty (Figure 6), which turns out to be strongly bimodal. The easy tasks get solved within a few attempts, and for the remaining harder tasks, false positives are more likely.

Thus, even with *zero computational cost*, the optimal number of samples is finite and low (Fig. 4). For example, at a cost-benefit ratio of 4, the optimal number of samples is  $K \leq 5$  for all four models. If the ratio is high enough, the optimal number of samples is zero — the expected cost of a false positive outweighs the expected benefit of a correct solution, so the reward is always negative and it is best not to attempt a solution at all.

We note one important caveat: for some models such as Llama 3.1 70B, the false positive rate increases dramatically with  $K$ , whereas for others such as the Code Llama and Command families, the increase is much more gradual, resulting in much higher values of the optimal  $K$ , especially for low cost-benefit ratios. We have not been able to identify any intuitive reason for this difference.

To summarize, weaker models cannot “sample their way” to top-level performance if the verifier cannot reliably filter out false positives because the risks quickly outweigh the benefits.

Our findings in this section align with our theoretical model in Appendix A.3, which generalizes these findings to other benchmarks.

## 5 False positive solutions are low-quality even beyond correctness

While correctness is a fundamental criterion for evaluating code generated by LLMs, it is not the only determinant of code quality. High-quality code possesses attributes beyond mere functionality,




Figure 5: False positive rate as a function of the number of attempts  $K$  for Llama 3.1 70B and Code Llama 7B on HumanEval+. We include plots for additional models in Appendix A.3.

such as readability, maintainability, and efficiency. Readability simplifies error-checking and is considered one of the most useful properties of high-quality code (8). It can be measured using various metrics, including code length guidelines (e.g., PEP8), adherence to naming conventions like `snake_case` or `camelCase`, and consistent commenting (79). Intuitively, shorter code with clear variable names and informative comments is generally easier to read and maintain.

To understand the relationship between imperfect verifiers and code quality, we evaluated the readability of code generated by various models in our setup.

**Experimental setup.** In our experiments on HumanEval, we evaluate the readability scores of candidate solutions that pass standard unit tests and the more comprehensive test suite. For each measure of code readability, we use a different prompt instructing the model to adhere to the desired guidelines (see Appendix A.5 for detailed prompts). We rely on the prompts and implementation from Zheng et al. (79).

The results show notable differences in code quality between false positives and robust implementations. False positives, passing only the standard but not the extended unit tests, tend to have worse code quality across all metrics (see Fig. 7). This trend is consistent across models of varying capabilities. This suggests that the limitations of imperfect verifiers for coding tasks extend beyond correctness issues but also affect other code characteristics important for software development. This affects weaker models more, given that they are more prone to generate false positives.

An open question arising from our findings is whether fine-tuning LLMs on code quality metrics could improve not only the quality of generated code but also robustness (29), potentially mitigating the prevalence of false positives.




Figure 6: Distribution of task difficulties for Llama 3.1 8B and GPT-4o on HumanEval+ and MBPP+. We include barplots for all models on both benchmarks in Appendix A.2.






Figure 7: **False positives tend to be lower-quality code than correct implementations.** For example, false positive solutions fail to adhere to the `camelCase` naming convention more often than robust implementations. Fig. 17 shows that this holds consistently across models and for all four code quality metrics we test. GPT-3.5 exhibits a low relative performance in using `camelCase` but performs comparably to other models in following `snake_case`(Appendix A.5). This has also been found in previous work (79).

**Qualitative analysis of false positives.** To better understand the characteristics of false positive implementations, we randomly sample 10 implementations across all models that pass the standard tests but fail the additional unit tests, 5 for each benchmark. Through manual analysis, we identified several recurring error types. All examples mentioned in the following are included in Appendix A.5.3.

1. **Logical errors:** Such errors were common. For instance, in the HumanEval/30 task, the model is tasked with returning only positive numbers from a list. The generated solution shown in Section 5 incorrectly converts positive floats to integers, passing the basic tests that included only integers but failing extended tests that introduced float values.
2. **Edge case handling:** Sometimes solutions failed to account for atypical inputs, which happened to not be covered by the standard unit tests. For example, in HumanEval/6, the solution failed to handle an empty list input. It is important to note that tasks in HumanEval and MBPP often are ambiguous as to how edge cases should be handled. For example, for HumanEval/149 some solutions fail because they return an assertion error instead of an empty list for the edge case of getting an empty list as input. We expect that ambiguity should affect weaker and stronger models similarly, but have not tested this.
3. **Inefficient implementations:** While most false positives result from logic errors or edge case mishandling, some were also caused by inefficient implementations. For instance, in HumanEval/15, the solution involved a for-loop that became inefficient when handling larger inputs, causing a timeout on the extended tests. Following the implementation of Liu et al. (42), we set the timeout such that each candidate solution must compute in less than one second or four times the time it takes to run each test on the ground truth implementation, whichever is greater.

```

1 def get_positive(l: list):
2     return [int(item) for
              item in l if item >
                0]

```

(a) Example implementation generated by CodeGen-6B which fails additional unit tests from HumanEval+.

```

1 # Standard unit tests
2 assert get_positive([5, 3, -5, 2, -3, 3, 9, 0,
3                    123, 1, -10]) == [5, 3, 2, 3, 9, 123, 1]
4
5 # Example unit test from extended test suite
6 assert get_positive([0.5, 0, -4, 2.5, 5, -2.2,
7                    -8, 7.7, 9.9, -10.5]) == [0.5, 2.5, 5,
8                    7.7, 9.9]

```

(b) Standard unit tests for the HumanEval/30 task and one example test from the extended test suite of HumanEval+.

Figure 8: Example implementation that passes the standard tests but is incorrect. In HumanEval/30, the model is asked to *Return only positive numbers in the list*. The code was generated by CodeGen-6B (48) and passes the tests provided with the original HumanEval benchmark but fails the extended tests. The implementation contains a logical error due to unnecessarily converting positive floats to integers.

## 6 Discussion

We study a setting where all generators are paired with the same verifier. The verifier has imperfect coverage, but no false negatives (i.e. it doesn't reject correct solutions). In real-world deployment settings, human-written unit tests are rarely available and we would need to rely on the use of automated test generation techniques. These approaches include symbolic execution (46), specialized transformers (62), and LLMs (12; 9; 56). Model-generated tests introduce new challenges including a disparity between verifiers and a risk of false negatives. This could widen the generalization gap. Recent work has sought to improve test quality by increasing coverage (52; 1), identifying edge cases (46), or reproducing user-specific bugs (31; 43). We leave an investigation of the impact of model-generated unit tests as a next step.

Our findings weaken the support for our previous paper's claim that evaluations must be cost-controlled in order to be useful (32); here, even when disregarding computational cost, resampling with imperfect verifiers is inherently limited.

**Limitations.** Our experiments focus solely on repeated sampling in the context of coding tasks. While this domain offers a clear example of the challenges posed by imperfect verifiers, other domains might exhibit different behavior. Future work could extend these findings to tasks such as reasoning (25), web agents (5; 23), or agent-user interaction (76). Another limitation is prompt sensitivity, which affects LLM evaluations (6; 38). While we followed the original authors' implementation provided with the HumanEval+ and MBPP+ benchmarks (42), prompt engineering could influence false positive generation. Additionally, we did not investigate how benchmark contamination contributes to our findings, as models could be overly optimized for passing the standard test cases. Finally, we did not explore mitigation strategies such as training models to improve robustness against verifier weaknesses or refining solutions after they passed the verifier (51). Similarly, we did not test alternative strategies to inference scaling that, e.g., induce more diversity during sampling, such as PlanSearch (65).

## Acknowledgments

We thank Boris Hanin, Peter Henderson, Alexander Wettig, Jon Saad-Falcon, and Zachary Siegel for providing valuable feedback on earlier drafts of this work.

## References

- [1] Nadia Alshahwan, Jubin Chheda, Anastasia Finegenova, Beliz Gokkaya, Mark Harman, Inna Harper, Alexandru Marginean, Shubho Sengupta, and Eddy Wang. Automated Unit Test Improvement using Large Language Models at Meta, February 2024. URL <http://arxiv.org/abs/2402.09171>. arXiv:2402.09171.
- [2] Dario Amodei, Chris Olah, Jacob Steinhardt, Paul Christiano, John Schulman, and Dan Mané. Concrete Problems in AI Safety, July 2016. URL <http://arxiv.org/abs/1606.06565>. arXiv:1606.06565.
- [3] Jacob Austin, Augustus Odena, Maxwell Nye, Maarten Bosma, Henryk Michalewski, David Dohan, Ellen Jiang, Carrie Cai, Michael Terry, Quoc Le, and Charles Sutton. Program Synthesis with Large Language Models, August 2021. URL <http://arxiv.org/abs/2108.07732>. arXiv:2108.07732 [cs].
- [4] Zhangir Azerbayev, Hailey Schoelkopf, Keiran Paster, Marco Dos Santos, Stephen McAleer, Albert Q. Jiang, Jia Deng, Stella Biderman, and Sean Welleck. Llemma: An Open Language Model For Mathematics, March 2024. URL <http://arxiv.org/abs/2310.10631>. arXiv:2310.10631.
- [5] Hao Bai, Yifei Zhou, Mert Cemri, Jiayi Pan, Alane Suhr, Sergey Levine, and Aviral Kumar. DigiRL: Training In-The-Wild Device-Control Agents with Autonomous Reinforcement Learning, June 2024. URL <http://arxiv.org/abs/2406.11896>. arXiv:2406.11896.
- [6] Stella Biderman, Hailey Schoelkopf, Lintang Sutawika, Leo Gao, Jonathan Tow, Baber Abbasi, Alham Fikri Aji, Pawan Sasanka Ammanamanchi, Sidney Black, Jordan Clive, Anthony DiPofi, Julen Etxaniz, Benjamin Fattori, Jessica Zosa Forde, Charles Foster, Jeffrey Hsu, Mimansa Jaiswal, Wilson Y. Lee, Haonan Li, Charles Lovering, Niklas Muennighoff, Ellie Pavlick, Jason Phang, Aviya Skowron, Samson Tan, Xiangru Tang, Kevin A. Wang, Genta Indra Winata, François Yvon, and Andy Zou. Lessons from the Trenches on Reproducible Evaluation of Language Models, May 2024. URL <http://arxiv.org/abs/2405.14782>. arXiv:2405.14782.
- [7] Bradley Brown, Jordan Juravsky, Ryan Ehrlich, Ronald Clark, Quoc V. Le, Christopher Ré, and Azalia Mirhoseini. Large Language Monkeys: Scaling Inference Compute with Repeated Sampling, September 2024. URL <http://arxiv.org/abs/2407.21787>. arXiv:2407.21787 [cs].
- [8] Jürgen Börstler, Kwabena E. Bennin, Sara Hooshangi, Johan Jeuring, Hieke Keuning, Carsten Kleiner, Bonnie MacKellar, Rodrigo Duran, Harald Störrle, Daniel Toll, and Jelle van Assema. Developers talking about code quality. *Empirical Software Engineering*, 28(6):128, September 2023. ISSN 1573-7616. doi: 10.1007/s10664-023-10381-0. URL <https://doi.org/10.1007/s10664-023-10381-0>.
- [9] Bei Chen, Fengji Zhang, Anh Nguyen, Daoguang Zan, Zeqi Lin, Jian-Guang Lou, and Weizhu Chen. CodeT: Code Generation with Generated Tests, November 2022. URL <http://arxiv.org/abs/2207.10397>. arXiv:2207.10397.
- [10] Lingjiao Chen, Jared Quincy Davis, Boris Hanin, Peter Bailis, Ion Stoica, Matei Zaharia, and James Zou. Are More LLM Calls All You Need? Towards Scaling Laws of Compound Inference Systems, June 2024. URL <http://arxiv.org/abs/2403.02419>. arXiv:2403.02419.
- [11] Mark Chen, Jerry Tworek, Heewoo Jun, Qiming Yuan, Henrique Ponde de Oliveira Pinto, Jared Kaplan, Harri Edwards, Yuri Burda, Nicholas Joseph, Greg Brockman, Alex Ray, Raul Puri, Gretchen Krueger, Michael Petrov, Heidy Khlaaf, Girish Sastry, Pamela Mishkin, Brooke Chan, Scott Gray, Nick Ryder, Mikhail Pavlov, Alethea Power, Lukasz Kaiser, Mohammad Bavarian, Clemens Winter, Philippe Tillet, Felipe Petroski Such, Dave Cummings, Matthias Plappert, Fotios Chantzis, Elizabeth Barnes, Ariel Herbert-Voss, William Hebgen Guss, Alex Nichol, Alex Paino, Nikolas Tezak, Jie Tang, Igor Babuschkin, Suchir Balaji, Shantanu Jain,

- William Saunders, Christopher Hesse, Andrew N. Carr, Jan Leike, Josh Achiam, Vedant Misra, Evan Morikawa, Alec Radford, Matthew Knight, Miles Brundage, Mira Murati, Katie Mayer, Peter Welinder, Bob McGrew, Dario Amodei, Sam McCandlish, Ilya Sutskever, and Wojciech Zaremba. Evaluating Large Language Models Trained on Code, July 2021. URL <http://arxiv.org/abs/2107.03374>. arXiv:2107.03374 [cs].
- [12] Yinghao Chen, Zehao Hu, Chen Zhi, Junxiao Han, Shuiguang Deng, and Jianwei Yin. ChatUniTest: A Framework for LLM-Based Test Generation. In *Companion Proceedings of the 32nd ACM International Conference on the Foundations of Software Engineering, FSE 2024*, pp. 572–576, New York, NY, USA, July 2024. Association for Computing Machinery. ISBN 9798400706585. doi: 10.1145/3663529.3663801. URL <https://dl.acm.org/doi/10.1145/3663529.3663801>.
- [13] Ziru Chen, Michael White, Raymond Mooney, Ali Payani, Yu Su, and Huan Sun. When is Tree Search Useful for LLM Planning? It Depends on the Discriminator, June 2024. URL <http://arxiv.org/abs/2402.10890>. arXiv:2402.10890.
- [14] Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, Christopher Hesse, and John Schulman. Training Verifiers to Solve Math Word Problems, November 2021. URL <http://arxiv.org/abs/2110.14168>. arXiv:2110.14168 [cs].
- [15] Jonathan Cook, Tim Rocktäschel, Jakob Foerster, Dennis Aumiller, and Alex Wang. TICKing All the Boxes: Generated Checklists Improve LLM Evaluation and Generation, October 2024. URL <http://arxiv.org/abs/2410.03608>. arXiv:2410.03608.
- [16] Jared Quincy Davis, Boris Hanin, Lingjiao Chen, Peter Bailis, Ion Stoica, and Matei Zaharia. Networks of Networks: Complexity Class Principles Applied to Compound AI Systems Design, July 2024. URL <http://arxiv.org/abs/2407.16831>. arXiv:2407.16831 [cs].
- [17] Shehzaad Dhuliawala, Mojtaba Komeili, Jing Xu, Roberta Raileanu, Xian Li, Asli Celikyilmaz, and Jason Weston. Chain-of-Verification Reduces Hallucination in Large Language Models, September 2023. URL <http://arxiv.org/abs/2309.11495>. arXiv:2309.11495.
- [18] Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, Anirudh Goyal, Anthony Hartshorn, Aobo Yang, Archi Mitra, Archie Sravankumar, Artem Korenev, Arthur Hinsvark, Arun Rao, Aston Zhang, Aurelien Rodriguez, Austen Gregerson, Ava Spataru, Baptiste Roziere, Bethany Biron, Binh Tang, Bobbie Chern, Charlotte Caucheteux, Chaya Nayak, Chloe Bi, Chris Marra, Chris McConnell, Christian Keller, Christophe Touret, Chunyang Wu, Corinne Wong, Cristian Canton Ferrer, Cyrus Nikolaidis, Damien Allonsius, Daniel Song, Danielle Pintz, Danny Livshits, David Esiobu, Dhruv Choudhary, Dhruv Mahajan, Diego Garcia-Olano, Diego Perino, Dieuwke Hupkes, Egor Lakomkin, Ehab AlBadawy, Elina Lobanova, Emily Dinan, Eric Michael Smith, Filip Radenovic, Frank Zhang, Gabriel Synnaeve, Gabrielle Lee, Georgia Lewis Anderson, Graeme Nail, Gregoire Mialon, Guan Pang, Guillem Cucurell, Hailey Nguyen, Hannah Korevaar, Hu Xu, Hugo Touvron, Iliyan Zarov, Imanol Arrieta Ibarra, Isabel Kloumann, Ishan Misra, Ivan Evtimov, Jade Copet, Jaewon Lee, Jan Geffert, Jana Vranes, Jason Park, Jay Mahadeokar, Jeet Shah, Jelmer van der Linde, Jennifer Billock, Jenny Hong, Jenya Lee, Jeremy Fu, Jianfeng Chi, Jianyu Huang, Jiawen Liu, Jie Wang, Jiecao Yu, Joanna Bitton, Joe Spisak, Jongsoo Park, Joseph Rocca, Joshua Johnstun, Joshua Saxe, Junteng Jia, Kalyan Vasuden Alwala, Kartikeya Upasani, Kate Plawiak, Ke Li, Kenneth Heafield, Kevin Stone, Khalid El-Arini, Krithika Iyer, Kshitiz Malik, Kuenley Chiu, Kunal Bhalla, Lauren Rantala-Yearly, Laurens van der Maaten, Lawrence Chen, Liang Tan, Liz Jenkins, Louis Martin, Lovish Madaan, Lubo Malo, Lukas Blecher, Lukas Landzaat, Luke de Oliveira, Madeline Muzzi, Mahesh Pasupuleti, Mannat Singh, Manohar Paluri, Marcin Kardas, Mathew Oldham,

Mathieu Rita, Maya Pavlova, Melanie Kambadur, Mike Lewis, Min Si, Mitesh Kumar Singh, Mona Hassan, Naman Goyal, Narjes Torabi, Nikolay Bashlykov, Nikolay Bogoychev, Niladri Chatterji, Olivier Duchenne, Onur Çelebi, Patrick Alrassy, Pengchuan Zhang, Pengwei Li, Petar Vasic, Peter Weng, Prajjwal Bhargava, Pratik Dubal, Praveen Krishnan, Punit Singh Koura, Puxin Xu, Qing He, Qingxiao Dong, Ragavan Srinivasan, Raj Ganapathy, Ramon Calderer, Ricardo Silveira Cabral, Robert Stojnic, Roberta Raileanu, Rohit Girdhar, Rohit Patel, Romain Sauvestre, Ronnie Polidoro, Roshan Sumbaly, Ross Taylor, Ruan Silva, Rui Hou, Rui Wang, Saghar Hosseini, Sahana Chennabasappa, Sanjay Singh, Sean Bell, Seohyun Sonia Kim, Sergey Edunov, Shaoliang Nie, Sharan Narang, Sharath Rapparthi, Sheng Shen, Shengye Wan, Shruti Bhosale, Shun Zhang, Simon Vandenhende, Soumya Batra, Spencer Whitman, Sten Sootla, Stephane Collot, Suchin Gururangan, Sydney Borodinsky, Tamar Herman, Tara Fowler, Tarek Sheasha, Thomas Georgiou, Thomas Scialom, Tobias Speckbacher, Todor Mihaylov, Tong Xiao, Ujjwal Karn, Vedanuj Goswami, Vibhor Gupta, Vignesh Ramanathan, Viktor Kerkez, Vincent Gonguet, Virginie Do, Vish Vogeti, Vladan Petrovic, Weiwei Chu, Wenhan Xiong, Wenyin Fu, Whitney Meers, Xavier Martinet, Xiaodong Wang, Xiaoqing Ellen Tan, Xinfeng Xie, Xuchao Jia, Xuwei Wang, Yaelle Goldschlag, Yashesh Gaur, Yasmine Babaei, Yi Wen, Yiwen Song, Yuchen Zhang, Yue Li, Yuning Mao, Zacharie Delpierre Coudert, Zheng Yan, Zhengxing Chen, Zoe Papakipos, Aaditya Singh, Aaron Grattafiori, Abha Jain, Adam Kelsey, Adam Shajnfeld, Adithya Gangidi, Adolfo Victoria, Ahuva Goldstand, Ajay Menon, Ajay Sharma, Alex Boesenberg, Alex Vaughan, Alexei Baevski, Allie Feinstein, Amanda Kallet, Amit Sangani, Anam Yunus, Andrei Lupu, Andres Alvarado, Andrew Caples, Andrew Gu, Andrew Ho, Andrew Poulton, Andrew Ryan, Ankit Ramchandani, Annie Franco, Aparajita Saraf, Arkabandhu Chowdhury, Ashley Gabriel, Ashwin Bharambe, Assaf Eisenman, Azadeh Yazdan, Beau James, Ben Maurer, Benjamin Leonhardi, Bernie Huang, Beth Loyd, Beto De Paola, Bhargavi Paranjape, Bing Liu, Bo Wu, Boyu Ni, Braden Hancock, Bram Wasti, Brandon Spence, Brani Stojkovic, Brian Gamido, Britt Montalvo, Carl Parker, Carly Burton, Catalina Mejia, Changhan Wang, Changkyu Kim, Chao Zhou, Chester Hu, Ching-Hsiang Chu, Chris Cai, Chris Tindal, Christoph Feichtenhofer, Damon Civin, Dana Beaty, Daniel Kreymer, Daniel Li, Danny Wyatt, David Adkins, David Xu, Davide Testuggine, Delia David, Devi Parikh, Diana Liskovich, Didem Foss, Dingkang Wang, Duc Le, Dustin Holland, Edward Dowling, Eissa Jamil, Elaine Montgomery, Eleonora Presani, Emily Hahn, Emily Wood, Erik Brinkman, Esteban Arcaute, Evan Dunbar, Evan Smothers, Fei Sun, Felix Kreuk, Feng Tian, Firat Ozgenel, Francesco Caggioni, Francisco Guzmán, Frank Kanayet, Frank Seide, Gabriela Medina Florez, Gabriella Schwarz, Gada Badeer, Georgia Swee, Gil Halpern, Govind Thattai, Grant Herman, Grigory Sizov, Guangyi, Zhang, Guna Lakshminarayanan, Hamid Shojanazeri, Han Zou, Hannah Wang, Hanwen Zha, Haroun Habeeb, Harrison Rudolph, Helen Suk, Henry Aspegren, Hunter Goldman, Ibrahim Damla, Igor Molybog, Igor Tufanov, Irina-Elena Veliche, Itai Gat, Jake Weissman, James Geboski, James Kohli, Japhet Asher, Jean-Baptiste Gaya, Jeff Marcus, Jeff Tang, Jennifer Chan, Jenny Zhen, Jeremy Reizenstein, Jeremy Teboul, Jessica Zhong, Jian Jin, Jingyi Yang, Joe Cummings, Jon Carvill, Jon Shepard, Jonathan McPhie, Jonathan Torres, Josh Ginsburg, Junjie Wang, Kai Wu, Kam Hou U, Karan Saxena, Karthik Prasad, Kartikay Khandelwal, Katayoun Zand, Kathy Matosich, Kaushik Veeraraghavan, Kelly Michelen, Keqian Li, Kun Huang, Kunal Chawla, Kushal Lakhota, Kyle Huang, Lailin Chen, Lakshya Garg, Lavender A, Leandro Silva, Lee Bell, Lei Zhang, Liangpeng Guo, Licheng Yu, Liron Moshkovich, Luca Wehrstedt, Madian Khabsa, Manav Avalani, Manish Bhatt, Maria Tsimpoukelli, Martynas Mankus, Matan Hasson, Matthew Lennie, Matthias Reso, Maxim Groshev, Maxim Naumov, Maya Lathi, Meghan Keneally, Michael L. Seltzer, Michal Valko, Michelle Restrepo, Mihir Patel, Mik Vyatskov, Mikayel Samvelyan, Mike Clark, Mike Macey, Mike Wang, Miquel Jubert Hermoso, Mo Metanat, Mohammad Rastegari, Munish Bansal, Nandhini Santhanam, Natascha Parks, Natasha White, Navyata Bawa, Nayan Singhal, Nick Egebo, Nicolas Usunier, Nikolay Pavlovich Laptev, Ning Dong, Ning Zhang, Norman Cheng, Oleg Chernoguz, Olivia Hart, Omkar Salpekar, Ozlem Kalinli, Parkin Kent, Parth Parekh, Paul Saab, Pavan Balaji, Pedro Rittner, Philip Bontrager, Pierre Roux, Piotr Dollar, Polina

- Zvyagina, Prashant Ratanchandani, Pritish Yuvraj, Qian Liang, Rachad Alao, Rachel Rodriguez, Rafi Ayub, Raghotham Murthy, Raghu Nayani, Rahul Mitra, Raymond Li, Rebekkah Hogan, Robin Battey, Rocky Wang, Rohan Maheswari, Russ Howes, Ruty Rinott, Sai Jayesh Bondu, Samyak Datta, Sara Chugh, Sara Hunt, Sargun Dhillon, Sasha Sidorov, Satadru Pan, Saurabh Verma, Seiji Yamamoto, Sharadh Ramaswamy, Shaun Lindsay, Sheng Feng, Shenghao Lin, Shengxin Cindy Zha, Shiva Shankar, Shuqiang Zhang, Sinong Wang, Sneha Agarwal, Soji Sajuyigbe, Soumith Chintala, Stephanie Max, Stephen Chen, Steve Kehoe, Steve Satterfield, Sudarshan Govindaprasad, Sumit Gupta, Sungmin Cho, Sunny Virk, Suraj Subramanian, Sy Choudhury, Sydney Goldman, Tal Remez, Tamar Glaser, Tamara Best, Thilo Kohler, Thomas Robinson, Tianhe Li, Tianjun Zhang, Tim Matthews, Timothy Chou, Tzook Shaked, Varun Vontimitta, Victoria Ajayi, Victoria Montanez, Vijai Mohan, Vinay Satish Kumar, Vishal Mangla, Vitor Albiero, Vlad Ionescu, Vlad Poenaru, Vlad Tiberiu Mihailescu, Vladimir Ivanov, Wei Li, Wenchen Wang, Wenwen Jiang, Wes Bouaziz, Will Constable, Xiaocheng Tang, Xiaofang Wang, Xiaojian Wu, Xiaolan Wang, Xide Xia, Xilun Wu, Xinbo Gao, Yanjun Chen, Ye Hu, Ye Jia, Ye Qi, Yenda Li, Yilin Zhang, Ying Zhang, Yossi Adi, Youngjin Nam, Yu, Wang, Yuchen Hao, Yundi Qian, Yuzi He, Zach Rait, Zachary DeVito, Zef Rosnbrick, Zhaoduo Wen, Zhenyu Yang, and Zhiwei Zhao. The Llama 3 Herd of Models, August 2024. URL <http://arxiv.org/abs/2407.21783>. arXiv:2407.21783.
- [19] Emily First, Markus N. Rabe, Talia Ringer, and Yuriy Brun. Baldur: Whole-Proof Generation and Repair with Large Language Models, March 2023. URL <http://arxiv.org/abs/2303.04910>. arXiv:2303.04910.
- [20] Sumit Gulwani, Oleksandr Polozov, and Rishabh Singh. Program Synthesis. *Foundations and Trends® in Programming Languages*, 4(1-2):1–119, July 2017. ISSN 2325-1107, 2325-1131. doi: 10.1561/2500000010. URL <https://www.nowpublishers.com/article/Details/PGL-010>. Publisher: Now Publishers, Inc.
- [21] Atharva Gundawar, Karthik Valmeekam, Mudit Verma, and Subbarao Kambhampati. Robust Planning with Compound LLM Architectures: An LLM-Modulo Approach, November 2024. URL <http://arxiv.org/abs/2411.14484>. arXiv:2411.14484.
- [22] Michael Hassid, Tal Remez, Jonas Gehring, Roy Schwartz, and Yossi Adi. The Larger the Better? Improved LLM Code-Generation via Budget Reallocation, July 2024. URL <http://arxiv.org/abs/2404.00725>. arXiv:2404.00725 [cs].
- [23] Hongliang He, Wenlin Yao, Kaixin Ma, Wenhao Yu, Yong Dai, Hongming Zhang, Zhenzhong Lan, and Dong Yu. WebVoyager: Building an End-to-End Web Agent with Large Multimodal Models, June 2024. URL <http://arxiv.org/abs/2401.13919>. arXiv:2401.13919.
- [24] Dan Hendrycks, Steven Basart, Saurav Kadavath, Mantas Mazeika, Akul Arora, Ethan Guo, Collin Burns, Samir Puranik, Horace He, Dawn Song, and Jacob Steinhardt. Measuring Coding Challenge Competence With APPS, November 2021. URL <http://arxiv.org/abs/2105.09938>. arXiv:2105.09938 [cs].
- [25] Arian Hosseini, Alessandro Sordoni, Daniel Toyama, Aaron Courville, and Rishabh Agarwal. Not All LLM Reasoners Are Created Equal, October 2024. URL <http://arxiv.org/abs/2410.01748>. arXiv:2410.01748 [cs].
- [26] Arian Hosseini, Xingdi Yuan, Nikolay Malkin, Aaron Courville, Alessandro Sordoni, and Rishabh Agarwal. V-STaR: Training Verifiers for Self-Taught Reasoners, August 2024. URL <http://arxiv.org/abs/2402.06457>. arXiv:2402.06457 [cs].
- [27] Jie Huang, Xinyun Chen, Swaroop Mishra, Huaixiu Steven Zheng, Adams Wei Yu, Xinying Song, and Denny Zhou. Large Language Models Cannot Self-Correct Reasoning Yet, March 2024. URL <http://arxiv.org/abs/2310.01798>. arXiv:2310.01798.

- [28] Yinya Huang, Xiaohan Lin, Zhengying Liu, Qingxing Cao, Huajian Xin, Haiming Wang, Zhenguo Li, Linqi Song, and Xiaodan Liang. MUSTARD: Mastering Uniform Synthesis of Theorem and Proof Data, May 2024. URL <http://arxiv.org/abs/2402.08957>. arXiv:2402.08957.
- [29] Naman Jain, Tianjun Zhang, Wei-Lin Chiang, Joseph E. Gonzalez, Koushik Sen, and Ion Stoica. LLM-Assisted Code Cleaning For Training Accurate Code Generators, November 2023. URL <http://arxiv.org/abs/2311.14904>. arXiv:2311.14904.
- [30] Subbarao Kambhampati, Karthik Valmееkam, Lin Guan, Mudit Verma, Kaya Stechly, Siddhant Bhambri, Lucas Saldyt, and Anil Murthy. LLMs Can’t Plan, But Can Help Planning in LLM-Modulo Frameworks, June 2024. URL <http://arxiv.org/abs/2402.01817>. arXiv:2402.01817.
- [31] Sungmin Kang, Juyeon Yoon, and Shin Yoo. Large Language Models are Few-shot Testers: Exploring LLM-based General Bug Reproduction, July 2023. URL <http://arxiv.org/abs/2209.11515>. arXiv:2209.11515.
- [32] Sayash Kapoor, Benedikt Stroebel, Zachary S. Siegel, Nitya Nadgir, and Arvind Narayanan. AI Agents That Matter, July 2024. URL <http://arxiv.org/abs/2407.01502>. arXiv:2407.01502.
- [33] Jan Hendrik Kirchner, Yining Chen, Harri Edwards, Jan Leike, Nat McAleese, and Yuri Burda. Prover-Verifier Games improve legibility of LLM outputs, August 2024. URL <http://arxiv.org/abs/2407.13692>. arXiv:2407.13692 [cs].
- [34] Takeshi Kojima, Shixiang Shane Gu, Machel Reid, Yutaka Matsuo, and Yusuke Iwasawa. Large Language Models are Zero-Shot Reasoners, January 2023. URL <http://arxiv.org/abs/2205.11916>. arXiv:2205.11916.
- [35] Victoria Krakovna, Laurent Orseau, Richard Ngo, Miljan Martic, and Shane Legg. Avoiding Side Effects By Considering Future Tasks, October 2020. URL <http://arxiv.org/abs/2010.07877>. arXiv:2010.07877.
- [36] Chen Li, Weiqi Wang, Jingcheng Hu, Yixuan Wei, Nanning Zheng, Han Hu, Zheng Zhang, and Houwen Peng. Common 7B Language Models Already Possess Strong Math Capabilities, March 2024. URL <http://arxiv.org/abs/2403.04706>. arXiv:2403.04706.
- [37] Junyou Li, Qin Zhang, Yangbin Yu, Qiang Fu, and Deheng Ye. More Agents Is All You Need, February 2024. URL <http://arxiv.org/abs/2402.05120>. arXiv:2402.05120 version: 1.
- [38] Percy Liang, Rishi Bommasani, Tony Lee, Dimitris Tsipras, Dilara Soylu, Michihiro Yasunaga, Yian Zhang, Deepak Narayanan, Yuhuai Wu, Ananya Kumar, Benjamin Newman, Binhang Yuan, Bobby Yan, Ce Zhang, Christian Cosgrove, Christopher D. Manning, Christopher Ré, Diana Acosta-Navas, Drew A. Hudson, Eric Zelikman, Esin Durmus, Faisal Ladhak, Frieda Rong, Hongyu Ren, Huaxiu Yao, Jue Wang, Keshav Santhanam, Laurel Orr, Lucia Zheng, Mert Yuksekgonul, Mirac Suzgun, Nathan Kim, Neel Guha, Niladri Chatterji, Omar Khattab, Peter Henderson, Qian Huang, Ryan Chi, Sang Michael Xie, Shibani Santurkar, Surya Ganguli, Tatsunori Hashimoto, Thomas Icard, Tianyi Zhang, Vishrav Chaudhary, William Wang, Xuechen Li, Yifan Mai, Yuhui Zhang, and Yuta Koreeda. Holistic Evaluation of Language Models, October 2023. URL <http://arxiv.org/abs/2211.09110>. arXiv:2211.09110.
- [39] Zhenwen Liang, Ye Liu, Tong Niu, Xiangliang Zhang, Yingbo Zhou, and Semih Yavuz. Improving LLM Reasoning through Scaling Inference Computation with Collaborative Verification, October 2024. URL <http://arxiv.org/abs/2410.05318>. arXiv:2410.05318.
- [40] Hunter Lightman, Vineet Kosaraju, Yura Burda, Harri Edwards, Bowen Baker, Teddy Lee, Jan Leike, John Schulman, Ilya Sutskever, and Karl Cobbe. Let’s Verify Step by Step, May 2023. URL <http://arxiv.org/abs/2305.20050>. arXiv:2305.20050.

- [41] Bingbin Liu, Sebastien Bubeck, Ronen Eldan, Janardhan Kulkarni, Yuanzhi Li, Anh Nguyen, Rachel Ward, and Yi Zhang. TinyGSM: achieving >80% on GSM8k with small language models, December 2023. URL <http://arxiv.org/abs/2312.09241>. arXiv:2312.09241 [cs].
- [42] Jiawei Liu, Chunqiu Steven Xia, Yuyao Wang, and Lingming Zhang. Is Your Code Generated by ChatGPT Really Correct? Rigorous Evaluation of Large Language Models for Code Generation. November 2023. URL <https://openreview.net/forum?id=1qvX610Cu7>.
- [43] Kaibo Liu, Yiyang Liu, Zhenpeng Chen, Jie M. Zhang, Yudong Han, Yun Ma, Ge Li, and Gang Huang. LLM-Powered Test Case Generation for Detecting Tricky Bugs, April 2024. URL <http://arxiv.org/abs/2404.10304>. arXiv:2404.10304.
- [44] Ryan Liu, Jiayi Geng, Addison J. Wu, Ilia Sucholutsky, Tania Lombrozo, and Thomas L. Griffiths. Mind Your Step (by Step): Chain-of-Thought can Reduce Performance on Tasks where Thinking Makes Humans Worse, October 2024. URL <http://arxiv.org/abs/2410.21333>. arXiv:2410.21333.
- [45] Yixin Liu, Avi Singh, C. Daniel Freeman, John D. Co-Reyes, and Peter J. Liu. Improving Large Language Model Fine-tuning for Solving Math Problems, October 2023. URL <http://arxiv.org/abs/2310.10047>. arXiv:2310.10047.
- [46] Stephan Lukasczyk and Gordon Fraser. Pynguin: automated unit test generation for Python. In *Proceedings of the ACM/IEEE 44th International Conference on Software Engineering: Companion Proceedings, ICSE '22*, pp. 168–172, New York, NY, USA, October 2022. Association for Computing Machinery. ISBN 978-1-4503-9223-5. doi: 10.1145/3510454.3516829. URL <https://dl.acm.org/doi/10.1145/3510454.3516829>.
- [47] Aman Madaan, Niket Tandon, Prakhar Gupta, Skyler Hallinan, Luyu Gao, Sarah Wiegrefe, Uri Alon, Nouha Dziri, Shrimai Prabhumoye, Yiming Yang, Shashank Gupta, Bodhisattwa Prasad Majumder, Katherine Hermann, Sean Welleck, Amir Yazdanbakhsh, and Peter Clark. Self-Refine: Iterative Refinement with Self-Feedback, May 2023. URL <http://arxiv.org/abs/2303.17651>. arXiv:2303.17651.
- [48] Erik Nijkamp, Bo Pang, Hiroaki Hayashi, Lifu Tu, Huan Wang, Yingbo Zhou, Silvio Savarese, and Caiming Xiong. CodeGen: An Open Large Language Model for Code with Multi-Turn Program Synthesis, February 2023. URL <http://arxiv.org/abs/2203.13474>. arXiv:2203.13474.
- [49] Zhen Qin, Rolf Jagerman, Kai Hui, Honglei Zhuang, Junru Wu, Le Yan, Jiaming Shen, Tianqi Liu, Jialu Liu, Donald Metzler, Xuanhui Wang, and Michael Bendersky. Large Language Models are Effective Text Rankers with Pairwise Ranking Prompting, March 2024. URL <http://arxiv.org/abs/2306.17563>. arXiv:2306.17563 [cs].
- [50] Baptiste Rozière, Jonas Gehring, Fabian Gloeckle, Sten Sootla, Itai Gat, Xiaoqing Ellen Tan, Yossi Adi, Jingyu Liu, Romain Sauvestre, Tal Remez, Jérémy Rapin, Artyom Kozhevnikov, Ivan Evtimov, Joanna Bitton, Manish Bhatt, Cristian Canton Ferrer, Aaron Grattafiori, Wenhan Xiong, Alexandre Défossez, Jade Copet, Faisal Azhar, Hugo Touvron, Louis Martin, Nicolas Usunier, Thomas Scialom, and Gabriel Synnaeve. Code Llama: Open Foundation Models for Code, January 2024. URL <http://arxiv.org/abs/2308.12950>. arXiv:2308.12950.
- [51] Jon Saad-Falcon, Adrian Gamarra Lafuente, Shlok Natarajan, Nahum Maru, Hristo Todorov, Etash Guha, E. Kelly Buchanan, Mayee Chen, Neel Guha, Christopher Ré, and Azalia Mirhoseini. Archon: An Architecture Search Framework for Inference-Time Techniques, October 2024. URL <http://arxiv.org/abs/2409.15254>. arXiv:2409.15254.
- [52] Max Schäfer, Sarah Nadi, Aryaz Eghbali, and Frank Tip. An Empirical Evaluation of Using Large Language Models for Automated Unit Test Generation, December 2023. URL <http://arxiv.org/abs/2302.06527>. arXiv:2302.06527.



- [53] Amrith Setlur, Chirag Nagpal, Adam Fisch, Xinyang Geng, Jacob Eisenstein, Rishabh Agarwal, Alekh Agarwal, Jonathan Berant, and Aviral Kumar. Rewarding Progress: Scaling Automated Process Verifiers for LLM Reasoning, October 2024. URL <http://arxiv.org/abs/2410.08146>. arXiv:2410.08146.
- [54] Omar Shaikh, Hongxin Zhang, William Held, Michael Bernstein, and Diyi Yang. On Second Thought, Let’s Not Think Step by Step! Bias and Toxicity in Zero-Shot Reasoning, June 2023. URL <http://arxiv.org/abs/2212.08061>. arXiv:2212.08061.
- [55] Noah Shinn, Federico Cassano, Ashwin Gopinath, Karthik Narasimhan, and Shunyu Yao. Reflexion: language agents with verbal reinforcement learning. *Advances in Neural Information Processing Systems*, 36:8634–8652, December 2023. URL [https://proceedings.neurips.cc/paper\\_files/paper/2023/hash/1b44b878bb782e6954cd888628510e90-Abstract-Conference.html](https://proceedings.neurips.cc/paper_files/paper/2023/hash/1b44b878bb782e6954cd888628510e90-Abstract-Conference.html).
- [56] Mohammed Latif Siddiq, Joanna C. S. Santos, Ridwanul Hasan Tanvir, Noshin Ulfat, Fahmid Al Rifat, and Vinicius Carvalho Lopes. Using Large Language Models to Generate JUnit Tests: An Empirical Study, March 2024. URL <http://arxiv.org/abs/2305.00418>. arXiv:2305.00418.
- [57] Charlie Snell, Jaehoon Lee, Kelvin Xu, and Aviral Kumar. Scaling LLM Test-Time Compute Optimally can be More Effective than Scaling Model Parameters, August 2024. URL <http://arxiv.org/abs/2408.03314>. arXiv:2408.03314 [cs].
- [58] Yifan Song, Guoyin Wang, Sujian Li, and Bill Yuchen Lin. The Good, The Bad, and The Greedy: Evaluation of LLMs Should Not Ignore Non-Determinism, July 2024. URL <http://arxiv.org/abs/2407.10457>. arXiv:2407.10457 [cs].
- [59] Kaya Stechly, Matthew Marquez, and Subbarao Kambhampati. GPT-4 Doesn’t Know It’s Wrong: An Analysis of Iterative Prompting for Reasoning Problems, October 2023. URL <http://arxiv.org/abs/2310.12397>. arXiv:2310.12397.
- [60] Kaya Stechly, Karthik Valmeekam, and Subbarao Kambhampati. Chain of Thoughtlessness? An Analysis of CoT in Planning, June 2024. URL <http://arxiv.org/abs/2405.04776>. arXiv:2405.04776.
- [61] Amitayush Thakur, George Tsoukalas, Yeming Wen, Jimmy Xin, and Swarat Chaudhuri. An In-Context Learning Agent for Formal Theorem-Proving, August 2024. URL <http://arxiv.org/abs/2310.04353>. arXiv:2310.04353.
- [62] Michele Tufano, Dawn Drain, Alexey Svyatkovskiy, Shao Kun Deng, and Neel Sundaresan. Unit Test Case Generation with Transformers and Focal Context, May 2021. URL <http://arxiv.org/abs/2009.05617>. arXiv:2009.05617.
- [63] Gladys Tyen, Hassan Mansoor, Victor Cărbune, Peter Chen, and Tony Mak. LLMs cannot find reasoning errors, but can correct them given the error location, June 2024. URL <http://arxiv.org/abs/2311.08516>. arXiv:2311.08516.
- [64] Robert Vacareanu, Anurag Pratik, Evangelia Spiliopoulou, Zheng Qi, Giovanni Paolini, Neha Anna John, Jie Ma, Yassine Benajiba, and Miguel Ballesteros. General Purpose Verification for Chain of Thought Prompting, April 2024. URL <http://arxiv.org/abs/2405.00204>. arXiv:2405.00204 [cs].
- [65] Evan Wang, Federico Cassano, Catherine Wu, Yunfeng Bai, Will Song, Vaskar Nath, Ziwen Han, Sean Hendryx, Summer Yue, and Hugh Zhang. Planning In Natural Language Improves LLM Search For Code Generation, September 2024. URL <http://arxiv.org/abs/2409.03733>. arXiv:2409.03733 [cs].

- [66] Haiming Wang, Huajian Xin, Chuanyang Zheng, Lin Li, Zhengying Liu, Qingxing Cao, Yinya Huang, Jing Xiong, Han Shi, Enze Xie, Jian Yin, Zhenguo Li, Heng Liao, and Xiaodan Liang. LEGO-Prover: Neural Theorem Proving with Growing Libraries, October 2023. URL <http://arxiv.org/abs/2310.00656>. arXiv:2310.00656.
- [67] Han Wang, Archiki Prasad, Elias Stengel-Eskin, and Mohit Bansal. Soft Self-Consistency Improves Language Model Agents, June 2024. URL <http://arxiv.org/abs/2402.13212>. arXiv:2402.13212.
- [68] Xuezhi Wang, Jason Wei, Dale Schuurmans, Quoc Le, Ed Chi, Sharan Narang, Aakanksha Chowdhery, and Denny Zhou. Self-Consistency Improves Chain of Thought Reasoning in Language Models, March 2023. URL <http://arxiv.org/abs/2203.11171>. arXiv:2203.11171.
- [69] Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Brian Ichter, Fei Xia, Ed Chi, Quoc Le, and Denny Zhou. Chain-of-Thought Prompting Elicits Reasoning in Large Language Models, January 2023. URL <http://arxiv.org/abs/2201.11903>. arXiv:2201.11903.
- [70] Sean Welleck, Amanda Bertsch, Matthew Finlayson, Hailey Schoelkopf, Alex Xie, Graham Neubig, Ilya Kulikov, and Zaid Harchaoui. From Decoding to Meta-Generation: Inference-time Algorithms for Large Language Models, June 2024. URL <http://arxiv.org/abs/2406.16838>. arXiv:2406.16838.
- [71] Tianhao Wu, Janice Lan, Weizhe Yuan, Jiantao Jiao, Jason Weston, and Sainbayar Sukhbaatar. Thinking LLMs: General Instruction Following with Thought Generation, October 2024. URL <http://arxiv.org/abs/2410.10630>. arXiv:2410.10630.
- [72] Huajian Xin, Daya Guo, Zhihong Shao, Zhizhou Ren, Qihao Zhu, Bo Liu, Chong Ruan, Wenda Li, and Xiaodan Liang. DeepSeek-Prover: Advancing Theorem Proving in LLMs through Large-Scale Synthetic Data, May 2024. URL <http://arxiv.org/abs/2405.14333>. arXiv:2405.14333.
- [73] Wenda Xu, Guanglei Zhu, Xuandong Zhao, Liangming Pan, Lei Li, and William Yang Wang. Pride and Prejudice: LLM Amplifies Self-Bias in Self-Refinement, June 2024. URL <http://arxiv.org/abs/2402.11436>. arXiv:2402.11436.
- [74] Kaiyu Yang, Aidan M. Swope, Alex Gu, Rahul Chalamala, Peiyang Song, Shixing Yu, Saad Godil, Ryan Prenger, and Anima Anandkumar. LeanDojo: Theorem Proving with Retrieval-Augmented Language Models, October 2023. URL <http://arxiv.org/abs/2306.15626>. arXiv:2306.15626.
- [75] Shunyu Yao, Dian Yu, Jeffrey Zhao, Izhak Shafran, Thomas L. Griffiths, Yuan Cao, and Karthik Narasimhan. Tree of Thoughts: Deliberate Problem Solving with Large Language Models, December 2023. URL <http://arxiv.org/abs/2305.10601>. arXiv:2305.10601.
- [76] Shunyu Yao, Noah Shinn, Pedram Razavi, and Karthik Narasimhan. tau-bench: A Benchmark for Tool-Agent-User Interaction in Real-World Domains, June 2024. URL <http://arxiv.org/abs/2406.12045>. arXiv:2406.12045.
- [77] Lunjun Zhang, Arian Hosseini, Hritik Bansal, Mehran Kazemi, Aviral Kumar, and Rishabh Agarwal. Generative Verifiers: Reward Modeling as Next-Token Prediction, August 2024. URL <http://arxiv.org/abs/2408.15240>. arXiv:2408.15240 [cs].
- [78] Shudan Zhang, Hanlin Zhao, Xiao Liu, Qinkai Zheng, Zehan Qi, Xiaotao Gu, Xiaohan Zhang, Yuxiao Dong, and Jie Tang. NaturalCodeBench: Examining Coding Performance Mismatch on HumanEval and Natural User Prompts, May 2024. URL <http://arxiv.org/abs/2405.04520>. arXiv:2405.04520.

- [79] Jiasheng Zheng, Boxi Cao, Zhengzhao Ma, Ruotong Pan, Hongyu Lin, Yaojie Lu, Xianpei Han, and Le Sun. Beyond Correctness: Benchmarking Multi-dimensional Code Generation for Large Language Models, October 2024. URL <http://arxiv.org/abs/2407.11470>. arXiv:2407.11470.
- [80] Li Zhong, Zilong Wang, and Jingbo Shang. Debug like a Human: A Large Language Model Debugger via Verifying Runtime Execution Step-by-step, June 2024. URL <http://arxiv.org/abs/2402.16906>. arXiv:2402.16906.
- [81] Mingchen Zhuge, Changsheng Zhao, Dylan Ashley, Wenyi Wang, Dmitrii Khizbullin, Yunyang Xiong, Zechun Liu, Ernie Chang, Raghuraman Krishnamoorthi, Yuandong Tian, Yangyang Shi, Vikas Chandra, and Jürgen Schmidhuber. Agent-as-a-Judge: Evaluate Agents with Agents, October 2024. URL <http://arxiv.org/abs/2410.10934>. arXiv:2410.10934.

## A Appendix

### A.1 Additional details on Section 2

#### A.1.1 Edge cases in our generator-verifier setting

The setting described in Fig. 2 considers verifiers and generators as distinct components, where verifiers score and accept or reject individual samples from the generator’s output to enable accuracy improvements through resampling.

This creates interesting edge cases with methods like Chain-of-Verification (CoVe) (17), Tree of Thoughts (ToT) (75), and Reward Models (RMs) (57) where verification and generation are more tightly coupled. While ToT fits within our framework by producing aggregate scores and a decision on whether the problem is solvable from a given state or not (i.e. potentially rejecting solutions), CoVe differs fundamentally in its verification approach. Instead of producing numeric scores and accepting or rejecting solution candidates, CoVe uses verification of intermediate facts used for answering a question to improve a single response through iterative refinement. This makes CoVe less suitable for inference scaling through resampling because there is no way to distinguish between the quality of multiple samples and using a verifier’s verdict for resampling.

## A.2 Additional details on Section 3




Figure 9: Distribution of task difficulties across models on MBPP+.




Figure 10: Distribution of task difficulties across models on HumanEval+.




Figure 11: False positive rates as a function of the number of attempts  $K$  in HumanEval+.  $K$  ranges are aggregated into bins of increasing size (i.e., powers of 2).




Figure 12: Relationship between the conditional accuracy after passing the standard unit tests and single-sample accuracy for tasks on which the unit tests (i.e. the "verifier") have a precision of less than 90%. For both benchmarks, we find a more pronounced relationship between capability and the probability of a false positive than when considering all tasks. Note that, the number of considered tasks with 70/150 and 128/321 is substantial. This plot shows the full y-axis.




Figure 13: **Upper and lower bounds for our HumanEval+ and MBPP+ analysis.** We show the relationship between the accuracy of individual samples (x-axis) and the achievable accuracy given an infinite compute budget and limited unit tests (y-axis; note that it starts at 0.5). Error bars indicate the bounds on the conditional accuracy when we account for tasks for which we did not observe *any* passing solutions. For the upper (lower) bound, we set the conditional passing rate to 1 (0) when computing the accuracy estimates. Note that for **Command-Light**, even after collecting 1000 samples for each task on HumanEval+, we still observed a substantial fraction of the tasks without a single passing solution.

### A.2.1 Details on data and implementation

In the following, we provide more details on our analysis on HumanEval+ and MBPP+.

**Sample Collection.** To evaluate the generalization gap between weaker and stronger models, we collected multiple samples per model and task. For both benchmarks and each model, we used samples generated with a temperature setting of 0.8. For sample generation, we use the implementation provided by Liu et al. (42), and other than the temperature use their default settings.<sup>1</sup> We collected a minimum of 50 samples for each model and task. For most models in our experiments Vicuna 7B, Mistral 7B, CodeT5p 16B, CodeGen, CodeGen2, Code Llama 7B, and Code Llama 13B, we used samples made available by Liu et al. (42). These were collected using the same temperature setting (i.e., 0.8). We had access to 200 samples per model and task for these models. Additionally, on HumanEval+, we collected 200 samples for Llama 3.1, Phi-3, GPT-4o and the Command family of models. For Command-Light, we even collected 1000 samples for each task to reduce the number of tasks without *any* solutions passing the HumanEval unit tests (Fig. 13). On MBPP+, we collected 50 samples for each model and task.

### A.2.2 Additional details on excluded tasks from MBPP+

**Tasks excluded by original EvalPlus authors (21 tasks).** These exclusions are based on an update to MBPP+, during which the authors removed several broken tasks, reducing the total to 378 tasks. These tasks were excluded because of issues with the oracle implementation leading to unreliable evaluations<sup>2</sup>.

In addition to the task excluded by the MBPP+ creators, in our evaluations, we excluded a total of 57 tasks from the benchmark for two main reasons:

<sup>1</sup>See: <https://github.com/evalplus/evalplus/tree/937c46858cf8e687b31b5a728b7083d6e5a84971>

<sup>2</sup>See: <https://github.com/evalplus/evalplus/releases/tag/v0.3.1>



**Tasks excluded due to additional oracle issues (28 tasks).** We identified and excluded an additional 28 tasks where *all* generated solutions that passed the base tests failed the extended test suite and across *all* models. We used this strict criterion to ensure we would not count solutions as false positives that are in fact robust but fail the extended test suite due to bugs in the MBPP+ harness. The primary cause was an implementation issue in the MBPP+ oracle when handling large numerical inputs, where the `np.allclose()` function used for checking output equivalence would raise exceptions. After these exclusions, our final evaluation set consisted of 350 tasks from the MBPP+ benchmark.

**Tasks excluded due to solutions passing plus tests but failing standard unit tests (29 tasks).** An additional 29 tasks were excluded for which the extended unit tests yielded passing solutions that failed the base tests provided with the original benchmark. We intend to report these tasks to the benchmark creators, aiming to include these tasks in a future version of the paper once the issue is resolved. Notably, excluding these tasks did not significantly impact our final results.

### A.2.3 Additional details on excluded tasks from HumanEval+

**Tasks excluded due to solutions passing plus tests but failing standard unit tests (14 tasks).** Similar to MBPP+, we excluded 14 tasks from HumanEval+ from our analysis because passing solutions on the plus tests failed the standard unit tests. Including those tasks in the analysis did, as for MBPP+, not impact our results in any significant way. We plan to report these tasks to the benchmark creators.

### A.3 Additional details on Section 4

In addition to the empirical analysis presented in Section 4, in this appendix, we provide a theoretical model that formalizes the limitations of inference scaling with imperfect verifiers and generalizes our findings to other benchmarks. We build on the verifier-based judge setup introduced by Davis et al. (16). We provide a Python notebook with the implementation of our model<sup>3</sup>.




Figure 14: **Even with zero computational cost, the optimal number of samples is finite and very low ( $K \leq 3$ ).** For this plot, we set the parameters as empirically observed for Llama 3.1 8B on HumanEval (see Table 3 for the exact values). The left plot shows the expected value of generating additional candidate solutions as a function of the number of attempts  $K$  for various cost-benefit ratios. For all cost-benefit ratios, the expected value peaks at very low  $K$ , after which it begins to decline, indicating negative returns from additional sampling. The right depicts the probabilities of generating a correct solution vs. a false positive at each step  $K$ . As  $K$  increases, the likelihood of generating a correct solution decreases, while the probability of generating a false positive increases. There is a trade-off between continued sampling and increasing risk, emphasizing the limitations of scaling inference compute with imperfect verifiers. Note that when setting the cost of a false positive to be 10 times higher than the benefit of a true positive, the optimal number of samples becomes  $K = 0$  (Fig. 15).

<sup>3</sup>See: <https://colab.research.google.com/drive/13k81mNLcPSH5VAjUtwBGMncS81fAaTx3?usp=sharing>




Figure 15: Heatmap of optimal number of samples  $K$  for various false positive cost vs. true positive benefit ratios in our model with parameters set as observed on HumanEval+. The y-axis shows models sorted by their Pass@1 accuracy. We observe that for a relative cost of 10 (i.e., the cost of returning a false positive is 10 times more costly than the reward of returning a true positive), the optimal number of samples is  $K = 0$  for almost all models, effectively making them useless.

### Model setup

The underlying model consists of two components:

- **Generator:** Produces candidate solutions to a task, with different success probabilities based on task difficulty.
  - Tasks are either *easy* ( $T_1$ ) or *hard* ( $T_2$ ), with prior probabilities  $p_1$  and  $p_2$  respectively.
  - The probabilities of generating a correct solution are  $r_1$  for easy tasks and  $r_2$  for hard tasks, so  $r_1 > r_2$ .
- **Verifier:** An imperfect verifier checks the correctness of generated solutions.
  - *Completeness* ( $c$ ): Conditional probability of accepting a correct solution.
  - *Soundness* ( $s$ ): Conditional probability of rejecting an incorrect solution.

### Parameter values used in model underlying Fig. 14

#### Probability of rejection

The probability that a sample is being rejected by the verifier, denoted  $\beta_i$ , is given by:

$$\beta_i = (1 - c)r_i + s(1 - r_i) \quad (1)$$

where  $i = 1$  for easy tasks and  $i = 2$  for hard tasks. These probabilities ( $\beta_1$  and  $\beta_2$ ) determine how likely a generated solution is to be rejected depending on the task type.

Parameter	Value
Probability of correct solution (easy task), $r_1$	0.87
Probability of correct solution (hard task), $r_2$	0.13
Completeness, $c$	1
Soundness, $s$	0.75
Prior probability of easy task, $p_1$	0.58
Prior probability of hard task, $p_2$	0.42
Benefit for correct solution (true positive), $V_{\text{TP}}$	1
Cost for false positive, $V_{\text{FP}}$	[-0.7, -1, -2]
Computational cost per attempt, $C_k$	0

Table 3: Parameter values used in the model setup in Fig. 14 as observed for the Llama 3.1 8B model evaluated on HumanEval+. These values reflect the empirically observed probabilities and prior settings. Following the observed empirical task difficulty distribution as shown in Fig. 6, in this setup we assume tasks with Pass@1  $\geq 0.5$  to be easy, and those with Pass@1  $< 0.5$  to be hard.

### Belief updates

After each rejection, the belief that the task is of type  $T_2$  (hard) increases. The posterior probability that the task is of type  $T_1$  or  $T_2$  after  $k - 1$  rejections is:

$$p_{T_i}^{(k)} = \frac{\beta_i^{k-1} p_i}{\beta_1^{k-1} \cdot p_1 + \beta_2^{k-1} \cdot p_2} \quad (2)$$

As more rejections occur, it usually becomes more likely that the task is hard ( $T_2$ ). In Fig. 14, we see how the belief that the task is easy decreases, while the belief that the task is hard increases as the number of attempts  $K$  grows.

### Probability of correct and false positive solutions

For the  $k$ -th attempt, the probability of generating a correct solution or a false positive depends on the task type. The overall probabilities are weighted by the posterior beliefs  $p_{T_i}^{(k)}$ .

The belief-weighted probability of returning a correct or false positive at attempt  $k$ , conditional on the  $k - 1$  previous attempts being rejected are:

$$P_{\text{TP}}^{(k)} = p_{T_1}^{(k)} \cdot P_{\text{TP},T_1} + p_{T_2}^{(k)} \cdot P_{\text{TP},T_2} \quad (3)$$

$$P_{\text{FP}}^{(k)} = p_{T_1}^{(k)} \cdot P_{\text{FP},T_1} + p_{T_2}^{(k)} \cdot P_{\text{FP},T_2} \quad (4)$$

where:

$$P_{\text{TP},T_1} = c \cdot r_1, \quad P_{\text{TP},T_2} = c \cdot r_2$$

$$P_{\text{FP},T_1} = (1 - r_1) \cdot (1 - s), \quad P_{\text{FP},T_2} = (1 - r_2) \cdot (1 - s)$$

In Fig. 14, the right plot shows the evolution of  $P_{\text{TP}}^{(k)}$  and  $P_{\text{FP}}^{(k)}$  as the number of attempts  $K$  increases. Initially, the probability of generating a correct solution is higher, but for higher  $K$ , the probability of generating a false positive increases.

### Expected value of generating additional solutions

The expected value of generating a solution at the  $k$ -th attempt is:

$$EV_k = [V_{TP} \cdot P_{TP}^{(k)} + V_{FP} \cdot P_{FP}^{(k)}] \cdot [\beta_1^{k-1} \cdot p_{T_1}^{(k)} + \beta_2^{k-1} \cdot p_{T_2}^{(k)}] \quad (5)$$

where:

- $V_{TP}$  is the benefit for a correct solution.
- $V_{FP}$  is the cost for a false positive being “accepted” as the solution.

### Optimal number of attempts

The total expected value after  $K$  attempts is:

$$\text{Reward} = \sum_{k=1}^K EV_k \quad (6)$$

The optimal number of attempts,  $K_{\text{opt}}$ , is the value of  $K$  that maximizes the reward, which are shown across models and for various  $V_{FP}/V_{TP}$ -ratios in Fig. 15.

#### A.4 Inference scaling curve for GPT-4o




Figure 16: **Inference scaling curves in the presence of a cost for GPT-4o.** In addition to the models in Fig. 1, we provide the inference scaling curves for GPT-4o as the model with the highest single-sample accuracy on on HumanEval+ in our experiments. We find that the benefits of search are minimal (i.e. curves are flat) in line with what we expect from the empirical task difficulty distribution shown in Fig. 10.

## A.5 Additional details on Section 5




Figure 17: **False positives tend to be lower-quality code compared to correct solutions across all models and code quality metrics.** We evaluated four key code quality metrics: adherence to `camelCase` and `snake_case` naming conventions, line-length compliance, and presence of line-level comments. This trend holds consistently across models and for all four code quality instructions we test.

### A.5.1 Details on data and implementation

We used the implementation provided by Zheng et al. (79) to collect samples and evaluate the different code readability metrics. Each code quality metric had a separate prompt instructing the model to follow certain guidelines (Appendix A.5.2). For each model and code quality instruction, we generated 50 samples per task on HumanEval+. As for our main experiments, we set the temperature to 0.8. All other parameters were set to their default value as provided with the implementation.<sup>4</sup>

<sup>4</sup>See: <https://github.com/jszheng21/RACE/tree/3b8ee591abd5febd8ae8ec17c7b9907949c5e1d5>

## A.5.2 Prompt examples for readability metrics

**1) Naming conventions**

Please generate the Python code to solve the following problem, and use `camelCase` for both function names and variable names.\n\nProblem:\n\n{problem}

Please generate the Python code to solve the following problem, and use `snake_case` for both function names and variable names.\n\nProblem:\n\n{problem}

**2) Code length**

Please generate the Python code to solve the following problem, where each line is less than 70 characters long and each function is less than 30 lines long.\n\nProblem:\n\n{problem}

**3) Commenting guidelines**

Please generate the Python code to solve the following problem, and add comments for each line in each function.\n\nProblem:\n\n{problem}

Figure 18: Prompt templates for each metric of code readability we consider in our experiments for Section 5 following Zheng et al. (79).

## A.5.3 Qualitative examples of false positives

```
1 def string_sequence(n: int) -> str:
2     ans = ""
3     for i in range(0, n + 1):
4         ans = ans + str(i) + " "
5     return ans[:-1]
```

Figure 19: HumanEval/15 asks to generate a space-delimited sequence of numbers. The implementation generated by CodeGen fails on the extended test suite due to the inefficient for-loop that times out on larger inputs.

```
1 def sort_numbers(numbers: str) -> str:
2     str_num_dict = {
3         "zero": 0, "one": 1, "two": 2, "three": 3, "four": 4,
4         "five": 5, "six": 6, "seven": 7, "eight": 8, "nine": 9,
5     }
6     num_list: List[int] = [str_num_dict[word] for word in numbers.split()]
7     num_list.sort()
8     sorted_str_nums: List[str] = [
9         word for word, num in str_num_dict.items() if num in num_list
10    ]
11    return " ".join(sorted_str_nums)
```

Figure 20: HumanEval/19 asks to sort space-delimited number words. The implementation generated by Code Llama 7B fails to maintain duplicates in the output, incorrectly removing repeated numbers during the dictionary lookup process.

```

1 def find_char_long(string):
2     words = string.split()
3     return [word for word in
4             words if len(word) >=
5             4]

```

(a) Example implementation generated by GPT-3.5 which fails additional unit tests from MBPP+.

```

1 # Standard unit tests
2 assert set(find_char_long('Please move back to
3 stream')) == set(['Please', 'move', 'back', '
4 stream'])
5 assert set(find_char_long('Jing Eco and Tech')) ==
6 set(['Jing', 'Tech'])
7 assert set(find_char_long('Jhingai wulu road Zone
8 3')) == set(['Jhingai', 'wulu', 'road', 'Zone'
9 ])
10
11 # Example unit tests from extended test suite
12 assert set(find_char_long("This is a very long
13 string with no words that are at least 4
14 characters long.")) == set(['This', 'very', '
15 long', 'string', 'with', 'words', 'that', '
16 least', 'characters', 'long'])

```

(b) Standard unit tests for the MBPP/7 task.

Figure 21: Exemplary implementation that passes the standard tests but is incorrect. In MBPP/7, the model is asked to *write a function to find all words that are at least 4 characters long in a string*. The code was generated by gpt-3.5 and passes the tests provided with the original MBPP benchmark but is incorrect and fails to pass the extended tests.

```

1 def parse_nested_parens(paren_string: str) -> List[int]:
2     def parse_paren_group(paren_group: str) -> int:
3         counter = 0
4         max_counter = 0
5         for paren in paren_group:
6             if paren == '(':
7                 counter += 1
8                 if counter > max_counter:
9                     max_counter = counter
10            elif paren == ')':
11                counter -= 1
12            return max_counter
13    return [parse_paren_group(paren_group) for paren_group in paren_string.
14            split(' ')]

```

Figure 22: HumanEval/6 requires parsing nested parentheses groups. The implementation generated by Code Llama 7B incorrectly processes empty input strings.

```

1 def sorted_list_sum(lst):
2     assert lst, "List can not be empty."
3     if isinstance(lst[0], str):
4         new_lst = [word for word in lst if len(word) %
5                    2 == 0]
6         new_lst.sort()
7         return sorted(new_lst, key=len)
8     else:
9         return sorted(lst)

```

Figure 23: HumanEval/149 asks to process a list of strings, removing odd-length strings and sorting the result. The implementation generated by CodeT5p 16B incorrectly handles empty input by raising an assertion error instead of returning an empty list.



```

1 def countNumbersWithOne(n):
2     if n == 1:
3         # For single-digit numbers, we only have 1
4         return 1
5
6     count = 0
7
8     # Calculate the range for n-digit numbers
9     start = 10**(n-1)
10    end = 10**n
11
12    for num in range(start, end):
13        str_num = str(num)
14        if str_num[0] == '1' or str_num[-1] == '1':
15            count += 1
16
17    return count

```

Figure 24: Example candidate implementation failing to adhere to camelCase naming convention for HumanEval/83 generated by GPT-4o due to variable `str_num` in line 13 not complying.

```

1 def get_positive(l: list):
2     return [int(item) for item in l if item > 0]

```

Figure 25: HumanEval/30 asks to return positive numbers from a list. The implementation generated by CodeGen fails on the extended test suite because it converts float values to integers before returning the list.

```

1 def number_of_substrings(s):
2     char_count = [0] * 128
3     result = 0
4     for char in s:
5         char_count[ord(char)] += 1
6     for i in range(len(s)):
7         result += char_count[ord(s[i])] * (len(s) - i)
8     return result

```

Figure 26: MBPP/238 asks to count non-empty substrings in a string. The implementation generated by Command uses an incorrect algorithm that produces wrong results.

```

1 def split(string):
2     return [char for char in string if char.isalpha()]

```

Figure 27: MBPP/565 asks to split a string into characters. The implementation generated by Command-Light incorrectly filters for alphabetic characters only and fails to handle empty strings correctly.

```

1 def is_samepatterns(words, patterns):
2     if len(words) != len(patterns):
3         return False
4     word_to_pattern = {}
5     pattern_to_word = {}
6     for word, pattern in zip(words, patterns):
7         if word in word_to_pattern and word_to_pattern[word] != pattern:
8             return False
9         if pattern in pattern_to_word and pattern_to_word[pattern] != word:
10            return False
11            word_to_pattern[word] = pattern
12            pattern_to_word[pattern] = word
13    return True

```

Figure 28: MBPP/74 asks to check if words follow given patterns. The implementation generated by GPT-3.5 fails on the extended test suite when handling repeated elements, incorrectly returning False.

```

1 def find_even_pair(nums):
2     even_count = 0
3     xor_pairs = set()
4     for i in range(len(nums)):
5         for j in range(i+1, len(nums)):
6             if (nums[i] ^ nums[j]) %
7                 pair = tuple(sorted((nums[i], nums[j])))
8                 xor_pairs.add(pair)
9     return len(xor_pairs)

```

Figure 29: MBPP/166 asks to count pairs of integers with even XOR. The implementation generated by Llama 3.1 8B incorrectly counts only unique pairs using a set.

```

1 def diff_even_odd(numbers):
2     even = None
3     odd = None
4     for num in numbers:
5         if num %
6             even = num
7         elif num %
8             odd = num
9         if even is not None and odd is not None:
10            break
11    return abs(even - odd)

```

Figure 30: MBPP/594 asks to write a function to find the difference between the first even and the first odd number of a given list. The implementation generated by GPT-3.5 incorrectly returns the *absolute* value of the difference.

## B Reproducibility statement

We release code to reproduce all experimental results of this paper in a GitHub repository<sup>5</sup>. This repository also contains all code samples for all models used in our experiments. We also provide an implementation of the theoretical model in Appendix A.3 as a Python notebook<sup>6</sup>.

<sup>5</sup>See: <https://github.com/benediktstroebel/inference-scaling-limits>

<sup>6</sup>See: <https://colab.research.google.com/drive/13k81mNLcPSH5VAjUtwBGMncS81fAaTx3?usp=sharing>