

AI4EF: Artificial Intelligence for Energy Efficiency in the Building Sector

Alexandros Menelaos Tzortzis¹, Georgios Kormpakis¹, Sotiris Pelekis¹,
Ariadni Michalitsi-Psarrou¹, Evangelos Karakolis¹, Christos Ntanos¹,
Dimitris Askounis¹

*Decision Support Systems Laboratory
School of Electrical and Computer Engineering
Institute of Communications and Computer Systems
National Technical University of Athens
Greece*

Abstract

AI4EF (Artificial Intelligence for Energy Efficiency) is an advanced, user-centric tool designed to support decision-making in building energy retrofitting and efficiency optimization. Leveraging machine learning (ML) and data-driven insights, AI4EF (Artificial Intelligence for Energy Efficiency) enables stakeholders—such as public sector representatives, energy consultants, and building owners—to model, analyse, and predict energy consumption, retrofit costs, and environmental impacts of building upgrades. Featuring a modular framework, AI4EF includes customizable building retrofitting, photovoltaic installation assessment, and predictive modelling tools that allow users to input building parameters and receive tailored recommendations for achieving energy savings and carbon reduction goals. Additionally, the platform incorporates a Training Playground for data scientists to refine ML models used by said framework. Finally, AI4EF provides access to the Enershare Data Space to facilitate seamless data sharing and access within the ecosystem. AI4EF’s compatibility with open-source identity management (Keycloak) enhances security and accessibility, making it adaptable for various regulatory and organizational contexts. This paper presents an overview of AI4EF’s architecture, its application in energy efficiency scenarios, and its potential for advancing sustainable energy practices through artificial intelligence (AI).

Keywords: Energy efficiency, machine learning, predictive modelling, building retrofitting, decision support, sustainable energy

Metadata

Nomenclature

GHG Green House Gas

HPO Hyper Parameter Optimization

HVAC Heating, Ventilation, and Air Conditioning

IDS International Data Spaces

ML Machine Learning

MLOps Machine Learning Operations

MLP Multi-layer perceptron

SPA Single Page Application

1. Motivation and significance

The European Union (EU) is committed to combating climate change and meeting the 2015 Sustainable Development Goals (SDGs) [5][6]. Energy efficiency is a key priority, with a target to reduce energy consumption by 13% by 2030 [6]. The REPowerEU plan [7] focuses on increasing building renovation rates, especially deep renovations, and accelerating heat pump deployment to replace fossil fuel boilers, thereby reducing fossil fuel dependence and bolstering energy security. In line with these goals, the EU emphasizes renewable energy in sustainable building design. Technologies like solar panels, wind turbines, and biomass systems decrease reliance on fossil fuels and support a sustainable energy future [8][9][10][11]. Given that buildings contribute roughly 40% of global CO_2 emissions, this shift is essential for sustainable urban design [12].

Moreover, building retrofitting is crucial for sustainable architecture, as outdated structures contribute significantly to energy consumption, with lighting, heating, cooling, and air conditioning systems accounting for 16-50% of global energy use [13]. Many European buildings, especially those from the 1940s-1970s, have poor energy performance due to inadequate insulation

and outdated heating systems [14]. Retrofitting these buildings by upgrading insulation, installing energy-efficient windows [15], green roofs [16], and using smart materials [17][18][19][20][21], alongside replacing old heating systems [22][23], can greatly enhance energy efficiency, reduce GHG emissions, and improve indoor air quality. Moreover, real-time energy monitoring with smart technologies can optimize consumption [14][24][23]. With supportive policies and incentives, retrofitting offers a significant opportunity to reduce environmental impact, improve comfort, and generate long-term savings.

Building on the EU's energy goals and the shift toward renewable and energy-efficient building solutions, artificial intelligence (AI) plays an increasingly pivotal role in optimizing these sustainable energy systems. As the world transitions from fossil fuels to renewable energy sources (RES) like solar, wind, and geothermal energy [25], AI enhances efficiency, reduces emissions, and mitigates climate impacts [26][27][28]. ML algorithms optimize renewable energy infrastructure by analyzing data such as smart meter readings and weather patterns to improve operations and reduce downtime [29][26]. AI also supports infrastructure inspections, maintenance, and climate risk assessments, enhancing system reliability [30][31][32]. Despite challenges like limited investment, slow permitting, supply chain issues, and data privacy concerns [33][34], a strategic AI-driven approach combined with supportive policies is vital for achieving net-zero emissions by 2050 [28][35].

This paper presents AI4EF, a software platform designed to support decision-making in energy efficiency. Its backend consists of modular services tailored to specific user needs, such as investment planning and photovoltaic installation, providing targeted functionalities. For users requiring custom models, AI4EF offers a separate service for creating and executing ML pipelines, allowing the development and evaluation of models with personalized datasets. By applying advanced machine learning operations' (MLOps) practices, this service simplifies the model development and deployment process, making it accessible to both data scientists and energy consultants, and empowering informed decisions in energy efficiency.

AI4EF addresses key limitations of both open-source and proprietary tools in the building and renewable energy sectors. The primary contributions of this tool are as follows:

- **Open-Source Accessibility:** This transparency enables users to understand, customize, and enhance its functionality. In contrast to many proprietary tools [36, 37, 38, 39] that restrict user customization, our tool provides the flexibility to tailor it to individual requirements.
- **Customization through AI Model Training:** The tool enables users to train custom AI models on their own datasets, offering highly

personalized estimations and recommendations. This user-driven approach contrasts with other open-source tools, such as OpenStudio[40], which primarily focuses on predefined energy modelling without extensive support for user-defined model training. Additionally, proprietary tools like Retrofit Advisor[41] and HelioScope[42] are restricted to fixed, vendor-controlled algorithms, limiting their flexibility for users seeking customized solutions.

- **Real-World Validation and User-Centric Design:** This tool was built on real data based on the needs of Latvian Environmental Investment Fund (LEIF) [43], and was evaluated and utilised by real users satisfying their needs. This ensures that the tool meets real-world demands and offers a practical solution for issues regarding building energy efficiency.
- **Integration with the European Energy Data Space:** AI4EF is built on the Enershare Data Space [44], a core element of the European energy data ecosystem. By utilizing a verified IDS (International Data Spaces) connector, AI4EF enables collaborative innovation through access to diverse, large-scale datasets. In contrast, tools like Solar-Log [45] and Aurora Solar [39] rely on limited datasets, restricting analysis depth.
- **User-Friendly Insights with Minimal Data:** AI4EF provides quick retrofit and PV recommendations using minimal building data, making it accessible to users with limited information. Unlike other retrofitting tools [40, 36, 37, 41, 38], which require extensive input on building geometry, Heating, Ventilation, and Air Conditioning (HVAC), and other details, AI4EF offers initial insights with only a few key features. Similarly, PV-focused tools [46, 42, 39] require comprehensive data for detailed simulations, making them less accessible for users lacking extensive building data.

2. Software description

AI4EF is an AI-based tool that combines robust data analysis, ML, and accessible modelling interfaces, to offer actionable insights into renewable energy integration and building retrofitting. The software architecture, depicted in figure 2, illustrates the interactions between the frontend interface, analytical modules, and ML back-end, highlighting how each component contributes to a seamless, integrated user experience.

2.1. Software architecture

The AI4EF platform is designed using Docker [47], with a modular micro-services architecture to enhance scalability, maintainability, and functionality. It comprises of four main components, each fulfilling distinct roles within the platform

Identity and access management (Optional). AI4EF uses Keycloak [48] for secure user authentication and centralized identity management. With Keycloak, the platform supports single sign-on (SSO) based on the OpenID Connect (OIDC) protocol for seamless access to services and role-based permissions to ensure that only authorized users can access specific data and features.

Frontend Application. The AI4EF dashboard is a Single Page Application (SPA) developed with React [49], providing a modern, efficient approach to web development. Unlike traditional Multi-Page Applications, it loads essential resources (HTML[50], CSS[51], and JavaScript[52]) once, enabling faster performance and dynamic content updates. This design improves caching, simplifies debugging, and enhances user experience. The dashboard is responsive, ensuring seamless use across desktop and mobile devices. It leverages the MUI library [53] for cohesive styling and UI components, and integrates with Keycloak [48] for secure user authentication and streamlined access to AI4EF’s analytical tools.

MLApp (Back-end). The backend component serves as the core foundation of the AI4EF platform, It contains distinct, independently deployed sub-services for *Building Retrofitting* and *Photovoltaic (PV) Installation* analysis. It’s responsible for (a) retrieving data from the internal filesystem, (b) preprocessing and harmonizing this data to meet the input requirements of the forecasting model, (c) managing the storage, versioning, and deployment of the model, and (d) handling user requests by providing appropriate responses.

Training Playground. This service establishes an MLOps environment to manage data flows and orchestrate model training and tuning pipelines. It enables users to build and customize models for building efficiency goals, ensuring seamless integration with AI4EF’s MLApp and other modules. The service handles (a) data fetching and preprocessing, (b) model training and hyperparameter optimization, (c) performance evaluation, and (d) model storage, versioning, and deployment.

2.1.1. Technologies

The key technologies that power AI4EF are as follows:

- **Dagster** [54]: Provides the overall workflow and pipeline management framework, for modular, scalable, and robust data processing, model training, and deployment.
- **Scikit-learn** [55]: Employed in the data preprocessing phase for scaling, managing categorical variables, and handling missing values, as well as contributing to data compatibility and standardization across models.
- **Scipy** [56]: Used in data extraction, cleaning, and scaling, complementing Scikit-learn’s preprocessing functionalities to structure data for model training.
- **PyTorch Lightning** [57]: The primary deep learning framework, providing a streamlined structure for defining, training, and evaluating neural network architectures used in the tool’s sub-services.
- **Optuna** [58]: Used for hyperparameter optimization (HPO) in training, where it systematically tunes parameters to improve model performance. employing pruning techniques to discard suboptimal trials early.
- **Darts** [59]: During the evaluation phase it assess model predictions, generating metrics for regression analysis.
- **Data space connector** [60]: Supports data acquisition for the training playground, expanding accessible data sources tested using the Enershare Data Space .
- **FastAPI** [61]: Deploys API endpoints for model and UI integration, processing incoming data requests from the front-end, wrangling the data, and returning model predictions.

2.1.2. European Energy Data Space Integration

AI4EF connects to the European Energy Data Space both as a data source for model training in the Training Playground and through integration with the Enershare Data Space Marketplace. This enables ingestion of real-time data from sources like smart meters and building systems, enhancing model accuracy and customization. The link to Enershare Data Space also aligns AI4EF with European data-sharing standards, supporting secure, compliant

data access for stakeholders in energy efficiency projects. Figure 1 illustrates the data space integration framework of AI4EF, detailing connections with the Enershare Data Space Marketplace.




Figure 1: AI4EF - Data space Integration

2.2. Software functionalities

2.3. Interface Features

AI4EF can be accessed and be navigated through its main UI, which serves as a centralized dashboard for all sub-services of the tool.

Homepage: Figure 3b shows the homepage displayed after signing in. Here, an overview of the primary tools is presented in a visually organized layout, with clear headings that introduce the key services.

MLApp - Building Retrofitting: The Building Retrofitting sub-service provides tools to analyse the potential for building retrofits and energy upgrades.

MLApp - Photovoltaic Installation: The Photovoltaic Installation sub-service evaluates the economic and environmental impact of PV installations on energy savings and emissions reductions.

2.3.1. Training Playground service

The **Training Playground** is an ML environment for building and optimizing ML models that predict energy outcomes and support energy efficiency projects. Data scientists can execute complete ML workflows, from data acquisition and preprocessing to hyperparameter tuning and evaluation, via Dagster. The pipeline comprises 3 consecutive steps, as illustrated in figure 4: the *Ingestion*, the *Training* and the *Evaluation*.






Figure 2: AI4EF - Software Architecture Diagram

Ingestion. This step is separated into two distinct categories: the helper functions and the main assets. Starting from the helper functions, these include methods for validating file paths, URLs, and database connection strings, as well as for retrieving data from various sources like databases, local files, or APIs. The main assets handle data extraction, cleaning, and scaling. They support loading data, managing categorical and continuous scaling, handling missing values, and creating train-test splits.


Training. This step sets up an automated pipeline to train and optimize ML models using Optuna for hyperparameter tuning, PyTorch Lightning for model management, and Dagster for orchestration. It experiments with a Multi-Layer Perceptron (MLP) architecture, running multiple trials to test different configurations (e.g., layers, learning rate) to find the best model. Early stopping and pruning halt unpromising trials, and the top model and preprocessing settings are saved for deployment. Dagster’s asset management ensures modular, scalable, and reusable components for efficient experimen-




(a) Keycloak sign-in page



(b) AI4EF Homepage



(c) AI4EF - Building Retrofitting Example



(d) AI4EF - Photovoltaic Installation Example

Figure 3: AI4EF - MLApp Dashboard

tation.

Evaluation. This step sets up an evaluation pipeline to test model performance, generate metrics, and visualize HPO results. It computes different evaluation metrics depending on the sub-service: regression or classification. Visual summaries of the HPO process show parameter importance and performance trends. All metrics and plots are stored in a structured format, providing a clear assessment of model accuracy and tuning success, facilitating validation and deployment.




Figure 4: AI4EF - Training Playground Sequence Diagram

2.3.2. Enershare Data Space Marketplace

The **Enershare Data Space Marketplace** is a repository for data assets accessible directly from the AI4EF platform. Users can import and export data artifacts for enhanced analysis and collaboration, supporting data-driven decision-making across energy efficiency projects.

2.3.3. User roles

The AI4EF platform is designed to support various stakeholders with distinct roles. Government representatives use it for policy-making and regulatory compliance, while building managers focus on energy optimization and retrofitting. Energy consultants provide expertise on efficiency measures, and data scientists analyse trends and build predictive models. Each role has tailored functionalities to collaborate and access relevant data, enhancing the platform's overall effectiveness. This role-based approach, as shown in Figure 2, ensures a comprehensive ecosystem for sustainable energy planning and investment.

3. Illustrative examples

3.1. Overview of the MLApp Dashboard

The MLApp Dashboard features two individual sub-services: *Building Retrofitting* and *Photovoltaic Installation*. Both services share a similar UI, allowing for easy navigation and data input, while the specific input and output fields vary according to each service’s focus. The specific input values for each example are provided in Table 3 of the appendix for reference.

In the **Building Retrofitting** sub-service, users begin by filling out the Building Parameters form, and then click the *CALCULATE* button to send their information to the backend ML model. The results and recommendations are illustrated in Figure 3c. Users can also download an Excel file detailing potential energy savings related to suggested upgrades and use the *RESET* button to clear the form as needed.


Similarly, the **Photovoltaic Installation** sub-service prompts users to input relevant details in the respective form. Users may leave the energy generation field blank for automatic predictions based on other inputs. The user flow can be easily inferred from Figure 3d.

3.2. Overview of the Training Playground


With the Training Playground service, users access the Training Playground from the AI4EF Dashboard’s sidebar. They will then be redirected to the *Overview - Jobs* page, where they can navigate to the Dagster UI. They can choose to run each step of the pipeline independently, or execute the entire pipeline in one go, as presented in the overview. In Figure 7, we illustrate the individual pipelines and their interconnectivity. After that, users configure the pipeline parameters through the built-in Launchpad menu. In Table 4 of the appendix, we have compiled the parameters that users can configure through the Launchpad, each of which is essential for different steps of the pipeline.

Data pipeline (Ingestion). In the data pipeline step, AI4EF has produced three Dagster objects: train-data, test-data, and scalars and several metadata as depicted in Figure 5a.

Training Pipeline (Training). During model tuning, AI4EF produces two key outputs: the best model from hyperparameter tuning and a detailed study of the tuning process. As shown in Figure 5, AI4EF provides a Pandas [62] dataframe documenting each tuning trial with details on trial number, start and end times, duration, and hyperparameters like batch size and learning rate.



(a) AI4EF - Training Playground - Data Ingestion step



(b) AI4EF - Training Playground - Training Pipeline Overview




(c) AI4EF - Training Playground - Training Pipeline Trials

Figure 5: AI4EF - Training Playground - Ingestion and Training Pipelines


Evaluation pipeline (Evaluation): In the final step, AI4EF generates two key objects for model evaluation. The *metrics* object, adapts based on the model type: for classifiers, it includes metrics such as accuracy, precision, recall, and confusion matrices (see Figures 6a and 6c). The second object details hyperparameter tuning with Optuna, including parameter importance, optimization history, and optimal values, as shown in Figures 6b and 6d.

4. Impact


The AI4EF web application is designed to significantly impact energy efficiency and retrofitting efforts in the building sector. By providing a data-driven, user-friendly tool for decision-making, AI4EF facilitates the identification of energy-saving opportunities, ultimately leading to reduced energy consumption and lower operational costs for building managers and owners. The platform supports government representatives in formulating evidence-based policies and regulations aimed at promoting sustainable energy practices. Furthermore, energy consultants can leverage AI4EF to enhance their advisory services, providing clients with tailored insights and actionable strategies for implementing energy efficiency measures. By integrating advanced ML techniques and predictive analytics, AI4EF empowers users to make informed decisions regarding investments in renewable




(a) Evaluation Metrics Overview



(b) Optuna Optimization Results



(c) Confusion Matrix for Classifier Performance in 'Carrying out construction works' target



(d) Parameter Importance during model training and tuning

Figure 6: AI4EF - Evaluation pipeline

energy sources and retrofitting projects, thereby fostering the transition toward more sustainable building practices. The modular design of the platform allows for continuous updates and improvements, ensuring that users benefit from the latest technological advancements and data insights.

AI4EF has demonstrated significant real-world impact, particularly within the EU's Horizon Europe research project, Enershare, where it is designed to optimize energy efficiency and support data-driven decision-making for building retrofitting in Latvia. Reviewed and used by actual users to meet their objectives, and it was developed using real data based on the requirements of LEIF. This guarantees that the technology satisfies actual needs and provides a workable solution for building energy efficiency problems. The tool's integration into Enershare highlights its potential for broader application. AI4EF can be applied across diverse European countries, adapting to local energy landscapes and helping drive the transition to an energy-efficient built

environment.

5. Conclusions and Future Work

In this paper, we introduced AI4EF, a software application designed to support AI-driven decision-making in the energy efficiency sector. It offers various energy efficiency goals, such as investment planning and photovoltaic installation insights, while also offering flexibility for those needing custom ML models tailored their unique data. Using MLOps best practices and advanced algorithms, AI4EF simplifies data preprocessing, model training, evaluation and deployment, making it an accessible tool for data scientists, energy consultants, and decision-makers alike.

Looking ahead, AI4EF’s development will focus on enhancing the flexibility and scalability of its services. A key area for future work is the integration of additional data sources from multiple countries, broadening the tool’s applicability across Europe. We also aim to refine the user interface to create more intuitive interactions. Furthermore, we plan to boost model performance by incorporating advanced ML techniques, such as transfer learning, to tackle user cases where data are scarce or exotic. Additionally, we plan to enhance model explainability, making it easier for users to understand the factors influencing predictions and providing greater transparency. Support for model version control will also be implemented, for better user interactions across the platform’s core services. Through these advancements, AI4EF aims to play a central role in driving the transition to a sustainable, energy-efficient future.

Acknowledgements

This work has been funded by the European Union’s Horizon Europe Research and Innovation programme under the Enershare project, grant agreement No. 101069831. The sole responsibility for the content of this paper lies with the authors; the paper does not necessarily reflect the opinion of the European Commission.

References

- [1] Alexandros Tzortzis and Sotiris Pelekis. epu-ntua/enershare-ai4ef: 0.0.2, November 2024. Creative Commons Attribution 4.0 International.
- [2] Scott Chacon and Ben Straub. *Pro git*. Apress, 2014.
- [3] Guido Van Rossum and Fred L Drake Jr. *Python reference manual*. Centrum voor Wiskunde en Informatica Amsterdam, 1995.
- [4] Python Software Foundation. Python package index - pypi, 2024. Accessed: 04-10-2024.
- [5] European Union. Sustainable development goals, n.d. Accessed: [Date of access].
- [6] European Commission, Directorate-General for Energy. Non paper on complementary economic modelling undertaken by dg ener analysing the impacts of overall energy efficiency target of 13% to 19% in the context of discussions in the european parliament on the revision of the energy efficiency directive, June 2022.
- [7] European Commission. RepowerEU: Affordable, secure and sustainable energy for Europe, 2024. Accessed: 2024-11-07.
- [8] Long Shi and Michael Yit Lin Chew. A review on sustainable design of renewable energy systems. *Renewable and Sustainable Energy Reviews*, 16:192–207, 1 2012.
- [9] Peter Droege. Renewable energy and the city: Urban life in an age of fossil fuel depletion and climate change. *Bulletin of Science, Technology & Society*, 22(2):87–99, 2002.
- [10] Jerry L. Holechek, Hatim M. E. Geli, Mohammed N. Sawalhah, and Raul Valdez. A global assessment: Can renewable energy replace fossil fuels by 2050? *Sustainability*, 14(8), 2022.
- [11] Anam Kalair, Naeem Abas, Muhammad Shoaib Saleem, Ali Raza Kalair, and Nasrullah Khan. Role of energy storage systems in energy transition from fossil fuels to renewables. *Energy Storage*, 3(1), February 2020.
- [12] J ; Zhang, Y ; Lin, L ; Wang, Q ; Wang, K ; Zhu, S ; Yang, G Guo, Maria Mauro, Shi-Jie Cao, Jiaji Zhang, Yuting Lin, Lan Wang, Qiankun

- Wang, Ke Zhu, Shize Yang, and Guoqing Guo. Research and case application of zero-carbon buildings based on multi-system integration function. *Buildings 2024*, Vol. 14, Page 3394, 14:3394, 10 2024.
- [13] Olatz Pombo, Beatriz Rivela, and Javier Neila. The challenge of sustainable building renovation: assessment of current criteria and future outlook. *Journal of Cleaner Production*, 123:88–100, 6 2016.
- [14] Tarja Häkkinen. Systematic method for the sustainability analysis of refurbishment concepts of exterior walls. *Construction and Building Materials*, 37:783–790, 12 2012.
- [15] Nilofar Asim, Marzieh Badieli, Masita Mohammad, Halim Razali, Armin Rajabi, Lim Chin Haw, and Mariyam Jameelah Ghazali. Sustainability of heating, ventilation and air-conditioning (hvac) systems in buildings—an overview. *International Journal of Environmental Research and Public Health*, 19(2), 2022.
- [16] Sara ziaee, Zeynab Gholampour, Mina Soleymani, Parisa Doraj, Omid Hossein Eskandani, and Samireh Kadaei. Optimization of energy in sustainable architecture and green roofs in construction: A review of challenges and advantages. *Complexity*, 2022(1), January 2022.
- [17] Amany Ragheb, Hisham El-Shimy, and Ghada Ragheb. Green architecture: A concept of sustainability. *Procedia - Social and Behavioral Sciences*, 216:778–787, 2016. Urban Planning and Architectural Design for Sustainable Development (UPADSD).
- [18] Ambrose Dadoo, Leif Gustavsson, and Roger Sathre. Building energy-efficiency standards in a life cycle primary energy perspective. *Energy and Buildings*, 43(7):1589–1597, 2011.
- [19] Obinna Iwuanyanwu, Ifechukwu Gil-Ozoudeh, Azubuike Chukwudi Okwandu, and Chidiebere Somadina Ike. The role of green building materials in sustainable architecture: Innovations, challenges, and future trends. *International Journal of Applied Research in Social Sciences*, 6(8):1935–1950, August 2024.
- [20] Abeer Samy Yousef Mohamed. Smart materials innovative technologies in architecture; towards innovative design paradigm. *Energy Procedia*, 115:139–154, 2017. International Conference – Alternative and Renewable Energy Quest, AREQ 2017, 1-3 February 2017, Spain.

- [21] Monika Patil, Samrudhi Boraste, and Pravin Minde. A comprehensive review on emerging trends in smart green building technologies and sustainable materials. *Materials Today: Proceedings*, 65:1813–1822, 2022. International Conference on Advances in Construction Materials and Structures.
- [22] Tosin Michael Olatunde, Azubuike Chukwudi Okwandu, Dorcas Oluwajuwonlo Akande, and Zamathula Queen Sikhakhane. Review of energy-efficient hvac technologies for sustainable buildings. *International Journal of Science and Technology Research Archive*, 6(2):012–020, April 2024.
- [23] Pijush Kanti Dutta Pramanik, Bulbul Mukherjee, Saurabh Pal, Tanmoy Pal, and Simar Preet Singh. Green smart building: Requisites, architecture, challenges, and use cases. In *Green building management and smart automation*, pages 1–50. IGI Global, 2020.
- [24] Lukas Hilger, Thorsten Schneiders, Frederic Pascal Meyer, and Jean Pierre Kroll. Use of smart technologies for energy efficiency, energy- and load management in small and medium sized enterprises (smes). *2018 7th International Energy and Sustainability Conference, IESC 2018*, 8 2018.
- [25] Abidur Rahman, Omar Farrok, and Md Mejbaul Haque. Environmental impact of renewable energy source based electrical power plants: Solar, wind, hydroelectric, biomass, geothermal, tidal, ocean, and osmotic. *Renewable and Sustainable Energy Reviews*, 161:112279, 2022.
- [26] Kingsley Ukoba, Oluwatayo Racheal Onisuru, and Tien-Chien Jen. Harnessing machine learning for sustainable futures: advancements in renewable energy and climate change mitigation. *Bulletin of the National Research Centre 2024 48:1*, 48:1–15, 10 2024.
- [27] Wei Zhou, Yan Zhuang, and Yan Chen. How does artificial intelligence affect pollutant emissions by improving energy efficiency and developing green technology. *Energy Economics*, 131:107355, 2024.
- [28] Paul Delanoë, Dieudonné Tchunte, and Guillaume Colin. Method and evaluations of the effective gain of artificial intelligence models for reducing co2 emissions. *Journal of Environmental Management*, 331:117261, 2023.
- [29] Domenico Toscano, Grazia Fattoruso, Bankole I Oladapo, Mattew A Olawumi, and Francis T Omigbodun. Machine learning for optimising

- renewable energy and grid efficiency. *Atmosphere 2024, Vol. 15, Page 1250*, 15:1250, 10 2024.
- [30] Hooman Farzaneh, Ladan Malehmirchegini, Adrian Bejan, Taofeek Afolabi, Alphonse Mulumba, and Precious P. Daka. Artificial intelligence evolution in smart buildings for energy efficiency. *Applied Sciences*, 11(2):763, January 2021.
- [31] Raghu Raman, Sangeetha Gunasekar, Deepa Kaliyaperumal, and Prema Nedungadi. Navigating the nexus of artificial intelligence and renewable energy for the advancement of sustainable development goals. *Sustainability 2024, Vol. 16, Page 9144*, 16:9144, 10 2024.
- [32] Muhammad Uzair Mehmood, Daye Chun, Zeeshan, Hyunjoo Han, Gyuyeob Jeon, and Kuan Chen. A review of the applications of artificial intelligence and big data to buildings for energy-efficiency and a comfortable indoor living environment. *Energy and Buildings*, 202:109383, 2019.
- [33] Eklas Hossain, Jakir Hossain, and Fuad Un-Noor. Utility grid: Present challenges and their potential solutions. *IEEE Access*, 6:60294–60317, 2018.
- [34] S. Massoud Amin. Smart grid: Overview, issues and opportunities. advances and challenges in sensing, modeling, simulation, optimization and control. *European Journal of Control*, 17(5):547–567, 2011.
- [35] Tsiropoulos I, Nijs W, Tarvydas D, and Ruiz Castillo P. Towards net-zero emissions in the eu energy system by 2050. Technical Report KJ-NA-29981-EN-N (online), KJ-NA-29981-EN-C (print), Publications Office of the European Union, Luxembourg, 2020.
- [36] Electric Power Research Institute and Lawrence Berkeley National Laboratory. equest, 2023. Proprietary software for building energy simulation. Not open source.
- [37] Inc. BuildingIQ. Buildingiq, 2023. Proprietary energy management software for buildings.
- [38] Inc. Autodesk. Autodesk revit with dynamo, 2023. Proprietary BIM software with a visual programming tool (Dynamo) for customization.
- [39] Inc. Aurora Solar. Aurora solar, 2023. Proprietary photovoltaic system design and simulation software.

- [40] National Renewable Energy Laboratory. Openstudio, 2023. Open-source software for building energy modeling and analysis.
- [41] Retrofit Advisor. Retrofit advisor, 2023. Proprietary tool for retrofit recommendations in buildings.
- [42] Inc. Folsom Labs. Helioscope, 2023. Proprietary software for PV system design and simulation.
- [43] Latvian Environmental Investment Fund. Latvian environmental investment fund (leif), 2024. Focused on sustainable environmental investment and development projects in Latvia.
- [44] Enershare — The Energy Data Space for Europe. Enershare — the energy data space for europe. <https://enershare.eu/>, 2024.
- [45] Solar-Log GmbH. Solar-log, 2023. Proprietary software for photovoltaic monitoring and analytics.
- [46] Inc. Valentin Software. Pv*sol, 2023. Proprietary photovoltaic design and simulation software.
- [47] Docker. Docker: Accelerated, containerized application development. <https://www.docker.com/>, 2024. Accessed: 04-10-2024.
- [48] Keycloak. Keycloak: Open source identity and access management, 2023. Accessed: 04-10-2024.
- [49] React. React: A javascript library for building user interfaces, 2024. Accessed: 04-10-2024.
- [50] World Wide Web Consortium (W3C). *HTML5 Specification*. World Wide Web Consortium (W3C), 2014. Accessed: 2024-11-07.
- [51] World Wide Web Consortium (W3C). *Cascading Style Sheets (CSS) Specification*. World Wide Web Consortium (W3C), 2018. Accessed: 2024-11-07.
- [52] ECMA International. *ECMAScript 2015 Language Specification*. ECMA International, 2015. Accessed: 2024-11-07.
- [53] MUI Team. *MUI: Material-UI React Component Library*. MUI, 2024. Accessed: 2024-11-07.
- [54] Dagster. Dagster: The data orchestrator for machine learning, analytics, and etl, 2024. Accessed: 04-10-2024.

- [55] Scikit-learn. Scikit-learn: Machine learning in python, 2024. Accessed: 04-10-2024.
- [56] SciPy. Scipy: Open source scientific tools for python, 2024. Accessed: 04-10-2024.
- [57] PyTorch Lightning. Pytorch lightning: The lightweight pytorch wrapper for high-performance research, 2024. Accessed: 04-10-2024.
- [58] Optuna. Optuna: A hyperparameter optimization framework, 2024. Accessed: 04-10-2024.
- [59] Darts. Darts: A python library for easy time series forecasting, 2024. Accessed: 04-10-2024.
- [60] TNO — Innovation for life. Tno security gateway, 2024.
- [61] FastAPI. Fastapi: Modern, fast (high-performance) web framework for python, 2024. Accessed: 04-10-2024.
- [62] Pandas. Pandas: Powerful data analysis and manipulation tool, 2024. Accessed: 04-10-2024.

Supplementary Figures




Figure 7: AI4EF - Training Playground - ML Pipeline

Replacement of Thermal Energy Equipment

SEARCH for tools, help, and more (Alt + Q)

Alexandros Tzortzis

Home Insert Share Page Layout Formulas Data Review View Automate Help Draw

Comments Catch up Editing Save

Century Gothic 11 B

General

filled in by the tool user

CALCULATION OF THE REDUCTION OF PRIMARY ENERGY AND GREENHOUSE GAS EMISSIONS IN THE CASE OF INSTALLATION OF HEAT ENERGY PRODUCTION TECHNOLOGIES

1. General information about the building

Cadastral Number: _____ Street, house Number or name: _____

City/parish: _____ County/city: _____ Postcode: _____

2. EXISTING SITUATION

Information on all existing heat energy generating facilities

No.	Type of energy resource used for thermal energy production*	Fossil or renewable energy resource	The average existing energy resource consumption for heat energy production, per year			Average efficiency (efficiency) coefficient of heat energy production equipment, %**	Total primary energy factor	Primary energy factor for the share of non-renewable energy resources	Carbon dioxide emission factor	Total primary energy consumption in kWh per year	Primary consumption of non-renewable energy in kWh per year	Amount of greenhouse gas emissions in kg CO2 eq. Year
			Average consumption	The unit of average consumption entered	Unit conversion kWh							
1												
2												
3												
4												
5												
TOTAL			0.00						0.00	0.00	0.00	

Notes

*Indicates all types of fuel by energy resources, which are consumed during the year for heat energy production.

**Indicates the average efficiency coefficient of the heating boiler, which is determined by the lowest calorific value of the fuel (applies only to heating boilers). In other cases (for example, if electricity or centralized heat supply is used for heating) -100%. The information is specified in the data sheet of the heating equipment, in the technical specification or in the information table attached to the equipment.

3. THE PLANNED

Information about existing heat energy equipment that is planned to be used in the future (if applicable)* and additional heat energy producing equipment that is planned to be installed

No.	Type of energy resource used for thermal energy production*	Fossil or renewable energy resource	The average existing energy resource consumption for heat energy production, per year			Average efficiency (efficiency) coefficient of heat energy production equipment, %**	Total primary energy factor	Primary energy factor for the share of non-renewable energy resources	Carbon dioxide emission factor	Total primary energy consumption in kWh per year	Primary consumption of non-renewable energy in kWh per year	Amount of greenhouse gas emissions in kg CO2 eq. Year
			Average consumption	The unit of average consumption entered	Unit conversion kWh							
1												
2												
3												
4												
5												
TOTAL			0.00						0.00	0.00	0.00	

Notes

*Indicates all types of fuel by energy resources, which are consumed during the year for heat energy production.

**Indicates the average efficiency coefficient of the heating boiler, which is determined by the lowest calorific value of the fuel (applies only to heating boilers). In other cases (for example, if electricity or centralized heat supply is used for heating) -100%. The information is specified in the data sheet of the heating equipment, in the technical specification or in the information table attached to the equipment.

4. Calculation of primary energy and greenhouse gas reduction

Total reduction in primary energy		Primary reduction of non-renewable energy		Estimated reduction of greenhouse gas emissions	
kWh per year	%	kWh per year	%	kg CO2 eq. Year	%
0.00		0.00		0.00	

5. Calculation of financial savings per year

No.	Expenditure position for the year	Current situation	Planned
1	Costs for energy resources (including delivery), EUR		
2	Equipment maintenance costs (maintenance), EUR		
3	Expenses for repairs, EUR		
4	Equipment purchase costs (including delivery, installation), EUR	N/A	
5	Equipment dismantling costs when switching to the planned new equipment, EUR		N/A
6	Other expenses, EUR		
TOTAL, EUR		0	0
Payback period, years		#DIV/0!	

Conversion to kWh Calculation

Workbook Statistics Give Feedback to Microsoft 100%

Figure 8: AI4EF - Excel sheet used to calculate energy savings and greenhouse gas emissions reduction that can come with a renovation of your heating system.

Table 1: Code and Software Metadata

Code Metadata	
Current code version	0.0.2
Permanent link to code/repository	https://github.com/epu-ntua/enershare-ai4ef [1]
Code Ocean compute capsule	–
Legal Code License	Attribution-Non-commercial 4.0 International
Code versioning system used	Git [2]
Software code languages, tools, and services used	Python [3], JavaScript, Docker
Compilation requirements, operating environments & dependencies	Docker
Link to developer documentation/manual	https://github.com/epu-ntua/enershare-ai4ef/blob/master/README.md
API documentation	https://epu-ntua.github.io/enershare-ai4ef/
Support email for questions	atzortzis@epu.ntua.gr
Software Metadata	
Current software version	0.0.2
Permanent link to executables of this version	https://github.com/epu-ntua/enershare-ai4ef/releases/tag/0.0.2
Legal Software License	Attribution-Non-commercial 4.0 International
Computing platforms/Operating Systems	Linux, Web-based
Installation requirements & dependencies	Docker for Keycloak server, pip [4] for AI4EF frontend and backend
Link to user manual	https://github.com/epu-ntua/enershare-ai4ef/blob/master/README.md
Support email for questions	atzortzis@epu.ntua.gr

Table 2: MApp Input/Output Parameters

Building Retrofitting		Photovoltaic Installation	
Inputs	Targets	Inputs	Targets
Building Total Area	Carrying out construction works	Average electricity price for 1 kW	Electricity produced by solar panels
Above-ground floors	Reconstruction of engineering systems	Average monthly consumption before	Primary energy consumption after
Energy consumption before	Heat installation	Installation costs of renewable production equipment	Reduction of primary energy consumption
Initial energy class	Water heating system	Current inverter set power	CO2 emissions reduction
Energy class after renovation		Inverter power in project	Expected annual self consumption
		Average amount of energy generated by the equipment	Annual financial savings
		Region	Payback period

Table 3: Building Retrofitting and Photovoltaic Installation Example Inputs

Building Retrofitting		Photovoltaic Installation	
Parameter	Value	Parameter	Value
Building Total Area	500	Average Monthly Consumption Before	1500
Above-ground Floors	2	Average Electricity Price	0.3
Energy Consumption Before	30	Installation Costs of Renewable Equipment	5000
Initial Energy Class	E	Average Amount of Energy Generated by Renewable Equipment	-
Energy Class After	B	Current Inverter Set Power	0
		Planned Inverter Set Power	2
		Region	Riga

Table 4: Configuration Parameters for Dagster Dashboard

Parameter	Value	Description	Pipeline Step
activation	ReLU	Activation function used in the model	Training
authorization	APIKEY-xxxxx...xxxx	API key for authorization	Ingestion
batch_size	256, 512, 1024	Batch sizes for training the model	Training
consumer_agent_id	urn:ids:enershare:connectors:www:xxx	Identifier for the consumer agent	Ingestion
feature_cols	Building total area, Above ground floors, Initial energy class, Energy consumption before Energy class after	Feature columns used in the model	Training
input_filepath	https://<baseurl>/<data-app-path>/openapi/<version>/<endpoint>	URL for the input data file	Ingestion
l_rate	0.0001, 0.001	Learning rates for the model	Training
layer_sizes	128, 256, 512, 1024, 2048	Range of suggested model layer sizes	Training
max_epochs	10	Maximum number of training epochs	Training
mlClass	Classifier	ML class used	Training
ml_path	/leif_app/shared_storage/models-scalers/best_MLPClassifier.ckpt	Path to saved model checkpoint	Evaluation
n_layers	2, 6	Number of layers in the model	Training
n_trials	3	Number of trials for hyperparameter tuning	Training
num_workers	2	Number of workers for data loading	Ingestion
optimizer_name	Adam	Optimizer used for model	Training
optuna_viz	/leif_app/shared_storage/optuna_viz/classifier/	Directory for Optuna visualization files	Evaluation
provider_agent_id	urn:ids:enershare:connectors:yyy:zzz	Identifier for the provider	Ingestion
scalers_path	/leif_app/shared_storage/models-scalers/MLPClassifier_scalers.pkl	Path to the scaler file for normalization	Training
seed	42	Random seed for reproducibility	Training
target_cols	Carrying out construction works, Reconstruction of engineering systems, Heat installation, Water heating system	List of target columns for predictions	Training