

DSAI: Unbiased and Interpretable Latent Feature Extraction for Data-Centric AI

Hyowon Cho^{1,*}, Soonwon Ka², Daechul Park², Jaewook Kang², Minjoon Seo^{1,†}, Bokyung Son^{2,†}

¹KAIST AI, ²NAVER AI Platform,

¹{hyyoka, minjoon}@kaist.ac.kr

²{soonwon.ka, daechul.park, jaewook.kang, bo.son}@navercorp.com

Abstract

Large language models (LLMs) often struggle to objectively identify latent characteristics in large datasets due to their reliance on pre-trained knowledge rather than actual data patterns. To address this data grounding issue, we propose Data Scientist AI (DSAI), a framework that enables unbiased and interpretable feature extraction through a multi-stage pipeline with quantifiable prominence metrics for evaluating extracted features. On synthetic datasets with known ground-truth features, DSAI demonstrates high recall in identifying expert-defined features while faithfully reflecting the underlying data. Applications on real-world datasets illustrate the framework’s practical utility in uncovering meaningful patterns with minimal expert oversight, supporting use cases such as interpretable classification¹.

1 Introduction

The ability to analyze large-scale datasets is a cornerstone of deriving actionable business insights. Traditionally, this task has been managed by human *data scientists*, but it faces several key challenges: (1) the large volume of data makes it difficult to review all information comprehensively, (2) human analysis can often include subjective bias, and (3) collaboration with domain experts is often required, leading to high operational costs.

Large language models (LLMs) have emerged as powerful tools for identifying patterns within massive datasets, leveraging their ability to process and generate language in context (Touvron et al., 2023; Dubey et al., 2024; Achiam et al., 2023; OpenAI, 2024; Lam et al., 2024; Wan et al., 2024). However, their application to data analysis is limited by critical shortcomings. First, LLMs often struggle to identify latent characteristic patterns in

*Work done while interning at NAVER AI Platform

†Corresponding authors.

¹The title of our paper is chosen from multiple candidates based on DSAI-generated criteria.




Figure 1: DSAI automates the extraction of latent features like syntax, domain, and clarity

large datasets due to inherent *data grounding issues*, where outputs rely on pre-trained knowledge rather than the specific nuances of the input data (Kossen et al., 2024; Kenthapadi et al., 2024; Wu et al., 2024). Second, the difficulty in verifying LLM-generated responses and the lack of quantitative evaluation methods require expert oversight, which can be prohibitively expensive at scale.

To address these limitations, we propose **Data Scientist AI (DSAI)**, a framework that systematically applies LLMs to extract and refine latent features from data. Unlike direct feature extraction approaches, DSAI adopts a bottom-up approach, starting with detailed analysis of individual data points, aggregating their characteristics, and deriving actionable features. The process is guided by defined *perspectives* which provide LLMs with a consistent framework for interpreting data points while minimizing subjective bias.

The DSAI pipeline operates in five stages: **#1 Perspective Generation** identifies data-driven perspectives from a small subset of data. **#2 Perspective-Value Matching** assigns values to individual data points by evaluating them against these perspectives. **#3 Clustering** groups values with shared characteristics to reduce redundancy. **#4 Verbalization** converts extracted features into a compact criterion form. **#5 Prominence-based Selection** determines which features to use based on a prominence intensity metric that quantifies the discriminative power of each extracted feature. Throughout the process, LLMs remain task-

agnostic to minimize bias, ensuring that their outputs are grounded in data rather than domain-specific assumptions.

To validate our framework, we demonstrate its effectiveness on datasets specifically curated for our experiments, which include research titles (Wang et al., 2018) and slogans (Jin et al., 2023). We then showcase DSAI’s practical value using real-world datasets: news headlines with CTR (Wu et al., 2020), spam detection (Kim, 2016), and Reddit comments with community engagement metrics (Magnan, 2019). These experiments highlight DSAI’s ability to provide actionable insights for industries focused on content optimization, user engagement, and moderation.

Our main contributions are as follows: (1) Minimizing bias by ensuring LLMs identify latent characteristics within large datasets; (2) Introducing a quantitative metric for feature prominence scoring, which serves as a proxy for measuring discriminative power of each feature; (3) Improving interpretability through feature-to-source traceability. (4) Enabling thorough examination of large datasets while minimizing human labor through systematic guidance of LLMs;

2 Related Works

2.1 Latent Feature Extraction with LLM

Recent advancements in LLMs have demonstrated their effectiveness in extracting latent features, particularly in identifying perspectives and matching values in data (Peng et al., 2023). Studies using LLM-based clustering techniques have shown promising results in extracting high-level concepts (Lam et al., 2024; Wan et al., 2024; Viswanathan et al., 2024; Pham et al., 2024), demonstrating their utility for analyzing large datasets (Wang et al., 2023; Kwon et al., 2023). Research has also shown that decomposing complex tasks into multiple stages or aspects enhances performance (Saha et al., 2023; Liu et al., 2024). Our framework combines perspective generation, multi-stage feature construction, and clustering using LLMs to conduct comprehensive latent feature extraction.

2.2 Bias of LLMs

LLMs face challenges in adapting to new patterns due to pre-existing knowledge biases. (Kossen et al., 2024) show that in-context learning (ICL) struggles to overcome these biases even with explicit prompts or many-shot examples. Using exter-

Reference Criteria	Comparison Criteria	Recall (%)	
		Slogan	Title
FLIPPEDPOSData	POSData	89.5%	94.1%
FLIPPEDMIXEDData	MIXEDData	81.8%	89.5%
NoData	POSData	100.0%	95.6%
	MIXEDData	100.0%	92.3%
	FLIPPEDPOSData	90.0%	94.1%
	FLIPPEDMIXEDData	96.4%	85.2%
EXPERT	NoData	88.9%	83.3%
	POSData	66.7%	54.2%
	MIXEDData	50.0%	75.0%
	FLIPPEDPOSData	94.4%	45.8%
	FLIPPEDMIXEDData	77.8%	83.3%
	DSAI (THRES: [0])	100.0%	83.3%
	DSAI (THRES: [0.348])	88.9%	83.3%
DSAI (THRES: [0.692])	77.8%	75.0%	

Table 1: Recall of features derived from different approaches across slogans and titles.

nal knowledge bases also has limited effectiveness in reducing hallucinations and reliance on internal biases (Kenthapadi et al., 2024; Lee et al., 2023). Advanced LLMs fail to align with provided context in about 40% of predictions when the given context conflicts with their prior knowledge (Wu et al., 2024). These findings emphasize the need for robust techniques to mitigate bias and enhance grounding, especially for applications where data-driven conclusions are crucial.

3 Challenges in LLM-Driven Data Analysis

This section demonstrates that *LLMs rely more on pre-trained knowledge than data-specific features*, showing a tendency to depend on pre-trained knowledge when input data is absent or labels are flipped, and generating vague features when task-specific context is removed.

3.1 Setting

Dataset Annotation and Sampling Our experimental task aims to identify the characteristics of high-quality text as defined by expert criteria (Nair and Gibbert, 2016; Tullu, 2019; Kohli et al., 2007; Padrakali and Chitra Chellam, 2017). We use two distinct datasets: (1) commercial slogans and (2) academic research titles, representing different text genres (Appendix A).

To construct the high-quality sample set, we used LLMs to evaluate each entry in the 3,000-entry dataset according to expert criteria. Binary scores were assigned for each criterion, and final ratings were aggregated. The top 600 samples formed the analysis group ("**positive**"), and the bottom 600 formed the control group ("**negative**").² See

²"Positive"/"negative" indicates the presence/absence of specific features rather than overall quality.

Appendix C for detailed annotation procedures.

Model We used GPT-4o (OpenAI, 2024) for its advanced capabilities in nuanced text understanding and annotation tasks (Tan et al., 2024).

3.2 Data Grounding Issues

We explore directly extracting latent features using LLMs with two different types of input data:

- **POSDATA:** Uses only positive (top-scored) samples to identify characteristics of high-quality samples.
- **MIXEDDATA:** Uses both positive (top-scored) and negative (bottom-scored) samples to capture a broader range of features.

Both approaches have generated features that substantially overlap with expert-defined criteria (Table 1). However, since our datasets come from popular domains, it is unclear whether the LLM-generated features are truly derived from the provided data or from the model’s pre-existing domain knowledge. To test this, we pose several key questions and conduct experiments to evaluate them.


(a) Does the LLM Adapt to Input Data? We tested whether the LLM uses input data to adapt its feature generation. To evaluate this, we flip the labels and observe if the generated features change accordingly:

- **FLIPPEDPOSDATA:** Negative examples are labeled as positive.
- **FLIPPEDMIXEDDATA:** Positive and negative labels are reversed.


As shown in Table 1, features generated from POSDATA and FLIPPEDPOSDATA exhibited minimal changes, with significant overlap also observed between MIXEDDATA and FLIPPEDMIXEDDATA. This indicates that LLMs rely more on pre-existing knowledge than on input data for feature generation.

(b) Is Pre-existing Knowledge the Primary Source of Generated Features? To determine if features are primarily sourced from internal knowledge, we generated features without any input data:

- **NODATA:** The LLM generates features solely based on its pre-trained knowledge.



(a) DSAI shows superior grounding over direct feature generation methods, with no DP score below 0.5. When prominence exceeds 0.2, all scores remain above 0.6.



(b) The graph shows that higher prominence leads to higher DP scores for DSAI features.

Figure 2: DP scores for direct feature generation and DSAI methods.

Table 1 shows that NODATA achieved high recall on expert-defined criteria and significant overlap with POSDATA, MIXEDDATA, and flipped datasets. These findings confirm that pre-existing knowledge, rather than data-specific information, drives LLM-generated features.

(c) Are the Generated Features Truly Reflective of Positive Data’s Latent Characteristics? We computed the discriminative power (DP) of features to assess whether they reflect the latent characteristics of positive data (details in Section 5.2). Features with DP values ≤ 0.5 fail to differentiate between positive and negative traits, while values > 0.6 indicate strong discrimination.

As shown in Figure 2a, several features from POSDATA and MIXEDDATA exhibited low DP scores, some below 0.5. These results highlight the limitations of LLMs in generating features that truly represent positive data’s latent traits.

(d) Does Removing Task Context Improve Data Grounding? To test if removing task-specific context reduces bias and improves data grounding, we used:

- **NOCONTEXT:** The LLM receives only unlabeled data groups and is unaware of the goal of identifying high-quality text.

In this setting, the LLM defaulted to generating vague and generic descriptors (Appendix D). This suggests that task context removal alone does not improve data grounding and highlights the need for structured guidance during feature extraction.

4 Data Scientist AI

DSAI is a 5-stage framework for automated latent feature generation, leveraging LLM capabilities with structured processes (Figure 3). Below, we outline the DSAI pipeline and its five stages.

#1 Perspective Generation LLMs can extract diverse attributes from text (Peng et al., 2023). Using a subset of positive and negative samples, this stage generates distinct attributes while minimizing reliance on domain bias by excluding task-specific context. Each perspective includes a name, evaluation criterion, analysis process, and example (Figure 3 (1)). This structure provides a consistent framework for dataset interpretation. After generating perspective candidates, duplicates are removed.

#2 Perspective-Value Matching This stage assigns values to each data point guided by the generated perspectives on the previous stage.

#3 Value Clustering This stage groups similar values within each perspective to create interpretable feature sets with reduced redundancy. Based on LLM clustering literature (Wang et al., 2023; Wan et al., 2024; Lam et al., 2024), the process consists of two steps: generating representative cluster labels, and assigning values to appropriate clusters (Figure 3 (3)).

#4 Verbalization This stage transforms perspective-label pairs into verbal **criteria**. For each pair, we compute $P(\text{positive}|D_{p,l})$, the proportion of positive examples in dataset $D_{p,l}$ corresponding to the perspective-label pair (p, l) . Using this, we calculate a **directional score** $2 \times P(\text{positive}|D_{p,l}) - 1$, which determines how the pair should be verbalized. Pairs with positive directional scores (>0) are directly verbalized as features describing positive data. Pairs with negative directional scores (<0) are transformed into "avoid" statements, which indirectly characterize positive data by specifying features to avoid.³ This dual transformation approach ensures coverage of both desired and undesired traits.

³For instance, if *(clarity, low)* receives a negative directional score, it is verbalized as "Avoid sentences with low clarity."

#5 Prominence-based Selection Finally, DSAI employs **prominence intensity** as the feature selection metric, defined as the absolute value of directional score $\|2 * P(\text{positive}|D_{p,l}) - 1\|$. This metric indicates how decisively a perspective-label pair characterizes either positive or negative samples—the closer to 1, the stronger the association. Unlike our baseline approaches (Section 3.2) that merely output a list of features without any relative importance measures, our prominence intensity metric provides a quantitative way to assess and compare the discriminative power of each feature. Users can set a prominence intensity threshold to match their specific needs, balancing between stronger predictive patterns (higher threshold) and broader coverage of the dataset’s latent characteristics (lower threshold).

Traceability and Transparency The feature generation process maintains the link of each feature to its perspective-label combination, the original data samples that contributed to its creation, and the quantitative prominence score that justified its selection. Such traceability enables users to verify the legitimacy of extracted features by examining their source data and the complete derivation process.

5 Validation of Methodology Using Expert-Driven Annotation Dataset

This section validates our methodology through experiments on various datasets, focusing on three key aspects: recall of expert-defined criteria (§5.1), discriminative power of generated criteria (§5.2), and reliability of pipeline modules (§5.3).

5.1 Recall of Expert-Defined Criteria

We evaluate DSAI’s ability to reproduce expert-defined criteria by applying it to slogan and research title datasets annotated as described in Section 3.1.

Criteria Generation We generated criteria through our pipeline and retained those with $D_{p,l} > 6$ and positive prominence intensity scores. This yielded 235 criteria for slogans and 198 criteria for research titles.

Human Feature Matching For recall evaluation, one annotator initially performed loose matching of generated criteria, which was then validated through majority voting among three annotators.




Figure 3: Overview of the DSAI pipeline: Perspectives are first generated to guide analysis (#1), then used to match values to data points (#2). These values are clustered to reduce redundancy (#3), verbalized into concise criteria (#4), and prioritized based on their prominence (#5).

Recall Our methodology showed strong performance in reproducing expert-defined criteria, even at high prominence intensity thresholds. All 9 expert criteria for slogans were captured at a threshold of 0.348, and 83% recall (10/12) was achieved for research titles at a threshold as high as 0.692 (Table 1). While POSDATA and MIXEDDATA also showed decent coverage, their results relied on LLM’s pre-existing knowledge as discussed in Section 3.2. In contrast, our approach, by design, minimizes such potential bias by withholding task-specific context, while still achieving comparable or better recall rates.

Recall Dynamics across Various Thresholds

The adjustable prominence intensity thresholds allow users to tailor their analyses by balancing discriminative power and coverage. Additional analyses on recall dynamics across various thresholds are provided in Appendix H.

5.2 Discriminative Power (DP)

To validate our pipeline’s effectiveness, we examined whether criteria with higher prominence intensity scores indeed showed stronger discrim-

inative power in practice. We divided DSAI-generated criteria into five buckets based on prominence intensity scores to cover the full range. From each bucket, 10 features were sampled and used to annotate datasets for feature conformity ("conform"/"not-conform") where applicable. Non-applicable cases⁴ were excluded from calculations.

We define DP score as follows:

$$DP\ Score = \begin{cases} P(\text{positive}|\text{conform}) & \text{if } \text{directional_score} > 0, \\ P(\text{negative}|\text{notConform}) & \text{elif } \text{directional_score} < 0. \end{cases}$$

DP scores above 0.5 indicate effective discrimination of positive examples, while scores below 0.5 suggest potential errors in the LLM-based pipeline (either in direct or "avoid" form). Criteria scoring between 0.5 and 0.6 were deemed too generic to provide meaningful discrimination.

As shown in Figure 2b, criteria with higher prominence scores demonstrated stronger discrimi-

⁴e.g., features referencing business models in unrelated data.




Figure 4: Example of interpretable spam classification: The figure shows how feature prominence guides criteria selection, with high-prominence criteria improving spam classification performance.

native power, with all DSAI-generated criteria scoring above 0.5. This validates not only our pipeline’s reliability but also the effectiveness of the prominence intensity metric in identifying meaningful discriminative criteria. Through this metric, users can quantitatively assess which features are more reliable indicators of positive samples, rather than treating all extracted features as equally important.

5.3 Reliability of Pipeline Operations

Due to the inherent uncertainty in LLM outputs, we evaluated the reliability of pipeline stages that rely on LLM operations by having the LLM verify its own mappings between datapoints and features. We assessed three LLM-dependent stages by asking the LLM to confirm the reliability of its outputs.⁵ Our verification process showed high consistency rates of >98%, 94%, and 98% for stages #2, #3, and #4 respectively (details in Appendix J).

6 Real-World Application with Quantitative Datasets

We applied DSAI to three real-world user feedback datasets critical for business insights (Luo et al., 2022): (1) MIND (Wu et al., 2020), analyzing engagement features in news headlines with high CTR as the positive group; (2) spam detection (Kim, 2016), identifying patterns in spam messages as the positive group; and (3) Reddit (Magnan, 2019), exploring interaction-promoting linguistic features in highly upvoted comments as the positive group.

⁵Stage #1 (Perspective Generation) was not evaluated as perspective generation allows for more diverse outputs. Stage #5 (Prominence-based Selection) was excluded as the results are deterministic.

Prominence Distribution and Samples The datasets show distinct patterns, highlighting the need for dataset-specific thresholds to balance discriminative power, recall, and domain priorities (e.g., minimizing spam errors or maximizing engagement). In addition to general characteristics, DSAI-generated features notably capture more specific and fine-grained nuances across various subsets of a given dataset, often overlooked in LLM-based analyses. Detailed analysis is provided in Appendix L.

Potential for Downstream Tasks Our methodology provides latent characteristics of data in linguistic form, enabling diverse applications such as style transfer, annotation guideline generation, and classification tasks. To demonstrate the practical utility of DSAI-generated criteria, we conducted a toy spam classification experiment using 20 spam and 20 ham samples. Using the five criteria with the highest prominence intensity scores led to effective classification performance, while using the five criteria with the lowest prominence resulted in poor performance (See Figure 4). This illustrates DSAI’s potential to establish interpretability along with feature credibility through prominence scores, making it suitable for automatic application in various downstream tasks including classification.

7 Conclusion

In this paper, we proposed DSAI, a faithful data-driven feature extraction framework that ensures LLMs identify latent characteristics from data without relying on their domain-related biases. DSAI automates thorough examination of large datasets while minimizing human labor and enhancing interpretability through source-to-feature traceability.

Through empirical validation, we confirmed its capability to extract meaningful features, suggesting its potential for applications requiring interpretable and efficient feature extraction.

References

- Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. 2023. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. 2024. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*.
- Yiping Jin, Akshay Bhatia, Dittaya Wanvarie, and Phu TV Le. 2023. Towards improving coherence and diversity of slogan generation. *Natural Language Engineering*, 29(2):254–286.
- Krishnaram Kenthapadi, Mehrnoosh Sameki, and Ankur Taly. 2024. Grounding and evaluation for large language models: Practical challenges and lessons learned (survey). In *Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pages 6523–6533.
- Esther Kim. 2016. Sms spam collection dataset. <https://www.kaggle.com/datasets/uciml/sms-spam-collection-dataset>.
- Chiranjeev Kohli, Lance Leuthesser, and Rajneesh Suri. 2007. Got slogan? guidelines for creating effective slogans. *Business horizons*, 50(5):415–422.
- Jannik Kossen, Yarin Gal, and Tom Rainforth. 2024. In-context learning learns label relationships but is not conventional learning. In *The Twelfth International Conference on Learning Representations*.
- Sehyun Kwon, Jaeseung Park, Minkyu Kim, Jaewoong Cho, Ernest K Ryu, and Kangwook Lee. 2023. Image clustering conditioned on text criteria. *arXiv preprint arXiv:2310.18297*.
- Michelle S Lam, Janice Teoh, James A Landay, Jeffrey Heer, and Michael S Bernstein. 2024. Concept induction: Analyzing unstructured text with high-level concepts using Iloom. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*, pages 1–28.
- Hyunji Lee, Sejun Joo, Chaeun Kim, Joel Jang, Doyoung Kim, Kyoung-Woon On, and Minjoon Seo. 2023. How well do large language models truly ground? *arXiv preprint arXiv:2311.09069*.
- Yuxuan Liu, Tianchi Yang, Shaohan Huang, Zihan Zhang, Haizhen Huang, Furu Wei, Weiwei Deng, Feng Sun, and Qi Zhang. 2024. Hd-eval: Aligning large language model evaluators through hierarchical criteria decomposition. *arXiv preprint arXiv:2402.15754*.
- Hanyang Luo, Wanhua Zhou, Wugang Song, and Xiaofu He. 2022. An empirical study on the differences between online picture reviews and text reviews. *Information*, 13(7):344.
- Samuel Magnan. 2019. 1 million reddit comments from 40 subreddits. <https://www.kaggle.com/datasets/smagnan/1-million-reddit-comments-from-40-subreddits>.
- Lakshmi Balachandran Nair and Michael Gibbert. 2016. What makes a ‘good’ title and (how) does it matter for citations? a review and general model of article title attributes in management science. *Scientometrics*, 107:1331–1359.
- OpenAI. 2024. Hello gpt-4o. <https://openai.com/index/hello-gpt-4o/>.
- A Padrakali and K Chitra Chellam. 2017. Advertising slogan-it’s emphasis and significance in marketing. *International Research Journal of Management and Commerce*, 4(11):37–46.
- Letian Peng, Yuwei Zhang, and Jingbo Shang. 2023. Controllable data augmentation for few-shot text mining with chain-of-thought attribute manipulation. *arXiv preprint arXiv:2307.07099*.
- Chau Minh Pham, Alexander Hoyle, Simeng Sun, Philip Resnik, and Mohit Iyyer. 2024. [Topicgpt: A prompt-based topic modeling framework](#). *Preprint*, arXiv:2311.01449.
- Swarnadeep Saha, Omer Levy, Asli Celikyilmaz, Mohit Bansal, Jason Weston, and Xian Li. 2023. Branch-solve-merge improves large language model evaluation and generation. *arXiv preprint arXiv:2310.15123*.
- Zhen Tan, Dawei Li, Song Wang, Alimohammad Beigi, Bohan Jiang, Amrita Bhattacharjee, Mansooreh Karami, Jundong Li, Lu Cheng, and Huan Liu. 2024. [Large language models for data annotation: A survey](#). *Preprint*, arXiv:2402.13446.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shrutit Bhoale, et al. 2023. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*.
- Milind S Tullu. 2019. Writing the title and abstract for a research paper: Being concise, precise, and meticulous is the key. *Saudi journal of anaesthesia*, 13(Suppl 1):S12–S17.
- Vijay Viswanathan, Kiril Gashteovski, Kiril Gash-teovski, Carolin Lawrence, Tongshuang Wu, and Graham Neubig. 2024. [Large language models enable](#)

[few-shot clustering](#). *Transactions of the Association for Computational Linguistics*, 12:321–333.

Mengting Wan, Tara Safavi, Sujay Kumar Jauhar, Yujin Kim, Scott Counts, Jennifer Neville, Siddharth Suri, Chirag Shah, Ryan W White, Longqi Yang, et al. 2024. Tnt-llm: Text mining at scale with large language models. In *Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pages 5836–5847.

Qingyun Wang, Zhihao Zhou, Lifu Huang, Spencer Whitehead, Boliang Zhang, Heng Ji, and Kevin Knight. 2018. [Paper abstract writing through editing mechanism](#). In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 260–265, Melbourne, Australia. Association for Computational Linguistics.

Zihan Wang, Jingbo Shang, and Ruiqi Zhong. 2023. Goal-driven explainable clustering via language descriptions. *arXiv preprint arXiv:2305.13749*.

Fangzhao Wu, Ying Qiao, Jiun-Hung Chen, Chuhan Wu, Tao Qi, Jianxun Lian, Danyang Liu, Xing Xie, Jianfeng Gao, Winnie Wu, et al. 2020. Mind: A large-scale dataset for news recommendation. In *Proceedings of the 58th annual meeting of the association for computational linguistics*, pages 3597–3606.

Kevin Wu, Eric Wu, and James Zou. 2024. Clashes: Quantifying the tug-of-war between an llm’s internal prior and external evidence. In *The Thirty-eight Conference on Neural Information Processing Systems Datasets and Benchmarks Track*.

A Details of Datasets

To verify the applicability and effectiveness of our methodology, we utilized datasets from diverse industries, featuring a wide range of attributes and characteristics. Two datasets (slogan and research title) were used to validate our approach, while the other datasets were employed to demonstrate DSAI’s practical applications across various domains.

Slogan Dataset We utilized the Slogan Generation Dataset (Jin et al., 2023), a publicly available resource containing 5,014 validation examples, 1,322 test examples, and 251 human-annotated examples rated for "catchiness." Each entry includes a company name, a description of the company or product, the slogan, and its industry category. For example, the dataset features entries like Bikini Village Inc., categorized under "Apparel & Fashion," with the slogan "Your Brand Destination For Swimwear" and a description emphasizing its focus on trendy swimwear and beachwear. The dataset primarily features lesser-known companies, reducing bias from brand recognition and enabling analysis to focus on the intrinsic qualities of slogans across various industries.

Research Title Dataset For analyzing research titles, we utilized a dataset of 10,874 research paper title and abstract pairs from previous work (Wang et al., 2018). This dataset was preprocessed and divided into training (80%), validation (10%), and testing (10%) sets. On average, each title contains 9 words, and abstracts have 116 words.

MIND Dataset The MIND dataset, created for news recommendation tasks, is a large-scale benchmark dataset sourced from Microsoft News (Wu et al., 2020). It includes data from 1 million users and over 160,000 English news articles, each containing a title, abstract, and body text. We calculated click-through rates (CTR) based on the provided click and rejection logs for each article.

Spam Dataset The SMS Spam Collection is a widely used dataset for spam detection research, containing 5,574 SMS messages in English, labeled as either "ham" (legitimate) or "spam" (Kim, 2016). This dataset was compiled from several public sources, including Grumbletext (425 manually extracted spam messages), the NUS SMS Corpus (3,375 legitimate messages from Singaporean students), Caroline Tag’s Thesis (450 ham messages),

and the SMS Spam Corpus v.0.1 Big (1,002 ham messages and 322 spam messages).

Reddit Dataset The Reddit dataset is a subset of a larger dataset from May 2019, containing 25,000 comments from each of the 40 most active subreddits (Magnan, 2019). Comments that were removed, deleted, or shorter than 4 tokens were excluded. The dataset includes features such as the subreddit where the comment was posted (categorical), the comment content (string), a binary controversiality metric, and a score indicating net upvotes minus downvotes.

B Expert-Defined Criteria

Previous research has devoted considerable effort into identifying the characteristics of "good content" in specific domains. Building upon this foundation, we conducted a preliminary investigation to establish expert-defined criteria for both slogans and research titles.

Slogan To establish criteria for effective slogans, we synthesized insights from two foundational studies. The first study emphasized how slogans enhance brand identity, equity, and differentiation, providing guidelines such as ensuring long-term relevance, clear brand positioning, consistent brand association, creative depth for better recall, and minimal false recall (Kohli et al., 2007). The second study outlined core characteristics of effective slogans, highlighting simplicity, pleasantness, compactness, persuasiveness, memorability, uniqueness, and honesty (Padrakali and Chitra Chellam, 2017). After thoroughly reviewing the two studies, we synthesized their insights into a unified set of expert-defined criteria as in Figure 11.

Title For research titles, we similarly synthesized insights from two key studies (Nair and Gibbert, 2016; Tullu, 2019). These studies offer comprehensive guidance on crafting impactful titles that align with academic expectations. They both emphasize that effective research titles should be clear, concise, and informative, accurately representing the study while capturing readers' attention. Key recommendations include placing essential keywords early for indexing purposes, avoiding ambiguity and misleading content, and maintaining professional language. The studies stress the importance of balanced structure and linguistic clarity, with descriptive titles preferred over declarative or interrogative formats. We integrated these recommen-

dations into a comprehensive set of expert-defined criteria as in Figure 11.

C LLM Annotation with Expert-Defined Criteria

This section describes our methodology employed for data annotation using expert-defined criteria and evaluates the effectiveness of each criterion through distribution analysis.

C.1 Method

We established a gold standard by manually annotating 10–20 samples per dataset and using expert-defined criteria. After optimizing prompts to maximize alignment with this manual annotation, we used the most aligned prompt to annotate 3,000 data points with GPT-4o, classifying each as "Conform" or "Not conform". The conformity score for each data point was calculated as the total number of conforming criteria. Based on these scores, we selected the top and bottom 600 samples as *positive* (high-quality text) and *negative* (low-quality text) samples respectively.

This annotation process proved cost-effective compared to human annotation, with an average cost of \$3.5 USD per 3,000 annotations.

C.2 Ensuring Distinction Between Positive and Negative Groups

Given that some expert criteria may lack sufficient discriminative power despite their theoretical importance, we conducted an analysis comparing the ratios of "Conform" for each criterion between top- and bottom-ranked samples. Note that a truly discriminative criterion should show high conformity in the top group and low conformity in the bottom group.

Slogan (Top vs. Bottom) Table 2 demonstrate significant conformity ratio disparities between the top and bottom groups for most criteria. Several criteria demonstrate maximal distinction (e.g., "Concise but not too simple" (100% vs. 0%)), and some show moderate but still meaningful differentiation (e.g., "Include the brand name" (99% vs. 30%)). "No exaggeration" (99% vs. 91%) and "Direct/Straight-forward" (99% vs. 61%) have smaller gaps.

Title (Top vs. Bottom) Table 3 shows even stronger distinction between the top and bottom groups. Multiple criteria (e.g., "Simple format"

Criterion	Top Conform (%)	Bottom Conform (%)
Direct/Straight-forward	99	61
Concise but not too simple	100	0
Pleasant to hear	84	1
Includes a sales idea	98	4
No exaggeration	99	91
Future-oriented	81	1
Clear positioning	93	2
Highlight the brand’s unique traits	99	0
Include the brand name	99	30

Table 2: Ratio of Conform in Top and Bottom for Slogan expert-defined criteria.

Checklist Item	Top Conform (%)	Bottom Conform (%)
Simple format	100	3
Direct	100	1
Informative and specific	100	0
Functional (with scientific keywords)	100	3
Concise and precise	100	0
Include the main theme	100	0
Not too long or too short	100	3
Avoid whimsical words	100	60
Avoid jargon	100	44
Mention place/sample size if valuable	100	72
Important terms at the beginning	100	11
Descriptive titles preferred	100	9

Table 3: Ratio of Conform in Top and Bottom for Title expert-defined criteria.

"Direct", "Concise and precise") achieve 100% conformity in the top group compared to as low as 0–3% conformity in the bottom group, indicating their high predictive value for title quality. The large differences across all criteria confirm their strong discriminative power.

D Direct Latent Feature Extraction using LLMs

To evaluate whether the features directly generated by large language models (LLMs) are grounded in the input data or influenced by pre-existing knowledge, we conducted a series of experiments. These experiments were designed to investigate the effects of input data, label variations, and task context on feature generation (Section 3.2).

In these experiments, we ensured that all available data were utilized to maximize the representativeness of the input. For instance, we used all 600 positive samples for **POSDATA** and the complete set of 1200 samples (both positive and negative) for **MIXEDDATA**. This comprehensive use of data aimed to minimize bias and ensure that the features generated by the LLM were robustly grounded in the provided input.

To further address potential data-grounding is-

ssues in the direct feature generation process, we explicitly included instructions in the prompts emphasizing that the LLM must consider the input data when generating criteria. By reinforcing the importance of grounding, we sought to mitigate the risk of features being overly influenced by the model’s pre-existing knowledge, while the results revealed that the generated features were still significantly influenced by the LLM’s pre-existing knowledge (See Results in Section 3.2).

The specific prompts employed in each experimental setup are detailed in Figure 13, which provides a comprehensive outline of the instructions given to the LLM. The results of the experiments are presented in Figures 14 to 22, offering insights into the effectiveness of the approach and highlighting the model’s performance across various configurations.

E Implementation Details and Cost Analysis

In this section, we provide the prompts used in each stage of the DSAI pipeline along with corresponding outputs.

Details of Each Inference In Stage #1 Perspective Generation, we generated 50 perspectives at per forwarding step across three steps, iteratively concatenating each step’s output with the few-shot example in the prompt for the next step. For Stage #2 Perspective-Value Matching, each forwarding step processed one sentence and three perspectives as input. Stage #3 Perspective-Oriented Value Clustering used all generated values per perspective in order to effectively cluster shared characteristics. In Stage #4 Verbalization, we transformed each perspective-label pair into a compact sentence (*criterion*). The prompts for all stages are in Figures 23 to 27.

Cost Analysis The total cost of processing 10 perspectives and 100 sentences is \$2.43746, broken down as follows:

In **Step 1: Perspective Generation**, generating 10 perspectives costs \$0.0304. Each perspective costs \$0.00304. With a total of 2,100 input tokens and an average of 82.90 output tokens per perspective, the cost is calculated as:

$$10 \times 0.00304 = 0.0304$$

In **Step 2: Perspective-Value Matching**, each sentence requires $\lceil 10/3 \rceil = 4$ inferences, as each inference processes 3 perspectives. For 100 sentences, this results in:

$$100 \times 4 = 400 \text{ inferences.}$$

With a cost per inference of \$0.00496, the total cost for this step is:

$$400 \times 0.00496 = 1.984$$

On average, each inference involves 2,206 input tokens and 440 output tokens.

In **Step 3: Perspective Value Clustering**, each perspective incurs a clustering cost of \$0.0087125. This includes two components:

- **Label Generation**, costing \$0.00579625 for 597 input tokens and approximately 1,010 output tokens.
- **Value Matching**, costing \$0.00291625 for 269 input tokens and 516 output tokens.

The total clustering cost per perspective is:

$$0.00579625 + 0.00291625 = 0.0087125$$

For 10 perspectives, the total clustering cost is:

$$10 \times 0.0087125 = 0.087125$$

In **Step 4: Verbalization**, it is assumed that the 10 perspectives cluster into 5 groups each, resulting in 50 perspective-label pairs. Verbalizing each pair costs \$0.0018, so the total cost for this step is:

$$50 \times 0.0018 = 0.09$$

Summing all the costs, the total processing cost is:

$$0.0304 + 1.984 + 0.087125 + 0.09 = 2.43746$$

F Discriminative Power of Direct LLM- and DSAI-Generated Features

The accuracy with which generated features reflect the latent characteristics of the positive dataset depends on their alignment with the input data. To evaluate this alignment, we annotated the dataset using all generated features and assessed their discriminative power (DP) using two key metrics: $P(\text{positive}|\text{Conform})$ and $P(\text{negative}|\text{NotConform})$.

The metric $P(\text{positive}|\text{Conform})$ measures the proportion of positive data among instances labeled as "Conform" to a feature. This value indicates how effectively a feature captures the latent characteristics of the positive dataset. Scores below 0.5 suggest that the feature aligns more closely with negative data.

$P(\text{negative}|\text{NotConform})$ evaluates how successfully a feature identifies traits in the negative dataset. Scores above 0.5 indicate that the feature effectively captures the negative traits, while scores below 0.5 suggest misalignment, potentially indicating positive traits incorrectly marked as "Not Conform."

We used LLM labeling to filter out the "Not Applicable" cases (*e.g.*, "technical terms in medical domains" for non-medical texts) before calculating DP scores.

This two-metric approach enables evaluation of features’ effectiveness in both capturing positive characteristics and identifying traits to avoid in negative data.

To simplify interpretation, in the following sections, we subtracted 0.5 from all DP scores. This adjustment highlights values below 0.5, making it easier to identify features that fail to align effectively with the intended dataset. Positive values after subtraction indicate alignment, while negative values signal misalignment.

F.1 Discriminative Power of LLM-Generated Features

Feature	Slogan		Title	
	POSDATA	MIXEDDATA	POSDATA	MIXEDDATA
Feature 1	0.298535	0.061810	0.293475	0.214968
Feature 2	0.212195	0.193333	0.159765	0.075342
Feature 3	0.270186	0.295139	0.152727	0.049150
Feature 4	0.258410	0.031357	0.177354	0.169845
Feature 5	0.086310	0.069536	0.102517	0.160841
Feature 6	0.127063	0.120278	0.065525	0.170258
Feature 7	0.106327	0.227273	0.221347	0.191358
Feature 8	0.004625	0.128173	-0.116618	0.039169
Feature 9	0.333333	0.189394	0.163983	0.188144
Feature 10	-0.072835	0.004554	0.137737	0.170300
Feature 11	0.329457	0.023663	0.179561	0.141446
Feature 12	0.366667	0.151235	0.141446	0.219746
Feature 13	0.217842	0.005397	0.163901	-
Feature 14	0.288235	0.029469	0.105973	-
Feature 15	0.409091	0.008311	0.014444	-
Feature 16	0.343137	0.155172	0.105973	-
Feature 17	0.270492	0.269231	0.160693	-
Feature 18	0.203125	-	0.235832	-
Feature 19	-	-	0.164412	-
Feature 20	-	-	0.093699	-
Feature 21	-	-	-0.053386	-
Feature 22	-	-	0.254810	-
Feature 23	-	-	-0.156301	-


Table 4: Features extracted from Slogan and Title datasets by PosData and MixedData. Values are subtracted by 0.5 to see values under 0.5 easily.

As shown in Table 4, several features from POS-DATA and MIXEDDATA lacked the discriminative power and validity required for reliable analysis. In slogans, 3 out of 18 POSDATA features had DP scores below 0.1 (with 1 negative), and 8 out of 17 MIXEDDATA features were below 0.1. Similarly, in titles, 4 out of 23 POSDATA features were under 0.1 (with 3 negative), and 2 out of 13 MIXEDDATA features were under 0.1.


These results highlight that directly generating features from LLMs often produces features that lack sufficiently discriminative strength and reliability for robust data analysis, suggesting the need for improved methodologies.

F.2 Discriminative Power of DSAI-Generated Features

To evaluate the reliability of features from DSAI, we organized them into five buckets along the prominence intensity spectrum. From each bucket, we randomly sampled 10 features to annotate the entire dataset with Conform/Not Conform labels when applicable, and marked Not-Applicable when features were inapplicable. For example, we marked "Avoid focusing solely on financial aspects when describing the business model" as Not-Applicable for data points that did not have any business model descriptions.



(a) Average of Prominence Score per Frequency Bucket



(b) Data Coverage per Prominence Bucket

Figure 5: Comparison of Prominence scores and data coverage across frequency and prominence buckets.

The analysis revealed that features in the lowest-prominence bucket (Bucket 1) exhibited lower discriminative power across both slogan and title datasets, while features in higher-prominence buckets demonstrated greater reliability (Table 5). This highlights the importance of implementing prominence-based thresholds to filter out less effective features. Notably, none of the DSAI-generated features had a DP score below zero, indicating that no feature mischaracterized negative data traits as positive. This result contrasts sharply with POS-DATA and MIXEDDATA) which produced some features with negative DP scores.

These results validate that DSAI systematically filters out less impactful or unreliable features with the use of prominence-based thresholds, enabling more precise and reliable data annotation.

G Prominence Intensity and Occurrence Analysis

This section explores the relationship between feature frequency, prominence, and their impact on discriminative power. By analyzing feature occurrence and prominence distributions, we provide insights to help readers determine appropriate thresholds for these factors, aiding in the selection of features that optimize performance in distinguishing positive and negative traits within datasets.

Category	Bucket	Feature 1	Feature 2	Feature 3	Feature 4	Feature 5	Feature 6	Feature 7	Feature 8	Feature 9	Average
Slogan	Bucket 1	0.3000	0.2969	0.1988	0.1791	0.1647	0.1446	0.1429	0.1114	0.0071	0.1644
	Bucket 2	0.2963	0.2445	0.2442	0.2108	0.1828	0.1450	0.1050	0.0742	0.0126	0.1556
	Bucket 3	0.2860	0.3000	0.2057	0.2034	0.2018	0.1715	0.1424	0.1149	0.1099	0.1878
	Bucket 4	0.3000	0.2921	0.3072	0.3101	0.3097	0.3021	0.3239	0.2311	0.2810	0.3016
	Bucket 5	0.3709	0.3239	0.3072	0.3000	0.2909	0.2810	0.2311	0.2921	0.3072	0.3016
Title	Bucket 1	0.5000	0.4358	0.3438	0.1232	0.1000	0.0778	0.0625	0.0504	0.0493	0.1755
	Bucket 2	0.3636	0.2935	0.2826	0.2692	0.1355	0.0997	0.0781	0.0576	0.0560	0.1685
	Bucket 3	0.4379	0.4032	0.3704	0.3085	0.2953	0.1464	0.1268	0.0907	0.0897	0.2349
	Bucket 4	0.4146	0.3699	0.3201	0.2995	0.1524	0.1506	0.1314	0.1259	0.1184	0.2182
	Bucket 5	0.5000	0.4730	0.4545	0.4489	0.4389	0.4231	0.4213	0.3905	0.2822	0.4095

Table 5: DP scores for Slogan and Title Buckets. Values are subtracted by 0.5 to see values under 0.5 easily.

G.1 Influence of Feature Occurrence on Discriminative Power

We analyzed the influence of feature occurrence frequency on discriminative power by grouping features into frequency buckets (e.g., ≤ 10 , 20-100, and >100) and evaluating mean/maximum prominence metrics (Figure 5a)

Low-Frequency Features Features with low frequencies (≤ 10) demonstrated higher discriminative power, with mean prominence as high as 0.482 (some reaching even 1.0) in the slogan dataset. This suggests that low-frequency features effectively represent specific traits of positive data, though their rarity may limit generalization.

Medium-Frequency Features Features with medium frequencies (20–100) displayed a balance between specificity and generality. They demonstrated consistent performance in discriminative tasks through moderate mean prominence values.

High-Frequency Features Features with high frequency (> 100) were found to be more generic, showing low mean prominence values (0.087 in the slogan dataset for frequencies > 500). Though less discriminative, they provide valuable insights into the dataset’s baseline characteristics. Their high frequency makes them suitable for applications where specificity is less critical.

G.2 Influence of Feature Prominence on Discriminative Power

We also analyzed the distribution of features across different prominence score levels of by examining frequency accumulation within prominence buckets (Figure 5b). This analysis revealed how features were concentrated across low, moderate, and high prominence scores.

Slogan The features were concentrated in the lower prominence range, with 61 features below 0.1 and 108 features below 0.2. This distribution

suggests that while the majority of features exhibit limited discriminative power, a select subset of features with higher intensities plays a disproportionate role in capturing latent positive traits.

Title An even more pronounced skew toward lower intensities was observed, with 11 features showing zero prominence and 62 features below 0.2. This distribution highlights that while low-prominence features comprise the majority of the dataset, they have limited effectiveness in distinguishing positive traits.

H Threshold Analysis on Slogans

In this section, we track how different prominence and frequency thresholds affect the recall of expert criteria, with particular attention to which criteria types are most resistant to threshold increases. In general, we observe progressive filtering of features as thresholds increase, which aligns with our criteria importance categorization. However, we also observed some exceptions diverging from their importance categorization. These findings illustrate how DSAI can identify discrepancies between theoretical feature importance and actual implementation patterns in the data.

H.1 Analysis of Expert-defined Criteria

We categorize expert criteria based on their importance to slogan effectiveness, ranging from critical to supplementary features. This categorization provides a framework for analyzing which features persist across different thresholds.

(a) Core Message Delivery features (Critical Importance) These features are essential for effective communication of the brand’s core sales proposition and unique characteristics. They are considered critical because they directly influence a slogan’s ability to capture and deliver the brand’s main message to consumers.

- 4. Convey the sales idea clearly and concisely
- 8. Emphasize the brand’s unique traits or the benefits it provides

(b) Structure and Expression features (High Importance) These features focus on clarity and readability, making a slogan easy to understand and leaving a lasting impression. They significantly impact audience engagement and retention, though they may not directly affect the message’s content.

- 1. It should be direct and straightforward
- 2. Keep it simple, but not overly simple
- 5. Avoid misleading or exaggerated words

(c) Tone and Atmosphere features (Moderate Importance) These features create an emotional connection with the audience through engaging and positive tone. While they enhance a slogan’s appeal, they are not as pivotal as core message delivery or structural clarity.

- 3. It should have a pleasant tone
- 6. It should be future-oriented

(d) Supplementary features (Lower Importance) These features can enhance the slogan’s overall quality or effectiveness, but are not essential for a slogan’s primary function.

- 9. Include the brand name in the slogan
- 7. Clear positioning through comparison or closeness

H.2 Prominence Intensity Threshold Analysis

Table 6 displays the effect of different prominence thresholds on recall and data size.

Recall	Threshold (Prominence)	Data Size
1	0.003	235
0.889	0.348	83
0.778	0.549	44
0.667	0.714	15
0.556	0.750	12
0.444	0.833	6
0.333	0.857	5
0	1	0

Table 6: Recall and Data Size Across Prominence Thresholds

Recall remains stable until reaching a relatively high threshold (0.348), indicating robust baseline coverage of our pipeline. The relationship between importance levels and threshold resilience shows an overall aligned pattern, though with some complexity: while lower-importance criteria are consistently filtered out early, criteria of moderate importance and above show varied retention patterns, with some excluded at mid-level thresholds and others persisting until the highest thresholds.

1. **Early Exclusions (<0.6):** 7. *Clear positioning through comparison or closeness* (lower importance) and 9. *Include the brand name in the slogan* (lower importance) are excluded first, consistent with their supplementary nature.
2. **Mid-level Exclusions (<0.8):** General criteria such as 2. *Keep it simple but not overly simple* (high importance) and 4. *Convey the sales idea clearly and concisely* (critical importance) are excluded only at higher thresholds (0.721 and above), underscoring their broad applicability.
3. **Late (No) Exclusions:** Multiple features with moderate (6. *Future-oriented*) or above (e.g., 1. *Directness* (high importance), 8. *Emphasize the unique traits and benefits* (critical importance)) persist until the highest thresholds.

H.3 Frequency Threshold Analysis

Table 7 illustrates how recall changes as we filter features based on their frequency in the dataset.

Recall	Threshold (Frequency)	Data Size
1	5	236
0.889	93	86
0.778	217	66
0.667	571	38
0.556	661	31
0.444	1,005	16
0.333	1,115	9
0.111	1,192	2
0	1,196	1

Table 7: Recall and Data Size Across Frequency Thresholds

Recall remains stable up to a frequency threshold of 93, indicating strong coverage of expert criteria even when considering only frequently observed

Recall vs Threshold With Missing Requirements (Prominence Intensity)




Figure 6: Dropped criterion as Prominence threshold increases

patterns. The relationship between theoretical importance and threshold resilience reveals both expected alignments and interesting disparities. Critical features persist at high thresholds, and certain lower-importance features being filtered early. Some theoretically important features drop out earlier than expected, while certain lower-importance features demonstrate surprisingly high frequency in practice.

- 1. Early Exclusions (<500):** Notably, 5. *Avoid misleading words* (high importance) and 6. *Future-oriented tone* (moderate importance) drop out first. According to our theoretical categorization, these are not supplementary features, yet they appear less frequently in actual slogans than their theoretical significance would suggest.
- 2. Mid-level Exclusions (<1000):** 3. *Pleasant tone* (moderate importance) and 9. *Include brand name* (lower importance) are filtered out at moderate thresholds, aligning with their moderate importance categorization.
- 3. Late Exclusions:** Multiple core features like 4. *Convey the sales idea clearly* (critical importance) and 1. *Direct and straightforward* (high importance) has high frequency, confirming that these features are both theoret-

ically critical and practically prevalent. 7. *Clear positioning through comparison* (lower importance) shows a notable deviation between theoretical and practical implementation.

I Threshold Analysis on Research Titles

Similar to our analysis on slogans (Appendix H), the results suggest that DSAI can effectively capture the nuanced reality of title construction, where practical implementation patterns may differ from theoretical guidelines.

I.1 Analysis of Expert-defined Criteria

We begin by categorizing expert-defined criteria based on their contribution to a title's primary function: effective delivery of research content to readers.

Core Information Delivery features (Critical Importance) These features are fundamental as they directly affect a title's ability to enable readers quickly grasp the paper's topic and contributions.

- 3. The title needs to be informative and specific
- 4. The title needs to be functional (with essential scientific "keywords")

Recall vs Threshold With Missing Requirements (Frequency)




Figure 7: Dropped criterion as Frequency threshold increases.

- 6. The title should include the main theme of the paper

Structural and Format features → Readability (High Importance) These features optimize the title's readability and clarity. While they do not directly affect content, they are crucial for successful information delivery.

- 1. The title needs to be simple in terms of format
- 2. The title needs to be direct
- 5. The title should be concise and precise
- 7. The title should not be too long or too short

Linguistic Expression features (Moderate Importance) These features maintain academic professionalism while ensuring accessibility. They enhance the title's effectiveness without being critical to its basic function.

- 8. The title should avoid whimsical or amusing words
- 9. The title should avoid non-standard abbreviations and unnecessary acronyms (or technical jargon)

Supplementary Guidelines (Lower Importance)

These guidelines can be advantageous in specific contexts but are not universally essential.

- 10. Place of the study and sample size should be mentioned only if it adds to the scientific value of the title
- 11. Important terms/keywords should be placed at the beginning of the title
- 12. Descriptive titles are preferred to declarative or interrogative titles

I.2 Prominence Intensity Threshold Analysis

Recall	Threshold (Prominence)	Data Size
0.833	0	199
0.750	0.692	40
0.667	0.778	29
0	1	0

Table 8: Recall and Data Size Across Prominence Thresholds

Table 8 demonstrates the impact of increasing the prominence threshold on the recall and data size.

The majority of features are retained even at a high threshold of 0.692, suggesting that our




Figure 8: Dropped criterion as Prominence threshold increases.

methodology is robust in covering essential features. Analysis of the exclusion pattern demonstrates a general relationship between feature importance and retention, although some show divergence from their importance categorization:

1. **Early Exclusions (<0.6):** None.
2. **Mid-Level Exclusions (<0.8):** Style-related, moderate-importance features including 7. *Not too long or short* and 8. *Avoid whimsical words* and are excluded at moderate thresholds.
3. **Late (No) Exclusions:** Features of higher importance related to core message delivery and readability remain intact until the highest thresholds, underscoring their fundamental nature. Notable exceptions are 9. *Avoid non-standard abbreviations* and 12. *Descriptive type*, which are retained despite their mid to lower importance.

I.3 Frequency Threshold Analysis

We observe recall changes across varying ‘Frequency’ thresholds.

Recall remains stable until a threshold of 791. The relationship between theoretical importance and retention patterns again reveals some unexpected deviations: a high-importance feature drops

Recall	Threshold (Frequency)	Data Size
0.833	1	284
0.750	791	44
0.667	969	32
0.583	1,233	26
0.500	1,294	20
0.417	1,296	19
0.333	1,326	13
0.250	1,333	11
0.167	1,344	4
0.083	1,345	1

Table 9: Recall and Data Size Across Frequency Thresholds

out early, while other features of similar importance persist until high thresholds. Additionally, while some supplementary features are not recalled at all, the recalled one (12. *Descriptive type*) shows remarkably strong retention, suggesting that practical title construction may prioritize certain features differently from theoretical guidelines.

1. **Early Exclusions (<500):** None.
2. **Mid-Level Exclusions (<1000):** Features ranging from moderate (9. *Avoid non-standard abbreviations*) to critical importance (6. *Include the main theme*) are excluded at




Figure 9: Dropped criterion as Frequency threshold increases

this stage.

- Late Exclusions:** Structural features like *1. Simple format* (high importance), *5. Concise and precise* (high importance) persist until the highest thresholds, aligning with their theoretical importance. Interestingly, *12. Descriptive type* (low importance) shows the highest retention despite its low theoretical importance.

J Reliability of Pipeline Operations

In this section, we assess the reliability of our methodology by examining potential errors that could compromise the data-groundedness of the generated features. We specifically focus on cases where incorrect mapping between datapoints and features undermines the accuracy of the feature extraction process.

#1 Perspective Generation This stage is conceptually error-free by design, as there is no strict requirement for direct correspondence between the generated perspectives and the dataset. While the dataset provides heuristic guidance, the perspectives can be freely generated without compromising the methodology’s integrity. Therefore, the concept of errors is not applicable to this stage.

#2 Perspective Value Matching Reliability check Errors can occur when incorrect values are gener-

ated, resulting in improper mapping between datapoints and the corresponding perspective-value pairs. To evaluate this, we performed a consistency check on the generated values using LLMs, examining at least three distinct sentences per perspective. The consistency check yielded high accuracy rates exceeding 98% for both research titles and slogans. Specifically, the error rates were 0.042 for slogans (11 out of 258), 0.071 for titles (29 out of 405), and 0.053 for the MIND dataset (15 out of 279). The prompt we used for consistency check can be found in Figure 28.

#3 Value Clustering Reliability check Errors in this stage occur when cluster labels are incorrectly generated, causing mis-mapping during the conversion from perspective-value to perspective-label forms. This mis-mapping can distort the intended analysis. We conducted the same consistency check as in stage #2, substituting values with labels as input. The accuracy rates exceeded 94% for both titles and slogans.

#4 Verbalization Reliability check Errors can also arise during the verbalization of perspective-label pairs. To evaluate this, we selected 20 features from each feature bucket generated in Section F.2. We assessed each feature according to two criteria: (1) whether the sentence captures

the combined meaning of the perspective and label, and (2) whether the sentence correctly applies directional score by rewriting it in a direct form if $P(\text{positive}|\text{conform}) > 0.5$, or in an avoidant form if $P(\text{positive}|\text{conform}) \leq 0.5$. This evaluation used a detailed prompt requiring True/False responses for each criterion, with returned results in JSON format. The verbalization reliability check demonstrated high accuracy exceeding 98% for both titles and slogans, confirming that the generated sentences faithfully represent the intended meaning. The prompt we used for reliability check can be found in Figure 29.

#5 Prominence-based Selection This stage is inherently error-free as it operates deterministically through mathematical calculations without involving LLMs.

K DSAI-Generated Top/Bottom Prominence Features of Expert-Driven Annotation Dataset

As discussed in Section 5.1, the features generated using the slogan and title datasets demonstrate high recall values when compared to expert-defined requirements. This holds true even when applying a high threshold for prominence, indicating that the generated features effectively capture the key characteristics outlined by experts. However, as highlighted in Section 5.2, while features with high prominence exhibit strong discriminative power and reliability, those with lower prominence tend to have relatively lower reliability.

To provide further insights, we present the top and bottom 20 features for each dataset along with their prominence scores and frequencies. The results for the slogan dataset are detailed in Table 11, and those for the title dataset are outlined in Table 12.

L DSAI-Generated Top/Bottom Prominence Features of Industry Dataset

L.1 Prominence Distribution

The following analysis evaluates the prominence score distribution of criteria across three datasets: Reddit, MIND, and SPAM. These scores indicate how reliably each feature identifies the latent characteristics within the datasets.

MIND The MIND dataset shows a highly concentrated prominence distribution, with most




Figure 10: Distribution of each dataset based on prominence scores.

scores reaching 1.0. Few features fall below 0.85, reflecting strong alignment between the generated features and the structured nature of the dataset. These consistently high scores validate the methodology’s effectiveness in extracting meaningful patterns from structured data with CTR rates.

Spam The Spam detection dataset exhibits a broader prominence distribution than MIND. Still, a large portion are above 0.9, indicating that the methodology is generally effective for SPAM. However, a small subset scoring below 0.5 indicates features that may be less suitable for classification purposes, suggesting the need for careful filtering of specific features for robust classification.

Reddit The Reddit dataset displays a broad and uneven distribution of prominence scores, peaking at 0.67 with a gradual decline toward lower scores. A significant number of features cluster below 0.4, with many falling below 0.1. This distribution reflects the unstructured and highly diverse nature of Reddit content, making consistent pattern identification challenging. The broad range of topics and content variability suggests that individual features may be highly specific to certain data subsets while falling to generalize across others.

L.2 General vs Specific Features

DSAI-generated features capture both general characteristics shared across the dataset and highly specific features. As shown in Table 10, some features represent broad, overarching traits that are present across a significant portion of the dataset, with high frequencies (900+ instances). These include common patterns such as "lack of logical reasoning" or "absence of historical reflection," which are applicable across diverse contexts.

In contrast, more specific features capture nu-

Perspective	Label	Type	Frequency
General Features			
reasoning	Lack of Logical Reasoning	NEGATIVE	1,038
fictional_reference	Absent	NEGATIVE	1,033
gender_roles	no_reference	POSITIVE	1,014
archaic_reference	no_reference	NEGATIVE	1,004
euphemistic_language	euphemism_absent	NEGATIVE	986
historical_reflection	Absent	NEGATIVE	966
partisan_tone	absent	POSITIVE	964
legal_context	Absence	POSITIVE	962
objective_evaluation	Subjective	NEGATIVE	950
validity	subjective	NEGATIVE	926
scientific_reference	No Scientific Reference	NEGATIVE	918
profanity	Profanity Absent	POSITIVE	910
Specific Features			
specific_undertone	Sarcastic	NEGATIVE	116
theme_recognition	Justice and Morality	NEGATIVE	116
cultural_sensitivity	high_sensitivity	POSITIVE	114
efficacy	Ineffectiveness	POSITIVE	114
comparison	Indirect Comparison	NEGATIVE	114
pragmatic	Criticism	NEGATIVE	110
audience_engagement	Indirect Engagement	POSITIVE	110
irony	Intensity_Irony	NEGATIVE	110
conflict	Presence	POSITIVE	104
demographic_target	Youth	NEGATIVE	102
emotionally_charged	Emotionally Intense	NEGATIVE	102
length	two_digit_high	POSITIVE	102

Table 10: Features and their corresponding labels, types, and frequency.

anced and detailed attributes that apply to smaller data subsets, appearing in fewer samples ($\bar{1}00$ instances), such as "sarcastic undertone" or "emotionally intense". These characteristics necessitate fine-grained, data-driven analysis and are typically challenging for LLMs to identify due to their limited presence in pre-training data and the source dataset. This capability to extract such specific patterns beyond general trends demonstrate DSAI's unique strength over direct feature extraction from LLMs.

The top and bottom 20 prominence features for MIND, SPAM and Reddit dataset are provided in Table 13, 14, 15, respectively.

Requirement	Prominence	Frequency
Top Requirements		
The advertising tone should convey a focus on quality, using optimistic and aspirational language.	0.8571	14
The sentence should convey an optimistic advertising tone that encourages engagement.	0.8333	108
The sentence should incorporate cultural references that align with consumptive themes.	0.8333	12
The sentence should employ indirect methods to engage the audience effectively.	0.7857	28
Ensure the sentence contains a component that emotionally appeals to the reader.	0.7831	83
The sentence should effectively incorporate figurative language to enhance meaning.	0.7556	90
The sentence should convey a high level of prominence using strong and emotive language.	0.7215	79
Ensure the sentence conveys its message concisely, avoiding unnecessary words or lengthy expressions.	0.7143	14
The sentence should clearly present a promise of quality, assuring trust and excellence.	0.6406	217
The sentence should employ direct engagement techniques to capture the audience's attention.	0.6250	128
The sentence should avoid losing its identity by being overly generic or broad in purpose.	0.6190	21
Ensure grammatical accuracy throughout the sentence.	0.6154	26
Avoid using the ampersand (&) in formal writing or titles.	0.5882	34
The sentence should clearly define and communicate a distinct value proposition.	0.5870	184
Ensure the sentence effectively conveys its intended message.	0.5789	19
The sentence should convey a strong and clear emotional tone.	0.5709	275
The sentence should provoke thought and engage the audience in a meaningful way.	0.5556	18
The sentence should avoid presenting the main idea in a way that misaligns with the intended topic or domain.	0.5556	18
The sentence should use persuasive language to effectively encourage action or belief.	0.5528	407
Ensure the sentence includes the mention of a relevant company or organization.	0.5493	213
Bottom Requirements		
The sentence should include a clear and compelling call to action.	0.0294	1,088
The sentence should fully and effectively communicate its intended message.	0.0267	1,159
The sentence should avoid merely providing information without an intended action or emotion.	0.0250	1,122
Ensure the sentence includes references to cultural significance.	0.0248	1,009
Avoid using imperative or overly complex grammatical structures in titles.	0.0244	41
Ensure the use of inclusive language in the sentence.	0.0225	1,109
Avoid sentences that lack necessary cultural references.	0.0224	1,115
The sentence should not be overly specific, limiting its relevance to a narrow audience.	0.0205	537
The sentence should maintain a general level of specificity to appeal to a wide audience.	0.0166	661
Ensure that sentences maintain grammatical correctness.	0.0162	1,171
The sentence should focus on delivering specific and detailed information.	0.0148	741
Avoid using general language and focus on providing specific details in the sentence.	0.0131	458
The sentence should be concise, conveying its message briefly and efficiently.	0.0110	1,185
The sentence should maintain clear and direct language.	0.0095	1,157
The sentence should avoid overly focusing on the business aspect at the expense of other dimensions.	0.0070	572
The sentence should explicitly mention the presence of a specific service being offered.	0.0048	1,043
The sentence should effectively convey clear and useful information.	0.0043	1,163
The sentence should maintain simplicity in structure and composition.	0.0034	,192
The sentence should be composed in a single language for consistency.	0.0033	1,196
Avoid emotionally neutral language that fails to connect with readers on an emotional level.	0.0032	315

Table 11: Top and Bottom Requirements of Slogan Dataset based on Prominence.

Requirement	Prominence	Frequency
Top Requirements		
Avoid using list structures that compromise grammatical integrity and clarity.	1.0000	11
Avoid vague and nonspecific language in the sentence.	1.0000	11
Avoid the use of pronominal subjects in sentences.	1.0000	12
Ensure the sentence provides a clearer focus on the topic.	1.0000	16
Avoid using an informal narrative style in the sentence.	1.0000	33
Ensure the sentence maintains a strong technical focus without shifting to a non-technical direction.	1.0000	41
Ensure the inclusion of phrasal nouns in the sentence where appropriate.	0.9333	30
The sentence should clearly convey its purpose or intent.	0.9259	27
Ensure the sentence addresses the topic clearly without any ambiguity.	0.8854	192
Ensure the sentence clearly specifies its domain of application.	0.8750	16
The sentence should incorporate technical adjectives to enhance precision and clarity in describing nouns or pronouns.	0.8333	12
The sentence should clearly highlight learning methods as the main topic.	0.8182	11
Avoid using interrogative sentences.	0.8182	33
Ensure complete grammatical structures in the sentence.	0.8095	21
Avoid excessive use of concrete nouns in the sentence.	0.7857	28
Avoid overly complex or frequent use of interrogative structures in the content.	0.7838	37
The sentence should avoid being overly verbose and aim for syntactic compression.	0.7739	115
Ensure sentences are concise and avoid unnecessary length.	0.7500	40
The sentence should clearly use either passive or active voice to avoid ambiguity.	0.7333	30
Avoid focusing on concrete, tangible items in the sentence.	0.7000	40
Bottom Requirements		
Ensure modal verbs are absent in the sentence if not necessary for conveying meaning.	0.0840	917
Limit the length of main noun phrases to enhance readability.	0.0833	96
The main noun phrase in the sentence should ideally consist of two words.	0.0833	144
Avoid using sentence fragments to ensure complete and meaningful sentences.	0.0805	174
Avoid using definite articles when introducing new or less familiar concepts.	0.0748	147
The sentence should effectively use past tense to communicate events or actions that have already occurred.	0.0667	15
The sentence should embrace high complexity in its structure and vocabulary.	0.0581	172
Avoid sentences with overly simplistic structures or vocabulary.	0.0575	435
Ensure sentences utilize participles effectively to enhance clarity and detail.	0.0529	473
Ensure the sentence includes infinitive verb forms for clarity and action orientation.	0.0526	57
Avoid reliance on non-verbal tense constructs in the sentence.	0.0500	40
The sentence should clearly identify and be applicable to the educational domain.	0.0476	21
The sentence should maintain a neutral tone by balancing between passive and active voice.	0.0476	84
Limit the use of multiple verbs in a single sentence.	0.0455	88
Avoid sentences that inappropriately mix technical terms outside the humanities and social sciences domain.	0.0400	25
Limit the use of multiple adjectives in a sentence to maintain clarity and precision.	0.0357	56
The sentence should clearly articulate its relationship to the field of Health and Medicine.	0.0323	31
Ensure the sentence includes well-chosen adjectives to enhance description and clarity.	0.0121	330
Ensure the presence of a clear tense in the sentence.	0.0076	264
Ensure the presence of finite verbs to convey clear action or timing in the sentence.	0.0039	510

Table 12: Top and Bottom Requirements of Title Dataset based on Prominence.

Requirement	Prominence	Frequency
Top Requirements		
The sentence should effectively convey a sense of distress through emotional language.	1.0000	12
Avoid language that implies assistance or support for actions that should be independent.	0.8462	13
Avoid statements that may have an unintended negative impact on the audience.	0.7895	19
Avoid overloading the sentence with complex or unnecessary details related to technology and cybersecurity.	0.7241	29
The sentence should effectively convey a sense of frustration through emotional language.	0.7143	14
The sentence should aim to surprise or alarm the audience to elicit a strong reaction.	0.6667	24
Avoid using language that only implies future outcomes without clear details.	0.6667	18
Avoid using domain-specific language related to the military and defense.	0.6364	11
The sentence should convey information of lesser importance effectively.	0.6364	11
The sentence should avoid focusing solely on technology and innovation when identifying the audience.	0.6364	11
The sentence should clearly specify the legal or criminal aspects of a particular field.	0.6000	35
Avoid using language that fails to motivate or inspire the audience.	0.5625	32
Ensure the main subject of the sentence pertains to sports.	0.5556	18
The sentence should clearly reference past legal cases using appropriate legal terminology.	0.5385	26
Avoid using quality-based adjectives that may imply subjective judgment or bias.	0.5000	24
The sentence should not overly highlight negative issues that could alarm the audience.	0.5000	12
Avoid referencing military actions, personnel, or events in the content.	0.4737	38
The sentence should avoid focusing solely on social and lifestyle aspects within its domain.	0.4737	19
The sentence should avoid using action verbs that emphasize creation-related actions.	0.4545	11
Avoid using ambiguous modal verbs when expressing plans or intentions.	0.4444	18
Bottom Requirements		
Ensure the inclusion of specific numerical data or statistics in the sentence.	0.0078	766
Avoid overly clear or explicit language that might be inappropriate or too revealing in certain contexts.	0.0073	961
Ensure the sentence does not lack attention to potential contradictions.	0.0071	989
The sentence should exclude references to social media platforms.	0.0062	966
The sentence should effectively communicate its message without relying on figurative language.	0.0059	678
The sentence should avoid the use of separators such as dashes, colons, or slashes.	0.0054	742
Ensure the inclusion of sensory details in the sentence to enhance vividness.	0.0051	973
The sentence should clearly provide instruction or guidance to the reader.	0.0051	979
The sentence should present concrete, specific ideas and details.	0.0042	946
Ensure that the sentence is clear and needs no further clarification.	0.0042	952
Ensure that scientific theories or principles are present in the sentence.	0.0041	976
The sentence should avoid the use of hashtags.	0.0040	994
The sentence should provide sufficient context to be understood independently.	0.0035	865
Avoid or limit the use of figurative language in the sentence.	0.0032	313
Avoid sentences that lack necessary negations to clarify intended meaning.	0.0031	977
Avoid using ambiguous or unsuitable speech acts in sentence construction.	0.0030	989
The sentence should avoid hypothetical scenarios to maintain factual clarity.	0.0022	898
The sentence should avoid content that lacks relevance or significance, especially for a news context.	0.0020	980
The sentence should clearly identify the language being used, ensuring linguistic features are consistent with the specified language.	0.0020	998
The sentence should be free from unnecessary repetition, ensuring clarity and conciseness.	0.0010	985

Table 13: Top and Bottom Requirements of MIND dataset based on Prominence.

Requirement	Prominence	Frequency
Top Requirements		
Avoid using list structures that compromise grammatical integrity and clarity.	1.0000	11
Avoid vague and nonspecific language in the sentence.	1.0000	11
Avoid the use of pronominal subjects in sentences.	1.0000	12
Ensure the sentence provides a clearer focus on the topic.	1.0000	16
Avoid using an informal narrative style in the sentence.	1.0000	33
Ensure the sentence maintains a strong technical focus without shifting to a non-technical direction.	1.0000	41
Ensure the inclusion of phrasal nouns in the sentence where appropriate.	0.9333	30
The sentence should clearly convey its purpose or intent.	0.9259	27
Ensure the sentence addresses the topic clearly without any ambiguity.	0.8854	192
Ensure the sentence clearly specifies its domain of application.	0.8750	16
The sentence should incorporate technical adjectives to enhance precision and clarity in describing nouns or pronouns.	0.8333	12
The sentence should clearly highlight learning methods as the main topic.	0.8182	11
Avoid using interrogative sentences.	0.8182	33
Ensure complete grammatical structures in the sentence.	0.8095	21
Avoid excessive use of concrete nouns in the sentence.	0.7857	28
Avoid overly complex or frequent use of interrogative structures in the content.	0.7838	37
The sentence should avoid being overly verbose and aim for syntactic compression.	0.7739	115
Ensure sentences are concise and avoid unnecessary length.	0.7500	40
The sentence should clearly use either passive or active voice to avoid ambiguity.	0.7333	30
Avoid focusing on concrete, tangible items in the sentence.	0.7000	40
Bottom Requirements		
Ensure modal verbs are absent in the sentence if not necessary for conveying meaning.	0.0840	917
Limit the length of main noun phrases to enhance readability.	0.0833	96
The main noun phrase in the sentence should ideally consist of two words.	0.0833	144
Avoid using sentence fragments to ensure complete and meaningful sentences.	0.0805	174
Avoid using definite articles when introducing new or less familiar concepts.	0.0748	147
The sentence should effectively use past tense to communicate events or actions that have already occurred.	0.0667	15
The sentence should embrace high complexity in its structure and vocabulary.	0.0581	172
Avoid sentences with overly simplistic structures or vocabulary.	0.0575	435
Ensure sentences utilize participles effectively to enhance clarity and detail.	0.0529	473
Ensure the sentence includes infinitive verb forms for clarity and action orientation.	0.0526	57
Avoid reliance on non-verbal tense constructs in the sentence.	0.0500	40
The sentence should clearly identify and be applicable to the educational domain.	0.0476	21
The sentence should maintain a neutral tone by balancing between passive and active voice.	0.0476	84
Limit the use of multiple verbs in a single sentence.	0.0455	88
Avoid sentences that inappropriately mix technical terms outside the humanities and social sciences domain.	0.0400	25
Limit the use of multiple adjectives in a sentence to maintain clarity and precision.	0.0357	56
The sentence should clearly articulate its relationship to the field of Health and Medicine.	0.0323	31
Ensure the sentence includes well-chosen adjectives to enhance description and clarity.	0.0121	330
Ensure the presence of a clear tense in the sentence.	0.0076	264
Ensure the presence of finite verbs to convey clear action or timing in the sentence.	0.0039	510

Table 14: Top and Bottom Requirements of Spam Detection Dataset based on Prominence.

Requirement	Prominence	Frequency
Top Requirements		
The sentence should avoid unnecessary criticism and focus on constructive feedback.	0.6727	110
The sentence should avoid using strong partisan language or political bias.	0.6129	124
The sentence should include elements that evoke a surreal or dream-like quality.	0.6104	154
The sentence should avoid being perceived solely as a review.	0.6082	194
The sentence should effectively convey a positive emotion.	0.5699	186
The sentence should effectively convey information and facilitate informative sharing with the audience.	0.5333	120
Avoid using a critical tone in the sentence.	0.5313	128
The sentence should convey a positive sentiment.	0.5294	136
Avoid language that inaccurately places the sentence within the politics and media domain.	0.5238	126
Ensure the sentence does not include language indicating complaints or grievances.	0.5130	230
The sentence should align with public opinion and mainstream consensus.	0.5062	162
The sentence should address topics in a non-sensitive manner, avoiding contentious or inflammatory language.	0.5044	226
Avoid displaying a dominant interpersonal stance in relational dynamics.	0.4907	161
The sentence should convey a positive emotional tone.	0.4815	108
The sentence should convey information with high intensity and detail to maximize audience knowledge gain.	0.4737	190
The content should maintain an objective, unbiased perspective throughout.	0.4729	129
The sentence should use words with optimistic or positive connotations.	0.4516	124
The language used should maintain a neutral tone, avoiding extreme politeness or rudeness.	0.4476	210
Avoid using circular or flawed reasoning in arguments.	0.4468	188
The sentence should avoid rhetorical devices and maintain a straightforward approach.	0.4430	237
Bottom Requirements		
The content should maintain a moderate level of complexity.	0.0116	518
Avoid non-impressionistic language and incorporate more vivid or subjective descriptions.	0.0110	182
The sentence should avoid legal language or references.	0.0104	962
The sentence should avoid suggesting a lack of consensus or collective agreement.	0.0099	202
The sentence should appropriately reference hierarchical authority to establish credibility or significance.	0.0093	214
Avoid using American regional dialects or cultural references in the sentence.	0.0090	222
The sentence should avoid depicting any specific gender roles or influences.	0.0081	867
Ensure the sentence includes relevant jargon where necessary to convey expertise and precision.	0.0080	754
The sentence should avoid overly intense expressions of real-world relevance.	0.0062	1,129
Ensure the sentence length is concise, ideally with a word count in the single digits.	0.0061	330
The sentence should avoid making explicit factual assertions without sufficient evidence or context.	0.0060	668
The sentence should be inclusive and cater to a broad demographic audience.	0.0056	354
The sentence should clearly demonstrate an understanding of various sentence types and structures.	0.0053	1,126
The sentence should not restrict or misrepresent opinion sharing.	0.0047	426
The sentence should be intellectually demanding but still accessible at a medium level of complexity.	0.0045	446
Avoid using exclusive language or sentiments in the sentence.	0.0043	235
Minimize the use of overly dramatic or theatrical language in the sentence.	0.0027	375
The sentence should maintain a concise length, ideally within a low two-digit word count.	0.0026	389
The sentence should intentionally exclude hashtags.	0.0025	1,191
Ensure language identification and classification are accurate within the sentence.	0.0017	1,194

Table 15: Top and Bottom Requirements of Reddit dataset based on Prominence.

SLOGAN

Expert-Defined Features

1. It should be direct and straightforward.
2. Keep it simple, but not overly simple.
3. It should have a pleasant tone.
4. Convey the sales idea clearly and concisely.
5. Avoid misleading or exaggerated words.
6. It should be future-oriented.
7. Clear positioning through comparison or closeness.
8. Emphasize the brand's unique traits or the benefits it provides.
9. Include the brand name in the slogan.

TITLE

Expert-Defined Features

1. **The title needs to be simple in terms of format:** Avoid complex or overly structured titles. A clear, single-sentence structure is ideal.
2. **The title needs to be direct:** Go straight to the point without embellishment or unnecessary words. Emphasize what the research is about, making it easy to understand.
3. **The title needs to be informative and specific:** Clearly state the subject, scope, and purpose of the study. Include key variables, interventions, or outcomes being studied.
4. **The title needs to be functional (with essential scientific "keywords"):** Include important scientific terms that are likely to be used in search engines or databases.
5. **The title should be concise and precise:** Each word should add value—if it's not essential, consider removing it. Focus on delivering the core message without sacrificing clarity.
6. **The title should include the main theme of the paper:** Highlight the central idea or concept of the research, ensuring it's prominent in the title. If your research has a novel angle or contribution, make it clear in the title. Avoid distracting details that take away from the main topic.
7. **The title should not be too long or too short:** Keep the length balanced: avoid single-word titles or excessively long sentences. Aim for a length that is easy to read but informative enough to cover the subject. Try to stay within 12–15 words to maintain readability.
8. **The title should avoid whimsical or amusing words:** Scientific titles should maintain professionalism and avoid humor, puns, or colloquial expressions. The tone should be neutral and objective.
9. **The title should avoid nonstandard abbreviations and unnecessary acronyms (or technical jargon):** Avoid using abbreviations that aren't widely understood by the target audience. Use only well-known acronyms, such as DNA, or none at all. If technical terms are necessary, ensure they are clear to the intended readership.
10. **Place of the study and sample size should be mentioned only if it adds to the scientific value of the title.** Only mention specific locations (e.g., "in Africa" or "in urban China") if they significantly impact the results or generalizability of the study. Sample size should only be included if it adds notable scientific value (e.g., "meta-analysis of 50,000 participants").
11. **Important terms/keywords should be placed in the beginning of the title:** Place the most relevant words/phrases at the start of the title to grab attention quickly. Consider what keywords are essential for indexing and searchability, and prioritize them. Ensure the first few words convey the core subject of the study.
12. **Descriptive titles are preferred to declarative or interrogative titles:** Focus on describing the study rather than making a statement or posing a question. Declarative titles ("X is the cause of Y") or interrogative ones ("Is X the cause of Y?") are often less effective in scientific communication. Descriptive titles ("Investigation of X as a potential cause of Y") are clearer and more widely accepted.

Figure 11: Expert-Defined Criteria

#0 LLM Annotation

TASK

You will be provided with company slogans, names and descriptions of each company.

Your task is to evaluate each title based on the 'Checklist/useful tips for drafting a good slogan' given below.

For each evaluation criterion, provide a reason for your judgment and generate a response.

If the slogan meets the criterion answer should be 'yes', otherwise 'no'.

If you cannot evaluate the slogan with the criterion, response with 'not_applicable'

Checklist/useful tips for drafting a good slogan

{Features}

FORMAT

```
{
  "slogan_1": {
    "text": "SLOGAN 1",
    "evaluation": [
      {
        "checklist 1": "CHECKLIST 1",
        "explanation": "EXPLANATION",
        "answer": "ANSWER"
      },
      {
        "checklist 2": "CHECKLIST 2",
        "explanation": "EXPLANATION",
        "answer": "ANSWER"
      },
      ...
      {
        "checklist K": "CHECKLIST N",
        "explanation": "EXPLANATION",
        "answer": "ANSWER"
      }
    ]
  } (...)
```

Outputs = {

```
'slogan_1': {
  'text': 'Commercial Printing, Packaging and Fulfillment Services in Miami',
  'evaluation': [
    {'checklist 1': 'The sentence should avoid projecting neutral confidence levels, aiming instead for clear expressions of either high or low confidence.', 'explanation': 'The slogan does not convey a clear expression of confidence. It is purely descriptive.', 'answer': 'no'},
    ...
    {'checklist 10': 'Avoid sentences where the focus is disproportionately on the service, especially if irrelevant to the intended message.', 'explanation': 'The focus is balanced between service and the impact it seeks to create.', 'answer': 'yes'}}]
```

Figure 12: LLM Annotation prompt

(NoData)

Generate 100 unique and detailed criteria for creating effective slogans.

(PosData) & (FlippedPosData)

You are a helpful assistant.

You've been given {N} examples of effective {type}. Your task is to thoroughly analyze these examples and extract as many specific criteria as possible.

Generate a comprehensive list of conditions that make a {type} effective.

****Make sure to refer to the given examples.**

(MixedData) & (FlippedMixedData)

You are a helpful assistant.

You've been given {N} examples of effective {type} and {N} examples of ineffective {type}. Your task is to carefully analyze these examples and identify as many key criteria as possible that differentiate a successful {type} from an unsuccessful one.

Generate a comprehensive list of conditions that make a {type} effective.

****Make sure to refer to the given examples.**

(NoContext)

You are a helpful assistant.

You've been given {N} examples of group A and {N} examples of group B. Your task is to carefully analyze these examples and identify as many key criteria as possible that differentiate group A and B.

Generate a comprehensive list of conditions.

****Make sure to refer to the given examples.**

Figure 13: Prompts for direct LLM feature generation.

SLOGAN

(NoData) Result

1. Short and concise: A slogan should be easy to remember, so it needs to be brief and to the point.
2. Memorable: A slogan should stick in people's minds.
3. Unique: A slogan should differentiate from competitors.
4. Emotionally impactful: It should evoke a feeling in the audience.
5. Relevant to the brand: Reflect the core values and mission of the company.
6. Easy to pronounce: It should be simple to say aloud.
7. Timeless: The slogan should remain effective for years to come.
8. Flexible: Can be adapted to different contexts or campaigns.
9. Clear message: It should be easy to understand without explanation.
10. Catchy: A rhythmic or playful slogan can be more appealing.
11. Positive tone: A positive message resonates better with audiences.
12. Target audience-focused: Tailored to the interests and needs of your target demographic.
13. Action-oriented: Encourages consumers to take action.
14. Reflective of the product: Should directly connect to the product or service offered.
15. Original: Avoids clichés and overly used phrases.
16. Cultural fit: Respects and fits the cultural context of the target audience.
17. Flexible in translation: If used internationally, it should maintain meaning when translated.
18. Direct and assertive: A clear call to action can make it more compelling.
19. Humor: Using humor can make a slogan more relatable.
20. Inspiring: Motivates the audience toward a specific idea or goal.
- (...)
80. Sincere: Authentic and truthful, not overhyped.
81. Global appeal: Resonates with audiences from various cultures or backgrounds.
82. Cohesive with visuals: Matches the imagery and color palette of the brand.
83. Surprising: Takes an unexpected angle that grabs attention.
84. Confidence-building: Inspires the consumer to feel confident about their choice.
85. Balanced tone: Neither too serious nor too casual; fits the brand's voice.
86. Encourages sharing: Motivates consumers to spread the message or talk about the brand.
87. Puns or wordplay: Clever use of language can make it stand out.
88. Geared toward action: Motivates the consumer to do something, whether buying or engaging.
89. Simple but profound: Deep meaning expressed in simple words.
90. First-person appeal: Speaks as if directly from the brand's voice to the consumer.
91. Value-driven: Emphasizes the brand's core values, such as sustainability or social responsibility.
92. Focuses on results: Highlights what the consumer will achieve by choosing the brand.
93. Contrasts competitors: Subtly shows how the brand differs from competitors.
94. Heartfelt: Evokes a genuine emotional connection.
95. Smart and witty: Intellectually stimulating while being enjoyable.
96. Exciting promise: Offers an exciting, bold future for the consumer.
97. Relevant to current issues: Ties into major societal or cultural issues.
98. Encourages exploration: Suggests that there's more to discover with the brand.
99. Play on words: Cleverly manipulates language for a memorable twist.
100. Energetic rhythm: The cadence of the words should have a natural flow, making it catchy and fun.

Figure 14: NoData Result for slogan

SLOGAN

(PosData) Result

0. Concise and Memorable Phrase: Use short, impactful phrases that are easy to remember, conveying the core value of the brand.
1. Emphasize Clear Benefits: Highlight the benefits or advantages that users will gain.
2. Form an Emotional Connection: Use emotional words to evoke a connection with the audience.
3. Emphasize Brand Uniqueness: Clearly state what makes the brand unique or its competitive advantage.
4. Directly Address the Target Audience: Mention the target audience explicitly so they feel related to the brand.
5. Focus on Problem-Solving: Emphasize the brand's solution to the problems that users face.
6. Convey Trust and Expertise: Use words that convey reliability and expertise to instill confidence.
7. Present a Clear Offering: Clearly explain what the brand offers without ambiguity.
8. Present Specific, Measurable Outcomes: Mention specific, measurable outcomes to build trust in the brand's offering.
9. Emphasize Local Connection: Highlight the brand's connection to a specific region to strengthen community ties.
10. Emphasize User Experience: Highlight the positive experience users will gain by using the brand.
11. Strive Beyond Problem-Solving Towards a Goal: Go beyond solving a problem, and present a vision of a better future or goal.
12. Emphasize Leadership in Expertise: Convey the brand's leading role in the industry.
13. Use Encouraging Expressions for Users: Use a tone that encourages and supports users to create a positive brand image.
14. Highlight Trustworthy Track Record: Mention the brand's long-standing experience or trustworthy track record.
15. Message of Hope and Change: Use messages that provide hope or promote positive change.
16. Use Imperative Expressions to Drive Engagement: Use imperative phrases that directly call users to action.
17. Emphasize Innovation and Progress: Highlight the brand's innovative approach or technological advancement.

(FlippedPosData) Result

- 0, Clarity & Conciseness: Keep the slogan short and easy to understand.
- 1, Targeted Audience Appeal: Tailor the message to the needs or desires of the target audience.
- 2," Emotional Connection: Evoke feelings, whether of safety, excitement, or reliability."
- 3, Unique Selling Proposition (USP): Highlight what sets the business apart from competitors.
- 4, Branding Consistency: The slogan should be consistent with the brand's image or mission.
- 5, Positive Tone: Emphasize positivity to create a favorable impression.
- 6, Call to Action or Benefit Statement: Suggest an action or communicate a benefit to customers.
- 7, Memorability: Use catchy words or phrases to ensure the slogan is memorable.
- 8, Relevance to Core Services: Include keywords related to the business's services.
- 9, Problem-Solving Approach: Identify the problem and position the brand as a solution.
- 10, Use of Powerful Adjectives: Employ strong adjectives to convey a sense of superiority.
- 11, Industry Specificity: Use language specific to the industry to show expertise.
- 12, Promise of Quality or Reliability: Emphasize quality or reliability to build trust.
- 13, Innovation Highlight: Showcase innovation or unique technology.
- 14, Wordplay or Rhyme: Use clever wordplay or rhyme to enhance recall.
- 15, Geographical Relevance: Mention location to appeal to local markets.
- 16, Future-Oriented Perspective: Provide a vision for progress or innovation.
- 17," Focus on Core Values: Reflect core values like sustainability, customer focus, or excellence."
- 18, Implied Exclusivity or Luxury: Convey exclusivity for high-end products or services.
- 19," Adaptability for Multiple Media: Design the slogan to fit different platforms, from social media to print."

Figure 15: PosData and FlippedPosData Results for slogan

SLOGAN

(MixedData) Result

0. Clear and Intuitive Message: A slogan should be short, concise, and easy to understand
1. Conveys Brand Value Specifically: It should clearly convey the value of the service or product
2. Positive and Inspirational Tone: It should be positive and inspire customers to feel good about the brand
3. Clearly Targeted Audience: The target audience should be easily identifiable from the slogan
4. Offers a Solution to Customer Needs: It should include content that solves a customer's problem or meets a need
5. Simple and Easy to Remember: It should be simple and easy to recall, using short phrases
6. Use of Active and Action-Oriented Words: It should use words that encourage customer participation or action
7. Reflects Brand Identity: It should reflect the brand's identity, philosophy, and values
8. Originality: It should use language that is unique and cannot be easily replicated by others
9. Use of Relevant Keywords: It should be composed of keywords related to the brand
10. Avoid Vague and Unclear Expression: It is difficult for customers to understand exactly what is being offered
11. Avoid Too Generic and Unattractive: Uses too generic or clichéd words, lacking brand differentiation
12. Avoid Overly Complex or Uses Technical Terms: Uses jargon or technical terms that are difficult for customers to understand
13. Avoid Unnecessary Redundancy: Repeats words or phrases unnecessarily, making the slogan long and complicated
14. Avoid Inappropriate Tone: The slogan does not match the brand's image or may give a negative impression
15. Avoid Lacks Perceived Benefits for Customers: The benefits that customers can gain from the brand are not clearly stated
16. Avoid Fails to Elicit Interest or Emotion: Does not evoke emotional connection from customers, making it dry and unengaging

(FlippedMixedData) Result

1. Clear Message Delivery: The core message should be easily understood at a glance.
2. Engaging Question Format: Using questions can pique curiosity and encourage customer engagement.
3. Directly Mentioning Customer Benefits: Clearly state the benefits or value the customer can expect.
4. Highlighting Real-world Applications or Trustworthiness: Mentioning specific examples or industry standing can build trust.
5. Concise and Memorable Expression: A short and catchy slogan is easier to remember.
6. Clear Proposal for Problem-solving: Identify the customer's problem and offer a solution.
7. Unique and Differentiated Ideas: Present a unique service or concept that stands out from competitors.
8. Emphasizing Specific Regions or Target Audiences: Mentioning specific regions or target demographics gives a sense of personalized service.
9. Using Action-Oriented Verbs: Use expressions that encourage immediate action from customers.
10. Strengthening Emotional Connection: Use phrases that connect emotionally with the customer.
11. Focus on Core Competency or Specialty: Highlighting what makes the business unique or what they do best helps establish expertise.
12. Creating a Sense of Urgency or Timeliness: Using words that create urgency can prompt quicker customer actions.
- (...)
26. Playing with Alliteration for Catchiness: Alliteration can make slogans easier to remember and more pleasant to read.
27. Using Analogies or Comparisons: Drawing comparisons helps make abstract concepts easier to understand.
28. Using Rhymes for Memorability: Rhymes make slogans catchy and easier to remember.

Figure 16: MixedData and FlippedMixedData Results for slogan

SLOGAN

(NoContext) Result

1. Purposefulness and Consistency: The data maintains a clear theme aligned with its purpose and is structured to meet specific language processing objectives, such as semantic analysis, syntax parsing, or translation quality improvement.
2. Practical Applicability: The data provides information that can be effectively used in real-world language processing applications, such as translation, information retrieval, text generation, or meaning inference.
3. Well-defined Research Problems: It addresses a well-defined research question with specific aims, such as morpheme analysis or syntax tree construction for a particular language.
4. Accurate and Consistent Labeling: The data is thoroughly labeled, with clear and consistent labeling criteria. For example, data aimed at identifying biological interactions through pattern learning would have precise labeling aligned with its objective.
5. Consideration for Multiple Languages and Domains: It includes data that can be beneficial for multiple languages or specific domains (e.g., biomedical texts, medical data, legal documents). For instance, data optimized for applications like multilingual translation or medical record analysis.
6. Sophisticated Structure and Use of Labels: The data provides rich information through syntactic structures, semantic layers, or multi-level labels. This might include data with syntax trees and semantic frames that offer detailed structure.
7. Accuracy and Reliability: The data is collected from reliable sources or processed in a way that guarantees high accuracy, often using high-quality linguistic resources.
8. Clear Copyright and Data Source Information: The data is clearly labeled with copyright and source information, ensuring ethical usage conditions.

Figure 17: NoContext Result for slogan

TITLE

(NoData) Result

1. Clearly Specify Research Subject or Application Area: The research subject or application area should be clearly mentioned.
2. Concise and Specific: Keep the title brief but detailed enough to convey the essence of the study.
3. Use Descriptive Words: Include descriptive keywords that capture the core of the research.
4. Avoid Jargon: Minimize the use of technical jargon that might not be understood by a broader audience.
5. Indicate the Study Type: Mention the type of study, e.g., case study, analysis, experiment.
6. Incorporate Key Findings: Hint at the main findings or conclusions of the research.
7. Use Active Voice: Employ an active voice to make the title more dynamic and direct.
8. Be Accurate: Ensure the title accurately reflects the content and scope of the paper.
9. Avoid Abbreviations and Acronyms: Use full terms instead of abbreviations to avoid confusion.
10. Highlight the Value or Impact: Suggest how the research contributes to the field or practical applications.
11. Incorporate Relevant Keywords: Include keywords that are relevant and likely searched by the target audience.
12. Balance General and Specific Elements: Provide enough specific detail while keeping the title applicable to a broader field.
13. Attract the Intended Audience: Tailor the language and content of the title to appeal to the intended readers.
14. Make it Memorable: Aim for a title that is catchy and memorable, where appropriate.
15. Avoid Misleading Terms: Don't use terms or phrases that might mislead readers about the study's scope or findings.
16. Check for Unintentional Humor or Puns: Ensure the title doesn't inadvertently create confusion or amusement unless intended.
17. Use Numerical Results: If applicable, include quantitative results (like percentages or statistical significance).
18. Reflect the Tone of the Writing: Match the formality or informality of the title to the tone of the paper.
19. Consult Co-Authors: Get input from all authors to ensure the title effectively encompasses everyone's views.
20. Incorporate Geographical Scope: If relevant, include the geographic focus of the research.
- (...)
86. Clarify the Main Variables: Make sure to specify the main variables of interest.
87. Mention the Study's Limitations: If limitations are a critical aspect of the discussion, they can be hinted at in the title.
88. Highlight the Type of Intervention: Detail the type of intervention if the research focuses on this aspect.
89. Use Terms Reflecting the Research Outcome: Use terms that directly relate to the main findings or outcomes.
90. Include the Nature of the Study Sample: If the sample nature is crucial, include this detail.
91. Highlight the Control Measures Used: If applicable, note the control measures employed in the study.
92. Specify Any Mathematical Models Used: If mathematical models are central, mention them.
93. Mention the Key Chemicals or Compounds: If specific chemicals or compounds are critical, include them.
94. Highlight the Research Framework: If a particular framework guides the research, mention it.
95. Clarify the Study's Core Purpose: Make sure the title reflects the primary purpose of the research.
96. Indicate the Main Data Sources: If particular data sources are vital, mention them.
97. Use Impactful Adjectives: Selectively use adjectives that add clarity and interest.
98. Mention the Research Environment: If the environment is a significant factor, include it.
99. Clarify the Main Contribution: Specify what new contribution the paper makes to its field.
100. Be Original: Ensure the title stands out by being original and not merely imitative of existing works.

Figure 18: NoData Result for title

TITLE

(PosData) Result

1. Conciseness and Clarity: The title should be short, concise, and clearly convey the main idea. For example, "BestCut: A Graph Algorithm for Coreference Resolution" effectively explains the core topic in a succinct manner.
2. Specificity: Mentioning the specific topic or methodology of the paper allows the reader to understand the research's subject at a glance. "Cross-lingual Lexical Triggers in Statistical Language Modeling" clearly specifies an element of the language model.
3. Emphasis on Research Methods: Highlighting specific techniques or algorithms used in the study helps clarify the approach. For example, "Approximate PCFG Parsing Using Tensor Decomposition" includes the methodology, enabling the reader to quickly understand the research approach.
4. Description of Results or Goals: Mentioning the outcome or goal of the research helps readers understand what problem the study aims to solve. Titles like "Improving Translation Quality by Discarding Most of the Phrasetable" make the goal of the research easy to grasp.
5. Mention of Application Area: When the research is applied to a specific field, mentioning it in the title helps specify the study's purpose. For example, "Exploring the Use of NLP in the Disclosure of Electronic Patient Records" clearly describes the practical objective of the research.
6. Specify Data or Language: When the research is limited to a specific language or dataset, specifying it helps define the scope of the study. "Chinese Named Entity Recognition with Conditional Random Fields" clearly states the target language.
7. Problem and Solution Structure: A title that explicitly mentions the problem and its solution is effective. For example, "Discriminative Instance Weighting for Domain Adaptation in Statistical Machine Translation" succinctly expresses the problem and solution.
8. Use of Quantitative Expressions: Representing the scope of research with numbers or quantitative expressions enhances specificity. For instance, "Million-scale Derivation of Semantic Relations" emphasizes the large-scale data used in the research.
9. Creative Combination: Creatively combining well-known concepts can emphasize the uniqueness of the study. For example, "Grounding Strategic Conversation: Using Negotiation Dialogues to Predict Trades in a Win-Lose Game" creatively shows connections to other fields.
10. Use of Algorithm or Technique Name: Including specific methodologies or techniques in the title emphasizes the key tools of the research. For example, "Convolutional Neural Networks for Sentence Classification."
(...)
16. Specify the Research Domain: It is beneficial to clarify the subject or phenomenon being studied. For example, "Language Modeling for Determiner Selection" mentions the specific linguistic phenomenon.
17. Mentioning New Datasets: If a new dataset was built or used, mentioning it in the title highlights the contribution, such as "Creating a Test Corpus of Clinical Notes Manually Tagged for Part-of-Speech."
18. Emphasize Theoretical Approach: It is also effective to emphasize theoretical models or approaches proposed in the study, e.g., "Towards Creating Precision Grammars from Interlinear Glossed Text."
19. Use of Adjectives and Adverbs: Using adjectives or adverbs that emphasize the nature of the research can be effective, such as "Efficient Dynamic Programming Search Algorithms for Phrase-Based SMT."
20. Include Key Keywords: Including important keywords of the study in the title helps make the core subject clear, e.g., "Paraphrase Lattice for Statistical Machine Translation."
21. Comparison and Contrast: When the study compares or contrasts multiple approaches, mentioning it in the title can clarify the scope of the research, e.g., "Comparing Phrase-Based and Syntax-Based Paraphrase Generation."
22. Emphasizing Outcomes or Contributions: Highlighting the outcomes or contributions of the research can explain its value, e.g., "Treebank Translation for Cross-Lingual Parser Induction."
23. Explicitly Stating Key Research Questions: It can also be helpful to explicitly mention the key questions addressed in the research, e.g., "Understanding Differences in Perceived Peer-Review Helpfulness Using Natural Language Processing."

Figure 19: PosData Result for title

TITLE

(FlippedPosData) Result

- 0 Clarity and Conciseness
- 1 Clearly Presenting the Problem or Goal
- 2 Inclusion of Important Keywords
- 3 Implying or Stating the Methodology
- 4 Original and Specific
- 5 Indicating the Research Target and Application
- 6 Adding an Element of Interest
- 7 Presenting a Specific Problem and Solution
- 8 Use of Figurative Language
- 9 Emphasizing Contrasting Elements
- 10 Implying Results
- 11 Specify Application Cases or Scope
- 12 Reflecting the Complexity of the Problem
- 13 Emphasizing the Innovativeness of the Solution
- 14 Arousing Curiosity
- 15 Simplifying Complexity
- 16 Use of Figurative Phrases

Figure 20: FlippedPosData Result for title

TITLE

(MixedData) Result

1. Clear and Specific Topic: The title should clearly express the subject of the paper and indicate the specific research objective or methodology.
2. Include Key Terms: The title should contain key terms related to the main technique, methodology, subject, or data used in the research.
3. Descriptive Subtitle: The title should include a descriptive subtitle that is informative without being overly long.
4. Emphasize Methodology or Dataset: It is beneficial to emphasize the primary methodology or dataset used in the research.
5. Clearly Specify Research Subject or Application Area: The research subject or application area should be clearly mentioned.
6. Indicate Research Objective or Outcome: If possible, convey the objective or outcome of the research in the title, making it easier for readers to understand.
7. Use Precise Vocabulary: Avoid ambiguous or exaggerated expressions, and use terminology that accurately reflects the research.
8. Minimize Use of Abbreviations: Avoid abbreviations that are difficult for readers to understand or are rarely used. If necessary, include the full name.
9. Emphasize Contribution: Highlighting the contribution of the research in the title makes it easier for readers to assess its value.
10. Proper Grammar and Expression: Ensure there are no grammatical errors or awkward expressions, and structure the sentence clearly.
11. Appropriate Length: The title should be around 10-15 words, sufficient to convey the content of the research without being too long or complicated.
12. Highlight Novel Approaches: If the research involves a novel methodology or innovative approach, it should be highlighted to emphasize its value.
13. Precise Focus: The research should focus on a specific problem and convey a clear focus in the title.

(FlippedMixedData) Result

- 0 Specific and Clear Topic
- 1 Mention of Methodology or Techniques
- 2 Application Area or Case Study Mentioned
- 3 Emphasis on Novelty or Approach
- 4 Presentation of Outcomes or Impact
- 5 Concise and Direct Expression
- 6 Appropriate Use of Technical Terms
- 7 Balanced Length
- 8 Focus on Problem-Solving
- 9 Highlighting Interdisciplinary Connections
- 10 Using Action-Oriented Words
- 11 Indicating Evaluation Metrics or Criteria
- 12 Including Scope or Scale
- 13 Clarity in Comparative Studies
- 14 Avoiding Redundancy
- (...)
- 74 Avoiding Overly Detailed Descriptions
- 75 Avoiding Lack of Substantial Information
- 76 Avoiding Overuse of Difficult Jargon
- 77 Avoiding Missing Goals or Expected Outcomes
- 78 Avoiding Repetitive Phrasing

Figure 21: MixedData and FlippedMixedData Results for title

TITLE

(NoContext) Result

1. Technical NLP Approaches: Group A prominently includes papers focusing on technical NLP methodologies, particularly for complex tasks like entity linking, morphosyntactic parsing, probabilistic models, machine translation quality, and the computational structure of discourse. Group B, in contrast, includes general linguistic applications or dialogue systems with a more applied focus.
2. Multilingual Processing and Cross-Linguistic Analysis: Group A's examples frequently address multilinguality (e.g., multilingual translation lexicons, Arabic phonetic adjustments) and cross-linguistic techniques (e.g., Hindi, Bengali, Korean, Chinese), highlighting a strong interest in processing diverse languages and dialects. Group B also includes multilingual aspects but not with the same emphasis on cross-linguistic computational challenges.
3. Advanced Computational Linguistics Concepts: Group A shows a particular emphasis on computational linguistics at a deep level, with topics like dependency-based word spaces, corpus-based semantic lexicon induction, approximate parsing, structural models, and entity tracking within complex frameworks. Group B generally focuses on language processing and semantic similarity but lacks the depth of structured computational concepts found in Group A.
4. Corpus and Data-Driven Approaches: Group A has a notable focus on leveraging extensive corpora and structured data (e.g., domain adaptation in SMT, machine translation evaluation frameworks) and the technical constraints of processing large datasets for training or lexical derivations. Group B examples lean more toward user-based or interface-focused applications without extensive corpus analysis.
5. Higher-Level NLP Techniques and Algorithms: Group A frequently references complex algorithms and specialized techniques such as tensor decomposition, latent variable models, tree kernels, and dynamic programming, often oriented towards optimizing and refining natural language understanding and machine learning tasks. Group B's focus is generally less computationally intensive and leans more toward general ML approaches like sentiment analysis or relation extraction.
6. Focus on Language-Specific Challenges: Group A highlights challenges tied to specific languages or linguistic properties, such as morphology, syntactic variations, and regional language dialects, as seen in work on Inuktitut morphology, Arabic pronunciation, and Hindi root extraction. Group B does not emphasize language-specific intricacies to the same extent.
7. Entity, Event, and Relation Extraction Emphasis: Group A includes a significant focus on extracting complex linguistic elements, such as events, semantic relations, or discourse structures, from text (e.g., role extraction, semantic coherence, noun-verb structures). Group B examples show a broader focus on general-purpose NLP tasks rather than in-depth extraction of intricate linguistic elements.
8. Theoretical or Abstract Language Processing: Group A presents research in abstract concepts within NLP, including discourse modeling, lexical cohesion, and sentence-level semantic abstractions. Group B appears more practically focused, addressing sentiment classification, translation accuracy, or dialogue systems with fewer abstract linguistic models.

Figure 22: NoContext Result for title

#1 Perspective Generation

Your goal is to analyze each sentence and capture its characteristics from various perspectives.

You will be given a list of sentences.

<TASK>

There are two things you should do. First, generate analytical attributes for evaluating the sentences. Create {numbers} distinct attributes. Second, write a step-by-step plan with example on how to analyze sentences using each generated attribute.

<CONSTRAINS>

1. List each word and its description without numbering.
2. Each plan must include examples.
3. Answer in the example should be in short n-gram.

<FORMAT>

Give the result in json format as follows:

```
{
  attribute 1 : description 1,
  ...,
  attribute 50 : description 50
}
```

For example, if there is a sentence "[My Honest Review] Peripera Over Blurring Tint #CoolForMe #PinkCheck #CoralLala" the output can be as follows:

```
{
  "domain": "Evaluation Criterion: Identify the specific field or industry addressed in the sentence. Analysis Procedure:
1. Scan the sentence to identify key nouns that denote industry-specific items, services, or concepts. 2. Note
adjectives that qualify the key nouns and support your understanding of the specific field. 3. Match the main nouns
and significant adjectives to a recognized industry or field. Ensure the domain identified is specific and accurately
reflects the industry's realm.. Example: Sentence: "[My Honest Review] Peripera Over Blurring Tint #CoolForMe
#PinkCheck #CoralLala", Explanation: The main noun 'Peripera Over Blurring Tint' refers to a cosmetic product,
specifically a type of lip tint. Thus, the industry is identified as cosmetics. Answer: Cosmetics.",
}
```

WARNING: Do not make attributes given in the example above.

The sentences you should analyze are as follows: {sentences}

Outputs = {

'target_geography': "Evaluation Criterion: Identify the geographical area targeted. Analysis Procedure: Look for locations mentioned in the sentence. Example: Sentence: 'Copier and IT Services in Reno, NV and Sacramento, CA' targets these cities. Answer: Reno and Sacramento.",

'comparative_analysis': "Evaluation Criterion: Analyze if the sentence compares two or more items. Analysis Procedure: Look for words like 'better', 'more', or 'best'. Example: Sentence: 'Best Marketing Solution In UK' compares offerings. Answer: Comparative.",

...

'future_focus': "Evaluation Criterion: Determine if the sentence is future-focused. Analysis Procedure: Look for words or phrases that reference future actions or plans. Example: Sentence: 'Protect and Grow Your Business' looks toward future outcomes. Answer: Future-focused.",

}

Figure 23: #1 Perspective Generation Prompt and Outputs

#2 Perspective-Value Matching

Your task is to analyze given sentences using all provided analysis criteria. You will be given a list of criteria and matching explanation.

The result should be structured as follows:

```
{
  'sentence': <input sentence1>,
  '(1, analysis criterion 1)': {
    'description': <provided description of analysis criterion 1>,
    'explanation': <EXPLANATION>,
    'value': <VALUE>
  }
  '(2, analysis criterion 2)': {
    'description': <provided description of analysis criterion 2>,
    'explanation': <EXPLANATION>,
    'value': <VALUE>
  }
  ...
  '(K, analysis criterion K)': {
    'description': <provided description of analysis criterion K>,
    'explanation': <EXPLANATION>,
    'value': <VALUE>
  }
}
```

All <VALUE> should be in short n-gram. Please refer to the example below.

(...)

From now on, sentences and analysis criteria with explanation will be provided. Please generate your responses step by step, following the example above. Make sure to use all the criteria.

Do not generate anything else.

Sentence = {sentence}

Analysis criteria = {perspectives}

** responses must be in valid json object

Outputs = {

```
"sentence": "Adamis Pharmaceuticals - Finding a way to put patients first.",
"(39, syntax)": {
  "description": (...),
  "explanation": "The sentence is a declarative, presenting a statement about the company's goal.",
  "value": "Declarative"
},
"(40, pragmatic)": {
  "description": (...)
  "explanation": "The intent is promotional, highlighting Adamis Pharmaceuticals' focus on prioritizing patient care.",
  "value": "Promotion"
}
}
```

Figure 24: #2 Perspective Value Matching Prompt and Outputs

#3 Perspective-Oriented Value Clustering

(a) Label Generation

Your goal is to make a list of labels for {perspective} classification. The explanation of the {perspective} is as follows: {description} With given list of values for categorizing, make New label list considering the checklist below.

<Checklist>

1. Each value MUST belong to some label.
2. A value cannot belong to multiple labels.
3. Group name should be distinctive. For example, if there are names ("subtle", "indirect", "implicit.") or ("medium", "moderate"), as they are very similar, we should group them. Because it can be confusing for classification.
4. If the main focus is on asking about presence or absence such as 'present' or 'absent', other values should be structured accordingly. (...)
5. Words that have opposite meaning must belong to different group. For example, "absent" and "present" must belong to different group. Similarly, "clear", "not_clear" must be in different group.
6. Words that represent "Intensity" or "Degree" must be in different group. For example, "Low":["low"], "medium":["moderate", "medium"], "high":["high] is only allowed.

<FORMAT>

Original values: ['value1', 'value2', ...]

New Label List: ["new label1", "new label2", ...]

Values: {labels}

Use all provided values for clustering. If the main focus is on asking about presence or absence such as 'present' or 'absent', other values should be structured under the label 'present' or 'absent'.

Generate output in valid json format.

****Strictly Follow Checklist provided above.**

(b) Label-Value Matching

Your task is to match each value to the most appropriate group from the given group names.

<Instructions>

1. You are given a list of group names: {groups}
2. You are also given a list of values: {values}
3. For each value, find the group name that best represents the meaning or category of the value.
4. Make sure each value is assigned to exactly one group.
5. Some values may be more general or specific. Use your best judgment to match the values accordingly.
6. If multiple values could fit under the same group, group them together.

<Output Format>

The output should be a valid Python dictionary where each key is a group name, and the corresponding value is a list of values assigned to that group.

Example:

```
{
  "group name1": ["value1", "value2", ...],
  "group name2": ["value3", "value4", ...],
  ...
}
```

Please ensure that the output is a well-formed dictionary. Each value must be categorized under one of the given groups.

Figure 25: #3 Clustering Prompt

#3 Perspective-Oriented Value Clustering

Perspective= syntax

Outputs = {

```
"Descriptive": [
  "descriptive_noun_phrase", "descriptive_reference", "descriptive_nominal",
  "descriptive", "descriptive_listing", "descriptive_label", "descriptive_information",
  "descriptive_heading", "descriptive_title", "descriptive_list", "descriptive_fragment",
  "descriptive_phrase"
],
"List-Related": [
  "entity_list", "noun_list", "listing", "list", "list_heading", "list_association",
  "list_information", "non-sentence_list", "list-like", "product_listing",
  "list_structures", "declarative_list", "title_list", "headline_list"
],
"Phrase": [
  "informational_phrase", "noun_phrase_complement", "phrase_list", "informative_heading",
  "declarative_phrase", "interrogative_phrase", "title/phrase", "phrase", "noun_phrases",
  "descriptive_phrase", "declarative_noun_phrase", "noun_phrase_title",
  "noun_phrase_label", "noun_phrase", "incomplete_phrase"
],
"Declarative": [
  "imperative_declarative", "declarative_exclamatory", "declarative_heading",
  "declarative_title", "declarative_headline", "declarative", "declarative and imperative",
  "declarative_implied", "declarative_incomplete", "declarative_slogan",
  "declarative_imperative", "declarative_statement", "declarative_header",
  "declarative_information", "declarative_location", "headline_declarative",
  "declarative_listing"
],
"N/A": [
  "n/a", "incomplete", "incomplete_descriptive", "incomplete_label", "incomplete_list",
  "incomplete_structure", "incomplete_sentence", "incomplete_statistic",
  "incomplete_listing", "incomplete_phrasing", "incomplete_noun_phrase",
  "incomplete_nominal"
],
"Imperative": [
  "imperative"
],
"Interrogative": [
  "interrogative", "interrogative_declarative", "question_format"
],
"Exclamatory": [
  "declaration_exclamation", "exclamatory"
],
"Promotional": [
  "tagline", "advertisement", "promotional_tagline", "promotional"
]
}
```

Figure 26: #3 Clustering Outputs

#4 Verbalization

You are provided with four elements: Perspective, Description, Type, and Label.

Your task is to generate a Requirement by interpreting the combined meaning of Perspective and Label.

- If Type is "Positive": this means the Perspective and Label combination represents an ideal or desired condition.
- If Type is "Negative": this indicates an undesirable or avoidable condition (i.e., a condition to avoid).

Each output should have three fields:

1. Requirement: Summarize the key requirement derived from the combined meaning of Perspective and Label.
2. Additional Explanation: Provide further details, explaining the approach, goals, or intended focus for the requirement.
3. Example: Offer a clear, illustrative example that aligns with the input data.

Example 1:

Perspective: "specificity"

Description: (...)

Label: "Specific"

Type: "Positive"

Expected Output:

```
{
  "Requirement": "The title should specifically address the topic with targeted information.",
  "Additional Explanation": "Combining 'specificity' with 'specific' indicates avoiding vague language and focusing on precise, topic-aligned details, especially for technical content.",
  "Example": "'Filtering syntactic constraints for statistical machine translation' is specific, zeroing in on syntactic constraints within machine translation."
}
```

(Example from 2-5)

Given the following input, generate a requirement using the unique meaning of Perspective and Label:

Provided Input:

Perspective: {perspective}

Description: {description}

Label: {label}

Type: {type}

```
|perspective|label|Type|Verbalized Feature|
|--|--|--|--|
|syntax | Exclamatory | Positive | The sentence should use exclamatory syntax to convey strong emotions or excitement. |
|syntax | Imperative | Positive | The sentence should employ imperative syntax to convey directives or commands effectively. |
|syntax | Declarative | Positive | The sentence should be structured in a clear declarative form. |
|syntax | Fragmented | Negative | Ensure sentences are grammatically complete and avoid fragmentation. |
|syntax | Descriptive | Positive | The sentence should utilize a descriptive grammatical structure to convey information effectively. |
```

Figure 27: #4 Verbalization Prompt and Output

#2 Perspective-Value Matching Consistency Check

You will receive 'perspective', 'description', 'title', and 'value' as input.

Consider 'perspective' and 'description' to determine if the analysis result for 'title' matches 'value'.

Explain the judgment process step by step, and finally output 'True' if 'value' is correct, or 'False' if it is incorrect.

Output

1. Look for words indicating comparison in the sentence.
2. Identify comparative elements.
3. Express concisely.
4. Output the final judgment: 'True' or 'False'

Example

perspective: comparative_elements

description: Evaluation Criterion: Identify the use of comparative elements in the sentence. Analysis Procedure:

1. Look for words indicating comparison (e.g., more, less, better).
2. Identify comparative elements.
3. Express concisely. (...)

title: Recommendation! Golf Caps at PXG Outlet Time Villas & spring golf cap colors.

value: absent

Judgment Steps

1. Identify comparative words in the sentence:
 - Check for words like "more," "less," "better," etc.
2. Identify comparative elements:
 - Determine if there are any elements indicating comparison.
3. Express concisely:
 - Clearly state whether comparative elements are present.

Application of Analysis Procedure

1. Search for comparative words:

In the sentence, search for words indicating comparison.
No comparative words like "more," "less," or "better" are found.
2. Identify comparative elements:

Check if there are any elements indicating comparison.
The sentence simply mentions wearing golf caps purchased from PXG Outlet Time Villas and recommends spring golf cap colors.
3. Concise expression:

No comparative elements are identified.
The sentence lacks clear elements indicating comparison.

Final Judgment

Presence of comparative elements: No comparative elements in the sentence.

Judgment of value accuracy: The value is marked as "absent."

Conclusion: The value is correct. Therefore, True.

Final Judgment: True

Input

perspective: {perspective}

description: {description}

title: {title}

value: {value}

Figure 28: #2 Perspective Value Matching Reliability Test Prompt

#4 Verbalization Consistency Check

Evaluate the transformed sentence based on the following three criteria, answering each with True or False, and return the results in JSON format. Do not include any text other than the JSON output.

1. Does the sentence capture the combined meaning of the perspective and label? Evaluate if the sentence appropriately conveys the intended meaning that results from combining the specified perspective and label, and whether this combined meaning is clearly represented.
2. Does the sentence reflect the intended purpose of the good_or_bad information? If good_or_bad is "GOOD," confirm that the sentence encourages the specified perspective-label combination. If "BAD," check that it discourages or suggests avoiding this combination.

Output the results in the following JSON format and include no other text:

```
json
{
  "captures_combined_meaning": True or False,
  "good_or_bad_applied_correctly": True or False,
}
```

For example, consider inputs as follows:

```
"perspective = contrast_relation
description = {'Evaluation Criterion': "Detect if the sentence presents a contrast (e.g., 'but', 'however').",
'Analysis Procedure': ["Step 1: Look for conjunctions or adverbs that introduce contrasting ideas (e.g., 'but',
'however', 'yet').", 'Step 2: Identify the ideas or clauses that are being contrasted.', 'Step 3: Confirm the presence
of contrastive elements within the sentence.'], 'Example': {'Sentence': 'Sarcasm detection on Czech and English
Twitter.', 'Explanation': 'No contrasting elements are used in the sentence.', 'Answer': 'None.!'}}
label = absent
good_or_bad = GOOD
transformed sentence = The sentence should avoid using contrasting elements."
```

The combination of perspective 'contrast_relation' and label 'absent' produces 'absence of contrast relation'. With good_or_bad 'GOOD', final requirement should imply that it is good that 'absence of contrast relation'. As final transformed sentence considers the absent of contrast relation by 'avoid using contrasting elements' it properly captures combined_meaning.

Also, as final transformed sentence implies that it is good to avoid using contrasting elements, it applies good_or_bad correctly.

```
## Input
perspective = {perspective}
perspective description = {description}
label = {label}
good_or_bad = {good_or_bad}
transformed sentence = {requirement}
```

Figure 29: #4 Verbalization Reliability Test Prompt