Think Outside the Data: Colonial Biases and Systemic Issues in Automated Moderation Pipelines for Low-Resource Languages

FARHANA SHAHID*, Cornell University, United States

MONA ELSWAH^{*}, Center for Democracy and Technology, United States ADITYA VASHISTHA, Cornell University, United States

Most social media users come from non-English speaking countries in the Global South. Despite the widespread prevalence of harmful content in these regions, current moderation systems repeatedly struggle in low-resource languages spoken there. In this work, we examine the challenges AI researchers and practitioners face when building moderation tools for low-resource languages. We conducted semi-structured interviews with 22 AI researchers and practitioners specializing in automatic detection of harmful content in four diverse low-resource languages from the Global South. These are: Tamil from South Asia, Swahili from East Africa, Maghrebi Arabic from North Africa, and Quechua from South America. Our findings reveal that social media companies' restrictions on researchers' access to data exacerbate the historical marginalization of these languages, which have long lacked datasets for studying online harms. Moreover, common preprocessing techniques and language models, predominantly designed for data-rich English, fail to account for the linguistic complexity of low-resource languages. This leads to critical errors when moderating content in Tamil, Swahili, Arabic, and Quechua, which are morphologically richer than English. Based on our findings, we establish that the precarities in current moderation pipelines are rooted in deep systemic inequities and continue to reinforce historical power imbalances. We conclude by discussing multi-stakeholder approaches to improve moderation for low-resource languages.

Content Warning: This paper contains examples of offensive language.

CCS Concepts: • Human-centered computing → Empirical studies in HCI.

Additional Key Words and Phrases: content moderation, AI, low-resource languages, colonialism

ACM Reference Format:

Farhana Shahid, Mona Elswah, and Aditya Vashistha. 2018. Think Outside the Data: Colonial Biases and Systemic Issues in Automated Moderation Pipelines for Low-Resource Languages. In *Proceedings of Make sure to enter the correct conference title from your rights confirmation emai (Conference acronym 'XX)*. ACM, New York, NY, USA, 17 pages. https://doi.org/XXXXXXXXXXXXXXXX

1 Introduction

Social media companies have seen an unprecedented growth in the Global South, with billions of users generating content in their local languages. This rapid growth has been accompanied by a troubling rise in harmful content–such as misinformation, hate speech, and incitement to violence– leading to severe human rights violations across the region [48, 69, 87]. However, tech companies disproportionately allocate moderation resources to English-speaking users in the West [44, 61], even though users in the Global South form the largest and fastest-growing user base of these platforms. As a result, harmful content in languages spoken in the Global South frequently goes unchecked, amplifying

*Both authors contributed equally to this research.

Authors' Contact Information: Farhana Shahid, Cornell University, Ithaca, United States, fs468@cornell.edu; Mona Elswah, Center for Democracy and Technology, Washington DC, United States, melswah@cdt.org; Aditya Vashistha, Cornell University, Ithaca, United States, adityav@cornell.edu.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org. © 2018 Copyright held by the owner/author(s). Publication rights licensed to ACM.

social and political divides [48, 69, 87]. Simultaneously, poorly designed moderation systems often misclassify and remove benign content in these languages, silencing marginalized voices and undermining freedom of expression [25, 74].

These challenges are rooted not only in resource allocation but also in the structural barriers to developing effective moderation systems for the diverse languages of the Global South. Many of these languages are considered low-resourced due to the lack of high-quality datasets needed for training AI models [51, 53, 66], which serve as the backbone of moderation infrastructure. However, data scarcity tells only part of the story. Economic and political oppression, insufficient human expertise, and limited access to digital infrastructures further exacerbate the "low-resourcedness" of these languages [53]. Moreover, framing the problem solely as one of data scarcity [51, 66] overlooks broader challenges across the moderation pipeline, such as annotation, model training, and deployment. To address this critical gap, we examine the systemic barriers hindering equitable moderation for low-resource languages and explore actionable pathways to improve these systems. Specifically, we ask:

RQ1: What systemic barriers impact automated moderation pipelines for low-resource languages? **RQ2:** How might we improve automated moderation for low-resource languages?

To address these questions, we conducted semi-structured interviews with 22 AI researchers and practitioners, specializing in harmful content detection and developing automated tools for low-resource languages. We examined four diverse languages from different regions of the Global South that have poor moderation support [10, 25, 84]. These are: Tamil from South Asia, Swahili in East Africa, Maghrebi Arabic from North Africa, and Quechua in South America.

Our findings reveal a spectrum of systemic issues beyond data scarcity impacting the automated moderation pipeline for low-resource languages. Our participants highlighted that tech companies' restrictions on public user-generated content significantly reduced their capacity to build moderation tools for local languages spoken in their regions. They stressed that tech companies lack economic incentive to hire qualified moderators for these languages in the Global South, overlooking cultural nuances of potential harms. They emphasized that the current data-intensive and English-centric design of preprocessing techniques (e.g., tokenization, stemming) and language models disregard the linguistic diversity, morphological complexity, and dynamic evolution of low-resource languages in code-mixed texts, which are often absent in English. For instance, unlike English which has a relatively fixed word order [8], Tamil, Swahili, Arabic, and Quechua have agglutinative property, meaning they can form thousands of complex words from a single root. Data-driven models primarily trained on English typically fail to infer these linguistic properties that do not exist in English. As a result, words that frequently appear in sexual harassment, such as Tamil word *Mualichhu* (meaning, n**ples) incorrectly gets stemmed to *Mulai*- (meaning, sprout) and goes undetected by models.

Drawing on these findings, we use coloniality as a lens to critically examine how tech companies based in the West perpetuate digital colonialism [43], prioritizing profit over the safety of users in less profitable markets in the Global South [51]. While these companies profit from the next billion users in the Global South [15], their data extraction practices [16] and monopolization of public data hinder trust and safety research [5], especially in historically colonized regions. Furthermore, reliance on the labor from Global South for annotating harmful content in English [23, 24], paired with underinvestment in recruiting moderators for non-English languages, mirrors colonial exploitation [45]. We highlight how current English-centric design of one-size-fits-all moderation tools reinforces colonial impulse by ignoring the linguistic diversity of Global South languages [11, 22]. Finally, we argue that improving moderation for these languages requires more than technical fixes, as competing stakeholder priorities demand deeper systemic changes. The key contributions of our work are as follows:

- A qualitative study that uses coloniality as a lens to provide a critical and nuanced understanding of how historical power imbalances disproportionately affect automated moderation pipelines for diverse low-resource languages in the Global South.
- An outline of paths forward, acknowledging the complexity, practical constraints, and systemic issues to improve moderation for low-resource languages.

2 Related Work

In this paper, we situate our work first by discussing existing content moderation literature focusing on the Global South. We then describe scholarly work investigating colonial biases in content moderation systems.

2.1 Content Moderation for Low-Resource Languages in the Global South

Content moderation refers to reviewing online user-generated content to see if it aligns with tech company's policies on what should or should not be allowed on their platforms [80]. Most tech companies moderate content using a combination of manual human reviews and automated AI models [30]. However, these companies often lack financial incentives to invest in moderation resources for less profitable markets in the Global South [19, 51]. For instance, Meta funnels 87% of its global misinformation budget to the United States (US), despite Americans comprising only 10% of its user base [61]. The disparity is even more glaring when tech companies swiftly respond to harmful content from European countries that either offer strong economic incentives [19] or are of geopolitical interest to the US (e.g., Russia-Ukraine war) [47]. In contrast, tech companies have been less proactive in countering disinformation campaigns and extreme speech festering in many Global South countries [48, 85–87], while unjustly removing culturally appropriate and politically legitimate content from this region [25, 74].

The inability of tech companies to accurately and fairly moderate content in the Global South is often attributed to their reliance on automated moderation systems, trained on data-rich languages like English and a handful of European languages [19, 51]. Prior research highlights that the lack of data in low-resource languages hinders the development of robust NLP technologies for detecting harmful content in these languages [51, 53]. In contrast, little attention is given to other critical stages of automated moderation pipelines, such as who annotates what is harmful or what assumptions are made about deploying these models in complex, low-resource environments. To address this critical gap, we examine the systemic challenges AI researchers and practitioners encounter at various stages of automated moderation pipelines when developing moderation technologies for low-resource languages in the Global South. We now present scholarly work critically examining systemic issues in content moderation systems through the lenses of power and control.

2.2 Coloniality in Content Moderation

Coloniality reflects the continuation of power imbalances through historical processes of extraction, enslavement, and appropriation [38]. Colonial power structures persist by exploiting resources and labor from historically colonized populations and normalizing Western dominance over governance and knowledge creation processes [62, 63]. Siapera [75] argues that tech companies' dismissal of input from racialized users when crafting policies on racist hate speech resembles colonial legacy, where the identities and lived experiences of racialized communities are deemed inferior in Eurocentric capitalist framework [64]. Similarly, Shahid and Vashistha [74] highlight that tech companies frequently impose Western values as global community standards, disregarding local socio-cultural norms when assessing online harms in the Global South. They draw parallels between Western-centrism in community guidelines and the way colonial powers systematically suppressed Indigenous and marginalized communities' diverse ways of being, while imposing Euro-modern rationality as the only legitimate way [31, 63, 67].

In addition, scholars draw attention to how tech companies build AI models for moderation on the backs of low-wage moderators and marginalized communities, whose labor and trauma fuel training datasets [24, 74, 75]. They point out that Western tech companies treat moderators from the Global South as dispensable, often concealing the true nature of the work during recruitment, and avoiding liability for the harms these moderators experience [2, 24]. This power imbalance reflects the colonial division of labor, where the Western metropoles control the technology while exploiting cheap labor from the colonies [57].

Moreover, errors in moderation systems disproportionately affect marginalized communities, whose voices have been historically silenced. For example, AI models have been shown to drive systemic racism and heteronormative patriarchy by erroneously labeling Black and queer vernacular as toxic [9, 49, 70]. Moreover, current moderation systems, shaped by a Western perspective, frequently misclassify innocuous and culturally appropriate content in non-Western languages as harmful [74], while failing to detect actual harmful content. For example, Google's Perspective API underestimates the toxicity of extreme speech in Swahili and Hindi, but rates similar content in Western languages, such as English and German more accurately [81]. Udupa et al. [81] stressed that these errors persist because current moderation systems inherit Eurocentric colonial frameworks that rationalize uneven allocation of corporate resources for content moderation across different geographies and language communities.

We extend this emerging body of work by examining how systemic neglect of low-resource languages manifests in different stages of automated moderation pipelines, including data collection, labeling, cleaning, model training, and evaluation. We provide a critical and nuanced perspective of how coloniality impacts moderation of harmful content in low-resource languages (RQ1) and how we might improve moderation for these languages (RQ2).

3 Methodology

To examine disparities in automated moderation pipelines, we interviewed 22 AI researchers and practitioners specializing in automatic detection of harmful content in diverse low-resource languages spoken across the Global South.

Low-Resource Languages. We selected four linguistically diverse languages from different parts of the Global South. These are: Tamil from South Asia, Swahili from East Africa, Maghrebi Arabic from North Africa, and Quechua from South America (see Table 1). All these languages are considered low-resourced, despite being spoken by millions of people. UNESCO even declared Quechua as a vulnerable language due to systemic discrimination against Indigenous Quechua speakers in South America [6]. Due to limited resources, moderation errors are typically high for these languages. For instance, tech companies have repeatedly failed to address ethnic hate speech in Swahili [84] and harmful content in Arabic [25], while unjustly removing Tamil news articles as dangerous speech [10] and shadowbanning Arabic content on Palestine [25].

Participants. We recruited people, who either (1) worked on automatic detection of harmful content, or (2) developed language models and tools in Tamil, Swahili, Maghrebi Arabic, or Quechua. We used purposive and snowball sampling to recruit 22 participants. Among them, six specialized in Tamil, six in Swahili, five in Maghrebi Arabic, and three in Quechua. Most of them (n=15) were native speakers of one of these languages. Many of our participants were affiliated with academia (n=13) and trust and safety teams at Meta, OpenAI, and TikTok (n=4). Some worked for trust and safety vendors, who built moderation tools and datasets for different clients (n=3) and local AI startups (n=4). Some participants held multiple roles. Five self-identified as women and the rest as men. All participants had experience living in the Global South, such as Kenya, Tanzania, India, Sri Lanka, Peru, Morocco, and Egypt. Half of them were affiliated with Western institutions and were based in North America and Europe during the interview.

Data Collection and Analysis. We conducted semi-structured interviews with the participants via Zoom. Each interview lasted for around 40-60 minutes. The semi-structured interviews focused on the collection, annotation, and

| | Tamil | Swahili | Maghrebi Arabic | Quechua |
|--------------------|--------------------------|---------------------------------------|--------------------------|-----------------------------------|
| Number of speakers | 80 million | 100 million | 88 million | 8 million |
| Geographic region | South Asia: Tamil Nadu | East Africa: Kenya, | North Africa: Morocco, | Andes: Bolivia, |
| | (India), Sri Lanka, etc. | Tanzania, etc. | Algeria, Tunisia, etc. | Peru, Ecuador, etc. |
| Language family | Dravidian | Bantu (Niger-Congo) | Semitic (Afro-Asiatic) | Quechuan (indigenous) |
| Writing system | Tamil script | Latin alphabet | Arabic script | Latin alphabet, Quechua script |
| Grammar | Agglutinative, subject- | Agglutinative, subject- | Root based, verb- | Agglutinative, subject- |
| | object-verb (SOV) | verb-object (SVO) | subject-object (VSO) | object-verb (SOV) |
| Colonial influence | British | Portugese, German, British, Arabic | French, Spanish, Italian | Spanish |
| Loanwords | Sanskrit, English | Arabic, English, Persian | Berber, French, Spanish | Spanish |

Table 1. Various characteristics of four low-resource languages featured in this study.

preprocessing of the data in low-resource languages as well as model development. We also asked in detail about the models and tools they used to detect harmful content, and the reliability and performance of those models and tools. The participants also reflected on biases and challenges they encounter throughout the process and discussed ways to address them. After each interview, we iteratively refined our interview protocol, stopping when the responses reached saturation. After obtaining ethical approvals from IRB, we conducted the interviews in English and audio recorded with the consent of participants. We offered modest compensation to the participants with \$100 Visa gift cards.

We transcribed the interviews, performed iterative open coding following reflexive thematic analysis [12], and continuously refined the emerging themes. We then organized the codes into broader themes, mapping them to different stages of automated moderation pipelines, such as data curation, annotation, preprocessing, and model training.

4 Findings

In this section, we outline systemic issues in moderating content in low-resource languages throughout automated moderation pipeline, spanning data curation (4.1), annotation (4.2), preprocessing (4.3), and model training (4.4).

4.1 Limited Access to Datasets on Harmful Content

To detect harmful content, most participants needed to feed large amounts of labeled data into AI models, for which they often relied on user-generated content on social media platforms, such as Facebook, X, YouTube, and Reddit. Participants at tech companies shared that their research and product teams have access to public user-generated content on their platforms. In contrast, academic researchers pointed to structural barriers in studying emerging trends in online harms due to the lack of public datasets in low-resource languages and restricted access to social media data. For example, in 2018–19 when Twitter allowed free API access, it restricted researchers from accessing data older than two weeks. A Swahili researcher commented:

People frequently used the word 'madoadoa' [spots] to spew hatred and violence during the 2007-08 Kenyan election. But that changed in the 2022 election. Bad actors appropriated the popular song 'sipangwi' [I am not told what to do] and its plural form 'hatupagwingwi' to spread hatred. Unfortunately we neither have access to recent nor past data to study how hate speech tactics have evolved over time.

To bypass API restrictions, many researchers and small trust and safety vendors used open source scrapers to collect user-generated data. However, they noted that these scrapers struggle to capture romanized and code-mixed content in their target languages, frequently misidentifying it as English because of Latin alphabets used in writing.

Recently tech companies, such as Meta, X, and Reddit have blocked these scrapers and researchers' access to usergenerated content, such as through Meta's CrowdTangle program [7, 46, 59, 77]. These restrictions along with the lack

of available datasets significantly reduced the abilities of small trust and safety vendors and academic researchers to study disinformation and hate speech campaigns in at-risk countries in the Global South. A trust and safety professional from a major social media company remarked:

After ChatGPT came out, most companies are cautious of publicly sharing their data given the competition to develop their own language models. That's why we no longer see that openness around sharing data.

Given the difficulties in accessing and curating datasets, some researchers ceased studying online harms in their regions. Others turned to alternative sources, such as using datasets from shared tasks at NLP conferences, manually collecting online posts, surveying local communities to collect harmful content, or relying on voluntary data donations from WhatsApp groups. However, these methods proved time-consuming and produced small, sporadic datasets, often inadequate for training AI models effectively.

Some participants argued that tech companies must grant researchers access to user-generated data. While they recognized the privacy and ethical concerns associated with data sharing practices, they demanded equitable access to these data because some platforms like TikTok only provide API access to researchers in the US and Europe [79]. Given these systemic discrepancies in company's data sharing practices, African researchers had to create and join grassroots efforts, such as Masakhane and Tanzanian AI, to establish ownership of the data generated by users in their communities. Our study participants criticized tech companies for mishandling harmful content in their region despite controlling user data. A participant who works at a tech company commented:

When I worked at [redacted], the trust and safety team prioritized the US. These for-profit corporations derive most of their revenues from markets that are outside the Global South. Although Europe has strong regulatory policies, those markets are important to the company. So the prioritization simply reflects that.

Participants highlighted several issues in how tech companies address data scarcity in low-resource languages. They shared that the keyword based filtering commonly used by tech companies to identify harmful content often falls short, as it ignores dialectical variations and treat these language as *monolithic*. They also criticized the use of machine-translated texts as a workaround for limited data due to biases in tech company's machine translation tools. For instance, Kenyan Swahili researchers observed that Google Translate frequently incorporates outdated Sheng—a cerole blending Swahili and English—but fails to support its modern variants like Shembeteng. In contrast, Tanzanian researchers criticized Google Translate for favoring Kenyan Sheng, overlooking the purer Swahili spoken in Tanzania. Similarly, Quechua researchers highlighted tech company's problematic reliance on outdated sources, such as Bible translations and the diaries of colonial-era priests, to compensate for a lack of digitized content in Indigenous languages like Quechua. An industry professional also noted that their company relied on old Arabic dictionary due to limited datasets in Maghrebi Arabic.

Our study participants stressed that the models relying on outdated corpora and biased machine translations are ill-equipped to address the evolving nature of hate speech online. Additionally, a trust and safety professional highlighted logistical and legal barriers that often impede moderation efforts within the company. They noted that while certain open-source multilingual model achieved better machine translation in low-resource languages, the company could not deploy it to improve moderation due to licensing issues related to the model's training data.

Small AI startups and trust and safety vendors shared that big tech companies often showed interests in their datasets and tools developed for low-resource languages, but only if they worked for free. Many researchers demanded tech companies to invest in low-resource languages and strengthen grassroots, local research capacity to address online harms in the Global South. A Quechua researcher expressed:

They [companies] should work with us, indigenous Quechua people, to build corpuses instead of taking the shortcut by using machine-translated texts. We found that rule-based translation that incorporates grammatical knowledge works better for Quechua than stochastic methods, which require lots of data that do not exist in Quechua. When we contacted Google, they proposed us to work voluntarily. So, I'm worried they will try to appropriate our free labor.

These findings show that the tech companies' reluctance to invest in moderation resources in the Global South and gatekeeping of user-generated data amplify prevailing data scarcity in low-resource languages, disrupting grassroots efforts to detect online harms in the Global South.

4.2 Difficulties in Annotating Harmful Content

Annotation involves labeling the data to train AI models to predict whether a content is harmful, and if so, identify the specific type. Tech companies frequently rely on manual reviews done by human moderators to train their AI models. Participants who worked at US-based tech companies shared that their companies partnered with vendors in the Global South to annotate large scale user-generated content. One of the participants shared that their company often assigned Kenyan moderators to annotate different dialects of Swahili, even when the moderators didn't know those dialects. Their efforts to assign content to appropriate moderators with language expertise often fail because language identification technologies perform poorly in low-resource languages. They further stressed that companies have always underfunded annotation efforts for languages spoken in *"less profitable regions."* A participant working at a social media company shared:

During Arab Spring, [redacted] had only two Arabic speaking moderators. There's so much diversity in the Arab world alone– it's unlikely that they will get the full context of Arab Spring in Tunisia or Green Movement in Iran. Although a lot has changed since then, the core structure and issues remain the same.

As a result, participants observed that tech companies lack a deep understanding of ground realities, social and cultural norms, and linguistic nuances of low-resource languages, which significantly hinders their ability to effectively address harmful content in the Global South. They stressed that tech companies should *"give the Global South a seat at the table"* when defining hate speech. A Swahili researcher from Kenya remarked:

It matters who is defining hate speech. We noticed that people use 'US' vs. 'Them' narrative to spread ethnic hate speech and superlatives to express supremacist views. We developed our annotation framework to capture these cases. Since Twitter did not remove these tweets, their definition of hate speech must be different. By allowing these posts Twitter is reinforcing stereotypes about Africans being violent.

To ensure that the annotated datasets capture local sensitivities, local researchers often involved linguists, journalists, activists, and affected communities to inform their annotation guidelines. A Tamil researcher explained:

It's important to consider intersectionality when annotating hate speech in multicultural environments like India, where caste, religion, and gender are intertwined. For example, we found "shuttlecock" [badminton cork] is used as a derogatory term against Muslim women who wear burka. Our team of feminist activists, experts on gender studies, and survivors of harassment helped us annotate coded hate speech that are both misogynist and Islamophobic. Similarly, there were innocuous comments like "you are my sweetheart." When companies recruit gigworkers who are usually male, they would rate this as harmless. But since we worked with victims of sexual harassment and recipients of such comments, they could recognize these messages are part of broader harassment women face online.

While researchers appreciated the value of involving community partners in data annotation, they also struggled with requisite funding to support and sustain these partnerships, provide annotator training, and maintain the quality of annotation. The lack of funding also forced them to rely on undergraduates to annotate hate speech and toxic datasets, without being able to provide mental health support for these students. A Quechua researcher shared:

Very often the dataset we are creating is the first of its kind in Quechua. Although experts and community members are willing to help voluntarily, it's difficult to sustain their free labor in the long run to annotate large volumes of data. So, we often strategize to annotate only a subset of data. We can't rush people to annotate faster because they are helping out of generosity. Thus, it often takes months to annotate anything.

To make the most of limited annotation resources, researchers often used sentiment and toxicity analysis tools to find negative content, reducing the sample size for manual annotation. However, they noted that existing free and proprietary tools from tech companies often lack cultural nuances. A Swahili researcher elaborated:

In America, people casually use the word "dawg" to refer to buddy but in Kenya calling someone dawg will be disrespectful. Similarly, in America people think calling "fat" is body shaming. In Africa fat is considered beautiful and opulent. But Google's perspective API missed these cases by applying American scale.

Tamil researchers shared that they lose valuable annotation time and budget when manually verifying target languages in scraped corpuses. Existing language identification tools have poor coverage for most low-resource languages. Thus, these tools often fail to separate code-mixed Tanglish (Tamil-English) from Kannada-English or Telugu-English because Tamil, Kannada, and Telugu often share words with same roots. Similarly, Maghrebi Arabic researchers reported that these tools often fail to differentiate between Arabic, Farsi, and Urdu due to overlap among their scripts.

These findings show that poor coverage of low-resource, non-English languages in current AI advances complicates the annotation work for these languages. Moreover, grassroots annotation efforts are limited due to chronic underfunding. Furthermore, despite having ample resources, tech companies often fail to capture the cultural nuances of online harms due to inadequate engagement with stakeholders and affected communities in the Global South.

4.3 Preprocessing Challenges for Harmful Content Detection

Preprocessing involves cleaning and transforming raw data in a suitable format to train AI models. Our participants faced several challenges when applying existing preprocessing techniques on low-resource languages.

Tokenization. Tokenization is a crucial preprocessing step where the text is segmented into smaller units, such as words or subwords, to enable models to process and analyze language effectively. Several participants shared that the multilingual AI models they used for detecting harmful content, such as BERT and RoBERTa use common, frequencybased tokenization algorithms, such as WordPiece and BPE. These algorithms generate tokens based on the frequency of words or co-occurring character pairs in the dataset. However, participants noticed that this technique performs poorly on Tamil, Swahili, Maghrebi Arabic, and Quechua texts because these languages have richer and more complex morphology than English. They explained that Tamil, Swahili, Arabic, and Quechua have agglutinative properties, forming complex words by combining multiple morphemes (i.e., the smallest unit of meaning), with each morpheme retaining its original meaning. For example, the Quechua word *'rimanqakuma'* (meaning, they will definitely speak) consists of three morphemes: *'rima-'* (meaning, to speak), *'-nqa'* (refers to future tense) and *'-kuma'* (signifies emphasis). The final meaning is directly derived from these constituent morphemes. A Quechua language researcher elaborated further stressing the need to derive morphemes correctly during tokenization:

Frequency based tokenizers have been designed considering English as a model language. Since English is data-rich, frequency based method really works well. But for low-resource, agglutinative languages it creates Manuscript submitted to ACM illegible tokens by wrongly splitting the morphemes. If we train models with wrongly split tokens, the models won't derive correct embeddings. Instead, when we used linguistically motivated tokenizer, the performance significantly improved for Quechua in downstream tasks.

Maghrebi Arabic NLP researchers also noted that using specialized morphological and monolingual tokenizers improve sentiment analyses for diverse low-resource languages, typically underrepresented in multilingual models. Swahili researchers further highlighted the challenges of tokenizing code-mixed hashtags that are often used to incite attacks while evading detection by platforms. For example, in the Sheng hashtag #TupataneTuesday (meaning, let's meet each other on Tuesday), used by protesters, the Swahili word Tupatane must be correctly segmented into its morphemes: Tu- (we), -pat (to meet), -ane (each other). However, poor performance of language identification technologies on code-mixed texts complicates the selective application of tokenization algorithm based on language.

Normalization. Researchers also identified challenges in the normalization process performed by tokenizers, where words are converted to their standard forms before tokenizing (e.g., baaaad is normalized to bad). Some participants reported that non-standard spelling of agglutinative words causes confusion during normalization. A Tamil researcher from Sri Lanka explained:

In Tamil, 'Amma' means Mother and 'Ama' means Yes. On social media people often enthusiastically write Ama as 'Aammaa' (equivalent to Yeessss) or distort the word Amma as 'Aammaa' for writing gendered slurs. The model often makes errors while normalizing such cases and fails to flag offensive language.

Stemming and Lemmatization. These steps are performed to reduce words to their meaningful roots before training models (e.g., beautiful and beautify are reduced to beauty). Several participants reported facing challenges because existing tools have higher error rates in complex agglutinative languages, where *"each root can take thousands of inflected forms"*, than morphologically simpler languages like English. A Tamil researcher described:

Both understemming and overstemming of complex Tamil grammar can cause error in detecting offensive language. Words like Mulaicchu (meaning, n**ples) often wrongly gets stemmed to Mulai- (meaning, sprout) and then gets ignored by model.

Parts-of-Speech Tagging. Some participants reported that since most language models are trained on English, which is a subject-verb-object (SVO) language, it leads to errors on languages that follow subject-object-verb (SOV) structure. Therefore, they performed parts-of-speech (POS) analysis during data preprocessing to give models additional contexts about derogatory adjectives and verbs aimed at individuals or groups (nouns). For example, in *Nāyai seruppāla ațikkaņum* (meaning, beat the dog with sandals) the object (noun) *Nāyai* appears before the verb *ațikkaņum*. However, researchers faced several challenges in detecting parts-of-speech in low-resource languages. A Tamil researcher shared:

When I started doing NLP research in early 2000, there was no POS tagger for Tamil. There was barely any dataset to work with. We built corpuses from scratch and worked with linguists to annotate complex Tamil vocabulary. But the POS tagger based on monolingual Tamil does not work well on Tanglish from social media. Although many frame code-mixed data as problematic and low-quality, this is the reality of how social media users from non-English speaking countries write online. Handling code-mixing is very challenging. But we don't have access to code-mixed data from social media since they stopped access.

These findings show that current preprocessing techniques, predominantly developed with English in mind, do not account for the linguistic diversity of morphologically rich and code-mixed nature of low-resource languages in the Global South, reflecting historical imbalances in linguistic and technological priorities.

4.4 Challenges in Developing and Training AI Models for Harmful Content Detection

After preprocessing data into a standard format, it is fed into AI models for training and detecting harmful content. Participants reported using various multilingual language models, such as Google's mBERT, Facebook's XLM-RoBERTa, and AI4Bharat's IndicBERT for detecting harmful content. However, they noted that these language models perform poorly on low-resource languages. They pointed out that although these data-driven models are designed to be language-agnostic, being primarily trained on high-resource languages like English, they better learn the simpler morphology and fixed word orders of English. In contrast, data sparsity in low-resource languages limits these models' ability to fully capture the rich inflectional morphology, agglutinative property, complex grammar, and diverse word orders in languages that are linguistically distinct from English. A Tamil researcher described:

English and Tamil are from different language families and Tamil has richer morphology than English. How can these models derive correct embeddings of complex Tamil words by computing everything from the point of view of English? That's why IndicBERT also doesn't perform well. There, Hindi and Marathi are from the same family but Tamil is a Dravidian language. So without considering the specifics of language families, you really can't expect performance improvement.

Researchers cautioned that adding data from more languages can degrade model's performance in both low-resource and high-resource languages due to limited model capacity, a phenomenon known as the *"curse of multilinguality.*" They also emphasized that language models frequently develop a one-dimensional and reductionist view of non-English languages due to limited digital data, neglecting their linguistic and dialectical diversity. For example, both Tamil and Swahili have tens of dialectical variations that language models fail to handle accurately. A Swahili researcher explained:

In Swahili the word 'right' has at least 20 different transliterations depending on the context. Similarly, in my region, the word 'Mathikkalla' refers to 'I could not recognize you' but in other regions, the same word means 'to neglect someone.' But these models have no knowledge of how diverse Swahili is. This impacts offensive language detection because models often misunderstand ethnic conflicts and political situations in Kenya, when seen through the lens of English.

Some researchers observed that large language models frequently misclassify code-mixed content during hate speech detection, especially when the spelling and words signal non-Western ethnicity. Trust and safety professionals attributed these errors to a lack of diversity within tech companies and shared that very often their teams are linguistically and culturally homogeneous. They commented that company's diversity efforts often end at recruitment; once hired, employees have to work following company's priorities, which are typically centered around English. One professional from a US-based social media company remarked how this lack of diversity leads to biased models:

In Western media, Arabic phrases, such as "Allahu Akbar" [God is great] mostly appear in the context of terrorism. When companies train AI models on such articles, the models learn these negative associations. But there is none in these teams to inform that local people use these phrases to express everyday joy and sorrow, beyond the instances of extreme speech portrayed by Western media.

Trust and safety professionals shared that despite the shortcomings of large language models in low-resource languages, their companies are prioritizing AI models over alternative linguistic approaches they used in the past. They emphasized the advantages of using AI models for moderation, particularly in reducing the burden of tedious and distressing moderation work for humans. In contrast, AI researchers and practitioners working in the Global South highlighted their struggle in training billion parameter models due to a lack of funding, computational power, and appropriate hardware. For example, Swahili researchers and engineers shared that they could not buy GPUs in Kenya Manuscript submitted to ACM

Think Outside the Data

and Tanzania and had to rely on their contacts in the US to access these resources. Many pointed out that free resources from Google Colab and Kaggle are barely enough to experiment with, train, and deploy these language models. A Swahili researcher commented:

We lack the necessary data, funding, and resources to build dedicated models for our languages. Most of our time is spent on scraping for little data and cleaning it. I hope we can decolonize NLP research on online harms, so we no longer have to rely on technologies biased towards high-resource languages like English and developed for nations with lots of computing power.

These findings highlight that resource-intensive large language models, predominantly designed with an Englishcentric focus, are ill-equipped to address online harms in low-resource languages from the Global South, reflecting how the needs of these communities are usually sidelined in the development of AI-driven moderation technologies.

5 Discussion

Our findings reveal a broad spectrum of issues impacting automated content moderation in low-resource languages. We first unravel the systemic inequities embedded in automated moderation pipelines. We then discuss paths forward to improve moderation for low-resource languages while acknowledging the complexity of the issue.

5.1 Coloniality in Automated Moderation Pipelines

Data Curation. Our data shows that tech companies lack interest to expend moderation resources for less profitable markets in the Global South. Our participants stressed that companies benefit by monopolizing user-generated data to train proprietary large language models, while restricting researchers' access to the very data needed for detecting harmful content. For instance, shortly after Reddit locked public data [59], it partnered with OpenAI to enable training ChatGPT on its content [58]. Similarly, Meta launched AI across Facebook, WhatsApp, and Instagram to train proprietary models on public posts without letting users opt out [37], while simultaneously closing CrowdTangle that allowed researchers to access public content on Meta [7]. Researchers criticized these blanket restrictions on public data as privacy washing, impeding trust and safety scholarship within academia and civil society [5].

These restrictions disproportionately affect researchers and practitioners in the Global South, where datasets in non-English languages remain scarce. This data scarcity stems from colonial legacy that suppressed Indigenous and native languages in the Global South [6, 41, 54, 78] and deprioritized their digitization and technology development [11, 34, 40, 56, 73]. The systemic omission affects all downstream NLP tasks in low-resource languages, including automated moderation– further hampered by data restriction imposed by tech companies.

Our participants highlighted that the data controlled by tech companies are generated through the unpaid labor of users in their communities. Coleman [15] explains that Facebook introduced Free Basics initiatives in the Global South to extract data from the region's next billion users, taking advantage of weak data protection laws and regulatory frameworks [15]. Kwet [43] likens this process to digital colonialism. He argues that much like colonizers who built railroads to extract material resources from colonies, tech companies control digital infrastructures in the Global South, reduce local communities to products rather than producers, and commodify their data for corporate profit.

Additionally, our analysis shows that tech companies' reliance on cheap web-scraped data, machine translations, and religious scripts to make up for low-resource languages [14, 42]– introduces significant biases in moderation, such as the association of Arabic phrases with terrorism. Similarly, use of colonial-era texts to create Quechua datasets reflects a failure to engage with the realities of these communities, given that colonial churches historically sought to suppress Indigenous languages, appropriating them only as tools of cultural control to govern Indigenous lives [35, p. 29]. Thus,

our findings underscore how systemic issues, deeply rooted in colonial legacies, continue to constrain and shape the availability and quality of datasets for studying online harms in low-resource languages.

Annotation. Trust and safety professionals and vendors in our study emphasized that tech companies lack economic incentives to support annotation processes in the Global South– leaving these companies perpetually short of moderators and annotators with linguistic and cultural expertise to review content from these regions. However, research shows that tech companies typically outsource annotation tasks to the Global South for reviewing English-language content, exploiting low wages and weak labor protections [23, 24]. This practice reflects colonial labor exploitation, where the Global South workforce is used to serve the interests of the Global North, with minimal attention to local needs or equity [45].

Moreover, we found that the lack of funding in Global South institutions obstructs grassroots, community efforts to annotate harmful content in low-resource languages. These disparities in research capacity stem from colonial legacies, where wealth accumulated through colonial exploitation enabled Western nations to advance their scientific agenda and build extensive datasets [72]. Consequently, most misinformation research predominantly focus on the West [55] due to easy availability of annotated datasets in English. These systemic inequities– marked by resource scarcity in the Global South and tech companies' disinterest in investing in economically weaker regions [19, 51]– further limit the availability of annotated datasets in low-resource languages.

NLP Tools Used in Moderation. Our findings underscore that current NLP technologies, primarily designed for English, overlook the cultural context, linguistic complexity, and evolution of languages in the Global South. For example, our participants reported that Google's Perspective API misinterprets diverse notions of toxicity across different cultures. Similarly, Das et al. [17] demonstrate that sentiment analysis tools for low-resource languages disproportionately associate negative sentiment with certain religious and national identities– replicating colonial hierarchies of discord and division sowed by British rulers in the Indian subcontinent.

We also found that current preprocessing techniques and language models barely accommodate code-mixing and romanization in low-resource languages compared to standardized European languages. Decolonial scholars and historians have long documented the colonial project of standardizing European languages, through the creation of dictionaries and grammars aimed at assimilating Indigenous populations into colonial nation-states while suppressing local languages [3, 26, 27, 35]. These forced affected communities to code-switch native languages with European ones to navigate spaces governed by colonizers [50]. These colonial legacies also led to poor early support for non-Latin scripts online [34, 82], which continues to hinder speakers of many low-resource languages from participating online [53]. This historical discrimination has forced non-English speakers in the Global South to adopt romanization and code-mixing for communicating online [34]. However, AI advances marginalize this diversity and evolution of languages in the Global South. Scholars critique universal, automated solutions reliant on *sanitized* datasets for disenfranchising local knowledge and perpetuating colonial binaries that position advanced technologies as salvaging "primitive" languages [11, 83].

Moreover, as articulated by both our participants and prior research, large multilingual models predominantly trained on English [33] typically perform better for languages sharing important typological properties with English [4, 8]. Thus, these models fail to capture the elaborate morphology present in many low-resource languages. Bender [8] critiques these models for making assumptions about language structures that advantage some languages at the expense of others, highlighting their inherent lack of language independence. Dourish and Mainwaring [22] criticize such one-size-fits-all solutions for embodying *"colonial impulse"* by reinforcing universality, perpetuating reductionist representation, and colonial hierarchies. For languages spoken in the Global South, this translates to collapsing their linguistic diversity and complexity to a simplistic construct of data scarcity– often taking such scarcity at face value.

In sum, our findings show that existing challenges affecting automated detection of harmful content in low-resource languages are often systemic and run deeper than mere availability of data.

5.2 Considerations for A Path Forward

Tackling harmful content in low-resource languages is a complex issue shaped by conflicting interests and priorities across stakeholders. To begin with, private tech companies often consider it financially unviable to invest in moderation systems for low-resource languages even when these languages have millions of speakers [19, 51]. Moreover, the ongoing deprioritization of trust and safety issues at Meta and X undermines global accountability, prioritizing a US-centric vision of free speech [21, 71]. Academics also face disincentives. The time and effort required to create labeled datasets for low-resource languages [68], combined with limited career payoffs and citation potential [34], discourage research in this area. Governments in many countries in the Global South, frustrated by platforms' failures to address hate speech and disinformation, often resort to censorship or criminalize political speech, further exacerbating the issue [19]. On the other hand, civil society groups in these regions frequently feel marginalized. Unlike their Western counterparts, they report limited influence, as tech companies often approach collaboration as a checkbox exercise rather than a genuine partnership [13]. Fully recognizing these systemic issues as well as the constraints and complexities faced by all stakeholders, we now offer some concrete steps to make content moderation more equitable. Strengthening Local Research Capacity. Prior research highlights that when Global North institutions are funded to develop models for low-resource languages without involving local experts, they often fail in context-specific moderation tasks [51]. Therefore, governments, grant-making agencies, and research award programs from tech companies must invest in building self-sustaining, grassroots research ecosystems that actively engage local experts from the Global South. For example, the AI4D Africa program, funded by international governments and research institutes, supports the development of local AI research hubs and talent, empowering African researchers to lead projects that address their communities' needs [36]. Initiatives like Masakhane in Africa, AI4Bharat in India, and ARBML in the Arab World, which are democratizing AI and NLP research on low-resource languages, should be strengthened through targeted funding to amplify their impact.

Labeled Datasets. Social media companies should provide local researchers with access to de-identified data in lowresource languages. This would not only enable researchers to develop culturally and contextually appropriate labeled datasets but also empower companies to more effectively address harmful content using these datasets. While companies frequently cite privacy concerns in data sharing, established practices from other fields suggest feasible solutions. For instance, the Yale Open Data Access (YODA) Project allows medical companies to securely share anonymized clinical trial data with vetted researchers for approved studies [52]. Similarly, researchers recommend differential privacy techniques to protect personal information when sharing large datasets [28, 39]. Tech companies can integrate these strategies into their API, enabling secure and privacy-preserving access to data.

For languages with a significant digital presence, voluntary data donation by native speakers can be a useful resource for grassroots researchers. For example, Garimella and Chauchard [29] developed a data donation tool for closed WhatsApp groups while safeguarding the privacy of both donors and their contacts. In contrast, for Indigenous languages with limited digital presence, building respectful and equitable community relationships is essential, prioritizing local agency in community participation. While doing so, it is important to follow the best practices for supporting community labor when annotating harmful content by disclosing the task, offering opt-out options, providing well-being support, and monetary compensation [65]. For example, Karya—a nonprofit data company based in India—empowers disadvantaged communities through data annotation work and pays them nearly 20 times more than the local minimum wage [60]. Similarly, civil society groups should urge tech companies to recruit diverse moderators for various local dialects, balance moderator's workload when handling traumatizing content, and ensure fare wages [24].

Beyond English-Centric and Resource-Intensive Solutions. Our findings show that current NLP tools and language models are inherently English-centric, leading to errors in moderating complex, low-resource languages. To address this, our participants recommended approaches that incorporate linguistic knowledge, such as using morphological segmenters instead of frequency-based tokenizers [1, 88], rule-based translations over stochastic machine translations [76], and vector embeddings of local hateful phrases for detecting code-mixed hate speech [20]. Some participants also discouraged using multilingual models for moderation given these models fail to infer correct linguistic knowledge for different language families. However, given the arms race among tech companies to develop language-agnostic large multilingual models [32], it is unlikely that they will shift their focus to such linguistically informed solutions without any regulatory pressures. Meanwhile, limited access to GPUs and computing power in the Global South limit researchers' capacity in training and experimenting with *"language-specific"* (monolingual) models and *"language-aware"* approaches that do not necessarily rely on vast datasets or huge computing power. Although some tech companies provide free computing resources, such as Google's Colab and TPU Research Cloud programs, they remain inadequate for researcher's purposes. Expanding access to these resources is critical to better support researchers in the Global South and enable the development of more equitable and inclusive NLP systems.

Policy and Practice. For the tools developed by local experts to have meaningful impact, they must be deployed to moderate non-English content. Past collaborations, such as Cohere's partnership with HausaNLP to integrate African language datasets into its multilingual Aya model [65], demonstrate the potential of such efforts. Similarly, the scales created by local researchers to evaluate model's performance for detecting code-mixed hate speech [18]– should be integrated into tech companies' evaluation frameworks to improve their systems. Governments and civil society must make regulatory policies for tech companies to prioritize local representation, data ownership, and self-determination in regional trust and safety initiatives. Moreover, they should push for the inclusion of model performance metrics for low-resource languages in transparency reports, evaluated against locally defined benchmarks. Such steps would not only expose the limitations of current models but also incentivize progress toward better moderation of harmful content in underrepresented languages.

6 Conclusion

Content moderation is difficult but even more so for low-resource languages due to systemic issues and colonial legacies impacting data access, quality annotation, and the development of appropriate technologies for these languages. As a result, the techno-solutionist approaches championed by Silicon Valley fail to address the multifaceted complexities of detecting online harms in low-resource languages. To break this vicious cycle of systemic issues, we need a bottom-up approach that invests in digital public infrastructure and prioritizes online safety over corporate profit.

References

- Ahmed Abdelali, Sabit Hassan, Hamdy Mubarak, Kareem Darwish, and Younes Samih. 2021. Pre-training bert on arabic tweets: Practical considerations.
- [2] Sana Ahmad and Martin Krzywdzinski. 2022. Moderating in obscurity: How Indian content moderators work in global content moderation value chains. The MIT Press, Cambridge, MA, Chapter 5, 77–95.
- [3] Benedict Anderson. 2020. Imagined communities: Reflections on the origin and spread of nationalism. In *The new social theory reader*. Routledge, United Kingdom, 282–288.
- [4] Catherine Arnett and Benjamin K Bergen. 2024. Why do language models perform worse for morphologically complex languages?
- [5] Joe Arney. 2024. Data dump: Meta killed CrowdTangle. What does it mean for researchers, reporters? Retrieved January 11, 2025 from https://www.colorado.edu/cmci/news/2024/08/23/research-info-crowdtangle-disinformation-keegan

Think Outside the Data

- [6] World Bank. 2014. Discriminated against for speaking their own language. Retrieved December 26, 2024 from https://www.worldbank.org/en/ news/feature/2014/04/16/discriminados-por-hablar-su-idioma-natal-peru-quechua
- [7] Rebecca Bellan. 2024. Meta axed CrowdTangle, a tool for tracking disinformation. Critics claim its replacement has just '1% of the features'. Retrieved December 28, 2024 from https://techcrunch.com/2024/08/15/meta-shut-down-crowdtangle-a-tool-for-tracking-disinformation-heres-how-its-replacement-compares/
- [8] Emily M. Bender. 2009. Linguistically Naïve != Language Independent: Why NLP Needs Linguistic Typology. In Proceedings of the EACL 2009 Workshop on the Interaction between Linguistics and Computational Linguistics: Virtuous, Vicious or Vacuous? Association for Computational Linguistics, Athens, Greece, 26–32.
- [9] Gargi Bhattacharyya. 2018. Rethinking racial capitalism: Questions of reproduction and survival. Rowman & Littlefield, Maryland, USA.
- [10] Sam Biddle. 2022. Facebook's Tamil Censorship Highlights Risks to Everyone. Retrieved December 26, 2024 from https://theintercept.com/2022/01/ 19/facebook-tamil-censorship-sri-lanka/
- Steven Bird. 2020. Decolonising speech and language technology. In 28th International Conference on Computational Linguistics, COLING 2020. Association for Computational Linguistics (ACL), online, 3504–3519.
- [12] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. Qualitative research in psychology 3, 2 (2006), 77.
- [13] Business and Human Rights Resource Center. 2024. Dismantling the facade: A global south perspective on the state of engagement with tech companies. Retrieved January 18, 2025 from https://www.business-humanrights.org/my/from-us/briefings/dismantling-the-facade-a-globalsouth-perspective-on-the-state-of-engagement-with-tech-companies/dismantling-the-facade-a-global-south-perspective-on-the-state-ofengagement-with-tech-companies/
- [14] Christos Christodouloupoulos and Mark Steedman. 2015. A massively parallel corpus: the bible in 100 languages. Language resources and evaluation 49 (2015), 375–395.
- [15] Danielle Coleman. 2018. Digital colonialism: The 21st century scramble for Africa through the extraction and control of user data and the limitations of data protection laws. *Michigan Journal of Race and Law* 24 (2018), 417–439.
- [16] Nick Couldry and Ulises A Mejias. 2019. Data colonialism: Rethinking big data's relation to the contemporary subject. Television & New Media 20, 4 (2019), 336–349.
- [17] Dipto Das, Shion Guha, Jed R. Brubaker, and Bryan Semaan. 2024. The "Colonial Impulse" of Natural Language Processing: An Audit of Bengali Sentiment Analysis Tools and Their Identity-based Biases. In Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems. Association for Computing Machinery, New York, USA, Article 769, 18 pages.
- [18] Mithun Das, Punyajoy Saha, Binny Mathew, and Animesh Mukherjee. 2022. Hatecheckhin: Evaluating hindi hate speech detection models.
- [19] Giovanni De Gregorio and Nicole Stremlau. 2023. Inequalities and content moderation. Global Policy 14, 5 (2023), 870-879.
- [20] V. Sharmila Devi, S. Kannimuthu, and Anand Kumar Madasamy. 2024. The Effect of Phrase Vector Embedding in Explainable Hierarchical Attention-Based Tamil Code-Mixed Hate Speech and Intent Detection. IEEE Access 12, 0 (2024), 11316–11329.
- [21] Tom Divon and Jonathan Corpus Ong. 2025. Tech Bro Power Play: Zuckerberg vs. Global Tech Justice. Retrieved January 18, 2025 from https://www.techpolicy.press/tech-bro-power-play-zuckerberg-vs-global-tech-justice/
- [22] Paul Dourish and Scott D Mainwaring. 2012. Ubicomp's colonial impulse. In Proceedings of the 2012 ACM conference on ubiquitous computing. ACM, New York, USA, 133–142.
- [23] Jeanne Whalen Elizabeth Dwoskin and Regine Cabato. 2019. Content moderators at YouTube, Facebook and Twitter see the worst of the web – and suffer silently. Retrieved January 12, 2025 from https://www.washingtonpost.com/technology/2019/07/25/social-media-companies-areoutsourcing-their-dirty-work-philippines-generation-workers-is-paying-price/
- [24] Mona Elswah. 2024. Moderating Kiswahili Content on Social Media. Retrieved December 25, 2024 from https://cdt.org/insights/moderatingkiswahili-content-on-social-media/
- [25] Mona Elswah. 2024. Moderating Maghrebi Arabic Content on Social Media. Retrieved December 26, 2024 from https://cdt.org/insights/moderatingmaghrebi-arabic-content-on-social-media/
- [26] Frantz Fanon. 2023. Black skin, white masks. In Social theory re-wired. Routledge, United Kingdom, 355-361.
- [27] Joshua A Fishman. 1989. Language and ethnicity in minority sociolinguistic perspective. Multilingual Matters, United Kingdom.
- [28] Simson L. Garfinkel and Claire McKay Bowen. 2022. Preserving Privacy While Sharing Data. Retrieved January 18, 2025 from https://sloanreview. mit.edu/article/preserving-privacy-while-sharing-data/
- [29] Kiran Garimella and Simon Chauchard. 2024. WhatsApp Explorer: A Data Donation Tool To Facilitate Research on WhatsApp.
- [30] Robert Gorwa. 2019. What is platform governance? *Information, communication & society* 22, 6 (2019), 854–871.
- [31] Antonio Gramsci. 2020. Selections from the prison notebooks. The applied theatre reader (2020), 141-142.
- [32] Saurabh Gupta. 2024. The AI arms race: Which LLMs are winning the enterprise battlefield? Retrieved January 19, 2025 from https://www. hfsresearch.com/research/ai-arms-race-llms-enterprise-battlefield/
- [33] Melissa Heikkiläarchive and Stephanie Arnett. 2024. This is where the data to build AI comes from. Retrieved January 14, 2025 from https: //www.technologyreview.com/2024/12/18/1108796/this-is-where-the-data-to-build-ai-comes-from/
- [34] William Held, Camille Harris, Michael Best, and Diyi Yang. 2023. A material lens on coloniality in nlp.
- [35] Monica Heller and Bonnie McElhinny. 2017. Language, capitalism, colonialism: Toward a critical history. University of Toronto Press, Canada.

Farhana Shahid, Mona Elswah, and Aditya Vashistha

- [36] IDRC. 2024. Artificial Intelligence for Development. Retrieved January 19, 2025 from https://idrc-crdi.ca/en/initiative/artificial-intelligencedevelopment
- [37] Jesus Jiménez. 2024. Worried About Meta Using Your Instagram to Train Its A.I.? Here's What to Know. Retrieved January 6, 2025 from https://www.nytimes.com/article/meta-ai-scraping-policy.html
- [38] Achille Joseph Mbembe. 2016. Decolonizing the university: New directions. Arts and humanities in higher education 15, 1 (2016), 29-45.
- [39] Chuck Kapelke. 2020. Using differential privacy to harness big data and preserve privacy. Retrieved January 18, 2025 from https://www.brookings. edu/articles/using-differential-privacy-to-harness-big-data-and-preserve-privacy/
- [40] Whose Knowledge?, Oxford Internet Institute, and The Centre for Internet & Society (India). 2022. State of the Internet's Languages.
- [41] Vikram Kolli. 2024. Linguistic Colonialism: Moroccan Education and its Dark Past. Retrieved January 11, 2025 from https://hir.harvard.edu/linguisticcolonialism-moroccan-education-and-its-dark-past/
- [42] Julia Kreutzer, Isaac Caswell, Lisa Wang, Ahsan Wahab, Daan van Esch, Nasanbayar Ulzii-Orshikh, Allahsera Tapo, Nishant Subramani, Artem Sokolov, Claytone Sikasote, et al. 2022. Quality at a glance: An audit of web-crawled multilingual datasets. Transactions of the Association for Computational Linguistics 10 (2022), 50–72.
- [43] Michael Kwet. 2019. Digital colonialism: US empire and the new imperialism in the Global South. Race & Class 60, 4 (2019), 3-26.
- [44] Andrew Legon and Ahmed Alsalman. 2020. How Facebook can Flatten the Curve of the Coronavirus Infodemic. Technical Report. Avaaz.
- [45] Satyajeet Malik. 2022. Global labor chains of the western AI. Retrieved January 12, 2025 from https://netzpolitik.org/2022/series-on-digitalcolonialism-global-labor-chains-of-the-western-ai/
- [46] Ivan Mehta. 2023. X updates its terms to ban crawling and scraping. Retrieved December 28, 2024 from https://techcrunch.com/2023/09/08/xupdates-its-terms-to-ban-crawling-and-scraping/
- [47] Meta. 2022. Meta's Ongoing Efforts Regarding Russia's Invasion of Ukraine. Retrieved December 22, 2024 from https://about.fb.com/news/2022/02/ metas-ongoing-efforts-regarding-russias-invasion-of-ukraine/
- [48] Dan Milmo. 2021. Rohingya sue Facebook for £150bn over Myanmar genocide. Retrieved December 16, 2024 from https://www.theguardian.com/ technology/2021/dec/06/rohingya-sue-facebook-myanmar-genocide-us-uk-legal-action-social-media-violence
- [49] Shakir Mohamed, Marie-Therese Png, and William Isaac. 2020. Decolonial AI: Decolonial theory as sociotechnical foresight in artificial intelligence. Philosophy & Technology 33 (2020), 659–684.
- [50] Salikoko S Mufwene. 2004. The ecology of language evolution. Cambridge University Press, United Kingdom.
- [51] Gabriel Nicholas and Aliya Bhatia. 2023. Toward Better Automated Content Moderation in Low-Resource Languages. Journal of Online Trust and Safety 2, 1 (2023), 11 pages.
- [52] Gabriel Nicholas and Dhanaraj Thakur. 2022. Learning to Share: Lessons on Data-Sharing from Beyond Social Media. Retrieved January 18, 2025 from https://cdt.org/insights/learning-to-share-lessons-on-data-sharing-from-beyond-social-media/
- [53] Hellina Hailu Nigatu, Atnafu Lambebo Tonja, Benjamin Rosman, Thamar Solorio, and Monojit Choudhury. 2024. The Zeno's Paradox of Low-Resource' Languages.
- [54] Otosirieze Obi-Young. 2018. Bantu's Swahili, or How to Steal a Language from Africa | Kamau Muiga. Retrieved January 11, 2025 from https://brittlepaper.com/2018/08/bantus-swahili-or-how-to-steal-a-language-from-africa-kamau-muiga/
- [55] MIT Sloan Office of Communications. 2023. Why do people around the world share fake news? New research finds commonalities in global behavior. Retrieved January 12, 2025 from https://mitsloan.mit.edu/press/why-do-people-around-world-share-fake-news-new-research-findscommonalities-global-behavior
- [56] Tolúlópè Ôgúnremán, Wilhelmina Onyothi Nekoto, and Saron Samuel. 2023. Decolonizing nlp for "low-resource languages": Applying abebe birhane's relational ethics.
- [57] Gail Omvedt. 1973. Towards a theory of colonialism. Insurgent Sociologist 3, 3 (1973), 1-24.
- [58] OpenAI. 2024. OpenAI and Reddit Partnership. Retrieved January 6, 2025 from https://openai.com/index/openai-and-reddit-partnership/
- [59] Sarah Perez. 2024. Reddit locks down its public data in new content policy, says use now requires a contract. Retrieved December 28, 2024 from https://techcrunch.com/2024/05/09/reddit-locks-down-its-public-data-in-new-content-policy-says-use-now-requires-a-contract/
- [60] Billy Perrigo. 2023. The Workers Behind AI Rarely See Its Rewards. This Indian Startup Wants to Fix That. Retrieved January 19, 2025 from https://time.com/6297403/the-workers-behind-ai-rarely-see-its-rewards-this-indian-startup-wants-to-fix-that/
- [61] Nik Popli. 2021. The 5 Most Important Revelations From the 'Facebook Papers'. Retrieved December 16, 2024 from https://time.com/6110234/facebook-papers-testimony-explained/
- [62] Anibal Quijano. 2000. Coloniality of power and Eurocentrism in Latin America. International sociology 15, 2 (2000), 215-232.
- [63] Aníbal Quijano. 2007. Coloniality and modernity/rationality. Cultural studies 21, 2-3 (2007), 168-178.
- [64] Aníbal Quijano. 2007. Questioning "race". Socialism and democracy 21, 1 (2007), 45-53.
- [65] Evani Radiya-Dixit and Miranda Bogen. 2024. Beyond English-Centric AI Lessons on Community Participation from Non-English NLP Groups. Retrieved January 19, 2025 from https://cdt.org/wp-content/uploads/2024/10/2024-10-18-AI-Gov-Lab-Beyond-English-Centric-AI-brief-final.pdf
- [66] Jacqueline Rowe. 2022. Marginalised languages and the content moderation challenge. Retrieved December 16, 2024 from https://www.gpdigital.org/marginalised-languages-and-the-content-moderation-challenge/
- [67] Edward W Said. 2000. Out of Place-A Memoir. Vintage Books, United Kingdom.

Think Outside the Data

- [68] Nithya Sambasivan, Shivani Kapania, Hannah Highfill, Diana Akrong, Praveen Paritosh, and Lora M Aroyo. 2021. "Everyone wants to do the model work, not the data work": Data Cascades in High-Stakes AI. In Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems. ACM, New York, USA, Article 39, 15 pages.
- [69] Elyse Samuels. 2020. How misinformation on WhatsApp led to a mob killing in India. Retrieved December 16, 2024 from https://www.washingtonpost. com/politics/2020/02/21/how-misinformation-whatsapp-led-deathly-mob-lynching-india/
- [70] Maarten Sap, Dallas Card, Saadia Gabriel, Yejin Choi, and Noah A. Smith. 2019. The Risk of Racial Bias in Hate Speech Detection. In Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics. Association for Computational Linguistics, Florence, Italy, 1668–1678.
- [71] Mike Scarcella. 2024. Elon Musk's X wins appeal to block part of California content moderation law. Retrieved January 18, 2025 from https://www.reuters.com/legal/elon-musks-x-wins-appeal-block-part-california-content-moderation-law-2024-09-04/
- [72] Caroline M Schöpf. 2020. The Coloniality of Global Knowledge Production: Theorizing the Mechanisms of Academic Dependency. Social Transformations: Journal of the Global South 8, 2 (2020), 5–46.
- [73] Lane Schwartz. 2022. Primum Non Nocere: Before working with Indigenous data, the ACL must confront ongoing colonialism. In Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers). Association for Computational Linguistics, Dublin, Ireland, 724–731.
- [74] Farhana Shahid and Aditya Vashistha. 2023. Decolonizing Content Moderation: Does Uniform Global Community Standard Resemble Utopian Equality or Western Power Hegemony?. In Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems. ACM, New York, USA, Article 391, 18 pages.
- [75] Eugenia Siapera. 2022. AI Content Moderation, Racism and (de) Coloniality. International Journal of Bullying Prevention 4, 1 (2022), 55-65.
- [76] S Sreelekha, Pushpak Bhattacharyya, and D Malathi. 2018. Statistical vs. rule-based machine translation: A comparative study on indian languages. In International Conference on Intelligent Computing and Applications: ICICA 2016. Springer, Australia, 663–675.
- [77] Chris Stokel-Walker. 2024. Under Elon Musk, X is denying API access to academics who study misinformation. Retrieved December 28, 2024 from https://www.fastcompany.com/91040397/under-elon-musk-x-is-denying-api-access-to-academics-who-study-misinformation
- [78] Ngũgi wa Thiong'o. 1986. Decolonising the Mind: The Politics of Language in African Literature. EAEP, East Africa.
- [79] TikTok. 2024. Supporting independent research. Retrieved January 8, 2025 from https://www.tiktok.com/transparency/en-us/research-api
- [80] Trust and Safety Professional Association. 2023. What Is Content Moderation? Retrieved January 21, 2025 from https://www.tspa.org/curriculum/tsfundamentals/content-moderation-and-operations/what-is-content-moderation/
- [81] Sahana Udupa, Antonis Maronikolakis, and Axel Wisiorek. 2023. Ethical scaling for content moderation: Extreme speech and the (in) significance of artificial intelligence. Big Data & Society 10, 1 (2023), 1–15.
- [82] Daan van Esch, Elnaz Sarbar, Tamar Lucassen, Jeremy O'Brien, Theresa Breiner, Manasa Prasad, Evan Crew, Chieu Nguyen, and Françoise Beaufays. 2019. Writing across the world's languages: Deep internationalization for Gboard, the Google keyboard.
- [83] Helen Verran and Michael Christie. 2007. Using/designing digital technologies of representation in Aboriginal Australian knowledge practices. Human Technology 3, 2 (2007), 214–227.
- [84] Global Witness. 2022. Facebook unable to detect hate speech weeks away from tight Kenyan election. Retrieved December 26, 2024 from https://www.globalwitness.org/en/campaigns/digital-threats/hate-speech-kenyan-election/
- [85] Julia Carrie Wong and Jeff Ernst. 2021. Facebook knew of Honduran president's manipulation campaign and let it continue for 11 months. Retrieved December 22, 2024 from https://www.theguardian.com/technology/2021/apr/13/facebook-honduras-juan-orlando-hernandez-fake-engagement
- [86] Julia Carrie Wong and Luke Harding. 2021. 'Facebook isn't interested in countries like ours': Azerbaijan troll network returns months after ban. Retrieved December 22, 2024 from https://www.theguardian.com/technology/2021/apr/13/facebook-azerbaijan-ilham-aliyev
- [87] Kalkidan Yibeltal and Wycliffe Muia. 2023. Facebook's algorithms 'supercharged' hate speech in Ethiopia's Tigray conflict. Retrieved December 16, 2024 from https://www.bbc.com/news/world-africa-67275219
- [88] Rodolfo Zevallos and Nuria Bel. 2023. Hints on the data for language modeling of synthetic languages with transformers. In Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers). Association for Computational Linguistics, Toronto, Canada, 12508–12522.

Received 20 February 2007; revised 12 March 2009; accepted 5 June 2009