

## Managing target of opportunity (ToO) observations at Observatorio Astrofísico de Javalambre (OAJ)

Tamara Civera<sup>1</sup>

<sup>1</sup>*Centro de Estudios de Física del Cosmos de Aragón (CEFCA), Teruel, Aragón, Spain; tcivera@cefca.es*

**Abstract.** The Observatorio Astrofísico de Javalambre (OAJ) is a Spanish astronomical ICTS (Unique Scientific and Technical Infrastructures) located in the Sierra de Javalambre in Teruel (Spain). It has been particularly conceived for carrying out large-sky multi-filter surveys. As an ICTS, the OAJ offers Open Time to the astronomical community, offering more than 25% through Legacy Surveys, Regular Programs (RP) and Director discretionary time (DDT). Regarding the RP, a new call for proposals is made public each semester accepting only proposals under the modality of Target of Opportunity (ToO).

This contribution summarizes how ToOs are managed at OAJ presenting the different applications designed and implemented at the observatory to deal with them: the Proposal Preparation portal (to request observing time), the Phase2 Observing tool and the submitphase2 web service (to trigger the ToOs), the TAC Tracking portal (for telescope operators to support the observations) and the TACData portal (to publish and offer the images and their data products).

### 1. Introduction

The Observatorio Astrofísico de Javalambre (OAJ<sup>1</sup>) is a Spanish astronomical ICTS facility (Unique Scientific and Technical Infrastructures) located in the Sierra de Javalambre in Teruel (Spain). It has been particularly conceived for carrying out large-sky multi-filter surveys and consists of two main telescopes of large field of view (FoV): JST250, a 2.5m with 3.4 square degrees FoV and JAST80 with 2 square degrees FoV. The Unit for Data Processing and Archiving (UPAD), as the needed data center to deal with the images from both telescopes, is also considered an essential infrastructure of the ICTS.

As an ICTS, the OAJ is committed to offer at least 20% of the observing time. It actually offers more than 25% of Open Time to the astronomical community through Legacy Surveys, Regular Programs (RP) and Director discretionary time (DDT). Regarding the RP, a new call for proposals is made public each semester accepting only proposals under the modality of Target of Opportunity (ToO). These projects are defined as proposals for which the target and/or observation epoch is not known at proposal submission. Moreover, depending on the scientific requirements and merit they could require a fast response after a trigger and they could be granted with “override”

---

<sup>1</sup><https://oajweb.cefca.es/>

status (i.e. can interrupt the execution of another observation in the queue). Another aspect is that they may need a quick access to the data products and, in those cases, these are provided in a matter of minutes after the observations are made.

## 2. Requesting observing time: Proposal Preparation portal

Two calls for RP proposals are open each year: from 1st August to 15th September for semester A and from 1st February to 15th March for semester B. A web portal, the Proposal Preparation portal <sup>2</sup> (figure 1) has been implemented to allow users to create proposals to apply for ToO time. This portal has functionalities like letting to edit the proposals until the deadline or automatically calculating the total requested time. This total requested time includes overheads and is based on different parameters like the time per exposure, the number of exposures and the number of triggers defined in the proposal.

When the call finished, the OAJ Time Allocation Committee (OAJ-TAC), a panel currently constituted by 7 members, evaluates the semester proposals. The Proposal Preparation portal also provides tools for the OAJ-TAC to visualize, evaluate the proposals and communicate the decision (which can be approved, partially approved or rejected) to the research team of the ToO proposal.

The screenshot shows the 'Create application' page of the Proposal Preparation portal. The page has a header with the OAJ logo and navigation tabs for 'News', 'Observatory', 'Telescopes & Instrumentation', 'Observing Time', 'Publications', 'Meteo / Webcam', and 'OAJ Visits'. The main content area is titled 'CREATE APPLICATION' and 'Create application'. It includes a dropdown for 'Offer \*' set to '2024B (RP)'. Below this are two expandable sections: '1) General information' and '2) Observations'. The 'Observations' section is expanded, showing an 'Observation @' card with a close button. Inside the card, there is a dropdown for 'Observation mode \*' set to 'Target Opportunity', a text input for 'ToO name \*' with the value 'ToO example', and a number input for 'Number of triggers \*' with the value '3'. Below the card, there is a table for defining filters:

Filter	Time per exposure (s)	Number exposure	Total time (min)	Comments
gSDSS	10	20	10	Add any comment

Figure 1. Proposal Preparation portal: user interface to create a proposal

## 3. Triggering the ToO: Phase2 Observing tool and submitphase2 web service

Once the proposal has been approved and the semester starts, users can trigger a ToO observation using the Phase2 Observing tool desktop application or the submit web service. Both tools allow the user to define and submit the coordinates of the target and the

<sup>2</sup><https://oajweb.cefca.es/>

associated Observing Block (OB) properties like the number of nights it is observable. The Phase 2 Observing tool offers a user-friendly interface while the submitphase2 web service is intended to trigger them in an automated way using JSON format to describe them.

ToOs can be triggered by any authorized member of the research team of the ToO proposal until the number of total triggers and the total allowed time have not been reached. If required, a project global user may be provided to automatically trigger the ToOs via the submitphase2 web service.

#### 4. Receiving the ToOs at OAJ: TAC Tracking portal

When a ToO is triggered, it is immediately sent to OAJ and automatically loaded in the TAC Tracking portal (figure 2). This web portal has been implemented to help the telescope operators on the efficient planning of the observations at any given time along the night; it also permits checking the status of the observations of the different projects; and actually command the selected OBs to the JAST80 telescope through the creation of CSV files following a specific format (Yanes-Díaz et al. (2018)). The different observations status operators can manage are: 'not observed' (the pointing must be observed), 'CSV generated' (the command file for the telescope has been generated and sent to the telescope), 'observed to be validated' (the pointing has been observed, but images must be still checked) and 'observed' (the pointing has been observed and images checked and validated).

Moreover, depending on the scientific requirements a fast response could be needed after a trigger that, depending on its merit, it could be granted with the "override" status over other existing proposals. In all cases, the trigger is announced through an alert system.


OB ID	OB NAME	OBJECT	PRIORITY	RA	DEC	MODE	EXEC. TIME	NUM. EXP.	MOON (DEG)	STATUS	CHART	SCL	CSV	ACTIONS
15621	Candidate1_1	ToO candidate1	1	120.76028	35.49984	ToO	10.35 min	9	76.9	NOT OBSERVED				
15622	Candidate1_3	ToO candidate2	1	120.52963	35.47950	ToO	10.35 min	9	76.1	NOT OBSERVED				
15623	Candidate1_2	New Asteroid	1	120.52966	35.47950	ToO	10.35 min	9	77.7	OBSERVED				
15624	Candidate2	New Asteroid	1	120.52966	35.47950	ToO	10.35 min	9	36.0	OBSERVED				

Figure 2. TAC Tracking portal: user interface used by telescope operators to support ToO observations

#### 5. Data publication: TACData portal

When the ToO is observed and validated, its images are stored, processed and calibrated in a standard way with the most-recent OAJ pipelines in the Unit for Data Processing and Archiving (UPAD) (Cenarro et al. (2019)). Raw scientific data, calibration frames

and the scientific data reduced and calibrated which includes images and data products (catalogs,...) are offered through the TACData portal <sup>3</sup> (figure 3). This portal has been implemented to allow the research team of the ToO proposal to perform searches and to download the data and files. To make file downloading easier, the portal also includes functionality to create scripts to download a set of files using command line tools. Moreover, an email is sent to them when new project data is offered through the portal. The ToO research team may need a quick access to the data products and, in those cases, these are provided in a matter of minutes after the observations are made.



The screenshot shows the TACData portal interface. At the top, there are navigation tabs: 'Raw Images', 'Master Frames', 'Reduced Images', and 'Phot. Cal. Frames'. Below the tabs, there is a 'Last publication date: 2019/06/27 19:00:05' and a search bar. A table displays a list of data entries with the following columns: Name, Object, Status, QF, RA, DEC, Filter, FWHM (arcsec), Image, Catalogue, and Products. The table contains five rows of data, each representing a different observation project. At the bottom of the table, it says 'Showing 1 to 18 of 18 entries' and has 'Previous' and 'Next' buttons.

Name	Object	Status	QF	RA	DEC	Filter	FWHM (arcsec)	Image	Catalogue	Products
j02-20190530T203040-01_proc	GRB190530A	Final	-	120.74028	35.46984	gSDSS	1.666	↓ □	↓ □	↓ □
j02-20190601T203815-01_proc	GRB190530A	Final	-	120.52963	35.47950	rSDSS	2.726	↓ □	↓ □	↓ □
j02-20190601T204342-01_proc	GRB190530A	Final	-	120.52966	35.47950	rSDSS	2.848	↓ □	↓ □	↓ □
j02-20190601T204909-01_proc	GRB190530A	Final	-	120.52966	35.47950	rSDSS	2.607	↓ □	↓ □	↓ □
j02-20190601T205435-01_proc	GRB190530A	Final	-	120.52966	35.47951	rSDSS	2.566	↓ □	↓ □	↓ □

Figure 3. TACData portal: user interface to search and download scientific data reduced

## 6. Conclusions

The way ToOs are managed at OAJ has been summarized here by describing the different applications designed and implemented at the observatory to deal with them. In particular, the Proposal Preparation portal (to request observing time), the Phase2 Observing tool and the submitphase2 web service (to trigger the ToOs), the TAC Tracking portal (for telescope operators to support the observations) and the TACData portal (to publish and offer the images and their data products) have been presented.

**Acknowledgments.** Funding for CEFCA has been provided by the Governments of Spain and Aragón through the Fondo de Inversiones de Teruel; the Aragón Government through the Research Groups E16\_20R; the Spanish Ministry of Science, Innovation and Universities (MCIN/AEI/10.13039/501100011033 and FEDER, *Una manera de hacer Europa*) with grants PID2021-124918NB-C41, PID2021-124918NB-C41, PID2021-124918NB-C42, PID2021-124918NA-C43 and PID2021-124918NB-C44.

## References

- Cenarro, A. J., et al. 2019, A&A, 622, A176. 1804.02667, URL <https://doi.org/10.1051/0004-6361/201833036>
- Yanes-Díaz, A., et al. 2018, in SPIE, vol. 10704 of SPIE Conf. Ser., 1070421. URL <https://doi.org/10.1117/12.2313208>

<sup>3</sup><https://tacdata.cefca.es/>