# Translation in the Hands of Many: Centering Lay Users in Machine Translation Interactions

Beatrice Savoldi, Alan Ramponi, Matteo Negri, Luisa Bentivogli

Fondazione Bruno Kessler, Italy

{bsavoldi,alramponi,negri,bentivo}@fbk.eu

### Abstract

Converging societal and technical factors have transformed language technologies into userfacing applications employed across languages. Machine Translation (MT) has become a global tool, with cross-lingual services now also supported by dialogue systems powered by multilingual Large Language Models (LLMs). This accessibility has expanded MT's reach to a vast base of lay users, often with little to no expertise in the languages or the technology itself. Despite this, the understanding of MT consumed by this diverse group of users-their needs, experiences, and interactions with these systems-remains limited. This paper traces the shift in MT user profiles, focusing on nonexpert users and how their engagement with these systems may change with LLMs. We identify three key factors-usability, trust, and literacy-that shape these interactions and must be addressed to align MT with user needs. By exploring these dimensions, we offer insights to guide future MT with a user-centered approach.

#### 1 Introduction

The success of technology hinges on its ability to serve users, and Natural Language Processing (NLP) confronts this challenge as it transitions from an academic pursuit to a set of impactful tools. Among them, MT stands out as a cornerstone application, with current breadth and quality that fostered wider adoption (Wang et al., 2022). Multilingual demands (Moorkens and Arenas, 2024), paired with the accessibility of online systems, has put MT at the forefront of user-facing language technologies. Once confined to professional settings, MT is now used by millions (Pitman, 2021), bringing into its fold an array of lay users in contexts ranging from casual interactions (Gao et al., 2015) to critical domains such as healthcare and employment (Patil and Davies, 2014; Dew et al., 2018; Liebling et al., 2022; Valdez et al., 2023).



Figure 1: Trend of interest in *machine translation* **MT**, *language models* **LM**, *users* **U**, and combinations thereof in the ACL community over the last 10 years.<sup>1</sup>

Despite MT's broad reach and potential for social impact in sensitive scenarios (Vieira et al., 2021), still little is known about its evolving relationship with the general public, how non-expert users interact with it, or how it caters to their needs. MT research has mainly focused on modeling advancements and—although translation studies have called for greater attention to end-user perspectives (Guerberof-Arenas and Moorkens, 2023)— MT works that actively involve lay people and their experiences are still rare (Mehandru et al., 2023; Briakou et al., 2023; Zhang et al., 2022).

In the wake of broader calls to bridge MT (Liebling et al., 2021) and language technologies with user-centered research (Heuer and Buschek, 2021; Kotnis et al., 2022), we posit that it is time to fill this gap and focus on how to support interactions between systems and lay people. Arguably, the rise of powerful, instruction-following LLMs (Touvron et al., 2023; Achiam et al., 2023; Gemini et al., 2024; Üstün et al., 2024, inter alia) engaging non-experts via chat interfaces has heightened user concerns (see Figure 1, LM + U on the *right*) and underscores the urgency to align with realworld interactions (Haque et al., 2022; Liao and Vaughan, 2023; Szymanski et al., 2024). As MT moves towards LLM-based solutions (see Figure 1, MT + LM vs MT on the *left*), these have the potential to redefine how people engage with multilin-

<sup>&</sup>lt;sup>1</sup>Details on the ACL anthology queries are in Appendix A.

gual systems, challenging traditional task divisions with new paradigms for cross-lingual communication (Ouyang et al., 2023; Lyu et al., 2024).

To set the stage for this shift towards lay users' perspective, we examine the evolution of MT from professional settings to its wide general adoption (§2). We then identify three key factors—usability, trust, and literacy—to ground user interactions with automatic translation tools (§3). Through this lens, we provide directions and recommendations to guide MT research in tandem with users (§4).

### 2 MT Evolution: From Users to Uses

Traditionally, real-world applications of MT have regarded so-called "mixed MT" workflows (Wagner, 1983), where human intervention is required to revise-i.e. post-edit (Li, 2023)-MT and ensure a reliable final translation. With MT primarily consumed by *professionals*, this context shaped its evolution (Church and Hovy, 1993), influencing development (Green et al., 2014; Bentivogli et al., 2015; Daems and Macken, 2019), interfaces (Vieira and Specia, 2011; Vela et al., 2019), and evaluation (Popović and Ney, 2011; Bentivogli et al., 2016). Such a trajectory was also paired with empirical experiments on when MT could support (Koponen, 2016; Moorkens and O'Brien, 2017) or interfere (Federico et al., 2014; Daems et al., 2017) with translators' activity. Comparatively, despite early instances of MT for personal use (McCarthy, 2004; Somers, 2005), its availability to the general public remained limited and thus less of a concern.

The advent of Transformer-based models with higher capabilities and expanded language coverage-along with the rise of the Web and personal devices—altered this landscape. MT has now reached wider adoption by the general public, who directly accesses raw MT output in many diverse scenarios, e.g. to gist content, for multilingual conversations (Pituxcoosuvarn et al., 2020; Pombal et al., 2024), in education (Yang et al., 2021; Yang, 2024), but also in high-stakes domains such as healthcare (Khoong et al., 2019), migration (Liebling et al., 2022), and emergency services (Turner et al., 2015).<sup>2</sup> This shift to unmediated MT has led to a vast, heterogeneous base of lay users and, with it, novel desiderata and concerns. For one, since lay users may have limited to no proficiency in at least one of the involved languages,<sup>3</sup> they are more vulnerable to errors. Mistranslations can lead to discomfort, misunderstandings, and even life-threatening errors (Taira et al., 2021) and arrests (The Guardian, 2017). Besides, non-experts can have requirements and expectations of which little is known, and that cannot be directly informed by existing research on professionals, as shown in the context of LLMs (Szymanski et al., 2024).

Indeed, general-purpose LLMs are calling for more considerations of users and real-world contexts of use, as demonstrated by surveys to understand how people interact with technologies, for which purposes and needs (Tao et al., 2024; Skjuve et al., 2024; Kim et al., 2024c; Stojanov et al., 2024; Bodonhelyi et al., 2024; Wang et al., 2024b; Hyun Baek and Kim, 2023, inter alia). Chat-based LLMs have drawn in millions of users,<sup>4</sup> with their impressive versatility and engaging interfaces that allow verbalizing requests, also for automatic translation (Ouyang et al., 2023). As the MT field explores such LLM-based solutions (Zhu et al., 2023; Lyu et al., 2024; Alves et al., 2024, inter alia) and integrates MT into more complex systems, these solutions have the potential to reshape cross-lingual services and user engagement.

While this transition unfolds, overdue research on the experiences of lay users in cross-lingual and MT settings is gaining urgency. Ease of access does not ensure effective or reliable interactions. As a first step to fill this gap, we examine three desirable factors that help us ground user-oriented MT for lay users: *i*) how to align technology to them (*usability* (ii)), *ii*) how to calibrate user–MT interactions (*trust* (trust)), and *iii*) how to empower users towards MT (*literacy*). Through this lens, we examine and take stock of the current landscape.

### **3** Three Factors for MT Lay Users

**Usability** MT assessments should be meaningful—i.e. reflecting values and criteria that are important and understandable for lay people—as well as reflective of how helpful or *usable*<sup>5</sup> technology is in meeting their goals. The field, however, tends towards performance-driven leaderboards (Rogers, 2019), which have been

<sup>&</sup>lt;sup>2</sup>e.g. with COVID to compensate for interpreters shortages (Khoong and Rodriguez, 2022; Anastasopoulos et al., 2020).

<sup>&</sup>lt;sup>3</sup>e.g. the *source* language in gisting and the *target* in communication contexts. See also Nurminen and Papula (2018).

<sup>&</sup>lt;sup>4</sup>According to OpenAI, in the summer of 2024 ChatGPT reached 200 millions weekly active users.

<sup>&</sup>lt;sup>5</sup>Usability regards how effectively, efficiently, and satisfactorily users achieve their goals in a given context ISO (2018).

criticized for pursuing abstract notions of *accuracy* and *quality* above the practical *utility* of a model or other relevant values (Ethayarajh and Jurafsky, 2020). These values are often contextual: Parthasarathi et al. (2021) discuss how *robustness* to misspellings might be detrimental if using MT for learning. Also, *faithfulness* is normally key to "MT quality", but in creative contexts like subtitling, *enjoyability* may take precedence over fidelity (Guerberof-Arenas and Toral, 2024).

Standard MT metrics offer coarse scores of generic performance to rank and compare models, but are opaque and only assume to inform how useful the model is when embedded within the system the user interacts with (Liebling et al., 2022). And yet, lay people are only involved as evaluators to provide model-centric insights, rather than to inform their experiences (Saldías Fuentes et al., 2022; Savoldi et al., 2024).<sup>6</sup> Furthermore, general-purpose LLMs now confront us with an "evaluation crisis" (Liao and Xiao, 2023), where existing methods and predefined benchmarks for modular tasks may be obsolete, failing to capture real-world downstream contexts. This raises the risk of widening the socio-technical gap, where evaluation practices lack validity and might diverge from human requirements in realistic settings.

**Trust** To prevent over-reliance on automatic translations, lay users must calibrate an appropriate level of (dis)trust. Indeed, they risk accepting potentially flawed translations at face value, and trust may be misplaced when an output appears believable but is inaccurate—an issue that is especially harmful in high-stakes contexts (Mehandru et al., 2023). Prior research on MT has shown that *fluency* and *dialogue flow* can falsely signal reliability (Martindale et al., 2021; Robertson and Díaz, 2022), and LLMs amplify this issue with their overly confident tone, even when incorrect (Xiong et al., 2024; Kim et al., 2024a). As general-purpose models increasingly replace domain-specific applications, providing mechanisms for trust calibration becomes even more urgent (Deng et al., 2022; Litschko et al., 2023). To harness the benefits of MT systems while avoiding over-reliance on flawed translations, lay users often resort to back-translation<sup>7</sup> as a strategy to improve confidence (Shigenobu, 2007; Zouhar et al., 2021; Mehandru et al., 2023). However, back-translation is often performed manually due to the lack of dedicated functionalities, and its soundness remains debated. Another critical factor in fostering appropriate trust is *transparency*—e.g. communicating uncertainty and providing explanations (Liao and Vaughan, 2023). While explainability work is growing (Ferrando et al., 2024), ensuring that explanations are informative and digestible to lay users rather than just developers is not trivial. Moreover, how to effectively integrate such uncertainty signals into the development of translation systems and their user interfaces is still an open question.

Literacy MT-mediation, as a form of humanmachine interaction (Green et al., 2015; O'Brien, 2012), should also regard how lay users themselves play a role in improving interactions and apply control strategies to overcome MT limitations. This requires critical agency rather than passive consumption. In this area, prior work (Miyabe and Yoshino, 2010a) has shown that preventing the display of potentially flawed translations causes discomfort to users, indicating that they prefer warnings and guidance over outright blocks. But warnings serve as an initial signal; then users should know how to proceed in recovering from MT errors (Shin et al., 2013). To address this, Bowker and Ciro (2019) introduce the concept of MT *literacy*, a digital skill to equip users with the knowledge to interact more effectively with MT.<sup>8</sup> This includes pre-editing input text to mitigate common failures (e.g. using short sentences). While literacy workshops proved beneficial to students (Bowker, 2020), reaching more vulnerable populations and underserved languages remains a challenge (Liebling et al., 2020). Focusing on target comprehension, Robertson et al. (2021) explore interfaces with dictionary access and assistive bots.<sup>9</sup> While LLMs encourage participation through chat and interactive queries (Qian and Kong, 2024), their reliability in this role remains uncertain, as LLM-powered systems may impact cognitive attention required for critical engagement (Zhai et al., 2024; Lee et al., 2025). Also, MT literacy must evolve to address new types of opportunities and failures introduced by LLMs, such as cascading errors across multiple requests.

<sup>&</sup>lt;sup>6</sup>This might be further aggravated with LLM evaluators, which have been suggested as a surrogate for human participants (Wang et al., 2024a; Agnew et al., 2024).

<sup>&</sup>lt;sup>7</sup>i.e., automatically translating a text to a target language and then back to the source language.

<sup>&</sup>lt;sup>8</sup>For online materials, see https://sites.google.com/ view/machinetranslationliteracy/.

<sup>&</sup>lt;sup>9</sup>See the Lara system, integrating the two-box interfaces with a bot: https://laratranslate.com/translate.

# **4** Future Directions and Conclusion

To conclude, we examine directions for future research in traditional or LLM-based MT that integrates lay user perspectives. We map such directions and corresponding recommendations to the three factors outlined in section §3.

**Consider Lay People As Users** ( $\{u, \checkmark, \P\}$ ) To gauge how/when users interact with MT as well as current blindspots we should consider their experiences rather than just involve them as manual evaluators. Inspired by monolingual work (Handa et al., 2025), analyzing user logs can help us observe real engagement and preferences. Surveys and *in vivo* research offer qualitative insights into users' perceptions (Zheng et al., 2019; Robertson and Díaz, 2022). To this aim, it is essential to avoid two main pitfalls: *i*) exploiting participants (see §6) and *ii*) treating them as a homogeneous group: factors like sociodemographics, education, and stress levels can greatly influence their expectations and interactions (Rooein et al., 2023; Ge et al., 2024).

**Design for Usability and Utility** (**b**) Achieving human-like translations should not be blindly viewed as the ultimate goal-automated text is a means to serve a broader purpose, not an end in itself (Caselli et al., 2021). Prior work has evaluated systems based on their success in guiding human decision-making (Zhao et al., 2024) or by assessing gender bias in MT via user-relevant measures, like time, effort, or economic costs (Savoldi et al., 2024). Research could focus on making measurements more actionable (Delobelle et al., 2024), e.g. to identify usability thresholds below which MT is no longer beneficial. Therefore, we should aim to correlate automated approaches with human-centered measurements to harness the benefits of both.<sup>10</sup> However, this is challenging due to the variability of utility values among users and usages. Multi-metric and multifaceted approaches like HELM (Bommasani et al., 2023) show promise in this area, but future work could further align MT evaluation and design with socio-requirements and prototypical use cases (Liao and Xiao, 2023).

**Enrich MT Outputs** ( $\checkmark$ ) In user-facing systems, it is crucial to not only focus on generated translations but also to develop methods for *estimating* and *conveying* uncertainty, ambiguities, and errors to ensure reliable usage (Xu et al., 2023; Zaranis

et al., 2024). For instance, Briakou et al. (2023) use contrastive explanations to help users understand cross-linguistic differences, but it is unclear how to disentangle when their approach captures critical errors or simple meaning nuances in the wild. Quality estimation can also warn users in real time about flawed translations, though numeric indicators are hard to interpret to lay users (Miyabe and Yoshino, 2010b). Indeed, a key area of future research is how to best communicate digestible information to lay users, e.g. via visualizations.<sup>11</sup> Textual explanations show promise in communicating uncertainty and avoiding over-reliance in LLMs, but the exact language used is relevant (Kim et al., 2024b), and we thus advocate for MT work in this area.

Foster Transparency (✓ ■) and Agency (■) Effective interactions require users to be more than passive recipients of MT. Besides real-time explanations, users should receive transparent information on the strenghts and limits of MT (e.g. varying service across languages). Thus, the field could adapt best practices for transparency like model cards (Mitchell et al., 2019) into simplified versions for the public, and contribute to literacy efforts on emergent technologies.<sup>12</sup> To foster agency, future work could explore how to address the found tradeoff between the preference of some users for riskier interactions versus more reliable ones, yet requiring their critical attention (Bucinca et al., 2021). Here, gamification (Chen, 2023) could be explored as a way to both enhance literacy and more enjoyable critical engagement. Experts in MT/NLP are best positioned to disseminate this knowledge by collaborating with other expertise.

Bridge Interdisciplinary Avenues ( $\mathbf{w}, \mathbf{v}, \mathbf{w}$ ) Incorporating user needs, values, desiderata, and human factors is still in its early stages in NLP. However, disciplines like HCI, experimental psychology, and social sciences have established practices to draw from (Liao and Xiao, 2023). These methodologies may take longer to implement, but they yield useful insights, e.g. on people cognition and trust, or to implement user studies. Besides, they offer methods that approximate realworld interactions cost-effectively, e.g. Wizard of Oz tests prior to developing a new method (Goyal et al., 2023), or simulating user actions based on

<sup>&</sup>lt;sup>10</sup>e.g. replicability and ecological validity, respectively.

<sup>&</sup>lt;sup>11</sup>e.g. by highlighting errors or reliable keywords.

<sup>&</sup>lt;sup>12</sup>e.g. see the ambitious Elements of AI program: https: //www.elementsofai.com/.

past user data (Zhang and Balog, 2020). These approaches can be highly useful, but—circling back this section—the fundamental first step remains engaging with end users to understand their needs and behaviors first.

# 5 Limitations

**Slower science.** Our proposed future directions advocate for user-centered analyses and studies that require more time and resources compared to automated evaluations and *in vitro* experiments, potentially slowing down the research cycle. However, we argue that user-driven insights are crucial and can only yield benefits to align MT with real-world needs and users.

**Factors.** Our analysis centers on three key criteria: *usability, trust, and literacy*. These are not exhaustive of all user-centered concerns, but they serve as a starting point for a research agenda that encompasses user-machine interaction from distinct perspectives: *usability* (model/system adaptation to users), *trust* (the real-time interaction between users and technology), and *literacy* (how users can play a role in engaging with and learning about MT).

**Text-to-Text MT.** We do not unpack the differences between text-to-text MT and other modalities, such as speech translation. While we acknowledge the relevance of these distinctions, we chose to focus on the broadest and most established MT technology. Expanding to other modalities is an important avenue for future work, but our scope was limited by space and focus.

ACL Anthology query Our trends assessment of prior work on MT, LLMs, and Users—reported in Figure 1—is based on papers published in the ACL Anthology (see Appendix A). While including other sources could have further enriched our trend overview, the Anthology remains the main historical reference point in NLP. Hence, it represents an optimal litmus test for assessing trajectories in the field. Still, throughout the paper, we engage with literature from diverse communities, primarily from *translation studies* and *human factors in computing*, to provide a broader interdisciplinary perspective.

# 6 Ethics Statement

In this work, we advocate for user-centered MT research by focusing on lay users. First, unlike

human-in-the-loop methods (Wang et al., 2021) which rely on human contributions to enhance model functionality—we prioritize approaches and directions that are intended to serve and benefit users.

Second, we do not conduct experiments with participants in this paper. Hence, we do not discuss ethical best practices for research in this area, though we deem them as indispensable e.g. obtaining proper ethical approval, securing informed consent, and ensuring non-intrusive engagement when working with human participants.

Finally, while we broadly discuss lay users, we do recognize that they actually encompass diverse groups and communities. Many remain underserved by language technologies, particularly speakers of "low-resource" languages, and might face well-known biases in NLP tools related to gender (Savoldi et al., 2021), dialect (Blodgett et al., 2020), or social class (Cercas Curry et al., 2024). Especially when engaging with more vulnerable communities and user groups, it is important to respect their lived experiences, avoid exploitative research practices, and ensure they are not treated as mere data sources but as valued participants and users—see e.g. Bird and Yibarbuk (2024); Ramponi (2024) and Birhane et al. (2022).

# References

- 2018. ISO 9241-11:2018 Ergonomics of humansystem interaction – Part 11: Usability: Definitions and concepts. Accessed: 2025-02-10.
- Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, and 1 others. 2023. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*.
- William Agnew, A Stevie Bergman, Jennifer Chien, Mark Díaz, Seliem El-Sayed, Jaylen Pittman, Shakir Mohamed, and Kevin R McKee. 2024. The illusion of artificial inclusion. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*, pages 1–12.
- Duarte M. Alves, José Pombal, Nuno M. Guerreiro, Pedro H. Martins, João Alves, Amin Farajian, Ben Peters, Ricardo Rei, Patrick Fernandes, Sweta Agrawal, Pierre Colombo, José G. C. de Souza, and André F. T. Martins. 2024. Tower: An open multilingual large language model for translation-related tasks. *Preprint*, arXiv:2402.17733.
- Antonios Anastasopoulos, Alessandro Cattelan, Zi-Yi Dou, Marcello Federico, Christian Federmann,

Dmitriy Genzel, Franscisco Guzmán, Junjie Hu, Macduff Hughes, Philipp Koehn, and 1 others. 2020. Tico-19: the translation initiative for covid-19. In *Proceedings of the 1st Workshop on NLP for COVID-19 (Part 2) at EMNLP 2020.* 

- Luisa Bentivogli, Nicola Bertoldi, Mauro Cettolo, Marcello Federico, Matteo Negri, and Marco Turchi. 2015. On the evaluation of adaptive machine translation for human post-editing. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 24(2):388–399.
- Luisa Bentivogli, Arianna Bisazza, Mauro Cettolo, and Marcello Federico. 2016. Neural versus phrasebased machine translation quality: a case study. In *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing*, pages 257– 267.
- Steven Bird and Dean Yibarbuk. 2024. Centering the speech community. In Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics (Volume 1: Long Papers), pages 826–839, St. Julian's, Malta. Association for Computational Linguistics.
- Abeba Birhane, William Isaac, Vinodkumar Prabhakaran, Mark Diaz, Madeleine Clare Elish, Iason Gabriel, and Shakir Mohamed. 2022. Power to the people? opportunities and challenges for participatory ai. In *Proceedings of the 2nd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization*, pages 1–8.
- Su Lin Blodgett, Solon Barocas, Hal Daumé III, and Hanna Wallach. 2020. Language (technology) is power: A critical survey of "bias" in NLP. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 5454– 5476, Online. Association for Computational Linguistics.
- Anna Bodonhelyi, Efe Bozkir, Shuo Yang, Enkelejda Kasneci, and Gjergji Kasneci. 2024. User intent recognition and satisfaction with large language models: A user study with chatgpt. *Preprint*, arXiv:2402.02136.
- Rishi Bommasani, Percy Liang, and Tony Lee. 2023. Holistic evaluation of language models. *Annals of the New York Academy of Sciences*, 1525(1):140–146.
- Lynne Bowker. 2020. Chinese speakers' use of machine translation as an aid for scholarly writing in english: a review of the literature and a report on a pilot workshop on machine translation literacy. *Asia Pacific Translation and Intercultural Studies*, 7(3):288–298.
- Lynne Bowker and Jairo Buitrago Ciro. 2019. Towards a framework for machine translation literacy. In *Machine Translation and Global Research: Towards Improved Machine Translation Literacy in the Scholarly Community*, pages 87–95. Emerald Publishing Limited.

- Eleftheria Briakou, Navita Goyal, and Marine Carpuat. 2023. Explaining with contrastive phrasal highlighting: A case study in assisting humans to detect translation differences. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 11220–11237, Singapore. Association for Computational Linguistics.
- Zana Buçinca, Maja Barbara Malaya, and Krzysztof Z. Gajos. 2021. To trust or to think: Cognitive forcing functions can reduce overreliance on ai in ai-assisted decision-making. *Proc. ACM Hum.-Comput. Interact.*, 5(CSCW1).
- Tommaso Caselli, Roberto Cibin, Costanza Conforti, Enrique Encinas, and Maurizio Teli. 2021. Guiding principles for participatory design-inspired natural language processing. In *Proceedings of the 1st Workshop on NLP for Positive Impact*, pages 27–35, Online. Association for Computational Linguistics.
- Amanda Cercas Curry, Giuseppe Attanasio, Zeerak Talat, and Dirk Hovy. 2024. Classist tools: Social class correlates with performance in NLP. In *Proceedings* of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 12643–12655, Bangkok, Thailand. Association for Computational Linguistics.
- Yulin Chen. 2023. Using a game-based translation learning app and google apps to enhance translation skills: Amplification and omission. *International Journal of Human–Computer Interaction*, 39(20):3894–3908.
- Kenneth W Church and Eduard H Hovy. 1993. Good applications for crummy machine translation. *Machine Translation*, 8:239–258.
- Joke Daems and Lieve Macken. 2019. Interactive adaptive smt versus interactive adaptive nmt: a user experience evaluation. *Machine Translation*, 33(1):117– 134.
- Joke Daems, Sonia Vandepitte, Robert J Hartsuiker, and Lieve Macken. 2017. Identifying the machine translation error types with the greatest impact on post-editing effort. *Frontiers in psychology*, 8:1282.
- Pieter Delobelle, Giuseppe Attanasio, Debora Nozza, Su Lin Blodgett, and Zeerak Talat. 2024. Metrics for what, metrics for whom: Assessing actionability of bias evaluation metrics in NLP. In *Proceedings* of the 2024 Conference on Empirical Methods in Natural Language Processing, pages 21669–21691, Miami, Florida, USA. Association for Computational Linguistics.
- Wesley Hanwen Deng, Nikita Mehandru, Samantha Robertson, and Niloufar Salehi. 2022. Beyond general purpose machine translation: The need for context-specific empirical research to design for appropriate user trust. *Preprint*, arXiv:2205.06920.
- Kristin N Dew, Anne M Turner, Yong K Choi, Alyssa Bosold, and Katrin Kirchhoff. 2018. Development of machine translation technology for assisting health

communication: A systematic review. *Journal of biomedical informatics*, 85:56–67.

- Kawin Ethayarajh and Dan Jurafsky. 2020. Utility is in the eye of the user: A critique of NLP leaderboards. In Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP), pages 4846–4853, Online. Association for Computational Linguistics.
- Marcello Federico, Matteo Negri, Luisa Bentivogli, and Marco Turchi. 2014. Assessing the impact of translation errors on machine translation quality with mixedeffects models. In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1643–1653.
- Javier Ferrando, Gabriele Sarti, Arianna Bisazza, and Marta R Costa-jussà. 2024. A primer on the inner workings of transformer-based language models. *arXiv preprint arXiv:2405.00208*.
- Ge Gao, Bin Xu, David C. Hau, Zheng Yao, Dan Cosley, and Susan R. Fussell. 2015. Two is better than one: Improving multilingual collaboration by giving two machine translation outputs. In *Proceedings of the* 18th ACM Conference on Computer Supported Cooperative Work & Social Computing, CSCW '15, page 852–863, New York, NY, USA. Association for Computing Machinery.
- Xiao Ge, Chunchen Xu, Daigo Misaki, Hazel Rose Markus, and Jeanne L Tsai. 2024. How culture shapes what people want from ai. In *Proceedings* of the 2024 CHI Conference on Human Factors in Computing Systems, CHI '24, New York, NY, USA. Association for Computing Machinery.
- Team Gemini, Rohan Anil, Sebastian Borgeaud, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M. Dai, Anja Hauth, Katie Millican, David Silver, Melvin Johnson, Ioannis Antonoglou, Julian Schrittwieser, Amelia Glaese, Jilin Chen, Emily Pitler, Timothy Lillicrap, Angeliki Lazaridou, and 1331 others. 2024. Gemini: A family of highly capable multimodal models. *Preprint*, arXiv:2312.11805.
- Navita Goyal, Eleftheria Briakou, Amanda Liu, Connor Baumler, Claire Bonial, Jeffrey Micher, Clare Voss, Marine Carpuat, and Hal Daumé III. 2023. What else do I need to know? the effect of background information on users' reliance on QA systems. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 3313–3330, Singapore. Association for Computational Linguistics.
- Spence Green, Jeffrey Heer, and Christopher D Manning. 2015. Natural Language Translation at the Intersection of AI and HCI. *Communications of the ACM*, 58(9):46–53.
- Spence Green, Sida I Wang, Jason Chuang, Jeffrey Heer, Sebastian Schuster, and Christopher D Manning. 2014. Human effort and machine learnability

in computer aided translation. In *Proceedings of the* 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP), pages 1225–1236.

- Ana Guerberof-Arenas and Joss Moorkens. 2023. Ethics and machine translation: The end user perspective. In *Towards Responsible Machine Translation: Ethical and Legal Considerations in Machine Translation*, pages 113–133. Springer.
- Ana Guerberof-Arenas and Antonio Toral. 2024. To be or not to be: A translation reception study of a literary text translated into dutch and catalan using machine translation. *Target*, 36(2):215–244.
- Kunal Handa, Alex Tamkin, Miles McCain, Saffron Huang, Esin Durmus, Sarah Heck, Jared Mueller, Jerry Hong, Stuart Ritchie, Tim Belonax, and 1 others. 2025. Which economic tasks are performed with ai? evidence from millions of claude conversations.
- Amanul Haque, Vaibhav Garg, Hui Guo, and Munindar Singh. 2022. Pixie: Preference in implicit and explicit comparisons. In Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers), pages 106– 112, Dublin, Ireland. Association for Computational Linguistics.
- Hendrik Heuer and Daniel Buschek. 2021. Methods for the design and evaluation of hci+ nlp systems. In *Proceedings of the First Workshop on Bridging Human–Computer Interaction and Natural Language Processing*, pages 28–33.
- Tae Hyun Baek and Minseong Kim. 2023. Is chatgpt scary good? how user motivations affect creepiness and trust in generative artificial intelligence. *Telematics and Informatics*, 83:102030.
- Elaine C Khoong and Jorge A Rodriguez. 2022. A research agenda for using machine translation in clinical medicine. *Journal of General Internal Medicine*, 37(5):1275–1277.
- Elaine C Khoong, Eric Steinbrook, Cortlyn Brown, and Alicia Fernandez. 2019. Assessing the use of google translate for spanish and chinese translations of emergency department discharge instructions. *JAMA internal medicine*, 179(4):580–582.
- Sunnie S. Y. Kim, Q. Vera Liao, Mihaela Vorvoreanu, Stephanie Ballard, and Jennifer Wortman Vaughan. 2024a. "i'm not sure, but...": Examining the impact of large language models' uncertainty expression on user reliance and trust. In *Proceedings of the 2024* ACM Conference on Fairness, Accountability, and Transparency, FAccT '24, page 822–835, New York, NY, USA. Association for Computing Machinery.
- Sunnie SY Kim, Q Vera Liao, Mihaela Vorvoreanu, Stephanie Ballard, and Jennifer Wortman Vaughan. 2024b. " i'm not sure, but...": Examining the impact of large language models' uncertainty expression on user reliance and trust. In *The 2024 ACM Conference on Fairness, Accountability, and Transparency*, pages 822–835.

- Tae Soo Kim, Yoonjoo Lee, Jamin Shin, Young-Ho Kim, and Juho Kim. 2024c. Evallm: Interactive evaluation of large language model prompts on user-defined criteria. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*, CHI '24, page 1–21. ACM.
- Maarit Koponen. 2016. Is machine translation postediting worth the effort? a survey of research into post-editing and effort. *The Journal of Specialised Translation*, 25(2):131–148.
- Bhushan Kotnis, Kiril Gashteovski, Julia Gastinger, Giuseppe Serra, Francesco Alesiani, Timo Sztyler, Ammar Shaker, Na Gong, Carolin Lawrence, and Zhao Xu. 2022. Human-centric research for nlp: Towards a definition and guiding questions. *arXiv preprint arXiv:2207.04447*.
- Hao-Ping Hank Lee, Advait Sarkar, Lev Tankelevitch, Ian Drosos, Sean Rintel, Richard Banks, and Nicholas Wilson. 2025. The impact of generative ai on critical thinking: Self-reported reductions in cognitive effort and confidence effects from a survey of knowledge workers.
- May Li. 2023. Post-editing of machine translation. In *Routledge Encyclopedia of Translation Technology*, pages 582–600. Routledge.
- Q. Vera Liao and Jennifer Wortman Vaughan. 2023. Ai transparency in the age of llms: A human-centered research roadmap. *Preprint*, arXiv:2306.01941.
- Q Vera Liao and Ziang Xiao. 2023. Rethinking model evaluation as narrowing the socio-technical gap. *arXiv preprint arXiv:2306.03100*.
- Daniel Liebling, Katherine Heller, Samantha Robertson, and Wesley Deng. 2022. Opportunities for humancentered evaluation of machine translation systems. In *Findings of the Association for Computational Linguistics: NAACL 2022*, pages 229–240, Seattle, United States. Association for Computational Linguistics.
- Daniel J Liebling, Katherine Heller, Margaret Mitchell, Mark Díaz, Michal Lahav, Niloufar Salehi, Samantha Robertson, Samy Bengio, Timnit Gebru, and Wesley Deng. 2021. Three Directions for the Design of Human-Centered Machine Translation.
- Daniel J. Liebling, Michal Lahav, Abigail Evans, Aaron Donsbach, Jess Holbrook, Boris Smus, and Lindsey Boran. 2020. Unmet needs and opportunities for mobile translation ai. In Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems, CHI '20, page 1–13, New York, NY, USA. Association for Computing Machinery.
- Robert Litschko, Max Müller-Eberstein, Rob van der Goot, Leon Weber-Genzel, and Barbara Plank. 2023. Establishing trustworthiness: Rethinking tasks and model evaluation. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 193–203, Singapore. Association for Computational Linguistics.

- Chenyang Lyu, Zefeng Du, Jitao Xu, Yitao Duan, Minghao Wu, Teresa Lynn, Alham Fikri Aji, Derek F Wong, and Longyue Wang. 2024. A paradigm shift: The future of machine translation lies with large language models. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 1339–1352.
- Marianna Martindale, Kevin Duh, and Marine Carpuat. 2021. Machine translation believability. In Proceedings of the First Workshop on Bridging Human– Computer Interaction and Natural Language Processing, pages 88–95, Online. Association for Computational Linguistics.
- Brian McCarthy. 2004. Does online machine translation spell the end of take-home translation assignments. *CALL-EJ Online*, 6(1):6–1.
- Nikita Mehandru, Sweta Agrawal, Yimin Xiao, Ge Gao, Elaine Khoong, Marine Carpuat, and Niloufar Salehi. 2023. Physician detection of clinical harm in machine translation: Quality estimation aids in reliance and backtranslation identifies critical errors. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 11633– 11647, Singapore. Association for Computational Linguistics.
- Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model cards for model reporting. In Proceedings of the Conference on Fairness, Accountability, and Transparency, FAT\* '19, page 220–229, New York, NY, USA. Association for Computing Machinery.
- Mai Miyabe and Takashi Yoshino. 2010a. Influence of detecting inaccurate messages in real-time remote text-based communication via machine translation. In *Proceedings of the 3rd International Conference on Intercultural Collaboration*, ICIC '10, page 59–68, New York, NY, USA. Association for Computing Machinery.
- Mai Miyabe and Takashi Yoshino. 2010b. Influence of detecting inaccurate messages in real-time remote text-based communication via machine translation. In *Proceedings of the 3rd International Conference on Intercultural Collaboration*, ICIC '10, page 59–68, New York, NY, USA. Association for Computing Machinery.
- Joss Moorkens and Ana Guerberof Arenas. 2024. Artificial intelligence, automation and the language industry. *Handbook of the Language Industry: Contexts, Resources and Profiles*, 20:71.
- Joss Moorkens and Sharon O'Brien. 2017. Assessing user interface needs of post-editors of machine translation. In *Human issues in translation technology*, pages 127–148. Routledge.

- Mary Nurminen and Niko Papula. 2018. Gist MT users: A snapshot of the use and users of one online MT tool. In *Proceedings of the 21st Annual Conference* of the European Association for Machine Translation, pages 219–228, Alicante, Spain.
- Sharon O'Brien. 2012. Translation as human–computer interaction. *Translation spaces*, 1(1):101–122.
- Siru Ouyang, Shuohang Wang, Yang Liu, Ming Zhong, Yizhu Jiao, Dan Iter, Reid Pryzant, Chenguang Zhu, Heng Ji, and Jiawei Han. 2023. The shifted and the overlooked: A task-oriented investigation of user-GPT interactions. arXiv preprint arXiv:2310.12418.
- Prasanna Parthasarathi, Koustuv Sinha, Joelle Pineau, and Adina Williams. 2021. Sometimes we want ungrammatical translations. In *Findings of the Association for Computational Linguistics: EMNLP 2021*, pages 3205–3227, Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Sumant Patil and Patrick Davies. 2014. Use of google translate in medical communication: evaluation of accuracy. *Bmj*, 349.
- Jeff Pitman. 2021. Google translate: One billion installs, one billion stories. https://blog.google/ products/translate/new-features-make/ translate-more-accessible-for-its-1-bill/ ion-users/. Engineering Manager, Google Translate.
- Mondheera Pituxcoosuvarn, Yohei Murakami, Donghui Lin, and Toru Ishida. 2020. Effect of cultural misunderstanding warning in mt-mediated communication. In Collaboration Technologies and Social Computing: 26th International Conference, CollabTech 2020, Tartu, Estonia, September 8–11, 2020, Proceedings, page 112–127, Berlin, Heidelberg. Springer-Verlag.
- José Pombal, Sweta Agrawal, Patrick Fernandes, Emmanouil Zaranis, and André FT Martins. 2024. A context-aware framework for translation-mediated conversations.
- Maja Popović and Hermann Ney. 2011. Towards automatic error analysis of machine translation output. *Computational Linguistics*, 37(4):657–688.
- Ming Qian and Chuiqing Kong. 2024. Enabling humancentered machine translation using concept-based large language model prompting and translation memory. In *International Conference on Human-Computer Interaction*, pages 118–134. Springer.
- Alan Ramponi. 2024. Language varieties of Italy: Technology challenges and opportunities. *Transactions of the Association for Computational Linguistics*, 12:19– 38.
- Samantha Robertson, Wesley Hanwen Deng, Timnit Gebru, Margaret Mitchell, Daniel J Liebling, Michal Lahav, Katherine Heller, Mark Díaz, Samy Bengio, and Niloufar Salehi. 2021. Three directions for the design of human-centered machine translation. *Google Research*.

- Samantha Robertson and Mark Díaz. 2022. Understanding and Being Understood: User Strategies for Identifying and Recovering From Mistranslations in Machine Translation-Mediated Chat. In *Proceedings* of the 2022 ACM Conference on Fairness, Accountability, and Transparency, pages 2223–2238.
- Anna Rogers. 2019. How the transformers broke nlp leaderboards. Online. Accessed: 2020-05-20.
- Donya Rooein, Amanda Cercas Curry, and Dirk Hovy. 2023. Know your audience: Do llms adapt to different age and education levels? *arXiv preprint arXiv:2312.02065*.
- Belén Saldías Fuentes, George Foster, Markus Freitag, and Qijun Tan. 2022. Toward more effective human evaluation for machine translation. In *Proceedings* of the 2nd Workshop on Human Evaluation of NLP Systems (HumEval), pages 76–89, Dublin, Ireland. Association for Computational Linguistics.
- Beatrice Savoldi, Marco Gaido, Luisa Bentivogli, Matteo Negri, and Marco Turchi. 2021. Gender bias in machine translation. *Transactions of the Association for Computational Linguistics*, 9:845–874.
- Beatrice Savoldi, Sara Papi, Matteo Negri, Ana Guerberof-Arenas, and Luisa Bentivogli. 2024. What the harm? quantifying the tangible impact of gender bias in machine translation with a human-centered study. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 18048–18076, Miami, Florida, USA. Association for Computational Linguistics.
- Tomohiro Shigenobu. 2007. Evaluation and usability of back translation for intercultural communication. In Usability and Internationalization. Global and Local User Interfaces, pages 259–265, Berlin, Heidelberg. Springer Berlin Heidelberg.
- JongHo Shin, Panayiotis G Georgiou, and Shrikanth Narayanan. 2013. Enabling effective design of multimodal interfaces for speech-to-speech translation system: An empirical study of longitudinal user behaviors over time and user strategies for coping with errors. *Computer Speech & Language*, 27(2):554– 571.
- Marita Skjuve, Petter Bae Brandtzaeg, and Asbjørn Følstad. 2024. Why do people use chatgpt? exploring user motivations for generative conversational ai. *First Monday*, 29(1).
- Harold Somers. 2005. Round-trip translation: What is it good for? In *Proceedings of the Australasian Language Technology Workshop 2005*, pages 127–133.
- Ana Stojanov, Qian Liu, and Joyce Hwee Ling Koh. 2024. University students' self-reported reliance on chatgpt for learning: A latent profile analysis. *Computers and Education: Artificial Intelligence*, 6:100243.

- Annalisa Szymanski, Simret Araya Gebreegziabher, Oghenemaro Anuyah, Ronald A. Metoyer, and Toby Jia-Jun Li. 2024. Comparing criteria development across domain experts, lay users, and models in large language model evaluation. *Preprint*, arXiv:2410.02054.
- Breena R Taira, Vanessa Kreger, Aristides Orue, and Lisa C Diamond. 2021. A pragmatic assessment of google translate for emergency department instructions. *Journal of General Internal Medicine*, 36(11):3361–3365.
- Yufei Tao, Ameeta Agrawal, Judit Dombi, Tetyana Sydorenko, and Jung In Lee. 2024. ChatGPT roleplay dataset: Analysis of user motives and model naturalness. In Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024), pages 3133–3145, Torino, Italia. ELRA and ICCL.
- The Guardian. 2017. Facebook translates 'good morning' into 'attack them', leading to arrest. *The Guardian*.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, and 1 others. 2023. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*.
- Anne M. Turner, Megumu K. Brownstein, Kate Cole, Hilary Karasz, and Katrin Kirchhoff. 2015. Modeling Workflow to Design Machine Translation Applications for Public Health practice. *Journal of Biomedical Informatics*, 53:136–146.
- Susana Valdez, Ana Guerberof Arenas, and Kars Ligtenberg. 2023. Migrant communities living in the netherlands and their use of mt in healthcare settings. In 24th Annual Conference of the European Association for Machine Translation, page 325.
- Mihaela Vela, Santanu Pal, Marcos Zampieri, Sudip Kumar Naskar, and Josef van Genabith. 2019. Improving cat tools in the translation workflow: New approaches and evaluation. *arXiv preprint arXiv:1908.06140*.
- Lucas Nunes Vieira, Minako O'Hagan, and Carol O'Sullivan. 2021. Understanding the societal impacts of machine translation: a critical review of the literature on medical and legal use cases. *Information, Communication & Society*, 24(11):1515–1532.
- Lucas Nunes Vieira and Lucia Specia. 2011. A review of translation tools from a post-editing perspective. In Proceedings of the Third Joint EM+/CNGL Workshop Bringing MT to the Users: Research Meets Translators (JEC'11): Luxembourg, 14 October 2011, pages 33–42.
- Elizabeth Wagner. 1983. Rapid post-editing of systran. In *Proceedings of Translating and the Computer 5: Tools for the trade.*

- Angelina Wang, Jamie Morgenstern, and John P Dickerson. 2024a. Large language models should not replace human participants because they can misportray and flatten identity groups. *arXiv preprint arXiv:2402.01908*.
- Haifeng Wang, Hua Wu, Zhongjun He, Liang Huang, and Kenneth Ward Church. 2022. Progress in machine translation. *Engineering*, 18:143–153.
- Jiayin Wang, Fengran Mo, Weizhi Ma, Peijie Sun, Min Zhang, and Jian-Yun Nie. 2024b. A user-centric multi-intent benchmark for evaluating large language models. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 3588–3612.
- Zijie J. Wang, Dongjin Choi, Shenyu Xu, and Diyi Yang. 2021. Putting humans in the natural language processing loop: A survey. In Proceedings of the First Workshop on Bridging Human–Computer Interaction and Natural Language Processing, pages 47–52, Online. Association for Computational Linguistics.
- Miao Xiong, Zhiyuan Hu, Xinyang Lu, Yifei Li, Jie Fu, Junxian He, and Bryan Hooi. 2024. Can llms express their uncertainty? an empirical evaluation of confidence elicitation in llms. *Preprint*, arXiv:2306.13063.
- Weijia Xu, Sweta Agrawal, Eleftheria Briakou, Marianna J. Martindale, and Marine Carpuat. 2023. Understanding and detecting hallucinations in neural machine translation via model introspection. *Transactions of the Association for Computational Linguistics*, 11:546–564.
- Yanxia Yang. 2024. Understanding machine translation fit for language learning: The mediating effect of machine translation literacy. *Education and Information Technologies*, pages 1–18.
- Yanxia Yang, Xiangling Wang, and Qingqing Yuan. 2021. Measuring the usability of machine translation in the classroom context. *Translation and Interpreting Studies*, 16(1):101–123.
- Emmanouil Zaranis, Nuno M Guerreiro, and Andre Martins. 2024. Analyzing context contributions in LLM-based machine translation. In *Findings of the Association for Computational Linguistics: EMNLP* 2024, pages 14899–14924, Miami, Florida, USA. Association for Computational Linguistics.
- Chunpeng Zhai, Santoso Wibowo, and Lily D Li. 2024. The effects of over-reliance on ai dialogue systems on students' cognitive abilities: a systematic review. *Smart Learning Environments*, 11(1):1–37.
- Shuo Zhang and Krisztian Balog. 2020. Evaluating conversational recommender systems via user simulation. In Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, KDD '20, page 1512–1520, New York, NY, USA. Association for Computing Machinery.

- Yongle Zhang, Dennis Asamoah Owusu, Marine Carpuat, and Ge Gao. 2022. Facilitating global team meetings between language-based subgroups: When and how can machine translation help? *Proc. ACM Hum.-Comput. Interact.*, 6(CSCW1).
- Lingjun Zhao, Khanh Xuan Nguyen, and Hal Daumé Iii. 2024. Successfully guiding humans with imperfect instructions by highlighting potential errors and suggesting corrections. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 719–736, Miami, Florida, USA. Association for Computational Linguistics.
- Wujie Zheng, Wenyu Wang, Dian Liu, Changrong Zhang, Qinsong Zeng, Yuetang Deng, Wei Yang, Pinjia He, and Tao Xie. 2019. Testing untestable neural machine translation: An industrial case. In 2019 IEEE/ACM 41st International Conference on Software Engineering: Companion Proceedings (ICSE-Companion), pages 314–315.
- Wenhao Zhu, Hongyi Liu, Qingxiu Dong, Jingjing Xu, Shujian Huang, Lingpeng Kong, Jiajun Chen, and Lei Li. 2023. Multilingual machine translation with large language models: Empirical results and analysis. *arXiv preprint arXiv:2304.04675*.
- Vilém Zouhar, Michal Novák, Matúš Žilinec, Ondřej Bojar, Mateo Obregón, Robin L. Hill, Frédéric Blain, Marina Fomicheva, Lucia Specia, and Lisa Yankovskaya. 2021. Backtranslation feedback improves user confidence in MT, not quality. In Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 151–161, Online. Association for Computational Linguistics.
- Ahmet Üstün, Viraat Aryabumi, Zheng-Xin Yong, Wei-Yin Ko, Daniel D'souza, Gbemileke Onilude, Neel Bhandari, Shivalika Singh, Hui-Lee Ooi, Amr Kayid, Freddie Vargus, Phil Blunsom, Shayne Longpre, Niklas Muennighoff, Marzieh Fadaee, Julia Kreutzer, and Sara Hooker. 2024. Aya model: An instruction finetuned open-access multilingual language model. *Preprint*, arXiv:2402.07827.

### Appendix

# A ACL Anthology Query

To identify research trends in the ACL community (Figure 1), we searched for specific keywords in either the title or abstract of research articles published from 2015-01-01 to 2024-12-31 and hosted in the ACL anthology repository.<sup>13</sup> Specifically, we use the following keywords in a caseinsensitive fashion and including all grammatical numbers by means of regular expressions:

- machine translation (MT): translation, machine translation, nmt, and mt;
- **language models** (LM): *llm*, *language model*, *large language model*, and *foundation model*;
- users (U): user.

To reduce noise, we exclude editorials (i.e. those with a proceedings bibtex type) and rare instances of articles without any author from the matching documents. We obtain a total of 62,032 articles, of which 8,072 match MT keywords, 13,977 match LM keywords, and 5,084 match U keywords.

<sup>&</sup>lt;sup>13</sup>https://aclanthology.org (accessed: 2025-02-01).