

Automated Video-EEG Analysis in Epilepsy Studies: Advances and Challenges

Valerii A. Zuev¹, Elena G. Salmagambetova², Stepan N. Djakov², and Lev V. Utkin¹

¹Peter the Great St.Petersburg Polytechnic University ,
valerii_zuev@edu.spbstu.ru, lev.utkin@gmail.com

²Medical Center "XXI Century", St. Petersburg

Abstract

Video-electroencephalography (vEEG) monitoring is currently the gold standard in the diagnosis of epilepsy. The manual analysis of vEEG recordings is time-consuming, necessitating automated tools for seizure detection. Recent advancements in machine learning have shown promise in real-time seizure detection and prediction using EEG and video data. However, diversity of seizure symptoms, markup ambiguities, and limited availability of multimodal datasets hinder progress. This paper reviews the latest developments in automated video-EEG analysis and discusses the integration of multimodal data. We also propose a novel pipeline for treatment effect estimation from vEEG data using concept-based learning, offering a pathway for future research in this domain.

1 Introduction

The brain functions by sending electrical impulses from one neuron to another. Electroencephalography (EEG) is a method that records the electrical activity generated by the combined activity of billions of neurons in the brain using electrodes placed on the scalp. An abnormal EEG signal may indicate the presence of diseases, primarily epilepsy. Video-EEG (vEEG) is a type of EEG with an added camera to monitor the patient's movements.

Epilepsy affects people of all sexes and ages worldwide, with an estimated global incidence rate of approximately 61 per 100,000 person-years [1], making it one of the most common neurological diseases along with Alzheimer's disease, dementia, and multiple sclerosis. With appropriate treatment, about 70% of patients can live seizure-free; therefore, accurate and timely diagnosis of epilepsy is very important. The diagnosis of epilepsy is based on three main components:

1. Clinical data
2. EEG, vEEG. The so-called routine EEG examination, which lasts for approximately 30 minutes, is gradually being replaced in clinical practice by a more accurate long-term vEEG monitoring

3. MRI scan

However, examinations results are sometimes difficult to interpret, so both under- and over-diagnosis of epilepsy remains a problem. According to a 2019 study, 25-30% of patients with previously diagnosed epilepsy who failed to respond to initial drug therapy have no epilepsy [2].

Better insights are given by a long-term video electroencephalogram (vEEG) [3] which is recorded over several hours or days. Reading an entire electroencephalogram takes a significant amount of time, and computational tools to automatically detect abnormalities could aid clinicians. In addition, real-time seizure detection and ahead-of-time prediction using the Epilepsy Monitoring Unit (EMU) signal are important for timely assistance [4]. EEG electrodes can be placed on the scalp or implanted. The latter method produces a cleaner signal, but the former is non-invasive; invasive methods are typically used in neurosurgery. In this article, we will focus on scalp EEG. Here, we give an overview of recent studies on EEG-based, video-based, and video-EEG based approaches to seizure detection; to the best of our knowledge, as of January 2025, no review papers on combined video-EEG seizure detection have been published yet. Moreover, we propose a novel, integrated framework for explainable automated treatment effect estimation using concept-based learning.

The paper is structured as follows. Section 2 provides a brief recap of EEG and video-EEG in the context of epilepsy, and a short history of studies on seizure and epileptiform activity detection, and sleep stage classification, from EEG, video, and video-EEG. Section 3 gives a more detailed look on recent work in the field, and then introduces a scheme of our proposed pipeline for treatment effect estimation. In section 4, we discuss potential challenges for machine learning in the field of seizure detection.

2 Background

2.1 Epilepsy, EEG and video-EEG monitoring

Epilepsy is a chronic brain disorder characterized by recurring seizures that occur as a result of excessive neural discharges and are accompanied by various motor, sensory, and mental dysfunctions. In 2022, after 5 years of research, International League Against Epilepsy (ILAE) published a set of documents updating definitions of epileptic syndromes and their classification [5]. The main criteria for differentiation is the age when epileptic seizures are first detected: <2 years, 2-12 years, other; and a separate group of idiopathic generalized epilepsies. In each group, syndromes are additionally classified into *generalized* (i.e. when abnormal activity occurs in both hemispheres), *focal* (localized in a distinct part of the brain), and *generalized/focal* depending on the seizure type. Every syndrome is described in a unified template which includes, among other characteristics, seizure types (mandatory, typical, occasional, and exclusionary), and EEG findings (background, interictal epileptiform discharges, ictal patterns, and provoking factors) [6].

Epileptic seizures, according to the 2017 ILAE guidelines [7], are grouped by their onset into the following classes.

1. Focal onset (epileptiform activity begins in a limited area of the brain, in one hemisphere), further categorized by awareness (aware / impaired awareness) and movements (motor / nonmotor). Focal to bilateral tonic-clonic seizures are described as a separate entity

2. Generalized onset
 - (a) Motor, including tonic-clonic and other motor seizures
 - (b) Nonmotor (absence), further classified into typical and atypical depending on EEG patterns and seizure characteristics
3. Unknown/unclassified (due to inadequate information or inability to place the type in other categories)

Motor seizures may include *automatisms* (repetitive, purposeless movements like lip-smacking or hand-rubbing), *clonic movements* (rhythmic jerking in specific muscles), *tonic movements* (sustained stiffening of muscles), *hyperkinetic activity* (agitated movements, like thrashing or pedaling), or *behavior arrest* (sudden cessation of motor activity). Non-motor seizures lack prominent physical movements like jerking or stiffening and are manifested more in internal changes (cognitive, e.g. impaired thinking, language difficulties, or memory disruption; sensory, e.g. tingling, numbness, or pain in specific body parts; emotional, e.g. sudden feelings of fear, joy, anger, or sadness without an obvious trigger; autonomic, e.g. changes in heart rate, breathing, sweating, or gastrointestinal sensations) or brief pauses in activity. Non-motor seizures can sometimes be subtle, making them harder to identify.

EEG of patients with epilepsy is characterized by the so-called *epileptiform activity*, which occurs both during seizures and outside of them (interictal epileptiform discharges – IEDs). Among the epileptiform patterns are high-amplitude spikes, sharp waves, benign epileptiform discharges of childhood, spike-wave complexes, polyspikes, hypsarrhythmia and photoparoxysmal response. Clinicians usually try to identify any epileptiform activity and then decide for each instance whether a seizure occurred or not; therefore, epileptiform discharges recognition is even more relevant problem than seizure detection. However, the latter is more difficult; there are fewer public datasets with labeled epileptiform activity than with seizures, and there are many more papers on seizure detection in recent years than on epileptiform discharges recognition.

Long-term video-EEG monitoring combines EEG and camera surveillance to capture and investigate seizures more reliably, as well as to distinguish between epileptiform discharges and artifacts like normal limbs movements or eye blinks.

2.2 Automatic analysis of EEG and video-EEG

There are two main purposes for epileptiform discharges and seizure detection. The first is to reduce the doctor’s time spent for analyzing long EEG recordings, and to make navigation through the recording easier by introducing an automatic markup. The second is to provide timely assistance for the patient (currently specially trained Seizure Response dogs are used for the same purpose).

Attempts to recognize abnormal activity in EEG patterns have been made since the last century. Some threshold-based and wavelet-based algorithms, including those for spike detection, are implemented in clinical software and used in practice [8]. Recent advances in machine learning methods, particularly deep learning, and the addition of video modality to electroencephalogram are opening the door to potential algorithms for detecting seizures and IEDs in real time or even in advance. Since EEG monitoring equipment is expensive, bulky, and inconvenient for patients, alternative seizure detection methods – such as based on audio or body movement sensors – have been developed; more details are provided in Section 3.

Much effort have been devoted to sleep stage classification from EEG data [9]. While not directly related to seizure and epileptiform activity detection, sleep stage classification could help to mark up the electroencephalogram. The purpose of automatic event detection is not to replace a human expert, but rather to help him or her to navigate recordings, much like a table of contents helps navigate a book. Often, symptoms of the disease are characteristic of a certain stage of sleep, e.g. sleep terrors often occur in stage 3 [10]; epileptiform discharges usually predominate in stages 1 and 2. A study in mice shows that more than half of epileptic seizures are preceded by rapid eye movement (REM) sleep stage [11]. Sharp-wave sleep patterns often resemble epileptiform activity. Therefore, automatic labeling of sleep stages could reduce the time spent on EEG analysis by human and make navigation easier.

3 Recent Advances

3.1 EEG data analysis

There are commercial tools on the market capable of real-time seizure and IED detection, with BESA, Encevis and Persyst being three of the most popular platforms [12]. While the software is proprietary and algorithms are not disclosed, we can get a general understanding of some principles behind Persyst from a 2017 paper co-authored by its creators [13]. Neural network rules (NN-rules), composed of ensembles of individual neural networks (NNs), are used to describe events in electroencephalogram. Each NN-rule takes a segment of electroencephalogram as input and encapsulates an expert-defined concept, for example, "if the amplitude and sharpness of an event are significantly greater than that of background activity, then the probability that the event is a spike increases".

Recently, a number of studies reported successful application of modern deep learning (DL) models for seizure detection, e.g. CNN2D+LSTM proved capable of real-time seizure detection [14]. Some of them use stochastic modeling for EEG representation and feature selection [15, 16]. A 2022 review [17] compared existing models by different metrics such as seizure prediction horizon (SPH), i.e. the average time before the program warns of the seizure onset.

In 2024, a novel model incorporating 1D-CNN, Bi-LSTM and GRU layers [18] achieved high performance in seizure/non-seizure EEG segment classification (99-100% accuracy) on a popular open Bonn University dataset.

In another research [19] authors used augmentations to boost the performance of their model designed for absence seizure detection and incorporated this model into a EMU software, which allowed to automatically control the patient's level of consciousness during seizures in real-time by asking pre-defined questions like "what is your name?".

There are efforts to harness a popular transformer architecture to process EEG data. Examples include open-sourced EEGformer [20] and EEGFormer by Microsoft Research [21].

Overall, as of February 2025, a significant number of papers on epileptic seizure detection from EEG is published every month; there are some recent papers on IED detection, although not so many as on seizure detection. We performed a search on Google Scholar using Publish or Perish software [22], using the phrase "epileptic seizure detection OR prediction" as title words. Results for 2024 – February 2025 are provided in Appendix: table 1 lists new models and computational frameworks described in papers; table 2 contains a list of reviews; in table 3, there are other

papers (neither review nor new model/framework studies). Some results were filtered out, such as those not related to the original query or removed from the web; however, most entries were retained (197 in total). Additionally, we conducted a search using the phrase "epileptiform AND detection" to find articles on interictal epileptiform discharges (IED) and other epileptiform activity detection; we found 10 papers published in 2024 – March 2025, and they are listed in Table 4.

Currently there is no single state-of-the-art model for seizure detection and prediction using EEG, which is partly due to the diversity and complexity of existing performance metrics and seizure types, as discussed in detail in Section 4.

Numerous papers on sleep stage classification have been published in the past three years. An et al [23] proposed a multi-modal fusion method. Eldele et al [24] used an attention mechanism in their model. In 2023, Eldele et al [25] adopted a self-supervised approach. Multiple works used CNNs [26, 27, 28, 29, 30, 31, 32], while other use solutions such as CNN+GRU [33], deep residual networks [34] or spatiotemporal graph convolutional networks [35]. You et al [36] use time, frequency and fractional Fourier transform features as inputs to their neural network. Fox et al [37] train a foundational Transformer using several open PSG datasets. A recent review of deep learning-based sleep stage classification [38] provides more insight into this topic.

3.2 Seizure detection and sleep stage classification from video

Sometimes EEG monitoring is inconvenient or even impossible, so numerous studies focused on seizure detection from video stream. There are commercial proprietary tools for video-audio seizure recognition: Nelli [39], used in clinic, and SAMi [40], suitable for nocturnal seizure detection in a variety of diseases, including epilepsy.

Yang et al. [41] used CNN+LSTM for tonic-clonic seizure detection from video stream and achieved a mean sensitivity of 88% and a mean specificity of 92%. Venkatesh et al [42] used MediaPipe Solutions Suite to track human poses.

Authors of VSViG (video-based seizure detection via skeleton-based spatiotemporal graph) [43] fine-tune a real-time pose estimation network on a clinical dataset. Their model extracts patches around body joints, embeds them using a convolutional network and then feeds into a spatiotemporal graph model which outputs probabilities of seizure onset. They achieve an approximately 6% error rate and zero false detection rate, being able to detect seizure 13 seconds in advance.

Recent reviews [44, 45] acknowledge that seizure semiotics vary widely and no current model is able to reliably detect all possible types. One of the promising directions proposed in [44] is the construction of a foundation model for processing epilepsy videos.

Several attempts have been made to design a model for sleep stage classification from video stream [46, 47, 48] in an effort to provide a more affordable and less obtrusive alternative to PSG. Awais et al [49] designed a hybrid DCNN-SVM model for classifying facial expressions into sleep and non-sleep using EEG to create ground truth labels; perhaps a similar approach could be applied to sleep stage classification. Carter et al [50] designed SleepVST - a transformer model which is claimed to be a current state-of-the-art in sleep staging from video.

3.3 Combined video-EEG analysis

Several works focused on video-based seizure detection assume that using other modalities such as audio and EEG may improve the performance [41, 44]. Nevertheless, the simultaneous use of video and EEG remains an under-researched topic. In 2017, Aghaei et al. [51] extracted handcrafted features from video and EEG, then fed it into the K-nearest neighbors classifier. Wu et al [52, 53] presented a more advanced version of the same approach, achieving a 99.19% precision and 99.78% recall for a classification task on 6-seconds segments. However, this model is far from real-world application, since such metric values mean that the program will produce several false positives within one hour. Lin et al [54] used a similar pipeline to detect interictal epileptiform discharges.

Yin et al [55] proposed a combination of transformer models for emotion recognition utilizing video, audio and EEG modalities. We suppose that such an architecture could be applied to seizure detection and sleep stage classification as well.

3.4 Other modalities

Epileptic seizures can be detected by a combination of different sensors that record movements, pulse, and/or skin resistance. Empatica [56] produces wrist monitors with multiple sensors and a proprietary software for seizure detection. There are multiple apps for smartphones (Epipal, SeizureTracker, SeizAlarm). Some researchers attempt to detect seizures from audio signals, for example, Ashan et al [57] trained a convolutional neural network to classify audio segments. Fernandez-Martin et al [58] developed an ML algorithm for epileptiform discharges detection using magnetoencephalography (MEG); however, MEG, while sometimes providing a better picture of epileptiform activity than EEG, is not currently widely used in clinic.

In sleep monitoring, current gold standard is polysomnography (PSG) which includes EEG, electrooculogram (EOG), electromyogram (EMG) and sometimes other measures such as blood oxygen saturation [10]. In video-polysomnography (vPSG), a camera is added. However, a typical sleep monitor used for PSG includes only 4-6 scalp EEG electrodes.

There are methods for automatic sleep stage classification from PSG data [59, 60]; each signal carries information that is more relevant to different sleep stages [61], in particular, EEG is good at distinguishing between different stages of non-rapid eye movement (NREM) sleep, and EOG can help distinguish between REM and NREM. With the spread of wrist fitness trackers and watches, several algorithms for sleep monitoring using their sensors have been developed [62, 63, 64, 65], but as of 2024, they remain at least slightly less accurate than PSG-based methods [66, 67, 68, 69]; moreover, manufacturers of wearable devices usually do not provide access to raw data from sensors [70]. There are research-grade wearable sleep monitoring devices, generally preferred over PSG for younger patients; this test is called *actigraphy* [71, 72]. Several apps have been developed that use smartphone microphones for sleep staging from breathing sounds, and some show good agreement with PSG-based sleep staging [73]; the SleepScore app uses a patented sonar technology based on the phone's microphone and speaker. Yu et al [74] used an industry-grade Wi-Fi transmitter-receiver system to track breathing patterns during sleep.

3.5 Available datasets

There are numerous datasets of EEG recordings, and of them many contain samples from patients with epilepsy, sometimes with designated seizure events or IEDs.

1. TUH EEG corpus [75] – the largest publicly available collection of data, consisting of several sub-collections. Years of EEG recordings, including over 500 hours of annotated seizure data. Among other subcollections, includes TUSZ (a sub-dataset with designated epileptic seizures) and TUEV (a sub-dataset with designated epileptiform patterns). Access is available upon request
2. The dataset from the University of Bonn (2001) [76], sometimes (e.g. in [77]) referred to as the UCI Epileptic Seizure dataset, as a preprocessed and restructured version of this dataset was formerly hosted in the UCI data repository [78]. Five subjects, about 40 minutes of EEG per each dataset. Available for download from the University Hospital Bonn website
3. Freiburg EEG database (2003) [79, 80] – 582 hours of intracranial EEG (iEEG) recordings. No longer available for download as it is superseded by the European Epilepsy Database
4. Flint Hills Scientific, L.L.C., Public ECoG Database (2008) [81, 82]. 1419h of EEG from 10 patients, 59 seizures. Electrocorticography (ECoG) is a specific type of iEEG where electrodes are placed directly on the surface of the brain's cortex. As of February 2025, the website of the database is no longer maintained
5. Children's Hospital Boston-Massachusetts Institute of Technology (CHB-MIT) Scalp EEG (2009) [83] – 23 pediatric subjects, >900 hours of EEG recordings, 198 annotated seizures
6. EEG + MRI data gathered at Warsaw Memorial Child Hospital (2010) [84] – 23 subjects with drug-resistant epilepsy. As of March 2025, not available online
7. Bern-Barcelona EEG database (2012) [85], 5 epilepsy patients. Publicly available on Kaggle
8. EPILEPSIAE (a European Epilepsy Database) (2012) [86] is a part of the EU-funded project "EPILEPSIAE" aiming at the development of EEG-based seizure detection and prediction algorithms. 300 epilepsy patients. Available for purchase
9. Karunya Institute of Technology and Sciences database (2013) [87] – 175 abnormal EEG recordings
10. American Epilepsy Society Seizure Prediction Challenge (AES-SPC, in some studies referred to as KEPC – Kaggle Epilepsy Prediction Challenge or "UPenn and Mayo Clinic's Seizure Detection Challenge") (2014) [88, 89]. Five dogs, two patients; 628h of iEEG, 48 seizures. Publicly available on Kaggle
11. Neurology & Sleep Center at Haus Khas, New Delhi (NSC-ND, sometimes referred to as Haus Khas) (2016) (6 subjects) [90, 91] – available on ResearchGate
12. Melbourne University AES/MathWorks/NIH Seizure Prediction Challenge (2016) [92] – discontinuous iEEG recordings. Publicly available on Kaggle
13. SWEC-ETHZ iEEG Database (2018) [93] – 16 patients, 99 iEEG recordings. Publicly available
14. Helsinki University EEG dataset, known also as Neonate (2019) [94] – 39 neonates, 342 seizure events
15. Siena Scalp EEG database (2020) [95] – 14 adult patients, \approx 128 hours of EEG

- recordings, 47 annotated seizures
16. A small dataset by Khati Renuka [96] – lacks sufficient description. Publicly available at Mendeley data
 17. Aarhus University Hospital dataset (2020) [97] – 100 subjects, designated interictal epileptiform discharges (IEDs). Publicly available
 18. American university of Beirut Medical Center scalp EEG dataset (2021) [98] – 6 subjects. Publicly available at Mendeley Data
 19. S.Nijalingappa Medical College Bagalkot (SNMC) dataset (2022) [99] – 11 patients, 2 seizures. Available at IEEE Data Port
 20. Seoul National University Hospital (SNUH) (2023) [100] – available per request
 21. Prince Hospital Khulna (PHK) (2024) [101] – 10 patients, 578s of seizure and 578s of non-seizure signals per patient. Processed data available on GitHub; raw data available per request
 22. VEpiSet (2024) [102] – 84 subjects, 20 minutes per subject, designated IEDs

Some of them, such as Neonate [94], were labeled independently by several experts, which is especially valuable because correlation between different markups is usually low. In 2023, Wong et al [103] gave a review on open EEG seizure datasets, however, some open datasets listed above are not mentioned in that paper.

There are not many open videos with seizures, presumably largely because such type of data is considered more sensitive than electroencephalogram. Authors of VSViG [43] made their dataset public, blurring faces of patients. Miron et al [104] collect data from YouTube video hosting.

To the best of our knowledge, there is no open-source dataset of epileptic seizure recorded both in video and EEG modalities. There is an open dataset of combined EEG and video recordings for emotion recognition – EAV (EEG-Audio-Video for emotion recognition) [105], and another dataset of overnight EEG recordings combined with infrared videos for sleep analysis – SSSVE [106, 107]. However, SSSVE does not contain original video sequences, only video features.

3.6 Treatment effect estimation

Treatment effect (TE) studies aim to estimate the difference in a patient’s condition if he or she takes a drug or other treatment and if he or she does not. Patient’s condition is usually represented as a continuous variable y which can be, e.g., the blood sugar level or the lifetime since current moment, and *average treatment effect* (ATE) is defined as the difference between its two expected values – with treatment $y^{T=1}$ and without treatment $y^{T=0}$, and is designed to describe the potential benefit of taking the treatment. When each patient is associated with some features such as, e.g., gender, age, and blood pressure, we can estimate the so-called *conditional average treatment effect* (CATE) which is defined as the ATE conditional on the patient’s features. A central problem in TE studies is observability, i.e. a patient cannot be simultaneously treated and untreated at the same time, therefore it is not possible to build a machine learning model for CATE estimation directly from clinical data since we cannot observe both $y^{T=0}$ and $y^{T=1}$. As a result, researchers use augmentations [108] and synthetic data.

Treatment effect estimations have been proposed for a variety of settings, including TE for censored data [109, 110]. Many works focus on TE estimation from tabular data with relatively low-dimensional features [111], but sometimes inputs are more complex, e.g. include an electroencephalogram. Another possible way to use EEG in

TE studies is to derive y from electroencephalogram or replace y with some features derived from it, which may require constructing a modified version of CATE. Estimating TE from video-EEG data remains an understudied topic by the time. There are numerous works both on statistical [112] and machine-learning-based [113] methods for treatment response prediction from EEG data. Video-based TE estimation is described in [114]. To the best of our knowledge, no research have been conducted to date on the possibility of using combined video and EEG data for TE estimation. We believe this is a promising direction for future studies. As we expect, it might be beneficial to apply concept-based learning [115] to first derive human-understandable concepts from video-EEG data, and then to estimate TE from them (fig. 1). Concept-based Explainable Artificial Intelligence has been applied in many medical studies, including CT image processing [116], aiming to provide a more transparent output than traditional ML systems and incorporate expert rules into automatic reasoning and decision-making [117, 118]. Several papers on concept-based EEG interpretation have been published recently [119, 120, 121]. Pradeepkumar et al [122] proposed using cross-modal transformers for sleep stage classification from polysomnography (PSG) studies, utilizing two modalities - EEG and electrooculogram (EOG). Research using concepts for video processing is limited; and, although an automatic framework for concept extraction have been proposed in 2022 [123], the corresponding study does not focus specifically on biomedical applications.




Figure 1: Proposed pipeline for treatment effect estimation

To better illustrate the proposed scheme, consider, for example, the rapid eye movement (REM) sleep stage [10] of a healthy individual. It could be described using the following concepts:

1. EEG:

- No sleep spindles or K-complexes
- Low voltage (relatively to other stages) mixed frequency activity
- fewer vertex sharp transients than in stage 1
- (sometimes) distinctive "saw tooth" waves

2. Video:

- Episodic, rapid eye movements (simultaneous to mixed frequency activity)
- Irregular contractions of the respiratory muscles
- Loss of skeletal muscle tone (REM atonia)
- Phasic jerks and twitches in all striated muscle

Whereas properties of a focal motor onset epileptic seizure [124] could be described with the following concepts:

1. EEG:

- asymmetry between two hemispheres
- localized spikes or spike-waves

2. Video:

- Jerking movements in the foot, face, or arm on the opposite side of the body
- Lip-smacking or chewing
- Simple automatisms
- Complex automatisms, such as picking up objects or pulling at clothes

4 Challenges

4.1 Variety of symptoms

As described in Section 2.1, seizures may be accompanied by a variety of symptoms ranging from loss of movement to rhythmic jerking of the limbs and various patterns of EEG activity. This not only complicates seizure detection, but also increases the amount of data necessary for adequate training and benchmarking. Absence seizures and other types of seizures characterized by sudden arrest of movements are not easily detected from video stream; we believe that combining different modalities will lead to better results. Also, synthetic data might help for models pre-training [125].

Another problem is that typical EEG and behavioral patterns vary significantly between different age, gender, and sleep habits groups. This makes seizure detection and sleep stage classification even more difficult [126, 127]. EEG can be noisy when measured on a hairy scalp; there are efforts to develop electrodes that produce less noise, such as the 3D-printed hair-like electrodes described in a recent paper by Ahmed et al. [128].

It is important to distinguish between epilepsy and psychogenic nonepileptic seizures. A recent study [129] shows that EEG microstates differ in these two types of seizures. Another study [130] identified typical clinical factors that clearly differentiate nonepileptic seizures from epileptic in Glut1 deficiency syndrome. Fussner et al [131] utilized CNN to classify psychogenic and epileptic seizures, converting EEG signal to 2D plot images.

4.2 Markup ambiguities

The markup in epilepsy datasets usually consists of intervals containing seizures. However, for diagnosis, not only seizures are important, but other features such as slow alpha rhythm. The terms "epileptiform activity" and "epileptic seizure" are very complex and ambiguously defined (as mentioned in section 2.1), e.g. the ictal period often has no clear end; even an experienced clinician cannot sometimes reliably distinguish between epileptiform activity and events like hypnagogic hypersynchrony. Studies report low coherence between markups made by different experts [19, 94], so the labels are unreliable. This led to an approach with multiple experts annotating the same dataset and then putting more weight during training to intervals with higher agreement. Moreover, this once again highlights the complexity of the decision which is made by the expert not only based on a short period of recording around the current time frame, as almost all the machine learning models do, but also considering other factors such as the patient's age, diagnoses, their sleep cycle traits, etc. Shama et al [132] propose an uncertainty-aware Bayesian framework to handle label noise.

Inter-human agreement in sleep staging is also low [133], raising questions such as whether a model with higher agreement with human labeling is better in real-world applications.

4.3 Data availability

There is a significant number of open EEG recordings – with epileptic seizures (both nocturnal and daytime), seizure-free (suitable for training a sleep stage classifier); sometimes there are labeled IEDs. But the situation is different with videos, which hinders models training and comparison. There is no systematic and standardized video seizure dataset besides [43]. A review [44] provides a table of video-based approaches for seizure detection with corresponding datasets; of over 30 items, the majority are private, one is composed of YouTube videos and one is available as processed features, not the raw or even blurred video stream. This is largely due to privacy concerns. The same review [44] suggests generating artificial data as a possible solution. As mentioned above, synthetic data is also used to improve performance in EEG modality [125]. Wang et al [134] align human and canine EEG to boost their model's performance; perhaps a similar approach could be applied to videos. Datasets with overnight video-EEG recordings of healthy individuals, such as SSSVE [106], might be used for model pre-training. However, as mentioned above in section 3.5, the authors of SSSVE made only video features publicly available, not the original videos.

4.4 Multi-modal data

As stated above (section 3.3), there is little work on epileptiform activity detection based on both video and EEG data. In practice, when examining a patient, a doctor takes into account the data from video-EEG monitoring, the clinical condition, medical history, prescribed treatment, the MRI image and other factors such as DNA markers. Goel et al [135] use MRI data to improve EEG-based epileptiform activity detection, but only in focal epilepsy. Dharani et al [136] fuse EEG and MRI features, but their approach gives only a small improvement over EEG-based models. This means that there is still a lot of room for new methods combining different sources for better EEG annotation.

The authors suggest that one promising direction could be the creation of a multiparameter model of brain functioning, the parameters of which are set based on what is known about the patient: age, blood sugar, MRI image, typical patterns of EEG activity, PSG, and so on. Machine learning methods in a sense build an implicit model of the brain, but an explicit model would make it easier to incorporate multimodal data and expert knowledge, as well as improve the interpretability of the output. This could also help to generate synthetic data for machine learning models pretraining, which may be a next step of the approach described in [125]. Du et al [137] harnessed hyperdimensional computing, which is a brain-inspired framework motivated by the observation that cerebral cortex operates on high-dimensional data. Zhang et al [138] used a spiking neural network (SNN), which is a closer mimic of real brain than conventional deep neural network, to learn patterns from EEG; Gallou et al [139] developed a specialized hardware implementation of an SNN. However, SNNs are relatively difficult to train, and it is unclear whether a relatively small number of artificial spiking neurons is a good model of the brain. In our view, approaches to modeling brain activity on a larger scale using dynamical systems theory, such as neural mass models (NMMs) and neural field models (NFM) [140] offer a more promising direction; recently, attempts have been made to combine such models with deep learning methods [141].

Another possible direction is multimodal foundational models [142] jointly trained on video and EEG data. However, the primary expected limitation of such an approach is lack of data described in section 4.3. Augmented and synthetic data might lead to improvements [19], however, a good data synthesis or augmentation strategy will likely require again an underlying model of the process.

For sleep stage analysis from infrared videos, Han et al used contrastive learning to align video to EEG modality [143, 107]. A similar approach might be applied to seizure detection.

5 Conclusion

Automated video-EEG analysis holds significant potential for improving epilepsy diagnosis and treatment. Advances in deep learning and multimodal data integration have enhanced real-time seizure and interictal epileptiform discharges detection and prediction capabilities. However, challenges such as symptom variability, markup inconsistencies, and lack of publicly available data remain. Future research should focus on developing robust multimodal models, leveraging synthetic data, and creating standardized datasets to improve model performance and generalizability.

The proposed concept-based learning pipeline for treatment effect estimation offers a promising direction for integrating expert knowledge and multimodal data, advancing personalized epilepsy care.

References

- [1] Ettore Beghi. “The Epidemiology of Epilepsy”. In: *Neuroepidemiology* 54.2 (Dec. 18, 2019), pp. 185–191. ISSN: 0251-5350. DOI: [10.1159/000503831](https://doi.org/10.1159/000503831).
- [2] Ushtar Amin and Selim R. Benbadis. “The Role of EEG in the Erroneous Diagnosis of Epilepsy”. In: *Journal of Clinical Neurophysiology* 36.4 (July 2019), p. 294. ISSN: 0736-0258. DOI: [10.1097/WNP.0000000000000572](https://doi.org/10.1097/WNP.0000000000000572).

- [3] Gülşah Zorgör et al. “A Comparison of Video EEG Monitoring and Routine EEG for Diagnosis of Epilepsy”. In: *Archives of Epilepsy* 28.2 (2022), pp. 85–88. DOI: [10.54614/ArchEpilepsy.2022.38233](https://doi.org/10.54614/ArchEpilepsy.2022.38233).
- [4] Yankun Xu et al. “Shorter latency of real-time epileptic seizure detection via probabilistic prediction”. In: *Expert Systems with Applications* 236 (Feb. 1, 2024), p. 121359. ISSN: 0957-4174. DOI: [10.1016/j.eswa.2023.121359](https://doi.org/10.1016/j.eswa.2023.121359).
- [5] D. V. Blinov. “Epilepsy syndromes: the 2022 ILAE definition and classification”. In: *Epilepsy and paroxysmal conditions* 14.2 (July 27, 2022), pp. 101–182. ISSN: 2311-4088, 2077-8333. DOI: [10.17749/2077-8333/epi.par.con.2022.123](https://doi.org/10.17749/2077-8333/epi.par.con.2022.123).
- [6] Elaine C. Wirrell et al. “Methodology for classification and definition of epilepsy syndromes with list of syndromes: Report of the ILAE Task Force on Nosology and Definitions”. In: *Epilepsia* 63.6 (2022), pp. 1333–1348. DOI: [10.1111/epi.17237](https://doi.org/10.1111/epi.17237).
- [7] Robert S. Fisher et al. “Operational classification of seizure types by the International League Against Epilepsy: Position Paper of the ILAE Commission for Classification and Terminology”. In: *Epilepsia* 58.4 (Apr. 2017), pp. 522–530. ISSN: 0013-9580, 1528-1167. DOI: [10.1111/epi.13670](https://doi.org/10.1111/epi.13670).
- [8] Scott B Wilson and Ronald Emerson. “Spike detection: a review and comparison of algorithms”. In: *Clinical Neurophysiology* 113.12 (2002), pp. 1873–1881.
- [9] Rym Nihel Sekkal et al. “Automatic sleep stage classification: From classical machine learning methods to deep learning”. In: *Biomedical Signal Processing and Control* 77 (2022). Publisher: Elsevier, p. 103751.
- [10] Charles Pollak et al. *The encyclopedia of sleep and sleep disorders*. 3rd ed., updated and rev. Facts on File library of health and living. New York: Facts on File, 2010. ISBN: 978-0-8160-6833-3.
- [11] Yoko Ikoma et al. “Properties of REM sleep alterations with epilepsy”. In: *Brain* 146.6 (June 1, 2023), pp. 2431–2442. ISSN: 0006-8950. DOI: [10.1093/brain/awac499](https://doi.org/10.1093/brain/awac499).
- [12] Johannes Koren et al. “Systematic analysis and comparison of commercial seizure-detection software”. In: *Epilepsia* 62.2 (Feb. 2021), pp. 426–438. ISSN: 0013-9580, 1528-1167. DOI: [10.1111/epi.16812](https://doi.org/10.1111/epi.16812).
- [13] Mark L. Scheuer, Anto Bagic, and Scott B. Wilson. “Spike detection: Inter-reader agreement and a statistical Turing test on a large data set”. In: *Clinical Neurophysiology* 128.1 (Jan. 2017), pp. 243–250. ISSN: 13882457. DOI: [10.1016/j.clinph.2016.11.005](https://doi.org/10.1016/j.clinph.2016.11.005).
- [14] Kwanhyung Lee et al. *Real-Time Seizure Detection using EEG: A Comprehensive Comparison of Recent Approaches under a Realistic Setting*. Mar. 21, 2022. DOI: [10.48550/arXiv.2201.08780](https://doi.org/10.48550/arXiv.2201.08780). arXiv: [2201.08780\[cs\]](https://arxiv.org/abs/2201.08780).
- [15] Akira Furui et al. “Non-Gaussianity Detection of EEG Signals Based on a Multivariate Scale Mixture Model for Diagnosis of Epileptic Seizures”. In: *IEEE Transactions on Biomedical Engineering* 68.2 (Feb. 2021), pp. 515–525. ISSN: 1558-2531. DOI: [10.1109/TBME.2020.3006246](https://doi.org/10.1109/TBME.2020.3006246).

- [16] Akira Furui et al. “Epileptic Seizure Detection Using a Recurrent Neural Network With Temporal Features Derived From a Scale Mixture EEG Model”. In: *IEEE Access* 12 (2024), pp. 162814–162824. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3487637](https://doi.org/10.1109/ACCESS.2024.3487637).
- [17] Zhe Ren, Xiong Han, and Bin Wang. “The performance evaluation of the state-of-the-art EEG-based seizure prediction models”. In: *Frontiers in Neurology* 13 (Nov. 24, 2022), p. 1016224. ISSN: 1664-2295. DOI: [10.3389/fneur.2022.1016224](https://doi.org/10.3389/fneur.2022.1016224).
- [18] Sayani Mallick and Veeky Baths. “Novel deep learning framework for detection of epileptic seizures using EEG signals”. In: *Frontiers in Computational Neuroscience* 18 (Mar. 21, 2024), p. 1340251. ISSN: 1662-5188. DOI: [10.3389/fncom.2024.1340251](https://doi.org/10.3389/fncom.2024.1340251).
- [19] M. B. Mironov et al. “Artificial intelligence applied for the diagnosis of absence epilepsy with simultaneously tested patient’s consciousness level in ictal event”. In: *Epilepsy and paroxysmal conditions* 16.1 (Apr. 16, 2024), pp. 8–17. ISSN: 2311-4088, 2077-8333. DOI: [10.17749/2077-8333/epi.par.con.2024.178](https://doi.org/10.17749/2077-8333/epi.par.con.2024.178).
- [20] Zhijiang Wan et al. “EEGformer: A transformer-based brain activity classification method using EEG signal”. In: *Frontiers in Neuroscience* 17 (Mar. 24, 2023), p. 1148855. ISSN: 1662-453X. DOI: [10.3389/fnins.2023.1148855](https://doi.org/10.3389/fnins.2023.1148855).
- [21] Yuqi Chen et al. *EEGFormer: Towards Transferable and Interpretable Large-Scale EEG Foundation Model*. Jan. 11, 2024. DOI: [10.48550/arXiv.2401.10278](https://doi.org/10.48550/arXiv.2401.10278). arXiv: [2401.10278\[eess\]](https://arxiv.org/abs/2401.10278).
- [22] Collenn Callanga et al. “Empowering Doctoral Students: The Role of Publish or Perish Software in Enhancing Systematic Reviews in Science Education”. In: *Internet Reference Services Quarterly* (Oct. 1, 2024). Publisher: Routledge. ISSN: 1087-5301.
- [23] Panfeng An et al. “An effective multi-model fusion method for EEG-based sleep stage classification”. In: *Knowledge-Based Systems* 219 (2021). Publisher: Elsevier, p. 106890.
- [24] Emadeldeen Eldele et al. “An attention-based deep learning approach for sleep stage classification with single-channel EEG”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 29 (2021). Publisher: IEEE, pp. 809–818.
- [25] Emadeldeen Eldele et al. “Self-supervised learning for label-efficient sleep stage classification: A comprehensive evaluation”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 31 (2023). Publisher: IEEE, pp. 1333–1342.
- [26] Ebrahim Khalili and Babak Mohammadzadeh Asl. “Automatic sleep stage classification using temporal convolutional neural network and new data augmentation technique from raw single-channel EEG”. In: *Computer Methods and Programs in Biomedicine* 204 (2021). Publisher: Elsevier, p. 106063.
- [27] Bufang Yang et al. “A single-channel EEG based automatic sleep stage classification method leveraging deep one-dimensional convolutional neural network and hidden Markov model”. In: *Biomedical Signal Processing and Control* 68 (2021). Publisher: Elsevier, p. 102581.

- [28] Saadullah Farooq Abbasi, Harun Jamil, and Wei Chen. “EEG-based neonatal sleep stage classification using ensemble learning”. In: *Comput. Mater. Contin* 70 (2022), pp. 4619–4633.
- [29] Narjes Goshtasbi, Reza Boostani, and Saeid Sanei. “SleepFCN: A fully convolutional deep learning framework for sleep stage classification using single-channel electroencephalograms”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 30 (2022). Publisher: IEEE, pp. 2088–2096.
- [30] Jing Huang et al. “An improved neural network based on SENet for sleep stage classification”. In: *IEEE Journal of Biomedical and Health Informatics* 26.10 (2022). Publisher: IEEE, pp. 4948–4956.
- [31] Chengfan Li et al. “A deep learning method approach for sleep stage classification with EEG spectrogram”. In: *International Journal of Environmental Research and Public Health* 19.10 (2022). Publisher: MDPI, p. 6322.
- [32] Dongdong Zhou et al. “SingleChannelNet: A model for automatic sleep stage classification with raw single-channel EEG”. In: *Biomedical Signal Processing and Control* 75 (2022). Publisher: Elsevier, p. 103592.
- [33] Wei Pei et al. “A hybrid deep learning scheme for multi-channel sleep stage classification”. In: *Computers, Materials and Continua* 71.1 (2022). Publisher: University of Southern Queensland, pp. 889–905.
- [34] Alexander Neergaard Olesen et al. “Automatic sleep stage classification with deep residual networks in a mixed-cohort setting”. In: *Sleep* 44.1 (2021). Publisher: Oxford University Press US, zsaa161.
- [35] Ziyu Jia et al. “Multi-view spatial-temporal graph convolutional networks with domain generalization for sleep stage classification”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 29 (2021). Publisher: IEEE, pp. 1977–1986.
- [36] Yuyang You et al. “Automatic sleep stage classification: A light and efficient deep neural network model based on time, frequency and fractional Fourier transform domain features”. In: *Artificial Intelligence in Medicine* 127 (2022). Publisher: Elsevier, p. 102279.
- [37] Benjamin Fox et al. “A foundational transformer leveraging full night, multi-channel sleep study data accurately classifies sleep stages”. In: *Sleep* (Mar. 13, 2025), zsaf061. ISSN: 0161-8105. DOI: [10.1093/sleep/zsaf061](https://doi.org/10.1093/sleep/zsaf061).
- [38] Huijun Yue et al. “Research and application of deep learning-based sleep staging: Data, modeling, validation, and clinical practice”. In: *Sleep Medicine Reviews* 74 (Apr. 1, 2024), p. 101897. ISSN: 1087-0792. DOI: [10.1016/j.smrv.2024.101897](https://doi.org/10.1016/j.smrv.2024.101897).
- [39] Sidsel Armand Larsen et al. “Automated detection of nocturnal motor seizures using an audio-video system”. In: *Brain and Behavior* 12.9 (2022). DOI: [10.1002/brb3.2737](https://doi.org/10.1002/brb3.2737).
- [40] Alexandra Carrick Atwood and Cornelia Natasha Drees. “Seizure Detection Devices”. In: *Neurology Clinical Practice* 11.5 (Oct. 2021). Publisher: Wolters Kluwer, pp. 367–371. DOI: [10.1212/CPJ.0000000000001044](https://doi.org/10.1212/CPJ.0000000000001044).
- [41] Yonghua Yang et al. “Video-Based Detection of Generalized Tonic-Clonic Seizures Using Deep Learning”. In: *IEEE Journal of Biomedical and Health Informatics* 25.8 (Aug. 2021), pp. 2997–3008. ISSN: 2168-2194, 2168-2208. DOI: [10.1109/JBHI.2021.3049649](https://doi.org/10.1109/JBHI.2021.3049649).

- [42] Abhijit Venkatesh and Sajini S. “An Epileptic Seizure Detection System based on Mediapipe and Deep Learning”. In: *2024 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI)*. Vol. 2. Mar. 2024, pp. 1–6. DOI: [10.1109/IATMSI60426.2024.10503295](https://doi.org/10.1109/IATMSI60426.2024.10503295).
- [43] Yankun Xu et al. *VSViG: Real-time Video-based Seizure Detection via Skeleton-based Spatiotemporal ViG*. July 8, 2024. DOI: [10.48550/arXiv.2311.14775](https://doi.org/10.48550/arXiv.2311.14775). arXiv: [2311.14775\[cs\]](https://arxiv.org/abs/2311.14775).
- [44] David Ahmedt-Aristizabal et al. “Deep learning approaches for seizure video analysis: A review”. In: *Epilepsy & Behavior* 154 (May 2024), p. 109735. ISSN: 15255050. DOI: [10.1016/j.yebeh.2024.109735](https://doi.org/10.1016/j.yebeh.2024.109735).
- [45] Fredrik K. Andersson et al. “Video-based automatic seizure detection in pharmaco-resistant epilepsy: A prospective exploratory study”. In: *Epilepsy & Behavior* 161 (Dec. 2024), p. 110118. ISSN: 15255050. DOI: [10.1016/j.yebeh.2024.110118](https://doi.org/10.1016/j.yebeh.2024.110118).
- [46] Teruaki Nochino et al. “Sleep stage estimation method using a camera for home use”. In: *Biomedical Engineering Letters* 9.2 (May 2019), pp. 257–265. ISSN: 2093-985X. DOI: [10.1007/s13534-019-00108-w](https://doi.org/10.1007/s13534-019-00108-w).
- [47] Fokke B. van Meulen et al. “Contactless Camera-Based Sleep Staging: The HealthBed Study”. In: *Bioengineering (Basel, Switzerland)* 10.1 (Jan. 12, 2023), p. 109. ISSN: 2306-5354. DOI: [10.3390/bioengineering10010109](https://doi.org/10.3390/bioengineering10010109).
- [48] Jonathan Carter et al. *Deep Learning-Enabled Sleep Staging From Vital Signs and Activity Measured Using a Near-Infrared Video Camera*. June 6, 2023. DOI: [10.48550/arXiv.2306.03711](https://doi.org/10.48550/arXiv.2306.03711). arXiv: [2306.03711\[cs\]](https://arxiv.org/abs/2306.03711).
- [49] Muhammad Awais et al. “A Hybrid DCNN-SVM Model for Classifying Neonatal Sleep and Wake States Based on Facial Expressions in Video”. In: *IEEE Journal of Biomedical and Health Informatics* 25.5 (May 2021), pp. 1441–1449. ISSN: 2168-2208. DOI: [10.1109/JBHI.2021.3073632](https://doi.org/10.1109/JBHI.2021.3073632).
- [50] Jonathan F. Carter et al. *SleepVST: Sleep Staging from Near-Infrared Video Signals using Pre-Trained Transformers*. version: 1. Apr. 4, 2024. DOI: [10.48550/arXiv.2404.03831](https://doi.org/10.48550/arXiv.2404.03831). arXiv: [2404.03831\[cs\]](https://arxiv.org/abs/2404.03831).
- [51] Hoda Aghaei, Mohammad Mahdi Kiani, and Hamid Aghajan. “Epileptic seizure detection based on video and EEG recordings”. In: 2017 IEEE Biomedical Circuits and Systems Conference (BioCAS). Torino, Italy: IEEE, Oct. 2017, pp. 1–4. ISBN: 978-1-5090-5803-7. DOI: [10.1109/BIOCAS.2017.8325156](https://doi.org/10.1109/BIOCAS.2017.8325156).
- [52] Yixian Wu et al. “Multi-modal signal based childhood rolandic epilepsy detection”. In: *Cognitive Systems and Information Processing: 6th International Conference, ICCSIP 2021, Suzhou, China, November 20–21, 2021, Revised Selected Papers 6*. Ed. by Fuchun Sun et al. Communications in Computer and Information Science. Springer Nature Singapore, 2022, pp. 495–510. ISBN: 978-981-16-9246-8. DOI: [10.1007/978-981-16-9247-5](https://doi.org/10.1007/978-981-16-9247-5).
- [53] Jiuwen Cao et al. “Synchronized Video and EEG Based Childhood Epilepsy Seizure Detection”. In: *IEEE Transactions on Emerging Topics in Computational Intelligence* 8.6 (Dec. 2024), pp. 3742–3753. ISSN: 2471-285X. DOI: [10.1109/TETCI.2024.3372387](https://doi.org/10.1109/TETCI.2024.3372387).

- [54] Nan Lin et al. “vEpiNet: A multimodal interictal epileptiform discharge detection method based on video and electroencephalogram data”. In: *Neural Networks* 175 (July 2024), p. 106319. ISSN: 0893-6080. DOI: [10.1016/j.neunet.2024.106319](https://doi.org/10.1016/j.neunet.2024.106319).
- [55] Kang Yin et al. *EEG-based Multimodal Representation Learning for Emotion Recognition*. Oct. 29, 2024. DOI: [10.48550/arXiv.2411.00822](https://doi.org/10.48550/arXiv.2411.00822). arXiv: [2411.00822\[cs\]](https://arxiv.org/abs/2411.00822).
- [56] Giulia Regalia et al. “Multimodal wrist-worn devices for seizure detection and advancing research: Focus on the Empatica wristbands”. In: *Epilepsy Research* 153 (July 1, 2019), pp. 79–82. ISSN: 0920-1211. DOI: [10.1016/j.eplepsyres.2019.02.007](https://doi.org/10.1016/j.eplepsyres.2019.02.007).
- [57] M.N. Istiaq Ahsan et al. “Audio-Based Epileptic Seizure Detection”. In: *2019 27th European Signal Processing Conference (EUSIPCO)*. 2019, pp. 1–5. DOI: [10.23919/EUSIPCO.2019.8902840](https://doi.org/10.23919/EUSIPCO.2019.8902840).
- [58] Raquel Fernández-Martín et al. “Towards the automated detection of interictal epileptiform discharges with magnetoencephalography”. In: *Journal of Neuroscience Methods* 403 (Mar. 1, 2024), p. 110052. ISSN: 0165-0270. DOI: [10.1016/j.jneumeth.2023.110052](https://doi.org/10.1016/j.jneumeth.2023.110052).
- [59] Xiaopeng Ji et al. “MixSleepNet: A Multi-Type Convolution Combined Sleep Stage Classification Model”. In: *Computer Methods and Programs in Biomedicine* 244 (Feb. 1, 2024), p. 107992. ISSN: 0169-2607. DOI: [10.1016/j.cmpb.2023.107992](https://doi.org/10.1016/j.cmpb.2023.107992).
- [60] Ze Ren, Jin Ma, and Ying Ding. “FlexibleSleepNet: A Model for Automatic Sleep Stage Classification Based on Multi-Channel Polysomnography”. In: *IEEE Journal of Biomedical and Health Informatics* (2025), pp. 1–13. ISSN: 2168-2208. DOI: [10.1109/JBHI.2025.3525626](https://doi.org/10.1109/JBHI.2025.3525626).
- [61] Oliver Faust et al. “A review of automated sleep stage scoring based on physiological signals for the new millennia”. In: *Computer Methods and Programs in Biomedicine* 176 (July 1, 2019), pp. 81–91. ISSN: 0169-2607. DOI: [10.1016/j.cmpb.2019.04.032](https://doi.org/10.1016/j.cmpb.2019.04.032).
- [62] Alexander J. Boe et al. “Automating sleep stage classification using wireless, wearable sensors”. In: *npj Digital Medicine* 2.1 (Dec. 20, 2019). Publisher: Nature Publishing Group, pp. 1–9. ISSN: 2398-6352. DOI: [10.1038/s41746-019-0210-1](https://doi.org/10.1038/s41746-019-0210-1).
- [63] Lauren E. Rentz, Hana K. Ulman, and Scott M. Galster. “Deconstructing Commercial Wearable Technology: Contributions toward Accurate and Free-Living Monitoring of Sleep”. In: *Sensors (Basel, Switzerland)* 21.15 (July 27, 2021), p. 5071. ISSN: 1424-8220. DOI: [10.3390/s21155071](https://doi.org/10.3390/s21155071).
- [64] Dean J. Miller, Charli Sargent, and Gregory D. Roach. “A Validation of Six Wearable Devices for Estimating Sleep, Heart Rate and Heart Rate Variability in Healthy Adults”. In: *Sensors (Basel, Switzerland)* 22.16 (Aug. 22, 2022), p. 6317. ISSN: 1424-8220. DOI: [10.3390/s22166317](https://doi.org/10.3390/s22166317).
- [65] Kenny Schlegel et al. “Lessons from a challenge on forecasting epileptic seizures from non-cerebral signals”. In: *Nature Machine Intelligence* 6.2 (Feb. 2024). Publisher: Nature Publishing Group, pp. 243–244. ISSN: 2522-5839. DOI: [10.1038/s42256-024-00799-6](https://doi.org/10.1038/s42256-024-00799-6).

- [66] Benjamin W. Nelson et al. “Performance Evaluation of the Verily Numetric Watch sleep suite for digital sleep assessment against in-lab polysomnography”. In: *medRxiv* (2024). DOI: [10.1101/2024.09.10.24313425](https://doi.org/10.1101/2024.09.10.24313425). eprint: <https://www.medrxiv.org/content/early/2024/09/11/2024.09.10.24313425.full.pdf>.
- [67] An-Marie Schyvens et al. “Accuracy of Fitbit Charge 4, Garmin Vivosmart 4, and WHOOP Versus Polysomnography: Systematic Review”. In: *JMIR mHealth and uHealth* 12 (Mar. 27, 2024), e52192. ISSN: 2291-5222. DOI: [10.2196/52192](https://doi.org/10.2196/52192).
- [68] Rebecca Robbins et al. “Accuracy of Three Commercial Wearable Devices for Sleep Tracking in Healthy Adults”. In: *Sensors (Basel, Switzerland)* 24.20 (Oct. 10, 2024), p. 6532. ISSN: 1424-8220. DOI: [10.3390/s24206532](https://doi.org/10.3390/s24206532).
- [69] Thomas Svensson et al. “Validity and reliability of the Oura Ring Generation 3 (Gen3) with Oura sleep staging algorithm 2.0 (OSSA 2.0) when compared to multi-night ambulatory polysomnography: A validation study of 96 participants and 421,045 epochs”. In: *Sleep Medicine* 115 (Mar. 2024), pp. 251–263. ISSN: 1878-5506. DOI: [10.1016/j.sleep.2024.01.020](https://doi.org/10.1016/j.sleep.2024.01.020).
- [70] Massimiliano de Zambotti et al. “State of the science and recommendations for using wearable technology in sleep and circadian research”. In: *Sleep* 47.4 (Apr. 1, 2024), zsad325. ISSN: 0161-8105. DOI: [10.1093/sleep/zsad325](https://doi.org/10.1093/sleep/zsad325).
- [71] Ju Lynn Ong et al. “Selecting a sleep tracker from EEG-based, iteratively improved, low-cost multisensor, and actigraphy-only devices”. In: *Sleep Health* 10.1 (Feb. 1, 2024), pp. 9–23. ISSN: 2352-7218. DOI: [10.1016/j.sleh.2023.11.005](https://doi.org/10.1016/j.sleh.2023.11.005).
- [72] Brienne Miner et al. *Performance of an Electroencephalography-Measuring Headband or Actigraphy Compared with Polysomnography in Older Adults with Sleep Disturbances*. Pages: 2025.01.25.25321124. Jan. 27, 2025. DOI: [10.1101/2025.01.25.25321124](https://doi.org/10.1101/2025.01.25.25321124).
- [73] Taeyoung Lee et al. “Accuracy of 11 Wearable, Nearable, and Airable Consumer Sleep Trackers: Prospective Multicenter Validation Study”. In: *JMIR mHealth and uHealth* 11 (Nov. 2, 2023), e50983. ISSN: 2291-5222. DOI: [10.2196/50983](https://doi.org/10.2196/50983).
- [74] Bohan Yu et al. “WiFi-Sleep: Sleep Stage Monitoring Using Commodity Wi-Fi Devices”. In: *IEEE Internet of Things Journal* 8.18 (Sept. 2021), pp. 13900–13913. ISSN: 2327-4662. DOI: [10.1109/JIOT.2021.3068798](https://doi.org/10.1109/JIOT.2021.3068798).
- [75] Iyad Obeid and Joseph Picone. “The Temple University Hospital EEG Data Corpus”. In: *Frontiers in Neuroscience* 10 (May 13, 2016). Publisher: Frontiers. ISSN: 1662-453X. DOI: [10.3389/fnins.2016.00196](https://doi.org/10.3389/fnins.2016.00196).
- [76] Ralph G Andrzejak et al. “Indications of nonlinear deterministic and finite-dimensional structures in time series of brain electrical activity: Dependence on recording region and brain state”. In: *Physical Review E* 64.6 (2001), p. 061907.
- [77] Tala Abdallah et al. “Deep Clustering for Epileptic Seizure Detection”. In: *IEEE Transactions on Biomedical Engineering* 72.2 (Feb. 2025), pp. 480–492. ISSN: 1558-2531. DOI: [10.1109/TBME.2024.3458177](https://doi.org/10.1109/TBME.2024.3458177).
- [78] Quiyi Wu and Ernest Fokoue. *Epileptic Seizure Recognition Data Set*. ResearchGate. 2017. DOI: [10.13140/RG.2.2.33336.03843](https://doi.org/10.13140/RG.2.2.33336.03843).

- [79] M. Winterhalder et al. “The seizure prediction characteristic: a general framework to assess and compare seizure prediction methods”. In: *Epilepsy & Behavior* 4.3 (June 1, 2003), pp. 318–325. ISSN: 1525-5050. DOI: [10.1016/S1525-5050\(03\)00105-7](https://doi.org/10.1016/S1525-5050(03)00105-7).
- [80] Thomas Maiwald et al. “Comparison of three nonlinear seizure prediction methods by means of the seizure prediction characteristic”. In: *Physica D: Nonlinear Phenomena* 194.3 (July 15, 2004), pp. 357–368. ISSN: 0167-2789. DOI: [10.1016/j.physd.2004.02.013](https://doi.org/10.1016/j.physd.2004.02.013).
- [81] Mark Frei, I. Osorio, and A. Frei. “The FHS publicly available ECoG database”. In: 62nd annual meeting of the American Epilepsy Society. 2008.
- [82] Jonas Duun-Henriksen et al. “Channel selection for automatic seizure detection”. In: *Clinical Neurophysiology* 123.1 (Jan. 1, 2012), pp. 84–92. ISSN: 1388-2457. DOI: [10.1016/j.clinph.2011.06.001](https://doi.org/10.1016/j.clinph.2011.06.001).
- [83] Ali Hossam Shoeb. “Application of machine learning to epileptic seizure onset detection and treatment”. PhD thesis. Massachusetts Institute of Technology, 2009.
- [84] Piotr Zwoliński et al. “Open Database of Epileptic EEG with MRI and Postoperational Assessment of Foci—a Real World Verification for the EEG Inverse Solutions”. In: *Neuroinformatics* 8.4 (2010), pp. 285–299. ISSN: 1539-2791. DOI: [10.1007/s12021-010-9086-6](https://doi.org/10.1007/s12021-010-9086-6).
- [85] Ralph G. Andrzejak, Kaspar Schindler, and Christian Rummel. “Nonrandomness, nonlinear dependence, and nonstationarity of electroencephalographic recordings from epilepsy patients”. In: *Physical Review E* 86.4 (Oct. 12, 2012). Publisher: American Physical Society, p. 046206. DOI: [10.1103/PhysRevE.86.046206](https://doi.org/10.1103/PhysRevE.86.046206).
- [86] Matthias Ihle et al. “EPILEPSIAE – A European epilepsy database”. In: *Computer Methods and Programs in Biomedicine* 106.3 (June 1, 2012). Publisher: Elsevier, pp. 127–138. ISSN: 0169-2607. DOI: [10.1016/j.cmpb.2010.08.011](https://doi.org/10.1016/j.cmpb.2010.08.011).
- [87] Thomas George Selvaraj et al. “EEG Database of Seizure Disorders for Experts and Application Developers”. In: *Clinical EEG and Neuroscience* (Dec. 19, 2013). Publisher: SAGE PublicationsSage CA: Los Angeles, CA. DOI: [10.1177/1550059413500960](https://doi.org/10.1177/1550059413500960).
- [88] Benjamin H. Brinkmann et al. “Crowdsourcing reproducible seizure forecasting in human and canine epilepsy”. In: *Brain* 139.6 (June 1, 2016), pp. 1713–1722. ISSN: 0006-8950. DOI: [10.1093/brain/aww045](https://doi.org/10.1093/brain/aww045).
- [89] Andriy Temko, Achintya Sarkar, and Gordon Lightbody. “Detection of seizures in intracranial EEG: UPenn and Mayo Clinic’s Seizure Detection Challenge”. In: 2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC). ISSN: 1558-4615. Aug. 2015, pp. 6582–6585. DOI: [10.1109/EMBC.2015.7319901](https://doi.org/10.1109/EMBC.2015.7319901).
- [90] Piyush Swami et al. *EEG Epilepsy Datasets*. ResearchGate. 2016. DOI: [10.13140/RG.2.2.14280.32006](https://doi.org/10.13140/RG.2.2.14280.32006).
- [91] Piyush Swami et al. “A novel robust diagnostic model to detect seizures in electroencephalography”. In: *Expert Systems with Applications* 56 (Sept. 1, 2016), pp. 116–130. ISSN: 0957-4174. DOI: [10.1016/j.eswa.2016.02.040](https://doi.org/10.1016/j.eswa.2016.02.040).

- [92] Levin Kuhlmann et al. “Epilepsyecosystem.org: crowd-sourcing reproducible seizure prediction with long-term human intracranial EEG”. In: *Brain* 141.9 (Sept. 1, 2018), pp. 2619–2630. ISSN: 0006-8950. DOI: [10.1093/brain/awy210](https://doi.org/10.1093/brain/awy210).
- [93] Alessio Burrello et al. “One-shot Learning for iEEG Seizure Detection Using End-to-end Binary Operations: Local Binary Patterns with Hyperdimensional Computing”. In: 2018 IEEE Biomedical Circuits and Systems Conference (BioCAS). ISSN: 2163-4025. Oct. 2018, pp. 1–4. DOI: [10.1109/BIOCAS.2018.8584751](https://doi.org/10.1109/BIOCAS.2018.8584751).
- [94] N. J. Stevenson et al. “A dataset of neonatal EEG recordings with seizure annotations”. In: *Scientific Data* 6.1 (Mar. 5, 2019). Publisher: Nature Publishing Group, p. 190039. ISSN: 2052-4463. DOI: [10.1038/sdata.2019.39](https://doi.org/10.1038/sdata.2019.39).
- [95] Paolo Detti, Giampaolo Vatti, and Garazi Zabalo Manrique de Lara. “EEG synchronization analysis for seizure prediction: A study on data of noninvasive recordings”. In: *Processes* 8.7 (2020), p. 846.
- [96] Renuka Khati. *Epileptic seizure detection using machine learning techniques*. Publisher: Mendeley Data. May 27, 2020. DOI: [10.17632/k2mzn5zvyg.1](https://doi.org/10.17632/k2mzn5zvyg.1). (Visited on 03/22/2025).
- [97] Mustafa Aykut Kural et al. “Criteria for defining interictal epileptiform discharges in EEG”. In: *Neurology* 94.20 (May 19, 2020). Publisher: Wolters Kluwer, e2139–e2147. DOI: [10.1212/WNL.0000000000009439](https://doi.org/10.1212/WNL.0000000000009439).
- [98] Wassim Nasreddine. “Epileptic EEG Dataset”. In: 1 (Mar. 16, 2021). Publisher: Mendeley Data. DOI: [10.17632/5pc2j46cbc.1](https://doi.org/10.17632/5pc2j46cbc.1).
- [99] Deepa B and Ramesh K. *Preprocessed EEG dataset with epileptic seizure from SNMC Bagalkot, India*. Feb. 22, 2022. DOI: [10.21227/q6y0-e695](https://doi.org/10.21227/q6y0-e695).
- [100] Youmin Shin et al. “Using spectral and temporal filters with EEG signal to predict the temporal lobe epilepsy outcome after antiseizure medication via machine learning”. In: *Scientific Reports* 13.1 (Dec. 18, 2023). Publisher: Nature Publishing Group, p. 22532. ISSN: 2045-2322. DOI: [10.1038/s41598-023-49255-2](https://doi.org/10.1038/s41598-023-49255-2).
- [101] Shupta Das et al. “Epileptic Seizure Detection from Decomposed EEG Signal through 1D and 2D Feature Representation and Convolutional Neural Network”. en. In: *Information* 15.5 (May 2024). Number: 5 Publisher: Multidisciplinary Digital Publishing Institute, p. 256. ISSN: 2078-2489. DOI: [10.3390/info15050256](https://doi.org/10.3390/info15050256).
- [102] Nan Lin et al. “An EEG dataset for interictal epileptiform discharge with spatial distribution information”. In: *Scientific Data* 12.1 (Feb. 7, 2025). Publisher: Nature Publishing Group, p. 229. ISSN: 2052-4463. DOI: [10.1038/s41597-025-04572-1](https://doi.org/10.1038/s41597-025-04572-1).
- [103] Sheng Wong et al. “EEG datasets for seizure detection and prediction— A review”. In: *Epilepsia Open* 8.2 (June 2023), pp. 252–267. ISSN: 2470-9239, 2470-9239. DOI: [10.1002/epi4.12704](https://doi.org/10.1002/epi4.12704).
- [104] Gadi Miron et al. *Detection of Epileptic Spasms Using Foundational AI and Smartphone Videos: A Novel Diagnostic Approach for a Rare Neurological Disorder*. Nov. 1, 2024. DOI: [10.1101/2024.10.28.24316130](https://doi.org/10.1101/2024.10.28.24316130).

- [105] Min-Ho Lee et al. “EAV: EEG-Audio-Video Dataset for Emotion Recognition in Conversational Contexts”. In: *Scientific Data* 11.1 (Sept. 19, 2024), p. 1026. ISSN: 2052-4463. DOI: [10.1038/s41597-024-03838-4](https://doi.org/10.1038/s41597-024-03838-4).
- [106] Jianan Han. *SSSVE_Dataset*. July 26, 2022.
- [107] Jianan Han et al. *Seeing your sleep stage: cross-modal distillation from EEG to infrared video*. Aug. 11, 2022. DOI: [10.48550/arXiv.2208.05814](https://doi.org/10.48550/arXiv.2208.05814). arXiv: [2208.05814](https://arxiv.org/abs/2208.05814) [cs].
- [108] Lev V Utkin et al. “Estimation of Personalized Heterogeneous Treatment Effects Using Concatenation and Augmentation of Feature Vectors”. In: *International Journal on Artificial Intelligence Tools* 29.05 (2020), p. 2050005.
- [109] Stanislav Kirpichenko et al. “BENK: The Beran Estimator with Neural Kernels for Estimating the Heterogeneous Treatment Effect”. In: *Algorithms* 17.1 (2024), p. 40.
- [110] Andrei V. Konstantinov, Stanislav R. Kirpichenko, and Lev V. Utkin. *Generating Survival Interpretable Trajectories and Data*. 2024. arXiv: [2402.12331](https://arxiv.org/abs/2402.12331) [cs.LG].
- [111] Sören R Künzel et al. “Metalearners for estimating heterogeneous treatment effects using machine learning”. In: *Proceedings of the national academy of sciences* 116.10 (2019), pp. 4156–4165.
- [112] Junshui Ma et al. “Statistical methods to estimate treatment effects from multichannel electroencephalography (EEG) data in clinical trials”. In: *Journal of neuroscience methods* 190.2 (2010), pp. 248–257.
- [113] Devon Watts et al. “Predicting treatment response using EEG in major depressive disorder: A machine-learning meta-analysis”. In: *Translational psychiatry* 12.1 (2022), p. 332.
- [114] Petri Ojanen et al. “Feasibility of video/audio monitoring in the analysis of motion and treatment effects on night-time seizures—Interventional study”. In: *Epilepsy Research* 184 (2022), p. 106949.
- [115] Eleonora Poeta et al. *Concept-based Explainable Artificial Intelligence: A Survey*. 2023. arXiv: [2312.12936](https://arxiv.org/abs/2312.12936) [cs.AI].
- [116] Rinat I. Dumaev, Sergei A. Molodyakov, and Lev V. Utkin. *Concept-based Explainable Malignancy Scoring on Pulmonary Nodules in CT Images*. 2024. arXiv: [2405.17483](https://arxiv.org/abs/2405.17483) [eess.IV].
- [117] Andrei V. Konstantinov and Lev V. Utkin. *Incorporating Expert Rules into Neural Networks in the Framework of Concept-Based Learning*. 2024. arXiv: [2402.14726](https://arxiv.org/abs/2402.14726) [cs.LG].
- [118] Lev V. Utkin, Andrei V. Konstantinov, and Stanislav R. Kirpichenko. *FI-CBL: A Probabilistic Method for Concept-Based Learning with Expert Rules*. 2024. arXiv: [2406.19897](https://arxiv.org/abs/2406.19897) [cs.LG].
- [119] Felix Knispel. “Interpretable Machine Learning in EEG Abnormality Detection”. PhD thesis. RWTH Aachen University, Germany, 2022.
- [120] Anders Gjølbje Madsen et al. “Concept-Based Explainability for an EEG Transformer Model”. In: 2023 IEEE 33rd International Workshop on Machine Learning for Signal Processing (MLSP). ISSN: 2161-0371. Sept. 2023, pp. 1–6. DOI: [10.1109/MLSP55844.2023.10285992](https://doi.org/10.1109/MLSP55844.2023.10285992).

- [121] Alexander Brenner et al. “Concept-based AI interpretability in physiological time-series data: Example of abnormality detection in electroencephalography”. In: *Computer Methods and Programs in Biomedicine* 257 (2024), p. 108448.
- [122] Jathurshan Pradeepkumar et al. “Towards interpretable sleep stage classification using cross-modal transformers”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* (2024). Publisher: IEEE.
- [123] Jeya Vikranth Jeyakumar et al. *Automatic Concept Extraction for Concept Bottleneck-based Video Classification*. 2022. arXiv: [2206.10129](https://arxiv.org/abs/2206.10129) [cs.CV].
- [124] Haleema Anwar et al. “Epileptic seizures”. In: *Discoveries* 8.2 (), e110. ISSN: 2359-7232. DOI: [10.15190/d.2020.7](https://doi.org/10.15190/d.2020.7).
- [125] Yankun Xu, Jie Yang, and Mohamad Sawan. “Multichannel Synthetic Preictal EEG Signals to Enhance the Prediction of Epileptic Seizures”. In: *IEEE Transactions on Biomedical Engineering* 69.11 (Nov. 2022), pp. 3516–3525. ISSN: 1558-2531. DOI: [10.1109/TBME.2022.3171982](https://doi.org/10.1109/TBME.2022.3171982).
- [126] Lan Wei and Catherine Mooney. “Pediatric and Adolescent Seizure Detection: A Machine Learning Approach Exploring the Influence of Age and Sex in Electroencephalogram Analysis”. In: *BioMedInformatics* 4.1 (Mar. 2024). Number: 1 Publisher: Multidisciplinary Digital Publishing Institute. ISSN: 2673-7426. DOI: [10.3390/biomedinformatics4010044](https://doi.org/10.3390/biomedinformatics4010044).
- [127] Eugenia Moris and Ignacio Larrabide. “Evaluating sleep-stage classification: how age and early-late sleep affects classification performance”. In: *Medical & Biological Engineering & Computing* 62.2 (Feb. 1, 2024), pp. 343–355. ISSN: 1741-0444. DOI: [10.1007/s11517-023-02943-7](https://doi.org/10.1007/s11517-023-02943-7).
- [128] Salahuddin Ahmed et al. “Stick-and-play bioadhesive hairlike electrodes for chronic EEG recording on human”. In: *npj Biomedical Innovations* 2.1 (Mar. 18, 2025). Publisher: Nature Publishing Group, pp. 1–10. ISSN: 3005-1444. DOI: [10.1038/s44385-025-00009-x](https://doi.org/10.1038/s44385-025-00009-x).
- [129] Domantė Kučikienė et al. “EEG microstates show different features in focal epilepsy and psychogenic nonepileptic seizures”. In: (2024). DOI: [10.1111/epi.17897](https://doi.org/10.1111/epi.17897).
- [130] Yasushi Ito et al. “non-epileptic seizures from epileptic seizures in Glut1 deficiency syndrome”. In: (). DOI: [10.1111/dmcn.15942](https://doi.org/10.1111/dmcn.15942).
- [131] Steven Fussner et al. “Differentiating Epileptic and Psychogenic Non-Epileptic Seizures Using Machine Learning Analysis of EEG Plot Images”. In: *Sensors* 24.9 (Jan. 2024). Number: 9 Publisher: Multidisciplinary Digital Publishing Institute, p. 2823. ISSN: 1424-8220. DOI: [10.3390/s24092823](https://doi.org/10.3390/s24092823).
- [132] Deeksha M. Shama and Archana Venkataraman. “Uncertainty-Aware Bayesian Deep Learning with Noisy Training Labels for Epileptic Seizure Detection”. en. In: *Uncertainty for Safe Utilization of Machine Learning in Medical Imaging*. Ed. by Carole H. Sudre et al. Cham: Springer Nature Switzerland, 2025, pp. 3–13. ISBN: 978-3-031-73158-7. DOI: [10.1007/978-3-031-73158-7_1](https://doi.org/10.1007/978-3-031-73158-7_1).
- [133] Hans van Gorp et al. “Certainty about uncertainty in sleep staging: a theoretical framework”. In: *Sleep* 45.8 (Aug. 1, 2022), zsac134. ISSN: 0161-8105. DOI: [10.1093/sleep/zsac134](https://doi.org/10.1093/sleep/zsac134).

- [134] Z. Wang, S. Li, and Dongrui Wu. *Canine EEG Helps Human: Cross-Species and Cross-Modality Epileptic Seizure Detection via Multi-Space Alignment*. arXiv:2412.17842 [eess]. Feb. 2025. DOI: [10.48550/arXiv.2412.17842](https://doi.org/10.48550/arXiv.2412.17842).
- [135] Aimee Goel et al. “The utility of Multicentre Epilepsy Lesion Detection (MELD) algorithm in identifying epileptic activity and predicting seizure freedom in MRI lesion-negative paediatric patients”. In: *Epilepsy Research* 206 (Oct. 2024), p. 107429. ISSN: 0920-1211. DOI: [10.1016/j.eplepsyres.2024.107429](https://doi.org/10.1016/j.eplepsyres.2024.107429).
- [136] V Dharani and L. Lakshmanan. “Integrative Approach for Automated Epileptic Seizure Detection: EEG-MRI Hybrid Model Utilizing Deep Learning Techniques”. In: *2024 5th International Conference on Data Intelligence and Cognitive Informatics (ICDICI)*. Nov. 2024, pp. 829–834. DOI: [10.1109/ICDICI62993.2024.10810967](https://doi.org/10.1109/ICDICI62993.2024.10810967).
- [137] Yipeng Du et al. “Hyperdimensional Computing With Multiscale Local Binary Patterns for Scalp EEG-Based Epileptic Seizure Detection”. In: *IEEE Internet of Things Journal* 11.15 (Aug. 2024), pp. 26046–26061. ISSN: 2327-4662. DOI: [10.1109/JIOT.2024.3395496](https://doi.org/10.1109/JIOT.2024.3395496).
- [138] Zongpeng Zhang et al. “Efficient and generalizable cross-patient epileptic seizure detection through a spiking neural network”. English. In: *Frontiers in Neuroscience* 17 (Jan. 2024). Publisher: Frontiers. ISSN: 1662-453X. DOI: [10.3389/fnins.2023.1303564](https://doi.org/10.3389/fnins.2023.1303564).
- [139] Olympia Gallou et al. “Online Epileptic Seizure Detection in Long-term iEEG Recordings Using Mixed-signal Neuromorphic Circuits”. In: *2024 IEEE Biomedical Circuits and Systems Conference (BioCAS)*. ISSN: 2766-4465. Oct. 2024, pp. 1–5. DOI: [10.1109/BioCAS61083.2024.10798236](https://doi.org/10.1109/BioCAS61083.2024.10798236).
- [140] Michael Breakspear. “Dynamic models of large-scale brain activity”. In: *Nature Neuroscience* 20.3 (Mar. 2017). Publisher: Nature Publishing Group, pp. 340–352. ISSN: 1546-1726. DOI: [10.1038/nn.4497](https://doi.org/10.1038/nn.4497).
- [141] Yueyang Liu et al. “Forecasting events in multidimensional electroencephalographic brain data: Application to epileptic seizure prediction.” In: *2024 27th International Conference on Information Fusion (FUSION)*. July 2024, pp. 1–8. DOI: [10.23919/FUSION59988.2024.10706283](https://doi.org/10.23919/FUSION59988.2024.10706283).
- [142] LiChunyu et al. “Multimodal foundation models: From specialists to general-purpose assistants”. In: *Foundations and Trends® in Computer Graphics and Vision* 16.1-2 (May 6, 2024), pp. 1–214. DOI: [10.1561/0600000110](https://doi.org/10.1561/0600000110).
- [143] Jianan Han et al. “Cross-Modal Contrastive Hashing Retrieval for Infrared Video and EEG”. In: *Sensors* 22.22 (Jan. 2022). Number: 22 Publisher: Multidisciplinary Digital Publishing Institute, p. 8804. ISSN: 1424-8220. DOI: [10.3390/s22228804](https://doi.org/10.3390/s22228804).
- [144] G. Indu Salini and I. Sowmy. “Adadelta-CSA: Adadelta-Chameleon Swarm Algorithm for EEG-Based Epileptic Seizure Detection”. In: *International Journal of Computational Intelligence and Applications* 24.01 (Mar. 2025). Publisher: World Scientific Publishing Co., p. 2450030. ISSN: 1469-0268. DOI: [10.1142/S1469026824500305](https://doi.org/10.1142/S1469026824500305).
- [145] Muhammed Sadiq et al. “Novel EEG feature selection based on hellinger distance for epileptic seizure detection”. In: *Smart Health* 35 (Mar. 2025), p. 100536. ISSN: 2352-6483. DOI: [10.1016/j.smhl.2024.100536](https://doi.org/10.1016/j.smhl.2024.100536).

- [146] Jiahao Qin et al. “Dual-Modality Transformer with Time Series Imaging for Robust Epileptic Seizure Prediction”. en. In: *Applied Sciences* 15.3 (Jan. 2025). Number: 3 Publisher: Multidisciplinary Digital Publishing Institute, p. 1538. ISSN: 2076-3417. DOI: [10.3390/app15031538](https://doi.org/10.3390/app15031538).
- [147] E. Ozer et al. *Evaluating Different Hybrid Learning Algorithms Based Grid Search Algorithm for Epileptic Seizure Zone Detection*. Publisher: papers.ssrn.com. 2025.
- [148] Felipe Muñoz, Rafael Asenjo Plaza, and Angeles Navarro. “PaFESD: Patterns Augmented by Features Epileptic Seizure Detection”. In: *IEEE Transactions on Biomedical Engineering* 72.1 (Jan. 2025), pp. 137–151. ISSN: 1558-2531. DOI: [10.1109/TBME.2024.3441090](https://doi.org/10.1109/TBME.2024.3441090).
- [149] Zeynab Mohammadpoory, Mahda Nasrolahzadeh, and Sekineh Asadi Amiri. “Patient-independent epileptic seizure detection using weighted visibility graph features and wavelet decomposition”. en. In: *Multimedia Tools and Applications* 84.6 (Feb. 2025), pp. 3197–3221. ISSN: 1573-7721. DOI: [10.1007/s11042-025-20594-8](https://doi.org/10.1007/s11042-025-20594-8).
- [150] Sakorn Mekruksavanich et al. “Epileptic seizure detection in EEG signals via an enhanced hybrid CNN with an integrated attention mechanism”. en. In: *Mathematical Biosciences and Engineering* 22.1 (2025), pp. 73–105. ISSN: 1551-0018. DOI: [10.3934/mbe.2025004](https://doi.org/10.3934/mbe.2025004).
- [151] Yingjian Liu et al. “Phase spectrogram of EEG from S-transform Enhances epileptic seizure detection”. In: *Expert Systems with Applications* 262 (Mar. 2025), p. 125621. ISSN: 0957-4174. DOI: [10.1016/j.eswa.2024.125621](https://doi.org/10.1016/j.eswa.2024.125621).
- [152] Ying Liu et al. “Trust EEG epileptic seizure detection via evidential multi-view learning”. In: *Information Sciences* 694 (Mar. 2025), p. 121699. ISSN: 0020-0255. DOI: [10.1016/j.ins.2024.121699](https://doi.org/10.1016/j.ins.2024.121699).
- [153] Zhuoyi Li et al. “Epileptic Seizure Detection in S EEG Signals Using a Signal Embedding Temporal-Spatial-Spectral Transformer Model”. In: *IEEE Transactions on Instrumentation and Measurement* 74 (2025), pp. 1–11. ISSN: 1557-9662. DOI: [10.1109/TIM.2025.3527489](https://doi.org/10.1109/TIM.2025.3527489).
- [154] Jia Wen Li et al. “A rhythmic encoding approach based on EEG time-frequency image for epileptic seizure detection”. In: *Biomedical Signal Processing and Control* 99 (Jan. 2025), p. 106824. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2024.106824](https://doi.org/10.1016/j.bspc.2024.106824).
- [155] D. Jang et al. *Diminished Mobilenet: A Lightweight Architecture for Epileptic Seizure Prediction Using Single-Channel Eeg*. Publisher: papers.ssrn.com. 2025.
- [156] Shilpa Jain et al. “Automated Epileptic Seizure Detection of EEG Signals Using Machine Learning”. en. In: *Proceedings of Fifth International Conference on Computing, Communications, and Cyber-Security*. Ed. by Paulo J. Sequeira Gonçalves et al. Singapore: Springer Nature, 2025, pp. 349–357. ISBN: 978-981-97-7371-8. DOI: [10.1007/978-981-97-7371-8_27](https://doi.org/10.1007/978-981-97-7371-8_27).
- [157] Nadine El-Dajani et al. “Patient-Independent Epileptic Seizure Detection with Reduced EEG Channels and Deep Recurrent Neural Networks”. en. In: *Information* 16.1 (Jan. 2025). Number: 1 Publisher: Multidisciplinary Digital Publishing Institute, p. 20. ISSN: 2078-2489. DOI: [10.3390/info16010020](https://doi.org/10.3390/info16010020).

- [158] Bibina Vadakke Chalil, Sakthivel Vellaiswamy, and Sanjay Mathilakath. “A deep learning paradigm with residual networks for enhanced epileptic seizure prediction”. In: *AIP Conference Proceedings* 3253.1 (Jan. 2025). ISSN: 0094-243X. DOI: [10.1063/5.0248386](https://doi.org/10.1063/5.0248386).
- [159] Anu Bajaj Akshita and Vikas Sharma. “EEG-Based Epileptic Seizure Prediction Using Variants of the Long Short Term Memory Algorithm”. en. In: *International Journal of Computer Information Systems and Industrial Management Applications* 17 (Jan. 2025), pp. 13–13. ISSN: 2150-7988. DOI: [10.70917/ijcisim-2025-0001](https://doi.org/10.70917/ijcisim-2025-0001).
- [160] Rong Zhu et al. “Epileptic seizure prediction via multidimensional transformer and recurrent neural network fusion”. In: *Journal of Translational Medicine* 22.1 (Oct. 4, 2024), p. 895. ISSN: 1479-5876. DOI: [10.1186/s12967-024-05678-7](https://doi.org/10.1186/s12967-024-05678-7).
- [161] Lei Zhu et al. “An efficient channel recurrent Criss-cross attention network for epileptic seizure prediction”. In: *Medical Engineering & Physics* 130 (Aug. 2024), p. 104213. ISSN: 1350-4533. DOI: [10.1016/j.medengphy.2024.104213](https://doi.org/10.1016/j.medengphy.2024.104213).
- [162] Wei Zhao et al. “Residual and bidirectional LSTM for epileptic seizure detection”. In: *Frontiers in Computational Neuroscience* 18 (June 17, 2024). Publisher: Frontiers. ISSN: 1662-5188. DOI: [10.3389/fncom.2024.1415967](https://doi.org/10.3389/fncom.2024.1415967).
- [163] Zongpeng Zhang et al. “Cross-patient automatic epileptic seizure detection using patient-adversarial neural networks with spatio-temporal EEG augmentation”. In: *Biomedical Signal Processing and Control* 89 (Mar. 2024), p. 105664. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2023.105664](https://doi.org/10.1016/j.bspc.2023.105664).
- [164] M. Zhang et al. “Epileptic Seizure Detection Based on Channel Attention Mechanism”. In: *icicelb.org* (2024). Type: PDF.
- [165] Jincan Zhang et al. “A scheme combining feature fusion and hybrid deep learning models for epileptic seizure detection and prediction”. In: *Scientific Reports* 14.1 (July 23, 2024). Publisher: Nature Publishing Group, p. 16916. ISSN: 2045-2322. DOI: [10.1038/s41598-024-67855-4](https://doi.org/10.1038/s41598-024-67855-4).
- [166] Mosab A. A. Yousif and Mahmut Ozturk. “ConceFT-based epileptic seizure detection via transfer learning”. en. In: *Signal, Image and Video Processing* 18.5 (July 2024), pp. 4349–4361. ISSN: 1863-1711. DOI: [10.1007/s11760-024-03077-5](https://doi.org/10.1007/s11760-024-03077-5).
- [167] Samah Yahia et al. “Efficient Epileptic Seizure Detection Method Based on EEG Images: The Reduced Descriptor Patterns”. en. In: *International Journal of Computer Information Systems and Industrial Management Applications* 16.2 (May 2024). Number: 2, pp. 16–16. ISSN: 2150-7988.
- [168] Amita Yadav et al. “Advanced Epileptic Seizure Detection Using Deep Learning and Bayesian Optimization”. en. In: *SN Computer Science* 5.7 (Sept. 2024), p. 854. ISSN: 2661-8907. DOI: [10.1007/s42979-024-03201-9](https://doi.org/10.1007/s42979-024-03201-9).
- [169] Tao Xu et al. “Dynamic Functional Connectivity Neural Network for Epileptic Seizure Prediction Using Multi-Channel EEG Signal”. In: *IEEE Signal Processing Letters* 31 (2024), pp. 1499–1503. ISSN: 1558-2361. DOI: [10.1109/LSP.2024.3400037](https://doi.org/10.1109/LSP.2024.3400037).

- [170] Lili Xia et al. “Hybrid LSTM–Transformer Model for the Prediction of Epileptic Seizure Using Scalp EEG”. In: *IEEE Sensors Journal* 24.13 (July 2024), pp. 21123–21131. ISSN: 1558-1748. DOI: [10.1109/JSEN.2024.3401771](https://doi.org/10.1109/JSEN.2024.3401771).
- [171] Yonglin Wu et al. “Enhancing Epileptic Seizure Detection with Random Input Selection in Graph-Wave Networks”. In: *2024 46th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. ISSN: 2694-0604. July 2024, pp. 1–4. DOI: [10.1109/EMBC53108.2024.10782839](https://doi.org/10.1109/EMBC53108.2024.10782839).
- [172] Xiaoshuang Wang et al. “Combination of Channel Reordering Strategy and Dual CNN-LSTM for Epileptic Seizure Prediction Using Three iEEG Datasets”. In: *IEEE Journal of Biomedical and Health Informatics* 28.11 (Nov. 2024), pp. 6557–6567. ISSN: 2168-2208. DOI: [10.1109/JBHI.2024.3438829](https://doi.org/10.1109/JBHI.2024.3438829).
- [173] Guangming Wang et al. “Channel-Selection-Based Temporal Convolutional Network for Patient-Specific Epileptic Seizure Detection”. In: *IEEE Transactions on Cognitive and Developmental Systems* 17.1 (2024), pp. 179–188. ISSN: 2379-8939. DOI: [10.1109/TCDS.2024.3433551](https://doi.org/10.1109/TCDS.2024.3433551).
- [174] J. Vidya et al. “Automatic epileptic seizure detection using SVM techniques with EEG signals”. en. In: ISSN: 2352-538X. Atlantis Press, July 2024, pp. 876–883. ISBN: 978-94-6463-471-6. DOI: [10.2991/978-94-6463-471-6_83](https://doi.org/10.2991/978-94-6463-471-6_83).
- [175] S. D. Vaithilingam and P. Regulagedda. “The Deep Learning Based Epileptic Seizure Detection Using 2-layer Convolutional Network with Long Short-Term Memory”. In: *International Journal of Intelligent Engineering & Systems* (2024). Publisher: inass.org Type: PDF.
- [176] Tanja Ulrich. “Sparse wavelet representation of interictal epileptic activity for postsurgical seizure outcome prediction”. eng. MA thesis. University of Zurich, Feb. 2024. DOI: [10.5167/uzh-270207](https://doi.org/10.5167/uzh-270207).
- [177] Sunday Timothy Aboyeji et al. “Automatic detection of epileptic seizure based on one dimensional cascaded convolutional autoencoder with adaptive window-thresholding”. en. In: *Journal of Neural Engineering* 21.5 (Oct. 2024). Publisher: IOP Publishing, p. 056040. ISSN: 1741-2552. DOI: [10.1088/1741-2552/ad883a](https://doi.org/10.1088/1741-2552/ad883a).
- [178] C. A. D. Teixeira. “Prediction of epileptic seizure based on image information derived from focal electrodes and deep classifiers”. 2024.
- [179] Yixuan Tang et al. “Epileptic Seizure Detection Based on Path Signature and Bi-LSTM Network With Attention Mechanism”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 32 (2024), pp. 304–313. ISSN: 1558-0210. DOI: [10.1109/TNSRE.2024.3350074](https://doi.org/10.1109/TNSRE.2024.3350074).
- [180] Lihan Tang and Menglian Zhao. “Epileptic Seizure Detection in Neonatal EEG Using a Multi-Band Graph Neural Network Model”. en. In: *Applied Sciences* 14.21 (Jan. 2024). Number: 21 Publisher: Multidisciplinary Digital Publishing Institute, p. 9712. ISSN: 2076-3417. DOI: [10.3390/app14219712](https://doi.org/10.3390/app14219712).

- [181] Ryosuke Suzui et al. “Long-short term memory autoencoder using delta with beta bands of EEG enables highly accurate prediction of seizure outcome in Infantile Epileptic Spasms Syndrome of unknown etiology”. In: 2024 46th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC). ISSN: 2694-0604. July 2024, pp. 1–4. DOI: [10.1109/EMBC53108.2024.10782809](https://doi.org/10.1109/EMBC53108.2024.10782809).
- [182] S. Vasanthadev Suryakala, T. R. Sree Vidya, and S. Hari Ramakrishnans. “Federated Machine Learning for Epileptic Seizure Detection using EEG”. en. In: *International Journal of Advanced Computer Science and Applications (IJACSA)* 15.4 (2024). Number: 4 Publisher: The Science and Information (SAI) Organization Limited. ISSN: 2156-5570. DOI: [10.14569/IJACSA.2024.01504106](https://doi.org/10.14569/IJACSA.2024.01504106).
- [183] Jie Sun et al. “Deep Learning for Epileptic Seizure Detection Using a Causal-Spatio-Temporal Model Based on Transfer Entropy”. en. In: *Entropy* 26.10 (Oct. 2024). Number: 10 Publisher: Multidisciplinary Digital Publishing Institute, p. 853. ISSN: 1099-4300. DOI: [10.3390/e26100853](https://doi.org/10.3390/e26100853).
- [184] Pratibha S Sonawane and Jagdish B. Helonde. “Smart Societal Optimization-based Deep Learning Convolutional Neural Network Model for Epileptic Seizure Prediction”. In: *Computer Methods in Biomechanics and Biomedical Engineering: Imaging & Visualization* 12.1 (Dec. 2024), p. 2280551. ISSN: 2168-1163. DOI: [10.1080/21681163.2023.2280551](https://doi.org/10.1080/21681163.2023.2280551).
- [185] Khadija Slama et al. “EEG Data Classification by Hybrid Deep Learning for Epileptic Seizure Prediction”. In: *2024 Sixth International Conference on Intelligent Computing in Data Sciences (ICDS)*. Oct. 2024, pp. 1–7. DOI: [10.1109/ICDS62089.2024.10756451](https://doi.org/10.1109/ICDS62089.2024.10756451).
- [186] K. Sivasankari and Kalaivanan Karunanithy. “Epileptic seizure detection using posterior probability-based convolutional neural network classifier”. en. In: *Multimedia Tools and Applications* 83.1 (Jan. 2024), pp. 551–574. ISSN: 1573-7721. DOI: [10.1007/s11042-023-15816-w](https://doi.org/10.1007/s11042-023-15816-w).
- [187] K. Soni Sharmila et al. “Integrative Approach for Epileptic Seizure Detection: A Comparative Analysis”. In: *2024 International Conference on Emerging Technologies in Computer Science for Interdisciplinary Applications (ICETCS)*. Apr. 2024, pp. 1–6. DOI: [10.1109/ICETCS61022.2024.10543465](https://doi.org/10.1109/ICETCS61022.2024.10543465).
- [188] Ramnivas Sharma and Hemant Kumar Meena. “Enhanced Epileptic Seizure Detection Through Graph Spectral Analysis of EEG Signals”. en. In: *Circuits, Systems, and Signal Processing* 43.8 (Aug. 2024), pp. 5288–5308. ISSN: 1531-5878. DOI: [10.1007/s00034-024-02715-0](https://doi.org/10.1007/s00034-024-02715-0).
- [189] Ashish Sharma and Vinai K. Singh. “Machine Learning-Based Feature Extraction Techniques for Epileptic Seizure Detection Using EEG Bio-signals”. en. In: *NATURALISTA CAMPANO* 28.1 (Feb. 2024). Number: 1, pp. 1336–1346.
- [190] Ashish Sharma and Vinai K Singh. “Exploring Supervised Machine Learning Classifiers for Epileptic Seizure Detection over Two Distinct Preprocessed Datasets”. In: *2024 IEEE 9th International Conference for Convergence in Technology (I2CT)*. Apr. 2024, pp. 1–7. DOI: [10.1109/I2CT61223.2024.10543393](https://doi.org/10.1109/I2CT61223.2024.10543393).

- [191] Dineshkumar shanmugam and Viswanathan NALLASAMY. *Epileptic seizure prediction based on Convolutional neural networks and optimization techniques*. ISSN: 2693-5015. Feb. 2024. DOI: [10.21203/rs.3.rs-3917100/v1](https://doi.org/10.21203/rs.3.rs-3917100/v1).
- [192] Anand Shankar et al. "Attention-based Deep Learning for Epileptic Seizure Type Detection". In: *2024 International Conference on Advancements in Smart, Secure and Intelligent Computing (ASSIC)*. Jan. 2024, pp. 1–4. DOI: [10.1109/ASSIC60049.2024.10507948](https://doi.org/10.1109/ASSIC60049.2024.10507948).
- [193] Sessa Sai Priya Sadam and N. J. Nalini. "Epileptic seizure detection using scalogram-based hybrid CNN model on EEG signals". en. In: *Signal, Image and Video Processing* 18.2 (Mar. 2024), pp. 1577–1588. ISSN: 1863-1711. DOI: [10.1007/s11760-023-02871-x](https://doi.org/10.1007/s11760-023-02871-x).
- [194] Ijma'u Rizki et al. "Epileptic Seizure Detection using DWT based on MRMR Feature Selection Method". In: *2024 International Conference on Electrical and Information Technology (IEIT)*. Sept. 2024, pp. 84–89. DOI: [10.1109/IEIT64341.2024.10763220](https://doi.org/10.1109/IEIT64341.2024.10763220).
- [195] Swathy Ravi and Ashalatha Radhakrishnan. "A hybrid 1D CNN-BiLSTM model for epileptic seizure detection using multichannel EEG feature fusion". en. In: *Biomedical Physics & Engineering Express* 10.3 (Apr. 2024). Publisher: IOP Publishing, p. 035040. ISSN: 2057-1976. DOI: [10.1088/2057-1976/ad3afd](https://doi.org/10.1088/2057-1976/ad3afd).
- [196] Swathy Ravi and Ashalatha Radhakrishnan. "A compact spatial attention model for automated epileptic seizure detection using multichannel EEG". In: *2024 Tenth International Conference on Bio Signals, Images, and Instrumentation (ICBSII)*. ISSN: 2768-6450. Mar. 2024, pp. 1–4. DOI: [10.1109/ICBSII61384.2024.10564088](https://doi.org/10.1109/ICBSII61384.2024.10564088).
- [197] Songhui Rao et al. "Anchoring temporal convolutional networks for epileptic seizure prediction". en. In: *Journal of Neural Engineering* 21.6 (Nov. 2024). Publisher: IOP Publishing, p. 066008. ISSN: 1741-2552. DOI: [10.1088/1741-2552/ad8bf3](https://doi.org/10.1088/1741-2552/ad8bf3).
- [198] T. Jhansi Rani and D. Kavitha. "Effective Epileptic Seizure Detection Using Enhanced Salp Swarm Algorithm-based Long Short-Term Memory Network". In: *IETE Journal of Research* 70.2 (Feb. 2024), pp. 1538–1555. ISSN: 0377-2063.
- [199] M. Ramkumar et al. "IoT and cloud computing-based automated epileptic seizure detection using optimized Siamese convolutional sparse autoencoder network". en. In: *Signal, Image and Video Processing* 18.4 (June 2024), pp. 3509–3525. ISSN: 1863-1711. DOI: [10.1007/s11760-024-03017-3](https://doi.org/10.1007/s11760-024-03017-3).
- [200] Jee Sook Ra, Tianning Li, and Yan Li. "Epileptic Seizure Prediction Based on Synchroextracting Transform and Sparse Representation". In: *IEEE Access* 12 (2024), pp. 187684–187695. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3514859](https://doi.org/10.1109/ACCESS.2024.3514859).
- [201] Zeenat Firdosh Quadri, M. Saqib Akhoun, and Sajad A. Loan. "Epileptic Seizure Prediction Using Stacked CNN-BiLSTM: A Novel Approach". In: *IEEE Transactions on Artificial Intelligence* 5.11 (Nov. 2024), pp. 5553–5560. ISSN: 2691-4581. DOI: [10.1109/TAI.2024.3410928](https://doi.org/10.1109/TAI.2024.3410928).

- [202] Nan Qi et al. “Semi-Supervised Seizure Prediction Based on Deep Pairwise Representation Alignment of Epileptic EEG Signals”. In: *IEEE Access* 12 (2024), pp. 119056–119071. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3447901](https://doi.org/10.1109/ACCESS.2024.3447901).
- [203] R. Priyanka et al. “Efficient Approach for Epileptic Seizure Classification and Detection based on Genetic Algorithm with CNN-RNN Classifier”. In: *2024 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI)*. May 2024, pp. 1–7. DOI: [10.1109/ACCAI61061.2024.10602166](https://doi.org/10.1109/ACCAI61061.2024.10602166).
- [204] Mahrhad Pouryosef, Roozbeh Abedini-Nassab, and Seyed Mohammad Reza Akrami. “A Novel Framework for Epileptic Seizure Detection Using Electroencephalogram Signals Based on the Bat Feature Selection Algorithm”. In: *Neuroscience* 541 (Mar. 2024), pp. 35–49. ISSN: 0306-4522. DOI: [10.1016/j.neuroscience.2024.01.014](https://doi.org/10.1016/j.neuroscience.2024.01.014).
- [205] Joana Filipa da Silva Pires. “Prediction of epileptic seizure based on image information derived from focal electrodes and deep classifiers”. eng. In: *CISUC*. Sept. 2024.
- [206] Raha Pedram et al. “Enhanced Epileptic Seizure Detection Based on Information Fusion Techniques”. en. In: *Intelligent Systems and Applications*. Ed. by Kohei Arai. Cham: Springer Nature Switzerland, 2024, pp. 713–725. ISBN: 978-3-031-66428-1. DOI: [10.1007/978-3-031-66428-1_45](https://doi.org/10.1007/978-3-031-66428-1_45).
- [207] N. Pawar, A. Saxena, and A. P. Singh. “A Robust Machine Learning Method for Real-Time Epileptic Seizure Detection in EEG”. In: *ijirtm.com* (2024). Type: PDF.
- [208] Paras Parani, Umair Mohammad, and Fahad Saeed. *Utilizing Pretrained Vision Transformers and Large Language Models for Epileptic Seizure Prediction*. en. Pages: 2024.11.03.621742 Section: New Results. Nov. 2024. DOI: [10.1101/2024.11.03.621742](https://doi.org/10.1101/2024.11.03.621742).
- [209] Yayan Pan et al. “Empirical Mode Decomposition for Deep Learning-Based Epileptic Seizure Detection in Few-Shot Scenario”. In: *IEEE Access* 12 (2024), pp. 86583–86595. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3415716](https://doi.org/10.1109/ACCESS.2024.3415716).
- [210] Majid Nour et al. “New approaches to epileptic seizure prediction based on EEG signals using hybrid CNNs”. In: *International Journal of Intelligent Engineering Informatics* 12.1 (Jan. 2024). Publisher: Inderscience Publishers, pp. 85–102. ISSN: 1758-8715. DOI: [10.1504/IJIEI.2024.137706](https://doi.org/10.1504/IJIEI.2024.137706).
- [211] S. Nithya et al. “Detection of Epileptic Seizure from EEG Signals Using Majority Rule Based Local Binary Pattern”. en. In: *Wireless Personal Communications* 134.2 (Jan. 2024), pp. 721–734. ISSN: 1572-834X. DOI: [10.1007/s11277-024-10916-8](https://doi.org/10.1007/s11277-024-10916-8).
- [212] Yumna Nabila and Hasballah Zakaria. “Epileptic Seizure Prediction From EEG Signal Recording Using Energy and Dispersion Entropy with SVM Classifier”. In: *2024 International Conference on Information Technology Research and Innovation (ICITRI)*. Sept. 2024, pp. 1–6. DOI: [10.1109/ICITRI62858.2024.10699014](https://doi.org/10.1109/ICITRI62858.2024.10699014).

- [213] Raja Mourad et al. “Epileptic Seizure Detection Using Energy Thresholding”. In: *2024 International Conference on Smart Systems and Power Management (IC2SPM)*. Nov. 2024, pp. 12–16. DOI: [10.1109/IC2SPM62723.2024.10841348](https://doi.org/10.1109/IC2SPM62723.2024.10841348).
- [214] Sumant Kumar Mohapatra et al. “Hybridization of Sparrow Search Algorithm and Sine Cosine Algorithm for Epileptic Seizure Detection”. In: *2024 3rd Odisha International Conference on Electrical Power Engineering, Communication and Computing Technology (ODICON)*. Nov. 2024, pp. 1–5. DOI: [10.1109/ODICON62106.2024.10797567](https://doi.org/10.1109/ODICON62106.2024.10797567).
- [215] Kunying Meng et al. “Real-Time Epileptic Seizure Prediction Method With Spatio-Temporal Information Transfer Learning”. In: *IEEE Journal of Biomedical and Health Informatics* (2024), pp. 1–12. ISSN: 2168-2208. DOI: [10.1109/JBHI.2024.3509959](https://doi.org/10.1109/JBHI.2024.3509959).
- [216] Gopichand Meesala et al. “Epileptic Seizure Detection Using Quantum Support Vector Classifier”. In: *2024 International Conference on Computational Intelligence for Green and Sustainable Technologies (ICCI GST)*. July 2024, pp. 1–4. DOI: [10.1109/ICCI GST60741.2024.10717615](https://doi.org/10.1109/ICCI GST60741.2024.10717615).
- [217] Gopichand Meesala et al. “Epileptic Seizure Detection using Variational Quantum Classifier”. In: *2024 International Conference on Computational Intelligence for Green and Sustainable Technologies (ICCI GST)*. July 2024, pp. 1–5. DOI: [10.1109/ICCI GST60741.2024.10717599](https://doi.org/10.1109/ICCI GST60741.2024.10717599).
- [218] Szymon Mazurek et al. “Explainable Graph Neural Networks for EEG Classification and Seizure Detection in Epileptic Patients”. In: *2024 IEEE International Symposium on Biomedical Imaging (ISBI)*. ISSN: 1945-8452. May 2024, pp. 1–5. DOI: [10.1109/ISBI56570.2024.10635821](https://doi.org/10.1109/ISBI56570.2024.10635821).
- [219] Puspanjali Mallik et al. “SH-OSP: A Hybrid Algorithm Using Spotted Hyena Optimizer Enabled with Optimal Stochastic Process for Epileptic Seizure Detection”. en. In: *SN Computer Science* 5.8 (Dec. 2024), p. 1168. ISSN: 2661-8907. DOI: [10.1007/s42979-024-03488-8](https://doi.org/10.1007/s42979-024-03488-8).
- [220] Hongcheng Ma et al. “Parallel Dual-Branch Fusion Network for Epileptic Seizure Prediction”. In: *Computers in Biology and Medicine* 176 (June 2024), p. 108565. ISSN: 0010-4825. DOI: [10.1016/j.combiomed.2024.108565](https://doi.org/10.1016/j.combiomed.2024.108565).
- [221] Jionghao Lou et al. “MTL-SSU: A Multi-Task Self-Supervised Learning Framework for Epileptic Seizure Prediction”. In: *2024 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)*. ISSN: 2156-1133. Dec. 2024, pp. 3565–3570. DOI: [10.1109/BIBM62325.2024.10821748](https://doi.org/10.1109/BIBM62325.2024.10821748).
- [222] Xin Liu et al. “Epileptic seizure prediction based on EEG using pseudo-three-dimensional CNN”. English. In: *Frontiers in Neuroinformatics* 18 (Mar. 2024). Publisher: Frontiers. ISSN: 1662-5196. DOI: [10.3389/fninf.2024.1354436](https://doi.org/10.3389/fninf.2024.1354436).
- [223] Shan Liu et al. “Multi-dimensional hybrid bilinear CNN-LSTM models for epileptic seizure detection and prediction using EEG signals”. en. In: *Journal of Neural Engineering* 21.6 (Dec. 2024). Publisher: IOP Publishing, p. 066045. ISSN: 1741-2552. DOI: [10.1088/1741-2552/ada0e5](https://doi.org/10.1088/1741-2552/ada0e5).

- [224] Zhuoyi Li et al. “Epileptic Seizure Detection in S EEG Signals Using a Unified Multi-Scale Temporal-Spatial-Spectral Transformer Model”. en. In: *Medical Image Computing and Computer Assisted Intervention – MICCAI 2024*. Ed. by Marius George Linguraru et al. Cham: Springer Nature Switzerland, 2024, pp. 254–264. ISBN: 978-3-031-72120-5. DOI: [10.1007/978-3-031-72120-5_24](https://doi.org/10.1007/978-3-031-72120-5_24).
- [225] Chunyang Li et al. “Epileptic Seizure Detection Using a Lightweight Network based on Style-Controlling Normalization”. In: *2024 5th International Seminar on Artificial Intelligence, Networking and Information Technology (AINIT)*. Mar. 2024, pp. 2301–2304. DOI: [10.1109/AINIT61980.2024.10581785](https://doi.org/10.1109/AINIT61980.2024.10581785).
- [226] Pankaj Kunekar, Mukesh Kumar Gupta, and Pramod Gaur. “Detection of epileptic seizure in EEG signals using machine learning and deep learning techniques”. en. In: *Journal of Engineering and Applied Science* 71.1 (Jan. 2024), p. 21. ISSN: 2536-9512. DOI: [10.1186/s44147-023-00353-y](https://doi.org/10.1186/s44147-023-00353-y).
- [227] Petros Koutsouvelis et al. “Preictal period optimization for deep learning-based epileptic seizure prediction”. en. In: *Journal of Neural Engineering* 21.6 (Dec. 2024). Publisher: IOP Publishing, p. 066040. ISSN: 1741-2552. DOI: [10.1088/1741-2552/ad9ad0](https://doi.org/10.1088/1741-2552/ad9ad0).
- [228] Najwa Kouka et al. “A Mutual Information-Based Many-Objective Optimization Method for EEG Channel Selection in the Epileptic Seizure Prediction Task”. en. In: *Cognitive Computation* 16.3 (May 2024), pp. 1268–1286. ISSN: 1866-9964. DOI: [10.1007/s12559-024-10261-9](https://doi.org/10.1007/s12559-024-10261-9).
- [229] Hepseeba Kode, Khaled Elleithy, and Laiali Almazaydeh. “Epileptic Seizure Detection in EEG Signals Using Machine Learning and Deep Learning Techniques”. In: *IEEE Access* 12 (2024), pp. 80657–80668. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3409581](https://doi.org/10.1109/ACCESS.2024.3409581).
- [230] M. Kiran et al. *Improved Feature Space for EEG-based Epileptic Seizure Detection Using Signal Processing Techniques*. ISSN: 2693-5015. Jan. 2024. DOI: [10.21203/rs.3.rs-3869119/v1](https://doi.org/10.21203/rs.3.rs-3869119/v1).
- [231] Faiq Ahmad Khan et al. “Explainable AI for epileptic seizure detection in Internet of Medical Things”. In: *Digital Communications and Networks* (Aug. 2024). ISSN: 2352-8648. DOI: [10.1016/j.dcan.2024.08.013](https://doi.org/10.1016/j.dcan.2024.08.013).
- [232] B. S. Kavya and S. N. Prasad. *Feature Fusion for Epileptic Seizure Detection from EEG Data: A CNN- Based Approach with High Precision*. ISSN: 2693-5015. Feb. 2024. DOI: [10.21203/rs.3.rs-3909688/v1](https://doi.org/10.21203/rs.3.rs-3909688/v1).
- [233] N Kasthuri et al. “EEG Conformer Model Based Epileptic Seizure Prediction Using Deep Learning”. In: *2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT)*. ISSN: 2473-7674. June 2024, pp. 1–7. DOI: [10.1109/ICCCNT61001.2024.10726097](https://doi.org/10.1109/ICCCNT61001.2024.10726097).
- [234] M. V. V. Prasad Kantipudi et al. “An improved GBSO-TAENN-based EEG signal classification model for epileptic seizure detection”. en. In: *Scientific Reports* 14.1 (Jan. 2024). Publisher: Nature Publishing Group, p. 843. ISSN: 2045-2322. DOI: [10.1038/s41598-024-51337-8](https://doi.org/10.1038/s41598-024-51337-8).

- [235] C. Kalpana and G. Mohanbabu. “Integrated TSVM-TSK fusion for enhanced EEG-based epileptic seizure detection: Robust classifier with competitive learning”. In: *Biomedical Signal Processing and Control* 96 (Oct. 2024), p. 106440. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2024.106440](https://doi.org/10.1016/j.bspc.2024.106440).
- [236] Deepjyoti Kalita, Shiyona Dash, and Khalid B. Mirza. “EpiNET: An optimized, resource efficient deep GRU-LSTM network for epileptic seizure prediction”. In: *Biomedical Engineering: Applications, Basis and Communications* 36.04 (Aug. 2024). Publisher: National Taiwan University, p. 2450021. ISSN: 1016-2372. DOI: [10.4015/S1016237224500212](https://doi.org/10.4015/S1016237224500212).
- [237] Sukumar Joshi et al. “Epileptic Seizure Detection using Denoising Autoencoder”. In: *2024 International Conference on Emerging Systems and Intelligent Computing (ESIC)*. Feb. 2024, pp. 5–10. DOI: [10.1109/ESIC60604.2024.10481560](https://doi.org/10.1109/ESIC60604.2024.10481560).
- [238] Ferdaus Anam Jibon et al. “Sequential graph convolutional network and DeepRNN based hybrid framework for epileptic seizure detection from EEG signal”. en. In: <https://doi.org/10.1177/20552076241249874> (May 2024). Publisher: SAGE PublicationsSage UK: London, England. DOI: [10.1177/20552076241249874](https://doi.org/10.1177/20552076241249874).
- [239] Dezan Ji et al. “Epileptic Seizure Prediction Using Spatiotemporal Feature Fusion on EEG”. In: *International Journal of Neural Systems* 34.08 (Aug. 2024). Publisher: World Scientific Publishing Co., p. 2450041. ISSN: 0129-0657. DOI: [10.1142/S0129065724500412](https://doi.org/10.1142/S0129065724500412).
- [240] Imene Jemal et al. “Domain adaptation for EEG-based, cross-subject epileptic seizure prediction”. English. In: *Frontiers in Neuroinformatics* 18 (Feb. 2024). Publisher: Frontiers. ISSN: 1662-5196. DOI: [10.3389/fninf.2024.1303380](https://doi.org/10.3389/fninf.2024.1303380).
- [241] C. Jamunadevi and P. Arul. “Adaptive Bi-LSTM-based Epileptic Seizure Prediction from EEG Signals Using Deep Learning Algorithm”. en. In: *Mapana Journal of Sciences* 23.2 (July 2024). Number: 2, pp. 65–82. ISSN: 0975-3303. DOI: [10.12723/mjs.69.4](https://doi.org/10.12723/mjs.69.4).
- [242] Sachin Himalyan and Vrinda Gupta. “Support Vector Machine-Based Epileptic Seizure Detection Using EEG Signals”. en. In: *Engineering Proceedings* 18.1 (2024). Number: 1 Publisher: Multidisciplinary Digital Publishing Institute, p. 73. ISSN: 2673-4591. DOI: [10.3390/ecsa-11-20506](https://doi.org/10.3390/ecsa-11-20506).
- [243] Arya Tandy Hermawan et al. “A Multi Representation Deep Learning Approach for Epileptic Seizure Detection”. en. In: *Journal of Robotics and Control (JRC)* 5.1 (Jan. 2024). Number: 1, pp. 187–204. ISSN: 2715-5072. DOI: [10.18196/jrc.v5i1.20870](https://doi.org/10.18196/jrc.v5i1.20870).
- [244] Khadidja Henni et al. “Imbalance-aware Machine Learning for Epileptic Seizure Detection”. In: *2024 IEEE 12th International Symposium on Signal, Image, Video and Communications (ISIVC)*. ISSN: 2832-8337. May 2024, pp. 1–5. DOI: [10.1109/ISIVC61350.2024.10577877](https://doi.org/10.1109/ISIVC61350.2024.10577877).
- [245] M. Helgesen. *Epileptic Seizure Prediction from EEG Signals using Machine Learning*. Type: PDF. researchgate.net, 2024.

- [246] Zhisen He et al. “SeizureLSTM: An optimal attention-based trans-LSTM network for epileptic seizure detection using optimal weighted feature integration”. In: *Biomedical Signal Processing and Control* 96 (Oct. 2024), p. 106603. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2024.106603](https://doi.org/10.1016/j.bspc.2024.106603).
- [247] Chunlei He et al. *A lightweight 1D-CNN-GRU model for epileptic seizure prediction*. ISSN: 2693-5015. July 2024. DOI: [10.21203/rs.3.rs-4681232/v1](https://doi.org/10.21203/rs.3.rs-4681232/v1).
- [248] Md Mehedi Hassan et al. “NeuroWave-Net: Enhancing epileptic seizure detection from EEG brain signals via advanced convolutional and long short-term memory networks”. en. In: *AIMS Bioengineering* 11.1 (2024), pp. 85–109. ISSN: 2375-1495. DOI: [10.3934/bioeng.2024006](https://doi.org/10.3934/bioeng.2024006).
- [249] Kazi Mahmudul Hassan et al. “Riemannian Manifold-based Epileptic Seizure Detection Using Transfer Learning and Artifact Rejection Techniques”. English. In: *APSIPA Transactions on Signal and Information Processing* 13.1 (Dec. 2024). Publisher: Now Publishers, Inc. ISSN: , 2048-7703. DOI: [10.1561/116.20240032](https://doi.org/10.1561/116.20240032).
- [250] Sameer Ahmad Hasan et al. “Advanced Machine Learning Techniques for Precise EEG Analysis and Epileptic Seizure Detection”. In: *2024 22nd International Conference on Research and Education in Mechatronics (REM)*. ISSN: 2993-4591. Sept. 2024, pp. 354–358. DOI: [10.1109/REM63063.2024.10735614](https://doi.org/10.1109/REM63063.2024.10735614).
- [251] Mobeen Gulfaraz, Sam Johnson, and Wala Saadeh. “Analysis and Design of a Compute-in-Memory System for Epileptic Seizure Detection System”. In: *2024 IEEE 67th International Midwest Symposium on Circuits and Systems (MWSCAS)*. ISSN: 1558-3899. Aug. 2024, pp. 792–796. DOI: [10.1109/MWSCAS60917.2024.10658867](https://doi.org/10.1109/MWSCAS60917.2024.10658867).
- [252] Vadim V. Grubov et al. “Two-Stage Approach With Combination of Outlier Detection Method and Deep Learning Enhances Automatic Epileptic Seizure Detection”. In: *IEEE Access* 12 (2024), pp. 122168–122182. ISSN: 2169-3536. DOI: [10.1109/ACCESS.2024.3453039](https://doi.org/10.1109/ACCESS.2024.3453039).
- [253] Vadim Grubov et al. “Error-aware CNN improves automatic epileptic seizure detection”. en. In: *The European Physical Journal Special Topics* (Aug. 2024). ISSN: 1951-6401. DOI: [10.1140/epjs/s11734-024-01292-2](https://doi.org/10.1140/epjs/s11734-024-01292-2).
- [254] A. Gopalakrishnan et al. *Enhanced Detection of Epileptic Seizure Using Supervised and Unsupervised Algorithms*. Type: PDF. ceur-ws.org, 2024.
- [255] A. Ghuli et al. “Quantification of EEG Characteristics for Epileptic Seizure Detection and Monitoring of Anaesthesia Using Spectral Analysis”. In: *mecspress.org* (2024). Type: PDF.
- [256] S. Urbina Fredes et al. “Enhanced Epileptic Seizure Detection through Wavelet-Based Analysis of EEG Signal Processing”. en. In: *Applied Sciences* 14.13 (Jan. 2024). Number: 13 Publisher: Multidisciplinary Digital Publishing Institute, p. 5783. ISSN: 2076-3417. DOI: [10.3390/app14135783](https://doi.org/10.3390/app14135783).
- [257] Nusrat Fatma, Pawan Singh, and Mohammad Khubeb Siddiqui. “Enhanced Epileptic Seizure Detection: Convolution Neural Net and Features Selection in EEG Signals”. In: *2024 International Conference on Automation and Computation (AUTOCOM)*. Mar. 2024, pp. 502–506. DOI: [10.1109/AUTOCOM60220.2024.10486151](https://doi.org/10.1109/AUTOCOM60220.2024.10486151).

- [258] O. K. Esha, N. Begum, and S. Rahman. “EpiNet: A Hybrid Machine Learning Model for Epileptic Seizure Prediction using EEG Signals from a 500 Patient Dataset.” In: *International Journal of . . .* (2024). Publisher: search.ebscohost.com.
- [259] Lyudmila D. Egorova et al. “Hybrid Stacking Model for Automatic Epileptic Seizure Detection Using Electroencephalogram Signals”. In: *2024 4th International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME)*. Nov. 2024, pp. 1–6. DOI: [10.1109/ICECCME62383.2024.10796593](https://doi.org/10.1109/ICECCME62383.2024.10796593).
- [260] Kusumika Krori Dutta, Premila Manohar, and Indira Krishnappa. “Seizure stage detection of epileptic seizure using convolutional neural networks”. en. In: *International Journal of Electrical and Computer Engineering (IJECE)* 14.2 (Apr. 2024). Number: 2, pp. 2226–2233. ISSN: 2722-2578. DOI: [10.11591/ijece.v14i2.pp2226-2233](https://doi.org/10.11591/ijece.v14i2.pp2226-2233).
- [261] Xingchen Dong et al. “Epileptic Seizure Detection with an End-to-End Temporal Convolutional Network and Bidirectional Long Short-Term Memory Model”. In: *International Journal of Neural Systems* 34.03 (Mar. 2024). Publisher: World Scientific Publishing Co., p. 2450012. ISSN: 0129-0657. DOI: [10.1142/S0129065724500126](https://doi.org/10.1142/S0129065724500126).
- [262] X. Deng. *A Novel Dual-Branch Network for Comprehensive Spatiotemporal Information Integration for Eeg-Based Epileptic Seizure Detection*. Publisher: papers.ssrn.com. 2024.
- [263] A. DAŞDEMİR and HK ÖRNEK. “Time, Frequency, and Time-Frequency Feature Sets for Deep Learning Methods in Epileptic Seizure Prediction”. In: *researchgate.net* (2024). Type: PDF.
- [264] Haozhou Cui et al. “A Lightweight Convolutional Neural Network-Reformer Model for Efficient Epileptic Seizure Detection”. eng. In: *International Journal of Neural Systems* 34.12 (Dec. 2024), p. 2450065. ISSN: 1793-6462. DOI: [10.1142/S0129065724500655](https://doi.org/10.1142/S0129065724500655).
- [265] Liming Cheng et al. “SaE-GBLS: an effective self-adaptive evolutionary optimized graph-broad model for EEG-based automatic epileptic seizure detection”. English. In: *Frontiers in Computational Neuroscience* 18 (July 2024). Publisher: Frontiers. ISSN: 1662-5188. DOI: [10.3389/fncom.2024.1379368](https://doi.org/10.3389/fncom.2024.1379368).
- [266] Puja A. Chavan and Sharmishta Desai. “An efficient epileptic seizure detection by classifying focal and non-focal EEG signals using optimized deep dual adaptive CNN-HMM classifier”. en. In: *Multimedia Tools and Applications* 83.19 (June 2024), pp. 57347–57388. ISSN: 1573-7721. DOI: [10.1007/s11042-024-18560-x](https://doi.org/10.1007/s11042-024-18560-x).
- [267] Abdulkadir Buldu, Kaplan Kaplan, and Melih Kuncan. “A Hybrid Study for Epileptic Seizure Detection Based on Deep Learning using EEG Data”. eng. In: *Journal of Universal Computer Science* 30.7 (2024). ISSN: 0948-695X. DOI: [10.3897/jucs.109933](https://doi.org/10.3897/jucs.109933).
- [268] Hamza Bouallagui et al. “Enhancing Deep Learning-Based Epileptic Seizure Detection with Generative AI Techniques”. In: *2024 International Conference on Microelectronics (ICM)*. ISSN: 2159-1679. Dec. 2024, pp. 1–6. DOI: [10.1109/ICM63406.2024.10815779](https://doi.org/10.1109/ICM63406.2024.10815779).

- [269] Ratnaprabha Ravindra Borhade et al. “ResneXt-Lenet: A hybrid deep learning for epileptic seizure prediction”. en. In: *Intelligent Decision Technologies* (Aug. 2024). Publisher: SAGE PublicationsSage UK: London, England. DOI: [10.3233/IDT-240923](https://doi.org/10.3233/IDT-240923).
- [270] Rajdeep Bhadra, Pawan Kumar Singh, and Mufti Mahmud. “HyEpiSeiD: a hybrid convolutional neural network and gated recurrent unit model for epileptic seizure detection from electroencephalogram signals”. en. In: *Brain Informatics* 11.1 (Aug. 2024), p. 21. ISSN: 2198-4026. DOI: [10.1186/s40708-024-00234-x](https://doi.org/10.1186/s40708-024-00234-x).
- [271] N. BETTAYEB and Y. Hadjadj. “EEG Signals Classification for Epileptic Seizure Detection”. PhD thesis. 2024.
- [272] Niha Kamal Basha et al. “Hybrid approach for the detection of epileptic seizure using electroencephalography input”. en. In: *International Journal of Information Technology* 16.1 (Jan. 2024), pp. 569–575. ISSN: 2511-2112. DOI: [10.1007/s41870-023-01657-1](https://doi.org/10.1007/s41870-023-01657-1).
- [273] Ola M. Assim and Ahlam F. Mahmood. “A New Epileptic Seizure Prediction Framework Based on Electroencephalography Signals”. en. In: *MOLECULAR SCIENCES AND APPLICATIONS* 4 (2024). Publisher: WSEAS, pp. 57–64. DOI: [10.37394/232023.2024.4.7](https://doi.org/10.37394/232023.2024.4.7).
- [274] Serpil Aslan and Harun Bingöl. “Epileptic Seizure Detection from Eeg Signals with Recurrent Neural Networks Based Classification Model”. In: *Journal of Physical Chemistry and Functional Materials* 7.2 (Dec. 18, 2024). Number: 2 Publisher: Niyazi BULUT, pp. 14–21. ISSN: 2651-3080, 2651-3080. DOI: [10.54565/jphcfum.1500546](https://doi.org/10.54565/jphcfum.1500546).
- [275] M. Anita and A. Meena Kowshalya. “Automatic epileptic seizure detection using MSA-DCNN and LSTM techniques with EEG signals”. In: *Expert Systems with Applications* 238 (Mar. 2024), p. 121727. ISSN: 0957-4174. DOI: [10.1016/j.eswa.2023.121727](https://doi.org/10.1016/j.eswa.2023.121727).
- [276] P Aniruddha Prabhu BS, Bhatt Chandradeep, and L Taranath N. “Epileptic Seizure Detection and Analysis Using Machine Learning”. In: *2024 Second International Conference on Advances in Information Technology (ICAIT)*. Vol. 1. July 2024, pp. 1–5. DOI: [10.1109/ICAIT61638.2024.10690319](https://doi.org/10.1109/ICAIT61638.2024.10690319).
- [277] P Anandan and N Anbuselvan. “Epileptic Seizure Prediction on EEG Data using a Firefly Algorithm trained with Deep Neural Networks”. In: *2024 International Conference on Integrated Circuits and Communication Systems (ICICACS)*. Feb. 2024, pp. 1–5. DOI: [10.1109/ICICACS60521.2024.10498609](https://doi.org/10.1109/ICICACS60521.2024.10498609).
- [278] Arwa Alsaadan, Mai Alzamel, and Muhammad Hussain. “LMPSeizNet: A Lightweight Multiscale Pyramid Convolutional Neural Network for Epileptic Seizure Detection on EEG Brain Signals”. en. In: *Mathematics* 12.23 (Jan. 2024). Number: 23 Publisher: Multidisciplinary Digital Publishing Institute, p. 3648. ISSN: 2227-7390. DOI: [10.3390/math12233648](https://doi.org/10.3390/math12233648).
- [279] Raghad Alqirshi and Samir Brahim Belhaouari. “EEG-Based Patient Independent Epileptic Seizure Detection Using GCN-BRF”. en. In: *Deep Learning Theory and Applications*. Ed. by Ana Fred et al. Cham: Springer Nature Switzerland, 2024, pp. 351–366. ISBN: 978-3-031-66705-3. DOI: [10.1007/978-3-031-66705-3_23](https://doi.org/10.1007/978-3-031-66705-3_23).

- [280] Golamali Alizadeh, Tohid Yousefi Rezaii, and Saeed Meshgini. “Epileptic Seizure Prediction Using One Channel EEG Signal and 2 D-Convolutional Neural Networks”. en. In: 12 (2024).
- [281] Ijaz Ahmad et al. “Multi-Feature Fusion-Based Convolutional Neural Networks for EEG Epileptic Seizure Prediction in Consumer Internet of Things”. In: *IEEE Transactions on Consumer Electronics* 70.3 (Aug. 2024), pp. 5631–5643. ISSN: 1558-4127. DOI: [10.1109/TCE.2024.3363166](https://doi.org/10.1109/TCE.2024.3363166).
- [282] Ijaz Ahmad et al. “An efficient feature selection and explainable classification method for EEG-based epileptic seizure detection”. In: *Journal of Information Security and Applications* 80 (Feb. 2024), p. 103654. ISSN: 2214-2126. DOI: [10.1016/j.jisa.2023.103654](https://doi.org/10.1016/j.jisa.2023.103654).
- [283] Ijaz Ahmad et al. “Robust Epileptic Seizure Detection Based on Biomedical Signals Using an Advanced Multi-View Deep Feature Learning Approach”. In: *IEEE Journal of Biomedical and Health Informatics* 28.10 (Oct. 2024), pp. 5742–5754. ISSN: 2168-2208. DOI: [10.1109/JBHI.2024.3396130](https://doi.org/10.1109/JBHI.2024.3396130).
- [284] Vinay Adusumilli and M. K. Mariam Bee. “Epileptic seizure detection and classification of EEG signal using k-nearest neighbors (KNN) compared with ANFIS-adaptive network-based fuzzy inference system”. In: *AIP Conference Proceedings* 2816.1 (Mar. 2024), p. 030001. ISSN: 0094-243X. DOI: [10.1063/5.0186409](https://doi.org/10.1063/5.0186409).
- [285] Ali H. Abdulwahhab et al. “Detection of epileptic seizure using EEG signals analysis based on deep learning techniques”. In: *Chaos, Solitons & Fractals* 181 (Apr. 2024), p. 114700. ISSN: 0960-0779. DOI: [10.1016/j.chaos.2024.114700](https://doi.org/10.1016/j.chaos.2024.114700).
- [286] Tala Abdallah et al. “A Novel Unsupervised Approach for Accurate Epileptic Seizure Detection”. In: *2024 32nd European Signal Processing Conference (EUSIPCO)*. 2024 32nd European Signal Processing Conference (EUSIPCO). ISSN: 2076-1465. Aug. 2024, pp. 1426–1430. DOI: [10.23919/EUSIPCO63174.2024.10715300](https://doi.org/10.23919/EUSIPCO63174.2024.10715300).
- [287] Tala Abdallah et al. “Cross-Site Generalization Using Attention Layer for Epileptic Seizure Detection”. In: *2024 32nd European Signal Processing Conference (EUSIPCO)*. 2024 32nd European Signal Processing Conference (EUSIPCO). ISSN: 2076-1465. Aug. 2024, pp. 1571–1575. DOI: [10.23919/EUSIPCO63174.2024.10714945](https://doi.org/10.23919/EUSIPCO63174.2024.10714945).
- [288] Srikanth Yalabaka et al. “A Comprehensive Analysis of ML and DL Approaches for Epileptic Seizure Prediction”. In: *2024 International Conference on Advances in Computing Research on Science Engineering and Technology (ACROSET)*. Sept. 2024, pp. 1–6. DOI: [10.1109/ACROSET62108.2024.10743928](https://doi.org/10.1109/ACROSET62108.2024.10743928).
- [289] Jie Xu et al. “EEG-based epileptic seizure detection using deep learning techniques: A survey”. In: *Neurocomputing* 610 (Dec. 2024). ISSN: 0925-2312. DOI: [10.1016/j.neucom.2024.128644](https://doi.org/10.1016/j.neucom.2024.128644).
- [290] Zhongpeng Wang et al. “Research progress of epileptic seizure prediction methods based on EEG”. en. In: *Cognitive Neurodynamics* 18.5 (Oct. 2024), pp. 2731–2750. ISSN: 1871-4099. DOI: [10.1007/s11571-024-10109-w](https://doi.org/10.1007/s11571-024-10109-w).

- [291] J. Viswanath, S. Annamalai, and S. Ramesh. “Epileptic Seizure Prediction through ML And DL Models: A Survey”. In: *2024 8th International Conference on Electronics, Communication and Aerospace Technology (ICECA)*. Nov. 2024, pp. 1641–1648. DOI: [10.1109/ICECA63461.2024.10800774](https://doi.org/10.1109/ICECA63461.2024.10800774).
- [292] V. A. Velvizhi et al. “Comparative Analysis of Epileptic Seizure Detection Techniques”. In: *2024 International Conference on Power, Energy, Control and Transmission Systems (ICPECTS)*. Oct. 2024, pp. 1–4. DOI: [10.1109/ICPECTS62210.2024.10780133](https://doi.org/10.1109/ICPECTS62210.2024.10780133).
- [293] Vishal Thakare and Rekha Ranawat. “Machine Learning Techniques in Epileptic Seizure Detection: A Comprehensive Review”. In: *2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT)*. ISSN: 2473-7674. June 2024, pp. 1–5. DOI: [10.1109/ICCCNT61001.2024.10724979](https://doi.org/10.1109/ICCCNT61001.2024.10724979).
- [294] Sina Shafiezadeh et al. “A systematic review of cross-patient approaches for EEG epileptic seizure prediction”. en. In: *Journal of Neural Engineering* 21.6 (Dec. 2024). Publisher: IOP Publishing, p. 061004. ISSN: 1741-2552. DOI: [10.1088/1741-2552/ad9682](https://doi.org/10.1088/1741-2552/ad9682).
- [295] Michail Marinis, Eleni Vrochidou, and George A. Papakostas. “EEG Channel Selection for Epileptic Seizure Prediction”. In: *2024 Panhellenic Conference on Electronics & Telecommunications (PACET)*. Mar. 2024, pp. 1–4. DOI: [10.1109/PACET60398.2024.10497022](https://doi.org/10.1109/PACET60398.2024.10497022).
- [296] D. Khandekar and S. P. Patil. “Prediction of Epileptic Seizure from EEG Signal by DWT And ANN Technique-A Review”. In: *Journal of Electronic Engineering and Communication Engineering* (2024). Publisher: enriched-publications.com Type: PDF.
- [297] Nusrat Fatma, Pawan Singh, and Mohammad Khubeb Siddiqui. “Extensive Review of Epileptic Seizure Detection Techniques: Performance, Achievements, and Future Directions”. In: *2024 IEEE International Conference on Communication, Computing and Signal Processing (IICCCS)*. Sept. 2024, pp. 1–4. DOI: [10.1109/IICCCS61609.2024.10763652](https://doi.org/10.1109/IICCCS61609.2024.10763652).
- [298] Sonia V. Devi and R. Pallavi. “Analysis of Epileptic Seizure Detection Using Deep Learning Algorithms”. In: *2024 Third International Conference on Distributed Computing and Electrical Circuits and Electronics (ICDCECE)*. Apr. 2024, pp. 01–05. DOI: [10.1109/ICDCECE60827.2024.10548098](https://doi.org/10.1109/ICDCECE60827.2024.10548098).
- [299] Deba Prasad Dash et al. “Review of Machine and Deep Learning Techniques in Epileptic Seizure Detection using Physiological Signals and Sentiment Analysis”. In: *ACM Trans. Asian Low-Resour. Lang. Inf. Process.* 23.1 (Jan. 2024), 16:1–16:29. ISSN: 2375-4699. DOI: [10.1145/3552512](https://doi.org/10.1145/3552512).
- [300] J. Dan. “Validation of artificial intelligence for epileptic seizure detection: Moving from research into the clinic”. In: *Developmental Medicine & Child Neurology* (2024). Publisher: infoscience.epfl.ch Type: PDF. DOI: [10.1111/dmcn.16002](https://doi.org/10.1111/dmcn.16002).
- [301] Gonçalo Costa, César Teixeira, and Mauro F. Pinto. “Comparison between epileptic seizure prediction and forecasting based on machine learning”. en. In: *Scientific Reports* 14.1 (Mar. 2024). Publisher: Nature Publishing Group, p. 5653. ISSN: 2045-2322. DOI: [10.1038/s41598-024-56019-z](https://doi.org/10.1038/s41598-024-56019-z).

- [302] Sunil Kumar Choudhary and Tushar Kanti Bera. “A systematic review of deep learning algorithms utilising electroencephalography signals for epileptic seizure detection”. In: *International Journal of Biomedical Engineering and Technology* 46.3 (Jan. 2024). Publisher: Inderscience Publishers, pp. 228–262. ISSN: 1752-6418. DOI: [10.1504/IJBET.2024.142531](https://doi.org/10.1504/IJBET.2024.142531).
- [303] Resmi Cherian and Grace Mary Kanaga E. “Unleashing the potential of spiking neural networks for epileptic seizure detection: A comprehensive review”. In: *Neurocomputing* 598 (Sept. 2024), p. 127934. ISSN: 0925-2312. DOI: [10.1016/j.neucom.2024.127934](https://doi.org/10.1016/j.neucom.2024.127934).
- [304] S. Arora and N. Chugh. “EEG Signal Classification for Epileptic Seizure Detection: A Review of Machine Learning Approaches”. In: *Journal of Multi Disciplinary Engineering Technologies* (2024). Publisher: jmdet.com Type: PDF.
- [305] Tao Yan et al. “EEG Opto-Processor: Epileptic Seizure Detection Using Diffractive Photonic Computing Units”. In: *Engineering* 35 (Apr. 2024), pp. 56–66. ISSN: 2095-8099. DOI: [10.1016/j.eng.2024.01.008](https://doi.org/10.1016/j.eng.2024.01.008).
- [306] Hao Wang et al. *RRAM-Based Bio-Inspired Circuits for Mobile Epileptic Correlation Extraction and Seizure Prediction*. arXiv:2407.19841 [eess]. July 2024. DOI: [10.48550/arXiv.2407.19841](https://doi.org/10.48550/arXiv.2407.19841).
- [307] Shuto Kawaguchi et al. “MEMS resonator-based reservoir computing for epileptic seizure prediction”. In: *2024 IEEE International Meeting for Future of Electron Devices, Kansai (IMFEDK)*. ISSN: 2836-9947. Nov. 2024, pp. 1–2. DOI: [10.1109/IMFEDK64776.2024.10814263](https://doi.org/10.1109/IMFEDK64776.2024.10814263).
- [308] Y Murali Krishn and P Vinay Kumar. “Efficient EEG motion artifact elimination framework for ambulatory epileptic seizure detection application”. en. In: *Biomedical Physics & Engineering Express* 10.3 (Mar. 2024). Publisher: IOP Publishing, p. 035005. ISSN: 2057-1976. DOI: [10.1088/2057-1976/ad2ff4](https://doi.org/10.1088/2057-1976/ad2ff4).
- [309] L. Lemoine and N. Pham. *Epileptic seizure detection with Tiny Machine Learning-a preliminary study*. Type: PDF. orca.cardiff.ac.uk, 2024.
- [310] Ahmedul Khan et al. “Benchmarking RRAM Crossbar Arrays for Epileptic Seizure Prediction”. In: *2024 IEEE 67th International Midwest Symposium on Circuits and Systems (MWSCAS)*. ISSN: 1558-3899. Aug. 2024, pp. 1314–1318. DOI: [10.1109/MWSCAS60917.2024.10658668](https://doi.org/10.1109/MWSCAS60917.2024.10658668).
- [311] Sushma S. Jagtap et al. “GPS based IoT Module for Vehicle Safety in Epileptic Seizure Detection and Alcohol Monitoring”. In: *2024 4th International Conference on Pervasive Computing and Social Networking (ICPCSN)*. May 2024, pp. 1036–1042. DOI: [10.1109/ICPCSN62568.2024.00172](https://doi.org/10.1109/ICPCSN62568.2024.00172).
- [312] Ahmad MohdAziz Hussein et al. “A Smart IoT-Cloud Framework with Adaptive Deep Learning for Real-Time Epileptic Seizure Detection”. en. In: *Circuits, Systems, and Signal Processing* (Nov. 2024). ISSN: 1531-5878. DOI: [10.1007/s00034-024-02919-4](https://doi.org/10.1007/s00034-024-02919-4).
- [313] Bala V Dhandayuthapani et al. “Cyber Security Based Application-Specific Integrated Circuit for Epileptic Seizure Prediction Using Convolutional Neural Network”. In: *Journal of Intelligent Systems and Internet of Things* Issue 1 (Jan. 2024). Publisher: American Scientific Publishing Group (ASPG), pp. 234–250. DOI: [10.54216/JISIoT.130117](https://doi.org/10.54216/JISIoT.130117).

- [314] Emran Ali, Maia Angelova, and Chandan Karmakar. “Epileptic seizure detection using CHB-MIT dataset: The overlooked perspectives”. EN. In: *Royal Society Open Science* (May 2024). Publisher: The Royal Society. DOI: [10.1098/rsos.230601](https://doi.org/10.1098/rsos.230601).
- [315] Pei Feng Tong et al. “Detection of interictal epileptiform discharges using transformer based deep neural network for patients with self-limited epilepsy with centrottemporal spikes”. In: *Biomedical Signal Processing and Control* 101 (Mar. 2025), p. 107238. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2024.107238](https://doi.org/10.1016/j.bspc.2024.107238).
- [316] Wenhao Rao et al. “Automatic Multi-label Classification of Interictal Epileptiform Discharges (IED) Detection Based on Scalp EEG and Transformer”. en. In: *Advanced Intelligent Computing Technology and Applications*. Ed. by De-Shuang Huang, Xiankun Zhang, and Yijie Pan. Singapore: Springer Nature, 2024, pp. 106–117. ISBN: 978-981-97-5581-3. DOI: [10.1007/978-981-97-5581-3_9](https://doi.org/10.1007/978-981-97-5581-3_9).
- [317] Munawara Saiyara Munia et al. “Interictal Epileptiform Discharge Detection Using Time-Frequency Analysis and Transfer Learning”. In: *2024 46th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. ISSN: 2694-0604. July 2024, pp. 1–4. DOI: [10.1109/EMBC53108.2024.10782120](https://doi.org/10.1109/EMBC53108.2024.10782120).
- [318] Ibuki Inoue et al. “LightIED: Explainable AI with Light CNN for Interictal Epileptiform Discharge Detection”. In: *2024 46th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. ISSN: 2694-0604. July 2024, pp. 1–4. DOI: [10.1109/EMBC53108.2024.10782804](https://doi.org/10.1109/EMBC53108.2024.10782804).
- [319] Ana Maria Amaro de Sousa et al. “Detection of Interictal epileptiform discharges with semi-supervised deep learning”. In: *Biomedical Signal Processing and Control* 88 (Feb. 2024), p. 105610. ISSN: 1746-8094. DOI: [10.1016/j.bspc.2023.105610](https://doi.org/10.1016/j.bspc.2023.105610).
- [320] Filippo Costa et al. “Robust compression and detection of epileptiform patterns in ECoG using a real-time spiking neural network hardware framework”. en. In: *Nature Communications* 15.1 (Apr. 2024). Publisher: Nature Publishing Group, p. 3255. ISSN: 2041-1723. DOI: [10.1038/s41467-024-47495-y](https://doi.org/10.1038/s41467-024-47495-y).
- [321] Jordana Borges Camargo Diniz et al. “Advancing epilepsy diagnosis: A meta-analysis of artificial intelligence approaches for interictal epileptiform discharge detection”. In: *Seizure: European Journal of Epilepsy* 122 (Nov. 2024), pp. 80–86. ISSN: 1059-1311. DOI: [10.1016/j.seizure.2024.09.019](https://doi.org/10.1016/j.seizure.2024.09.019).
- [322] Irena Balzekas et al. “Method for cycle detection in sparse, irregularly sampled, long-term neuro-behavioral timeseries: Basis pursuit denoising with polynomial detrending of long-term, inter-ictal epileptiform activity”. en. In: *PLOS Computational Biology* 20.4 (2024). Publisher: Public Library of Science, e1011152. ISSN: 1553-7358. DOI: [10.1371/journal.pcbi.1011152](https://doi.org/10.1371/journal.pcbi.1011152).
- [323] Bahman Abdi-Sargezeh et al. “A review of signal processing and machine learning techniques for interictal epileptiform discharge detection”. In: *Computers in Biology and Medicine* 168 (Jan. 2024), p. 107782. ISSN: 0010-4825. DOI: [10.1016/j.combiomed.2023.107782](https://doi.org/10.1016/j.combiomed.2023.107782).

Appendix

Table 1: Models and frameworks for EEG-based seizure detection (2024 - Jan 2025)

Paper Title (†– open-source code available)	Methodology	Datasets
Adadelta-CSA: Adadelta-Chameleon Swarm Algorithm for EEG-Based Epileptic Seizure Detection [144]	DNN with an efficient optimization algorithm	CHB-MIT
Uncertainty-Aware Bayesian Deep Learning with Noisy Training Labels for Epileptic Seizure Detection [132] †	Bayesian framework for EEG segment labeling	TUH
Novel EEG feature selection based on hellinger distance for epileptic seizure detection [145]	Particle Swarm Optimization (PSO) for feature selection	Bonn
Dual-Modality Transformer with Time Series Imaging for Robust Epileptic Seizure Prediction [146] †	dual-modality NN (visual patterns from EEG + raw EEG)	CHB-MIT, Bonn
Evaluating Different Hybrid Learning Algorithms Based Grid Search Algorithm for Epileptic Seizure Zone Detection [147]	mix of ML and statistical approaches	Bonn
PaFESD: Patterns Augmented by Features Epileptic Seizure Detection [148] †	Pattern matching (Dynamic Time Warping)	CHB-MIT
Patient-independent epileptic seizure detection using weighted visibility graph features and wavelet decomposition [149]	weighted visibility graph	CHB-MIT
Epileptic seizure detection in EEG signals via an enhanced hybrid CNN with an integrated attention mechanism [150]	CNN + BiGRU + convolutional block attention	Bonn
Phase spectrogram of EEG from S-transform Enhances epileptic seizure detection [151]	Stockwell transform for feature extraction	CHB-MIT, Bonn
Trust EEG epileptic seizure detection via evidential multi-view learning [152] †	several NNs for high-level features	CHB-MIT
Epileptic Seizure Detection in S EEG Signals Using a Signal Embedding Temporal-Spatial-Spectral Transformer Model [153]	multi-scale temporal-spatial-spectral transformer	Custom (XJSZ), Bonn, CHB-MIT
A rhythmic encoding approach based on EEG time-frequency image for epileptic seizure detection [154]	Reassigned Smoothed Pseudo Winger-Ville Distribution (alternative to wavelets)	Karunya
Diminished Mobilenet: A Lightweight Architecture for Epileptic Seizure Prediction Using Single-Channel Eeg [155]	STFT + modified MobileNet	CHB-MIT, SNUH

Automated Epileptic Seizure Detection of EEG Signals Using Machine Learning [156]	SVM	CHB-MIT
Patient-Independent Epileptic Seizure Detection with Reduced EEG Channels and Deep Recurrent Neural Networks [157]	CNN-LSTM	Bonn
A deep learning paradigm with residual networks for enhanced epileptic seizure prediction [158]	ResNet	CHB-MIT
EEG-Based Epileptic Seizure Prediction Using Variants of the Long Short Term Memory Algorithm [159]	LSTM variants	CHB-MIT
Deep Clustering for Epileptic Seizure Detection [77] †	autoencoder + SVD + GMM	Bonn
Epileptic seizure prediction via multidimensional transformer and recurrent neural network fusion [160]	STFT + transformer + LSTM + GRU	Bonn, CHB-MIT
An efficient channel recurrent Criss-cross attention network for epileptic seizure prediction [161]	STFT + CNN + channel attention + criss-cross attention	CHB-MIT
Residual and bidirectional LSTM for epileptic seizure detection [162]	ResNet + BiLSTM	Bonn, TUH
Efficient and generalizable cross-patient epileptic seizure detection through a spiking neural network [138]	spiking NN (closely mimicking real brain neurons)	CHB-MIT, custom (PKU1st)
Cross-patient automatic epileptic seizure detection using patient-adversarial neural networks with spatio-temporal EEG augmentation [163]	data augmentation + NN with good cross-patient generalization	CHB-MIT
Epileptic Seisuze Detection Based on Channel Attention Mechanism [164]	custom CNN-based architecture	CHB-MIT
A scheme combining feature fusion and hybrid deep learning models for epileptic seizure detection and prediction [165]	DWT + feature fusion + CNN-GRU attention	CHB-MIT
ConceFT-based epileptic seizure detection via transfer learning [166]	ConceFT (alternative to wavelet transform)	Bonn
Efficient Epileptic Seizure Detection Method Based on EEG Images: The Reduced Descriptor Patterns [167]	STFT + novel feature extraction from spectrogram images	CHB-MIT
Advanced Epileptic Seizure Detection Using Deep Learning and Bayesian Optimization [168]	VGG-16 + Double LSTM	Bonn
Shorter latency of real-time epileptic seizure detection via probabilistic prediction [4]	Multi-scale STFT + 3D-CNN, claimed new SoTA on CHB-MIT	CHB-MIT, SWEC-ETHZ
Dynamic Functional Connectivity Neural Network for Epileptic Seizure Prediction Using Multi-Channel EEG Signal [169]	Dynamic Graph CN + CNN	CHB-MIT

Hybrid LSTM–Transformer Model for the Prediction of Epileptic Seizure Using Scalp EEG [170]	STFT + LSTM + Transformer	CHB-MIT
Enhancing Epileptic Seizure Detection with Random Input Selection in Graph-Wave Networks [171]	FFT + Graph WaveNet	TUSZ (part of TUH)
Combination of Channel Reordering Strategy and Dual CNN-LSTM for Epileptic Seizure Prediction Using Three iEEG Datasets [172]	multi-channel CNN-LSTM + importance-based channel re-ordering	Freiburg, SWEC-ETHZ, AES-SPC
Channel-Selection-Based Temporal Convolutional Network for Patient-Specific Epileptic Seizure Detection [173]	Fisher score-based channel selection + custom NN	CHB-MIT, Siena
Automatic epileptic seizure detection using SVM techniques with EEG signals [174]	SVM	Bonn
The Deep Learning Based Epileptic Seizure Detection Using 2-layer Convolutional Network with Long Short-Term Memory [175]	CNN + LSTM	CHB-MIT, Bonn
Sparse wavelet representation of interictal epileptic activity for postsurgical seizure outcome prediction [176] †	predefined wavelets for high-frequency oscillations detection	custom iEEG data
Automatic detection of epileptic seizure based on one dimensional cascaded convolutional autoencoder with adaptive window-thresholding [177]	unsupervised learning + 1D-cascaded convolutional autoencoder	CHB-MIT
Prediction of epileptic seizure based on image information derived from focal electrodes and deep classifiers [178]	multiple strategies	EPILEPSIAE
Epileptic Seizure Detection Based on Path Signature and Bi-LSTM Network With Attention Mechanism [179]	path signature feature extraction + Bi-LSTM	CHB-MIT, TUEP (part of TUH)
Epileptic Seizure Detection in Neonatal EEG Using a Multi-Band Graph Neural Network Model [180]	multi-band GNN	Neonate
Long-short term memory autoencoder using delta with beta bands of EEG enables highly accurate prediction of seizure outcome in Infantile Epileptic Spasms Syndrome of unknown etiology [181]	burst detection algorithm + LSTM-AE	custom
Federated Machine Learning for Epileptic Seizure Detection using EEG [182]	Graph Convolutional Network + Federated Learning	CHB-MIT, Bonn
Deep Learning for Epileptic Seizure Detection Using a Causal-Spatio-Temporal Model Based on Transfer Entropy [183]	Graph Attention Network + BiLSTM	SWEC-ETHZ, custom

Smart Societal Optimization-based Deep Learning Convolutional Neural Network Model for Epileptic Seizure Prediction [184]	CNN + intelligent societal optimization	CHB-MIT
EEG Data Classification by Hybrid Deep Learning for Epileptic Seizure Prediction [185]	1D-CNN + BiLSTM	CHB-MIT
Epileptic seizure detection using posterior probability-based convolutional neural network classifier [186]	Hilberg-Huang transform; posterior probability-based CNN	Bonn
Integrative Approach for Epileptic Seizure Detection: A Comparative Analysis [187]	CNN, X-Trees	CHB-MIT
Enhanced Epileptic Seizure Detection Through Graph Spectral Analysis of EEG Signals [188]	Graph-based Fourier transform	Bonn, NSC-ND
Machine Learning-Based Feature Extraction Techniques for Epileptic Seizure Detection Using EEG Bio-signals [189]	Random Forest (RF), Naive Bayes, KNN, XGBoost, etc	CHB-MIT
Exploring Supervised Machine Learning Classifiers for Epileptic Seizure Detection over Two Distinct Preprocessed Datasets [190]	RF, SVM, KNN, XGBoost	CHB-MIT, SNMC
Epileptic seizure prediction based on Convolutional neural networks and optimization techniques [191]	CNN + XGBoost	CHB-MIT
Attention-based Deep Learning for Epileptic Seizure Type Detection [192]	LSTM + self-attention	TUH
Epileptic seizure detection using scalogram-based hybrid CNN model on EEG signals [193]	CNN + SVM	CHB-MIT
Epileptic Seizure Detection using DWT based on MRMR Feature Selection Method [194]	wavelet transform + minimum redundancy maximum relevance feature selection + SVM	Bonn
A hybrid 1D CNN-BiLSTM model for epileptic seizure detection using multi-channel EEG feature fusion [195]	1D CNN + BiLSTM	CHB-MIT
A compact spatial attention model for automated epileptic seizure detection using multichannel EEG [196]	CNN + attention module	CHB-MIT
Anchoring temporal convolutional networks for epileptic seizure prediction [197]	sample entropy + dilated causal convolutional NNs	Freiburg, CHB-MIT
Effective Epileptic Seizure Detection Using Enhanced Salp Swarm Algorithm-based Long Short-Term Memory Network [198]	enhanced feature selection + LSTM	Bonn, TUH, Bern-Barcelona

IoT and cloud computing-based automated epileptic seizure detection using optimized Siamese convolutional sparse autoencoder network [199]	Q-wavelet transform + Siamese convolutional sparse autoencoder	Bonn, TUH
Epileptic Seizure Prediction Based on Synchroextracting Transform and Sparse Representation [200]	Synchroextracting Transform + Sparse Representation + KNN	CHB-MIT, Bonn
Epileptic Seizure Prediction Using Stacked CNN-BiLSTM: A Novel Approach [201]	1D CNN + BiLSTM	CHB-MIT
Semi-Supervised Seizure Prediction Based on Deep Pairwise Representation Alignment of Epileptic EEG Signals [202]	data augmentations + semi-supervised seizure prediction	CHB-MIT, AES-SPC (KEPC)
Efficient Approach for Epileptic Seizure Classification and Detection based on Genetic Algorithm with CNN-RNN Classifier [203]	improved genetic algorithm + CNN-LSTM-GRU	Bonn
A Novel Framework for Epileptic Seizure Detection Using Electroencephalogram Signals Based on the Bat Feature Selection Algorithm [204]	DWT + BAT feature selection + Naive Bayes or KNN / etc	Bonn
Prediction of epileptic seizure based on image information derived from focal electrodes and deep classifiers [205]	various methods	EPILEPSIAE
Enhanced Epileptic Seizure Detection Based on Information Fusion Techniques [206]	RF, KNN, SVM, decision tree	Bonn
A Robust Machine Learning Method for Real-Time Epileptic Seizure Detection in EEG [207]	logistic regression	CHB-MIT
Utilizing Pretrained Vision Transformers and Large Language Models for Epileptic Seizure Prediction [208] †	Vision Transformers, LongFormer LLM	TUSZ (part of TUH)
Empirical Mode Decomposition for Deep Learning-Based Epileptic Seizure Detection in Few-Shot Scenario [209]	Empirical Mode Decomposition + DFT + PSD + CNN	Bonn
New approaches to epileptic seizure prediction based on EEG signals using hybrid CNNs [210]	1D CNN	Bonn
Detection of Epileptic Seizure from EEG Signals Using Majority Rule Based Local Binary Pattern [211]	majority rule-based feature generation + KNN or SVM	Bonn, Freiburg
Epileptic Seizure Prediction From EEG Signal Recording Using Energy and Dispersion Entropy with SVM Classifier [212]	DWT + SVM	CHB-MIT
Epileptic Seizure Detection Using Energy Thresholding [213]	time-domain energy thresholding	CHB-MIT

Hybridization of Sparrow Search Algorithm and Sine Cosine Algorithm for Epileptic Seizure Detection [214]	DWT + Adaptive Neuro Fuzzy Inference System	CHB-MIT
Real-Time Epileptic Seizure Prediction Method With Spatio-Temporal Information Transfer Learning [215]	RNN + transfer learning	CHB-MIT, Siena
Epileptic Seizure Detection Using Quantum Support Vector Classifier [216]	quantum SVM	Bonn
Epileptic Seizure Detection using Variational Quantum Classifier [217]	Variation Quantum Classifier	Bonn
Explainable Graph Neural Networks for EEG Classification and Seizure Detection in Epileptic Patients [218] †	GNN + attention layers + feature & graph explanations	CHB-MIT
SH-OSP: A Hybrid Algorithm Using Spotted Hyena Optimizer Enabled with Optimal Stochastic Process for Epileptic Seizure Detection [219]	DWT + ANOVA + SVM + advanced optimization. Claimed SoTA	CHB-MIT
Parallel Dual-Branch Fusion Network for Epileptic Seizure Prediction [220]	MFCC + CNN + Transformer	CHB-MIT
MTL-SSU: A Multi-Task Self-Supervised Learning Framework for Epileptic Seizure Prediction [221]	U-Net + linear classifier	CHB-MIT
Forecasting events in multidimensional electroencephalographic brain data: Application to epileptic seizure prediction [141]	Neural mass model + LSTM	Custom (St. Vincent's Hospital, Melbourne)
Epileptic seizure prediction based on EEG using pseudo-three-dimensional CNN [222]	pseudo-3D CNN + biConvLSTM-3D	CHB-MIT
Multi-dimensional hybrid bilinear CNN-LSTM models for epileptic seizure detection and prediction using EEG signals [223]	self-attention + bilinear NN	CHB-MIT, AES-SPC
Epileptic Seizure Detection in SEEG Signals Using a Unified Multi-Scale Temporal-Spatial-Spectral Transformer Model [224] †	channel embedding temporal-spatial-spectral transformer	Custom (LTSZ), CHB-MIT, Bonn
Epileptic Seizure Detection Using a Lightweight Network based on Style-Controlling Normalization [225]	custom NN architecture (Faster-NormNet)	Bonn, custom
Detection of epileptic seizure in EEG signals using machine learning and deep learning techniques [226]	LSTM	Bonn
Preictal period optimization for deep learning-based epileptic seizure prediction [227]	CNN + Transformer	CHB-MIT

A Mutual Information-Based Many-Objective Optimization Method for EEG Channel Selection in the Epileptic Seizure Prediction Task [228]	ConvLSTM + particle swarm optimization	CHB-MIT
Epileptic Seizure Detection in EEG Signals Using Machine Learning and Deep Learning Techniques [229]	XGBoost, 1D-CNN, etc.	Bonn
Improved Feature Space for EEG-based Epileptic Seizure Detection Using Signal Processing Techniques [230]	DWT + improved feature space + SVM	Bonn
Explainable AI for epileptic seizure detection in Internet of Medical Things [231]	LIME, SHAP	CHB-MIT
Feature Fusion for Epileptic Seizure Detection from EEG Data: A CNN- Based Approach with High Precision [232]	spectrograms + CNN	Bonn, NSC-ND
EEG Conformer Model Based Epileptic Seizure Prediction Using Deep Learning [233]	convolutions + Transformer	CHB-MIT
An improved GBSO-TAENN-based EEG signal classification model for epileptic seizure detection [234]	advanced feature selection and optimization + temporal activation expansive NN	Bonn, CHB-MIT
Integrated TSVM-TSK fusion for enhanced EEG-based epileptic seizure detection: Robust classifier with competitive learning [235]	twin SVM + fuzzy classifier	Bonn
EpiNET: An Optimized, Resource Efficient Deep GRU-LSTM Network for Epileptic Seizure Prediction [236]	GRU-LSTM	CHB-MIT
Epileptic Seizure Detection using Denoising Autoencoder [237]	denoising autoencoder + SVM / RF / CNN	CHB-MIT, Bonn
Sequential graph convolutional network and DeepRNN based hybrid framework for epileptic seizure detection from EEG signal [238]	Sequential Graph Convolution Network + Deep Recurrent NN + GRU	CHB-MIT, TUH
Epileptic Seizure Prediction Using Spatiotemporal Feature Fusion on EEG [239]	Graph Attention + Temporal Convolutions	CHB-MIT
Domain adaptation for EEG-based, cross-subject epileptic seizure prediction [240]	domain adaptation networks	CHB-MIT, Siena
Adaptive Bi-LSTM-based Epileptic Seizure Prediction from EEG Signals Using Deep Learning Algorithm [241]	Bi-LSTM	Bonn, AES-SPC
Support Vector Machine-Based Epileptic Seizure Detection Using EEG Signals [242]	DWT + SVM	CHB-MIT (?)
A Multi Representation Deep Learning Approach for Epileptic Seizure Detection [243]	FFT or STFT + CNN-LSTM	AES-SPC, Melbourne

Imbalance-aware Machine Learning for Epileptic Seizure Detection [244]	graph-based feature selection + synthetic minority oversampling	TUSZ (part of TUH)
Epileptic Seizure Prediction from EEG Signals using Machine Learning [245]	DWT + KNN, RF, etc.	CHB-MIT
SeizureLSTM: An optimal attention-based trans-LSTM network for epileptic seizure detection using optimal weighted feature integration [246]	Q Wavelet transform + 1D-CNN + LSTM	CHB-MIT
A lightweight 1D-CNN-GRU model for epileptic seizure prediction [247]	1D-CNN-GRU	CHB-MIT
NeuroWave-Net: Enhancing epileptic seizure detection from EEG brain signals via advanced convolutional and long short-term memory networks [248]	CNN+LSTM	Bonn
Riemannian Manifold-based Epileptic Seizure Detection Using Transfer Learning and Artifact Rejection Techniques [249] †	anomaly detection; Riemann manifold-based, potato-based features; other methods	CHB-MIT, TUSZ (part of TUH)
Advanced Machine Learning Techniques for Precise EEG Analysis and Epileptic Seizure Detection [250]	RF	Bonn
Analysis and Design of a Compute-in-Memory System for Epileptic Seizure Detection System [251]	fixed-point NN, compute-in-memory NN	CHB-MIT
Two-Stage Approach With Combination of Outlier Detection Method and Deep Learning Enhances Automatic Epileptic Seizure Detection [252]	wavelets + SVM-based outlier detection + CNN	Custom (83 subjects)
Error-aware CNN improves automatic epileptic seizure detection [253]	wavelets + ResNet-18	Custom
Enhanced Detection of Epileptic Seizure Using Supervised and Unsupervised Algorithms [254]	DWT + K-means, SVM, RF, KNN	AES-SPC (?)
The utility of Multicentre Epilepsy Lesion Detection (MELD) algorithm in identifying epileptic activity and predicting seizure freedom in MRI lesion-negative paediatric patients [135]	adapted MLD algorithm (using MRI + EEG data) for focal epilepsy detection	Custom (SEEG, MRI, PET; 28 children)
Quantification of EEG Characteristics for Epileptic Seizure Detection and Monitoring of Anaesthesia Using Spectral Analysis [255]	power spectral analysis	public data from MATLAB®File Exchange
Online Epileptic Seizure Detection in Long-term iEEG Recordings Using Mixed-signal Neuromorphic Circuits [139]	Spiking NN	SWEC-ETHZ

Epileptic Seizure Detection Using a Recurrent Neural Network With Temporal Features Derived From a Scale Mixture EEG Model [16]	Feature extraction based on stochastic modeling + RNN	Custom
Enhanced Epileptic Seizure Detection through Wavelet-Based Analysis of EEG Signal Processing [256]	DWT + SVM	Neonate, CHB-MIT
Enhanced Epileptic Seizure Detection: Convolution Neural Net and Features Selection in EEG Signals [257]	CNN	CHB-MIT
EpiNet: A Hybrid Machine Learning Model for Epileptic Seizure Prediction using EEG Signals from a 500 Patient Dataset [258]	SVM, XGBoost, etc	Bonn
Hybrid Stacking Model for Automatic Epileptic Seizure Detection Using Electroencephalogram Signals [259]	DT, RF, SVM	TUH
Seizure stage detection of epileptic seizure using convolutional neural networks [260]	CNN	Freiburg, CHB-MIT, TUH
Hyperdimensional Computing With Multiscale Local Binary Patterns for Scalp EEG-Based Epileptic Seizure Detection [137]	Multiscale local binary patterns-based hyperdimensional computing	Beirut
Epileptic Seizure Detection with an End-to-End Temporal Convolutional Network and Bidirectional Long Short-Term Memory Model [261]	Temporal CN +BiLSTM	CHB-MIT
Integrative Approach for Automated Epileptic Seizure Detection: EEG-MRI Hybrid Model Utilizing Deep Learning Techniques [136]	RNN + CNN + fusion model	Warsaw EEG + MRI
A Novel Dual-Branch Network for Comprehensive Spatiotemporal Information Integration for Eeg-Based Epileptic Seizure Detection [262]	Transformer + CNN + GCN for channel graph	CHB-MIT, Siena
Time, Frequency, and Time-Frequency Feature Sets for Deep Learning Methods in Epileptic Seizure Prediction [263]	various feature extraction methods	CHB-MIT
Epileptic Seizure Detection from Decomposed EEG Signal through 1D and 2D Feature Representation and Convolutional Neural Network [101] †	empirical mode decomposition + CNN	CHB-MIT, PHK (PHK introduced here)
A Lightweight Convolutional Neural Network-Reformer Model for Efficient Epileptic Seizure Detection [264]	DWT + CNN-Reformer	CHB-MIT, custom (SH-SDU)

SaE-GBLS: an effective self-adaptive evolutionary optimized graph-broad model for EEG-based automatic epileptic seizure detection [265]	self-adaptive evolutionary graph-regularized broad learning system	CHB-MIT, Bonn, AES-SPC, custom
An efficient epileptic seizure detection by classifying focal and non-focal EEG signals using optimized deep dual adaptive CNN-HMM classifier [266]	CNN + HMM + Position Attention + Channel Attention	CHB-MIT, Siena, Bern-Barcelona
A Hybrid Study for Epileptic Seizure Detection Based on Deep Learning using EEG Data [267]	CWT or STFT + CNN	Bonn, NSC-ND
Enhancing Deep Learning-Based Epileptic Seizure Detection with Generative AI Techniques [268]	CWT + BiLSTM + VAE	CHB-MIT
ResneXt-Lenet: A hybrid deep learning for epileptic seizure prediction [269]	ResneXt + LeNet (CNNs)	CHB-MIT
HyEpiSeiD: a hybrid convolutional neural network and gated recurrent unit model for epileptic seizure detection from electroencephalogram signals [270] †	1D-CNN + GRU	Bonn, Khati Renuka
EEG Signals Classification for Epileptic Seizure Detection [271]	CNN + BiLSTM	Bonn
Hybrid approach for the detection of epileptic seizure using electroencephalography input [272]	GRU + SVM	Bonn
A New Epileptic Seizure Prediction Framework Based on Electroencephalography Signals [273]	LSTM	Neonate, CHB-MIT
Epileptic Seizure Detection from Eeg Signals with Recurrent Neural Networks Based Classification Model [274]	wavelets + RNN	Bern-Barcelona
Automatic epileptic seizure detection using MSA-DCNN and LSTM techniques with EEG signals [275]	Multi-Scale Atrous-based DCNN + LSTM	CHB-MIT; non-epileptic
Epileptic Seizure Detection and Analysis Using Machine Learning [276]	LightGBM	Bonn
Epileptic Seizure Prediction on EEG Data using a Firefly Algorithm trained with Deep Neural Networks [277]	Firefly algorithm + GRU	TUH
LMPSeizNet: A Lightweight Multiscale Pyramid Convolutional Neural Network for Epileptic Seizure Detection on EEG Brain Signals [278]	multiscale CNN	CHB-MIT
EEG-Based Patient Independent Epileptic Seizure Detection Using GCN-BRF [279]	RF-based feature selection + GCN	CHB-MIT
Epileptic Seizure Prediction Using One Channel EEG Signal and 2 D-Convolutional Neural Networks [280]	CNN	CHB-MIT

Energy efficient FPGA implementation of an epileptic seizure detection system using a QDA classifier	Quadratic Discriminant Analysis	Bonn
Multi-Feature Fusion-Based Convolutional Neural Networks for EEG Epileptic Seizure Prediction in Consumer Internet of Things [281]	CNN + BiLSTM	CHB-MIT
An efficient feature selection and explainable classification method for EEG-based epileptic seizure detection [282]	DWT + tree-based bagging + SHAP	Bonn
Robust Epileptic Seizure Detection Based on Biomedical Signals Using an Advanced Multi-View Deep Feature Learning Approach [283]	1D-CNN + multi-view forest + SHAP	Bonn
Epileptic seizure detection and classification of EEG signal using k-nearest neighbors (KNN) compared with ANFIS-adaptive network-based fuzzy inference system [284]	KNN	Bonn
Detection of epileptic seizure using EEG signals analysis based on deep learning techniques [285]	CNN + RNN + LSTM	CHB-MIT, Bonn
A Novel Unsupervised approach for accurate epileptic seizure detection [286]	Deep Gaussian Mixture Model	CHB-MIT
Cross-site generalization using attention layer for epileptic seizure detection [287]	1D-CNN + LSTM + attention	CHB-MIT, custom

Table 2: Review papers on epileptic seizure detection published in 2024 and January 2025

Paper Title	Citations
A Comprehensive Analysis of ML and DL Approaches for Epileptic Seizure Prediction [288]	0
EEG-based epileptic seizure detection using deep learning techniques: A survey [289]	1
Research progress of epileptic seizure prediction methods based on EEG [290]	2
Epileptic Seizure Prediction through ML And DL Models: A Survey [291]	0
Comparative Analysis of Epileptic Seizure Detection Techniques [292]	0
Machine Learning Techniques in Epileptic Seizure Detection: A Comprehensive Review [293]	0
A systematic review of cross-patient approaches for EEG epileptic seizure prediction [294]	0
EEG Channel Selection for Epileptic Seizure Prediction [295]	1
Prediction of Epileptic Seizure from EEG Signal by DWT And ANN Technique-A Review [296]	0
Extensive Review of Epileptic Seizure Detection Techniques: Performance, Achievements, and Future Directions [297]	0
Analysis of Epileptic Seizure Detection Using Deep Learning Algorithms [298]	0
Review of Machine and Deep Learning Techniques in Epileptic Seizure Detection using Physiological Signals and Sentiment Analysis [299]	35
Validation of artificial intelligence for epileptic seizure detection: Moving from research into the clinic [300]	1
Comparison between epileptic seizure prediction and forecasting based on machine learning [301]	8
A systematic review of deep learning algorithms utilising electroencephalography signals for epileptic seizure detection [302]	0
Unleashing the potential of spiking neural networks for epileptic seizure detection: A comprehensive review [303]	2
EEG Signal Classification for Epileptic Seizure Detection: A Review of Machine Learning Approaches [304]	0

Table 3: Miscellaneous studies on epileptic seizure detection in 2024 and January 2025

Paper Title	Citations	Main Contribution
Canine EEG Helps Human: Cross-Species and Cross-Modality Epileptic Seizure Detection via Multi-Space Alignment [134]	1	Multi-space alignment framework based on cross-species, cross-modality EEG by employing DL techniques
EEG Opto-Processor: Epileptic Seizure Detection Using Diffractive Photonic Computing Units [305]	2	High-performance hardware + software
RRAM-Based Bio-Inspired Circuits for Mobile Epileptic Correlation Extraction and Seizure Prediction [306]	0	Energy-efficient memristor-based circuits for EEG feature extraction and seizure detection
MEMS resonator-based reservoir computing for epileptic seizure prediction [307]	0	Developed a power-efficient microelectromechanical system for seizure prediction
Efficient EEG motion artifact elimination framework for ambulatory epileptic seizure detection application [308]	1	Motion artifact removal using Singular Spectrum Analysis decomposition and Relative Total Variation filter
Epileptic seizure detection with Tiny Machine Learning-a preliminary study [309]	0	Models for seizure detection using Arduino BLE Sense + Raspberry Pi Zero
Benchmarking RRAM Crossbar Arrays for Epileptic Seizure Prediction [310]	0	Assessing RRAM-based algorithms for seizure prediction via RRAM simulation
GPS based IoT Module for Vehicle Safety in Epileptic Seizure Detection and Alcohol Monitoring [311]	0	Arduino-based device for epileptic seizure detection
A Smart IoT-Cloud Framework with Adaptive Deep Learning for Real-Time Epileptic Seizure Detection [312]	1	Proposed (but not implemented) an IoT infrastructure design for timely seizure detection
Cyber Security Based Application-Specific Integrated Circuit for Epileptic Seizure Prediction Using Convolutional Neural Network [313]	0	Proposed a Field Programmable Gate Array-accelerated CNN for seizure prediction
Epileptic seizure detection using CHB-MIT dataset: The overlooked perspectives [314]	2	Proposed a revised approach to assessing the performance of models, more practical than ROC/AUC

Table 4: Papers on EEG-based epileptiform activity detection (2024 - Mar 2025)

Paper Title (†– open-source code)	Citations	Main Contribution
Detection of interictal epileptiform discharges using transformer based deep neural network for patients with self-limited epilepsy with centrotemporal spikes [315]	2	Transformer-based IED detector. Evaluated on a private dataset and TUEV
Automatic Multi-label Classification of Interictal Epileptiform Discharges (IED) Detection Based on Scalp EEG and Transformer [316]	0	CNN + Transformer IED detector. Evaluated on a private dataset
Interictal Epileptiform Discharge Detection Using Time-Frequency Analysis and Transfer Learning [317]	0	ResNet-50 applied to TUEV
vEpiNet: A multimodal interictal epileptiform discharge detection method based on video and electroencephalogram data [54]	3	Video (body and face detected with YOLOv5) + EEG (processed with EfficientNet2-S) for IED detection. Tested on a private dataset (vEpiSet is an EEG component of this dataset)
LightIED: Explainable AI with Light CNN for Interictal Epileptiform Discharge Detection [318]	0	CNN for IED detection + explanation with Grad-CAM. Evaluated on a private dataset
Detection of Interictal epileptiform discharges with semi-supervised deep learning [319]	2	Semi-supervised VAE for IED detection. Evaluated on a private dataset
Robust compression and detection of epileptiform patterns in ECoG using a real-time spiking neural network hardware framework [320] †	16	IED and high frequency oscillation (HFO) detector on a low power consuming chip. Dataset made publicly available
Advancing epilepsy diagnosis: A meta-analysis of artificial intelligence approaches for interictal epileptiform discharge detection [321]	1	An analysis of 23 studies (IED detection models)
Method for cycle detection in sparse, irregularly sampled, long-term neuro-behavioral timeseries: Basis pursuit denoising with polynomial detrending of long-term, inter-ictal epileptiform activity [322] †	2	A method for IED rate analysis (IED detection not covered)

A review of signal processing and machine learning techniques for interictal epileptiform discharge detection [323]	14	A review of IED detection approaches
---	----	--------------------------------------
