

Datasets for Depression Modeling in Social Media: An Overview

Ana-Maria Bucur^{1,2}, Andreea-Codrina Moldovan¹, Krutika Parvatikar³
 Marcos Zampieri⁴, Ashiqur R. KhudaBukhsh³, Liviu P Dinu^{5,6}

¹Interdisciplinary School of Doctoral Studies, University of Bucharest, Romania

²PRHLT Research Center, Universitat Politècnica de València, Spain

³Rochester Institute of Technology, USA, ⁴George Mason University, USA

⁵Faculty of Mathematics and Computer Science, ⁶HLT Research Center,
 University of Bucharest, Romania

ana-maria.bucur@drd.unibuc.ro

Abstract

Depression is the most common mental health disorder, and its prevalence increased during the COVID-19 pandemic. As one of the most extensively researched psychological conditions, recent research has increasingly focused on leveraging social media data to enhance traditional methods of depression screening. This paper addresses the growing interest in interdisciplinary research on depression, and aims to support early-career researchers by providing a comprehensive and up-to-date list of datasets for analyzing and predicting depression through social media data. We present an overview of datasets published between 2019 and 2024. We also make the comprehensive list of datasets available online as a continuously updated resource, with the hope that it will facilitate further interdisciplinary research into the linguistic expressions of depression on social media.

1 Introduction

Depression is the most common mental health disorder, and its prevalence has increased further during the COVID-19 pandemic (Wolohan, 2020; Kaseb et al., 2022; Bucur et al., 2025). Depression is also one of the most extensively researched mental health disorders in the field of psychology (Xu et al., 2021). Since the past decade, interdisciplinary researchers have explored this widespread mental disorder using data from social media (De Choudhury et al., 2013; Yates et al., 2017; Orabi et al., 2018; Aragón et al., 2019; Fine et al., 2020; Uban et al., 2021; Nguyen et al., 2022; Wang et al., 2024; Raihan et al., 2024; Abdelkadir et al., 2024). The language used on social media has been shown to predict future depression diagnoses recorded in medical files, suggesting that social media data could be a valuable supplement to traditional depression screening methods (Eichstaedt et al., 2018).

Interdisciplinary research has gained popularity through workshops and shared tasks focused on computational approaches for analyzing mental disorders, including CLPsych (Chim et al., 2024), LT-EDI (Kayalvizhi et al., 2023), eRisk (Parapar et al., 2024), and MentalRiskES (Mármol-Romero et al., 2023). As the research community shows increasing interest in examining how depression is expressed in social media language, we aim to support early-career researchers and anyone interested in this field by providing a comprehensive list of datasets for analyzing or predicting depression using social media data. Our motivation stems from recent changes in the terms of service and API rate limits for popular social media platforms, such as Twitter and Reddit, which have been the primary sources for data collection (Harrigian et al., 2021). These changes have made it more challenging and costly to gather new data. Therefore, we focus on the availability of the datasets in this overview.

The most recent review of social media data for mental health research was conducted by Harrigian et al. (2021), which covered datasets published between 2014 and 2019. Our current work aims to provide an updated overview of social media datasets specifically related to depression research. Since the latest dataset included by Harrigian et al. (2021) is from 2019, our focus will be on datasets published between 2019 and 2024.

This paper contributes to the computational research in depression by providing a meticulously curated, up-to-date, and continuously updated list of data collections.¹ We hope that the resources presented in this overview will further contribute to the interdisciplinary research on depression manifestations in social media language and aid in developing effective interventions for those affected by depression.

¹We make the list available online at <https://github.com/bucuram/depression-datasets-nlp>.

2 Methodology

We have conducted a comprehensive literature search on the major publication databases, including ACL Anthology, IEEE Xplore, Scopus, ACM Digital Library, Springer Nature Link, ScienceDirect, and Google Scholar to search for papers using NLP models for depression modeling or papers presenting novel depression-related data collections from social media. We formulated the following search query to retrieve relevant papers:

“depression” OR “depression detection” OR “depression prediction” OR “depression monitoring” OR “depression analysis”) AND (“social media” OR “online” OR “Twitter” OR “Reddit” OR “Facebook”)

For this overview, we selected papers published between 2019 and 2024 that specifically analyze depression using social media data. We excluded any papers not written in English. To determine if the retrieved papers included analyses related to depression based on social media data or described new data collections, we manually inspected the full texts. We focused on data in the English language. In total, we identified 310 relevant papers, of which 59 proposed new data collections for depression-related research using social media data.

3 Datasets

In Figure 1, we show the number of papers on depression modeling from social media data published each year.




Figure 1: Number of papers on depression modeling published each year in peer-reviewed conferences or journals.

We observe a growing trend in interdisciplinary research on depression, which may have been partly influenced by the COVID-19 pandemic, as there has been an increase in depression rates during this time (Wolohan, 2020; Kaseb et al., 2022). In addition, there has been more research focused on using NLP models for mental health surveillance on social media platforms to assess the pandemic’s impact on the population (Dhelim et al., 2023).

In Figure 2, we present the most used datasets in the 310 papers found through our search. Most of the papers have used the datasets from the LT-EDI Workshop (DepSign dataset (Sampath and Durairaj, 2022)), the eRisk Lab (Losada et al., 2017, 2018, 2019, 2020; Parapar et al., 2021; Crestani et al., 2022), or the CLPsych 2015 Shared Task dataset (Coppersmith et al., 2015). All the aforementioned datasets were released as part of shared tasks or competitions, and the data was a valuable resource that was further used after the end of the shared task. Other benchmark datasets are from Shen et al. (2017), Pirina and Çöltekin (2018), or RSDD (Yates et al., 2017).




Figure 2: The most used datasets for depression modeling.

The availability of data collections has advanced the development of state-of-the-art depression prediction models. Of the 310 papers published during 2019 and 2024, 59 of them collect and annotate new data from online platforms. In Appendix 6 Table 1, we present detailed information for each of the data collections, such as the platform used for data gathering, the annotation procedure, and the level of annotation (either for each post or user), the labels that are provided for the data, the size of the dataset and its availability.

Platform In Figure 3, we present the social media platforms used for gathering datasets for depression modeling. Reddit and Twitter were the most

commonly used platforms for data collection due to easy access to dedicated APIs. However, recent changes in the terms of service and API rate limits for both Twitter / X² and Reddit³ have complicated data collection from these platforms. These updates may hinder the reproduction of datasets where authors only provide Twitter or Reddit IDs instead of the raw text. In addition, these changes make the process of collecting new data more challenging, costly and time-consuming.




Figure 3: The most used platforms for the data collections presented in this overview.

Annotation procedure and labels For depression detection from social media data, the most common method of annotation from the datasets presented in this work is the annotation based on self-disclosure (Figure 4), labeling users binary, depending on whether they mention online a depression diagnosis or not. In 20 of the data collections, researchers use self-mentions of depression diagnoses (e.g., “I was diagnosed with depression”) for their annotation processes. This approach allows for the compilation of large datasets containing hundreds of thousands of users.

Another common annotation procedure is manual annotation, used for 18 of the data collections. These annotations can be performed by mental health experts, graduate students, or laypeople. Most procedures for manual annotations are performed at the post level. Manual annotation is used

²<https://developer.twitter.com/en/docs/twitter-api/rate-limits>

³<https://support.reddithelp.com/hc/en-us/articles/16160319875092-Reddit-Data-API-Wiki>




Figure 4: Overview of the annotation levels within each dataset, at either the user or post level, along with the procedures used for annotation.

to label the data binary (depression vs. control), to label data for depression severity (no signs of depression, mild, moderate, severe, etc.), and for symptoms measured by different validated questionnaires, or symptoms from The Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-V) (American Psychiatric Association, 2013). Recently, datasets have shifted from binary labeling to labeling based on depression symptoms, leading to the development of explainable methods for depression modeling (Pérez et al., 2023c; Bao et al., 2024).

Data annotation can also be performed by asking social media users to fill in validated self-report questionnaires, such as the Beck’s Depression Inventory (BDI) or Patient Health Questionnaire-9 (PHQ-9). However, even if psychometric tools produce a more reliable assessment of depression, fewer people are willing to participate in the data collection, resulting in small sample sizes. Only six datasets rely on self-report questionnaires for the annotation procedure, and one of them relies on the diagnosis from medical records.

Another method for annotation, which is noisier and more prone to errors, is labeling posts by the presence of specific depression-related keywords or automatic annotation performed via an NLP model trained on mental health data. These methods are used less frequently in the data collections included in this overview, with only three data collections being labeled automatically and two datasets being

labeled using depression-related keywords.

Availability Due to the sensitive nature of the information in the datasets used for depression modeling, their availability varies. Our exploration of data availability was inspired by the work of [Harrigian et al. \(2021\)](#). However, unlike their study, we have decided not to consider datasets that can be reproduced using APIs from social media platforms as readily available. This decision was influenced by recent changes in the terms of service of platforms such as Reddit and Twitter / X, which have complicated the reproduction of data and made it difficult to retrieve social media posts using the IDs included in the data collections via APIs.

Out of the 59 papers proposing new datasets, 16 are publicly available and hosted online for anyone to use, 15 can be made available after signing a data usage agreement, and 11 collections can be made available by contacting the authors of the dataset. The availability of the rest of the datasets is unknown.

4 Discussion

Data availability One of the primary motivations for this overview were the recent changes in social media platforms, which may hinder the development of new research collections. Our aim was to provide the research community with a comprehensive list of data collections that can be used for interdisciplinary research on the manifestations of depression in social media. We included availability information for each dataset in this overview. We have found that 16 of the datasets are publicly available and free for anyone interested to download and use. As detailed in Section 3, data collections that were part of shared tasks or easily accessible were successfully used by the research community.

Annotation reliability One common method for user-level labeling involves relying on individuals to self-disclose their depression diagnoses. However, this approach is not reliable. Even when annotators manually review posts that contain self-disclosed information, there is no way to verify the authenticity of these disclosures or the accuracy of the users' statements. In addition, for the control group, which includes users who do not mention any depression diagnoses, their actual mental health status remains unknown. We cannot assume that these individuals do not suffer from mental

disorders because they have not disclosed this information. It is essential to recognize that relying on self-reported diagnoses for mental health data collection can lead to self-selection bias ([Amir et al., 2019](#)). This means that the data obtained may only represent individuals who are willing to openly discuss their mental health issues, which may not accurately reflect the entire population of people with mental disorders.

5 Conclusion and Future Work

We presented a comprehensive and up-to-date overview of datasets used for depression modeling from social media data. We review papers published in international conferences and journals between 2019 and 2024. Due to the research community's efforts to organize shared tasks, the availability of benchmark datasets has increased, offering researchers the resources to build online screening methods for depression and to analyze the depression-related discourse online.

This paper not only aims to offer information about the available datasets for depression manifestation in social media language, but to encourage further interdisciplinary collaboration and exploration. We hope that the comprehensive list of resources provided will inspire researchers, particularly those in the early stages of their careers, to explore this field more deeply. This could lead to a better understanding of depression as expressed in social media and improved interventions.

In this overview, we focused on English datasets, as it is one of the languages that are most used for data collection ([Harrigian et al., 2021](#); [Skaik and Inkpen, 2020](#)). However, studying the manifestations of mental health problems in low-resourced languages is an important step toward providing depression screening solutions that can improve the mental health outcomes of people from all around the world ([Garg, 2024](#)). In future work, we aim to extend this effort to include social media datasets in languages other than English. Furthermore, we would like to explore the relationship between datasets curated for depression detection and those used in related tasks. This would provide insights on the relationship between depression detection and related social media tasks ([Bucur et al., 2021](#)) as well as support multi-task learning efforts ([Benton et al., 2017b](#); [Kodati and Tene, 2025](#)).

Limitations

In this paper, we aim to provide a comprehensive overview of the current state of social media data for computational research on depression and present a list of datasets available for researchers in this field. Our study includes 59 data collections, each of which has been carefully reviewed. However, it is possible that we may have overlooked some works that do not explicitly mention depression-related analyses using social media data in their titles or abstracts.

Ethical Considerations

Addressing ethical considerations in mental health research that uses social media data is essential for protecting the privacy, confidentiality, and well-being of individuals whose data is being analyzed (Chancellor and De Choudhury, 2020; Benton et al., 2017a; Chancellor et al., 2019). In this overview, we present the datasets available for studying the manifestations of mental disorders on social media. Although we do not conduct any analyses on the data presented in this work, we want to emphasize that collecting social media data from individuals affected by mental disorders must adhere to ethical research protocols (Benton et al., 2017a). Additionally, researchers who use these datasets should follow the same ethical guidelines and recommendations for health research involving social media.

Acknowledgements

This research was partially supported by the project “Romanian Hub for Artificial Intelligence - HRIA”, Smart Growth, Digitization and Financial Instruments Program, 2021-2027, MySMIS no. 334906.

References

- Nureidin Ali Abdelkadir, Charles Zhang, Ned Mayo, and Stevie Chancellor. 2024. Diverse perspectives, divergent models: Cross-cultural evaluation of depression detection on twitter. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics*, pages 672–680.
- V Adarsh, P Arun Kumar, V Lavanya, and G.R. Gan-gadharan. 2023. [Fair and explainable depression detection in social media](#). *Information Processing & Management*, 60(1):103168.
- Soroush Zamani Alavijeh, Fattane Zarrinkalam, Zeinab Noorian, Anahita Mehrpour, and Kobra Etminani. 2023. [What users’ musical preference on twitter reveals about psychological disorders](#). *Information Processing & Management*, 60(3):103269.
- Falwah Alhamed, Julia Ive, and Lucia Specia. 2024. Classifying social media users before and after depression diagnosis via their language usage: A dataset and study. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 3250–3260.
- Salma Almouzini, Asem Alageel, et al. 2019. Detecting arabic depressed users from twitter data. *Procedia Computer Science*, 163:257–265.
- American Psychiatric Association. 2013. *Diagnostic and statistical manual of mental disorders: DSM-5*, 5th ed. edition. Autor, Washington, DC.
- Silvio Amir, Mark Dredze, and John W. Ayers. 2019. [Mental health surveillance over social media with digital cohorts](#). In *Proceedings of the Sixth Workshop on Computational Linguistics and Clinical Psychology*, pages 114–120, Minneapolis, Minnesota. Association for Computational Linguistics.
- Ashutosh Anshul, Gumpili Sai Pranav, Mohammad Zia Ur Rehman, and Nagendra Kumar. 2023. A multimodal framework for depression detection during covid-19 via harvesting social media. *IEEE Transactions on Computational Social Systems*.
- Mario Ezra Aragón, Adrian Pastor López-Monroy, Luis Carlos González-Gurrola, and Manuel Montes. 2019. Detecting depression in social media using fine-grained emotions. In *Proceedings of NAACL*, pages 1481–1486.
- Eliseo Bao, Anxo Pérez, and Javier Parapar. 2024. Explainable depression symptom detection in social media. *Health Information Science and Systems*, 12(1):47.
- Krishna C Bathina, Marijn Ten Thij, Lorenzo Lorenzo-Luaces, Lauren A Rutter, and Johan Bollen. 2021. Individuals with depression express more distorted thinking on social media. *Nature human behaviour*, 5(4):458–466.
- Rohit Beniwal and Pavi Saraswat. 2024. A hybrid bert-cnn approach for depression detection on social media using multimodal data. *The Computer Journal*, page bxae018.
- Adrian Benton, Glen Coppersmith, and Mark Dredze. 2017a. Ethical research protocols for social media health research. In *Proceedings of the EthNLP Workshop*, pages 94–102.
- Adrian Benton, Margaret Mitchell, and Dirk Hovy. 2017b. Multitask learning for mental health conditions with limited social media data. In *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics*, pages 152–162.

- Michael Birnbaum, Raquel Norel, Anna Van Meter, Asra Ali, Elizabeth Arenare, Elif Eyigoz, Carla Agurto, Nicole Germano, John Kane, and Guillermo Cecchi. 2020. [Identifying signals associated with psychiatric illness utilizing language and images posted to facebook](#). *npj Schizophrenia*, 6.
- Sravani Boinepelli, Tathagata Raha, Harika Abburi, Pulkit Parikh, Niyati Chhaya, and Vasudeva Varma. 2022. Leveraging mental health forums for user-level depression detection on social media. In *Proceedings of LREC*, pages 5418–5427, Marseille, France. European Language Resources Association.
- Ana-Maria Bucur, Andreea-Codrina Moldovan, Kru-tika Parvatikar, Marcos Zampieri, Ashiqur R. KhudaBukhsh, and Liviu P Dinu. 2025. On the state of nlp approaches to modeling depression in social media: A post-covid-19 outlook. *IEEE Journal of Biomedical and Health Informatics*.
- Ana-Maria Bucur, Marcos Zampieri, and Liviu P Dinu. 2021. An exploratory analysis of the relation between offensive language and mental health. In *Findings of ACL*.
- Junyeop Cha, Seoyun Kim, and Eunil Park. 2022. A lexicon-based approach to examine depression detection in social media: the case of twitter and university community. *Humanities and Social Sciences Communications*, 9(1):1–10.
- Stevie Chancellor, Michael L Birnbaum, Eric D Caine, Vincent MB Silenzio, and Munmun De Choudhury. 2019. A taxonomy of ethical tensions in inferring mental health states from social media. In *Proceedings of the conference on fairness, accountability, and transparency*, pages 79–88.
- Stevie Chancellor and Munmun De Choudhury. 2020. Methods in predictive techniques for mental health status on social media: a critical review. *NPJ digital medicine*, 3(1):1–11.
- Sharath Chandra Guntuku, Daniel Preotiuc-Pietro, Johannes C. Eichstaedt, and Lyle H. Ungar. 2019. [What twitter profile and posted images reveal about depression and anxiety](#). *Proceedings of AAAI ICWSM*, 13(01):236–246.
- Jenny Chim, Adam Tsakalidis, Dimitris Gkoumas, Dana Atzil-Slonim, Yaakov Ophir, Ayah Zirikly, Philip Resnik, and Maria Liakata. 2024. Overview of the clpsych 2024 shared task: Leveraging large language models to identify evidence of suicidality risk in online posts. In *Proceedings of the 9th Workshop on Computational Linguistics and Clinical Psychology (CLPsych 2024)*, pages 177–190.
- Chun Yueh Chiu, Hsien Yuan Lane, Jia Ling Koh, and Arbee LP Chen. 2021. Multimodal depression detection on instagram considering time interval of posts. *Journal of Intelligent Information Systems*, 56(1):25–47.
- Glen Coppersmith, Mark Dredze, Craig Harman, Kristy Hollingshead, and Margaret Mitchell. 2015. Clpsych 2015 shared task: Depression and ptsd on twitter. In *Proceedings of the 2nd Workshop on Computational Linguistics and Clinical Psychology: From Linguistic Signal to Clinical Reality*, pages 31–39.
- Fabio Crestani, David E Losada, and Javier Parapar. 2022. *Early Detection of Mental Health Disorders by Social Media Monitoring: The First Five Years of the eRisk Project*, volume 1018. Springer Nature.
- Brent Davis, Dawn McKnight, Daniela Teodorescu, Anabel Quan-Haase, Rumi Chunara, Alona Fyshe, and Daniel Lizotte. 2022. [Quantifying depression-related language on social media during the covid-19 pandemic](#). *International Journal of Population Data Science*, 5.
- Munmun De Choudhury, Michael Gamon, Scott Counts, and Eric Horvitz. 2013. Predicting depression via social media. In *Proceedings of ICWSM*.
- Sahraoui Dhelim, Liming Chen, Sajal K Das, Huan-sheng Ning, Chris Nugent, Gerard Leavey, Dirk Pesch, Eleanor Bantry-White, and Devin Burns. 2023. Detecting mental distresses using social behavior analysis in the context of covid-19: A survey. *ACM Computing Surveys*.
- Johannes C Eichstaedt, Robert J Smith, Raina M Merchant, Lyle H Ungar, Patrick Crutchley, Daniel Preotiuc-Pietro, David A Asch, and H Andrew Schwartz. 2018. Facebook language predicts depression in medical records. *Proceedings of the National Academy of Sciences*, 115(44):11203–11208.
- Ivette Fernández-Barrera, Sebastián Bravo-Bustos, and Mabel Vidal. 2022. Evaluating the social media users’ mental health status during covid-19 pandemic using deep learning. In *International Conference on Biomedical and Health Informatics*, volume 14.
- Alex Fine, Patrick Crutchley, Jenny Blase, Joshua Carroll, and Glen Coppersmith. 2020. Assessing population-level symptoms of anxiety, depression, and suicide risk in real time using nlp applied to social media data. In *Proceedings of NLP+CSS Workshop*, pages 50–54.
- Muskan Garg. 2024. Towards mental health analysis in social media for low-resourced languages. *ACM Transactions on Asian and Low-Resource Language Information Processing*, 23(3):1–22.
- Muskan Garg, Chandni Saxena, Sriparna Saha, Veena Krishnan, Ruchi Joshi, and Vijay Mago. 2022. CAMS: An annotated corpus for causal analysis of mental health issues in social media posts. In *Proceedings of LREC*, pages 6387–6396, Marseille, France. European Language Resources Association.
- Tao Gui, Liang Zhu, Qi Zhang, Minlong Peng, Xu Zhou, Keyu Ding, and Zhigang Chen. 2019. Cooperative multimodal approach to depression detection in twitter. In *Proc. of AAAI*, volume 33, pages 110–117.

- Xiaobo Guo, Yaojia Sun, and Soroush Vosoughi. 2021. Emotion-based modeling of mental disorders on social media. In *Proceedings of IEEE/WIC/ACM WI-IAT*, pages 8–16.
- Shrey Gupta, Anmol Agarwal, Manas Gaur, Kaushik Roy, Vignesh Narayanan, Ponnurangam Kumaraguru, and Amit Sheth. 2022. [Learning to automate follow-up question generation using process knowledge for depression triage on Reddit posts](#). In *Proceedings of CLPsych Workshop, NAACL*, pages 137–147, Seattle, USA. ACL.
- Ayaan Haque, Viraaj Reddi, and Tyler Giallanza. 2021. Deep learning for suicide and depression identification with unsupervised label correction. In *Artificial Neural Networks and Machine Learning – ICANN 2021*, pages 436–447, Cham. Springer International Publishing.
- Keith Harrigan, Carlos Aguirre, and Mark Dredze. 2021. On the state of social media data for mental health research. In *Proceedings of CLPsych Workshop, NAACL*, pages 15–24.
- Mohsinul Kabir, Tasnim Ahmed, Md. Bakhtiar Hasan, Md Tahmid Rahman Laskar, Tarun Kumar Joarder, Hasan Mahmud, and Kamrul Hasan. 2023. [Deeptweet: A typology for social media texts to detect depression severities](#). *Computers in Human Behavior*, 139:107503.
- Abdelrahman Kaseb, Omar Galal, and Dina Elreedy. 2022. Analysis on tweets towards covid-19 pandemic: An application of text-based depression detection. In *Proceedings of NILES*, pages 131–136. IEEE.
- S Kayalvizhi, Durairaj Thenmozhi, Bharathi Raja Chakravarthi, SV Kogilavani, Pratik Anil Rahood, et al. 2023. Overview of the shared task on detecting signs of depression from social media text. In *Proceedings of the Third Workshop on Language Technology for Equality, Diversity and Inclusion*, pages 25–30.
- Dheeraj Kodati and Ramakrishnudu Tene. 2025. Advancing mental health detection in texts via multi-task learning with soft-parameter sharing transformers. *Neural Computing and Applications*, 37(5):3077–3110.
- Daeun Lee, Hyolim Jeon, Sejung Son, Chaewon Park, Ji hyun An, Seungbae Kim, and Jinyoung Han. 2024. Detecting bipolar disorder from misdiagnosed major depressive disorder with mood-aware multi-task learning. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 4954–4970.
- Yunji Liang, Lei Liu, Yapeng Ji, Luwen Huangfu, and Daniel Dajun Zeng. 2023. Identifying emotional causes of mental disorders from social media for effective intervention. *Information Processing & Management*, 60(4):103407.
- Tingting Liu, Devansh Jain, Shivani R Rapole, Brenda Curtis, Johannes C. Eichstaedt, Lyle H. Ungar, and Sharath Chandra Guntuku. 2023a. [Detecting symptoms of depression on reddit](#). In *Proceedings of ACM Web Science Conference, WebSci '23*, page 174–183, New York, NY, USA. ACM.
- Yujian Liu, Laura Biester, and Rada Mihalcea. 2023b. Improving mental health classifier generalization with pre-diagnosis data. In *Proceedings of AAAI ICWSM*, volume 17, pages 566–577.
- David E Losada, Fabio Crestani, and Javier Parapar. 2017. Clef 2017 erisk overview: Early risk prediction on the internet: Experimental foundations. *CLEF (Working Notes)*, 850.
- David E Losada, Fabio Crestani, and Javier Parapar. 2019. Overview of erisk 2019 early risk prediction on the internet. In *Proc. of CLEF*, pages 340–357. Springer.
- David E. Losada, Fabio Crestani, and Javier Parapar. 2020. [Overview of erisk 2020: Early risk prediction on the internet](#). In *Experimental IR Meets Multilinguality, Multimodality, and Interaction: 11th International Conference of the CLEF Association, CLEF 2020, Thessaloniki, Greece, September 22–25, 2020, Proceedings*, page 272–287, Berlin, Heidelberg. Springer-Verlag.
- David E. Losada, Fabio A. Crestani, and Javier Parapar. 2018. Overview of erisk 2018: Early risk prediction on the internet (extended lab overview). In *CLEF (Working Notes)*.
- Ivan Mihov, Haiquan Chen, Xiao Qin, Wei-Shinn Ku, Da Yan, and Yuhong Liu. 2022. Mentalnet: Heterogeneous graph representation for early depression detection. In *Proceedings of ICDM*, pages 1113–1118. IEEE.
- Kirill Milintsevich, Kairit Sirts, and Gaël Dias. 2024. Your model is not predicting depression well and that is why: A case study of primate dataset. In *Proceedings of the 9th Workshop on Computational Linguistics and Clinical Psychology (CLPsych 2024)*, pages 166–171.
- Anna Monreale, Benedetta Iavarone, Elena Rossetto, and Andrea Beretta. 2022. [Detecting addiction, anxiety, and depression by users psychometric profiles](#). In *Companion Proceedings of the Web Conference 2022, WWW '22*, page 1189–1197, New York, NY, USA. ACM.
- Alba María Mármol-Romero, Adrián Moreno-Muñoz, Flor Miriam Plaza-del Arco, María Dolores Molina-González, María Teresa Martín-Valdivia, Luis Alfonso Ureña-López, and Arturo Montejo-Raéz. 2023. Overview of mentalrisques at iberlef 2023: Early detection of mental disorders risk in spanish. *Procesamiento del Lenguaje Natural*, 71:329–350.
- Isuri Anuradha Nanomi Arachchige, Vihangi Himaya Jayasuriya, and Ruvan Weerasinghe. 2021. A dataset

- for research on modelling depression severity in online forum data. In *Proceedings of the Student Research Workshop Associated with RANLP 2021*, pages 144–153, Online. INCOMA Ltd.
- Usman Naseem, Adam G. Dunn, Jinman Kim, and Matloob Khushi. 2022. [Early identification of depression severity levels on reddit using ordinal classification](#). WWW '22, page 2563–2572, New York, NY, USA. ACM.
- Thong Nguyen, Andrew Yates, Ayah Zirikly, Bart Desmet, and Arman Cohan. 2022. Improving the generalizability of depression detection by leveraging clinical questionnaires. In *Proceedings of ACL*, pages 8446–8459.
- Ahmed Hussein Orabi, Prasadith Buddhitha, Mahmoud Hussein Orabi, and Diana Inkpen. 2018. Deep learning for depression detection of twitter users. In *Proceedings of the Fifth Workshop on Computational Linguistics and Clinical Psychology: From Keyboard to Clinic*, pages 88–97.
- David Owen, Jose Camacho Collados, and Luis Espinosa-Anke. 2020. [Towards preemptive detection of depression and anxiety in twitter](#). Preprint, arXiv:2011.05249.
- Javier Parapar, Patricia Martín-Rodilla, David E Losada, and Fabio Crestani. 2021. Overview of erisk 2021: Early risk prediction on the internet.
- Javier Parapar, Patricia Martín-Rodilla, David E. Losada, and Fabio Crestani. 2024. Overview of erisk 2024: Early risk prediction on the internet. In *Experimental IR Meets Multilinguality, Multimodality, and Interaction*, pages 73–92, Cham. Springer Nature Switzerland.
- Jahandad Pirayesh, Haiquan Chen, Xiao Qin, Wei-Shinn Ku, and Da Yan. 2021. [Mentalspot: Effective early screening for depression based on social contagion](#). In *Proceedings of the 30th ACM International Conference on Information & Knowledge Management, CIKM '21*, page 1437–1446, New York, NY, USA. ACM.
- Inna Pirina and Çağrı Çöltekin. 2018. Identifying depression on Reddit: The effect of training data. In *Proceedings of the 2018 EMNLP Workshop SMM4H: The 3rd Social Media Mining for Health Applications Workshop & Shared Task*, pages 9–12.
- YHPP Priyadarshana, Zilu Liang, and Ian Piumarta. 2023. [Heladepdet: A novel multi-class classification model for detecting the severity of human depression](#). In *International Conference on Collaboration Technologies and Social Computing*, pages 3–18. Springer.
- Anxo Pérez, Marcos Fernández-Pichel, Javier Parapar, and David E Losada. 2023a. [Depresym: A depression symptom annotated corpus and the role of llms as assessors of psychological markers](#). arXiv preprint arXiv:2308.10758.
- Anxo Pérez, Javier Parapar, Álvaro Barreiro, and Silvia Lopez-Larrosa. 2023b. [Bdi-sen: A sentence dataset for clinical symptoms of depression](#). In *Proceedings of ACM SIGIR*, pages 2996–3006.
- Anxo Pérez, Paloma Piot-Pérez-Abadín, Javier Parapar, and Álvaro Barreiro. 2023c. [Psyprof: A platform for assisted screening of depression in social media](#). In *Advances in Information Retrieval*, pages 300–306, Cham. Springer Nature Switzerland.
- Nishat Raihan, Sadiya Sayara Chowdhury Puspo, Shafkat Farabi, Ana-Maria Bucur, Tharindu Ranasinghe, and Marcos Zampieri. 2024. [Mentalhelp: A multi-task dataset for mental health in social media](#). In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 11196–11203.
- Esteban A Ríssola, Seyed Ali Bahrainian, and Fabio Crestani. 2020. [A dataset for research on depression in social media](#). In *Proceedings of UMAP*.
- Ramin Safa, Peyman Bayat, and Leila Moghtader. 2022. [Automatic detection of depression symptoms in twitter using multimodal analysis](#). *The Journal of Supercomputing*, 78.
- Kayalvizhi Sampath and Thenmozhi Durairaj. 2022. [Data set creation and empirical analysis for detecting signs of depression from social media postings](#). In *Computational Intelligence in Data Science*, pages 136–151, Cham. Springer International Publishing.
- Guangyao Shen, Jia Jia, Liqiang Nie, Fuli Feng, Cunjun Zhang, Tianrui Hu, Tat-Seng Chua, and Wenwu Zhu. 2017. [Depression detection via harvesting social media: A multimodal dictionary learning solution](#). In *Proc. of IJCAI*, pages 3838–3844.
- Eli Sherman, Keith Harrigan, Carlos Aguirre, and Mark Dredze. 2021. [Towards understanding the role of gender in deploying social media-based mental health surveillance models](#). In *Proceedings of CLPsych Workshop, NAACL*, pages 217–223, Online. ACL.
- Asmit Kumar Singh, Udit Arora, Somyadeep Shrivastava, Aryaveer Singh, Rajiv Ratn Shah, Ponnurangam Kumaraguru, et al. 2022. [Twitter-stmhd: An extensive user-level database of multiple mental health disorders](#). In *Proceedings of AAI ICWSM*, volume 16, pages 1182–1191.
- Ruba Skaik and Diana Inkpen. 2020. [Using twitter social media for depression detection in the canadian population](#). In *Proc. of AICCC*, pages 109–114.
- Hoyun Song, Jisu Shin, Huije Lee, and Jong C. Park. 2023. [A simple and flexible modeling for mental disorder detection by learning from clinical questionnaires](#). Preprint, arXiv:2306.02955.
- Sajad Sotudeh, Nazli Goharian, and Zachary Young. 2022. [Mentsum: A resource for exploring summarization of mental health online posts](#). Preprint, arXiv:2206.00856.

- Tom Tabak and Matthew Purver. 2020. Temporal mental health dynamics on social media. In *Workshop on NLP for COVID-19 (Part 2) at EMNLP 2020*.
- Faye Beatriz Tumaliuan, Lorelie Grepo, and Eugene Rex Jalao. 2024. Development of depression data sets and a language model for depression detection: mixed methods study. *JMIR Data*, 5:e53365.
- Ana-Sabina Uban, Berta Chulvi, and Paolo Rosso. 2021. An emotion and cognitive based analysis of mental health disorders from social media data. *Future Generation Computer Systems*.
- Ana-Sabina Uban, Berta Chulvi, and Paolo Rosso. 2022. Explainability of depression detection on social media: From deep learning models to psychological interpretations and multimodality. In *Early Detection of Mental Health Disorders by Social Media Monitoring*, pages 289–320. Springer.
- Miryam Elizabeth Villa-Pérez, Luis A. Trejo, Maisha Binte Moin, and Eleni Stroulia. 2023. Extracting mental health indicators from english and spanish social media: A machine learning approach. *IEEE Access*, 11:128135–128152.
- Yuxi Wang, Diana Inkpen, and Prasadith Kirinde Gamaarachchige. 2024. Explainable depression detection using large language models on social media data. In *Proceedings of the 9th Workshop on Computational Linguistics and Clinical Psychology (CLPsych 2024)*, pages 108–126.
- Anuradha Welivita, Chun-Hung Yeh, and Pearl Pu. 2023. Empathetic response generation for distress support. In *Proceedings of the 24th Annual Meeting of the Special Interest Group on Discourse and Dialogue*, pages 632–644.
- JT Wolohan. 2020. Estimating the effect of covid-19 on mental health: Linguistic indicators of depression during a global pandemic. In *Proceedings of NLP-COVID19 Workshop, EMNLP*.
- Jiageng Wu, Xian Wu, Yining Hua, Shixu Lin, Yefeng Zheng, and Jie Yang. 2023. Exploring social media for early detection of depression in covid-19 patients. In *Proceedings of ACM Web Conference*, pages 3968–3977.
- Dong Xu, Yi-Lun Wang, Kun-Tang Wang, Yue Wang, Xin-Ran Dong, Jie Tang, and Yuan-Lu Cui. 2021. A scientometrics analysis and visualization of depressive disorder. *Current neuropharmacology*, 19(6):766–786.
- Shweta Yadav, Cornelia Caragea, Chenye Zhao, Naincy Kumari, Marvin Solberg, and Tanmay Sharma. 2023. Towards identifying fine-grained depression symptoms from memes. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics*, pages 8890–8905.
- Shweta Yadav, Jainish Chauhan, Joy Prakash Sain, Krishnaprasad Thirunarayan, Amit P. Sheth, and Jeremiah Schumm. 2020. Identifying depressive symptoms from tweets: Figurative language enabled multitask learning framework. *CoRR*, abs/2011.06149.
- Andrew Yates, Arman Cohan, and Nazli Goharian. 2017. Depression and self-harm risk assessment in online forums. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, pages 2968–2978.
- Amir Hossein Yazdavar, Mohammad Saeid Mahdavejad, Goonmeet Bajaj, William Lee Romine, A. Sheth, Amir Hassan Monadjemi, Krishnaprasad Thirunarayan, John M. Meddar, Annie C. Myers, Jyotishman Pathak, and Pascal Hitzler. 2020. Multimodal mental health analysis in social media. *PLoS ONE*, 15.
- Yipeng Zhang, Hanjia Lyu, Yubao Liu, Xiyang Zhang, Yu Wang, and Jiebo Luo. 2021. Monitoring depression trends on twitter during the covid-19 pandemic: Observational study. *JMIR infodemiology*, 1(1):e26769.
- Zhiling Zhang, Siyuan Chen, Mengyue Wu, and Kenny Zhu. 2022. Symptom identification for interpretable detection of multiple mental disorders on social media. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 9970–9985, Abu Dhabi, United Arab Emirates. ACL.
- Jianlong Zhou, Hamad Zogan, Shuiqiao Yang, Shoaib Jameel, Guandong Xu, and Fang Chen. 2021. Detecting community depression dynamics due to covid-19 pandemic in australia. *IEEE Transactions on Computational Social Systems*, 8(4):982–991.
- Hamad Zogan, Imran Razzak, Shoaib Jameel, and Guandong Xu. 2023. Hierarchical convolutional attention network for depression detection on social media and its impact during pandemic. *IEEE Journal of Biomedical and Health Informatics*.

6 Appendix

Table 1: List of available datasets for depression modeling using data posted on online platforms. The labels for availability are the following: **FREE** - the dataset is publicly available and hosted online for anyone to access, **AUTH** - the data can be accessed by contacting the paper’s authors, **DUA** - the data is available only after a data usage agreement is signed, **UNK** - the dataset availability is unknown; the authors do not mention if the data is available to the research community.

Dataset	Platform	Level	Annotation Procedure	Label	Size	Availab.
Gui et al. (2019)	Twitter	USER	Self-disclosure	Binary	2.8K users	UNK
Chandra Guntuku et al. (2019)	Twitter	USER	BDI	Binary	887 users	UNK
Almouzini et al. (2019)	Twitter	USER, POST	Manual annotation	Binary	89 users	UNK
eRisk2019 (Losada et al., 2019)	Reddit	USER	BDI-II	BDI filled-in	20 users	DUA
Owen et al. (2020)	Twitter	POST	Manual annotation	Binary	1K posts	FREE
Bathina et al. (2021)	Twitter	USER	Self-disclosure	Binary	1.2K users	AUTH
Rissola et al. (2020)	Reddit	POST	Self-disclosure, heuristics	Binary	14K posts	DUA
Birnbaum et al. (2020)	Facebook	USER	Medical records diagnosis	Binary	223 users	AUTH
D2S (Yadav et al., 2020)	Twitter	POST	PHQ-9	PHQ-9 symptoms	12K posts	AUTH
eRisk 2020 (Losada et al., 2020)	Reddit	USER	BDI-II	BDI filled-in	90 users	DUA
Tabak and Purver (2020)	Twitter	USER	Self-disclosure	Binary	5K users	UNK
Yazdavar et al. (2020)	Twitter	USER	Manual annotation	Binary	8.7K users	DUA
Haque et al. (2021)	Reddit	POST	Subreddit participation	Depression vs. suicide	1.8K posts	FREE
Chiu et al. (2021)	Instagram	USER	Depression-related keywords	Binary	520 users	UNK
Nanomi Arachchige et al. (2021)	Online forums	POST	Manual annotation	Depression severity	2.1K posts	UNK
Sherman et al. (2021)	Reddit	USER	Self-disclosure	Binary	31K users	DUA
eRisk 2021 (Parapar et al., 2021)	Reddit	USER	BDI-II	BDI filled-in	170 users	DUA
Pirayesh et al. (2021)	Twitter	USER	Self-disclosure	Binary	817 users	AUTH
Guo et al. (2021)	Reddit	USER	Self-disclosure	Labels for multiple disorders	7.9 K users	UNK
Zhang et al. (2021)	Twitter	USER	Self-disclosure	Binary	5K users	UNK
Zhou et al. (2021)	Twitter	USER	Self-disclosure	Binary	1.8M posts	UNK
Safa et al. (2022)	Twitter	USER	Self-disclosure	Binary	1.1 K users	AUTH
Naseem et al. (2022)	Reddit	POST	Manual annotation	Depression severity	3.5 K posts	FREE
PsySym (Zhang et al., 2022)	Reddit	USER, POST	Automatic and manual annotation	DSM-5 symptoms for multiple disorders	26K users, 8.5K posts	AUTH
MHB (Boinepelli et al., 2022)	Online forums	USER	Forum participation	Only depression	9.3K users	FREE
CAMS (Garg et al., 2022)	Reddit	POST	Manual annotation	Causes for depression	3.1 K posts	FREE
Sotudeh et al. (2022)	Reddit	POST	Subreddit participation	Summarization	24 k posts	DUA
Sampath and Durairaj (2022)	Reddit	POST	Manual annotation	Depression severity	16K posts	FREE
eRisk2022 (Crestani et al., 2022)	Reddit	USER	Self-disclosure	Binary	3.1K users	DUA
Monreale et al. (2022)	Reddit	POST	Subreddit participation	Labels for multiple disorders	16 K posts	UNK
PRIMATE (Gupta et al., 2022)	Reddit	POST	Manual annotation	PHQ-9 symptoms	2K posts	DUA
PsycheNet-G (Mihov et al., 2022)	Twitter	USER	Self-disclosure	Binary	591 users	UNK
Twitter-STMHD (Singh et al., 2022)	Twitter	USER	Self-disclosure, manual annotation	Labels for multiple disorders	33K users	FREE
multiRedditDep (Uban et al., 2022)	Reddit	USER	Self-disclosure	Binary	3.7K users	AUTH
Davis et al. (2022)	Reddit	USER	Subreddit participation	Binary	81K users	UNK
Fernández-Barrera et al. (2022)	Flickr	POST	Depression tags	Only depression	14.5K posts	UNK
Cha et al. (2022)	Twitter, Every-time	POST	Lexicon-based automatic annotation	Binary	26M posts, 22K posts	AUTH

Dataset	Platform	Level	Annotation Procedure	Label	Size	Availab.
DEPTWEET (Kabir et al., 2023)	Twitter	POST	Manual annotation	Depression severity	40K posts	FREE
Alavijeh et al. (2023)	Twitter	USER	Self-disclosure	Labels for multiple disorders	1.5K users	FREE
Adarsh et al. (2023)	Reddit	POST	Subreddit participation	Binary	60K posts	UNK
Liu et al. (2023a)	Reddit	POST	Subreddit participation	Symptoms	1.3M posts	FREE
BDI-Sen (Pérez et al., 2023b)	Reddit	POST	Manual annotation	BDI-II symptoms	4.9K posts	DUA
Song et al. (2023)	Reddit	POST	Subreddit participation	Labels for multiple disorders	85K posts	UNK
RedditCE (Liang et al., 2023)	Reddit	POST	Manual annotation	Emotion-cause labels	35K posts	FREE
Liu et al. (2023b)	Reddit, Twitter	USER	Self-disclosure	Binary	205K users, 255 users	UNK
RESTORE (Yadav et al., 2023)	Reddit, Twitter, Pinterest	POST	Manual and automatic annotation	PHQ-9 symptoms	9.8K images	AUTH
Zogan et al. (2023)	Twitter	USER	Self-disclosure	Binary	1.4K users	UNK
Wu et al. (2023)	Twitter	USER	Self-disclosure, manual annotation	Binary	10K users	DUA
DepreSym (Pérez et al., 2023a)	Reddit	POST	Manual annotation	BDI-II symptoms	21K posts	DUA
Villa-Pérez et al. (2023)	Twitter	USER	Self-disclosure	Labels for multiple disorders	6K users	DUA
HelaDepDet (Priyadarshana et al., 2023)	Twitter, Reddit	POST	Manual annotation	Depression severity	40K posts	FREE
Anshul et al. (2023)	Twitter	USER	Self-disclosure, Manual annotation	Binary	1.5K users	FREE
RED (Welivita et al., 2023)	Reddit	POST	Subreddit participation	Labels for multiple disorders	1.2M posts	FREE
Alhamed et al. (2024)	Twitter	USER	Manual annotation	Before/After diagnosis	120 users	FREE
Milintsevich et al. (2024)	Reddit	POST	Manual annotation	Anhedonia	167 posts	DUA
MentalHelp (Raihan et al., 2024)	Reddit	POST	Automatic annotation	Binary	14M posts	FREE
Lee et al. (2024)	Reddit	USER	Manual annotation	Binary	1K users	DUA
Beniwal and Saraswat (2024)	Instagram	POST	Manual annotation	Binary	10K posts	AUTH
Tumaliuan et al. (2024)	Twitter	USER	PHQ-9	Binary	72 users	AUTH