Using complex prompts to identify fine-grained biases in image generation through ChatGPT-4o

74th Annual ICA 2024 Conference Image-as-Data Methods in the Age of Generative Artificial Intelligence

Marinus Ferreira

Macquarie University, marinus.ferreira@mq.edu.au

24 June 2024

Introduction

This work is an exploratory study which aims to find useful ways to study bias in image generation AI using complex prompts with implicit sentiment analysis. Since current image generation AI leverages large language models (LLMs) for turning prompts into images, the associations in the systems dealing with text bleed over to image generation. We aim to exploit that and probe associations made not only by the image generation AI between visual subjects, but also associations between text tokens implicit in the underlying AI system. As such, this study focuses on ChatGPT-40 (OpenAI et al. 2024), a multimodal system which has image generation through DALL-E 3 (Betker et al. 2023) integrated in it.

The sudden arrival of image-generating AI that anyone can use has created a lot of excitement, but it's also raised criticisms in public and academics discussion. A big part of the focus is on biases in the images these AIs produce. Often, these images do not represent people accurately and can reinforce stereotypes. (e.g. Cheong et al. 2024; Bianchi et al. 2023; Zhou et al. 2024; Luccioni et al. 2023). Here we pay special attention to the fact that there are two problems with biases in image generation relating to the representation of dominant and non-dominant groups: not just that the AI systems can replicate harmful stereotypes of certain groups, but the converse problem of treating a dominant group as an unspoken default and treating members of other groups as exceptions or aberrations needing special treatment. This second problem is much less prominent in the AI bias literature, but it has also attracted attention. In previous work we have described it using the sociological notion of *exnomination* (Alfano et al. 2024; see

also Offert and Phan 2022 for a different approach to the same problem). And there has been serious work done on developing datasets and benchmarks that enable AI systems to not elide non-Western representations (e.g. Liu et al. 2023; Zhao et al. 2017).

In studies of image generation AI bias, the prompts used are often only a single word (e.g. Cheong et al. 2024) or a phrase such as "a photograph of a (profession)" (e.g. Bianchi et al. 2023; Zhou et al. 2024; Luccioni et al. 2023). However, we know that a lot more information goes into the generation of an image. We generated five sentence vignettes describing an episode involving a member of a profession, specifying that they must include a range of sentiments, but with an overall sentiment of either neutral or negative. Our hypothesis is that you can get more information about how the image generation AI portrays various demographics by using more complex prompts. By analyzing the outputs from more complex prompts, researchers can identify and quantify the biases inherent in image generation AIs. If there is an implicit link between some feature of a scenario and a demographic group, then that group will be overrepresented in the images generated by that AI. We paid special attention to the role of positive or negative sentiments to prompts. The thought is that having more complex prompts will place more features in play (situations, emotions, locations, actions, etc.) making it more likely for interactions to arise for us to study.

For example, consider a simple prompt such as one that describes a high-status profession such as "CEO", The resulting images may reveal biases related to race, gender, or age. If the AI predominantly generates images of older white men in response to this prompt, it suggests an implicit association between high-status roles and this demographic group. A slightly more complex prompt, such as "a CEO giving a keynote speech at an international business conference," can add another dimension to the issue. Now the output concerns not only the profession in question, but also the wider context it is placed on. Specifying a context allows researchers to see the interactions between the various notions and how the system handles them. In this case, the fact that the conference is international will make it much more likely for the image to include non-white people. But we can see implicit associations in the model through seeing, for instance, that the speaker is white and non-white people are restricted to onlookers. That would indicate an implicit assumption that white men are in an important way expected to be most likely to have such high-status positions. Bianchi et al. (2023) report an especially clear case where they asked DALL-E 2 to generate an image of "a disabled woman leading a meeting", but the resulting image showed a woman in a wheelchair merely looking on at another women who was in charge. They found no such problems for prompts like "a blonde woman leading a meeting."

The literature already includes examples of using somewhat more complex prompts as a new lens through which to study bias. As already mentioned, Bianchi et al. (2023) include case studies of this kind. Another example of theirs is where geographic identifiers are added to simple prompts in order to track differences in output, finding that DALL-E associates being African with noticable dilapidated surroundings. Similarly, Mannering (2023) used prompts like "a man/woman holding an item" and found that DALL-E, Stable Diffusion, and Midjourney all make stereotypical associations between genders and objects. Working from the other direction, Fraser, Kiritchenko, and Nejadgholi (2023) used prompts that specified a person with a certain sentiment, and found that the same three systems all generated images with demographic profiles that match known stereotypes of those sentiments. We went further than these studies, in that our prompts are much longer and more complex, with multiple dimensions of associations in play. This methodology gives results that are less controlled by design, since we do not know in advance which dimensions will turn out to be the most significant for changing the demographic profile of the outputs, in line with the aims of this work as an exploratory study.

Social marking and two different problems of bias in image generation

Image generation AI can be prone to reproducing biases and stereotypes due to the nature of their training data and the algorithms they use. These systems are trained on vast datasets that include images and descriptions sourced from the internet and other media. If these datasets contain biased representations of certain demographic groups, the AI is likely to learn and replicate these biases in its outputs. Additionally, the algorithms used to generate images often rely on statistical associations found in the training data. This means that if certain features, such as race, gender, or age, are frequently associated with specific roles or behaviors in the dataset, the AI will likely reproduce these associations. As a result, the images generated may reflect and amplify existing societal biases, presenting a skewed view of reality. This is a positive way that image generation AI can cause harms by showing certain categories of people in a bad light.

There is also a problem going the other way, when the AI only portrays certain people to the exclusion of others. Image generation AI can also cause harms in a negative way, through the selective omission of non-dominant groups in contexts where they should be visible. If the training data underrepresents specific demographics, or predominantly represent them only in certain marked contexts, the AI might produce images that exclude these groups from its normal outputs. This can reinforce the invisibility of these groups and by that token be an impediment to their taking part in normal life.

The link between the problem of overrepresenting dominant groups sometimes and non-dominant groups at other times is that the features of a situation which make the system flip from one to the other are socially *marked*. In this context, 'marked' refers to characteristics or features that stand out as unusual or noteworthy within a given social framework. For example, in many societies, being a white male in a professional setting is considered unmarked, or the default, whereas being a woman or a person of color in the same setting is marked, meaning it is seen as noteworthy or exceptional. These marked characteristics influence the AI's interpretation of prompts, leading it to overrepresent certain groups in specific contexts while underrepresenting them in others. The clearest example is how image generation AI will vastly overrepresent white males in many contexts, excluding other demographics. For instance, a study by Zhou et al. (2024) analyzed images generated by popular tools like Midjourney, Stable Diffusion, and DALL-E 2, and found them presenting women as consistently younger and happier or depicting men as older and more neutral or angry. In turn, Zhou et al point to the literature on how positive expressions in the professional context are more associated with public-facing roles, often lower-status ones such as hospitality and service, whereas neutral or negative expressions are more associated with back-office roles which hold real power and influence (e.g. Hess, Adams Jr, and Kleck 2005; see also Tiedens, Ellsworth, and Mesquita 2000). To be clear on what the significance of this phenomenon is, the link between smiling and working in relatively low-status public-facing roles is stronger than that between smiling and being an influential businessperson or powerbroker, and for someone with negative expressions to be put in a luadable light is associated with them occupying a position of power. These associations are of obvious importance for the question of how members dominant and non-dominant groups are portrayed.

So, there are problems both with showing dominant groups too much in some situations and non-dominant groups too much in others. It is important to be clear about how these problems relate to each other. The claim here is not that the AI is in a no-win situation where whatever demographic proportions it shows are wrong. Nor is it really a case of there being some balanced amount that should be displayed for various demographic groups. It would be good if groups were shown in representative amounts, but the problem is deeper than that. The deeper issue is that there is not anything that counts as the balanced representation for the kind of generic situations that image-generating AI often gets prompted on. What the representative demographic profile in an image would be depends on the details of the exact social context which is meant to be represented. A generic setting like 'a technology conference' or 'a corporate meeting' is not nearly fine-grained enough to have a determinate demographic profile, not unless the prompt specifies the location, time, and so on. For example, a technology conference in Silicon Valley might have a different demographic mix compared to one in Nairobi. Without specifying such details, there is no set standard for the AI's output to meet or fail at. Instead, the challenge is dealing with the nuanced social contexts in which these demographics exist.

The question of social bias in image generation outputs is that there is an underlying structure to when dominant or non-dominant groups are overrepresented. These patterns are not random; they mirror systemic biases present in many aspects of life. This structure follows fault lines in society, which are deeply embedded in historical and social contexts, reflecting long-standing inequalities and power dynamics. For example, women and minorities are often underrepresented in fields like technology and leadership roles due to historical exclusion and ongoing discrimination. When AI models trained on biased data generate images, they often reinforce these disparities by defaulting to depicting these groups as predominantly white and male, and typically including women and non-white people as exceptions, or in stereotypical or limited ways.

Technical background

We will give a very brief and minimally technical introduction to the relevant parts of an AI system. When we talk about the associations an LLM may have with a concept, we are at root talking about the (vector) embeddings of that concept. These are generated first for the individual text tokens (small words or subwords) that the LLM segments all of its inputs and outputs into. During training, the LLM assigns to each token a numerical value, a high dimensional vector which locates the token in an embedding space. For words and phrases, the combinations of these tokens are generated through weighted sums of the vectors of their constituent tokens. These sums are weighted according to the system's estimates of how significant each constituent token is to correctly processing the concept in question as it occurs in its enormous training data. The point is that the closer two concepts are in meaning, the closer to each other vector embeddings will be in the embedding space. What is more, these embeddings are very sensitive to context, as in some contexts some of the similarities to other embeddings are given less weight and others more. The interaction of various embeddings is what we are probing when we are looking at what associations LLMs have with a given concept. These associations bleed over to image generation AI, both because they have their own embedding space for images (tokenised into small patches of pixels) and also because they lean on text embeddings to interpret prompts.

Researchers have highlighted how the embeddings generated by LLMs codify social biases (e.g. Garg et al. 2018). This indicates that the associations in embeddings is a good place to look when studying the source of biased AI outputs. The point of this study using complex prompts is to probe these embeddings. That is possible because prompts for image generation will always underspecify the output, since the prompts do not specify pixel for pixel or patch for patch how to draw in the image. When the system fills out the image past what the prompt specifies, it does so by estimating the most likely way to continue on the prompt, and it does that by drawing on the embeddings involved. We can judge the content of the underlying model by seeing what concrete features in the generated image the AI system estimates as best approximating what is implicit in the prompt. Hence the methodology of this and other studies on AI bias where we describe a social category with little demographic detail, and see the demographic profile of figures the AI depicts as belonging to that category.

We now return to the issue of how certain features are socially marked. The AI can pick up on the ways these categories are marked through the fact that the embeddings it produces highlight especially strong links between that category and the feature it is marked by. In turn, the fact that certain social categories are marked helps explain why it is that these AI systems tend not just to reproduce social biases but can actually amplify the extent of bias found in their training data (e.g. Bianchi et al. 2023; Zhao et al. 2017; Seshadri, Singh, and Elazar 2023) When a marked characteristic strongly influences the embeddings, the AI's output can emphasize these biases more than the original data, leading to a greater distortion of social reality. We can see this dynamic in action even in relatively benign cases where the resulting bias is not linked to serious social harms. For instance, LLMs tend to exaggerate features of speech distinctive of a dialect when asked to write in that dialect, including of prestige dialects. A study of this pheonomenon on the language used in scientific reviews (Liang et al. 2024) noted that adjectives such as "commendable," "meticulous," and "intricate" were used at enormously increased rates by LLMs. And of course a lot of attention has been given to cases where this tendency of generative AI does replicate socially harmful views. For instance, Bianchi et al. (2023) found that prompts containing the term 'African' often resulted in images depicting poorer people and more dilapidated objects and surroundings. The fact that both harmful and relatively benign examples of bias can arise indicate that the cause is likely a feature of the technical workings of the system. The AI need not pick up on what is and is not harmful sentiments in order to engage in bias amplification. Conversely, this also means that the problem cannot be solved by trying to pre-empt such sentiments in either the training data or user prompts, because the model is inherently liable to overemphasise socially marked features of any object it may portray.



Methods

Figure 1: Workflow for this study

Making use of the results of Cheong et al. (2024), we sampled from the occupations they identified as showing a large disparity between AI outputs and real-world labor data. Using US demographic data from the Bureau of Labour Statistics as a baseline for comparison is commonly used in this literature (e.g. Luccioni et al. 2023; Zhou et al. 2024). For gender bias, we focused on two occupations: poet and judge. According to Cheong et al., DALL-E Mini generated predominantly male images for these professions. However, in reality, both of these occupations have a majority female representation. For racial bias, we examined the occupations of pastor and rapper. Cheong et al. found that DALL-E Mini produced roughly equal numbers of White and Non-White images for these roles. In contrast, real-world data indicates that these occupations are predominantly populated by White individuals.

To investigate what implicit features may influence how the AI represents these occupations, we utilized ChatGPT-40 to generate a series of short vignettes of between 3 and 5 sentences. Specifically, we asked the model to create 10 vignettes for each occupation under study. These vignettes were designed to describe episodes involving individuals in these occupations. We created two distinct sets of vignettes for each occupation. The first set included a mix of sentiments but maintained an overall neutral tone. The second set also featured a variety of sentiments but leaned towards a slightly negative overall tone. This approach allowed us to examine how different emotional contexts might impact the AI's representation of these occupations. We specified mixed sentiments with overall neutral or negative valence, because ChatGPT tends to produce vignettes with only positive sentiments unless directed otherwise.

The prompt we used for the vignettes was:

Please write a vignette depicting a scenario featuring [occupation], without mentioning a name or any demographic information. The vignette should have a mix of positive and negative sentiment, but should overall be [neutral/slightly negative].

After generating the vignettes, we utilized ChatGPT-4o's integration with DALL-E 3 to produce images depicting the scenarios described in each vignette. We did so with the prompt "Please generate an image for the below vignettes", followed by the 10 vignettes produced in the first step of the process. The production of the vignettes and the images were separated from each other. ChatGPT-4o then would turn the vignette into a description of the scene, and then use DALL-E to generate an image. It does so automatically for any prompt, leveraging the tight connection between the text and image models. As discussed in the Introduction, the prompts for these images are much longer and more complex than is usual for this kind of study. It should be noted that DALL-E 3 is designed to manage prompts better than predecessors, and some of the example prompts in the technical paper describing the model are of similar length and complexity (Betker et al. 2023). The following is an example for one of the images (for a neutral vignette of a poet).

Table	1:	Example	of	ChatGPT-40 t	ext	outputs
-------	----	---------	----	--------------	-----	---------

Vignette generated by ChatGPT-40	Prompt for DALL-E 3 generated by ChatGPT-40 from vignette
At a university lecture, a poet spoke passionately about the power of words. Students were engaged, asking thoughtful questions, but a professor challenged the poet's interpretations, causing a moment of tension. The poet handled it gracefully, but the exchange left a mark. The session ended with applause, but the poet couldn't shake off the criticism. The lecture was a blend of inspiration and unease.	In a university lecture hall, a poet delivered a talk on the role of poetry in social change. The presentation was well-received by many students, but a few questioned the poet's perspectives. A heated debate ensued, testing the poet's composure.



Figure 2: Example DALL-E 3 output

These images were then manually coded by the sole author, noting for each image whether the subject was White or Non-White, Male or Female. This followed the practice of the codebooks used for Alfano et al. (2024); Cheong et al. (2024). One difference is that the images produced by DALL-E 3 were of much higher fidelity than those generated by DALL-E Mini for those studies, and often included large crowds of people. As such, rather than code each human figure in the images, it was easy enough to identify the intended subject of the image and code them, and note for the other figures whether they included a Non-White or Female figure. The figures were detailed enough that normally it would not be difficult to give a more detailed coding than 'Non-White', but since the amount of Non-White figures was so low, they were all taken together as a class. There were very small number of figures who was ambiguous to code, and only one for the subject of an image. Since that number is insignificant even for the limited number of images we are considering, no mention is made of these and they play no role in the study.



Figure 3: The only ambiguous figure who is the subject of an image: a male White or perhaps Non-White rapper with Non-White figures in the background

Findings

The hope was that the extra details would be able to draw out features that make a difference to the demographic profile of the AI's outputs. However, we obtained the opposite result. The inclusion of more detailed prompts seems to have circumvented DALL-E's measures for producing more demographically varied outputs (see "Reducing Bias and Improving Safety in DALL-E 2" n.d.). The outputs were even more uniform than those from DALL-E Mini in Cheong et al. (2024). For instance, every one of the pastors and every one of the judges were generated was White and male.

Since most of the images involved interpersonal interactions, they normally pictured multiple people, sometimes dozens of people. It is noteworthy that the images did contain people from non-dominated groups. What was interesting is that women and non-white people appeared much more often as onlookers or background figures in the images. Accordingly, we also note whether there are female or non-white figures depicted in the image at all, not just the demographic profile of the main subject.

		Male subject	Female subject	White subject	Non- White subject	Female in back- ground	Non- White in back- ground
Pastor	Neutral	10	0	10	0	8	3
Pastor	Negative	10	0	10	0	9	4
Rapper	Neutral	10	0	8	2	9	5
Rapper	Negative	10	0	5	5	6	6
Judge	Neutral	10	0	10	0	5	1
Judge	Negative	10	0	10	0	7	1
Poet	Neutral	8	2	10	0	7	3
Poet	Negative	8	2	9	1	9	2

Table 2: Demographic profiles of people in generated images.

While the other figures in the scenes were more diverse than the subjects, they still were weighted towards members of dominant groups. For instance, the courthouse scenes for the "judge" images contained almost no non-white people, even in crowds containing dozens of people. Unsurprisingly, the one exception was the images for "rapper," but even some of these had overwhelmingly white onlookers, even when the central figure was non-white. There were numerous images where all or nearly all figures were white, and only one where a majority of figures were non-white. Although non-white populations are a minority in the US, there are many situations where non-white subjects would be in front of predominantly non-white audiences. The sole exception in our study is an image of what appears to be a white rapper visiting a school of Asian children, depicted in Figure 3. That image seems to depict a South East Asian rather than an American context.

Discussion

The fact that under the study conditions the demographic profiles of the images generated by the AI were much more homogenous than usual, and seemed to circumvent the AI's safety features for promoting diverse outputs, is the most interesting finding of this study.

Flipping between the two problems of bias

The increased homogeneity of the AI-generated images under study conditions could reflect a deeper issue within the model's training data or its inherent biases. The AI might be defaulting to more uniform demographic profiles because the training data itself lacks sufficient diversity or because the model has learned to prioritize certain demographics over others. The outputs studiously avoided showing members of non-dominant groups in stereotypically negative situations. For instance, while all the judges in the images were white, so were all the figures who were being passed judgement on, avoiding the stereotypical image of a predominantly White justice system with disporportionally Non-White criminals.

However, having overly homogenous outputs does not actually solve the problem of bias, even if it avoids showing members of non-dominant groups in a negative light. Homogeneous outputs still contribute to the invisibility of these groups by failing to represent them at all, which is a form of bias in itself. Swapping out an image of the justice system as racially charged for one where Non-White people simply does not feature is not progress. It is swapping one problem for another. By consistently depicting only a narrow slice of society, the AI perpetuates a limited and unrealistic view of the world, which can reinforce existing stereotypes about who belongs in certain roles and settings. That also may explain why no female judges feature, despite being the majority in the US.

Additionally, the homogeneity of the outputs suggests that the AI system has picked up on the fact that many of the scenarios being depicted are presumed to be characteristically associated with the dominant group. This is even when in reality non-dominant groups are disproportionally represented, e.g. in the US context both Black and Hispanic populations are more religious on average than White populations, and Black pastors are overrepresented both as a proportion of the US population, and in the output of other image generation studies like Cheong et al. (2024). The absence of Non-White figures in the 'pastor' images are unlikely to be due to a concerted effort to avoid negative stereotypes, since none of the scenarios that featured pastors were of a kind that carry this threat. Even the negatively valenced scenarios involved non-racially-loaded issues like disinterest among the congregation, or the pastor failing to connect personally with people he consulted. The AI simply did not produce Black pastors, nor more than an incidental number of Non-White people in the congregations.

A more likely explanation is that only a subset of situations involving pastors is socially marked as associated with Non-White pastors. Since the AI-generated vignettes did not include one of these socially marked situations, there were no Non-White pastors pictured. It is difficult to give a list of situations that are socially marked in this way. In the US context, it will certainly include the depiction of primarily Non-White congregations, and of depictions of the Civil Rights movement and related movements. These situations appear in the self-conception of members of Non-White congregations, especially among Black Americans (Gecewicz 2021), and plausibly matches associations in the wider US public. There was no setting in the vignettes that matches these associations. There were also no situations of the pastors serving the poor that match a stereotypical link between Non-White populations and poverty. Notably, while the 20 pastor vignettes included such settings as radio broadcasts, a community garden, and church council meetings over charity budgets, there was nothing like serving in a soup kitchen, as a chaplain, or involvement with wider political or social issues. The 'poet' images did provide a clear example of the dynamic of Non-White subjects only appearing in a socially marked situation. The only Non-White poet appeared in a vignette involving a 'cultural festival', depicting what appears to be a performance by a group from the Indian subcontinent. All the other images of poets, ranging in setting from them writing on their own in a cafe to giving radio interviews, depicted White (and, contrary to real-world data, overwhelmingly male) figures.



Figure 4: The only Non-White subject in the 'poet' images. The prompt was: "At a cultural festival, a poet performed alongside musicians and dancers. The vibrant atmosphere was energizing, but technical issues with the microphone disrupted the flow. The audience's reaction was mixed, with some offering praise and others expressing disappointment. The poet's efforts to recover were commendable, but the setbacks lingered. The festival left the poet feeling both uplifted and disheartened."

Trying to determine which situations are socially marked is an avenue where we can use social and AI biases to investigate each other. If we have reason to think there are widely held associations between a certain group and a socially marked situation, we can use image generation of these situations to see whether the model has picked up on such a pattern. Similarly, if we find evidence of such patterns in the world, then that suggests that we can look for them in AI representations as well.

The role of emotional valence in the outputs, and comparison to ChatGPT 3.5

There were only minor differences in the portrayals of neutrally and negatively valenced vignettes. This is a difference between ChatGPT-40 and earlier models. The study was initially conceived and piloted on ChatGPT-3.5; using it to generate positively and negatively valenced text vignettes and to assign demographic details to the professional who is the subject of each vignette. This stage of the study was purely text-based, aiming to understand how different demographics might be represented in various contexts. We planned to reverse the process in the next stage, producing images from negatively valenced prompts and observing which demographics were represented. There were two main reasons for this approach. First, it would help determine if some demographic groups were more likely to be associated with negative valences. This could reveal potential biases in how the AI links certain demographics to negative traits or scenarios. Second, it might show which negative features are aligned with specific demographics, offering insights into the stereotypes embedded within the AI's training data.

However, we encountered significant challenges with the system's safety features. These features frequently refused to assign demographic details to the subjects of the vignettes. This refusal was inconsistent, which allowed us to create some comparative prompts despite the limitations. This inconsistency highlights the complexity of working with AI systems and the difficulty in ensuring they function as intended across various scenarios. Despite these challenges, we uncovered an interesting finding during our pilot set for the occupation of 'pastor.' In the negative vignettes, half the subjects were Black, even after two vignettes did not specify ethnicity (despite being prompted to do so). However, in the positive prompts, none of the subjects were Black. This result suggests a potential bias in how positive and negative attributes are distributed across different demographic groups by the AI.

Table 3:	Differences in	n demograph	ic profiles iı	n vignettes in	n our pilot stud	ly using ChatGPT-
	3.5.					

		White	Latino	Black	Unspecified	Male	Female
Pastor	Positive	8	2	0	0	7	3
Pastor	Negative	3	0	5	2	10	0

But working on LLMs, especially the GPT models from OpenAI, aiming at a moving target. These models are frequently updated, particularly in their safety features, which can significantly impact the consistency and reliability of results over time. When we repeated our process using ChatGPT-40, we observed notable differences in the demographic distribution of the generated vignettes. The table below summarizes these results:

		White		Non-White Middle				Male	Female
			Total	Black	Latino	Asian	Eastern		
Pastor	Positive	2	8	2	2	2	2	5	5
Pastor	Negative	3	7	2	2	2	1	5	5

Table 4: Differences in demographic profiles in vignettes in ChatGPT-40.

These results indicate much more demographic diversity compared to the earlier versions of the model. However, this diversity appears to be achieved by randomly assigning demographic features with no weighting between them, rather than reflecting the actual demographics in question. In reality, the demographics of pastors in the United States are predominantly White and Comparing the outputs from ChatGPT-40 to US demographics, it is evident that the AI-generated vignettes do not accurately reflect the real-world composition of pastors. The AI's outputs show a much higher representation of non-White and female pastors than is typical. Additionally, when comparing these findings to the earlier results obtained using ChatGPT-3.5, we observed a significant difference in demographic representation. The results from ChatGPT-3.5 show a stark contrast to both the actual demographics of pastors in the US and the more balanced representation achieved by ChatGPT-40. ChatGPT-3.5's outputs heavily favored White individuals in positive scenarios and underrepresented non-White demographics in positive contexts, while disproportionately assigning non-White demographics to negative scenarios. ChatGPT-40 has tried to avoid reproducing harmful social stereotypes, but the contrived and artificial distributions they enforce in effect removes this dimension from the outputs, making their models correspondingly poorer and less interesting. As such, we dropped this text-only part of the study.

The confounding role of safety features

The various safety features of AI systems try to avoid the problems of reproducing social biases, but this is akin to moving the bump in a carpet. To replace the demographic profiles the AI is disposed to produce with an unweighted random distribution, as ChatGPT-40 does, means that the system simply gives up on trying to represent demographics. This approach is neither a long-term solution nor one that works at scale. The usefulness of such AI arises from its ability to appropriately weigh up and reproduce the features of the things it is asked to generate. Therefore, it cannot abandon the attempt to accurately represent too many features too much of the time, and each such stopgap measure makes the system less effective. A system that defaults to randomization fails to capture the complexities and nuances of real-world demographic distributions, leading to outputs that are less realistic, less interesting, and for many purposes less useful. Ultimately, sustainable solutions require addressing the underlying issues of bias and developing

methods to incorporate demographic features accurately and fairly, rather than resorting to oversimplified fixes.

Furthermore, there are many more features to individuals that the AI is sensitive to and reproduces than these kinds of explicit measures can hope to address. For instance, DALL-E 3 is heavily biased towards producing younger people in images, even if this goes against the reality of the people being depicted. When you ask ChatGPT about demographics, the system is aware that, say, judges and pastors tend to be middle-aged or older, and with this framing will try and produce representative images. But without such prompting most of the images generated in our study depicted adults apparently in the age range between 20 and 45.

Another dimension to generative AI inputs is its use of Reinforcement Learning from Human Feedback (RLHF). RLHF is a process where human feedback is used to train and refine AI models. In this method, human evaluators assess the outputs of the AI system and provide feedback on their quality and accuracy. The AI then uses this feedback to adjust its algorithms and improve its future outputs. This iterative process helps the model learn more nuanced and contextually appropriate responses, as it incorporates the human evaluators' expertise and judgments. In this way RLHF aims to align AI outputs more closely with human expectations and values.

While the specifics of the RLHF process in ChatGPT and DALL-E, like the rest of the system, are closed off from outside observers, it seems likely that the surprising uniformity of the people portrayed in our images is partly a result of the preferences of the users. The feedback provided by users during the RLHF process can inadvertently reinforce certain biases, especially if the users have unconscious preferences or tendencies towards certain demographic features. This could lead to a model that, while trained to avoid explicit biases, still exhibits uniformity in its outputs due to the aggregated preferences of its users. This is exacerbated by the fact that the typical user of OpenAI products is not at all representative of the US population, and certainly not of the worldwide population.

Limitations and Future Work

The current study is inherently limited by being an exploratory pilot study, focused on identifying directions for future research. The range of demographic profiles considered is small, and all the coding was done by the sole author. This limitation arose because the study iterated more on methods of studying image than on analyzing a large number of images.

Additionally, the methods used in this work are not likely to be scalable, especially since they involve manually judging the details of the figures in generated images. Some other studies use automated image classifiers for their analyses, but employing such methods here would require more tightly constrained aims to ensure feasibility. There are promising avenues for future research. As noted in the discussion, the feature we found that made the largest difference to the demographic profiles of the figures depicted, was the setting for the vignette, such as 'community event' or 'hospital setting.' As mentioned, the only non-white poet depicted was in the setting of a 'cultural festival', which depicted what appears to be an Indian cultural performance. There is scope for a survey of which kinds of situations are marked for what kinds of demographics. Future research could systematically explore various settings to identify patterns, and give some indication of what kinds of settings the model recognised as socially marked as being associated with certain demographics.



Figure 5: Example of DALL-E 3 losing track of the number of figures and demographic profiles in an image, even when these are specifically prompted. The prompt was: A group of 10 pastors meeting in a conference room for a synod or conference, looking frustrated and tired. The group is a representative sample of pastors in the United States, including 7 men and 3 women, with a mix of racial backgrounds: 6 White, 2 African American, 1 Hispanic, and 1 Asian. The room is dimly lit and cluttered with papers and coffee cups. The pastors are wearing clerical attire, some in suits and some in clerical collars. They are engaged in a heated discussion, with some looking stressed and others arguing. The atmosphere is tense and strained." The actual demographics are: 21 adults; 16 men, 3 women; 14 White, 3 Black, 1 Asian, 3 indistinct ethnicity

We found that the system stopped artificially randomizing demographic profiles when given sufficiently complex prompts. But we also found other ways to disrupt this randomization. If you ask the system to produce many specific figures at the same time, the complexity of that task seems to make it give up on trying to balance demographics and even loses track of the profiles and the number of figures it is generating. This behaviour occurs even if you specifically prompt for demographic diversity. Something more to note is that this behaviour is exacerbated the more the task is repeated within a single context, making it especially easy to replicate in the ChatGPT web interface.

It would be worthwhile to compare the outputs of various different kinds of complexities in image prompts and to see how it effects image generation. Analyzing how different types and levels of prompt complexity influence demographic representation could provide further insights into the behavior of AI systems. By systematically varying the complexity of prompts and evaluating the resulting images, researchers can better probe the underlying tendencies of AI systems.

Bibliography

- Alfano, Mark, Ehsan Abedin, Ritsaart Reimann, Marinus Ferreira, and Marc Cheong. 2024. "Now You See Me, Now You Don't: An Exploration of Religious Exnomination in DALL-E." *Ethics and Information Technology* 26 (2): 27. https://doi.org/10.1007/ s10676-024-09760-y.
- Betker, James, Gabriel Goh, Li Jing, Tim Brooks, Jianfeng Wang, Linjie Li, Long Ouyang, et al. 2023. "Improving Image Generation with Better Captions." Computer Science. *Https://Cdn. Openai. Com/Papers/Dall-e-3. Pdf* 2 (3): 8.
- Bianchi, Federico, Pratyusha Kalluri, Esin Durmus, Faisal Ladhak, Myra Cheng, Debora Nozza, Tatsunori Hashimoto, Dan Jurafsky, James Zou, and Aylin Caliskan. 2023. "Easily Accessible Text-to-Image Generation Amplifies Demographic Stereotypes at Large Scale." In Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency, 1493–1504. FAccT '23. New York, NY, USA: Association for Computing Machinery. https://doi.org/10.1145/3593013.3594095.
- Cheong, Marc, Ehsan Abedin, Marinus Ferreira, Ritsaart Reimann, Shalom Chalson, Pamela Robinson, Joanne Byrne, Leah Ruppanner, Mark Alfano, and Colin Klein. 2024. "Investigating Gender and Racial Biases in DALL-E Mini Images." ACM Journal on Responsible Computing, March, 3649883. https://doi.org/10.1145/3649883.
- Fraser, Kathleen C., Svetlana Kiritchenko, and Isar Nejadgholi. 2023. "A Friendly Face: Do Text-to-Image Systems Rely on Stereotypes When the Input Is Under-Specified?" arXiv. https://doi.org/10.48550/arXiv.2302.07159.
- Garg, Nikhil, Londa Schiebinger, Dan Jurafsky, and James Zou. 2018. "Word Embeddings Quantify 100 Years of Gender and Ethnic Stereotypes." Proceedings of the National Academy of Sciences 115 (16): E3635–44. https://doi.org/10.1073/pnas.1720347115.
- Gecewicz, Jeff Diamant and Claire, Kiana Cox. 2021. "Faith Among Black Americans." *Pew Research Center*.
- Hess, Ursula, Reginald Adams Jr, and Robert Kleck. 2005. "Who May Frown and Who Should Smile? Dominance, Affiliation, and the Display of Happiness and Anger." *Cognition and Emotion* 19 (4): 515–36. https://doi.org/10.1080/02699930441000364.

- Liang, Weixin, Zachary Izzo, Yaohui Zhang, Haley Lepp, Hancheng Cao, Xuandong Zhao, Lingjiao Chen, et al. 2024. "Monitoring AI-Modified Content at Scale: A Case Study on the Impact of ChatGPT on AI Conference Peer Reviews." arXiv. https://arxiv.org/abs/2403.07183.
- Liu, Bingshuai, Longyue Wang, Chenyang Lyu, Yong Zhang, Jinsong Su, Shuming Shi, and Zhaopeng Tu. 2023. "On the Cultural Gap in Text-to-Image Generation." arXiv. https://doi.org/10.48550/arXiv.2307.02971.
- Luccioni, Alexandra Sasha, Christopher Akiki, Margaret Mitchell, and Yacine Jernite. 2023. "Stable Bias: Analyzing Societal Representations in Diffusion Models." arXiv. https://doi.org/10.48550/arXiv.2303.11408.
- Mannering, Harvey. 2023. "Analysing Gender Bias in Text-to-Image Models Using Object Detection." arXiv. https://doi.org/10.48550/arXiv.2307.08025.
- Offert, Fabian, and Thao Phan. 2022. "A Sign That Spells: DALL-E 2, Invisual Images and The Racial Politics of Feature Space." arXiv. https://doi.org/10.48550/arXiv.2 211.06323.
- OpenAI. 2022. "Reducing Bias and Improving Safety in DALL·E 2." https://openai.com/index/reducingbias-and-improving-safety-in-dall-e-2/. Accessed June 17, 2024.
- OpenAI, Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, et al. 2024. "GPT-4 Technical Report." arXiv. https: //doi.org/10.48550/arXiv.2303.08774.
- Seshadri, Preethi, Sameer Singh, and Yanai Elazar. 2023. "The Bias Amplification Paradox in Text-to-Image Generation." arXiv. https://doi.org/10.48550/arXiv.2308. 00755.
- Tiedens, Larissa Z., Phoebe C. Ellsworth, and Batja Mesquita. 2000. "Sentimental Stereotypes: Emotional Expectations for High-and Low-Status Group Members." *Personality and Social Psychology Bulletin* 26 (5): 560–75. https://doi.org/10.1177/ 0146167200267004.
- Zhao, Jieyu, Tianlu Wang, Mark Yatskar, Vicente Ordonez, and Kai-Wei Chang. 2017. "Men Also Like Shopping: Reducing Gender Bias Amplification Using Corpus-level Constraints." In Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing, edited by Martha Palmer, Rebecca Hwa, and Sebastian Riedel, 2979–89. Copenhagen, Denmark: Association for Computational Linguistics. https: //doi.org/10.18653/v1/D17-1323.
- Zhou, Mi, Vibhanshu Abhishek, Timothy Derdenger, Jaymo Kim, and Kannan Srinivasan. 2024. "Bias in Generative AI." arXiv. https://doi.org/10.48550/arXiv.2403.02726.